CRWMS/M&O

Design Analysis Cover Sheet

Complete only applicable items.

(1.) QA: L

Page: 1 Of: 25

2. DESIGN ANALYSIS TITLE	
SAS2H Generated Isotopic Concentrations for B&W 15x15 PWR Assembly (SCPB: N/A)	
3. DOCUMENT IDENTIFIER (Including Rev. No.)	4. TOTAL PAGES
BBA000000-01717-0200-00012 REV 01	25
5. TOTAL ATTACHMENTS	6. ATTACHMENT NUMBERS - NO. OF PAGES IN EACH
13	I-825 (2/16/96), II-122 (2/16/96), Cont. Block 12

	Printed Name	Signature	Date
7. Originator	J. W. Davis	JW Davis	8/29/96
8. Checker	J. R. Massari		8/29/96
9. Lead Design Engineer	T. W. Doering	T. W. Doering	8.29.96
10.QA Manager	O J Gilstrap	O. J. Gilstrap	8/29/96
11. Department Manager	H. A. Benton	Hugh A. Benton	8/29/96

12. REMARKS

Cont. From Block 6.

III-18 (3/31/96), IV-2 (3/7/96), V-1 (3/12/96), VI-93 (3/29/96), VII-1 (3/14/96), VIII-1 (3/14/96), IX-1 (3/14/96), X-95 (3/14/96), XI-19 (8/8/96), XII-51 (8/9/96), XIII-1 (3/12/96)

2. DESIGN ANALYSIS TITLE	
SAS2H Generated Isotopic Concentrations for B&W 15x15 PWR Assembly	
3. DOCUMENT IDENTIFIER (Including Rev. No.)	
BBA000000-01717-0200-00012 REV 01	
4. Revision No.	5. Description of Revision
00	Issued Approved
01	Issued Approved with addition of Section 7.5 and 10 Attachments to provide data on a long term low power criticality event within a waste package.

Table of Contents:

Item **Page**

1. Purpose 4

2. Quality Assurance 4

3. Method 4

4. Design Inputs 4
   - 4.1 Design Parameters 5
   - 4.2 Criteria 8
   - 4.3 Assumptions 9
   - 4.4 Codes and Standards 11

5. References 11

6. Use of Computer Software 12
   - 6.1 Scientific and Engineering Software 12
   - 6.2 Computational Support Software 13

7. Design Analysis 13
   - 7.1 Background 13
   - 7.2 Evaluation Procedure 13
   - 7.3 Code Input Calculations 14
     - 7.3.1 SAS2H Data Block 5 Input 14
     - 7.3.2 Fuel Density and Composition Calculations 14
     - 7.3.3 Clad Temperature 15
     - 7.3.4 Moderator Density 15
     - 7.3.5 Boron Concentration 16
     - 7.3.6 SAS2H Data Block 8 Input 16
     - 7.3.7 Specific Power and Effective Full Power Days Calculations 18
     - 7.3.8 Decay Input 18
   - 7.4 Number Density Calculations Using ORIGEN-S Output 19
   - 7.5 Effects of Long Term Low Power Criticality in the Waste Package 19
     - 7.5.1 SAS2H Input Modifications 19
     - 7.5.2 ORIGEN-S Input Modifications 20

8. Conclusions 20

9. Attachments 25

1. Purpose

This analysis is prepared by the Mined Geologic Disposal System (MGDS) Waste Package Development Department (WPDD) to provide pressurized water reactor (PWR) isotopic composition data as a function of time for use in criticality analyses. The objectives of this evaluation are to generate burnup and decay dependant isotopic inventories and to provide these inventories in a form which can easily be utilized in subsequent criticality calculations.

2. Quality Assurance

The work performed for this analysis is covered by a Waste Package Development (WPD) QAP-2-0 work control Activity Evaluation entitled "Perform Criticality, Thermal, Structural, and Shielding Analyses" (Ref. 5.1). The QAP-2-0 evaluation determined that such activities are subject to Quality Assurance Requirements and Description (QARD) (Ref. 5.2) controls. Applicable procedural controls are listed in the activity evaluation. The waste package is on the Q-List (Ref. 5.3) by direct inclusion by the Department of Energy (DOE), as an item important to safety and waste isolation; because of the direct inclusion of the waste package on the Q-List, a QAP-2-3 evaluation is not required to be conducted.

The work reported in this document is part of the neutronic analysis for the preliminary design; thus, design inputs include unqualified data and unconfirmed assumptions. These design inputs will require subsequent qualification (or superseding inputs) as the waste package design proceeds. This document will not directly support any construction, fabrication, or procurement activity and, therefore, does not require initiation of a TBV (to be verified) number for tracking purposes. However, use of any data or output from this analysis for input into documents supporting procurement, fabrication, or construction is required to be controlled as TBV in accordance with appropriate procedures.

3. Method

The SAS2H sequence in SCALE 4.2 (Ref. 5.4) is used to calculate the isotopic composition, as a function of time, for the PWR criticality design basis fuel assembly. The prime module of this sequence is the ORIGEN-S code. This code does a point depletion of a selected fuel type with user specified irradiation conditions. At the completion of the depletion calculation, decay of the irradiated fuel with user specified time intervals is computed.

4. Design Inputs

The design inputs identified in this document are for preliminary design and shall be treated as unqualified data; the design inputs will require subsequent qualification (or superseding inputs) as the waste package design proceeds. This document will not support any construction, fabrication, or procurement activity and therefore is not required to be procedurally controlled as TBV.

The dimensions listed in this section and throughout this analysis are in the metric units used directly in the neutronics codes to facilitate checking and preclude errors in input.

4.1 Design Parameters

The fuel assembly upon which this calculation is based is the B&W 15 x 15 fuel assembly. The mechanical parameters and typical operating parameters for this assembly type are shown in the two tables below.

Table 4.1-1 Mechanical Parameters of B&W 15x15 Fuel Assembly

Parameter	Value	Units	Metric	Units	Radius (cm)	Ref
Fuel Rods	208	/assbly	208	/assbly		5.5
Fuel Rods on a Lattice Side	15	/side	15	/side		5.5
Guide Tubes	16	/assbly	16	/assbly		5.5
Instrumentation Tubes	1	/assbly	1	/assbly		5.5
Total Guide + Instrument Tubes	17	/assbly	17	/assbly		-
Clad/Tube Material	ZIRC-4		ZIRC-4			5.5
Fuel Pellet OD	0.3686	inches	0.936244	cm	0.468122	5.5
Fuel Stack Height	141.8	inches	360.172	cm		5.5
Mass of U	1023	lb	464	kg		5.6
Mass of UO_2	1160.64	lb	526.38	kg		5.5
Percent of Theoretical Density	95	%	95	%		5.5
Fuel Clad OD	0.430	inches	1.0922	cm	0.5461	5.5
Clad Thickness	0.0265	inches	0.06731	cm		5.5
Fuel Clad ID*	0.377	inches	0.95758	cm	0.47879	-
Fuel Rod Pitch	0.568	inches	1.44272	cm		5.5
Guide Tube OD	0.530	inches	1.3462	cm	0.6731	5.5
Guide Tube Thickness	0.016	inches	0.04064	cm		5.5
Guide Tube ID*	0.498	inches	1.26492	cm	0.63246	-
Instrumentation Tube OD	0.493	inches	1.25222	cm	0.62611	5.5
Fuel Assembly Envelope	8.536	inches	21.6814	cm		5.5

* The inner diameters (IDs) above are calculated by subtracting 2 × thickness from the outer diameter (OD).

The values listed in Table 4.1-2 are preliminary and were obtained through a phone conversation with Framatome Cogema Fuels (formerly B&W Fuel Company) personnel.

Table 4.1-2 Typical Assembly/Core Operating Parameters for a B&W 15x15 Fuel Assembly

Parameter	Value	Units	Metric	Units	Ref
Pellet Average Fuel Temperature	1200	°F	922	K	BWFC
Maximum (peaked) Pellet Average Fuel Temperature	1295	°F	975	K	BWFC
Clad Temperature	50-75 above moderator	°F	28-42 above moderator	K	BWFC
Average Core Exit Moderator Temperature	612	°F	595.4	K	BWFC
Peak Core Exit Moderator Temperature	634	°F	607.6	K	BWFC
Core Exit Moderator Density	-	-	0.6272	g/cm^3	Sat @ 607.6 K
Maximum Beginning of Cycle Boron Concentration	1050	ppm	-	-	BWFC
Number of Assemblies in the Core	177		177		BWFC
Total Core Thermal Power			2568	MWth	BWFC
Typical Power Peaking Across Core	1.2	-	-	-	BWFC
Capacity Factor (lowest expected)	0.6	-	-	-	-
Average Specific Power MW/MTU			31.27	MW/ MTU	BWFC

The theoretical density of UO_2 is 10.96 g/cm^3 as indicated in Table M8.2.1 of the SCALE 4.2 manual (Ref. 5.4).

The atomic weights of isotopes are listed in Table 4.1-3 below (Ref. 5.7).

Avogadro's Number $[N_A] = 0.602252\ (g\text{-}mol)^{-1} \times 10^{24}$ (Ref. 5.7 p. 933). A physical constant is taken to be established fact that requires no additional qualification.

Table 4.1-3 Atomic Weights (Ref 5.7)

Isotope	MCNP ID	Atomic Weight
O-16	8016.50C	15.994915
nat. Mo	42000.50C	95.94
Mo-95	42095.50C	94.905839
Tc-99	43099.50C	98.90627501
Ru-101	44101.50C	100.905576
Rh-103	45103.50C	102.905511
Ag-109	47109.50C	108.904756
nat. Cd	48000.50C	112.4
Cs-133	55133.50C	132.905355
Cs-135	55135.50C	134.90577
Nd-143	60143.50C	142.909779
Nd-145	60145.50C	144.912538
Sm-147	62147.50C	146.914867
Sm-149	62149.50C	148.91718
Sm-150	62150.50C	149.917276
Sm-151	62151.50C	150.919919
Sm-152	62152.50C	151.919756
Eu-151	63151.55C	150.919838
Eu-153	63153.55C	152.921242
Eu-154	63154.50C	153.923053
Gd-155	64155.50C	154.922664
Gd-157	64157.50C	156.924025
U-233	92233.50C	233.039522
U-234	92234.50C	234.040904
U-235	92235.50C	235.043915
U-236	92236.50C	236.045637
U-238	92238.50C	238.05077
Np-237	93237.55C	237.048056
Pu-238	94238.50C	238.049511
Pu-239	94239.55C	239.052146
Pu-240	94240.50C	240.053882
Pu-241	94241.50C	241.056737
Pu-242	94242.50C	242.058725
Pu-243	94243.35C	243.061972
Am-241	95241.50C	241.056714
Am-242m	95242.50C	242.059502
Am-243	95243.50C	243.061367
Cm-243	96243.35C	243.06137
Cm-245	96245.35C	245.065371

4.2 Criteria

This design analysis provides input for criticality analyses which evaluate whether waste package designs meet the repository criticality control design criteria from requirement documents. The *Mined Geological Disposal System Requirements Document* (Ref. 5.8) and the *Engineered Barrier Design Requirements Document* (Ref. 5.9) have criteria which pertain to criticality analyses. Reference 5.9 is the lower level document and contains all of the criteria listed in Reference 5.8. The criteria cited that have bearing on this analysis are the following:

EBDRD Requirements (Ref. 5.9)

"3.2.2.6 CRITICALITY PROTECTION

A. The Engineered Barrier Segment shall be designed to ensure that a nuclear criticality accident is not possible unless at least two unlikely, independent, and concurrent or sequential changes have occurred in the conditions essential to nuclear criticality-safety. Each system shall be designed for criticality safety under normal and accident conditions. The calculated effective multiplication factor must be sufficiently below unity to show at least a five percent margin, after allowance for the bias in the method of calculation and the uncertainty in the experiments used to validate the methods of calculation.

[MGDS-RD 3.2.2.6.A] [10CFR60.131(b)(7)]

B. To mitigate the potential for nuclear criticality, the Engineering Barrier Segment shall be designed and constructed to comply with the nuclear criticality requirements specified by DOE order 6430.1A, 1300-4.

[MGDS-RD 3.2.2.6.B] [DOE Order 6430.1A, 1300-4]"

"3.7.1.3 INTERNAL STRUCTURE REQUIREMENTS

A. The internal structure shall provide separation of the waste forms such that nuclear criticality shall not be possible unless at least two unlikely, independent, and concurrent or sequential changes have occurred in the conditions essential to nuclear criticality safety. The calculated effective multiplication factor (k_{eff}) must be sufficiently below unity to show at least a five percent margin after allowance for the bias in the method of calculation and the uncertainty in the experiments used to validate the methods of calculation (TBD). [MGDS-RD 3.2.2.6.A][10CFR60.131(b)(7)]"

This document provides SNF composition data which may potentially be used in subsequent analyses for calculation of k_{eff} values. This document does not directly address the above listed requirements, but provides input for future analyses which may address these requirements. This document will not directly support any construction, fabrication, or procurement activity and therefore is not required to carry TBV (to be verified) or TBD (to be determined) items

associated with criteria to design outputs.

4.3 Assumptions

All assumptions identified in this section will require verification (or superseding assumptions) as the waste package design proceeds and should be treated as unconfirmed items for preliminary design. For this preliminary design, that will not be used to support procurement, fabrication, or construction, the assumptions are clearly identified and traceable to a source, but are not procedurally controlled as TBV.

4.3.1 Principal Isotope (PI) burnup credit is an acceptable criticality control mechanism for the waste package. (CDA Key 009, Ref. 5.10). This assumption is used throughout Section 7.

4.3.2 The Reference PWR fuel assembly selected for conceptual development is the B&W 15 x 15 fuel type, which has been established as one of the more reactive PWR fuel designs under intact fuel assembly and fixed Multi-Purpose Canister (MPC) geometry conditions (Ref. 5.11 p. II.A.3-35). This assumption is used throughout Section 7.

4.3.3 It is assumed that the criticality design basis fuel (DBF) characteristics are 3.0% U-235 enrichment and 20 GWd/MTU burnup. The basis for this assumption is a re-evaluation of the DBF in which scoping analysis indicates this DBF bounds (regarding criticality) 98% of the PWR SNF. This is more appropriate than the previous analysis which designated a primary criticality DBF with characterisitics of 3.75% U-235 enrichment and 32 GWd/MTU and a secondary criticality DBF with characteristics of 3.75% U-235 enrichment and 18 GWd/MTU providing reactivity coverage of 80% and 96% (Ref. 5.12, p. 11), respectively. Re-evaluation of the DBF will be finalized in early FY97 to verifiy these characteristics. This assumption is used throughout Section 7.

4.3.4 For SNF, the list of "Principal Isotopes" previously established (Ref. 5.13 p 4-4) for long-term criticality control was used. The 29 principal isotopes are shown in Table 4.3-1. This assumption is used in Sections 7.3.2 and 7.4.

Table 4.3-1 Principal Long-Term Burnup Credit Isotopes

-	Mo-95	Ru-101	Tc-99	Rh-103
Ag-109	Nd-143	Nd-145	Sm-147	Sm-149
Sm-150	Sm-151	Sm-152	Eu-151	Eu-153
Gd-155	U-233	U-234	U-235	U-236
U-238	Np-237	Pu-238	Pu-239	Pu-240
Pu-241	Pu-242	Am-241	Am-242m	Am-243

4.3.5 The assembly specific power is assumed to be a reasonable "minimum" value of 7.25 MW/assembly. This assumption should maximize the reactivity of the decayed SNF as documented in ORNL/TM-12973 (Ref. 5.14) studies using a similar group of isotopes as included in this analysis. The use of this value will require verification through a parametric analysis applicable to PI burnup credit. This assumption is used in Section 7.3.7.

4.3.6 The maximum core outlet temperature for B&W 15x15 reactor cores (607.6 K) is used and the reactor operating pressure is assumed to be saturation for the purposes of calculating moderator density. Minimizing moderator density should result in maximizing SNF residual reactivity consistent with DOE/RW-0472, Chapter 4 assumptions (Ref. 5.15). The use of this value will require verification through a parametric analysis applicable to PI burnup credit. This assumption is used in Sections 7.3.4 and 7.3.5.

4.3.7 The maximum pellet average temperature is assumed to be 975 K based on personal communication with BWFC personnel. This is a volume weighted average. The use of this value will require verification through a parametric analysis applicable to PI burnup credit. This assumption is used in Section 7.3.2.

4.3.8 The maximum beginning of cycle, hot full power boron concentration is assumed to be 1050 ppm based on personal communication with BWFC personnel. This is the maximum parts per million boron (ppmb) with Xe and Sm equilibrium buildup. The use of this value will require verification through a parametric analysis applicable to PI burnup credit. This assumption is used in Section 7.3.5.

4.3.9 The clad temperature is assumed to be 42 K higher than the moderator temperature based on personal communication with BWFC personnel. The use of this value will require verification through a parametric analysis applicable to PI burnup credit. This assumption is used in Section 7.3.3.

4.3.10 SAS2H/ORIGEN-S is assumed to provide reasonable predictions of isotopic compositions for a low power criticality event in a waste package over several thousand years. This assumptions will require future verification. This assumption is used in Section 7.5.2.

4.3.11 The temperature in a waste package during a long term low power criticality event is assumed to be an average of 373 K and the water density is assumed to be 1.0 g/cm^3. SAS2H allows only a single average temperature to be entered as was required for this case. This assumption is used in Section 7.5.1.

4.3.12 The power level in a waste package during a long term low power criticality event is assumed to be 2.182 kw (Ref. 5.20, p. 55). This assumption is used in Section 7.5.2.

4.4 Codes and Standards

Not Applicable.

5. References

5.1 "Perform Criticality, Thermal, Structural, and Shielding Analyses," Document Identifier (DI) Number: BB0000000-01717-2200-00025 REV 02, Civilian Radioactive Waste Management System (CRWMS) Management and Operating Contractor (M&O).

5.2 *Quality Assurance Requirements and Description* (QARD), DOE/RW-0333P, REV 5, U. S. Department of Energy (USDOE) Office of Civilian Radioactive Waste Management (OCRWM).

5.3 *Yucca Mountain Site Characterization Project Q-List*, YMP/90-55Q, REV 3, Yucca Mountain Site Characterization Project.

5.4 *SCALE 4.2*, RSIC Computer Code Collection, CCC-545, Oak Ridge National Laboratory, September 1994.

5.5 *Preliminary Waste Form Characteristics Report Version 1.0*, UCRL-ID-108314 Rev 1, Lawrence Livermore National Laboratory (LLNL), page 2.1.2.2-6, December 1994.

5.6 *Characteristics of Potential Repository Wastes*, DOE/RW-0184-R1, Volume 1, USDOE OCRWM, page 2A-8, July 1992.

5.7 Benedict, Manson, et al., Nuclear Chemical Engineering, Second Edition, McGraw-Hill Book Company, New York, 1981.

5.8 *Mined Geological Disposal System Requirements Document*, DOE/RW-0404P, DI#: B00000000-00811-1708-00002 REV 02 ICN 1, USDOE OCRWM.

5.9 *Engineered Barrier Design Requirements Document*, YMP/CM-0024, REV 0, ICN 1, Yucca Mountain Site Characterization Project.

5.10 *Controlled Design Assumptions (CDA) Document*, DI#: B00000000-01717-4600-00032 REV 03, CRWMS M&O. (TBV-221-DD)

5.11 "Multi-Purpose Canister (MPC) Implementation Program Conceptual Design Phase Report, Volume II A - MPC Conceptual Design Report", DI#: A20000000-00811-5705-00002 Rev 00, CRWMS M&O, Pages II.A.3-35.

5.12 "Waste Package Design Basis Fuel Analysis," DI#: BBA000000-01717-0200-00121 REV

00, CRWMS M&O.

5.13 "Disposal Criticality Analysis Technical Report," DI#: B00000000-01717-5705-00020 REV 00, CRWMS M&O.

5.14 DeHart, M. D., *Sensitivity and Parametric Evaluations of Significant Aspects of Burnup Credit for PWR Spent Fuel Packages*, ORNL/TM-12973, Oak Ridge National Laboratory, June 1995.

5.15 *Topical Report of Actinide-Only Burnup Credit for PWR Spent Nuclear Fuel Packages*, DOE/RW-0472, USDOE OCRWM, May 1995.

5.16 "Characteristics Data Base (CDB_R)," CSCI#: A00000000-02268-1200-20002 V1.1 REV 01, CRWMS M&O.

5.17 Bowman, S. M., and O. W. Hermann, *SCALE-4 Analysis of Pressurized Water Reactor Critical Configurations: Volume 3 - Surry Unit 1 Cycle 2*, ORNL/TM-12294/V2, Oak Ridge National Laboratory, March 1995, page 18.

5.18 Incropera, F. P., and D. P. Dewitt, Fundamentals of Heat Transfer, John Wiley & Sons, NY, 1981, Table A.6, page 783.

5.19 LaMarsh, J. R., Introduction to Nuclear Engineering, 2nd Edition, Addison-Wesley Publishing Company, Reading, MA, 1983, page 34.

5.20 "Second Waste Package Probabilistic Criticality Analysis: Generation and Evaluation of Internal Criticality Configurations," DI#: BBA000000-01717-2200-00005 REV 00, CRWMS M&O.

6. Use of Computer Software

6.1 Scientific and Engineering Software

SCALE 4.2 CSCI 30004 V1.0 Rev 0. Hewlett Packard Apollo 9000, Series 735 Workstations

The SAS2H sequence of the SCALE 4.2 code system (Ref. 5.4) was used for this analysis. This software was designed for PWR fuel depletion calculations to determine spent fuel isotopic content, decay heat rates, and radioactive source terms. The application to PWR fuel depletion in a reactor is appropriate for the use of this software and falls within the range of validation of this software. The application to long term low power depletion in a waste package does not fall within the range of validation and must be validated in the future. The associated 27BURNUPLIB cross section library was used for these calculations.

A benchmarking and result biasing methodology is in the process of being developed for SAS2H. Bias and uncertainties are applied to the MCNP results which are based on input from SAS2H.

6.2 Computational Support Software

LOTUS 1-2-3, Release 4.01 for Windows was used to calculate the isotopic number densities from the g/assembly output per time step provided in the SAS2H/ORIGEN-S output.

7. Design Analysis

This analysis is performed to provide the isotopic inventories as a function of time for the design basis PWR fuel and to provide the change in activity of the isotopic inventories as the result of a long term low power criticality event in a waste package.

7.1 Background

Previous analyses have been performed based on spent nuclear fuel (SNF) isotopic compositions obtained from the Characteristics Data Base (CDB) (Ref. 5.16). This is a preliminary analysis to generate PWR SNF isotopic compositions using SCALE 4.2 (Ref. 5.4). The data in the CDB was generated based on nominal fuel and operating characteristics. SCALE 4.2 can utilize bounding physical and operating paramaters as input to provide a conservative estimate of isotopic inventories.

7.2 Evaluation Procedure

The evaluation procedure is broken into three major tasks, with subtasks in each. The general procedure is as follows:

1) Parameter (Input) Identification
    a) Develop physical fuel description - mechanical parameters
    b) Obtain typical operating parameters

2) Run SCALE 4.2
    a) Calculate/ determine input parameters from task 1 for burnup calculation
    b) Determine decay time steps required for isotopic inventories

3) Process Output
    a) Using a spreadsheet, calculate isotopic number densities based upon selected output
    b) Format and extract number densities in a form suitable for use in MCNP

The results of task 1 are listed in Section 4.1. Details of tasks 2 and 3 are presented in Sections

7.3 and 7.4, respectively.

7.3 Code Input Calculations

7.3.1 SAS2H Data Block 5 Input

Table 4.1-1 provides the dimensions required for Data Block 5 in the SAS2H input file. The data is shown in the table below. The material numbers are standard (Ref. 5.4, p. S.2.5.10) for SAS2H.

Table 7.3.1-1 - Data Block 5

PITCH	1.44272
FUELOD	0.936244
MFUEL	1
MMOD	3
CLADOD	1.0922
MCLAD	2
CLADID	0.95758
MGAP	0

7.3.2 Fuel Density and Composition Calculations

The effective density to be used in the calculations is determined by dividing the UO_2 mass in Table 4.1-1 by the volume of the fuel in the assembly. The dimensions necessary to calculate the volume of fuel in the assembly are available in Table 4.1-1. The density is calculated as follows:

ρ_{UO2} = UO_2 mass / {π*(fuel pellet radius)^2 * fueled height * # of fuel Rods/assembly}
= 526.38 kg / {π*(0.468122 cm)^2 * 360.172 cm * 208} = 10.206 g/cm^3

The theoretical density of UO_2 is listed as 10.96 g/cm^3 in the SCALE 4.2 database (Ref. 5.4). Therefore, the effective density of fuel is 93.12% of theoretical.

The isotopic distribution of the uranium is determined by the given initial enrichment and the following emperical relationship (Ref. 5.17).

$wt\%_{234} = 0.007731(wt\%_{235})^{1.0837}$,
$wt\%_{236} = 0.0046 wt\%_{235}$,
$wt\%_{238} = 100\% - wt\%_{234} - wt\%_{235} - wt\%_{236}$

Using this formulation, the fresh fuel isotopics for 3.00% U_{235} enrichment was calculated as shown in Table 7.3.2-1. The U-234 and U-238 concentrations were found to be in error in the check of Rev 00. The wt% used was 0.0240 and 96.9622, for U-234 and U-238, respectively. These minor variations compared to the values in Table 7.3.2-1 would have no effect on the

resulting calculations. For consistency, these concentrations were also used in Rev 01 since only variations of the original case were run.

Table 7.3.2-1 Isotopic Breakdown of Uranium for 3% U_{235} Enrichment.

ISOTOPE	WT%
U-234	0.0254
U-235	3.0000
U-236	0.0138
U-238	96.9608

A trace amount of the fission products for which time dependant cross sections are desired are input along with the U mass fractions on the UO_2 "standard composition specification data" cards as described in Section S2.5.4.1 in the SCALE 4.2 manual (Ref. 5.4). The peak fuel temperature (975 K) from Table 4.1-2 is also entered on each of these cards.

7.3.3 Clad Temperature

The clad temperature is calculated by adding the maximum of 42 K to the peak moderator temperature of 607.6 K, as indicated in Table 4.1-2, giving approximately 650 K. Using the peak or maximum is consistent with the temperatures used for the other material regions. This information is listed on a zircaloy standard composition card as material 2.

7.3.4 Moderator Density

The maximum moderator temperature is assumed to provide a minimum moderator density and maximum temperature to result in maximum SNF residual reactivity consistent with Chapter 4 of the Burnup Credit Topical Report (Ref. 5.15). A temperature of 607.6 K is used from Table 4.1-2. The corresponding density is interpolated from the values listed for saturated water (Ref. 5.18) shown in Table 7.3.3-1. The density for 590 K is also included for trending and estimation of the density corresponding to the average exit temperature (595.4 K).

Table 7.3.3-1 Saturated Water Properties from Fundamentals of Heat Transfer (Ref. 5.18)

Temp (K)	Specific Volume (cm^3/g)	Calculated Density (Inverse Specific Volume, g/cm^3)
590	1.482	0.674764
600	1.541	0.648929
610	1.612	0.620347

The density at 607.6 K is determined as shown below:

$$\{(.648929 - .620347)/(600 - 610)\}(607.6 - 600) + .648929 = 0.6272$$

The moderator temperature and density are entered on a H_2O standard composition card as material number 3.

7.3.5 Boron Concentration

As indicated on page S2.5.12 of the SCALE 4.2 manual (Ref. 5.4), the average boron concentration is calculated by dividing the beginning of cycle value by 1.9. The beginning of cycle value is taken from Table 4.1-2 and the average value is determined to be 552.6 ppm.

The boron concentration along with the moderator temperature and density are entered on an arbitrary material card as described in Table M7.4.5 in the SCALE 4.2 manual (Ref. 5.4) as material number 3.

7.3.6 SAS2H Data Block 8 Input

This problem is making use of the larger unit cell capability of SAS2H. Therefore, the inputs for Data Block 8 must be determined. Four zones are modeled using information from Table 4.1-1.




Figure 7.3.6-1 - Larger Unit Cell Model

The first radius, r_1, corresponds to the actual ID of the guide tube (OD of the moderator channel) with a material set to that of the moderator. $r_1 = 0.63246$ cm. The second radius, r_2, is the actual OD of the guide tube with the material set to that of the cladding. $r_2 = 0.67310$ cm. The third radius, r_3, is calculated to give an equal area equivalent to the maximum area of the fuel cell (or the pitch squared). The fourth radius is calculated to preserve the fuel to moderator ratio with the material set to a special number in the code -- 500. The method was determined in consultation with the author of the program at the Radiation Shielding Information Center (RSIC) at Oak Ridge National Laboratory.

The third radius is determined by setting the maximum area of the fuel cell equal to the area of

the equivalent circle.

$$s^2 = \pi \times r_3^2 \qquad r_3^2 = \frac{s^2}{\pi}$$

$$r_3 = \sqrt{\frac{s^2}{\pi}} = \frac{s}{\sqrt{\pi}} = \frac{1.44272}{\sqrt{\pi}} = 0.814cm$$

where r_3 = the third radius of the larger unit cell encompassing the moderator
s = side of the square (or the rod pitch in this case)

The fourth radius is calculated by taking a ratio of the number of available positions for fuel rods in the assembly to the number of positions used by the guide tubes and instrumentation tubes. For this model, the instrumentation tube is taken as equivalent to a guide tube. This ratio is set equal to the ratio of the areas of the fuel and moderator.

$$\frac{N_{positions}}{N_{guidetubes}} = \frac{\pi \times r_4^2}{\pi \times r_3^2} = \frac{r_4^2}{r_3^2}$$

$$r_4^2 = r_3^2 \times \frac{N_{positions}}{N_{guidetubes}}$$

$$r_4 = \sqrt{r_3^2 \times \frac{N_{positions}}{N_{guidetubes}}} = \sqrt{0.814^2 \times \frac{15 \times 15}{17}} = 2.961cm$$

where r_4 = fourth radius of the larger unit cell encompassing the fuel
$N_{positions}$ = total number of available positions in the lattice structure
$N_{guidetubes}$ = number of positions taken up by instrument & guide tubes

To summarize and group these radii and material numbers with the keywords used in the Data Block 8 input table in the SAS2H manual, the Table is presented below:

Table 7.3.6-1 Data Block 8

MIXES	3	Material No. for the moderator
RADIUS	0.63246	cm
MIXES	2	Material No. for the Zircaloy
RADIUS	0.67310	cm
MIXES	3	Material No. for the moderator
RADIUS	0.814	cm
MIXES	500	Special Material No. for fuel in the larger unit cell
RADIUS	2.961	cm

7.3.7 Specific Power and Effective Full Power Days Calculations

The calculated average assembly specific power is 2568 MW / 177 assemblies, or 14.51 MW/assembly. The reasonable minimum assembly specific power is calculated as follows:

1. Divide the average specific power by 1.2 (Table 4.1-2) to account for variation in assembly power across the core; 14.51/1.2 = 12.09 MW/assembly.

2. Multiply the minimum core assembly specific power by a capacity factor assumption of 0.6 (Table 4.1-2); 0.6 x 12.09 = 7.25 MW/assembly.

The Effective Full Power Day (EFPD) input is calculated for the desired burnup assuming the minimum assembly power and an assembly uranium loading of 0.464 MTU/assembly (Table 4.1-1): EFPD = Burnup of 20,000 (MWd/MTU) x 0.464 (MTU/assembly) / 7.25 (MW/assembly) = 1280 days. The power and burn values are entered in Data Block 9.

The burnup calculation was divided into 8 substeps through use of the nlib/cyc entry in Data Block 8.

7.3.8 Decay Input

The decay out to 1 million years was run as a separate case from the burnup calculation. The decay case is a stand alone ORIGEN-S problem which utilizes the output from the SAS2H burnup calculation and decays to a number of specified times.

The ORIGEN-S case was run immediately after the corresponding SAS2H case and utilized the final binary cross section file on unit 21 from the SAS2H case. The case input and output are included in Attachment II. The fact that the correct SAS2H generated library is used (unit 21) is verified by comparing the final downtime print of concentrations in the SAS2H output with the concentrations in the corresponding decay times in the ORIGEN-S output (compositions will match). The library contains only the final cycle step (1 position in library). The library unit

number and data position are entered in the input by the following line:

3$$ 21 0 1 e

The decay times are grouped in 10 steps with the units changing from days to years as appropriate. Based on the SAS2H input, the activities and masses listed in the output are per assembly.

7.4 Number Density Calculations Using ORIGEN-S Output

The grams/assembly output per time step from Attachment II was used to calculate the number density of each of the Principal Isotopes using a LOTUS 1-2-3 spreadsheet. The equation for number density is shown below (Ref. 5.19).

$$N = \rho N_A / M$$

where ρ is the physical density in g/cm^3,
N_A is Avagadro's Number - 0.602252E+24 atoms/mole,
and M is the gram atomic weight.

The units of the resulting number density is in atoms/cm^3. The required units for subsequent use are atoms/b-cm where 1 barn equals 10^{-24} cm^2. The calculations in the spreadsheet drops the E+24 from Avagadro's Number to account for the conversion. As a conservatism in the criticality calculations which will use these number densities, the values are adjusted up to a 96% theoretical density.

The input and output from these calculations are shown in Attachment III.

7.5 Effects of Long Term Low Power Criticality in the Waste Package

An additional set of calculations were performed to demonstrate the effects of a long term low power criticality in the waste package per the request of the originators of Ref. 5.20. These calculations required minor modifications of the previous SAS2H and ORIGEN-S inputs.

7.5.1 SAS2H Input Modifications

Minor changes as indicated below were made to the SAS2H input to facilitate cross section production at an appropriate temperature for the criticality effects calculations performed using ORIGEN-S. The nlib/cycle entry was changed to 1 from 8 and ncycles was increased to 9 from 1 in Data Block 8. Instead of 1 cycle at 7.25 MW/assembly for 1280 days, the Data Block 9 entries were changed to eight cycles at 7.25 MW/assembly for 160 days each with 0 down time between each cycle. The ninth cycle was set up with an arbitrary low power level (4.976E-5 MW/assembly) for 1 day with the addition of the following parameters which are assumed

representative of the postulated criticality in the waste package (Assumption 4.3.11).

bfrac (boron fraction)	-	0.
h2ofrac (inverse of the density in reactor calculation to bring density=1 g/cm^3)	-	1.594
temkcyc (modified temperature of all materials in current cycle)	-	373 K

SAS2H is limited to a single average temperature using this method. The input for this case (s3020ucf4.in) is included in Attachment IV. The output is essentially the same as that included in Attachment I for the original SAS2H case.

7.5.2 ORIGEN-S Input Modifications

Four ORIGEN-S cases were run based on the binary output files created by the SAS2H case discussed in Section 7.5.1. The data used includes cross sections and isotopic compositions from the last cycle run.

The first case (s3020ucfo1.in) is the same as the case described in Section 7.3.8 with minor modification to the time step edits and the addition of activity edits in curies for comparison to the long term low power criticality event simulations that follow. The input for this case is included in Attachment V and the activity edits from the output are summarized in Attachment VI.

The second through fourth cases (joklo7.in, joklo8.in, and joklo9.in) have depletion at a power level of 1.039-4 MW/assembly (2.182 kw/waste package divided by 21 assemblies/package) for periods of 10,000, 1000, and 5000 years, respectively, starting 15,000 years after discharge from the reactor cycles. The inputs for these cases are included in Attachments VII through IX. The summarized activity edits for these three cases are included in Attachment X for times after the depletion at a low power level which simulates a criticality event over a long time period.

The summarized grams/assembly table for the 15,000 year decay point of the decay only case is included in Attachment XI. The summarized grams/assembly tables for the criticality cases for the 10 decay times immediately following the criticality are included in Attachment XII.

8. Conclusions

The number densities calculated as indicated in Section 7.4 are shown in Table 8.1 for each isotope for 27 time steps from 1 to 999,999 years.

The activity tables generated in the cases for long term low power criticality simulations in a waste package are included in Attachments VI and X. The neutron flux distribution between the fast, epi-thermal, and thermal groups is provided from s3020ucf4.out (summarized in Attachment XIII) to demonstrate the components of the total flux indicated in Attachment X.

Table 8-1 Number Densities as a Function of TIme for 3.0% Enriched, 20GWD/MT Burnup B&W 15x15 SNF

MCNP ID	1 years	5 years	10 years	20 years	50 years	100 years	200 years
	NUMBER DENSITY (atoms/b-cm)						
8016.50C	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02
42095.50C	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05
43099.50C	2.8116E-05	2.8116E-05	2.8116E-05	2.8116E-05	2.8116E-05	2.7994E-05	2.7994E-05
44101.50C	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05
45103.50C	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05
47109.50C	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06
60143.50C	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05
60145.50C	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05
62147.50C	3.6054E-06	6.0472E-06	6.9977E-06	7.3255E-06	7.3501E-06	7.3501E-06	7.3501E-06
62149.50C	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07
62150.50C	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06
62151.50C	4.9056E-07	4.7620E-07	4.5786E-07	4.2436E-07	3.3661E-07	2.2893E-07	1.0609E-07
63151.55C	5.0253E-09	1.9942E-08	3.7889E-08	7.1869E-08	1.5953E-07	2.6722E-07	3.9006E-07
62152.50C	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06
63153.55C	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06
64155.50C	3.7532E-08	1.3132E-07	1.9193E-07	2.3467E-07	2.4710E-07	2.4710E-07	2.4710E-07
92233.50C	5.2691E-11	6.1989E-11	7.2321E-11	9.3501E-11	1.6324E-10	2.9755E-10	6.3539E-10
92234.50C	4.1561E-06	4.2024E-06	4.2590E-06	4.3670E-06	4.6447E-06	4.9842E-06	5.3494E-06
92235.50C	3.2267E-04	3.2267E-04	3.2267E-04	3.2267E-04	3.2267E-04	3.2318E-04	3.2318E-04
92236.50C	7.1910E-05	7.1910E-05	7.1910E-05	7.1910E-05	7.2420E-05	7.2420E-05	7.2930E-05
92238.50C	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02
93237.55C	6.5004E-06	6.5512E-06	6.6019E-06	6.7543E-06	7.5669E-06	9.0396E-06	1.1782E-05
94238.50C	1.4969E-06	1.4817E-06	1.4210E-06	1.3148E-06	1.0418E-06	7.0293E-07	3.2163E-07
94239.55C	1.3244E-04	1.3244E-04	1.3244E-04	1.3244E-04	1.3244E-04	1.3194E-04	1.3194E-04
94240.50C	3.3700E-05	3.3700E-05	3.3700E-05	3.3650E-05	3.3599E-05	3.3399E-05	3.3048E-05
94241.50C	1.9277E-05	1.5881E-05	1.2485E-05	7.6907E-06	1.8078E-06	1.6131E-07	1.2884E-09
94242.50C	3.5211E-06	3.5211E-06	3.5211E-06	3.5211E-06	3.5211E-06	3.5211E-06	3.5211E-06
95241.50C	1.8028E-06	5.1438E-06	8.5397E-06	1.3134E-05	1.8228E-05	1.8378E-05	1.5781E-05
95242.50C	2.1385E-08	2.0938E-08	2.0440E-08	1.9446E-08	1.6810E-08	1.3129E-08	8.0567E-09
95243.50C	5.0023E-07	5.0023E-07	5.0023E-07	5.0023E-07	4.9528E-07	4.9478E-07	4.9033E-07
Total	7.005442E-02	7.005698E-02	7.005804E-02	7.005831E-02	7.005883E-02	7.005849E-02	7.005861E-02

Table 8-1 Number Densities as a Function of Time for 3.0% Enriched, 20GWD/MT Burnup B&W 15x15 SNF Continued

MCNP ID	300 years	400 years	500 years	1000 years	4000 years	8000 years	10000 years
	NUMBER DENSITY (atoms/b-cm)						
8016.50C	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02
42095.50C	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05
43099.50C	2.7994E-05	2.7994E-05	2.7994E-05	2.7994E-05	2.7751E-05	2.7386E-05	2.7142E-05
44101.50C	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05
45103.50C	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05
47109.50C	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06
60143.50C	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05
60145.50C	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05
62147.50C	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06
62149.50C	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07
62150.50C	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06
62151.50C	4.9056E-08	2.2733E-08	1.0529E-08	2.2335E-10	2.0580E-20	8.5350E-34	1.7469E-40
63151.55C	4.4669E-07	4.7301E-07	4.8498E-07	4.9535E-07	4.9615E-07	4.9615E-07	4.9615E-07
62152.50C	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06
63153.55C	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06
64155.50C	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07
92233.50C	1.0538E-09	1.5446E-09	2.0973E-09	5.4757E-09	3.1150E-08	6.6122E-08	8.3169E-08
92234.50C	5.5552E-06	5.6066E-06	5.6580E-06	5.7095E-06	5.6580E-06	5.6066E-06	5.5552E-06
92235.50C	3.2369E-04	3.2421E-04	3.2472E-04	3.2625E-04	3.3701E-04	3.4981E-04	3.5596E-04
92236.50C	7.2930E-05	7.3440E-05	7.3950E-05	7.5480E-05	8.3640E-05	9.1290E-05	9.3840E-05
92238.50C	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02
93237.55C	1.4118E-05	1.6099E-05	1.7825E-05	2.3208E-05	2.7525E-05	2.7525E-05	2.7474E-05
94238.50C	1.4767E-07	6.8270E-08	3.1556E-08	7.7373E-10	8.4453E-17	2.4426E-25	1.3148E-29
94239.55C	1.3144E-04	1.3093E-04	1.3043E-04	1.2892E-04	1.1834E-04	1.0575E-04	9.9710E-05
94240.50C	3.2697E-05	3.2396E-05	3.2045E-05	3.0390E-05	2.2115E-05	1.4493E-05	1.1735E-05
94241.50C	1.3983E-11	3.7655E-12	3.6556E-12	3.5108E-12	2.7467E-12	1.9826E-12	1.6830E-12
94242.50C	3.5211E-06	3.5211E-06	3.5211E-06	3.5161E-06	3.4962E-06	3.4714E-06	3.4614E-06
95241.50C	1.3434E-05	1.1486E-05	9.7882E-06	4.3797E-06	3.5857E-08	1.2135E-10	5.5433E-11
95242.50C	4.9136E-09	3.0088E-09	1.8401E-09	1.5765E-10	6.2166E-17	1.7904E-25	9.5984E-30
95243.50C	4.8537E-07	4.8092E-07	4.7646E-07	4.5467E-07	3.4273E-07	2.3526E-07	1.9514E-07
Total	7.005827E-02	7.005849E-02	7.005870E-02	7.005857E-02	7.005821E-02	7.005790E-02	7.005741E-02

Table 8-1 Number Densities as a Function of TIme for 3.0% Enriched, 20GWD/MT Burnup B&W 15x15 SNF Continued

MCNP ID	14000 years	18000 years	22000 years	26000 years	30000 years	36000 years	45000 years
	NUMBER DENSITY (atoms/b-cm)						
8016.50C	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02
42095.50C	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05
43099.50C	2.6777E-05	2.6412E-05	2.6047E-05	2.5803E-05	2.5438E-05	2.4951E-05	2.4221E-05
44101.50C	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05
45103.50C	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05
47109.50C	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06
60143.50C	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05
60145.50C	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05
62147.50C	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06
62149.50C	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07
62150.50C	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06
62151.50C	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
63151.55C	4.9615E-07	4.9615E-07	4.9615E-07	4.9615E-07	4.9615E-07	4.9615E-07	4.9615E-07
62152.50C	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06
63153.55C	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06
64155.50C	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07
92233.50C	1.1675E-07	1.5032E-07	1.8287E-07	2.1490E-07	2.4641E-07	2.9238E-07	3.5902E-07
92234.50C	5.5037E-06	5.5037E-06	5.4523E-06	5.4009E-06	5.3494E-06	5.2465E-06	5.1437E-06
92235.50C	3.6672E-04	3.7645E-04	3.8515E-04	3.9284E-04	3.9949E-04	4.0820E-04	4.1896E-04
92236.50C	9.7920E-05	1.0098E-04	1.0251E-04	1.0353E-04	1.0455E-04	1.0506E-04	1.0557E-04
92238.50C	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02
93237.55C	2.7474E-05	2.7423E-05	2.7373E-05	2.7373E-05	2.7322E-05	2.7271E-05	2.7170E-05
94238.50C	3.7877E-38	1.0923E-46	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
94239.55C	8.9135E-05	7.9063E-05	7.0502E-05	6.2948E-05	5.6401E-05	4.7287E-05	3.6510E-05
94240.50C	7.6727E-06	5.0650E-06	3.3048E-06	2.1664E-06	1.4192E-06	7.5223E-07	2.9136E-07
94241.50C	1.2135E-12	8.7894E-13	6.3423E-13	4.5645E-13	3.2960E-13	2.0176E-13	9.6883E-14
94242.50C	3.4365E-06	3.4067E-06	3.3818E-06	3.3570E-06	3.3321E-06	3.2973E-06	3.2426E-06
95241.50C	3.8254E-11	2.7567E-11	1.9926E-11	1.4383E-11	1.0387E-11	6.3923E-12	2.9265E-12
95242.50C	2.7701E-38	8.0070E-47	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
95243.50C	1.3373E-07	9.2122E-08	6.2900E-08	4.3287E-08	2.9717E-08	1.6889E-08	7.2311E-09
Total	7.005714E-02	7.005680E-02	7.005623E-02	7.005593E-02	7.005584E-02	7.005463E-02	7.005373E-02

Table 8-1 Number Densities as a Function of Time for 3.0% Enriched, 20GWD/MT Burnup B&W 15x15 SNF Continued

MCNP ID	60000 years	70000 years	100000 years	250000 years	500000 years	999999 years
	NUMBER DENSITY (atoms/b-cm)					
8016.50C	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02	4.6947E-02
42095.50C	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05	2.8413E-05
43099.50C	2.3004E-05	2.2274E-05	2.0205E-05	1.2293E-05	5.4285E-06	1.0516E-06
44101.50C	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05	2.6008E-05
45103.50C	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05	1.6846E-05
47109.50C	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06	2.4208E-06
60143.50C	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05	2.2660E-05
60145.50C	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05	1.6864E-05
62147.50C	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06	7.3501E-06
62149.50C	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07	1.1479E-07
62150.50C	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06	6.4561E-06
62151.50C	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
63151.55C	4.9615E-07	4.9615E-07	4.9615E-07	4.9615E-07	4.9615E-07	4.9615E-07
62152.50C	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06	2.9636E-06
63153.55C	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06	2.1255E-06
64155.50C	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07	2.4710E-07
92233.50C	4.6389E-07	5.3208E-07	7.0771E-07	1.2966E-06	1.6324E-06	1.5756E-06
92234.50C	5.0048E-06	4.8968E-06	4.5984E-06	3.4360E-06	2.3198E-06	1.4968E-06
92235.50C	4.3176E-04	4.3791E-04	4.4815E-04	4.5532E-04	4.5532E-04	4.5532E-04
92236.50C	1.0557E-04	1.0557E-04	1.0557E-04	1.0506E-04	1.0455E-04	1.0251E-04
92238.50C	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02	2.2352E-02
93237.55C	2.7068E-05	2.6966E-05	2.6713E-05	2.5443E-05	2.3462E-05	1.9958E-05
94238.50C	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
94239.55C	2.3719E-05	1.7827E-05	7.5034E-06	1.0072E-07	7.6041E-11	2.3215E-15
94240.50C	5.9677E-08	2.0761E-08	8.7258E-10	1.1735E-16	3.8163E-18	5.1653E-18
94241.50C	2.8516E-14	1.2635E-14	1.0937E-15	5.2936E-21	7.3911E-30	0.0000E+00
94242.50C	3.1531E-06	3.0934E-06	2.9293E-06	2.2181E-06	1.3925E-06	5.5204E-07
95241.50C	8.5896E-13	3.8054E-13	3.2910E-14	1.5981E-19	2.3472E-28	4.5645E-46
95242.50C	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00	0.0000E+00
95243.50C	1.7681E-09	6.8844E-10	4.1108E-11	7.5282E-16	7.1320E-16	6.9834E-16
Total	7.005206E-02	7.005135E-02	7.004864E-02	7.003743E-02	7.002636E-02	7.001472E-02

9. Attachments

The following attachments are case input and output files and spreadsheets as listed. The name of the file is listed in parenthesis. The first three attachments are included in Revision 00 of this document and are unchanged by Revision 01.

I. SAS2H Burnup Case Output (s3020ucf.out) 2/16/96 825 pages
II. ORIGEN-S Decay Case Output (s3020ucfo.out) 2/16/96 122 pages
III. Spreadsheet for Number Density Calculation 3/31/96 18 pages
IV. Modified SAS2H Burnup Case Input (s3020ucf4.in) 3/7/96 2 pages
V. Modified ORIGEN-S Decay Case Input (s3020ucfo1.in) 3/12/96 1 page
VI. Modified ORIGEN-S Decay Case Output Summary (decay.sum) 3/29/96 93 pages
VII. Modified ORIGEN-S 10,000 year Criticality Case Input (joklo7.in) 3/14/96 1 page
VIII. Modified ORIGEN-S 1000 year Criticality Case Input (joklo8.in) 3/14/96 1 page
IX. Modified ORIGEN-S 5000 year Criticality Case Input (joklo9.in) 3/14/96 1 page
X. Modified ORIGEN-S Criticality Cases Output Summary (joklo8.sum) 3/14/96 95 pages
XI. Modified ORIGEN Decay Case Output Summary of grams/assembly tables (s3020ucfO1.sum) 8/8/96 19 pages
XII. Modified ORIGEN Criticality Cases Output Summary of grams/assembly tables (joklo8.grams) 8/9/96 51 pages
XIII. Modified SAS2H Burnup Case Flux Output Summary (flux) 3/12/96 1 page

```
0*************************************************************************
*                                                                       *
*                  scale4.2  bulletin  board                            *
*                  --------  --------  -----                            *
*                                                                       *
*     welcome to the configuration controlled version of scale4.2.      *
*     any problems should be reported to kay martin at 4-9213.          *
*                                                                       *
*     updates that have been made from version 4.1 to 4.2 include:      *
*                                                                       *
*     nitawl:  parameter added to prevent exponent underflows for very  *
*     dilute resonance calculations on workstation.  (mrr 93-011)       *
*                                                                       *
*     nitawl:  corrected discrepancies in maximum fractional energy loss*
*     of neutron in admixed moderator calculation and simpson rule      *
*     calculation of collision density as documented in "improved       *
*     calculation of flux shapes with the resonance shielding code      *
*     nitawl", by j. oppe, ecn-i--93-003.  affects all calculations.    *
*     impact will vary, but is insignificant for hydrogen-moderated     *
*     systems. (mrr 93-030)                                             *
*                                                                       *
*     sas4:  added option of axial source profile input for both radial *
*     and axial dose calculations. also added option idr = 2 for        *
*     estimation to point detectors from collisions in both top and     *
*     bottom halves of geometry.  (mrr 92-016)                          *
*                                                                       *
*     morse:  modifications made for compatibility with the new options in*
*     sas4 (i.e., the axial source profile input option and             *
*     the option idr = 2 for estimation to point detectors from collisions*
*     in both top and bottom halves of geometry).  (mrr 92-016)         *
*                                                                       *
*     csas & keno-v.a:  error checking during input processing was added*
*     so that these modules terminate with an error message if input    *
*     errors are encountered.  (mrr 93-013, 93-014, 93-015, 93-018)     *
*                                                                       *
*     keno-v.a:  corrections made for applying differential albedo      *
*     boundary conditions to supergrouped problems where global unit    *
*     contains only an array specification.  effect on keff is very large*
*     for this type of problem.  (mrr 93-033)                           *
*                                                                       *
*     keno-v.a:  corrected an error introduced with modification on may 24,*
*     1993 (mrr 93-033). this error affected problems with mirror or    *
*     periodic boundary conditions and could cause problem to loop, fail,*
*     or run incorrectly.                                               *
*                                                                       *
*     xsdrnpm:  corrected calculation of number of direct access data   *
*     blocks needed to weight the cross sections to prevent occasional  *
*     failure.  improved calculation of balance tables.  (mrr 93-021)   *
*                                                                       *
*     origen-s:  modified program to read combined binary libraries that*
*     include multi-cycle cross sections.  add option to edit binary    *
*     library.  (mrr 93-026)                                            *
*                                                                       *
*     sas2:  modified to produce combined binary libraries for origen-s.*
*     (mrr 93-027)                                                      *
*                                                                       *
*     couple:  modified to allow combined binary libraries to be made by*
*     sas2.  (mrr 93-031)                                               *
*                                                                       *
*     origen-s couple, sas2:  modified programs to accept the new updated *
```

```
*     and expanded decay data and fission product yield libraries. (mrr      *
*     92-088, 92-025, 92-026)                                                *
*                                                                            *
*     origen-s libraries: the six standard origen-s card image libraries     *
*     have been replaced by two new libraries, end6dec and xsectpho.         *
*     end6dec contains the updated and expanded decay data library based     *
*     on endf/b-vi data. xsectpho contains the basic cross section and       *
*     photon spectra data and updated fission product yield data based on    *
*     endf/b-v data. (dnr 92-006, 007, 008, 009, 010, and dnr 93-001,        *
*     002, 003, 006, 008, 009)                                               *
*                                                                            *
*     std. comp. library: in dnr 92-033, the following nuclides were         *
*     changed to turn on resonance processing flag but should not have       *
*     been changed: niss, fess, mnss, crss, niinconel, crinconel,            *
*     feinconel. flags for these nuclides have now been returned to off.     *
*     (dnr 93-014)                                                           *
*                                                                            *
*     heating7: replaced heating6 with version 7.2. (mrr 93-038)             *
*                                                                            *
*     htas1: updated for compatibility with heating7 and to interact         *
*     effectively with ocular. fin effectiveness technique was added.        *
*     (mrr 93-036)                                                           *
*                                                                            *
*     ocular: made compatible with heating7 and htas1 on mainframe and       *
*     workstation. (mrr 93-037)                                              *
*                                                                            *
*     sas2: corrected so that 'parm=skipshipdata' would work on              *
*     workstation. (mrr 93-051)                                              *
*                                                                            *
*     aim: ft47ft001 is no longer require for aim to execute on              *
*     workstation. (mrr 93-052)                                              *
*                                                                            *
*     27group, 27burnup, and 218group - these libraries have been            *
*     updated to correct an error found in the chlorine cross-sections.      *
*     (dnr93-022)                                                            *
*                                                                            *
*     bonami: corrected so that a case with a number density of zero         *
*     for a nuclide that has bondarenko data will run without failing.       *
*     (mrr 93-060)                                                           *
*                                                                            *
*     csas: corrected calculation of dancoff correction factor for           *
*     cylindrical cells. note that previous calculations of small            *
*     cylindrical cells (o.d. < 0.3 cm) gave non-conservative keff           *
*     values. also corrected dancoff factor for multiregion slab             *
*     cell with vacuum boundary conditions to be set to zero.                *
*     (mrr 93-065)                                                           *
*                                                                            *
*     csas, sas1, sas2, sas3, sas4: error in miplib was corrected. for       *
*     resonance materials that are not part of the unit cell in lattice-     *
*     cell or multiregion problems, the dancoff factor defaulted to -1.      *
*     check your nitawl output in any previous scale-4.2 calculations        *
*     for dancoff factors =-1.                                               *
*     (mrr 93-070)                                                           *
*                                                                            *
******************************************************************************
1          primary module access and input record ( scale driver - 10/01/86 - 14:00 )
-  module sas2h    will be called
     SAS2H: Babcock Wilcox 15x15, 3.00wt%, 20gwd/mtu burn High Temp
     27burnuplib    latticecell
     '
```


```
' mixtures of fuel-pin-unit-cell:
'   densmass UO2/ Volume assembly = 526377.3 g/5.157524E4
uo2 1 den=10.2060 1 975 92235 3.00 92234 0.0240 92236 0.0138 92238 96.9622 end
kr-83     1 0 1-20 975 end
kr-85     1 0 1-20 975 end
sr-90     1 0 1-20 975 end
 y-89     1 0 1-20 975 end
mo-95     1 0 1-20 975 end
zr-93     1 0 1-20 975 end
zr-94     1 0 1-20 975 end
zr-95     1 0 1-20 975 end
rb-94     1 0 1-20 975 end
tc-99     1 0 1-20 975 end
rh-103    1 0 1-20 975 end
rh-105    1 0 1-20 975 end
ru-101    1 0 1-20 975 end
ru-106    1 0 1-20 975 end
pd-105    1 0 1-20 975 end
pd-108    1 0 1-20 975 end
ag-109    1 0 1-20 975 end
sb-124    1 0 1-20 975 end
xe-131    1 0 1-20 975 end
xe-132    1 0 1-20 975 end
xe-135    1 0 1-20 975 end
xe-136    1 0 1-20 975 end
cs-134    1 0 1-20 975 end
cs-135    1 0 1-20 975 end
cs-137    1 0 1-20 975 end
ba-136    1 0 1-20 975 end
la-139    1 0 1-20 975 end
pr-141    1 0 1-20 975 end
pr-143    1 0 1-20 975 end
ce-144    1 0 1-20 975 end
nd-143    1 0 1-20 975 end
nd-145    1 0 1-20 975 end
pm-147    1 0 1-20 975 end
pm-148    1 0 1-20 975 end
nd-147    1 0 1-20 975 end
sm-147    1 0 1-20 975 end
sm-149    1 0 1-20 975 end
sm-150    1 0 1-20 975 end
sm-151    1 0 1-20 975 end
sm-152    1 0 1-20 975 end
gd-155    1 0 1-20 975 end
eu-153    1 0 1-20 975 end
eu-154    1 0 1-20 975 end
eu-155    1 0 1-20 975 end
zircalloy 2   1.0  650 end
h2o       3 den=0.6272 1 607.6 end
arbm-boritod 0.6272 1 1 0 0 5000 100 3 552.6e-6 607.6 end
'
' 1050 ppm boron
' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
end comp
'
' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
'
'  fuel-pin-cell geometry:
'
squarepitch  1.44272  0.936244 1 3 1.0922 2 0.95758 0 end
```

```
      ,
      ,- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
      ,
      ,
      ,  assembly and cycle parameters:
      ,
      rpin/assm=208 fuelngth=360.172 ncycles=1 nlib/cyc=8
      printlevel=5 inplevel=2 numztotal=4  end
      3 0.63246 2 0.67310 3 0.814 500 2.961
      power=7.25 burn=1280 down=1826.25
         end
0   secondary module c0c008   has been called.
0   module c0c008   is finished. completion code     0. cpu time used     1.00 (seconds).
0   secondary module c0c002   has been called.
0   module c0c002   is finished. completion code     0. cpu time used    20.00 (seconds).
0   secondary module c0c001   has been called.
0   module c0c001   is finished. completion code     0. cpu time used     3.00 (seconds).
0   secondary module c0c008   has been called.
0   module c0c008   is finished. completion code     0. cpu time used     1.00 (seconds).
0   secondary module c0c002   has been called.
0   module c0c002   is finished. completion code     0. cpu time used     1.00 (seconds).
0   secondary module c0c001   has been called.
0   module c0c001   is finished. completion code     0. cpu time used     2.00 (seconds).
0   secondary module c0c005   has been called.
0   module c0c005   is finished. completion code     0. cpu time used     1.00 (seconds).
0   secondary module c0c004   has been called.
0   module c0c004   is finished. completion code     0. cpu time used     1.00 (seconds).
0   secondary module c0c008   has been called.
0   module c0c008   is finished. completion code     0. cpu time used     1.00 (seconds).
0   secondary module c0c002   has been called.
0   module c0c002   is finished. completion code     0. cpu time used    20.00 (seconds).
0   secondary module c0c001   has been called.
0   module c0c001   is finished. completion code     0. cpu time used     2.00 (seconds).
0   secondary module c0c008   has been called.
0   module c0c008   is finished. completion code     0. cpu time used      .00 (seconds).
0   secondary module c0c002   has been called.
0   module c0c002   is finished. completion code     0. cpu time used     1.00 (seconds).
0   secondary module c0c001   has been called.
0   module c0c001   is finished. completion code     0. cpu time used     2.00 (seconds).
0   secondary module c0c005   has been called.
0   module c0c005   is finished. completion code     0. cpu time used     1.00 (seconds).
0   secondary module c0c004   has been called.
0   module c0c004   is finished. completion code     0. cpu time used     2.00 (seconds).
0   secondary module c0c008   has been called.
0   module c0c008   is finished. completion code     0. cpu time used      .00 (seconds).
0   secondary module c0c002   has been called.
0   module c0c002   is finished. completion code     0. cpu time used    22.00 (seconds).
0   secondary module c0c001   has been called.
0   module c0c001   is finished. completion code     0. cpu time used     3.00 (seconds).
0   secondary module c0c008   has been called.
0   module c0c008   is finished. completion code     0. cpu time used      .00 (seconds).
0   secondary module c0c002   has been called.
0   module c0c002   is finished. completion code     0. cpu time used     2.00 (seconds).
0   secondary module c0c001   has been called.
0   module c0c001   is finished. completion code     0. cpu time used     2.00 (seconds).
0   secondary module c0c005   has been called.
0   module c0c005   is finished. completion code     0. cpu time used      .00 (seconds).
0   secondary module c0c004   has been called.
0   module c0c004   is finished. completion code     0. cpu time used     3.00 (seconds).
0   secondary module c0c008   has been called.
```

```
0  module c0c008  is finished. completion code    0. cpu time used     .00 (seconds).
0  secondary module c0c002  has been called.
0  module c0c002  is finished. completion code    0. cpu time used   20.00 (seconds).
0  secondary module c0c001  has been called.
0  module c0c001  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c008  has been called.
0  module c0c008  is finished. completion code    0. cpu time used     .00 (seconds).
0  secondary module c0c002  has been called.
0  module c0c002  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c001  has been called.
0  module c0c001  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c005  has been called.
0  module c0c005  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c004  has been called.
0  module c0c004  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c008  has been called.
0  module c0c008  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c002  has been called.
0  module c0c002  is finished. completion code    0. cpu time used   20.00 (seconds).
0  secondary module c0c001  has been called.
0  module c0c001  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c008  has been called.
0  module c0c008  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c002  has been called.
0  module c0c002  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c001  has been called.
0  module c0c001  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c005  has been called.
0  module c0c005  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c004  has been called.
0  module c0c004  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c008  has been called.
0  module c0c008  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c002  has been called.
0  module c0c002  is finished. completion code    0. cpu time used   20.00 (seconds).
0  secondary module c0c001  has been called.
0  module c0c001  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c008  has been called.
0  module c0c008  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c002  has been called.
0  module c0c002  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c001  has been called.
0  module c0c001  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c005  has been called.
0  module c0c005  is finished. completion code    0. cpu time used     .00 (seconds).
0  secondary module c0c004  has been called.
0  module c0c004  is finished. completion code    0. cpu time used    3.00 (seconds).
0  secondary module c0c008  has been called.
0  module c0c008  is finished. completion code    0. cpu time used     .00 (seconds).
0  secondary module c0c002  has been called.
0  module c0c002  is finished. completion code    0. cpu time used   20.00 (seconds).
0  secondary module c0c001  has been called.
0  module c0c001  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c008  has been called.
0  module c0c008  is finished. completion code    0. cpu time used     .00 (seconds).
0  secondary module c0c002  has been called.
0  module c0c002  is finished. completion code    0. cpu time used    1.00 (seconds).
0  secondary module c0c001  has been called.
0  module c0c001  is finished. completion code    0. cpu time used    2.00 (seconds).
0  secondary module c0c005  has been called.
```

```
0  module c0c005   is finished. completion code     0. cpu time used     1.00 (seconds).
0  secondary module c0c004   has been called.
0  module c0c004   is finished. completion code     0. cpu time used     2.00 (seconds).
0  secondary module c0c008   has been called.
0  module c0c008   is finished. completion code     0. cpu time used     1.00 (seconds).
0  secondary module c0c002   has been called.
0  module c0c002   is finished. completion code     0. cpu time used    20.00 (seconds).
0  secondary module c0c001   has been called.
0  module c0c001   is finished. completion code     0. cpu time used     3.00 (seconds).
0  secondary module c0c008   has been called.
0  module c0c008   is finished. completion code     0. cpu time used      .00 (seconds).
0  secondary module c0c002   has been called.
0  module c0c002   is finished. completion code     0. cpu time used     1.00 (seconds).
0  secondary module c0c001   has been called.
0  module c0c001   is finished. completion code     0. cpu time used     2.00 (seconds).
0  secondary module c0c005   has been called.
0  module c0c005   is finished. completion code     0. cpu time used     1.00 (seconds).
0  secondary module c0c004   has been called.
0  module c0c004   is finished. completion code     0. cpu time used     2.00 (seconds).
0  secondary module c0c008   has been called.
0  module c0c008   is finished. completion code     0. cpu time used     1.00 (seconds).
0  secondary module c0c002   has been called.
0  module c0c002   is finished. completion code     0. cpu time used    20.00 (seconds).
0  secondary module c0c001   has been called.
0  module c0c001   is finished. completion code     0. cpu time used     2.00 (seconds).
0  secondary module c0c008   has been called.
0  module c0c008   is finished. completion code     0. cpu time used     1.00 (seconds).
0  secondary module c0c002   has been called.
0  module c0c002   is finished. completion code     0. cpu time used     1.00 (seconds).
0  secondary module c0c001   has been called.
0  module c0c001   is finished. completion code     0. cpu time used     2.00 (seconds).
0  secondary module c0c005   has been called.
0  module c0c005   is finished. completion code     0. cpu time used      .00 (seconds).
0  secondary module c0c004   has been called.
0  module c0c004   is finished. completion code     0. cpu time used    13.00 (seconds).
0  module sas2h    is finished. completion code     0. cpu time used   281.00 (seconds).
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 0, exec halts after pass  8

0                    90      unit no. of master storage data
0                    96      unit no. of bonami input data
0                    97      unit no. of nitawl input data
0                    98      unit no. of xscrpm input data
0                    93      unit no. of couple input data
0                    94      unit no. of origens input data
0                    95      unit no. of xsdose input data
0                    71      unit no. of recycled densities
0                    74      unit no. of neut. & gamma sources
0                    21      unit no. of origens input library
0                    33      unit no. of final origens library produced by sas2 case
0                    70      unit no. of sas2h storage data
0                    72      unit no. of (formatted) cycle atom densities, burnups, sources, etc.
1  sssssssssss     aaaaaaaaa     sssssssssss     zzzzzzzzzzz   hh        hh
   ssssssssssssss  aaaaaaaaaaa   ssssssssssssss  zzzzzzzzzzzz  hh        hh
   ss         ss   aa        aa  ss         ss  zz        zz  hh        hh
   ss             aa        aa  ss                    zz     hh        hh
   ss             aa        aa  ss                   zz      hh        hh
   ssssssssssss   aaaaaaaaaaaa  ssssssssssss        zz       hhhhhhhhhhh
    ssssssssssss  aaaaaaaaaaaa   ssssssssssss     zz         hhhhhhhhhhh
             ss   aa        aa           ss     zz          hh        hh
```



```
                  ********************************************************************************
                  ********************************************************************************
                  ********************************************************************************
                  *****                                                                      *****
                  *****                  program verification information                   *****
                  *****                                                                      *****
                  *****                  code system:    scale  version:    4.2             *****
                  *****                                                                      *****
                  ********************************************************************************
                  ********************************************************************************
                  *****                                                                      *****
                  *****                                                                      *****
                  *****              program:  sas2                                          *****
                  *****                                                                      *****
                  *****         creation date:  04/27/95                                     *****
                  *****                                                                      *****
                  *****              library:  /neutronics/scale/exe                         *****
                  *****                                                                      *****
                  *****                                                                      *****
                  *****     this is not a   scale  configuration controlled code             *****
                  *****                                                                      *****
                  *****              jobname:  davis                                         *****
                  *****                                                                      *****
                  *****     date of execution:  02/16/96                                     *****
                  *****                                                                      *****
                  *****     time of execution:  09:54:23                                     *****
                  *****                                                                      *****
                  *****                                                                      *****
                  ********************************************************************************
                  ********************************************************************************
                  ********************************************************************************
1
0'
0'  mixtures of fuel-pin-unit-cell:
0'   dens=mass UO2/ Volume assembly = 526377.3 g/5.157524E4
0'
0' 1050 ppm boron
0' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
0'
0' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
0'
0'  fuel-pin-cell geometry:
0'
0'
0' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
0'
0'
0'  assembly and cycle parameters:
0'
0'
0'  mixtures of fuel-pin-unit-cell:
0'   dens=mass UO2/ Volume assembly = 526377.3 g/5.157524E4
     sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0    ***** problem parameters *****
```

```
    lib 27burnuplib  library
    mx           3 mixtures
    nsc         48 composition specifications
    izm          4 material zones
    ge  latticecell  geometry
    more         0 0/1 do not read/read optional parameter data
    msln         0 fuel solutions

0   **** problem composition description ****

    sc  uo2          standard composition
    mx           1 mixture no.
    vf      1.0000 volume fraction
    roth   10.2060 specified density
    temp    975.0 deg kelvin
            92235  3.00%
            92234   .02%
            92236   .01%
            92238  96.96%
    end

    sc  kr-83        standard composition
    mx           1 mixture no.
    den  1.0000E-20 atomic density
    roth    1.0000 theoretical density
    temp     975.0 deg kelvin
    end

    sc  kr-85        standard composition
    mx           1 mixture no.
    den  1.0000E-20 atomic density
    roth    1.0000 theoretical density
    temp     975.0 deg kelvin
    end

    sc  sr-90        standard composition
    mx           1 mixture no.
    den  1.0000E-20 atomic density
    roth    1.0000 theoretical density
    temp     975.0 deg kelvin
    end

    sc  y-89         standard composition
    mx           1 mixture no.
    den  1.0000E-20 atomic density
    roth    1.0000 theoretical density
    temp     975.0 deg kelvin
    end

    sc  mo-95        standard composition
    mx           1 mixture no.
    den  1.0000E-20 atomic density
    roth    1.0000 theoretical density
    temp     975.0 deg kelvin
    end

    sc  zr-93        standard composition
    mx           1 mixture no.
    den  1.0000E-20 atomic density
    roth    1.0000 theoretical density
```

```
temp       975.0 deg kelvin
end

sc  zr-94         standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  zr-95         standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  nb-94         standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  tc-99         standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  rh-103        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth      12.5000 theoretical density
temp        975.0 deg kelvin
end

sc  rh-105        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth      12.5000 theoretical density
temp        975.0 deg kelvin
end

sc  ru-101        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  ru-106        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  pd-105        standard composition
```

```
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  pd-108       standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  ag-109       standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth      10.6010 theoretical density
temp        975.0 deg kelvin
end

sc  sb-124       standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  xe-131       standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  xe-132       standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  xe-135       standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  xe-136       standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  cs-134       standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.8730 theoretical density
temp        975.0 deg kelvin
```

```
end

sc  cs-135        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.8730 theoretical density
temp        975.0 deg kelvin
end

sc  cs-137        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  ba-136        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  la-139        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  pr-141        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  pr-143        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  ce-144        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       1.0000 theoretical density
temp        975.0 deg kelvin
end

sc  nd-143        standard composition
mx              1 mixture no.
den   1.0000E-20 atomic density
roth       6.9600 theoretical density
temp        975.0 deg kelvin
end

sc  nd-145        standard composition
mx              1 mixture no.
```

```
den   1.0000E-20 atomic density
roth      6.9600 theoretical density
temp       975.0 deg kelvin
end

sc  pm-147       standard composition
mx             1 mixture no.
den   1.0000E-20 atomic density
roth      1.0000 theoretical density
temp       975.0 deg kelvin
end

sc  pm-148       standard composition
mx             1 mixture no.
den   1.0000E-20 atomic density
roth      1.0000 theoretical density
temp       975.0 deg kelvin
end

sc  nd-147       standard composition
mx             1 mixture no.
den   1.0000E-20 atomic density
roth      1.0000 theoretical density
temp       975.0 deg kelvin
end

sc  sm-147       standard composition
mx             1 mixture no.
den   1.0000E-20 atomic density
roth      1.0000 theoretical density
temp       975.0 deg kelvin
end

sc  sm-149       standard composition
mx             1 mixture no.
den   1.0000E-20 atomic density
roth      7.7000 theoretical density
temp       975.0 deg kelvin
end

sc  sm-150       standard composition
mx             1 mixture no.
den   1.0000E-20 atomic density
roth      7.7000 theoretical density
temp       975.0 deg kelvin
end

sc  sm-151       standard composition
mx             1 mixture no.
den   1.0000E-20 atomic density
roth      7.7000 theoretical density
temp       975.0 deg kelvin
end

sc  sm-152       standard composition
mx             1 mixture no.
den   1.0000E-20 atomic density
roth      7.7000 theoretical density
temp       975.0 deg kelvin
end
```

```
    sc  gd-155        standard composition
    mx              1 mixture no.
    den   1.0000E-20 atomic density
    roth       1.0000 theoretical density
    temp        975.0 deg kelvin
    end

    sc  eu-153        standard composition
    mx              1 mixture no.
    den   1.0000E-20 atomic density
    roth       5.2400 theoretical density
    temp        975.0 deg kelvin
    end

    sc  eu-154        standard composition
    mx              1 mixture no.
    den   1.0000E-20 atomic density
    roth       5.2400 theoretical density
    temp        975.0 deg kelvin
    end

    sc  eu-155        standard composition
    mx              1 mixture no.
    den   1.0000E-20 atomic density
    roth       5.2400 theoretical density
    temp        975.0 deg kelvin
    end

    sc  zircalloy     standard composition
    mx              2 mixture no.
    vf         1.0000 volume fraction
    roth       6.4400 theoretical density
    temp        650.0 deg kelvin
    end

    sc  h2o           standard composition
    mx              3 mixture no.
    vf         1.0000 volume fraction
    roth        .6272 specified density
    temp        607.6 deg kelvin
    end

    sc  arbm-bormod   standard composition
    mx              3 mixture no.
    vf          .0006 volume fraction
    temp        607.6 deg kelvin
    roth        .6272 density
    nel             1 no. elements
    ivis            1 0/1 no variable isotope/variable isotope
    iqp             0 0/1 mixture/compound
    irs             0 0/1 no resonance mtl./resonance mtl.

                 5000 100.00
0'
0'  1050 ppm boron
0'  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
    end

0   **** problem geometry ****
```

```
0'
0' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
0'
0'  fuel-pin-cell geometry:
0'
     ctp squarepitch  cell type
     pitch     1.4427 cm center to center spacing
     fuelod     .9362 cm fuel diameter or slab thickness
     mfuel         1 mixture no. of fuel
     mmod          3 mixture no. of moderator
     cladod    1.0922 cm clad outer diameter
     mclad         2 mixture no. of clad
     gapod      .9576 cm gap outer diameter
     mgap          0 mixture no. of gap

0    zone specifications for latticecell geometry


                zone  1 is fuel
                zone  2 is gap
                zone  3 is clad
                zone  4 is mod
1    ************************************************************************************************************************
     ***                                                                                                                  ***
     ***                              sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                      ***
     ***                                                                                                                  ***
     ************************************************************************************************************************
     ************************************************************************************************************************
     ***                                                                                                                  ***
     ***                                 ********** data library information **********                                ***
     ***                                                                                                                  ***
     ***          unit                                                  volume                                           ***
     ***         number              data set name                      name        unit function                        ***
     ***         ------              -------------                      ----        -------------                        ***
     ***                                                                                                                  ***
     ***           89      /neutronics/scale/datalib/scale.rev04.sclib                standard composition library      ***
     ***                                                                                                                  ***
     ***           87      /neutronics/scale/datalib/scale.rev03.xn27bu               cross section library             ***
     ***                                                                                                                  ***
     ***           12      ft12f001                                                   short cross section library       ***
     ***                                                                                                                  ***
     ************************************************************************************************************************
     ************************************************************************************************************************
     ***                                                                                                                  ***
     ***                                                                                                                  ***
     ***                                    standard composition library data                                             ***
     ***                                    ---------------------------------                                             ***
     ***                                                                                                                  ***
     ***             unit number  :  89                                                                                   ***
     ***                                                                                                                  ***
     ***             dataset name :  /neutronics/scale/datalib/scale.rev04.sclib                                          ***
     ***                                                                                                                  ***
     ***             library title:  scale-4 standard composition library                                                 ***
     ***                             385 standard compositions, 332 nuclides                                              ***
     ***                             10 elements with variable isotopic distributions.                                    ***
     ***                                                                                                                  ***
     ***             creation date:  4/17/95                                                                              ***
     ***                                                                                                                  ***
     ***                                                                                                                  ***
     ***                                                                                                                  ***
```

```
      ***                                  cross section library data                                  ***
      ***                                  --------------------------                                  ***
      ***                                                                                              ***
      ***          unit number  :  87                                                                  ***
      ***                                                                                              ***
      ***          dataset name :  /neutronics/scale/datalib/scale.rev03.xn27bu                        ***
      ***                                                                                              ***
      ***          library title:  scale 4.2 - 27 group neutron burnup library                         ***
      ***                            based on endf-b version 4 data with endf-b version 5 fission products ***
      ***                              compiled for nrc      1/27/89                                   ***
      ***                                 last updated       9/16/93                                   ***
      ***                                   l.m.petrie   -   ornl                                      ***
      ***                                                                                              ***
      ***                                                                                              ***
      ***                                                                                              ***
      ***                                                                                              ***
      ********************************************************************************************************
      ********************************************************************************************************
1

0   **** xsdrn mesh intervals ****

      8 mesh intervals in zone  1
      4 mesh intervals in zone  2
      4 mesh intervals in zone  3
      8 mesh intervals in zone  4
0'
0' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
0'
0'
0'  assembly and cycle parameters:
0'
1     **** larger cell data (using sas2h) ****
0     inplevel=          2
      numzones=          4
      mixmoder=          3
      mxrepeats=         1
      facmesh=   1.000E+00
0     **** larger cell geometry
0     zone   xsdrnpm mixture   radius (cm)

        1          3          6.3246E-01
        2          2          6.7310E-01
        3          2          9.1400E-01
        4          1          2.9610E+00
 1    **** reactor history data ****
 0    npin/assm=       208
      fuelngth=  3.602E+02
      ncycles=           1
      nlib/cyc=          8
      lightel=           0
      printlevel=        5
 0                                        .....average density.....
      cycle   power(mw)  burn, days  down, days  relative to that in cycle 1
                                                    boron       water
        1    7.250E+00   1.280E+03   1.826E+03    1.000E+00   1.000E+00
 1  bbbbbbbbbbb     ooooooooooo   nn         nn                 aaaaaaaa    mm        mm  iiiiiiiiiii    zzzzzzzzzz
    bbbbbbbbbbbb    ooooooooooooo  nnn        nn                aaaaaaaaaa   mmm       mmm  iiiiiiiiiii   zzzzzzzzzzz
    bb        bb    oo         oo  nnnn       nn               aa        aa  mmmm     mmmm      ii        22        22
    bb        bb    oo         oo  nn nn      nn               aa        aa  mm mm   mm mm      ii                  22
```



```
      ss        ss  cc        cc  aa        aa  ll           ee
      sssssssssssss cccccccccccc  aa        aa  lllllllllllll eeeeeeeeeeee
       sssssssssss   cccccccccc   aa        aa  lllllllllllll eeeeeeeeeeee
```

```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                program verification information           *****
*****                                                           *****
*****              code system:   scale  version:   4.2         *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****            program:  c0c00B                               *****
*****                                                           *****
*****       creation date:  04/27/95                            *****
*****                                                           *****
*****            library:  /neutronics/scale/exe                *****
*****                                                           *****
*****                                                           *****
*****   this is not a  scale  configuration controlled code     *****
*****                                                           *****
*****            jobname:  davis                                *****
*****                                                           *****
*****   date of execution:  02/16/96                            *****
*****                                                           *****
*****   time of execution:  09:54:33                            *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
```

```
1
0      -1q array has     1 entries.
0       0q array has     4 entries.
0       1q array has     6 entries.
0       2q array has     2 entries.
1logical assignments
0master library   12
 working library   0
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere              2
0izm--number of zones or material regions                     4
0ms--mixing table length                                     66
0ibl--shielded cross section edit option (0/1--no/yes)        0
0ibr--bondarenko factor edit option (0/1--no/yes)             0
0isscpt--dancoff factor option                                0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     66 entries.
0       4q array has     66 entries.
```

```
0       5q array has     66 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     66 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        1    92235    6.91508E-04           92235
    2        1    92234    5.55578E-06           92234
    3        1    92236    3.16744E-06           92236
    4        1    92238    2.20677E-02           92238
    5        1     8016    4.55359E-02            8016
    6        3     8016    2.09710E-02               6
    7        1    36083    1.00000E-20           36083
    8        1    36085    1.00000E-20           36085
    9        1    38090    1.00000E-20           38090
   10        1    39089    1.00000E-20           39089
   11        1    42095    1.00000E-20           42095
   12        1    40093    1.00000E-20           40093
   13        1    40094    1.00000E-20           40094
   14        1    40095    1.00000E-20           40095
   15        1    41094    1.00000E-20           41094
   16        1    43099    1.00000E-20           43099
   17        1    45103    1.00000E-20           45103
   18        1    45105    1.00000E-20           45105
   19        1    44101    1.00000E-20           44101
   20        1    44106    1.00000E-20           44106
   21        1    46105    1.00000E-20           46105
   22        1    46108    1.00000E-20           46108
   23        1    47109    1.00000E-20           47109
   24        1    51124    1.00000E-20           51124
   25        1    54131    1.00000E-20           54131
   26        1    54132    1.00000E-20           54132
   27        1    54135    1.00000E-20           54135
   28        1    54136    1.00000E-20           54136
   29        1    55134    1.00000E-20           55134
   30        1    55135    1.00000E-20           55135
   31        1    55137    1.00000E-20           55137
   32        1    56136    1.00000E-20           56136
   33        1    57139    1.00000E-20           57139
   34        1    59141    1.00000E-20           59141
   35        1    59143    1.00000E-20           59143
   36        1    58144    1.00000E-20           58144
   37        1    60143    1.00000E-20           60143
   38        1    60145    1.00000E-20           60145
   39        1    61147    1.00000E-20           61147
   40        1    61148    1.00000E-20           61148
   41        1    60147    1.00000E-20           60147
   42        1    62147    1.00000E-20           62147
   43        1    62149    1.00000E-20           62149
   44        1    62150    1.00000E-20           62150
   45        1    62151    1.00000E-20           62151
   46        1    62152    1.00000E-20           62152
   47        1    64155    1.00000E-20           64155
   48        1    63153    1.00000E-20           63153
   49        1    63154    1.00000E-20           63154
   50        1    63155    1.00000E-20           63155
   51        2    40302    4.25156E-02           40302
```

52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	1.00000E-20	55133
56	1	95237	1.00000E-20	95237
57	1	94238	1.00000E-20	94238
58	1	94239	1.00000E-20	94239
59	1	94240	1.00000E-20	94240
60	1	94241	1.00000E-20	94241
61	1	94242	1.00000E-20	94242
62	1	95241	1.00000E-20	95241
63	1	95243	1.00000E-20	95243
64	1	96244	1.00000E-20	96244
65	1	999	1.00000E-20	999
66	4	999	1.00000E-20	66

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	1	4.68122E-01	9.75000E+02	9.05844E-01	0
2	4	4.78790E-01	2.93000E+02	5.49010E-01	0
3	2	5.46100E-01	6.50000E+02	.00000E+00	0
4	3	8.13968E-01	6.07600E+02	.00000E+00	0


7711 locations of 200000 available are required to make a new master containing the self-shielded values


Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1


Ocopy	999	1/v cross sectio	from log 12	to log 18	bondarenko	trigger 0
Ocopy	999	1/v cross sectio	from log 18	to log 1	bondarenko	trigger 0
Ocopy	999	1/v cross sectio	from log 18	to log 1	bondarenko	trigger 0
Ocopy	1001	hydrogen	from log 12	to log 1	bondarenko	trigger 0
Ocopy	5010	b-10 1273 218ngp	from log 12	to log 1	bondarenko	trigger 0
Ocopy	5011	boron-11	from log 12	to log 1	bondarenko	trigger 0
Ocopy	8016	oxygen-16	from log 12	to log 18	bondarenko	trigger 0
Ocopy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
Ocopy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
Ocopy	36083	kr-83	from log 12	to log 1	bondarenko	trigger 0
Ocopy	36085	kr-85	from log 12	to log 1	bondarenko	trigger 0
Ocopy	38090	sr-90	from log 12	to log 1	bondarenko	trigger 0
Ocopy	39089	y-89	from log 12	to log 1	bondarenko	trigger 0
Ocopy	40093	zr-93	from log 12	to log 1	bondarenko	trigger 0
Ocopy	40094	zr-94	from log 12	to log 1	bondarenko	trigger 0
Ocopy	40095	zr-95	from log 12	to log 1	bondarenko	trigger 0
Ocopy	40302	zircalloy	from log 12	to log 1	bondarenko	trigger 0
Ocopy	41094	nb-94	from log 12	to log 1	bondarenko	trigger 0
Ocopy	42095	mo-95	from log 12	to log 1	bondarenko	trigger 0
Ocopy	43099	tc-99	from log 12	to log 1	bondarenko	trigger 0
Ocopy	44101	ru-101	from log 12	to log 1	bondarenko	trigger 0
Ocopy	44106	ru-106	from log 12	to log 1	bondarenko	trigger 0
Ocopy	45103	rh-103	from log 12	to log 1	bondarenko	trigger 0
Ocopy	45105	rh-105	from log 12	to log 1	bondarenko	trigger 0
Ocopy	46105	pd-105	from log 12	to log 1	bondarenko	trigger 0
Ocopy	46108	pd-108	from log 12	to log 1	bondarenko	trigger 0
Ocopy	47109	silver-109	from log 12	to log 1	bondarenko	trigger 0
Ocopy	51124	sb-124	from log 12	to log 1	bondarenko	trigger 0
Ocopy	54131	xe-131	from log 12	to log 1	bondarenko	trigger 0
Ocopy	54132	xe-132	from log 12	to log 1	bondarenko	trigger 0
Ocopy	54135	xenon-135	from log 12	to log 1	bondarenko	trigger 0
Ocopy	54136	xe-136	from log 12	to log 1	bondarenko	trigger 0
Ocopy	55133	cesium-133	from log 12	to log 1	bondarenko	trigger 0
Ocopy	55134	cs-134	from log 12	to log 1	bondarenko	trigger 0
Ocopy	55135	cs-135	from log 12	to log 1	bondarenko	trigger 0
Ocopy	55137	cs-137	from log 12	to log 1	bondarenko	trigger 0
Ocopy	56136	ba-136	from log 12	to log 1	bondarenko	trigger 0


```
0copy    57139  la-139          from log 12 to log  1   bondarenko trigger 0
0copy    58144  ce-144          from log 12 to log  1   bondarenko trigger 0
0copy    59141  pr-141          from log 12 to log  1   bondarenko trigger 0
0copy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92235   uranium-235    from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92238   uranium-238    from log 12 to log  1   bondarenko trigger 0
0copy    93237   neptunium-237  from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239   plutonium-239  from log 12 to log  1   bondarenko trigger 0
0copy    94240   plutonium-240  from log 12 to log  1   bondarenko trigger 0
0copy    94241   plutonium-241  from log 12 to log  1   bondarenko trigger 0
0copy    94242   plutonium-242  from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244   curium-244     from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc      1/27/89
              last updated       9/16/93
                 l.m.petrie  -   ornl
        tape id                          4321        number of nuclides          66
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                  table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                      id   999
      1/v cross sections normalized to 1.0 at 0.0253 ev                      id    66
       hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89        id  1001
      b-10 1273 218ngp 042375 p-3 293k                                      id  5010
       boron-11       endf/b-iv mat 1160            updated 10/13/89        id  5011
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89        id  8016
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89        id     6
       kr-83          mt=102,103,103,105,106,107    updated 10/13/89        id 36083
       kr-85             mt=  102                                           id 36085
       sr-90          mt=102                        updated 10/13/89        id 38090
        y-89          mt=102                        updated 10/13/89        id 39089
       zr-93             mt=  102                                           id 40093
       zr-94          mt=102                        updated 10/13/89        id 40094
       zr-95          mt=102                        updated 10/13/89        id 40095
       zircalloy      endf/b-iv mat 1284            updated 10/13/89        id 40802
       nb-94          mt=102                        updated 10/13/89        id 41094
       mo-95          mt=102                        updated 10/13/89        id 42095
       tc-99          mt=102                        updated 10/13/89        id 43099
       ru-101         mt=102                        updated 10/13/89        id 44101
       ru-106         mt=102                        updated 10/13/89        id 44106
```

```
        rh-103          mt=102                          updated 10/13/89                id    45103
        rh-105            mt=  102                                                      id    45105
        pd-105          mt=102                          updated 10/13/89                id    46105
        pd-108          mt=102                          updated 10/13/89                id    46108
        silver-109      endf/b-iv mat 1139              updated 10/13/89                id    47109
        sb-124          mt=102                          updated 10/13/89                id    51124
        xe-131          mt=102,103,104,105,106          updated 10/13/89                id    54131
        xe-132          mt=102,103,104,105,106          updated 10/13/89                id    54132
        xenon-135       endf/b-iv mat 1294              updated 10/13/89                id    54135
        xe-136            mt=  102, 103, 104, 105, 107                                  id    54136
        cesium-133      endf/b-iv mat 1141              updated 10/13/89                id    55133
        cs-134          mt=102                          updated 10/13/89                id    55134
        cs-135            mt=  102                                                      id    55135
        cs-137          mt=102                          updated 10/13/89                id    55137
        ba-136          mt=102                          updated 10/13/89                id    56136
        la-139          mt=102                          updated 10/13/89                id    57139
        ce-144            mt=  102                                                      id    58144
        pr-141          mt=102,103,104,105,106,107      updated 10/13/89                id    59141
        pr-143          mt=102                          updated 10/13/89                id    59143
        nd-143          mt=102                          updated 10/13/89                id    60143
        nd-145          mt=102                          updated 10/13/89                id    60145
        nd-147          mt=102                          updated 10/13/89                id    60147
        pm-147          mt=102                          updated 10/13/89                id    61147
        pm-148            mt=  102                                                      id    61148
        sm-147          endf/b-v fission product        updated 10/13/89                id    62147
        sm-149          mt=102,103,107                  updated 10/13/89                id    62149
        sm-150          mt=102                          updated 10/13/89                id    62150
        sm-151          mt=102,103,104,105,106,107      updated 10/13/89                id    62151
        sm-152          mt=102,103,104,105,106,107      updated 10/13/89                id    62152
        eu-153          mt=102,103,104,105,106,107      updated 10/13/89                id    63153
        eu-154          mt=102,103,104,105,106,107      updated 10/13/89                id    63154
        eu-155          mt=102,103,104,105,106,107      updated 10/13/89                id    63155
        gd-155          mt=102                          updated 10/13/89                id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                              id    92234
        uranium-235     endf/b-iv mat 1261              updated 10/13/89                id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                              id    92236
        uranium-238     endf/b-iv mat 1262              updated 10/13/89                id    92238
        neptunium-237   endf/b-iv mat 1263              updated 10/13/89                id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                             id    94238
        plutonium-239   endf/b-iv mat 1264              updated 10/13/89                id    94239
        plutonium-240   endf/b-iv mat 1265              updated 10/13/89                id    94240
        plutonium-241   endf/b-iv mat 1266              updated 10/13/89                id    94241
        plutonium-242   endf/b-iv mat 1161              updated 10/13/89                id    94242
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                    id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                     id    95243
        curium-244      endf/b-iv mat 1162              updated 10/13/89                id    96244
0        tape copy used      0 i/o's, and took     .00 seconds
1               m         m  iiiiiiiiiiii    ttttttttttttt     aaaaaaaa     ww         ww  ll
                mm        m  iiiiiiiiiiii    ttttttttttttt    aaaaaaaaaa    ww         ww  ll
                mmm       m      ii              tt         aa        aa    ww         ww  ll
                m m       m      ii              tt         aa        aa    ww         ww  ll
                m  m      m      ii              tt         aa        aa    ww         ww  ll
                m   m     m      ii              tt         aaaaaaaaaaaa    ww    w    ww  ll
                m    m    m      ii              tt         aaaaaaaaaaaa    ww   www   ww  ll
                m     m   m      ii              tt         aa        aa    ww  ww ww  ww  ll
                m      m  m      ii              tt         aa        aa    ww ww    ww ww  ll
                m       mm       ii              tt         aa        aa    wwww      wwww  ll
                m        mm  iiiiiiiiiii        tt         aa        aa    www        www  llllllllllll
                m         m  iiiiiiiiiii        tt         aa        aa    ww         ww   llllllllllll
0
```


dddddddddd aaaaaaaa w w iiiiiiiiiii ssssssssss
dddddddddd aaaaaaaaaa w w iiiiiiiiiii ssssssssssss
dd dd aa aa w w ii ss ss
dd dd aa aa w w ii ss
dd dd aa aa w w ii ss
dd dd aaaaaaaaaaa w w ii sssssssssss
dd dd aaaaaaaaaaa w w ii ssssssssss
dd dd aa aa w w ii ss
dd dd aa aa w w ii ss
dd dd aa aa w w ii ss ss
dddddddddd aa aa ww iiiiiiiiiii ssssssssssss
dddddddddd aa aa v iiiiiiiiiii ssssssssss
0


000000 2222222222 // 11 6666666666 // 9999999999 6666666666
00000000 22222222222 // 111 6666666666 // 99999999999 6666666666
00 00 22 22 // 1111 66 // 99 99 66
00 00 22 // 11 66 // 99 99 66
00 00 22 // 11 66 // 99 99 66
00 00 22 // 11 6666666666 // 9999999999 6666666666
00 00 22 // 11 6666666666 // 9999999999 6666666666
00 00 22 // 11 66 66 // 99 66 66
00 00 22 // 11 66 66 // 99 66 66
00 00 22 // 11 66 66 // 99 66 66
00000000 2222222222 // 11111111 6666666666 // 9999999999 6666666666
000000 2222222222 // 11111111 6666666666 // 9999999999 6666666666
0


000000 9999999999 5555555555 44 3333333333 5555555555
00000000 99999999999 5555555555 444 3333333333 5555555555
00 00 99 99 ::: 55 4444 ::: 33 33 55
00 00 99 99 ::: 55 44 44 ::: 33 55
00 00 99 99 ::: 55 44 44 ::: 33 55
00 00 9999999999 5555555555 44 44 333 5555555555
00 00 9999999999 5555555555 44 44 333 5555555555
00 00 99 ::: 55 4444444444 ::: 33 55
00 00 99 ::: 55 4444444444 ::: 33 55
00 00 99 ::: 55 55 44 ::: 33 33 55 55
00000000 99999999999 5555555555 44 3333333333 5555555555
000000 99999999999 5555555555 44 3333333333 5555555555
1
0


ssssssssss cccccccccc aaaaaaaa ll eeeeeeeeeeee
ssssssssssss cccccccccccc aaaaaaaaaa ll eeeeeeeeeeee
ss ss cc cc aa aa ll ee
ss cc aa aa ll ee
ss cc aa aa ll ee
ssssssssssss cc aaaaaaaaaaaa ll eeeeeeee
ssssssssssss cc aaaaaaaaaaaa ll eeeeeeee
ss cc aa aa ll ee
ss cc aa aa ll ee
ss ss cc cc aa aa ll ee
ssssssssssss cccccccccccc aa aa llllllllllll eeeeeeeeeeee
ssssssssss cccccccccc aa aa llllllllllll eeeeeeeeeeee

****

```
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                  program verification information                   *****
                    *****                                                                      *****
                    *****                  code system:    scale  version:    4.2             *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  c0c002                                        *****
                    *****                                                                      *****
                    *****         creation date:  04/27/95                                     *****
                    *****                                                                      *****
                    *****              library:  /nautronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****    this is not a   scale  configuration controlled code             *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****    date of execution:  02/16/96                                      *****
                    *****                                                                      *****
                    *****    time of execution:  09:54:35                                      *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0       -1q array has       1 entries.
0        0q array has       9 entries.
0        1q array has      12 entries.
0select 65 nuclides from the master  library on logical  1
         0 nuclides from the working library on logical  2
         0 nuclides from the working library on logical  3
           to create the new working library on logical  4

        61 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      65 entries.
0        3q array has     915 entries.
0        4q array has      65 entries.
0 general information concerning cross section library
    tape identification number                  4321
    number of nuclides on tape                    66
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0   direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                           based on endf-b version 4 data with endf-b version 5 fission products
                              compiled for nrc      1/27/89
                                 last updated       9/16/93
                                   l.m.petrie   -    ornl
0 nuclides from xsdrn tape
     1    1/v cross sections normalized to 1.0 at 0.0253 ev                              999
```

2	hydrogen	endf/b-iv mat 1269/thrm1002	updated 10/13/89	1001
3	b-10 1273 218ngp 042375 p-3 293k			5010
4	boron-11	endf/b-iv mat 1160	updated 10/13/89	5011
5	oxygen-16	endf/b-iv mat 1276	updated 10/13/89	8016
6	oxygen-16	endf/b-iv mat 1276	updated 10/13/89	.6
7	kr-83	mt=102,103,103,105,106,107	updated 10/13/89	36083
8	kr-85	mt= 102		36085
9	sr-90	mt=102	updated 10/13/89	38090
10	y-89	mt=102	updated 10/13/89	39089
11	zr-93	mt= 102		40093
12	zr-94	mt=102	updated 10/13/89	40094
13	zr-95	mt=102	updated 10/13/89	40095
14	zircalloy	endf/b-iv mat 1284	updated 10/13/89	40302
15	rb-94	mt=102	updated 10/13/89	41094
16	mo-95	mt=102	updated 10/13/89	42095
17	tc-99	mt=102	updated 10/13/89	43099
18	ru-101	mt=102	updated 10/13/89	44101
19	ru-106	mt=102	updated 10/13/89	44106
20	rh-103	mt=102	updated 10/13/89	45103
21	rh-105	mt= 102		45105
22	pd-105	mt=102	updated 10/13/89	46105
23	pd-108	mt=102	updated 10/13/89	46108
24	silver-109	endf/b-iv mat 1139	updated 10/13/89	47109
25	sb-124	mt=102	updated 10/13/89	51124
26	xe-131	mt=102,103,104,105,106	updated 10/13/89	54131
27	xe-132	mt=102,103,104,105,106	updated 10/13/89	54132
28	xenon-135	endf/b-iv mat 1294	updated 10/13/89	54135
29	xe-136	mt= 102, 103, 104, 105, 107		54136
30	cesium-133	endf/b-iv mat 1141	updated 10/13/89	55133
31	cs-134	mt=102	updated 10/13/89	55134
32	cs-135	mt= 102		55135
33	cs-137	mt=102	updated 10/13/89	55137
34	ba-136	mt=102	updated 10/13/89	56136
35	la-139	mt=102	updated 10/13/89	57139
36	ce-144	mt= 102		58144
37	pr-141	mt=102,103,104,105,106,107	updated 10/13/89	59141
38	pr-143	mt=102	updated 10/13/89	59143
39	nd-143	mt=102	updated 10/13/89	60143
40	nd-145	mt=102	updated 10/13/89	60145
41	nd-147	mt=102	updated 10/13/89	60147
42	pm-147	mt=102	updated 10/13/89	61147
43	pm-148	mt= 102		61148
44	sm-147	endf/b-v fission product	updated 10/13/89	62147
45	sm-149	mt=102,103,107	updated 10/13/89	62149
46	sm-150	mt=102	updated 10/13/89	62150
47	sm-151	mt=102,103,104,105,106,107	updated 10/13/89	62151
48	sm-152	mt=102,103,104,105,106,107	updated 10/13/89	62152
49	eu-153	mt=102,103,104,105,106,107	updated 10/13/89	63153
50	eu-154	mt=102,103,104,105,106,107	updated 10/13/89	63154
51	eu-155	mt=102,103,104,105,106,107	updated 10/13/89	63155
52	gd-155	mt=102	updated 10/13/89	64155
53	u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)			92234
54	uranium-235	endf/b-iv mat 1261	updated 10/13/89	92235
55	u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)			92236
56	uranium-238	endf/b-iv mat 1262	updated 10/13/89	92238
57	neptunium-237	endf/b-iv mat 1263	updated 10/13/89	93237
58	pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)			94238
59	plutonium-239	endf/b-iv mat 1264	updated 10/13/89	94239
60	plutonium-240	endf/b-iv mat 1265	updated 10/13/89	94240
61	plutonium-241	endf/b-iv mat 1266	updated 10/13/89	94241

```
    62.   plutonium-242  endf/b-iv mat 1161          updated 10/13/89              94242
    63    am-241 1056 sig=5+4 newklacs 218ngp p-3 293k                              95241
    64    am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                              95243
    65    curium-244     endf/b-iv mat 1162          updated 10/13/89              96244
01/v cross sections normalized to 1.0 at 0.0253 ev                      999    temperature=  975.00
0 hydrogen      endf/b-iv mat 1269/thrm1002   updated 10/13/89          1001    temperature=  607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                       5010    temperature=  607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11      endf/b-iv mat 1160            updated 10/13/89          5011    temperature=  607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16     endf/b-iv mat 1276            updated 10/13/89          8016    temperature=  975.00
0 oxygen-16     endf/b-iv mat 1276            updated 10/13/89             6    temperature=  607.60
0 kr-83         mt=102,103,103,105,106,107    updated 10/13/89         36083    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   82.202          temperature(kelvin)     =  975.000
0potential scatter sigma  =    7.004          lumped nuclear density  = 9.9999997E-21
0spin factor (g)          = 4988.190          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =  15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   = 237.953              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11     1.809447E-04    .000000E+00    2.092318E-04
  12     2.169717E-02    .000000E+00    9.922354E-03
  13    -4.337918E-03    .000000E+00   -6.988131E-03
  14     4.783569E-05    .000000E+00   -1.724112E-05
0excess resonance integrals
0              resolved
0absorption   1.45275E+02
 fission      .00000E+00
- elapsed time   .00 min.
0 kr-85         mt= 102                                                 36085    temperature=  975.00
0 sr-90         mt=102                        updated 10/13/89          38090    temperature=  975.00
0  y-89         mt=102                        updated 10/13/89          39089    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   88.142          temperature(kelvin)     =  975.000
0potential scatter sigma  =    3.644          lumped nuclear density  = 9.9999997E-21
0spin factor (g)          =   78.664          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =  15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   = 237.953              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   9     1.364407E-06    .000000E+00    2.180942E-04
  10     2.638645E-06    .000000E+00    7.570678E-06
0excess resonance integrals
0              resolved
0absorption   1.46528E-01
 fission      .00000E+00
- elapsed time   .00 min.
0 zr-93         mt= 102                                                 40093    temperature=  975.00
```

```
0 zr-94        mt=102                    updated 10/13/89          40094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   93.100          temperature(kelvin)     =   975.000
0potential scatter sigma  =    3.779          lumped nuclear density  = 9.9999997E-21
0spin factor (g)          =  180.853          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   8     3.255227E-07    .000000E+00    2.652856E-04
   9     1.224071E-06    .000000E+00    9.974551E-05
0excess resonance integrals
0                resolved
0absorption     3.44401E-02
 fission         .00000E+00
-  elapsed time    .00 min.
0 zr-95        mt=102                    updated 10/13/89          40095    temperature=  975.00
0 zircalloy    endf/b-iv mat 1284        updated 10/13/89          40302    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =   90.436          temperature(kelvin)     =   650.000
0potential scatter sigma  =    6.385          lumped nuclear density  = 4.2515602E-02
0spin factor (g)          =    1.079          lump dimension (a-bar)  = 5.4610002E-01
0inner radius             = 4.7878999E-01     dancoff correction (c)  = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   8    -1.780596E-03    .000000E+00   -1.286907E+00
   9    -5.895373E-02    .000000E+00   -2.695297E+00
  10    -6.959935E-02    .000000E+00   -1.601321E+00
  11    -1.883957E-01    .000000E+00   -7.920912E-01
0excess resonance integrals
0                resolved
0absorption     2.28539E-01
 fission         .00000E+00
-  elapsed time    .02 min.
0 rb-94        mt=102                    updated 10/13/89          41094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   93.101          temperature(kelvin)     =   975.000
0potential scatter sigma  =    3.779          lumped nuclear density  = 9.9999997E-21
0spin factor (g)          = 43808.801          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  13     1.043336E-02    .000000E+00    9.253548E-04
  14     9.836751E-03    .000000E+00   -4.064909E-04
0excess resonance integrals
0                resolved
0absorption     9.15001E+01
```

```
 fission          .00000E+00
- elapsed time    .02 min.
0 mo-95         mt=102                    updated 10/13/89          42095    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   94.091          temperature(kelvin)     =  975.000
0potential scatter sigma =    3.806         lumped nuclear density  = 9.9999997E-21
0spin factor (g)        =  607.724          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995          sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.953          sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  10     -7.915671E-05     .000000E+00    2.663419E-04
  11      2.016730E-04     .000000E+00    2.080861E-05
  12      9.774911E-03     .000000E+00    8.762282E-03
  13      1.615204E-04     .000000E+00   -2.779906E-05
0excess resonance integrals
0                resolved
0absorption     1.05222E+02
 fission          .00000E+00
- elapsed time    .02 min.
0 tc-99         mt=102                    updated 10/13/89          43099    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   98.150          temperature(kelvin)     =  975.000
0potential scatter sigma =    6.000         lumped nuclear density  = 9.9999997E-21
0spin factor (g)        = 4527.940          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995          sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.953          sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11      2.904125E-04     .000000E+00    1.159129E-04
  12      2.889429E-04     .000000E+00    1.895800E-05
  13      5.068587E-03     .000000E+00    2.067952E-04
  14      9.705323E-02     .000000E+00    2.243266E-03
  15      1.072213E-02     .000000E+00   -5.414662E-04
  16      4.836156E-03     .000000E+00   -2.802451E-04
  17      2.074327E-04     .000000E+00   -1.191957E-05
0excess resonance integrals
0                resolved
0absorption     3.35536E+02
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-101        mt=102                    updated 10/13/89          44101    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =  100.039          temperature(kelvin)     =  975.000
0potential scatter sigma =    3.965         lumped nuclear density  = 9.9999997E-21
0spin factor (g)        = 8785.290          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995          sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
```

```
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11      -3.518813E-02     .000000E+00    -3.622225E-03
  12       5.204958E-02     .000000E+00     5.420228E-03
  13       7.549752E-03     .000000E+00     1.902731E-04
  14       2.381086E-04     .000000E+00    -4.201588E-05
0excess resonance integrals
0                  resolved
0absorption       8.00378E+01
 fission           .00000E+00
-  elapsed time    .03 min.
0 ru-106         mt=102                    updated 10/13/89              44106     temperature=   975.00
0 rh-103         mt=102                    updated 10/13/89              45103     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   102.021          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.408          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =      .500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9       1.326827E-03     .000000E+00     2.167915E-03
  10      -1.286871E-03     .000000E+00    -1.980879E-03
  11       4.747010E-04     .000000E+00     2.049829E-04
  12       6.859059E-05     .000000E+00    -1.216555E-05
  13        .000000E+00     .000000E+00      .000000E+00
  14        .000000E+00     .000000E+00      .000000E+00
  15       2.333214E-01     .000000E+00     3.451227E-03
  16       4.081323E+01     .000000E+00    -2.742478E-02
  17      -1.809042E+02     .000000E+00    -1.277730E-01
  18       8.817304E+01     .000000E+00     2.622113E-01
  19       1.162716E+01     .000000E+00    -1.845762E-03
  20       1.066385E+00     .000000E+00    -2.236318E-03
  21       2.092157E-01     .000000E+00     2.075584E-03
  22       2.606502E-01     .000000E+00     2.727417E-03
  23      -8.670080E-02     .000000E+00     1.600945E-03
0excess resonance integrals
0                  resolved
0absorption       1.17075E+03
 fission           .00000E+00
-  elapsed time    .07 min.
0 rh-105         mt=  102                                                 45105     temperature=   975.00
0 pd-105         mt=102                    updated 10/13/89              46105     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   104.004          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.069          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          = 15210.000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.9051458E+19
```

```
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      -4.362008E-02     .000000E+00   -2.957456E-04
  13       5.553506E-02     .000000E+00    5.201802E-04
  14       7.784640E-04     .000000E+00   -8.188062E-05
0excess resonance integrals
0                 resolved
0absorption      6.13404E+01
 fission          .00000E+00
-  elapsed time    .07 min.
0 pd-108        mt=102                    updated 10/13/89            46108     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   106.977          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.146          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          = 21175.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11       1.170581E-04     .000000E+00    3.532089E-04
  12       1.367686E-02     .000000E+00    9.317974E-03
  13       6.985784E-03     .000000E+00    1.812033E-03
  14       8.561562E-02     .000000E+00   -3.205911E-05
  15      -1.840045E-01     .000000E+00    8.089985E-05
  16       2.946594E-04     .000000E+00   -9.255802E-06
0excess resonance integrals
0                 resolved
0absorption      2.14135E+02
 fission          .00000E+00
-  elapsed time    .07 min.
0 silver-109    endf/b-iv mat 1139          updated 10/13/89            47109     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   107.969          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.988          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =  1441.870          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  10       3.941120E-05     .000000E+00    8.699980E-05
  11       5.547873E-04     .000000E+00    3.035632E-04
  12      -6.959971E-01     .000000E+00   -3.045062E-02
  13       7.673479E-01     .000000E+00    3.380764E-02
  14       4.382060E-01     .000000E+00    2.461560E-02
0excess resonance integrals
0                 resolved
0absorption      1.40425E+03
 fission          .00000E+00
```

```
- elapsed time    .07 min.
0 sb-124        mt=102                          updated 10/13/89            51124    temperature=  975.00
0 xe-131        mt=102,103,104,105,106          updated 10/13/89            54131    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   129.781             temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301             lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =   246.825             lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995               sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953               sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9       3.548233E-07      .000000E+00      2.687395E-06
  10       1.705408E-05      .000000E+00      2.475561E-05
  11       1.002568E-04      .000000E+00      3.780379E-05
  12       8.386960E-04      .000000E+00      6.769228E-05
  13       1.244908E-01      .000000E+00      1.863688E-01
  14       1.136255E-02      .000000E+00      1.588561E-02
0excess resonance integrals
0                 resolved
0absorption       8.40544E+02
 fission          .00000E+00
- elapsed time    .08 min.
0 xe-132        mt=102,103,104,105,106          updated 10/13/89            54132    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   130.771             temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301             lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =   675.899             lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995               sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953               sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9       3.846073E-07      .000000E+00      4.707993E-06
  10       2.022905E-05      .000000E+00      2.391328E-04
  11       3.346509E-08      .000000E+00     -9.309281E-07
0excess resonance integrals
0                 resolved
0absorption       9.84435E-01
 fission          .00000E+00
- elapsed time    .08 min.
0 xenon-135     endf/b-iv mat 1294              updated 10/13/89            54135    temperature=  975.00
0 xe-136          mt=  102,  103,  104,  105,  107                          54136    temperature=  975.00
0 cesium-133    endf/b-iv mat 1141              updated 10/13/89            55133    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   131.764             temperature(kelvin)      =   975.000
0potential scatter sigma  =     7.100             lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =   374.437             lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995               sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
```

```
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -3.703633E-06     .000000E+00     4.731736E-05
  10      6.616260E-05     .000000E+00     8.590073E-05
  11      5.686005E-04     .000000E+00     7.995660E-04
  12      1.210576E-03     .000000E+00     1.180891E-04
  13      2.886432E-03     .000000E+00     1.459001E-04
  14      7.713464E-02     .000000E+00     2.332192E-03
  15      5.632077E-03     .000000E+00    -4.067794E-04
  16      2.777925E-03     .000000E+00    -2.215554E-04
  17      2.352236E-03     .000000E+00    -1.830806E-04
  18      2.214984E-03     .000000E+00    -1.679470E-04
  19      1.316890E-03     .000000E+00    -9.665920E-05
0excess resonance integrals
0                resolved
0absorption      3.67817E+02
 fission          .00000E+00
-  elapsed time    .10 min.
0 cs-134        mt=102                   updated 10/13/89            55134     temperature=   975.00
0 cs-135          mt=  102                                           55135     temperature=   975.00
0 cs-137        mt=102                   updated 10/13/89            55137     temperature=   975.00
0 ba-136        mt=102                   updated 10/13/89            56136     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   134.737          temperature(kelvin)      =   975.000
0potential scatter sigma =     4.835          lumped nuclear density   = 9.9999997E-21
0spin factor (g)         =  1247.690          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10      1.392643E-06     .000000E+00     6.052888E-07
  11      2.651689E-05     .000000E+00     2.268840E-05
0excess resonance integrals
0                resolved
0absorption      1.38478E+00
 fission          .00000E+00
-  elapsed time    .10 min.
0 la-139        mt=102                   updated 10/13/89            57139     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   137.713          temperature(kelvin)      =   975.000
0potential scatter sigma =     4.906          lumped nuclear density   = 9.9999997E-21
0spin factor (g)         =   145.855          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9      5.785221E-05     .000000E+00     8.074925E-03
```

```
  10      -5.416118E-05     .000000E+00   -7.962938E-03
  11        .000000E+00     .000000E+00     .000000E+00
  12       3.425439E-04     .000000E+00    1.623582E-04
0excess resonance integrals
0                resolved
0absorption       8.15213E+00
 fission           .00000E+00
- elapsed time     .12 min.
0 ce-144          mt=  102                                          58144     temperature=  975.00
0 pr-141        mt=102,103,104,105,106,107     updated 10/13/89     59141     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   139.697          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.953          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =  1026.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10       2.722221E-05     .000000E+00    9.441898E-04
  11       1.657300E-04     .000000E+00    1.836016E-03
  12       6.502524E-05     .000000E+00    8.269918E-06
0excess resonance integrals
0                resolved
0absorption       1.23055E+01
 fission           .00000E+00
- elapsed time     .12 min.
0 pr-143        mt=102                         updated 10/13/89     59143     temperature=  975.00
0 nd-143        mt=102                         updated 10/13/89     60143     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   141.682          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.000          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =  1964.850          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -5.299144E-06     .000000E+00    3.773363E-05
  11       8.773024E-04     .000000E+00    7.552954E-03
  12       1.098715E-03     .000000E+00    4.429725E-04
0excess resonance integrals
0                resolved
0absorption       5.16983E+01
 fission           .00000E+00
- elapsed time     .12 min.
0 nd-145        mt=102                         updated 10/13/89     60145     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   143.668          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.047          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =  1007.250          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
```

```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.707597OE+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  10      9.267461E-05      .000000E+00     1.134150E-03
  11      5.599182E-05      .000000E+00     9.373953E-04
  12      3.607317E-03      .000000E+00     1.292681E-02
  13      9.669940E-05      .000000E+00     2.031052E-04
  14      3.997842E-02      .000000E+00     9.739675E-04
  15      5.917626E-03      .000000E+00    -4.639855E-04
  16      1.326674E-03      .000000E+00    -1.451365E-04
  17      9.642577E-04      .000000E+00    -1.063806E-04
  18      8.539549E-04      .000000E+00    -9.312791E-05
  19      7.633875E-04      .000000E+00    -8.068838E-05
  20      2.839147E-05      .000000E+00    -2.919823E-06
0excess resonance integrals
0                resolved
0absorption      2.10327E+02
 fission          .00000E+00
-  elapsed time    .13 min.
0 rd-147       mt=102                  updated 10/13/89          60147    temperature=  975.00
0 pm-147       mt=102                  updated 10/13/89          61147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma =     5.093          lumped nuclear density   = 9.9999997E-21
0spin factor (g)        = 21589.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.707597OE+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  12      6.966507E-03      .000000E+00     1.468595E-03
  13      1.578501E-03      .000000E+00    -2.277522E-04
  14      5.784348E-01      .000000E+00     1.423051E-01
  15      4.142128E-02      .000000E+00     7.001469E-03
  16      1.698034E-02      .000000E+00     1.746893E-03
  17      1.369744E-02      .000000E+00     1.150502E-03
  18      1.253748E-02      .000000E+00     9.648900E-04
  19      6.999250E-04      .000000E+00     5.068569E-05
0excess resonance integrals
0                resolved
0absorption      2.12313E+03
 fission          .00000E+00
-  elapsed time    .13 min.
0 pm-148         mt=  102                                          61148    temperature=  975.00
0 sm-147       endf/b-v fission product  updated 10/13/89          62147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma =     5.093          lumped nuclear density   = 9.9999997E-21
0spin factor (g)        =      .000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
```

```
  10      -8.693130E-05     .000000E+00   -2.192214E-04
  11       3.915146E-04     .000000E+00    2.219730E-03
  12       1.559308E-03     .000000E+00    4.600983E-04
  13       2.722763E-02     .000000E+00    1.456118E-02
  14       1.067168E-04     .000000E+00   -6.439571E-05
0excess resonance integrals
0                  resolved
0absorption       2.95075E+02
 fission           .00000E+00
- elapsed time    .15 min.
0 sm-151        mt=102,103,104,105,106,107     updated 10/13/89              62151     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   149.623              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.185              lumped nuclear density   = 9.9999997E-21
0spin factor (g)          = 75574.703              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995                sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953                sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  14       5.260533E-03     .000000E+00   -7.897375E-03
  15       1.507732E+01     .000000E+00    7.666258E-02
  16      -2.165288E+01     .000000E+00   -6.105221E-02
  17       1.746777E+02     .000000E+00    8.370620E-01
  18      -3.196567E+02     .000000E+00   -1.772521E+00
  19       6.261735E+01     .000000E+00    3.870579E-01
  20       1.102369E+00     .000000E+00    3.251883E-04
  21      -8.248987E-02     .000000E+00    1.288040E-02
  22       7.434122E-02     .000000E+00    3.612924E-03
  23      -9.669451E-03     .000000E+00    3.056623E-04
0excess resonance integrals
0                  resolved
0absorption       2.06074E+03
 fission           .00000E+00
- elapsed time    .15 min.
0 sm-152        mt=102,103,104,105,106,107     updated 10/13/89              62152     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   150.615              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.208              lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =   863.594              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995                sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953                sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9       2.403198E-06     .000000E+00    1.159116E-04
  10       9.314650E-05     .000000E+00    7.525454E-04
  11       5.544180E-04     .000000E+00    1.900341E-03
  12       1.606336E-03     .000000E+00    3.771814E-03
  13       4.295352E-02     .000000E+00    1.044723E-01
  14       5.906535E-01     .000000E+00    6.507989E-01
0excess resonance integrals
```

```
0                resolved
0absorption      2.91111E+03
 fission         .00000E+00
- elapsed time    .17 min.
0 eu-153        mt=102,103,104,105,106,107     updated 10/13/89            63153     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   151.607            temperature(kelvin)      =  975.000
0potential scatter sigma  =     9.731            lumped nuclear density   = 9.9999997E-21
0spin factor (g)          = 12265.900            lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -2.580043E-01     .000000E+00   -5.022002E-02
  13      -2.080346E-02     .000000E+00    2.732525E-03
  14      -4.284205E-01     .000000E+00    5.670392E-03
  15       3.649734E+00     .000000E+00   -9.770704E-03
  16      -3.288213E+00     .000000E+00    8.161153E-03
  17       1.506635E-01     .000000E+00   -3.437884E-03
  18       7.726895E-02     .000000E+00   -2.231282E-03
  19       5.055514E-02     .000000E+00   -1.541163E-03
  20      -1.265644E-01     .000000E+00   -1.041209E-03
0excess resonance integrals
0                resolved
0absorption      1.35663E+03
 fission         .00000E+00
- elapsed time    .17 min.
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89            63154     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   152.601            temperature(kelvin)      =  975.000
0potential scatter sigma  =     9.731            lumped nuclear density   = 9.9999997E-21
0spin factor (g)          = 19135.801            lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -3.844084E-01     .000000E+00   -6.007666E-02
  13      -2.933085E-01     .000000E+00   -2.421374E-02
  14       3.604651E-01     .000000E+00    1.521953E-02
  15       2.304189E-01     .000000E+00    2.127269E-02
  16       7.322216E+00     .000000E+00    9.281573E-02
  17      -1.435965E+02     .000000E+00   -1.894614E+00
  18       1.138804E+02     .000000E+00    1.860162E+00
  19      -1.039527E+02     .000000E+00    1.221570E+00
0excess resonance integrals
0                resolved
0absorption      2.13732E+03
 fission         .00000E+00
- elapsed time    .18 min.
0 eu-155        mt=102,103,104,105,106,107     updated 10/13/89            63155     temperature=  975.00
```

```
0 gd-155        mt=102                          updated 10/13/89            64155     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   153.592             temperature(kelvin)       =   975.000
0potential scatter sigma  =     5.277             lumped nuclear density    = 9.9999997E-21
0spin factor (g)          = 12700.100             lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00         dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995              sigma(per absorber atom)= 1.7075970E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933              sigma(per absorber atom)= 1.9051458E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -1.439257E+00     .000000E+00   -1.839427E-01
  13       1.541437E+00     .000000E+00    1.985446E-01
  14       2.192559E-01     .000000E+00    9.810235E-03
  15      -3.286444E-01     .000000E+00    5.341723E-05
  16       1.477360E+00     .000000E+00   -4.148852E-03
  17       1.568653E-01     .000000E+00   -1.479130E-03
  18       9.605146E-02     .000000E+00   -1.078059E-03
  19       6.295317E-02     .000000E+00   -8.026487E-04
  20       1.400321E-02     .000000E+00    3.090602E-04
  21        .000000E+00     .000000E+00     .000000E+00
  22        .000000E+00     .000000E+00     .000000E+00
  23        .000000E+00     .000000E+00     .000000E+00
  24        .000000E+00     .000000E+00     .000000E+00
  25      -2.406941E+03     .000000E+00   -1.882743E+00
  26      -5.227043E+03     .000000E+00    1.971364E+00
  27      -1.662799E+03     .000000E+00    7.404465E-01
0excess resonance integrals
0                 resolved
0absorption      3.82329E+04
 fission          .00000E+00
-  elapsed time     .18 min.
0u-234 1043 sigo=5+4 new(lacs p-3 293k f-1/e-m(1.+5)                          92234     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   232.029             temperature(kelvin)       =   975.000
0potential scatter sigma  =    10.021             lumped nuclear density    = 5.5557821E-06
0spin factor (g)          =  6948.450             lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00         dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995              sigma(per absorber atom)= 3.0735492E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.955              sigma(per absorber atom)= 3.4280727E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -2.660897E-02     .000000E+00   -7.755044E-02
  12      -2.166410E-01     .000000E+00   -9.087195E-02
  13       7.759067E-04     .000000E+00   -6.469014E-04
  14      -2.108644E+01     .000000E+00   -3.452136E+00
0excess resonance integrals
0                 resolved
0absorption      5.78630E+02
 fission          .00000E+00
-  elapsed time     .20 min.
0 uranium-235   endf/b-iv mat 1261          updated 10/13/89            92235     temperature=  975.00
0resonance data for this nuclide
```

```
0mass number (a)          =  233.025          temperature(kelvin)      =  975.000
0potential scatter sigma  =   11.500          lumped nuclear density   = 6.9150812E-04
0spin factor (g)          = 15171.100         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 2.4693810E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.049             sigma(per absorber atom)= 2.6500592E+02
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12     -2.802867E+00   -1.745419E+00   -6.529980E-02
  13     -9.404244E+00   -4.671767E+00   -2.017245E-01
  14     -7.541845E+00   -4.596020E+00   -5.108717E-02
0excess resonance integrals
0              resolved
0absorption   2.0486AE+02
 fission      1.2225BE+02
-  elapsed time    .22 min.
0u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    92236     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  234.017          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.995          lumped nuclear density   = 3.1674365E-06
0spin factor (g)          = 6328.490          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 5.3911008E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.954             sigma(per absorber atom)= 6.0137379E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11     -1.742947E-02    .000000E+00   -3.756222E-02
  12     -4.166518E-02    .000000E+00   -5.612943E-02
  13     -5.275458E-02    .000000E+00   -3.181131E-03
  14     -3.376845E+00    .000000E+00   -2.966958E-01
0excess resonance integrals
0              resolved
0absorption   3.2930BE+02
 fission       .0000E+00
-  elapsed time    .22 min.
0 uranium-238   endf/b-iv mat 1262          updated 10/13/89            92238     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  236.006          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.599          lumped nuclear density   = 2.2067729E-02
0spin factor (g)          =  656.527          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 7.7379818E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  235.041             sigma(per absorber atom)= 3.3317560E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -3.953677E-02    .000000E+00   -4.059601E-01
  10     -1.027990E+00   -1.759790E-05   -6.492478E+00
  11     -9.713745E+00    .000000E+00   -2.691004E+01
```


```
  12      -4.305893E+01     .000000E+00   -4.999826E+01
  13      -5.402488E+01     .000000E+00   -1.769476E+01
  14      -1.045212E+02     .000000E+00   -6.060839E+00
0excess resonance integrals
0                  resolved
0absorption       1.79456E+01
 fission          5.03812E-04
-  elapsed time     .23 min.
0 neptunium-237  endf/b-iv mat 1263            updated 10/13/89            93237     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   235.012           temperature(kelvin)       =   975.000
0potential scatter sigma  =    10.500           lumped nuclear density    = 9.9999997E-21
0spin factor (g)          = 10100.800           lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00        dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995           sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051           sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11      -6.297421E-02   -1.837015E-06   -7.368062E-03
  12       4.699678E-02   -7.827351E-05    9.789990E-03
  13       4.846798E-02    9.304715E-05    1.906104E-03
  14       2.287751E-02    1.978009E-06   -4.934850E-04
0excess resonance integrals
0                  resolved
0absorption       2.95269E+02
 fission          1.38613E-01
-  elapsed time     .27 min.
0pu-238 1050 sig0=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          94238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.167           temperature(kelvin)       =   975.000
0potential scatter sigma  =    10.850           lumped nuclear density    = 9.9999997E-21
0spin factor (g)          = 13130.600           lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00        dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995           sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051           sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11       4.300073E-04    7.349576E-05    3.254688E-04
  12       3.435531E-04    4.151627E-05    1.223377E-04
  13       4.169841E-01    7.581419E-02   -8.996832E-03
  14      -3.821973E-01   -6.987069E-02    8.538967E-03
0excess resonance integrals
0                  resolved
0absorption       8.25561E+01
 fission          9.08581E+00
-  elapsed time     .27 min.
0 plutonium-239  endf/b-iv mat 1264            updated 10/13/89            94239     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.999           temperature(kelvin)       =   975.000
0potential scatter sigma  =    10.200           lumped nuclear density    = 9.9999997E-21
0spin factor (g)          = 6435.710            lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00        dancoff correction (c)    = 3.4269261E-01
```

```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11      1.026091E-03   7.365740E-04   7.731064E-05
  12      3.649406E-03   1.987919E-03   3.495295E-04
  13      3.192807E-03   1.440402E-05   8.998066E-04
  14      1.640449E-02   1.127308E-02  -5.654235E-04
0excess resonance integrals
0                resolved
0absorption     3.19726E+02
 fission        1.79269E+02
- elapsed time    .28 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89          94240     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   237.992          temperature(kelvin)     =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density  = 9.9999997E-21
0spin factor (g)          =   669.244          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   9     -9.114988E-06   1.994661E-07   6.593086E-05
  10      6.315603E-05   2.939710E-06   2.577517E-04
  11      4.433857E-04   2.762662E-06   4.575704E-04
  12      3.239271E-03   1.745970E-05   2.000425E-03
  13      1.275347E-03   7.819998E-06   8.856502E-05
  14       .000000E+00    .000000E+00    .000000E+00
  15      1.760503E-02   3.359997E-06   3.506874E-03
  16      3.386359E+00   6.461107E-04   4.328788E-01
  17      5.735937E+02   1.094729E-01   5.201967E+01
  18     -2.554376E+03  -4.875140E-01  -2.052582E+02
  19      1.057519E+03   2.018322E-01   8.031049E+01
  20     -9.453103E+01  -1.804166E-02   1.836000E+00
0excess resonance integrals
0                resolved
0absorption     8.44126E+03
 fission        2.63833E+00
- elapsed time    .30 min.
0 plutonium-241  endf/b-iv mat 1266          updated 10/13/89          94241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.978          temperature(kelvin)     =   975.000
0potential scatter sigma  =    10.939          lumped nuclear density  = 9.9999997E-21
0spin factor (g)          = 16402.100          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
```


```
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12       1.377094E-02    1.229498E-02    6.801242E-04
  13      -2.439721E-02   -2.559265E-02   -1.833407E-03
  14       7.042534E-02    6.269953E-02    1.419312E-03
  15       1.801109E-02    1.614762E-02   -4.699414E-04
0excess resonance integrals
0                 resolved
0absorption      5.09543E+02
 fission         4.27111E+02
- elapsed time    .32 min.
0 plutonium-242  endf/b-iv mat 1161          updated 10/13/89          9424Z     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.145          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.694          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          =  6606.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11       1.732151E-04    .000000E+00     2.955152E-04
  12       1.338541E-03    .000000E+00     2.000390E-03
  13       1.258568E-04    .000000E+00     4.973795E-06
  14       8.150769E-02    .000000E+00     1.527770E-02
  15       5.500306E-01    .000000E+00     5.579308E-03
  16       4.034138E-02    .000000E+00    -3.459574E-03
  17       1.550422E-02    .000000E+00    -1.848340E-03
  18       1.112562E-02    .000000E+00    -1.430774E-03
0excess resonance integrals
0                 resolved
0absorption      1.11245E+03
 fission          .00000E+00
- elapsed time    .32 min.
0am-241 1056 sigp=5+4 new-klacs 218-gp p-3 293k                              95241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.950          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          = 82058.203          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  13       4.924720E-01    1.212994E-02    4.967665E-03
  14      -4.285262E-01   -1.106696E-02   -4.417147E-03
0excess resonance integrals
0                 resolved
0absorption      1.93478E+02
 fission         1.07615E+00
- elapsed time    .32 min.
0am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                                95243     temperature=   975.00
```

```
0resonance data for this nuclide
0mass number (a)          =  240.940          temperature(kelvin)      =  975.000
0potential scatter sigma  =    9.511          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          = 82052.602          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995              sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051              sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13     -6.597584E-03     .000000E+00     4.390141E-04
  14      2.233211E-02     .000000E+00     2.374156E-04
0excess resonance integrals
0                resolved
0absorption     1.60152E+02
 fission         .00000E+00
-  elapsed time    .32 min.
0 curium-244    endf/b-iv mat 1162          updated 10/13/89          96244    temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =  242.133          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.320          lumped nuclear density   = 9.9999997E-21
0spin factor (g)          = 5251.150          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995              sigma(per absorber atom)= 1.7075969E+19
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051              sigma(per absorber atom)= 1.8316216E+19
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      2.590136E-04    7.087814E-06    3.065648E-04
  12      7.074901E-04    3.320512E-05    1.406014E-04
  13      2.721932E-03    1.336724E-04    7.130241E-04
  14      8.470870E-02    5.068042E-03    1.606959E-02
0excess resonance integrals
0                resolved
0absorption     6.13904E+02
 fission        3.54222E+01
-  elapsed time    .33 min.
-  elapsed time    .33 min.
1     this xsdrn working tape was created 02/16/96 at 09:54:35
      the title of the parent case is as follows
      scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
          compiled for nrc    1/27/89
        tape id                      4321      number of nuclides          65
        number of neutron groups       27      number of gamma groups       0
        first thermal group            15      logical unit                 4
                                table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                    id    999
       hydrogen      endf/b-iv mat 1269/thrm1002  updated 10/13/89        id   1001
      b-10 1273 218ngp 042375 p-3 293k                                     id   5010
       boron-11      endf/b-iv mat 1160           updated 10/13/89        id   5011
       oxygen-16     endf/b-iv mat 1276           updated 10/13/89        id   8016
       oxygen-16     endf/b-iv mat 1276           updated 10/13/89        id      6
       kr-83         mt=102,103,103,105,106,107   updated 10/13/89        id  36083
```


```
      kr-85          mt= 102                                          id   36085
      sr-90          mt=102                    updated 10/13/89       id   38090
       y-89          mt=102                    updated 10/13/89       id   39089
      zr-93          mt= 102                                          id   40093
      zr-94          mt=102                    updated 10/13/89       id   40094
      zr-95          mt=102                    updated 10/13/89       id   40095
      zircalloy      endf/b-iv mat 1284        updated 10/13/89       id   40802
      rb-94          mt=102                    updated 10/13/89       id   41094
      mo-95          mt=102                    updated 10/13/89       id   42095
      tc-99          mt=102                    updated 10/13/89       id   43099
      ru-101         mt=102                    updated 10/13/89       id   44101
      ru-106         mt=102                    updated 10/13/89       id   44106
      rh-103         mt=102                    updated 10/13/89       id   45103
      rh-105         mt= 102                                          id   45105
      pd-105         mt=102                    updated 10/13/89       id   46105
      pd-108         mt=102                    updated 10/13/89       id   46108
      silver-109     endf/b-iv mat 1139        updated 10/13/89       id   47109
      sb-124         mt=102                    updated 10/13/89       id   51124
      xe-131         mt=102,103,104,105,106    updated 10/13/89       id   54131
      xe-132         mt=102,103,104,105,106    updated 10/13/89       id   54132
      xenon-135      endf/b-iv mat 1294        updated 10/13/89       id   54135
      xe-136         mt= 102, 103, 104, 105, 107                      id   54136
      cesium-133     endf/b-iv mat 1141        updated 10/13/89       id   55133
      cs-134         mt=102                    updated 10/13/89       id   55134
      cs-135         mt= 102                                          id   55135
      cs-137         mt=102                    updated 10/13/89       id   55137
      ba-136         mt=102                    updated 10/13/89       id   56136
      la-139         mt=102                    updated 10/13/89       id   57139
      ce-144         mt= 102                                          id   58144
      pr-141         mt=102,103,104,105,106,107 updated 10/13/89      id   59141
      pr-143         mt=102                    updated 10/13/89       id   59143
      nd-143         mt=102                    updated 10/13/89       id   60143
      nd-145         mt=102                    updated 10/13/89       id   60145
      nd-147         mt=102                    updated 10/13/89       id   60147
      pm-147         mt=102                    updated 10/13/89       id   61147
      pm-148         mt= 102                                          id   61148
      sm-147         endf/b-v fission product  updated 10/13/89       id   62147
      sm-149         mt=102,103,107            updated 10/13/89       id   62149
      sm-150         mt=102                    updated 10/13/89       id   62150
      sm-151         mt=102,103,104,105,106,107 updated 10/13/89      id   62151
      sm-152         mt=102,103,104,105,106,107 updated 10/13/89      id   62152
      eu-153         mt=102,103,104,105,106,107 updated 10/13/89      id   63153
      eu-154         mt=102,103,104,105,106,107 updated 10/13/89      id   63154
      eu-155         mt=102,103,104,105,106,107 updated 10/13/89      id   63155
      gd-155         mt=102                    updated 10/13/89       id   64155
     u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)              id   92234
      uranium-235    endf/b-iv mat 1261        updated 10/13/89       id   92235
     u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)              id   92236
      uranium-238    endf/b-iv mat 1262        updated 10/13/89       id   92238
      neptunium-237  endf/b-iv mat 1263        updated 10/13/89       id   93237
     pu-238 1060 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)             id   94238
      plutonium-239  endf/b-iv mat 1264        updated 10/13/89       id   94239
      plutonium-240  endf/b-iv mat 1265        updated 10/13/89       id   94240
      plutonium-241  endf/b-iv mat 1266        updated 10/13/89       id   94241
      plutonium-242  endf/b-iv mat 1161        updated 10/13/89       id   94242
     am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                    id   95241
     am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                     id   95243
      curium-244     endf/b-iv mat 1162        updated 10/13/89       id   96244
0       tape copy used      0 i/o's, and took      .00 seconds
1 xx         xx   sssssssssss    dddddddddddd   rrrrrrrrrr   rm       rm pppppppppp   mm        mm
```


SSSSSSSSSSS
SSSSSSSSSSSS
SS SS
SS
SSSSSSSSSSS
SSSSSSSSSSS
SS
SS
SS SS
SSSSSSSSSSSS
SSSSSSSSSS
DDDDDDDDDDD
DDDDDDDDDDDD
DD DD
DD DD
DD DD
DD DD
DD DD
DD DD
DD DD
DDDDDDDDDDDD
DDDDDDDDDDD
RRRRRRRRRRR
RR RR
RRR RR
RRRRRRRRRRR
RRRRRRRRRRR
RR RR
RR RR
RR RR
RR RR
RR RR
RR RR
MM M MM
MMM MMM
MM MMM MM
MM M MM MM
MM M MM
MM MM
MM MM
MM MM
MM MM
PPPPPPPPPPP
PP PP
PP PP
PP PP
PPPPPPPPPPP
PPPPPPPPPP
PP
PP
PP
PP
MMM MMM
MMMM MMMM
MM MM MM MM
MM MMM MM
MM M MM
MM MM
MM MM
MM MM
MM MM


0


DDDDDDDDDDD
DDDDDDDDDDDD
DD DD
DD DD
DD DD
DD DD
DD DD
DD DD
DD DD
DDDDDDDDDDDD
DDDDDDDDDDD
AAAAAAAA
AAAAAAAAAA
AA AA
AA AA
AA AA
AAAAAAAAAAAA
AAAAAAAAAAAA
AA AA
AA AA
AA AA
AA AA
AA AA
WW WW
WW WW
WW WW
WW WW
WW WW
WW WW
WW WW
WW WW
WW WW
WW WW
WW WW
IIIIIIIIIIII
IIIIIIIIIIII
II
II
II
II
II
II
II
II
II
IIIIIIIIIIII
IIIIIIIIIIII
SSSSSSSSSS
SSSSSSSSSSS
SS SS
SS
SS
SSSSSSSSSSS
SSSSSSSSSSS
SS SS
SS
SS
SS
SSSSSSSSSS


0


OOOOOO
OOOOOOOO
OO OO
OO OO
OO OO
OO OO
OO OO
OO OO
OO OO
OOOOOOOO
OOOOOO
ZZZZZZZZZZ
ZZZZZZZZZZZZ
22 22
22
22
22
22
22
22
22
ZZZZZZZZZZZZ
ZZZZZZZZZZZZ
//
//
//
//
//
//
//
//
//
//
//
//
11
111
1111
11
11
11
11
11
11
11
11111111
11111111
66666666666
66666666666
66
66
66
66666666666
66666666666
66 66
66 66
66 66
66666666666
66666666666
//
//
//
//
//
//
//
//
//
//
//
//
99999999999
99999999999
99 99
99 99
99 99
99999999999
99999999999
99 99
99 99
99 99
99999999999
99999999999
66666666666
66666666666
66
66
66
66666666666
66666666666
66 66
66 66
66 66
66666666666
66666666666

0


OOOOOO
OOOOOOOO
OO OO
OO OO
OO OO
OO OO
OO OO
OO OO
OO OO
OOOOOOOO
OOOOOO
99999999999
99999999999
99 99
99 99
99 99
99999999999
99999999999
99
99
99
99999999999
99999999999
:::
:::
:::
:::
:::
:::
:::
:::
55555555555
55555555555
55
55
55
55555555555
55555555555
55
55
55
55555555555
55555555555
55555555555
55555555555
55
55
55
55555555555
55555555555
ZZZZZZZZZZ
ZZZZZZZZZZZZ
22 22
22
22
22
22
22
22
22
ZZZZZZZZZZZZ
ZZZZZZZZZZ
66666666666
66666666666
66
66
66
66666666666
66666666666
66 66
66 66
66 66
66666666666
66666666666

1
0


SSSSSSSSSS
SSSSSSSSSSS
SS SS
SS
SS
SSSSSSSSSSS
CCCCCCCCCC
CCCCCCCCCCC
CC CC
CC
CC
CC
AAAAAAAA
AAAAAAAAAA
AA AA
AA AA
AA AA
AAAAAAAAAAAA
LL
LL
LL
LL
LL
EEEEEEEEEEE
EEEEEEEEEEE
EE
EE
EE
EEEEEEEEE

```
   ssssssssssss   cc              aaaaaaaaaaaa   ll              eeeeeeeee
         ss  ss   cc              aa        aa   ll              ee
         ss  ss   cc              aa        aa   ll              ee
   ss    ss  ss   cc        cc    aa        aa   ll              ee
   ssssssssssss   cccccccccccc    aa        aa   lllllllllllll   eeeeeeeeeeee
    ssssssssss     cccccccccc     aa        aa   lllllllllllll   eeeeeeeeeeee
```

```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******              program verification information            ******
******                                                          ******
******              code system:   scale  version:   4.2        ******
******                                                          ******
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******              program:  c0c001                            ******
******                                                          ******
******         creation date:  04/27/95                         ******
******                                                          ******
******              library:  /neutronics/scale/exe             ******
******                                                          ******
******                                                          ******
******    this is not a   scale  configuration controlled code  ******
******                                                          ******
******              jobname:  davis                             ******
******                                                          ******
******    date of execution:  02/16/96                          ******
******                                                          ******
******    time of execution:  09:55:27                          ******
******                                                          ******
******                                                          ******
**********************************************************************
**********************************************************************
**********************************************************************
```

```
1
                  at 0 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0      -1q array has      1 entries.
0       1q array has     15 entries.
0       2q array has     10 entries.
0       3q array has     12 entries.
0       4q array has      9 entries.
0       5q array has     12 entries.
0direct access unit   9 requires    12 blocks of length  704 for cross section mixing.
1                  at 0 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0general problem description data block
0                          general problem data

 ige  1/2/3 = plane/cylinder/sphere      2       isn  quadrature order                  8
 izm  number of zones                    4       isct order of scattering               3
 im   number of special intervals       24       ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1       iim  inner iteration maximum          20
 ibr  right boundary condition           3       iom  outer iteration maximum          25
```

```
 mxx  number of mixtures                  3      iclc -1/0/n--flat res/sn/opt          0
 ms   mixing table length                65      ith  0/1 = forward/adjoint            0
 igm  number of energy groups            27      iflu not used(always wgtd)            0
 nng  number of neutron groups           27      iprt -2/-1/0/n=mixture xsec print    -2
 ngg  number of gamma groups              0      idl  0/1/2/3=no/prt nd/pch n/both    53
 iftg number of first thermal group      15      ipbt -1/0/1=none/fine/all bal. prt    0
0                              special options

 ifg  0/1 = none/weighting calculation    1      ipn  0/1/2 diff. coef. param          0
 iqm  volumetric sources (0/n=no/yes)     0      idfm 0/1 = none/density factors 38*   1
 ipm  boundary sources (0/n=no/yes)       0      iaz  0/n = none/n activities by zone  0
 ifn  0/1/2 = input 33*/34*/use last     53      iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)             10      ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out     0      ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                  0      isen outer iteration acceleration     0
 ibln activity data unit                  0      nbnd band rebaln parameter            0
 jbkl 0/1/2 buckling geometry             0
0                            weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight     -1      ihtf total xsect psn in brd gp tables 3
 igmf number of broad groups             27      ndsf psn g-g or file number           4
 itp  0/10/20/30/40 0/c/e/ac/a            0      nusf table length or max order        4
 ipp  -2/-1/0/n=wgted xsect print        -2      mxcm extra 1-d x-sect positions       0
 iap  -1/n anisn xsect print             -1
0                            floating point parameters

 eps  overall convergence       1.00000E-04      dy   cyl/pla ht for buckling     .00000E+00
 ptc  point convergence         1.00000E-04      dz   plane depth for buckling    .00000E+00
 xnf  normalization factor      1.00000E+00      vsc  void streaming correction   .00000E+00
 ev   eigenvalue guess           .00000E+00      pv   ipvt=1/2--k/alpha           1.00000E+00
 evm  eigenvalue modifier        .00000E+00      eql  ev change eps for search    1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00      xmpm new param mod for search   7.50000E-01
     this case will require       2535 locations for mixing
     this case has been allocated 200000 locations
1                    at 0 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       13q array has      65 entries.
0       14q array has      65 entries.
0       15q array has      65 entries.
0                                data block 2 (mixing table, etc.)
0     nuclides        cccc                              mixing table                    extra
        on tape    identification                 mixture   component    atom density   xsect id's
     1      999                                        1       92235    6.91508E-04
     2     1001                                        1       92234    5.55578E-06
     3     5010                                        1       92236    3.16744E-06
     4     5011                                        1       92238    2.20677E-02
     5     8016                                        1        8016    4.55359E-02
     6        6                                        3           6    2.09710E-02
     7    36083                                        1       36083    1.00000E-20
     8    36085                                        1       36085    1.00000E-20
     9    38090                                        1       38090    1.00000E-20
    10    39089                                        1       39089    1.00000E-20
    11    40093                                        1       42095    1.00000E-20
    12    40094                                        1       40093    1.00000E-20
    13    40095                                        1       40094    1.00000E-20
    14    40302                                        1       40095    1.00000E-20
    15    41094                                        1       41094    1.00000E-20
    16    42095                                        1       43099    1.00000E-20
    17    43099                                        1       45103    1.00000E-20
    18    44101                                        1       45105    1.00000E-20
    19    44106                                        1       44101    1.00000E-20
```

20	45103	1	44106	1.00000E-20
21	45105	1	46105	1.00000E-20
22	46105	1	46108	1.00000E-20
23	46108	1	47109	1.00000E-20
24	47109	1	51124	1.00000E-20
25	51124	1	54131	1.00000E-20
26	54131	1	54132	1.00000E-20
27	54132	1	54135	1.00000E-20
28	54135	1	54136	1.00000E-20
29	54136	1	55134	1.00000E-20
30	55133	1	55135	1.00000E-20
31	55134	1	55137	1.00000E-20
32	55135	1	56136	1.00000E-20
33	55137	1	57139	1.00000E-20
34	56136	1	59141	1.00000E-20
35	57139	1	59143	1.00000E-20
36	58144	1	58144	1.00000E-20
37	59141	1	60143	1.00000E-20
38	59143	1	60145	1.00000E-20
39	60143	1	61147	1.00000E-20
40	60145	1	61148	1.00000E-20
41	60147	1	60147	1.00000E-20
42	61147	1	62147	1.00000E-20
43	61148	1	62149	1.00000E-20
44	62147	1	62150	1.00000E-20
45	62149	1	62151	1.00000E-20
46	62150	1	62152	1.00000E-20
47	62151	1	64155	1.00000E-20
48	62152	1	63153	1.00000E-20
49	63153	1	63154	1.00000E-20
50	63154	1	63155	1.00000E-20
51	63155	2	40302	4.25156E-02
52	64155	3	1001	4.19420E-02
53	92234	3	5010	3.81515E-06
54	92235	3	5011	1.54884E-05
55	92236	1	55133	1.00000E-20
56	92238	1	93237	1.00000E-20
57	93237	1	94238	1.00000E-20
58	94238	1	94239	1.00000E-20
59	94239	1	94240	1.00000E-20
60	94240	1	94241	1.00000E-20
61	94241	1	94242	1.00000E-20
62	94242	1	95241	1.00000E-20
63	95241	1	95243	1.00000E-20
64	95243	1	96244	1.00000E-20
65	96244	1	999	1.00000E-20

- elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 at 0 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	

2	6.43400E+06	4.40989E-01	2.88737E+09	2	0	2	1.00000E+00
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00
7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00
10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00
12	1.00000E+02	1.15129E+01	1.01036E+07	12	0	12	1.00000E+00
13	3.00000E+01	1.27169E+01	5.69595E+06	13	0	13	1.00000E+00
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00
15	3.04999E+00	1.50080E+01	2.10601E+06	15	0	15	1.00000E+00
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00
17	1.29999E+00	1.58557E+01	1.52545E+06	17	0	17	1.00000E+00
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00
21	4.00000E-01	1.70344E+01	8.17974E+05	21	0	21	1.00000E+00
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00
23	2.25000E-01	1.76098E+01	4.86933E+05	23	0	23	1.00000E+00
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00
27	1.00000E-02	2.07233E+01	8.88201E+04	27	0	27	1.00000E+00
28	1.00000E-05	2.76310E+01					

1 at 0 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gd/mtu burn high temp

0

	mixture by zone	order p(l) by zone	activity table matl no.	reaction	quadrature constants weights	directions	refl direc	wt x cos
1	1	3			0	-2.79004E-01	3	0
2	1	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	2	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	3	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28598E-02
7					5.55953E-02	2.31301E-01	6	1.28598E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83052E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70555E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02
20					4.53365E-02	-1.91780E-01	21	-8.69444E-03
21					4.53365E-02	1.91780E-01	20	8.69444E-03
22					4.53365E-02	5.46143E-01	19	2.47597E-02
23					4.53365E-02	8.17361E-01	18	3.70555E-02
24					4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01

5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.85835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83052E-01	-4.49528E-01	8.36885E-01	5.00703E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16520E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17256E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17256E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16520E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int radii mid pts zone no. areas volumes dens fact radius mod spec(int)

1	0	1.29551E-02	1	0	2.10906E-03	1.00000E+00	0
2	2.59102E-02	4.33406E-02	1	1.62798E-01	9.49518E-03	1.00000E+00	0
3	6.07710E-02	8.75100E-02	1	3.81835E-01	2.94045E-02	1.00000E+00	0
4	1.14249E-01	1.74155E-01	1	7.17848E-01	1.31104E-01	1.00000E+00	0
5	2.34061E-01	2.93967E-01	1	1.47065E+00	2.21299E-01	1.00000E+00	
6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00	
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00	
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00	
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07946E-03	0	
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0	
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0	
12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0	
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00	
14	4.87528E-01	4.99987E-01	3	3.06329E+00	7.82768E-02	1.00000E+00	
15	5.12445E-01	5.24903E-01	3	3.21979E+00	8.21777E-02	1.00000E+00	
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00	
17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00	
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00	
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00	
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00	
21	6.80034E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00	
22	7.48592E-01	7.63893E-01	4	4.70354E+00	1.46875E-01	1.00000E+00	
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00	
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00	
25	8.13968E-01			5.11431E+00			

- elapsed time .00 min.

1 outer iter | inner iters | 1 - balance | eigenvalue | 1 - source ratio | 1 - scatter ratio | 1 - upscat ratio | search parameter | time (min)

1	197	1.90564E-05	1.22058E+00	-2.19260E-01	1.00000E+00	3.33668E-03	.00000E+00	.0000
2	292	-1.88981E-06	1.23107E+00	1.08980E-03	-1.73021E-02	2.88363E-02	.00000E+00	.0000
3	377	8.20433E-06	1.22188E+00	1.02605E-03	9.41305E-03	1.25031E-02	.00000E+00	.0167
4	451	-4.50866E-07	1.21741E+00	3.84249E-04	4.54793E-03	2.87685E-03	.00000E+00	.0167
5	509	1.88203E-06	1.21627E+00	7.21640E-05	1.07277E-03	4.13854E-04	.00000E+00	.0167
6	551	-1.33478E-05	1.21632E+00	1.05179E-05	1.45281E-04	6.29152E-05	.00000E+00	.0167

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	1	3.06407E-07	24	1.00000E+00	1
2	1	1	3.57448E-07	24	1.00000E+00	1
3	1	1	3.28814E-07	24	1.00000E+00	1

4	4	1	1	3.17300E-07	24	1.00000E+00	1
5	5	1	1	3.22693E-07	24	1.00000E+00	1
6	6	1	1	2.04244E-07	24	1.00000E+00	1
7	7	1	1	1.38376E-07	24	1.00000E+00	1
8	8	1	1	3.61431E-08	24	1.00000E+00	1
9	9	1	7	2.25372E-09	24	1.00000E+00	1
10	10	1	2	2.80847E-09	24	1.00000E+00	1
11	11	1	2	3.17741E-09	24	1.00000E+00	1
12	12	1	2	3.75445E-09	24	1.00000E+00	1
13	13	1	2	3.48470E-09	24	1.00000E+00	1
14	14	1	2	3.38799E-09	24	1.00000E+00	1
15	15	1	18	2.27172E-05	24	1.00010E+00	1
16	16	1	20	3.39167E-05	24	1.00009E+00	1
17	17	1	19	4.61487E-05	24	1.00009E+00	1
18	18	1	19	5.17709E-05	24	1.00010E+00	1
19	19	1	20	4.88440E-05	24	1.00011E+00	1
20	20	1	20	4.79851E-05	24	1.00018E+00	1
21	21	1	20	8.31927E-05	24	1.00017E+00	1
22	22	1	20	3.24259E-05	24	1.00008E+00	1
23	23	1	24	9.90472E-06	24	1.00000E+00	1
24	24	1	24	2.76203E-05	24	9.99989E-01	1
25	25	1	24	3.16361E-05	24	9.99992E-01	1
26	26	1	21	3.19527E-05	24	1.00003E+00	2
27	27	1	24	1.33300E-05	19	9.99999E-01	2

7 578 1.51990E-05 1.21590E+00 2.13601E-06 2.19379E-05 8.19833E-06 .00000E+00 .0167

final monitor

lambda 1.21611E+00 production/absorption 1.21611E+00 angular flux on 16

- elapsed time .02 min.

1 at 0 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 int. zone number radius int. midpoint area volume prod density

1	1	.00000E+00	1.29551E-02	.00000E+00	2.10906E-03	3.57472E-03
2	1	2.59102E-02	4.33406E-02	1.62798E-01	9.49318E-03	1.60836E-02
3	1	6.07710E-02	8.75100E-02	3.81835E-01	2.94045E-02	4.99010E-02
4	1	1.14249E-01	1.74155E-01	7.17848E-01	1.31104E-01	2.24410E-01
5	1	2.34061E-01	2.99367E-01	1.47065E+00	2.21295E-01	3.86876E-01
6	1	3.53873E-01	3.80612E-01	2.22345E+00	1.27890E-01	2.28822E-01
7	1	4.07351E-01	4.24781E-01	2.55946E+00	9.30429E-02	1.69575E-01
8	1	4.42212E-01	4.55167E-01	2.77850E+00	7.41004E-02	1.37069E-01
9	2	4.68122E-01	4.68814E-01	2.94130E+00	4.07946E-03	.00000E+00
10	2	4.69507E-01	4.71481E-01	2.95000E+00	1.16988E-02	.00000E+00
11	2	4.73456E-01	4.75431E-01	2.97481E+00	1.17968E-02	.00000E+00
12	2	4.77405E-01	4.78098E-01	2.99962E+00	4.16023E-03	.00000E+00
13	3	4.78790E-01	4.83159E-01	3.00833E+00	2.65268E-02	.00000E+00
14	3	4.87528E-01	4.99987E-01	3.06325E+00	7.82768E-02	.00000E+00
15	3	5.12445E-01	5.24903E-01	3.21979E+00	8.21777E-02	.00000E+00
16	3	5.37362E-01	5.41731E-01	3.37634E+00	2.97427E-02	.00000E+00
17	4	5.46100E-01	5.53513E-01	3.43125E+00	5.15631E-02	.00000E+00
18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63895E-01	4.70354E+00	1.46875E-01	.00000E+00
23	4	7.79198E-01	7.89167E-01	4.89582E+00	9.89116E-02	.00000E+00
24	4	7.99141E-01	8.06654E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 at 0 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 total flux

0 int. grp. 1 grp. 2 grp. 3 grp. 4 grp. 5 grp. 6 grp. 7 grp. 8

1	1.68015E-01	1.30208E+00	1.66757E+00	1.03770E+00	1.57363E+00	3.03069E+00	2.90515E+00	2.07866E+00
2	1.68074E-01	1.30265E+00	1.66820E+00	1.03819E+00	1.57433E+00	3.03199E+00	2.90582E+00	2.07872E+00

3	1.68019E-01	1.30203E+00	1.66741E+00	1.03771E+00	1.57353E+00	3.03036E+00	2.90478E+00	2.07852E+00
4	1.67635E-01	1.29778E+00	1.66190E+00	1.03434E+00	1.56816E+00	3.01975E+00	2.89839E+00	2.07747E+00
5	1.66643E-01	1.28691E+00	1.64797E+00	1.02586E+00	1.55471E+00	2.99351E+00	2.88269E+00	2.07488E+00
6	1.65504E-01	1.27456E+00	1.63252E+00	1.01639E+00	1.53980E+00	2.96479E+00	2.86559E+00	2.07201E+00
7	1.64602E-01	1.26492E+00	1.62080E+00	1.00921E+00	1.52861E+00	2.94364E+00	2.85308E+00	2.06985E+00
8	1.63709E-01	1.25556E+00	1.60880E+00	1.00244E+00	1.51822E+00	2.92433E+00	2.84178E+00	2.06781E+00
9	1.63221E-01	1.25050E+00	1.60264E+00	9.98849E-01	1.51275E+00	2.91429E+00	2.83594E+00	2.06674E+00
10	1.63120E-01	1.24948E+00	1.60141E+00	9.98157E-01	1.51175E+00	2.91249E+00	2.83494E+00	2.06655E+00
11	1.62971E-01	1.24801E+00	1.59963E+00	9.97166E-01	1.51033E+00	2.90994E+00	2.83354E+00	2.06626E+00
12	1.62873E-01	1.24703E+00	1.59846E+00	9.96523E-01	1.50941E+00	2.90830E+00	2.83264E+00	2.06608E+00
13	1.62691E-01	1.24522E+00	1.59626E+00	9.95282E-01	1.50758E+00	2.90485E+00	2.83070E+00	2.06570E+00
14	1.62195E-01	1.24008E+00	1.58978E+00	9.91446E-01	1.50175E+00	2.89353E+00	2.82424E+00	2.06467E+00
15	1.61638E-01	1.23384E+00	1.58143E+00	9.86127E-01	1.49333E+00	2.87682E+00	2.81460E+00	2.06354E+00
16	1.61366E-01	1.23039E+00	1.57644E+00	9.82668E-01	1.48759E+00	2.86523E+00	2.80786E+00	2.06308E+00
17	1.61235E-01	1.22842E+00	1.57334E+00	9.80329E-01	1.48361E+00	2.85726E+00	2.80318E+00	2.06290E+00
18	1.61053E-01	1.22585E+00	1.56957E+00	9.77358E-01	1.47854E+00	2.84726E+00	2.79729E+00	2.06277E+00
19	1.60848E-01	1.22281E+00	1.56477E+00	9.73995E-01	1.47284E+00	2.83608E+00	2.79070E+00	2.06254E+00
20	1.60562E-01	1.21887E+00	1.55891E+00	9.69779E-01	1.46575E+00	2.82219E+00	2.78253E+00	2.06223E+00
21	1.60364E-01	1.21612E+00	1.55480E+00	9.66795E-01	1.46072E+00	2.81234E+00	2.77682E+00	2.06214E+00
22	1.60366E-01	1.21600E+00	1.55450E+00	9.66514E-01	1.46020E+00	2.81133E+00	2.77637E+00	2.06237E+00
23	1.60438E-01	1.21684E+00	1.55562E+00	9.67244E-01	1.46137E+00	2.81363E+00	2.77786E+00	2.06265E+00
24	1.60522E-01	1.21783E+00	1.55698E+00	9.68142E-01	1.46284E+00	2.81649E+00	2.77967E+00	2.06292E+00
0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58406E+00	1.44107E+00	1.29878E+00	7.92535E-01	6.74146E-01	6.01091E-01	3.73477E-01	2.08862E-01
2	1.58398E+00	1.44096E+00	1.29867E+00	7.92502E-01	6.73939E-01	6.00810E-01	3.73446E-01	2.08845E-01
3	1.58417E+00	1.44118E+00	1.29904E+00	7.92847E-01	6.74374E-01	6.01452E-01	3.73522E-01	2.08881E-01
4	1.58523E+00	1.44245E+00	1.30172E+00	7.95911E-01	6.78866E-01	6.05077E-01	3.73939E-01	2.09085E-01
5	1.58787E+00	1.44556E+00	1.30831E+00	8.03477E-01	6.88016E-01	6.14063E-01	3.74947E-01	2.09582E-01
6	1.59082E+00	1.44895E+00	1.31552E+00	8.11807E-01	6.89775E-01	6.23996E-01	3.76052E-01	2.10122E-01
7	1.59306E+00	1.45144E+00	1.32083E+00	8.17982E-01	6.94773E-01	6.31995E-01	3.76814E-01	2.10517E-01
8	1.59517E+00	1.45369E+00	1.32567E+00	8.23652E-01	6.99354E-01	6.38211E-01	3.77512E-01	2.10873E-01
9	1.59630E+00	1.45486E+00	1.32817E+00	8.26597E-01	7.01734E-01	6.41755E-01	3.77870E-01	2.11058E-01
10	1.59649E+00	1.45505E+00	1.32857E+00	8.27072E-01	7.02125E-01	6.42326E-01	3.77951E-01	2.11089E-01
11	1.59678E+00	1.45532E+00	1.32915E+00	8.27749E-01	7.02684E-01	6.43142E-01	3.78017E-01	2.11135E-01
12	1.59697E+00	1.45549E+00	1.32952E+00	8.28188E-01	7.03044E-01	6.43670E-01	3.78073E-01	2.11164E-01
13	1.59736E+00	1.45585E+00	1.33028E+00	8.29082E-01	7.03785E-01	6.44749E-01	3.78188E-01	2.11224E-01
14	1.59840E+00	1.45700E+00	1.33271E+00	8.31881E-01	7.06099E-01	6.48127E-01	3.78556E-01	2.11413E-01
15	1.59957E+00	1.45864E+00	1.33613E+00	8.35743E-01	7.09292E-01	6.52781E-01	3.79078E-01	2.11674E-01
16	1.60013E+00	1.45972E+00	1.33838E+00	8.38234E-01	7.11351E-01	6.55778E-01	3.79424E-01	2.11843E-01
17	1.60044E+00	1.46054E+00	1.34006E+00	8.40064E-01	7.12830E-01	6.57961E-01	3.79615E-01	2.11947E-01
18	1.60089E+00	1.46164E+00	1.34236E+00	8.42566E-01	7.14852E-01	6.60936E-01	3.79829E-01	2.12077E-01
19	1.60146E+00	1.46290E+00	1.34498E+00	8.45446E-01	7.17144E-01	6.64366E-01	3.80081E-01	2.12229E-01
20	1.60225E+00	1.46448E+00	1.34830E+00	8.49115E-01	7.20089E-01	6.68739E-01	3.80389E-01	2.12419E-01
21	1.60285E+00	1.46562E+00	1.35068E+00	8.51730E-01	7.22160E-01	6.71838E-01	3.80546E-01	2.12529E-01
22	1.60291E+00	1.46573E+00	1.35090E+00	8.51959E-01	7.22295E-01	6.72081E-01	3.80463E-01	2.12501E-01
23	1.60275E+00	1.46544E+00	1.35031E+00	8.51279E-01	7.21707E-01	6.71247E-01	3.80320E-01	2.12434E-01
24	1.60255E+00	1.46509E+00	1.34956E+00	8.50440E-01	7.20997E-01	6.70228E-01	3.80175E-01	2.12363E-01
0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.08523E-02	7.68450E-02	1.43864E-01	4.69466E-01	1.45353E-01	2.97143E-01	9.02604E-01	6.43355E-01
2	9.08353E-02	7.68258E-02	1.43836E-01	4.69370E-01	1.45298E-01	2.97006E-01	9.02133E-01	6.42930E-01
3	9.08656E-02	7.68604E-02	1.43885E-01	4.69544E-01	1.45404E-01	2.97302E-01	9.03157E-01	6.44069E-01
4	9.10451E-02	7.70659E-02	1.44176E-01	4.70575E-01	1.46024E-01	2.98993E-01	9.09010E-01	6.50338E-01
5	9.14884E-02	7.75741E-02	1.44889E-01	4.73112E-01	1.47559E-01	3.03184E-01	9.23508E-01	6.65915E-01
6	9.19747E-02	7.81326E-02	1.45667E-01	4.75887E-01	1.49249E-01	3.07812E-01	9.39496E-01	6.83214E-01
7	9.23339E-02	7.85458E-02	1.46239E-01	4.77929E-01	1.50502E-01	3.11254E-01	9.51373E-01	6.96175E-01
8	9.26632E-02	7.89253E-02	1.46760E-01	4.79795E-01	1.51652E-01	3.14424E-01	9.62296E-01	7.08188E-01
9	9.28347E-02	7.91229E-02	1.47030E-01	4.80764E-01	1.52250E-01	3.16072E-01	9.67970E-01	7.14441E-01
10	9.28638E-02	7.91559E-02	1.47076E-01	4.80927E-01	1.52348E-01	3.16336E-01	9.68864E-01	7.15386E-01
11	9.29053E-02	7.92032E-02	1.47141E-01	4.81159E-01	1.52486E-01	3.16712E-01	9.70136E-01	7.16730E-01
12	9.29522E-02	7.92337E-02	1.47184E-01	4.81309E-01	1.52575E-01	3.16955E-01	9.70957E-01	7.17596E-01

13	9.29871E-02	7.92962E-02	1.47270E-01	4.81617E-01	1.52759E-01	3.17452E-01	9.72636E-01	7.19366E-01
14	9.31586E-02	7.94919E-02	1.47540E-01	4.82575E-01	1.53336E-01	3.19002E-01	9.77871E-01	7.24827E-01
15	9.33940E-02	7.97616E-02	1.47912E-01	4.83886E-01	1.54137E-01	3.21121E-01	9.84994E-01	7.32137E-01
16	9.35447E-02	7.99352E-02	1.48150E-01	4.84725E-01	1.54656E-01	3.22470E-01	9.89500E-01	7.36668E-01
17	9.36519E-02	8.00625E-02	1.48321E-01	4.85333E-01	1.55060E-01	3.23526E-01	9.93257E-01	7.40826E-01
18	9.37970E-02	8.02370E-02	1.48552E-01	4.86173E-01	1.55629E-01	3.25038E-01	9.98876E-01	7.47375E-01
19	9.39654E-02	8.04386E-02	1.48820E-01	4.87150E-01	1.56288E-01	3.26808E-01	1.00558E+00	7.55265E-01
20	9.41792E-02	8.06955E-02	1.49163E-01	4.88403E-01	1.57135E-01	3.29109E-01	1.01451E+00	7.65898E-01
21	9.43266E-02	8.08770E-02	1.49401E-01	4.89289E-01	1.57750E-01	3.30800E-01	1.02130E+00	7.74195E-01
22	9.43320E-02	8.08908E-02	1.49413E-01	4.89350E-01	1.57821E-01	3.31007E-01	1.02237E+00	7.75782E-01
23	9.42863E-02	8.08417E-02	1.49341E-01	4.89102E-01	1.57678E-01	3.30626E-01	1.02108E+00	7.74477E-01
24	9.42324E-02	8.07821E-02	1.49256E-01	4.88803E-01	1.57497E-01	3.30139E-01	1.01954E+00	7.72611E-01

0 int. grp. 25 grp. 26 grp. 27

1	2.61593E-01	1.55540E-01	1.98117E-02
2	2.61414E-01	1.55433E-01	1.98150E-02
3	2.62054E-01	1.56069E-01	2.00107E-02
4	2.65425E-01	1.59236E-01	2.08915E-02
5	2.73818E-01	1.67159E-01	2.31327E-02
6	2.83196E-01	1.76124E-01	2.57599E-02
7	2.90280E-01	1.83005E-01	2.78849E-02
8	2.96903E-01	1.89535E-01	3.00040E-02
9	3.00363E-01	1.92968E-01	3.11391E-02
10	3.00866E-01	1.93429E-01	3.12682E-02
11	3.01580E-01	1.94085E-01	3.14518E-02
12	3.02041E-01	1.94507E-01	3.15701E-02
13	3.02978E-01	1.95364E-01	3.18102E-02
14	3.05823E-01	1.97947E-01	3.25203E-02
15	3.09528E-01	2.01258E-01	3.33988E-02
16	3.11747E-01	2.03198E-01	3.38891E-02
17	3.13970E-01	2.05505E-01	3.44667E-02
18	3.17643E-01	2.09524E-01	3.60276E-02
19	3.22115E-01	2.14398E-01	3.76432E-02
20	3.28207E-01	2.21025E-01	3.97654E-02
21	3.33062E-01	2.26425E-01	4.15082E-02
22	3.34116E-01	2.27807E-01	4.20254E-02
23	3.33481E-01	2.27525E-01	4.19646E-02
24	3.32508E-01	2.26443E-01	4.17693E-02

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.13807E-02	.00000E+00	1.20349E-02	9.98292E-03	3.06431E-03	1.05147E-02	9.98827E-01
2	.00000E+00	1.89181E-01	2.19886E-03	1.63986E-01	6.50952E-02	1.34448E-02	1.12853E-01	1.00004E+00
3	.00000E+00	2.15036E-01	2.56637E-02	1.59961E-01	8.05577E-02	1.55674E-02	1.44563E-01	1.00001E+00
4	.00000E+00	1.24418E-01	3.85217E-02	1.04771E-01	6.76868E-02	7.46119E-03	8.77894E-02	1.00001E+00
5	.00000E+00	1.65841E-01	6.73968E-02	2.58878E-01	9.47626E-02	4.50099E-03	1.33976E-01	9.99991E-01
6	.00000E+00	1.79949E-01	1.34067E-01	6.53736E-01	5.44567E-02	7.18526E-03	2.52364E-01	1.00003E+00
7	.00000E+00	8.95229E-02	9.82419E-02	7.45743E-01	3.63484E-02	7.86084E-03	1.43364E-01	1.00001E+00
8	.00000E+00	1.37908E-02	4.25643E-02	6.31201E-01	2.14672E-02	1.43444E-02	2.05411E-02	1.00004E+00
9	.00000E+00	1.00142E-03	2.16884E-02	5.34272E-01	2.05097E-02	2.36016E-02	-2.15205E-02	9.99989E-01
10	.00000E+00	7.43875E-05	2.06315E-02	4.56925E-01	1.06293E-02	3.67080E-02	-2.66320E-02	1.00001E+00
11	.00000E+00	5.85240E-06	1.06302E-02	4.16452E-01	8.08901E-03	5.90627E-02	-5.65161E-02	1.00001E+00
12	.00000E+00	4.11122E-07	8.08906E-03	2.35668E-01	9.32623E-03	6.36957E-02	-6.49273E-02	9.99957E-01
13	.00000E+00	6.52825E-08	9.32624E-03	1.74157E-01	6.16830E-03	5.65834E-02	-5.34258E-02	1.00001E+00
14	.00000E+00	1.29379E-08	6.16830E-03	1.51972E-01	7.56523E-03	7.67766E-02	-7.81738E-02	1.00000E+00
15	.00000E+00	1.46206E-09	7.65500E-03	8.58051E-02	8.98340E-03	6.81610E-03	-8.14481E-03	1.00002E+00
16	.00000E+00	4.29309E-10	9.16672E-03	4.37935E-02	9.81815E-03	3.66138E-03	-4.31287E-03	1.00000E+00
17	.00000E+00	1.38258E-10	8.07550E-03	1.55718E-02	7.99007E-03	4.05731E-03	-3.98153E-03	9.99970E-01
18	.00000E+00	9.89890E-11	7.55144E-03	1.25548E-02	7.48546E-03	4.63627E-03	-4.56982E-03	9.99962E-01
19	.00000E+00	1.39949E-10	9.44175E-03	2.73846E-02	1.01027E-02	5.65122E-03	-6.31168E-03	9.99972E-01
20	.00000E+00	2.27572E-10	1.19658E-02	1.12376E-01	1.05948E-02	2.38759E-02	-2.25040E-02	9.99976E-01

21	.00000E+00	3.33092E-11	1.06521E-02	2.78215E-02	1.07506E-02	1.36800E-02	-1.37768E-02	9.99929E-01
22	.00000E+00	3.86463E-11	1.52984E-02	6.49242E-02	1.46572E-02	3.78728E-02	-3.71298E-02	9.99966E-01
23	.00000E+00	3.69501E-11	2.06823E-02	2.19015E-01	2.39756E-02	1.26019E-01	-1.29313E-01	9.99999E-01
24	.00000E+00	1.00573E-11	2.87406E-02	1.48197E-01	2.86378E-02	1.38738E-01	-1.38536E-01	1.00001E+00
25	.00000E+00	2.94413E-12	2.42538E-02	5.52382E-02	1.80605E-02	7.97872E-02	-7.35946E-02	1.00001E+00
26	.00000E+00	2.06444E-12	1.17637E-02	3.77369E-02	7.98884E-03	7.31048E-02	-6.95275E-02	9.99995E-01
27	.00000E+00	4.91967E-13	2.49716E-03	5.52789E-03	1.33605E-03	2.05787E-02	-1.92179E-02	1.00001E+00
28	.00000E+00	1.00000E+00	6.52922E-01	5.55571E+00	6.52922E-01	9.28144E-01	7.40379E-02	9.99995E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.65248E-01	1.05147E-02	1.67957E-01	.00000E+00	2.15356E-03	2.51447E-03	.00000E+00	1.14358E-01
2	1.25077E+00	1.12853E-01	1.30142E+00	.00000E+00	1.79132E-05	1.17117E-02	.00000E+00	8.82066E-01
3	1.60296E+00	1.44563E-01	1.66656E+00	.00000E+00	.00000E+00	1.45446E-02	.00000E+00	1.12969E+00
4	9.99032E-01	8.77894E-02	1.03721E+00	.00000E+00	.00000E+00	6.31230E-03	.00000E+00	7.03353E-01
5	1.51302E+00	1.33976E-01	1.57291E+00	.00000E+00	.00000E+00	1.88452E-03	.00000E+00	1.06583E+00
6	2.91477E+00	2.52364E-01	3.02952E+00	.00000E+00	.00000E+00	1.74220E-03	.00000E+00	2.05239E+00
7	2.83620E+00	1.43354E-01	2.90441E+00	.00000E+00	.00000E+00	1.81389E-03	.00000E+00	1.97957E+00
8	2.06679E+00	2.05411E-02	2.07856E+00	.00000E+00	.00000E+00	1.93179E-03	.00000E+00	1.42757E+00
9	1.59624E+00	-2.15209E-02	1.58416E+00	.00000E+00	.00000E+00	2.67782E-03	.00000E+00	1.09406E+00
10	1.45481E+00	-2.66320E-02	1.44119E+00	.00000E+00	.00000E+00	5.70145E-03	.00000E+00	9.96179E-01
11	1.32806E+00	-5.65161E-02	1.29904E+00	.00000E+00	.00000E+00	1.16776E-02	.00000E+00	9.02821E-01
12	8.26472E-01	-6.49273E-02	7.92828E-01	.00000E+00	.00000E+00	1.47800E-02	.00000E+00	5.55624E-01
13	7.01630E-01	-5.34258E-02	6.74396E-01	.00000E+00	.00000E+00	1.36248E-02	.00000E+00	4.72221E-01
14	6.41604E-01	-7.81738E-02	6.01440E-01	.00000E+00	.00000E+00	9.97937E-03	.00000E+00	4.25718E-01
15	3.77821E-01	-8.14481E-03	3.73485E-01	.00000E+00	.00000E+00	2.51433E-03	.00000E+00	2.58441E-01
16	2.11033E-01	-4.31287E-03	2.08868E-01	.00000E+00	.00000E+00	1.66506E-03	.00000E+00	1.44443E-01
17	9.28196E-02	-3.98153E-03	9.08647E-02	.00000E+00	.00000E+00	2.52477E-03	.00000E+00	6.31285E-02
18	7.91074E-02	-4.56982E-03	7.68607E-02	.00000E+00	.00000E+00	3.35695E-03	.00000E+00	5.35711E-02
19	1.47004E-01	-6.31168E-03	1.43881E-01	.00000E+00	.00000E+00	4.06104E-03	.00000E+00	9.99763E-02
20	4.80644E-01	-2.25040E-02	4.69502E-01	.00000E+00	.00000E+00	1.72805E-02	.00000E+00	3.26528E-01
21	1.52201E-01	-1.37768E-02	1.45395E-01	.00000E+00	.00000E+00	1.00277E-02	.00000E+00	1.02089E-01
22	3.15982E-01	-3.71298E-02	2.97291E-01	.00000E+00	.00000E+00	2.72668E-02	.00000E+00	2.10107E-01
23	9.67743E-01	-1.29313E-01	9.03188E-01	.00000E+00	.00000E+00	9.16735E-02	.00000E+00	6.40548E-01
24	7.14209E-01	-1.38536E-01	6.43952E-01	.00000E+00	.00000E+00	1.04029E-01	.00000E+00	4.63655E-01
25	3.00257E-01	-7.35946E-02	2.61867E-01	.00000E+00	.00000E+00	6.04430E-02	.00000E+00	1.91360E-01
26	1.92847E-01	-6.95275E-02	1.55752E-01	.00000E+00	.00000E+00	5.56009E-02	.00000E+00	1.17858E-01
27	3.11053E-02	-1.92179E-02	1.98489E-02	.00000E+00	.00000E+00	1.55149E-02	.00000E+00	1.67887E-02
28	2.39584E+01	7.40379E-02	2.39421E+01	.00000E+00	2.17148E-03	4.96856E-01	.00000E+00	1.64859E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-3.72529E-09	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.21541E-08	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.19209E-07	1.00000E+00
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.04308E-07	9.99999E-01
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.84288E-08	1.00000E+00
9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-08	1.00000E+00
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.28408E-08	1.00000E+00
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.11759E-08	1.00000E+00
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.98023E-08	1.00000E+00
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	4.47035E-08	9.99999E-01
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	9.31323E-10	1.00000E+00
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.65661E-09	1.00000E+00
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.65661E-09	1.00000E+00
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.11759E-08	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00

22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.98023E-08	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.98023E-08	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-09	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.58325E-07	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.62848E-01	1.05147E-02	1.63248E-01	1.05147E-02	.00000E+00	.00000E+00	.00000E+00	5.17429E-03
2	1.24679E+00	1.12853E-01	1.25077E+00	1.12853E-01	.00000E+00	.00000E+00	.00000E+00	3.96292E-02
3	1.59817E+00	1.44563E-01	1.60296E+00	1.44563E-01	.00000E+00	.00000E+00	.00000E+00	5.07928E-02
4	9.96361E-01	8.77894E-02	9.99052E-01	8.77894E-02	.00000E+00	.00000E+00	.00000E+00	3.16611E-02
5	1.50918E+00	1.33976E-01	1.51302E+00	1.33976E-01	.00000E+00	.00000E+00	.00000E+00	4.79533E-02
6	2.90789E+00	2.52365E-01	2.91477E+00	2.52364E-01	.00000E+00	.00000E+00	.00000E+00	9.23895E-02
7	2.85241E+00	1.43355E-01	2.85620E+00	1.43354E-01	.00000E+00	.00000E+00	.00000E+00	8.99455E-02
8	2.06603E+00	2.05410E-02	2.06579E+00	2.05411E-02	.00000E+00	.00000E+00	.00000E+00	6.55779E-02
9	1.59702E+00	-2.15209E-02	1.59624E+00	-2.15209E-02	.00000E+00	.00000E+00	.00000E+00	5.06697E-02
10	1.45554E+00	-2.66320E-02	1.45481E+00	-2.66320E-02	.00000E+00	.00000E+00	.00000E+00	4.61806E-02
11	1.32961E+00	-5.65161E-02	1.32806E+00	-5.65161E-02	.00000E+00	.00000E+00	.00000E+00	4.21717E-02
12	8.28298E-01	-6.49273E-02	8.26472E-01	-6.49273E-02	.00000E+00	.00000E+00	.00000E+00	2.62580E-02
13	7.03134E-01	-5.34258E-02	7.01630E-01	-5.34258E-02	.00000E+00	.00000E+00	.00000E+00	2.22909E-02
14	6.43802E-01	-7.81738E-02	6.41604E-01	-7.81738E-02	.00000E+00	.00000E+00	.00000E+00	2.03973E-02
15	3.78054E-01	-8.14481E-03	3.77821E-01	-8.14481E-03	.00000E+00	.00000E+00	.00000E+00	1.19551E-02
16	2.11155E-01	-4.31287E-03	2.11053E-01	-4.31287E-03	.00000E+00	.00000E+00	.00000E+00	6.69969E-03
17	9.29315E-02	-3.98154E-03	9.28196E-02	-3.98153E-03	.00000E+00	.00000E+00	.00000E+00	2.94771E-03
18	7.92346E-02	-4.56982E-03	7.91074E-02	-4.56982E-03	.00000E+00	.00000E+00	.00000E+00	2.51278E-03
19	1.47180E-01	-6.31168E-03	1.47004E-01	-6.31168E-03	.00000E+00	.00000E+00	.00000E+00	4.66852E-03
20	4.81270E-01	-2.25040E-02	4.80644E-01	-2.25040E-02	.00000E+00	.00000E+00	.00000E+00	1.52660E-02
21	1.52574E-01	-1.37768E-02	1.52201E-01	-1.37768E-02	.00000E+00	.00000E+00	.00000E+00	4.83697E-03
22	3.16996E-01	-3.71298E-02	3.15982E-01	-3.71298E-02	.00000E+00	.00000E+00	.00000E+00	1.00449E-02
23	9.71172E-01	-1.29513E-01	9.67743E-01	-1.29513E-01	.00000E+00	.00000E+00	.00000E+00	3.07672E-02
24	7.17831E-01	-1.38536E-01	7.14209E-01	-1.38536E-01	.00000E+00	.00000E+00	.00000E+00	2.27242E-02
25	3.02163E-01	-7.35946E-02	3.00257E-01	-7.35946E-02	.00000E+00	.00000E+00	.00000E+00	9.55931E-03
26	1.94614E-01	-6.95275E-02	1.92847E-01	-6.95275E-02	.00000E+00	.00000E+00	.00000E+00	6.14885E-03
27	3.16001E-02	-1.92179E-02	3.11053E-02	-1.92179E-02	.00000E+00	.00000E+00	.00000E+00	9.95198E-04
28	2.39539E+01	7.40887E-02	2.39584E+01	7.40892E-02	.00000E+00	.00000E+00	.00000E+00	7.60257E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	3.58926E-03	2.69061E-03	1.37883E-05	-2.60842E-03	1.00001E+00
2	.00000E+00	.00000E+00	4.69509E-04	2.54049E-02	1.82295E-02	5.04709E-05	-1.78100E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.57258E-03	4.97107E-02	1.57180E-02	1.35962E-04	-1.32804E-02	9.99993E-01
4	.00000E+00	.00000E+00	5.04472E-03	4.19119E-02	5.42668E-03	1.02889E-04	-4.84414E-04	9.99995E-01
5	.00000E+00	.00000E+00	1.08874E-02	8.14660E-02	5.15211E-03	1.51770E-04	5.58315E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.82610E-02	2.34896E-01	3.20953E-03	3.19861E-04	1.47317E-02	1.00000E+00
7	.00000E+00	.00000E+00	1.21890E-02	2.35087E-01	1.18167E-03	3.44606E-04	1.06628E-02	9.99999E-01
8	.00000E+00	.00000E+00	2.14897E-03	1.58413E-01	7.62782E-03	2.94604E-04	-5.77395E-03	1.00002E+00
9	.00000E+00	.00000E+00	7.66074E-03	1.05026E-01	8.75504E-04	1.10747E-03	5.67798E-03	9.99991E-01
10	.00000E+00	.00000E+00	8.76669E-04	8.53265E-02	8.46587E-04	8.33265E-04	-8.03193E-04	1.00000E+00
11	.00000E+00	.00000E+00	8.46648E-04	7.67312E-02	8.66566E-04	1.33141E-03	-1.35131E-03	1.00000E+00
12	.00000E+00	.00000E+00	8.66572E-04	4.66180E-02	8.67312E-04	4.15054E-05	-4.22969E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.67313E-04	3.95841E-02	8.07489E-04	6.01001E-05	-2.68221E-07	1.00000E+00
14	.00000E+00	.00000E+00	8.07490E-04	3.64751E-02	6.87378E-04	9.71530E-05	2.29552E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.32160E-04	2.08015E-02	8.51337E-04	8.35362E-05	-2.03078E-04	1.00004E+00
16	.00000E+00	.00000E+00	9.56741E-04	1.11217E-02	9.63492E-04	5.24080E-05	-5.94230E-05	1.00005E+00
17	.00000E+00	.00000E+00	1.07626E-03	4.27625E-03	1.05261E-03	2.58338E-05	-2.28314E-06	1.00002E+00
18	.00000E+00	.00000E+00	1.11370E-03	3.43879E-03	1.11057E-03	2.35486E-05	-2.02870E-05	1.00001E+00
19	.00000E+00	.00000E+00	1.12015E-03	7.35449E-03	1.08509E-03	4.76470E-05	-1.28211E-05	1.00003E+00
20	.00000E+00	.00000E+00	1.33553E-03	2.64811E-02	1.12581E-03	1.96890E-04	1.18613E-05	1.00004E+00
21	.00000E+00	.00000E+00	1.53238E-03	7.08989E-03	1.69352E-03	7.81089E-05	-2.39557E-04	1.00002E+00
22	.00000E+00	.00000E+00	2.17055E-03	1.61303E-02	2.15576E-03	1.87947E-04	-1.73450E-04	1.00001E+00

23	.00000E+00	.00000E+00	3.02517E-03	5.22345E-02	3.85489E-03	7.91044E-04	-1.60043E-03	9.99998E-01
24	.00000E+00	.00000E+00	4.68155E-03	3.66019E-02	5.02305E-03	8.52627E-04	-1.19369E-03	9.99997E-01
25	.00000E+00	.00000E+00	4.51051E-03	1.39792E-02	3.59805E-03	4.75468E-04	4.37118E-04	9.99998E-01
26	.00000E+00	.00000E+00	1.87269E-03	1.00717E-02	1.33100E-03	4.39791E-04	1.02103E-04	9.99997E-01
27	.00000E+00	.00000E+00	3.85945E-04	1.88163E-03	9.69488E-07	1.37625E-04	2.47361E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.80122E-02	1.43170E+00	8.80122E-02	8.27732E-03	-8.18214E-03	9.99999E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.61312E-01	7.90628E-03	1.62848E-01	1.05147E-02	9.61326E-05	.00000E+00	.00000E+00	3.50942E-02
2	1.22961E+00	9.50427E-02	1.24679E+00	1.12853E-01	.00000E+00	.00000E+00	.00000E+00	2.68091E-01
3	1.57521E+00	1.31282E-01	1.59817E+00	1.44563E-01	.00000E+00	.00000E+00	.00000E+00	3.43632E-01
4	9.81750E-01	8.73049E-02	9.96361E-01	8.77894E-02	.00000E+00	.00000E+00	.00000E+00	2.14273E-01
5	1.48604E+00	1.39559E-01	1.50918E+00	1.33976E-01	.00000E+00	.00000E+00	.00000E+00	3.24507E-01
6	2.86208E+00	2.67096E-01	2.90789E+00	2.52365E-01	.00000E+00	.00000E+00	.00000E+00	6.25182E-01
7	2.80602E+00	1.54017E-01	2.85241E+00	1.43355E-01	.00000E+00	.00000E+00	.00000E+00	6.10973E-01
8	2.06294E+00	1.47671E-02	2.06603E+00	2.05410E-02	.00000E+00	.00000E+00	.00000E+00	4.47349E-01
9	1.60024E+00	-1.58430E-02	1.59702E+00	-2.15209E-02	.00000E+00	.00000E+00	.00000E+00	3.46532E-01
10	1.46001E+00	-2.74352E-02	1.45554E+00	-2.66320E-02	.00000E+00	.00000E+00	.00000E+00	3.15952E-01
11	1.33897E+00	-5.78674E-02	1.32961E+00	-5.65161E-02	.00000E+00	.00000E+00	.00000E+00	2.89215E-01
12	8.38878E-01	-6.49696E-02	8.28258E-01	-6.49273E-02	.00000E+00	.00000E+00	.00000E+00	1.80721E-01
13	7.11882E-01	-5.34261E-02	7.05136E-01	-5.34258E-02	.00000E+00	.00000E+00	.00000E+00	1.53386E-01
14	6.56551E-01	-7.81509E-02	6.43802E-01	-7.81738E-02	.00000E+00	.00000E+00	.00000E+00	1.40985E-01
15	3.79482E-01	-8.34788E-03	3.78054E-01	-8.14481E-03	.00000E+00	.00000E+00	.00000E+00	8.21012E-02
16	2.11870E-01	-4.37229E-03	2.11155E-01	-4.31287E-03	.00000E+00	.00000E+00	.00000E+00	4.58474E-02
17	9.35760E-02	-3.98382E-03	9.29315E-02	-3.98154E-03	.00000E+00	.00000E+00	.00000E+00	2.02160E-02
18	7.99731E-02	-4.59011E-03	7.92346E-02	-4.56982E-03	.00000E+00	.00000E+00	.00000E+00	1.72580E-02
19	1.48197E-01	-6.32450E-03	1.47180E-01	-6.31168E-03	.00000E+00	.00000E+00	.00000E+00	3.20170E-02
20	4.84860E-01	-2.24921E-02	4.81270E-01	-2.25040E-02	.00000E+00	.00000E+00	.00000E+00	1.04752E-01
21	1.54767E-01	-1.40164E-02	1.52574E-01	-1.37768E-02	.00000E+00	.00000E+00	.00000E+00	3.33214E-02
22	3.22794E-01	-3.73033E-02	3.16996E-01	-3.71298E-02	.00000E+00	.00000E+00	.00000E+00	6.95716E-02
23	9.90653E-01	-1.30913E-01	9.71172E-01	-1.29513E-01	.00000E+00	.00000E+00	.00000E+00	2.12720E-01
24	7.37816E-01	-1.39730E-01	7.17831E-01	-1.38536E-01	.00000E+00	.00000E+00	.00000E+00	1.57895E-01
25	3.12291E-01	-7.31575E-02	3.02163E-01	-7.35946E-02	.00000E+00	.00000E+00	.00000E+00	6.66844E-02
26	2.03660E-01	-6.92254E-02	1.94614E-01	-6.93275E-02	.00000E+00	.00000E+00	.00000E+00	4.32596E-02
27	3.40010E-02	-1.89705E-02	3.16001E-02	-1.92179E-02	.00000E+00	.00000E+00	.00000E+00	7.14200E-03
28	2.39254E+01	6.58576E-02	2.39539E+01	7.40887E-02	9.61326E-05	.00000E+00	.00000E+00	5.18846E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	5.67143E-03	7.50661E-03	4.00069E-04	-7.90628E-03	9.99950E-01
2	.00000E+00	.00000E+00	4.30715E-03	7.47921E-02	9.89005E-02	1.05321E-03	-9.50428E-02	9.99962E-01
3	.00000E+00	.00000E+00	4.65988E-02	6.83678E-02	1.77880E-01	5.37362E-06	-1.31282E-01	9.99977E-01
4	.00000E+00	.00000E+00	6.94784E-02	4.56306E-02	1.56782E-01	3.21524E-06	-8.73049E-02	9.99988E-01
5	.00000E+00	.00000E+00	1.28846E-01	1.48151E-01	2.68404E-01	3.76632E-06	-1.39559E-01	9.99991E-01
6	.00000E+00	.00000E+00	2.73628E-01	4.54952E-01	5.40714E-01	1.14684E-05	-2.67096E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.51713E-01	7.94789E-01	7.05714E-01	2.53392E-05	-1.54017E-01	9.99987E-01
8	.00000E+00	.00000E+00	7.34931E-01	9.99864E-01	7.49717E-01	4.69623E-05	-1.47671E-02	9.99912E-01
9	.00000E+00	.00000E+00	7.40083E-01	9.14471E-01	7.24176E-01	9.57405E-05	1.58429E-02	9.99890E-01
10	.00000E+00	.00000E+00	7.20995E-01	8.62845E-01	6.95424E-01	2.10831E-04	2.74352E-02	9.99896E-01
11	.00000E+00	.00000E+00	6.98564E-01	8.01997E-01	6.40283E-01	4.55433E-04	5.78573E-02	9.99941E-01
12	.00000E+00	.00000E+00	5.57567E-01	4.18158E-01	4.92015E-01	5.94990E-04	6.46898E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.87977E-01	3.38160E-01	4.33667E-01	8.98228E-04	5.34261E-02	9.99969E-01
14	.00000E+00	.00000E+00	4.69838E-01	3.26656E-01	3.90215E-01	1.47835E-03	7.81508E-02	9.99988E-01
15	.00000E+00	.00000E+00	2.53350E-01	1.30086E-01	2.43703E-01	1.29614E-03	8.37076E-03	9.99922E-01
16	.00000E+00	.00000E+00	1.68220E-01	5.53113E-02	1.62952E-01	8.95343E-04	4.38508E-03	9.99925E-01
17	.00000E+00	.00000E+00	8.71688E-02	1.59025E-02	8.27399E-02	4.44195E-04	3.99135E-03	9.99924E-01
18	.00000E+00	.00000E+00	7.75862E-02	1.32844E-02	7.25884E-02	4.06450E-04	4.59729E-03	9.99923E-01
19	.00000E+00	.00000E+00	1.31159E-01	3.73668E-02	1.24014E-01	8.19018E-04	6.33721E-03	9.99913E-01
20	.00000E+00	.00000E+00	3.23868E-01	2.63568E-01	2.97999E-01	3.37195E-03	2.25337E-02	9.99888E-01
21	.00000E+00	.00000E+00	1.58104E-01	5.48634E-02	1.42725E-01	1.35939E-03	1.40380E-02	9.99885E-01
22	.00000E+00	.00000E+00	3.09794E-01	1.72985E-01	2.69202E-01	3.28812E-03	3.73215E-02	9.99944E-01
23	.00000E+00	.00000E+00	7.75988E-01	9.61250E-01	6.31227E-01	1.38581E-02	1.30921E-01	9.99977E-01

24	.00000E+00	.00000E+00	8.06292E-01	8.43719E-01	6.51274E-01	1.52960E-02	1.39736E-01	9.99984E-01
25	.00000E+00	.00000E+00	5.21382E-01	3.41671E-01	4.39561E-01	8.66600E-03	7.31596E-02	9.99991E-01
26	.00000E+00	.00000E+00	4.10999E-01	3.61002E-01	3.33434E-01	8.33987E-03	6.92373E-02	9.99972E-01
27	.00000E+00	.00000E+00	1.36260E-01	7.51161E-02	1.14432E-01	2.85820E-03	1.89708E-02	9.99995E-01
28	.00000E+00	.00000E+00	9.64465E+00	9.58063E+00	9.64465E+00	6.61818E-02	-6.56843E-02	9.99949E-01
0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.60565E-01	5.25118E-10	1.61312E-01	7.90628E-03	4.15137E-10	.00000E+00	.00000E+00	1.83768E-01
2	1.21835E+00	-5.67621E-08	1.22961E+00	9.50427E-02	.00000E+00	.00000E+00	.00000E+00	1.39494E+00
3	1.55768E+00	-3.72236E-08	1.57521E+00	1.31282E-01	.00000E+00	.00000E+00	.00000E+00	1.78401E+00
4	9.68612E-01	-1.06027E-09	9.81750E-01	8.73049E-02	.00000E+00	.00000E+00	.00000E+00	1.10975E+00
5	1.46360E+00	-6.34128E-08	1.48604E+00	1.39559E-01	.00000E+00	.00000E+00	.00000E+00	1.67724E+00
6	2.81799E+00	2.11228E-08	2.86208E+00	2.67096E-01	.00000E+00	.00000E+00	.00000E+00	3.22940E+00
7	2.78061E+00	-2.06552E-08	2.80602E+00	1.54017E-01	.00000E+00	.00000E+00	.00000E+00	3.18443E+00
8	2.06305E+00	-3.17924E-08	2.06294E+00	1.47671E-02	.00000E+00	.00000E+00	.00000E+00	2.36050E+00
9	1.60244E+00	-4.16572E-08	1.60024E+00	-1.58430E-02	.00000E+00	.00000E+00	.00000E+00	1.83391E+00
10	1.46491E+00	-5.43783E-08	1.46001E+00	-2.74352E-02	.00000E+00	.00000E+00	.00000E+00	1.67624E+00
11	1.34918E+00	-5.43663E-08	1.33897E+00	-5.78674E-02	.00000E+00	.00000E+00	.00000E+00	1.54336E+00
12	8.50000E-01	-2.03588E-08	8.38878E-01	-6.49696E-02	.00000E+00	.00000E+00	.00000E+00	9.72025E-01
13	7.20627E-01	3.52663E-08	7.11882E-01	-5.34261E-02	.00000E+00	.00000E+00	.00000E+00	8.24272E-01
14	6.69695E-01	-1.66829E-08	6.56551E-01	-7.81509E-02	.00000E+00	.00000E+00	.00000E+00	7.65587E-01
15	3.80070E-01	2.28811E-05	3.79482E-01	-8.34788E-03	.00000E+00	.00000E+00	.00000E+00	4.35291E-01
16	2.12311E-01	1.27901E-05	2.11870E-01	-4.37229E-03	.00000E+00	.00000E+00	.00000E+00	2.43095E-01
17	9.41972E-02	7.53311E-06	9.35760E-02	-3.98382E-03	.00000E+00	.00000E+00	.00000E+00	1.07795E-01
18	8.07441E-02	7.17857E-06	7.99731E-02	-4.59011E-03	.00000E+00	.00000E+00	.00000E+00	9.23698E-02
19	1.49198E-01	1.27066E-05	1.48197E-01	-6.32450E-03	.00000E+00	.00000E+00	.00000E+00	1.70731E-01
20	4.88569E-01	4.16091E-05	4.84860E-01	-2.24921E-02	.00000E+00	.00000E+00	.00000E+00	5.59046E-01
21	1.57378E-01	2.16381E-05	1.54767E-01	-1.40164E-02	.00000E+00	.00000E+00	.00000E+00	1.79905E-01
22	3.29861E-01	1.82521E-05	3.22794E-01	-3.73033E-02	.00000E+00	.00000E+00	.00000E+00	3.76862E-01
23	1.01843E+00	8.20884E-06	9.90653E-01	-1.30913E-01	.00000E+00	.00000E+00	.00000E+00	1.16216E+00
24	7.71623E-01	6.19712E-06	7.37816E-01	-1.39730E-01	.00000E+00	.00000E+00	.00000E+00	8.78121E-01
25	3.31975E-01	2.09127E-06	3.12291E-01	-7.31575E-02	.00000E+00	.00000E+00	.00000E+00	3.76664E-01
26	2.25941E-01	1.18510E-05	2.03660E-01	-6.92254E-02	.00000E+00	.00000E+00	.00000E+00	2.54277E-01
27	4.16513E-02	3.20933E-07	3.40010E-02	-1.89705E-02	.00000E+00	.00000E+00	.00000E+00	4.59747E-02
28	2.39693E+01	1.72942E-04	2.39254E+01	6.58578E-02	4.15137E-10	.00000E+00	.00000E+00	2.74217E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.13807E-02	.00000E+00	2.12956E-02	2.01801E-02	3.47816E-03	5.25118E-10	9.98822E-01
2	.00000E+00	1.89181E-01	6.97592E-03	2.64183E-01	1.81623E-01	1.45485E-02	-5.67621E-08	1.00002E+00
3	.00000E+00	2.15085E-01	7.48251E-02	2.78040E-01	2.74155E-01	1.57087E-02	-3.72236E-08	9.99987E-01
4	.00000E+00	1.24418E-01	1.13045E-01	1.92313E-01	2.29896E-01	7.56729E-03	-1.06027E-09	1.00000E+00
5	.00000E+00	1.65841E-01	2.07131E-01	4.88495E-01	3.68319E-01	4.65653E-03	-6.34128E-08	9.99989E-01
6	.00000E+00	1.79949E-01	4.25956E-01	1.34358E+00	5.98380E-01	7.51659E-03	2.11228E-08	1.00001E+00
7	.00000E+00	8.95229E-02	6.62144E-01	1.77562E+00	7.43244E-01	8.23079E-03	-2.06552E-08	9.99989E-01
8	.00000E+00	1.37908E-02	7.79644E-01	1.78948E+00	7.78812E-01	1.46859E-02	-3.17924E-08	9.99920E-01
9	.00000E+00	1.00142E-03	7.69382E-01	1.55377E+00	7.45662E-01	2.48048E-02	-4.16572E-08	9.99893E-01
10	.00000E+00	7.43875E-05	7.42503E-01	1.40510E+00	7.04900E-01	3.77521E-02	-5.43783E-08	9.99900E-01
11	.00000E+00	5.85240E-06	7.10041E-01	1.29518E+00	6.49238E-01	6.08495E-02	-5.43663E-08	9.99942E-01
12	.00000E+00	4.11122E-07	5.66523E-01	7.00444E-01	5.02208E-01	6.43302E-02	-2.03588E-08	9.99974E-01
13	.00000E+00	6.52825E-08	4.98170E-01	5.51901E-01	4.40643E-01	5.75417E-02	3.52663E-08	9.99971E-01
14	.00000E+00	1.29573E-08	4.76814E-01	5.15103E-01	3.98467E-01	7.83521E-02	-1.66829E-08	9.99989E-01
15	.00000E+00	1.46205E-09	2.61737E-01	2.36692E-01	2.53537E-01	8.19578E-03	2.28811E-05	9.99927E-01
16	.00000E+00	4.29309E-10	1.78343E-01	1.10226E-01	1.73734E-01	4.60914E-03	1.27901E-05	9.99931E-01
17	.00000E+00	1.38258E-10	9.63205E-02	3.57505E-02	9.17826E-02	4.53734E-03	7.53311E-06	9.99928E-01
18	.00000E+00	9.89890E-11	8.62513E-02	2.92780E-02	8.11842E-02	5.06627E-03	7.17857E-06	9.99926E-01
19	.00000E+00	1.39949E-10	1.41720E-01	7.21049E-02	1.35201E-01	6.51788E-03	1.27066E-05	9.99918E-01
20	.00000E+00	2.27572E-10	3.37170E-01	4.02625E-01	3.09720E-01	2.74447E-02	4.16091E-05	9.99892E-01
21	.00000E+00	3.33092E-11	1.70285E-01	8.97747E-02	1.55169E-01	1.51175E-02	2.16381E-05	9.99885E-01
22	.00000E+00	3.86463E-11	3.27263E-01	2.54039E-01	2.85915E-01	4.13489E-02	1.82521E-05	9.99943E-01
23	.00000E+00	3.69501E-11	7.99695E-01	1.23250E+00	6.59057E-01	1.40669E-01	8.20884E-06	9.99977E-01
24	.00000E+00	1.00573E-11	8.39715E-01	1.02852E+00	6.84834E-01	1.54886E-01	6.19712E-06	9.99985E-01

25	.00000E+00	2.94413E-12	5.50146E-01	4.10889E-01	4.61220E-01	8.89287E-02	2.09127E-06	9.99992E-01
26	.00000E+00	2.06444E-12	4.24636E-01	4.08811E-01	3.42752E-01	8.18845E-02	1.18510E-05	9.99971E-01
27	.00000E+00	4.91967E-13	1.39143E-01	8.25256E-02	1.15769E-01	2.33745E-02	3.20953E-07	9.99997E-01
28	.00000E+00	1.00000E+00	1.08856E+01	1.65680E+01	1.08856E+01	1.00260E+00	1.72916E-04	9.99956E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.60565E-01	5.25118E-10	1.67957E-01	.00000E+00	2.24970E-03	2.51447E-03	.00000E+00	3.38394E-01
2	1.21835E+00	-5.67621E-08	1.30142E+00	.00000E+00	1.79132E-05	1.17117E-02	.00000E+00	2.58473E+00
3	1.55768E+00	-3.72236E-08	1.66656E+00	.00000E+00	.00000E+00	1.45446E-02	.00000E+00	3.30813E+00
4	9.68612E-01	-1.06027E-09	1.03721E+00	.00000E+00	.00000E+00	6.31230E-03	.00000E+00	2.05904E+00
5	1.46360E+00	-6.34128E-08	1.57291E+00	.00000E+00	.00000E+00	1.88452E-03	.00000E+00	3.11553E+00
6	2.81799E+00	2.11228E-08	3.02952E+00	.00000E+00	.00000E+00	1.74220E-03	.00000E+00	5.99936E+00
7	2.78061E+00	-2.06552E-08	2.90441E+00	.00000E+00	.00000E+00	1.81389E-03	.00000E+00	5.86492E+00
8	2.06305E+00	-3.17924E-08	2.07856E+00	.00000E+00	.00000E+00	1.93179E-03	.00000E+00	4.30099E+00
9	1.60244E+00	-4.16572E-08	1.58416E+00	.00000E+00	.00000E+00	2.67782E-03	.00000E+00	3.32517E+00
10	1.46491E+00	-5.43783E-08	1.44119E+00	.00000E+00	.00000E+00	5.70145E-03	.00000E+00	3.03455E+00
11	1.34918E+00	-5.43663E-08	1.29904E+00	.00000E+00	.00000E+00	1.16776E-02	.00000E+00	2.77757E+00
12	8.50000E-01	-2.03588E-08	7.92822E-01	.00000E+00	.00000E+00	1.47800E-02	.00000E+00	1.73463E+00
13	7.20627E-01	3.52663E-08	6.74396E-01	.00000E+00	.00000E+00	1.36248E-02	.00000E+00	1.47217E+00
14	6.69695E-01	-1.66829E-08	6.01440E-01	.00000E+00	.00000E+00	9.97957E-03	.00000E+00	1.35269E+00
15	3.80070E-01	2.28811E-05	3.73486E-01	.00000E+00	.00000E+00	2.51433E-03	.00000E+00	7.87828E-01
16	2.12311E-01	1.27901E-05	2.08868E-01	.00000E+00	.00000E+00	1.66606E-03	.00000E+00	4.40084E-01
17	9.41972E-02	7.53311E-06	9.08647E-02	.00000E+00	.00000E+00	2.52477E-03	.00000E+00	1.94087E-01
18	8.07441E-02	7.17857E-06	7.68607E-02	.00000E+00	.00000E+00	3.35695E-03	.00000E+00	1.65712E-01
19	1.49198E-01	1.27066E-05	1.43881E-01	.00000E+00	.00000E+00	4.06104E-03	.00000E+00	3.07398E-01
20	4.88569E-01	4.16091E-05	4.69502E-01	.00000E+00	.00000E+00	1.72805E-02	.00000E+00	1.00557E+00
21	1.57378E-01	2.16381E-05	1.45395E-01	.00000E+00	.00000E+00	1.00277E-02	.00000E+00	3.20153E-01
22	3.29861E-01	1.82521E-05	2.97291E-01	.00000E+00	.00000E+00	2.72668E-02	.00000E+00	6.66385E-01
23	1.01843E+00	8.20884E-06	9.03188E-01	.00000E+00	.00000E+00	9.16735E-02	.00000E+00	2.04620E+00
24	7.71623E-01	6.19712E-06	6.43952E-01	.00000E+00	.00000E+00	1.04029E-01	.00000E+00	1.52239E+00
25	3.31975E-01	2.09127E-06	2.61867E-01	.00000E+00	.00000E+00	6.04430E-02	.00000E+00	6.44267E-01
26	2.25941E-01	1.18510E-05	1.55752E-01	.00000E+00	.00000E+00	5.56009E-02	.00000E+00	4.21543E-01
27	4.16513E-02	3.20953E-07	1.98489E-02	.00000E+00	.00000E+00	1.55149E-02	.00000E+00	7.09007E-02
28	2.39693E+01	1.72942E-04	2.39421E+01	.00000E+00	2.26761E-03	4.96856E-01	.00000E+00	4.98604E+01

- elapsed time .02 min.

0direct access unit 9 requires 516 blocks of length 1456 for cross section weighting.

1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.26228E-03	2.44524E-02	3.14807E-02	1.91558E-02	2.98609E-02	5.60589E-02	3.19451E-02	4.59551E-03
2	3.53462E-03	3.79366E-02	4.85962E-02	2.95113E-02	4.50373E-02	8.48349E-02	4.81901E-02	6.90508E-03
3	2.87209E-03	3.23666E-02	4.29057E-02	2.72045E-02	4.24752E-02	8.06478E-02	4.61598E-02	5.50959E-03
4	9.91417E-04	1.19105E-02	1.64469E-02	1.09526E-02	1.74707E-02	3.34402E-02	1.98574E-02	1.97631E-03
5	1.64636E-03	1.85855E-02	2.46645E-02	1.56300E-02	2.44272E-02	4.66204E-02	2.67512E-02	3.28566E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.81624E-03	5.96728E-03	1.26259E-02	1.44556E-02	1.19054E-02	1.75290E-02	1.84194E-03	9.67101E-04
2	7.23449E-03	8.95263E-03	1.89985E-02	2.18260E-02	1.79596E-02	2.62789E-02	2.73820E-03	1.44998E-03
3	5.82794E-03	8.39654E-03	1.77648E-02	2.01806E-02	1.66006E-02	2.42867E-02	2.56194E-03	1.34920E-03
4	1.94925E-03	3.41518E-03	7.21395E-03	8.10619E-03	6.70527E-03	9.76968E-03	1.11069E-03	5.69566E-04
5	3.38196E-03	4.86239E-03	1.02835E-02	1.16727E-02	9.62716E-03	1.40332E-02	1.52847E-03	7.95542E-04

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.86997E-04	1.01715E-03	1.41319E-03	5.03154E-03	3.06020E-03	8.23309E-03	2.86578E-02	3.04788E-02
2	1.33854E-03	1.53632E-03	2.12194E-03	7.56614E-03	4.63193E-03	1.24824E-02	4.34693E-02	4.65691E-02
3	1.23753E-03	1.42307E-03	1.96336E-03	6.99187E-03	4.31747E-03	1.15639E-02	4.04213E-02	4.32245E-02
4	5.01070E-04	5.73536E-04	7.96136E-04	2.82623E-03	1.74630E-03	4.67389E-03	1.66004E-02	1.76715E-02
5	7.18167E-04	8.23998E-04	1.14198E-03	4.06164E-03	2.49259E-03	6.68756E-03	2.34784E-02	2.50088E-02

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.60868E-02	1.49143E-02	3.92940E-03	3.82952E-01
2	2.47390E-02	2.33049E-02	6.46018E-03	5.84204E-01
3	2.28009E-02	2.15254E-02	5.93407E-03	5.38513E-01
4	9.22248E-03	8.56924E-03	2.17097E-03	2.16717E-01
5	1.31429E-02	1.22416E-02	3.20979E-03	3.10808E-01

1 at 0 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.66111E-01	1.28125E+00	1.64093E+00	1.02166E+00	1.54818E+00	2.98120E+00	2.87543E+00	2.07362E+00
2	1.63045E-01	1.24874E+00	1.60052E+00	9.97663E-01	1.51104E+00	2.91123E+00	2.83425E+00	2.06640E+00
3	1.61931E-01	1.23701E+00	1.58558E+00	9.88693E-01	1.49733E+00	2.88469E+00	2.81913E+00	2.06414E+00
4	1.60561E-01	1.21878E+00	1.55872E+00	9.69603E-01	1.46543E+00	2.82157E+00	2.78228E+00	2.06240E+00
5	1.62577E-01	1.24180E+00	1.58934E+00	9.89236E-01	1.49682E+00	2.88231E+00	2.81772E+00	2.06636E+00

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58918E+00	1.44700E+00	1.31140E+00	8.07074E-01	6.85926E-01	6.18378E-01	3.75399E-01	2.09811E-01
2	1.59664E+00	1.45518E+00	1.32886E+00	8.27409E-01	7.02403E-01	6.42732E-01	3.77974E-01	2.11112E-01
3	1.59896E+00	1.45786E+00	1.33449E+00	8.33875E-01	7.07747E-01	6.50528E-01	3.78828E-01	2.11548E-01
4	1.60231E+00	1.46456E+00	1.34845E+00	8.49272E-01	7.20178E-01	6.68904E-01	3.80320E-01	2.12395E-01
5	1.59753E+00	1.45791E+00	1.33444E+00	8.33579E-01	7.07284E-01	6.49880E-01	3.78501E-01	2.11433E-01

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.16975E-02	7.78148E-02	1.45221E-01	4.74299E-01	1.48289E-01	3.05191E-01	9.30430E-01	6.73489E-01
2	9.28844E-02	7.91794E-02	1.47109E-01	4.81043E-01	1.52416E-01	3.16523E-01	9.69496E-01	7.16054E-01
3	9.32798E-02	7.96310E-02	1.47752E-01	4.83249E-01	1.53750E-01	3.20092E-01	9.81527E-01	7.28655E-01
4	9.41821E-02	8.07048E-02	1.49170E-01	4.88446E-01	1.57187E-01	3.29269E-01	1.01540E+00	7.67227E-01
5	9.32466E-02	7.96138E-02	1.47683E-01	4.83113E-01	1.53813E-01	3.20156E-01	9.85068E-01	7.31414E-01

0zone	grp. 25	grp. 26	grp. 27
1	2.77960E-01	1.71195E-01	2.43865E-02
2	3.01221E-01	1.95755E-01	3.13594E-02
3	3.07693E-01	1.99607E-01	3.29544E-02
4	3.29096E-01	2.22165E-01	4.01688E-02
5	3.09529E-01	2.02525E-01	3.40632E-02

0flux disadvantage factors (zone average/cell average-flux)

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02174E+00	1.03177E+00	1.03246E+00	1.03278E+00	1.03431E+00	1.03431E+00	1.02048E+00	1.00352E+00
2	1.00288E+00	1.00559E+00	1.00703E+00	1.00852E+00	1.00951E+00	1.01008E+00	1.00587E+00	1.00038E+00
3	9.96024E-01	9.96149E-01	9.97625E-01	9.99451E-01	1.00034E+00	1.00083E+00	1.00150E+00	9.98930E-01
4	9.87597E-01	9.81465E-01	9.80731E-01	9.80154E-01	9.79031E-01	9.78927E-01	9.87424E-01	9.98087E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.94772E-01	9.92519E-01	9.82728E-01	9.68436E-01	9.69804E-01	9.51526E-01	9.91804E-01	9.92329E-01
2	9.99440E-01	9.98130E-01	9.95816E-01	9.92837E-01	9.95099E-01	9.89001E-01	9.98606E-01	9.98484E-01
3	1.00089E+00	9.99962E-01	1.00003E+00	1.00060E+00	1.00066E+00	1.00100E+00	1.00086E+00	1.00054E+00
4	1.00299E+00	1.00456E+00	1.01050E+00	1.01907E+00	1.01823E+00	1.02927E+00	1.00481E+00	1.00455E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.83387E-01	9.77403E-01	9.85331E-01	9.81756E-01	9.64086E-01	9.53259E-01	9.46455E-01	9.20796E-01
2	9.96116E-01	9.94544E-01	9.96113E-01	9.95714E-01	9.90920E-01	9.88654E-01	9.86194E-01	9.79000E-01
3	1.00036E+00	1.00022E+00	1.00033E+00	1.00028E+00	9.99592E-01	9.99802E-01	9.98432E-01	9.96092E-01
4	1.01003E+00	1.01370E+00	1.01007E+00	1.01104E+00	1.02193E+00	1.02847E+00	1.05289E+00	1.04896E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00


0zone	grp. 25	grp. 26	grp. 27
1	8.98010E-01	8.45308E-01	7.15919E-01
2	9.73157E-01	9.56697E-01	9.20623E-01
3	9.94067E-01	9.85593E-01	9.67446E-01
4	1.06322E+00	1.09698E+00	1.17924E+00
5	1.00000E+00	1.00000E+00	1.00000E+00

0cell averaged currents


0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.26228E-03	2.44524E-02	3.14807E-02	1.91558E-02	2.98609E-02	5.60589E-02	3.19451E-02	4.59551E-03
2	3.53462E-03	3.79366E-02	4.85962E-02	2.95113E-02	4.50373E-02	8.48349E-02	4.81901E-02	6.90508E-03
3	2.87209E-03	3.23666E-02	4.29057E-02	2.72045E-02	4.24752E-02	8.06478E-02	4.61598E-02	5.50959E-03
4	9.91417E-04	1.19105E-02	1.64469E-02	1.09526E-02	1.74707E-02	3.34402E-02	1.95574E-02	1.97631E-03

```
    5 1.64636E-03 1.85855E-02 2.46645E-02 1.56300E-02 2.44272E-02 4.66204E-02 2.67512E-02 3.28566E-03
Ozone   grp. 9     grp. 10     grp. 11     grp. 12     grp. 13     grp. 14     grp. 15     grp. 16
    1 4.81624E-03 5.96728E-03 1.26259E-02 1.44556E-02 1.19054E-02 1.73290E-02 1.84194E-03 9.67101E-04
    2 7.23449E-03 8.95263E-03 1.89985E-02 2.18260E-02 1.79596E-02 2.62789E-02 2.73820E-03 1.44993E-03
    3 5.82794E-03 8.39654E-03 1.77648E-02 2.01806E-02 1.66006E-02 2.42867E-02 2.56194E-03 1.34920E-03
    4 1.94925E-03 3.41518E-03 7.21395E-03 8.10619E-03 6.70527E-03 9.76968E-03 1.11069E-03 5.69366E-04
    5 3.38196E-03 4.86239E-03 1.02835E-02 1.16727E-02 9.62716E-03 1.40832E-02 1.52847E-03 7.95542E-04
Ozone   grp. 17     grp. 18     grp. 19     grp. 20     grp. 21     grp. 22     grp. 23     grp. 24
    1 8.86997E-04 1.01715E-03 1.41319E-03 5.03154E-03 3.06020E-03 8.23309E-03 2.86578E-02 3.04788E-02
    2 1.33854E-03 1.53632E-03 2.12194E-03 7.56616E-03 4.63195E-03 1.24824E-02 4.34693E-02 4.65691E-02
    3 1.23753E-03 1.42307E-03 1.96336E-03 6.99187E-03 4.31747E-03 1.15639E-02 4.04213E-02 4.32245E-02
    4 5.01070E-04 5.73536E-04 7.96136E-04 2.82623E-03 1.74630E-03 4.67389E-03 1.66004E-02 1.76715E-02
    5 7.18167E-04 8.23998E-04 1.14198E-03 4.06164E-03 2.49259E-03 6.68756E-03 2.34784E-02 2.50088E-02
Ozone   grp. 25     grp. 26     grp. 27
    1 1.60858E-02 1.49143E-02 3.92940E-03
    2 2.47390E-02 2.33049E-02 6.46018E-03
    3 2.28009E-02 2.15254E-02 5.95407E-03
    4 9.22248E-03 8.56924E-03 2.17097E-03
    5 1.31429E-02 1.22416E-02 3.20979E-03
Ozone      volume     vol. fraction


    1    6.88443E-01    3.30753E-01
    2    3.17352E-02    1.52468E-02
    3    2.16724E-01    1.04122E-01
    4    1.14454E+00    5.49878E-01
    5    2.08144E+00    1.00000E+00
 - elapsed time    .03 min.
 0requested parm=halt8,skipcellwt,skipshipdata
   pass= 0, exec halts after pass  8
```




```
0
```



```
0
```





```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                program verification information            *****
*****                                                           *****
*****              code system:   scale  version:   4.2         *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****                program:  c0c008                           *****
*****                                                           *****
*****           creation date:  04/27/95                         *****
*****                                                           *****
*****                library:  /neutronics/scale/exe            *****
*****                                                           *****
*****                                                           *****
*****                                                           *****
```

```
                    *****   this is not a   scale  configuration controlled code          *****
                    *****                                                                  *****
                    *****             jobname:  davis                                      *****
                    *****                                                                  *****
                    *****   date of execution:  02/16/96                                   *****
                    *****                                                                  *****
                    *****   time of execution:  09:55:31                                   *****
                    *****                                                                  *****
                    *****                                                                  *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************

1
0       -1q array has       1 entries.
0        0q array has       4 entries.
0        1q array has       6 entries.
0        2q array has       2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       70
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0        3q array has      70 entries.
0        4q array has      70 entries.
0        5q array has      70 entries.
0        6q array has       4 entries.
0        7q array has       4 entries.
0        8q array has       4 entries.
0        9q array has       4 entries.
0       10q array has      70 entries.
0       11q array has       4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        3     8016    2.09710E-02             201
    2        3     1001    4.19420E-02             202
    3        3     5010    3.81515E-06             203
    4        3     5011    1.54884E-05             204
    5        2    40802    4.25156E-02             205
    6        1    92235    2.28718E-04          200006
    7        1    92234    1.83759E-06          200007
    8        1    92236    1.04764E-06          200008
    9        1    92238    7.29896E-03          200009
   10        1     8016    1.50611E-02          200010
   11        1     8016    1.15315E-02          200011
   12        1    36083    3.30753E-21          200012
   13        1    36085    3.30753E-21          200013
   14        1    38090    3.30753E-21          200014
   15        1    39089    3.30753E-21          200015
   16        1    42095    3.30753E-21          200016
   17        1    40093    3.30753E-21          200017
   18        1    40094    3.30753E-21          200018
```

19	1	40095	3.30753E-21	200019
20	1	41094	3.30753E-21	200020
21	1	43099	3.30753E-21	200021
22	1	45103	3.30753E-21	200022
23	1	45105	3.30753E-21	200023
24	1	44101	3.30753E-21	200024
25	1	44106	3.30753E-21	200025
26	1	46105	3.30753E-21	200026
27	1	46108	3.30753E-21	200027
28	1	47109	3.30753E-21	200028
29	1	51124	3.30753E-21	200029
30	1	54131	3.30753E-21	200030
31	1	54132	3.30753E-21	200031
32	1	54135	3.30753E-21	200032
33	1	54136	3.30753E-21	200033
34	1	55134	3.30753E-21	200034
35	1	55135	3.30753E-21	200035
36	1	55137	3.30753E-21	200036
37	1	56136	3.30753E-21	200037
38	1	57139	3.30753E-21	200038
39	1	59141	3.30753E-21	200039
40	1	59143	3.30753E-21	200040
41	1	58144	3.30753E-21	200041
42	1	60143	3.30753E-21	200042
43	1	60145	3.30753E-21	200043
44	1	61147	3.30753E-21	200044
45	1	61148	3.30753E-21	200045
46	1	60147	3.30753E-21	200046
47	1	62147	3.30753E-21	200047
48	1	62149	3.30753E-21	200048
49	1	62150	3.30753E-21	200049
50	1	62151	3.30753E-21	200050
51	1	62152	3.30753E-21	200051
52	1	64155	3.30753E-21	200052
53	1	63153	3.30753E-21	200053
54	1	63154	3.30753E-21	200054
55	1	63155	3.30753E-21	200055
56	1	40302	4.42681E-03	200056
57	1	1001	2.30630E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	3.30753E-21	200060
61	1	93237	3.30753E-21	200061
62	1	94238	3.30753E-21	200062
63	1	94239	3.30753E-21	200063
64	1	94240	3.30753E-21	200064
65	1	94241	3.30753E-21	200065
66	1	94242	3.30753E-21	200066
67	1	95241	3.30753E-21	200067
68	1	95243	3.30753E-21	200068
69	1	96244	3.30753E-21	200069
70	1	999	3.30753E-21	200070

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.23052E+01	0
3	3	8.14000E-01	6.07600E+02	3.54862E+00	0
4	1	2.96100E+00	9.75000E+02	2.32883E-01	0


8067 locations of 200000 available are required to make a new master containing the self-shielded values
Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

```
Ocopy      999 1/v cross sectio from log 12 to log  1   bondarenko trigger 0
Ocopy     1001  hydrogen        from log 12 to log 18   bondarenko trigger 0
Ocopy     1001  hydrogen        from log 18 to log  1   bondarenko trigger 0
Ocopy     1001  hydrogen        from log 18 to log  1   bondarenko trigger 0
Ocopy     5010 b-10 1273 218ngp from log 12 to log 18   bondarenko trigger 0
Ocopy     5010 b-10 1273 218ngp from log 18 to log  1   bondarenko trigger 0
Ocopy     5010 b-10 1273 218ngp from log 18 to log  1   bondarenko trigger 0
Ocopy     5011  boron-11        from log 12 to log 18   bondarenko trigger 0
Ocopy     5011  boron-11        from log 18 to log  1   bondarenko trigger 0
Ocopy     5011  boron-11        from log 18 to log  1   bondarenko trigger 0
Ocopy     8016  oxygen-16       from log 12 to log 18   bondarenko trigger 0
Ocopy     8016  oxygen-16       from log 18 to log  1   bondarenko trigger 0
Ocopy     8016  oxygen-16       from log 18 to log  1   bondarenko trigger 0
Ocopy     8016  oxygen-16       from log 18 to log  1   bondarenko trigger 0
Ocopy    36083  kr-83           from log 12 to log  1   bondarenko trigger 0
Ocopy    36085  kr-85           from log 12 to log  1   bondarenko trigger 0
Ocopy    38090  sr-90           from log 12 to log  1   bondarenko trigger 0
Ocopy    39089   y-89           from log 12 to log  1   bondarenko trigger 0
Ocopy    40093  zr-93           from log 12 to log  1   bondarenko trigger 0
Ocopy    40094  zr-94           from log 12 to log  1   bondarenko trigger 0
Ocopy    40095  zr-95           from log 12 to log  1   bondarenko trigger 0
Ocopy    40302  zircalloy       from log 12 to log 18   bondarenko trigger 0
Ocopy    40302  zircalloy       from log 18 to log  1   bondarenko trigger 0
Ocopy    40302  zircalloy       from log 18 to log  1   bondarenko trigger 0
Ocopy    41094  nb-94           from log 12 to log  1   bondarenko trigger 0
Ocopy    42095  mo-95           from log 12 to log  1   bondarenko trigger 0
Ocopy    43099  tc-99           from log 12 to log  1   bondarenko trigger 0
Ocopy    44101  ru-101          from log 12 to log  1   bondarenko trigger 0
Ocopy    44106  ru-106          from log 12 to log  1   bondarenko trigger 0
Ocopy    45103  rh-103          from log 12 to log  1   bondarenko trigger 0
Ocopy    45105  rh-105          from log 12 to log  1   bondarenko trigger 0
Ocopy    46105  pd-105          from log 12 to log  1   bondarenko trigger 0
Ocopy    46108  pd-108          from log 12 to log  1   bondarenko trigger 0
Ocopy    47109  silver-109      from log 12 to log  1   bondarenko trigger 0
Ocopy    51124  sb-124          from log 12 to log  1   bondarenko trigger 0
Ocopy    54131  xe-131          from log 12 to log  1   bondarenko trigger 0
Ocopy    54132  xe-132          from log 12 to log  1   bondarenko trigger 0
Ocopy    54135  xenon-135       from log 12 to log  1   bondarenko trigger 0
Ocopy    54136  xe-136          from log 12 to log  1   bondarenko trigger 0
Ocopy    55133  cesium-133      from log 12 to log  1   bondarenko trigger 0
Ocopy    55134  cs-134          from log 12 to log  1   bondarenko trigger 0
Ocopy    55135  cs-135          from log 12 to log  1   bondarenko trigger 0
Ocopy    55137  cs-137          from log 12 to log  1   bondarenko trigger 0
Ocopy    56136  ba-136          from log 12 to log  1   bondarenko trigger 0
Ocopy    57139  la-139          from log 12 to log  1   bondarenko trigger 0
Ocopy    58144  ce-144          from log 12 to log  1   bondarenko trigger 0
Ocopy    59141  pr-141          from log 12 to log  1   bondarenko trigger 0
Ocopy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
Ocopy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
Ocopy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
Ocopy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
Ocopy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
Ocopy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
Ocopy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
Ocopy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
Ocopy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
Ocopy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
Ocopy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
Ocopy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
Ocopy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
```

```
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
      based on endf-b version 4 data with endf-b version 5 fission products
        compiled for nrc     1/27/89
          last updated       9/16/93
            l.m.petrie  -  ornl
      tape id                          4321        number of nuclides          70
      number of neutron groups           27        number of gamma groups       0
      first thermal group                15        logical unit                 1
                              table of contents
    1/v cross sections normalized to 1.0 at 0.0253 ev                    id  200070
     hydrogen      endf/b-iv mat 1269/thrml002   updated 10/13/89        id     202
     hydrogen      endf/b-iv mat 1269/thrml002   updated 10/13/89        id  200057
    b-10 1273 218grp 042375 p-3 293k                                     id     203
    b-10 1273 218grp 042375 p-3 293k                                     id  200058
     boron-11      endf/b-iv mat 1160            updated 10/13/89        id     204
     boron-11      endf/b-iv mat 1160            updated 10/13/89        id  200059
     oxygen-16     endf/b-iv mat 1276            updated 10/13/89        id     201
     oxygen-16     endf/b-iv mat 1276            updated 10/13/89        id  200010
     oxygen-16     endf/b-iv mat 1276            updated 10/13/89        id  200011
     kr-83         mt=102,103,103,105,106,107    updated 10/13/89        id  200012
     kr-85            mt=  102                                          id  200013
     sr-90         mt=102                        updated 10/13/89        id  200014
      y-89         mt=102                        updated 10/13/89        id  200015
     zr-93            mt=  102                                          id  200017
     zr-94         mt=102                        updated 10/13/89        id  200018
     zr-95         mt=102                        updated 10/13/89        id  200019
     zircalloy     endf/b-iv mat 1284            updated 10/13/89        id     205
     zircalloy     endf/b-iv mat 1284            updated 10/13/89        id  200056
     rb-94         mt=102                        updated 10/13/89        id  200020
     mo-95         mt=102                        updated 10/13/89        id  200016
     tc-99         mt=102                        updated 10/13/89        id  200021
     ru-101        mt=102                        updated 10/13/89        id  200024
     ru-106        mt=102                        updated 10/13/89        id  200025
     rh-103        mt=102                        updated 10/13/89        id  200022
     rh-105           mt=  102                                          id  200023
     pd-105        mt=102                        updated 10/13/89        id  200026
     pd-108        mt=102                        updated 10/13/89        id  200027
     silver-109    endf/b-iv mat 1139            updated 10/13/89        id  200028
     sb-124        mt=102                        updated 10/13/89        id  200029
     xe-131        mt=102,103,104,105,106        updated 10/13/89        id  200030
     xe-132        mt=102,103,104,105,106        updated 10/13/89        id  200031
     xenon-135     endf/b-iv mat 1294            updated 10/13/89        id  200032
     xe-136           mt=  102, 103, 104, 105, 107                      id  200033
     cesium-133    endf/b-iv mat 1141            updated 10/13/89        id  200060
     cs-134        mt=102                        updated 10/13/89        id  200034
```

```
        cs-135          mt=  102                                                id   200035
        cs-137        mt=102                        updated 10/13/89            id   200036
        ba-136        mt=102                        updated 10/13/89            id   200037
        la-139        mt=102                        updated 10/13/89            id   200038
        ce-144          mt=  102                                                id   200041
        pr-141        mt=102,103,104,105,106,107    updated 10/13/89            id   200039
        pr-143        mt=102                        updated 10/13/89            id   200040
        nd-143        mt=102                        updated 10/13/89            id   200042
        nd-145        mt=102                        updated 10/13/89            id   200043
        nd-147        mt=102                        updated 10/13/89            id   200046
        pm-147        mt=102                        updated 10/13/89            id   200044
        pm-148          mt=  102                                                id   200045
        sm-147        endf/b-v fission product      updated 10/13/89            id   200047
        sm-149        mt=102,103,107                updated 10/13/89            id   200048
        sm-150        mt=102                        updated 10/13/89            id   200049
        sm-151        mt=102,103,104,105,106,107    updated 10/13/89            id   200050
        sm-152        mt=102,103,104,105,106,107    updated 10/13/89            id   200051
        eu-153        mt=102,103,104,105,106,107    updated 10/13/89            id   200053
        eu-154        mt=102,103,104,105,106,107    updated 10/13/89            id   200054
        eu-155        mt=102,103,104,105,106,107    updated 10/13/89            id   200055
        gd-155        mt=102                        updated 10/13/89            id   200052
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       id   200007
        uranium-235   endf/b-iv mat 1261           updated 10/13/89            id   200006
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       id   200008
        uranium-238   endf/b-iv mat 1262           updated 10/13/89            id   200009
        neptunium-237 endf/b-iv mat 1263           updated 10/13/89            id   200061
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      id   200062
        plutonium-239 endf/b-iv mat 1264           updated 10/13/89            id   200063
        plutonium-240 endf/b-iv mat 1265           updated 10/13/89            id   200064
        plutonium-241 endf/b-iv mat 1266           updated 10/13/89            id   200065
        plutonium-242 endf/b-iv mat 1161           updated 10/13/89            id   200066
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                             id   200067
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                              id   200068
        curium-244    endf/b-iv mat 1162           updated 10/13/89            id   200069
0       tape copy used      0 i/o's, and took     .00 seconds
1
                m       m  iiiiiiiiiiii   ttttttttttt     aaaaaaaa    ww        ww  ll
                mm      m  iiiiiiiiiiii   ttttttttttt    aaaaaaaaaa   ww        ww  ll
                mmm     m      ii             tt        aa      aa   ww        ww  ll
                m m     m      ii             tt        aa      aa   ww        ww  ll
                m  m    m      ii             tt        aa      aa   ww        ww  ll
                m   m   m      ii             tt        aaaaaaaaaaaa ww    w   ww  ll
                m    m  m      ii             tt        aaaaaaaaaaaa ww   www  ww  ll
                m     m m      ii             tt        aa      aa   ww  ww ww  ww  ll
                m      mm      ii             tt        aa      aa   ww ww   ww ww  ll
                m       m      ii             tt        aa      aa   wwww     wwww  ll
                m       mm iiiiiiiiiiii       tt        aa      aa   www       www  llllllllllll
                m       m  iiiiiiiiiiii       tt        aa      aa   ww        ww   llllllllllll
0

  ddddddddddd    aaaaaaaa    w        w iiiiiiiiiii   sssssssssss
  ddddddddddd   aaaaaaaaaa   w        w iiiiiiiiiii  sssssssssssss
  dd       dd  aa      aa   w        w     ii       ss      ss
  dd       dd  aa      aa   w        w     ii       ss
  dd       dd  aa      aa   w        w     ii       ss
  dd       dd  aaaaaaaaaaa   w      w      ii        sssssssssss
  dd       dd  aaaaaaaaaaaa   w    w       ii         sssssssssss
  dd       dd  aa      aa     w  w         ii               ss
  dd       dd  aa      aa      ww          ii               ss
  dd       dd  aa      aa      ww          ii       ss      ss
  ddddddddddd  aa      aa      ww    iiiiiiiiiii  sssssssssss
```


program verification information
code system: scale version: 4.2
program: c0c002

```
                    *****                                                  *****
                    *****       creation date:  04/27/95                   *****
                    *****                                                  *****
                    *****             library:  /neutronics/scale/exe      *****
                    *****                                                  *****
                    *****                                                  *****
                    *****    this is not a   scale  configuration controlled code  *****
                    *****                                                  *****
                    *****             jobname:  davis                      *****
                    *****                                                  *****
                    *****    date of execution:  02/16/96                  *****
                    *****                                                  *****
                    *****    time of execution:  09:55:32                  *****
                    *****                                                  *****
                    *****                                                  *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0       -1q array has       1 entries.
0        0q array has       4 entries.
0        1q array has      12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      70 entries.
0        3q array has      15 entries.
0        4q array has       5 entries.
0 general information concerning cross section library
    tape identification number                4349
    number of nuclides on tape                  65
    number of neutron energy groups             27
    first thermal neutron energy group          15
    number of gamma energy groups                0
0  direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                           based on endf-b version 4 data with endf-b version 5 fission products
                              compiled for nrc      1/27/89
                                 last updated       9/16/93
                                    l.m.petrie   -   ornl
-  work tape   4349

 xsdrn weighted tape--parent case entitled-- at 0 d, sas2h: babcock wilcox 15x15,
  3.00wt%, 20gwd/mtu burn high temp




0 nuclides from xsdrn tape
     1     hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89          202
     2    b-10 1273 218ngp 042375 p-3 293k                                          203
     3     boron-11        endf/b-iv mat 1160             updated 10/13/89          204
     4     oxygen-16       endf/b-iv mat 1276             updated 10/13/89          201
     5     zircalloy       endf/b-iv mat 1284             updated 10/13/89          205
0 nuclides from  work tape
```

```
  6  1/v cross sections normalized to 1.0 at 0.0253 ev                          999
  7   hydrogen        endf/b-iv mat 1269/thrmf1002    updated 10/13/89         1001
  8  b-10 1273 218grp 042375 p-3 293k                                          5010
  9   boron-11        endf/b-iv mat 1160              updated 10/13/89         5011
 10   oxygen-16       endf/b-iv mat 1276              updated 10/13/89         8016
 11   oxygen-16       endf/b-iv mat 1276              updated 10/13/89            6
 12   kr-83           mt=102,103,103,105,106,107      updated 10/13/89        36083
 13   kr-85             mt=  102                                              36085
 14   sr-90           mt=102                          updated 10/13/89        38090
 15    y-89           mt=102                          updated 10/13/89        39089
 16   zr-93             mt=  102                                              40093
 17   zr-94           mt=102                          updated 10/13/89        40094
 18   zr-95           mt=102                          updated 10/13/89        40095
 19   zircalloy       endf/b-iv mat 1284              updated 10/13/89        40802
 20   nb-94           mt=102                          updated 10/13/89        41094
 21   mo-95           mt=102                          updated 10/13/89        42095
 22   tc-99           mt=102                          updated 10/13/89        43099
 23   ru-101          mt=102                          updated 10/13/89        44101
 24   ru-106          mt=102                          updated 10/13/89        44106
 25   rh-103          mt=102                          updated 10/13/89        45103
 26   rh-105            mt=  102                                              45105
 27   pd-105          mt=102                          updated 10/13/89        46105
 28   pd-108          mt=102                          updated 10/13/89        46108
 29   silver-109      endf/b-iv mat 1139              updated 10/13/89        47109
 30   sb-124          mt=102                          updated 10/13/89        51124
 31   xe-131          mt=102,103,104,105,106          updated 10/13/89        54131
 32   xe-132          mt=102,103,104,105,106          updated 10/13/89        54132
 33   xenon-135       endf/b-iv mat 1294              updated 10/13/89        54135
 34   xe-136            mt=  102, 103, 104, 105, 107                          54136
 35   cesium-133      endf/b-iv mat 1141              updated 10/13/89        55133
 36   cs-134          mt=102                          updated 10/13/89        55134
 37   cs-135            mt=  102                                              55135
 38   cs-137          mt=102                          updated 10/13/89        55137
 39   ba-136          mt=102                          updated 10/13/89        56136
 40   la-139          mt=102                          updated 10/13/89        57139
 41   ce-144            mt=  102                                              58144
 42   pr-141          mt=102,103,104,105,106,107      updated 10/13/89        59141
 43   pr-143          mt=102                          updated 10/13/89        59143
 44   nd-143          mt=102                          updated 10/13/89        60143
 45   nd-145          mt=102                          updated 10/13/89        60145
 46   nd-147          mt=102                          updated 10/13/89        60147
 47   pm-147          mt=102                          updated 10/13/89        61147
 48   pm-148            mt=  102                                              61148
 49   sm-147          endf/b-v fission product        updated 10/13/89        62147
 50   sm-149          mt=102,103,107                  updated 10/13/89        62149
 51   sm-150          mt=102                          updated 10/13/89        62150
 52   sm-151          mt=102,103,104,105,106,107      updated 10/13/89        62151
 53   sm-152          mt=102,103,104,105,106,107      updated 10/13/89        62152
 54   eu-153          mt=102,103,104,105,106,107      updated 10/13/89        63153
 55   eu-154          mt=102,103,104,105,106,107      updated 10/13/89        63154
 56   eu-155          mt=102,103,104,105,106,107      updated 10/13/89        63155
 57   gd-155          mt=102                          updated 10/13/89        64155
 58  u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                        92234
 59   uranium-235     endf/b-iv mat 1261              updated 10/13/89        92235
 60  u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                        92236
 61   uranium-238     endf/b-iv mat 1262              updated 10/13/89        92238
 62   neptunium-237   endf/b-iv mat 1263              updated 10/13/89        93237
 63  pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       94238
 64   plutonium-239   endf/b-iv mat 1264              updated 10/13/89        94239
 65   plutonium-240   endf/b-iv mat 1265              updated 10/13/89        94240
```

```
    66     plutonium-241  endf/b-iv mat 1266            updated 10/13/89              94241
    67     plutonium-242  endf/b-iv mat 1161            updated 10/13/89              94242
    68    am-241 1056 sig=5+4 newxlacs 218ngp p-3 293k                                 95241
    69    am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 95243
    70     curium-244     endf/b-iv mat 1162            updated 10/13/89              96244
0 hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89              202    temperature=  607.60
                            thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                              203    temperature=  607.60
                            thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 boron-11        endf/b-iv mat 1160             updated 10/13/89              204    temperature=  607.60
                            thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 oxygen-16       endf/b-iv mat 1276             updated 10/13/89              201    temperature=  607.60
0 zircalloy       endf/b-iv mat 1284             updated 10/13/89              205    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =    90.436              temperature(kelvin)      =   650.000
0potential scatter sigma  =     6.385              lumped nuclear density   = 4.2515602E-02
0spin factor (g)          =     1.079              lump dimension (a-bar)   = 6.7309999E-01
0inner radius             = 6.3246000E-01          dancoff correction (c)   = 1.6805907E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   8      -1.156752E-03      .000000E+00    -7.806033E-01
   9      -4.625978E-02      .000000E+00    -2.073270E+00
  10      -5.962230E-02      .000000E+00    -1.351984E+00
  11      -1.761672E-01      .000000E+00    -7.350731E-01
0excess resonance integrals
0                  resolved
0absorption       2.9240E-01
 fission           .0000E+00
-  elapsed time    .00 min.
-  elapsed time    .02 min.
1     this xsdrn working tape was created 02/16/96 at 09:55:32
      the title of the parent case is as follows
      xsdrn weighted tape--parent case entitled-- at 0 d, sas2h: babcock wilcox 15x15,
       3.00wt%, 20gwd/mtu burn high temp

        tape id                          8670        number of nuclides              70
        number of neutron groups           27        number of gamma groups           0
        first thermal group                15        logical unit                     4
                                  table of contents
       hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89          id    202
      b-10 1273 218ngp 042375 p-3 293k                                          id    203
       boron-11       endf/b-iv mat 1160             updated 10/13/89          id    204
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id    201
       zircalloy      endf/b-iv mat 1284             updated 10/13/89          id    205
      1/v cross sections normalized to 1.0 at 0.0253 ev                         id    999
       hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89          id   1001
      b-10 1273 218ngp 042375 p-3 293k                                          id   5010
       boron-11       endf/b-iv mat 1160             updated 10/13/89          id   5011
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id   8016
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id      6
       kr-83          mt=102,103,103,105,106,107     updated 10/13/89          id  36083
       kr-85             mt=  102                                               id  36085
       sr-90          mt=102                         updated 10/13/89          id  38090
        y-89          mt=102                         updated 10/13/89          id  39089
       zr-93             mt=  102                                               id  40093
       zr-94          mt=102                         updated 10/13/89          id  40094
       zr-95          mt=102                         updated 10/13/89          id  40095
       zircalloy      endf/b-iv mat 1284             updated 10/13/89          id  40302
```

```
        rb-94          mt=102                          updated 10/13/89              id    41094
        mo-95          mt=102                          updated 10/13/89              id    42095
        tc-99          mt=102                          updated 10/13/89              id    43099
        ru-101         mt=102                          updated 10/13/89              id    44101
        ru-106         mt=102                          updated 10/13/89              id    44106
        rh-103         mt=102                          updated 10/13/89              id    45103
        rh-105           mt=  102                                                    id    45105
        pd-105         mt=102                          updated 10/13/89              id    46105
        pd-108         mt=102                          updated 10/13/89              id    46108
        silver-109     endf/b-iv mat 1139              updated 10/13/89              id    47109
        sb-124         mt=102                          updated 10/13/89              id    51124
        xe-131         mt=102,103,104,105,106          updated 10/13/89              id    54131
        xe-132         mt=102,103,104,105,106          updated 10/13/89              id    54132
        xenon-135      endf/b-iv mat 1294              updated 10/13/89              id    54135
        xe-136           mt=  102, 103, 104, 105, 107                                id    54136
        cesium-133     endf/b-iv mat 1141              updated 10/13/89              id    55133
        cs-134         mt=102                          updated 10/13/89              id    55134
        cs-135           mt=  102                                                    id    55135
        cs-137         mt=102                          updated 10/13/89              id    55137
        ba-136         mt=102                          updated 10/13/89              id    56136
        la-139         mt=102                          updated 10/13/89              id    57139
        ce-144           mt=  102                                                    id    58144
        pr-141         mt=102,103,104,105,106,107      updated 10/13/89              id    59141
        pr-143         mt=102                          updated 10/13/89              id    59143
        nd-143         mt=102                          updated 10/13/89              id    60143
        nd-145         mt=102                          updated 10/13/89              id    60145
        nd-147         mt=102                          updated 10/13/89              id    60147
        pm-147         mt=102                          updated 10/13/89              id    61147
        pm-148           mt=  102                                                    id    61148
        sm-147         endf/b-v fission product        updated 10/13/89              id    62147
        sm-149         mt=102,103,107                  updated 10/13/89              id    62149
        sm-150         mt=102                          updated 10/13/89              id    62150
        sm-151         mt=102,103,104,105,106,107      updated 10/13/89              id    62151
        sm-152         mt=102,103,104,105,106,107      updated 10/13/89              id    62152
        eu-153         mt=102,103,104,105,106,107      updated 10/13/89              id    63153
        eu-154         mt=102,103,104,105,106,107      updated 10/13/89              id    63154
        eu-155         mt=102,103,104,105,106,107      updated 10/13/89              id    63155
        gd-155         mt=102                          updated 10/13/89              id    64155
      u-234 1043 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                            id    92234
       uranium-235     endf/b-iv mat 1261              updated 10/13/89              id    92235
      u-236 1163 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                            id    92236
       uranium-238     endf/b-iv mat 1262              updated 10/13/89              id    92238
       neptunium-237   endf/b-iv mat 1263              updated 10/13/89              id    93237
      pu-238 1050 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                           id    94238
       plutonium-239   endf/b-iv mat 1264              updated 10/13/89              id    94239
       plutonium-240   endf/b-iv mat 1265              updated 10/13/89              id    94240
       plutonium-241   endf/b-iv mat 1266              updated 10/13/89              id    94241
       plutonium-242   endf/b-iv mat 1161              updated 10/13/89              id    94242
      am-241 1056 sigo=5+4 newklacs 218ngp p-3 295k                                  id    95241
      am-243 1057 218 gp wt f-1/e-m 090576 p3 295k                                   id    95243
       curium-244      endf/b-iv mat 1162              updated 10/13/89              id    96244
0        tape copy used      0 i/o's, and took      .00 seconds
1 xx         xx   sssssssssss    ddddddddddd    rrrrrrrrrrr    rr         rr  ppppppppp     rrr          rrr
   xx         xx  sssssssssssss  ddddddddddddd  rrrrrrrrrrrr   rrr        rr  ppppppppppp    rrrr        rrrr
    xx       xx   ss          ss  dd          dd  rr          rr  rrrr      rr  pp        pp   rrrrrr      rrrrrr
     xx     xx    ss              dd          dd  rr          rr  rr rr     rr  pp        pp   rr  rrr    rrr rr
      xx   xx     ss              dd          dd  rr          rr  rr  rr    rr  pp        pp   rr   rrr   rrr  rr
       xx xx      ss              dd          dd  rr          rr  rr   rr   rr  pp        pp   rr    rrr  rrr   rr
        xxx       sssssssssss     dd          dd  rrrrrrrrrrrr   rr    rr  rr  ppppppppp     rr     rrrrrr    rr
        xxx        sssssssssss    dd          dd  rrrrrrrrrrr    rr     rr rr  ppppppppp     rr      rrrr     rr
       xx xx              ss     dd          dd  rr          rr  rr      rrrr  pp            rr       rr      rr
```



```
**********************************************************************
**********************************************************************
**********************************************************************
*****                                                            *****
*****                 program verification information            *****
*****                                                            *****
*****                 code system:    scale  version:    4.2     *****
*****                                                            *****
**********************************************************************
**********************************************************************
*****                                                            *****
*****                                                            *****
*****              program:  c0c001                              *****
*****                                                            *****
*****          creation date:  04/27/95                          *****
*****                                                            *****
*****              library:  /neutronics/scale/exe               *****
*****                                                            *****
*****                                                            *****
*****     this is not a   scale  configuration controlled code   *****
*****                                                            *****
*****              jobname:  davis                               *****
*****                                                            *****
*****     date of execution:  02/16/96                           *****
*****                                                            *****
*****     time of execution:  09:55:33                           *****
*****                                                            *****
*****                                                            *****
**********************************************************************
**********************************************************************
**********************************************************************
1
                    at 0 cl, second part of sas2h pass to make library
0       -1q array has      1 entries.
0        0q array has     11 entries.
0        1q array has     15 entries.
0        2q array has     10 entries.
0        3q array has     12 entries.
0        4q array has      9 entries.
0        5q array has     12 entries.
0direct access unit   9 requires    12 blocks of length  704 for cross section mixing.
1                    at 0 cl, second part of sas2h pass to make library
0general problem description data block
0                          general problem data

 ige  1/2/3 = plane/cylinder/sphere      2       isn  quadrature order                  8
 izm  number of zones                    4       isct order of scattering               3
 im   number of special intervals       28       ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1       iim  inner iteration maximum          20
 ibr  right boundary condition           3       iam  outer iteration maximum          25
 mxx  number of mixtures                 3       iclc -1/0/n--flat res/sry/opt          0
 ms   mixing table length               70       ith  0/1 = forward/adjoint         0
 igm  number of energy groups           27       iflu not used(always =gtd)             0
 nrg  number of neutron groups          27       iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0       idl  0/1/2/3=no/prt nd/pch n/both   14
 iftg number of first thermal group     15       ipbt -1/0/1=none/fine/all bal. prt     0
```

0 special options

ifg	0/1 = none/weighting calculation 1	ipn	0/1/2 diff. coef. param 0
iqm	volumetric sources (0/n=no/yes) 0	idfm	0/1 = none/density factors 38* 0
ipm	boundary sources (0/n=no/yes) 0	iaz	0/n = none/n activities by zone 0
ifn	0/1/2 = input 33*/34*/use last 14	iai	0/1=none/activities by interval 0
itmx	maximum time (minutes) 10	ifct	0/1=no/yes upscatter scaling 0
idt1	0/1/2/3=no/xsect/srce/flux--out 0	ipvt	0/1/2=no/k/alpha parametric srch 0
isx	broad group fluxes 0	isen	outer iteration acceleration 0
ibln	activity data unit 0	nbnd	band rebaln parameter 0
jbkl	0/1/2 buckling geometry 0		

0 weighting data (ifg=1)

icon	-1/0/1=cell/zone/region weight -1	ihtf	total xsect psn in brd gp tables 3
igmf	number of broad groups 3	ndsf	psn g-g or file number 4
itp	0/10/20/30/40 0/c/e/ac/a 0	nusf	table length or max order 6
ipp	-2/-1/0/n=wgted xsect print -2	mscm	extra 1-d x-sect positions 0
iap	-1/n anisn xsect print -1		

0 floating point parameters

eps	overall convergence	1.00000E-04	dy	cyl/pla ht for buckling	.00000E+00
ptc	point convergence	1.00000E-04	dz	plane depth for buckling	2.00000E+02
xnf	normalization factor	1.00000E+00	vsc	void streaming correction	.00000E+00
ev	eigenvalue guess	.00000E+00	pv	ipvt=1/2--k/alpha	1.00000E+00
evm	eigenvalue modifier	.00000E+00	eql	ev change eps for search	1.00000E-03
bf	buckling factor=1.420892	1.42089E+00	xnpm	new param mod for search	7.50000E-01

this case will require 2611 locations for mixing
this case has been allocated 200000 locations

1 at 0 cl, second part of sas2h pass to make library
0 13q array has 70 entries.
0 14q array has 70 entries.
0 15q array has 70 entries.
0 data block 2 (mixing table, etc.)

	nuclides on tape	cccc identification	mixing table mixture	component	atom density	extra xsect id's
1	202		3	201	2.09710E-02	
2	203		3	202	4.19420E-02	
3	204		3	203	3.81515E-06	
4	201		3	204	1.54884E-05	
5	205		2	205	4.25156E-02	
6	999		1	92235	2.28718E-04	
7	1001		1	92234	1.83759E-06	
8	5010		1	92236	1.04764E-06	
9	5011		1	92238	7.29896E-03	
10	8016		1	8016	1.50611E-02	
11	6		1	6	1.15315E-02	
12	36083		1	36083	3.30753E-21	
13	36085		1	36085	3.30753E-21	
14	38090		1	38090	3.30753E-21	
15	39089		1	39089	3.30753E-21	
16	40093		1	42095	3.30753E-21	
17	40094		1	40093	3.30753E-21	
18	40095		1	40094	3.30753E-21	
19	40302		1	40095	3.30753E-21	
20	41094		1	41094	3.30753E-21	
21	42095		1	43099	3.30753E-21	
22	43099		1	45103	3.30753E-21	
23	44101		1	45105	3.30753E-21	
24	44106		1	44101	3.30753E-21	
25	45103		1	44106	3.30753E-21	

26	45105	1	46105	3.30753E-21
27	46105	1	46108	3.30753E-21
28	46108	1	47109	3.30753E-21
29	47109	1	51124	3.30753E-21
30	51124	1	54131	3.30753E-21
31	54131	1	54132	3.30753E-21
32	54132	1	54135	3.30753E-21
33	54135	1	54136	3.30753E-21
34	54136	1	55134	3.30753E-21
35	55133	1	55135	3.30753E-21
36	55134	1	55137	3.30753E-21
37	55135	1	56136	3.30753E-21
38	55137	1	57139	3.30753E-21
39	56136	1	59141	3.30753E-21
40	57139	1	59143	3.30753E-21
41	58144	1	58144	3.30753E-21
42	59141	1	60143	3.30753E-21
43	59143	1	60145	3.30753E-21
44	60143	1	61147	3.30753E-21
45	60145	1	61148	3.30753E-21
46	60147	1	60147	3.30753E-21
47	61147	1	62147	3.30753E-21
48	61148	1	62149	3.30753E-21
49	62147	1	62150	3.30753E-21
50	62149	1	62151	3.30753E-21
51	62150	1	62152	3.30753E-21
52	62151	1	64155	3.30753E-21
53	62152	1	63153	3.30753E-21
54	63153	1	63154	3.30753E-21
55	63154	1	63155	3.30753E-21
56	63155	1	40302	4.42681E-03
57	64155	1	1001	2.30630E-02
58	92234	1	5010	2.09787E-06
59	92235	1	5011	8.51673E-06
60	92236	1	55133	3.30753E-21
61	92238	1	95237	3.30753E-21
62	95237	1	94238	3.30753E-21
63	94238	1	94239	3.30753E-21
64	94239	1	94240	3.30753E-21
65	94240	1	94241	3.30753E-21
66	94241	1	94242	3.30753E-21
67	94242	1	95241	3.30753E-21
68	95241	1	95243	3.30753E-21
69	95243	1	96244	3.30753E-21
70	96244	1	999	3.30753E-21

- elapsed time .00 min.
0 24259 locations will be used
0 35q array has 29 entries.
0 36q array has 28 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 at 0 d, second part of sas2h pass to make library

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	1	0	2	1.00000E+00	
3	3.00000E+06	1.20897E+00	2.12201E+09	1	0	3	1.00000E+00	

4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00
5	1.40000E+06	1.96611E+00	1.46535E+09	1	0	5	1.00000E+00
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00
8	1.00000E+05	4.60517E+00	2.72415E+08	2	0	8	1.00000E+00
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00
11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00
12	1.00000E+02	1.15129E+01	1.01036E+07	2	0	12	1.00000E+00
13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00
15	3.04999E+00	1.50030E+01	2.10601E+06	2	0	15	1.00000E+00
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00
17	1.29999E+00	1.58557E+01	1.52545E+06	2	0	17	1.00000E+00
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00
21	4.00000E-01	1.70344E+01	8.17974E+05	3	0	21	1.00000E+00
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00
23	2.25000E-01	1.76098E+01	4.86953E+05	3	0	23	1.00000E+00
24	9.99999E-02	1.84207E+01	3.57766E+05	3	0	24	1.00000E+00
25	5.00000E-02	1.91138E+01	2.71895E+05	3	0	25	1.00000E+00
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00
28	1.00000E-05	2.76310E+01					

1 at 0 d, second part of sas2h pass to make library

0

	mixture by zone	order p(l) by zone	activity table matl no.	reaction	quadrature constants weights	directions	refl direc	wt x cos
1	3	3			0	-2.79004E-01	3	0
2	2	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	3	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	1	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83032E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70655E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02
20					4.53365E-02	-1.91780E-01	21	-8.69444E-03
21					4.53365E-02	1.91780E-01	20	8.69444E-03
22					4.53365E-02	5.46143E-01	19	2.47597E-02
23					4.53365E-02	8.17361E-01	18	3.70655E-02
24					4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0argl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01

7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83052E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91089E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20862E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20862E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17256E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17256E-01
22	5.46143E-01	-4.49528E-01	-3.20862E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20862E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91089E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.97644E-02	1	0	4.90881E-03		0	
2	3.95287E-02	5.92931E-02	1	2.48366E-01	1.47264E-02		0	
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0	
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0	
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01			
6	3.16230E-01	3.55759E-01	1	1.98693E+00	1.76717E-01			
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01			
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.55258E-01			
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42355E-01			
10	5.92931E-01	6.12696E-01	1	3.72550E+00	1.52173E-01			
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02			
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46405E-02			
13	6.73100E-01	6.96583E-01	3	4.22921E+00	2.05562E-01			
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01			
15	7.67033E-01	7.90517E-01	3	4.81941E+00	2.33282E-01			
16	8.14000E-01	8.62795E-01	4	5.11451E+00	5.29051E-01			
17	9.11591E-01	9.60386E-01	4	5.72769E+00	5.88891E-01			
18	1.00918E+00	1.10577E+00	4	6.34088E+00	1.35731E+00			
19	1.20436E+00	1.30195E+00	4	7.56724E+00	1.59667E+00			
20	1.39955E+00	1.49714E+00	4	8.79360E+00	1.83603E+00			
21	1.59473E+00	1.69232E+00	4	1.00200E+01	2.07540E+00			
22	1.78991E+00	1.88750E+00	4	1.12463E+01	2.31476E+00			
23	1.98509E+00	2.08268E+00	4	1.24727E+01	2.55412E+00			
24	2.18027E+00	2.27786E+00	4	1.36991E+01	2.79349E+00			
25	2.37545E+00	2.47305E+00	4	1.49254E+01	3.03285E+00			
26	2.57064E+00	2.66823E+00	4	1.61518E+01	3.27221E+00			
27	2.76582E+00	2.81461E+00	4	1.73781E+01	1.72587E+00			
28	2.86341E+00	2.91220E+00	4	1.79913E+01	1.78571E+00			
29	2.96100E+00			1.86045E+01				

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	298	1.04391E-06	1.25444E+00	-2.24725E-01	1.00000E+00	4.94988E-02	.00000E+00	.0000
2	422	1.08560E-06	1.23658E+00	3.25266E-03	1.64749E-02	3.07640E-02	.00000E+00	.0167
3	541	4.33274E-06	1.22463E+00	1.56369E-03	1.30333E-02	1.22907E-02	.00000E+00	.0167
4	642	5.48531E-06	1.21957E+00	5.17811E-04	5.65449E-03	2.68604E-03	.00000E+00	.0167
5	721	-6.68063E-06	1.21831E+00	1.04339E-04	1.26694E-03	3.03774E-04	.00000E+00	.0167
6	773	-2.39359E-06	1.21809E+00	1.96049E-05	1.22027E-04	1.80469E-05	.00000E+00	.0333

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1 1	1	17	1.97858E-05	28	9.99998E-01	1

2	2	1	17	2.43694E-05	28	9.99998E-01	1
3	3	1	17	2.22065E-05	28	9.99998E-01	1
4	4	1	17	2.15955E-05	28	9.99998E-01	1
5	5	1	17	2.15005E-05	28	9.99998E-01	1
6	6	1	17	1.48570E-05	28	9.99999E-01	1
7	7	1	17	7.95796E-06	28	9.99997E-01	2
8	8	1	15	1.63517E-06	20	1.00000E+00	2
9	9	1	27	6.04249E-06	28	1.00001E+00	3
10	10	1	26	1.45127E-06	28	1.00000E+00	3
11	11	1	26	1.07523E-06	28	1.00000E+00	3
12	12	1	26	3.17028E-07	28	1.00000E+00	3
13	13	1	26	2.02823E-06	28	9.99998E-01	3
14	14	1	25	6.37018E-07	28	1.00000E+00	3
15	15	1	2	2.21687E-05	28	1.00002E+00	2
16	16	1	2	2.88768E-05	28	1.00002E+00	2
17	17	1	2	4.29906E-05	28	1.00008E+00	2
18	18	1	2	4.95055E-05	28	1.00012E+00	3
19	19	1	2	5.41915E-05	28	1.00013E+00	3
20	20	1	2	7.96373E-05	28	1.00011E+00	3
21	21	2	28	3.55246E-05	28	9.99984E-01	3
22	22	2	17	1.12423E-05	16	9.99999E-01	3
23	23	2	15	3.65537E-05	28	1.00001E+00	4
24	24	2	10	4.08816E-05	9	1.00000E+00	4
25	25	2	26	3.01312E-05	28	1.00008E+00	5
26	26	2	16	2.66475E-05	28	1.00000E+00	6
27	27	2	28	1.69354E-05	28	1.00000E+00	8

7 807 3.15920E-06 1.21799E+00 4.31073E-06 2.13203E-06 -6.07809E-06 .00000E+00 .0333

final monitor

lambda 1.21804E+00 production/absorption 1.23409E+00 angular flux on 16

- elapsed time .03 min.

1 at 0 d, second part of sas2h pass to make library

0 int.	zone	number	radius	int. midpoint	area	volume	prod density
1	1		.00000E+00	1.97644E-02	.00000E+00	4.90881E-03	.00000E+00
2	1		3.95287E-02	5.92931E-02	2.48366E-01	1.47264E-02	.00000E+00
3	1		7.90575E-02	1.18586E-01	4.96733E-01	5.89057E-02	.00000E+00
4	1		1.58115E-01	1.97644E-01	9.93466E-01	9.81762E-02	.00000E+00
5	1		2.37172E-01	2.76701E-01	1.49020E+00	1.37447E-01	.00000E+00
6	1		3.16230E-01	3.55759E-01	1.98693E+00	1.76717E-01	.00000E+00
7	1		3.95288E-01	4.34816E-01	2.48366E+00	2.15988E-01	.00000E+00
8	1		4.74345E-01	5.13874E-01	2.98040E+00	2.55258E-01	.00000E+00
9	1		5.53403E-01	5.73167E-01	3.47713E+00	1.42365E-01	.00000E+00
10	1		5.92931E-01	6.12696E-01	3.72550E+00	1.52173E-01	.00000E+00
11	2		6.32460E-01	6.42620E-01	3.97386E+00	8.20460E-02	.00000E+00
12	2		6.52780E-01	6.62940E-01	4.10154E+00	8.46405E-02	.00000E+00
13	3		6.73100E-01	6.96583E-01	4.22921E+00	2.05562E-01	.00000E+00
14	3		7.20067E-01	7.43550E-01	4.52431E+00	2.19422E-01	.00000E+00
15	3		7.67033E-01	7.90517E-01	4.81941E+00	2.33282E-01	.00000E+00
16	4		8.14000E-01	8.62795E-01	5.11451E+00	5.29051E-01	2.75743E-02
17	4		9.11591E-01	9.60388E-01	5.72769E+00	5.88891E-01	3.00622E-02
18	4		1.00918E+00	1.10577E+00	6.34088E+00	1.35731E+00	6.79756E-02
19	4		1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	7.84531E-02
20	4		1.39955E+00	1.49714E+00	8.79360E+00	1.83603E+00	8.90244E-02
21	4		1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	9.96516E-02
22	4		1.78991E+00	1.88750E+00	1.12463E+01	2.31478E+00	1.10339E-01
23	4		1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	1.21093E-01
24	4		2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.31928E-01
25	4		2.37545E+00	2.47305E+00	1.49254E+01	3.03285E+00	1.42861E-01
26	4		2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.53922E-01
27	4		2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	8.11563E-02
28	4		2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	8.40025E-02

29 2.96100E+00 1.86045E+01
1 at 0 d, second part of ses2h pass to make library
0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.18199E-02	8.76944E-02	1.10876E-01	6.84606E-02	1.02528E-01	1.92543E-01	1.92954E-01	1.46861E-01
2	1.18151E-02	8.76446E-02	1.10812E-01	6.84223E-02	1.02475E-01	1.92456E-01	1.92914E-01	1.46855E-01
3	1.18156E-02	8.76570E-02	1.10833E-01	6.84401E-02	1.02510E-01	1.92526E-01	1.92967E-01	1.46866E-01
4	1.18218E-02	8.77348E-02	1.10944E-01	6.85188E-02	1.02640E-01	1.92770E-01	1.93124E-01	1.46895E-01
5	1.18329E-02	8.78717E-02	1.11138E-01	6.86511E-02	1.02857E-01	1.93170E-01	1.93574E-01	1.46959E-01
6	1.18481E-02	8.80603E-02	1.11405E-01	6.88342E-02	1.02955E-01	1.93722E-01	1.93715E-01	1.46995E-01
7	1.18674E-02	8.83016E-02	1.11748E-01	6.90719E-02	1.03344E-01	1.94442E-01	1.94160E-01	1.47065E-01
8	1.18906E-02	8.86030E-02	1.12183E-01	6.93789E-02	1.03851E-01	1.95382E-01	1.94740E-01	1.47148E-01
9	1.19101E-02	8.88682E-02	1.12574E-01	6.96604E-02	1.04320E-01	1.96254E-01	1.95279E-01	1.47217E-01
10	1.19234E-02	8.90760E-02	1.12900E-01	6.99082E-02	1.04742E-01	1.97042E-01	1.95768E-01	1.47266E-01
11	1.19346E-02	8.92482E-02	1.13173E-01	7.01161E-02	1.05096E-01	1.97720E-01	1.96188E-01	1.47310E-01
12	1.19467E-02	8.93763E-02	1.13345E-01	7.02243E-02	1.05266E-01	1.98059E-01	1.96392E-01	1.47354E-01
13	1.19722E-02	8.96096E-02	1.13612E-01	7.03620E-02	1.05457E-01	1.98402E-01	1.96587E-01	1.47422E-01
14	1.20096E-02	8.99812E-02	1.14061E-01	7.06172E-02	1.05834E-01	1.99066E-01	1.96970E-01	1.47514E-01
15	1.20536E-02	9.04591E-02	1.14679E-01	7.10033E-02	1.06434E-01	2.00145E-01	1.97603E-01	1.47614E-01
16	1.21220E-02	9.12252E-02	1.15686E-01	7.16477E-02	1.07452E-01	2.01996E-01	1.98703E-01	1.47784E-01
17	1.21897E-02	9.19899E-02	1.16695E-01	7.22967E-02	1.08489E-01	2.03903E-01	1.99855E-01	1.47980E-01
18	1.22440E-02	9.26139E-02	1.17526E-01	7.28356E-02	1.09363E-01	2.05554E-01	2.00883E-01	1.48185E-01
19	1.22918E-02	9.31712E-02	1.18277E-01	7.33253E-02	1.10165E-01	2.07098E-01	2.01861E-01	1.48398E-01
20	1.23201E-02	9.35094E-02	1.18740E-01	7.36294E-02	1.10669E-01	2.08075E-01	2.02509E-01	1.48554E-01
21	1.23381E-02	9.37289E-02	1.19044E-01	7.38308E-02	1.11006E-01	2.08778E-01	2.02962E-01	1.48671E-01
22	1.23498E-02	9.38737E-02	1.19248E-01	7.39663E-02	1.11235E-01	2.09253E-01	2.03282E-01	1.48759E-01
23	1.23573E-02	9.39679E-02	1.19382E-01	7.40560E-02	1.11388E-01	2.09577E-01	2.03504E-01	1.48822E-01
24	1.23617E-02	9.40249E-02	1.19465E-01	7.41112E-02	1.11483E-01	2.09784E-01	2.03648E-01	1.48864E-01
25	1.23637E-02	9.40517E-02	1.19505E-01	7.41381E-02	1.11531E-01	2.09891E-01	2.03724E-01	1.48886E-01
26	1.23634E-02	9.40497E-02	1.19504E-01	7.41376E-02	1.11531E-01	2.09899E-01	2.03731E-01	1.48887E-01
27	1.23618E-02	9.40300E-02	1.19478E-01	7.41200E-02	1.11502E-01	2.09844E-01	2.03693E-01	1.48874E-01
28	1.23594E-02	9.40005E-02	1.19438E-01	7.40930E-02	1.11457E-01	2.09752E-01	2.03629E-01	1.48853E-01

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.15771E-01	1.06876E-01	1.00523E-01	6.51792E-02	5.58608E-02	5.37705E-02	2.95248E-02	1.63404E-02
2	1.15771E-01	1.06878E-01	1.00528E-01	6.51842E-02	5.58656E-02	5.37771E-02	2.95269E-02	1.63413E-02
3	1.15769E-01	1.06869E-01	1.00507E-01	6.51608E-02	5.58440E-02	5.37465E-02	2.95208E-02	1.63384E-02
4	1.15764E-01	1.06846E-01	1.00456E-01	6.51029E-02	5.57920E-02	5.36729E-02	2.95057E-02	1.63312E-02
5	1.15757E-01	1.06812E-01	1.00379E-01	6.50153E-02	5.57132E-02	5.35609E-02	2.94833E-02	1.63205E-02
6	1.15746E-01	1.06765E-01	1.00274E-01	6.48964E-02	5.56067E-02	5.34092E-02	2.94536E-02	1.63064E-02
7	1.15733E-01	1.06703E-01	1.00136E-01	6.47405E-02	5.54678E-02	5.32107E-02	2.94162E-02	1.62884E-02
8	1.15718E-01	1.06621E-01	9.99534E-02	6.45351E-02	5.52860E-02	5.29501E-02	2.93690E-02	1.62656E-02
9	1.15706E-01	1.06543E-01	9.97816E-02	6.43434E-02	5.51173E-02	5.27073E-02	2.93266E-02	1.62448E-02
10	1.15705E-01	1.06470E-01	9.96228E-02	6.41690E-02	5.49648E-02	5.24869E-02	2.92895E-02	1.62264E-02
11	1.15710E-01	1.06413E-01	9.94972E-02	6.40321E-02	5.48436E-02	5.23127E-02	2.92570E-02	1.62106E-02
12	1.15704E-01	1.06392E-01	9.94501E-02	6.39785E-02	5.47985E-02	5.22427E-02	2.92392E-02	1.62027E-02
13	1.15695E-01	1.06363E-01	9.93858E-02	6.38985E-02	5.47224E-02	5.21391E-02	2.92042E-02	1.61953E-02
14	1.15587E-01	1.06297E-01	9.92394E-02	6.37191E-02	5.45725E-02	5.19179E-02	2.89994E-02	1.61819E-02
15	1.15508E-01	1.06187E-01	9.89998E-02	6.34399E-02	5.43382E-02	5.15708E-02	2.89618E-02	1.61609E-02
16	1.15399E-01	1.06007E-01	9.86031E-02	6.29802E-02	5.39517E-02	5.09961E-02	2.88931E-02	1.61242E-02
17	1.15301E-01	1.05828E-01	9.82065E-02	6.25207E-02	5.35600E-02	5.04191E-02	2.88113E-02	1.60830E-02
18	1.15230E-01	1.05676E-01	9.78673E-02	6.21280E-02	5.32160E-02	4.99233E-02	2.87235E-02	1.60407E-02
19	1.15175E-01	1.05537E-01	9.75508E-02	6.17619E-02	5.28896E-02	4.94592E-02	2.86307E-02	1.59967E-02
20	1.15148E-01	1.05448E-01	9.73461E-02	6.15255E-02	5.26738E-02	4.91575E-02	2.85612E-02	1.59643E-02
21	1.15135E-01	1.05387E-01	9.72088E-02	6.13610E-02	5.25212E-02	4.89467E-02	2.85080E-02	1.59395E-02
22	1.15128E-01	1.05345E-01	9.71024E-02	6.12439E-02	5.24111E-02	4.87959E-02	2.84675E-02	1.59207E-02
23	1.15124E-01	1.05315E-01	9.70304E-02	6.11606E-02	5.23323E-02	4.86865E-02	2.84377E-02	1.59068E-02
24	1.15121E-01	1.05295E-01	9.69814E-02	6.11040E-02	5.22786E-02	4.86154E-02	2.84172E-02	1.58973E-02
25	1.15119E-01	1.05282E-01	9.69521E-02	6.10702E-02	5.22470E-02	4.85722E-02	2.84057E-02	1.58920E-02
26	1.15116E-01	1.05278E-01	9.69427E-02	6.10595E-02	5.22380E-02	4.85594E-02	2.84039E-02	1.58912E-02
27	1.15114E-01	1.05280E-01	9.69485E-02	6.10663E-02	5.22458E-02	4.85694E-02	2.84089E-02	1.58936E-02

28	1.15113E-01	1.05286E-01	9.69644E-02	6.10848E-02	5.22649E-02	4.85946E-02	2.84181E-02	1.58979E-02
0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.32821E-03	6.33269E-03	1.16362E-02	3.84160E-02	1.29140E-02	2.85902E-02	9.63479E-02	7.90104E-02
2	7.32868E-03	6.33313E-03	1.16369E-02	3.84179E-02	1.29147E-02	2.85912E-02	9.63424E-02	7.89938E-02
3	7.32681E-03	6.33116E-03	1.16338E-02	3.84070E-02	1.29078E-02	2.85688E-02	9.62227E-02	7.88495E-02
4	7.32230E-03	6.32641E-03	1.16266E-02	3.83811E-02	1.28921E-02	2.85181E-02	9.59597E-02	7.85386E-02
5	7.31549E-03	6.31923E-03	1.16157E-02	3.83422E-02	1.28684E-02	2.84423E-02	9.55695E-02	7.80782E-02
6	7.30633E-03	6.30951E-03	1.16011E-02	3.82899E-02	1.28364E-02	2.83405E-02	9.50495E-02	7.74641E-02
7	7.29447E-03	6.29685E-03	1.15821E-02	3.82222E-02	1.27947E-02	2.82092E-02	9.43869E-02	7.66820E-02
8	7.27904E-03	6.28027E-03	1.15574E-02	3.81342E-02	1.27402E-02	2.80401E-02	9.35498E-02	7.56970E-02
9	7.26478E-03	6.26483E-03	1.15347E-02	3.80530E-02	1.26894E-02	2.78852E-02	9.27971E-02	7.48153E-02
10	7.25186E-03	6.25078E-03	1.15142E-02	3.79797E-02	1.26430E-02	2.77471E-02	9.21427E-02	7.40540E-02
11	7.24139E-03	6.23951E-03	1.14978E-02	3.79215E-02	1.26072E-02	2.76429E-02	9.16676E-02	7.35257E-02
12	7.23687E-03	6.23496E-03	1.14906E-02	3.78980E-02	1.25948E-02	2.76071E-02	9.15230E-02	7.33901E-02
13	7.23119E-03	6.22879E-03	1.14815E-02	3.78654E-02	1.25759E-02	2.75458E-02	9.12413E-02	7.30552E-02
14	7.21944E-03	6.21553E-03	1.14626E-02	3.77962E-02	1.25323E-02	2.74096E-02	9.06127E-02	7.22862E-02
15	7.20087E-03	6.19439E-03	1.14331E-02	3.76881E-02	1.24625E-02	2.72012E-02	8.96953E-02	7.11792E-02
16	7.17006E-03	6.15962E-03	1.13843E-02	3.75118E-02	1.23501E-02	2.68713E-02	8.82917E-02	6.95356E-02
17	7.13836E-03	6.12455E-03	1.13340E-02	3.73322E-02	1.22389E-02	2.65415E-02	8.68739E-02	6.79058E-02
18	7.10954E-03	6.09364E-03	1.12879E-02	3.71691E-02	1.21417E-02	2.62450E-02	8.55179E-02	6.63638E-02
19	7.08140E-03	6.06415E-03	1.12430E-02	3.70104E-02	1.20491E-02	2.59570E-02	8.41519E-02	6.48211E-02
20	7.06211E-03	6.04431E-03	1.12119E-02	3.69012E-02	1.19871E-02	2.57596E-02	8.31760E-02	6.37302E-02
21	7.04802E-03	6.03009E-03	1.11892E-02	3.68215E-02	1.19427E-02	2.56154E-02	8.24431E-02	6.29187E-02
22	7.03762E-03	6.01972E-03	1.11724E-02	3.67627E-02	1.19101E-02	2.55082E-02	8.18871E-02	6.23087E-02
23	7.03008E-03	6.01225E-03	1.11602E-02	3.67197E-02	1.18864E-02	2.54290E-02	8.14695E-02	6.18533E-02
24	7.02494E-03	6.00714E-03	1.11518E-02	3.66901E-02	1.18699E-02	2.53729E-02	8.11678E-02	6.15239E-02
25	7.02200E-03	6.00417E-03	1.11469E-02	3.66725E-02	1.18596E-02	2.53371E-02	8.09688E-02	6.13030E-02
26	7.02137E-03	6.00338E-03	1.11457E-02	3.66681E-02	1.18559E-02	2.53220E-02	8.08720E-02	6.11854E-02
27	7.02239E-03	6.00468E-03	1.11480E-02	3.66724E-02	1.18572E-02	2.53238E-02	8.08630E-02	6.11594E-02
28	7.02445E-03	6.00653E-03	1.11511E-02	3.66826E-02	1.18619E-02	2.53371E-02	8.09154E-02	6.11972E-02

0 int.	grp. 25	grp. 26	grp. 27
1	3.56378E-02	2.56275E-02	4.85640E-03
2	3.56251E-02	2.56130E-02	4.85290E-03
3	3.55450E-02	2.55415E-02	4.83822E-03
4	3.53744E-02	2.53902E-02	4.80707E-03
5	3.51216E-02	2.51643E-02	4.75985E-03
6	3.47836E-02	2.48597E-02	4.69498E-03
7	3.43531E-02	2.44682E-02	4.60974E-03
8	3.38127E-02	2.39724E-02	4.49912E-03
9	3.33318E-02	2.35288E-02	4.39859E-03
10	3.29220E-02	2.31477E-02	4.31152E-03
11	3.26478E-02	2.29017E-02	4.25873E-03
12	3.25894E-02	2.28650E-02	4.25538E-03
13	3.23935E-02	2.26812E-02	4.20561E-03
14	3.19450E-02	2.22411E-02	4.08455E-03
15	3.13140E-02	2.16123E-02	3.90221E-03
16	3.03968E-02	2.07082E-02	3.63369E-03
17	2.95052E-02	1.98611E-02	3.40450E-03
18	2.86691E-02	1.91154E-02	3.23675E-03
19	2.78430E-02	1.84023E-02	3.08811E-03
20	2.72680E-02	1.79299E-02	3.00019E-03
21	2.68464E-02	1.75972E-02	2.94218E-03
22	2.65338E-02	1.73591E-02	2.90272E-03
23	2.63031E-02	1.71880E-02	2.87507E-03
24	2.61373E-02	1.70675E-02	2.85604E-03
25	2.60257E-02	1.69870E-02	2.84349E-03
26	2.59633E-02	1.69408E-02	2.83629E-03
27	2.59454E-02	1.69244E-02	2.83357E-03
28	2.59575E-02	1.69278E-02	2.83344E-03

- elapsed time .03 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	4.60870E-04	6.09337E-04	5.07372E-05	-6.60049E-04	9.99962E-01
2	.00000E+00	.00000E+00	3.49626E-04	5.95317E-03	7.82435E-03	1.70120E-04	-7.64465E-03	9.99976E-01
3	.00000E+00	.00000E+00	3.71088E-03	5.38673E-03	1.40126E-02	9.14396E-05	-1.03930E-02	9.99985E-01
4	.00000E+00	.00000E+00	5.48493E-03	3.57253E-03	1.22749E-02	4.16912E-05	-6.83155E-03	9.99994E-01
5	.00000E+00	.00000E+00	1.01291E-02	1.14843E-02	2.08050E-02	4.94905E-05	-1.07265E-02	1.00000E+00
6	.00000E+00	.00000E+00	2.13346E-02	3.44620E-02	4.09583E-02	8.42046E-05	-1.97082E-02	1.00001E+00
7	.00000E+00	.00000E+00	4.21123E-02	6.09391E-02	5.41094E-02	6.11903E-05	-1.20581E-02	9.99995E-01
8	.00000E+00	.00000E+00	5.63040E-02	7.82869E-02	5.87010E-02	3.63752E-05	-2.42834E-03	9.99914E-01
9	.00000E+00	.00000E+00	5.77401E-02	7.25211E-02	5.74300E-02	2.92392E-05	2.87403E-04	9.99887E-01
10	.00000E+00	.00000E+00	5.70144E-02	6.90088E-02	5.54588E-02	3.59781E-05	1.52560E-03	9.99895E-01
11	.00000E+00	.00000E+00	5.57524E-02	6.53608E-02	5.21816E-02	5.49608E-05	3.51934E-03	9.99938E-01
12	.00000E+00	.00000E+00	4.52588E-02	3.49724E-02	4.11494E-02	6.02369E-05	4.05021E-03	9.99978E-01
13	.00000E+00	.00000E+00	4.04233E-02	2.85746E-02	3.66450E-02	8.46469E-05	3.69489E-03	9.99969E-01
14	.00000E+00	.00000E+00	3.94219E-02	2.84977E-02	3.40426E-02	1.37530E-04	5.24222E-03	9.99988E-01
15	.00000E+00	.00000E+00	2.18148E-02	1.09688E-02	2.05489E-02	1.13809E-04	1.15256E-03	9.99978E-01
16	.00000E+00	.00000E+00	1.43447E-02	4.65599E-03	1.37170E-02	7.76467E-05	5.50388E-04	9.99978E-01
17	.00000E+00	.00000E+00	7.40583E-03	1.35166E-03	7.08266E-03	3.86930E-05	3.34613E-04	9.99983E-01
18	.00000E+00	.00000E+00	6.59488E-03	1.13732E-03	6.21456E-03	3.55873E-05	3.44854E-04	9.99982E-01
19	.00000E+00	.00000E+00	1.11652E-02	3.18389E-03	1.05671E-02	7.13098E-05	5.27021E-04	9.99978E-01
20	.00000E+00	.00000E+00	2.76967E-02	2.26336E-02	2.55903E-02	2.95190E-04	1.81139E-03	9.99994E-01
21	.00000E+00	.00000E+00	1.38756E-02	4.89838E-03	1.27430E-02	1.22844E-04	1.00926E-03	1.00004E+00
22	.00000E+00	.00000E+00	2.85411E-02	1.62509E-02	2.52899E-02	3.12136E-04	2.98663E-03	1.00009E+00
23	.00000E+00	.00000E+00	7.80827E-02	9.79401E-02	6.43146E-02	1.42175E-03	1.23333E-02	1.00017E+00
24	.00000E+00	.00000E+00	8.54159E-02	9.23651E-02	7.12974E-02	1.68040E-03	1.24262E-02	1.00014E+00
25	.00000E+00	.00000E+00	5.71760E-02	3.90471E-02	5.02342E-02	9.92412E-04	5.94429E-03	1.00009E+00
26	.00000E+00	.00000E+00	4.56459E-02	4.34833E-02	4.01626E-02	1.00562E-03	4.47523E-03	1.00005E+00
27	.00000E+00	.00000E+00	1.54627E-02	9.41508E-03	1.43429E-02	3.58375E-04	7.61410E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.48258E-01	8.46811E-01	8.48258E-01	7.51361E-03	-7.52357E-03	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.19298E-02	-6.60049E-04	1.18258E-02	.00000E+00	3.36981E-11	.00000E+00	1.88622E-05	1.49171E-02
2	8.91860E-02	-7.64465E-03	8.77366E-02	.00000E+00	.00000E+00	.00000E+00	8.62881E-05	1.11052E-01
3	1.13078E-01	-1.03930E-02	1.10952E-01	.00000E+00	.00000E+00	.00000E+00	9.10163E-05	1.40537E-01
4	7.00480E-02	-6.83155E-03	6.84948E-02	.00000E+00	.00000E+00	.00000E+00	4.14395E-05	8.68850E-02
5	1.04982E-01	-1.07265E-02	1.02378E-01	.00000E+00	.00000E+00	.00000E+00	4.91986E-05	1.30015E-01
6	1.97494E-01	-1.97082E-02	1.92627E-01	.00000E+00	.00000E+00	.00000E+00	8.33359E-05	2.44622E-01
7	1.96049E-01	-1.20581E-02	1.92997E-01	.00000E+00	.00000E+00	.00000E+00	5.92475E-05	2.44161E-01
8	1.47290E-01	-2.42834E-03	1.46868E-01	.00000E+00	.00000E+00	.00000E+00	3.26982E-05	1.84821E-01
9	1.15707E-01	2.87403E-04	1.15770E-01	.00000E+00	.00000E+00	.00000E+00	2.16466E-05	1.45436E-01
10	1.06428E-01	1.52560E-03	1.06873E-01	.00000E+00	.00000E+00	.00000E+00	1.91161E-05	1.34063E-01
11	9.95311E-02	3.51934E-03	1.00516E-01	.00000E+00	.00000E+00	.00000E+00	1.78442E-05	1.25780E-01
12	6.40691E-02	4.05021E-03	6.51703E-02	.00000E+00	.00000E+00	.00000E+00	1.04751E-05	8.12948E-02
13	5.48775E-02	3.69489E-03	5.58525E-02	.00000E+00	.00000E+00	.00000E+00	8.74647E-06	6.96511E-02
14	5.23606E-02	5.24222E-03	5.37589E-02	.00000E+00	.00000E+00	.00000E+00	8.55773E-06	6.67904E-02
15	2.90675E-02	1.15256E-03	2.95207E-02	.00000E+00	.00000E+00	.00000E+00	4.51887E-06	3.67035E-02
16	1.62154E-02	5.50388E-04	1.63385E-02	.00000E+00	.00000E+00	.00000E+00	2.27851E-06	2.04632E-02
17	7.24423E-03	3.34613E-04	7.32720E-03	.00000E+00	.00000E+00	.00000E+00	9.37779E-07	9.16227E-03
18	6.24242E-03	3.44854E-04	6.33167E-03	.00000E+00	.00000E+00	.00000E+00	7.89624E-07	7.90811E-03
19	1.15018E-02	5.27021E-04	1.16344E-02	.00000E+00	.00000E+00	.00000E+00	1.52219E-06	1.45478E-02
20	3.79539E-02	1.81139E-03	3.84083E-02	.00000E+00	.00000E+00	.00000E+00	5.62688E-06	4.80074E-02
21	1.26162E-02	1.00926E-03	1.29119E-02	.00000E+00	.00000E+00	.00000E+00	1.47280E-06	1.60626E-02
22	2.76680E-02	2.93663E-03	2.85845E-02	.00000E+00	.00000E+00	.00000E+00	3.23650E-06	3.54039E-02
23	9.17714E-02	1.23333E-02	9.63274E-02	.00000E+00	.00000E+00	.00000E+00	9.76650E-06	1.18411E-01
24	7.36258E-02	1.24262E-02	7.89950E-02	.00000E+00	.00000E+00	.00000E+00	5.89247E-06	9.61312E-02
25	3.26920E-02	5.94429E-03	3.56328E-02	.00000E+00	.00000E+00	.00000E+00	2.08839E-06	4.30461E-02
26	2.29529E-02	4.47523E-03	2.56260E-02	.00000E+00	.00000E+00	.00000E+00	1.07109E-06	3.06280E-02
27	4.26245E-03	7.61410E-04	4.85670E-03	.00000E+00	.00000E+00	.00000E+00	1.25901E-07	5.76249E-03
28	1.79680E+00	-7.52357E-03	1.80409E+00	.00000E+00	3.36981E-11	.00000E+00	5.87150E-04	2.26224E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.03564E-04	1.52597E-04	2.28919E-06	-1.49446E-04	1.00002E+00
2	.00000E+00	.00000E+00	2.66507E-05	1.41076E-03	1.01229E-03	1.35879E-05	-9.99266E-04	1.00000E+00
3	.00000E+00	.00000E+00	1.43570E-04	2.73107E-03	8.63535E-04	1.99849E-05	-7.39940E-04	9.99999E-01
4	.00000E+00	.00000E+00	2.79114E-04	2.28785E-03	2.96227E-04	1.30011E-05	-3.01311E-05	1.00000E+00
5	.00000E+00	.00000E+00	6.01541E-04	4.40145E-03	2.78358E-04	1.68062E-05	3.05284E-04	1.00001E+00
6	.00000E+00	.00000E+00	1.00347E-03	1.23936E-02	1.69332E-04	2.70429E-05	8.06959E-04	1.00001E+00
7	.00000E+00	.00000E+00	6.62953E-04	1.25895E-02	6.32815E-05	2.68049E-05	5.72767E-04	1.00001E+00
8	.00000E+00	.00000E+00	1.16440E-04	9.20079E-03	4.43053E-04	2.20949E-05	-3.48723E-04	1.00001E+00
9	.00000E+00	.00000E+00	4.44842E-04	6.35120E-03	5.29442E-05	7.66081E-05	3.15298E-04	9.99989E-01
10	.00000E+00	.00000E+00	5.30082E-05	4.97591E-03	4.93697E-05	5.91964E-05	-5.55519E-05	9.99996E-01
11	.00000E+00	.00000E+00	4.95730E-05	4.43879E-03	5.01296E-05	8.96966E-05	-9.04498E-05	9.99999E-01
12	.00000E+00	.00000E+00	5.01259E-05	2.75207E-03	5.12013E-05	5.65411E-06	-6.73995E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.12014E-05	2.35809E-03	4.81035E-05	6.31845E-06	-3.21912E-06	1.00000E+00
14	.00000E+00	.00000E+00	4.81035E-05	2.25443E-03	4.24849E-05	8.60956E-06	-2.99001E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.51235E-05	1.22676E-03	5.02074E-05	6.35311E-06	-1.14636E-05	1.00002E+00
16	.00000E+00	.00000E+00	5.64988E-05	6.55314E-04	5.67709E-05	3.88394E-06	-4.17526E-06	1.00003E+00
17	.00000E+00	.00000E+00	6.36239E-05	2.55243E-04	6.28287E-05	1.89734E-06	-1.11171E-06	1.00002E+00
18	.00000E+00	.00000E+00	6.65004E-05	2.07160E-04	6.68911E-05	1.72471E-06	-2.12574E-06	1.00002E+00
19	.00000E+00	.00000E+00	6.74980E-05	4.40094E-04	6.49319E-05	3.41502E-06	-8.73522E-07	1.00003E+00
20	.00000E+00	.00000E+00	8.12622E-05	1.59775E-03	6.79260E-05	1.37364E-05	-5.14090E-07	1.00006E+00
21	.00000E+00	.00000E+00	9.59079E-05	4.46910E-04	1.06751E-04	5.53980E-06	-1.63880E-05	1.00001E+00
22	.00000E+00	.00000E+00	1.44652E-04	1.07068E-03	1.43095E-04	1.38245E-05	-1.22735E-05	1.00000E+00
23	.00000E+00	.00000E+00	2.16892E-04	3.74901E-03	2.75240E-04	6.12330E-05	-1.19589E-04	1.00000E+00
24	.00000E+00	.00000E+00	3.53050E-04	2.83832E-03	3.89516E-04	6.96707E-05	-1.06273E-04	1.00001E+00
25	.00000E+00	.00000E+00	3.59770E-04	1.13977E-03	2.95361E-04	4.03348E-05	2.60305E-05	1.00001E+00
26	.00000E+00	.00000E+00	1.52652E-04	8.88045E-04	1.17357E-04	3.98662E-05	-4.57095E-06	1.00000E+00
27	.00000E+00	.00000E+00	3.40292E-05	1.86949E-04	9.63229E-08	1.38700E-05	2.00606E-05	1.00000E+00
28	.00000E+00	.00000E+00	5.26785E-03	8.30512E-02	5.26785E-03	6.63045E-04	-6.58410E-04	1.00006E+00
0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	nŵn rate	fiss rate	flux*db**2	total flux
1	1.19541E-02	-8.09496E-04	1.19258E-02	-6.60049E-04	5.45214E-06	.00000E+00	1.50719E-06	1.99036E-03
2	8.94422E-02	-8.64391E-03	8.91860E-02	-7.64465E-03	.00000E+00	.00000E+00	1.07852E-05	1.48873E-02
3	1.13422E-01	-1.11329E-02	1.13078E-01	-1.03930E-02	.00000E+00	.00000E+00	1.25152E-05	1.88789E-02
4	7.02645E-02	-6.86168E-03	7.00480E-02	-6.83155E-03	.00000E+00	.00000E+00	7.38470E-06	1.16966E-02
5	1.05323E-01	-1.04202E-02	1.04982E-01	-1.07265E-02	.00000E+00	.00000E+00	8.60640E-06	1.75325E-02
6	1.98171E-01	-1.89013E-02	1.97494E-01	-1.97082E-02	.00000E+00	.00000E+00	1.01663E-05	3.29860E-02
7	1.96458E-01	-1.14853E-02	1.96049E-01	-1.20581E-02	.00000E+00	.00000E+00	8.35036E-06	3.27192E-02
8	1.47377E-01	-2.77706E-03	1.47290E-01	-2.42834E-03	.00000E+00	.00000E+00	5.27056E-06	2.45585E-02
9	1.15696E-01	6.02701E-04	1.15707E-01	2.87403E-04	.00000E+00	.00000E+00	4.57772E-06	1.92868E-02
10	1.06389E-01	1.47005E-03	1.06428E-01	1.52560E-03	.00000E+00	.00000E+00	4.89844E-06	1.77358E-02
11	9.94369E-02	3.42889E-03	9.95311E-02	3.51934E-03	.00000E+00	.00000E+00	4.74734E-06	1.65809E-02
12	6.39618E-02	4.04347E-03	6.40691E-02	4.05021E-03	.00000E+00	.00000E+00	3.20386E-06	1.06688E-02
13	5.47775E-02	3.69167E-03	5.48775E-02	3.69489E-03	.00000E+00	.00000E+00	2.73818E-06	9.13745E-03
14	5.22205E-02	5.23923E-03	5.23606E-02	5.24222E-03	.00000E+00	.00000E+00	2.60480E-06	8.71390E-03
15	2.90319E-02	1.14109E-03	2.90675E-02	1.15256E-03	.00000E+00	.00000E+00	1.42658E-06	4.84190E-03
16	1.61995E-02	5.46215E-04	1.62154E-02	5.50888E-04	.00000E+00	.00000E+00	7.95959E-07	2.70142E-03
17	7.23519E-03	3.33501E-04	7.24423E-03	3.34613E-04	.00000E+00	.00000E+00	3.55364E-07	1.20666E-03
18	6.23331E-03	3.42730E-04	6.24242E-03	3.44854E-04	.00000E+00	.00000E+00	3.06086E-07	1.03966E-03
19	1.14877E-02	5.26147E-04	1.15018E-02	5.27021E-04	.00000E+00	.00000E+00	5.63813E-07	1.91590E-03
20	3.78869E-02	1.81087E-03	3.79339E-02	1.81139E-03	.00000E+00	.00000E+00	1.85696E-06	6.31902E-03
21	1.25913E-02	9.92869E-04	1.26162E-02	1.00926E-03	.00000E+00	.00000E+00	6.16223E-07	2.10041E-03
22	2.75965E-02	2.92435E-03	2.76680E-02	2.93663E-03	.00000E+00	.00000E+00	1.34918E-06	4.60467E-03
23	9.14823E-02	1.22137E-02	9.17714E-02	1.23333E-02	.00000E+00	.00000E+00	4.45761E-06	1.52675E-02
24	7.33567E-02	1.23199E-02	7.36238E-02	1.24262E-02	.00000E+00	.00000E+00	3.55316E-06	1.22441E-02
25	3.25755E-02	5.97052E-03	3.26920E-02	5.94429E-03	.00000E+00	.00000E+00	1.56841E-06	5.43699E-03
26	2.28895E-02	4.47065E-03	2.29529E-02	4.47523E-03	.00000E+00	.00000E+00	1.08873E-06	3.81430E-03
27	4.25575E-03	7.81470E-04	4.26245E-03	7.61410E-04	.00000E+00	.00000E+00	1.96335E-07	7.09589E-04
28	1.79768E+00	-8.18191E-03	1.79680E+00	-7.52557E-03	5.45214E-06	.00000E+00	1.05491E-04	2.99575E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance

1	.00000E+00	.00000E+00	.00000E+00	2.44059E-04	3.23052E-04	2.68976E-05	-3.49917E-04	9.99989E-01
2	.00000E+00	.00000E+00	1.85349E-04	3.17768E-03	4.17648E-03	9.08064E-05	-4.08184E-03	9.99995E-01
3	.00000E+00	.00000E+00	1.98045E-03	2.87933E-03	7.49144E-03	4.88857E-05	-5.55979E-03	9.99994E-01
4	.00000E+00	.00000E+00	2.95133E-03	1.91291E-03	6.57256E-03	2.23236E-05	-3.66353E-03	9.99998E-01
5	.00000E+00	.00000E+00	5.41861E-03	6.15920E-03	1.11586E-02	2.65426E-05	-5.76656E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.14259E-02	1.84767E-02	2.19597E-02	4.51461E-05	-1.05752E-02	1.00001E+00
7	.00000E+00	.00000E+00	2.25729E-02	3.23781E-02	2.87493E-02	3.25115E-05	-6.20877E-03	9.99996E-01
8	.00000E+00	.00000E+00	2.99674E-02	4.11331E-02	3.08424E-02	1.91121E-05	-8.91483E-04	9.99920E-01
9	.00000E+00	.00000E+00	3.04006E-02	3.79886E-02	3.00439E-02	1.52962E-05	3.44866E-04	9.99890E-01
10	.00000E+00	.00000E+00	2.98601E-02	3.60117E-02	2.89408E-02	1.87749E-05	9.03647E-04	9.99900E-01
11	.00000E+00	.00000E+00	2.91134E-02	3.39528E-02	2.70906E-02	2.85335E-05	1.99609E-03	9.99945E-01
12	.00000E+00	.00000E+00	2.35226E-02	1.80317E-02	2.12165E-02	3.10580E-05	2.27558E-03	9.99982E-01
13	.00000E+00	.00000E+00	2.08951E-02	1.47278E-02	1.88874E-02	4.36284E-05	1.96470E-03	9.99974E-01
14	.00000E+00	.00000E+00	2.05396E-02	1.45667E-02	1.74010E-02	7.02989E-05	2.86855E-03	9.99991E-01
15	.00000E+00	.00000E+00	1.11856E-02	5.70869E-03	1.06853E-02	5.91801E-05	4.41317E-04	9.99979E-01
16	.00000E+00	.00000E+00	7.40269E-03	2.42316E-03	7.13885E-03	4.04108E-05	2.23601E-04	9.99979E-01
17	.00000E+00	.00000E+00	3.83129E-03	7.00802E-04	3.64624E-03	2.00613E-05	1.65049E-04	9.99984E-01
18	.00000E+00	.00000E+00	3.41253E-03	5.88106E-04	3.21353E-03	1.84021E-05	1.80459E-04	9.99983E-01
19	.00000E+00	.00000E+00	5.77524E-03	1.65072E-03	5.47860E-03	3.69712E-05	2.59800E-04	9.99979E-01
20	.00000E+00	.00000E+00	1.43202E-02	1.17247E-02	1.32564E-02	1.52915E-04	9.11076E-04	9.99991E-01
21	.00000E+00	.00000E+00	7.14958E-03	2.51352E-03	6.53883E-03	6.30850E-05	5.47494E-04	1.00003E+00
22	.00000E+00	.00000E+00	1.45695E-02	8.27243E-03	1.28737E-02	1.58991E-04	1.53611E-03	1.00005E+00
23	.00000E+00	.00000E+00	3.90628E-02	4.92649E-02	3.23509E-02	7.15155E-04	5.99209E-03	1.00009E+00
24	.00000E+00	.00000E+00	4.22981E-02	4.56231E-02	3.52168E-02	8.30021E-04	6.24587E-03	1.00010E+00
25	.00000E+00	.00000E+00	2.80716E-02	1.90249E-02	2.44756E-02	4.83533E-04	3.11048E-03	1.00006E+00
26	.00000E+00	.00000E+00	2.22987E-02	2.07057E-02	1.91245E-02	4.78853E-04	2.69480E-03	1.00002E+00
27	.00000E+00	.00000E+00	7.50638E-03	4.36414E-03	6.64831E-03	1.66114E-04	6.91940E-04	1.00000E+00
28	.00000E+00	.00000E+00	4.35501E-01	4.34130E-01	4.35501E-01	3.74336E-03	-3.74358E-03	1.00000E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.20783E-02	-1.15941E-03	1.19541E-02	-8.09496E-04	1.78644E-11	.00000E+00	9.68147E-06	7.90807E-03
2	9.07332E-02	-1.27258E-02	8.94422E-02	-8.64391E-03	.00000E+00	.00000E+00	4.60588E-05	5.92666E-02
3	1.15039E-01	-1.66927E-02	1.13422E-01	-1.11329E-02	.00000E+00	.00000E+00	4.86594E-05	7.51344E-02
4	7.12318E-02	-1.05252E-02	7.02645E-02	-6.86168E-03	.00000E+00	.00000E+00	2.21887E-05	4.65225E-02
5	1.06791E-01	-1.61868E-02	1.05323E-01	-1.04202E-02	.00000E+00	.00000E+00	2.63860E-05	6.97294E-02
6	2.00791E-01	-2.94765E-02	1.98171E-01	-1.89013E-02	.00000E+00	.00000E+00	4.46803E-05	1.31154E-01
7	1.97982E-01	-1.76941E-02	1.96458E-01	-1.14853E-02	.00000E+00	.00000E+00	3.14792E-05	1.29727E-01
8	1.47669E-01	-3.66854E-03	1.47377E-01	-2.77706E-03	.00000E+00	.00000E+00	1.71801E-05	9.71079E-02
9	1.15465E-01	9.47567E-04	1.15696E-01	6.02701E-04	.00000E+00	.00000E+00	1.13242E-05	7.60833E-02
10	1.06121E-01	2.37370E-03	1.06386E-01	1.47005E-03	.00000E+00	.00000E+00	9.97560E-06	6.99597E-02
11	9.88555E-02	5.42498E-03	9.94369E-02	3.42889E-03	.00000E+00	.00000E+00	9.26398E-06	6.53001E-02
12	6.32728E-02	6.31905E-03	6.39618E-02	4.04347E-03	.00000E+00	.00000E+00	5.40096E-06	4.19154E-02
13	5.41988E-02	5.65638E-03	5.47775E-02	3.69167E-03	.00000E+00	.00000E+00	4.50808E-06	3.58995E-02
14	5.13627E-02	8.10778E-03	5.22205E-02	5.23923E-03	.00000E+00	.00000E+00	4.37432E-06	3.41401E-02
15	2.87354E-02	1.58241E-03	2.90319E-02	1.14109E-03	.00000E+00	.00000E+00	2.34979E-06	1.90856E-02
16	1.61482E-02	7.69816E-04	1.61995E-02	5.46215E-04	.00000E+00	.00000E+00	1.18582E-06	1.06498E-02
17	7.18959E-03	4.98650E-04	7.28519E-03	3.33501E-04	.00000E+00	.00000E+00	4.86213E-07	4.75039E-03
18	6.18150E-03	5.23189E-04	6.23331E-03	3.42730E-04	.00000E+00	.00000E+00	4.08313E-07	4.08926E-03
19	1.14150E-02	7.85947E-04	1.14877E-02	5.26147E-04	.00000E+00	.00000E+00	7.89195E-07	7.54244E-03
20	3.76202E-02	2.72195E-03	3.78869E-02	1.81087E-03	.00000E+00	.00000E+00	2.91485E-06	2.48689E-02
21	1.24205E-02	1.54036E-03	1.25913E-02	9.92869E-04	.00000E+00	.00000E+00	7.55743E-07	8.24225E-03
22	2.70778E-02	4.46046E-03	2.75965E-02	2.92435E-03	.00000E+00	.00000E+00	1.64753E-06	1.80222E-02
23	8.91589E-02	1.82058E-02	9.14823E-02	1.22137E-02	.00000E+00	.00000E+00	4.91265E-06	5.95619E-02
24	7.05374E-02	1.85658E-02	7.33567E-02	1.23199E-02	.00000E+00	.00000E+00	2.91054E-06	4.74834E-02
25	3.09493E-02	9.08080E-03	3.25755E-02	5.97032E-03	.00000E+00	.00000E+00	9.95167E-07	2.09734E-02
26	2.12447E-02	7.16545E-03	2.28595E-02	4.47065E-03	.00000E+00	.00000E+00	5.10028E-07	1.45843E-02
27	3.79067E-03	1.47341E-03	4.25575E-03	7.81470E-04	.00000E+00	.00000E+00	5.83584E-08	2.67107E-03
28	1.79426E+00	-1.19255E-02	1.79768E+00	-8.18191E-03	1.78646E-11	.00000E+00	3.11083E-04	1.18237E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.12780E-02	.00000E+00	1.97669E-02	1.87315E-02	3.50125E-03	1.15935E-03	9.98896E-01

2	.00000E+00	1.88887E-01	6.47514E-03	2.43892E-01	1.67674E-01	1.49760E-02	1.27250E-02	1.00002E+00
3	.00000E+00	2.14987E-01	6.90926E-02	2.54748E-01	2.51189E-01	1.62006E-02	1.66918E-02	9.99991E-01
4	.00000E+00	1.24456E-01	1.03752E-01	1.75581E-01	2.09894E-01	7.78824E-03	1.05246E-02	1.00000E+00
5	.00000E+00	1.65945E-01	1.89669E-01	4.43213E-01	3.34177E-01	5.25480E-03	1.61857E-02	9.99991E-01
6	.00000E+00	1.80122E-01	3.88153E-01	1.19094E+00	5.30399E-01	8.39376E-03	2.94745E-02	1.00002E+00
7	.00000E+00	8.94322E-02	5.91879E-01	1.56515E+00	6.55144E-01	8.48104E-03	1.76916E-02	9.99995E-01
8	.00000E+00	1.38095E-02	6.89078E-01	1.57541E+00	6.85649E-01	1.36262E-02	3.66836E-03	9.99921E-01
9	.00000E+00	1.00281E-03	6.77766E-01	1.36995E+00	6.57448E-01	2.23407E-02	-9.43830E-04	9.99888E-01
10	.00000E+00	7.44912E-05	6.54568E-01	1.24239E+00	6.23274E-01	3.38081E-02	-2.37267E-03	9.99898E-01
11	.00000E+00	5.86056E-06	6.27477E-01	1.15377E+00	5.78353E-01	5.45917E-02	-5.42428E-03	9.99940E-01
12	.00000E+00	4.11695E-07	5.03904E-01	6.30554E-01	4.52098E-01	5.81387E-02	-6.31912E-03	9.99974E-01
13	.00000E+00	6.53735E-08	4.46764E-01	5.00998E-01	4.00002E-01	5.24317E-02	-5.65701E-03	9.99972E-01
14	.00000E+00	1.29553E-08	4.30986E-01	4.74158E-01	3.66794E-01	7.23045E-02	-8.10798E-03	9.99990E-01
15	.00000E+00	1.46409E-09	2.39500E-01	2.17918E-01	2.33428E-01	7.65784E-03	-1.58003E-03	9.99977E-01
16	.00000E+00	4.29908E-10	1.63661E-01	1.01593E-01	1.60126E-01	4.30729E-03	-7.67970E-04	9.99976E-01
17	.00000E+00	1.38451E-10	8.85328E-02	3.30364E-02	8.48148E-02	4.21695E-03	-4.97260E-04	9.99981E-01
18	.00000E+00	9.91271E-11	7.93631E-02	2.71108E-02	7.51751E-02	4.71118E-03	-5.19385E-04	9.99953E-01
19	.00000E+00	1.40145E-10	1.30522E-01	6.67880E-02	1.25252E-01	6.07616E-03	-7.78759E-04	9.99946E-01
20	.00000E+00	2.27889E-10	3.11565E-01	3.74954E-01	2.88577E-01	2.57076E-02	-2.71367E-03	9.99981E-01
21	.00000E+00	3.33557E-11	1.60058E-01	8.51752E-02	1.47219E-01	1.43790E-02	-1.54242E-03	1.00001E+00
22	.00000E+00	3.87002E-11	3.15268E-01	2.48135E-01	2.79270E-01	4.04630E-02	-4.46053E-03	9.99985E-01
23	.00000E+00	3.70016E-11	7.99105E-01	1.25933E+00	6.73384E-01	1.43952E-01	-1.81998E-02	9.99966E-01
24	.00000E+00	1.00713E-11	8.60207E-01	1.07621E+00	7.16591E-01	1.62198E-01	-1.85610E-02	9.99976E-01
25	.00000E+00	2.94824E-12	5.70970E-01	4.33195E-01	4.86258E-01	9.37998E-02	-9.07487E-03	9.99979E-01
26	.00000E+00	2.06732E-12	4.41694E-01	4.32114E-01	3.62289E-01	8.65731E-02	-7.16413E-03	9.99992E-01
27	.00000E+00	4.92653E-13	1.45249E-01	8.70195E-02	1.22073E-01	2.46495E-02	-1.47326E-03	9.99997E-01
28	.00000E+00	1.00000E+00	9.68526E+00	1.52831E+01	9.68526E+00	9.90529E-01	1.19633E-02	9.99964E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.23580E-02	-6.64037E-08	1.20783E-02	-1.15941E-03	2.08820E-03	2.33396E-03	2.72749E-04	3.14103E-01
2	9.39823E-02	-7.17095E-07	9.07332E-02	-1.27258E-02	1.65374E-05	1.08121E-02	1.54489E-03	2.38621E+00
3	1.19413E-01	-8.72858E-07	1.15039E-01	-1.66927E-02	.00000E+00	1.33262E-02	1.80780E-03	3.03101E+00
4	7.40762E-02	-5.89581E-07	7.12318E-02	-1.05252E-02	.00000E+00	5.76311E-03	8.79525E-04	1.87990E+00
5	1.11429E-01	-1.06623E-06	1.06791E-01	-1.61868E-02	.00000E+00	1.70983E-03	1.02991E-03	2.82673E+00
6	2.09694E-01	-1.90959E-06	2.00791E-01	-2.94765E-02	.00000E+00	1.54427E-03	1.73112E-03	5.31778E+00
7	2.03589E-01	-2.45783E-06	1.97982E-01	-1.78941E-02	.00000E+00	1.59888E-03	1.22588E-03	5.16972E+00
8	1.48840E-01	-1.85387E-07	1.47669E-01	-3.66854E-03	.00000E+00	1.70070E-03	6.97047E-04	3.78649E+00
9	1.15112E-01	3.73622E-06	1.15465E-01	9.47567E-04	.00000E+00	2.36108E-03	4.70573E-04	2.93179E+00
10	1.05290E-01	1.02529E-06	1.06121E-01	2.37370E-03	.00000E+00	5.04123E-03	4.27740E-04	2.68316E+00
11	9.69750E-02	7.00472E-07	9.88655E-02	5.42498E-03	.00000E+00	1.04025E-02	3.86016E-04	2.47430E+00
12	6.10973E-02	-7.44237E-08	6.32728E-02	6.31905E-03	.00000E+00	1.33053E-02	2.27420E-04	1.56155E+00
13	5.22776E-02	-6.29925E-07	5.41988E-02	5.65638E-03	.00000E+00	1.23682E-02	1.97250E-04	1.33639E+00
14	4.85115E-02	-2.05207E-07	5.13627E-02	8.10778E-03	.00000E+00	9.18611E-03	1.80553E-04	1.24516E+00
15	2.84229E-02	2.37714E-06	2.89394E-02	1.58241E-03	.00000E+00	2.31490E-03	1.12122E-04	7.25340E-01
16	1.59001E-02	1.84514E-06	1.61482E-02	7.69816E-04	.00000E+00	1.53556E-03	5.91769E-05	4.05614E-01
17	7.02551E-03	1.28993E-06	7.18959E-03	4.98550E-04	.00000E+00	2.33310E-03	2.40450E-05	1.79353E-01
18	6.00693E-03	3.80411E-06	6.18150E-03	5.23189E-04	.00000E+00	3.10847E-03	1.99208E-05	1.53446E-01
19	1.11514E-02	7.18773E-06	1.14150E-02	7.85947E-04	.00000E+00	3.76158E-03	3.88964E-05	2.84726E-01
20	3.66847E-02	8.27839E-06	3.76202E-02	2.72195E-03	.00000E+00	1.61008E-02	1.36356E-04	9.36926E-01
21	1.18652E-02	-2.05195E-06	1.24205E-02	1.54036E-03	.00000E+00	9.51397E-03	3.60080E-05	3.03750E-01
22	2.53461E-02	-6.47962E-08	2.70778E-02	4.46046E-03	.00000E+00	2.66331E-02	7.51286E-05	6.50898E-01
23	8.09522E-02	6.20171E-06	8.91589E-02	1.82058E-02	.00000E+00	9.36691E-02	2.21487E-04	2.09074E+00
24	6.12274E-02	4.77858E-06	7.05374E-02	1.85688E-02	.00000E+00	1.08853E-01	1.29482E-04	1.59299E+00
25	2.59679E-02	5.93596E-06	3.09493E-02	9.08080E-03	.00000E+00	6.37241E-02	4.35942E-05	6.79242E-01
26	1.69322E-02	1.32238E-06	2.12447E-02	7.16545E-03	.00000E+00	5.87701E-02	2.11954E-05	4.45571E-01
27	2.83361E-03	1.54423E-07	3.79067E-03	1.47341E-03	.00000E+00	1.63597E-02	2.15556E-06	7.47615E-02
28	1.78306E+00	3.77761E-05	1.79426E+00	-1.19255E-02	2.10474E-03	4.98131E-01	1.19978E-02	4.54677E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.12780E-02	.00000E+00	2.06749E-02	1.98165E-02	3.58115E-03	-6.64037E-08	9.98955E-01
2	.00000E+00	1.88887E-01	7.03677E-03	2.54434E-01	1.80687E-01	1.52505E-02	-7.17095E-07	1.00002E+00

3	.00000E+00	2.14987E-01	7.49275E-02	2.65745E-01	2.73557E-01	1.63609E-02	-8.72858E-07	9.99990E-01
4	.00000E+00	1.24456E-01	1.12447E-01	1.83355E-01	2.29088E-01	7.86526E-03	-5.89581E-07	1.00000E+00
5	.00000E+00	1.65945E-01	2.05818E-01	4.65258E-01	3.66420E-01	5.34764E-03	-1.06623E-06	9.99992E-01
6	.00000E+00	1.80122E-01	4.21921E-01	1.25627E+00	5.93486E-01	8.55015E-03	-1.90959E-06	1.00002E+00
7	.00000E+00	8.94322E-02	6.57227E-01	1.67105E+00	7.38066E-01	8.60154E-03	-2.45783E-06	9.99995E-01
8	.00000E+00	1.38095E-02	7.75466E-01	1.70404E+00	7.75635E-01	1.37038E-02	-1.85387E-07	9.99920E-01
9	.00000E+00	1.00281E-03	7.66351E-01	1.48578E+00	7.44975E-01	2.24618E-02	3.73622E-06	9.99888E-01
10	.00000E+00	7.44912E-05	7.41496E-01	1.35238E+00	7.07723E-01	3.39221E-02	1.02529E-06	9.99898E-01
11	.00000E+00	5.86056E-06	7.12392E-01	1.25750E+00	6.57675E-01	5.47649E-02	7.00472E-07	9.99940E-01
12	.00000E+00	4.11695E-07	5.72736E-01	6.86310E-01	5.14515E-01	5.82357E-02	-7.44257E-08	9.99974E-01
13	.00000E+00	6.53735E-08	5.08133E-01	5.46658E-01	4.55582E-01	5.25663E-02	-6.29925E-07	9.99972E-01
14	.00000E+00	1.29553E-08	4.90795E-01	5.19477E-01	4.18280E-01	7.25209E-02	-2.05207E-07	9.99989E-01
15	.00000E+00	1.46409E-09	2.72546E-01	2.35818E-01	2.64712E-01	7.85718E-03	2.37714E-06	9.99977E-01
16	.00000E+00	4.29908E-10	1.85465E-01	1.09527E-01	1.81058E-01	4.42923E-03	1.84514E-06	9.99976E-01
17	.00000E+00	1.38451E-10	9.98335E-02	3.53441E-02	9.55568E-02	4.27758E-03	1.28993E-06	9.99982E-01
18	.00000E+00	9.91271E-11	8.94369E-02	2.90434E-02	8.46701E-02	4.76690E-03	3.80411E-06	9.99956E-01
19	.00000E+00	1.40145E-10	1.47530E-01	7.20627E-02	1.41343E-01	6.18785E-03	7.18773E-06	9.99950E-01
20	.00000E+00	2.27889E-10	3.53663E-01	4.10910E-01	3.27491E-01	2.61694E-02	8.27838E-06	9.99983E-01
21	.00000E+00	3.33557E-11	1.81179E-01	9.30340E-02	1.66608E-01	1.45704E-02	-2.05195E-06	1.00001E+00
22	.00000E+00	3.87002E-11	3.58523E-01	2.73729E-01	3.17577E-01	4.09479E-02	-6.47962E-08	9.99996E-01
23	.00000E+00	3.70016E-11	9.16472E-01	1.41028E+00	7.70325E-01	1.46150E-01	6.20171E-06	9.99989E-01
24	.00000E+00	1.00713E-11	9.88274E-01	1.21704E+00	8.23495E-01	1.64778E-01	4.77858E-06	9.99996E-01
25	.00000E+00	2.94824E-12	6.56578E-01	4.92406E-01	5.61261E-01	9.53161E-02	5.95396E-06	9.99992E-01
26	.00000E+00	2.06752E-12	5.09791E-01	4.97191E-01	4.21693E-01	8.80974E-02	1.32258E-06	9.99999E-01
27	.00000E+00	4.92653E-13	1.68252E-01	1.00986E-01	1.43064E-01	2.51879E-02	1.54423E-07	9.99998E-01
28	.00000E+00	1.00000E+00	1.09743E+01	1.66471E+01	1.09743E+01	1.00245E+00	3.77442E-05	9.99969E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dj**2	total flux
1	1.23580E-02	-6.64037E-08	1.18258E-02	.00000E+00	2.09366E-03	2.33396E-03	3.02200E-04	3.38918E-01
2	9.39823E-02	-7.17095E-07	8.77366E-02	.00000E+00	1.65374E-05	1.08121E-02	1.68802E-03	2.57140E+00
3	1.19413E-01	-8.72858E-07	1.10952E-01	.00000E+00	.00000E+00	1.33262E-02	1.95999E-03	3.26556E+00
4	7.40762E-02	-5.89581E-07	6.84948E-02	.00000E+00	.00000E+00	5.76311E-03	9.50338E-04	2.02500E+00
5	1.11429E-01	-1.06623E-06	1.02378E-01	.00000E+00	.00000E+00	1.70983E-03	1.11410E-03	3.04401E+00
6	2.09694E-01	-1.90959E-06	1.92627E-01	.00000E+00	.00000E+00	1.54427E-03	1.86980E-03	5.72654E+00
7	2.08589E-01	-2.45783E-06	1.92997E-01	.00000E+00	.00000E+00	1.59888E-03	1.32498E-03	5.57633E+00
8	1.48840E-01	-1.85387E-07	1.46868E-01	.00000E+00	.00000E+00	1.70070E-03	7.52196E-04	4.09298E+00
9	1.15112E-01	3.73622E-06	1.15770E-01	.00000E+00	.00000E+00	2.36108E-03	5.07921E-04	3.17260E+00
10	1.05290E-01	1.02529E-06	1.06873E-01	.00000E+00	.00000E+00	5.04123E-03	4.61730E-04	2.90492E+00
11	9.69750E-02	7.00472E-07	1.00516E-01	.00000E+00	.00000E+00	1.04025E-02	4.17871E-04	2.68196E+00
12	6.10973E-02	-7.44237E-08	6.51703E-02	.00000E+00	.00000E+00	1.33053E-02	2.46500E-04	1.69543E+00
13	5.22778E-02	-6.29925E-07	5.58525E-02	.00000E+00	.00000E+00	1.23682E-02	2.13243E-04	1.45108E+00
14	4.86115E-02	-2.05207E-07	5.37589E-02	.00000E+00	.00000E+00	9.18611E-03	1.96090E-04	1.35481E+00
15	2.84229E-02	2.37714E-06	2.95207E-02	.00000E+00	.00000E+00	2.31490E-03	1.20417E-04	7.85971E-01
16	1.59001E-02	1.84514E-06	1.63386E-02	.00000E+00	.00000E+00	1.53556E-03	6.34372E-05	4.39428E-01
17	7.02551E-03	1.28993E-06	7.32720E-03	.00000E+00	.00000E+00	2.33310E-03	2.58243E-05	1.94472E-01
18	6.00693E-03	3.80411E-06	6.33167E-03	.00000E+00	.00000E+00	3.10847E-03	2.14248E-05	1.66483E-01
19	1.11514E-02	7.18773E-06	1.16344E-02	.00000E+00	.00000E+00	3.76158E-03	4.17716E-05	3.08732E-01
20	3.66847E-02	8.27838E-06	3.84083E-02	.00000E+00	.00000E+00	1.61008E-02	1.46754E-04	1.01612E+00
21	1.18652E-02	-2.05195E-06	1.29119E-02	.00000E+00	.00000E+00	9.51397E-03	3.88527E-05	3.30155E-01
22	2.53461E-02	-6.47962E-08	2.85845E-02	.00000E+00	.00000E+00	2.66331E-02	8.13618E-05	7.08928E-01
23	8.09522E-02	6.20171E-06	9.63274E-02	.00000E+00	.00000E+00	9.36691E-02	2.40624E-04	2.28398E+00
24	6.12274E-02	4.77858E-06	7.89950E-02	.00000E+00	.00000E+00	1.08853E-01	1.42038E-04	1.74885E+00
25	2.59679E-02	5.93396E-06	3.56328E-02	.00000E+00	.00000E+00	6.37241E-02	4.81941E-05	7.48698E-01
26	1.69522E-02	1.32238E-06	2.56260E-02	.00000E+00	.00000E+00	5.87701E-02	2.38652E-05	4.94598E-01
27	2.83361E-03	1.54423E-07	4.85670E-03	.00000E+00	.00000E+00	1.63597E-02	2.53615E-06	8.39046E-02
28	1.78306E+00	3.77761E-05	1.80409E+00	.00000E+00	2.11019E-03	4.98131E-01	1.30016E-02	4.92118E+01

- elapsed time .03 min.

Odirect access unit 9 requires 556 blocks of length 216 for cross section weighting.

1 transport cross section weighting function

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.05802E-03	4.90074E-03	5.23101E-03	2.49702E-03	3.18128E-03	5.53412E-03	3.72450E-03	1.74270E-03

2	6.44558E-04	4.84076E-03	5.72652E-03	3.42789E-03	4.29945E-03	6.17429E-03	4.34711E-03	2.14750E-03
3	1.08468E-03	5.31306E-03	5.81350E-03	2.90628E-03	3.86953E-03	6.80402E-03	4.39517E-03	1.82342E-03
4	7.45609E-04	4.17379E-03	4.88188E-03	2.37843E-03	2.82768E-03	4.80678E-03	3.32958E-03	1.79588E-03
5	7.67354E-04	4.23822E-03	4.92519E-03	2.40280E-03	2.87762E-03	4.89597E-03	3.37922E-03	1.79624E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11186E-03	1.01521E-03	1.09810E-03	8.72879E-04	7.75523E-04	9.87936E-04	3.12593E-04	1.53467E-04
2	1.78609E-03	1.95226E-03	2.04432E-03	1.59830E-03	1.40199E-03	1.63645E-03	6.25509E-04	3.39600E-04
3	1.12149E-03	1.05890E-03	1.30638E-03	1.21988E-03	1.08690E-03	1.48015E-03	3.71550E-04	1.82336E-04
4	1.19333E-03	1.09557E-03	1.08044E-03	6.77667E-04	6.01603E-04	6.36550E-04	3.11361E-04	1.61723E-04
5	1.19150E-03	1.09436E-03	1.04626E-03	7.05103E-04	6.25980E-04	6.78794E-04	3.14757E-04	1.62915E-04

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.55757E-05	7.17018E-05	1.20555E-04	4.27531E-04	1.86248E-04	5.24162E-04	2.16734E-03	2.12216E-03
2	1.61434E-04	1.46426E-04	2.55703E-04	8.51725E-04	3.43534E-04	8.89215E-04	3.46637E-03	3.32368E-03
3	1.00487E-04	1.00288E-04	1.59534E-04	5.60242E-04	2.78847E-04	8.01077E-04	3.27563E-03	3.29927E-03
4	6.92857E-05	5.99060E-05	1.11534E-04	3.88516E-04	1.25667E-04	3.11337E-04	1.16175E-03	9.75384E-04
5	7.08741E-05	6.19527E-05	1.13965E-04	3.97203E-04	1.33401E-04	3.36248E-04	1.27209E-03	1.09745E-03

Ozone	grp. 25	grp. 26	grp. 27	grp. 28
1	9.99428E-04	7.23432E-04	1.11046E-04	4.17261E-02
2	1.57751E-03	1.17131E-03	2.08199E-04	5.53857E-02
3	1.60282E-03	1.23236E-03	2.33226E-04	5.14809E-02
4	4.15738E-04	2.55393E-04	3.17970E-05	3.45521E-02
5	4.77769E-04	3.05638E-04	4.12657E-05	3.54101E-02

1broad group parameters

grp	upper energy	mid energy	velocity	fiss spec
1	2.0000E+07	2.6244E+06	1.9614E+09	7.1555E-01
2	9.0000E+05	1.5038E+05	9.4943E+06	2.8445E-01
3	4.0000E-01	1.2730E-01	3.6885E+05	1.2464E-10
4	1.0000E-05			

1 at 0 d, second part of sas2h pass to make library

0cell averaged fluxes

Ozone	grp. 1	grp. 2	grp. 3
1	3.84661E-01	1.14066E+00	2.74893E-01
2	3.89867E-01	1.14233E+00	2.65034E-01
3	3.92791E-01	1.14281E+00	2.60592E-01
4	4.07936E-01	1.14647E+00	2.29278E-01
5	4.08252E-01	1.14609E+00	2.32524E-01


0flux disadvantage factors (zone average/cell average-flux)

Ozone	grp. 1	grp. 2	grp. 3
1	9.42216E-01	9.95260E-01	1.18523E+00
2	9.54967E-01	9.96729E-01	1.14080E+00
3	9.62129E-01	9.97140E-01	1.12168E+00
4	1.00413E+00	1.00033E+00	9.86890E-01
5	1.00000E+00	1.00000E+00	1.00000E+00

0cell averaged currents

Ozone	grp. 1	grp. 2	grp. 3
1	1.68681E-02	1.80243E-02	6.83381E-03
2	1.89392E-02	2.54717E-02	1.09748E-02
3	1.89870E-02	2.17707E-02	1.07231E-02
4	1.50074E-02	1.62677E-02	3.27706E-03
5	1.52112E-02	1.65351E-02	3.66386E-03

Ozone	volume	vol. fraction
1	1.25665E+00	4.56236E-02
2	1.66687E-01	6.05165E-03
3	6.58265E-01	2.38987E-02
4	2.54624E+01	9.24426E-01
5	2.75440E+01	1.00000E+00


- elapsed time .03 min.
1
0
0
0
0
1
0

```
ss           cc           aa       aa  ll           ee
ssssssssssss cc           aaaaaaaaaaaa ll           eeeeeeeee
 ssssssssssss cc          aaaaaaaaaaaa ll           eeeeeeeee
        ss cc             aa       aa  ll           ee
        ss cc             aa       aa  ll           ee
ss      ss cc       cc    aa       aa  ll           ee
ssssssssssss cccccccccccc  aa       aa  lllllllllllll eeeeeeeeeeee
 sssssssssss  ccccccccccc  aa       aa  lllllllllllll eeeeeeeeeeee
```

```
*****************************************************************************
*****************************************************************************
*****************************************************************************
*****                                                                   *****
*****                  program verification information                 *****
*****                                                                   *****
*****                 code system:   scale  version:   4.2              *****
*****                                                                   *****
*****************************************************************************
*****************************************************************************
*****                                                                   *****
*****                                                                   *****
*****                       program:  c0c005                            *****
*****                                                                   *****
*****                  creation date:  04/27/95                         *****
*****                                                                   *****
*****                       library:  /nautronics/scale/exe             *****
*****                                                                   *****
*****                                                                   *****
*****          this is not a  scale  configuration controlled code      *****
*****                                                                   *****
*****                       jobname:  davis                             *****
*****                                                                   *****
*****          date of execution:  02/16/96                             *****
*****                                                                   *****
*****          time of execution:  09:55:37                             *****
*****                                                                   *****
*****                                                                   *****
*****************************************************************************
*****************************************************************************
*****************************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       2q array has      1 entries.
0        * core allocated to array-data (by -1$$ or default) was   200000 words. *
1         * broad 3-group flux weighting factors *
0
0               therm =    .5135
0               res   =    .3373
```

0 fast = 2.5480
0 user requested (see jadb) that all nuclide transitions available from ampx data be updated,
0 including those not present in prior origen library.
1cross sections, available from ampx (normalized to thermal flux), barns

10010	to 10020	2.66896E-01
10010	tot-cap	2.66896E-01
50100	to 40100	1.81165E-02
50100	to 10010	1.81165E-02
50100	to 40090	2.64465E-03
50100	to 10020	2.64465E-03
50100	to 30070	3.07004E+03
50100	to 20040	3.07018E+03
50100	to 10030	6.74369E-02
50100	tot-cap	3.07013E+03
50110	to 50100	7.48316E-06
50110	to 50120	4.05557E-03
50110	to 40110	9.54925E-07
50110	to 10010	9.54925E-07
50110	to 40090	8.52174E-06
50110	to 10030	8.52174E-06
50110	to 30080	1.11247E-04
50110	to 20040	1.11247E-04
50110	tot-cap	4.18378E-03
80160	to 80170	1.42557E-04
80160	to 70160	6.54764E-05
80160	to 10010	6.54764E-05
80160	to 70150	1.23488E-05
80160	to 10020	1.23488E-05
80160	to 60130	1.89717E-02
80160	to 20040	1.89717E-02
80160	to 80161	2.87156E-03
80160	tot-cap	1.91921E-02
360830	to 360820	1.48692E-02
360830	to 360810	1.56982E-09
360830	to 360840	1.43253E+02
360830	to 350830	6.24822E-04
360830	to 10010	6.24822E-04
360830	to 350820	4.91091E-06
360830	to 10020	4.91091E-06
360830	to 350810	1.71646E-06
360830	to 10030	1.71646E-06
360830	to 340810	2.77794E-08
360830	to 20030	2.77794E-08
360830	to 340800	3.26687E-05
360830	to 20040	3.26687E-05
360830	tot-cap	1.43268E+02
360850	to 360860	1.27987E+00
360850	tot-cap	1.27987E+00
380900	to 380910	5.96492E-01
380900	tot-cap	5.96492E-01
390890	to 390900	9.19218E-01
390890	tot-cap	9.19218E-01
400930	to 400940	1.05458E+01
400930	tot-cap	1.05458E+01
400940	to 400950	1.49521E-01
400940	tot-cap	1.49521E-01
400950	to 400960	1.76090E+00
400950	tot-cap	1.76090E+00
410940	to 410950	3.13074E+01

410940 tot-cap 3.13074E+01
420950 to 420960 3.20135E+01
420950 tot-cap 3.20135E+01
430990 to 430980 4.51155E-03
430990 to 431000 7.36808E+01
430990 tot-cap 7.36853E+01
441010 to 441020 2.21494E+01
441010 tot-cap 2.21494E+01
441060 to 441070 6.80340E-01
441060 tot-cap 6.80340E-01
451030 to 451020 1.63392E-03
451030 to 451040 3.16604E+02
451030 tot-cap 3.16606E+02
451050 to 451060 7.55330E+03
451050 tot-cap 7.55330E+03
461050 to 461060 2.77114E+01
461050 tot-cap 2.77114E+01
461080 to 461090 5.41240E+01
461080 tot-cap 5.41240E+01
471090 to 471080 3.79956E-03
471090 to 471100 3.03309E+02
471090 to 461090 2.18946E-04
471090 to 10010 2.18946E-04
471090 to 451060 1.78860E-04
471090 to 20040 1.78860E-04
471090 to 471091 4.85547E-01
471090 tot-cap 3.03314E+02
511240 to 511250 1.00854E+01
511240 tot-cap 1.00854E+01
541310 to 541300 4.60710E-02
541310 to 541290 9.63355E-06
541310 to 541320 2.22180E+02
541310 to 531310 2.84678E-05
541310 to 10010 2.84678E-05
541310 to 531300 3.86352E-07
541310 to 10020 3.86352E-07
541310 to 531290 3.96165E-07
541310 to 10080 3.96165E-07
541310 to 521280 1.32134E-05
541310 to 20040 1.32134E-05
541310 tot-cap 2.22226E+02
541320 to 541310 7.44257E-03
541320 to 541300 1.57851E-05
541320 to 541330 7.67510E-01
541320 to 531320 5.75290E-06
541320 to 10010 5.75290E-06
541320 to 531310 2.39875E-07
541320 to 10020 2.39875E-07
541320 to 531300 3.22992E-08
541320 to 10080 3.22992E-08
541320 to 521290 6.99477E-07
541320 to 20040 6.99477E-07
541320 tot-cap 7.74975E-01
541350 to 541360 1.45451E+06
541350 tot-cap 1.45451E+06
541360 to 541350 1.27310E-02
541360 to 541340 3.88835E-05
541360 to 541370 1.14774E-01
541360 to 531360 2.35156E-07
541360 to 10010 2.35156E-07

541360	to 531350	8.75217E-08
541360	to 10020	8.75217E-08
541360	to 531340	1.97727E-08
541360	to 10030	1.97727E-08
541360	to 521330	1.97201E-07
541360	to 20040	1.97201E-07
541360	tot-cap	1.27544E-01
551330	to 551320	5.96169E-08
551330	to 551340	8.49278E+01
551330	to 541330	6.64118E-04
551330	to 10010	6.64118E-04
551330	to 531300	1.01880E-05
551330	to 20040	1.01880E-05
551330	tot-cap	8.49345E+01
551340	to 551350	1.16499E+02
551340	tot-cap	1.16499E+02
551350	to 551360	1.74991E+01
551350	tot-cap	1.74991E+01
551370	to 551380	1.89455E-01
551370	tot-cap	1.89455E-01
561360	to 561370	7.40243E-01
561360	tot-cap	7.40243E-01
571390	to 571400	7.23852E+00
571390	tot-cap	7.23852E+00
581440	to 581450	1.07327E+00
581440	tot-cap	1.07327E+00
591410	to 591400	4.27200E-08
591410	to 591390	1.22745E-06
591410	to 571370	1.85273E-06
591410	to 20040	3.83396E-05
591410	to 581400	1.30563E-05
591410	to 10010	3.75300E-05
591410	to 591420	1.05570E+01
591410	to 581410	3.53579E-05
591410	to 10020	1.08842E-05
591410	to 581390	1.14145E-06
591410	to 10030	1.14145E-06
591410	to 571390	1.10237E-08
591410	to 20030	1.10237E-08
591410	to 571380	3.64869E-05
591410	tot-cap	1.05613E+01
591430	to 591440	8.62961E+01
591430	tot-cap	8.62961E+01
601430	to 601420	6.54806E-02
601430	to 601410	6.67121E-06
601430	to 581390	1.50245E-05
601430	to 20040	4.19139E-04
601430	to 591420	2.79256E-06
601430	to 10010	2.90234E-05
601430	to 601440	1.92236E+02
601430	to 591430	2.79713E-05
601430	to 10020	1.74047E-06
601430	to 591410	2.50801E-06
601430	to 10030	2.50801E-06
601430	to 581410	1.20500E-08
601430	to 20030	1.20500E-08
601430	to 581400	4.04115E-04
601430	tot-cap	1.92302E+02
601450	to 601440	8.41167E-02
601450	to 601430	8.51763E-05


601450 to 581410 6.15051E-06
601450 to 20040 1.55137E-04
601450 to 591440 1.59998E-06
601450 to 10010 1.04520E-05
601450 to 601460 6.65327E+01
601450 to 591450 9.81384E-06
601450 to 10020 9.61787E-07
601450 to 591430 1.51627E-06
601450 to 10030 1.51627E-06
601450 to 581430 3.08714E-09
601450 to 20030 3.08714E-09
601450 to 581420 1.48986E-04
601450 tot-cap 6.66170E+01
601470 to 601480 1.51802E+02
601470 tot-cap 1.51802E+02
611470 to 611460 2.29508E-02
611470 to 611450 7.16100E-05
611470 to 591430 6.41668E-06
611470 to 20040 5.99075E-05
611470 to 601460 8.79970E-06
611470 to 10010 2.01743E-05
611470 to 611480 4.92318E+02
611470 to 601470 1.79798E-05
611470 to 10020 6.60469E-06
611470 to 601450 2.49369E-06
611470 to 10030 2.49369E-06
611470 to 591450 3.74933E-09
611470 to 20030 3.74933E-09
611470 to 591440 5.34908E-05
611470 tot-cap 4.92341E+02
611480 to 611490 1.05385E+04
611480 tot-cap 1.05385E+04
621470 to 621460 5.98828E-02
621470 to 621450 5.39103E-03
621470 to 601430 4.80610E-05
621470 to 20040 9.47967E-04
621470 to 611460 1.08654E-04
621470 to 10010 1.57037E-04
621470 to 621480 1.87417E+02
621470 to 611470 1.38720E-04
621470 to 10020 9.03379E-05
621470 to 611450 9.70023E-05
621470 to 10030 9.70023E-05
621470 to 601450 4.46326E-06
621470 to 20030 4.46326E-06
621470 to 601440 8.99905E-04
621470 to 621471 1.27230E+00
621470 tot-cap 1.87483E+02
621490 to 621480 3.38650E-02
621490 to 621470 2.68719E-05
621490 to 621500 4.49490E+04
621490 to 611490 3.53511E-04
621490 to 10010 3.53511E-04
621490 to 601460 3.53511E-04
621490 to 20040 3.53511E-04
621490 tot-cap 4.49491E+04
621500 to 621510 1.16371E+02
621500 tot-cap 1.16371E+02
621510 to 621500 1.13963E-01
621510 to 621490 1.01117E-04


621510	to 601470	1.15091E-05
621510	to 20040	9.05073E-05
621510	to 611500	1.38459E-06
621510	to 10010	1.08487E-05
621510	to 621520	4.75106E+03
621510	to 611510	1.00028E-05
621510	to 10020	5.38656E-07
621510	to 611490	9.78974E-07
621510	to 10030	9.78974E-07
621510	to 601490	1.00853E-09
621510	to 20030	1.00853E-09
621510	to 601480	7.89982E-05
621510	tot-cap	4.75117E+03
621520	to 621510	1.35406E-02
621520	to 621500	9.14946E-05
621520	to 601480	2.04655E-06
621520	to 20040	8.50518E-06
621520	to 611510	5.86501E-07
621520	to 10010	1.73075E-06
621520	to 621530	6.22065E+02
621520	to 611520	1.53744E-06
621520	to 10020	3.93192E-07
621520	to 611500	1.02260E-07
621520	to 10030	1.02260E-07
621520	to 601500	3.09906E-10
621520	to 20030	3.09906E-10
621520	to 601490	6.45864E-06
621520	tot-cap	6.22079E+02
631530	to 631520	1.31512E-02
631530	to 631510	1.96388E-05
631530	to 611490	3.38063E-05
631530	to 20040	4.75442E-04
631530	to 621520	5.51439E-06
631530	to 10010	4.72410E-05
631530	to 631540	5.24135E+02
631530	to 621530	4.53653E-05
631530	to 10020	3.62861E-06
631530	to 621510	8.12082E-07
631530	to 10030	8.12082E-07
631530	to 611510	1.85602E-08
631530	to 20030	1.85602E-08
631530	to 611500	4.41636E-04
631530	tot-cap	5.24149E+02
631540	to 631530	2.10257E-02
631540	to 631520	7.55216E-06
631540	to 611500	7.34312E-11
631540	to 20040	5.64502E-04
631540	to 621530	1.65340E-06
631540	to 10010	9.02816E-04
631540	to 631550	9.65321E+02
631540	to 621540	9.02815E-04
631540	to 10020	1.65248E-06
631540	to 621520	2.80047E-06
631540	to 10030	2.80047E-06
631540	to 611520	1.18657E-08
631540	to 20030	1.18657E-08
631540	to 611510	5.64502E-04
631540	tot-cap	9.65344E+02
631550	to 631540	1.72613E-02
631550	to 631530	4.83354E-05


631550 to 611510 1.30274E-06
631550 to 20040 6.41208E-06
631550 to 621540 2.63564E-06
631550 to 10010 5.55710E-06
631550 to 631560 2.46919E+03
631550 to 621550 4.27468E-06
631550 to 10020 1.35322E-06
631550 to 621530 4.47964E-07
631550 to 10030 4.47964E-07
631550 to 611530 1.01533E-10
631550 to 20030 1.01533E-10
631550 to 611520 5.10929E-06
631550 tot-cap 2.46921E+03
641550 to 641560 1.66647E+04
641550 tot-cap 1.66647E+04
922340 to 922330 4.52222E-03
922340 fission 3.36683E+00
922340 nu-sigf 8.84026E+00
922340 to 922320 6.55695E-05
922340 to 922350 1.54966E+02
922340 to 922341 2.28857E+00
922340 tot-cap 1.58337E+02
922350 to 922340 2.08089E-02
922350 fission 3.45274E+02
922350 nu-sigf 8.35906E+02
922350 to 922330 1.97518E-05
922350 to 922360 7.79041E+01
922350 to 922351 6.49553E-02
922350 tot-cap 4.23199E+02
922360 to 922350 2.30571E-02
922360 fission 1.43525E+00
922360 nu-sigf 3.95370E+00
922360 to 922340 3.07009E-04
922360 to 922370 6.53622E+01
922360 to 922361 2.49832E+00
922360 tot-cap 6.68208E+01
922380 to 922370 4.60256E-02
922380 fission 7.16463E-01
922380 nu-sigf 2.01392E+00
922380 to 922360 2.97346E-04
922380 to 922390 6.85783E+00
922380 tot-cap 7.62061E+00
932370 to 932360 1.04888E-02
932370 fission 3.90501E+00
932370 nu-sigf 1.17476E+01
932370 to 932350 4.01271E-05
932370 to 932380 2.56347E+02
932370 to 932371 5.85573E-01
932370 tot-cap 2.60262E+02
942380 to 942370 1.68594E-03
942380 fission 1.85098E+01
942380 nu-sigf 5.23282E+01
942380 to 942360 9.43537E-06
942380 to 942390 2.54280E+02
942380 to 942381 2.27351E+00
942380 tot-cap 2.72791E+02
942390 to 942380 8.96190E-03
942390 fission 8.64299E+02
942390 nu-sigf 2.48458E+03
942390 to 942370 1.51904E-05


```
                    942390 to 942360  1.50585E-08
                    942390 to 942400  4.90677E+02
                    942390 tot-cap    1.35499E+03
                    942400 to 942390  4.19874E-03
                    942400 fission    4.59747E+00
                    942400 nu-sigf    1.43440E+01
                    942400 to 942380  4.09730E-05
                    942400 to 942410  1.93411E+03
                    942400 tot-cap    1.93871E+03
                    942410 to 942400  5.38011E-02
                    942410 fission    8.86980E+02
                    942410 nu-sigf    2.60217E+03
                    942410 to 942390  8.76709E-05
                    942410 to 942420  2.95973E+02
                    942410 tot-cap    1.18301E+03
                    942420 to 942410  1.71166E-02
                    942420 fission    3.37854E+00
                    942420 nu-sigf    1.05719E+01
                    942420 to 942400  2.08084E-04
                    942420 to 942430  2.62084E+02
                    942420 tot-cap    2.65480E+02
                    952410 fission    1.08184E+01
                    952410 nu-sigf    3.47448E+01
                    952410 to 952420  9.79069E+02
                    952410 tot-cap    9.89887E+02
                    952430 fission    2.60540E+00
                    952430 nu-sigf    8.75092E+00
                    952430 to 952440  3.44795E+02
                    952430 tot-cap    3.47400E+02
                    962440 to 962430  4.11346E-03
                    962440 fission    1.19573E+01
                    962440 nu-sigf    4.00144E+01
                    962440 to 962420  4.10210E-05
                    962440 to 962450  1.12244E+02
                    962440 to 962441  2.90118E+00
                    962440 tot-cap    1.24206E+02
0the reaction  50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
0the reaction 621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
0the fission product transitions for  922340 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  922340 to 922341 was not used, because  922341 is not in library., (in subr pool)
0the reaction  922350 to 922351 was not used, because  922351 is not in library., (in subr pool)
0the fission product transitions for  922360 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  922360 to 922361 was not used, because  922361 is not in library., (in subr pool)
0the fission product transitions for  952370 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  952370 to 952371 was not used, because  952371 is not in library., (in subr pool)
0the fission product transitions for  942380 were not used.  library fissile nuclides are
```

```
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 942380 to 942381 was not used, because 942381 is not in library., (in subr pool)
0the fission product transitions for 942400 were not used. library fissile nuclides are
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for 942420 were not used. library fissile nuclides are
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for 952410 were not used. library fissile nuclides are
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for 952430 were not used. library fissile nuclides are
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for 962440 were not used. library fissile nuclides are
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 962440 to 962441 was not used, because 962441 is not in library., (in subr pool)
1
0                    case completed.  date,   2/16/1996
0 * normal termination *
```










```
*****************************************************************
*****************************************************************
*****************************************************************
*****                                                       *****
*****              program verification information          *****
*****                                                       *****
*****              code system:   scale  version:   4.2     *****
*****                                                       *****
*****************************************************************
*****************************************************************
*****                                                       *****
*****                                                       *****
*****          program:  c0c004                             *****
*****                                                       *****
*****       creation date:  04/27/95                        *****
*****                                                       *****
*****          library:  /nautronics/scale/exe              *****
*****                                                       *****
*****                                                       *****
*****   this is not a  scale  configuration controlled code *****
*****                                                       *****
*****          jobname:  davis                              *****
*****                                                       *****
*****   date of execution:  02/16/96                        *****
*****                                                       *****
*****   time of execution:  09:55:45                        *****
```

```
                    *****                                                    *****
                    *****                                                    *****
                    ************************************************************
                    ************************************************************
                    ************************************************************
1
0       -1q array has       1 entries.
0        0q array has       1 entries.
0        0q array has       1 entries.
0        0q array has       1 entries.
0        0q array has       1 entries.
0         dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0             short-lived split test fraction, qm =    9.1188E-04
0             half-norm of matrix used, am =    7.0000E+00
0             4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
0        1q array has      20 entries.
0        3q array has       1 entries.
0        3q array has       1 entries.
0        3q array has       1 entries.
0        3q array has       1 entries.
0        4q array has       1 entries.
0       54q array has      12 entries.
1library information...

          cross-section data taken from position number  1 of library on unit 15.

          pass   0
          *scale-system control module sas2 library*
          used a time-dependent neutron spectrum, for each of the above passes
            pass 0 applies start-up fuel densiities
            pass n applies mid time densities of nth library interval
          first library updated was...
          pass   1
          pass   0
          *scale-system control module sas2 library*
          used a time-dependent neutron spectrum, for each of the above passes
            pass 0 applies start-up fuel densiities
            pass n applies mid time densities of nth library interval
          first library updated was...
          ************************************************************************
          *                                                                      *
          *           prelim lwr origen-s binary working library--id = 1143      *
          *         made from modified card-image origen-s libraries of scale 4.2*
          *       data from the light element, actinide, and fission product libraries*
          *         decay data, including gamma and total energy, are from endf/b-vi*
          *                                                                      *
          *       neutron flux spectrum factors and cross sections were produced from*
          *      the 'presas2' case updating all nuclides on the scale 'burnup' library*
          *                                                                      *
          *                   fission product yields are from endf/b-v           *
          *                                                                      *
          *              photon libraries use an 18-energy-group structure       *
          *             the photon data are from the master photon data base,    *
          *              produced to include bremsstrahlung from uo2 matrix      *
          *                                                                      *
          *        see information above this box (if present) for later updates *
          *                                                                      *
          ************************************************************************
          *                                                                      *
0         ************************************************************************
```

0 .other identification and sizes of library.
0 data set name: ft15f001
0 2/16/1996 date library was produced
0 1697 total number of nuclides in library
689 number of light-element nuclides
129 number of actinide nuclides
879 number of fission product nuclides
0 7985 number of nonzero off-diagonal matrix elements
0 **********
1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 1
power= 8.466E-05mw, burnup=6.772?E-03mwd, flux= 1.72E+13n/cm**2-sec
0 nuclide concentrations, gram atoms
basis = converted to atoms/(barn-cm)


	charge	20.0 d	40.0 d	60.0 d	80.0 d
u230	.00E+00	1.00E-23	3.36E-23	6.45E-23	9.96E-23
u231	.00E+00	6.20E-22	1.50E-21	2.40E-21	3.31E-21
u232	.00E+00	1.09E-14	2.21E-14	3.36E-14	4.55E-14
u233	.00E+00	1.14E-12	2.26E-12	3.35E-12	4.42E-12
u234	5.56E-06	5.53E-06	5.50E-06	5.48E-06	5.45E-06
u235	6.92E-04	6.83E-04	6.74E-04	6.66E-04	6.58E-04
u236	3.17E-06	4.75E-06	6.32E-06	7.86E-06	9.37E-06
u237	.00E+00	1.63E-08	1.97E-08	2.14E-08	2.28E-08
u238	2.21E-02	2.21E-02	2.21E-02	2.21E-02	2.20E-02
u239	.00E+00	5.29E-09	5.31E-09	5.29E-09	5.27E-09
u240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	9.63E-18	5.61E-17	1.48E-16	2.86E-16
np236m	.00E+00	3.36E-16	9.23E-16	1.57E-15	2.26E-15
np236	.00E+00	6.61E-16	3.89E-15	1.03E-14	2.03E-14
np237	.00E+00	2.15E-08	5.89E-08	1.01E-07	1.45E-07
np238	.00E+00	1.95E-11	6.16E-11	1.09E-10	1.60E-10
np239	.00E+00	7.60E-07	7.66E-07	7.63E-07	7.61E-07
np240m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np240	.00E+00	1.20E-11	1.21E-11	1.20E-11	1.19E-11
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	.00E+00	8.39E-16	5.07E-15	1.36E-14	2.67E-14
pu237	.00E+00	6.58E-16	2.80E-15	6.02E-15	9.96E-15
pu238	.00E+00	4.28E-11	3.03E-10	8.58E-10	1.73E-09
pu239	.00E+00	3.66E-06	7.94E-06	1.20E-05	1.60E-05
pu240	.00E+00	2.60E-08	1.11E-07	2.51E-07	4.39E-07
pu241	.00E+00	4.63E-10	4.08E-09	1.39E-08	3.27E-08
pu242	.00E+00	9.67E-13	1.75E-11	9.09E-11	2.87E-10
pu243	.00E+00	1.12E-16	2.04E-15	1.06E-14	3.32E-14
pu244	.00E+00	6.19E-40	1.61E-36	1.48E-34	3.62E-33
pu245	.00E+00	.00E+00	.00E+00	7.64E-41	2.75E-39
pu246	.00E+00	.00E+00	1.40E-45	1.26E-43	3.79E-42
am239	.00E+00	3.92E-24	7.04E-23	3.65E-22	1.15E-21
am240	.00E+00	9.80E-22	2.26E-20	1.29E-19	4.25E-19
am241	.00E+00	2.90E-13	5.18E-12	2.69E-11	8.48E-11
am242m	.00E+00	2.55E-16	9.12E-15	7.03E-14	2.91E-13
am242	.00E+00	3.39E-16	6.10E-15	3.16E-14	9.92E-14
am243	.00E+00	1.42E-15	5.25E-14	4.14E-13	1.76E-12
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	4.41E-19	1.63E-17	1.29E-16	5.47E-16
am245	.00E+00	.00E+00	1.04E-40	9.67E-39	2.34E-37
am246	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
totals	2.28E-02	2.28E-02	2.28E-02	2.27E-02	2.27E-02
0 flux		1.72E+13	1.73E+13	1.72E+13	1.72E+13

0 .results on logical unit no. 71, position 1, for time step 4, subcase 1. (run position 1, case position 1)


```
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0  .results on logical unit no. 71, position  2, for time step  4, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0  .results on logical unit no. 71, position  3, for time step  0, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0  .results on logical unit no. 71, position  4, for time step  1, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0     .terminated logical unit no. 71 with zero flag record.
1  * normal termination of execution *
0                                  table of contents for material tables
0                                    case or subcase printed     page

                                                      1              1
0ndset          33
          15          4          1         27          6          0          0          0          0          0
           0          0          0          0          0          2         -1       1698        690        130
         880       7955          0          5         99          2         16         96         18         18
          18          0         71
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       4 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90  92270
     l116  95405
     l32  33663 nudata (library) storage size
     l44  33734
     l103  70769
0       58q array has       4 entries.
0       60q array has       4 entries.
0       66q array has       1 entries.
0       73q array has       4 entries.
0       74q array has       4 entries.
0       75q array has       4 entries.
     l140  61885
     used   94591 in size  200000
0jqpt           12
           0          0          0          0          0          0          0          0          0          0
           0          0
0therm           4
  5.134568E-01 3.372767E-01 2.548021E+00 1.000000E-31
0non            5
        7955         20          6         18       1697
0mm            19
           4          4          0          0          1          1          0          0          0          0
          21        100          4          4          3         74          4          1          0
0tconst         5
  8.640000E+04 1.000000E-20  .000000E+00  .000000E+00 1.000000E-08
0nzero          4
           0        689        129        879
0pow            3
   .000000E+00  .000000E+00  .000000E+00
0 linp          9
           6          0         51         26          2       3000       1000       1697         94
```


```
 n-gamma, fission and total mev/fission =          4.2823E+00     1.9427E+02     1.9856E+02
 start of interval flux =        1.73556E+13
 n-gamma, fission and total mev/fission =          4.6429E+00     1.9435E+02     1.9899E+02
 start of interval flux =        1.73046E+13
 n-gamma, fission and total mev/fission =          4.6996E+00     1.9444E+02     1.9914E+02
 start of interval flux =        1.72419E+13
 n-gamma, fission and total mev/fission =          4.7478E+00     1.9452E+02     1.9927E+02
 start of interval flux =        1.71873E+13
0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0      56q array has     20 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has     20 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has     20 entries.
0      56q array has     20 entries.
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 1, exec halts after pass   8
```




```
0
```




```
0
```



```
0
```





```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******                program verification information          ******
******                                                          ******
******               code system:   scale  version:   4.2       ******
******                                                          ******
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******           program:  c0c008                               ******
******                                                          ******
******      creation date:  04/27/95                            ******
******                                                          ******
******           library:  /neutronics/scale/exe                ******
******                                                          ******
******                                                          ******
******  this is not a  scale  configuration controlled code     ******
******                                                          ******
******           jobname:  davis                                ******
******                                                          ******
******  date of execution:  02/16/96                            ******
******                                                          ******
******  time of execution:  09:55:48                            ******
******                                                          ******
******                                                          ******
**********************************************************************
```

```
                    ********************************************************************************
                    ********************************************************************************

1
0       -1q array has       1 entries.
0        0q array has       4 entries.
0        1q array has       6 entries.
0        2q array has       2 entries.
1logical assignments
0master library   12
 working library   0
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       66
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation 1.350E+00
0        3q array has      66 entries.
0        4q array has      66 entries.
0        5q array has      66 entries.
0        6q array has       4 entries.
0        7q array has       4 entries.
0        8q array has       4 entries.
0        9q array has       4 entries.
0       10q array has      66 entries.
0       11q array has       4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        1    92235    6.57647E-04           92235
    2        1    92234    5.45374E-06           92234
    3        1    92236    9.37010E-06           92236
    4        1    92238    2.20477E-02           92238
    5        1     8016    4.55359E-02            8016
    6        3     8016    2.09710E-02               6
    7        1    36083    1.57183E-07           36083
    8        1    36085    7.63106E-08           36085
    9        1    38090    1.70684E-06           38090
   10        1    39089    5.60000E-07           39089
   11        1    42095    2.50288E-07           42095
   12        1    40093    1.24307E-06           40093
   13        1    40094    1.91444E-06           40094
   14        1    40095    1.29859E-06           40095
   15        1    41094    5.36198E-13           41094
   16        1    43099    1.77108E-06           43099
   17        1    45103    4.59914E-07           45103
   18        1    45105    1.10044E-08           45105
   19        1    44101    1.56724E-06           44101
   20        1    44106    1.80896E-07           44106
   21        1    46105    3.66502E-07           46105
   22        1    46108    4.74250E-08           46108
   23        1    47109    2.91333E-08           47109
   24        1    51124    9.07937E-12           51124
   25        1    54131    7.49268E-07           54131
   26        1    54132    1.26842E-06           54132
   27        1    54135    6.32256E-09           54135
   28        1    54136    3.00800E-06           54136
```

29	1	55134	8.18674E-09	55134
30	1	55135	9.06121E-07	55135
31	1	55137	1.90508E-06	55137
32	1	56136	2.19836E-09	56136
33	1	57139	1.91454E-06	57139
34	1	59141	9.07627E-07	59141
35	1	59143	4.07108E-07	59143
36	1	58144	1.48283E-06	58144
37	1	60143	1.31604E-06	60143
38	1	60145	1.17029E-06	60145
39	1	61147	5.25252E-07	61147
40	1	61148	1.26721E-09	61148
41	1	60147	1.34940E-07	60147
42	1	62147	1.30142E-08	62147
43	1	62149	6.35746E-08	62149
44	1	62150	2.60260E-07	62150
45	1	62151	1.03932E-07	62151
46	1	62152	1.16691E-07	62152
47	1	64155	1.02921E-10	64155
48	1	63153	5.54702E-08	63153
49	1	63154	1.61916E-09	63154
50	1	63155	1.09678E-08	63155
51	2	40802	4.25156E-02	40802
52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	1.82872E-06	55133
56	1	93237	1.45033E-07	93237
57	1	94238	1.72916E-09	94238
58	1	94239	1.59534E-05	94239
59	1	94240	4.39198E-07	94240
60	1	94241	3.26765E-08	94241
61	1	94242	2.86985E-10	94242
62	1	95241	8.48261E-11	95241
63	1	95243	1.76207E-12	95243
64	1	96244	1.17608E-14	96244
65	1	999	1.00000E-20	999
66	4	999	1.00000E-20	66

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	1	4.68122E-01	9.75000E+02	9.05844E-01	0
2	4	4.78790E-01	2.93000E+02	5.49010E-01	0
3	2	5.46100E-01	6.50000E+02	.00000E+00	0
4	3	8.13968E-01	6.07600E+02	.00000E+00	0

7711 locations of 200000 available are required to make a new master containing the self-shielded values

Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

Ocopy 999 1/v cross sectio from log 12 to log 18 bondarenko trigger 0
Ocopy 999 1/v cross sectio from log 18 to log 1 bondarenko trigger 0
Ocopy 999 1/v cross sectio from log 18 to log 1 bondarenko trigger 0
Ocopy 1001 hydrogen from log 12 to log 1 bondarenko trigger 0
Ocopy 5010 b-10 1273 218ngp from log 12 to log 1 bondarenko trigger 0
Ocopy 5011 boron-11 from log 12 to log 1 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 12 to log 18 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
Ocopy 36083 kr-83 from log 12 to log 1 bondarenko trigger 0
Ocopy 36085 kr-85 from log 12 to log 1 bondarenko trigger 0
Ocopy 38090 sr-90 from log 12 to log 1 bondarenko trigger 0
Ocopy 39089 y-89 from log 12 to log 1 bondarenko trigger 0
Ocopy 40093 zr-93 from log 12 to log 1 bondarenko trigger 0


```
0copy    40094  zr-94           from log 12 to log  1   bondarenko trigger 0
0copy    40095  zr-95           from log 12 to log  1   bondarenko trigger 0
0copy    40302  zircalloy       from log 12 to log  1   bondarenko trigger 0
0copy    41094  nb-94           from log 12 to log  1   bondarenko trigger 0
0copy    42095  mo-95           from log 12 to log  1   bondarenko trigger 0
0copy    43099  tc-99           from log 12 to log  1   bondarenko trigger 0
0copy    44101  ru-101          from log 12 to log  1   bondarenko trigger 0
0copy    44106  ru-106          from log 12 to log  1   bondarenko trigger 0
0copy    45103  rh-103          from log 12 to log  1   bondarenko trigger 0
0copy    45105  rh-105          from log 12 to log  1   bondarenko trigger 0
0copy    46105  pd-105          from log 12 to log  1   bondarenko trigger 0
0copy    46108  pd-108          from log 12 to log  1   bondarenko trigger 0
0copy    47109  silver-109      from log 12 to log  1   bondarenko trigger 0
0copy    51124  sb-124          from log 12 to log  1   bondarenko trigger 0
0copy    54131  xe-131          from log 12 to log  1   bondarenko trigger 0
0copy    54132  xe-132          from log 12 to log  1   bondarenko trigger 0
0copy    54135  xenon-135       from log 12 to log  1   bondarenko trigger 0
0copy    54136  xe-136          from log 12 to log  1   bondarenko trigger 0
0copy    55133  cesium-133      from log 12 to log  1   bondarenko trigger 0
0copy    55134  cs-134          from log 12 to log  1   bondarenko trigger 0
0copy    55135  cs-135          from log 12 to log  1   bondarenko trigger 0
0copy    55137  cs-137          from log 12 to log  1   bondarenko trigger 0
0copy    56136  ba-136          from log 12 to log  1   bondarenko trigger 0
0copy    57139  la-139          from log 12 to log  1   bondarenko trigger 0
0copy    58144  ce-144          from log 12 to log  1   bondarenko trigger 0
0copy    59141  pr-141          from log 12 to log  1   bondarenko trigger 0
0copy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigp= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigp= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigp from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigp from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
      based on endf-b version 4 data with endf-b version 5 fission products
        compiled for nnc     1/27/89
          last updated       9/16/93
             l.m.petrie  -   ornl
      tape id                          4321          number of nuclides          66
```

number of neutron groups 27 number of gamma groups 0
first thermal group 15 logical unit 1


table of contents

1/v cross sections normalized to 1.0 at 0.0253 ev id 999
1/v cross sections normalized to 1.0 at 0.0253 ev id 66
hydrogen endf/b-iv mat 1269/thrml002 updated 10/13/89 id 1001
b-10 1273 218ngp 042375 p-3 293k id 5010
boron-11 endf/b-iv mat 1160 updated 10/13/89 id 5011
oxygen-16 endf/b-iv mat 1276 updated 10/13/89 id 8016
oxygen-16 endf/b-iv mat 1276 updated 10/13/89 id 6
kr-83 mt=102,103,103,105,106,107 updated 10/13/89 id 36083
kr-85 mt= 102 id 36085
sr-90 mt=102 updated 10/13/89 id 38090
y-89 mt=102 updated 10/13/89 id 39089
zr-93 mt= 102 id 40093
zr-94 mt=102 updated 10/13/89 id 40094
zr-95 mt=102 updated 10/13/89 id 40095
zircalloy endf/b-iv mat 1284 updated 10/13/89 id 40802
rb-94 mt=102 updated 10/13/89 id 41094
mo-95 mt=102 updated 10/13/89 id 42095
tc-99 mt=102 updated 10/13/89 id 43099
ru-101 mt=102 updated 10/13/89 id 44101
ru-106 mt=102 updated 10/13/89 id 44106
rh-103 mt=102 updated 10/13/89 id 45103
rh-105 mt= 102 id 45105
pd-105 mt=102 updated 10/13/89 id 46105
pd-108 mt=102 updated 10/13/89 id 46108
silver-109 endf/b-iv mat 1139 updated 10/13/89 id 47109
sb-124 mt=102 updated 10/13/89 id 51124
xe-131 mt=102,103,104,105,106 updated 10/13/89 id 54131
xe-132 mt=102,103,104,105,106 updated 10/13/89 id 54132
xenon-135 endf/b-iv mat 1294 updated 10/13/89 id 54135
xe-136 mt= 102, 103, 104, 105, 107 id 54136
cesium-133 endf/b-iv mat 1141 updated 10/13/89 id 55133
cs-134 mt=102 updated 10/13/89 id 55134
cs-135 mt= 102 id 55135
cs-137 mt=102 updated 10/13/89 id 55137
ba-136 mt=102 updated 10/13/89 id 56136
la-139 mt=102 updated 10/13/89 id 57139
ce-144 mt= 102 id 58144
pr-141 mt=102,103,104,105,106,107 updated 10/13/89 id 59141
pr-143 mt=102 updated 10/13/89 id 59143
nd-143 mt=102 updated 10/13/89 id 60143
nd-145 mt=102 updated 10/13/89 id 60145
nd-147 mt=102 updated 10/13/89 id 60147
pm-147 mt=102 updated 10/13/89 id 61147
pm-148 mt= 102 id 61148
sm-147 endf/b-v fission product updated 10/13/89 id 62147
sm-149 mt=102,103,107 updated 10/13/89 id 62149
sm-150 mt=102 updated 10/13/89 id 62150
sm-151 mt=102,103,104,105,106,107 updated 10/13/89 id 62151
sm-152 mt=102,103,104,105,106,107 updated 10/13/89 id 62152
eu-153 mt=102,103,104,105,106,107 updated 10/13/89 id 63153
eu-154 mt=102,103,104,105,106,107 updated 10/13/89 id 63154
eu-155 mt=102,103,104,105,106,107 updated 10/13/89 id 63155
gd-155 mt=102 updated 10/13/89 id 64155
u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5) id 92234
uranium-235 endf/b-iv mat 1261 updated 10/13/89 id 92235
u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5) id 92236
uranium-238 endf/b-iv mat 1262 updated 10/13/89 id 92238


```
      neptunium-237  endf/b-iv mat 1263          updated 10/13/89          id    93237
     pu-238 1050 sigp=5+4 newklacs p-3 293k f-1/e-m(1.+5)                   id    94238
      plutonium-239  endf/b-iv mat 1264          updated 10/13/89          id    94239
      plutonium-240  endf/b-iv mat 1265          updated 10/13/89          id    94240
      plutonium-241  endf/b-iv mat 1266          updated 10/13/89          id    94241
      plutonium-242  endf/b-iv mat 1161          updated 10/13/89          id    94242
     am-241 1056 sigp=5+4 newklacs 218ngp p-3 293k                          id    95241
     am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                           id    95243
      curium-244     endf/b-iv mat 1162          updated 10/13/89          id    96244
0      tape copy used      0 i/o's, and took     .00 seconds
1
```




```
0
```




```
0
```




```
0
```



```
0
```



```
1
0
```



```
1
0      -1q array has      1 entries.
0       0q array has      9 entries.
0       1q array has     12 entries.
0select 65 nuclides from the master  library on logical  1
        0 nuclides from the working library on logical  2
        0 nuclides from the working library on logical  3
```

```
          to create the new working library on logical  4

        61 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      65 entries.
0        3q array has     915 entries.
0        4q array has      65 entries.
0 general information concerning cross section library
    tape identification number                  4321
    number of nuclides on tape                    66
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0  direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                             compiled for nrc      1/27/89
                                last updated       9/16/93
                                  l.m.petrie   -    ornl
0 nuclides from xsdrn tape
     1    1/v cross sections normalized to 1.0 at 0.0253 ev                                    999
     2    hydrogen        endf/b-iv mat 1269/thrmf1002    updated 10/13/89                    1001
     3    b-10 1273 218ngp 042375 p-3 293k                                                    5010
     4    boron-11        endf/b-iv mat 1160              updated 10/13/89                    5011
     5    oxygen-16       endf/b-iv mat 1276              updated 10/13/89                    8016
     6    oxygen-16       endf/b-iv mat 1276              updated 10/13/89                       6
     7    kr-83           mt=102,103,103,105,106,107      updated 10/13/89                   36083
     8    kr-85             mt=  102                                                         36085
     9    sr-90           mt=102                          updated 10/13/89                   38090
    10     y-89           mt=102                          updated 10/13/89                   39089
    11    zr-93             mt=  102                                                         40093
    12    zr-94           mt=102                          updated 10/13/89                   40094
    13    zr-95           mt=102                          updated 10/13/89                   40095
    14    zircalloy       endf/b-iv mat 1284              updated 10/13/89                   40302
    15    nb-94           mt=102                          updated 10/13/89                   41094
    16    mo-95           mt=102                          updated 10/13/89                   42095
    17    tc-99           mt=102                          updated 10/13/89                   43099
    18    ru-101          mt=102                          updated 10/13/89                   44101
    19    ru-106          mt=102                          updated 10/13/89                   44106
    20    rh-103          mt=102                          updated 10/13/89                   45103
    21    rh-105            mt=  102                                                         45105
    22    pd-105          mt=102                          updated 10/13/89                   46105
    23    pd-108          mt=102                          updated 10/13/89                   46108
    24    silver-109      endf/b-iv mat 1139              updated 10/13/89                   47109
    25    sb-124          mt=102                          updated 10/13/89                   51124
    26    xe-131          mt=102,103,104,105,106          updated 10/13/89                   54131
    27    xe-132          mt=102,103,104,105,106          updated 10/13/89                   54132
    28    xenon-135       endf/b-iv mat 1294              updated 10/13/89                   54135
    29    xe-136            mt=  102, 103, 104, 105, 107                                     54136
    30    cesium-133      endf/b-iv mat 1141              updated 10/13/89                   55133
    31    cs-134          mt=102                          updated 10/13/89                   55134
    32    cs-135            mt=  102                                                         55135
    33    cs-137          mt=102                          updated 10/13/89                   55137
    34    ba-136          mt=102                          updated 10/13/89                   56136
    35    la-139          mt=102                          updated 10/13/89                   57139
    36    ce-144            mt=  102                                                         58144
    37    pr-141          mt=102,103,104,105,106,107      updated 10/13/89                   59141
    38    pr-143          mt=102                          updated 10/13/89                   59143
```

```
    39    nd-143        mt=102                          updated 10/13/89          60143
    40    nd-145        mt=102                          updated 10/13/89          60145
    41    nd-147        mt=102                          updated 10/13/89          60147
    42    pm-147        mt=102                          updated 10/13/89          61147
    43    pm-148          mt=  102                                                61148
    44    sm-147        endf/b-v fission product        updated 10/13/89          62147
    45    sm-149        mt=102,103,107                  updated 10/13/89          62149
    46    sm-150        mt=102                          updated 10/13/89          62150
    47    sm-151        mt=102,103,104,105,106,107      updated 10/13/89          62151
    48    sm-152        mt=102,103,104,105,106,107      updated 10/13/89          62152
    49    eu-153        mt=102,103,104,105,106,107      updated 10/13/89          63153
    50    eu-154        mt=102,103,104,105,106,107      updated 10/13/89          63154
    51    eu-155        mt=102,103,104,105,106,107      updated 10/13/89          63155
    52    gd-155        mt=102                          updated 10/13/89          64155
    53   u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                       92234
    54    uranium-235   endf/b-iv mat 1261              updated 10/13/89          92235
    55   u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                       92236
    56    uranium-238   endf/b-iv mat 1262              updated 10/13/89          92238
    57    neptunium-237 endf/b-iv mat 1263              updated 10/13/89          93237
    58   pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                       94238
    59    plutonium-239 endf/b-iv mat 1264              updated 10/13/89          94239
    60    plutonium-240 endf/b-iv mat 1265              updated 10/13/89          94240
    61    plutonium-241 endf/b-iv mat 1266              updated 10/13/89          94241
    62    plutonium-242 endf/b-iv mat 1161              updated 10/13/89          94242
    63   am-241 1056 sigo=5+4 newxlacs 218ngp p-3 293k                             95241
    64   am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                              95243
    65    curium-244    endf/b-iv mat 1162              updated 10/13/89          96244
01/v cross sections normalized to 1.0 at 0.0253 ev                        999    temperature=   975.00
0 hydrogen      endf/b-iv mat 1269/thrm1002   updated 10/13/89           1001    temperature=   607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                         5010    temperature=   607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11      endf/b-iv mat 1160            updated 10/13/89            5011    temperature=   607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16     endf/b-iv mat 1276            updated 10/13/89            8016    temperature=   975.00
0 oxygen-16     endf/b-iv mat 1276            updated 10/13/89               6    temperature=   607.60
0 kr-83         mt=102,103,103,105,106,107    updated 10/13/89           36083    temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    82.202          temperature(kelvin)      =  975.000
0potential scatter sigma  =     7.004          lumped nuclear density   = 1.5718290E-07
0spin factor (g)          =  4988.190          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 1.0863758E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933            sigma(per absorber atom)= 1.2120566E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs        res fiss        res scat
  11      -7.007637E-05     .000000E+00    -1.064840E-04
  12       2.169233E-02     .000000E+00     9.918883E-03
  13      -5.551231E-02     .000000E+00    -2.178956E-02
  14       4.784844E-05     .000000E+00    -1.725850E-05
0excess resonance integrals
0                 resolved
0absorption      1.45215E+02
 fission          .00000E+00
- elapsed time    .00 min.
0 kr-85           mt=  102                                                36085    temperature=   975.00
```

```
0 sr-90        mt=102                    updated 10/13/89          38090    temperature=  975.00
0 y-89         mt=102                    updated 10/13/89          39089    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   88.142          temperature(kelvin)      =   975.000
0potential scatter sigma  =    3.644          lumped nuclear density   = 5.5999971E-07
0spin factor (g)          =   78.664          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 3.0492819E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 3.4020478E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   9     1.147057E-06    .000000E+00   1.964017E-04
  10    -8.969451E-07    .000000E+00  -2.405887E-06
0excess resonance integrals
0              resolved
0absorption   1.46522E-01
 fission       .00000E+00
- elapsed time    .00 min.
0 zr-93        mt=  102                                                40093    temperature=  975.00
0 zr-94        mt=102                    updated 10/13/89          40094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   93.100          temperature(kelvin)      =   975.000
0potential scatter sigma  =    3.779          lumped nuclear density   = 1.9144359E-06
0spin factor (g)          =  180.853          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 8.9195828E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 9.9514734E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   8     1.752696E-07    .000000E+00   1.280213E-04
   9    -2.652779E-06    .000000E+00  -2.404757E-04
0excess resonance integrals
0              resolved
0absorption   3.44332E-02
 fission       .00000E+00
- elapsed time    .00 min.
0 zr-95        mt=102                    updated 10/13/89          40095    temperature=  975.00
0 zircalloy    endf/b-iv mat 1284        updated 10/13/89          40302    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =   90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =    6.335          lumped nuclear density   = 4.2515602E-02
0spin factor (g)          =    1.079          lump dimension (a-bar)   = 5.4610002E-01
0inner radius             = 4.7878999E-01     dancoff correction (c)   = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   8    -1.780696E-03    .000000E+00  -1.286907E+00
   9    -5.895373E-02    .000000E+00  -2.695297E+00
  10    -6.959935E-02    .000000E+00  -1.601321E+00
  11    -1.885957E-01    .000000E+00  -7.920912E-01
0excess resonance integrals
```

```
0                resolved
0absorption      2.28539E-01
 fission          .00000E+00
- elapsed time    .02 min.
0 rb-94          mt=102                  updated 10/13/89          41094     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   93.101          temperature(kelvin)     =   975.000
0potential scatter sigma  =    3.779          lumped nuclear density  = 5.3619826E-13
0spin factor (g)          = 43808.801          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995          sigma(per absorber atom)= 3.1846371E+11
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.933          sigma(per absorber atom)= 3.5530621E+11
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  13      1.043536E-02     .000000E+00    9.254236E-04
  14      9.836719E-03     .000000E+00   -4.064797E-04
0excess resonance integrals
0                resolved
0absorption      9.15001E+01
 fission          .00000E+00
- elapsed time    .02 min.
0 mo-95          mt=102                  updated 10/13/89          42095     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   94.091          temperature(kelvin)     =   975.000
0potential scatter sigma  =    3.806          lumped nuclear density  = 2.5028831E-07
0spin factor (g)          =  607.724          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995          sigma(per absorber atom)= 6.8225200E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.933          sigma(per absorber atom)= 7.6118050E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  10     -1.314701E-04     .000000E+00   -5.604130E-05
  11      9.917398E-05     .000000E+00   -1.432015E-04
  12     -6.555217E-02     .000000E+00   -7.786971E-02
  13      1.614598E-04     .000000E+00   -2.769205E-05
0excess resonance integrals
0                resolved
0absorption      1.03129E+02
 fission          .00000E+00
- elapsed time    .02 min.
0 tc-99          mt=102                  updated 10/13/89          43099     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   98.150          temperature(kelvin)     =   975.000
0potential scatter sigma  =    6.000          lumped nuclear density  = 1.7770319E-06
0spin factor (g)          = 4527.940          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995          sigma(per absorber atom)= 9.6092641E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.933          sigma(per absorber atom)= 1.0720943E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
```

```
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -2.032939E-03     .000000E+00    -9.781914E-04
  12      -3.433435E-04     .000000E+00    -3.992052E-06
  13      -3.315390E-02     .000000E+00    -1.799115E-03
  14      -7.441444E-01     .000000E+00    -2.450169E-02
  15       1.072025E-02     .000000E+00    -5.412184E-04
  16       4.836158E-03     .000000E+00    -2.802598E-04
  17       2.074484E-04     .000000E+00    -1.191909E-05
0excess resonance integrals
0                 resolved
0absorption      3.34362E+02
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-101        mt=102                    updated 10/13/89            44101     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   100.039          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.965          lumped nuclear density   = 1.5672425E-06
0spin factor (g)          =   8785.290         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.0895549E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.2156036E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -3.530341E-02     .000000E+00    -3.627792E-03
  12       3.445391E-02     .000000E+00     1.693120E-03
  13      -3.580828E-02     .000000E+00    -9.759386E-04
  14       2.380160E-04     .000000E+00    -4.197040E-05
0excess resonance integrals
0                 resolved
0absorption      7.99648E+01
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-106        mt=102                    updated 10/13/89            44106     temperature=   975.00
0 rh-103        mt=102                    updated 10/13/89            45103     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   102.021          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.408          lumped nuclear density   = 4.5991399E-07
0spin factor (g)          =      .500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 3.7128616E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 4.1423959E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9       1.322986E-03     .000000E+00     2.155805E-03
  10      -1.406820E-03     .000000E+00    -2.137499E-03
  11      -4.716894E-04     .000000E+00    -6.202842E-04
  12       5.042953E-05     .000000E+00    -1.266816E-05
  13        .000000E+00     .000000E+00     .000000E+00
  14        .000000E+00     .000000E+00     .000000E+00
  15       2.330571E-01     .000000E+00     3.442109E-03
  16       4.040019E+01     .000000E+00    -2.952411E-02
```

```
  17     -1.811418E+02     .000000E+00   -1.294069E-01
  18      8.811710E+01     .000000E+00    2.621466E-01
  19      1.161989E+01     .000000E+00   -1.825308E-03
  20      1.097992E+00     .000000E+00   -2.562609E-03
  21      2.166123E-01     .000000E+00    1.924473E-03
  22      2.583952E-01     .000000E+00    2.928509E-03
  23     -9.881767E-02     .000000E+00    1.799271E-03
0excess resonance integrals
0                 resolved
0absorption      1.16621E+03
 fission          .00000E+00
- elapsed time    .07 min.
0 rh-105          mt=  102                                          45105    temperature=  975.00
0 pd-105        mt=102                    updated 10/13/89          46105    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   104.004          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.059          lumped nuclear density   = 3.6650164E-07
0spin factor (g)          = 15210.000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 4.6591797E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953            sigma(per absorber atom)= 5.1981919E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12     -4.449027E-02     .000000E+00   -3.682612E-04
  13      5.071309E-02     .000000E+00    4.354690E-04
  14      7.783609E-04     .000000E+00   -8.185214E-05
0excess resonance integrals
0                 resolved
0absorption      6.13337E+01
 fission          .00000E+00
- elapsed time    .07 min.
0 pd-108        mt=102                    updated 10/13/89          46108    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   106.977          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.146          lumped nuclear density   = 4.7424962E-08
0spin factor (g)          = 21175.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 3.6006290E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953            sigma(per absorber atom)= 4.0171793E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11      1.170738E-04     .000000E+00    3.533151E-04
  12     -3.023156E-02     .000000E+00   -2.297723E-02
  13      6.979191E-03     .000000E+00    1.813165E-03
  14      8.561563E-02     .000000E+00   -3.205774E-05
  15     -1.840067E-01     .000000E+00    8.089946E-05
  16      2.946583E-04     .000000E+00   -9.256608E-06
0excess resonance integrals
0                 resolved
0absorption      2.14081E+02
 fission          .00000E+00
- elapsed time    .07 min.
```

```
0 silver-109     endf/b-iv mat 1139          updated 10/13/89          47109     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  107.969              temperature(kelvin)      =   975.000
0potential scatter sigma  =    4.988              lumped nuclear density   = 2.9133252E-08
0spin factor (g)          = 1441.870              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995                 sigma(per absorber atom)= 5.8613330E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.953                 sigma(per absorber atom)= 6.5394200E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10      3.559254E-05     .000000E+00    8.195275E-05
  11      4.112723E-04     .000000E+00    2.008312E-04
  12     -6.966888E-01     .000000E+00   -3.053876E-02
  13      7.673391E-01     .000000E+00    3.380763E-02
  14      1.471428E-01     .000000E+00   -2.159336E-03
0excess resonance integrals
0                 resolved
0absorption      1.40385E+03
 fission          .00000E+00
- elapsed time    .08 min.
0 sb-124        mt=102                        updated 10/13/89          51124     temperature=  975.00
0 xe-131        mt=102,103,104,105,106        updated 10/13/89          54131     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  129.781              temperature(kelvin)      =   975.000
0potential scatter sigma  =    4.301              lumped nuclear density   = 7.4926834E-07
0spin factor (g)          =  246.825              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995                 sigma(per absorber atom)= 2.2790192E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.953                 sigma(per absorber atom)= 2.5426748E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9      9.295499E-08     .000000E+00    2.277645E-07
  10     -9.651885E-07     .000000E+00    8.448204E-06
  11     -1.101953E-04     .000000E+00   -1.165399E-04
  12     -3.101842E-03     .000000E+00   -2.983734E-04
  13     -6.808714E+00     .000000E+00   -1.607342E+01
  14      1.129630E-02     .000000E+00    1.579549E-02
0excess resonance integrals
0                 resolved
0absorption      8.32449E+02
 fission          .00000E+00
- elapsed time    .08 min.
0 xe-132        mt=102,103,104,105,106        updated 10/13/89          54132     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  130.771              temperature(kelvin)      =   975.000
0potential scatter sigma  =    4.301              lumped nuclear density   = 1.2684194E-06
0spin factor (g)          =  675.899              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995                 sigma(per absorber atom)= 1.3462400E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.953                 sigma(per absorber atom)= 1.5019841E+05
```

```
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -1.566102E-06     .000000E+00   -4.532205E-06
  10      -5.907378E-04     .000000E+00   -7.536434E-03
  11       3.346802E-08     .000000E+00   -9.308126E-07
0excess resonance integrals
0                resolved
0absorption      9.83393E-01
 fission          .0000E+00
- elapsed time    .08 min.
0 xenon-135     endf/b-iv mat 1294          updated 10/13/89              54135     temperature=  975.00
0 xe-136          mt=  102, 103, 104, 105, 107                            54136     temperature=  975.00
0 cesium-133    endf/b-iv mat 1141          updated 10/13/89              55133     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   131.764          temperature(kelvin)      =   975.000
0potential scatter sigma  =     7.100          lumped nuclear density   = 1.8287258E-06
0spin factor (g)          =   374.437          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 9.3376414E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051            sigma(per absorber atom)= 1.0015845E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -8.437516E-06     .000000E+00    9.105386E-06
  10      -1.919221E-04     .000000E+00   -4.047224E-04
  11      -9.040843E-03     .000000E+00   -1.602248E-02
  12      -1.364221E-02     .000000E+00   -1.943838E-03
  13      -2.195588E-02     .000000E+00   -1.204872E-03
  14      -1.053674E+00     .000000E+00   -4.706611E-02
  15       5.631141E-03     .000000E+00   -4.066079E-04
  16       2.777963E-03     .000000E+00   -2.215676E-04
  17       2.352220E-03     .000000E+00   -1.830804E-04
  18       2.215081E-03     .000000E+00   -1.679524E-04
  19       1.316858E-03     .000000E+00   -9.664818E-05
0excess resonance integrals
0                resolved
0absorption      3.66270E+02
 fission          .0000E+00
- elapsed time    .10 min.
0 cs-134        mt=102                      updated 10/13/89              55134     temperature=  975.00
0 cs-135          mt=  102                                                55135     temperature=  975.00
0 cs-137        mt=102                      updated 10/13/89              55137     temperature=  975.00
0 ba-136        mt=102                      updated 10/13/89              56136     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   134.737          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.835          lumped nuclear density   = 2.1983582E-09
0spin factor (g)          =  1247.690          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 7.7676008E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933            sigma(per absorber atom)= 8.6662208E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
```

```
0group        res abs         res fiss        res scat
  10       1.385397E-06     .000000E+00    6.005004E-07
  11       2.594320E-05     .000000E+00    2.223017E-05
0excess resonance integrals
0                resolved
0absorption      1.38477E+00
 fission          .00000E+00
- elapsed time    .10 min.
0 la-139        mt=102                    updated 10/13/89          57139    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   137.713          temperature(kelvin)     =   975.000
0potential scatter sigma  =     4.906          lumped nuclear density  = 1.9145427E-06
0spin factor (g)          =   145.855          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 8.9190852E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 9.9509180E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9       5.121917E-05     .000000E+00    7.292469E-03
  10      -8.648757E-05     .000000E+00   -9.333951E-03
  11        .000000E+00     .000000E+00     .000000E+00
  12      -6.327806E-03     .000000E+00   -3.860514E-03
0excess resonance integrals
0                resolved
0absorption      8.14388E+00
 fission          .00000E+00
- elapsed time    .12 min.
0 ce-144         mt=  102                                            58144    temperature=  975.00
0 pr-141        mt=102,103,104,105,106,107   updated 10/13/89       59141    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   139.697          temperature(kelvin)     =   975.000
0potential scatter sigma  =     4.953          lumped nuclear density  = 9.0762717E-07
0spin factor (g)          =  1026.500          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.8813859E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 2.0990400E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  10      -3.350278E-04     .000000E+00   -1.134887E-02
  11      -5.860446E-03     .000000E+00   -7.827497E-02
  12      -7.141109E-05     .000000E+00   -5.150514E-06
0excess resonance integrals
0                resolved
0absorption      1.22945E+01
 fission          .00000E+00
- elapsed time    .12 min.
0 pr-143        mt=102                    updated 10/13/89          59143    temperature=  975.00
0 nd-143        mt=102                    updated 10/13/89          60143    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   141.682          temperature(kelvin)     =   975.000
0potential scatter sigma  =     5.000          lumped nuclear density  = 1.3160375E-06
0spin factor (g)          =  1964.850          lump dimension (a-bar)  = 4.6812201E-01
```

```
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 1.2975291E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953               sigma(per absorber atom)= 1.4476378E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  10      -1.795914E-05      .000000E+00     2.725170E-05
  11      -3.079928E-02      .000000E+00    -3.612093E-01
  12      -1.958079E-02      .000000E+00    -9.719688E-03
0excess resonance integrals
0                  resolved
0absorption       5.16188E+01
 fission          .00000E+00
-  elapsed time    .12 min.
0 nd-145         mt=102                    updated 10/13/89              60145     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   143.668              temperature(kelvin)       =  975.000
0potential scatter sigma =     5.047              lumped nuclear density    = 1.1702858E-06
0spin factor (g)         =  1007.250              lump dimension (a-bar)    = 4.6812201E-01
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 1.4591281E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953               sigma(per absorber atom)= 1.6279319E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  10      -3.951190E-04      .000000E+00    -6.503459E-03
  11      -7.208139E-03      .000000E+00    -2.112537E-02
  12      -1.811622E-01      .000000E+00    -1.149293E+00
  13       9.661075E-05      .000000E+00     2.032320E-04
  14      -1.255845E-01      .000000E+00    -3.369452E-03
  15       5.915707E-03      .000000E+00    -4.636812E-04
  16       1.326696E-03      .000000E+00    -1.451393E-04
  17       9.642720E-04      .000000E+00    -1.064080E-04
  18       8.539658E-04      .000000E+00    -9.313533E-05
  19       7.634105E-04      .000000E+00    -8.069882E-05
  20       2.839218E-05      .000000E+00    -2.919774E-06
0excess resonance integrals
0                  resolved
0absorption       2.09875E+02
 fission          .00000E+00
-  elapsed time    .13 min.
0 nd-147         mt=102                    updated 10/13/89              60147     temperature=   975.00
0 pm-147         mt=102                    updated 10/13/89              61147     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   145.653              temperature(kelvin)       =  975.000
0potential scatter sigma =     5.093              lumped nuclear density    = 5.2525246E-07
0spin factor (g)         = 21589.500              lump dimension (a-bar)    = 4.6812201E-01
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 3.2510022E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953               sigma(per absorber atom)= 3.6271047E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
```

```
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12       -2.040409E-02     .000000E+00    -7.208588E-03
  13       -5.404604E-03     .000000E+00    -5.833069E-04
  14       -1.221971E+01     .000000E+00    -5.349689E+00
  15        4.140149E-02     .000000E+00     6.998098E-03
  16        1.698019E-02     .000000E+00     1.746873E-03
  17        1.369755E-02     .000000E+00     1.150426E-03
  18        1.253780E-02     .000000E+00     9.649097E-04
  19        6.999617E-04     .000000E+00     5.070222E-05
0excess resonance integrals
0                 resolved
0absorption      2.10647E+03
 fission          .00000E+00
-  elapsed time    .13 min.
0 pm-148          mt=  102                                          61148    temperature=  975.00
0 sm-147       endf/b-v fission product       updated 10/13/89      62147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 1.3014213E-08
0spin factor (g)          =      .000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.3121015E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.4639962E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11        2.967257E-01     .000000E+00     1.149734E+00
  12        1.258913E+00     .000000E+00    -1.239840E+00
  13       -1.807624E+00     .000000E+00    -4.074593E-01
  14       -6.597064E-02     .000000E+00     1.964657E-03
  15        3.121567E-01     .000000E+00    -1.931211E-03
  16        7.287992E-03     .000000E+00    -3.738814E-04
  17        4.281415E-03     .000000E+00    -2.401535E-04
  18        3.510378E-03     .000000E+00    -1.997170E-04
  19        2.910571E-03     .000000E+00    -1.649401E-04
  20        8.435346E-04     .000000E+00    -4.627653E-05
0excess resonance integrals
0                 resolved
0absorption      7.25125E+02
 fission          .00000E+00
-  elapsed time    .15 min.
                          thermal scattering matrix number   3 at a temperature of    900.03 was selected.
0 sm-149       mt=102,103,107              updated 10/13/89      62149    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   147.638          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.260          lumped nuclear density   = 6.3574589E-08
0spin factor (g)          = 10407.900          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 2.6859740E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 2.9967095E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
```

```
  11      8.546689E-03     .000000E+00   3.071200E-02
  12     -5.072578E-02     .000000E+00  -1.737960E-01
  13      2.521316E-02     .000000E+00   3.150472E-03
  14      2.713762E-02     .000000E+00  -5.009187E-03
0excess resonance integrals
0                resolved
0absorption      8.04371E+02
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-150        mt=102                    updated 10/13/89            62150     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   148.629          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.162          lumped nuclear density   = 2.6025995E-07
0spin factor (g)          =  4376.420          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 6.5611206E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 7.3201650E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  10     -1.683061E-04     .000000E+00  -1.057799E-03
  11     -1.614389E-03     .000000E+00  -2.032840E-02
  12     -4.985373E-03     .000000E+00  -1.511098E-03
  13     -4.439732E-01     .000000E+00  -3.559171E-01
  14      1.066893E-04     .000000E+00  -6.433339E-05
0excess resonance integrals
0                resolved
0absorption      2.94529E+02
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-151        mt=102,103,104,105,106,107    updated 10/13/89            62151     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   149.623          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.185          lumped nuclear density   = 1.0395211E-07
0spin factor (g)          =  7574.703          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.6429926E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.8330675E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  14     -5.597873E-02     .000000E+00  -1.154314E-02
  15      1.502008E+01     .000000E+00   7.627277E-02
  16     -2.169632E+01     .000000E+00  -6.130017E-02
  17      1.743943E+02     .000000E+00   8.344538E-01
  18     -3.199297E+02     .000000E+00  -1.775551E+00
  19      6.259717E+01     .000000E+00   3.869825E-01
  20      1.142084E+00     .000000E+00  -1.454869E-04
  21     -7.117520E-02     .000000E+00   1.244099E-02
  22      6.952579E-02     .000000E+00   3.838905E-03
  23     -1.091952E-02     .000000E+00   3.374090E-04
0excess resonance integrals
0                resolved
0absorption      2.05794E+03
```

```
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-152        mt=102,103,104,105,106,107     updated 10/13/89              62152     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   150.615              temperature(kelvin)       =   975.000
0potential scatter sigma  =     5.208              lumped nuclear density    = 1.1669065E-07
0spin factor (g)          =   863.594              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995                sigma(per absorber atom)= 1.4633536E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933                sigma(per absorber atom)= 1.6326464E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      2.403188E-06     .000000E+00     1.159107E-04
  10     -6.514932E-06     .000000E+00    -7.579467E-04
  11     -8.335952E-04     .000000E+00    -3.378294E-03
  12     -7.662735E-03     .000000E+00    -2.555129E-02
  13      4.286544E-02     .000000E+00     1.043012E-01
  14     -8.078294E+00     .000000E+00    -1.606656E+01
0excess resonance integrals
0                resolved
0absorption      2.89993E+03
 fission          .00000E+00
- elapsed time    .17 min.
0 eu-153        mt=102,103,104,105,106,107     updated 10/13/89              63153     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   151.607              temperature(kelvin)       =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density    = 5.5470167E-08
0spin factor (g)          = 12265.900              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995                sigma(per absorber atom)= 3.0784060E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933                sigma(per absorber atom)= 3.4345413E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12     -2.597126E-01     .000000E+00    -5.056223E-02
  13     -2.789283E-02     .000000E+00     2.309569E-03
  14     -4.507691E-01     .000000E+00     5.321742E-03
  15      3.539744E+00     .000000E+00    -1.128380E-02
  16     -3.288790E+00     .000000E+00     8.160900E-03
  17      1.505626E-01     .000000E+00    -3.437863E-03
  18      7.726877E-02     .000000E+00    -2.231234E-03
  19      5.055485E-02     .000000E+00    -1.541142E-03
  20     -1.253799E-01     .000000E+00    -1.275125E-03
0excess resonance integrals
0                resolved
0absorption      1.35650E+03
 fission          .00000E+00
- elapsed time    .18 min.
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89              63154     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   152.601              temperature(kelvin)       =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density    = 1.6191551E-09
0spin factor (g)          = 19135.801              lump dimension (a-bar)    = 4.6812201E-01
```

```
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 1.0546222E+08
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953               sigma(per absorber atom)= 1.1766295E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -3.844891E-01     .000000E+00   -6.008866E-02
  13      -2.935247E-01     .000000E+00   -2.422147E-02
  14       3.601668E-01     .000000E+00    1.521403E-02
  15       2.296982E-01     .000000E+00    2.126992E-02
  16       7.321141E+00     .000000E+00    9.281096E-02
  17      -1.436011E+02     .000000E+00   -1.894634E+00
  18       1.138777E+02     .000000E+00    1.860143E+00
  19      -1.014543E+02     .000000E+00    1.187191E+00
0excess resonance integrals
0                 resolved
0absorption      2.13732E+03
 fission          .00000E+00
- elapsed time    .18 min.
0 eu-155        mt=102,103,104,105,106,107    updated 10/13/89          63155    temperature=  975.00
0 gd-155        mt=102                        updated 10/13/89          64155    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   153.592             temperature(kelvin)     =   975.000
0potential scatter sigma =     5.277             lumped nuclear density  = 1.0298096E-10
0spin factor (g)         = 12700.100             lump dimension (a-bar)  = 4.6812201E-01
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 1.6691342E+09
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933               sigma(per absorber atom)= 1.8510764E+09
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -1.439253E+00     .000000E+00   -1.839414E-01
  13       1.541435E+00     .000000E+00    1.985424E-01
  14       2.192417E-01     .000000E+00    9.810260E-03
  15      -3.289537E-01     .000000E+00    4.624879E-05
  16       1.477360E+00     .000000E+00   -4.148879E-03
  17       1.568659E-01     .000000E+00   -1.479158E-03
  18       9.605154E-02     .000000E+00   -1.078060E-03
  19       6.295321E-02     .000000E+00   -8.026583E-04
  20       1.670435E-02     .000000E+00    1.626720E-04
  21        .000000E+00     .000000E+00     .000000E+00
  22        .000000E+00     .000000E+00     .000000E+00
  23        .000000E+00     .000000E+00     .000000E+00
  24        .000000E+00     .000000E+00     .000000E+00
  25      -2.127644E+03     .000000E+00   -1.621878E+00
  26      -5.205572E+03     .000000E+00    1.961425E+00
  27      -1.659929E+03     .000000E+00    7.392391E-01
0excess resonance integrals
0                 resolved
0absorption      3.97086E+04
 fission          .00000E+00
- elapsed time    .20 min.
0u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                 92234    temperature=  975.00
0resonance data for this nuclide
```

```
0mass number (a)          =  232.029          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.021          lumped nuclear density   = 5.4537390E-06
0spin factor (g)          = 6948.450          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 3.1310574E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.985             sigma(per absorber atom)= 3.4922141E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11     -2.611689E-02    .000000E+00   -7.612181E-02
  12     -2.126682E-01    .000000E+00   -8.919528E-02
  13      7.759202E-04    .000000E+00   -6.469444E-04
  14     -2.071877E+01    .000000E+00   -3.392051E+00
0excess resonance integrals
0                resolved
0absorption     5.79095E+02
 fission        .00000E+00
-  elapsed time    .20 min.
0 uranium-235   endf/b-iv mat 1261          updated 10/13/89          92235     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =  233.025          temperature(kelvin)      =  975.000
0potential scatter sigma  =   11.500          lumped nuclear density   = 6.5764709E-04
0spin factor (g)          = 15171.100         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 2.5965250E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.049             sigma(per absorber atom)= 2.7865057E+02
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  12     -2.678189E+00   -1.667779E+00   -6.244083E-02
  13     -9.037070E+00   -4.490606E+00   -1.940758E-01
  14     -7.249037E+00   -4.421912E+00   -4.915668E-02
0excess resonance integrals
0                resolved
0absorption     2.05799E+02
 fission        1.22777E+02
-  elapsed time    .22 min.
0u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                      92236     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =  234.017          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.995          lumped nuclear density   = 9.3700974E-06
0spin factor (g)          = 6328.450          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 1.8223898E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.954             sigma(per absorber atom)= 2.0528641E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11     -4.831673E-02    .000000E+00   -1.159989E-01
  12     -2.168180E-01    .000000E+00   -1.716520E-01
  13     -5.450143E-02    .000000E+00   -3.220878E-03
```

```
  14      -9.747294E+00     .000000E+00   -8.535867E-01
0excess resonance integrals
0                  resolved
0absorption       3.21073E+02
 fission           .0000E+00
- elapsed time     .22 min.
0 uranium-238   endf/b-iv mat 1262          updated 10/13/89          92238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.006          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density   = 2.2047726E-02
0spin factor (g)          =   666.527          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 7.7450018E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   235.041              sigma(per absorber atom)= 3.3347785E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9      -3.951845E-02     .000000E+00   -4.057914E-01
  10      -1.027710E+00   -1.758659E-05   -6.491040E+00
  11      -9.712980E+00     .000000E+00   -2.690844E+01
  12      -4.305748E+01     .000000E+00   -4.999686E+01
  13      -5.402344E+01     .000000E+00   -1.769432E+01
  14      -1.045186E+02     .000000E+00   -6.060695E+00
0excess resonance integrals
0                  resolved
0absorption       1.79540E+01
 fission          5.08833E-04
- elapsed time     .23 min.
0 neptunium-237  endf/b-iv mat 1263          updated 10/13/89          93237     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   235.012          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.500          lumped nuclear density   = 1.4503298E-07
0spin factor (g)          = 10100.800          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.1773851E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.2628999E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -6.300456E-02   -1.849998E-06   -7.370356E-03
  12       4.587611E-02   -7.972195E-05    9.659518E-03
  13       4.458425E-02    9.277667E-05    1.734402E-03
  14       1.792238E-02    1.408681E-06   -5.424600E-04
0excess resonance integrals
0                  resolved
0absorption       2.93257E+02
 fission          1.38610E-01
- elapsed time     .27 min.
0pu-238 1050 sigo=5+4 new-klacs p-3 298k f-1/e-m(1.+5)                        94238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.167          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.890          lumped nuclear density   = 1.7291568E-09
0spin factor (g)          = 13130.600          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
```


```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 9.8753152E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.0592570E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11       4.118560E-04    7.149554E-05    3.085266E-04
  12       3.330833E-04    4.031993E-05    1.176153E-04
  13       4.169017E-01    7.581078E-02   -9.038851E-03
  14      -3.821986E-01   -6.987095E-02    8.538968E-03
0excess resonance integrals
0                resolved
0absorption     8.25559E+01
 fission        9.08580E+00
- elapsed time    .27 min.
0 plutonium-239  endf/b-iv mat 1264          updated 10/13/89          9423     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   236.999          temperature(kelvin)      =   975.000
0potential scatter sigma =    10.200          lumped nuclear density   = 1.5953416E-05
0spin factor (g)         =  6435.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.0703645E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.1481062E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -3.307465E-02   -1.302456E-02   -1.037173E-02
  12      -3.050663E-01   -1.139565E-01   -4.043588E-02
  13      -1.019066E+00   -6.017618E-01   -1.484912E-02
  14      -3.148845E-01   -1.654496E-01   -3.384406E-03
0excess resonance integrals
0                resolved
0absorption     3.17688E+02
 fission        1.78181E+02
- elapsed time    .28 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89          9424     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   237.992          temperature(kelvin)      =   975.000
0potential scatter sigma =    10.599          lumped nuclear density   = 4.3919763E-07
0spin factor (g)         =   669.244          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 3.8879919E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 4.1703809E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -1.008772E-05    1.570376E-07    5.930599E-05
  10      -4.365462E-05   -3.644221E-06   -2.292318E-04
  11      -2.966929E-03   -1.695186E-05   -4.080039E-03
  12      -4.489477E-02   -2.454242E-04   -4.435376E-02
  13      -4.563926E-03   -2.798445E-05   -3.368801E-04
  14       .000000E+00     .000000E+00     .000000E+00
```


```
  15       1.759898E-02   3.358843E-06   3.504733E-03
  16       3.373545E+00   6.438560E-04   4.311619E-01
  17       5.702000E+02   1.088252E-01   5.169532E+01
  18      -2.762740E+03  -5.272812E-01  -2.215981E+02
  19       1.044371E+03   1.995229E-01   7.936691E+01
  20      -9.244925E+01  -1.764435E-02   1.799040E+00
0excess resonance integrals
0                resolved
0absorption      8.26108E+03
 fission         2.60355E+00
- elapsed time    .30 min.
0 plutonium-241  endf/b-iv mat 1266          updated 10/13/89          94241     temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  238.978          temperature(kelvin)      =  975.000
0potential scatter sigma =   10.939          lumped nuclear density   = 3.2676517E-08
0spin factor (g)         = 16402.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 5.2257610E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  238.051          sigma(per absorber atom)= 5.6053140E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  12      1.372528E-02   1.225321E-02   6.796907E-04
  13     -2.650113E-02  -2.718522E-02  -1.892098E-03
  14      6.810925E-02   6.103687E-02   1.410021E-03
  15      1.801013E-02   1.614665E-02  -4.659224E-04
0excess resonance integrals
0                resolved
0absorption      5.09537E+02
 fission         4.27107E+02
- elapsed time    .32 min.
0 plutonium-242  endf/b-iv mat 1161          updated 10/13/89          94242     temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  240.145          temperature(kelvin)      =  975.000
0potential scatter sigma =   10.694          lumped nuclear density   = 2.8698505E-10
0spin factor (g)         = 6606.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 5.9501248E+08
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  238.051          sigma(per absorber atom)= 6.3822893E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11      1.679452E-04   .000000E+00   2.904724E-04
  12      1.326794E-03   .000000E+00   1.980113E-03
  13      1.259602E-04   .000000E+00   4.977790E-06
  14      8.150859E-02   .000000E+00   1.527816E-02
  15      5.440519E-01   .000000E+00   5.107752E-03
  16      4.034123E-02   .000000E+00  -3.459572E-03
  17      1.550421E-02   .000000E+00  -1.848309E-03
  18      1.112563E-02   .000000E+00  -1.430716E-03
0excess resonance integrals
0                resolved
0absorption      1.11244E+03
 fission          .00000E+00
```


```
- elapsed time    .32 min.
0am-241 1056 sigp=5+4 new+lacs 218ngp p-3 293k                    95241    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   238.950          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 8.4826070E-11
0spin factor (g)          = 82058.203          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.0130666E+09
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 2.1592673E+09
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13      4.924914E-01    1.213001E-02    4.968112E-03
  14     -4.283253E-01   -1.106702E-02   -4.417266E-03
0excess resonance integrals
0                resolved
0absorption     1.95478E+02
 fission        1.07615E+00
- elapsed time    .32 min.
0am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                     95243    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   240.940          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 1.7620729E-12
0spin factor (g)          = 82052.602          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 9.6908411E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.0894698E+11
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13     -6.599347E-03    .000000E+00    4.388259E-04
  14      2.233646E-02    .000000E+00    2.374189E-04
0excess resonance integrals
0                resolved
0absorption     1.60152E+02
 fission        .00000E+00
- elapsed time    .32 min.
0 curium-244     endf/b-iv mat 1162          updated 10/13/89      96244    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   242.133          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.320          lumped nuclear density   = 1.1760777E-14
0spin factor (g)          =  5251.150          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.4519421E+13
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.5573983E+13
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      2.589577E-04    7.085153E-06    3.064246E-04
  12      7.070909E-04    3.316986E-05    1.405958E-04
  13      2.721885E-03    1.336778E-04    7.128943E-04
```


```
  14      8.471698E-02   5.068537E-03   1.607083E-02
0excess resonance integrals
0                resolved
0absorption      6.13904E+02
 fission         3.54222E+01
-  elapsed time    .33 min.
-  elapsed time    .33 min.
1     this xsdrn working tape was created 02/16/96 at 09:55:49
      the title of the parent case is as follows
      scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc     1/27/89
         tape id                          4321        number of nuclides          65
         number of neutron groups           27        number of gamma groups       0
         first thermal group                15        logical unit                 4
                                table of contents
       1/v cross sections normalized to 1.0 at 0.0253 ev                    id    999
        hydrogen       endf/b-iv mat 1269/thrmf1002   updated 10/13/89      id   1001
       b-10 1273 218grp 042375 p-3 293k                                     id   5010
        boron-11       endf/b-iv mat 1160             updated 10/13/89      id   5011
        oxygen-16      endf/b-iv mat 1276             updated 10/13/89      id   8016
        oxygen-16      endf/b-iv mat 1276             updated 10/13/89      id      6
        kr-83          mt=102,103,103,105,106,107     updated 10/13/89      id  36083
        kr-85             mt=  102                                          id  36085
        sr-90          mt=102                         updated 10/13/89      id  38090
         y-89          mt=102                         updated 10/13/89      id  39089
        zr-93             mt=  102                                          id  40093
        zr-94          mt=102                         updated 10/13/89      id  40094
        zr-95          mt=102                         updated 10/13/89      id  40095
        zircalloy      endf/b-iv mat 1284             updated 10/13/89      id  40302
        nb-94          mt=102                         updated 10/13/89      id  41094
        mo-95          mt=102                         updated 10/13/89      id  42095
        tc-99          mt=102                         updated 10/13/89      id  43099
        ru-101         mt=102                         updated 10/13/89      id  44101
        ru-106         mt=102                         updated 10/13/89      id  44106
        rh-103         mt=102                         updated 10/13/89      id  45103
        rh-105            mt=  102                                          id  45105
        pd-105         mt=102                         updated 10/13/89      id  46105
        pd-108         mt=102                         updated 10/13/89      id  46108
        silver-109     endf/b-iv mat 1139             updated 10/13/89      id  47109
        sb-124         mt=102                         updated 10/13/89      id  51124
        xe-131         mt=102,103,104,105,106         updated 10/13/89      id  54131
        xe-132         mt=102,103,104,105,106         updated 10/13/89      id  54132
        xenon-135      endf/b-iv mat 1294             updated 10/13/89      id  54135
        xe-136            mt=  102,  103,  104,  105,  107                  id  54136
        cesium-133     endf/b-iv mat 1141             updated 10/13/89      id  55133
        cs-134         mt=102                         updated 10/13/89      id  55134
        cs-135            mt=  102                                          id  55135
        cs-137         mt=102                         updated 10/13/89      id  55137
        ba-136         mt=102                         updated 10/13/89      id  56136
        la-139         mt=102                         updated 10/13/89      id  57139
        ce-144            mt=  102                                          id  58144
        pr-141         mt=102,103,104,105,106,107     updated 10/13/89      id  59141
        pr-143         mt=102                         updated 10/13/89      id  59143
        nd-143         mt=102                         updated 10/13/89      id  60143
        nd-145         mt=102                         updated 10/13/89      id  60145
        nd-147         mt=102                         updated 10/13/89      id  60147
        pm-147         mt=102                         updated 10/13/89      id  61147
        pm-148            mt=  102                                          id  61148
        sm-147         endf/b-v fission product       updated 10/13/89      id  62147
```

```
        sm-149        mt=102,103,107                updated 10/13/89              id   62149
        sm-150        mt=102                        updated 10/13/89              id   62150
        sm-151        mt=102,103,104,105,106,107    updated 10/13/89              id   62151
        sm-152        mt=102,103,104,105,106,107    updated 10/13/89              id   62152
        eu-153        mt=102,103,104,105,106,107    updated 10/13/89              id   63153
        eu-154        mt=102,103,104,105,106,107    updated 10/13/89              id   63154
        eu-155        mt=102,103,104,105,106,107    updated 10/13/89              id   63155
        gd-155        mt=102                        updated 10/13/89              id   64155
       u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                       id   92234
        uranium-235   endf/b-iv mat 1261            updated 10/13/89              id   92235
       u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                       id   92236
        uranium-238   endf/b-iv mat 1262            updated 10/13/89              id   92238
        neptunium-237 endf/b-iv mat 1263            updated 10/13/89              id   93237
       pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                      id   94238
        plutonium-239 endf/b-iv mat 1264            updated 10/13/89              id   94239
        plutonium-240 endf/b-iv mat 1265            updated 10/13/89              id   94240
        plutonium-241 endf/b-iv mat 1266            updated 10/13/89              id   94241
        plutonium-242 endf/b-iv mat 1161            updated 10/13/89              id   94242
       am-241 1056 sigo=5+4 newxlacs 218grp p-3 293k                             id   95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                              id   95243
        curium-244    endf/b-iv mat 1162            updated 10/13/89              id   96244
0       tape copy used      0 i/o's, and took     .00 seconds
```










```
*****************************************************************
*****************************************************************
*****************************************************************
*****                                                       *****
*****                program verification information       *****
*****                                                       *****
*****                code system:  scale  version:  4.2     *****
*****                                                       *****
*****************************************************************
*****************************************************************
*****                                                       *****
*****                                                       *****
*****          program:  c0c001                             *****
*****                                                       *****
*****     creation date:  04/27/95                          *****
*****                                                       *****
*****          library:  /neutronics/scale/exe              *****
*****                                                       *****
*****                                                       *****
*****  this is not a  scale  configuration controlled code  *****
*****                                                       *****
*****          jobname:  davis                              *****
*****                                                       *****
*****  date of execution:  02/16/96                         *****
*****                                                       *****
*****  time of execution:  09:56:43                         *****
```

```
                    *****                                                    *****
                    *****                                                    *****
                    ************************************************************
                    ************************************************************
                    ************************************************************

1
                    80 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0      -1q array has      1 entries.
0       1q array has     15 entries.
0       2q array has     10 entries.
0       3q array has     12 entries.
0       4q array has      9 entries.
0       5q array has     12 entries.
0direct access unit   9 requires     12 blocks of length  704 for cross section mixing.
1                    80 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0general problem description data block
0                              general problem data

 ige  1/2/3 = plane/cylinder/sphere      2        isn  quadrature order                  8
 izm  number of zones                    4        isct order of scattering               3
 im   number of special intervals       24        ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1        iim  inner iteration maximum        20
 ibr  right boundary condition           3        iom  outer iteration maximum        25
 mxx  number of mixtures                 3        iclc -1/0/n--flat res/sny/cpt          0
 ms   mixing table length               65        ith  0/1 = forward/adjoint           0
 igm  number of energy groups           27        iflu not used(always wgtd)             0
 nng  number of neutron groups          27        iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0        idl  0/1/2/3=no/prt nd/pch n/both    53
 iftg number of first thermal group     15        ipbt -1/0/1=none/fine/all bal. prt     0
0                            special options

 ifg  0/1 = none/weighting calculation   1        ipn  0/1/2 diff. coef. param          0
 iqm  volumetric sources (0/n=no/yes)    0        idfm 0/1 = none/density factors 38*    1
 ipm  boundary sources (0/n=no/yes)      0        iaz  0/n = none/n activities by zone   0
 ifn  0/1/2 = input 33*/34*/use last    53        iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10        ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0        ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0        isen outer iteration acceleration     0
 ibln activity data unit                 0        nbnd bond rebaln parameter            0
 jbkl 0/1/2 buckling geometry            0
0                          weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1        ihtf total xsect psn in brd gp tables  3
 igmf number of broad groups            27        ndsf psn g-g or file number            4
 itp  0/10/20/30/40 0/c/e/ac/a           0        nusf table length or max order         4
 ipp  -2/-1/0/n=wgted xsect print       -2        msom extra 1-d x-sect positions        0
 iap  -1/n anisn xsect print            -1
0                          floating point parameters

 eps  overall convergence       1.00000E-04      dy   cyl/pla ht for buckling    .00000E+00
 ptc  point convergence         1.00000E-04      dz   plane depth for buckling   .00000E+00
 xnf  normalization factor      1.00000E+00      vsc  void streaming correction  .00000E+00
 ev   eigenvalue guess           .00000E+00      pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier        .00000E+00      eql  ev change eps for search   1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00      xnpm new param mod for search  7.50000E-01
     this case will require       2535 locations for mixing
     this case has been allocated 200000 locations
1                    80 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       13q array has     65 entries.
0       14q array has     65 entries.
```

0 15q array has 65 entries.
0 data block 2 (mixing table, etc.)

	nuclides on tape	cccc identification	mixture	mixing table component	atom density	extra xsect id's
1	999		1	92235	6.57647E-04	
2	1001		1	92234	5.45374E-06	
3	5010		1	92236	9.37010E-06	
4	5011		1	92238	2.20477E-02	
5	8016		1	8016	4.55359E-02	
6	6		3	6	2.09710E-02	
7	36083		1	36083	1.57183E-07	
8	36085		1	36085	7.63106E-08	
9	38090		1	38090	1.70684E-06	
10	39089		1	39089	5.60000E-07	
11	40093		1	42095	2.50288E-07	
12	40094		1	40093	1.24307E-06	
13	40095		1	40094	1.91444E-06	
14	40802		1	40095	1.29359E-06	
15	41094		1	41094	5.36198E-13	
16	42095		1	43099	1.77703E-06	
17	43099		1	45103	4.59914E-07	
18	44101		1	45105	1.10044E-08	
19	44106		1	44101	1.56724E-06	
20	45103		1	44106	1.80396E-07	
21	45105		1	46105	3.66502E-07	
22	46105		1	46108	4.74250E-08	
23	46108		1	47109	2.91333E-08	
24	47109		1	51124	9.07937E-12	
25	51124		1	54131	7.49268E-07	
26	54131		1	54132	1.26842E-06	
27	54132		1	54135	6.32256E-09	
28	54135		1	54136	3.00300E-06	
29	54136		1	55134	8.18674E-09	
30	55133		1	55135	9.06121E-07	
31	55134		1	55137	1.90508E-06	
32	55135		1	56136	2.19836E-09	
33	55137		1	57139	1.91454E-06	
34	56136		1	59141	9.07627E-07	
35	57139		1	59143	4.07108E-07	
36	58144		1	58144	1.48288E-06	
37	59141		1	60143	1.31604E-06	
38	59143		1	60145	1.17029E-06	
39	60143		1	61147	5.25252E-07	
40	60145		1	61148	1.26721E-09	
41	60147		1	60147	1.34940E-07	
42	61147		1	62147	1.30142E-08	
43	61148		1	62149	6.35746E-08	
44	62147		1	62150	2.60260E-07	
45	62149		1	62151	1.03932E-07	
46	62150		1	62152	1.16691E-07	
47	62151		1	64155	1.02921E-10	
48	62152		1	63153	5.54702E-08	
49	63153		1	63154	1.61916E-09	
50	63154		1	63155	1.09678E-08	
51	63155		2	40802	4.25156E-02	
52	64155		3	1001	4.19420E-02	
53	92234		3	5010	3.81515E-06	
54	92235		3	5011	1.54884E-05	
55	92236		1	55133	1.82872E-06	
56	92238		1	95237	1.45033E-07	

57	95237	1	94238	1.72916E-09
58	94238	1	94239	1.59534E-05
59	94239	1	94240	4.39198E-07
60	94240	1	94241	3.26765E-08
61	94241	1	94242	2.86985E-10
62	94242	1	95241	8.48261E-11
63	95241	1	95243	1.76207E-12
64	95243	1	96244	1.17608E-14
65	96244	1	999	1.00000E-20

- elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 80 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	2	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01036E+07	12	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69395E+06	13	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00	
15	3.04999E+00	1.50080E+01	2.10601E+06	15	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00	
17	1.29999E+00	1.58557E+01	1.52545E+06	17	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	21	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	23	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	27	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 80 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0	mixture by zone	order p(l) by zone	activity table matl no.	reaction	quadrature constants weights	directions	refl direc	wt x cos
1	1	3			0	-2.79004E-01	3	0
2	1	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	2	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	3	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02

8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83052E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70655E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02
20					4.53365E-02	-1.91780E-01	21	-8.69444E-03
21					4.53365E-02	1.91780E-01	20	8.69444E-03
22					4.53365E-02	5.46143E-01	19	2.47597E-02
23					4.53365E-02	8.17361E-01	18	3.70655E-02
24					4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83052E-01	-4.49528E-01	8.36885E-01	5.00703E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17256E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17256E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.29551E-02	1	0	2.10906E-03	1.00000E+00	0	
2	2.59102E-02	4.33406E-02	1	1.62798E-01	9.49318E-03	1.00000E+00	0	
3	6.07710E-02	8.75100E-02	1	3.81835E-01	2.94045E-02	1.00000E+00	0	
4	1.14249E-01	1.74155E-01	1	7.17848E-01	1.31104E-01	1.00000E+00	0	
5	2.34061E-01	2.93967E-01	1	1.47065E+00	2.21299E-01	1.00000E+00		
6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00		
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00		
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00		
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07946E-03	0		
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0		
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0		
12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0		
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00		
14	4.87528E-01	4.99987E-01	3	3.06323E+00	7.82768E-02	1.00000E+00		
15	5.12445E-01	5.24903E-01	3	3.21979E+00	8.21777E-02	1.00000E+00		
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00		

17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00
21	6.80034E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00
22	7.48592E-01	7.63893E-01	4	4.70854E+00	1.46875E-01	1.00000E+00
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00
25	8.13968E-01			5.11431E+00		

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	147	2.05396E-05	1.15254E+00	-1.69535E-01	1.00000E+00	-5.15655E-02	.00000E+00	.0000
2	224	-1.01925E-05	1.16913E+00	-8.23960E-04	-1.94420E-02	-4.23725E-03	.00000E+00	.0000
3	284	9.99778E-06	1.17018E+00	-6.02814E-05	-1.40603E-03	-7.20483E-04	.00000E+00	.0000
4	330	-9.17736E-06	1.17066E+00	-8.10909E-06	-2.39247E-04	-1.18746E-04	.00000E+00	.0167
5	358	-1.26134E-05	1.17074E+00	-1.63350E-06	-3.91102E-05	-1.71441E-05	.00000E+00	.0167

grp	to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	1	1	4.99248E-08	24	1.00000E+00	1
2	2	1	1	5.87108E-08	24	1.00000E+00	1
3	3	1	1	5.47128E-08	24	1.00000E+00	1
4	4	1	1	5.34388E-08	24	1.00000E+00	1
5	5	1	1	5.75189E-08	24	1.00000E+00	1
6	6	1	1	3.76123E-08	24	1.00000E+00	1
7	7	1	1	2.81291E-08	24	1.00000E+00	1
8	8	1	1	6.92915E-09	24	1.00000E+00	1
9	9	1	2	3.52378E-09	24	1.00000E+00	1
10	10	1	1	3.58770E-09	24	1.00000E+00	1
11	11	1	1	3.62354E-09	24	1.00000E+00	1
12	12	1	2	8.81806E-10	24	1.00000E+00	1
13	13	1	24	1.33697E-09	24	1.00000E+00	1
14	14	1	24	1.52826E-09	24	1.00000E+00	1
15	15	1	24	2.88251E-05	24	9.99989E-01	1
16	16	1	24	3.60887E-05	24	9.99995E-01	1
17	17	1	24	4.82099E-05	24	9.99997E-01	1
18	18	1	24	5.34901E-05	24	9.99998E-01	1
19	19	1	24	4.87907E-05	24	9.99994E-01	1
20	20	1	24	4.32702E-05	24	9.99978E-01	1
21	21	1	18	2.04876E-05	24	9.99950E-01	1
22	22	1	24	3.74352E-05	24	9.99995E-01	1
23	23	1	24	2.78780E-06	24	1.00000E+00	1
24	24	1	24	1.01146E-05	24	1.00000E+00	1
25	25	1	24	1.09008E-05	24	1.00000E+00	1
26	26	1	1	5.53232E-06	21	1.00000E+00	2
27	27	1	2	1.83599E-06	24	1.00000E+00	2

6	385	3.06809E-07	1.17058E+00	-2.09826E-07	-5.63458E-06	-2.91083E-06	.00000E+00	.0167

final monitor

lambda 1.17058E+00 production/absorption 1.17058E+00 angular flux on 16

- elapsed time .02 min.

1 80 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 int.	zone number	radius	int. midpoint	area	volume	prod density
1	1	.00000E+00	1.29551E-02	.00000E+00	2.10906E-03	3.43615E-03
2	1	2.59102E-02	4.33406E-02	1.62798E-01	9.49318E-03	1.54601E-02
3	1	6.07710E-02	8.75100E-02	3.81835E-01	2.94045E-02	4.79692E-02
4	1	1.14249E-01	1.74155E-01	7.17848E-01	1.31104E-01	2.15784E-01
5	1	2.34061E-01	2.99367E-01	1.47065E+00	2.21299E-01	3.72264E-01
6	1	3.53873E-01	3.80612E-01	2.22345E+00	1.27890E-01	2.20345E-01
7	1	4.07351E-01	4.24781E-01	2.55946E+00	9.30429E-02	1.63191E-01
8	1	4.42212E-01	4.55167E-01	2.77850E+00	7.41004E-02	1.32131E-01

9	2	4.68122E-01	4.68814E-01	2.94130E+00	4.07946E-03	.00000E+00
10	2	4.69507E-01	4.71481E-01	2.95000E+00	1.16988E-02	.00000E+00
11	2	4.73456E-01	4.75431E-01	2.97481E+00	1.17968E-02	.00000E+00
12	2	4.77405E-01	4.78098E-01	2.99962E+00	4.16023E-03	.00000E+00
13	3	4.78790E-01	4.83159E-01	3.00833E+00	2.65268E-02	.00000E+00
14	3	4.87528E-01	4.99987E-01	3.06329E+00	7.82768E-02	.00000E+00
15	3	5.12445E-01	5.24903E-01	3.21979E+00	8.21777E-02	.00000E+00
16	3	5.37362E-01	5.41731E-01	3.37634E+00	2.97427E-02	.00000E+00
17	4	5.46100E-01	5.53513E-01	3.43125E+00	5.15631E-02	.00000E+00
18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63893E-01	4.70354E+00	1.46875E-01	.00000E+00
23	4	7.79195E-01	7.89167E-01	4.89582E+00	9.89116E-02	.00000E+00
24	4	7.99141E-01	8.06554E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 80 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.69674E-01	1.30668E+00	1.66967E+00	1.03835E+00	1.57396E+00	3.03068E+00	2.90513E+00	2.07895E+00
2	1.69735E-01	1.30730E+00	1.67050E+00	1.03885E+00	1.57467E+00	3.03199E+00	2.90580E+00	2.07901E+00
3	1.69679E-01	1.30668E+00	1.66971E+00	1.03837E+00	1.57386E+00	3.03036E+00	2.90476E+00	2.07882E+00
4	1.69293E-01	1.30244E+00	1.66423E+00	1.03502E+00	1.56852E+00	3.01978E+00	2.89839E+00	2.07777E+00
5	1.68296E-01	1.29157E+00	1.65033E+00	1.02656E+00	1.55512E+00	2.99359E+00	2.88272E+00	2.07517E+00
6	1.67150E-01	1.27921E+00	1.63471E+00	1.01712E+00	1.54025E+00	2.96494E+00	2.86565E+00	2.07230E+00
7	1.66239E-01	1.26955E+00	1.62269E+00	1.00995E+00	1.52908E+00	2.94381E+00	2.85316E+00	2.07014E+00
8	1.65338E-01	1.26016E+00	1.61118E+00	1.00318E+00	1.51870E+00	2.92453E+00	2.84187E+00	2.06810E+00
9	1.64845E-01	1.25508E+00	1.60501E+00	9.99591E-01	1.51324E+00	2.91449E+00	2.83604E+00	2.06703E+00
10	1.64743E-01	1.25405E+00	1.60378E+00	9.98899E-01	1.51224E+00	2.91269E+00	2.83505E+00	2.06688E+00
11	1.64593E-01	1.25258E+00	1.60200E+00	9.97908E-01	1.51081E+00	2.91015E+00	2.83364E+00	2.06655E+00
12	1.64493E-01	1.25160E+00	1.60083E+00	9.97264E-01	1.50985E+00	2.90851E+00	2.83274E+00	2.06637E+00
13	1.64309E-01	1.24978E+00	1.59863E+00	9.96024E-01	1.50807E+00	2.90506E+00	2.83080E+00	2.06599E+00
14	1.63808E-01	1.24462E+00	1.59214E+00	9.92187E-01	1.50224E+00	2.89374E+00	2.82435E+00	2.06495E+00
15	1.63245E-01	1.23836E+00	1.58378E+00	9.86869E-01	1.49382E+00	2.87704E+00	2.81472E+00	2.06333E+00
16	1.62970E-01	1.23490E+00	1.57878E+00	9.83399E-01	1.48805E+00	2.86546E+00	2.80799E+00	2.06232E+00
17	1.62838E-01	1.23291E+00	1.57568E+00	9.81070E-01	1.48410E+00	2.85749E+00	2.80331E+00	2.06318E+00
18	1.62664E-01	1.23034E+00	1.57171E+00	9.78099E-01	1.47903E+00	2.84750E+00	2.79742E+00	2.06305E+00
19	1.62447E-01	1.22728E+00	1.56710E+00	9.74735E-01	1.47334E+00	2.83632E+00	2.79084E+00	2.06282E+00
20	1.62158E-01	1.22333E+00	1.56124E+00	9.70519E-01	1.46625E+00	2.82243E+00	2.78267E+00	2.06251E+00
21	1.61958E-01	1.22057E+00	1.55712E+00	9.67535E-01	1.46122E+00	2.81259E+00	2.77694E+00	2.06241E+00
22	1.61960E-01	1.22045E+00	1.55683E+00	9.67253E-01	1.46070E+00	2.81158E+00	2.77651E+00	2.06264E+00
23	1.62033E-01	1.22129E+00	1.55795E+00	9.67983E-01	1.46188E+00	2.81388E+00	2.77800E+00	2.06292E+00
24	1.62118E-01	1.22229E+00	1.55931E+00	9.68881E-01	1.46334E+00	2.81674E+00	2.77981E+00	2.06319E+00

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58454E+00	1.44189E+00	1.29989E+00	7.95191E-01	6.73673E-01	5.99085E-01	3.73113E-01	2.08434E-01
2	1.58446E+00	1.44179E+00	1.29968E+00	7.92959E-01	6.73465E-01	5.98803E-01	3.73083E-01	2.08416E-01
3	1.58465E+00	1.44201E+00	1.30015E+00	7.93504E-01	6.73904E-01	5.99453E-01	3.73158E-01	2.08453E-01
4	1.58570E+00	1.44327E+00	1.30282E+00	7.94569E-01	6.76417E-01	6.03118E-01	3.73574E-01	2.08661E-01
5	1.58834E+00	1.44636E+00	1.30939E+00	8.04134E-01	6.82618E-01	6.12205E-01	3.74578E-01	2.09167E-01
6	1.59128E+00	1.44973E+00	1.31658E+00	8.12464E-01	6.89433E-01	6.22251E-01	3.75660E-01	2.09718E-01
7	1.59350E+00	1.45220E+00	1.32188E+00	8.18639E-01	6.94474E-01	6.29737E-01	3.76439E-01	2.10120E-01
8	1.59561E+00	1.45444E+00	1.32670E+00	8.24308E-01	6.99094E-01	6.36633E-01	3.77134E-01	2.10484E-01
9	1.59673E+00	1.45560E+00	1.32920E+00	8.27254E-01	7.01495E-01	6.40219E-01	3.77490E-01	2.10672E-01
10	1.59693E+00	1.45579E+00	1.32960E+00	8.27728E-01	7.01889E-01	6.40796E-01	3.77550E-01	2.10704E-01
11	1.59722E+00	1.45606E+00	1.33017E+00	8.28405E-01	7.02452E-01	6.41621E-01	3.77636E-01	2.10751E-01
12	1.59741E+00	1.45624E+00	1.33054E+00	8.28844E-01	7.02817E-01	6.42155E-01	3.77692E-01	2.10781E-01
13	1.59779E+00	1.45659E+00	1.33130E+00	8.29739E-01	7.03562E-01	6.43245E-01	3.77806E-01	2.10842E-01
14	1.59883E+00	1.45774E+00	1.33372E+00	8.32537E-01	7.05894E-01	6.46658E-01	3.78173E-01	2.11034E-01
15	1.59999E+00	1.45936E+00	1.33713E+00	8.36398E-01	7.09112E-01	6.51361E-01	3.78693E-01	2.11300E-01

16	1.60055E+00	1.46044E+00	1.33958E+00	8.38889E-01	7.11186E-01	6.54389E-01	3.79037E-01	2.11472E-01
17	1.60085E+00	1.46125E+00	1.34106E+00	8.40719E-01	7.12677E-01	6.56595E-01	3.79226E-01	2.11579E-01
18	1.60130E+00	1.46234E+00	1.34334E+00	8.43220E-01	7.14696E-01	6.59601E-01	3.79438E-01	2.11711E-01
19	1.60187E+00	1.46359E+00	1.34596E+00	8.46099E-01	7.17027E-01	6.63068E-01	3.79686E-01	2.11868E-01
20	1.60266E+00	1.46517E+00	1.34927E+00	8.49769E-01	7.19994E-01	6.67486E-01	3.79990E-01	2.12062E-01
21	1.60324E+00	1.46630E+00	1.35164E+00	8.52384E-01	7.22084E-01	6.70617E-01	3.80144E-01	2.12176E-01
22	1.60331E+00	1.46641E+00	1.35187E+00	8.52613E-01	7.22221E-01	6.70862E-01	3.80060E-01	2.12148E-01
23	1.60315E+00	1.46613E+00	1.35127E+00	8.51933E-01	7.21629E-01	6.70019E-01	3.79917E-01	2.12080E-01
24	1.60295E+00	1.46578E+00	1.35063E+00	8.51094E-01	7.20913E-01	6.68989E-01	3.79772E-01	2.12008E-01

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.05268E-02	7.49131E-02	1.42844E-01	4.65014E-01	1.38200E-01	2.70211E-01	8.38324E-01	5.89345E-01
2	9.05094E-02	7.48906E-02	1.42816E-01	4.64916E-01	1.38139E-01	2.70062E-01	8.37865E-01	5.88943E-01
3	9.05404E-02	7.49325E-02	1.42866E-01	4.65095E-01	1.38264E-01	2.70428E-01	8.38903E-01	5.90084E-01
4	9.07239E-02	7.51788E-02	1.43168E-01	4.66152E-01	1.38983E-01	2.72672E-01	8.44796E-01	5.96305E-01
5	9.11771E-02	7.57893E-02	1.43908E-01	4.68756E-01	1.40768E-01	2.77553E-01	8.59375E-01	6.11777E-01
6	9.16742E-02	7.64622E-02	1.44715E-01	4.71604E-01	1.42738E-01	2.83190E-01	8.75511E-01	6.28988E-01
7	9.20415E-02	7.69620E-02	1.45307E-01	4.73699E-01	1.44203E-01	2.87409E-01	8.87496E-01	6.41911E-01
8	9.23782E-02	7.74224E-02	1.45846E-01	4.75614E-01	1.45563E-01	2.91311E-01	8.98527E-01	6.53909E-01
9	9.25535E-02	7.76624E-02	1.46126E-01	4.76609E-01	1.46255E-01	2.93342E-01	9.04257E-01	6.60159E-01
10	9.25852E-02	7.77023E-02	1.46173E-01	4.76775E-01	1.46368E-01	2.93660E-01	9.05154E-01	6.61095E-01
11	9.26256E-02	7.7759E-02	1.46240E-01	4.77013E-01	1.46528E-01	2.94114E-01	9.06432E-01	6.62428E-01
12	9.26530E-02	7.77960E-02	1.46284E-01	4.77167E-01	1.46632E-01	2.94408E-01	9.07256E-01	6.63287E-01
13	9.27091E-02	7.78712E-02	1.46373E-01	4.77482E-01	1.46845E-01	2.95008E-01	9.08942E-01	6.65042E-01
14	9.28844E-02	7.81064E-02	1.46653E-01	4.78464E-01	1.47514E-01	2.96878E-01	9.14195E-01	6.70452E-01
15	9.31269E-02	7.84295E-02	1.47057E-01	4.79809E-01	1.48440E-01	2.99426E-01	9.21358E-01	6.77688E-01
16	9.32790E-02	7.86367E-02	1.47285E-01	4.80667E-01	1.49037E-01	3.01047E-01	9.25852E-01	6.82169E-01
17	9.33886E-02	7.87900E-02	1.47461E-01	4.81258E-01	1.49502E-01	3.02316E-01	9.29604E-01	6.86272E-01
18	9.35372E-02	7.90012E-02	1.47701E-01	4.82151E-01	1.50157E-01	3.04134E-01	9.35210E-01	6.92730E-01
19	9.37094E-02	7.92450E-02	1.47979E-01	4.83151E-01	1.50915E-01	3.06256E-01	9.41902E-01	7.00510E-01
20	9.39283E-02	7.95560E-02	1.48333E-01	4.84433E-01	1.51890E-01	3.09008E-01	9.50809E-01	7.10988E-01
21	9.40794E-02	7.97776E-02	1.48581E-01	4.85339E-01	1.52599E-01	3.11027E-01	9.57573E-01	7.19156E-01
22	9.40854E-02	7.97972E-02	1.48593E-01	4.85402E-01	1.52682E-01	3.11273E-01	9.58629E-01	7.20707E-01
23	9.40389E-02	7.97402E-02	1.48519E-01	4.85148E-01	1.52519E-01	3.10816E-01	9.57321E-01	7.19412E-01
24	9.39841E-02	7.96700E-02	1.48432E-01	4.84842E-01	1.52311E-01	3.10233E-01	9.55576E-01	7.17566E-01

0 int.	grp. 25	grp. 26	grp. 27
1	2.40405E-01	1.43372E-01	1.82493E-02
2	2.40239E-01	1.43274E-01	1.82530E-02
3	2.40861E-01	1.43880E-01	1.84376E-02
4	2.44117E-01	1.46888E-01	1.92662E-02
5	2.52227E-01	1.54414E-01	2.13758E-02
6	2.61299E-01	1.62936E-01	2.38511E-02
7	2.68161E-01	1.69485E-01	2.58564E-02
8	2.74583E-01	1.75708E-01	2.78589E-02
9	2.77939E-01	1.78980E-01	2.89520E-02
10	2.78423E-01	1.79417E-01	2.90634E-02
11	2.79113E-01	1.80039E-01	2.92262E-02
12	2.79557E-01	1.80439E-01	2.93375E-02
13	2.80460E-01	1.81253E-01	2.95635E-02
14	2.83203E-01	1.83702E-01	3.02317E-02
15	2.86775E-01	1.86840E-01	3.10579E-02
16	2.88913E-01	1.88679E-01	3.15188E-02
17	2.91054E-01	1.90865E-01	3.22314E-02
18	2.94591E-01	1.94675E-01	3.33314E-02
19	2.98899E-01	1.99300E-01	3.50636E-02
20	3.04769E-01	2.05594E-01	3.70554E-02
21	3.09447E-01	2.10726E-01	3.87006E-02
22	3.10461E-01	2.12085E-01	3.91892E-02
23	3.09846E-01	2.11579E-01	3.91320E-02
24	3.08903E-01	2.10742E-01	3.89481E-02

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.15908E-02	.00000E+00	1.21481E-02	1.00810E-02	3.09144E-03	1.06192E-02	9.98828E-01
2	.00000E+00	1.89806E-01	2.22135E-03	1.64506E-01	6.53231E-02	1.34789E-02	1.13236E-01	1.00004E+00
3	.00000E+00	2.15143E-01	2.57551E-02	1.60145E-01	8.06667E-02	1.55694E-02	1.44661E-01	1.00001E+00
4	.00000E+00	1.24340E-01	3.85958E-02	1.04853E-01	6.77161E-02	7.45523E-03	8.77619E-02	1.00001E+00
5	.00000E+00	1.65620E-01	6.76914E-02	2.58969E-01	9.47629E-02	4.48859E-03	1.33862E-01	9.99991E-01
6	.00000E+00	1.79580E-01	1.34188E-01	6.53717E-01	5.44423E-02	7.15425E-03	2.52157E-01	1.00008E+00
7	.00000E+00	8.90899E-02	9.82803E-02	7.45598E-01	3.63447E-02	7.81134E-03	1.43213E-01	1.00001E+00
8	.00000E+00	1.37510E-02	4.25657E-02	6.31132E-01	2.14716E-02	1.42741E-02	2.05686E-02	1.00004E+00
9	.00000E+00	9.98454E-04	2.16931E-02	5.34415E-01	2.06194E-02	2.35072E-02	-2.14347E-02	9.99991E-01
10	.00000E+00	7.41661E-05	2.06412E-02	4.57425E-01	1.06386E-02	3.65472E-02	-2.64710E-02	1.00001E+00
11	.00000E+00	5.83497E-06	1.06395E-02	4.17259E-01	8.09771E-03	5.88987E-02	-5.63515E-02	1.00001E+00
12	.00000E+00	4.09897E-07	8.09775E-03	2.36125E-01	9.33482E-03	6.36837E-02	-6.49171E-02	9.99956E-01
13	.00000E+00	6.50880E-08	9.33483E-03	1.74619E-01	6.16570E-03	5.70097E-02	-5.38409E-02	1.00001E+00
14	.00000E+00	1.28987E-08	6.16570E-03	1.51883E-01	7.54330E-03	7.76143E-02	-7.89921E-02	1.00000E+00
15	.00000E+00	1.45770E-09	7.63279E-03	8.56730E-02	8.97342E-03	6.76299E-03	-8.10665E-03	1.00019E+00
16	.00000E+00	4.28030E-10	9.15994E-03	4.36836E-02	9.79747E-03	3.75713E-03	-4.40072E-03	1.00015E+00
17	.00000E+00	1.37847E-10	8.04885E-03	1.55153E-02	7.96427E-03	4.15374E-03	-4.07002E-03	1.00007E+00
18	.00000E+00	9.86942E-11	7.52836E-03	1.23595E-02	7.32564E-03	5.68849E-03	-5.48621E-03	1.00008E+00
19	.00000E+00	1.39533E-10	9.29628E-03	2.71943E-02	1.00349E-02	5.78997E-03	-6.52959E-03	1.00005E+00
20	.00000E+00	2.26894E-10	1.18167E-02	1.11290E-01	1.04966E-02	2.43915E-02	-2.30741E-02	1.00008E+00
21	.00000E+00	3.32100E-11	1.03831E-02	2.65557E-01	1.02679E-02	1.60485E-02	-1.59358E-02	1.00009E+00
22	.00000E+00	3.85312E-11	1.45623E-02	5.95232E-02	1.33542E-02	4.58394E-02	-4.46336E-02	1.00004E+00
23	.00000E+00	3.68400E-11	1.90099E-02	2.03773E-01	2.23190E-02	1.26400E-01	-1.29720E-01	1.00007E+00
24	.00000E+00	1.00274E-11	2.66695E-02	1.36172E-01	2.62370E-02	1.37548E-01	-1.37123E-01	1.00005E+00
25	.00000E+00	2.93536E-12	2.23268E-02	5.08687E-02	1.66509E-02	7.66285E-02	-7.09556E-02	1.00008E+00
26	.00000E+00	2.05829E-12	1.08445E-02	3.48524E-02	7.38309E-03	6.92194E-02	-6.57597E-02	1.00002E+00
27	.00000E+00	4.90502E-13	2.30870E-03	5.10900E-03	1.23604E-03	1.91515E-02	-1.80791E-02	1.00001E+00
28	.00000E+00	1.00000E+00	6.45248E-01	5.51537E+00	6.45248E-01	9.31963E-01	7.01984E-02	1.00002E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*df**2	total flux
1	1.64872E-01	1.06192E-02	1.69616E-01	.00000E+00	2.17299E-03	2.53617E-03	.00000E+00	1.15498E-01
2	1.25535E+00	1.13236E-01	1.30607E+00	.00000E+00	1.77724E-05	1.17400E-02	.00000E+00	8.85265E-01
3	1.60534E+00	1.44661E-01	1.66886E+00	.00000E+00	.00000E+00	1.45464E-02	.00000E+00	1.13131E+00
4	9.99774E-01	8.77619E-02	1.05787E+00	.00000E+00	.00000E+00	6.30671E-03	.00000E+00	7.03842E-01
5	1.51350E+00	1.33862E-01	1.57324E+00	.00000E+00	.00000E+00	1.87378E-03	.00000E+00	1.06612E+00
6	2.91497E+00	2.52157E-01	3.02952E+00	.00000E+00	.00000E+00	1.71699E-03	.00000E+00	2.05246E+00
7	2.83630E+00	1.43213E-01	2.90439E+00	.00000E+00	.00000E+00	1.77358E-03	.00000E+00	1.97960E+00
8	2.06708E+00	2.05686E-02	2.07885E+00	.00000E+00	.00000E+00	1.87589E-03	.00000E+00	1.42777E+00
9	1.59668E+00	-2.14347E-02	1.58463E+00	.00000E+00	.00000E+00	2.58585E-03	.00000E+00	1.09438E+00
10	1.45555E+00	-2.64710E-02	1.44202E+00	.00000E+00	.00000E+00	5.50833E-03	.00000E+00	9.96724E-01
11	1.32909E+00	-5.63515E-02	1.30015E+00	.00000E+00	.00000E+00	1.13991E-02	.00000E+00	9.03560E-01
12	8.27128E-01	-6.49171E-02	7.98485E-01	.00000E+00	.00000E+00	1.44411E-02	.00000E+00	5.56077E-01
13	7.01391E-01	-5.38409E-02	6.73925E-01	.00000E+00	.00000E+00	1.36448E-02	.00000E+00	4.71964E-01
14	6.40057E-01	-7.89921E-02	5.99437E-01	.00000E+00	.00000E+00	9.68757E-03	.00000E+00	4.24473E-01
15	3.77476E-01	-8.10665E-03	3.73156E-01	.00000E+00	.00000E+00	2.44874E-03	.00000E+00	2.58186E-01
16	2.10664E-01	-4.40072E-03	2.08456E-01	.00000E+00	.00000E+00	1.63364E-03	.00000E+00	1.44160E-01
17	9.25454E-02	-4.07002E-03	9.05465E-02	.00000E+00	.00000E+00	2.42217E-03	.00000E+00	6.29174E-02
18	7.76516E-02	-5.48621E-03	7.49389E-02	.00000E+00	.00000E+00	3.14991E-03	.00000E+00	5.23772E-02
19	1.46114E-01	-6.52959E-03	1.42876E-01	.00000E+00	.00000E+00	3.90643E-03	.00000E+00	9.93090E-02
20	4.76573E-01	-2.30741E-02	4.65135E-01	.00000E+00	.00000E+00	1.72471E-02	.00000E+00	3.23551E-01
21	1.46231E-01	-1.59358E-02	1.38279E-01	.00000E+00	.00000E+00	1.11861E-02	.00000E+00	9.74988E-02
22	2.98258E-01	-4.46336E-02	2.70401E-01	.00000E+00	.00000E+00	3.11145E-02	.00000E+00	1.92774E-01
23	9.04014E-01	-1.29720E-01	8.38888E-01	.00000E+00	.00000E+00	8.70385E-02	.00000E+00	5.96454E-01
24	6.59905E-01	-1.37123E-01	5.89883E-01	.00000E+00	.00000E+00	9.44123E-02	.00000E+00	4.26370E-01
25	2.77809E-01	-7.09556E-02	2.40658E-01	.00000E+00	.00000E+00	5.47217E-02	.00000E+00	1.76407E-01
26	1.78862E-01	-6.57597E-02	1.43568E-01	.00000E+00	.00000E+00	5.03591E-02	.00000E+00	1.08950E-01
27	2.88995E-02	-1.80791E-02	1.82834E-02	.00000E+00	.00000E+00	1.40471E-02	.00000E+00	1.55307E-02
28	2.37771E+01	7.01982E-02	2.37569E+01	.00000E+00	2.19078E-03	4.75264E-01	.00000E+00	1.63635E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.98023E-08	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.08616E-07	1.00000E+00
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.45286E-07	1.00001E+00
9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.79397E-08	1.00000E+00
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.98023E-08	1.00000E+00
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.23517E-08	1.00000E+00
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.58794E-08	9.99999E-01
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.23517E-08	1.00000E+00
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.32831E-09	9.99999E-01
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.65661E-10	1.00000E+00
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-09	1.00000E+00
19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	6.98492E-09	9.99999E-01
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.11759E-08	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-08	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.98023E-08	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-09	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.88710E-07	9.99996E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dr**2	total flux
1	1.64468E-01	1.06192E-02	1.64872E-01	1.06192E-02	.00000E+00	.00000E+00	.00000E+00	5.22576E-03
2	1.25135E+00	1.13236E-01	1.25535E+00	1.13236E-01	.00000E+00	.00000E+00	.00000E+00	3.97743E-02
3	1.60054E+00	1.44661E-01	1.60534E+00	1.44661E-01	.00000E+00	.00000E+00	.00000E+00	5.08681E-02
4	9.97103E-01	8.77619E-02	9.99774E-01	8.77619E-02	.00000E+00	.00000E+00	.00000E+00	3.16846E-02
5	1.50966E+00	1.33862E-01	1.51350E+00	1.33862E-01	.00000E+00	.00000E+00	.00000E+00	4.79687E-02
6	2.90810E+00	2.52157E-01	2.91497E+00	2.52157E-01	.00000E+00	.00000E+00	.00000E+00	9.23949E-02
7	2.85252E+00	1.43213E-01	2.83630E+00	1.43213E-01	.00000E+00	.00000E+00	.00000E+00	8.99488E-02
8	2.06632E+00	2.05684E-02	2.05708E+00	2.05685E-02	.00000E+00	.00000E+00	.00000E+00	6.55870E-02
9	1.59745E+00	-2.14347E-02	1.59668E+00	-2.14347E-02	.00000E+00	.00000E+00	.00000E+00	5.06834E-02
10	1.45628E+00	-2.64710E-02	1.45555E+00	-2.64710E-02	.00000E+00	.00000E+00	.00000E+00	4.62042E-02
11	1.33063E+00	-5.63516E-02	1.32909E+00	-5.63515E-02	.00000E+00	.00000E+00	.00000E+00	4.22042E-02
12	8.28954E-01	-6.49171E-02	8.27128E-01	-6.49171E-02	.00000E+00	.00000E+00	.00000E+00	2.62789E-02
13	7.02909E-01	-5.38409E-02	7.01391E-01	-5.38409E-02	.00000E+00	.00000E+00	.00000E+00	2.22835E-02
14	6.42288E-01	-7.89922E-02	6.40067E-01	-7.89921E-02	.00000E+00	.00000E+00	.00000E+00	2.03488E-02
15	3.77708E-01	-8.10666E-03	3.77476E-01	-8.10665E-03	.00000E+00	.00000E+00	.00000E+00	1.19830E-02
16	2.10788E-01	-4.40071E-03	2.10664E-01	-4.40072E-03	.00000E+00	.00000E+00	.00000E+00	6.68749E-03
17	9.26597E-02	-4.07002E-03	9.25454E-02	-4.07002E-03	.00000E+00	.00000E+00	.00000E+00	2.93882E-03
18	7.78049E-02	-5.48621E-03	7.76516E-02	-5.48621E-03	.00000E+00	.00000E+00	.00000E+00	2.46680E-03
19	1.46295E-01	-6.52938E-03	1.46114E-01	-6.52939E-03	.00000E+00	.00000E+00	.00000E+00	4.63990E-03
20	4.77214E-01	-2.30741E-02	4.76673E-01	-2.30741E-02	.00000E+00	.00000E+00	.00000E+00	1.51343E-02
21	1.46665E-01	-1.59358E-02	1.46231E-01	-1.59358E-02	.00000E+00	.00000E+00	.00000E+00	4.64755E-03
22	2.94481E-01	-4.46335E-02	2.95258E-01	-4.46335E-02	.00000E+00	.00000E+00	.00000E+00	9.32655E-03
23	9.07457E-01	-1.29720E-01	9.04014E-01	-1.29720E-01	.00000E+00	.00000E+00	.00000E+00	2.87454E-02
24	6.63497E-01	-1.37125E-01	6.59905E-01	-1.37125E-01	.00000E+00	.00000E+00	.00000E+00	2.10010E-02
25	2.79666E-01	-7.09556E-02	2.77809E-01	-7.09556E-02	.00000E+00	.00000E+00	.00000E+00	8.84671E-03
26	1.80538E-01	-6.57597E-02	1.78862E-01	-6.57597E-02	.00000E+00	.00000E+00	.00000E+00	5.70365E-03
27	2.93651E-02	-1.80791E-02	2.88995E-02	-1.80791E-02	.00000E+00	.00000E+00	.00000E+00	9.24742E-04
28	2.37727E+01	7.01985E-02	2.37771E+01	7.01982E-02	.00000E+00	.00000E+00	.00000E+00	7.54501E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance

1	.00000E+00	.00000E+00	.00000E+00	3.62496E-03	2.71736E-03	1.39254E-05	-2.63436E-03	1.00001E+00
2	.00000E+00	.00000E+00	4.74582E-04	2.54975E-02	1.82960E-02	5.06557E-05	-1.78724E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.58577E-03	4.97845E-02	1.57413E-02	1.36164E-04	-1.32907E-02	9.99993E-01
4	.00000E+00	.00000E+00	5.06014E-03	4.19433E-02	5.43075E-03	1.02966E-04	-4.73171E-04	9.99996E-01
5	.00000E+00	.00000E+00	1.09180E-02	8.14928E-02	5.15380E-03	1.51820E-04	5.61206E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.82985E-02	2.34914E-01	3.20958E-03	3.19886E-04	1.47696E-02	9.99999E-01
7	.00000E+00	.00000E+00	1.22080E-02	2.35097E-01	1.18172E-03	3.44620E-04	1.06818E-02	9.99999E-01
8	.00000E+00	.00000E+00	2.15095E-03	1.58434E-01	7.62887E-03	2.94644E-04	-5.77305E-03	1.00002E+00
9	.00000E+00	.00000E+00	7.66186E-03	1.05053E-01	8.75736E-04	1.10776E-03	5.67863E-03	9.99989E-01
10	.00000E+00	.00000E+00	8.76903E-04	8.53690E-02	8.47009E-04	8.33680E-04	-8.03752E-04	9.99999E-01
11	.00000E+00	.00000E+00	8.47070E-04	7.67891E-02	8.67220E-04	1.33241E-03	-1.35254E-03	1.00000E+00
12	.00000E+00	.00000E+00	8.67226E-04	4.66546E-02	8.67993E-04	4.15380E-05	-4.29358E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.67995E-04	3.95734E-02	8.07270E-04	6.00838E-05	6.29574E-07	1.00000E+00
14	.00000E+00	.00000E+00	8.07271E-04	3.63942E-02	6.85853E-04	9.69374E-05	2.44528E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.30555E-04	2.07804E-02	8.50473E-04	8.34515E-05	-2.08013E-04	9.99961E-01
16	.00000E+00	.00000E+00	9.55570E-04	1.11020E-02	9.61779E-04	5.23149E-05	-5.82626E-05	9.99952E-01
17	.00000E+00	.00000E+00	1.07193E-03	4.26381E-03	1.04955E-03	2.57586E-05	-3.23355E-06	9.99972E-01
18	.00000E+00	.00000E+00	1.10994E-03	3.38014E-03	1.09143E-03	2.31470E-05	-4.51598E-06	9.99982E-01
19	.00000E+00	.00000E+00	1.10250E-03	7.31065E-03	1.07862E-03	4.73630E-05	-2.32426E-05	9.99969E-01
20	.00000E+00	.00000E+00	1.31433E-03	2.62568E-02	1.11627E-03	1.95222E-04	3.60049E-06	9.99969E-01
21	.00000E+00	.00000E+00	1.48515E-03	6.82438E-03	1.63010E-03	7.51837E-05	-2.20054E-04	9.99996E-01
22	.00000E+00	.00000E+00	2.05471E-03	1.50265E-02	2.00823E-03	1.75085E-04	-1.18259E-04	9.99995E-01
23	.00000E+00	.00000E+00	2.80913E-03	4.88464E-02	3.58614E-03	7.39733E-04	-1.51678E-03	1.00000E+00
24	.00000E+00	.00000E+00	4.36243E-03	3.38682E-02	4.64790E-03	7.88947E-04	-1.07452E-03	1.00000E+00
25	.00000E+00	.00000E+00	4.17635E-03	1.29484E-02	3.33275E-03	4.40410E-04	4.03121E-04	1.00000E+00
26	.00000E+00	.00000E+00	1.73460E-03	9.34854E-03	1.23543E-03	4.08214E-04	9.09269E-05	1.00000E+00
27	.00000E+00	.00000E+00	3.58235E-04	1.74948E-03	9.01397E-07	1.27959E-04	2.29368E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.69000E-02	1.42233E+00	8.69001E-02	8.06988E-03	-7.97013E-03	9.99987E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.62916E-01	7.98487E-03	1.64468E-01	1.06192E-02	9.70886E-05	.00000E+00	.00000E+00	3.54432E-02
2	1.23411E+00	9.53635E-02	1.25135E+00	1.13236E-01	.00000E+00	.00000E+00	.00000E+00	2.69072E-01
3	1.57756E+00	1.31370E-01	1.60054E+00	1.44661E-01	.00000E+00	.00000E+00	.00000E+00	3.44143E-01
4	9.82490E-01	8.72887E-02	9.97103E-01	8.77619E-02	.00000E+00	.00000E+00	.00000E+00	2.14434E-01
5	1.48654E+00	1.39474E-01	1.50966E+00	1.33862E-01	.00000E+00	.00000E+00	.00000E+00	3.24614E-01
6	2.86231E+00	2.66927E-01	2.90810E+00	2.52157E-01	.00000E+00	.00000E+00	.00000E+00	6.25230E-01
7	2.80614E+00	1.53895E-01	2.85252E+00	1.43213E-01	.00000E+00	.00000E+00	.00000E+00	6.10998E-01
8	2.06323E+00	1.47954E-02	2.06632E+00	2.05684E-02	.00000E+00	.00000E+00	.00000E+00	4.47411E-01
9	1.60065E+00	-1.57561E-02	1.59745E+00	-2.14347E-02	.00000E+00	.00000E+00	.00000E+00	3.46624E-01
10	1.46073E+00	-2.72748E-02	1.45628E+00	-2.64710E-02	.00000E+00	.00000E+00	.00000E+00	3.16110E-01
11	1.33997E+00	-5.77041E-02	1.33063E+00	-5.63516E-02	.00000E+00	.00000E+00	.00000E+00	2.89433E-01
12	8.39532E-01	-6.49595E-02	8.28954E-01	-6.49171E-02	.00000E+00	.00000E+00	.00000E+00	1.80863E-01
13	7.11721E-01	-5.38402E-02	7.02909E-01	-5.38409E-02	.00000E+00	.00000E+00	.00000E+00	1.53344E-01
14	6.55170E-01	-7.89677E-02	6.42288E-01	-7.89922E-02	.00000E+00	.00000E+00	.00000E+00	1.40672E-01
15	3.79130E-01	-8.30968E-03	3.77708E-01	-8.10666E-03	.00000E+00	.00000E+00	.00000E+00	8.20179E-02
16	2.11517E-01	-4.45898E-03	2.10788E-01	-4.40071E-03	.00000E+00	.00000E+00	.00000E+00	4.57660E-02
17	9.33183E-02	-4.07325E-03	9.26597E-02	-4.07002E-03	.00000E+00	.00000E+00	.00000E+00	2.01571E-02
18	7.86898E-02	-5.49073E-03	7.78049E-02	-5.48621E-03	.00000E+00	.00000E+00	.00000E+00	1.69636E-02
19	1.47348E-01	-6.55263E-03	1.46295E-01	-6.52938E-03	.00000E+00	.00000E+00	.00000E+00	3.18261E-02
20	4.80895E-01	-2.30705E-02	4.77214E-01	-2.30741E-02	.00000E+00	.00000E+00	.00000E+00	1.03945E-01
21	1.49198E-01	-1.61558E-02	1.46665E-01	-1.59558E-02	.00000E+00	.00000E+00	.00000E+00	3.20735E-02
22	3.01460E-01	-4.47518E-02	2.94481E-01	-4.46335E-02	.00000E+00	.00000E+00	.00000E+00	6.46242E-02
23	9.26991E-01	-1.31237E-01	9.07457E-01	-1.29720E-01	.00000E+00	.00000E+00	.00000E+00	1.98922E-01
24	6.85279E-01	-1.38197E-01	6.63497E-01	-1.37123E-01	.00000E+00	.00000E+00	.00000E+00	1.46108E-01
25	2.85428E-01	-7.05525E-02	2.79666E-01	-7.09556E-02	.00000E+00	.00000E+00	.00000E+00	6.17675E-02
26	1.89113E-01	-6.56687E-02	1.80538E-01	-6.57597E-02	.00000E+00	.00000E+00	.00000E+00	4.01536E-02
27	3.16252E-02	-1.78497E-02	2.93651E-02	-1.80791E-02	.00000E+00	.00000E+00	.00000E+00	6.64039E-03
28	2.37450E+01	6.22278E-02	2.37727E+01	7.01985E-02	9.70886E-05	.00000E+00	.00000E+00	5.14925E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	5.72781E-03	7.58123E-03	4.04045E-04	-7.98488E-03	9.99951E-01

2	.00000E+00	.00000E+00	4.34996E-03	7.50659E-02	9.86603E-02	1.05707E-03	-9.53634E-02	9.99960E-01
3	.00000E+00	.00000E+00	4.67764E-02	6.84700E-02	1.78146E-01	5.38166E-06	-1.31370E-01	9.99977E-01
4	.00000E+00	.00000E+00	6.96142E-02	4.56654E-02	1.56902E-01	3.21769E-06	-8.72888E-02	9.99988E-01
5	.00000E+00	.00000E+00	1.29023E-01	1.48202E-01	2.68496E-01	3.76761E-06	-1.39474E-01	9.99991E-01
6	.00000E+00	.00000E+00	2.73845E-01	4.54992E-01	5.40761E-01	1.14694E-05	-2.66927E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.51870E-01	7.94828E-01	7.05749E-01	2.53405E-05	-1.53895E-01	9.99987E-01
8	.00000E+00	.00000E+00	7.35003E-01	9.99998E-01	7.49818E-01	4.69686E-05	-1.47955E-02	9.99912E-01
9	.00000E+00	.00000E+00	7.40128E-01	9.14701E-01	7.24358E-01	9.57646E-05	1.57562E-02	9.99889E-01
10	.00000E+00	.00000E+00	7.21161E-01	8.63250E-01	6.95750E-01	2.10931E-04	2.72748E-02	9.99896E-01
11	.00000E+00	.00000E+00	6.98851E-01	8.02573E-01	6.40743E-01	4.55760E-04	5.77041E-02	9.99941E-01
12	.00000E+00	.00000E+00	5.57956E-01	4.18480E-01	4.92393E-01	5.95448E-04	6.49595E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.88335E-01	3.38116E-01	4.33612E-01	8.98113E-04	5.39402E-02	9.99969E-01
14	.00000E+00	.00000E+00	4.69922E-01	3.26044E-01	3.89484E-01	1.47558E-03	7.89677E-02	9.99888E-01
15	.00000E+00	.00000E+00	2.53052E-01	1.29949E-01	2.43446E-01	1.29478E-03	8.31182E-03	9.99994E-01
16	.00000E+00	.00000E+00	1.68031E-01	5.52184E-02	1.62679E-01	8.95839E-04	4.46062E-03	9.99986E-01
17	.00000E+00	.00000E+00	8.70353E-02	1.58602E-02	8.25198E-02	4.43013E-04	4.07423E-03	9.99991E-01
18	.00000E+00	.00000E+00	7.74593E-02	1.30975E-02	7.15674E-02	4.00739E-04	5.49168E-03	9.99993E-01
19	.00000E+00	.00000E+00	1.30693E-01	3.71582E-02	1.23325E-01	8.14468E-04	6.55422E-03	9.99925E-01
20	.00000E+00	.00000E+00	3.21996E-01	2.61426E-01	2.95577E-01	3.34455E-03	2.30752E-02	9.99995E-01
21	.00000E+00	.00000E+00	1.55439E-01	5.30859E-02	1.37971E-01	1.31411E-03	1.61487E-02	1.00003E+00
22	.00000E+00	.00000E+00	3.00632E-01	1.62439E-01	2.52791E-01	3.08767E-03	4.47558E-02	9.99992E-01
23	.00000E+00	.00000E+00	7.35845E-01	9.00933E-01	5.91619E-01	1.29886E-02	1.31236E-01	1.00000E+00
24	.00000E+00	.00000E+00	7.57086E-01	7.83301E-01	6.04637E-01	1.42006E-02	1.38195E-01	1.00001E+00
25	.00000E+00	.00000E+00	4.86811E-01	3.17308E-01	4.08211E-01	8.04795E-03	7.05515E-02	1.00000E+00
26	.00000E+00	.00000E+00	3.83619E-01	3.35838E-01	3.10191E-01	7.75853E-03	6.56678E-02	1.00000E+00
27	.00000E+00	.00000E+00	1.27163E-01	7.00078E-02	1.06650E-01	2.66383E-03	1.78498E-02	9.99999E-01
28	.00000E+00	.00000E+00	9.47164E+00	9.39168E+00	9.47164E+00	6.25415E-02	-6.22249E-02	9.99967E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dd**2	total flux
1	1.62161E-01	-9.49344E-09	1.62916E-01	7.98487E-03	4.19263E-10	.00000E+00	.00000E+00	1.85594E-01
2	1.22281E+00	1.00706E-07	1.23411E+00	9.53635E-02	.00000E+00	.00000E+00	.00000E+00	1.40005E+00
3	1.56001E+00	-9.95787E-09	1.57756E+00	1.31370E-01	.00000E+00	.00000E+00	.00000E+00	1.78668E+00
4	9.69351E-01	-4.15396E-08	9.82490E-01	8.72887E-02	.00000E+00	.00000E+00	.00000E+00	1.11059E+00
5	1.46411E+00	-7.27154E-08	1.48654E+00	1.39474E-01	.00000E+00	.00000E+00	.00000E+00	1.67782E+00
6	2.81824E+00	-5.61769E-09	2.86231E+00	2.66927E-01	.00000E+00	.00000E+00	.00000E+00	3.22968E+00
7	2.78075E+00	-1.58678E-07	2.80614E+00	1.53895E-01	.00000E+00	.00000E+00	.00000E+00	3.18459E+00
8	2.06332E+00	-1.54147E-07	2.06523E+00	1.47954E-02	.00000E+00	.00000E+00	.00000E+00	2.36081E+00
9	1.60284E+00	9.33769E-08	1.60066E+00	-1.57561E-02	.00000E+00	.00000E+00	.00000E+00	1.83437E+00
10	1.46559E+00	3.18761E-08	1.46073E+00	-2.72748E-02	.00000E+00	.00000E+00	.00000E+00	1.67703E+00
11	1.35014E+00	1.97993E-08	1.33997E+00	-5.77041E-02	.00000E+00	.00000E+00	.00000E+00	1.54447E+00
12	8.50654E-01	-1.33726E-10	8.39532E-01	-6.49595E-02	.00000E+00	.00000E+00	.00000E+00	9.72774E-01
13	7.20541E-01	-1.23753E-08	7.11721E-01	-5.38402E-02	.00000E+00	.00000E+00	.00000E+00	8.24166E-01
14	6.68451E-01	3.14674E-08	6.55170E-01	-7.89677E-02	.00000E+00	.00000E+00	.00000E+00	7.64154E-01
15	3.79703E-01	2.14114E-06	3.79130E-01	-8.30968E-03	.00000E+00	.00000E+00	.00000E+00	4.34834E-01
16	2.11973E-01	1.64051E-06	2.11517E-01	-4.45898E-03	.00000E+00	.00000E+00	.00000E+00	2.42686E-01
17	9.39554E-02	9.74090E-07	9.33183E-02	-4.07525E-03	.00000E+00	.00000E+00	.00000E+00	1.07508E-01
18	7.96330E-02	9.57096E-07	7.86898E-02	-5.49073E-03	.00000E+00	.00000E+00	.00000E+00	9.10705E-02
19	1.48386E-01	1.59252E-06	1.47348E-01	-6.55263E-03	.00000E+00	.00000E+00	.00000E+00	1.69782E-01
20	4.84690E-01	4.64083E-06	4.80895E-01	-2.30705E-02	.00000E+00	.00000E+00	.00000E+00	5.54503E-01
21	1.52209E-01	-7.15299E-06	1.49198E-01	-1.61558E-02	.00000E+00	.00000E+00	.00000E+00	1.73914E-01
22	3.09925E-01	3.96618E-06	3.01460E-01	-4.47518E-02	.00000E+00	.00000E+00	.00000E+00	3.53887E-01
23	9.54642E-01	-1.09747E-06	9.26991E-01	-1.31237E-01	.00000E+00	.00000E+00	.00000E+00	1.08924E+00
24	7.16562E-01	-2.49207E-06	6.85279E-01	-1.38197E-01	.00000E+00	.00000E+00	.00000E+00	8.15240E-01
25	3.08383E-01	-1.02446E-06	2.89428E-01	-7.05525E-02	.00000E+00	.00000E+00	.00000E+00	3.49800E-01
26	2.10268E-01	-8.84297E-07	1.89113E-01	-6.56687E-02	.00000E+00	.00000E+00	.00000E+00	2.36552E-01
27	3.88360E-02	1.29718E-07	3.16232E-02	-1.78497E-02	.00000E+00	.00000E+00	.00000E+00	4.28482E-02
28	2.37882E+01	3.21612E-06	2.37450E+01	6.22278E-02	4.19263E-10	.00000E+00	.00000E+00	2.72146E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.15908E-02	.00000E+00	2.15009E-02	2.05796E-02	3.50941E-03	-9.49344E-09	9.98825E-01
2	.00000E+00	1.89806E-01	7.04589E-03	2.65070E-01	1.82279E-01	1.45866E-02	1.00706E-07	1.00002E+00

3	.00000E+00	2.15143E-01	7.51173E-02	2.78400E-01	2.74554E-01	1.57110E-02	-9.95787E-09	9.99986E-01
4	.00000E+00	1.24340E-01	1.13270E-01	1.92461E-01	2.30049E-01	7.56141E-03	-4.15396E-08	1.00000E+00
5	.00000E+00	1.65620E-01	2.07433E-01	4.88664E-01	3.68413E-01	4.64417E-03	-7.27154E-08	9.99989E-01
6	.00000E+00	1.79580E-01	4.26327E-01	1.34362E+00	5.98413E-01	7.48561E-03	-5.61769E-09	1.00001E+00
7	.00000E+00	8.90899E-02	6.62359E-01	1.77552E+00	7.43275E-01	8.18130E-03	-1.58678E-07	9.99990E-01
8	.00000E+00	1.37510E-02	7.79720E-01	1.78956E+00	7.78918E-01	1.46157E-02	-1.54147E-07	9.99921E-01
9	.00000E+00	9.98454E-04	7.69483E-01	1.55417E+00	7.45854E-01	2.47108E-02	9.33769E-08	9.99895E-01
10	.00000E+00	7.41661E-05	7.42679E-01	1.40604E+00	7.05236E-01	3.75918E-02	3.18761E-08	9.99900E-01
11	.00000E+00	5.83497E-06	7.10348E-01	1.29662E+00	6.49708E-01	6.06868E-02	1.97995E-08	9.99942E-01
12	.00000E+00	4.09897E-07	5.66901E-01	7.01260E-01	5.02596E-01	6.43206E-02	-1.33726E-10	9.99974E-01
13	.00000E+00	6.50880E-08	4.98538E-01	5.52309E-01	4.40686E-01	5.79679E-02	-1.25753E-08	9.99971E-01
14	.00000E+00	1.28987E-08	4.76895E-01	5.14321E-01	3.97713E-01	7.91868E-02	3.14674E-08	9.99989E-01
15	.00000E+00	1.45770E-09	2.61415E-01	2.36402E-01	2.53270E-01	8.14122E-03	2.14114E-06	1.00000E+00
16	.00000E+00	4.28030E-10	1.78143E-01	1.10004E-01	1.73438E-01	4.70329E-03	1.64051E-06	9.99999E-01
17	.00000E+00	1.37847E-10	9.61571E-02	3.56398E-02	9.15337E-02	4.62251E-03	9.74090E-07	1.00000E+00
18	.00000E+00	9.86942E-11	8.60976E-02	2.88571E-02	7.99845E-02	6.11237E-03	9.57096E-07	9.99997E-01
19	.00000E+00	1.39533E-10	1.41091E-01	7.16631E-02	1.34438E-01	6.65180E-03	1.59252E-06	9.99997E-01
20	.00000E+00	2.26894E-10	3.35127E-01	3.98972E-01	3.07190E-01	2.79313E-02	4.64089E-06	1.00000E+00
21	.00000E+00	3.32100E-11	1.67307E-01	8.64159E-02	1.49869E-01	1.74378E-02	-7.15299E-06	1.00005E+00
22	.00000E+00	3.85312E-11	3.17259E-01	2.36989E-01	2.68153E-01	4.91022E-02	3.96618E-06	9.99998E-01
23	.00000E+00	3.68400E-11	7.57664E-01	1.15355E+00	6.17524E-01	1.40128E-01	-1.09747E-06	1.00002E+00
24	.00000E+00	1.00274E-11	7.88068E-01	9.53341E-01	6.36522E-01	1.52537E-01	-2.49207E-06	1.00002E+00
25	.00000E+00	2.93536E-12	5.13315E-01	3.81120E-01	4.28195E-01	8.51169E-02	-1.02446E-06	1.00001E+00
26	.00000E+00	2.05829E-12	3.96198E-01	3.80039E-01	3.18810E-01	7.73861E-02	-8.84297E-07	1.00001E+00
27	.00000E+00	4.90502E-13	1.29830E-01	7.68663E-02	1.07887E-01	2.19433E-02	1.29718E-07	1.00000E+00
28	.00000E+00	1.00000E+00	1.02038E+01	1.63294E+01	1.02038E+01	1.00257E+00	3.20340E-06	9.99974E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.62161E-01	-9.49344E-09	1.69616E-01	.00000E+00	2.27008E-03	2.53617E-03	.00000E+00	3.41756E-01
2	1.22281E+00	1.00706E-07	1.30607E+00	.00000E+00	1.77724E-05	1.17400E-02	.00000E+00	2.59416E+00
3	1.56001E+00	-9.95787E-09	1.66886E+00	.00000E+00	.00000E+00	1.45464E-02	.00000E+00	3.31300E+00
4	9.69351E-01	-4.15396E-08	1.03787E+00	.00000E+00	.00000E+00	6.30671E-03	.00000E+00	2.06056E+00
5	1.46411E+00	-7.27154E-08	1.57324E+00	.00000E+00	.00000E+00	1.87378E-03	.00000E+00	3.11652E+00
6	2.81824E+00	-5.61769E-09	3.02952E+00	.00000E+00	.00000E+00	1.71699E-03	.00000E+00	5.99977E+00
7	2.78075E+00	-1.58678E-07	2.90439E+00	.00000E+00	.00000E+00	1.77358E-03	.00000E+00	5.86513E+00
8	2.05332E+00	-1.54147E-07	2.07885E+00	.00000E+00	.00000E+00	1.87589E-03	.00000E+00	4.30158E+00
9	1.60284E+00	9.33769E-08	1.58463E+00	.00000E+00	.00000E+00	2.58686E-03	.00000E+00	3.32605E+00
10	1.46559E+00	3.18761E-08	1.44202E+00	.00000E+00	.00000E+00	5.50833E-03	.00000E+00	3.03607E+00
11	1.35014E+00	1.97993E-08	1.30015E+00	.00000E+00	.00000E+00	1.13391E-02	.00000E+00	2.77967E+00
12	8.50654E-01	-1.33726E-10	7.93485E-01	.00000E+00	.00000E+00	1.44411E-02	.00000E+00	1.73599E+00
13	7.20541E-01	-1.23753E-08	6.73925E-01	.00000E+00	.00000E+00	1.36448E-02	.00000E+00	1.47178E+00
14	6.68451E-01	3.14674E-08	5.99437E-01	.00000E+00	.00000E+00	9.68757E-03	.00000E+00	1.34965E+00
15	3.79703E-01	2.14114E-06	3.73156E-01	.00000E+00	.00000E+00	2.44874E-03	.00000E+00	7.87020E-01
16	2.11973E-01	1.64051E-06	2.08456E-01	.00000E+00	.00000E+00	1.63364E-03	.00000E+00	4.39800E-01
17	9.39556E-02	9.74090E-07	9.05465E-02	.00000E+00	.00000E+00	2.42217E-03	.00000E+00	1.95522E-01
18	7.96330E-02	9.57096E-07	7.49389E-02	.00000E+00	.00000E+00	3.14991E-03	.00000E+00	1.62878E-01
19	1.48386E-01	1.59252E-06	1.42876E-01	.00000E+00	.00000E+00	3.90643E-03	.00000E+00	3.05558E-01
20	4.84690E-01	4.64083E-06	4.65135E-01	.00000E+00	.00000E+00	1.72471E-02	.00000E+00	9.97033E-01
21	1.52205E-01	-7.15299E-06	1.38279E-01	.00000E+00	.00000E+00	1.11861E-02	.00000E+00	3.08133E-01
22	3.09925E-01	3.96618E-06	2.70401E-01	.00000E+00	.00000E+00	3.11145E-02	.00000E+00	6.20613E-01
23	9.54642E-01	-1.09747E-06	8.38888E-01	.00000E+00	.00000E+00	8.70385E-02	.00000E+00	1.91336E+00
24	7.16562E-01	-2.49207E-06	5.89883E-01	.00000E+00	.00000E+00	9.44123E-02	.00000E+00	1.40871E+00
25	3.08383E-01	-1.02446E-06	2.40658E-01	.00000E+00	.00000E+00	5.47217E-02	.00000E+00	5.98821E-01
26	2.10268E-01	-8.84297E-07	1.43568E-01	.00000E+00	.00000E+00	5.03591E-02	.00000E+00	3.91359E-01
27	3.88360E-02	1.29718E-07	1.82834E-02	.00000E+00	.00000E+00	1.40471E-02	.00000E+00	6.59440E-02
28	2.37882E+01	3.21612E-06	2.37569E+01	.00000E+00	2.28786E-03	4.73264E-01	.00000E+00	4.94819E+01

- elapsed time .02 min.
0direct access unit 9 requires 516 blocks of length 1456 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.28201E-03	2.45111E-02	3.14747E-02	1.91341E-02	2.98150E-02	5.59903E-02	3.19026E-02	4.59996E-03

2	3.56976E-03	3.80654E-02	4.86293E-02	2.95021E-02	4.49991E-02	8.47653E-02	4.81425E-02	6.91430E-03
3	2.90064E-03	3.24762E-02	4.29348E-02	2.71977E-02	4.24442E-02	8.05892E-02	4.61187E-02	5.51826E-03
4	1.00127E-03	1.19508E-02	1.64580E-02	1.09506E-02	1.74601E-02	3.34190E-02	1.93421E-02	1.97977E-03
5	1.66181E-03	1.86404E-02	2.46721E-02	1.56208E-02	2.44024E-02	4.65789E-02	2.67257E-02	3.29008E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.79708E-03	5.93129E-03	1.25953E-02	1.44534E-02	1.19970E-02	1.75072E-02	1.83347E-03	9.86573E-04
2	7.20549E-03	8.89850E-03	1.89432E-02	2.18226E-02	1.80992E-02	2.65540E-02	2.72512E-03	1.47934E-03
3	5.80105E-03	8.34660E-03	1.77139E-02	2.01774E-02	1.67294E-02	2.45408E-02	2.54984E-03	1.37622E-03
4	1.93844E-03	3.39517E-03	7.19347E-03	8.10473E-03	6.75643E-03	9.87134E-03	1.10883E-03	5.81428E-04
5	3.36643E-03	4.83346E-03	1.02540E-02	1.16707E-02	9.70110E-03	1.41787E-02	1.52319E-03	8.11876E-04

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.06648E-04	1.21812E-03	1.46287E-03	5.15797E-03	3.53078E-03	9.85200E-03	2.87242E-02	3.01170E-02
2	1.36818E-03	1.84425E-03	2.19492E-03	7.75647E-03	5.35673E-03	1.50040E-02	4.36069E-02	4.60956E-02
3	1.26507E-03	1.70526E-03	2.05242E-03	7.16904E-03	4.98443E-03	1.38862E-02	4.05360E-02	4.27688E-02
4	5.12890E-04	6.84691E-04	8.26263E-04	2.90886E-03	2.01327E-03	5.59257E-03	1.66466E-02	1.74718E-02
5	7.34486E-04	9.85068E-04	1.18528E-03	4.16750E-03	2.87553E-03	8.00844E-03	2.35398E-02	2.47246E-02

Ozone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.54907E-02	1.41313E-02	3.69046E-03	3.83591E-01
2	2.38526E-02	2.21059E-02	6.07750E-03	5.85578E-01
3	2.19868E-02	2.04189E-02	5.58307E-03	5.39751E-01
4	8.89766E-03	8.13641E-03	2.04488E-03	2.17222E-01
5	1.26692E-02	1.16111E-02	3.01905E-03	3.11448E-01

1 80 d, sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp

0cell averaged fluxes

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.67760E-01	1.28589E+00	1.64329E+00	1.02237E+00	1.54860E+00	2.98131E+00	2.87547E+00	2.07391E+00
2	1.64667E-01	1.25332E+00	1.60285E+00	9.98405E-01	1.51153E+00	2.91143E+00	2.83435E+00	2.06669E+00
3	1.63541E-01	1.24154E+00	1.58793E+00	9.89434E-01	1.49782E+00	2.88491E+00	2.81924E+00	2.06443E+00
4	1.62157E-01	1.22324E+00	1.56105E+00	9.70342E-01	1.46593E+00	2.82182E+00	2.78242E+00	2.06268E+00
5	1.64192E-01	1.24633E+00	1.59169E+00	9.89966E-01	1.49729E+00	2.88251E+00	2.81782E+00	2.06664E+00

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58964E+00	1.44780E+00	1.31247E+00	8.07731E-01	6.85553E-01	6.16570E-01	3.75028E-01	2.09401E-01
2	1.59707E+00	1.45595E+00	1.32988E+00	8.28065E-01	7.02170E-01	6.41207E-01	3.77593E-01	2.10727E-01
3	1.59958E+00	1.45858E+00	1.33549E+00	8.34530E-01	7.07555E-01	6.49085E-01	3.78444E-01	2.11172E-01
4	1.60271E+00	1.46525E+00	1.34942E+00	8.49926E-01	7.20086E-01	6.67653E-01	3.79980E-01	2.12039E-01
5	1.59796E+00	1.45864E+00	1.33545E+00	8.34033E-01	7.07086E-01	6.48420E-01	3.78113E-01	2.11056E-01

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.13908E-02	7.60806E-02	1.44252E-01	4.69975E-01	1.41622E-01	2.80015E-01	8.66382E-01	6.19525E-01
2	9.26043E-02	7.77306E-02	1.46207E-01	4.76894E-01	1.46448E-01	2.93886E-01	9.05789E-01	6.61758E-01
3	9.30083E-02	7.82729E-02	1.46851E-01	4.79156E-01	1.47992E-01	2.98187E-01	9.17860E-01	6.74141E-01
4	9.39316E-02	7.95696E-02	1.48341E-01	4.84477E-01	1.51951E-01	3.09195E-01	9.51684E-01	7.12287E-01
5	9.29749E-02	7.82526E-02	1.46801E-01	4.79011E-01	1.48058E-01	2.98165E-01	9.19349E-01	6.76797E-01

Ozone	grp. 25	grp. 26	grp. 27
1	2.56240E-01	1.58255E-01	2.25591E-02
2	2.78766E-01	1.79726E-01	2.91393E-02
3	2.85006E-01	1.85275E-01	3.05398E-02
4	3.05625E-01	2.06679E-01	3.74371E-02
5	2.86734E-01	1.88023E-01	3.16819E-02

0flux disadvantage factors (zone average/cell average-flux)


Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02173E+00	1.03175E+00	1.03242E+00	1.03273E+00	1.03427E+00	1.03428E+00	1.02046E+00	1.00852E+00
2	1.00289E+00	1.00561E+00	1.00704E+00	1.00853E+00	1.00951E+00	1.01003E+00	1.00587E+00	1.00003E+00
3	9.96033E-01	9.96160E-01	9.97640E-01	9.99463E-01	1.00036E+00	1.00084E+00	1.00050E+00	9.98931E-01
4	9.87602E-01	9.81476E-01	9.80751E-01	9.80178E-01	9.79067E-01	9.78946E-01	9.87437E-01	9.98084E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00


Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.94795E-01	9.92567E-01	9.82790E-01	9.68463E-01	9.69547E-01	9.50880E-01	9.91842E-01	9.92158E-01
2	9.99446E-01	9.98141E-01	9.95830E-01	9.92844E-01	9.93047E-01	9.88875E-01	9.98625E-01	9.98444E-01

```
     3 1.00089E+00 9.99962E-01 1.00003E+00 1.00060E+00 1.00066E+00 1.00108E+00 1.00087E+00 1.00055E+00
     4 1.00298E+00 1.00453E+00 1.01046E+00 1.01906E+00 1.01838E+00 1.02966E+00 1.00478E+00 1.00466E+00
     5 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00
Ozone  grp. 17    grp. 18    grp. 19    grp. 20    grp. 21    grp. 22    grp. 23    grp. 24
     1 9.82963E-01 9.72245E-01 9.82634E-01 9.81136E-01 9.56658E-01 9.39129E-01 9.42489E-01 9.15083E-01
     2 9.96014E-01 9.93330E-01 9.95952E-01 9.95581E-01 9.89253E-01 9.85650E-01 9.85358E-01 9.77779E-01
     3 1.00036E+00 1.00026E+00 1.00034E+00 1.00030E+00 9.99689E-01 1.00007E+00 9.98490E-01 9.96076E-01
     4 1.01029E+00 1.01683E+00 1.01049E+00 1.01141E+00 1.02643E+00 1.03700E+00 1.03528E+00 1.05244E+00
     5 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00 1.00000E+00
Ozone  grp. 25    grp. 26    grp. 27
     1 8.93651E-01 8.41680E-01 7.12051E-01
     2 9.72210E-01 9.55872E-01 9.19745E-01
     3 9.93969E-01 9.85385E-01 9.67109E-01
     4 1.06588E+00 1.09922E+00 1.18166E+00
     5 1.00000E+00 1.00000E+00 1.00000E+00
Ocell averaged currents

Ozone  grp. 1     grp. 2     grp. 3     grp. 4     grp. 5     grp. 6     grp. 7     grp. 8
     1 2.28201E-03 2.45111E-02 3.14747E-02 1.91341E-02 2.93150E-02 5.59903E-02 3.19026E-02 4.59996E-03
     2 3.56976E-03 3.80654E-02 4.86259E-02 2.95021E-02 4.49991E-02 8.47653E-02 4.81425E-02 6.91430E-03
     3 2.90064E-03 3.24762E-02 4.29348E-02 2.71977E-02 4.24442E-02 8.05892E-02 4.61187E-02 5.51826E-03
     4 1.00127E-03 1.19508E-02 1.64580E-02 1.09506E-02 1.74601E-02 3.34190E-02 1.95421E-02 1.97977E-03
     5 1.66181E-03 1.86404E-02 2.46721E-02 1.56208E-02 2.44024E-02 4.65789E-02 2.67257E-02 3.29008E-03
Ozone  grp. 9     grp. 10    grp. 11    grp. 12    grp. 13    grp. 14    grp. 15    grp. 16
     1 4.79708E-03 5.93129E-03 1.25953E-02 1.44534E-02 1.19970E-02 1.75072E-02 1.83347E-03 9.86573E-04
     2 7.20549E-03 8.89850E-03 1.89432E-02 2.18226E-02 1.80992E-02 2.65540E-02 2.72512E-03 1.47934E-03
     3 5.80105E-03 8.34660E-03 1.77139E-02 2.01774E-02 1.67294E-02 2.45408E-02 2.54984E-03 1.37622E-03
     4 1.93844E-03 3.39517E-03 7.19347E-03 8.10473E-03 6.75643E-03 9.87134E-03 1.10883E-03 5.81428E-04
     5 3.36643E-03 4.83346E-03 1.02540E-02 1.16707E-02 9.70110E-03 1.41787E-02 1.52319E-03 8.11876E-04
Ozone  grp. 17    grp. 18    grp. 19    grp. 20    grp. 21    grp. 22    grp. 23    grp. 24
     1 9.06648E-04 1.21812E-03 1.46287E-03 5.15797E-03 3.53076E-03 9.85200E-03 2.87242E-02 3.01170E-02
     2 1.36818E-03 1.84425E-03 2.19492E-03 7.75647E-03 5.35673E-03 1.50040E-02 4.36069E-02 4.60956E-02
     3 1.26507E-03 1.70526E-03 2.05242E-03 7.16904E-03 4.98443E-03 1.38862E-02 4.05360E-02 4.27688E-02
     4 5.12890E-04 6.84691E-04 8.26263E-04 2.90886E-03 2.01327E-03 5.59257E-03 1.66466E-02 1.74718E-02
     5 7.34486E-04 9.85069E-04 1.18528E-03 4.16750E-03 2.87553E-03 8.00844E-03 2.35398E-02 2.47246E-02
Ozone  grp. 25    grp. 26    grp. 27
     1 1.54907E-02 1.41313E-02 3.69046E-03
     2 2.38526E-02 2.21059E-02 6.07750E-03
     3 2.19868E-02 2.04189E-02 5.58307E-03
     4 8.89766E-03 8.13641E-03 2.04488E-03
     5 1.26692E-02 1.16111E-02 3.01905E-03
Ozone      volume      vol. fraction

     1    6.88443E-01    3.30753E-01
     2    3.17352E-02    1.52468E-02
     3    2.16724E-01    1.04122E-01
     4    1.14454E+00    5.49878E-01
     5    2.08144E+00    1.00000E+00
 - elapsed time    .03 min.
Orequested parm=halt8,skipcellwt,skipshipdata
  pass= 1, exec halts after pass   8
```





```
*******************************************************************************
*******************************************************************************
*******************************************************************************
*****                                                                     *****
*****                  program verification information                *****
*****                                                                     *****
*****                  code system:    scale  version:    4.2          *****
*****                                                                     *****
*******************************************************************************
*******************************************************************************
*****                                                                     *****
*****                                                                     *****
*****              program:  c0c008                                       *****
*****                                                                     *****
*****         creation date:  04/27/95                                    *****
*****                                                                     *****
*****              library:  /neutronics/scale/exe                        *****
*****                                                                     *****
*****                                                                     *****
*****     this is not a   scale  configuration controlled code            *****
*****                                                                     *****
*****              jobname:  davis                                        *****
*****                                                                     *****
*****     date of execution:  02/16/96                                    *****
*****                                                                     *****
*****     time of execution:  09:56:46                                    *****
*****                                                                     *****
*****                                                                     *****
*******************************************************************************
*******************************************************************************
*******************************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       70
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     70 entries.
0       4q array has     70 entries.
0       5q array has     70 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
```

0 10q array has 70 entries.
0 11q array has 4 entries.
0 m i x i n g t a b l e

0entry	mixture	isotope	number density	new identifier
1	3	8016	2.09710E-02	201
2	3	1001	4.19420E-02	202
3	3	5010	3.81515E-06	203
4	3	5011	1.54884E-05	204
5	2	40302	4.25156E-02	205
6	1	92235	2.17519E-04	200006
7	1	92234	1.80384E-06	200007
8	1	92236	3.09919E-06	200008
9	1	92238	7.29235E-03	200009
10	1	8016	1.50611E-02	200010
11	1	8016	1.15315E-02	200011
12	1	36083	5.19887E-08	200012
13	1	36085	2.52399E-08	200013
14	1	38090	5.64542E-07	200014
15	1	39089	1.85221E-07	200015
16	1	42095	8.27836E-08	200016
17	1	40093	4.11148E-07	200017
18	1	40094	6.33205E-07	200018
19	1	40095	4.27857E-07	200019
20	1	41094	1.77349E-13	200020
21	1	43099	5.87758E-07	200021
22	1	45103	1.52118E-07	200022
23	1	45105	3.63974E-09	200023
24	1	44101	5.18370E-07	200024
25	1	44106	5.96664E-08	200025
26	1	46105	1.21221E-07	200026
27	1	46108	1.56859E-08	200027
28	1	47109	9.63590E-09	200028
29	1	51124	3.00303E-12	200029
30	1	54131	2.47825E-07	200030
31	1	54132	4.19533E-07	200031
32	1	54135	2.09120E-09	200032
33	1	54136	9.95252E-07	200033
34	1	55134	2.70779E-09	200034
35	1	55135	2.99702E-07	200035
36	1	55137	6.30110E-07	200036
37	1	56136	7.27113E-10	200037
38	1	57139	6.33240E-07	200038
39	1	59141	3.00200E-07	200039
40	1	59143	1.34650E-07	200040
41	1	58144	4.90451E-07	200041
42	1	60143	4.35283E-07	200042
43	1	60145	3.87075E-07	200043
44	1	61147	1.73729E-07	200044
45	1	61148	4.19133E-10	200045
46	1	60147	4.46317E-08	200046
47	1	62147	4.30449E-09	200047
48	1	62149	2.10275E-08	200048
49	1	62150	8.60817E-08	200049
50	1	62151	3.43758E-08	200050
51	1	62152	3.85958E-08	200051
52	1	64155	3.40414E-11	200052
53	1	63153	1.83469E-08	200053
54	1	63154	5.35540E-10	200054
55	1	63155	3.62762E-09	200055
56	1	40302	4.42681E-03	200056

57	1	1001	2.30630E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	6.04856E-07	200060
61	1	95237	4.79701E-08	200061
62	1	94238	5.71923E-10	200062
63	1	94239	5.27664E-06	200063
64	1	94240	1.45266E-07	200064
65	1	94241	1.08078E-08	200065
66	1	94242	9.49211E-11	200066
67	1	95241	2.80565E-11	200067
68	1	95243	5.82811E-13	200068
69	1	96244	3.88991E-15	200069
70	1	999	3.30753E-21	200070

0geometry and material description

0zone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.29352E+01	0
3	3	8.14000E-01	6.07600E+02	3.54862E+00	0
4	1	2.96100E+00	9.75000E+02	2.32883E-01	0


8067 locations of 200000 available are required to make a new master containing the self-shielded values


0no nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1


0copy	999	1/v cross sectio	from log 12	to log 1	bondarenko	trigger 0
0copy	1001	hydrogen	from log 12	to log 18	bondarenko	trigger 0
0copy	1001	hydrogen	from log 18	to log 1	bondarenko	trigger 0
0copy	1001	hydrogen	from log 18	to log 1	bondarenko	trigger 0
0copy	5010	b-10 1273 218hgp	from log 12	to log 18	bondarenko	trigger 0
0copy	5010	b-10 1273 218hgp	from log 18	to log 1	bondarenko	trigger 0
0copy	5010	b-10 1273 218hgp	from log 18	to log 1	bondarenko	trigger 0
0copy	5011	boron-11	from log 12	to log 18	bondarenko	trigger 0
0copy	5011	boron-11	from log 18	to log 1	bondarenko	trigger 0
0copy	5011	boron-11	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 12	to log 18	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	36083	kr-83	from log 12	to log 1	bondarenko	trigger 0
0copy	36085	kr-85	from log 12	to log 1	bondarenko	trigger 0
0copy	38090	sr-90	from log 12	to log 1	bondarenko	trigger 0
0copy	39089	y-89	from log 12	to log 1	bondarenko	trigger 0
0copy	40093	zr-93	from log 12	to log 1	bondarenko	trigger 0
0copy	40094	zr-94	from log 12	to log 1	bondarenko	trigger 0
0copy	40095	zr-95	from log 12	to log 1	bondarenko	trigger 0
0copy	40302	zircalloy	from log 12	to log 18	bondarenko	trigger 0
0copy	40302	zircalloy	from log 18	to log 1	bondarenko	trigger 0
0copy	40302	zircalloy	from log 18	to log 1	bondarenko	trigger 0
0copy	41094	nb-94	from log 12	to log 1	bondarenko	trigger 0
0copy	42095	mo-95	from log 12	to log 1	bondarenko	trigger 0
0copy	43099	tc-99	from log 12	to log 1	bondarenko	trigger 0
0copy	44101	ru-101	from log 12	to log 1	bondarenko	trigger 0
0copy	44106	ru-106	from log 12	to log 1	bondarenko	trigger 0
0copy	45103	rh-103	from log 12	to log 1	bondarenko	trigger 0
0copy	45105	rh-105	from log 12	to log 1	bondarenko	trigger 0
0copy	46105	pd-105	from log 12	to log 1	bondarenko	trigger 0
0copy	46108	pd-108	from log 12	to log 1	bondarenko	trigger 0
0copy	47109	silver-109	from log 12	to log 1	bondarenko	trigger 0
0copy	51124	sb-124	from log 12	to log 1	bondarenko	trigger 0
0copy	54131	xe-131	from log 12	to log 1	bondarenko	trigger 0
0copy	54132	xe-132	from log 12	to log 1	bondarenko	trigger 0
0copy	54135	xenon-135	from log 12	to log 1	bondarenko	trigger 0


```
0copy    54136  xe-136          from log 12 to log  1   bondarenko trigger 0
0copy    55133  cesium-133      from log 12 to log  1   bondarenko trigger 0
0copy    55134  cs-134          from log 12 to log  1   bondarenko trigger 0
0copy    55135  cs-135          from log 12 to log  1   bondarenko trigger 0
0copy    55137  cs-137          from log 12 to log  1   bondarenko trigger 0
0copy    56136  ba-136          from log 12 to log  1   bondarenko trigger 0
0copy    57139  la-139          from log 12 to log  1   bondarenko trigger 0
0copy    58144  ce-144          from log 12 to log  1   bondarenko trigger 0
0copy    59141  pr-141          from log 12 to log  1   bondarenko trigger 0
0copy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc     1/27/89
             last updated      9/16/93
                 l.m.petrie  -  ornl
        tape id                          4321        number of nuclides          70
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                    id   200070
       hydrogen       endf/b-iv mat 1269/thrmf1002   updated 10/13/89      id      202
       hydrogen       endf/b-iv mat 1269/thrmf1002   updated 10/13/89      id   200057
      b-10 1273 218ngp 042575 p-3 293k                                     id      203
      b-10 1273 218ngp 042575 p-3 293k                                     id   200058
       boron-11       endf/b-iv mat 1160             updated 10/13/89      id      204
       boron-11       endf/b-iv mat 1160             updated 10/13/89      id   200059
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89      id      201
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89      id   200010
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89      id   200011
       kr-83          mt=102,103,103,105,106,107     updated 10/13/89      id   200012
       kr-85            mt=  102                                            id   200013
       sr-90          mt=102                         updated 10/13/89      id   200014
        y-89          mt=102                         updated 10/13/89      id   200015
```


```
        zr-93          mt=  102                                                id   200017
        zr-94          mt=102                        updated 10/13/89          id   200018
        zr-95          mt=102                        updated 10/13/89          id   200019
        zircalloy      endf/b-iv mat 1284            updated 10/13/89          id      205
        zircalloy      endf/b-iv mat 1284            updated 10/13/89          id   200056
        nb-94          mt=102                        updated 10/13/89          id   200020
        mo-95          mt=102                        updated 10/13/89          id   200016
        tc-99          mt=102                        updated 10/13/89          id   200021
        ru-101         mt=102                        updated 10/13/89          id   200024
        ru-106         mt=102                        updated 10/13/89          id   200025
        rh-103         mt=102                        updated 10/13/89          id   200022
        rh-105         mt=  102                                                id   200023
        pd-105         mt=102                        updated 10/13/89          id   200026
        pd-108         mt=102                        updated 10/13/89          id   200027
        silver-109     endf/b-iv mat 1139            updated 10/13/89          id   200028
        sb-124         mt=102                        updated 10/13/89          id   200029
        xe-131         mt=102,103,104,105,106        updated 10/13/89          id   200030
        xe-132         mt=102,103,104,105,106        updated 10/13/89          id   200031
        xenon-135      endf/b-iv mat 1294            updated 10/13/89          id   200032
        xe-136         mt=  102, 103,  104,  105,  107                         id   200033
        cesium-133     endf/b-iv mat 1141            updated 10/13/89          id   200060
        cs-134         mt=102                        updated 10/13/89          id   200034
        cs-135         mt=  102                                                id   200035
        cs-137         mt=102                        updated 10/13/89          id   200036
        ba-136         mt=102                        updated 10/13/89          id   200037
        la-139         mt=102                        updated 10/13/89          id   200038
        ce-144         mt=  102                                                id   200041
        pr-141         mt=102,103,104,105,106,107    updated 10/13/89          id   200039
        pr-143         mt=102                        updated 10/13/89          id   200040
        nd-143         mt=102                        updated 10/13/89          id   200042
        nd-145         mt=102                        updated 10/13/89          id   200043
        nd-147         mt=102                        updated 10/13/89          id   200046
        pm-147         mt=102                        updated 10/13/89          id   200044
        pm-148         mt=  102                                                id   200045
        sm-147         endf/b-v fission product      updated 10/13/89          id   200047
        sm-149         mt=102,103,107                updated 10/13/89          id   200048
        sm-150         mt=102                        updated 10/13/89          id   200049
        sm-151         mt=102,103,104,105,106,107    updated 10/13/89          id   200050
        sm-152         mt=102,103,104,105,106,107    updated 10/13/89          id   200051
        eu-153         mt=102,103,104,105,106,107    updated 10/13/89          id   200053
        eu-154         mt=102,103,104,105,106,107    updated 10/13/89          id   200054
        eu-155         mt=102,103,104,105,106,107    updated 10/13/89          id   200055
        gd-155         mt=102                        updated 10/13/89          id   200052
       u-234 1043 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                      id   200007
        uranium-235    endf/b-iv mat 1261            updated 10/13/89          id   200006
       u-236 1163 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                      id   200008
        uranium-238    endf/b-iv mat 1262            updated 10/13/89          id   200009
        neptunium-237  endf/b-iv mat 1263            updated 10/13/89          id   200061
       pu-238 1050 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                     id   200062
        plutonium-239  endf/b-iv mat 1264            updated 10/13/89          id   200063
        plutonium-240  endf/b-iv mat 1265            updated 10/13/89          id   200064
        plutonium-241  endf/b-iv mat 1266            updated 10/13/89          id   200065
        plutonium-242  endf/b-iv mat 1161            updated 10/13/89          id   200066
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 295k                            id   200067
       am-243 1057 218 gp wt f-1/e-m 090576 p3 295k                             id   200068
        curium-244     endf/b-iv mat 1162            updated 10/13/89          id   200069
0       tape copy used      0 i/o's, and took     .00 seconds
1              m         m  iiiiiiiiiii   ttttttttttt      eeeeeeee     mm        mm  ll
               mm        m  iiiiiiiiiii   ttttttttttt     eeeeeeeeee    mm        mm  ll
               mmm       m      ii            tt        ee        ee    mm        mm  ll
```


mm mm mm ii tt aa aa ww ww ll
m m m ii tt aa aa ww ww ll
m m m ii tt aaaaaaaaaaaa ww w ww ll
m m m ii tt aaaaaaaaaaaa ww www ww ll
m m m ii tt aa aa ww ww ww ww ll
m m m ii tt aa aa ww ww ww ll
m m ii tt aa aa wwww wwww ll
m m iiiiiiiiiii tt aa aa www www llllllllllll
m m iiiiiiiiiii tt aa aa ww ww llllllllllll
0


ddddddddd aaaaaaaa w w iiiiiiiiiii sssssssss
ddddddddddd aaaaaaaaaa w w iiiiiiiiiii sssssssssss
dd dd aa aa w w ii ss ss
dd dd aa aa w w ii ss
dd dd aa aa w w ii ss
dd dd aaaaaaaaaaaa w w ii sssssssss
dd dd aaaaaaaaaaaa w w ii ssssssssss
dd dd aa aa w w ii ss
dd dd aa aa w w ii ss
dd dd aa aa w w ii ss ss
ddddddddddd aa aa ww iiiiiiiiiii ssssssssss
ddddddddd aa aa v iiiiiiiiiii sssssssss
0


000000 zzzzzzzzzz // 11 eeeeeeeeee // 999999999 eeeeeeeeee
00000000 zzzzzzzzzz // 111 eeeeeeeeee // 999999999 eeeeeeeeee
00 00 zz zz // 1111 ee // 99 99 ee
00 00 zz // 11 ee // 99 99 ee
00 00 zz // 11 ee // 99 99 ee
00 00 zz // 11 eeeeeeeee // 999999999 eeeeeeeee
00 00 zz // 11 eeeeeeeeee // 999999999 eeeeeeeeee
00 00 zz // 11 ee ee // 99 ee ee
00 00 zz // 11 ee ee // 99 ee ee
00 00 zz // 11 ee ee // 99 ee ee
00000000 zzzzzzzzzz // 11111111 eeeeeeeeee // 999999999 eeeeeeeeee
000000 zzzzzzzzzz // 11111111 eeeeeeeee // 999999999 eeeeeeeee
0


000000 999999999 555555555 eeeeeeeeee 44 ffffffffff
00000000 999999999 555555555 eeeeeeeeee 444 ffffffffff
00 00 99 99 55 ee ::: 4444 ff ff
00 00 99 99 ::: 55 ee ::: 44 44 ff
00 00 99 99 ::: 55 ee ::: 44 44 ff
00 00 999999999 555555555 eeeeeeeee 44 44 ff
00 00 999999999 555555555 eeeeeeeeee 44 44 ff
00 00 99 ::: 55 ee ee ::: 4444444444 ff
00 00 99 ::: 55 ee ee ::: 4444444444 ff
00 00 99 ::: 55 55 ee ee 44 ff
00000000 999999999 555555555 eeeeeeeeee 44 ff
000000 999999999 555555555 eeeeeeeee 44 ff
1
0


sssssssss ccccccccc aaaaaaaa ll eeeeeeeeeee
ssssssssssss cccccccccccc aaaaaaaaaa ll eeeeeeeeeee
ss ss cc cc aa aa ll ee
ss cc aa aa ll ee
ss cc aa aa ll ee
sssssssssss cc aaaaaaaaaaaa ll eeeeeeeee
ssssssssssss cc aaaaaaaaaaaa ll eeeeeeeee
ss cc aa aa ll ee

```
                ss  cc          aa      aa  ll          ee
          ss    ss  cc      cc  aa      aa  ll          ee
          sssssssssssss  ccccccccccc  aa      aa  lllllllllll  eeeeeeeeeee
           sssssssssss    ccccccccc   aa      aa  lllllllllll  eeeeeeeeeee
```

```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                 program verification information           *****
*****                                                           *****
*****                 code system:  scale  version:  4.2        *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****            program:  c0c002                               *****
*****                                                           *****
*****       creation date:  04/27/95                            *****
*****                                                           *****
*****            library:  /neutronics/scale/exe                *****
*****                                                           *****
*****                                                           *****
*****   this is not a  scale  configuration controlled code     *****
*****                                                           *****
*****            jobname:  davis                                *****
*****                                                           *****
*****   date of execution:  02/16/96                            *****
*****                                                           *****
*****   time of execution:  09:56:47                            *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has     12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0       2q array has     70 entries.
0       3q array has     15 entries.
0       4q array has      5 entries.
0 general information concerning cross section library
    tape identification number                4349
    number of nuclides on tape                  65
    number of neutron energy groups             27
    first thermal neutron energy group          15
```

```
    number of gamma energy groups                0
0   direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                            compiled for nrc      1/27/89
                              last updated        9/16/93
                                l.m.petrie   -    ornl
- work tape   4349

 xsdrn weighted tape--parent case entitled--   80 d, sas2h: babcock wilcox 15x15,
  3.00wt%, 20gwd/mtu burn high temp



0 nuclides from xsdrn tape
     1    hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89              202
     2   b-10 1273 218ngp 042375 p-3 293k                                               203
     3    boron-11        endf/b-iv mat 1160             updated 10/13/89              204
     4    oxygen-16       endf/b-iv mat 1276             updated 10/13/89              201
     5    zircalloy       endf/b-iv mat 1284             updated 10/13/89              205
0 nuclides from work tape
     6   1/v cross sections normalized to 1.0 at 0.0253 ev                               999
     7    hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89             1001
     8   b-10 1273 218ngp 042375 p-3 293k                                              5010
     9    boron-11        endf/b-iv mat 1160             updated 10/13/89             5011
    10    oxygen-16       endf/b-iv mat 1276             updated 10/13/89             8016
    11    oxygen-16       endf/b-iv mat 1276             updated 10/13/89                6
    12    kr-83           mt=102,103,103,105,106,107     updated 10/13/89            36083
    13    kr-85             mt=  102                                                  36085
    14    sr-90           mt=102                         updated 10/13/89            38090
    15     y-89           mt=102                         updated 10/13/89            39089
    16    zr-93             mt=  102                                                  40093
    17    zr-94           mt=102                         updated 10/13/89            40094
    18    zr-95           mt=102                         updated 10/13/89            40095
    19    zircalloy       endf/b-iv mat 1284             updated 10/13/89            40802
    20    nb-94           mt=102                         updated 10/13/89            41094
    21    mo-95           mt=102                         updated 10/13/89            42095
    22    tc-99           mt=102                         updated 10/13/89            43099
    23    ru-101          mt=102                         updated 10/13/89            44101
    24    ru-106          mt=102                         updated 10/13/89            44106
    25    rh-103          mt=102                         updated 10/13/89            45103
    26    rh-105            mt=  102                                                  45105
    27    pd-105          mt=102                         updated 10/13/89            46105
    28    pd-108          mt=102                         updated 10/13/89            46108
    29    silver-109      endf/b-iv mat 1139             updated 10/13/89            47109
    30    sb-124          mt=102                         updated 10/13/89            51124
    31    xe-131          mt=102,103,104,105,106         updated 10/13/89            54131
    32    xe-132          mt=102,103,104,105,106         updated 10/13/89            54132
    33    xenon-135       endf/b-iv mat 1294             updated 10/13/89            54135
    34    xe-136            mt=  102, 103, 104, 105, 107                              54136
    35    cesium-133      endf/b-iv mat 1141             updated 10/13/89            55133
    36    cs-134          mt=102                         updated 10/13/89            55134
    37    cs-135            mt=  102                                                  55135
    38    cs-137          mt=102                         updated 10/13/89            55137
    39    ba-136          mt=102                         updated 10/13/89            56136
    40    la-139          mt=102                         updated 10/13/89            57139
    41    ce-144            mt=  102                                                  58144
    42    pr-141          mt=102,103,104,105,106,107     updated 10/13/89            59141
    43    pr-143          mt=102                         updated 10/13/89            59143
```

```
    44    nd-143        mt=102                          updated 10/13/89              60143
    45    nd-145        mt=102                          updated 10/13/89              60145
    46    nd-147        mt=102                          updated 10/13/89              60147
    47    pm-147        mt=102                          updated 10/13/89              61147
    48    pm-148           mt=  102                                                   61148
    49    sm-147        endf/b-v fission product        updated 10/13/89              62147
    50    sm-149        mt=102,103,107                  updated 10/13/89              62149
    51    sm-150        mt=102                          updated 10/13/89              62150
    52    sm-151        mt=102,103,104,105,106,107      updated 10/13/89              62151
    53    sm-152        mt=102,103,104,105,106,107      updated 10/13/89              62152
    54    eu-153        mt=102,103,104,105,106,107      updated 10/13/89              63153
    55    eu-154        mt=102,103,104,105,106,107      updated 10/13/89              63154
    56    eu-155        mt=102,103,104,105,106,107      updated 10/13/89              63155
    57    gd-155        mt=102                          updated 10/13/89              64155
    58   u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92234
    59    uranium-235   endf/b-iv mat 1261              updated 10/13/89              92235
    60   u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92236
    61    uranium-238   endf/b-iv mat 1262              updated 10/13/89              92238
    62    neptunium-237 endf/b-iv mat 1263              updated 10/13/89              93237
    63   pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          94238
    64    plutonium-239 endf/b-iv mat 1264              updated 10/13/89              94239
    65    plutonium-240 endf/b-iv mat 1265              updated 10/13/89              94240
    66    plutonium-241 endf/b-iv mat 1266              updated 10/13/89              94241
    67    plutonium-242 endf/b-iv mat 1161              updated 10/13/89              94242
    68   am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                95241
    69   am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 95243
    70    curium-244    endf/b-iv mat 1162              updated 10/13/89              96244
0 hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89          202    temperature=   607.60
                                thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                           203    temperature=   607.60
                                thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 boron-11        endf/b-iv mat 1160             updated 10/13/89          204    temperature=   607.60
                                thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 oxygen-16       endf/b-iv mat 1276             updated 10/13/89          201    temperature=   607.60
0 zircalloy       endf/b-iv mat 1284             updated 10/13/89          205    temperature=   650.00
0resonance data for this nuclide
0mass number (a)          =    90.436              temperature(kelvin)      =   650.000
0potential scatter sigma  =     6.385              lumped nuclear density   = 4.2515602E-02
0spin factor (g)          =     1.079              lump dimension (a-bar)   = 6.7309999E-01
0inner radius             = 6.3246000E-01          dancoff correction (c)   = 1.6805907E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   8      -1.156752E-03     .000000E+00   -7.806033E-01
   9      -4.625978E-02     .000000E+00   -2.073270E+00
  10      -5.962230E-02     .000000E+00   -1.351984E+00
  11      -1.761672E-01     .000000E+00   -7.350731E-01
0excess resonance integrals
0                resolved
0absorption      2.9240ZE-01
 fission          .00000E+00
-  elapsed time    .00 min.
-  elapsed time    .02 min.
1     this xsdrn working tape was created 02/16/96 at 09:56:47
      the title of the parent case is as follows
      xsdrn weighted tape--parent case entitled--   80 d, sas2h: babcock wilcox 15x15,
       3.00wt%, 20gwd/mtu burn high temp

          tape id                        8670          number of nuclides              70
```

number of neutron groups 27 number of gamma groups 0
first thermal group 15 logical unit 4

table of contents

hydrogen	endf/b-iv mat 1269/thrm1002	updated 10/13/89	id	202
b-10 1273 218grp 042375 p-3 293k			id	203
boron-11	endf/b-iv mat 1160	updated 10/13/89	id	204
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	201
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id	205
1/v cross sections normalized to 1.0 at 0.0253 ev			id	999
hydrogen	endf/b-iv mat 1269/thrm1002	updated 10/13/89	id	1001
b-10 1273 218grp 042375 p-3 293k			id	5010
boron-11	endf/b-iv mat 1160	updated 10/13/89	id	5011
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	8016
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	6
kr-83	mt=102,103,103,105,106,107	updated 10/13/89	id	36083
kr-85	mt= 102		id	36085
sr-90	mt=102	updated 10/13/89	id	38090
y-89	mt=102	updated 10/13/89	id	39089
zr-93	mt= 102		id	40093
zr-94	mt=102	updated 10/13/89	id	40094
zr-95	mt=102	updated 10/13/89	id	40095
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id	40302
nb-94	mt=102	updated 10/13/89	id	41094
mo-95	mt=102	updated 10/13/89	id	42095
tc-99	mt=102	updated 10/13/89	id	43099
ru-101	mt=102	updated 10/13/89	id	44101
ru-106	mt=102	updated 10/13/89	id	44106
rh-103	mt=102	updated 10/13/89	id	45103
rh-105	mt= 102		id	45105
pd-105	mt=102	updated 10/13/89	id	46105
pd-108	mt=102	updated 10/13/89	id	46108
silver-109	endf/b-iv mat 1139	updated 10/13/89	id	47109
sb-124	mt=102	updated 10/13/89	id	51124
xe-131	mt=102,103,104,105,106	updated 10/13/89	id	54131
xe-132	mt=102,103,104,105,106	updated 10/13/89	id	54132
xenon-135	endf/b-iv mat 1294	updated 10/13/89	id	54135
xe-136	mt= 102, 103, 104, 105, 107		id	54136
cesium-133	endf/b-iv mat 1141	updated 10/13/89	id	55133
cs-134	mt=102	updated 10/13/89	id	55134
cs-135	mt= 102		id	55135
cs-137	mt=102	updated 10/13/89	id	55137
ba-136	mt=102	updated 10/13/89	id	56136
la-139	mt=102	updated 10/13/89	id	57139
ce-144	mt= 102		id	58144
pr-141	mt=102,103,104,105,106,107	updated 10/13/89	id	59141
pr-143	mt=102	updated 10/13/89	id	59143
nd-143	mt=102	updated 10/13/89	id	60143
nd-145	mt=102	updated 10/13/89	id	60145
nd-147	mt=102	updated 10/13/89	id	60147
pm-147	mt=102	updated 10/13/89	id	61147
pm-148	mt= 102		id	61148
sm-147	endf/b-v fission product	updated 10/13/89	id	62147
sm-149	mt=102,103,107	updated 10/13/89	id	62149
sm-150	mt=102	updated 10/13/89	id	62150
sm-151	mt=102,103,104,105,106,107	updated 10/13/89	id	62151
sm-152	mt=102,103,104,105,106,107	updated 10/13/89	id	62152
eu-153	mt=102,103,104,105,106,107	updated 10/13/89	id	63153
eu-154	mt=102,103,104,105,106,107	updated 10/13/89	id	63154
eu-155	mt=102,103,104,105,106,107	updated 10/13/89	id	63155
gd-155	mt=102	updated 10/13/89	id	64155

```
      u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    id   92234
       uranium-235   endf/b-iv mat 1261          updated 10/13/89            id   92235
      u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    id   92236
       uranium-238   endf/b-iv mat 1262          updated 10/13/89            id   92238
       neptunium-237 endf/b-iv mat 1263          updated 10/13/89            id   93237
      pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                   id   94238
       plutonium-239 endf/b-iv mat 1264          updated 10/13/89            id   94239
       plutonium-240 endf/b-iv mat 1265          updated 10/13/89            id   94240
       plutonium-241 endf/b-iv mat 1266          updated 10/13/89            id   94241
       plutonium-242 endf/b-iv mat 1161          updated 10/13/89            id   94242
      am-241 1056 sigo=5+4 newxlacs 218grp p-3 293k                          id   95241
      am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                           id   95243
       curium-244    endf/b-iv mat 1162          updated 10/13/89            id   96244
0       tape copy used      0 i/o's, and took     .00 seconds
1 xx         xx  sssssssssss   ddddddddddd  rrrrrrrrrrr   mm         mm  ppppppppppp   mm         mm
   xx       xx  sssssssssssss  ddddddddddd  rrrrrrrrrrrr  mm         mm  ppppppppppp  mmm         mmm
    xx     xx   ss         ss  dd        dd  rr        rr  mmm        mm  pp        pp  mmmm       mmmm
     xx   xx    ss             dd        dd  rr        rr  mm mm      mm  pp        pp  mm mm     mm mm
      xx xx     ss             dd        dd  rr        rr  mm  mm     mm  pp        pp  mm  mm   mm  mm
       xxx       sssssssssss   dd        dd  rrrrrrrrrrr   mm   mm    mm  ppppppppppp  mm   mmm   mm
       xxx        sssssssssss  dd        dd  rrrrrrrrrrr   mm    mm   mm  ppppppppppp  mm    m    mm
      xx xx              ss    dd        dd  rr       rr   mm     mm  mm  pp            mm         mm
     xx   xx             ss    dd        dd  rr        rr  mm      mm mm  pp            mm         mm
    xx     xx    ss       ss   dd        dd  rr         rr mm       mmm  pp            mm         mm
   xx       xx   sssssssssssss  ddddddddddd  rr         rr mm        mm  pp            mm         mm
  xx         xx   sssssssssss   ddddddddddd  rr         rr mm        mm  pp            mm         mm
0

  ddddddddddd     aaaaaaaa    w         w  iiiiiiiiiii    sssssssssss
  ddddddddddd    aaaaaaaaaa   w         w  iiiiiiiiiii   sssssssssssss
  dd        dd  aa        aa  w         w      ii        ss         ss
  dd        dd  aa        aa  w         w      ii        ss
  dd        dd  aa        aa  w         w      ii        ss
  dd        dd  aaaaaaaaaaaa  w         w      ii        sssssssssss
  dd        dd  aaaaaaaaaaaa   w       w       ii         sssssssssss
  dd        dd  aa        aa    w     w        ii                 ss
  dd        dd  aa        aa     w   w         ii                 ss
  dd        dd  aa        aa      w w          ii        ss       ss
  ddddddddddd   aa        aa       ww      iiiiiiiiiii  sssssssssssss
  ddddddddddd   aa        aa        v      iiiiiiiiiii   sssssssssss
0

    000000     2222222222          //       11      66666666666          //  999999999   66666666666
   00000000    2222222222222      //       111      66666666666        //   999999999999 66666666666
  00      00   22        222     //       1111      66                //    99        99 66
 00        00            222   //         11      66               //     99        99 66
 00        00            222  //          11      66              //      99        99 66
 00        00           222   //          11      666666666666   //       999999999999 666666666666
 00        00         222     //          11      666666666666  //        999999999999 666666666666
 00        00       222       //          11      66        66  //                99 66        66
 00        00     222         //          11      66        66  //                99 66        66
  00      00   222           //           11      66        66  //                99 66        66
   00000000   2222222222222 //          11111111  666666666666 //        999999999999 666666666666
    000000    2222222222222 //           11111111   66666666666 //         99999999999  66666666666
0

    000000    999999999          555555555555  66666666666                  44   88888888888
   00000000   999999999999       555555555555  66666666666                444   88888888888
  00      00  99        99   :::  55            66            :::         4444   88        88
 00        00 99        99   :::  55            66            :::        44 44   88        88
```

```
0       0q array has     11 entries.
0       1q array has     15 entries.
0       2q array has     10 entries.
0       3q array has     12 entries.
0       4q array has      9 entries.
0       5q array has     12 entries.
0direct access unit   9 requires    12 blocks of length  704 for cross section mixing.
1                    80 d, second part of sas2h pass to make library
0general problem description data block
0                              general problem data


 ige  1/2/3 = plane/cylinder/sphere      2        isn  quadrature order                 8
 izm  number of zones                    4        isct order of scattering              3
 im   number of special intervals       28        ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h  1
 ibl  0/1/2/3 = vacuum/refl/per/white    1        iim  inner iteration maximum        20
 ibr  right boundary condition           3        iom  outer iteration maximum        25
 mx   number of mixtures                 3        iclc -1/0/n--flat res/sn/opt          0
 ms   mixing table length               70        ith  0/1 = forward/adjoint           0
 ign  number of energy groups           27        iflu not used(always wgtd)            0
 nrg  number of neutron groups          27        iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0        idl  0/1/2/3=no/prt nd/pch n/both    14
 iftg number of first thermal group     15        ipbt -1/0/1=none/fine/all bal. prt    0
0                            special options

 ifg  0/1 = none/weighting calculation   1        ipn  0/1/2 diff. coef. param         0
 iqm  volumetric sources (0/n=no/yes)    0        idfm 0/1 = none/density factors 38*  0
 ipn  boundary sources (0/n=no/yes)      0        iaz  0/n = none/n activities by zone 0
 ifn  0/1/2 = input 33*/34*/use last    14        iai  0/1=none/activities by interval 0
 itmx maximum time (minutes)            10        ifct 0/1=no/yes upscatter scaling    0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0        ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0        isen outer iteration acceleration    0
 ibln activity data unit                 0        nbnd band rebaln parameter           0
 jbkl 0/1/2 buckling geometry            0
0                          weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1        ihtf total xsect psn in brd gp tables 3
 igmf number of broad groups             3        nbsf psn g-g or file number           4
 itp  0/10/20/30/40 0/c/e/ac/a           0        nusf table length or max order        6
 ipp  -2/-1/0/n=wgted xsect print       -2        msm  extra 1-d x-sect positions      0
 iap  -1/n anisn xsect print            -1
0                          floating point parameters

 eps  overall convergence       1.00000E-04       dy   cyl/pla ht for buckling    .00000E+00
 ptc  point convergence         1.00000E-04       dz   plane depth for buckling 2.00000E+02
 xnf  normalization factor      1.00000E+00       vsc  void streaming correction  .00000E+00
 ev   eigenvalue guess           .00000E+00       pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier        .00000E+00       eql  ev change eps for search  1.00000E-05
 bf   buckling factor=1.420892  1.42089E+00       xrpm new param mod for search  7.50000E-01
    this case will require      2611 locations for mixing
    this case has been allocated 200000 locations
1                    80 d, second part of sas2h pass to make library
0      13q array has     70 entries.
0      14q array has     70 entries.
0      15q array has     70 entries.
0                          data block 2 (mixing table, etc.)
0    nuclides       cccc                          mixing table                          extra
       on tape    identification              mixture   component    atom density     xsect id's
    1     202                                      3         201    2.09710E-02
    2     203                                      3         202    4.19420E-02
    3     204                                      3         203    3.81515E-06
```

4	201	3	204	1.54884E-05
5	205	2	205	4.25156E-02
6	999	1	92235	2.17519E-04
7	1001	1	92234	1.80884E-06
8	5010	1	92236	3.09919E-06
9	5011	1	92238	7.29235E-05
10	8016	1	8016	1.50611E-02
11	6	1	6	1.15315E-02
12	36083	1	36083	5.19887E-08
13	36085	1	36085	2.52399E-08
14	38090	1	38090	5.64542E-07
15	39089	1	39089	1.85221E-07
16	40093	1	42095	8.27834E-08
17	40094	1	40093	4.11148E-07
18	40095	1	40094	6.33205E-07
19	40802	1	40095	4.27857E-07
20	41094	1	41094	1.77349E-13
21	42095	1	43099	5.87758E-07
22	43099	1	45103	1.52118E-07
23	44101	1	45105	3.63974E-09
24	44106	1	44101	5.18370E-07
25	45103	1	44106	5.96664E-08
26	45105	1	46105	1.21221E-07
27	46105	1	46108	1.56859E-08
28	46108	1	47109	9.63590E-09
29	47109	1	51124	3.00303E-12
30	51124	1	54131	2.47823E-07
31	54131	1	54132	4.19533E-07
32	54132	1	54135	2.09120E-09
33	54135	1	54136	9.95252E-07
34	54136	1	55134	2.70779E-09
35	55133	1	55135	2.99702E-07
36	55134	1	55137	6.30110E-07
37	55135	1	56136	7.27113E-10
38	55137	1	57139	6.35240E-07
39	56136	1	59141	3.00200E-07
40	57139	1	59143	1.34650E-07
41	58144	1	58144	4.90451E-07
42	59141	1	60143	4.35283E-07
43	59143	1	60145	3.87075E-07
44	60143	1	61147	1.73729E-07
45	60145	1	61148	4.19133E-10
46	60147	1	60147	4.46317E-08
47	61147	1	62147	4.30449E-09
48	61148	1	62149	2.10275E-08
49	62147	1	62150	8.60817E-08
50	62149	1	62151	3.43758E-08
51	62150	1	62152	3.85958E-08
52	62151	1	64155	3.40414E-11
53	62152	1	63153	1.83469E-08
54	63153	1	63154	5.35540E-10
55	63154	1	63155	3.62762E-09
56	63155	1	40802	4.42681E-05
57	64155	1	1001	2.30630E-02
58	92234	1	5010	2.09787E-06
59	92235	1	5011	8.51673E-06
60	92236	1	55133	6.04866E-07
61	92238	1	95257	4.79701E-08
62	95257	1	94238	5.71925E-10
63	94238	1	94239	5.27664E-06




```
1
0
```

```
*****************************************************************
*****************************************************************
*****************************************************************
*****                                                       *****
*****                program verification information       *****
*****                                                       *****
*****              code system:   scale  version:   4.2     *****
*****                                                       *****
*****************************************************************
*****************************************************************
*****                                                       *****
*****                                                       *****
*****           program:  c0d001                            *****
*****                                                       *****
*****      creation date:  04/27/95                         *****
*****                                                       *****
*****           library:  /neutronics/scale/exe             *****
*****                                                       *****
*****                                                       *****
*****  this is not a  scale  configuration controlled code  *****
*****                                                       *****
*****           jobname:  davis                             *****
*****                                                       *****
*****  date of execution:  02/16/96                         *****
*****                                                       *****
*****  time of execution:  09:56:48                         *****
*****                                                       *****
*****                                                       *****
*****************************************************************
*****************************************************************
*****************************************************************
```

```
1
                80 d, second part of sas2h pass to make library
0      -1q array has     1 entries.
```

64	94239	1	94240	1.45266E-07	
65	94240	1	94241	1.08078E-08	
66	94241	1	94242	9.49211E-11	
67	94242	1	95241	2.80565E-11	
68	95241	1	95243	5.82811E-13	
69	95243	1	96244	3.88991E-15	
70	96244	1	999	3.30753E-21	

- elapsed time .00 min.
0 24259 locations will be used
0 35q array has 29 entries.
0 36q array has 28 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 80 d, second part of ses2h pass to make library
neutron group parameters

0

gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40969E-01	2.88737E+09	1	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	1	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	1	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	2	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01086E+07	2	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00	
15	3.04999E+00	1.50030E+01	2.10601E+06	2	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00	
17	1.29999E+00	1.58557E+01	1.52545E+06	2	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	3	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86933E+05	3	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	3	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	3	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 80 d, second part of ses2h pass to make library
0

	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	3	3			0	-2.79004E-01	3	0
2	2	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	3	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	1	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28598E-02
7					5.55953E-02	2.31301E-01	6	1.28598E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02

11				5.22844E-02	-6.01588E-01	14	-3.14537E-02
12				5.22844E-02	-2.20196E-01	13	-1.15128E-02
13				5.22844E-02	2.20196E-01	12	1.15128E-02
14				5.22844E-02	6.01588E-01	11	3.14537E-02
15				5.22844E-02	8.21784E-01	10	4.29665E-02
16				0	-9.83032E-01	24	0
17				4.53355E-02	-9.64143E-01	24	-4.37099E-02
18				4.53355E-02	-8.17361E-01	23	-3.70555E-02
19				4.53355E-02	-5.46143E-01	22	-2.47597E-02
20				4.53355E-02	-1.91780E-01	21	-8.69444E-03
21				4.53355E-02	1.91780E-01	20	8.69444E-03
22				4.53355E-02	5.46143E-01	19	2.47597E-02
23				4.53355E-02	8.17361E-01	18	3.70555E-02
24				4.53355E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83032E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20862E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20862E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17234E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17234E-01
22	5.46143E-01	-4.49528E-01	-3.20862E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20862E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.97644E-02	1	0	4.90881E-03		0	
2	3.95287E-02	5.92931E-02	1	2.48366E-01	1.47264E-02		0	
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0	
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0	
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01			
6	3.16230E-01	3.55759E-01	1	1.98693E+00	1.76717E-01			
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01			
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.55258E-01			
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42355E-01			
10	5.92931E-01	6.12696E-01	1	3.72550E+00	1.52173E-01			
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02			
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46405E-02			
13	6.73100E-01	6.96583E-01	3	4.22921E+00	2.05562E-01			
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01			
15	7.67053E-01	7.90517E-01	3	4.81941E+00	2.33282E-01			
16	8.14000E-01	8.62795E-01	4	5.11451E+00	5.29051E-01			
17	9.11591E-01	9.60386E-01	4	5.72769E+00	5.88891E-01			
18	1.00918E+00	1.10677E+00	4	6.34088E+00	1.35731E+00			
19	1.20436E+00	1.30195E+00	4	7.56724E+00	1.59667E+00			

20	1.39955E+00	1.49714E+00	4	8.79360E+00	1.83603E+00
21	1.59473E+00	1.69232E+00	4	1.00200E+01	2.07540E+00
22	1.78991E+00	1.88750E+00	4	1.12463E+01	2.31476E+00
23	1.98509E+00	2.08268E+00	4	1.24727E+01	2.55412E+00
24	2.18027E+00	2.27786E+00	4	1.36991E+01	2.79349E+00
25	2.37545E+00	2.47305E+00	4	1.49254E+01	3.03285E+00
26	2.57064E+00	2.66823E+00	4	1.61518E+01	3.27221E+00
27	2.76582E+00	2.81461E+00	4	1.73781E+01	1.72587E+00
28	2.86341E+00	2.91220E+00	4	1.79913E+01	1.78571E+00
29	2.96100E+00			1.86045E+01	

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	214	-7.06698E-06	1.15443E+00	-1.71280E-01	1.00000E+00	-4.60674E-02	.00000E+00	.0000
2	311	-1.00740E-08	1.17067E+00	-7.90221E-04	-2.27080E-02	-3.84405E-03	.00000E+00	.0167
3	385	-5.23615E-08	1.17198E+00	-4.52431E-05	-1.70393E-03	-6.85077E-04	.00000E+00	.0167
4	439	2.42396E-07	1.17221E+00	-3.01259E-06	-3.08065E-04	-1.27030E-04	.00000E+00	.0167
5	480	3.75332E-06	1.17220E+00	2.97588E-07	-5.87089E-05	-2.53117E-05	.00000E+00	.0167

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	17	4.33775E-06	28	1.00000E+00	1
2	1	17	5.27413E-06	28	1.00000E+00	1
3	1	17	4.89446E-06	28	1.00000E+00	1
4	1	17	4.78465E-06	28	1.00000E+00	1
5	1	17	4.99087E-06	28	1.00000E+00	1
6	1	17	3.40179E-06	28	1.00000E+00	1
7	1	24	1.68467E-06	28	1.00000E+00	2
8	1	3	3.67338E-07	20	1.00000E+00	2
9	1	27	7.98624E-06	28	9.99992E-01	3
10	1	26	1.20169E-06	28	1.00000E+00	3
11	1	26	2.62173E-06	28	1.00000E+00	3
12	1	26	1.32747E-06	28	9.99999E-01	3
13	1	26	1.73455E-06	28	1.00000E+00	3
14	1	25	5.12378E-07	28	1.00000E+00	3
15	1	2	2.87106E-05	28	9.99968E-01	2
16	1	2	3.53844E-05	28	9.99970E-01	2
17	1	2	4.43141E-05	28	9.99972E-01	2
18	1	26	7.66225E-05	18	9.99988E-01	3
19	1	2	4.23971E-05	28	9.99916E-01	3
20	1	2	3.49095E-05	28	9.99951E-01	3
21	1	25	5.28731E-05	28	9.99953E-01	3
22	1	24	2.65468E-05	28	9.99967E-01	3
23	1	1	3.77642E-05	28	9.99964E-01	4
24	1	1	4.99425E-05	9	1.00008E+00	4
25	1	1	5.76682E-05	8	1.00008E+00	5
26	1	1	4.33597E-05	6	1.00008E+00	6
27	1	1	4.07989E-05	5	1.00002E+00	8

6	507	-4.34097E-06	1.17232E+00	2.72614E-07	-1.20606E-05	-5.80553E-06	.00000E+00	.0167

final monitor lambda 1.17226E+00 production/absorption 1.18767E+00 angular flux on 16

- elapsed time .02 min.

1 80 d, second part of sas2h pass to make library

0 int.	zone number	radius	int. midpoint	area	volume	prod density
1	1	.00000E+00	1.97644E-02	.00000E+00	4.90881E-03	.00000E+00
2	1	3.95287E-02	5.92931E-02	2.48366E-01	1.47264E-02	.00000E+00
3	1	7.90575E-02	1.18586E-01	4.96733E-01	5.89057E-02	.00000E+00
4	1	1.58115E-01	1.97644E-01	9.93466E-01	9.81762E-02	.00000E+00
5	1	2.37172E-01	2.76701E-01	1.49020E+00	1.37447E-01	.00000E+00
6	1	3.16230E-01	3.55759E-01	1.98693E+00	1.76717E-01	.00000E+00
7	1	3.95288E-01	4.34816E-01	2.48366E+00	2.15988E-01	.00000E+00

8	1	4.74345E-01	5.13874E-01	2.98040E+00	2.55258E-01	.00000E+00
9	1	5.53408E-01	5.73167E-01	3.47713E+00	1.42365E-01	.00000E+00
10	1	5.92931E-01	6.12698E-01	3.72550E+00	1.52173E-01	.00000E+00
11	2	6.32460E-01	6.42620E-01	3.97386E+00	8.20460E-02	.00000E+00
12	2	6.52780E-01	6.62940E-01	4.10154E+00	8.46405E-02	.00000E+00
13	3	6.73100E-01	6.96583E-01	4.22921E+00	2.05562E-01	.00000E+00
14	3	7.20067E-01	7.43550E-01	4.52431E+00	2.19422E-01	.00000E+00
15	3	7.67033E-01	7.90517E-01	4.81941E+00	2.33282E-01	.00000E+00
16	4	8.14000E-01	8.62795E-01	5.11451E+00	5.29051E-01	2.66053E-02
17	4	9.11591E-01	9.60386E-01	5.72769E+00	5.88891E-01	2.89895E-02
18	4	1.00918E+00	1.10677E+00	6.34088E+00	1.35731E+00	6.55135E-02
19	4	1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	7.55684E-02
20	4	1.39955E+00	1.49714E+00	8.79360E+00	1.83603E+00	8.57156E-02
21	4	1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	9.59189E-02
22	4	1.78991E+00	1.88750E+00	1.12463E+01	2.31476E+00	1.06180E-01
23	4	1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	1.16508E-01
24	4	2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.26917E-01
25	4	2.37545E+00	2.47305E+00	1.49254E+01	3.03285E+00	1.37423E-01
26	4	2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.48057E-01
27	4	2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	7.80634E-02
28	4	2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	8.08029E-02
29		2.96100E+00		1.86045E+01		

1 80 d, second part of sas2h pass to make library

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.20007E-02	8.81879E-02	1.11134E-01	6.85422E-02	1.02384E-01	1.92570E-01	1.92962E-01	1.46870E-01
2	1.19959E-02	8.81379E-02	1.11069E-01	6.85039E-02	1.02333E-01	1.92483E-01	1.92922E-01	1.46865E-01
3	1.19965E-02	8.81504E-02	1.11091E-01	6.85218E-02	1.02367E-01	1.92553E-01	1.92975E-01	1.46876E-01
4	1.20027E-02	8.82287E-02	1.11202E-01	6.86000E-02	1.02497E-01	1.92797E-01	1.93132E-01	1.46905E-01
5	1.20140E-02	8.83665E-02	1.11396E-01	6.87329E-02	1.02714E-01	1.93197E-01	1.93382E-01	1.46948E-01
6	1.20295E-02	8.85562E-02	1.11663E-01	6.89161E-02	1.03012E-01	1.93748E-01	1.93722E-01	1.47005E-01
7	1.20491E-02	8.87990E-02	1.12007E-01	6.91539E-02	1.03401E-01	1.94468E-01	1.94166E-01	1.47075E-01
8	1.20727E-02	8.91023E-02	1.12444E-01	6.94610E-02	1.03908E-01	1.95407E-01	1.94746E-01	1.47158E-01
9	1.20925E-02	8.93690E-02	1.12835E-01	6.97426E-02	1.04377E-01	1.96278E-01	1.95284E-01	1.47227E-01
10	1.21061E-02	8.95781E-02	1.13161E-01	6.99904E-02	1.04798E-01	1.97067E-01	1.95773E-01	1.47275E-01
11	1.21174E-02	8.97514E-02	1.13435E-01	7.01985E-02	1.05152E-01	1.97744E-01	1.96193E-01	1.47319E-01
12	1.21297E-02	8.98808E-02	1.13607E-01	7.03067E-02	1.05322E-01	1.98083E-01	1.96397E-01	1.47363E-01
13	1.21556E-02	9.01151E-02	1.13875E-01	7.04445E-02	1.05514E-01	1.98425E-01	1.96590E-01	1.47432E-01
14	1.21937E-02	9.04891E-02	1.14325E-01	7.06998E-02	1.05890E-01	1.99089E-01	1.96973E-01	1.47523E-01
15	1.22384E-02	9.09702E-02	1.14945E-01	7.10861E-02	1.06489E-01	2.00167E-01	1.97605E-01	1.47624E-01
16	1.23080E-02	9.17412E-02	1.15953E-01	7.17309E-02	1.07508E-01	2.02017E-01	1.98704E-01	1.47798E-01
17	1.23768E-02	9.25100E-02	1.16963E-01	7.23797E-02	1.08543E-01	2.03921E-01	1.99865E-01	1.47989E-01
18	1.24318E-02	9.31359E-02	1.17794E-01	7.29176E-02	1.09415E-01	2.05568E-01	2.00880E-01	1.48194E-01
19	1.24800E-02	9.36939E-02	1.18543E-01	7.34055E-02	1.10214E-01	2.07109E-01	2.01856E-01	1.48406E-01
20	1.25085E-02	9.40314E-02	1.19003E-01	7.37079E-02	1.10716E-01	2.08102E-01	2.02501E-01	1.48562E-01
21	1.25265E-02	9.42497E-02	1.19306E-01	7.39077E-02	1.11050E-01	2.08782E-01	2.02952E-01	1.48679E-01
22	1.25381E-02	9.43952E-02	1.19508E-01	7.40417E-02	1.11277E-01	2.09253E-01	2.03270E-01	1.48766E-01
23	1.25455E-02	9.44863E-02	1.19640E-01	7.41302E-02	1.11428E-01	2.09575E-01	2.03491E-01	1.48829E-01
24	1.25499E-02	9.45423E-02	1.19721E-01	7.41846E-02	1.11522E-01	2.09780E-01	2.03634E-01	1.48871E-01
25	1.25518E-02	9.45684E-02	1.19761E-01	7.42109E-02	1.11568E-01	2.09886E-01	2.03709E-01	1.48893E-01
26	1.25515E-02	9.45660E-02	1.19759E-01	7.42101E-02	1.11568E-01	2.09894E-01	2.03714E-01	1.48893E-01
27	1.25499E-02	9.45463E-02	1.19733E-01	7.41926E-02	1.11540E-01	2.09839E-01	2.03678E-01	1.48880E-01
28	1.25475E-02	9.45169E-02	1.19693E-01	7.41657E-02	1.11494E-01	2.09747E-01	2.03615E-01	1.48859E-01

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.15786E-01	1.06908E-01	1.00573E-01	6.52162E-02	5.58645E-02	5.37128E-02	2.92968E-02	1.63189E-02
2	1.15787E-01	1.06909E-01	1.00577E-01	6.52211E-02	5.58693E-02	5.37195E-02	2.92989E-02	1.63198E-02
3	1.15785E-01	1.06900E-01	1.00564E-01	6.51973E-02	5.58475E-02	5.36886E-02	2.92928E-02	1.63168E-02
4	1.15780E-01	1.06878E-01	1.00506E-01	6.51399E-02	5.57953E-02	5.36142E-02	2.92777E-02	1.63095E-02
5	1.15773E-01	1.06844E-01	1.00429E-01	6.50524E-02	5.57160E-02	5.35012E-02	2.92552E-02	1.62987E-02
6	1.15762E-01	1.06797E-01	1.00324E-01	6.49335E-02	5.56088E-02	5.33480E-02	2.92255E-02	1.62844E-02

7	1.15749E-01	1.06736E-01	1.00187E-01	6.47777E-02	5.54691E-02	5.31477E-02	2.91880E-02	1.62662E-02
8	1.15734E-01	1.06653E-01	1.00004E-01	6.45724E-02	5.52852E-02	5.28845E-02	2.91407E-02	1.62431E-02
9	1.15723E-01	1.06578E-01	9.98331E-02	6.43809E-02	5.51164E-02	5.26394E-02	2.90983E-02	1.62220E-02
10	1.15722E-01	1.06503E-01	9.96748E-02	6.42066E-02	5.49629E-02	5.24168E-02	2.90612E-02	1.62033E-02
11	1.15726E-01	1.06446E-01	9.95495E-02	6.40698E-02	5.48409E-02	5.22410E-02	2.90286E-02	1.61874E-02
12	1.15721E-01	1.06426E-01	9.95026E-02	6.40162E-02	5.47906E-02	5.21705E-02	2.90107E-02	1.61794E-02
13	1.15676E-01	1.06398E-01	9.94385E-02	6.39343E-02	5.47189E-02	5.20657E-02	2.89958E-02	1.61719E-02
14	1.15604E-01	1.06332E-01	9.92926E-02	6.37569E-02	5.45679E-02	5.18421E-02	2.89710E-02	1.61581E-02
15	1.15526E-01	1.06223E-01	9.90538E-02	6.34778E-02	5.43319E-02	5.14910E-02	2.89336E-02	1.61368E-02
16	1.15417E-01	1.06043E-01	9.86582E-02	6.30188E-02	5.39425E-02	5.09106E-02	2.88651E-02	1.60995E-02
17	1.15320E-01	1.05865E-01	9.82629E-02	6.25589E-02	5.35479E-02	5.03276E-02	2.87834E-02	1.60576E-02
18	1.15249E-01	1.05715E-01	9.79247E-02	6.21664E-02	5.32016E-02	4.98267E-02	2.86955E-02	1.60147E-02
19	1.15194E-01	1.05576E-01	9.76092E-02	6.18006E-02	5.28732E-02	4.93581E-02	2.86025E-02	1.59702E-02
20	1.15167E-01	1.05488E-01	9.74052E-02	6.15643E-02	5.26560E-02	4.90535E-02	2.85325E-02	1.59372E-02
21	1.15154E-01	1.05428E-01	9.72633E-02	6.13999E-02	5.25026E-02	4.88407E-02	2.84791E-02	1.59121E-02
22	1.15147E-01	1.05385E-01	9.71623E-02	6.12829E-02	5.23920E-02	4.86886E-02	2.84386E-02	1.58932E-02
23	1.15143E-01	1.05356E-01	9.70905E-02	6.11997E-02	5.23128E-02	4.85803E-02	2.84085E-02	1.58791E-02
24	1.15141E-01	1.05336E-01	9.70416E-02	6.11431E-02	5.22588E-02	4.85065E-02	2.83880E-02	1.58696E-02
25	1.15139E-01	1.05323E-01	9.70124E-02	6.11095E-02	5.22269E-02	4.84630E-02	2.83765E-02	1.58643E-02
26	1.15136E-01	1.05319E-01	9.70080E-02	6.10986E-02	5.22178E-02	4.84500E-02	2.83748E-02	1.58635E-02
27	1.15134E-01	1.05321E-01	9.70089E-02	6.11054E-02	5.22257E-02	4.84600E-02	2.83799E-02	1.58660E-02
28	1.15132E-01	1.05327E-01	9.70244E-02	6.11239E-02	5.22449E-02	4.84854E-02	2.83889E-02	1.58704E-02

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.31416E-03	6.28415E-03	1.15899E-02	3.81663E-02	1.26128E-02	2.73563E-02	9.12864E-02	7.43944E-02
2	7.31463E-03	6.28463E-03	1.15906E-02	3.81688E-02	1.26136E-02	2.73575E-02	9.12810E-02	7.43780E-02
3	7.31273E-03	6.28239E-03	1.15875E-02	3.81570E-02	1.26059E-02	2.73323E-02	9.11607E-02	7.42348E-02
4	7.30814E-03	6.27699E-03	1.15800E-02	3.81304E-02	1.25884E-02	2.72752E-02	9.08965E-02	7.39269E-02
5	7.30120E-03	6.26879E-03	1.15687E-02	3.80904E-02	1.25619E-02	2.71896E-02	9.05045E-02	7.34707E-02
6	7.29188E-03	6.25768E-03	1.15536E-02	3.80366E-02	1.25261E-02	2.70745E-02	8.99823E-02	7.28624E-02
7	7.27981E-03	6.24314E-03	1.15339E-02	3.79670E-02	1.24794E-02	2.69256E-02	8.93148E-02	7.20875E-02
8	7.26409E-03	6.22408E-03	1.15085E-02	3.78766E-02	1.24181E-02	2.67329E-02	8.84762E-02	7.11118E-02
9	7.24956E-03	6.20628E-03	1.14849E-02	3.77931E-02	1.23611E-02	2.65557E-02	8.77206E-02	7.02385E-02
10	7.23640E-03	6.19002E-03	1.14637E-02	3.77178E-02	1.23089E-02	2.63970E-02	8.70657E-02	6.94840E-02
11	7.22574E-03	6.17713E-03	1.14466E-02	3.76581E-02	1.22688E-02	2.62773E-02	8.65867E-02	6.89588E-02
12	7.22114E-03	6.17202E-03	1.14393E-02	3.76339E-02	1.22549E-02	2.62367E-02	8.64410E-02	6.88264E-02
13	7.21535E-03	6.16471E-03	1.14299E-02	3.76004E-02	1.22331E-02	2.61653E-02	8.61574E-02	6.84937E-02
14	7.20335E-03	6.14886E-03	1.14104E-02	3.75294E-02	1.21830E-02	2.60056E-02	8.55260E-02	6.77303E-02
15	7.18440E-03	6.12363E-03	1.13799E-02	3.74187E-02	1.21029E-02	2.57598E-02	8.46024E-02	6.66314E-02
16	7.15294E-03	6.08227E-03	1.13295E-02	3.72579E-02	1.19738E-02	2.53680E-02	8.31925E-02	6.49957E-02
17	7.12061E-03	6.04095E-03	1.12776E-02	3.70535E-02	1.18464E-02	2.49785E-02	8.17641E-02	6.33730E-02
18	7.09124E-03	6.00519E-03	1.12299E-02	3.68869E-02	1.17362E-02	2.46359E-02	8.03982E-02	6.18414E-02
19	7.06259E-03	5.97137E-03	1.11831E-02	3.67222E-02	1.16321E-02	2.43078E-02	7.90229E-02	6.03115E-02
20	7.04285E-03	5.94904E-03	1.11509E-02	3.66098E-02	1.15632E-02	2.40869E-02	7.80410E-02	5.92308E-02
21	7.02854E-03	5.93321E-03	1.11275E-02	3.65279E-02	1.15141E-02	2.39274E-02	7.73044E-02	5.84282E-02
22	7.01799E-03	5.92177E-03	1.11102E-02	3.64674E-02	1.14784E-02	2.38099E-02	7.67450E-02	5.78252E-02
23	7.01085E-03	5.91357E-03	1.10976E-02	3.64233E-02	1.14524E-02	2.37257E-02	7.63259E-02	5.73753E-02
24	7.00515E-03	5.90799E-03	1.10891E-02	3.63929E-02	1.14344E-02	2.36625E-02	7.60230E-02	5.70501E-02
25	7.00220E-03	5.90474E-03	1.10842E-02	3.63750E-02	1.14230E-02	2.36238E-02	7.58233E-02	5.68316E-02
26	7.00159E-03	5.90388E-03	1.10831E-02	3.63692E-02	1.14189E-02	2.36073E-02	7.57263E-02	5.67154E-02
27	7.00267E-03	5.90487E-03	1.10842E-02	3.63738E-02	1.14203E-02	2.36089E-02	7.57175E-02	5.66895E-02
28	7.00481E-03	5.90691E-03	1.10876E-02	3.63846E-02	1.14254E-02	2.36232E-02	7.57680E-02	5.67266E-02

0 int.	grp. 25	grp. 26	grp. 27
1	3.35491E-02	2.41530E-02	4.58300E-03
2	3.35367E-02	2.41390E-02	4.57960E-03
3	3.34582E-02	2.40695E-02	4.56537E-03
4	3.32911E-02	2.39225E-02	4.53517E-03
5	3.30435E-02	2.37031E-02	4.48942E-03
6	3.27127E-02	2.34075E-02	4.42663E-03
7	3.22914E-02	2.30277E-02	4.34423E-03
8	3.17630E-02	2.25476E-02	4.23750E-03

9	3.12927E-02	2.21183E-02	4.14064E-03
10	3.08925E-02	2.17501E-02	4.05691E-03
11	3.06246E-02	2.15126E-02	4.00616E-03
12	3.05676E-02	2.14770E-02	4.00288E-03
13	3.05768E-02	2.12995E-02	3.95515E-03
14	2.99393E-02	2.08753E-02	3.83931E-03
15	2.98249E-02	2.02711E-02	3.66548E-03
16	2.84310E-02	1.94025E-02	3.40967E-03
17	2.75585E-02	1.85863E-02	3.19073E-03
18	2.67431E-02	1.78654E-02	3.02957E-03
19	2.59347E-02	1.71748E-02	2.88633E-03
20	2.53719E-02	1.67161E-02	2.80122E-03
21	2.49590E-02	1.63925E-02	2.74490E-03
22	2.46528E-02	1.61607E-02	2.70646E-03
23	2.44265E-02	1.59957E-02	2.67950E-03
24	2.42641E-02	1.58762E-02	2.66089E-03
25	2.41547E-02	1.57977E-02	2.64862E-03
26	2.40957E-02	1.57524E-02	2.64158E-03
27	2.40756E-02	1.57364E-02	2.63892E-03
28	2.40875E-02	1.57398E-02	2.63880E-03

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	4.67418E-04	6.18667E-04	5.15140E-05	-6.70150E-04	9.99954E-01
2	.00000E+00	.00000E+00	3.54979E-04	5.98670E-03	7.86842E-03	1.71078E-04	-7.68424E-03	9.99965E-01
3	.00000E+00	.00000E+00	3.73267E-03	5.39824E-03	1.40451E-02	9.16518E-05	-1.04088E-02	9.99979E-01
4	.00000E+00	.00000E+00	5.50156E-03	3.57677E-03	1.22894E-02	4.17406E-05	-6.82947E-03	9.99990E-01
5	.00000E+00	.00000E+00	1.01507E-02	1.14906E-02	2.08174E-02	4.95177E-05	-1.07161E-02	9.99995E-01
6	.00000E+00	.00000E+00	2.13613E-02	3.44665E-02	4.09657E-02	8.42157E-05	-1.96866E-02	1.00000E+00
7	.00000E+00	.00000E+00	4.21313E-02	6.09411E-02	5.41112E-02	6.11923E-05	-1.20405E-02	9.99989E-01
8	.00000E+00	.00000E+00	5.63106E-02	7.82920E-02	5.87049E-02	3.63776E-05	-2.42543E-03	9.99912E-01
9	.00000E+00	.00000E+00	5.77444E-02	7.25311E-02	5.74379E-02	2.92432E-05	2.83608E-04	9.99889E-01
10	.00000E+00	.00000E+00	5.70217E-02	6.90297E-02	5.54756E-02	3.59889E-05	1.51609E-03	9.99895E-01
11	.00000E+00	.00000E+00	5.57675E-02	6.53938E-02	5.22079E-02	5.49886E-05	3.50803E-03	9.99939E-01
12	.00000E+00	.00000E+00	4.52797E-02	3.49926E-02	4.11731E-02	6.02716E-05	4.04730E-03	9.99978E-01
13	.00000E+00	.00000E+00	4.04451E-02	2.85751E-02	3.66456E-02	8.46484E-05	3.71606E-03	9.99968E-01
14	.00000E+00	.00000E+00	3.94298E-02	2.84635E-02	3.40018E-02	1.37365E-04	5.29107E-03	9.99888E-01
15	.00000E+00	.00000E+00	2.17987E-02	1.09582E-02	2.05290E-02	1.13699E-04	1.15599E-03	9.99999E-01
16	.00000E+00	.00000E+00	1.43326E-02	4.64962E-03	1.36982E-02	7.75404E-05	5.56898E-04	9.99998E-01
17	.00000E+00	.00000E+00	7.39742E-03	1.34898E-03	7.01844E-03	3.86148E-05	3.40339E-04	1.00000E+00
18	.00000E+00	.00000E+00	6.58663E-03	1.12750E-03	6.16090E-03	3.52800E-05	3.90472E-04	9.99998E-01
19	.00000E+00	.00000E+00	1.11382E-02	3.17060E-03	1.05229E-02	7.10121E-05	5.44186E-04	1.00001E+00
20	.00000E+00	.00000E+00	2.75750E-02	2.24821E-02	2.54191E-02	2.95214E-04	1.86249E-03	1.00001E+00
21	.00000E+00	.00000E+00	1.36786E-02	4.77690E-03	1.24269E-02	1.19797E-04	1.13166E-03	1.00001E+00
22	.00000E+00	.00000E+00	2.77871E-02	1.55070E-02	2.41322E-02	2.97848E-04	3.35652E-03	1.00003E+00
23	.00000E+00	.00000E+00	7.46213E-02	9.26697E-02	6.08537E-02	1.34524E-03	1.24176E-02	1.00006E+00
24	.00000E+00	.00000E+00	8.09249E-02	8.68198E-02	6.70169E-02	1.57951E-03	1.23240E-02	1.00005E+00
25	.00000E+00	.00000E+00	5.39521E-02	3.66998E-02	4.72144E-02	9.32754E-04	5.80328E-03	1.00003E+00
26	.00000E+00	.00000E+00	4.30580E-02	4.09199E-02	3.77950E-02	9.46340E-04	4.31571E-03	1.00002E+00
27	.00000E+00	.00000E+00	1.45827E-02	8.87213E-03	1.35158E-02	3.37707E-04	7.29229E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.32664E-01	8.29607E-01	8.32664E-01	7.17836E-03	-7.16596E-03	9.99985E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.21126E-02	-6.70150E-04	1.20047E-02	.00000E+00	3.42140E-11	.00000E+00	1.85418E-05	1.51455E-02
2	8.96886E-02	-7.68424E-03	8.82302E-02	.00000E+00	.00000E+00	.00000E+00	8.67742E-05	1.11658E-01
3	1.13340E-01	-1.04088E-02	1.11189E-01	.00000E+00	.00000E+00	.00000E+00	9.12276E-05	1.40863E-01
4	7.01303E-02	-6.82947E-03	6.85763E-02	.00000E+00	.00000E+00	.00000E+00	4.14886E-05	8.69880E-02
5	1.05089E-01	-1.07161E-02	1.02436E-01	.00000E+00	.00000E+00	.00000E+00	4.92256E-05	1.30087E-01
6	1.97518E-01	-1.96866E-02	1.92654E-01	.00000E+00	.00000E+00	.00000E+00	8.33469E-05	2.44654E-01
7	1.96054E-01	-1.20405E-02	1.93005E-01	.00000E+00	.00000E+00	.00000E+00	5.92494E-05	2.44169E-01
8	1.47259E-01	-2.42543E-03	1.46877E-01	.00000E+00	.00000E+00	.00000E+00	3.27003E-05	1.84833E-01

9	1.15724E-01	2.83608E-04	1.15786E-01	.00000E+00	.00000E+00	.00000E+00	2.16496E-05	1.45456E-01
10	1.06461E-01	1.51609E-03	1.08904E-01	.00000E+00	.00000E+00	.00000E+00	1.91219E-05	1.34104E-01
11	9.95833E-02	3.50808E-03	1.00565E-01	.00000E+00	.00000E+00	.00000E+00	1.78532E-05	1.25844E-01
12	6.41067E-02	4.04730E-03	6.52073E-02	.00000E+00	.00000E+00	.00000E+00	1.04812E-05	8.13417E-02
13	5.48750E-02	3.71606E-03	5.58661E-02	.00000E+00	.00000E+00	.00000E+00	8.74662E-06	6.96523E-02
14	5.22897E-02	5.29107E-03	5.37011E-02	.00000E+00	.00000E+00	.00000E+00	8.54748E-06	6.67104E-02
15	2.90406E-02	1.15599E-03	2.92941E-02	.00000E+00	.00000E+00	.00000E+00	4.51451E-06	3.66681E-02
16	1.61929E-02	5.56898E-04	1.63177E-02	.00000E+00	.00000E+00	.00000E+00	2.27539E-06	2.04352E-02
17	7.22892E-03	3.40339E-04	7.31343E-03	.00000E+00	.00000E+00	.00000E+00	9.35884E-07	9.14376E-03
18	6.18067E-03	3.90472E-04	6.28528E-03	.00000E+00	.00000E+00	.00000E+00	7.82806E-07	7.83982E-03
19	1.14517E-02	5.44186E-04	1.15888E-02	.00000E+00	.00000E+00	.00000E+00	1.51584E-06	1.44870E-02
20	3.76758E-02	1.86249E-03	3.81635E-02	.00000E+00	.00000E+00	.00000E+00	5.58922E-06	4.76861E-02
21	1.22791E-02	1.13166E-03	1.26109E-02	.00000E+00	.00000E+00	.00000E+00	1.43628E-06	1.56642E-02
22	2.63063E-02	3.35632E-03	2.73504E-02	.00000E+00	.00000E+00	.00000E+00	3.08835E-06	3.37833E-02
23	8.66904E-02	1.24176E-02	9.12651E-02	.00000E+00	.00000E+00	.00000E+00	9.24094E-06	1.12039E-01
24	6.90572E-02	1.23240E-02	7.43776E-02	.00000E+00	.00000E+00	.00000E+00	5.53871E-06	9.03598E-02
25	3.06675E-02	5.80528E-03	3.35434E-02	.00000E+00	.00000E+00	.00000E+00	1.91586E-06	4.04585E-02
26	2.15422E-02	4.31571E-03	2.41510E-02	.00000E+00	.00000E+00	.00000E+00	1.00795E-06	2.88225E-02
27	4.00971E-03	7.29229E-04	4.58520E-03	.00000E+00	.00000E+00	.00000E+00	1.18640E-07	5.43018E-03
28	1.78254E+00	-7.16597E-03	1.78983E+00	.00000E+00	3.42140E-11	.00000E+00	5.86915E-04	2.24432E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.06683E-04	1.54985E-04	2.32426E-06	-1.51733E-04	1.00001E+00
2	.00000E+00	.00000E+00	2.70590E-05	1.41871E-03	1.01799E-03	1.36646E-05	-1.00462E-03	1.00000E+00
3	.00000E+00	.00000E+00	1.44709E-04	2.73739E-03	8.65533E-04	2.00311E-05	-7.40822E-04	9.99997E-01
4	.00000E+00	.00000E+00	2.80440E-04	2.29053E-03	2.98675E-04	1.30164E-05	-2.91355E-05	9.99998E-01
5	.00000E+00	.00000E+00	6.04168E-04	4.40881E-03	2.78508E-04	1.68152E-05	3.08803E-04	1.00000E+00
6	.00000E+00	.00000E+00	1.00673E-03	1.23951E-02	1.69352E-04	2.70462E-05	8.10288E-04	1.00000E+00
7	.00000E+00	.00000E+00	6.64586E-04	1.25898E-02	6.32829E-05	2.68055E-05	5.74487E-04	1.00000E+00
8	.00000E+00	.00000E+00	1.16608E-04	9.20138E-03	4.43061E-04	2.20963E-05	-3.48580E-04	1.00001E+00
9	.00000E+00	.00000E+00	4.44876E-04	6.35212E-03	5.29519E-05	7.66192E-05	3.15312E-04	9.99990E-01
10	.00000E+00	.00000E+00	5.30161E-05	4.97750E-03	4.98865E-05	5.92153E-05	-5.55899E-05	1.00000E+00
11	.00000E+00	.00000E+00	4.95888E-05	4.44113E-03	5.01560E-05	8.97438E-05	-9.05024E-05	9.99998E-01
12	.00000E+00	.00000E+00	5.01563E-05	2.75369E-03	5.12315E-05	5.65744E-06	-6.73952E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.12316E-05	2.35797E-03	4.81010E-05	6.31812E-06	-3.18396E-06	9.99999E-01
14	.00000E+00	.00000E+00	4.81010E-05	2.25132E-03	4.24263E-05	8.59768E-06	-2.92389E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.50612E-05	1.22556E-03	5.01583E-05	6.34690E-06	-1.14108E-05	9.99972E-01
16	.00000E+00	.00000E+00	5.64361E-05	6.54372E-04	5.66892E-05	3.87836E-06	-4.11121E-06	9.99967E-01
17	.00000E+00	.00000E+00	6.34504E-05	2.54690E-04	6.26925E-05	1.89523E-06	-1.12472E-06	9.99974E-01
18	.00000E+00	.00000E+00	6.63330E-05	2.05079E-04	6.62190E-05	1.70739E-06	-1.58354E-06	9.99978E-01
19	.00000E+00	.00000E+00	6.68473E-05	4.38134E-04	6.46427E-05	3.39981E-06	-1.17876E-06	9.99973E-01
20	.00000E+00	.00000E+00	8.08044E-05	1.58663E-03	6.74533E-05	1.36408E-05	-7.37724E-07	9.99973E-01
21	.00000E+00	.00000E+00	9.36267E-05	4.34878E-04	1.08877E-04	5.39066E-06	-1.56213E-05	9.99984E-01
22	.00000E+00	.00000E+00	1.38921E-04	1.01766E-03	1.36006E-04	1.31399E-05	-1.02203E-05	9.99999E-01
23	.00000E+00	.00000E+00	2.04742E-04	3.54102E-03	2.59970E-04	5.78859E-05	-1.13147E-04	1.00001E+00
24	.00000E+00	.00000E+00	3.32536E-04	2.66196E-03	3.65313E-04	6.53416E-05	-9.82163E-05	1.00001E+00
25	.00000E+00	.00000E+00	3.37536E-04	1.06910E-03	2.75171E-04	3.78339E-05	2.44845E-05	1.00001E+00
26	.00000E+00	.00000E+00	1.43187E-04	8.34158E-04	1.10256E-04	3.74471E-05	-4.51738E-06	1.00000E+00
27	.00000E+00	.00000E+00	3.19642E-05	1.75859E-04	9.06089E-08	1.30472E-05	1.88212E-05	1.00001E+00
28	.00000E+00	.00000E+00	5.20201E-03	8.24763E-02	5.20201E-03	6.48854E-04	-6.43502E-04	1.00002E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.21372E-02	-8.21883E-04	1.21126E-02	-6.70150E-04	5.53566E-06	.00000E+00	1.53028E-06	2.02085E-03
2	8.99465E-02	-8.68886E-03	8.96896E-02	-7.68424E-03	.00000E+00	.00000E+00	1.08461E-05	1.49713E-02
3	1.13684E-01	-1.11446E-02	1.13340E-01	-1.04038E-02	.00000E+00	.00000E+00	1.25442E-05	1.89226E-02
4	7.03469E-02	-6.85860E-03	7.01303E-02	-6.82947E-03	.00000E+00	.00000E+00	7.39337E-06	1.17105E-02
5	1.05379E-01	-1.04073E-02	1.05089E-01	-1.07161E-02	.00000E+00	.00000E+00	8.61102E-06	1.75419E-02
6	1.98195E-01	-1.88763E-02	1.97518E-01	-1.96866E-02	.00000E+00	.00000E+00	1.01676E-05	3.29900E-02
7	1.96462E-01	-1.14660E-02	1.96054E-01	-1.20405E-02	.00000E+00	.00000E+00	8.35054E-06	3.27199E-02
8	1.47387E-01	-2.77401E-03	1.47299E-01	-2.42543E-03	.00000E+00	.00000E+00	5.27090E-06	2.45599E-02
9	1.15714E-01	5.98921E-04	1.15724E-01	2.83608E-04	.00000E+00	.00000E+00	4.57838E-06	1.92896E-02

10	1.06420E-01	1.46050E-03	1.06461E-01	1.51609E-03	.00000E+00	.00000E+00	4.90000E-06	1.77414E-02
11	9.94894E-02	3.41753E-03	9.95833E-02	3.50803E-03	.00000E+00	.00000E+00	4.74984E-06	1.65896E-02
12	6.39995E-02	4.04056E-03	6.41067E-02	4.04730E-03	.00000E+00	.00000E+00	3.20575E-06	1.06750E-02
13	5.47744E-02	3.71288E-03	5.48750E-02	3.71606E-03	.00000E+00	.00000E+00	2.73804E-06	9.13697E-03
14	5.21479E-02	5.28815E-03	5.22893E-02	5.29107E-03	.00000E+00	.00000E+00	2.60121E-06	8.70188E-03
15	2.90048E-02	1.14458E-03	2.90406E-02	1.15599E-03	.00000E+00	.00000E+00	1.42518E-06	4.85717E-03
16	1.61768E-02	5.52787E-04	1.61929E-02	5.56898E-04	.00000E+00	.00000E+00	7.94814E-07	2.69754E-03
17	7.21972E-03	3.39215E-04	7.22892E-03	3.40339E-04	.00000E+00	.00000E+00	3.54979E-07	1.20404E-03
18	6.17045E-03	3.88889E-04	6.18067E-03	3.90472E-04	.00000E+00	.00000E+00	3.03010E-07	1.02921E-03
19	1.14371E-02	5.43008E-04	1.14517E-02	5.44186E-04	.00000E+00	.00000E+00	5.61302E-07	1.90757E-03
20	3.76275E-02	1.86175E-03	3.76758E-02	1.86249E-03	.00000E+00	.00000E+00	1.84404E-06	6.27505E-03
21	1.22513E-02	1.11604E-03	1.22791E-02	1.13166E-03	.00000E+00	.00000E+00	5.99633E-07	2.04386E-03
22	2.62251E-02	3.34610E-03	2.63063E-02	3.35632E-03	.00000E+00	.00000E+00	1.28234E-06	4.37663E-03
23	8.63991E-02	1.23045E-02	8.66904E-02	1.24178E-02	.00000E+00	.00000E+00	4.21031E-06	1.44205E-02
24	6.87923E-02	1.22258E-02	6.90572E-02	1.23240E-02	.00000E+00	.00000E+00	3.33238E-06	1.14833E-02
25	3.05535E-02	5.82776E-03	3.06675E-02	5.80528E-03	.00000E+00	.00000E+00	1.47116E-06	5.09988E-03
26	2.14711E-02	4.31119E-03	2.15422E-02	4.31571E-03	.00000E+00	.00000E+00	1.02264E-06	3.58265E-03
27	4.00315E-03	7.48050E-04	4.00971E-03	7.29225E-04	.00000E+00	.00000E+00	1.84689E-07	6.67496E-04
28	1.78341E+00	-7.80948E-03	1.78254E+00	-7.16597E-03	5.53566E-06	.00000E+00	1.04873E-04	2.97196E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.47800E-04	3.27983E-04	2.73099E-05	-3.55276E-04	9.99985E-01
2	.00000E+00	.00000E+00	1.88190E-04	3.19562E-03	4.20005E-03	9.13191E-05	-4.10303E-03	9.99988E-01
3	.00000E+00	.00000E+00	1.99211E-03	2.88600E-03	7.50880E-03	4.89988E-05	-5.56552E-03	9.99991E-01
4	.00000E+00	.00000E+00	2.94020E-03	1.91515E-03	6.58025E-03	2.23496E-05	-3.66233E-03	9.99995E-01
5	.00000E+00	.00000E+00	5.43012E-03	6.16245E-03	1.11645E-02	2.65566E-05	-5.76088E-03	9.99996E-01
6	.00000E+00	.00000E+00	1.14440E-02	1.84788E-02	2.19622E-02	4.51512E-05	-1.05634E-02	1.00000E+00
7	.00000E+00	.00000E+00	2.25827E-02	3.23786E-02	2.87498E-02	3.25120E-05	-6.19951E-03	9.99998E-01
8	.00000E+00	.00000E+00	2.99704E-02	4.11358E-02	3.08444E-02	1.91133E-05	-8.90349E-04	9.99919E-01
9	.00000E+00	.00000E+00	3.04027E-02	3.79442E-02	3.00483E-02	1.52984E-05	3.42473E-04	9.99892E-01
10	.00000E+00	.00000E+00	2.98641E-02	3.60235E-02	2.89502E-02	1.87810E-05	8.98221E-04	9.99900E-01
11	.00000E+00	.00000E+00	2.91219E-02	3.39510E-02	2.71052E-02	2.85488E-05	1.98999E-03	9.99945E-01
12	.00000E+00	.00000E+00	2.35342E-02	1.80424E-02	2.12291E-02	3.10764E-05	2.27449E-03	9.99982E-01
13	.00000E+00	.00000E+00	2.09068E-02	1.47265E-02	1.88857E-02	4.36246E-05	1.97811E-03	9.99974E-01
14	.00000E+00	.00000E+00	2.03424E-02	1.45453E-02	1.73754E-02	7.01955E-05	2.89710E-03	9.99990E-01
15	.00000E+00	.00000E+00	1.11751E-02	5.69812E-03	1.06749E-02	5.91223E-05	4.41088E-04	1.00000E+00
16	.00000E+00	.00000E+00	7.39560E-03	2.41959E-03	7.12886E-03	4.03509E-05	2.26916E-04	9.99998E-01
17	.00000E+00	.00000E+00	3.82636E-03	6.99233E-04	3.63808E-03	2.00164E-05	1.68248E-04	1.00000E+00
18	.00000E+00	.00000E+00	3.40758E-03	5.81734E-04	3.17871E-03	1.82027E-05	2.10671E-04	9.99998E-01
19	.00000E+00	.00000E+00	5.75858E-03	1.64318E-03	5.45357E-03	3.68023E-05	2.68262E-04	1.00001E+00
20	.00000E+00	.00000E+00	1.42494E-02	1.16418E-02	1.31626E-02	1.51834E-04	9.34789E-04	1.00001E+00
21	.00000E+00	.00000E+00	7.04013E-03	2.44308E-03	6.35558E-03	6.12685E-05	6.25242E-04	1.00000E+00
22	.00000E+00	.00000E+00	1.41662E-02	7.84643E-03	1.22107E-02	1.50709E-04	1.80448E-03	1.00001E+00
23	.00000E+00	.00000E+00	3.72310E-02	4.64951E-02	3.05321E-02	6.74946E-04	6.02222E-03	1.00004E+00
24	.00000E+00	.00000E+00	3.99739E-02	4.27423E-02	3.29351E-02	7.77611E-04	6.20128E-03	1.00004E+00
25	.00000E+00	.00000E+00	2.64138E-02	1.78287E-02	2.29366E-02	4.53130E-04	3.02337E-03	1.00002E+00
26	.00000E+00	.00000E+00	2.09760E-02	1.94328E-02	1.79488E-02	4.49415E-04	2.57752E-03	1.00001E+00
27	.00000E+00	.00000E+00	7.06032E-03	4.10187E-03	6.24878E-03	1.56133E-04	6.55396E-04	1.00000E+00
28	.00000E+00	.00000E+00	4.27394E-01	4.25207E-01	4.27394E-01	3.57088E-03	-3.56223E-03	9.99981E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.22635E-02	-1.17716E-03	1.21372E-02	-8.21883E-04	1.81384E-11	.00000E+00	9.82987E-06	8.02929E-03
2	9.12460E-02	-1.27919E-02	8.99466E-02	-8.68886E-03	.00000E+00	.00000E+00	4.63188E-05	5.96012E-02
3	1.15305E-01	-1.67102E-02	1.13684E-01	-1.11446E-02	.00000E+00	.00000E+00	4.87719E-05	7.53082E-02
4	7.13148E-02	-1.05209E-02	7.03469E-02	-6.85860E-03	.00000E+00	.00000E+00	2.22147E-05	4.65769E-02
5	1.06847E-01	-1.61682E-02	1.05379E-01	-1.04073E-02	.00000E+00	.00000E+00	2.63999E-05	6.97662E-02
6	2.00812E-01	-2.94397E-02	1.98195E-01	-1.88763E-02	.00000E+00	.00000E+00	4.46854E-05	1.31168E-01
7	1.97984E-01	-1.76653E-02	1.96462E-01	-1.14660E-02	.00000E+00	.00000E+00	3.14798E-05	1.29729E-01
8	1.47678E-01	-3.66436E-03	1.47387E-01	-2.77401E-03	.00000E+00	.00000E+00	1.71812E-05	9.71141E-02
9	1.15482E-01	9.41398E-04	1.15714E-01	5.98921E-04	.00000E+00	.00000E+00	1.13259E-05	7.60946E-02
10	1.06157E-01	2.35872E-03	1.06420E-01	1.46050E-03	.00000E+00	.00000E+00	9.97886E-06	6.99826E-02

11	9.89099E-02	5.40752E-03	9.94894E-02	3.41753E-03	.00000E+00	.00000E+00	9.26896E-06	6.53352E-02
12	6.33108E-02	6.31505E-03	6.39995E-02	4.04056E-03	.00000E+00	.00000E+00	5.40416E-06	4.19403E-02
13	5.41914E-02	5.69099E-03	5.47744E-02	3.71288E-03	.00000E+00	.00000E+00	4.50767E-06	3.58962E-02
14	5.12812E-02	8.18524E-03	5.21479E-02	5.28815E-03	.00000E+00	.00000E+00	4.36788E-06	3.40899E-02
15	2.89128E-02	1.58566E-03	2.90048E-02	1.14458E-03	.00000E+00	.00000E+00	2.34749E-06	1.90670E-02
16	1.61246E-02	7.79704E-04	1.61768E-02	5.52787E-04	.00000E+00	.00000E+00	1.18408E-06	1.06342E-02
17	7.17317E-03	5.07462E-04	7.21972E-03	3.39215E-04	.00000E+00	.00000E+00	4.85125E-07	4.73976E-03
18	6.10852E-03	5.99560E-04	6.17045E-03	3.88889E-04	.00000E+00	.00000E+00	4.03889E-07	4.04496E-03
19	1.13620E-02	8.11270E-04	1.14371E-02	5.43008E-04	.00000E+00	.00000E+00	7.85590E-07	7.50798E-03
20	3.73541E-02	2.79654E-03	3.76275E-02	1.86175E-03	.00000E+00	.00000E+00	2.89424E-06	2.46931E-02
21	1.20552E-02	1.73928E-03	1.22513E-02	1.11604E-03	.00000E+00	.00000E+00	7.34564E-07	8.01127E-03
22	2.56141E-02	5.15059E-03	2.62251E-02	3.34610E-03	.00000E+00	.00000E+00	1.56268E-06	1.70941E-02
23	8.40664E-02	1.83267E-02	8.63991E-02	1.23045E-02	.00000E+00	.00000E+00	4.63645E-06	5.62131E-02
24	6.59934E-02	1.84271E-02	6.87923E-02	1.22258E-02	.00000E+00	.00000E+00	2.72678E-06	4.44851E-02
25	2.89696E-02	8.85113E-03	3.05335E-02	5.82776E-03	.00000E+00	.00000E+00	9.30720E-07	1.96546E-02
26	1.99179E-02	6.88871E-03	2.14711E-02	4.31119E-03	.00000E+00	.00000E+00	4.78674E-07	1.36878E-02
27	3.55929E-03	1.40345E-03	4.00315E-03	7.48050E-04	.00000E+00	.00000E+00	5.48513E-08	2.51055E-03
28	1.77999E+00	-1.13717E-02	1.78341E+00	-7.80948E-03	1.81384E-11	.00000E+00	3.10960E-04	1.17298E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.16003E-02	.00000E+00	2.00624E-02	1.90161E-02	3.55152E-03	1.17714E-03	9.98896E-01
2	.00000E+00	1.89845E-01	6.57451E-03	2.45171E-01	1.68596E-01	1.50450E-02	1.27917E-02	1.00002E+00
3	.00000E+00	2.15153E-01	6.95018E-02	2.55257E-01	2.51731E-01	1.62167E-02	1.67100E-02	9.99989E-01
4	.00000E+00	1.24336E-01	1.04064E-01	1.75766E-01	2.10093E-01	7.78570E-03	1.05208E-02	1.00000E+00
5	.00000E+00	1.65607E-01	1.90083E-01	4.43992E-01	3.34282E-01	5.24419E-03	1.61679E-02	9.99990E-01
6	.00000E+00	1.79557E-01	3.88650E-01	1.19090E+00	5.30394E-01	8.36588E-03	2.94394E-02	1.00001E+00
7	.00000E+00	8.90750E-02	5.92130E-01	1.56491E+00	6.55110E-01	8.43674E-03	1.76660E-02	9.99989E-01
8	.00000E+00	1.37484E-02	6.89104E-01	1.57535E+00	6.85681E-01	1.35633E-02	3.66444E-03	9.99919E-01
9	.00000E+00	9.98261E-04	6.77797E-01	1.37018E+00	6.57554E-01	2.22558E-02	-9.46345E-04	9.99900E-01
10	.00000E+00	7.41517E-05	6.54661E-01	1.24308E+00	6.23498E-01	3.36628E-02	-2.35799E-03	9.99897E-01
11	.00000E+00	5.83383E-06	6.27678E-01	1.15489E+00	5.78688E-01	5.44398E-02	-5.40594E-03	9.99939E-01
12	.00000E+00	4.09818E-07	5.04172E-01	6.31192E-01	4.52379E-01	5.81215E-02	-6.31550E-03	9.99975E-01
13	.00000E+00	6.50753E-08	4.47028E-01	5.01330E-01	3.99918E-01	5.28143E-02	-5.69044E-03	9.99970E-01
14	.00000E+00	1.28962E-08	4.31015E-01	4.73474E-01	3.66127E-01	7.30776E-02	-8.18508E-03	9.99988E-01
15	.00000E+00	1.45741E-09	2.39208E-01	2.17654E-01	2.33184E-01	7.60760E-03	-1.58942E-03	1.00002E+00
16	.00000E+00	4.27947E-10	1.63478E-01	1.01394E-01	1.59863E-01	4.39423E-03	-7.82303E-04	1.00002E+00
17	.00000E+00	1.37820E-10	8.83870E-02	3.29388E-02	8.45978E-02	4.29620E-03	-5.09881E-04	1.00002E+00
18	.00000E+00	9.86750E-11	7.92269E-02	2.67303E-02	7.41409E-02	5.68515E-03	-5.98836E-04	9.99996E-01
19	.00000E+00	1.39505E-10	1.29972E-01	6.64083E-02	1.24581E-01	6.20269E-03	-8.15618E-04	1.00004E+00
20	.00000E+00	2.26850E-10	3.09741E-01	3.71921E-01	2.86362E-01	2.61725E-02	-2.80546E-03	1.00004E+00
21	.00000E+00	3.32036E-11	1.57289E-01	8.21225E-02	1.42423E-01	1.66057E-02	-1.74392E-03	1.00003E+00
22	.00000E+00	3.85237E-11	3.05675E-01	2.32134E-01	2.62659E-01	4.81644E-02	-5.15478E-03	1.00002E+00
23	.00000E+00	3.68329E-11	7.57959E-01	1.18160E+00	6.32537E-01	1.43741E-01	-1.83410E-02	1.00003E+00
24	.00000E+00	1.00254E-11	8.08964E-01	1.00077E+00	6.67141E-01	1.60245E-01	-1.84294E-02	1.00001E+00
25	.00000E+00	2.93479E-12	5.34122E-01	4.03112E-01	4.52903E-01	9.00686E-02	-8.85264E-03	1.00001E+00
26	.00000E+00	2.05789E-12	4.13185E-01	4.02923E-01	3.38007E-01	8.20655E-02	-6.88947E-03	1.00001E+00
27	.00000E+00	4.90406E-13	1.35879E-01	8.12775E-02	1.14078E-01	2.32046E-02	-1.40358E-03	1.00000E+00
28	.00000E+00	1.00000E+00	9.50655E+00	1.50459E+01	9.50554E+00	9.91034E-01	1.13207E-02	9.99979E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.25460E-02	-1.82671E-08	1.22635E-02	-1.17716E-03	2.11820E-03	2.36649E-03	2.76897E-04	3.18892E-01
2	9.44986E-02	-2.12016E-07	9.12460E-02	-1.27919E-02	1.64382E-05	1.08586E-02	1.55345E-03	2.39941E+00
3	1.19668E-01	-2.14495E-07	1.15305E-01	-1.67102E-02	.00000E+00	1.33372E-02	1.81172E-03	3.03761E+00
4	7.41490E-02	-1.59579E-07	7.13148E-02	-1.05209E-02	.00000E+00	5.75964E-03	8.80201E-04	1.88181E+00
5	1.11466E-01	-2.99055E-07	1.08847E-01	-1.61682E-02	.00000E+00	1.70018E-03	1.03027E-03	2.82779E+00
6	2.09690E-01	-3.15309E-07	2.00812E-01	-2.94397E-02	.00000E+00	1.52183E-03	1.73113E-03	5.31780E+00
7	2.03574E-01	7.19751E-07	1.97984E-01	-1.76653E-02	.00000E+00	1.56320E-03	1.22589E-03	5.16943E+00
8	1.48846E-01	8.91858E-08	1.47678E-01	-3.66436E-03	.00000E+00	1.65134E-03	6.97159E-04	3.78668E+00
9	1.15132E-01	-4.95225E-06	1.15482E-01	9.41398E-04	.00000E+00	2.28061E-03	4.70483E-04	2.95229E+00
10	1.05331E-01	7.30195E-07	1.06157E-01	2.35872E-03	.00000E+00	4.86990E-03	4.27889E-04	2.68418E+00
11	9.70350E-02	1.57992E-06	9.89099E-02	5.40752E-03	.00000E+00	1.00996E-02	3.86187E-04	2.47582E+00

12	6.11364E-02	-4.48833E-07	6.33108E-02	6.31505E-03	.00000E+00	1.29982E-02	2.27518E-04	1.56254E+00
13	5.22575E-02	5.56128E-07	5.41914E-02	5.69099E-03	.00000E+00	1.23853E-02	1.96952E-04	1.33591E+00
14	4.85024E-02	1.64006E-07	5.12812E-02	8.18524E-03	.00000E+00	8.91818E-03	1.79823E-04	1.24246E+00
15	2.83957E-02	-3.75582E-06	2.89128E-02	1.58566E-03	.00000E+00	2.25454E-03	1.12053E-04	7.24604E-01
16	1.58735E-02	-2.59897E-06	1.61246E-02	7.79704E-04	.00000E+00	1.50578E-03	5.90541E-05	4.04918E-01
17	7.00632E-03	-1.51869E-06	7.17317E-03	5.07462E-04	.00000E+00	2.23863E-03	2.39567E-05	1.78658E-01
18	5.90814E-03	7.23973E-07	6.10852E-03	5.99560E-04	.00000E+00	2.91977E-03	1.93466E-05	1.50978E-01
19	1.10906E-02	-4.34831E-06	1.13620E-02	8.11270E-04	.00000E+00	3.61999E-03	3.86401E-05	2.83152E-01
20	3.63989E-02	-8.92089E-06	3.73541E-02	2.79654E-03	.00000E+00	1.60777E-02	1.35090E-04	9.29430E-01
21	1.14295E-02	-4.63980E-06	1.20552E-02	1.73928E-03	.00000E+00	1.06308E-02	3.41892E-05	2.92824E-01
22	2.36338E-02	-4.17178E-06	2.56141E-02	5.15059E-03	.00000E+00	3.04770E-02	6.83018E-05	6.07898E-01
23	7.58090E-02	-1.42541E-05	8.40664E-02	1.85267E-02	.00000E+00	8.91544E-02	2.06240E-04	1.95988E+00
24	5.67570E-02	-2.29032E-06	6.59934E-02	1.84271E-02	.00000E+00	9.91094E-02	1.19408E-04	1.47880E+00
25	2.40987E-02	-1.50983E-06	2.89696E-02	8.85113E-03	.00000E+00	5.78799E-02	4.03110E-05	6.31259E-01
26	1.57444E-02	-7.66454E-07	1.99179E-02	6.88871E-03	.00000E+00	5.33914E-02	1.96715E-05	4.14925E-01
27	2.63900E-03	-1.38607E-07	3.55929E-03	1.40345E-03	.00000E+00	1.48532E-02	2.00523E-06	6.97283E-02
28	1.76861E+00	-5.10214E-05	1.77999E+00	-1.13717E-02	2.13464E-03	4.74422E-01	1.19738E-02	4.50999E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.16003E-02	.00000E+00	2.09843E-02	2.01177E-02	3.63266E-03	-1.82671E-08	9.98894E-01
2	.00000E+00	1.89845E-01	7.14474E-03	2.55772E-01	1.81682E-01	1.53211E-02	-2.12016E-07	1.00001E+00
3	.00000E+00	2.15153E-01	7.53713E-02	2.66279E-01	2.74150E-01	1.63774E-02	-2.14495E-07	9.99988E-01
4	.00000E+00	1.24336E-01	1.12786E-01	1.83549E-01	2.29259E-01	7.86281E-03	-1.59579E-07	1.00000E+00
5	.00000E+00	1.65607E-01	2.06268E-01	4.65449E-01	3.66542E-01	5.33708E-03	-2.99055E-07	9.99990E-01
6	.00000E+00	1.79557E-01	4.22462E-01	1.25624E+00	5.93489E-01	8.52229E-03	-3.15309E-07	1.00001E+00
7	.00000E+00	8.90750E-02	6.57509E-01	1.67082E+00	7.38034E-01	8.55725E-03	7.19751E-07	9.99989E-01
8	.00000E+00	1.37484E-02	7.75501E-01	1.70398E+00	7.75673E-01	1.36407E-02	8.91858E-08	9.99918E-01
9	.00000E+00	9.98261E-04	7.66389E-01	1.48700E+00	7.45093E-01	2.23769E-02	-4.95225E-06	9.99869E-01
10	.00000E+00	7.41517E-05	7.41600E-01	1.35311E+00	7.07973E-01	3.37767E-02	7.30195E-07	9.99897E-01
11	.00000E+00	5.83383E-06	7.12616E-01	1.25867E+00	6.58052E-01	5.46125E-02	1.57992E-06	9.99939E-01
12	.00000E+00	4.09818E-07	5.73086E-01	6.86982E-01	5.14852E-01	5.82185E-02	-4.48833E-07	9.99975E-01
13	.00000E+00	6.50753E-08	5.08432E-01	5.46990E-01	4.55498E-01	5.29488E-02	5.56128E-07	9.99969E-01
14	.00000E+00	1.28962E-08	4.90855E-01	5.18734E-01	4.17547E-01	7.32957E-02	1.64006E-07	9.99988E-01
15	.00000E+00	1.45741E-09	2.72226E-01	2.35536E-01	2.64439E-01	7.78677E-03	-3.75582E-06	1.00002E+00
16	.00000E+00	4.27947E-10	1.85263E-01	1.09118E-01	1.80747E-01	4.51600E-03	-2.59897E-06	1.00002E+00
17	.00000E+00	1.37820E-10	9.96743E-02	3.52416E-02	9.53170E-02	4.35672E-03	-1.51869E-06	1.00002E+00
18	.00000E+00	9.86750E-11	8.92874E-02	2.86446E-02	8.35467E-02	5.74034E-03	7.23973E-07	9.99996E-01
19	.00000E+00	1.39505E-10	1.46936E-01	7.16602E-02	1.40622E-01	6.31390E-03	-4.34831E-06	1.00008E+00
20	.00000E+00	2.26850E-10	3.51646E-01	4.07631E-01	3.25011E-01	2.66312E-02	-8.92089E-06	1.00004E+00
21	.00000E+00	3.32035E-11	1.78102E-01	8.97774E-02	1.61310E-01	1.67921E-02	-4.63980E-06	1.00008E+00
22	.00000E+00	3.85237E-11	3.47768E-01	2.56505E-01	2.99138E-01	4.86261E-02	-4.17178E-06	1.00002E+00
23	.00000E+00	3.68329E-11	8.70016E-01	1.32430E+00	7.24183E-01	1.45819E-01	-1.42541E-05	1.00008E+00
24	.00000E+00	1.00254E-11	9.30196E-01	1.13300E+00	7.67516E-01	1.62668E-01	-2.29032E-06	1.00002E+00
25	.00000E+00	2.93479E-12	6.14825E-01	4.58709E-01	5.23329E-01	9.14923E-02	-1.50983E-06	1.00001E+00
26	.00000E+00	2.05789E-12	4.77362E-01	4.64110E-01	3.93861E-01	8.34987E-02	-7.66454E-07	1.00001E+00
27	.00000E+00	4.90406E-13	1.57554E-01	9.44273E-02	1.33843E-01	2.37115E-02	-1.38607E-07	1.00000E+00
28	.00000E+00	1.00000E+00	1.07708E+01	1.63832E+01	1.07708E+01	1.00243E+00	-5.09702E-05	9.99980E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.25460E-02	-1.82671E-08	1.20047E-02	.00000E+00	2.12374E-03	2.36649E-03	3.06799E-04	3.44088E-01
2	9.44988E-02	-2.12016E-07	8.82302E-02	.00000E+00	1.64382E-05	1.08586E-02	1.69738E-03	2.58564E+00
3	1.19668E-01	-2.14495E-07	1.11189E-01	.00000E+00	.00000E+00	1.33372E-02	1.96426E-03	3.27270E+00
4	7.41490E-02	-1.59579E-07	6.85763E-02	.00000E+00	.00000E+00	5.75964E-03	9.51298E-04	2.02709E+00
5	1.11466E-01	-2.99055E-07	1.02435E-01	.00000E+00	.00000E+00	1.70018E-03	1.11451E-03	3.04519E+00
6	2.09690E-01	-3.15309E-07	1.92654E-01	.00000E+00	.00000E+00	1.52183E-03	1.86953E-03	5.72661E+00
7	2.03574E-01	7.19751E-07	1.93005E-01	.00000E+00	.00000E+00	1.56320E-03	1.32497E-03	5.57605E+00
8	1.48864E-01	8.91858E-08	1.46877E-01	.00000E+00	.00000E+00	1.65134E-03	7.52311E-04	4.09518E+00
9	1.15132E-01	-4.95225E-06	1.15786E-01	.00000E+00	.00000E+00	2.28061E-03	5.08057E-04	3.17313E+00
10	1.05331E-01	7.30195E-07	1.06904E-01	.00000E+00	.00000E+00	4.86990E-03	4.61885E-04	2.90601E+00
11	9.70350E-02	1.57992E-06	1.00565E-01	.00000E+00	.00000E+00	1.00996E-02	4.18059E-04	2.68359E+00
12	6.11364E-02	-4.48833E-07	6.52073E-02	.00000E+00	.00000E+00	1.29982E-02	2.46609E-04	1.69650E+00

13	5.22575E-02	5.56128E-07	5.58561E-02	.00000E+00	.00000E+00	1.23853E-02	2.12925E-04	1.45060E+00
14	4.85024E-02	1.64006E-07	5.37011E-02	.00000E+00	.00000E+00	8.91818E-03	1.95339E-04	1.35196E+00
15	2.83957E-02	-3.75582E-06	2.92941E-02	.00000E+00	.00000E+00	2.25454E-03	1.20320E-04	7.85176E-01
16	1.58735E-02	-2.59897E-06	1.63177E-02	.00000E+00	.00000E+00	1.50578E-03	6.33084E-05	4.38685E-01
17	7.00632E-03	-1.51869E-06	7.31343E-03	.00000E+00	.00000E+00	2.23863E-03	2.57323E-05	1.93945E-01
18	5.90814E-03	7.23973E-07	6.28328E-03	.00000E+00	.00000E+00	2.91977E-03	2.08363E-05	1.63892E-01
19	1.10906E-02	-4.34831E-06	1.15888E-02	.00000E+00	.00000E+00	3.61999E-03	4.15029E-05	3.07055E-01
20	3.63959E-02	-8.92089E-06	3.81635E-02	.00000E+00	.00000E+00	1.60777E-02	1.45418E-04	1.00808E+00
21	1.14295E-02	-4.63980E-06	1.26109E-02	.00000E+00	.00000E+00	1.06308E-02	3.69596E-05	3.18544E-01
22	2.36338E-02	-4.17178E-06	2.73504E-02	.00000E+00	.00000E+00	3.04770E-02	7.42352E-05	6.63152E-01
23	7.58090E-02	-1.42541E-05	9.12651E-02	.00000E+00	.00000E+00	8.91544E-02	2.24328E-04	2.14255E+00
24	5.67570E-02	-2.29032E-06	7.43778E-02	.00000E+00	.00000E+00	9.91094E-02	1.31005E-04	1.62513E+00
25	2.40987E-02	-1.50985E-06	3.35434E-02	.00000E+00	.00000E+00	5.78792E-02	4.46288E-05	6.96472E-01
26	1.57444E-02	-7.66454E-07	2.41510E-02	.00000E+00	.00000E+00	5.33914E-02	2.21808E-05	4.61018E-01
27	2.63900E-03	-1.38607E-07	4.58320E-03	.00000E+00	.00000E+00	1.48532E-02	2.36341E-06	7.83366E-02
28	1.76861E+00	-5.10214E-05	1.78983E+00	.00000E+00	2.14017E-03	4.74422E-01	1.29765E-02	4.88144E+01

- elapsed time .02 min.
0direct access unit 9 requires 556 blocks of length 216 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.07422E-03	4.92818E-03	5.24235E-03	2.49915E-03	3.18142E-03	5.53234E-03	3.72288E-03	1.74266E-03
2	6.54432E-04	4.85769E-03	5.73826E-03	3.43066E-03	4.29923E-03	6.17028E-03	4.34420E-03	2.14741E-03
3	1.10130E-03	5.34262E-03	5.82505E-03	2.90781E-03	3.86805E-03	6.79941E-03	4.39160E-03	1.82522E-03
4	7.56919E-04	4.19640E-03	4.89163E-03	2.38012E-03	2.82742E-03	4.80501E-03	3.32850E-03	1.79604E-03
5	7.79006E-04	4.26124E-03	4.95507E-03	2.40452E-03	2.87734E-03	4.89412E-03	3.37804E-03	1.79638E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11199E-03	1.01507E-03	1.09743E-03	8.72673E-04	7.78309E-04	9.94814E-04	3.12890E-04	1.54070E-04
2	1.78929E-03	1.95243E-03	2.04407E-03	1.59844E-03	1.40528E-03	1.64490E-03	6.25391E-04	3.39817E-04
3	1.12150E-03	1.05819E-03	1.30452E-03	1.21955E-03	1.09228E-03	1.49279E-03	3.71988E-04	1.83579E-04
4	1.19360E-03	1.09582E-03	1.03054E-03	6.77736E-04	6.01721E-04	6.37346E-04	3.11332E-04	1.61644E-04
5	1.19176E-03	1.09457E-03	1.04627E-03	7.05146E-04	6.26364E-04	6.80196E-04	3.14753E-04	1.62901E-04

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.62481E-05	7.76098E-05	1.22573E-04	4.32713E-04	2.03616E-04	5.85562E-04	2.17475E-03	2.10193E-03
2	1.61881E-04	1.52163E-04	2.56965E-04	8.53914E-04	3.61149E-04	9.59598E-04	3.43723E-03	3.26641E-03
3	1.01804E-04	1.12103E-04	1.63311E-04	5.70749E-04	3.11326E-04	9.14972E-04	3.29418E-03	3.27295E-03
4	6.92960E-05	6.03873E-05	1.11611E-04	3.87665E-04	1.27641E-04	3.18483E-04	1.14133E-03	9.51111E-04
5	7.09504E-05	6.29644E-05	1.14227E-04	3.96917E-04	1.36911E-04	3.48803E-04	1.25382E-03	1.07312E-03

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	9.76151E-04	6.98886E-04	1.06706E-04	4.18172E-02
2	1.53098E-03	1.12572E-03	1.94077E-04	5.53519E-02
3	1.56317E-03	1.18646E-03	2.22660E-04	5.16169E-02
4	4.02748E-04	2.45817E-04	3.04580E-05	3.45363E-02
5	4.63469E-04	2.94292E-04	3.95202E-05	3.54027E-02

1broad group parameters

grp	upper energy	mid energy	velocity	fiss spec
1	2.0000E+07	2.6301E+06	1.9627E+09	7.1654E-01
2	9.0000E+05	1.5044E+05	9.5300E+06	2.8346E-01
3	4.0000E-01	1.2789E-01	3.6950E+05	1.2407E-10
4	1.0000E-05			

1 80 d, second part of sas2h pass to make library
0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3
1	3.85739E-01	1.14035E+00	2.59862E-01
2	3.90955E-01	1.14199E+00	2.50017E-01
3	3.95886E-01	1.14245E+00	2.45580E-01
4	4.11019E-01	1.14597E+00	2.14250E-01
5	4.09335E-01	1.14560E+00	2.17296E-01

0flux disadvantage factors (zone average/cell average-flux)


```
Ozone   grp. 1     grp. 2     grp. 3
    1 9.42357E-01 9.95413E-01 1.19589E+00
    2 9.55098E-01 9.96848E-01 1.15058E+00
    3 9.62260E-01 9.97251E-01 1.13016E+00
    4 1.00411E+00 1.00032E+00 9.85981E-01
    5 1.00000E+00 1.00000E+00 1.00000E+00
Ocell averaged currents


Ozone   grp. 1     grp. 2     grp. 3
    1 1.69253E-02 1.80443E-02 6.84760E-03
    2 1.89903E-02 2.54864E-02 1.08752E-02
    3 1.90448E-02 2.18064E-02 1.07657E-02
    4 1.50525E-02 1.62663E-02 3.21759E-03
    5 1.52572E-02 1.65356E-02 3.60993E-03
Ozone      volume     vol. fraction

   1    1.2566E+00    4.5623E-02
   2    1.6668E-01    6.0516E-03
   3    6.5826E-01    2.3898E-02
   4    2.5462E+01    9.2442E-01
   5    2.7544E+01    1.0000E+00
-  elapsed time    .03 min.
1  ccccccccccc    ccccccccccc  EEE         EEE  ppppppppppp  lll             eeeeeeeeeeee
   ccccccccccccc  ccccccccccccc EEE         EEE  ppppppppppppp lll            eeeeeeeeeeee
   ccc         ccc ooo       ooo EEE         EEE ppp       ppp lll            eee
   ccc             ooo       ooo EEE         EEE ppp       ppp lll            eee
   ccc             ooo       ooo EEE         EEE ppp       ppp lll            eee
   ccc             ooo       ooo EEE         EEE ppppppppppppp lll            eeeeeeeee
   ccc             ooo       ooo EEE         EEE ppppppppppp lll              eeeeeeeee
   ccc             ooo       ooo EEE         EEE ppp         lll              eee
   ccc             ooo       ooo EEE         EEE ppp         lll              eee
   ccc         ccc ooo       ooo EEE         EEE ppp         lll              eee
   ccccccccccccc  ccccccccccccc  EEEEEEEEEEEEEE  ppp         lllllllllllll    eeeeeeeeeeee
    ccccccccccc    ccccccccccc    EEEEEEEEEEEE   ppp         lllllllllllll    eeeeeeeeeeee
0

   ddddddddddd     aaaaaaaaa   w         w iiiiiiiiiiii   sssssssssss
   ddddddddddddd   aaaaaaaaaa  w         w iiiiiiiiiiii   sssssssssssss
   ddd         ddd aaa       aaa w         w     iii      sss       sss
   ddd         ddd aaa       aaa w         w     iii      sss
   ddd         ddd aaa       aaa w         w     iii      sss
   ddd         ddd aaaaaaaaaaaaa w         w     iii      sssssssssss
   ddd         ddd aaaaaaaaaaaaa  w       w      iii       sssssssssss
   ddd         ddd aaa       aaa   w   w  w      iii              sss
   ddd         ddd aaa       aaa    w  w  w      iii              sss
   ddd         ddd aaa       aaa     w w w      iii      sss     sss
   ddddddddddddd   aaa       aaa      www       iiiiiiiiiiii sssssssssssss
   ddddddddddd     aaa       aaa       v        iiiiiiiiiiii  sssssssssss
0

     000000     2222222222222          //     11     666666666666          //  999999999   666666666666
   00000000     2222222222222         //     111     666666666666         //  999999999   666666666666
  00     00     22         222       //     1111     66                   //  99      99  66
 00       00             222        //       11     66                   //  99      99  66
 00       00            222         //       11     66                   //  99      99  66
 00       00          222           //       11     666666666666         //  999999999   666666666666
 00       00        222             //       11     666666666666        //   999999999   666666666666
 00       00      222               //       11     66      666         //           99  66      666
 00       00    222                 //       11     66      666        //            99  66      666
  00     00    22                   //       11     66      666       //             99  66      666
```


0
1
0


program verification information
code system: scale version: 4.2
program: c0c005
creation date: 04/27/95
library: /neutronics/scale/exe
this is not a scale configuration controlled code
jobname: davis
date of execution: 02/16/96
time of execution: 09:56:51

```
                    *****                                                    *****
                    *****                                                    *****
                    ********************************************************************
                    ********************************************************************
                    ********************************************************************
1
0       -1q array has      1 entries.
0        0q array has      1 entries.
0        0q array has      1 entries.
0        1q array has      1 entries.
0        1q array has      1 entries.
0        1q array has      1 entries.
0        1q array has      1 entries.
0        1q array has      1 entries.
0        2q array has      1 entries.
0         * core allocated to array-data (by -1$$ or default) was   200000 words. *
1          * broad 3-group flux weighting factors *
0
0                 therm =    .5092
0                 res   =    .3604
0                 fast  =   2.7315
0 user requested (see jadd) that only the nuclide transitions presently included in
0 origen library be updated.
1cross sections, available from ampx (normalized to thermal flux), barns

                    10010 to  10020  2.71089E-01
                    10010 tot-cap    2.71089E-01
                    50100 to  40100  1.94358E-02
                    50100 to  10010  1.94358E-02
                    50100 to  40090  2.86217E-03
                    50100 to  10020  2.86217E-03
                    50100 to  30070  3.11798E+03
                    50100 to  20040  3.11813E+03
                    50100 to  10030  7.24701E-02
                    50100 tot-cap    3.11808E+03
                    50110 to  50100  8.12521E-06
                    50110 to  50120  4.12119E-03
                    50110 to  40110  1.03660E-06
                    50110 to  10010  1.03660E-06
                    50110 to  40090  9.25064E-06
                    50110 to  10030  9.25064E-06
                    50110 to  30080  1.20762E-04
                    50110 to  20040  1.20762E-04
                    50110 tot-cap    4.26057E-03
                    80160 to  80170  1.44801E-04
                    80160 to  70160  7.10768E-05
                    80160 to  10010  7.10768E-05
                    80160 to  70150  1.34050E-05
                    80160 to  10020  1.34050E-05
                    80160 to  60130  2.04523E-02
                    80160 to  20040  2.04523E-02
                    80160 to  80161  3.11718E-03
                    80160 tot-cap    2.06816E-02
                   360830 to 360820  1.61398E-02
                   360830 to 360810  1.70396E-09
                   360830 to 360840  1.45243E+02
                   360830 to 350830  6.75101E-04
                   360830 to  10010  6.75101E-04
                   360830 to 350820  5.33053E-06
                   360830 to  10020  5.33053E-06
```

360830 to 350810 1.86312E-06
360830 to 10030 1.86312E-06
360830 to 340810 3.01531E-08
360830 to 20030 3.01531E-08
360830 to 340800 3.54617E-05
360830 to 20040 3.54517E-05
360830 tot-cap 1.45260E+02
360850 to 360860 1.30308E+00
360850 tot-cap 1.30308E+00
380900 to 380910 6.02302E-01
380900 tot-cap 6.02302E-01
390890 to 390900 9.32409E-01
390890 tot-cap 9.32409E-01
400930 to 400940 1.11829E+01
400930 tot-cap 1.11829E+01
400940 to 400950 1.57479E-01
400940 tot-cap 1.57479E-01
400950 to 400960 1.86408E+00
400950 tot-cap 1.86408E+00
410940 to 410950 3.29242E+01
410940 tot-cap 3.29242E+01
420950 to 420960 3.36517E+01
420950 tot-cap 3.36517E+01
430990 to 430980 4.89705E-05
430990 to 431000 7.76754E+01
430990 tot-cap 7.76808E+01
441010 to 441020 2.35436E+01
441010 tot-cap 2.35436E+01
441060 to 441070 7.21853E-01
441060 tot-cap 7.21853E-01
451080 to 451020 1.77353E-05
451080 to 451040 3.30609E+02
451080 tot-cap 3.30610E+02
451050 to 451060 7.72918E+03
451050 tot-cap 7.72918E+03
461050 to 461060 2.90735E+01
461050 tot-cap 2.90735E+01
461080 to 461090 5.74088E+01
461080 tot-cap 5.74088E+01
471090 to 471080 4.12423E-05
471090 to 471100 3.19744E+02
471090 to 461090 2.36885E-04
471090 to 10010 2.36885E-04
471090 to 451060 1.93998E-04
471090 to 20040 1.93998E-04
471090 to 471091 5.19478E-01
471090 tot-cap 3.19748E+02
511240 to 511250 1.04754E+01
511240 tot-cap 1.04754E+01
541310 to 541300 5.00077E-02
541310 to 541290 1.04567E-05
541310 to 541320 2.32235E+02
541310 to 531310 3.07430E-05
541310 to 10010 3.07430E-05
541310 to 531300 4.19565E-07
541310 to 10020 4.19865E-07
541310 to 531290 4.30016E-07
541310 to 10030 4.30016E-07
541310 to 521280 1.42920E-05
541310 to 20040 1.42920E-05

541310 tot-cap 2.32286E+02
541320 to 541310 8.07852E-03
541320 to 541300 1.71339E-05
541320 to 541330 8.02739E-01
541320 to 531320 6.21127E-06
541320 to 10010 6.21127E-06
541320 to 531310 2.60572E-07
541320 to 10020 2.60572E-07
541320 to 531300 3.50691E-08
541320 to 10030 3.50691E-08
541320 to 521290 7.59245E-07
541320 to 20040 7.59245E-07
541320 tot-cap 8.10842E-01
541350 to 541360 1.43961E+06
541350 tot-cap 1.43961E+06
541360 to 541350 1.38188E-02
541360 to 541340 4.22060E-05
541360 to 541370 1.16414E-01
541360 to 531360 2.55237E-07
541360 to 10010 2.55237E-07
541360 to 531350 9.50002E-08
541360 to 10020 9.50002E-08
541360 to 531340 2.14623E-08
541360 to 10030 2.14623E-08
541360 to 521330 2.14051E-07
541360 to 20040 2.14051E-07
541360 tot-cap 1.30276E-01
551330 to 551320 6.47110E-03
551330 to 551340 8.91954E+01
551330 to 541330 7.16967E-04
551330 to 10010 7.16967E-04
551330 to 531300 1.10582E-05
551330 to 20040 1.10582E-05
551330 tot-cap 8.92026E+01
551340 to 551350 1.19033E+02
551340 tot-cap 1.19033E+02
551350 to 551360 1.83684E+01
551350 tot-cap 1.83684E+01
551370 to 551380 1.98276E-01
551370 tot-cap 1.98276E-01
561360 to 561370 7.75574E-01
561360 tot-cap 7.75574E-01
571390 to 571400 7.38489E+00
571390 tot-cap 7.38489E+00
581440 to 581450 1.10831E+00
581440 tot-cap 1.10831E+00
591410 to 591400 4.63703E-03
591410 to 591390 1.33233E-06
591410 to 571370 2.00747E-06
591410 to 20040 4.15264E-05
591410 to 581400 1.41654E-05
591410 to 10010 4.06384E-05
591410 to 591420 1.08333E+01
591410 to 581410 3.82873E-05
591410 to 10020 1.18143E-05
591410 to 581390 1.23899E-06
591410 to 10030 1.23899E-06
591410 to 571390 1.19656E-08
591410 to 20030 1.19656E-08
591410 to 571380 3.95169E-05

591410	tot-cap	1.08381E+01
591430	to 591440	8.87636E+01
591430	tot-cap	8.87636E+01
601430	to 601420	7.10500E-02
601430	to 601410	7.24124E-06
601430	to 581390	1.61835E-05
601430	to 20040	4.51721E-04
601430	to 591420	3.03118E-06
601430	to 10010	3.14386E-05
601430	to 601440	1.93022E+02
601430	to 591430	3.02966E-05
601430	to 10020	1.88919E-06
601430	to 591410	2.72231E-06
601430	to 10030	2.72231E-06
601430	to 581410	1.30796E-08
601430	to 20030	1.30796E-08
601430	to 581400	4.35537E-04
601430	tot-cap	1.93094E+02
601450	to 601440	9.12502E-02
601450	to 601430	9.26545E-05
601450	to 581410	6.64915E-06
601450	to 20040	1.67466E-04
601450	to 591440	1.73670E-06
601450	to 10010	1.13346E-05
601450	to 601460	6.93315E+01
601450	to 591450	1.06419E-05
601450	to 10020	1.04397E-06
601450	to 591430	1.64584E-06
601450	to 10030	1.64584E-06
601450	to 581430	3.35093E-09
601450	to 20030	3.35093E-09
601450	to 581420	1.60817E-04
601450	tot-cap	6.94231E+01
601470	to 601480	1.60240E+02
601470	tot-cap	1.60240E+02
611470	to 611460	2.49119E-02
611470	to 611450	7.77289E-05
611470	to 591430	6.95141E-06
611470	to 20040	6.48065E-05
611470	to 601460	9.54605E-06
611470	to 10010	2.18569E-05
611470	to 611480	5.15641E+02
611470	to 601470	1.94799E-05
611470	to 10020	7.16905E-06
611470	to 601450	2.70677E-06
611470	to 10030	2.70677E-06
611470	to 591450	4.06970E-09
611470	to 20030	4.06970E-09
611470	to 591440	5.78551E-05
611470	tot-cap	5.15667E+02
611480	to 611490	1.11167E+04
611480	tot-cap	1.11167E+04
621470	to 621460	6.49974E-02
621470	to 621450	5.85168E-03
621470	to 601430	5.18407E-05
621470	to 20040	1.01687E-03
621470	to 611460	1.17959E-04
621470	to 10010	1.70031E-04
621470	to 621480	1.97780E+02
621470	to 611470	1.50150E-04

621470 to 10020 9.80571E-05
621470 to 611450 1.05291E-04
621470 to 10030 1.05291E-04
621470 to 601450 4.84463E-06
621470 to 20030 4.84463E-06
621470 to 601440 9.65032E-04
621470 to 621471 1.36059E+00
621470 tot-cap 1.97853E+02
621490 to 621480 3.67532E-02
621490 to 621470 2.91681E-05
621490 to 621500 4.45711E+04
621490 to 611490 3.82096E-04
621490 to 10010 3.82096E-04
621490 to 601460 3.82096E-04
621490 to 20040 3.82096E-04
621490 tot-cap 4.45711E+04
621500 to 621510 1.20427E+02
621500 tot-cap 1.20427E+02
621510 to 621500 1.23392E-01
621510 to 621490 1.09757E-04
621510 to 601470 1.24567E-05
621510 to 20040 9.77816E-05
621510 to 611500 1.50290E-06
621510 to 10010 1.17581E-05
621510 to 621520 4.75884E+03
621510 to 611510 1.08399E-05
621510 to 10020 5.84683E-07
621510 to 611490 1.06263E-06
621510 to 10030 1.06263E-06
621510 to 601490 1.09471E-09
621510 to 20030 1.09471E-09
621510 to 601480 8.53249E-05
621510 tot-cap 4.75896E+03
621520 to 621510 1.46977E-02
621520 to 621500 9.93126E-05
621520 to 601480 2.22102E-06
621520 to 20040 9.22918E-06
621520 to 611510 6.36616E-07
621520 to 10010 1.87864E-06
621520 to 621530 6.53500E+02
621520 to 611520 1.66881E-06
621520 to 10020 4.26789E-07
621520 to 611500 1.10998E-07
621520 to 10030 1.10998E-07
621520 to 601500 3.36386E-10
621520 to 20030 3.36386E-10
621520 to 601490 7.00816E-06
621520 tot-cap 6.53515E+02
631530 to 631520 1.42749E-02
631530 to 631510 2.13169E-05
631530 to 611490 3.60826E-05
631530 to 20040 5.10810E-04
631530 to 621520 5.98256E-06
631530 to 10010 5.10799E-05
631530 to 631540 5.45292E+02
631530 to 621530 4.90848E-05
631530 to 10020 3.93741E-06
631530 to 621510 8.81432E-07
631530 to 10030 8.81432E-07
631530 to 611510 2.01461E-08


631530 to 20030 2.01461E-08
631530 to 611500 4.74728E-04
631530 tot-cap 5.45307E+02
631540 to 631530 2.28202E-02
631540 to 631520 8.19747E-06
631540 to 611500 7.97057E-11
631540 to 20040 6.07772E-04
631540 to 621530 1.79461E-06
631540 to 10010 9.75262E-04
631540 to 631550 9.96274E+02
631540 to 621540 9.75261E-04
631540 to 10020 1.79362E-06
631540 to 621520 3.03935E-06
631540 to 10030 3.03935E-06
631540 to 611520 1.28796E-08
631540 to 20030 1.28796E-08
631540 to 611510 6.07772E-04
631540 tot-cap 9.96299E+02
631550 to 631540 1.87362E-02
631550 to 631530 5.24656E-05
631550 to 611510 1.41368E-06
631550 to 20040 6.95794E-06
631550 to 621540 2.86085E-06
631550 to 10010 6.02659E-06
631550 to 631560 2.48080E+03
631550 to 621550 4.63459E-06
631550 to 10020 1.46885E-06
631550 to 621530 4.86241E-07
631550 to 10030 4.86241E-07
631550 to 611530 1.10209E-10
631550 to 20030 1.10209E-10
631550 to 611520 5.54427E-06
631550 tot-cap 2.48082E+03
641550 to 641560 1.64517E+04
641550 tot-cap 1.64517E+04
922340 to 922330 4.90863E-03
922340 fission 3.60699E+00
922340 nu-sigf 9.47285E+00
922340 to 922320 7.11723E-05
922340 to 922350 1.61906E+02
922340 to 922341 2.44147E+00
922340 tot-cap 1.65518E+02
922350 to 922340 2.25517E-02
922350 fission 3.47364E+02
922350 nu-sigf 8.41025E+02
922350 to 922330 2.14395E-05
922350 to 922360 7.94250E+01
922350 to 922351 6.94449E-02
922350 tot-cap 4.26811E+02
922360 to 922350 2.50056E-02
922360 fission 1.53934E+00
922360 nu-sigf 4.22025E+00
922360 to 922340 3.33242E-04
922360 to 922370 6.81206E+01
922360 to 922361 2.67105E+00
922360 tot-cap 6.96853E+01
922380 to 922370 4.99532E-02
922380 fission 7.69022E-01
922380 nu-sigf 2.16235E+00
922380 to 922360 3.22753E-04

```
                922380 to 922390  7.22104E+00
                922380 tot-cap    8.04034E+00
                932370 to 932360  1.13851E-02
                932370 fission    4.18314E+00
                932370 nu-sigf    1.25870E+01
                932370 to 932350  4.35558E-05
                932370 to 932380  2.67252E+02
                932370 to 932371  6.26053E-01
                932370 tot-cap    2.71446E+02
                942380 to 942370  1.83000E-03
                942380 fission    1.92885E+01
                942380 nu-sigf    5.45744E+01
                942380 to 942360  1.02416E-05
                942380 to 942390  2.54526E+02
                942380 to 942381  2.43431E+00
                942380 tot-cap    2.73816E+02
                942390 to 942380  9.72084E-03
                942390 fission    8.63828E+02
                942390 nu-sigf    2.48533E+03
                942390 to 942370  1.64884E-05
                942390 to 942360  1.63452E-08
                942390 to 942400  4.90626E+02
                942390 tot-cap    1.35446E+03
                942400 to 942390  4.55751E-03
                942400 fission    4.91362E+00
                942400 nu-sigf    1.53359E+01
                942400 to 942380  4.44741E-05
                942400 to 942410  2.01524E+03
                942400 tot-cap    2.02016E+03
                942410 to 942400  5.82221E-02
                942410 fission    8.88807E+02
                942410 nu-sigf    2.60762E+03
                942410 to 942390  9.51621E-05
                942410 to 942420  2.95569E+02
                942410 tot-cap    1.18443E+03
                942420 to 942410  1.85790E-02
                942420 fission    3.62068E+00
                942420 nu-sigf    1.13521E+01
                942420 to 942400  2.25864E-04
                942420 to 942430  2.79175E+02
                942420 tot-cap    2.82814E+02
                952410 fission    1.12519E+01
                952410 nu-sigf    3.61820E+01
                952410 to 952420  9.97806E+02
                952410 tot-cap    1.00906E+03
                952430 fission    2.79863E+00
                952430 nu-sigf    9.38139E+00
                952430 to 952440  3.63841E+02
                952430 tot-cap    3.66634E+02
                962440 to 962430  4.46494E-03
                962440 fission    1.27444E+01
                962440 nu-sigf    4.26595E+01
                962440 to 962420  4.45261E-05
                962440 to 962450  1.19183E+02
                962440 to 962441  3.10608E+00
                962440 tot-cap    1.31952E+02
0the reaction  50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
```

```
0the reaction  50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
0the reaction 621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
0the fission product transitions for  922340 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 922340 to 922341 was not used, because 922341 is not in library., (in subr pool)
0the reaction 922350 to 922351 was not used, because 922351 is not in library., (in subr pool)
0the fission product transitions for  922360 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 922360 to 922361 was not used, because 922361 is not in library., (in subr pool)
0the fission product transitions for  952370 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 952370 to 952371 was not used, because 952371 is not in library., (in subr pool)
0the fission product transitions for  942380 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 942380 to 942381 was not used, because 942381 is not in library., (in subr pool)
0the fission product transitions for  942400 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  942420 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952410 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952430 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  962440 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 962440 to 962441 was not used, because 962441 is not in library., (in subr pool)
1
0                         case completed.  date,  2/16/1996
0 * normal termination *
```

```
1   ccccccccccc    rrrrrrrrrrr    iiiiiiiiiiii     gggggggggg     eeeeeeeeeeee   mm          mm   sssssssssss
    ccccccccccccc  rrrrrrrrrrrr   iiiiiiiiiiii     gggggggggggg   eeeeeeeeeeee   mmm         mm   sssssssssssss
    cc        cc   rr         rr       ii         gg        gg   ee             mmm         mm   ss         ss
    cc        cc   rr         rr       ii         gg             ee             mm mm       mm   ss
    cc        cc   rr         rr       ii         gg             ee             mm  mm      mm   ss
    cc        cc   rrrrrrrrrrrr         ii         gg   ggggggg   eeeeeeeee      mm   mm     mm   sssssssssss
    cc        cc   rrrrrrrrrrr          ii         gg   ggggggg   eeeeeeeee      mm    mm    mm    sssssssssss
    cc        cc   rr       rr          ii         gg        gg   ee             mm     mm mm             ss
    cc        cc   rr        rr         ii         gg        gg   ee             mm      mmm              ss
    cc        cc   rr         rr        ii         gg        gg   ee             mm       m   ss         ss
    ccccccccccc    rr          rr       iiiiiiiiiiii     gggggggggg    eeeeeeeeeeee   mm           mm   sssssssssss
     ccccccccc     rr          rr       iiiiiiiiiiii      gggggggg     eeeeeeeeeeee   mm           mm    sssssssss
0
```

```
   dddddddddd      aaaaaaaa     w         w  iiiiiiiiiii     sssssssss
   dddddddddddd    aaaaaaaaaa   w         w  iiiiiiiiiii     sssssssssss
   dd        dd    aa      aa   w         w      ii         ss         ss
   dd        dd    aa      aa   w         w      ii         ss
```


program verification information

```
                    *****                code system:    scale  version:    4.2             *****
                    *****                                                                   *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                   *****
                    *****                                                                   *****
                    *****              program:  c0c004                                     *****
                    *****                                                                   *****
                    *****         creation date:  04/27/95                                  *****
                    *****                                                                   *****
                    *****              library:  /neutronics/scale/exe                      *****
                    *****                                                                   *****
                    *****                                                                   *****
                    *****     this is not a   scale  configuration controlled code          *****
                    *****                                                                   *****
                    *****              jobname:  davis                                      *****
                    *****                                                                   *****
                    *****     date of execution:  02/16/96                                  *****
                    *****                                                                   *****
                    *****     time of execution:  09:56:52                                  *****
                    *****                                                                   *****
                    *****                                                                   *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0        dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0           short-lived split test fraction, qxn =    9.1188E-04
0           half-norm of matrix used, axn =    7.0000E+00
0           4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

         cross-section data taken from position number  1 of library on unit 33.

         pass   1
         pass   0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         pass   1
         pass   0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
```

```
      ********************************************************************************
      *                                                                              *
      *                 prelim lwr origen-s binary working library--id = 1143        *
      *              made from modified card-image origen-s libraries of scale 4.2   *
      *            data from the light element, actinide, and fission product libraries *
      *              decay data, including gamma and total energy, are from endf/b-vi *
      *                                                                              *
      *            neutron flux spectrum factors and cross sections were produced from *
      *           the "presas2" case updating all nuclides on the scale "burnup" library *
      *                                                                              *
      *                        fission product yields are from endf/b-v              *
      *                                                                              *
      *                     photon libraries use an 18-energy-group structure        *
      *                    the photon data are from the master photon data base,     *
      *                      produced to include bremsstrahlung from uc2 matrix      *
      *                                                                              *
      *              see information above this box (if present) for later updates   *
      *                                                                              *
      ********************************************************************************
      *                                                                              *
0     ********************************************************************************
0               .other identification and sizes of library.
0                 data set name:  ft33f001
0               2/16/1996     date library was produced
0                  1697       total number of nuclides in library
                    689       number of light-element nuclides
                    129       number of actinide nuclides
                    879       number of fission product nuclides
0                  7985       number of nonzero off-diagonal matrix elements
0     ********************************************************************************
1
```

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 1

power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.69E+13n/cm**2-sec

0 nuclide concentrations, gram atoms

basis = converted to atoms/(barn-cm)

	charge	40.0 d	80.0 d	120.0 d	160.0 d	160.0 d	200.0 d	240.0 d
u230	.00E+00	3.84E-23	1.13E-22	2.02E-22	3.02E-22	3.02E-22	4.15E-22	5.44E-22
u231	.00E+00	1.72E-21	3.78E-21	5.85E-21	8.19E-21	8.18E-21	1.07E-20	1.35E-20
u232	.00E+00	2.37E-14	4.88E-14	7.61E-14	1.07E-13	1.07E-13	1.42E-13	1.82E-13
u233	.00E+00	2.43E-12	4.74E-12	6.94E-12	9.03E-12	9.03E-12	1.10E-11	1.29E-11
u234	5.56E-06	5.50E-06	5.45E-06	5.40E-06	5.35E-06	5.35E-06	5.30E-06	5.25E-06
u235	6.92E-04	6.74E-04	6.58E-04	6.42E-04	6.26E-04	6.26E-04	6.11E-04	5.96E-04
u236	3.17E-06	6.35E-06	9.43E-06	1.24E-05	1.53E-05	1.53E-05	1.80E-05	2.07E-05
u237	.00E+00	2.10E-08	2.42E-08	2.69E-08	2.96E-08	2.96E-08	3.22E-08	3.47E-08
u238	2.21E-02	2.21E-02	2.20E-02	2.20E-02	2.20E-02	2.20E-02	2.20E-02	2.20E-02
u239	.00E+00	5.53E-09	5.49E-09	5.46E-09	5.43E-09	4.13E-09	5.41E-09	5.39E-09
u240	.00E+00	.00E+00	.00E+00	.00E+00	2.05E-40	2.05E-40	2.46E-39	1.71E-38
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	6.46E-17	3.27E-16	8.08E-16	1.51E-15	1.51E-15	2.45E-15	3.62E-15
np236m	.00E+00	1.08E-15	2.58E-15	4.25E-15	6.07E-15	6.04E-15	8.03E-15	1.01E-14
np236	.00E+00	4.47E-15	2.32E-14	5.84E-14	1.12E-13	1.12E-13	1.85E-13	2.79E-13
np237	.00E+00	6.29E-08	1.54E-07	2.56E-07	3.67E-07	3.67E-07	4.87E-07	6.16E-07
np238	.00E+00	7.56E-11	1.84E-10	3.04E-10	4.34E-10	4.33E-10	5.73E-10	7.23E-10
np239	.00E+00	7.99E-07	7.93E-07	7.88E-07	7.84E-07	7.84E-07	7.81E-07	7.78E-07
np240m	.00E+00	.00E+00	.00E+00	.00E+00	1.75E-42	1.75E-42	2.10E-41	1.44E-40
np240	.00E+00	1.32E-11	1.30E-11	1.28E-11	1.27E-11	1.15E-11	1.26E-11	1.25E-11
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	.00E+00	5.86E-15	3.08E-14	7.67E-14	1.46E-13	1.46E-13	2.39E-13	3.58E-13
pu237	.00E+00	3.37E-15	1.15E-14	2.18E-14	3.28E-14	3.28E-14	4.39E-14	5.48E-14
pu238	.00E+00	3.73E-10	1.99E-09	5.06E-09	9.70E-09	9.70E-09	1.60E-08	2.41E-08


```
     pu239    .00E+00 8.27E-06 1.66E-05 2.42E-05 3.13E-05 3.13E-05 3.77E-05 4.37E-05
     pu240    .00E+00 1.24E-07 4.70E-07 9.91E-07 1.66E-06 1.66E-06 2.41E-06 3.25E-06
     pu241    .00E+00 5.06E-09 3.72E-08 1.16E-07 2.56E-07 2.56E-07 4.66E-07 7.51E-07
     pu242    .00E+00 2.30E-11 3.32E-10 1.56E-09 4.63E-09 4.63E-09 1.06E-08 2.07E-08
     pu243    .00E+00 2.82E-15 4.05E-14 1.90E-13 5.59E-13 5.47E-13 1.28E-12 2.48E-12
     pu244    .00E+00 3.86E-36 6.63E-33 5.11E-31 1.12E-29 1.12E-29 1.22E-28 8.52E-28
     pu245    .00E+00  .00E+00 5.04E-39 3.83E-37 8.34E-36 8.26E-36 9.05E-35 6.32E-34
     pu246    .00E+00 2.80E-45 7.04E-42 7.01E-40 1.79E-38 1.79E-38 2.17E-37 1.65E-36
     am239    .00E+00 9.95E-23 1.42E-21 6.64E-21 1.95E-20 1.93E-20 4.41E-20 8.52E-20
     am240    .00E+00 4.26E-20 6.10E-19 2.85E-18 8.36E-18 8.34E-18 1.90E-17 3.67E-17
     am241    .00E+00 6.90E-12 9.93E-11 4.66E-10 1.37E-09 1.37E-09 3.13E-09 6.05E-09
     am242m   .00E+00 1.30E-14 3.53E-13 2.39E-12 9.00E-12 9.00E-12 2.48E-11 5.57E-11
     am242    .00E+00 8.19E-15 1.17E-13 5.47E-13 1.60E-12 1.59E-12 3.64E-12 7.00E-12
     am243    .00E+00 7.80E-14 2.21E-12 1.57E-11 6.20E-11 6.20E-11 1.78E-10 4.19E-10
     am244m   .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
     am244    .00E+00 2.54E-17 7.17E-16 5.04E-15 1.99E-14 1.97E-14 5.69E-14 1.33E-13
     am245    .00E+00 2.69E-40 4.52E-37 3.42E-35 7.35E-34 7.35E-34 7.88E-33 5.43E-32
     am246    .00E+00  .00E+00  .00E+00  .00E+00 4.26E-41 4.29E-41 5.44E-40 4.11E-39
     cm241    .00E+00 3.95E-26 3.89E-24 5.47E-23 3.43E-22 3.43E-22 1.39E-21 4.24E-21
     cm242    .00E+00 5.54E-14 1.53E-12 1.06E-11 4.07E-11 4.07E-11 1.14E-10 2.59E-10
     cm243    .00E+00 3.66E-17 1.99E-15 2.05E-14 1.05E-13 1.05E-13 3.65E-13 9.97E-13
     cm244    .00E+00 2.84E-16 1.59E-14 1.69E-13 8.95E-13 8.95E-13 3.23E-12 9.14E-12
     cm245    .00E+00 2.91E-19 3.21E-17 5.03E-16 3.51E-15 3.51E-15 1.56E-14 5.26E-14
     cm246    .00E+00 5.29E-22 1.16E-19 2.71E-18 2.51E-17 2.51E-17 1.40E-16 5.67E-16
     cm247    .00E+00 1.58E-25 6.84E-23 2.37E-21 2.91E-20 2.91E-20 2.02E-19 9.79E-19
     cm248    .00E+00 2.02E-28 1.74E-25 8.94E-24 1.46E-22 1.46E-22 1.27E-21 7.39E-21
1
     sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides        page   2
       power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.69E+13n/cm**2-sec
0                                                  nuclide concentrations, gram atoms
                                                   basis = converted to atoms/(barn-cm)
            charge   40.0 d  80.0 d  120.0 d  160.0 d  160.0 d  200.0 d  240.0 d
     cm249   .00E+00 1.21E-33 1.03E-30 5.25E-29 8.61E-28 7.79E-28 7.45E-27 4.32E-26
     cm250   .00E+00 9.51E-39 1.61E-35 1.23E-33 2.66E-32 2.66E-32 2.87E-31 2.00E-30
     cm251   .00E+00  .00E+00  .00E+00 3.06E-41 6.60E-40 4.51E-40 7.12E-39 4.95E-38
    totals  2.28E-02 2.28E-02 2.27E-02 2.27E-02 2.27E-02 2.27E-02 2.27E-02 2.27E-02
0    flux            1.71E+13 1.70E+13 1.69E+13 1.68E+13  .00E+00 1.67E+13 1.67E+13
0  .results on logical unit no. 71, position  1, for time step  7, subcase 1. (run position 1, case position 1)
    title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0  .results on logical unit no. 71, position  2, for time step  5, subcase 1. (run position 1, case position 1)
    title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0  .results on logical unit no. 71, position  3, for time step  4, subcase 1. (run position 1, case position 1)
    title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0     .terminated logical unit no. 71 with zero flag record.
1  * normal termination of execution *
0                                  table of contents for material tables
0                                    case or subcase printed      page

                                                    1              1

0ndset          33

          33          4          1         27          6          0          0          0          0          0
           0          0          0          0          0          2         -1       1698        690        130
         880       7955          0          5         99          2         16         96         18         18
          18          0         71
0       56q array has      2 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
```

```
0       56q array has       1 entries.
0       57q array has       3 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90  97376
     l116  60826
     l32  33663 nudata (library) storage size
     l44  33734
     l103  75953
0       58q array has       4 entries.
0       60q array has       7 entries.
0       58q array has       7 entries.
0       66q array has       1 entries.
0       73q array has       4 entries.
0       74q array has       4 entries.
0       75q array has       4 entries.
     l140  66991
     used  101044 in size  200000
0jqpt            12
             0          0          0          0          0          0          0          0          0          0
             0          0
0therm            4
  5.091678E-01 3.604486E-01 2.731459E+00 1.000000E-31
0ncn              5
          7935         20          6         18       1697
0mm              19
             7          7          0          0          1          1          0          0          0          0
            21        100          4          4          3         74          4          1          0
0tconst           5
  8.640000E+04  .000000E+00  .000000E+00  .000000E+00 1.000000E-08
0mzero            4
             0        689        129        879
0pow              3
   .000000E+00  .000000E+00  .000000E+00
0 lirp            9
             6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =            4.4180E+00 1.9429E+02 1.9871E+02
 start of interval flux =          1.71666E+13
 n-gamma, fission and total mev/fission =            4.8296E+00 1.9446E+02 1.9929E+02
 start of interval flux =          1.70387E+13
 n-gamma, fission and total mev/fission =            4.9047E+00 1.9462E+02 1.9955E+02
 start of interval flux =          1.69221E+13
 n-gamma, fission and total mev/fission =            5.0218E+00 1.9477E+02 1.9980E+02
 start of interval flux =          1.68318E+13
 start of interval flux =           .00000E+00
 n-gamma, fission and total mev/fission =            5.1263E+00 1.9491E+02 2.0004E+02
 start of interval flux =          1.67626E+13
 n-gamma, fission and total mev/fission =            5.2266E+00 1.9505E+02 2.0027E+02
 start of interval flux =          1.67123E+13
0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0       56q array has      20 entries.
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 2, exec halts after pass   8
```



```
 sssssssssss    cc            aaaaaaaaaaaa  ll            eeeeeeeee
  sssssssssss   cc            aaaaaaaaaaaa  ll            eeeeeeeee
           ss   cc            aa        aa  ll            ee
           ss   cc            aa        aa  ll            ee
 ss        ss   cc        cc  aa        aa  ll            ee
 sssssssssssss  ccccccccccc   aa        aa  lllllllllllll eeeeeeeeeee
  sssssssssss    ccccccccccc  aa        aa  lllllllllllll eeeeeeeeeee
```

```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                program verification information           *****
*****                                                           *****
*****                code system:   scale  version:   4.2       *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****           program:  c0c008                                *****
*****                                                           *****
*****      creation date:  04/27/95                             *****
*****                                                           *****
*****           library:  /neutronics/scale/exe                 *****
*****                                                           *****
*****                                                           *****
*****   this is not a  scale  configuration controlled code     *****
*****                                                           *****
*****           jobname:  davis                                 *****
*****                                                           *****
*****   date of execution:  02/16/96                            *****
*****                                                           *****
*****   time of execution:  09:56:55                            *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
```

```
1
0      -1q array has     1 entries.
0       0q array has     4 entries.
0       1q array has     6 entries.
0       2q array has     2 entries.
1logical assignments
0master library   12
 working library   0
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere              2
0izm--number of zones or material regions                     4
0ms--mixing table length                                     66
0ibl--shielded cross section edit option (0/1--no/yes)        0
0ibr--bondarenko factor edit option (0/1--no/yes)             0
0issopt--dancoff factor option                                0
```

```
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0        3q array has      66 entries.
0        4q array has      66 entries.
0        5q array has      66 entries.
0        6q array has       4 entries.
0        7q array has       4 entries.
0        8q array has       4 entries.
0        9q array has       4 entries.
0       10q array has      66 entries.
0       11q array has       4 entries.
0m i x i n g   t a b l e
0entry  mixture   isotope   number density   new identifier
    1        1     92235    5.95891E-04          92235
    2        1     92234    5.24821E-06          92234
    3        1     92236    2.07230E-05          92236
    4        1     92238    2.20058E-02          92238
    5        1      8016    4.55359E-02           8016
    6        3      8016    2.09710E-02              6
    7        1     36083    4.52870E-07          36083
    8        1     36085    2.19160E-07          36085
    9        1     38090    4.90462E-06          38090
   10        1     39089    2.93210E-06          39089
   11        1     42095    2.67690E-06          42095
   12        1     40093    3.66334E-06          40093
   13        1     40094    5.64806E-06          40094
   14        1     40095    2.02113E-06          40095
   15        1     41094    1.92647E-12          41094
   16        1     43099    5.40899E-06          43099
   17        1     45103    2.34075E-06          45103
   18        1     45105    1.42341E-08          45105
   19        1     44101    4.73216E-06          44101
   20        1     44106    6.38003E-07          44106
   21        1     46105    1.32971E-06          46105
   22        1     46108    2.44774E-07          46108
   23        1     47109    1.71902E-07          47109
   24        1     51124    4.79820E-11          51124
   25        1     54131    2.48623E-06          54131
   26        1     54132    4.07046E-06          54132
   27        1     54135    6.51168E-09          54135
   28        1     54136    9.02456E-06          54136
   29        1     55134    8.14148E-08          55134
   30        1     55135    2.79804E-06          55135
   31        1     55137    5.70749E-06          55137
   32        1     56136    1.66625E-08          56136
   33        1     57139    5.70699E-06          57139
   34        1     59141    4.20358E-06          59141
   35        1     59143    4.03826E-07          59143
   36        1     58144    3.63429E-06          58144
   37        1     60143    4.64738E-06          60143
   38        1     60145    3.44985E-06          60145
   39        1     61147    1.63014E-06          61147
   40        1     61148    4.34751E-09          61148
   41        1     60147    1.34141E-07          60147
   42        1     62147    1.37482E-07          62147
   43        1     62149    6.87658E-08          62149
   44        1     62150    9.89583E-07          62150
   45        1     62151    2.22942E-07          62151
   46        1     62152    4.58639E-07          62152
   47        1     64155    4.46617E-10          64155
```

48	1	63153	2.02361E-07	63153
49	1	63154	1.57326E-08	63154
50	1	63155	3.12565E-08	63155
51	2	40802	4.25156E-02	40802
52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	5.85210E-06	55133
56	1	93237	6.15523E-07	93237
57	1	94238	2.41332E-08	94238
58	1	94239	4.36784E-05	94239
59	1	94240	3.25386E-06	94240
60	1	94241	7.50900E-07	94241
61	1	94242	2.06625E-08	94242
62	1	95241	6.04966E-09	95241
63	1	95243	4.19145E-10	95243
64	1	96244	9.13732E-12	96244
65	1	999	1.00000E-20	999
66	4	999	1.00000E-20	66

0geometry and material description

0zone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	1	4.68122E-01	9.75000E+02	9.05844E-01	0
2	4	4.78790E-01	2.93000E+02	5.49010E-01	0
3	2	5.46100E-01	6.50000E+02	.00000E+00	0
4	3	8.13968E-01	6.07600E+02	.00000E+00	0


7711 locations of 200000 available are required to make a new master containing the self-shielded values

0no nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

0copy	999	1/v cross sectio	from lag 12	to lag 18	bondarenko trigger 0
0copy	999	1/v cross sectio	from lag 18	to lag 1	bondarenko trigger 0
0copy	999	1/v cross sectio	from lag 18	to lag 1	bondarenko trigger 0
0copy	1001	hydrogen	from lag 12	to lag 1	bondarenko trigger 0
0copy	5010	b-10 1273 218ngp	from lag 12	to lag 1	bondarenko trigger 0
0copy	5011	boron-11	from lag 12	to lag 1	bondarenko trigger 0
0copy	8016	oxygen-16	from lag 12	to lag 18	bondarenko trigger 0
0copy	8016	oxygen-16	from lag 18	to lag 1	bondarenko trigger 0
0copy	8016	oxygen-16	from lag 18	to lag 1	bondarenko trigger 0
0copy	36083	kr-83	from lag 12	to lag 1	bondarenko trigger 0
0copy	36085	kr-85	from lag 12	to lag 1	bondarenko trigger 0
0copy	38090	sr-90	from lag 12	to lag 1	bondarenko trigger 0
0copy	39089	y-89	from lag 12	to lag 1	bondarenko trigger 0
0copy	40093	zr-93	from lag 12	to lag 1	bondarenko trigger 0
0copy	40094	zr-94	from lag 12	to lag 1	bondarenko trigger 0
0copy	40095	zr-95	from lag 12	to lag 1	bondarenko trigger 0
0copy	40802	zircalloy	from lag 12	to lag 1	bondarenko trigger 0
0copy	41094	nb-94	from lag 12	to lag 1	bondarenko trigger 0
0copy	42095	mo-95	from lag 12	to lag 1	bondarenko trigger 0
0copy	43099	tc-99	from lag 12	to lag 1	bondarenko trigger 0
0copy	44101	ru-101	from lag 12	to lag 1	bondarenko trigger 0
0copy	44106	ru-106	from lag 12	to lag 1	bondarenko trigger 0
0copy	45103	rh-103	from lag 12	to lag 1	bondarenko trigger 0
0copy	45105	rh-105	from lag 12	to lag 1	bondarenko trigger 0
0copy	46105	pd-105	from lag 12	to lag 1	bondarenko trigger 0
0copy	46108	pd-108	from lag 12	to lag 1	bondarenko trigger 0
0copy	47109	silver-109	from lag 12	to lag 1	bondarenko trigger 0
0copy	51124	sb-124	from lag 12	to lag 1	bondarenko trigger 0
0copy	54131	xe-131	from lag 12	to lag 1	bondarenko trigger 0
0copy	54132	xe-132	from lag 12	to lag 1	bondarenko trigger 0
0copy	54135	xenon-135	from lag 12	to lag 1	bondarenko trigger 0
0copy	54136	xe-136	from lag 12	to lag 1	bondarenko trigger 0
0copy	55133	cesium-133	from lag 12	to lag 1	bondarenko trigger 0

```
0copy    55134  cs-134          from log 12 to log  1   bondarenko trigger 0
0copy    55135  cs-135          from log 12 to log  1   bondarenko trigger 0
0copy    55137  cs-137          from log 12 to log  1   bondarenko trigger 0
0copy    56136  ba-136          from log 12 to log  1   bondarenko trigger 0
0copy    57139  la-139          from log 12 to log  1   bondarenko trigger 0
0copy    58144  ce-144          from log 12 to log  1   bondarenko trigger 0
0copy    59141  pr-141          from log 12 to log  1   bondarenko trigger 0
0copy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigo= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigo= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigo from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigp from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc      1/27/89
             last updated        9/16/93
                l.m.petrie  -    ornl
        tape id                          4321        number of nuclides          66
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                  table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                      id   999
      1/v cross sections normalized to 1.0 at 0.0253 ev                      id    66
       hydrogen       endf/b-iv mat 1269/thrml002    updated 10/13/89       id  1001
      b-10 1273 218ngp 042375 p-3 293k                                      id  5010
       boron-11       endf/b-iv mat 1160             updated 10/13/89       id  5011
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89       id  8016
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89       id     6
       kr-83          mt=102,103,103,105,106,107     updated 10/13/89       id 36083
       kr-85             mt=  102                                           id 36085
       sr-90          mt=102                         updated 10/13/89       id 38090
        y-89          mt=102                         updated 10/13/89       id 39089
       zr-93             mt=  102                                           id 40093
       zr-94          mt=102                         updated 10/13/89       id 40094
       zr-95          mt=102                         updated 10/13/89       id 40095
       zircalloy      endf/b-iv mat 1284             updated 10/13/89       id 40502
       rb-94          mt=102                         updated 10/13/89       id 41094
```

```
        mo-95          mt=102                          updated 10/13/89              id    42095
        tc-99          mt=102                          updated 10/13/89              id    43099
        ru-101         mt=102                          updated 10/13/89              id    44101
        ru-106         mt=102                          updated 10/13/89              id    44106
        rh-103         mt=102                          updated 10/13/89              id    45103
        rh-105           mt=  102                                                    id    45105
        pd-105         mt=102                          updated 10/13/89              id    46105
        pd-108         mt=102                          updated 10/13/89              id    46108
        silver-109     endf/b-iv mat 1139              updated 10/13/89              id    47109
        sb-124         mt=102                          updated 10/13/89              id    51124
        xe-131         mt=102,103,104,105,106          updated 10/13/89              id    54131
        xe-132         mt=102,103,104,105,106          updated 10/13/89              id    54132
        xenon-135      endf/b-iv mat 1294              updated 10/13/89              id    54135
        xe-136           mt=  102, 103, 104, 105, 107                                id    54136
        cesium-133     endf/b-iv mat 1141              updated 10/13/89              id    55133
        cs-134         mt=102                          updated 10/13/89              id    55134
        cs-135           mt=  102                                                    id    55135
        cs-137         mt=102                          updated 10/13/89              id    55137
        ba-136         mt=102                          updated 10/13/89              id    56136
        la-139         mt=102                          updated 10/13/89              id    57139
        ce-144           mt=  102                                                    id    58144
        pr-141         mt=102,103,104,105,106,107      updated 10/13/89              id    59141
        pr-143         mt=102                          updated 10/13/89              id    59143
        nd-143         mt=102                          updated 10/13/89              id    60143
        nd-145         mt=102                          updated 10/13/89              id    60145
        nd-147         mt=102                          updated 10/13/89              id    60147
        pm-147         mt=102                          updated 10/13/89              id    61147
        pm-148           mt=  102                                                    id    61148
        sm-147         endf/b-v fission product        updated 10/13/89              id    62147
        sm-149         mt=102,103,107                  updated 10/13/89              id    62149
        sm-150         mt=102                          updated 10/13/89              id    62150
        sm-151         mt=102,103,104,105,106,107      updated 10/13/89              id    62151
        sm-152         mt=102,103,104,105,106,107      updated 10/13/89              id    62152
        eu-153         mt=102,103,104,105,106,107      updated 10/13/89              id    63153
        eu-154         mt=102,103,104,105,106,107      updated 10/13/89              id    63154
        eu-155         mt=102,103,104,105,106,107      updated 10/13/89              id    63155
        gd-155         mt=102                          updated 10/13/89              id    64155
       u-234 1043 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                           id    92234
        uranium-235    endf/b-iv mat 1261              updated 10/13/89              id    92235
       u-236 1163 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                           id    92236
        uranium-238    endf/b-iv mat 1262              updated 10/13/89              id    92238
        neptunium-237  endf/b-iv mat 1263              updated 10/13/89              id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                          id    94238
        plutonium-239  endf/b-iv mat 1264              updated 10/13/89              id    94239
        plutonium-240  endf/b-iv mat 1265              updated 10/13/89              id    94240
        plutonium-241  endf/b-iv mat 1266              updated 10/13/89              id    94241
        plutonium-242  endf/b-iv mat 1161              updated 10/13/89              id    94242
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 295k                                 id    95241
       am-243 1057 218 gp wt f-1/e-m 090576 p3 295k                                  id    95243
        curium-244     endf/b-iv mat 1162              updated 10/13/89              id    96244
0        tape copy used      0 i/o's, and took     .00 seconds
1                m         m  iiiiiiiiiiii   ttttttttttttt     aaaaaaaaa     ww          ww  ll
                 mm        m  iiiiiiiiiiii   ttttttttttttt    aaaaaaaaaaa    ww          ww  ll
                 mmm       m       ii           tt         aa         aa     ww          ww  ll
                 m m       m       ii           tt         aa         aa     ww          ww  ll
                 m  m      m       ii           tt         aa         aa     ww          ww  ll
                 m   m     m       ii           tt         aaaaaaaaaaaa      ww     w    ww  ll
                 m    m    m       ii           tt         aaaaaaaaaaaa      ww    www   ww  ll
                 m     m   m       ii           tt         aa         aa     ww  ww ww  ww  ll
                 m      m  m       ii           tt         aa         aa     ww ww    ww ww  ll
```



```
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                  program verification information                   *****
                    *****                                                                      *****
                    *****                  code system:    scale  version:    4.2             *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  c0c002                                        *****
                    *****                                                                      *****
                    *****          creation date:  04/27/95                                    *****
                    *****                                                                      *****
                    *****              library:  /neutronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****     this is not a   scale  configuration controlled code             *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****     date of execution:  02/16/96                                     *****
                    *****                                                                      *****
                    *****     time of execution:  09:56:56                                     *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0       -1q array has       1 entries.
0        0q array has       9 entries.
0        1q array has      12 entries.
0select 65 nuclides from the master  library on logical  1
         0 nuclides from the working library on logical  2
         0 nuclides from the working library on logical  3
           to create the new working library on logical  4

        61 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      65 entries.
0        3q array has     915 entries.
0        4q array has      65 entries.
0 general information concerning cross section library
     tape identification number                  4321
     number of nuclides on tape                    66
     number of neutron energy groups               27
     first thermal neutron energy group            15
     number of gamma energy groups                  0
0   direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                           based on endf-b version 4 data with endf-b version 5 fission products
                              compiled for nrc     1/27/89
```

last updated 9/16/93
l.m.petrie - ornl

0 nuclides from xsdrn tape

1	1/v cross sections normalized to 1.0 at 0.0253 ev			999
2	hydrogen	endf/b-iv mat 1269/thrm1002	updated 10/13/89	1001
3	b-10 1273 218grp 042375 p-3 293k			5010
4	boron-11	endf/b-iv mat 1160	updated 10/13/89	5011
5	oxygen-16	endf/b-iv mat 1276	updated 10/13/89	8016
6	oxygen-16	endf/b-iv mat 1276	updated 10/13/89	6
7	kr-83	mt=102,103,103,105,106,107	updated 10/13/89	36083
8	kr-85	mt= 102		36085
9	sr-90	mt=102	updated 10/13/89	38090
10	y-89	mt=102	updated 10/13/89	39089
11	zr-93	mt= 102		40093
12	zr-94	mt=102	updated 10/13/89	40094
13	zr-95	mt=102	updated 10/13/89	40095
14	zircalloy	endf/b-iv mat 1284	updated 10/13/89	40302
15	nb-94	mt=102	updated 10/13/89	41094
16	mo-95	mt=102	updated 10/13/89	42095
17	tc-99	mt=102	updated 10/13/89	43099
18	ru-101	mt=102	updated 10/13/89	44101
19	ru-106	mt=102	updated 10/13/89	44106
20	rh-103	mt=102	updated 10/13/89	45103
21	rh-105	mt= 102		45105
22	pd-105	mt=102	updated 10/13/89	46105
23	pd-108	mt=102	updated 10/13/89	46108
24	silver-109	endf/b-iv mat 1139	updated 10/13/89	47109
25	sb-124	mt=102	updated 10/13/89	51124
26	xe-131	mt=102,103,104,105,106	updated 10/13/89	54131
27	xe-132	mt=102,103,104,105,106	updated 10/13/89	54132
28	xenon-135	endf/b-iv mat 1294	updated 10/13/89	54135
29	xe-136	mt= 102, 103, 104, 105, 107		54136
30	cesium-133	endf/b-iv mat 1141	updated 10/13/89	55133
31	cs-134	mt=102	updated 10/13/89	55134
32	cs-135	mt= 102		55135
33	cs-137	mt=102	updated 10/13/89	55137
34	ba-136	mt=102	updated 10/13/89	56136
35	la-139	mt=102	updated 10/13/89	57139
36	ce-144	mt= 102		58144
37	pr-141	mt=102,103,104,105,106,107	updated 10/13/89	59141
38	pr-143	mt=102	updated 10/13/89	59143
39	nd-143	mt=102	updated 10/13/89	60143
40	nd-145	mt=102	updated 10/13/89	60145
41	nd-147	mt=102	updated 10/13/89	60147
42	pm-147	mt=102	updated 10/13/89	61147
43	pm-148	mt= 102		61148
44	sm-147	endf/b-v fission product	updated 10/13/89	62147
45	sm-149	mt=102,103,107	updated 10/13/89	62149
46	sm-150	mt=102	updated 10/13/89	62150
47	sm-151	mt=102,103,104,105,106,107	updated 10/13/89	62151
48	sm-152	mt=102,103,104,105,106,107	updated 10/13/89	62152
49	eu-153	mt=102,103,104,105,106,107	updated 10/13/89	63153
50	eu-154	mt=102,103,104,105,106,107	updated 10/13/89	63154
51	eu-155	mt=102,103,104,105,106,107	updated 10/13/89	63155
52	gd-155	mt=102	updated 10/13/89	64155
53	u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)			92234
54	uranium-235	endf/b-iv mat 1261	updated 10/13/89	92235
55	u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)			92236
56	uranium-238	endf/b-iv mat 1262	updated 10/13/89	92238
57	neptunium-237	endf/b-iv mat 1263	updated 10/13/89	93237

```
    58    pu-238 1050 sigp=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    94238
    59     plutonium-239  endf/b-iv mat 1264          updated 10/13/89           94239
    60     plutonium-240  endf/b-iv mat 1265          updated 10/13/89           94240
    61     plutonium-241  endf/b-iv mat 1266          updated 10/13/89           94241
    62     plutonium-242  endf/b-iv mat 1161          updated 10/13/89           94242
    63    am-241 1056 sigp=5+4 newxlacs 218ngp p-3 293k                           95241
    64    am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                            95243
    65     curium-244     endf/b-iv mat 1162          updated 10/13/89           96244
01/v cross sections normalized to 1.0 at 0.0253 ev                      999     temperature=  975.00
0 hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89        1001    temperature=  607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042575 p-3 293k                                      5010    temperature=  607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11       endf/b-iv mat 1160          updated 10/13/89           5011    temperature=  607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16      endf/b-iv mat 1276          updated 10/13/89           8016    temperature=  975.00
0 oxygen-16      endf/b-iv mat 1276          updated 10/13/89              6    temperature=  607.60
0 kr-83          mt=102,103,103,105,106,107  updated 10/13/89          36083    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   82.202          temperature(kelvin)      =  975.000
0potential scatter sigma  =    7.004          lumped nuclear density   = 4.5287047E-07
0spin factor (g)          =  4988.190          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995          sigma(per absorber atom)= 3.7706078E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.953          sigma(per absorber atom)= 4.2068225E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11     -5.450051E-04     .0000000E+00  -7.029958E-04
  12      2.168358E-02     .0000000E+00   9.912749E-03
  13     -1.516420E-01     .0000000E+00  -4.953383E-02
  14      4.784648E-05     .0000000E+00  -1.725391E-05
0excess resonance integrals
0                resolved
0absorption      1.4510BE+02
 fission         .0000E+00
- elapsed time    .00 min.
0 kr-85          mt=  102                                              36085    temperature=  975.00
0 sr-90          mt=102                      updated 10/13/89          38090    temperature=  975.00
0  y-89          mt=102                      updated 10/13/89          39089    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   88.142          temperature(kelvin)      =  975.000
0potential scatter sigma  =    3.644          lumped nuclear density   = 2.9520956E-06
0spin factor (g)          =   78.664          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995          sigma(per absorber atom)= 5.8238108E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.953          sigma(per absorber atom)= 6.4975566E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   9      2.370156E-07     .0000000E+00   1.062742E-04
  10     -1.586452E-05     .0000000E+00  -4.463920E-05
0excess resonance integrals
0                resolved
```

```
0absorption       1.46497E-01
 fission           .0000E+00
- elapsed time     .00 min.
0 zr-93           mt= 102                                          40093     temperature=  975.00
0 zr-94          mt=102                        updated 10/13/89    40094     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =    93.100          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.779          lumped nuclear density   = 5.6480576E-06
0spin factor (g)          =   180.853          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 3.0233348E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933            sigma(per absorber atom)= 3.3730988E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   8      -1.168889E-07     .000000E+00   -1.395906E-04
   9      -1.014232E-05     .000000E+00   -9.031245E-04
0excess resonance integrals
0                resolved
0absorption       3.44197E-02
 fission           .0000E+00
- elapsed time     .00 min.
0 zr-95          mt=102                        updated 10/13/89    40095     temperature=  975.00
0 zircalloy      endf/b-iv mat 1284            updated 10/13/89    40302     temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =    90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =     6.385          lumped nuclear density   = 4.2515602E-02
0spin factor (g)          =     1.079          lump dimension (a-bar)   = 5.4610002E-01
0inner radius             = 4.7878999E-01      dancoff correction (c)   = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   8      -1.780596E-03     .000000E+00   -1.286907E+00
   9      -5.895373E-02     .000000E+00   -2.695297E+00
  10      -6.959935E-02     .000000E+00   -1.601321E+00
  11      -1.883957E-01     .000000E+00   -7.920912E-01
0excess resonance integrals
0                resolved
0absorption       2.28539E-01
 fission           .0000E+00
- elapsed time     .02 min.
0 nb-94          mt=102                        updated 10/13/89    41094     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =    93.101          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.779          lumped nuclear density   = 1.9264685E-12
0spin factor (g)          = 43808.801          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 8.8638710E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933            sigma(per absorber atom)= 9.8893160E+10
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13       1.043058E-02     .000000E+00    9.252687E-04
```

```
  14      9.836714E-03     .000000E+00   -4.064824E-04
0excess resonance integrals
0                 resolved
0absorption      9.15001E+01
 fission          .00000E+00
- elapsed time    .02 min.
0 mo-95          mt=102                    updated 10/13/89            42095     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   94.091            temperature(kelvin)     =  975.000
0potential scatter sigma  =    3.806            lumped nuclear density  = 2.6769019E-06
0spin factor (g)          =  607.724            lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00        dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995            sigma(per absorber atom)= 6.3790047E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.953            sigma(per absorber atom)= 7.1169805E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  10      -6.394451E-04     .000000E+00   -3.186197E-03
  11      -8.918543E-04     .000000E+00   -1.739890E-03
  12      -7.859523E-01     .000000E+00   -9.063395E-01
  13       1.608656E-04     .000000E+00   -2.672945E-05
0excess resonance integrals
0                 resolved
0absorption      1.02239E+02
 fission          .00000E+00
- elapsed time    .03 min.
0 tc-99          mt=102                    updated 10/13/89            43099     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   98.150            temperature(kelvin)     =  975.000
0potential scatter sigma  =    6.000            lumped nuclear density  = 5.4039870E-06
0spin factor (g)          = 4527.940            lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00        dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995            sigma(per absorber atom)= 3.1598834E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.953            sigma(per absorber atom)= 3.5254445E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -6.777676E-03     .000000E+00   -3.210475E-03
  12      -1.631648E-03     .000000E+00   -5.081438E-05
  13      -1.107964E-01     .000000E+00   -5.874954E-03
  14      -2.435848E+00     .000000E+00   -7.828959E-02
  15       1.071626E-02     .000000E+00   -5.407191E-04
  16       4.836187E-03     .000000E+00   -2.802631E-04
  17       2.074322E-04     .000000E+00   -1.191812E-05
0excess resonance integrals
0                 resolved
0absorption      3.32001E+02
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-101         mt=102                    updated 10/13/89            44101     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  100.039            temperature(kelvin)     =  975.000
0potential scatter sigma  =    3.965            lumped nuclear density  = 4.7321578E-06
0spin factor (g)          = 8785.290            lump dimension (a-bar)  = 4.6812201E-01
```

```
0inner radius            = .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995              sigma(per absorber atom)= 3.6084953E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933              sigma(per absorber atom)= 4.0259555E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11     -3.553836E-02     .000000E+00   -3.639097E-03
  12     -9.755727E-04     .000000E+00   -5.808257E-03
  13     -1.229985E-01     .000000E+00   -3.321174E-03
  14      2.378476E-04     .000000E+00   -4.188966E-05
0excess resonance integrals
0                resolved
0absorption     7.98180E+01
 fission         .00000E+00
-  elapsed time    .03 min.
0 ru-106        mt=102                  updated 10/13/89            44106     temperature=   975.00
0 rh-103        mt=102                  updated 10/13/89            45103     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   102.021            temperature(kelvin)      =   975.000
0potential scatter sigma =     5.408            lumped nuclear density   = 2.3407463E-06
0spin factor (g)         =      .500            lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995              sigma(per absorber atom)= 7.2950961E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933              sigma(per absorber atom)= 8.1390531E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9      1.306869E-03     .000000E+00    2.105955E-03
  10     -1.898117E-03     .000000E+00   -2.778616E-03
  11     -4.338274E-03     .000000E+00   -3.986314E-03
  12     -2.262462E-05     .000000E+00   -1.475302E-05
  13       .000000E+00     .000000E+00     .000000E+00
  14       .000000E+00     .000000E+00     .000000E+00
  15      2.318858E-01     .000000E+00    3.405204E-03
  16      3.871956E+01     .000000E+00   -3.705610E-02
  17     -1.821079E+02     .000000E+00   -1.360488E-01
  18      8.789906E+01     .000000E+00    2.618830E-01
  19      1.158776E+01     .000000E+00   -1.741986E-03
  20      1.095437E+00     .000000E+00   -2.541057E-03
  21      2.166068E-01     .000000E+00    1.924628E-03
  22      2.583945E-01     .000000E+00    2.928515E-03
  23     -9.881276E-02     .000000E+00    1.799191E-03
0excess resonance integrals
0                resolved
0absorption     1.16157E+03
 fission         .00000E+00
-  elapsed time    .07 min.
0 rh-105         mt=  102                                            45105     temperature=   975.00
0 pd-105        mt=102                  updated 10/13/89            46105     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   104.004            temperature(kelvin)      =   975.000
0potential scatter sigma =     4.069            lumped nuclear density   = 1.3297126E-06
0spin factor (g)         = 15210.000            lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00          dancoff correction (c)    = 3.4269261E-01
```

```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.284184E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.432750E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12      -4.677669E-02     .000000E+00    -5.586722E-04
  13       3.803558E-02     .000000E+00     2.126497E-04
  14       7.780862E-04     .000000E+00    -8.177772E-05
0excess resonance integrals
0                 resolved
0absorption      6.13159E+01
 fission          .00000E+00
-  elapsed time    .07 min.
0 pd-108         mt=102                  updated 10/13/89            46108     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   106.977          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.146          lumped nuclear density   = 2.447744E-07
0spin factor (g)          = 21175.100          lump dimension (a-bar)   = 4.681220IE-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.426926IE-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 6.976206E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 7.783270E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11       1.170669E-04     .000000E+00     3.532981E-04
  12      -2.125912E-01     .000000E+00    -1.571068E-01
  13       6.960011E-03     .000000E+00     1.817820E-03
  14       8.561519E-02     .000000E+00    -3.206084E-05
  15      -1.840163E-01     .000000E+00     8.083916E-05
  16       2.946572E-04     .000000E+00    -9.255520E-06
0excess resonance integrals
0                 resolved
0absorption      2.13856E+02
 fission          .00000E+00
-  elapsed time    .07 min.
0 silver-109     endf/b-iv mat 1139          updated 10/13/89            47109     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   107.969          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.988          lumped nuclear density   = 1.719020IE-07
0spin factor (g)          =  1441.870          lump dimension (a-bar)   = 4.681220IE-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.426926IE-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 9.933544E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.108273E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10       1.572875E-05     .000000E+00     5.607148E-05
  11      -2.958349E-04     .000000E+00    -3.086447E-04
  12      -7.000611E-01     .000000E+00    -3.096924E-02
  13       7.672952E-01     .000000E+00     3.380760E-02
  14      -1.276054E+00     .000000E+00    -1.330846E-01
```

```
0excess resonance integrals
0                resolved
0absorption      1.40192E+03
 fission          .00000E+00
-  elapsed time    .08 min.
0 sb-124        mt=102                          updated 10/13/89          51124    temperature=  975.00
0 xe-131        mt=102,103,104,105,106          updated 10/13/89          54131    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   129.781           temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301           lumped nuclear density   = 2.4862286E-06
0spin factor (g)          =   246.825           lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995           sigma(per absorber atom)= 6.8682219E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953           sigma(per absorber atom)= 7.6627958E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9      -5.435217E-07      .000000E+00     -5.546435E-06
  10      -4.275769E-05      .000000E+00     -2.949953E-05
  11      -5.986983E-04      .000000E+00     -4.738494E-04
  12      -1.223367E-02      .000000E+00     -1.146901E-03
  13      -2.212901E+01      .000000E+00     -5.198911E+01
  14       1.114542E-02      .000000E+00      1.558993E-02
0excess resonance integrals
0                resolved
0absorption      8.14574E+02
 fission          .00000E+00
-  elapsed time    .08 min.
0 xe-132        mt=102,103,104,105,106          updated 10/13/89          54132    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   130.771           temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301           lumped nuclear density   = 4.0704567E-06
0spin factor (g)          =   675.899           lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995           sigma(per absorber atom)= 4.1950988E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953           sigma(per absorber atom)= 4.6804223E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9      -5.962792E-06      .000000E+00     -2.529266E-05
  10      -1.933940E-03      .000000E+00     -2.463120E-02
  11       3.344756E-08      .000000E+00     -9.288666E-07
0excess resonance integrals
0                resolved
0absorption      9.81102E-01
 fission          .00000E+00
-  elapsed time    .08 min.
0 xenon-135     endf/b-iv mat 1294              updated 10/13/89          54135    temperature=  975.00
0 xe-136          mt=  102,  103,  104,  105,  107                        54136    temperature=  975.00
0 cesium-133    endf/b-iv mat 1141              updated 10/13/89          55133    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   131.764           temperature(kelvin)      =   975.000
0potential scatter sigma  =     7.100           lumped nuclear density   = 5.8520964E-06
0spin factor (g)          =   374.437           lump dimension (a-bar)   = 4.6812201E-01
```

```
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995              sigma(per absorber atom)= 2.9179234E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   238.051              sigma(per absorber atom)= 3.1298555E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  9      -1.887062E-05     .000000E+00   -7.493133E-05
 10      -7.596672E-04     .000000E+00   -1.483612E-03
 11      -3.006341E-02     .000000E+00   -5.280977E-02
 12      -4.622045E-02     .000000E+00   -6.466606E-03
 13      -7.637489E-02     .000000E+00   -4.163851E-03
 14      -3.492669E+00     .000000E+00   -1.536146E-01
 15       5.629050E-03     .000000E+00   -4.052004E-04
 16       2.777937E-03     .000000E+00   -2.215569E-04
 17       2.352212E-03     .000000E+00   -1.830859E-04
 18       2.215046E-03     .000000E+00   -1.679641E-04
 19       1.316962E-03     .000000E+00   -9.669043E-05
0excess resonance integrals
0                 resolved
0absorption      3.62934E+02
 fission          .0000E+00
- elapsed time    .12 min.
0 cs-134        mt=102                    updated 10/13/89          55134    temperature=  975.00
0 cs-135          mt=  102                                          55135    temperature=  975.00
0 cs-137        mt=102                    updated 10/13/89          55137    temperature=  975.00
0 ba-136        mt=102                    updated 10/13/89          56136    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   134.737          temperature(kelvin)      =   975.000
0potential scatter sigma =     4.835          lumped nuclear density   = 1.6662506E-08
0spin factor (g)         =  1247.690          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 1.0248140E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933          sigma(per absorber atom)= 1.1433728E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
 10       1.369930E-06     .000000E+00    5.943214E-07
 11       2.314354E-05     .000000E+00    1.988492E-05
0excess resonance integrals
0                 resolved
0absorption      1.38477E+00
 fission          .0000E+00
- elapsed time    .12 min.
0 la-139        mt=102                    updated 10/13/89          57139    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   137.713          temperature(kelvin)      =   975.000
0potential scatter sigma =     4.906          lumped nuclear density   = 5.7069874E-06
0spin factor (g)         =   145.855          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 2.9921162E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933          sigma(per absorber atom)= 3.3382688E+04
0moderator-2 will be treated by the nordheim integral method.
```

```
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9       3.805399E-05      .000000E+00      5.740214E-03
  10      -1.504161E-04      .000000E+00     -1.204486E-02
  11        .000000E+00      .000000E+00       .000000E+00
  12      -1.948691E-02      .000000E+00     -1.179694E-02
0excess resonance integrals
0                 resolved
0absorption       8.12762E+00
 fission           .00000E+00
- elapsed time     .12 min.
0 ce-144           mt=  102                                              58144     temperature=  975.00
0 pr-141        mt=102,103,104,105,106,107     updated 10/13/89          59141     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   139.697          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.953          lumped nuclear density   = 4.2035758E-06
0spin factor (g)          =  1026.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.0622484E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 4.5322023E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -1.643180E-03      .000000E+00     -5.576479E-02
  11      -2.754610E-02      .000000E+00     -3.665692E-01
  12      -5.687621E-04      .000000E+00     -5.415349E-05
0excess resonance integrals
0                 resolved
0absorption       1.22546E+01
 fission           .00000E+00
- elapsed time     .13 min.
0 pr-143        mt=102                 updated 10/13/89          59143     temperature=  975.00
0 nd-143        mt=102                 updated 10/13/89          60143     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   141.682          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.000          lumped nuclear density   = 4.6473847E-06
0spin factor (g)          =  1964.860          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.6743180E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 4.0993934E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -4.982481E-05      .000000E+00      8.771327E-07
  11      -1.101106E-01      .000000E+00     -1.283758E+00
  12      -7.161235E-02      .000000E+00     -3.529003E-02
0excess resonance integrals
0                 resolved
0absorption       5.14195E+01
 fission           .00000E+00
- elapsed time     .13 min.
0 nd-145        mt=102                 updated 10/13/89          60145     temperature=  975.00
0resonance data for this nuclide
```

```
0mass number (a)          =   143.668          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.047          lumped nuclear density   = 3.4498573E-06
0spin factor (g)          =  1007.250          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.9497613E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 5.5223902E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  10      -1.344789E-03     .000000E+00    -2.136374E-02
  11      -2.129543E-02     .000000E+00    -6.398525E-02
  12      -5.333031E-01     .000000E+00    -3.363911E+00
  13       9.642947E-05     .000000E+00     2.035074E-04
  14      -4.462860E-01     .000000E+00    -1.178288E-02
  15       5.911948E-03     .000000E+00    -4.630747E-04
  16       1.326684E-03     .000000E+00    -1.451429E-04
  17       9.642449E-04     .000000E+00    -1.063953E-04
  18       8.539560E-04     .000000E+00    -9.313719E-05
  19       7.633858E-04     .000000E+00    -8.069340E-05
  20       2.838788E-05     .000000E+00    -2.918880E-06
0excess resonance integrals
0                 resolved
0absorption      2.09006E+02
 fission          .00000E+00
-  elapsed time     .15 min.
0 nd-147        mt=102                    updated 10/13/89          60147    temperature=  975.00
0 pm-147        mt=102                    updated 10/13/89          61147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 1.6301379E-06
0spin factor (g)          = 21589.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.0475168E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.1687021E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      -7.792760E-02     .000000E+00    -2.542797E-02
  13      -2.008160E-02     .000000E+00    -1.330387E-03
  14      -3.819863E+01     .000000E+00    -1.649132E+01
  15       4.136012E-02     .000000E+00     6.991183E-03
  16       1.698022E-02     .000000E+00     1.746796E-03
  17       1.369751E-02     .000000E+00     1.150444E-03
  18       1.253791E-02     .000000E+00     9.648220E-04
  19       6.998988E-04     .000000E+00     5.089710E-05
0excess resonance integrals
0                 resolved
0absorption      2.07270E+03
 fission          .00000E+00
-  elapsed time     .15 min.
0 pm-148         mt=  102                                             61148    temperature=  975.00
0 sm-147        endf/b-v fission product  updated 10/13/89            62147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
```

```
0potential scatter sigma =    5.095          lumped nuclear density   = 1.3748208E-07
0spin factor (g)         =     .000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 1.2420506E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953          sigma(per absorber atom)= 1.3857411E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11      2.942457E-01    .000000E+00    1.142727E+00
  12      1.226539E+00    .000000E+00   -1.271958E+00
  13     -1.998422E+00    .000000E+00   -5.783997E-01
  14     -9.921163E-02    .000000E+00    1.325926E-03
  15      3.120852E-01    .000000E+00   -1.928839E-03
  16      7.287928E-03    .000000E+00   -3.738814E-04
  17      4.281534E-03    .000000E+00   -2.401662E-04
  18      3.510477E-03    .000000E+00   -1.997241E-04
  19      2.910625E-03    .000000E+00   -1.649498E-04
  20      8.434717E-04    .000000E+00   -4.626269E-05
0excess resonance integrals
0              resolved
0absorption   7.24819E+02
 fission       .00000E+00
- elapsed time   .15 min.
                          thermal scattering matrix number  3 at a temperature of   900.03 was selected.
0 sm-149      mt=102,103,107          updated 10/13/89          62149    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  147.638          temperature(kelvin)      =  975.000
0potential scatter sigma =    3.260          lumped nuclear density   = 6.8765765E-08
0spin factor (g)         = 10407.900          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 2.4832080E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953          sigma(per absorber atom)= 2.7704858E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11      8.546665E-03    .000000E+00    3.071190E-02
  12     -5.175606E-02    .000000E+00   -1.756437E-01
  13      2.469983E-02    .000000E+00    3.072132E-03
  14      2.173088E-02    .000000E+00   -5.657746E-03
0excess resonance integrals
0              resolved
0absorption   8.04362E+02
 fission       .00000E+00
- elapsed time   .17 min.
0 sm-150      mt=102                  updated 10/13/89          62150    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  148.629          temperature(kelvin)      =  975.000
0potential scatter sigma =    5.162          lumped nuclear density   = 9.8938278E-07
0spin factor (g)         = 4376.420          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 1.7259214E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953          sigma(per absorber atom)= 1.9255902E+05
```

```
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  10      -3.977634E-04     .000000E+00   -3.346134E-03
  11      -7.212800E-03     .000000E+00   -8.334447E-02
  12      -2.322022E-02     .000000E+00   -7.025721E-03
  13      -1.750211E+00     .000000E+00   -1.382926E+00
  14       1.066729E-04     .000000E+00   -6.428760E-05
0excess resonance integrals
0                 resolved
0absorption      2.95014E+02
 fission          .00000E+00
- elapsed time    .17 min.
0 sm-151        mt=102,103,104,105,106,107     updated 10/13/89              62151     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   149.623              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.185              lumped nuclear density   = 2.2294195E-07
0spin factor (g)          = 75574.703              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 7.6595794E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 8.5454788E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  14      -1.260789E-01     .000000E+00   -1.571515E-02
  15       1.495457E+01     .000000E+00    7.582636E-02
  16      -2.174609E+01     .000000E+00   -6.158413E-02
  17       1.740700E+02     .000000E+00    8.314693E-01
  18      -3.203416E+02     .000000E+00   -1.779017E+00
  19       6.257412E+01     .000000E+00    3.868963E-01
  20       1.141725E+00     .000000E+00   -1.430370E-04
  21      -7.117601E-02     .000000E+00    1.244101E-02
  22       6.952590E-02     .000000E+00    3.838911E-03
  23      -1.091934E-02     .000000E+00    3.374082E-04
0excess resonance integrals
0                 resolved
0absorption      2.05723E+03
 fission          .00000E+00
- elapsed time    .17 min.
0 sm-152        mt=102,103,104,105,106,107     updated 10/13/89              62152     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   150.615              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.208              lumped nuclear density   = 4.5863854E-07
0spin factor (g)          =   863.594              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 3.7231869E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 4.1539156E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9       2.403099E-06     .000000E+00    1.159013E-04
  10      -2.977777E-04     .000000E+00   -5.161796E-03
  11      -4.910418E-03     .000000E+00   -1.886720E-02
```

```
  12      -3.476394E-02     .000000E+00   -1.112866E-01
  13       4.267894E-02     .000000E+00    1.038350E-01
  14      -3.296637E+01     .000000E+00   -6.405277E+01
0excess resonance integrals
0                 resolved
0absorption       2.86785E+03
 fission           .0000E+00
- elapsed time     .18 min.
0 eu-153        mt=102,103,104,105,106,107     updated 10/13/89              63153     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   151.607              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density   = 2.0236102E-07
0spin factor (g)          = 12265.900              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 8.4383688E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 9.4145881E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12      -2.642001E-01     .000000E+00   -5.146335E-02
  13      -4.666036E-02     .000000E+00    1.190590E-03
  14      -5.099637E-01     .000000E+00    4.398705E-03
  15       3.248557E+00     .000000E+00   -1.528816E-02
  16      -3.290308E+00     .000000E+00    8.160209E-03
  17       1.505621E-01     .000000E+00   -3.437866E-03
  18       7.726887E-02     .000000E+00   -2.231257E-03
  19       5.055489E-02     .000000E+00   -1.541136E-03
  20      -1.253800E-01     .000000E+00   -1.275099E-03
0excess resonance integrals
0                 resolved
0absorption       1.35617E+03
 fission           .0000E+00
- elapsed time     .18 min.
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89              63154     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   152.601              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density   = 1.5732551E-08
0spin factor (g)          = 19135.801              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 1.0853910E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 1.2109579E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12      -3.850079E-01     .000000E+00   -6.016346E-02
  13      -2.952728E-01     .000000E+00   -2.428586E-02
  14       3.575466E-01     .000000E+00    1.516498E-02
  15       2.236522E-01     .000000E+00    2.124466E-02
  16       7.311881E+00     .000000E+00    9.277001E-02
  17      -1.436421E+02     .000000E+00   -1.894816E+00
  18       1.138535E+02     .000000E+00    1.859974E+00
  19      -1.014556E+02     .000000E+00    1.187201E+00
0excess resonance integrals
0                 resolved
```

```
0absorption       2.13726E+03
 fission           .00000E+00
- elapsed time     .20 min.
0 eu-155        mt=102,103,104,105,106,107     updated 10/13/89              63155     temperature=  975.00
0 gd-155        mt=102                         updated 10/13/89              64155     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   153.592              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.277              lumped nuclear density   = 4.4661727E-10
0spin factor (g)          = 12700.100              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 3.8234010E+08
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953              sigma(per absorber atom)= 4.2657255E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12      -1.439265E+00     .000000E+00    -1.839428E-01
  13       1.541370E+00     .000000E+00     1.985343E-01
  14       2.191864E-01     .000000E+00     9.809159E-03
  15      -3.299638E-01     .000000E+00     2.121291E-05
  16       1.477360E+00     .000000E+00    -4.148869E-03
  17       1.568660E-01     .000000E+00    -1.479107E-03
  18       9.605215E-02     .000000E+00    -1.078090E-03
  19       6.295375E-02     .000000E+00    -8.026877E-04
  20       1.670387E-02     .000000E+00     1.627052E-04
  21        .000000E+00     .000000E+00      .000000E+00
  22        .000000E+00     .000000E+00      .000000E+00
  23        .000000E+00     .000000E+00      .000000E+00
  24        .000000E+00     .000000E+00      .000000E+00
  25      -2.127682E+03     .000000E+00    -1.621909E+00
  26      -5.205600E+03     .000000E+00     1.961438E+00
  27      -1.699943E+03     .000000E+00     7.392455E-01
0excess resonance integrals
0                 resolved
0absorption       3.97076E+04
 fission           .00000E+00
- elapsed time     .20 min.
0u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                            92234     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   232.029              temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.021              lumped nuclear density   = 5.2482073E-06
0spin factor (g)          =  6948.450              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 3.2536768E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.985              sigma(per absorber atom)= 3.6289773E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11      -2.512538E-02     .000000E+00    -7.324254E-02
  12      -2.046605E-01     .000000E+00    -8.580936E-02
  13       7.759475E-04     .000000E+00    -6.470333E-04
  14      -1.997561E+01     .000000E+00    -3.270589E+00
0excess resonance integrals
0                 resolved
0absorption       5.80055E+02
```

```
 fission          .00000E+00
- elapsed time    .22 min.
0 uranium-235    endf/b-iv mat 1261          updated 10/13/89          92235     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   233.025          temperature(kelvin)     =   975.000
0potential scatter sigma  =    11.500          lumped nuclear density  = 5.9589074E-04
0spin factor (g)          = 15171.100          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.8656207E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.049          sigma(per absorber atom)= 3.0752908E+02
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12     -2.447811E+00   -1.524337E+00   -5.714441E-02
  13     -8.348241E+00   -4.150502E+00   -1.796663E-01
  14     -6.699653E+00   -4.094368E+00   -4.552142E-02
0excess resonance integrals
0                 resolved
0absorption      2.07551E+02
 fission         1.23750E+02
- elapsed time    .23 min.
0u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                          92236     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   234.017          temperature(kelvin)     =   975.000
0potential scatter sigma  =    10.995          lumped nuclear density  = 2.0722968E-05
0spin factor (g)          =  6328.490          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 8.2401172E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.934          sigma(per absorber atom)= 9.1917979E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11     -1.039277E-01    .000000E+00   -2.571796E-01
  12     -5.309988E-01    .000000E+00   -3.788066E-01
  13     -5.769046E-02    .000000E+00   -3.293442E-03
  14     -2.037627E+01    .000000E+00   -1.783048E+00
0excess resonance integrals
0                 resolved
0absorption      3.07348E+02
 fission          .00000E+00
- elapsed time    .23 min.
0 uranium-238    endf/b-iv mat 1262          updated 10/13/89          92238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.006          temperature(kelvin)     =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density  = 2.2005754E-02
0spin factor (g)          =   656.527          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 7.7597747E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   235.041          sigma(per absorber atom)= 3.3411396E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
```


```
0group       res abs         res fiss        res scat
   9      -3.947995E-02     .000000E+00   -4.054367E-01
  10      -1.027122E+00    -1.755973E-05   -6.488024E+00
  11      -9.711375E+00     .000000E+00   -2.690508E+01
  12      -4.305445E+01     .000000E+00   -4.999392E+01
  13      -5.402042E+01     .000000E+00   -1.769342E+01
  14      -1.045127E+02     .000000E+00   -6.060392E+00
0excess resonance integrals
0                  resolved
0absorption       1.79715E+01
 fission          5.03877E-04
- elapsed time     .27 min.
0 neptunium-237  endf/b-iv mat 1263          updated 10/13/89          93237     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   235.012          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.500          lumped nuclear density   = 6.1552282E-07
0spin factor (g)          = 10100.800          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.7742219E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 2.9757166E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -6.310233E-02    -1.891714E-06   -7.378057E-03
  12       4.218429E-02    -8.454046E-05    9.232542E-03
  13       3.188290E-02     9.189823E-05    1.176374E-03
  14       1.812240E-03    -4.420698E-07   -7.012343E-04
0excess resonance integrals
0                  resolved
0absorption       2.93217E+02
 fission          1.39601E-01
- elapsed time     .28 min.
0pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          94238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.167          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.890          lumped nuclear density   = 2.4133211E-08
0spin factor (g)          = 13130.600          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 7.0757130E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 7.5896300E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11       2.558166E-04     4.698395E-05    1.618825E-04
  12       2.251013E-04     2.790752E-05    6.807128E-05
  13       4.159104E-01     7.576818E-02   -9.090646E-03
  14      -3.822199E-01    -6.987483E-02    8.538971E-03
0excess resonance integrals
0                  resolved
0absorption       8.25544E+01
 fission          9.08569E+00
- elapsed time     .28 min.
0 plutonium-239  endf/b-iv mat 1264          updated 10/13/89          94239     temperature=   975.00
0resonance data for this nuclide
```


```
0mass number (a)          =  236.999          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.200          lumped nuclear density   = 4.3678352E-05
0spin factor (g)          = 6435.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 3.9094807E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051             sigma(per absorber atom)= 4.1934307E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11     -9.177634E-02  -3.673252E-02  -2.851647E-02
  12     -8.298708E-01  -3.110823E-01  -1.095888E-01
  13     -2.744968E+00  -1.617178E+00  -4.145862E-02
  14     -8.716330E-01  -4.624437E-01  -8.125940E-03
0excess resonance integrals
0              resolved
0absorption   3.1424&E+02
 fission      1.7634&E+02
-  elapsed time    .30 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89          94240     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =  237.992          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.599          lumped nuclear density   = 3.2538619E-06
0spin factor (g)          =  669.244          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 5.2479082E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051             sigma(per absorber atom)= 5.6290699E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   9     -1.645389E-05  -9.641771E-08   1.595931E-05
  10     -7.262856E-04  -4.573095E-05  -3.344887E-03
  11     -2.478088E-02  -1.430572E-04  -3.309150E-02
  12     -3.513186E-01  -1.918701E-03  -3.392016E-01
  13     -4.186758E-02  -2.567179E-04  -3.054945E-03
  14      .000000E+00    .000000E+00    .000000E+00
  15      1.756127E-02   3.351644E-06   3.491331E-03
  16      3.297924E+00   6.294232E-04   4.201667E-01
  17      5.489325E+02   1.047662E-01   4.966195E+01
  18     -3.939466E+03  -7.518645E-01  -3.138248E+02
  19      9.648171E+02   1.841392E-01   7.365369E+01
  20     -9.268690E+01  -1.768951E-02   1.798660E+00
0excess resonance integrals
0              resolved
0absorption   7.2998E+03
 fission      2.4176&E+00
-  elapsed time    .33 min.
0 plutonium-241  endf/b-iv mat 1266          updated 10/13/89          94241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =  238.978          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.939          lumped nuclear density   = 7.5090043E-07
0spin factor (g)          = 16402.100         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 2.2740656E+05
```

```
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 2.4392334E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12       1.261874E-02     1.123534E-02     6.726373E-04
  13      -7.312725E-02    -6.251993E-02    -3.190468E-03
  14       1.711866E-02     2.446088E-02     1.205490E-03
  15       1.800097E-02     1.613804E-02    -4.695504E-04
0excess resonance integrals
0                 resolved
0absorption      5.09404E+02
 fission         4.27006E+02
-  elapsed time    .33 min.
0 plutonium-242  endf/b-iv mat 1161          updated 10/13/89              94242     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.145          temperature(kelvin)       =   975.000
0potential scatter sigma  =    10.694          lumped nuclear density    = 2.0662535E-08
0spin factor (g)          =  6606.710          lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 8.2642175E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 8.8644570E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11       1.105956E-04     .000000E+00      1.365222E-04
  12       1.446949E-04     .000000E+00     -3.032951E-04
  13       1.216182E-04     .000000E+00      4.935473E-06
  14       8.150499E-02     .000000E+00      1.527700E-02
  15       1.234793E-01     .000000E+00     -2.843461E-02
  16       4.034068E-02     .000000E+00     -3.459403E-03
  17       1.550418E-02     .000000E+00     -1.848301E-03
  18       1.112553E-02     .000000E+00     -1.430647E-03
0excess resonance integrals
0                 resolved
0absorption      1.11217E+03
 fission          .00000E+00
-  elapsed time    .35 min.
0am-241 1056 sig=5+4 new(lacs 218ngp p-3 295k                                    95241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.950          temperature(kelvin)       =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density    = 6.0496634E-09
0spin factor (g)          = 82058.203          lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 2.8226312E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 3.0276420E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  13       4.923901E-01     1.212940E-02     4.962131E-03
  14      -4.288642E-01    -1.107121E-02    -4.428857E-03
0excess resonance integrals
0                 resolved
```

```
0absorption       1.93477E+02
 fission          1.07614E+00
- elapsed time     .35 min.
0am-243 1057 218 gp wt f-1/e-m 090376 p3 295k                          95243     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.940          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 4.1914475E-10
0spin factor (g)          = 82052.602          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995           sigma(per absorber atom)= 4.0740029E+08
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051           sigma(per absorber atom)= 4.3699021E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  13      -6.604232E-03     .000000E+00    4.386608E-04
  14       2.231602E-02     .000000E+00    2.371130E-04
0excess resonance integrals
0                 resolved
0absorption       1.60152E+02
 fission           .00000E+00
- elapsed time     .35 min.
0 curium-244     endf/b-iv mat 1162          updated 10/13/89           96244     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   242.133          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.320          lumped nuclear density   = 9.1373150E-12
0spin factor (g)          =  5251.150          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995           sigma(per absorber atom)= 1.8688168E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051           sigma(per absorber atom)= 2.0045511E+10
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11       2.582341E-04    7.064275E-06    3.053164E-04
  12       6.952982E-04    3.252501E-05    1.372209E-04
  13       2.720734E-03    1.336612E-04    7.128655E-04
  14       8.467852E-02    5.066236E-03    1.605748E-02
0excess resonance integrals
0                 resolved
0absorption       6.13904E+02
 fission          3.54222E+01
- elapsed time     .35 min.
- elapsed time     .35 min.
1     this xsdrn working tape was created 02/16/96 at 09:56:57
      the title of the parent case is as follows
      scale 4.2 - 27 group neutron burnup library
         based on endf-b version 4 data with endf-b version 5 fission products
            compiled for nrc     1/27/89
          tape id                        4321        number of nuclides              65
          number of neutron groups         27        number of gamma groups           0
          first thermal group              15        logical unit                     4
                                table of contents
       1/v cross sections normalized to 1.0 at 0.0253 ev                        id    999
        hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89           id   1001
       b-10 1273 218ngp 042375 p-3 295k                                         id   5010
```

boron-11	endf/b-iv mat 1160	updated 10/13/89	id 5011
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id 8016
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id 6
kr-83	mt=102,103,103,105,106,107	updated 10/13/89	id 36083
kr-85	mt= 102		id 36085
sr-90	mt=102	updated 10/13/89	id 38090
y-89	mt=102	updated 10/13/89	id 39089
zr-93	mt= 102		id 40093
zr-94	mt=102	updated 10/13/89	id 40094
zr-95	mt=102	updated 10/13/89	id 40095
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id 40302
nb-94	mt=102	updated 10/13/89	id 41094
mo-95	mt=102	updated 10/13/89	id 42095
tc-99	mt=102	updated 10/13/89	id 43099
ru-101	mt=102	updated 10/13/89	id 44101
ru-106	mt=102	updated 10/13/89	id 44106
rh-103	mt=102	updated 10/13/89	id 45103
rh-105	mt= 102		id 45105
pd-105	mt=102	updated 10/13/89	id 46105
pd-108	mt=102	updated 10/13/89	id 46108
silver-109	endf/b-iv mat 1139	updated 10/13/89	id 47109
sb-124	mt=102	updated 10/13/89	id 51124
xe-131	mt=102,103,104,105,106	updated 10/13/89	id 54131
xe-132	mt=102,103,104,105,106	updated 10/13/89	id 54132
xenon-135	endf/b-iv mat 1294	updated 10/13/89	id 54135
xe-136	mt= 102, 103, 104, 105, 107		id 54136
cesium-133	endf/b-iv mat 1141	updated 10/13/89	id 55133
cs-134	mt=102	updated 10/13/89	id 55134
cs-135	mt= 102		id 55135
cs-137	mt=102	updated 10/13/89	id 55137
ba-136	mt=102	updated 10/13/89	id 56136
la-139	mt=102	updated 10/13/89	id 57139
ce-144	mt= 102		id 58144
pr-141	mt=102,103,104,105,106,107	updated 10/13/89	id 59141
pr-143	mt=102	updated 10/13/89	id 59143
nd-143	mt=102	updated 10/13/89	id 60143
nd-145	mt=102	updated 10/13/89	id 60145
nd-147	mt=102	updated 10/13/89	id 60147
pm-147	mt=102	updated 10/13/89	id 61147
pm-148	mt= 102		id 61148
sm-147	endf/b-v fission product	updated 10/13/89	id 62147
sm-149	mt=102,103,107	updated 10/13/89	id 62149
sm-150	mt=102	updated 10/13/89	id 62150
sm-151	mt=102,103,104,105,106,107	updated 10/13/89	id 62151
sm-152	mt=102,103,104,105,106,107	updated 10/13/89	id 62152
eu-153	mt=102,103,104,105,106,107	updated 10/13/89	id 63153
eu-154	mt=102,103,104,105,106,107	updated 10/13/89	id 63154
eu-155	mt=102,103,104,105,106,107	updated 10/13/89	id 63155
gd-155	mt=102	updated 10/13/89	id 64155
u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)			id 92234
uranium-235	endf/b-iv mat 1261	updated 10/13/89	id 92235
u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)			id 92236
uranium-238	endf/b-iv mat 1262	updated 10/13/89	id 92238
neptunium-237	endf/b-iv mat 1263	updated 10/13/89	id 93237
pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)			id 94238
plutonium-239	endf/b-iv mat 1264	updated 10/13/89	id 94239
plutonium-240	endf/b-iv mat 1265	updated 10/13/89	id 94240
plutonium-241	endf/b-iv mat 1266	updated 10/13/89	id 94241
plutonium-242	endf/b-iv mat 1161	updated 10/13/89	id 94242
am-241 1056 sigo=5+4 newxlacs 218ngp p-3 293k			id 95241


am-243 1057 218 gp wt f-1/e-m 090576 p3 295k
id 95243
curium-244 endf/b-iv mat 1162
updated 10/13/89
id 96244
tape copy used 0 i/o's, and took .00 seconds




```
**********************************************************************
**********************************************************************
**********************************************************************
*****                                                            *****
*****                program verification information             *****
*****                                                            *****
*****               code system:  scale  version:  4.2           *****
*****                                                            *****
**********************************************************************
**********************************************************************
*****                                                            *****
*****                                                            *****
*****           program:  c0c001                                 *****
*****                                                            *****
*****      creation date:  04/27/95                              *****
*****                                                            *****
*****           library:  /neutronics/scale/exe                  *****
*****                                                            *****
*****                                                            *****
*****   this is not a  scale  configuration controlled code      *****
*****                                                            *****
*****           jobname:  davis                                  *****
*****                                                            *****
*****   date of execution:  02/16/96                             *****
*****                                                            *****
*****   time of execution:  09:58:08                             *****
*****                                                            *****
*****                                                            *****
**********************************************************************
**********************************************************************
**********************************************************************
1
                    240 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gvd/mtu burn high temp
0      -1q array has      1 entries.
0       1q array has     15 entries.
0       2q array has     10 entries.
0       3q array has     12 entries.
0       4q array has      9 entries.
0       5q array has     12 entries.
0direct access unit  9 requires    12 blocks of length  704 for cross section mixing.
1                    240 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gvd/mtu burn high temp
0general problem description data block
0                          general problem data

 igm  1/2/3 = plane/cylinder/sphere       2        isn  quadrature order                 8
```

```
 izm  number of zones                    4      isct order of scattering              3
 im   number of special intervals       24      ievt 0/1/2/3/4/5/6=o/k/alpha/c/z/r/h  1
 ibl  0/1/2/3 = vacuum/refl/per/white    1      iim  inner iteration maximum        20
 ibr  right boundary condition           3      iom  outer iteration maximum        25
 mxx  number of mixtures                 3      iclc -1/0/n--flat res/sn/opt          0
 ms   mixing table length               65      ith  0/1 = forward/adjoint           0
 ign  number of energy groups           27      iflu not used(always wgtd)            0
 nng  number of neutron groups          27      iprt -2/-1/0/n=mixture xsec print    -2
 ngg  number of gamma groups             0      idl  0/1/2/3=no/prt nd/pch n/both    53
 iftg number of first thermal group     15      ipbt -1/0/1=none/fire/all bal. prt    0
0                              special options

 ifg  0/1 = none/weighting calculation   1      ipn  0/1/2 diff. coef. param          0
 iqm  volumetric sources (0/n=no/yes)    0      idfm 0/1 = none/density factors 38*   1
 ipm  boundary sources (0/n=no/yes)      0      iaz  0/n = none/n activities by zone  0
 ifn  0/1/2 = input 33*/34*/use last    53      iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10      ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0      ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0      isen outer iteration acceleration     0
 ibln activity data unit                 0      rbnd band rebaln parameter            0
 jbkl 0/1/2 buckling geometry            0
0                            weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1      ihtf total xsect psn in brd gp tables 3
 igmf number of broad groups            27      ndsf psn g-g or file number           4
 itp  0/10/20/30/40 0/c/e/ac/a           0      nusf table length or max order        4
 ipp  -2/-1/0/n=wgted xsect print       -2      mxm extra 1-d x-sect positions        0
 iap  -1/n anisn xsect print            -1
0                            floating point parameters

 eps  overall convergence       1.00000E-04      dy  cyl/pla ht for buckling     .00000E+00
 ptc  point convergence         1.00000E-04      dz  plane depth for buckling    .00000E+00
 xnf  normalization factor      1.00000E+00      vsc  void streaming correction  .00000E+00
 ev   eigenvalue guess           .00000E+00      pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier        .00000E+00      eql  ev change eps for search  1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00      xnpm new param mod for search  7.50000E-01
     this case will require      2535 locations for mixing
     this case has been allocated 200000 locations
1                  240 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       13q array has     65 entries.
0       14q array has     65 entries.
0       15q array has     65 entries.
0                              data block 2 (mixing table, etc.)
0     nuclides          cccc                          mixing table                    extra
        on tape    identification              mixture   component    atom density   xsect id's
     1     999                                      1       92235    5.95891E-04
     2    1001                                      1       92234    5.24821E-06
     3    5010                                      1       92236    2.07230E-05
     4    5011                                      1       92238    2.20058E-02
     5    8016                                      1        8016    4.55359E-02
     6       6                                      3           6    2.09710E-02
     7   36083                                      1       36083    4.52870E-07
     8   36085                                      1       36085    2.19160E-07
     9   38090                                      1       38090    4.90462E-06
    10   39089                                      1       39089    2.95210E-06
    11   40093                                      1       42095    2.67690E-06
    12   40094                                      1       40093    3.66334E-06
    13   40095                                      1       40094    5.64806E-06
    14   40902                                      1       40095    2.02113E-06
    15   41094                                      1       41094    1.92647E-12
```

16	42095	1	43099	5.40399E-06
17	43099	1	45103	2.34075E-06
18	44101	1	45105	1.42341E-08
19	44106	1	44101	4.73216E-06
20	45103	1	44106	6.38003E-07
21	45105	1	46105	1.32971E-06
22	46105	1	46108	2.44774E-07
23	46108	1	47109	1.71902E-07
24	47109	1	51124	4.79820E-11
25	51124	1	54131	2.48623E-06
26	54131	1	54132	4.07046E-06
27	54132	1	54135	6.51168E-09
28	54135	1	54136	9.02456E-06
29	54136	1	55134	8.14148E-08
30	55133	1	55135	2.79804E-06
31	55134	1	55137	5.70749E-06
32	55135	1	56136	1.66625E-08
33	55137	1	57139	5.70699E-06
34	56136	1	59141	4.20358E-06
35	57139	1	59143	4.03826E-07
36	58144	1	58144	3.63429E-06
37	59141	1	60143	4.64739E-06
38	59143	1	60145	3.44986E-06
39	60143	1	61147	1.63014E-06
40	60145	1	61148	4.34751E-09
41	60147	1	60147	1.34141E-07
42	61147	1	62147	1.37482E-07
43	61148	1	62149	6.87658E-08
44	62147	1	62150	9.89383E-07
45	62149	1	62151	2.22942E-07
46	62150	1	62152	4.58639E-07
47	62151	1	64155	4.46617E-10
48	62152	1	63153	2.02361E-07
49	63153	1	63154	1.57326E-08
50	63154	1	63155	3.12565E-08
51	63155	2	40302	4.25156E-02
52	64155	3	1001	4.19420E-02
53	92234	3	5010	3.81515E-06
54	92235	3	5011	1.54884E-05
55	92236	1	55133	5.85210E-06
56	92238	1	95237	6.15523E-07
57	95237	1	94238	2.41332E-08
58	94238	1	94239	4.36784E-05
59	94239	1	94240	3.25386E-06
60	94240	1	94241	7.50900E-07
61	94241	1	94242	2.06625E-08
62	94242	1	95241	6.04966E-09
63	95241	1	95243	4.19145E-10
64	95243	1	96244	9.13732E-12
65	96244	1	999	1.00000E-20

- elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 240 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	2	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01036E+07	12	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	13	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00	
15	3.04999E+00	1.50030E+01	2.10601E+06	15	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00	
17	1.29999E+00	1.58657E+01	1.52545E+06	17	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	21	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86933E+05	23	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	27	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 240 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	1	3			0	-2.79004E-01	3	0
2	1	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	2	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	3	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83052E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70655E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02
20					4.53365E-02	-1.91780E-01	21	-8.69444E-03
21					4.53365E-02	1.91780E-01	20	8.69444E-03
22					4.53365E-02	5.46143E-01	19	2.47597E-02
23					4.53365E-02	8.17361E-01	18	3.70655E-02
24					4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5

1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83082E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20862E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20862E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17236E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17236E-01
22	5.46143E-01	-4.49528E-01	-3.20862E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20862E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.29551E-02	1	0	2.10906E-03	1.00000E+00	0	
2	2.59102E-02	4.33406E-02	1	1.62798E-01	9.49318E-03	1.00000E+00	0	
3	6.07710E-02	8.75100E-02	1	3.81835E-01	2.94045E-02	1.00000E+00	0	
4	1.14249E-01	1.74155E-01	1	7.17848E-01	1.31104E-01	1.00000E+00	0	
5	2.34061E-01	2.93967E-01	1	1.47065E+00	2.21259E-01	1.00000E+00		
6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00		
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00		
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00		
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07946E-03	0		
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0		
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0		
12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0		
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00		
14	4.87528E-01	4.99987E-01	3	3.06329E+00	7.82768E-02	1.00000E+00		
15	5.12445E-01	5.24908E-01	3	3.21979E+00	8.21777E-02	1.00000E+00		
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00		
17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00		
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00		
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00		
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00		
21	6.80034E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00		
22	7.48592E-01	7.63893E-01	4	4.70354E+00	1.46875E-01	1.00000E+00		
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00		
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00		
25	8.13968E-01			5.11431E+00				

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	144	2.10439E-05	1.12496E+00	-1.38515E-01	1.00000E+00	-4.43609E-02	.00000E+00	.0000
2	221	-9.63613E-06	1.13858E+00	-1.26102E-03	-1.51759E-02	-4.62359E-03	.00000E+00	.0000
3	284	3.53239E-06	1.13978E+00	-1.41229E-04	-1.45082E-03	-8.89717E-04	.00000E+00	.0000
4	330	-6.49129E-06	1.14017E+00	-2.40409E-05	-2.83584E-04	-1.66783E-04	.00000E+00	.0167
5	361	-1.10716E-05	1.14028E+00	-5.19524E-06	-5.29128E-05	-2.70676E-05	.00000E+00	.0167

grp to grp inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh

1	1	1	1	3.99968E-08	24	1.00000E+00	1
2	2	1	1	4.75658E-08	24	1.00000E+00	1
3	3	1	1	4.42471E-08	24	1.00000E+00	1
4	4	1	1	4.34071E-08	24	1.00000E+00	1
5	5	1	1	4.76548E-08	24	1.00000E+00	1
6	6	1	1	3.14257E-08	24	1.00000E+00	1
7	7	1	1	2.35128E-08	24	1.00000E+00	1
8	8	1	1	5.70768E-09	24	1.00000E+00	1
9	9	1	2	3.06282E-09	24	1.00000E+00	1
10	10	1	1	3.10512E-09	24	1.00000E+00	1
11	11	1	1	3.15985E-09	24	1.00000E+00	1
12	12	1	2	7.43236E-10	24	1.00000E+00	1
13	13	1	24	1.12172E-09	24	1.00000E+00	1
14	14	1	24	1.28540E-09	24	1.00000E+00	1
15	15	1	24	3.80540E-05	24	9.99982E-01	1
16	16	1	24	4.84754E-05	24	9.99987E-01	1
17	17	1	18	1.60114E-05	24	9.99960E-01	1
18	18	1	18	1.77016E-05	24	9.99958E-01	1
19	19	1	18	1.54054E-05	24	9.99955E-01	1
20	20	1	24	5.22631E-05	24	9.99969E-01	1
21	21	1	18	2.56650E-05	24	9.99958E-01	1
22	22	1	24	4.65365E-05	24	9.99991E-01	1
23	23	1	24	2.26127E-06	24	1.00000E+00	1
24	24	1	24	1.31691E-05	24	1.00000E+00	1
25	25	1	24	1.56653E-05	24	1.00000E+00	1
26	26	1	21	1.67109E-05	24	1.00008E+00	2
27	27	1	2	2.98553E-06	24	1.00000E+00	2

6 388 -5.48963E-07 1.14015E+00 -7.61250E-07 -8.69375E-06 -5.37447E-06 .00000E+00 .0167

final monitor

lambda 1.14015E+00 production/absorption 1.14014E+00 angular flux on 16

- elapsed time .02 min.

1 240 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 int. zone number radius int. midpoint area volume prod density

1	1	.00000E+00	1.29551E-02	.00000E+00	2.10906E-03	3.34398E-03
2	1	2.59102E-02	4.33406E-02	1.62798E-01	9.49318E-03	1.50451E-02
3	1	6.07710E-02	8.75100E-02	3.81835E-01	2.94045E-02	4.66852E-02
4	1	1.14249E-01	1.74155E-01	7.17848E-01	1.31104E-01	2.10039E-01
5	1	2.34061E-01	2.93967E-01	1.47065E+00	2.21259E-01	3.62514E-01
6	1	3.53873E-01	3.80612E-01	2.22345E+00	1.27890E-01	2.14674E-01
7	1	4.07351E-01	4.24781E-01	2.55946E+00	9.30429E-02	1.59042E-01
8	1	4.42212E-01	4.55167E-01	2.77850E+00	7.41004E-02	1.28806E-01
9	2	4.68122E-01	4.68814E-01	2.94130E+00	4.07946E-03	.00000E+00
10	2	4.69507E-01	4.71481E-01	2.95000E+00	1.16988E-02	.00000E+00
11	2	4.73456E-01	4.75431E-01	2.97481E+00	1.17968E-02	.00000E+00
12	2	4.77405E-01	4.78098E-01	2.99962E+00	4.16023E-03	.00000E+00
13	3	4.78790E-01	4.83159E-01	3.00833E+00	2.65268E-02	.00000E+00
14	3	4.87528E-01	4.99987E-01	3.06323E+00	7.82768E-02	.00000E+00
15	3	5.12445E-01	5.24903E-01	3.21979E+00	8.21777E-02	.00000E+00
16	3	5.37362E-01	5.41731E-01	3.37634E+00	2.97427E-02	.00000E+00
17	4	5.46100E-01	5.53513E-01	3.43125E+00	5.15631E-02	.00000E+00
18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63893E-01	4.70354E+00	1.46875E-01	.00000E+00
23	4	7.79193E-01	7.89167E-01	4.89582E+00	9.89116E-02	.00000E+00
24	4	7.99141E-01	8.06554E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 240 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.72636E-01	1.31503E+00	1.67386E+00	1.03961E+00	1.57466E+00	3.03077E+00	2.90515E+00	2.07949E+00
2	1.72697E-01	1.31565E+00	1.67469E+00	1.04011E+00	1.57537E+00	3.03208E+00	2.90582E+00	2.07955E+00
3	1.72641E-01	1.31503E+00	1.67391E+00	1.03963E+00	1.57457E+00	3.03046E+00	2.90479E+00	2.07936E+00
4	1.72250E-01	1.31078E+00	1.66843E+00	1.03628E+00	1.56925E+00	3.01991E+00	2.89843E+00	2.07830E+00
5	1.71238E-01	1.29987E+00	1.65454E+00	1.02785E+00	1.55588E+00	2.99378E+00	2.88280E+00	2.07571E+00
6	1.70073E-01	1.28745E+00	1.63892E+00	1.01842E+00	1.54105E+00	2.96518E+00	2.86577E+00	2.07283E+00
7	1.69148E-01	1.27774E+00	1.62685E+00	1.01126E+00	1.52991E+00	2.94410E+00	2.85331E+00	2.07066E+00
8	1.68231E-01	1.26829E+00	1.61537E+00	1.00450E+00	1.51954E+00	2.92485E+00	2.84204E+00	2.06863E+00
9	1.67725E-01	1.26318E+00	1.60919E+00	1.00091E+00	1.51409E+00	2.91483E+00	2.83622E+00	2.06755E+00
10	1.67625E-01	1.26216E+00	1.60796E+00	1.00021E+00	1.51309E+00	2.91303E+00	2.83523E+00	2.06736E+00
11	1.67472E-01	1.26066E+00	1.60617E+00	9.99224E-01	1.51167E+00	2.91049E+00	2.83383E+00	2.06707E+00
12	1.67371E-01	1.25968E+00	1.60501E+00	9.98581E-01	1.51075E+00	2.90885E+00	2.83293E+00	2.06688E+00
13	1.67184E-01	1.25785E+00	1.60280E+00	9.97340E-01	1.50894E+00	2.90541E+00	2.83100E+00	2.06651E+00
14	1.66673E-01	1.25265E+00	1.59630E+00	9.93505E-01	1.50312E+00	2.89411E+00	2.82456E+00	2.06547E+00
15	1.66101E-01	1.24636E+00	1.58793E+00	9.88188E-01	1.49470E+00	2.87743E+00	2.81494E+00	2.06434E+00
16	1.65821E-01	1.24287E+00	1.58292E+00	9.84718E-01	1.48897E+00	2.86586E+00	2.80821E+00	2.06383E+00
17	1.65686E-01	1.24087E+00	1.57982E+00	9.82589E-01	1.48499E+00	2.85790E+00	2.80354E+00	2.06369E+00
18	1.65510E-01	1.23829E+00	1.57584E+00	9.79418E-01	1.47993E+00	2.84791E+00	2.79766E+00	2.06356E+00
19	1.65289E-01	1.23521E+00	1.57123E+00	9.76054E-01	1.47424E+00	2.83674E+00	2.79108E+00	2.06339E+00
20	1.64994E-01	1.23124E+00	1.56536E+00	9.71839E-01	1.46716E+00	2.82287E+00	2.78292E+00	2.06301E+00
21	1.64791E-01	1.22846E+00	1.56124E+00	9.68855E-01	1.46212E+00	2.81303E+00	2.77722E+00	2.06291E+00
22	1.64792E-01	1.22834E+00	1.56094E+00	9.68573E-01	1.46160E+00	2.81202E+00	2.77678E+00	2.06314E+00
23	1.64867E-01	1.22919E+00	1.56207E+00	9.69302E-01	1.46278E+00	2.81432E+00	2.77826E+00	2.06342E+00
24	1.64953E-01	1.23019E+00	1.56342E+00	9.70201E-01	1.46424E+00	2.81718E+00	2.78007E+00	2.06369E+00
0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58539E+00	1.44334E+00	1.30173E+00	7.94048E-01	6.72549E-01	5.94755E-01	3.72125E-01	2.07129E-01
2	1.58531E+00	1.44324E+00	1.30152E+00	7.93816E-01	6.72340E-01	5.94471E-01	3.72095E-01	2.07110E-01
3	1.58550E+00	1.44346E+00	1.30199E+00	7.94362E-01	6.72787E-01	5.95138E-01	3.72170E-01	2.07149E-01
4	1.58655E+00	1.44471E+00	1.30465E+00	7.97431E-01	6.75339E-01	5.98865E-01	3.72585E-01	2.07371E-01
5	1.58916E+00	1.44778E+00	1.31119E+00	8.05009E-01	6.81638E-01	6.08178E-01	3.73587E-01	2.07914E-01
6	1.59208E+00	1.45110E+00	1.31836E+00	8.13353E-01	6.88562E-01	6.18456E-01	3.74667E-01	2.08505E-01
7	1.59430E+00	1.45355E+00	1.32363E+00	8.19538E-01	6.93685E-01	6.26119E-01	3.75444E-01	2.08936E-01
8	1.59639E+00	1.45577E+00	1.32843E+00	8.25217E-01	6.98381E-01	6.33181E-01	3.76136E-01	2.09327E-01
9	1.59750E+00	1.45691E+00	1.33092E+00	8.28167E-01	7.00822E-01	6.36853E-01	3.76491E-01	2.09529E-01
10	1.59770E+00	1.45710E+00	1.33132E+00	8.28642E-01	7.01221E-01	6.37442E-01	3.76551E-01	2.09564E-01
11	1.59799E+00	1.45737E+00	1.33189E+00	8.29321E-01	7.01793E-01	6.38284E-01	3.76637E-01	2.09613E-01
12	1.59818E+00	1.45754E+00	1.33226E+00	8.29760E-01	7.02163E-01	6.38829E-01	3.76692E-01	2.09646E-01
13	1.59855E+00	1.45789E+00	1.33301E+00	8.30655E-01	7.02919E-01	6.39943E-01	3.76807E-01	2.09711E-01
14	1.59959E+00	1.45902E+00	1.33542E+00	8.33457E-01	7.05285E-01	6.43428E-01	3.77172E-01	2.09918E-01
15	1.60074E+00	1.46063E+00	1.33881E+00	8.37322E-01	7.08548E-01	6.48230E-01	3.77690E-01	2.10204E-01
16	1.60129E+00	1.46170E+00	1.34105E+00	8.39816E-01	7.10652E-01	6.51320E-01	3.78034E-01	2.10388E-01
17	1.60159E+00	1.46250E+00	1.34272E+00	8.41649E-01	7.12166E-01	6.53572E-01	3.78221E-01	2.10504E-01
18	1.60204E+00	1.46358E+00	1.34500E+00	8.44154E-01	7.14216E-01	6.56642E-01	3.78428E-01	2.10649E-01
19	1.60260E+00	1.46482E+00	1.34760E+00	8.47057E-01	7.16582E-01	6.60181E-01	3.78672E-01	2.10819E-01
20	1.60338E+00	1.46639E+00	1.35090E+00	8.50711E-01	7.19596E-01	6.64691E-01	3.78970E-01	2.11032E-01
21	1.60396E+00	1.46750E+00	1.35326E+00	8.53329E-01	7.21716E-01	6.67886E-01	3.79117E-01	2.11159E-01
22	1.60402E+00	1.46761E+00	1.35349E+00	8.53559E-01	7.21856E-01	6.68136E-01	3.79031E-01	2.11133E-01
23	1.60386E+00	1.46733E+00	1.35290E+00	8.52878E-01	7.21256E-01	6.67275E-01	3.78887E-01	2.11061E-01
24	1.60366E+00	1.46698E+00	1.35216E+00	8.52038E-01	7.20531E-01	6.66224E-01	3.78742E-01	2.10985E-01
0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.87323E-02	6.41539E-02	1.37538E-01	4.52611E-01	1.26457E-01	2.32781E-01	7.73834E-01	5.51708E-01
2	8.87124E-02	6.41199E-02	1.37504E-01	4.52510E-01	1.26391E-01	2.32629E-01	7.73391E-01	5.51331E-01
3	8.87486E-02	6.42070E-02	1.37567E-01	4.52698E-01	1.26545E-01	2.33102E-01	7.74432E-01	5.52408E-01
4	8.89622E-02	6.46898E-02	1.37936E-01	4.53806E-01	1.27413E-01	2.35645E-01	7.80297E-01	5.58250E-01
5	8.94902E-02	6.58982E-02	1.38838E-01	4.56532E-01	1.29574E-01	2.41995E-01	7.94852E-01	5.72790E-01
6	9.00699E-02	6.72497E-02	1.39821E-01	4.59513E-01	1.31970E-01	2.49097E-01	8.10890E-01	5.88964E-01
7	9.04987E-02	6.82718E-02	1.40538E-01	4.61705E-01	1.33763E-01	2.54463E-01	8.22844E-01	6.01106E-01
8	9.08922E-02	6.92257E-02	1.41188E-01	4.63706E-01	1.35421E-01	2.59464E-01	8.33853E-01	6.12577E-01
9	9.10971E-02	6.97241E-02	1.41525E-01	4.64745E-01	1.36284E-01	2.62073E-01	8.39571E-01	6.18249E-01

10	9.11316E-02	6.98023E-02	1.41581E-01	4.64919E-01	1.36420E-01	2.62468E-01	8.40462E-01	6.19129E-01
11	9.11809E-02	6.99141E-02	1.41661E-01	4.65167E-01	1.36615E-01	2.63031E-01	8.41729E-01	6.20381E-01
12	9.12128E-02	6.99866E-02	1.41713E-01	4.65327E-01	1.36740E-01	2.63396E-01	8.42547E-01	6.21187E-01
13	9.12780E-02	7.01342E-02	1.41819E-01	4.65655E-01	1.36997E-01	2.64140E-01	8.44221E-01	6.22836E-01
14	9.14818E-02	7.05930E-02	1.42154E-01	4.66678E-01	1.37803E-01	2.66453E-01	8.49431E-01	6.27915E-01
15	9.17621E-02	7.12184E-02	1.42619E-01	4.68081E-01	1.38913E-01	2.69603E-01	8.56512E-01	6.34708E-01
16	9.19418E-02	7.16165E-02	1.42920E-01	4.68978E-01	1.39627E-01	2.71601E-01	8.60983E-01	6.38913E-01
17	9.20709E-02	7.19160E-02	1.43136E-01	4.69624E-01	1.40180E-01	2.73165E-01	8.64486E-01	6.42762E-01
18	9.22463E-02	7.23329E-02	1.43426E-01	4.70507E-01	1.40960E-01	2.75402E-01	8.70214E-01	6.48824E-01
19	9.24494E-02	7.28130E-02	1.43763E-01	4.71536E-01	1.41863E-01	2.78008E-01	8.76811E-01	6.56131E-01
20	9.27076E-02	7.34263E-02	1.44193E-01	4.72856E-01	1.43023E-01	2.81378E-01	8.85591E-01	6.65982E-01
21	9.28877E-02	7.38692E-02	1.44493E-01	4.73782E-01	1.43865E-01	2.83839E-01	8.92245E-01	6.73662E-01
22	9.28978E-02	7.39178E-02	1.44509E-01	4.73836E-01	1.43961E-01	2.84129E-01	8.93264E-01	6.75120E-01
23	9.28450E-02	7.38136E-02	1.44421E-01	4.73566E-01	1.43765E-01	2.83565E-01	8.91956E-01	6.73901E-01
24	9.27822E-02	7.36823E-02	1.44315E-01	4.73242E-01	1.43517E-01	2.82845E-01	8.90221E-01	6.72164E-01

0 int.

	grp. 25	grp. 26	grp. 27
1	2.26151E-01	1.35519E-01	1.73802E-02
2	2.25995E-01	1.35425E-01	1.73830E-02
3	2.26573E-01	1.35987E-01	1.75545E-02
4	2.29605E-01	1.38781E-01	1.85261E-02
5	2.37159E-01	1.45770E-01	2.02894E-02
6	2.45604E-01	1.53679E-01	2.25902E-02
7	2.51990E-01	1.59752E-01	2.44507E-02
8	2.57964E-01	1.65517E-01	2.63057E-02
9	2.61086E-01	1.68548E-01	2.72992E-02
10	2.61537E-01	1.68955E-01	2.74122E-02
11	2.62179E-01	1.69532E-01	2.75729E-02
12	2.62593E-01	1.69904E-01	2.76765E-02
13	2.63434E-01	1.70660E-01	2.78867E-02
14	2.65988E-01	1.72935E-01	2.85082E-02
15	2.69314E-01	1.75851E-01	2.92768E-02
16	2.71305E-01	1.77558E-01	2.97056E-02
17	2.73299E-01	1.79591E-01	3.03692E-02
18	2.76595E-01	1.83136E-01	3.15804E-02
19	2.80614E-01	1.87441E-01	3.29992E-02
20	2.86093E-01	1.93304E-01	3.48657E-02
21	2.90462E-01	1.98086E-01	3.64000E-02
22	2.91411E-01	1.99310E-01	3.68659E-02
23	2.90838E-01	1.98885E-01	3.68027E-02
24	2.89959E-01	1.98107E-01	3.66313E-02

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.19649E-02	.00000E+00	1.23497E-02	1.02562E-02	3.13908E-03	1.08050E-02	9.98830E-01
2	.00000E+00	1.90919E-01	2.26178E-03	1.65430E-01	6.57391E-02	1.35378E-02	1.13914E-01	1.00004E+00
3	.00000E+00	2.15337E-01	2.59391E-02	1.60488E-01	8.08686E-02	1.55714E-02	1.44834E-01	1.00001E+00
4	.00000E+00	1.24201E-01	3.87324E-02	1.05020E-01	6.77712E-02	7.44454E-03	8.77151E-02	1.00001E+00
5	.00000E+00	1.65227E-01	6.76670E-02	2.59170E-01	9.47659E-02	4.46831E-03	1.33662E-01	9.99991E-01
6	.00000E+00	1.78924E-01	1.34395E-01	6.53746E-01	5.44214E-02	7.09942E-03	2.51788E-01	1.00008E+00
7	.00000E+00	8.86746E-02	9.83529E-02	7.45389E-01	3.63396E-02	7.72135E-03	1.42965E-01	1.00001E+00
8	.00000E+00	1.36799E-02	4.25698E-02	6.31051E-01	2.14803E-02	1.41481E-02	2.06187E-02	1.00004E+00
9	.00000E+00	9.95164E-04	2.17022E-02	5.34747E-01	2.06381E-02	2.33408E-02	-2.12831E-02	9.99990E-01
10	.00000E+00	7.37715E-05	2.06600E-02	4.58514E-01	1.06567E-02	3.62691E-02	-2.61926E-02	1.00001E+00
11	.00000E+00	5.80390E-06	1.06576E-02	4.18975E-01	8.11287E-03	5.86471E-02	-5.60971E-02	1.00001E+00
12	.00000E+00	4.07714E-07	8.11292E-03	2.37012E-01	9.34645E-03	6.37660E-02	-6.49960E-02	9.99957E-01
13	.00000E+00	6.47414E-08	9.34646E-03	1.75650E-01	6.15925E-03	5.78126E-02	-5.46259E-02	1.00001E+00
14	.00000E+00	1.28300E-08	6.15925E-03	1.51833E-01	7.49595E-03	7.93121E-02	-8.06490E-02	1.00000E+00
15	.00000E+00	1.44995E-09	7.58475E-03	8.53715E-02	8.94771E-03	6.68964E-03	-8.06808E-03	1.00099E+00
16	.00000E+00	4.25751E-10	9.12581E-03	4.33987E-02	9.73769E-03	4.10607E-03	-4.72877E-03	1.00078E+00
17	.00000E+00	1.37112E-10	7.94491E-03	1.52643E-02	7.83004E-03	4.84674E-03	-4.75746E-03	1.00044E+00

18	.00000E+00	9.81685E-11	7.42006E-03	1.13022E-02	6.44406E-03	1.16314E-02	-1.06587E-02	1.00018E+00
19	.00000E+00	1.38784E-10	8.50848E-03	2.62845E-02	9.69011E-03	6.64942E-03	-7.85733E-03	1.00038E+00
20	.00000E+00	2.25686E-10	1.12799E-02	1.08305E-01	1.02220E-02	2.50597E-02	-2.40287E-02	1.00048E+00
21	.00000E+00	3.30331E-11	9.90182E-03	2.44678E-02	9.47212E-03	1.95529E-02	-1.91301E-02	1.00024E+00
22	.00000E+00	3.83259E-11	1.35344E-02	5.20389E-02	1.16875E-02	5.69047E-02	-5.50674E-02	1.00014E+00
23	.00000E+00	3.66438E-11	1.71087E-02	1.88500E-01	2.06445E-02	1.25074E-01	-1.28646E-01	1.00025E+00
24	.00000E+00	9.97397E-12	2.48121E-02	1.27301E-01	2.45551E-02	1.29080E-01	-1.28849E-01	1.00017E+00
25	.00000E+00	2.91973E-12	2.09252E-02	4.77306E-02	1.56681E-02	7.13802E-02	-6.61239E-02	1.00012E+00
26	.00000E+00	2.04733E-12	1.01983E-02	3.28329E-02	6.96721E-03	6.43571E-02	-6.11315E-02	1.00008E+00
27	.00000E+00	4.87889E-13	2.17960E-03	4.83590E-03	1.17205E-03	1.78452E-02	-1.68385E-02	1.00005E+00
28	.00000E+00	1.00000E+00	6.37080E-01	5.47681E+00	6.37080E-01	9.35465E-01	6.66139E-02	1.00009E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dd**2	total flux
1	1.67756E-01	1.08050E-02	1.72576E-01	.00000E+00	2.20711E-03	2.57414E-03	.00000E+00	1.17512E-01
2	1.26345E+00	1.13914E-01	1.31441E+00	.00000E+00	1.75309E-05	1.17886E-02	.00000E+00	8.90955E-01
3	1.60952E+00	1.44834E-01	1.67305E+00	.00000E+00	.00000E+00	1.45478E-02	.00000E+00	1.13420E+00
4	1.00109E+00	8.77151E-02	1.03912E+00	.00000E+00	.00000E+00	6.29661E-03	.00000E+00	7.04728E-01
5	1.51436E+00	1.33662E-01	1.57395E+00	.00000E+00	.00000E+00	1.85640E-03	.00000E+00	1.06666E+00
6	2.91531E+00	2.51788E-01	3.02941E+00	.00000E+00	.00000E+00	1.67207E-03	.00000E+00	2.05260E+00
7	2.83649E+00	1.42965E-01	2.90442E+00	.00000E+00	.00000E+00	1.69873E-03	.00000E+00	1.97966E+00
8	2.06760E+00	2.06187E-02	2.07939E+00	.00000E+00	.00000E+00	1.77322E-03	.00000E+00	1.42814E+00
9	1.59745E+00	-2.12831E-02	1.58549E+00	.00000E+00	.00000E+00	2.42091E-03	.00000E+00	1.09494E+00
10	1.45686E+00	-2.61926E-02	1.44347E+00	.00000E+00	.00000E+00	5.15569E-03	.00000E+00	9.97681E-01
11	1.33081E+00	-5.60971E-02	1.30199E+00	.00000E+00	.00000E+00	1.07150E-02	.00000E+00	9.04795E-01
12	8.28042E-01	-6.49960E-02	7.94341E-01	.00000E+00	.00000E+00	1.37916E-02	.00000E+00	5.56683E-01
13	7.00716E-01	-5.46259E-02	6.72804E-01	.00000E+00	.00000E+00	1.36260E-02	.00000E+00	4.71322E-01
14	6.36697E-01	-8.06490E-02	5.95112E-01	.00000E+00	.00000E+00	9.17978E-03	.00000E+00	4.21772E-01
15	3.76479E-01	-8.06808E-03	3.72168E-01	.00000E+00	.00000E+00	2.32477E-03	.00000E+00	2.57508E-01
16	2.09521E-01	-4.72877E-03	2.07153E-01	.00000E+00	.00000E+00	1.56920E-03	.00000E+00	1.43309E-01
17	9.10908E-02	-4.73746E-03	8.87581E-02	.00000E+00	.00000E+00	2.20864E-03	.00000E+00	6.17808E-02
18	6.97057E-02	-1.06587E-02	6.42002E-02	.00000E+00	.00000E+00	2.54205E-03	.00000E+00	4.57787E-02
19	1.41515E-01	-7.85733E-03	1.37581E-01	.00000E+00	.00000E+00	3.54318E-03	.00000E+00	9.58691E-02
20	4.64710E-01	-2.40287E-02	4.52738E-01	.00000E+00	.00000E+00	1.69539E-02	.00000E+00	3.15174E-01
21	1.36255E-01	-1.91301E-02	1.26547E-01	.00000E+00	.00000E+00	1.28783E-02	.00000E+00	8.99247E-02
22	2.61969E-01	-5.50674E-02	2.32996E-01	.00000E+00	.00000E+00	3.65695E-02	.00000E+00	1.68760E-01
23	8.39527E-01	-1.28646E-01	7.74383E-01	.00000E+00	.00000E+00	8.32005E-02	.00000E+00	5.51995E-01
24	6.18007E-01	-1.28849E-01	5.52211E-01	.00000E+00	.00000E+00	8.61648E-02	.00000E+00	3.99214E-01
25	2.60964E-01	-6.61239E-02	2.26387E-01	.00000E+00	.00000E+00	4.96836E-02	.00000E+00	1.65841E-01
26	1.68437E-01	-6.11315E-02	1.35701E-01	.00000E+00	.00000E+00	4.56895E-02	.00000E+00	1.02806E-01
27	2.72689E-02	-1.68385E-02	1.74124E-02	.00000E+00	.00000E+00	1.27786E-02	.00000E+00	1.47238E-02
28	2.35914E+01	6.66138E-02	2.35678E+01	.00000E+00	2.22464E-03	4.53208E-01	.00000E+00	1.62343E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.98023E-08	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.96046E-08	1.00000E+00
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.96046E-08	1.00000E+00
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.11759E-08	1.00000E+00
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	6.70552E-08	9.99997E-01
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.23517E-08	1.00000E+00
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.23517E-08	1.00000E+00
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.16415E-08	1.00000E+00
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-09	1.00000E+00
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00

19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.79397E-09	1.00000E+00
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.23517E-08	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.58794E-09	1.00000E+00
22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.63685E-08	9.99992E-01
0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.67346E-01	1.08050E-02	1.67756E-01	1.08050E-02	.00000E+00	.00000E+00	.00000E+00	5.31719E-03
2	1.25943E+00	1.13914E-01	1.26345E+00	1.13914E-01	.00000E+00	.00000E+00	.00000E+00	4.03511E-02
3	1.60471E+00	1.44834E-01	1.60952E+00	1.44834E-01	.00000E+00	.00000E+00	.00000E+00	5.10006E-02
4	9.98419E-01	8.77151E-02	1.00109E+00	8.77151E-02	.00000E+00	.00000E+00	.00000E+00	3.17264E-02
5	1.51063E+00	1.33662E-01	1.51436E+00	1.33662E-01	.00000E+00	.00000E+00	.00000E+00	4.79960E-02
6	2.90844E+00	2.51788E-01	2.91531E+00	2.51788E-01	.00000E+00	.00000E+00	.00000E+00	9.24057E-02
7	2.85271E+00	1.42965E-01	2.85649E+00	1.42965E-01	.00000E+00	.00000E+00	.00000E+00	8.99547E-02
8	2.06684E+00	2.06187E-02	2.06760E+00	2.06187E-02	.00000E+00	.00000E+00	.00000E+00	6.56035E-02
9	1.59822E+00	-2.12831E-02	1.59745E+00	-2.12831E-02	.00000E+00	.00000E+00	.00000E+00	5.07079E-02
10	1.45758E+00	-2.61925E-02	1.45686E+00	-2.61926E-02	.00000E+00	.00000E+00	.00000E+00	4.62456E-02
11	1.33235E+00	-5.60971E-02	1.33081E+00	-5.60971E-02	.00000E+00	.00000E+00	.00000E+00	4.22587E-02
12	8.29870E-01	-6.49960E-02	8.28042E-01	-6.49960E-02	.00000E+00	.00000E+00	.00000E+00	2.63079E-02
13	7.02256E-01	-5.46259E-02	7.00716E-01	-5.46259E-02	.00000E+00	.00000E+00	.00000E+00	2.22625E-02
14	6.38966E-01	-8.06490E-02	6.36697E-01	-8.06490E-02	.00000E+00	.00000E+00	.00000E+00	2.02427E-02
15	3.76710E-01	-8.06808E-03	3.76479E-01	-8.06808E-03	.00000E+00	.00000E+00	.00000E+00	1.19513E-02
16	2.09654E-01	-4.72878E-03	2.09521E-01	-4.72877E-03	.00000E+00	.00000E+00	.00000E+00	6.65134E-03
17	9.12236E-02	-4.73746E-03	9.10908E-02	-4.73746E-03	.00000E+00	.00000E+00	.00000E+00	2.89286E-03
18	7.00070E-02	-1.06587E-02	6.97057E-02	-1.06587E-02	.00000E+00	.00000E+00	.00000E+00	2.21696E-03
19	1.41731E-01	-7.83733E-03	1.41515E-01	-7.83733E-03	.00000E+00	.00000E+00	.00000E+00	4.49438E-03
20	4.65377E-01	-2.40287E-02	4.64710E-01	-2.40287E-02	.00000E+00	.00000E+00	.00000E+00	1.47582E-02
21	1.36779E-01	-1.91301E-02	1.36255E-01	-1.91301E-02	.00000E+00	.00000E+00	.00000E+00	4.33240E-03
22	2.63487E-01	-5.50674E-02	2.61969E-01	-5.50674E-02	.00000E+00	.00000E+00	.00000E+00	8.33838E-03
23	8.42744E-01	-1.28646E-01	8.39527E-01	-1.28646E-01	.00000E+00	.00000E+00	.00000E+00	2.66922E-02
24	6.21380E-01	-1.28845E-01	6.18007E-01	-1.28849E-01	.00000E+00	.00000E+00	.00000E+00	1.96679E-02
25	2.62693E-01	-6.61235E-02	2.60964E-01	-6.61239E-02	.00000E+00	.00000E+00	.00000E+00	8.31006E-03
26	1.69994E-01	-6.11315E-02	1.68437E-01	-6.11315E-02	.00000E+00	.00000E+00	.00000E+00	5.37092E-03
27	2.77020E-02	-1.68385E-02	2.72689E-02	-1.68385E-02	.00000E+00	.00000E+00	.00000E+00	8.72467E-04
28	2.35871E+01	6.66144E-02	2.35914E+01	6.66138E-02	.00000E+00	.00000E+00	.00000E+00	7.48610E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	3.68857E-03	2.76490E-03	1.41690E-05	-2.68044E-03	1.00001E+00
2	.00000E+00	.00000E+00	4.82884E-04	2.56625E-02	1.84141E-02	5.09828E-05	-1.79825E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.60917E-03	4.99148E-02	1.57825E-02	1.36521E-04	-1.33089E-02	9.99993E-01
4	.00000E+00	.00000E+00	5.08745E-03	4.19998E-02	5.43799E-03	1.03108E-04	-4.53241E-04	9.99996E-01
5	.00000E+00	.00000E+00	1.09722E-02	8.15405E-02	5.15682E-03	1.51908E-04	5.66314E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.83660E-02	2.34945E-01	3.21000E-03	3.19927E-04	1.48362E-02	9.99999E-01
7	.00000E+00	.00000E+00	1.22417E-02	2.35115E-01	1.18181E-03	3.44647E-04	1.07153E-02	9.99999E-01
8	.00000E+00	.00000E+00	2.15447E-03	1.58474E-01	7.63077E-03	2.94718E-04	-5.77158E-03	1.00002E+00
9	.00000E+00	.00000E+00	7.66388E-03	1.05103E-01	8.76150E-04	1.10829E-03	5.67971E-03	9.99988E-01
10	.00000E+00	.00000E+00	8.77321E-04	8.54438E-02	8.47751E-04	8.34410E-04	-8.04784E-04	9.99998E-01
11	.00000E+00	.00000E+00	8.47812E-04	7.68865E-02	8.68319E-04	1.33410E-03	-1.35452E-03	9.99999E-01
12	.00000E+00	.00000E+00	8.68325E-04	4.67062E-02	8.68953E-04	4.15839E-05	-4.22820E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.68954E-04	3.95406E-02	8.06602E-04	6.00341E-05	2.37301E-06	9.99999E-01
14	.00000E+00	.00000E+00	8.06602E-04	3.62159E-02	6.88493E-04	9.64626E-05	2.76342E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.26961E-04	2.07254E-02	8.48221E-04	8.32306E-05	-2.03991E-04	9.99944E-01
16	.00000E+00	.00000E+00	9.51757E-04	1.10438E-02	9.56740E-04	5.20408E-05	-5.66542E-05	9.99936E-01
17	.00000E+00	.00000E+00	1.05252E-03	4.20045E-03	1.05395E-03	2.53759E-05	-6.76839E-06	9.99993E-01
18	.00000E+00	.00000E+00	1.09083E-03	3.06237E-03	9.88825E-04	2.09709E-05	8.10549E-05	9.99999E-01
19	.00000E+00	.00000E+00	1.01046E-03	7.08879E-03	1.04589E-03	4.59256E-05	-8.12821E-05	9.99992E-01

20	.00000E+00	.00000E+00	1.26042E-03	2.56127E-02	1.08889E-03	1.90432E-04	-1.80267E-05	9.99965E-01
21	.00000E+00	.00000E+00	1.40802E-03	6.38091E-03	1.52417E-03	7.02981E-05	-1.86367E-04	9.99996E-01
22	.00000E+00	.00000E+00	1.92587E-03	1.35088E-02	1.80541E-03	1.57402E-04	-3.65955E-05	9.99994E-01
23	.00000E+00	.00000E+00	2.57550E-03	4.53980E-02	3.33297E-03	6.87511E-04	-1.44492E-03	1.00000E+00
24	.00000E+00	.00000E+00	4.07022E-03	3.17198E-02	4.35306E-03	7.38901E-04	-1.02194E-03	1.00000E+00
25	.00000E+00	.00000E+00	3.91555E-03	1.21607E-02	3.13000E-03	4.13616E-04	3.71881E-04	1.00000E+00
26	.00000E+00	.00000E+00	1.62904E-03	8.79963E-03	1.16289E-03	3.84246E-04	8.19713E-05	9.99999E-01
27	.00000E+00	.00000E+00	3.37200E-04	1.64945E-03	8.49857E-07	1.20642E-04	2.15705E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.58011E-02	1.41259E+00	8.58010E-02	7.88144E-03	-7.77970E-03	9.99986E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.65766E-01	8.12454E-03	1.67346E-01	1.08050E-02	9.87871E-05	.00000E+00	.00000E+00	3.60633E-02
2	1.24208E+00	9.59318E-02	1.25943E+00	1.13914E-01	.00000E+00	.00000E+00	.00000E+00	2.70809E-01
3	1.58170E+00	1.31526E-01	1.60471E+00	1.44834E-01	.00000E+00	.00000E+00	.00000E+00	3.45043E-01
4	9.83810E-01	8.72619E-02	9.98419E-01	8.77151E-02	.00000E+00	.00000E+00	.00000E+00	2.14720E-01
5	1.48743E+00	1.39525E-01	1.51053E+00	1.33662E-01	.00000E+00	.00000E+00	.00000E+00	3.24804E-01
6	2.86271E+00	2.66624E-01	2.90844E+00	2.51788E-01	.00000E+00	.00000E+00	.00000E+00	6.25312E-01
7	2.80637E+00	1.53681E-01	2.83271E+00	1.42965E-01	.00000E+00	.00000E+00	.00000E+00	6.11044E-01
8	2.05374E+00	1.48471E-02	2.06684E+00	2.06187E-02	.00000E+00	.00000E+00	.00000E+00	4.47523E-01
9	1.60140E+00	-1.56034E-02	1.59822E+00	-2.12831E-02	.00000E+00	.00000E+00	.00000E+00	3.46788E-01
10	1.46198E+00	-2.69973E-02	1.45758E+00	-2.61925E-02	.00000E+00	.00000E+00	.00000E+00	3.16386E-01
11	1.34164E+00	-5.76517E-02	1.33235E+00	-5.60971E-02	.00000E+00	.00000E+00	.00000E+00	2.89800E-01
12	8.40460E-01	-6.50383E-02	8.29870E-01	-6.49960E-02	.00000E+00	.00000E+00	.00000E+00	1.81068E-01
13	7.11196E-01	-5.46235E-02	7.02256E-01	-5.46259E-02	.00000E+00	.00000E+00	.00000E+00	1.53217E-01
14	6.52118E-01	-8.06213E-02	6.38966E-01	-8.06490E-02	.00000E+00	.00000E+00	.00000E+00	1.39983E-01
15	3.78128E-01	-8.27207E-03	3.76710E-01	-8.06808E-03	.00000E+00	.00000E+00	.00000E+00	8.18008E-02
16	2.10436E-01	-4.78543E-03	2.09654E-01	-4.72878E-03	.00000E+00	.00000E+00	.00000E+00	4.55262E-02
17	9.19909E-02	-4.74423E-03	9.12236E-02	-4.75746E-03	.00000E+00	.00000E+00	.00000E+00	1.98576E-02
18	7.17207E-02	-1.05777E-02	7.00070E-02	-1.06587E-02	.00000E+00	.00000E+00	.00000E+00	1.53689E-02
19	1.43004E-01	-7.91861E-03	1.41731E-01	-7.85733E-03	.00000E+00	.00000E+00	.00000E+00	3.08608E-02
20	4.69219E-01	-2.40467E-02	4.65377E-01	-2.40287E-02	.00000E+00	.00000E+00	.00000E+00	1.01297E-01
21	1.39818E-01	-1.93165E-02	1.36779E-01	-1.91301E-02	.00000E+00	.00000E+00	.00000E+00	2.99895E-02
22	2.72111E-01	-5.51040E-02	2.63487E-01	-5.50674E-02	.00000E+00	.00000E+00	.00000E+00	5.80974E-02
23	8.62108E-01	-1.30090E-01	8.42744E-01	-1.28646E-01	.00000E+00	.00000E+00	.00000E+00	1.84879E-01
24	6.39951E-01	-1.29871E-01	6.21380E-01	-1.28849E-01	.00000E+00	.00000E+00	.00000E+00	1.36835E-01
25	2.71783E-01	-6.57520E-02	2.62693E-01	-6.61239E-02	.00000E+00	.00000E+00	.00000E+00	5.80097E-02
26	1.77959E-01	-6.10495E-02	1.69994E-01	-6.11315E-02	.00000E+00	.00000E+00	.00000E+00	3.77959E-02
27	2.98025E-02	-1.66228E-02	2.77020E-02	-1.68385E-02	.00000E+00	.00000E+00	.00000E+00	6.26071E-03
28	2.35604E+01	5.88338E-02	2.35871E+01	6.66144E-02	9.87871E-05	.00000E+00	.00000E+00	5.10913E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	5.82799E-03	7.71383E-03	4.11113E-04	-8.12454E-03	9.99950E-01
2	.00000E+00	.00000E+00	4.42605E-03	7.55509E-02	9.92978E-02	1.06390E-03	-9.59318E-02	9.99962E-01
3	.00000E+00	.00000E+00	4.70913E-02	6.86507E-02	1.78616E-01	5.39586E-06	-1.31526E-01	9.99977E-01
4	.00000E+00	.00000E+00	6.98545E-02	4.57275E-02	1.57115E-01	3.22207E-06	-8.72619E-02	9.99988E-01
5	.00000E+00	.00000E+00	1.29537E-01	1.48293E-01	2.68661E-01	3.76993E-06	-1.39525E-01	9.99991E-01
6	.00000E+00	.00000E+00	2.74231E-01	4.55062E-01	5.40845E-01	1.14712E-05	-2.66624E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.52150E-01	7.94902E-01	7.05814E-01	2.53428E-05	-1.53680E-01	9.99987E-01
8	.00000E+00	.00000E+00	7.35133E-01	1.00024E+00	7.50000E-01	4.69800E-05	-1.48472E-02	9.99912E-01
9	.00000E+00	.00000E+00	7.40801E-01	9.15111E-01	7.24684E-01	9.58075E-05	1.56033E-02	9.99889E-01
10	.00000E+00	.00000E+00	7.21457E-01	8.63964E-01	6.94323E-01	2.11105E-04	2.69973E-02	9.99896E-01
11	.00000E+00	.00000E+00	6.99385E-01	8.03544E-01	6.41518E-01	4.56312E-04	5.74516E-02	9.99941E-01
12	.00000E+00	.00000E+00	5.58562E-01	4.18944E-01	4.92999E-01	5.96109E-04	6.50883E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.88879E-01	3.37930E-01	4.33372E-01	8.97617E-04	5.46235E-02	9.99970E-01
14	.00000E+00	.00000E+00	4.69941E-01	3.24681E-01	3.87864E-01	1.46941E-03	8.06213E-02	9.99988E-01
15	.00000E+00	.00000E+00	2.52365E-01	1.29599E-01	2.42791E-01	1.29130E-03	8.27416E-03	9.99994E-01
16	.00000E+00	.00000E+00	1.67564E-01	5.49505E-02	1.61889E-01	8.89502E-04	4.78708E-03	9.99990E-01
17	.00000E+00	.00000E+00	8.66306E-02	1.56546E-02	8.14500E-02	4.37270E-04	4.74087E-03	1.00003E+00
18	.00000E+00	.00000E+00	7.70199E-02	1.20920E-02	6.60731E-02	3.69968E-04	1.05744E-02	1.00003E+00
19	.00000E+00	.00000E+00	1.28694E-01	3.61216E-02	1.19885E-01	7.91748E-04	7.91324E-03	1.00003E+00
20	.00000E+00	.00000E+00	3.15825E-01	2.55175E-01	2.88510E-01	3.26458E-03	2.40503E-02	9.99999E-01

21	.00000E+00	.00000E+00	1.50480E-01	4.99443E-02	1.29928E-01	1.23751E-03	1.93081E-02	1.00004E+00
22	.00000E+00	.00000E+00	2.88144E-01	1.47940E-01	2.30226E-01	2.81206E-03	5.51076E-02	9.99993E-01
23	.00000E+00	.00000E+00	6.95248E-01	8.39165E-01	5.51057E-01	1.20981E-02	1.30090E-01	1.00001E+00
24	.00000E+00	.00000E+00	7.09544E-01	7.33724E-01	5.66368E-01	1.33018E-02	1.29869E-01	1.00001E+00
25	.00000E+00	.00000E+00	4.56501E-01	2.97857E-01	3.83194E-01	7.55472E-03	6.57505E-02	1.00000E+00
26	.00000E+00	.00000E+00	3.59984E-01	3.15751E-01	2.91638E-01	7.29449E-03	6.10573E-02	9.99983E-01
27	.00000E+00	.00000E+00	1.19468E-01	6.58655E-02	1.00339E-01	2.50622E-03	1.66230E-02	9.99978E-01
28	.00000E+00	.00000E+00	9.29610E+00	9.21227E+00	9.29610E+00	5.91468E-02	-5.88402E-02	9.99967E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.64997E-01	2.10805E-09	1.65766E-01	8.12454E-03	4.26597E-10	.00000E+00	.00000E+00	1.88841E-01
2	1.23071E+00	-4.87721E-08	1.24208E+00	9.59318E-02	.00000E+00	.00000E+00	.00000E+00	1.40909E+00
3	1.56413E+00	-3.94333E-09	1.58170E+00	1.31526E-01	.00000E+00	.00000E+00	.00000E+00	1.79140E+00
4	9.70570E-01	2.16520E-08	9.88810E-01	8.72619E-02	.00000E+00	.00000E+00	.00000E+00	1.11211E+00
5	1.46501E+00	-2.23687E-08	1.48743E+00	1.39325E-01	.00000E+00	.00000E+00	.00000E+00	1.67885E+00
6	2.81868E+00	2.37693E-07	2.86271E+00	2.66624E-01	.00000E+00	.00000E+00	.00000E+00	3.23018E+00
7	2.78100E+00	1.75371E-07	2.80637E+00	1.53681E-01	.00000E+00	.00000E+00	.00000E+00	3.18488E+00
8	2.06382E+00	-1.20095E-07	2.06574E+00	1.48471E-02	.00000E+00	.00000E+00	.00000E+00	2.36139E+00
9	1.60356E+00	-4.92143E-08	1.60140E+00	-1.56034E-02	.00000E+00	.00000E+00	.00000E+00	1.83519E+00
10	1.46680E+00	-6.01523E-08	1.46198E+00	-2.69973E-02	.00000E+00	.00000E+00	.00000E+00	1.67842E+00
11	1.35177E+00	-4.26168E-08	1.34164E+00	-5.74517E-02	.00000E+00	.00000E+00	.00000E+00	1.54634E+00
12	8.51598E-01	-1.92106E-08	8.40460E-01	-6.50883E-02	.00000E+00	.00000E+00	.00000E+00	9.73852E-01
13	7.20153E-01	-1.56201E-09	7.11196E-01	-5.46235E-02	.00000E+00	.00000E+00	.00000E+00	8.23711E-01
14	6.65674E-01	1.05850E-08	6.52118E-01	-8.06213E-02	.00000E+00	.00000E+00	.00000E+00	7.60959E-01
15	3.78573E-01	2.09122E-06	3.78128E-01	-8.27207E-03	.00000E+00	.00000E+00	.00000E+00	4.33663E-01
16	2.10948E-01	1.64750E-06	2.10436E-01	-4.78543E-03	.00000E+00	.00000E+00	.00000E+00	2.41509E-01
17	9.27525E-02	-3.35600E-06	9.19909E-02	-4.74423E-03	.00000E+00	.00000E+00	.00000E+00	1.06115E-01
18	7.36155E-02	-3.21498E-06	7.17207E-02	-1.05777E-02	.00000E+00	.00000E+00	.00000E+00	8.40789E-02
19	1.44266E-01	-5.37192E-06	1.43004E-01	-7.91861E-03	.00000E+00	.00000E+00	.00000E+00	1.65046E-01
20	4.73085E-01	3.61124E-06	4.69219E-01	-2.40467E-02	.00000E+00	.00000E+00	.00000E+00	5.41245E-01
21	1.43393E-01	-8.45319E-06	1.39818E-01	-1.93165E-02	.00000E+00	.00000E+00	.00000E+00	1.63778E-01
22	2.82468E-01	3.57357E-06	2.72111E-01	-5.51040E-02	.00000E+00	.00000E+00	.00000E+00	3.22299E-01
23	8.89289E-01	-5.71100E-07	8.62108E-01	-1.30090E-01	.00000E+00	.00000E+00	.00000E+00	1.01456E+00
24	6.71217E-01	-2.53733E-06	6.39951E-01	-1.29871E-01	.00000E+00	.00000E+00	.00000E+00	7.63641E-01
25	2.89473E-01	-1.55391E-06	2.71783E-01	-6.57520E-02	.00000E+00	.00000E+00	.00000E+00	3.28362E-01
26	1.97669E-01	7.85225E-06	1.77959E-01	-6.10495E-02	.00000E+00	.00000E+00	.00000E+00	2.22404E-01
27	3.65267E-02	2.27438E-07	2.98025E-02	-1.66228E-02	.00000E+00	.00000E+00	.00000E+00	4.03129E-02
28	2.36019E+01	-5.96958E-06	2.35604E+01	5.88338E-02	4.26597E-10	.00000E+00	.00000E+00	2.70022E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.19649E-02	.00000E+00	2.18660E-02	2.07350E-02	3.56436E-03	2.10805E-09	9.98825E-01
2	.00000E+00	1.90919E-01	7.17069E-03	2.66643E-01	1.83451E-01	1.46527E-02	-4.87721E-08	1.00002E+00
3	.00000E+00	2.15337E-01	7.56396E-02	2.79053E-01	2.75267E-01	1.57133E-02	-3.94333E-09	9.99987E-01
4	.00000E+00	1.24201E-01	1.13674E-01	1.92747E-01	2.30524E-01	7.55087E-03	2.16520E-08	1.00000E+00
5	.00000E+00	1.65227E-01	2.07976E-01	4.89003E-01	3.68584E-01	4.62399E-03	-2.23687E-08	9.99989E-01
6	.00000E+00	1.78924E-01	4.26992E-01	1.34375E+00	5.98476E-01	7.43082E-03	2.37693E-07	1.00001E+00
7	.00000E+00	8.86746E-02	6.62744E-01	1.77541E+00	7.43336E-01	8.09134E-03	1.75371E-07	9.99989E-01
8	.00000E+00	1.36799E-02	7.79858E-01	1.78977E+00	7.79111E-01	1.44898E-02	-1.20095E-07	9.99921E-01
9	.00000E+00	9.93164E-04	7.69667E-01	1.55496E+00	7.46198E-01	2.45449E-02	-4.92143E-08	9.99893E-01
10	.00000E+00	7.37715E-05	7.42994E-01	1.40792E+00	7.05827E-01	3.73147E-02	-6.01523E-08	9.99900E-01
11	.00000E+00	5.80390E-06	7.10890E-01	1.29941E+00	6.50469E-01	6.04375E-02	-4.26168E-08	9.99942E-01
12	.00000E+00	4.07714E-07	5.67543E-01	7.02662E-01	5.03155E-01	6.44037E-02	-1.92106E-08	9.99974E-01
13	.00000E+00	6.47414E-08	4.99094E-01	5.53120E-01	4.40338E-01	5.87703E-02	-1.56201E-09	9.99971E-01
14	.00000E+00	1.28300E-08	4.76906E-01	5.12730E-01	3.96034E-01	8.08780E-02	1.05850E-08	9.99989E-01
15	.00000E+00	1.44993E-09	2.60667E-01	2.35696E-01	2.52587E-01	8.06416E-03	2.09122E-06	1.00005E+00
16	.00000E+00	4.25751E-10	1.77642E-01	1.09595E-01	1.72583E-01	5.04761E-03	1.64750E-06	1.00005E+00
17	.00000E+00	1.37112E-10	9.56281E-02	3.51195E-02	9.03140E-02	5.30938E-03	-3.35600E-06	1.00008E+00
18	.00000E+00	9.81685E-11	8.55308E-02	2.64565E-02	7.35059E-02	1.20223E-02	-3.21493E-06	1.00007E+00
19	.00000E+00	1.38789E-10	1.38113E-01	6.94949E-02	1.30621E-01	7.48710E-03	-5.37192E-06	1.00008E+00
20	.00000E+00	2.25686E-10	3.28365E-01	3.86095E-01	2.99821E-01	2.85247E-02	3.61124E-06	1.00005E+00
21	.00000E+00	3.30331E-11	1.61790E-01	8.07930E-02	1.40925E-01	2.08608E-02	-8.45319E-06	1.00008E+00

22	.00000E+00	3.83259E-11	3.03604E-01	2.13487E-01	2.43719E-01	5.98741E-02	3.57357E-06	1.00002E+00
23	.00000E+00	3.66438E-11	7.12952E-01	1.07285E+00	5.75034E-01	1.37859E-01	-5.71100E-07	1.00006E+00
24	.00000E+00	9.97397E-12	7.38426E-01	8.92745E-01	5.95276E-01	1.43121E-01	-2.53733E-06	1.00004E+00
25	.00000E+00	2.91973E-12	4.81342E-01	3.57749E-01	4.01982E-01	7.93486E-02	-1.55391E-06	1.00008E+00
26	.00000E+00	2.04733E-12	3.71811E-01	3.57384E-01	2.99769E-01	7.20358E-02	7.85225E-06	9.99998E-01
27	.00000E+00	4.87885E-13	1.21985E-01	7.23509E-02	1.01512E-01	2.04720E-02	2.27438E-07	1.00001E+00
28	.00000E+00	1.00000E+00	1.00190E+01	1.61017E+01	1.00190E+01	1.00249E+00	-5.99568E-06	9.99785E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*df**2	total flux
1	1.64997E-01	2.10805E-09	1.72576E-01	.00000E+00	2.30590E-03	2.57414E-03	.00000E+00	3.47739E-01
2	1.23071E+00	-4.87721E-08	1.31441E+00	.00000E+00	1.75309E-05	1.17886E-02	.00000E+00	2.61089E+00
3	1.56413E+00	-3.94333E-09	1.67305E+00	.00000E+00	.00000E+00	1.45478E-02	.00000E+00	3.32164E+00
4	9.70670E-01	2.16520E-08	1.03912E+00	.00000E+00	.00000E+00	6.29661E-03	.00000E+00	2.06528E+00
5	1.46501E+00	-2.23687E-08	1.57395E+00	.00000E+00	.00000E+00	1.85640E-03	.00000E+00	3.11830E+00
6	2.81868E+00	2.37693E-07	3.02941E+00	.00000E+00	.00000E+00	1.67207E-03	.00000E+00	6.00050E+00
7	2.78100E+00	1.75371E-07	2.90442E+00	.00000E+00	.00000E+00	1.69873E-03	.00000E+00	5.86555E+00
8	2.06382E+00	-1.20093E-07	2.07939E+00	.00000E+00	.00000E+00	1.77522E-03	.00000E+00	4.30265E+00
9	1.60356E+00	-4.92143E-08	1.58549E+00	.00000E+00	.00000E+00	2.42091E-03	.00000E+00	3.32763E+00
10	1.46680E+00	-6.01523E-08	1.44347E+00	.00000E+00	.00000E+00	5.15569E-03	.00000E+00	3.03873E+00
11	1.35177E+00	-4.26168E-08	1.30199E+00	.00000E+00	.00000E+00	1.07150E-02	.00000E+00	2.78319E+00
12	8.51598E-01	-1.92106E-08	7.94341E-01	.00000E+00	.00000E+00	1.37916E-02	.00000E+00	1.73791E+00
13	7.20153E-01	-1.56201E-09	6.72804E-01	.00000E+00	.00000E+00	1.36260E-02	.00000E+00	1.47051E+00
14	6.65674E-01	1.05850E-08	5.95112E-01	.00000E+00	.00000E+00	9.17978E-03	.00000E+00	1.34296E+00
15	3.78673E-01	2.09122E-06	3.72168E-01	.00000E+00	.00000E+00	2.32477E-03	.00000E+00	7.84918E-01
16	2.10948E-01	1.64750E-06	2.07153E-01	.00000E+00	.00000E+00	1.56920E-03	.00000E+00	4.36998E-01
17	9.27525E-02	-3.35600E-06	8.87581E-02	.00000E+00	.00000E+00	2.20864E-03	.00000E+00	1.90646E-01
18	7.36155E-02	-3.21493E-06	6.42002E-02	.00000E+00	.00000E+00	2.54205E-03	.00000E+00	1.47443E-01
19	1.44266E-01	-5.37192E-06	1.37581E-01	.00000E+00	.00000E+00	3.54318E-03	.00000E+00	2.96270E-01
20	4.73085E-01	3.61124E-06	4.52738E-01	.00000E+00	.00000E+00	1.69539E-02	.00000E+00	9.72474E-01
21	1.43393E-01	-8.45319E-06	1.26547E-01	.00000E+00	.00000E+00	1.28783E-02	.00000E+00	2.88022E-01
22	2.82465E-01	3.57357E-06	2.32996E-01	.00000E+00	.00000E+00	3.65695E-02	.00000E+00	5.57494E-01
23	8.89289E-01	-5.71100E-07	7.74383E-01	.00000E+00	.00000E+00	8.32006E-02	.00000E+00	1.77813E+00
24	6.71217E-01	-2.53733E-06	5.52211E-01	.00000E+00	.00000E+00	8.61648E-02	.00000E+00	1.31936E+00
25	2.89473E-01	-1.55391E-06	2.26387E-01	.00000E+00	.00000E+00	4.96836E-02	.00000E+00	5.60524E-01
26	1.97859E-01	7.85225E-06	1.35701E-01	.00000E+00	.00000E+00	4.56895E-02	.00000E+00	3.68377E-01
27	3.65267E-02	2.27438E-07	1.74124E-02	.00000E+00	.00000E+00	1.27786E-02	.00000E+00	6.21659E-02
28	2.36019E+01	-5.96958E-06	2.35678E+01	.00000E+00	2.32343E-03	4.53203E-01	.00000E+00	4.90943E+01

- elapsed time .02 min.

Odirect access unit 9 requires 516 blocks of length 1456 for cross section weighting.

1 transport cross section weighting function

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.32023E-03	2.46432E-02	3.14960E-02	1.91146E-02	2.92591E-02	5.58960E-02	3.18415E-02	4.61034E-03
2	3.63221E-03	3.82934E-02	4.86876E-02	2.94863E-02	4.49319E-02	8.46411E-02	4.80592E-02	6.95116E-03
3	2.95138E-03	3.26702E-02	4.29869E-02	2.71862E-02	4.23898E-02	8.04845E-02	4.60468E-02	5.53407E-03
4	1.01878E-03	1.20220E-02	1.64775E-02	1.09272E-02	1.74414E-02	3.33811E-02	1.95152E-02	1.98607E-03
5	1.69031E-03	1.87470E-02	2.46961E-02	1.56111E-02	2.43670E-02	4.65140E-02	2.66799E-02	3.29888E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.76323E-03	5.86906E-03	1.25367E-02	1.44708E-02	1.21700E-02	1.78675E-02	1.82534E-03	1.05963E-03
2	7.15452E-03	8.80490E-03	1.88576E-02	2.18491E-02	1.83631E-02	2.71110E-02	2.71215E-03	1.58962E-03
3	5.75377E-03	8.26024E-03	1.76352E-02	2.02020E-02	1.69731E-02	2.50551E-02	2.53800E-03	1.47790E-03
4	1.91944E-03	3.36057E-03	7.16180E-03	8.11418E-03	6.85335E-03	1.00771E-02	1.10575E-03	6.22081E-04
5	3.33909E-03	4.78343E-03	1.02084E-02	1.16847E-02	9.84101E-03	1.44731E-02	1.51738E-03	8.70663E-04

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.05475E-03	2.33689E-03	1.76176E-03	5.37297E-03	4.22154E-03	1.20619E-02	2.84650E-02	2.83012E-02
2	1.59250E-03	3.58292E-03	2.63450E-03	8.07731E-03	6.43045E-03	1.85115E-02	4.32459E-02	4.33146E-02
3	1.47298E-03	3.29918E-03	2.44771E-03	7.46892E-03	5.97175E-03	1.71157E-02	4.01916E-02	4.01905E-02
4	5.96243E-04	1.30954E-03	9.99810E-04	3.03522E-03	2.40481E-03	6.86900E-03	1.65054E-02	1.64319E-02
5	8.54371E-04	1.89117E-03	1.42751E-03	4.34696E-03	3.43847E-03	9.83099E-03	2.33356E-02	2.32414E-02

Ozone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.44409E-02	1.31470E-02	3.44384E-03	3.84351E-01
2	2.22286E-02	2.05503E-02	5.66049E-03	5.86934E-01

3	2.04903E-02	1.89825E-02	5.19966E-03	5.40975E-01
4	8.29796E-03	7.56765E-03	1.90505E-03	2.17707E-01
5	1.18116E-02	1.07995E-02	2.81431E-03	3.12114E-01

1 240 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.70692E-01	1.29416E+00	1.64749E+00	1.02366E+00	1.54988E+00	2.98152E+00	2.87567E+00	2.07444E+00
2	1.67548E-01	1.26141E+00	1.60707E+00	9.99721E-01	1.51239E+00	2.91177E+00	2.83454E+00	2.06721E+00
3	1.66402E-01	1.24956E+00	1.59208E+00	9.90752E-01	1.49870E+00	2.88529E+00	2.81946E+00	2.06494E+00
4	1.64993E-01	1.23114E+00	1.56517E+00	9.71662E-01	1.46683E+00	2.82225E+00	2.78268E+00	2.06318E+00
5	1.67064E-01	1.25437E+00	1.59584E+00	9.91275E-01	1.49815E+00	2.88286E+00	2.81802E+00	2.06715E+00

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.59046E+00	1.44919E+00	1.31426E+00	8.08612E-01	6.84621E-01	6.12646E-01	3.74037E-01	2.08164E-01
2	1.59784E+00	1.45723E+00	1.33160E+00	8.28980E-01	7.01506E-01	6.37861E-01	3.76594E-01	2.09588E-01
3	1.60013E+00	1.45986E+00	1.33719E+00	8.35452E-01	7.06969E-01	6.45905E-01	3.77442E-01	2.10065E-01
4	1.60343E+00	1.46646E+00	1.35106E+00	8.50869E-01	7.19688E-01	6.64860E-01	3.78898E-01	2.11010E-01
5	1.59871E+00	1.45992E+00	1.33714E+00	8.34953E-01	7.06488E-01	6.45205E-01	3.77103E-01	2.09949E-01

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.97398E-02	6.64960E-02	1.39255E-01	4.57807E-01	1.30620E-01	2.45133E-01	8.01802E-01	5.79882E-01
2	9.11561E-02	6.98580E-02	1.41621E-01	4.65042E-01	1.36517E-01	2.62748E-01	8.41092E-01	6.19751E-01
3	9.16263E-02	7.09144E-02	1.42394E-01	4.67401E-01	1.38376E-01	2.68071E-01	8.53064E-01	6.31378E-01
4	9.27138E-02	7.34609E-02	1.44203E-01	4.72893E-01	1.43093E-01	2.81597E-01	8.86436E-01	6.67204E-01
5	9.15952E-02	7.08372E-02	1.42339E-01	4.67212E-01	1.38376E-01	2.67841E-01	8.54277E-01	6.33868E-01

0zone	grp. 25	grp. 26	grp. 27
1	2.40893E-01	1.49532E-01	2.13871E-02
2	2.61856E-01	1.69242E-01	2.74920E-02
3	2.67666E-01	1.74396E-01	2.88879E-02
4	2.86895E-01	1.94317E-01	3.52220E-02
5	2.69296E-01	1.76982E-01	2.98687E-02

0flux disadvantage factors (zone average/cell average-flux)

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02172E+00	1.03172E+00	1.03237E+00	1.03267E+00	1.03419E+00	1.03422E+00	1.02042E+00	1.00353E+00
2	1.00290E+00	1.00561E+00	1.00704E+00	1.00852E+00	1.00951E+00	1.01003E+00	1.00589E+00	1.00003E+00
3	9.96038E-01	9.96167E-01	9.97648E-01	9.99473E-01	1.00057E+00	1.00084E+00	1.00051E+00	9.98933E-01
4	9.87605E-01	9.81488E-01	9.80781E-01	9.80215E-01	9.79099E-01	9.78978E-01	9.87458E-01	9.98079E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.94857E-01	9.92650E-01	9.82885E-01	9.68452E-01	9.69049E-01	9.49537E-01	9.91868E-01	9.91502E-01
2	9.99455E-01	9.98161E-01	9.95854E-01	9.92846E-01	9.92948E-01	9.88618E-01	9.98650E-01	9.98285E-01
3	1.00089E+00	9.99961E-01	1.00003E+00	1.00060E+00	1.00068E+00	1.00109E+00	1.00090E+00	1.00056E+00
4	1.00295E+00	1.00448E+00	1.01040E+00	1.01905E+00	1.01868E+00	1.03046E+00	1.00478E+00	1.00505E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.79765E-01	9.38716E-01	9.78334E-01	9.79871E-01	9.43951E-01	9.15220E-01	9.38574E-01	9.14831E-01
2	9.95229E-01	9.86177E-01	9.94957E-01	9.95356E-01	9.86564E-01	9.80988E-01	9.84566E-01	9.77728E-01
3	1.00036E+00	1.00109E+00	1.00089E+00	1.00040E+00	9.99995E-01	1.00086E+00	9.98580E-01	9.96071E-01
4	1.01224E+00	1.03704E+00	1.01310E+00	1.01216E+00	1.03409E+00	1.05136E+00	1.03764E+00	1.05259E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00


0zone	grp. 25	grp. 26	grp. 27
1	8.94530E-01	8.43769E-01	7.16037E-01
2	9.72573E-01	9.56267E-01	9.20431E-01
3	9.93948E-01	9.85395E-01	9.67165E-01
4	1.06535E+00	1.09795E+00	1.17923E+00
5	1.00000E+00	1.00000E+00	1.00000E+00

0cell averaged currents


0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.52023E-03	2.44432E-02	3.14960E-02	1.91146E-02	2.92591E-02	5.58960E-02	3.18415E-02	4.61034E-03

```
    2 3.63221E-03 3.82934E-02 4.86876E-02 2.94863E-02 4.49319E-02 8.46411E-02 4.80592E-02 6.93116E-03
    3 2.95138E-03 3.26702E-02 4.29659E-02 2.71862E-02 4.23898E-02 8.04845E-02 4.60468E-02 5.53407E-03
    4 1.01878E-03 1.20220E-02 1.64775E-02 1.09272E-02 1.74414E-02 3.33811E-02 1.95152E-02 1.98607E-03
    5 1.69031E-03 1.87470E-02 2.46961E-02 1.56111E-02 2.43670E-02 4.65140E-02 2.66799E-02 3.29888E-03
Ozone  grp. 9     grp. 10    grp. 11    grp. 12    grp. 13    grp. 14    grp. 15    grp. 16
    1 4.76323E-03 5.86906E-03 1.25367E-02 1.44708E-02 1.21700E-02 1.78675E-02 1.82534E-03 1.05963E-03
    2 7.15452E-03 8.80490E-03 1.88576E-02 2.18491E-02 1.83631E-02 2.71110E-02 2.71215E-03 1.58962E-03
    3 5.75377E-03 8.26024E-03 1.76352E-02 2.02020E-02 1.69731E-02 2.50551E-02 2.53800E-03 1.47790E-03
    4 1.91944E-03 3.36057E-03 7.16180E-03 8.11418E-03 6.85335E-03 1.00771E-02 1.10575E-03 6.22081E-04
    5 3.33909E-03 4.78343E-03 1.02084E-02 1.16847E-02 9.84101E-03 1.44731E-02 1.51738E-03 8.70663E-04
Ozone  grp. 17    grp. 18    grp. 19    grp. 20    grp. 21    grp. 22    grp. 23    grp. 24
    1 1.05475E-03 2.33689E-03 1.76176E-03 5.37297E-03 4.22154E-03 1.20619E-02 2.84650E-02 2.83012E-02
    2 1.59250E-03 3.58292E-03 2.63450E-03 8.07731E-03 6.43045E-03 1.85115E-02 4.32459E-02 4.33146E-02
    3 1.47296E-03 3.29918E-03 2.44771E-03 7.46892E-03 5.97175E-03 1.71157E-02 4.01916E-02 4.01905E-02
    4 5.96243E-04 1.30954E-03 9.99810E-04 3.03522E-03 2.40481E-03 6.86900E-03 1.65064E-02 1.64319E-02
    5 8.54371E-04 1.89117E-03 1.42751E-03 4.34696E-03 3.43847E-03 9.83099E-03 2.33356E-02 2.32414E-02
Ozone  grp. 25    grp. 26    grp. 27
    1 1.44409E-02 1.31470E-02 3.44384E-03
    2 2.22285E-02 2.05508E-02 5.66049E-03
    3 2.04903E-02 1.89825E-02 5.19966E-03
    4 8.29796E-03 7.56765E-03 1.90505E-03
    5 1.18116E-02 1.07995E-02 2.81431E-03
Ozone      volume     vol. fraction


    1    6.88443E-01    3.30753E-01
    2    3.17352E-02    1.52468E-02
    3    2.16724E-01    1.04122E-01
    4    1.14454E+00    5.49878E-01
    5    2.08144E+00    1.00000E+00
 - elapsed time    .03 min.
 0requested parm=halt8,skipcellwt,skipshipdata
   pass= 2, exec halts after pass  8
```



```
0
```



```
0
```


program verification information
code system: scale version: 4.2
program: d0c008
creation date: 04/27/95

```
                    *****          library:  /neutronics/scale/exe                *****
                    *****                                                         *****
                    *****                                                         *****
                    *****    this is not a  scale  configuration controlled code  *****
                    *****                                                         *****
                    *****          jobname:  davis                                *****
                    *****                                                         *****
                    *****    date of execution:  02/16/96                         *****
                    *****                                                         *****
                    *****    time of execution:  09:58:11                         *****
                    *****                                                         *****
                    *****                                                         *****
                    ***************************************************************
                    ***************************************************************
                    ***************************************************************
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere              2
0izm--number of zones or material regions                     4
0ms--mixing table length                                     70
0ibl--shielded cross section edit option (0/1--no/yes)        0
0ibr--bondarenko factor edit option (0/1--no/yes)             0
0issopt--dancoff factor option                                0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     70 entries.
0       4q array has     70 entries.
0       5q array has     70 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     70 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        3     8016    2.09710E-02             201
    2        3     1001    4.19420E-02             202
    3        3     5010    3.81515E-06             203
    4        3     5011    1.54884E-05             204
    5        2    40302    4.25156E-02             205
    6        1    92235    1.97093E-04          200006
    7        1    92234    1.73586E-06          200007
    8        1    92236    6.85418E-06          200008
    9        1    92238    7.27846E-03          200009
   10        1     8016    1.50611E-02          200010
   11        1     8016    1.15315E-02          200011
   12        1    36083    1.49788E-07          200012
   13        1    36085    7.24877E-08          200013
   14        1    38090    1.62222E-06          200014
   15        1    39089    9.69799E-07          200015
```

16	1	42095	8.85393E-07	200016
17	1	40093	1.21166E-06	200017
18	1	40094	1.86811E-06	200018
19	1	40095	6.68494E-07	200019
20	1	41094	6.37185E-13	200020
21	1	43099	1.78738E-06	200021
22	1	45103	7.74208E-07	200022
23	1	45105	4.70797E-09	200023
24	1	44101	1.56517E-06	200024
25	1	44106	2.11021E-07	200025
26	1	46105	4.39806E-07	200026
27	1	46108	8.09598E-08	200027
28	1	47109	5.68571E-08	200028
29	1	51124	1.58536E-11	200029
30	1	54131	8.22527E-07	200030
31	1	54132	1.34631E-06	200031
32	1	54135	2.15375E-09	200032
33	1	54136	2.98490E-06	200033
34	1	55134	2.69282E-08	200034
35	1	55135	9.25459E-07	200035
36	1	55137	1.88977E-06	200036
37	1	56136	5.51117E-09	200037
38	1	57139	1.88760E-06	200038
39	1	59141	1.39034E-06	200039
40	1	59143	1.33567E-07	200040
41	1	58144	1.20205E-06	200041
42	1	60143	1.53714E-06	200042
43	1	60145	1.14105E-06	200043
44	1	61147	5.39173E-07	200044
45	1	61148	1.43795E-09	200045
46	1	60147	4.43675E-08	200046
47	1	62147	4.54726E-08	200047
48	1	62149	2.27445E-08	200048
49	1	62150	3.27241E-07	200049
50	1	62151	7.37387E-08	200050
51	1	62152	1.51696E-07	200051
52	1	64155	1.47720E-10	200052
53	1	63153	6.69315E-08	200053
54	1	63154	5.20859E-09	200054
55	1	63155	1.03382E-08	200055
56	1	40302	4.42681E-03	200056
57	1	1001	2.30530E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	1.93560E-06	200060
61	1	95237	2.03586E-07	200061
62	1	94238	7.98213E-09	200062
63	1	94239	1.44467E-05	200063
64	1	94240	1.07622E-06	200064
65	1	94241	2.48362E-07	200065
66	1	94242	6.83419E-09	200066
67	1	95241	2.00094E-09	200067
68	1	95243	1.38633E-10	200068
69	1	96244	3.02219E-12	200069
70	1	999	3.30753E-21	200070

Geometry and material description


Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.23052E+01	0
3	3	8.14000E-01	6.07600E+02	3.54862E+00	0

```
   4     1          2.96100E+00    9.75000E+02    2.32883E-01           0
     8067 locations of   200000 available are required to make a new master containing the self-shielded values
0no nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical  1
0copy      999  1/v cross sectio from log 12 to log  1   bondarenko trigger 0
0copy     1001   hydrogen        from log 12 to log 18   bondarenko trigger 0
0copy     1001   hydrogen        from log 18 to log  1   bondarenko trigger 0
0copy     1001   hydrogen        from log 18 to log  1   bondarenko trigger 0
0copy     5010  b-10 1273 218ngp from log 12 to log 18   bondarenko trigger 0
0copy     5010  b-10 1273 218ngp from log 18 to log  1   bondarenko trigger 0
0copy     5010  b-10 1273 218ngp from log 18 to log  1   bondarenko trigger 0
0copy     5011   boron-11        from log 12 to log 18   bondarenko trigger 0
0copy     5011   boron-11        from log 18 to log  1   bondarenko trigger 0
0copy     5011   boron-11        from log 18 to log  1   bondarenko trigger 0
0copy     8016   oxygen-16       from log 12 to log 18   bondarenko trigger 0
0copy     8016   oxygen-16       from log 18 to log  1   bondarenko trigger 0
0copy     8016   oxygen-16       from log 18 to log  1   bondarenko trigger 0
0copy     8016   oxygen-16       from log 18 to log  1   bondarenko trigger 0
0copy    36083   kr-83           from log 12 to log  1   bondarenko trigger 0
0copy    36085   kr-85           from log 12 to log  1   bondarenko trigger 0
0copy    38090   sr-90           from log 12 to log  1   bondarenko trigger 0
0copy    39089    y-89           from log 12 to log  1   bondarenko trigger 0
0copy    40093   zr-93           from log 12 to log  1   bondarenko trigger 0
0copy    40094   zr-94           from log 12 to log  1   bondarenko trigger 0
0copy    40095   zr-95           from log 12 to log  1   bondarenko trigger 0
0copy    40302   zircalloy       from log 12 to log 18   bondarenko trigger 0
0copy    40302   zircalloy       from log 18 to log  1   bondarenko trigger 0
0copy    40302   zircalloy       from log 18 to log  1   bondarenko trigger 0
0copy    41094   nb-94           from log 12 to log  1   bondarenko trigger 0
0copy    42095   mo-95           from log 12 to log  1   bondarenko trigger 0
0copy    43099   tc-99           from log 12 to log  1   bondarenko trigger 0
0copy    44101   ru-101          from log 12 to log  1   bondarenko trigger 0
0copy    44106   ru-106          from log 12 to log  1   bondarenko trigger 0
0copy    45103   rh-103          from log 12 to log  1   bondarenko trigger 0
0copy    45105   rh-105          from log 12 to log  1   bondarenko trigger 0
0copy    46105   pd-105          from log 12 to log  1   bondarenko trigger 0
0copy    46108   pd-108          from log 12 to log  1   bondarenko trigger 0
0copy    47109   silver-109      from log 12 to log  1   bondarenko trigger 0
0copy    51124   sb-124          from log 12 to log  1   bondarenko trigger 0
0copy    54131   xe-131          from log 12 to log  1   bondarenko trigger 0
0copy    54132   xe-132          from log 12 to log  1   bondarenko trigger 0
0copy    54135   xenon-135       from log 12 to log  1   bondarenko trigger 0
0copy    54136   xe-136          from log 12 to log  1   bondarenko trigger 0
0copy    55133   cesium-133      from log 12 to log  1   bondarenko trigger 0
0copy    55134   cs-134          from log 12 to log  1   bondarenko trigger 0
0copy    55135   cs-135          from log 12 to log  1   bondarenko trigger 0
0copy    55137   cs-137          from log 12 to log  1   bondarenko trigger 0
0copy    56136   ba-136          from log 12 to log  1   bondarenko trigger 0
0copy    57139   la-139          from log 12 to log  1   bondarenko trigger 0
0copy    58144   ce-144          from log 12 to log  1   bondarenko trigger 0
0copy    59141   pr-141          from log 12 to log  1   bondarenko trigger 0
0copy    59143   pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143   nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145   nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147   nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147   pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148   pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147   sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149   sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150   sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151   sm-151          from log 12 to log  1   bondarenko trigger 0
```

```
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1060 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc     1/27/89
             last updated       9/16/93
                l.m.petrie  -   ornl
          tape id                          4321        number of nuclides          70
          number of neutron groups           27        number of gamma groups       0
          first thermal group                15        logical unit                 1
                                  table of contents
        1/v cross sections normalized to 1.0 at 0.0253 ev                      id   200070
          hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89      id      202
          hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89      id   200057
        b-10 1273 218ngp 042375 p-3 293k                                      id      203
        b-10 1273 218ngp 042375 p-3 293k                                      id   200058
          boron-11       endf/b-iv mat 1160            updated 10/13/89      id      204
          boron-11       endf/b-iv mat 1160            updated 10/13/89      id   200059
          oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id      201
          oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id   200010
          oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id   200011
          kr-83          mt=102,103,103,105,106,107    updated 10/13/89      id   200012
          kr-85             mt=  102                                           id   200013
          sr-90          mt=102                        updated 10/13/89      id   200014
           y-89          mt=102                        updated 10/13/89      id   200015
          zr-93             mt=  102                                           id   200017
          zr-94          mt=102                        updated 10/13/89      id   200018
          zr-95          mt=102                        updated 10/13/89      id   200019
          zircalloy      endf/b-iv mat 1284            updated 10/13/89      id      205
          zircalloy      endf/b-iv mat 1284            updated 10/13/89      id   200056
          rb-94          mt=102                        updated 10/13/89      id   200020
          mo-95          mt=102                        updated 10/13/89      id   200016
          tc-99          mt=102                        updated 10/13/89      id   200021
          ru-101         mt=102                        updated 10/13/89      id   200024
          ru-106         mt=102                        updated 10/13/89      id   200025
          rh-103         mt=102                        updated 10/13/89      id   200022
          rh-105             mt=  102                                       id   200023
          pd-105         mt=102                        updated 10/13/89      id   200026
          pd-108         mt=102                        updated 10/13/89      id   200027
          silver-109     endf/b-iv mat 1139            updated 10/13/89      id   200028
          sb-124         mt=102                        updated 10/13/89      id   200029
          xe-131         mt=102,103,104,105,106        updated 10/13/89      id   200030
          xe-132         mt=102,103,104,105,106        updated 10/13/89      id   200031
          xenon-135      endf/b-iv mat 1294            updated 10/13/89      id   200032
```

```
        xe-136          mt=  102, 103, 104, 105, 107                          id   200033
        cesium-133      endf/b-iv mat 1141          updated 10/13/89          id   200060
        cs-134          mt=102                      updated 10/13/89          id   200034
        cs-135          mt=  102                                              id   200035
        cs-137          mt=102                      updated 10/13/89          id   200036
        ba-136          mt=102                      updated 10/13/89          id   200037
        la-139          mt=102                      updated 10/13/89          id   200038
        ce-144          mt=  102                                              id   200041
        pr-141          mt=102,103,104,105,106,107  updated 10/13/89          id   200039
        pr-143          mt=102                      updated 10/13/89          id   200040
        nd-143          mt=102                      updated 10/13/89          id   200042
        nd-145          mt=102                      updated 10/13/89          id   200043
        nd-147          mt=102                      updated 10/13/89          id   200046
        pm-147          mt=102                      updated 10/13/89          id   200044
        pm-148          mt=  102                                              id   200045
        sm-147          endf/b-v fission product    updated 10/13/89          id   200047
        sm-149          mt=102,103,107              updated 10/13/89          id   200048
        sm-150          mt=102                      updated 10/13/89          id   200049
        sm-151          mt=102,103,104,105,106,107  updated 10/13/89          id   200050
        sm-152          mt=102,103,104,105,106,107  updated 10/13/89          id   200051
        eu-153          mt=102,103,104,105,106,107  updated 10/13/89          id   200053
        eu-154          mt=102,103,104,105,106,107  updated 10/13/89          id   200054
        eu-155          mt=102,103,104,105,106,107  updated 10/13/89          id   200055
        gd-155          mt=102                      updated 10/13/89          id   200052
       u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    id   200007
        uranium-235     endf/b-iv mat 1261          updated 10/13/89          id   200006
       u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    id   200008
        uranium-238     endf/b-iv mat 1262          updated 10/13/89          id   200009
        neptunium-237   endf/b-iv mat 1263          updated 10/13/89          id   200061
       pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                   id   200062
        plutonium-239   endf/b-iv mat 1264          updated 10/13/89          id   200063
        plutonium-240   endf/b-iv mat 1265          updated 10/13/89          id   200064
        plutonium-241   endf/b-iv mat 1266          updated 10/13/89          id   200065
        plutonium-242   endf/b-iv mat 1161          updated 10/13/89          id   200066
       am-241 1056 sigo=5+4 newxlacs 218ngp p-3 293k                          id   200067
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                           id   200068
        curium-244      endf/b-iv mat 1162          updated 10/13/89          id   200069
0       tape copy used      0 i/o's, and took     .00 seconds
1               m         m  iiiiiiiiiiii   ttttttttttt     aaaaaaaa    ww        ww  ll
                mm        m  iiiiiiiiiiii   ttttttttttt    aaaaaaaaaa   ww        ww  ll
                mmm       m      ii             tt        aa        aa  ww        ww  ll
                m mm      m      ii             tt        aa        aa  ww        ww  ll
                m  m      m      ii             tt        aa        aa  ww        ww  ll
                m   m     m      ii             tt        aaaaaaaaaaaa  ww    w   ww  ll
                m    m    m      ii             tt        aaaaaaaaaaaa  ww   www  ww  ll
                m     m   m      ii             tt        aa        aa  ww  ww ww  ww  ll
                m      mm m      ii             tt        aa        aa  ww ww   ww ww  ll
                m       mmm      ii             tt        aa        aa  wwww     wwww  ll
                m        mm iiiiiiiiiii        tt        aa        aa  www       www  lllllllllll
                m         m iiiiiiiiiii        tt        aa        aa  ww         ww  lllllllllll
0

  ddddddddd     aaaaaaaa    w        w iiiiiiiiiii   sssssssss
  ddddddddddd   aaaaaaaaa   w        w iiiiiiiiiii   ssssssssss
  dd       dd  aa       aa  w        w     ii       ss      ss
  dd       dd  aa       aa  w        w     ii       ss
  dd       dd  aa       aa  w        w     ii       ss
  dd       dd  aaaaaaaaaaa  w        w     ii       ssssssssss
  dd       dd  aaaaaaaaaaa   w      w      ii        ssssssssss
  dd       dd  aa       aa    w    w       ii              ss
```



program verification information

code system: scale version: 4.2

```
                    ******                                                      ******
                    ******                                                      ******
                    ******            program:  c0c002                          ******
                    ******                                                      ******
                    ******       creation date:  04/27/95                       ******
                    ******                                                      ******
                    ******            library:  /neutronics/scale/exe           ******
                    ******                                                      ******
                    ******                                                      ******
                    ******   this is not a   scale  configuration controlled code ******
                    ******                                                      ******
                    ******            jobname:  davis                           ******
                    ******                                                      ******
                    ******   date of execution:  02/16/96                      ******
                    ******                                                      ******
                    ******   time of execution:  09:58:12                      ******
                    ******                                                      ******
                    ******                                                      ******
                    ************************************************************************
                    ************************************************************************
                    ************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has     12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0       2q array has     70 entries.
0       3q array has     15 entries.
0       4q array has      5 entries.
0 general information concerning cross section library
    tape identification number                  4349
    number of nuclides on tape                    65
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0  direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                           based on endf-b version 4 data with endf-b version 5 fission products
                              compiled for nrc      1/27/89
                                 last updated       9/16/93
                                    l.m.petrie   -   ornl
-  work tape   4349

 xsdrn weighted tape--parent case entitled--  240 d, sas2h: babcock wilcox 15x15,
  3.00wt%, 20gwd/mtu burn high temp




0 nuclides from xsdrn tape
     1     hydrogen        endf/b-iv mat 1269/thrmf1002    updated 10/13/89              202
     2    b-10 1273 218ngp 042375 p-3 293k                                               203
     3     boron-11        endf/b-iv mat 1160              updated 10/13/89              204
```


```
   4    oxygen-16       endf/b-iv mat 1276              updated 10/13/89          201
   5    zircalloy       endf/b-iv mat 1284              updated 10/13/89          205
0 nuclides from work tape
   6  1/v cross sections normalized to 1.0 at 0.0253 ev                           999
   7    hydrogen        endf/b-iv mat 1269/thnm1002     updated 10/13/89         1001
   8  b-10 1273 218ngp 042375 p-3 293k                                          5010
   9    boron-11        endf/b-iv mat 1160              updated 10/13/89         5011
  10    oxygen-16       endf/b-iv mat 1276              updated 10/13/89         8016
  11    oxygen-16       endf/b-iv mat 1276              updated 10/13/89            6
  12    kr-83           mt=102,103,103,105,106,107      updated 10/13/89        36083
  13    kr-85             mt=  102                                              36085
  14    sr-90           mt=102                          updated 10/13/89        38090
  15     y-89           mt=102                          updated 10/13/89        39089
  16    zr-93             mt=  102                                              40093
  17    zr-94           mt=102                          updated 10/13/89        40094
  18    zr-95           mt=102                          updated 10/13/89        40095
  19    zircalloy       endf/b-iv mat 1284              updated 10/13/89        40302
  20    nb-94           mt=102                          updated 10/13/89        41094
  21    mo-95           mt=102                          updated 10/13/89        42095
  22    tc-99           mt=102                          updated 10/13/89        43099
  23    ru-101          mt=102                          updated 10/13/89        44101
  24    ru-106          mt=102                          updated 10/13/89        44106
  25    rh-103          mt=102                          updated 10/13/89        45103
  26    rh-105            mt=  102                                              45105
  27    pd-105          mt=102                          updated 10/13/89        46105
  28    pd-108          mt=102                          updated 10/13/89        46108
  29    silver-109      endf/b-iv mat 1139              updated 10/13/89        47109
  30    sb-124          mt=102                          updated 10/13/89        51124
  31    xe-131          mt=102,103,104,105,106          updated 10/13/89        54131
  32    xe-132          mt=102,103,104,105,106          updated 10/13/89        54132
  33    xenon-135       endf/b-iv mat 1294              updated 10/13/89        54135
  34    xe-136            mt=  102, 103, 104, 105, 107                          54136
  35    cesium-133      endf/b-iv mat 1141              updated 10/13/89        55133
  36    cs-134          mt=102                          updated 10/13/89        55134
  37    cs-135            mt=  102                                              55135
  38    cs-137          mt=102                          updated 10/13/89        55137
  39    ba-136          mt=102                          updated 10/13/89        56136
  40    la-139          mt=102                          updated 10/13/89        57139
  41    ce-144            mt=  102                                              58144
  42    pr-141          mt=102,103,104,105,106,107      updated 10/13/89        59141
  43    pr-143          mt=102                          updated 10/13/89        59143
  44    nd-143          mt=102                          updated 10/13/89        60143
  45    nd-145          mt=102                          updated 10/13/89        60145
  46    nd-147          mt=102                          updated 10/13/89        60147
  47    pm-147          mt=102                          updated 10/13/89        61147
  48    pm-148            mt=  102                                              61148
  49    sm-147          endf/b-v fission product        updated 10/13/89        62147
  50    sm-149          mt=102,103,107                  updated 10/13/89        62149
  51    sm-150          mt=102                          updated 10/13/89        62150
  52    sm-151          mt=102,103,104,105,106,107      updated 10/13/89        62151
  53    sm-152          mt=102,103,104,105,106,107      updated 10/13/89        62152
  54    eu-153          mt=102,103,104,105,106,107      updated 10/13/89        63153
  55    eu-154          mt=102,103,104,105,106,107      updated 10/13/89        63154
  56    eu-155          mt=102,103,104,105,106,107      updated 10/13/89        63155
  57    gd-155          mt=102                          updated 10/13/89        64155
  58  u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         92234
  59    uranium-235     endf/b-iv mat 1261              updated 10/13/89        92235
  60  u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         92236
  61    uranium-238     endf/b-iv mat 1262              updated 10/13/89        92238
  62    neptunium-237   endf/b-iv mat 1263              updated 10/13/89        93237
```


```
    63    pu-238 1050 sigp=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    94238
    64     plutonium-239  endf/b-iv mat 1264          updated 10/13/89           94239
    65     plutonium-240  endf/b-iv mat 1265          updated 10/13/89           94240
    66     plutonium-241  endf/b-iv mat 1266          updated 10/13/89           94241
    67     plutonium-242  endf/b-iv mat 1161          updated 10/13/89           94242
    68    am-241 1056 sigp=5+4 newxlacs 218ngp p-3 293k                           95241
    69    am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                            95243
    70     curium-244     endf/b-iv mat 1162          updated 10/13/89           96244
0 hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89          202    temperature=  607.60
                          thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                          203    temperature=  607.60
                          thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 boron-11       endf/b-iv mat 1160          updated 10/13/89          204    temperature=  607.60
                          thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 oxygen-16      endf/b-iv mat 1276          updated 10/13/89          201    temperature=  607.60
0 zircalloy      endf/b-iv mat 1284          updated 10/13/89          205    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =    90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =     6.385          lumped nuclear density   = 4.2515602E-02
0spin factor (g)          =     1.079          lump dimension (a-bar)   = 6.7309999E-01
0inner radius             = 6.3246000E-01      dancoff correction (c)   = 1.6805907E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   8     -1.156752E-03    .000000E+00   -7.806033E-01
   9     -4.625978E-02    .000000E+00   -2.073270E+00
  10     -5.962230E-02    .000000E+00   -1.351984E+00
  11     -1.761672E-01    .000000E+00   -7.350731E-01
0excess resonance integrals
0                 resolved
0absorption      2.92402E-01
 fission          .00000E+00
-  elapsed time    .00 min.
-  elapsed time    .02 min.
1     this xsdrn working tape was created 02/16/96 at 09:58:12
      the title of the parent case is as follows
      xsdrn weighted tape--parent case entitled--  240 d, sas2h: babcock wilcox 15x15,
       3.00wt%, 20gwd/mtu burn high temp


        tape id                          8670        number of nuclides              70
        number of neutron groups           27        number of gamma groups           0
        first thermal group                15        logical unit                     4
                                  table of contents
       hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89          id    202
      b-10 1273 218ngp 042375 p-3 293k                                         id    203
       boron-11       endf/b-iv mat 1160             updated 10/13/89          id    204
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id    201
       zircalloy      endf/b-iv mat 1284             updated 10/13/89          id    205
      1/v cross sections normalized to 1.0 at 0.0253 ev                         id    999
       hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89          id   1001
      b-10 1273 218ngp 042375 p-3 293k                                         id   5010
       boron-11       endf/b-iv mat 1160             updated 10/13/89          id   5011
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id   8016
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id      6
       kr-83          mt=102,103,103,105,106,107     updated 10/13/89          id  36083
       kr-85             mt=  102                                               id  36085
       sr-90          mt=102                         updated 10/13/89          id  38090
        y-89          mt=102                         updated 10/13/89          id  39089
       zr-93             mt=  102                                               id  40093
```


```
        zr-94          mt=102                          updated 10/13/89              id    40094
        zr-95          mt=102                          updated 10/13/89              id    40095
        zircalloy      endf/b-iv mat 1284              updated 10/13/89              id    40802
        nb-94          mt=102                          updated 10/13/89              id    41094
        mo-95          mt=102                          updated 10/13/89              id    42095
        tc-99          mt=102                          updated 10/13/89              id    43099
        ru-101         mt=102                          updated 10/13/89              id    44101
        ru-106         mt=102                          updated 10/13/89              id    44106
        rh-103         mt=102                          updated 10/13/89              id    45103
        rh-105           mt=  102                                                    id    45105
        pd-105         mt=102                          updated 10/13/89              id    46105
        pd-108         mt=102                          updated 10/13/89              id    46108
        silver-109     endf/b-iv mat 1139              updated 10/13/89              id    47109
        sb-124         mt=102                          updated 10/13/89              id    51124
        xe-131         mt=102,103,104,105,106          updated 10/13/89              id    54131
        xe-132         mt=102,103,104,105,106          updated 10/13/89              id    54132
        xenon-135      endf/b-iv mat 1294              updated 10/13/89              id    54135
        xe-136           mt=  102, 103, 104, 105, 107                              id    54136
        cesium-133     endf/b-iv mat 1141              updated 10/13/89              id    55133
        cs-134         mt=102                          updated 10/13/89              id    55134
        cs-135           mt=  102                                                    id    55135
        cs-137         mt=102                          updated 10/13/89              id    55137
        ba-136         mt=102                          updated 10/13/89              id    56136
        la-139         mt=102                          updated 10/13/89              id    57139
        ce-144           mt=  102                                                    id    58144
        pr-141         mt=102,103,104,105,106,107      updated 10/13/89              id    59141
        pr-143         mt=102                          updated 10/13/89              id    59143
        nd-143         mt=102                          updated 10/13/89              id    60143
        nd-145         mt=102                          updated 10/13/89              id    60145
        nd-147         mt=102                          updated 10/13/89              id    60147
        pm-147         mt=102                          updated 10/13/89              id    61147
        pm-148           mt=  102                                                    id    61148
        sm-147         endf/b-v fission product        updated 10/13/89              id    62147
        sm-149         mt=102,103,107                  updated 10/13/89              id    62149
        sm-150         mt=102                          updated 10/13/89              id    62150
        sm-151         mt=102,103,104,105,106,107      updated 10/13/89              id    62151
        sm-152         mt=102,103,104,105,106,107      updated 10/13/89              id    62152
        eu-153         mt=102,103,104,105,106,107      updated 10/13/89              id    63153
        eu-154         mt=102,103,104,105,106,107      updated 10/13/89              id    63154
        eu-155         mt=102,103,104,105,106,107      updated 10/13/89              id    63155
        gd-155         mt=102                          updated 10/13/89              id    64155
      u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                            id    92234
       uranium-235     endf/b-iv mat 1261              updated 10/13/89              id    92235
      u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                            id    92236
       uranium-238     endf/b-iv mat 1262              updated 10/13/89              id    92238
       neptunium-237   endf/b-iv mat 1263              updated 10/13/89              id    93237
      pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                           id    94238
       plutonium-239   endf/b-iv mat 1264              updated 10/13/89              id    94239
       plutonium-240   endf/b-iv mat 1265              updated 10/13/89              id    94240
       plutonium-241   endf/b-iv mat 1266              updated 10/13/89              id    94241
       plutonium-242   endf/b-iv mat 1161              updated 10/13/89              id    94242
      am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                  id    95241
      am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                                   id    95243
       curium-244      endf/b-iv mat 1162              updated 10/13/89              id    96244
0       tape copy used      0 i/o's, and took     .00 seconds
1 xx        xx   sssssssssss   ddddddddddd   rrrrrrrrrrr   rrr       mm  mm pppppppppp   mmm        mmm
   xx       xx  sssssssssssss  ddddddddddddd  rrrrrrrrrrrr  rrrr      mm  mm pppppppppppp  mmmm      mmmm
    xx     xx   ss      ss     dd     dd     rr     rr     rrrr     mm  mm pp     pp     mmmm    mmmm
     xx   xx    ss             dd     dd     rr     rr     rr rr    mm  mm pp     pp     mm mm   mm mm
      xx xx     ss             dd     dd     rr     rr     rr  rr   mm  mm pp     pp     mm  mm  mm mm
```











```
                    ssssssssssss   ccccccccccc   aa       aa  lllllllllll   eeeeeeeeeee
                     sssssssss     ccccccccc    aa       aa  lllllllllll   eeeeeeeeeee
```

```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                program verification information            *****
*****                                                           *****
*****              code system:   scale  version:   4.2         *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****              program:  c0c001                             *****
*****                                                           *****
*****           creation date:  04/27/95                        *****
*****                                                           *****
*****              library:  /neutronics/scale/exe              *****
*****                                                           *****
*****                                                           *****
*****     this is not a  scale  configuration controlled code   *****
*****                                                           *****
*****              jobname:  davis                              *****
*****                                                           *****
*****     date of execution:  02/16/96                          *****
*****                                                           *****
*****     time of execution:  09:58:14                          *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
```

```
1
                    240 d, second part of sas2h pass to make library
0       -1q array has      1 entries.
0        0q array has     11 entries.
0        1q array has     15 entries.
0        2q array has     10 entries.
0        3q array has     12 entries.
0        4q array has      9 entries.
0        5q array has     12 entries.
0direct access unit   9 requires     12 blocks of length  704 for cross section mixing.
1                    240 d, second part of sas2h pass to make library
0general problem description data block
0                          general problem data

 ige  1/2/3 = plane/cylinder/sphere      2       isn  quadrature order                  8
 izm  number of zones                    4       isct order of scattering               3
 im   number of special intervals       28       ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1       iim  inner iteration maximum          20
 ibr  right boundary condition           3       iom  outer iteration maximum          25
 mxx  number of mixtures                 3       iclc -1/0/n--flat res/sn/cpt           0
 ms   mixing table length               70       ith  0/1 = forward/adjoint             0
 ign  number of energy groups           27       iflu not used(always wgtd)             0
```

```
 nng  number of neutron groups            27        iprt -2/-1/0/n=mixture xsec print      -2
 ngg  number of gamma groups               0        idl  0/1/2/3=no/prt nd/pch n/both      14
 iftg number of first thermal group       15        ipbt -1/0/1=none/fine/all bal. prt      0
0                          special options

 ifg  0/1 = none/weighting calculation     1        ipn  0/1/2 diff. coef. param           0
 iqm  volumetric sources (0/n=no/yes)      0        idfm 0/1 = none/density factors 38*     0
 ipm  boundary sources (0/n=no/yes)        0        iaz  0/n = none/n activities by zone    0
 ifn  0/1/2 = input 33*/34*/use last      14        iai  0/1=none/activities by interval    0
 itmx maximum time (minutes)              10        ifct 0/1=no/yes upscatter scaling       0
 idt1 0/1/2/3=no/xsect/srce/flux--out      0        ipvt 0/1/2=no/k/alpha parametric srch   0
 isx  broad group fluxes                   0        isen outer iteration acceleration       0
 ibln activity data unit                   0        nbnd band rebaln parameter              0
 jbkl 0/1/2 buckling geometry              0
0                        weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight      -1        ihtf total xsect psn in brd gp tables   3
 igmf number of broad groups               3        ndsf psn g-g or file number             4
 itp  0/10/20/30/40 0/c/e/ac/a             0        nusf table length or max order          6
 ipp  -2/-1/0/n=wgted xsect print         -2        msom extra 1-d x-sect positions         0
 iap  -1/n anisn xsect print              -1
0                          floating point parameters

 eps  overall convergence       1.00000E-04        dy   cyl/pla ht for buckling    .00000E+00
 ptc  point convergence         1.00000E-04        dz   plane depth for buckling 2.00000E+02
 xnf  normalization factor      1.00000E+00        vsc  void streaming correction  .00000E+00
 ev   eigenvalue guess           .00000E+00        pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier        .00000E+00        eql  ev change eps for search  1.00000E-05
 bf   buckling factor=1.420892  1.42089E+00        xrpm new param mod for search  7.50000E-01
     this case will require      2611 locations for mixing
     this case has been allocated 200000 locations
1                    240 d, second part of sas2h pass to make library
0       13q array has     70 entries.
0       14q array has     70 entries.
0       15q array has     70 entries.
0                              data block 2 (mixing table, etc.)
0     nuclides        cccc                          mixing table                          extra
       on tape    identification              mixture   component   atom density        xsect id's
     1     202                                     3         201   2.09710E-02
     2     203                                     3         202   4.19420E-02
     3     204                                     3         203   3.81515E-06
     4     201                                     3         204   1.54884E-05
     5     205                                     2         205   4.25156E-02
     6     999                                     1       92235   1.97093E-04
     7    1001                                     1       92234   1.73586E-06
     8    5010                                     1       92236   6.85418E-06
     9    5011                                     1       92238   7.27846E-03
    10    8016                                     1        8016   1.50611E-02
    11       6                                     1           6   1.15315E-02
    12   36083                                     1       36083   1.49788E-07
    13   36085                                     1       36085   7.24877E-08
    14   38090                                     1       38090   1.62222E-06
    15   39089                                     1       39089   9.69799E-07
    16   40093                                     1       42095   8.85393E-07
    17   40094                                     1       40093   1.21166E-06
    18   40095                                     1       40094   1.86811E-06
    19   40302                                     1       40095   6.68494E-07
    20   41094                                     1       41094   6.37185E-13
    21   42095                                     1       43099   1.78738E-06
    22   43099                                     1       45103   7.74208E-07
```

23	44101	1	45105	4.70797E-09
24	44106	1	44101	1.56517E-06
25	45103	1	44106	2.11021E-07
26	45105	1	46105	4.39806E-07
27	46105	1	46108	8.09598E-08
28	46108	1	47109	5.68571E-08
29	47109	1	51124	1.58536E-11
30	51124	1	54131	8.22527E-07
31	54131	1	54132	1.34631E-06
32	54132	1	54135	2.15375E-09
33	54135	1	54136	2.98490E-06
34	54136	1	55134	2.69282E-08
35	55133	1	55135	9.25459E-07
36	55134	1	55137	1.88777E-06
37	55135	1	56136	5.51117E-09
38	55137	1	57139	1.88760E-06
39	56136	1	59141	1.39034E-06
40	57139	1	59143	1.33567E-07
41	58144	1	58144	1.20205E-06
42	59141	1	60143	1.53714E-06
43	59143	1	60145	1.14105E-06
44	60143	1	61147	5.39173E-07
45	60145	1	61148	1.43795E-09
46	60147	1	60147	4.43675E-08
47	61147	1	62147	4.54726E-08
48	61148	1	62149	2.27445E-08
49	62147	1	62150	3.27241E-07
50	62149	1	62151	7.37387E-08
51	62150	1	62152	1.51696E-07
52	62151	1	64155	1.47720E-10
53	62152	1	63153	6.69315E-08
54	63153	1	63154	5.20859E-09
55	63154	1	63155	1.03382E-08
56	63155	1	40302	4.42681E-03
57	64155	1	1001	2.30630E-02
58	92234	1	5010	2.09787E-06
59	92235	1	5011	8.51673E-06
60	92236	1	55133	1.95560E-06
61	92238	1	95237	2.03586E-07
62	95237	1	94238	7.98213E-09
63	94238	1	94239	1.44467E-05
64	94239	1	94240	1.07622E-06
65	94240	1	94241	2.48362E-07
66	94241	1	94242	6.83419E-09
67	94242	1	95241	2.00094E-09
68	95241	1	95243	1.38633E-10
69	95243	1	96244	3.02219E-12
70	96244	1	999	3.30753E-21

```
-  elapsed time    .00 min.
0  24259 locations will be used
0      35q array has     29 entries.
0      36q array has     28 entries.
0      39q array has      4 entries.
0      40q array has      4 entries.
0      47q array has     27 entries.
0      51q array has     27 entries.
1                  240 d, second part of sas2h pass to make library
                        neutron group parameters
0  gp    energy      lethargy     weighted   broad gp      calc       group       right       left
       boundaries   boundaries   velocities   numbers      type        band       albedo      albedo
```

1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00
2	6.43400E+06	4.40989E-01	2.88737E+09	1	0	2	1.00000E+00
3	3.00000E+06	1.20397E+00	2.12201E+09	1	0	3	1.00000E+00
4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00
5	1.40000E+06	1.96611E+00	1.46535E+09	1	0	5	1.00000E+00
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00
8	1.00000E+05	4.60517E+00	2.72415E+08	2	0	8	1.00000E+00
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00
11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00
12	1.00000E+02	1.15129E+01	1.01086E+07	2	0	12	1.00000E+00
13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00
15	3.04999E+00	1.50030E+01	2.10601E+06	2	0	15	1.00000E+00
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00
17	1.29999E+00	1.58557E+01	1.52545E+06	2	0	17	1.00000E+00
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00
21	4.00000E-01	1.70344E+01	8.17974E+05	3	0	21	1.00000E+00
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00
23	2.25000E-01	1.76098E+01	4.86953E+05	3	0	23	1.00000E+00
24	9.99999E-02	1.84207E+01	3.57866E+05	3	0	24	1.00000E+00
25	5.00000E-02	1.91138E+01	2.71895E+05	3	0	25	1.00000E+00
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00
28	1.00000E-05	2.76310E+01					

1 240 d, second part of sas2h pass to make library

0

	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	3	3			0	-2.79004E-01	3	0
2	2	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	3	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	1	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28598E-02
7					5.55953E-02	2.31301E-01	6	1.28598E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83052E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70555E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02
20					4.53365E-02	-1.91780E-01	21	-8.69444E-03
21					4.53365E-02	1.91780E-01	20	8.69444E-03
22					4.53365E-02	5.46143E-01	19	2.47597E-02
23					4.53365E-02	8.17361E-01	18	3.70555E-02
24					4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.85235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.85235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.85235E-01	.00000E+00	4.36228E-01	-1.21411E-02

4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.89032E-01	-4.49528E-01	8.36886E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20862E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20862E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17256E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17256E-01
22	5.46143E-01	-4.49528E-01	-3.20862E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20862E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.97644E-02	1	0	4.90881E-03		0	
2	3.95287E-02	5.92931E-02	1	2.48366E-01	1.47264E-02		0	
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0	
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0	
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01			
6	3.16230E-01	3.55759E-01	1	1.98693E+00	1.76717E-01			
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01			
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.55258E-01			
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42355E-01			
10	5.92931E-01	6.12698E-01	1	3.72550E+00	1.52173E-01			
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02			
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46405E-02			
13	6.73100E-01	6.96583E-01	3	4.22921E+00	2.05562E-01			
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01			
15	7.67033E-01	7.90517E-01	3	4.81941E+00	2.33282E-01			
16	8.14000E-01	8.62795E-01	4	5.11451E+00	5.29051E-01			
17	9.11591E-01	9.60886E-01	4	5.72769E+00	5.88891E-01			
18	1.00918E+00	1.10677E+00	4	6.34088E+00	1.35731E+00			
19	1.20436E+00	1.30195E+00	4	7.56724E+00	1.59667E+00			
20	1.39955E+00	1.49714E+00	4	8.79360E+00	1.83603E+00			
21	1.59473E+00	1.69232E+00	4	1.00200E+01	2.07540E+00			
22	1.78991E+00	1.88750E+00	4	1.12463E+01	2.31476E+00			
23	1.98509E+00	2.08268E+00	4	1.24727E+01	2.55412E+00			
24	2.18027E+00	2.27786E+00	4	1.36991E+01	2.79349E+00			
25	2.37545E+00	2.47305E+00	4	1.49254E+01	3.03285E+00			
26	2.57064E+00	2.66823E+00	4	1.61518E+01	3.27221E+00			
27	2.76582E+00	2.81461E+00	4	1.73781E+01	1.72587E+00			
28	2.86341E+00	2.91220E+00	4	1.79913E+01	1.78571E+00			
29	2.96100E+00			1.86045E+01				

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	215	-1.84455E-06	1.12831E+00	-1.42524E-01	1.00000E+00	-4.10664E-02	.00000E+00	.0000
2	319	2.60041E-06	1.14215E+00	-1.25675E-03	-1.84449E-02	-4.28646E-03	.00000E+00	.0167
3	401	2.31725E-07	1.14359E+00	-1.27918E-04	-1.79126E-03	-8.35467E-04	.00000E+00	.0167
4	462	2.14825E-06	1.14384E+00	-2.02940E-05	-3.55786E-04	-1.62330E-04	.00000E+00	.0167
5	504	-4.31136E-07	1.14393E+00	-3.61934E-06	-7.01865E-05	-3.16620E-05	.00000E+00	.0167

grp to grp inner mfd max. flux msf max. scale coarse

		iters	int.	difference	int.	factor	mesh
1	1	1	17	2.49552E-06	28	1.00000E+00	1
2	2	1	17	3.03674E-06	28	1.00000E+00	1
3	3	1	17	2.81856E-06	28	1.00000E+00	1
4	4	1	17	2.75748E-06	28	1.00000E+00	1
5	5	1	17	2.89726E-06	28	1.00000E+00	1
6	6	1	17	1.98400E-06	28	1.00000E+00	1
7	7	1	24	1.11949E-06	28	1.00000E+00	2
8	8	1	3	2.11836E-07	20	1.00000E+00	2
9	9	1	27	6.98521E-06	28	9.99998E-01	3
10	10	1	26	1.04663E-06	28	1.00000E+00	3
11	11	1	26	2.28395E-06	28	1.00000E+00	3
12	12	1	26	1.14753E-06	28	9.99999E-01	3
13	13	1	26	1.47936E-06	28	1.00000E+00	3
14	14	1	25	4.36464E-07	28	1.00000E+00	3
15	15	1	2	3.39450E-05	28	9.99963E-01	2
16	16	1	2	4.18474E-05	28	9.99965E-01	2
17	17	1	27	9.47314E-05	28	1.00002E+00	3
18	18	1	2	5.36516E-05	28	9.99921E-01	3
19	19	1	26	7.43672E-05	26	9.99978E-01	3
20	20	1	2	4.05059E-05	28	9.99919E-01	3
21	21	1	3	6.15783E-05	28	9.99942E-01	3
22	22	1	24	2.89865E-05	28	9.99966E-01	3
23	23	1	27	3.44234E-05	28	1.00002E+00	4
24	24	1	1	3.42575E-05	9	1.00002E+00	4
25	25	1	1	3.91320E-05	8	1.00002E+00	5
26	26	1	1	3.23397E-05	6	1.00002E+00	6
27	27	1	1	3.00938E-05	5	1.00002E+00	8

6 531 -1.69257E-06 1.14395E+00 -5.47494E-07 -1.38940E-05 -6.78856E-06 .00000E+00 .0167

final monitor

lambda 1.14393E+00 production/absorption 1.15895E+00 angular flux on 16

- elapsed time .02 min.

1 240 d, second part of sas2h pass to make library

0 int.	zone number	radius	int. midpoint	area	volume	prod density
1	1	.00000E+00	1.97644E-02	.00000E+00	4.90881E-03	.00000E+00
2	1	3.95287E-02	5.92931E-02	2.48366E-01	1.47264E-02	.00000E+00
3	1	7.90575E-02	1.18586E-01	4.96733E-01	5.89057E-02	.00000E+00
4	1	1.58115E-01	1.97644E-01	9.93466E-01	9.81762E-02	.00000E+00
5	1	2.37172E-01	2.76701E-01	1.49020E+00	1.37447E-01	.00000E+00
6	1	3.16230E-01	3.55759E-01	1.98693E+00	1.76717E-01	.00000E+00
7	1	3.95288E-01	4.34816E-01	2.48366E+00	2.15988E-01	.00000E+00
8	1	4.74345E-01	5.13874E-01	2.98040E+00	2.55258E-01	.00000E+00
9	1	5.53403E-01	5.73167E-01	3.47713E+00	1.42365E-01	.00000E+00
10	1	5.92931E-01	6.12696E-01	3.72550E+00	1.52173E-01	.00000E+00
11	2	6.32460E-01	6.42620E-01	3.97386E+00	8.20460E-02	.00000E+00
12	2	6.52780E-01	6.62940E-01	4.10154E+00	8.46405E-02	.00000E+00
13	3	6.73100E-01	6.96883E-01	4.22921E+00	2.05562E-01	.00000E+00
14	3	7.20067E-01	7.43550E-01	4.52431E+00	2.19422E-01	.00000E+00
15	3	7.67033E-01	7.90517E-01	4.81941E+00	2.33282E-01	.00000E+00
16	4	8.14000E-01	8.62795E-01	5.11451E+00	5.29051E-01	2.59973E-02
17	4	9.11591E-01	9.60388E-01	5.72769E+00	5.88891E-01	2.83198E-02
18	4	1.00918E+00	1.10677E+00	6.34088E+00	1.35731E+00	6.39825E-02
19	4	1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	7.37806E-02
20	4	1.39955E+00	1.49714E+00	8.79360E+00	1.83603E+00	8.36686E-02
21	4	1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	9.36102E-02
22	4	1.78991E+00	1.88750E+00	1.12463E+01	2.31478E+00	1.03609E-01
23	4	1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	1.13674E-01
24	4	2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.23819E-01
25	4	2.37545E+00	2.47305E+00	1.49254E+01	3.05285E+00	1.34061E-01
26	4	2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.44431E-01

27	4	2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	7.61524E-02
28	4	2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	7.88275E-02
29		2.96100E+00		1.86045E+01		

1 240 d, second part of sas2h pass to make library

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.22880E-02	8.89680E-02	1.11539E-01	6.86707E-02	1.02474E-01	1.92610E-01	1.92975E-01	1.46890E-01
2	1.22830E-02	8.89176E-02	1.11474E-01	6.86325E-02	1.02421E-01	1.92523E-01	1.92935E-01	1.46884E-01
3	1.22836E-02	8.89308E-02	1.11496E-01	6.86504E-02	1.02456E-01	1.92595E-01	1.92989E-01	1.46895E-01
4	1.22900E-02	8.90093E-02	1.11608E-01	6.87286E-02	1.02586E-01	1.92836E-01	1.93145E-01	1.46924E-01
5	1.23016E-02	8.91483E-02	1.11802E-01	6.88615E-02	1.02802E-01	1.93236E-01	1.93394E-01	1.46968E-01
6	1.23175E-02	8.93397E-02	1.12070E-01	6.90446E-02	1.03100E-01	1.93786E-01	1.93734E-01	1.47034E-01
7	1.23375E-02	8.95846E-02	1.12414E-01	6.92824E-02	1.03489E-01	1.94505E-01	1.94177E-01	1.47094E-01
8	1.23617E-02	8.98904E-02	1.12851E-01	6.95895E-02	1.03995E-01	1.95443E-01	1.94756E-01	1.47177E-01
9	1.23821E-02	9.01594E-02	1.13244E-01	6.98711E-02	1.04463E-01	1.96313E-01	1.95293E-01	1.47246E-01
10	1.23959E-02	9.03703E-02	1.13571E-01	7.01190E-02	1.04885E-01	1.97101E-01	1.95781E-01	1.47294E-01
11	1.24076E-02	9.05451E-02	1.13844E-01	7.03270E-02	1.05238E-01	1.97778E-01	1.96200E-01	1.47339E-01
12	1.24202E-02	9.06752E-02	1.14017E-01	7.04353E-02	1.05408E-01	1.98116E-01	1.96404E-01	1.47382E-01
13	1.24467E-02	9.09120E-02	1.14286E-01	7.05729E-02	1.05599E-01	1.98457E-01	1.96597E-01	1.47451E-01
14	1.24857E-02	9.12894E-02	1.14737E-01	7.08281E-02	1.05975E-01	1.99119E-01	1.96978E-01	1.47542E-01
15	1.25316E-02	9.17748E-02	1.15358E-01	7.12144E-02	1.06573E-01	2.00195E-01	1.97609E-01	1.47643E-01
16	1.26029E-02	9.25525E-02	1.16369E-01	7.18590E-02	1.07590E-01	2.02042E-01	1.98706E-01	1.47812E-01
17	1.26753E-02	9.33277E-02	1.17380E-01	7.25074E-02	1.08623E-01	2.03942E-01	1.99853E-01	1.48008E-01
18	1.27295E-02	9.39581E-02	1.18212E-01	7.30446E-02	1.09493E-01	2.05586E-01	2.00878E-01	1.48213E-01
19	1.27788E-02	9.45195E-02	1.18961E-01	7.35315E-02	1.10290E-01	2.07122E-01	2.01849E-01	1.48425E-01
20	1.28078E-02	9.48584E-02	1.19421E-01	7.38528E-02	1.10789E-01	2.08112E-01	2.02492E-01	1.48580E-01
21	1.28261E-02	9.50772E-02	1.19722E-01	7.40817E-02	1.11122E-01	2.08790E-01	2.02941E-01	1.48697E-01
22	1.28379E-02	9.52208E-02	1.19923E-01	7.41649E-02	1.11347E-01	2.09259E-01	2.03258E-01	1.48784E-01
23	1.28454E-02	9.53137E-02	1.20055E-01	7.42528E-02	1.11497E-01	2.09579E-01	2.03477E-01	1.48847E-01
24	1.28498E-02	9.53694E-02	1.20135E-01	7.43067E-02	1.11590E-01	2.09784E-01	2.03620E-01	1.48888E-01
25	1.28517E-02	9.53953E-02	1.20174E-01	7.43327E-02	1.11636E-01	2.09889E-01	2.03695E-01	1.48910E-01
26	1.28514E-02	9.53927E-02	1.20172E-01	7.43318E-02	1.11636E-01	2.09897E-01	2.03702E-01	1.48910E-01
27	1.28497E-02	9.53729E-02	1.20146E-01	7.43143E-02	1.11608E-01	2.09841E-01	2.03664E-01	1.48897E-01
28	1.28473E-02	9.53434E-02	1.20106E-01	7.42875E-02	1.11563E-01	2.09750E-01	2.03600E-01	1.48877E-01

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.15817E-01	1.06965E-01	1.00658E-01	6.52725E-02	5.58591E-02	5.35811E-02	2.92296E-02	1.62611E-02
2	1.15817E-01	1.06966E-01	1.00662E-01	6.52774E-02	5.58639E-02	5.35878E-02	2.92318E-02	1.62620E-02
3	1.15815E-01	1.06957E-01	1.00641E-01	6.52536E-02	5.58419E-02	5.35563E-02	2.92256E-02	1.62589E-02
4	1.15810E-01	1.06935E-01	1.00591E-01	6.51962E-02	5.57891E-02	5.34806E-02	2.92104E-02	1.62514E-02
5	1.15803E-01	1.06901E-01	1.00515E-01	6.51087E-02	5.57085E-02	5.33654E-02	2.91877E-02	1.62401E-02
6	1.15793E-01	1.06855E-01	1.00411E-01	6.49898E-02	5.56005E-02	5.32092E-02	2.91578E-02	1.62252E-02
7	1.15780E-01	1.06794E-01	1.00274E-01	6.48339E-02	5.54590E-02	5.30050E-02	2.91201E-02	1.62061E-02
8	1.15766E-01	1.06713E-01	1.00093E-01	6.46285E-02	5.52739E-02	5.27367E-02	2.90726E-02	1.61819E-02
9	1.15755E-01	1.06636E-01	9.99221E-02	6.44369E-02	5.51021E-02	5.24868E-02	2.90259E-02	1.61599E-02
10	1.15754E-01	1.06565E-01	9.97645E-02	6.42625E-02	5.49467E-02	5.22598E-02	2.89906E-02	1.61403E-02
11	1.15759E-01	1.06508E-01	9.96398E-02	6.41257E-02	5.48252E-02	5.20806E-02	2.89599E-02	1.61236E-02
12	1.15754E-01	1.06488E-01	9.95931E-02	6.40721E-02	5.47724E-02	5.20086E-02	2.89418E-02	1.61153E-02
13	1.15709E-01	1.06460E-01	9.95294E-02	6.39901E-02	5.46998E-02	5.19019E-02	2.89268E-02	1.61074E-02
14	1.15637E-01	1.06395E-01	9.93842E-02	6.38126E-02	5.45467E-02	5.16737E-02	2.89022E-02	1.60927E-02
15	1.15560E-01	1.06287E-01	9.91465E-02	6.35332E-02	5.43074E-02	5.13153E-02	2.88649E-02	1.60699E-02
16	1.15452E-01	1.06109E-01	9.87528E-02	6.30733E-02	5.39124E-02	5.07225E-02	2.87965E-02	1.60302E-02
17	1.15355E-01	1.05933E-01	9.83594E-02	6.26135E-02	5.35123E-02	5.01268E-02	2.87147E-02	1.59859E-02
18	1.15286E-01	1.05784E-01	9.80228E-02	6.22208E-02	5.31615E-02	4.96156E-02	2.86263E-02	1.59410E-02
19	1.15231E-01	1.05647E-01	9.77089E-02	6.18547E-02	5.28290E-02	4.91376E-02	2.85325E-02	1.58946E-02
20	1.15205E-01	1.05560E-01	9.75058E-02	6.16183E-02	5.26094E-02	4.88273E-02	2.84618E-02	1.58603E-02
21	1.15192E-01	1.05501E-01	9.73646E-02	6.14540E-02	5.24543E-02	4.86106E-02	2.84079E-02	1.58344E-02
22	1.15185E-01	1.05459E-01	9.72641E-02	6.13369E-02	5.23425E-02	4.84557E-02	2.83668E-02	1.58148E-02
23	1.15182E-01	1.05429E-01	9.71927E-02	6.12537E-02	5.22625E-02	4.83455E-02	2.83365E-02	1.58003E-02
24	1.15179E-01	1.05409E-01	9.71440E-02	6.11971E-02	5.22079E-02	4.82704E-02	2.83157E-02	1.57905E-02
25	1.15177E-01	1.05397E-01	9.71150E-02	6.11633E-02	5.21757E-02	4.82260E-02	2.83041E-02	1.57850E-02

26	1.15174E-01	1.05393E-01	9.71056E-02	6.11526E-02	5.21665E-02	4.82127E-02	2.83024E-02	1.57842E-02
27	1.15172E-01	1.05395E-01	9.71114E-02	6.11593E-02	5.21744E-02	4.82228E-02	2.83075E-02	1.57867E-02
28	1.15170E-01	1.05401E-01	9.71271E-02	6.11779E-02	5.21956E-02	4.82485E-02	2.83170E-02	1.57912E-02
0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.25461E-03	6.03026E-03	1.13700E-02	3.74452E-02	1.21054E-02	2.57135E-02	8.61427E-02	7.02890E-02
2	7.25513E-03	6.03101E-03	1.13708E-02	3.74474E-02	1.21062E-02	2.57150E-02	8.61374E-02	7.02732E-02
3	7.25300E-03	6.02725E-03	1.13671E-02	3.74353E-02	1.20974E-02	2.56868E-02	8.60179E-02	7.01356E-02
4	7.24787E-03	6.01811E-03	1.13582E-02	3.74068E-02	1.20769E-02	2.56196E-02	8.57552E-02	6.98395E-02
5	7.24011E-03	6.00418E-03	1.13447E-02	3.73640E-02	1.20461E-02	2.55201E-02	8.53655E-02	6.94011E-02
6	7.22966E-03	5.98516E-03	1.13266E-02	3.73065E-02	1.20043E-02	2.53861E-02	8.48465E-02	6.88167E-02
7	7.21609E-03	5.96009E-03	1.13031E-02	3.72322E-02	1.19498E-02	2.52121E-02	8.41850E-02	6.80727E-02
8	7.19838E-03	5.92883E-03	1.12726E-02	3.71359E-02	1.18782E-02	2.49858E-02	8.33494E-02	6.71368E-02
9	7.18197E-03	5.89561E-03	1.12445E-02	3.70471E-02	1.18115E-02	2.47770E-02	8.25982E-02	6.62999E-02
10	7.16708E-03	5.86697E-03	1.12191E-02	3.69673E-02	1.17504E-02	2.45889E-02	8.19453E-02	6.55780E-02
11	7.15508E-03	5.84473E-03	1.11986E-02	3.69037E-02	1.17035E-02	2.44473E-02	8.14707E-02	6.50756E-02
12	7.14999E-03	5.83644E-03	1.11899E-02	3.68776E-02	1.16873E-02	2.43997E-02	8.13251E-02	6.49485E-02
13	7.14337E-03	5.82269E-03	1.11788E-02	3.68422E-02	1.16611E-02	2.43141E-02	8.10429E-02	6.46302E-02
14	7.12953E-03	5.79213E-03	1.11557E-02	3.67680E-02	1.16012E-02	2.41210E-02	8.04153E-02	6.39014E-02
15	7.10762E-03	5.74365E-03	1.11195E-02	3.66525E-02	1.15056E-02	2.38221E-02	7.94979E-02	6.28549E-02
16	7.07138E-03	5.66402E-03	1.10594E-02	3.64633E-02	1.13509E-02	2.33405E-02	7.80955E-02	6.12981E-02
17	7.03438E-03	5.58604E-03	1.09973E-02	3.62690E-02	1.11983E-02	2.28639E-02	7.66686E-02	5.97508E-02
18	7.00119E-03	5.52229E-03	1.09402E-02	3.60906E-02	1.10680E-02	2.24547E-02	7.53061E-02	5.88828E-02
19	6.98909E-03	5.46433E-03	1.08844E-02	3.59154E-02	1.09460E-02	2.20694E-02	7.39348E-02	5.68130E-02
20	6.94729E-03	5.42810E-03	1.08460E-02	3.57945E-02	1.08661E-02	2.18156E-02	7.29563E-02	5.57717E-02
21	6.93153E-03	5.40338E-03	1.08181E-02	3.57061E-02	1.08094E-02	2.16350E-02	7.22225E-02	5.49962E-02
22	6.91997E-03	5.38602E-03	1.07976E-02	3.56407E-02	1.07688E-02	2.15035E-02	7.16659E-02	5.44126E-02
23	6.91162E-03	5.37381E-03	1.07828E-02	3.55929E-02	1.07393E-02	2.14077E-02	7.12485E-02	5.39786E-02
24	6.90593E-03	5.36556E-03	1.07726E-02	3.55600E-02	1.07189E-02	2.13402E-02	7.09469E-02	5.36609E-02
25	6.90266E-03	5.36068E-03	1.07667E-02	3.55405E-02	1.07060E-02	2.12974E-02	7.07479E-02	5.34489E-02
26	6.90190E-03	5.35889E-03	1.07651E-02	3.55341E-02	1.07012E-02	2.12788E-02	7.06508E-02	5.33360E-02
27	6.90296E-03	5.35990E-03	1.07669E-02	3.55391E-02	1.07026E-02	2.12802E-02	7.06413E-02	5.33107E-02
28	6.90538E-03	5.36261E-03	1.07707E-02	3.55509E-02	1.07082E-02	2.12954E-02	7.06936E-02	5.33466E-02
0 int.	grp. 25	grp. 26	grp. 27					
1	3.17211E-02	2.28527E-02	4.33841E-03					
2	3.17091E-02	2.28398E-02	4.33517E-03					
3	3.16342E-02	2.27732E-02	4.32162E-03					
4	3.14747E-02	2.26333E-02	4.29288E-03					
5	3.12384E-02	2.24247E-02	4.24956E-03					
6	3.09229E-02	2.21437E-02	4.18968E-03					
7	3.05213E-02	2.17829E-02	4.11143E-03					
8	3.00181E-02	2.13273E-02	4.01022E-03					
9	2.95708E-02	2.09204E-02	3.91846E-03					
10	2.91905E-02	2.05718E-02	3.83928E-03					
11	2.89360E-02	2.03471E-02	3.79132E-03					
12	2.88818E-02	2.03134E-02	3.78818E-03					
13	2.87007E-02	2.01454E-02	3.74307E-03					
14	2.82861E-02	1.97449E-02	3.63380E-03					
15	2.77053E-02	1.91757E-02	3.47025E-03					
16	2.68613E-02	1.83587E-02	3.23001E-03					
17	2.60360E-02	1.75901E-02	3.02405E-03					
18	2.52608E-02	1.69073E-02	2.87147E-03					
19	2.44902E-02	1.62510E-02	2.73535E-03					
20	2.39514E-02	1.58131E-02	2.65395E-03					
21	2.35550E-02	1.55031E-02	2.59984E-03					
22	2.32604E-02	1.52802E-02	2.56276E-03					
23	2.30423E-02	1.51194E-02	2.53666E-03					
24	2.28854E-02	1.50059E-02	2.51862E-03					
25	2.27797E-02	1.49299E-02	2.50670E-03					
26	2.27206E-02	1.48862E-02	2.49985E-03					
27	2.27052E-02	1.48707E-02	2.49727E-03					

28 2.27147E-02 1.48739E-02 2.49715E-03
- elapsed time .02 min.
1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	4.78609E-04	6.33478E-04	5.27473E-05	-6.86193E-04	9.99953E-01
2	.00000E+00	.00000E+00	3.63477E-04	6.03966E-03	7.95803E-03	1.72591E-04	-7.74685E-03	9.99964E-01
3	.00000E+00	.00000E+00	3.76711E-03	5.41785E-03	1.40962E-02	9.19848E-05	-1.04207E-02	9.99978E-01
4	.00000E+00	.00000E+00	5.52772E-03	3.58341E-03	1.23122E-02	4.18181E-05	-6.82619E-03	9.99989E-01
5	.00000E+00	.00000E+00	1.01847E-02	1.15008E-02	2.08350E-02	4.95595E-05	-1.06997E-02	9.99992E-01
6	.00000E+00	.00000E+00	2.14030E-02	3.44731E-02	4.09715E-02	8.42317E-05	-1.96527E-02	1.00000E+00
7	.00000E+00	.00000E+00	4.21606E-02	6.09446E-02	5.41143E-02	6.11957E-05	-1.20143E-02	9.99988E-01
8	.00000E+00	.00000E+00	5.63212E-02	7.83023E-02	5.87126E-02	3.63824E-05	-2.42262E-03	9.99912E-01
9	.00000E+00	.00000E+00	5.77525E-02	7.25507E-02	5.74534E-02	2.92511E-05	2.76213E-04	9.99889E-01
10	.00000E+00	.00000E+00	5.70358E-02	6.90680E-02	5.55064E-02	3.60089E-05	1.49945E-03	9.99895E-01
11	.00000E+00	.00000E+00	5.57952E-02	6.54509E-02	5.22535E-02	5.50366E-05	3.49016E-03	9.99938E-01
12	.00000E+00	.00000E+00	4.53160E-02	3.50229E-02	4.12088E-02	6.05238E-05	4.04784E-03	9.99979E-01
13	.00000E+00	.00000E+00	4.04795E-02	2.85696E-02	3.66386E-02	8.46329E-05	3.75730E-03	9.99968E-01
14	.00000E+00	.00000E+00	3.94366E-02	2.88864E-02	3.39096E-02	1.36993E-04	5.39045E-03	9.99988E-01
15	.00000E+00	.00000E+00	2.17603E-02	1.09527E-02	2.04813E-02	1.13435E-04	1.16563E-03	9.99999E-01
16	.00000E+00	.00000E+00	1.43052E-02	4.63257E-03	1.36474E-02	7.72528E-05	5.78567E-04	9.99999E-01
17	.00000E+00	.00000E+00	7.37300E-03	1.33708E-03	6.95650E-03	3.82740E-05	3.78279E-04	9.99994E-01
18	.00000E+00	.00000E+00	6.55987E-03	1.07568E-03	5.87771E-03	3.36583E-05	6.48474E-04	1.00000E+00
19	.00000E+00	.00000E+00	1.10239E-02	3.10681E-03	1.03112E-02	6.95852E-05	6.43075E-04	9.99999E-01
20	.00000E+00	.00000E+00	2.72076E-02	2.20461E-02	2.49261E-02	2.87528E-04	1.99375E-03	1.00001E+00
21	.00000E+00	.00000E+00	1.33346E-02	4.57299E-03	1.18965E-02	1.14683E-04	1.32340E-03	1.00000E+00
22	.00000E+00	.00000E+00	2.68219E-02	1.45137E-02	2.25864E-02	2.78769E-04	3.95628E-03	1.00002E+00
23	.00000E+00	.00000E+00	7.10181E-02	8.73366E-02	5.73516E-02	1.26782E-03	1.23956E-02	1.00004E+00
24	.00000E+00	.00000E+00	7.65800E-02	8.19825E-02	6.32830E-02	1.49151E-03	1.18026E-02	1.00004E+00
25	.00000E+00	.00000E+00	5.10189E-02	3.46880E-02	4.46262E-02	8.81621E-04	5.51002E-03	1.00002E+00
26	.00000E+00	.00000E+00	4.07276E-02	3.87085E-02	3.57524E-02	8.95196E-04	4.07927E-03	1.00002E+00
27	.00000E+00	.00000E+00	1.37997E-02	8.39691E-03	1.27918E-02	3.19619E-04	6.88214E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.17072E-01	8.13118E-01	8.17072E-01	6.86171E-03	-6.84474E-03	9.99979E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	rxn rate	fiss rate	flux*dv**2	total flux
1	1.24026E-02	-6.86193E-04	1.22921E-02	.00000E+00	3.50331E-11	.00000E+00	1.89858E-05	1.55081E-02
2	9.04818E-02	-7.74685E-03	8.90107E-02	.00000E+00	.00000E+00	.00000E+00	8.75418E-05	1.12645E-01
3	1.13749E-01	-1.04207E-02	1.11595E-01	.00000E+00	.00000E+00	.00000E+00	9.15590E-05	1.41375E-01
4	7.02589E-02	-6.82619E-03	6.87048E-02	.00000E+00	.00000E+00	.00000E+00	4.15656E-05	8.71495E-02
5	1.05125E-01	-1.06997E-02	1.02523E-01	.00000E+00	.00000E+00	.00000E+00	4.92671E-05	1.30197E-01
6	1.97551E-01	-1.96527E-02	1.92694E-01	.00000E+00	.00000E+00	.00000E+00	8.33628E-05	2.44701E-01
7	1.96062E-01	-1.20143E-02	1.93018E-01	.00000E+00	.00000E+00	.00000E+00	5.92527E-05	2.44188E-01
8	1.47318E-01	-2.42262E-03	1.46897E-01	.00000E+00	.00000E+00	.00000E+00	3.27046E-05	1.84858E-01
9	1.15757E-01	2.76213E-04	1.15816E-01	.00000E+00	.00000E+00	.00000E+00	2.16555E-05	1.45495E-01
10	1.06523E-01	1.49945E-03	1.06961E-01	.00000E+00	.00000E+00	.00000E+00	1.91325E-05	1.34178E-01
11	9.96734E-02	3.49016E-03	1.00650E-01	.00000E+00	.00000E+00	.00000E+00	1.78688E-05	1.25953E-01
12	6.41626E-02	4.04784E-03	6.52636E-02	.00000E+00	.00000E+00	.00000E+00	1.04903E-05	8.14122E-02
13	5.48577E-02	3.75730E-03	5.58506E-02	.00000E+00	.00000E+00	.00000E+00	8.74495E-06	6.96391E-02
14	5.21298E-02	5.39045E-03	5.35691E-02	.00000E+00	.00000E+00	.00000E+00	8.52431E-06	6.65295E-02
15	2.89721E-02	1.16563E-03	2.92270E-02	.00000E+00	.00000E+00	.00000E+00	4.50400E-06	3.65828E-02
16	1.61293E-02	5.78567E-04	1.62599E-02	.00000E+00	.00000E+00	.00000E+00	2.26695E-06	2.03594E-02
17	7.15854E-03	3.78279E-04	7.25373E-03	.00000E+00	.00000E+00	.00000E+00	9.27623E-07	9.06306E-03
18	5.85054E-03	6.48474E-04	6.02892E-03	.00000E+00	.00000E+00	.00000E+00	7.46824E-07	7.47947E-03
19	1.12046E-02	6.43075E-04	1.13686E-02	.00000E+00	.00000E+00	.00000E+00	1.48534E-06	1.41956E-02
20	3.69229E-02	1.99375E-03	3.74423E-02	.00000E+00	.00000E+00	.00000E+00	5.48083E-06	4.67613E-02
21	1.17155E-02	1.32340E-03	1.21031E-02	.00000E+00	.00000E+00	.00000E+00	1.37497E-06	1.49956E-02
22	2.44815E-02	3.95628E-03	2.57066E-02	.00000E+00	.00000E+00	.00000E+00	2.89052E-06	3.16192E-02
23	8.15744E-02	1.23956E-02	8.61215E-02	.00000E+00	.00000E+00	.00000E+00	8.70913E-06	1.05591E-01
24	6.51699E-02	1.18026E-02	7.02734E-02	.00000E+00	.00000E+00	.00000E+00	5.23011E-06	8.53253E-02
25	2.89769E-02	5.51002E-03	3.17159E-02	.00000E+00	.00000E+00	.00000E+00	1.81083E-06	3.82406E-02
26	2.03753E-02	4.07927E-03	2.28509E-02	.00000E+00	.00000E+00	.00000E+00	9.53476E-07	2.72648E-02
27	3.79469E-03	6.88214E-04	4.33862E-03	.00000E+00	.00000E+00	.00000E+00	1.12286E-07	5.13932E-03

28	1.76838E+00	-6.84477E-03	1.77553E+00	.00000E+00	3.50331E-11	.00000E+00	5.87149E-04	2.22644E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.11632E-04	1.58645E-04	2.37992E-06	-1.55367E-04	1.00001E+00
2	.00000E+00	.00000E+00	2.77070E-05	1.43126E-03	1.02700E-03	1.37854E-05	-1.01310E-03	1.00000E+00
3	.00000E+00	.00000E+00	1.46512E-04	2.74728E-03	8.68660E-04	2.01035E-05	-7.42206E-04	9.99996E-01
4	.00000E+00	.00000E+00	2.82531E-04	2.29473E-03	2.97118E-04	1.30402E-05	-2.76058E-05	9.99997E-01
5	.00000E+00	.00000E+00	6.08308E-04	4.40740E-03	2.78735E-04	1.68290E-05	3.12708E-04	1.00000E+00
6	.00000E+00	.00000E+00	1.01185E-03	1.23972E-02	1.69380E-04	2.70507E-05	8.15401E-04	1.00000E+00
7	.00000E+00	.00000E+00	6.67148E-04	1.25903E-02	6.32853E-05	2.68066E-05	5.77050E-04	1.00000E+00
8	.00000E+00	.00000E+00	1.16872E-04	9.20258E-03	4.43118E-04	2.20992E-05	-3.48375E-04	1.00001E+00
9	.00000E+00	.00000E+00	4.44942E-04	6.35391E-03	5.29668E-05	7.66408E-05	3.15340E-04	9.99995E-01
10	.00000E+00	.00000E+00	5.30313E-05	4.98040E-03	4.94142E-05	5.92497E-05	-5.56279E-05	9.99997E-01
11	.00000E+00	.00000E+00	4.94175E-05	4.44516E-03	5.02016E-05	8.98253E-05	-9.06098E-05	1.00000E+00
12	.00000E+00	.00000E+00	5.02019E-05	2.75609E-03	5.12762E-05	5.66238E-06	-6.74324E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.12762E-05	2.35720E-03	4.80852E-05	6.31606E-06	-3.12645E-06	1.00000E+00
14	.00000E+00	.00000E+00	4.80853E-05	2.24437E-03	4.22955E-05	8.57116E-06	-2.78652E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.49199E-05	1.22266E-03	5.00394E-05	6.33185E-06	-1.14143E-05	9.99969E-01
16	.00000E+00	.00000E+00	5.62565E-05	6.51788E-04	5.64653E-05	3.86304E-06	-4.04869E-06	9.99962E-01
17	.00000E+00	.00000E+00	6.27271E-05	2.52189E-04	6.20771E-05	1.87465E-06	-1.21095E-06	9.99969E-01
18	.00000E+00	.00000E+00	6.55613E-05	1.93985E-04	6.26370E-05	1.61502E-06	1.31881E-06	9.99987E-01
19	.00000E+00	.00000E+00	6.35760E-05	4.28613E-04	6.32380E-05	3.32595E-06	-2.96644E-06	9.99970E-01
20	.00000E+00	.00000E+00	7.79284E-05	1.55479E-03	6.61000E-05	1.33671E-05	-1.47871E-06	9.99971E-01
21	.00000E+00	.00000E+00	8.99546E-05	4.14789E-04	9.90781E-05	5.14164E-06	-1.42420E-05	9.99984E-01
22	.00000E+00	.00000E+00	1.31719E-04	9.46594E-04	1.26509E-04	1.22223E-05	-6.99355E-06	9.99997E-01
23	.00000E+00	.00000E+00	1.91860E-04	3.33163E-03	2.44597E-04	5.44158E-05	-1.07195E-04	1.00000E+00
24	.00000E+00	.00000E+00	3.13404E-04	2.51201E-03	3.44735E-04	6.16610E-05	-9.30531E-05	1.00001E+00
25	.00000E+00	.00000E+00	3.18690E-04	1.01014E-03	2.59997E-04	3.57478E-05	2.29138E-05	1.00001E+00
26	.00000E+00	.00000E+00	1.35291E-04	7.88964E-04	1.04264E-04	3.54183E-05	-4.40422E-06	1.00000E+00
27	.00000E+00	.00000E+00	3.02525E-05	1.66427E-04	8.57494E-08	1.23474E-05	1.77954E-05	1.00001E+00
28	.00000E+00	.00000E+00	5.14000E-03	8.18941E-02	5.14000E-03	6.35691E-04	-6.30030E-04	9.99995E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.26278E-02	-8.41560E-04	1.24026E-02	-6.86193E-04	5.66822E-06	.00000E+00	1.56693E-06	2.06924E-03
2	9.07419E-02	-8.75994E-03	9.04818E-02	-7.74685E-03	.00000E+00	.00000E+00	1.09420E-05	1.51037E-02
3	1.14095E-01	-1.11629E-02	1.13749E-01	-1.04207E-02	.00000E+00	.00000E+00	1.25895E-05	1.89909E-02
4	7.04754E-02	-6.85380E-03	7.02589E-02	-6.82619E-03	.00000E+00	.00000E+00	7.40690E-06	1.17317E-02
5	1.05464E-01	-1.03870E-02	1.05125E-01	-1.06997E-02	.00000E+00	.00000E+00	8.61804E-06	1.75562E-02
6	1.98227E-01	-1.88573E-02	1.97551E-01	-1.96527E-02	.00000E+00	.00000E+00	1.01693E-05	3.29955E-02
7	1.96469E-01	-1.14372E-02	1.96062E-01	-1.20143E-02	.00000E+00	.00000E+00	8.35086E-06	3.27212E-02
8	1.47406E-01	-2.77099E-03	1.47318E-01	-2.42262E-03	.00000E+00	.00000E+00	5.27158E-06	2.45631E-02
9	1.15746E-01	5.91553E-04	1.15757E-01	2.76213E-04	.00000E+00	.00000E+00	4.57967E-06	1.92950E-02
10	1.06482E-01	1.44382E-03	1.06523E-01	1.49945E-03	.00000E+00	.00000E+00	4.90286E-06	1.77518E-02
11	9.95800E-02	3.39955E-03	9.96734E-02	3.49016E-03	.00000E+00	.00000E+00	4.75415E-06	1.66047E-02
12	6.40554E-02	4.04110E-03	6.41626E-02	4.04784E-03	.00000E+00	.00000E+00	3.20855E-06	1.06843E-02
13	5.47560E-02	3.75418E-03	5.48577E-02	3.75730E-03	.00000E+00	.00000E+00	2.73715E-06	9.13398E-03
14	5.19858E-02	5.38766E-03	5.21298E-02	5.39045E-03	.00000E+00	.00000E+00	2.59318E-06	8.67508E-03
15	2.89360E-02	1.15421E-03	2.89721E-02	1.16563E-03	.00000E+00	.00000E+00	1.42181E-06	4.82570E-03
16	1.61127E-02	5.74519E-04	1.61295E-02	5.78567E-04	.00000E+00	.00000E+00	7.91675E-07	2.68689E-03
17	7.14857E-03	3.77068E-04	7.15854E-03	3.78279E-04	.00000E+00	.00000E+00	3.51113E-07	1.19222E-03
18	5.83399E-03	6.49793E-04	5.85054E-03	6.48474E-04	.00000E+00	.00000E+00	2.86619E-07	9.73538E-04
19	1.11873E-02	6.40108E-04	1.12046E-02	6.43075E-04	.00000E+00	.00000E+00	5.49104E-07	1.86592E-03
20	3.68707E-02	1.99227E-03	3.69229E-02	1.99375E-03	.00000E+00	.00000E+00	1.80704E-06	6.14915E-03
21	1.16830E-02	1.30915E-03	1.17155E-02	1.32340E-03	.00000E+00	.00000E+00	5.71953E-07	1.94944E-03
22	2.43863E-02	3.94928E-03	2.44815E-02	3.95628E-03	.00000E+00	.00000E+00	1.19281E-06	4.07101E-03
23	8.12852E-02	1.22884E-02	8.15744E-02	1.23956E-02	.00000E+00	.00000E+00	3.96133E-06	1.35677E-02
24	6.49157E-02	1.17095E-02	6.51699E-02	1.18026E-02	.00000E+00	.00000E+00	3.14467E-06	1.08365E-02
25	2.88684E-02	5.53294E-03	2.89769E-02	5.51002E-03	.00000E+00	.00000E+00	1.39004E-06	4.81865E-03
26	2.03078E-02	4.07486E-03	2.03753E-02	4.07927E-03	.00000E+00	.00000E+00	9.67257E-07	3.39874E-03
27	3.78842E-03	7.06009E-04	3.79469E-03	6.88214E-04	.00000E+00	.00000E+00	1.74783E-07	6.31696E-04
28	1.76923E+00	-7.47473E-03	1.76838E+00	-6.84477E-03	5.66822E-06	.00000E+00	1.04301E-04	2.94833E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.53734E-04	3.35839E-04	2.79640E-05	-3.65784E-04	9.99985E-01
2	.00000E+00	.00000E+00	1.92698E-04	3.22588E-03	4.23720E-03	9.21267E-05	-4.13646E-03	9.99987E-01
3	.00000E+00	.00000E+00	2.01047E-03	2.89639E-03	7.53584E-03	4.91752E-05	-5.57437E-03	9.99991E-01
4	.00000E+00	.00000E+00	2.95410E-03	1.91862E-03	6.59219E-03	2.23902E-05	-3.66041E-03	9.99995E-01
5	.00000E+00	.00000E+00	5.44811E-03	6.16735E-03	1.11734E-02	2.65777E-05	-5.75175E-03	9.99998E-01
6	.00000E+00	.00000E+00	1.14658E-02	1.84816E-02	2.19665E-02	4.51580E-05	-1.05449E-02	1.00000E+00
7	.00000E+00	.00000E+00	2.25974E-02	3.23794E-02	2.87506E-02	3.25129E-05	-6.18531E-03	9.99992E-01
8	.00000E+00	.00000E+00	2.99751E-02	4.11411E-02	3.08484E-02	1.91158E-05	-8.89669E-04	9.99919E-01
9	.00000E+00	.00000E+00	3.04068E-02	3.79552E-02	3.00570E-02	1.53029E-05	3.37880E-04	9.99892E-01
10	.00000E+00	.00000E+00	2.98719E-02	3.60450E-02	2.89675E-02	1.87922E-05	8.88763E-04	9.99900E-01
11	.00000E+00	.00000E+00	2.91375E-02	3.39824E-02	2.71302E-02	2.85752E-05	1.98047E-03	9.99945E-01
12	.00000E+00	.00000E+00	2.35542E-02	1.80582E-02	2.12477E-02	3.11036E-05	2.27593E-03	9.99981E-01
13	.00000E+00	.00000E+00	2.09249E-02	1.47206E-02	1.88782E-02	4.36072E-05	2.00376E-03	9.99973E-01
14	.00000E+00	.00000E+00	2.05434E-02	1.44976E-02	1.73185E-02	6.99657E-05	2.95516E-03	9.99990E-01
15	.00000E+00	.00000E+00	1.11508E-02	5.68458E-03	1.06495E-02	5.89818E-05	4.42308E-04	1.00000E+00
16	.00000E+00	.00000E+00	7.37853E-03	2.40976E-03	7.09358E-03	4.01869E-05	2.38960E-04	1.00000E+00
17	.00000E+00	.00000E+00	3.81181E-03	6.92019E-04	3.60054E-03	1.98099E-05	1.91479E-04	9.99995E-01
18	.00000E+00	.00000E+00	3.39183E-03	5.47617E-04	2.99229E-03	1.71352E-05	3.82387E-04	1.00000E+00
19	.00000E+00	.00000E+00	5.68615E-03	1.60635E-03	5.33134E-03	3.59775E-05	3.18858E-04	9.99999E-01
20	.00000E+00	.00000E+00	1.40287E-02	1.14053E-02	1.28952E-02	1.48749E-04	9.84574E-04	1.00001E+00
21	.00000E+00	.00000E+00	6.84749E-03	2.32580E-03	6.05050E-03	5.83274E-05	7.38661E-04	1.00000E+00
22	.00000E+00	.00000E+00	1.36463E-02	7.27446E-03	1.13206E-02	1.39723E-04	2.18581E-03	1.00001E+00
23	.00000E+00	.00000E+00	3.53407E-02	4.37130E-02	2.87052E-02	6.34560E-04	5.99988E-03	1.00002E+00
24	.00000E+00	.00000E+00	3.77600E-02	4.03255E-02	3.11276E-02	7.33642E-04	5.89755E-03	1.00002E+00
25	.00000E+00	.00000E+00	2.49495E-02	1.68444E-02	2.16703E-02	4.28112E-04	2.85049E-03	1.00001E+00
26	.00000E+00	.00000E+00	1.98217E-02	1.83811E-02	1.69773E-02	4.25092E-04	2.41917E-03	1.00001E+00
27	.00000E+00	.00000E+00	6.67666E-03	3.88255E-03	5.91467E-03	1.47785E-04	6.14197E-04	1.00000E+00
28	.00000E+00	.00000E+00	4.19572E-01	4.16813E-01	4.19572E-01	3.41045E-03	-3.40036E-03	9.99977E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.25573E-02	-1.20534E-03	1.24278E-02	-8.41560E-04	1.85728E-11	.00000E+00	1.00653E-05	8.22160E-03
2	9.20530E-02	-1.28964E-02	9.07419E-02	-8.75994E-03	.00000E+00	.00000E+00	4.67285E-05	6.01283E-02
3	1.15719E-01	-1.67373E-02	1.14095E-01	-1.11629E-02	.00000E+00	.00000E+00	4.89478E-05	7.55794E-02
4	7.14430E-02	-1.05142E-02	7.04754E-02	-6.85380E-03	.00000E+00	.00000E+00	2.22550E-05	4.66614E-02
5	1.06930E-01	-1.61387E-02	1.05464E-01	-1.03870E-02	.00000E+00	.00000E+00	2.64209E-05	6.98217E-02
6	2.00839E-01	-2.93822E-02	1.98227E-01	-1.88373E-02	.00000E+00	.00000E+00	4.46921E-05	1.31188E-01
7	1.97987E-01	-1.76225E-02	1.96469E-01	-1.14372E-02	.00000E+00	.00000E+00	3.14806E-05	1.29733E-01
8	1.47697E-01	-3.66066E-03	1.47406E-01	-2.77099E-03	.00000E+00	.00000E+00	1.71834E-05	9.71266E-02
9	1.15517E-01	9.29433E-04	1.15746E-01	5.91553E-04	.00000E+00	.00000E+00	1.13291E-05	7.61165E-02
10	1.06222E-01	2.33259E-03	1.06482E-01	1.44382E-03	.00000E+00	.00000E+00	9.98481E-06	7.00243E-02
11	9.90133E-02	5.38001E-03	9.95800E-02	3.39955E-03	.00000E+00	.00000E+00	9.27753E-06	6.53956E-02
12	6.33661E-02	6.31708E-03	6.40654E-02	4.04110E-03	.00000E+00	.00000E+00	5.40888E-06	4.19769E-02
13	5.41649E-02	5.75794E-03	5.47560E-02	3.75418E-03	.00000E+00	.00000E+00	4.50588E-06	3.58818E-02
14	5.11011E-02	8.34282E-03	5.19858E-02	5.38766E-03	.00000E+00	.00000E+00	4.35358E-06	3.39783E-02
15	2.88443E-02	1.59652E-03	2.89360E-02	1.15421E-03	.00000E+00	.00000E+00	2.34191E-06	1.90217E-02
16	1.60568E-02	8.13479E-04	1.61127E-02	5.76519E-04	.00000E+00	.00000E+00	1.17927E-06	1.05910E-02
17	7.09457E-03	5.68547E-04	7.14837E-03	3.77068E-04	.00000E+00	.00000E+00	4.80119E-07	4.69086E-03
18	5.71451E-03	1.03218E-03	5.85399E-03	6.49798E-04	.00000E+00	.00000E+00	3.80202E-07	3.80773E-03
19	1.10981E-02	9.58947E-04	1.11873E-02	6.40108E-04	.00000E+00	.00000E+00	7.67982E-07	7.33971E-03
20	3.65854E-02	2.97685E-03	3.68707E-02	1.99227E-03	.00000E+00	.00000E+00	2.83544E-06	2.41914E-02
21	1.14485E-02	2.04782E-03	1.16830E-02	1.30915E-03	.00000E+00	.00000E+00	6.99103E-07	7.62670E-03
22	2.36443E-02	6.13510E-03	2.43863E-02	3.94928E-03	.00000E+00	.00000E+00	1.44877E-06	1.58480E-02
23	7.89650E-02	1.82889E-02	8.12852E-02	1.22884E-02	.00000E+00	.00000E+00	4.35902E-06	5.28496E-02
24	6.22481E-02	1.76071E-02	6.49157E-02	1.17095E-02	.00000E+00	.00000E+00	2.57258E-06	4.19698E-02
25	2.73699E-02	8.38343E-03	2.88684E-02	5.53294E-03	.00000E+00	.00000E+00	8.79334E-07	1.85695E-02
26	1.88636E-02	6.49408E-03	2.08078E-02	4.07486E-03	.00000E+00	.00000E+00	4.52766E-07	1.29469E-02
27	3.37046E-03	1.32021E-03	3.78842E-03	7.06009E-04	.00000E+00	.00000E+00	5.19185E-08	2.37631E-03
28	1.76588E+00	-1.08750E-02	1.76923E+00	-7.47473E-03	1.85728E-11	.00000E+00	3.11082E-04	1.16366E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.21135E-02	.00000E+00	2.05319E-02	1.94698E-02	3.63035E-03	1.20533E-03	9.98897E-01
2	.00000E+00	1.91371E-01	6.73317E-03	2.47194E-01	1.70070E-01	1.51509E-02	1.28963E-02	1.00002E+00
3	.00000E+00	2.15417E-01	7.01575E-02	2.56078E-01	2.52603E-01	1.62374E-02	1.67372E-02	9.99989E-01
4	.00000E+00	1.24145E-01	1.04566E-01	1.76088E-01	2.10417E-01	7.77983E-03	1.05141E-02	1.00000E+00
5	.00000E+00	1.65069E-01	1.90752E-01	4.43728E-01	3.34458E-01	5.22670E-03	1.61386E-02	9.99991E-01
6	.00000E+00	1.78657E-01	3.89452E-01	1.19091E+00	5.30402E-01	8.31671E-03	2.95820E-02	1.00001E+00
7	.00000E+00	8.85054E-02	5.92545E-01	1.56461E+00	6.55078E-01	8.35657E-03	1.76231E-02	9.99989E-01
8	.00000E+00	1.36510E-02	6.89167E-01	1.57532E+00	6.85762E-01	1.34511E-02	3.66075E-03	9.99922E-01
9	.00000E+00	9.91007E-04	6.77875E-01	1.37068E+00	6.57763E-01	2.21066E-02	-9.33803E-04	9.99898E-01
10	.00000E+00	7.36106E-05	6.54847E-01	1.24451E+00	6.25907E-01	3.34119E-02	-2.33196E-03	9.99899E-01
11	.00000E+00	5.79123E-06	6.28047E-01	1.15711E+00	5.79264E-01	5.42054E-02	-5.37864E-03	9.99940E-01
12	.00000E+00	4.06824E-07	5.04635E-01	6.32315E-01	4.52782E-01	5.81835E-02	-6.31742E-03	9.99975E-01
13	.00000E+00	6.46000E-08	4.47429E-01	5.02026E-01	3.99663E-01	5.35376E-02	-5.75748E-03	9.99970E-01
14	.00000E+00	1.28020E-08	4.30968E-01	4.72118E-01	3.64665E-01	7.46500E-02	-8.34267E-03	9.99988E-01
15	.00000E+00	1.44677E-09	2.38544E-01	2.17038E-01	2.32592E-01	7.53757E-03	-1.60098E-03	1.00007E+00
16	.00000E+00	4.24821E-10	1.63040E-01	1.00866E-01	1.59132E-01	4.71284E-03	-8.16557E-04	1.00007E+00
17	.00000E+00	1.36813E-10	8.79279E-02	3.24917E-02	8.35567E-02	4.93557E-03	-5.67262E-04	1.00005E+00
18	.00000E+00	9.79542E-11	7.87397E-02	2.46702E-02	6.85430E-02	1.12269E-02	-1.03496E-03	1.00006E+00
19	.00000E+00	1.38486E-10	1.27389E-01	6.45629E-02	1.21350E-01	6.99304E-03	-9.58357E-04	1.00003E+00
20	.00000E+00	2.25193E-10	3.08895E-01	3.63470E-01	2.80077E-01	2.67779E-02	-2.98742E-03	1.00009E+00
21	.00000E+00	3.29610E-11	1.52381E-01	7.71019E-02	1.34486E-01	1.99390E-02	-2.05092E-03	1.00004E+00
22	.00000E+00	3.82423E-11	2.93188E-01	2.10436E-01	2.40255E-01	5.90774E-02	-6.13913E-03	1.00005E+00
23	.00000E+00	3.65638E-11	7.15845E-01	1.10448E+00	5.91982E-01	1.42114E-01	-1.82787E-02	1.00004E+00
24	.00000E+00	9.95219E-12	7.61354E-01	9.41618E-01	6.27864E-01	1.51068E-01	-1.76074E-02	1.00004E+00
25	.00000E+00	2.91335E-12	5.08114E-01	3.80135E-01	4.27137E-01	8.43519E-02	-8.38349E-03	1.00002E+00
26	.00000E+00	2.04286E-12	3.89479E-01	3.80591E-01	3.19234E-01	7.67321E-02	-6.49428E-03	1.00002E+00
27	.00000E+00	4.86824E-13	1.28224E-01	7.68333E-02	1.07801E-01	2.17422E-02	-1.32026E-03	1.00001E+00
28	.00000E+00	1.00000E+00	9.33080E+00	1.48275E+01	9.33029E+00	9.91453E-01	1.08556E-02	9.99988E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.28458E-02	-9.97737E-09	1.25573E-02	-1.20534E-03	2.16520E-03	2.41708E-03	2.83477E-04	3.26516E-01
2	9.53250E-02	-9.01340E-08	9.20530E-02	-1.28964E-02	1.62522E-05	1.09287E-02	1.56700E-03	2.42045E+00
3	1.20081E-01	-1.07647E-07	1.15719E-01	-1.67373E-02	.00000E+00	1.33500E-02	1.81787E-03	3.04817E+00
4	7.42708E-02	-9.78123E-08	7.14430E-02	-1.05142E-02	.00000E+00	5.75240E-03	8.81579E-04	1.88495E+00
5	1.11534E-01	-1.84290E-07	1.06930E-01	-1.61387E-02	.00000E+00	1.68452E-03	1.03082E-03	2.82959E+00
6	2.09693E-01	-2.34811E-07	2.00839E-01	-2.95822E-02	.00000E+00	1.48188E-03	1.73113E-03	5.31797E+00
7	2.03560E-01	5.61110E-07	1.97987E-01	-1.76225E-02	.00000E+00	1.49704E-03	1.22593E-03	5.16913E+00
8	1.48864E-01	8.97995E-08	1.47697E-01	-3.66066E-03	.00000E+00	1.56078E-03	6.97367E-04	3.78712E+00
9	1.15171E-01	-4.37011E-06	1.15517E-01	9.29433E-04	.00000E+00	2.13399E-03	4.70672E-04	2.95326E+00
10	1.05405E-01	6.26909E-07	1.06222E-01	2.33259E-03	.00000E+00	4.55728E-03	4.28092E-04	2.68604E+00
11	9.71375E-02	1.37020E-06	9.90053E-02	5.38001E-03	.00000E+00	9.54164E-03	3.86377E-04	2.47840E+00
12	6.11904E-02	-3.91943E-07	6.33661E-02	6.31708E-03	.00000E+00	1.24109E-02	2.27570E-04	1.56392E+00
13	5.22063E-02	4.64490E-07	5.41649E-02	5.75794E-03	.00000E+00	1.23673E-02	1.96229E-04	1.33468E+00
14	4.82667E-02	1.48095E-07	5.11011E-02	8.34282E-03	.00000E+00	8.45267E-03	1.78236E-04	1.23658E+00
15	2.85237E-02	-4.46383E-06	2.88443E-02	1.59652E-03	.00000E+00	2.14073E-03	1.11784E-04	7.22782E-01
16	1.57945E-02	-3.07762E-06	1.60568E-02	8.13479E-04	.00000E+00	1.44688E-03	5.86730E-05	4.02934E-01
17	6.90660E-03	1.28506E-06	7.09457E-03	5.68547E-04	.00000E+00	2.04339E-03	2.34470E-05	1.76382E-01
18	5.36478E-03	-2.77755E-06	5.71451E-03	1.05218E-03	.00000E+00	2.37041E-03	1.62795E-05	1.37488E-01
19	1.07732E-02	5.89876E-07	1.10981E-02	9.58947E-04	.00000E+00	3.29172E-03	3.72986E-05	2.75244E-01
20	3.55610E-02	-1.05754E-05	3.66854E-02	2.97685E-03	.00000E+00	1.58374E-02	1.31723E-04	9.08433E-01
21	1.07126E-02	-3.10237E-06	1.14485E-02	2.04782E-03	.00000E+00	1.22900E-02	3.12957E-05	2.74863E-01
22	2.13068E-02	-4.08089E-06	2.36443E-02	6.13510E-03	.00000E+00	3.60467E-02	5.91360E-05	5.49526E-01
23	7.07299E-02	9.52730E-06	7.89650E-02	1.82883E-02	.00000E+00	8.56527E-02	1.91421E-04	1.83053E+00
24	5.33756E-02	-3.12395E-07	6.22481E-02	1.76071E-02	.00000E+00	9.08818E-02	1.12351E-04	1.39159E+00
25	2.27252E-02	-6.15187E-08	2.73695E-02	8.38343E-03	.00000E+00	5.27926E-02	3.80808E-05	5.95598E-01
26	1.48782E-02	-2.52953E-07	1.88436E-02	6.49408E-03	.00000E+00	4.86563E-02	1.86392E-05	3.92298E-01
27	2.49733E-03	-5.16804E-08	3.37044E-03	1.32021E-03	.00000E+00	1.35708E-02	1.90395E-06	6.60215E-02
28	1.75450E+00	-1.95233E-05	1.76588E+00	-1.08750E-02	2.18146E-03	4.55157E-01	1.19544E-02	4.47405E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance

1	.00000E+00	2.21135E-02	.00000E+00	2.14758E-02	2.05978E-02	3.71345E-03	-9.97737E-09	9.98896E-01
2	.00000E+00	1.91371E-01	7.31705E-03	2.57889E-01	1.85272E-01	1.54294E-02	-9.01340E-08	1.00001E+00
3	.00000E+00	2.15417E-01	7.60816E-02	2.67140E-01	2.75104E-01	1.63987E-02	-1.07647E-07	9.99987E-01
4	.00000E+00	1.26145E-01	1.13331E-01	1.89884E-01	2.29619E-01	7.85708E-03	-9.78123E-08	9.99999E-01
5	.00000E+00	1.65069E-01	2.06993E-01	4.65808E-01	3.66746E-01	5.31966E-03	-1.84290E-07	9.99990E-01
6	.00000E+00	1.78657E-01	4.23332E-01	1.25626E+00	5.95508E-01	8.47315E-03	-2.34811E-07	1.00001E+00
7	.00000E+00	8.85054E-02	6.57970E-01	1.67052E+00	7.38006E-01	8.47708E-03	5.61110E-07	9.99989E-01
8	.00000E+00	1.36510E-02	7.75581E-01	1.70897E+00	7.75766E-01	1.35287E-02	8.97995E-08	9.99920E-01
9	.00000E+00	9.91007E-04	7.66479E-01	1.48754E+00	7.45326E-01	2.22278E-02	-4.37011E-06	9.99897E-01
10	.00000E+00	7.36106E-05	7.41808E-01	1.35461E+00	7.08430E-01	3.35259E-02	6.26909E-07	9.99898E-01
11	.00000E+00	5.79123E-06	7.13029E-01	1.26099E+00	6.58698E-01	5.43788E-02	1.37020E-06	9.99939E-01
12	.00000E+00	4.06824E-07	5.75555E-01	6.88152E-01	5.15290E-01	5.82806E-02	-3.91943E-07	9.99975E-01
13	.00000E+00	6.46000E-08	5.08884E-01	5.47674E-01	4.55227E-01	5.36722E-02	4.64490E-07	9.99969E-01
14	.00000E+00	1.28020E-08	4.90796E-01	5.17246E-01	4.15936E-01	7.48656E-02	1.48095E-07	9.99988E-01
15	.00000E+00	1.44677E-09	2.71502E-01	2.34877E-01	2.63773E-01	7.71631E-03	-4.46383E-06	1.00006E+00
16	.00000E+00	4.24821E-10	1.84778E-01	1.08560E-01	1.79955E-01	4.83414E-03	-3.07762E-06	1.00006E+00
17	.00000E+00	1.36813E-10	9.91754E-02	3.47729E-02	9.41758E-02	4.99553E-03	1.28506E-06	1.00008E+00
18	.00000E+00	9.79542E-11	8.87569E-02	2.64875E-02	7.74756E-02	1.12798E-02	-2.77755E-06	1.00005E+00
19	.00000E+00	1.38486E-10	1.44163E-01	6.97047E-02	1.37066E-01	7.10192E-03	5.89878E-07	1.00008E+00
20	.00000E+00	2.25193E-10	3.45209E-01	3.98476E-01	3.17964E-01	2.72276E-02	-1.05754E-05	1.00008E+00
21	.00000E+00	3.29610E-11	1.72653E-01	8.44155E-02	1.52532E-01	2.01171E-02	-3.10257E-06	1.00004E+00
22	.00000E+00	3.82423E-11	3.33788E-01	2.33171E-01	2.74269E-01	5.95081E-02	-4.03089E-06	1.00004E+00
23	.00000E+00	3.66638E-11	8.22395E-01	1.23886E+00	6.78284E-01	1.44071E-01	9.52730E-06	1.00004E+00
24	.00000E+00	9.95219E-12	8.76008E-01	1.06644E+00	7.22619E-01	1.53356E-01	-3.12395E-07	1.00004E+00
25	.00000E+00	2.91335E-12	5.79402E-01	4.32678E-01	4.95695E-01	8.56973E-02	-6.15187E-08	1.00002E+00
26	.00000E+00	2.04286E-12	4.50164E-01	4.38470E-01	3.72068E-01	7.80878E-02	-2.52953E-07	1.00002E+00
27	.00000E+00	4.86824E-13	1.48731E-01	8.92792E-02	1.26508E-01	2.22220E-02	-5.16804E-08	1.00001E+00
28	.00000E+00	1.00000E+00	1.05719E+01	1.61395E+01	1.05719E+01	1.00236E+00	-1.95301E-05	9.99987E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.28458E-02	-9.97737E-09	1.22921E-02	.00000E+00	2.17087E-03	2.41708E-03	3.14095E-04	3.52315E-01
2	9.53250E-02	-9.01340E-08	8.90107E-02	.00000E+00	1.62522E-05	1.09287E-02	1.71221E-03	2.60833E+00
3	1.20081E-01	-1.07647E-07	1.11595E-01	.00000E+00	.00000E+00	1.33500E-02	1.97097E-03	3.28411E+00
4	7.42708E-02	-9.78123E-08	6.87048E-02	.00000E+00	.00000E+00	5.75240E-03	9.52807E-04	2.03049E+00
5	1.11534E-01	-1.84290E-07	1.02523E-01	.00000E+00	.00000E+00	1.68452E-03	1.11513E-03	3.04717E+00
6	2.09693E-01	-2.34811E-07	1.92694E-01	.00000E+00	.00000E+00	1.48188E-03	1.86935E-03	5.72685E+00
7	2.03560E-01	5.61110E-07	1.98018E-01	.00000E+00	.00000E+00	1.49704E-03	1.32501E-03	5.57576E+00
8	1.48864E-01	8.97995E-08	1.46897E-01	.00000E+00	.00000E+00	1.56076E-03	7.52527E-04	4.09367E+00
9	1.15171E-01	-4.37011E-06	1.15816E-01	.00000E+00	.00000E+00	2.13399E-03	5.08257E-04	3.17416E+00
10	1.05405E-01	6.26909E-07	1.06961E-01	.00000E+00	.00000E+00	4.55729E-03	4.62112E-04	2.90800E+00
11	9.71375E-02	1.37020E-06	1.00650E-01	.00000E+00	.00000E+00	9.54164E-03	4.18278E-04	2.68636E+00
12	6.11904E-02	-3.91943E-07	6.52636E-02	.00000E+00	.00000E+00	1.24109E-02	2.46678E-04	1.69799E+00
13	5.22063E-02	4.64490E-07	5.58506E-02	.00000E+00	.00000E+00	1.23673E-02	2.12217E-04	1.44933E+00
14	4.82657E-02	1.48095E-07	5.35691E-02	.00000E+00	.00000E+00	8.45267E-03	1.95707E-04	1.34577E+00
15	2.85237E-02	-4.46383E-06	2.92270E-02	.00000E+00	.00000E+00	2.14075E-03	1.20052E-04	7.83212E-01
16	1.57945E-02	-3.07762E-06	1.62599E-02	.00000E+00	.00000E+00	1.44688E-03	6.29109E-05	4.36571E-01
17	6.90660E-03	1.28506E-06	7.25373E-03	.00000E+00	.00000E+00	2.04339E-03	2.52059E-05	1.91328E-01
18	5.36478E-03	-2.77755E-06	6.02892E-03	.00000E+00	.00000E+00	2.37041E-03	1.76930E-05	1.49749E-01
19	1.07752E-02	5.89876E-07	1.13686E-02	.00000E+00	.00000E+00	3.29172E-03	4.01010E-05	2.98645E-01
20	3.55610E-02	-1.05754E-05	3.74423E-02	.00000E+00	.00000E+00	1.58374E-02	1.41846E-04	9.85535E-01
21	1.07126E-02	-3.10257E-06	1.21031E-02	.00000E+00	.00000E+00	1.22900E-02	3.39399E-05	2.99435E-01
22	2.13068E-02	-4.03089E-06	2.57066E-02	.00000E+00	.00000E+00	3.60467E-02	6.46681E-05	6.01064E-01
23	7.07299E-02	9.52730E-06	8.61215E-02	.00000E+00	.00000E+00	8.56527E-02	2.08450E-04	2.00254E+00
24	5.33756E-02	-3.12395E-07	7.02734E-02	.00000E+00	.00000E+00	9.08818E-02	1.23298E-04	1.52972E+00
25	2.27252E-02	-6.15187E-08	3.17159E-02	.00000E+00	.00000E+00	5.27926E-02	4.21610E-05	6.57227E-01
26	1.48782E-02	-2.52953E-07	2.28509E-02	.00000E+00	.00000E+00	4.86563E-02	2.10117E-05	4.35898E-01
27	2.49733E-03	-5.16804E-08	4.33862E-03	.00000E+00	.00000E+00	1.35703E-02	2.24294E-06	7.41689E-02
28	1.75450E+00	-1.95233E-05	1.77553E+00	.00000E+00	2.18713E-03	4.55157E-01	1.29569E-02	4.84254E+01

- elapsed time .02 min.
0direct access unit 9 requires 556 blocks of length 216 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.09995E-03	4.97152E-03	5.26014E-03	2.50249E-03	3.18158E-03	5.52947E-03	3.72049E-03	1.74274E-03
2	6.70103E-04	4.91019E-03	5.75661E-03	3.43497E-03	4.29880E-03	6.16395E-03	4.33987E-03	2.14746E-03
3	1.12768E-03	5.38921E-03	5.84306E-03	2.91018E-03	3.86563E-03	6.79211E-03	4.38629E-03	1.82315E-03
4	7.74881E-04	4.23266E-03	4.90758E-03	2.38326E-03	2.82784E-03	4.80332E-03	3.32751E-03	1.79648E-03
5	7.97509E-04	4.29811E-03	4.95116E-03	2.40766E-03	2.87768E-03	4.89222E-03	3.37687E-03	1.79679E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11224E-03	1.01486E-03	1.09642E-03	8.72989E-04	7.85709E-04	1.00879E-03	3.13745E-04	1.56159E-04
2	1.78969E-03	1.95277E-03	2.04380E-03	1.59939E-03	1.41152E-03	1.66206E-03	6.25267E-04	3.40838E-04
3	1.12153E-03	1.05699E-03	1.30164E-03	1.21978E-03	1.10269E-03	1.51851E-03	3.73415E-04	1.87902E-04
4	1.19407E-03	1.09414E-03	1.03049E-03	6.77811E-04	6.01782E-04	6.38781E-04	3.11265E-04	1.61485E-04
5	1.19220E-03	1.09483E-03	1.04611E-03	7.05265E-04	6.26954E-04	6.82879E-04	3.14763E-04	1.62959E-04

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.08819E-05	1.13772E-04	1.34909E-04	4.46709E-04	2.31664E-04	6.75516E-04	2.16474E-03	2.01510E-03
2	1.65665E-04	1.94151E-04	2.66191E-04	8.59307E-04	3.91615E-04	1.07147E-03	3.38727E-03	3.12108E-03
3	1.10969E-04	1.81898E-04	1.86016E-04	5.97253E-04	3.62520E-04	1.07915E-03	3.28500E-03	3.13057E-03
4	6.96203E-05	6.48574E-05	1.12953E-04	3.86197E-04	1.31387E-04	3.30358E-04	1.11594E-03	9.12768E-04
5	7.17085E-05	7.06686E-05	1.16610E-04	3.96865E-04	1.43061E-04	3.68486E-04	1.22957E-03	1.02943E-03

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	9.28145E-04	6.61741E-04	1.00942E-04	4.19214E-02
2	1.45258E-03	1.06411E-03	1.83235E-04	5.53039E-02
3	1.48223E-03	1.11985E-03	2.09760E-04	5.17650E-02
4	3.84693E-04	2.34281E-04	2.90224E-05	3.45354E-02
5	4.42179E-04	2.79969E-04	3.75563E-05	3.54099E-02

1broad group parameters

grp	upper energy	mid energy	velocity	fiss spec
1	2.0000E+07	2.6391E+06	1.9647E+09	7.1812E-01
2	9.0000E+05	1.5069E+05	9.6512E+06	2.8188E-01
3	4.0000E-01	1.2716E-01	3.6830E+05	1.2316E-10
4	1.0000E-05			

1 240 d, second part of sas2h pass to make library

0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3
1	3.87437E-01	1.13905E+00	2.45235E-01
2	3.98664E-01	1.14057E+00	2.35554E-01
3	3.95604E-01	1.14097E+00	2.31194E-01
4	4.12753E-01	1.14406E+00	2.00312E-01
5	4.11067E-01	1.14373E+00	2.03313E-01

0flux disadvantage factors (zone average/cell average-flux)


0zone	grp. 1	grp. 2	grp. 3
1	9.42516E-01	9.95905E-01	1.20619E+00
2	9.55231E-01	9.97257E-01	1.15858E+00
3	9.62383E-01	9.97588E-01	1.13713E+00
4	1.00410E+00	1.00028E+00	9.85240E-01
5	1.00000E+00	1.00000E+00	1.00000E+00


0cell averaged currents


0zone	grp. 1	grp. 2	grp. 3
1	1.70157E-02	1.81279E-02	6.77785E-03
2	1.90707E-02	2.55619E-02	1.06713E-02
3	1.91358E-02	2.19601E-02	1.06691E-02
4	1.51262E-02	1.62707E-02	3.13845E-03
5	1.53321E-02	1.65477E-02	3.53005E-03


0zone	volume	vol. fraction
1	1.2566E+00	4.5623E-02
2	1.6668E-01	6.0516E-03
3	6.5826E-01	2.3898E-02


```
   4    2.5462E+01    9.2442E-01
   5    2.7544E+01    1.0000E+00
-  elapsed time    .03 min.
```











```
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       2q array has      1 entries.
0        * core allocated to array-data (by -1$$ or default) was   200000 words. *
1         * broad 3-group flux weighting factors *
0
0                therm =    .5092
```

0 res = .3846
0 fast = 2.9317
0 user requested (see jadd) that only the nuclide transitions presently included in
0 origen library be updated.
1cross sections, available from ampx (normalized to thermal flux), barns

10010	to 10020	2.75385E-01
10010	tot-cap	2.75385E-01
50100	to 40100	2.09013E-02
50100	to 10010	2.09013E-02
50100	to 40090	3.11769E-03
50100	to 10020	3.11769E-03
50100	to 30070	3.16715E+03
50100	to 20040	3.16730E+03
50100	to 10030	7.80945E-02
50100	tot-cap	3.16725E+03
50110	to 50100	8.88977E-06
50110	to 50120	4.18853E-03
50110	to 40110	1.13442E-06
50110	to 10010	1.13442E-06
50110	to 40090	1.01236E-05
50110	to 10030	1.01236E-05
50110	to 30080	1.32158E-04
50110	to 20040	1.32158E-04
50110	tot-cap	4.34084E-03
80160	to 80170	1.47104E-04
80160	to 70160	7.77840E-05
80160	to 10010	7.77840E-05
80160	to 70150	1.46700E-05
80160	to 10020	1.46700E-05
80160	to 60130	2.21441E-02
80160	to 20040	2.21441E-02
80160	to 80161	3.41133E-03
80160	tot-cap	2.23837E-02
360830	to 360820	1.76621E-02
360830	to 360810	1.86468E-09
360830	to 360840	1.48072E+02
360830	to 350830	7.33568E-04
360830	to 10010	7.33568E-04
360830	to 350820	5.83331E-06
360830	to 10020	5.83331E-06
360830	to 350810	2.03885E-06
360830	to 10030	2.03885E-06
360830	to 340810	3.29972E-08
360830	to 20030	3.29972E-08
360830	to 340800	3.87812E-05
360830	to 20040	3.87812E-05
360830	tot-cap	1.48091E+02
360850	to 360860	1.33283E+00
360850	tot-cap	1.33283E+00
380900	to 380910	6.11188E-01
380900	tot-cap	6.11188E-01
390890	to 390900	9.50305E-01
390890	tot-cap	9.50305E-01
400930	to 400940	1.18722E+01
400930	tot-cap	1.18722E+01
400940	to 400950	1.66352E-01
400940	tot-cap	1.66352E-01
400950	to 400960	1.97588E+00
400950	tot-cap	1.97588E+00

410940 to 410950 3.46661E+01
410940 tot-cap 3.46661E+01
420950 to 420960 3.52522E+01
420950 tot-cap 3.52522E+01
430990 to 430980 5.35894E-03
430990 to 431000 8.15638E+01
430990 tot-cap 8.15691E+01
441010 to 441020 2.50117E+01
441010 tot-cap 2.50117E+01
441060 to 441070 7.66631E-01
441060 tot-cap 7.66631E-01
451080 to 451020 1.94081E-03
451080 to 451040 3.40500E+02
451080 tot-cap 3.40502E+02
451050 to 451060 7.90428E+03
451050 tot-cap 7.90428E+03
461050 to 461060 3.05554E+01
461050 tot-cap 3.05554E+01
461080 to 461090 6.08972E+01
461080 tot-cap 6.08972E+01
471090 to 471080 4.51323E-03
471090 to 471100 3.36304E+02
471090 to 461090 2.57958E-04
471090 to 10010 2.57958E-04
471090 to 451060 2.12051E-04
471090 to 20040 2.12051E-04
471090 to 471091 5.55824E-01
471090 tot-cap 3.36309E+02
511240 to 511250 1.09642E+01
511240 tot-cap 1.09642E+01
541310 to 541300 5.47244E-02
541310 to 541290 1.14430E-05
541310 to 541320 2.40805E+02
541310 to 531310 3.33792E-05
541310 to 10010 3.33792E-05
541310 to 531300 4.58919E-07
541310 to 10020 4.58919E-07
541310 to 531290 4.70578E-07
541310 to 10030 4.70578E-07
541310 to 521280 1.55555E-05
541310 to 20040 1.55555E-05
541310 tot-cap 2.40860E+02
541320 to 541310 8.84048E-03
541320 to 541300 1.87500E-05
541320 to 541330 8.41305E-01
541320 to 531320 6.77785E-06
541320 to 10010 6.77785E-06
541320 to 531310 2.84930E-07
541320 to 10020 2.84930E-07
541320 to 531300 3.83659E-08
541320 to 10030 3.83659E-08
541320 to 521290 8.30858E-07
541320 to 20040 8.30858E-07
541320 tot-cap 8.50172E-01
541350 to 541360 1.44670E+06
541350 tot-cap 1.44670E+06
541360 to 541350 1.51222E-02
541360 to 541340 4.61869E-05
541360 to 541370 1.18642E-01
541360 to 531360 2.79290E-07

541360 to 10010 2.79290E-07
541360 to 531350 1.03961E-07
541360 to 10020 1.03961E-07
541360 to 531340 2.34866E-08
541360 to 10030 2.34866E-08
541360 to 521330 2.34241E-07
541360 to 20040 2.34241E-07
541360 tot-cap 1.33811E-01
551330 to 551320 7.08146E-05
551330 to 551340 9.32952E+01
551330 to 541330 7.78062E-04
551330 to 10010 7.78062E-04
551330 to 531300 1.21005E-05
551330 to 20040 1.21005E-05
551330 tot-cap 9.33011E+01
551340 to 551350 1.22130E+02
551340 tot-cap 1.22130E+02
551350 to 551360 1.93162E+01
551350 tot-cap 1.93162E+01
551370 to 551380 2.08031E-01
551370 tot-cap 2.08031E-01
561360 to 561370 8.14605E-01
561360 tot-cap 8.14605E-01
571390 to 571400 7.56554E+00
571390 tot-cap 7.56554E+00
581440 to 581450 1.14875E+00
581440 tot-cap 1.14875E+00
591410 to 591400 5.07440E-05
591410 to 591390 1.45800E-06
591410 to 571370 2.19084E-06
591410 to 20040 4.52882E-05
591410 to 581400 1.54905E-05
591410 to 10010 4.43067E-05
591410 to 591420 1.11551E+01
591410 to 581410 4.17447E-05
591410 to 10020 1.29286E-05
591410 to 581390 1.35585E-06
591410 to 10030 1.35585E-06
591410 to 571390 1.30942E-08
591410 to 20030 1.30942E-08
591410 to 571380 4.30973E-05
591410 tot-cap 1.11603E+01
591430 to 591440 9.16495E+01
591430 tot-cap 9.16495E+01
601430 to 601420 7.77083E-02
601430 to 601410 7.92424E-06
601430 to 581390 1.75011E-05
601430 to 20040 4.88915E-04
601430 to 591420 3.31708E-06
601430 to 10010 3.42954E-05
601430 to 601440 1.94951E+02
601430 to 591430 3.30457E-05
601430 to 10020 2.05737E-06
601430 to 591410 2.97908E-06
601430 to 10030 2.97908E-06
601430 to 581410 1.43133E-08
601430 to 20030 1.43133E-08
601430 to 581400 4.71414E-04
601430 tot-cap 1.95029E+02
601450 to 601440 9.97664E-02

601450 to 601430 1.01175E-04
601450 to 581410 7.23125E-06
601450 to 20040 1.81711E-04
601450 to 591440 1.90050E-06
601450 to 10010 1.23862E-05
601450 to 601460 7.22582E+01
601450 to 591450 1.16281E-05
601450 to 10020 1.14244E-06
601450 to 591430 1.80107E-06
601450 to 10030 1.80107E-06
601450 to 581430 3.66699E-09
601450 to 20030 3.66699E-09
601450 to 581420 1.74479E-04
601450 tot-cap 7.23582E+01
601470 to 601480 1.69168E+02
601470 tot-cap 1.69168E+02
611470 to 611460 2.72616E-02
611470 to 611450 8.50603E-05
611470 to 591430 7.58435E-06
611470 to 20040 7.05508E-05
611470 to 601460 1.04371E-05
611470 to 10010 2.38494E-05
611470 to 611480 5.36551E+02
611470 to 601470 2.12576E-05
611470 to 10020 7.84523E-06
611470 to 601450 2.96207E-06
611470 to 10030 2.96207E-06
611470 to 591450 4.45355E-09
611470 to 20030 4.45355E-09
611470 to 591440 6.29665E-05
611470 tot-cap 5.36578E+02
611480 to 611490 1.15266E+04
611480 tot-cap 1.15266E+04
621470 to 621460 7.11243E-02
621470 to 621450 6.40362E-03
621470 to 601430 5.62185E-05
621470 to 20040 1.09573E-03
621470 to 611460 1.29063E-04
621470 to 10010 1.85403E-04
621470 to 621480 2.08808E+02
621470 to 611470 1.63646E-04
621470 to 10020 1.07306E-04
621470 to 611450 1.15222E-04
621470 to 10030 1.15222E-04
621470 to 601450 5.30158E-06
621470 to 20030 5.30158E-06
621470 to 601440 1.03752E-03
621470 to 621471 1.45472E+00
621470 tot-cap 2.08887E+02
621490 to 621480 4.02107E-02
621490 to 621470 3.19192E-05
621490 to 621500 4.47195E+04
621490 to 611490 4.15418E-04
621490 to 10010 4.15418E-04
621490 to 601460 4.15418E-04
621490 to 20040 4.15418E-04
621490 tot-cap 4.47195E+04
621500 to 621510 1.24848E+02
621500 tot-cap 1.24848E+02
621510 to 621500 1.34695E-01

621510 to 621490 1.20109E-04
621510 to 601470 1.35716E-05
621510 to 20040 1.06235E-04
621510 to 611500 1.64465E-06
621510 to 10010 1.28378E-05
621510 to 621520 4.81862E+03
621510 to 611510 1.18528E-05
621510 to 10020 6.39831E-07
621510 to 611490 1.16285E-06
621510 to 10030 1.16285E-06
621510 to 601490 1.19796E-09
621510 to 20030 1.19796E-09
621510 to 601480 9.26637E-05
621510 tot-cap 4.81876E+03
621520 to 621510 1.60840E-02
621520 to 621500 1.08680E-04
621520 to 601480 2.42985E-06
621520 to 20040 1.00951E-05
621520 to 611510 6.96662E-07
621520 to 10010 2.05583E-06
621520 to 621530 6.81767E+02
621520 to 611520 1.82621E-06
621520 to 10020 4.67044E-07
621520 to 611500 1.21467E-07
621520 to 10030 1.21467E-07
621520 to 601500 3.68114E-10
621520 to 20030 3.68114E-10
621520 to 601490 7.66524E-06
621520 tot-cap 6.81789E+02
631530 to 631520 1.56213E-02
631530 to 631510 2.33275E-05
631530 to 611490 3.85358E-05
631530 to 20040 5.50264E-04
631530 to 621520 6.54189E-06
631530 to 10010 5.55667E-05
631530 to 631540 5.68632E+02
631530 to 621530 5.33315E-05
631530 to 10020 4.30669E-06
631530 to 621510 9.64501E-07
631530 to 10030 9.64501E-07
631530 to 611510 2.20463E-08
631530 to 20030 2.20463E-08
631530 to 611500 5.11728E-04
631530 tot-cap 5.68648E+02
631540 to 631530 2.49726E-02
631540 to 631520 8.97066E-06
631540 to 611500 8.72234E-11
631540 to 20040 6.56784E-04
631540 to 621530 1.96376E-06
631540 to 10010 1.05938E-05
631540 to 631550 1.02480E+03
631540 to 621540 1.05938E-05
631540 to 10020 1.96267E-06
631540 to 621520 3.32532E-06
631540 to 10030 3.32532E-06
631540 to 611520 1.40944E-08
631540 to 20030 1.40944E-08
631540 to 611510 6.56784E-04
631540 tot-cap 1.02489E+03
631550 to 631540 2.05034E-02

631550	to 631530	5.74142E-05
631550	to 611510	1.54638E-06
631550	to 20040	7.61090E-06
631550	to 621540	3.13069E-06
631550	to 10010	6.58607E-06
631550	to 631560	2.50523E+03
631550	to 621550	5.06278E-06
631550	to 10020	1.60740E-06
631550	to 621530	5.32104E-07
631550	to 10030	5.32104E-07
631550	to 611530	1.20604E-10
631550	to 20030	1.20604E-10
631550	to 611520	6.06452E-06
631550	tot-cap	2.50525E+03
641550	to 641560	1.68972E+04
641550	tot-cap	1.68972E+04
922340	to 922330	5.37161E-03
922340	fission	3.86763E+00
922340	nu-sigf	1.01609E+01
922340	to 922320	7.78863E-05
922340	to 922350	1.69442E+02
922340	to 922341	2.60942E+00
922340	tot-cap	1.73315E+02
922350	to 922340	2.46199E-02
922350	fission	3.51653E+02
922350	nu-sigf	8.51468E+02
922350	to 922330	2.34617E-05
922350	to 922360	8.13681E+01
922350	to 922351	7.42194E-02
922350	tot-cap	4.33045E+02
922360	to 922350	2.73641E-02
922360	fission	1.65349E+00
922360	nu-sigf	4.53531E+00
922360	to 922340	3.64673E-04
922360	to 922370	6.97858E+01
922360	to 922361	2.85478E+00
922360	tot-cap	7.14670E+01
922380	to 922370	5.46600E-02
922380	fission	8.27057E-01
922380	nu-sigf	2.32670E+00
922380	to 922360	3.53195E-04
922380	to 922390	7.61294E+00
922380	tot-cap	8.49501E+00
932370	to 932360	1.24589E-02
932370	fission	4.48514E+00
932370	nu-sigf	1.35001E+01
932370	to 932350	4.76640E-05
932370	to 932380	2.78085E+02
932370	to 932371	6.69105E-01
932370	tot-cap	2.82583E+02
942380	to 942370	2.00260E-03
942380	fission	2.02106E+01
942380	nu-sigf	5.72261E+01
942380	to 942360	1.12076E-05
942380	to 942390	2.57609E+02
942380	to 942381	2.60790E+00
942380	tot-cap	2.77822E+02
942390	to 942380	1.06246E-02
942390	fission	8.54735E+02
942390	nu-sigf	2.45731E+03


```
                    942390 to 942370  1.80436E-05
                    942390 to 942360  1.78869E-08
                    942390 to 942400  4.83359E+02
                    942390 tot-cap    1.33811E+03
                    942400 to 942390  4.98738E-03
                    942400 fission    5.21918E+00
                    942400 nu-sigf    1.63062E+01
                    942400 to 942380  4.86689E-05
                    942400 to 942410  1.91204E+03
                    942400 tot-cap    1.91727E+03
                    942410 to 942400  6.34184E-02
                    942410 fission    8.90876E+02
                    942410 nu-sigf    2.61233E+03
                    942410 to 942390  1.04138E-04
                    942410 to 942420  2.94405E+02
                    942410 tot-cap    1.18484E+03
                    942420 to 942410  2.03312E-02
                    942420 fission    3.88427E+00
                    942420 nu-sigf    1.21612E+01
                    942420 to 942400  2.47167E-04
                    942420 to 942430  2.96889E+02
                    942420 tot-cap    3.00793E+02
                    952410 fission    1.16252E+01
                    952410 nu-sigf    3.74443E+01
                    952410 to 952420  1.00417E+03
                    952410 tot-cap    1.01579E+03
                    952430 fission    2.99676E+00
                    952430 nu-sigf    1.00699E+01
                    952430 to 952440  3.82722E+02
                    952430 tot-cap    3.85718E+02
                    962440 to 962430  4.88608E-03
                    962440 fission    1.35709E+01
                    962440 nu-sigf    4.54429E+01
                    962440 to 962420  4.87258E-05
                    962440 to 962450  1.26267E+02
                    962440 to 962441  3.32706E+00
                    962440 tot-cap    1.39843E+02
 Othe reaction  50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
 Othe reaction  50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
 Othe reaction  50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                        in the search of library number 3
 Othe reaction  50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
 Othe reaction  80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
 Othe reaction 621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
 Othe fission product transitions for  922340 were not used.  library fissile nuclides are
    922330  922350  942410  922380  942390
 Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
 Othe reaction 922340 to 922341 was not used, because 922341 is not in library., (in subr pool)
 Othe reaction 922350 to 922351 was not used, because 922351 is not in library., (in subr pool)
 Othe fission product transitions for  922360 were not used.  library fissile nuclides are
    922330  922350  942410  922380  942390
 Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
 Othe reaction 922360 to 922361 was not used, because 922361 is not in library., (in subr pool)
 Othe fission product transitions for  952370 were not used.  library fissile nuclides are
    922330  922350  942410  922380  942390
 Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
 Othe reaction 952370 to 952371 was not used, because 952371 is not in library., (in subr pool)
```

```
0the fission product transitions for  942380 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  942380 to 942381 was not used, because  942381 is not in library., (in subr pool)
0the fission product transitions for  942400 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  942420 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952410 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952430 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  962440 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  962440 to 962441 was not used, because  962441 is not in library., (in subr pool)
1
0                          case completed.  date,   2/16/1996
0 * normal termination *
```

```
1  ccccccccccc   rrrrrrrrrrr   iiiiiiiiiiii    gggggggggg    eeeeeeeeeeee  mm         mm  sssssssssss
   ccccccccccccc  rrrrrrrrrrrr  iiiiiiiiiiii   gggggggggggg   eeeeeeeeeeee  mm         mm sssssssssssss
   cc         cc  rr         rr      ii       gg        gg   ee            mmm        mm ss         ss
   cc         cc  rr         rr      ii       gg             ee            mm mm      mm ss
   cc         cc  rr         rr      ii       gg             ee            mm  mm     mm ss
   cc         cc  rrrrrrrrrrrr       ii       gg   gggggggg  eeeeeeeee     mm   mm    mm sssssssssss
   cc         cc  rrrrrrrrrrr        ii       gg   gggggggg  eeeeeeeee     mm    mm   mm  sssssssssss
   cc         cc  rr       rr        ii       gg         gg  ee            mm     mm mm           ss
   cc         cc  rr        rr       ii       gg         gg  ee            mm      mmm            ss
   cc         cc  rr         rr      ii       gg         gg  ee            mm       m ss         ss
   ccccccccccccc  rr         rr iiiiiiiiiiii   gggggggggggg  eeeeeeeeeeee  mm         mm sssssssssssss
    ccccccccccc   rr         rr iiiiiiiiiiii    gggggggggg   eeeeeeeeeeee  mm         mm  sssssssssss
0
```

```
   ddddddddddd     aaaaaaaa    w         w iiiiiiiiiii    sssssssssss
   ddddddddddd    aaaaaaaaaa   w         w iiiiiiiiiii   sssssssssssss
   dd         dd  aa        aa  w         w      ii       ss         ss
   dd         dd  aa        aa  w         w      ii       ss
   dd         dd  aa        aa  w         w      ii       ss
   dd         dd  aaaaaaaaaaaa  w         w      ii       sssssssssss
   dd         dd  aaaaaaaaaaaa   w       w       ii        sssssssssss
   dd         dd  aa        aa    w     w        ii              ss
   dd         dd  aa        aa     w   w         ii              ss
   dd         dd  aa        aa      w w          ii       ss     ss
   ddddddddddd    aa        aa       w           iiiiiiiiiii  sssssssssss
   ddddddddddd    aa        aa       v           iiiiiiiiiii   sssssssssss
0
```

```
     000000     2222222222          //      11     666666666666          //  999999999   666666666666
   00000000    22222222222         //      111     666666666666         //  999999999   666666666666
  00      00   22        22        //      1111    66                   //  99      99  66
 00        00          22        //        11     66                   //   99      99  66
 00        00          22       //         11     66                  //    99      99  66
 00        00         22       //          11     666666666666       //     999999999   666666666666
 00        00        22       //           11     666666666666      //      999999999   666666666666
 00        00       22       //            11     66        66     //              99  66        66
 00        00     22        //             11     66        66    //               99  66        66
```


SCALE 4.2
program verification information
code system: scale version: 4.2
program: c0c004
creation date: 04/27/95
library: /neutronics/scale/exe
this is not a scale configuration controlled code
jobname: davis
date of execution: 02/16/96

```
                    *****    time of execution:  09:58:18                    *****
                    *****                                                    *****
                    *****                                                    *****
                    ************************************************************
                    ************************************************************
                    ************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0        cbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0           short-lived split test fraction, qm =    9.1188E-04
0           half-norm of matrix used, axn =    7.0000E+00
0           4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

        cross-section data taken from position number  1 of library on unit 15.


        pass  2
        pass  1
        pass  0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densities
          pass n applies mid time densities of nth library interval
        first library updated was...
        pass  1
        pass  0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densities
          pass n applies mid time densities of nth library interval
        first library updated was...
        ************************************************************************
        *                                                                      *
        *           prelim lwr origen-s binary working library--id = 1143      *
        *         made from modified card-image origen-s libraries of scale 4.2*
        *       data from the light element, actinide, and fission product libraries*
        *         decay data, including gamma and total energy, are from endf/b-vi*
        *                                                                      *
        *       neutron flux spectrum factors and cross sections were produced from*
        *      the "presas2" case updating all nuclides on the scale "burnup" library*
        *                                                                      *
        *                  fission product yields are from endf/b-v            *
        *                                                                      *
        *              photon libraries use an 18-energy-group structure       *
        *             the photon data are from the master photon data base,    *
        *             produced to include bremsstrahlung from us2 matrix       *
        *                                                                      *
        *         see information above this box (if present) for later updates*
        *                                                                      *
        ************************************************************************
```

```
0       ******************************************************************************
0                .other identification and sizes of library.
0                 data set name:  ft15f001
0              2/16/1996    date library was produced
0                 1697      total number of nuclides in library
                   689      number of light-element nuclides
                   129      number of actinide nuclides
                   879      number of fission product nuclides
0                 7935      number of nonzero off-diagonal matrix elements
0       ******************************************************************************
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                actinides       page   1
     power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.64E+13n/cm**2-sec
0                                          nuclide concentrations, gram atoms
                                           basis = converted to atoms/(barn-cm)
          charge    200.0 d   240.0 d   280.0 d   320.0 d   320.0 d   360.0 d   400.0 d
    u230 3.02E-22  4.37E-22  5.84E-22  7.51E-22  9.43E-22  9.43E-22  1.17E-21  1.42E-21
    u231 8.18E-21  1.15E-20  1.46E-20  1.82E-20  2.23E-20  2.22E-20  2.69E-20  3.22E-20
    u232 1.07E-13  1.44E-13  1.87E-13  2.36E-13  2.94E-13  2.94E-13  3.61E-13  4.37E-13
    u233 9.03E-12  1.12E-11  1.33E-11  1.52E-11  1.71E-11  1.71E-11  1.89E-11  2.06E-11
    u234 5.35E-06  5.30E-06  5.25E-06  5.19E-06  5.14E-06  5.14E-06  5.10E-06  5.05E-06
    u235 6.26E-04  6.11E-04  5.96E-04  5.82E-04  5.67E-04  5.67E-04  5.54E-04  5.40E-04
    u236 1.53E-05  1.81E-05  2.08E-05  2.34E-05  2.59E-05  2.59E-05  2.84E-05  3.08E-05
    u237 2.96E-08  3.35E-08  3.61E-08  3.85E-08  4.09E-08  4.08E-08  4.32E-08  4.55E-08
    u238 2.20E-02  2.20E-02  2.20E-02  2.20E-02  2.20E-02  2.20E-02  2.20E-02  2.20E-02
    u239 4.13E-09  5.62E-09  5.59E-09  5.58E-09  5.57E-09  3.23E-09  5.56E-09  5.55E-09
    u240 .00E+00   2.57E-39  1.87E-38  9.93E-38  4.17E-37  4.17E-37  1.47E-36  4.50E-36
    u241 .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
   np235 1.51E-15  2.54E-15  3.82E-15  5.38E-15  7.21E-15  7.21E-15  9.31E-15  1.17E-14
  np236m 6.04E-15  8.73E-15  1.11E-14  1.36E-14  1.62E-14  1.60E-14  1.89E-14  2.18E-14
   np236 1.12E-13  1.91E-13  2.93E-13  4.21E-13  5.75E-13  5.75E-13  7.57E-13  9.68E-13
   np237 3.67E-07  4.91E-07  6.25E-07  7.67E-07  9.16E-07  9.17E-07  1.07E-06  1.24E-06
   np238 4.33E-10  5.93E-10  7.52E-10  9.21E-10  1.10E-09  1.09E-09  1.28E-09  1.48E-09
   np239 7.84E-07  8.11E-07  8.08E-07  8.05E-07  8.04E-07  8.03E-07  8.02E-07  8.02E-07
  np240m .00E+00   2.19E-41  1.59E-40  8.48E-40  3.56E-39  3.56E-39  1.25E-38  3.84E-38
   np240 1.15E-11  1.36E-11  1.35E-11  1.35E-11  1.34E-11  1.09E-11  1.34E-11  1.34E-11
   np241 .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
   pu236 1.46E-13  2.47E-13  3.77E-13  5.37E-13  7.27E-13  7.27E-13  9.49E-13  1.20E-12
   pu237 3.28E-14  4.61E-14  5.89E-14  7.12E-14  8.31E-14  8.31E-14  9.46E-14  1.06E-13
   pu238 9.70E-09  1.62E-08  2.46E-08  3.51E-08  4.78E-08  4.78E-08  6.24E-08  7.96E-08
   pu239 3.13E-05  3.81E-05  4.45E-05  5.03E-05  5.57E-05  5.57E-05  6.08E-05  6.54E-05
   pu240 1.65E-06  2.40E-06  3.25E-06  4.17E-06  5.13E-06  5.13E-06  6.13E-06  7.16E-06
   pu241 2.56E-07  4.51E-07  7.16E-07  1.05E-06  1.47E-06  1.47E-06  1.95E-06  2.51E-06
   pu242 4.63E-09  1.04E-08  1.98E-08  3.41E-08  5.43E-08  5.43E-08  8.17E-08  1.17E-07
   pu243 5.47E-13  1.31E-12  2.49E-12  4.27E-12  6.80E-12  6.51E-12  1.02E-11  1.46E-11
   pu244 1.12E-29  1.28E-28  9.32E-28  4.95E-27  2.08E-26  2.08E-26  7.32E-26  2.24E-25
   pu245 .00E+00   9.35E-35  6.81E-34  3.60E-33  1.51E-32  1.48E-32  5.32E-32  1.63E-31
   pu246 .00E+00   2.11E-37  1.75E-36  9.95E-36  4.40E-35  4.40E-35  1.61E-34  5.11E-34
   am239 1.93E-20  4.62E-20  8.77E-20  1.50E-19  2.37E-19  2.33E-19  3.53E-19  5.03E-19
   am240 8.34E-18  1.99E-17  3.78E-17  6.45E-17  1.02E-16  1.02E-16  1.52E-16  2.17E-16
   am241 1.37E-09  3.09E-09  5.89E-09  1.01E-08  1.60E-08  1.60E-08  2.39E-08  3.40E-08
  am242m 9.02E-12  2.46E-11  5.45E-11  1.05E-10  1.84E-10  1.84E-10  2.99E-10  4.59E-10
   am242 1.59E-12  3.56E-12  6.77E-12  1.16E-11  1.83E-11  1.81E-11  2.73E-11  3.88E-11
   am243 6.20E-11  1.82E-10  4.26E-10  8.61E-10  1.57E-09  1.57E-09  2.67E-09  4.26E-09
  am244m .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
   am244 1.97E-14  6.03E-14  1.40E-13  2.83E-13  5.17E-13  5.06E-13  8.75E-13  1.40E-12
   am245 .00E+00   8.66E-33  6.24E-32  3.26E-31  1.35E-30  1.35E-30  4.69E-30  1.42E-29
   am246 .00E+00   5.25E-40  4.38E-39  2.49E-38  1.10E-37  1.10E-37  4.03E-37  1.28E-36
  totals 2.27E-02  2.27E-02  2.27E-02  2.27E-02  2.26E-02  2.26E-02  2.26E-02  2.26E-02
```


```
0   flux            1.65E+13 1.64E+13 1.64E+13 1.64E+13  .00E+00 1.64E+13 1.63E+13
0 .results on logical unit no. 71, position  1, for time step  7, subcase 1. (run position 1, case position 1)
  title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position  2, for time step  5, subcase 1. (run position 1, case position 1)
  title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position  3, for time step  4, subcase 1. (run position 1, case position 1)
  title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0    .terminated logical unit no. 71 with zero flag record.
1 * normal termination of execution *
0                              table of contents for material tables
0                                case or subcase printed     page

                                                  1              1
0rdset          33
          15          4          1         27          6          0          0          0          0          0
           0          0          0          0          0          0         -1       1698        690        130
         880       7935          0          5         99          2         16         96         18         18
          18          0         71
0       56q array has       2 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       3 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90  97376
     l116  60826
     l32  33663 nudata (library) storage size
     l44  33734
     l103  75953
0       58q array has       4 entries.
0       60q array has       7 entries.
0       58q array has       7 entries.
0       66q array has       1 entries.
0       73q array has    1697 entries.
0       74q array has    1697 entries.
0       75q array has    1697 entries.
     l140  66991
     used   101044 in size   200000
0jopt           12
           0          0          0          0          0          0          0          0          0          0
           0          0
0therm          4
 5.092282E-01 3.846097E-01 2.931669E+00 1.000000E-31
0non            5
        7935         20          6         18       1697
0mm            19
           7          7          0          0          1          1          0          0          0          0
          21        100       1697          4          3         74          4          1          0
0tconst         5
 8.640000E+04 1.600064E+02  .000000E+00  .000000E+00 1.000000E-08
0mzero          4
           0        689        129        879
0pow            3
  .000000E+00  .000000E+00  .000000E+00
0 linp          9
           6          0         51         26          2       3000       1000       1697         94
```


```
 n-gamma, fission and total mev/fission =          5.2408E+00     1.9492E+02     2.0016E+02
 start of interval flux =        1.65204E+13
 n-gamma, fission and total mev/fission =          5.3397E+00     1.9505E+02     2.0039E+02
 start of interval flux =        1.64592E+13
 n-gamma, fission and total mev/fission =          5.4422E+00     1.9518E+02     2.0062E+02
 start of interval flux =        1.64118E+13
 n-gamma, fission and total mev/fission =          5.5462E+00     1.9530E+02     2.0085E+02
 start of interval flux =        1.63779E+13
 start of interval flux =         .00000E+00
 n-gamma, fission and total mev/fission =          5.6579E+00     1.9542E+02     2.0107E+02
 start of interval flux =        1.63548E+13
 n-gamma, fission and total mev/fission =          5.7568E+00     1.9553E+02     2.0128E+02
 start of interval flux =        1.63432E+13
0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0       56q array has      20 entries.
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 3, exec halts after pass  8
```




```
0
```



```
0
```





program verification information

code system: scale version: 4.2

program: c0c008

creation date: 04/27/95

library: /neutronics/scale/exe

this is not a scale configuration controlled code

jobname: davis

date of execution: 02/16/96

```
                    *****                                                    *****
                    *****    time of execution:  09:58:22                    *****
                    *****                                                    *****
                    *****                                                    *****
                    ************************************************************
                    ************************************************************
                    ************************************************************

1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library   0
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       66
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     66 entries.
0       4q array has     66 entries.
0       5q array has     66 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     66 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        1    92235    5.40480E-04           92235
    2        1    92234    5.04673E-06           92234
    3        1    92236    3.08086E-05           92236
    4        1    92238    2.19627E-02           92238
    5        1     8016    4.55359E-02            8016
    6        3     8016    2.09710E-02               6
    7        1    36083    7.25090E-07           36083
    8        1    36085    3.50117E-07           36085
    9        1    38090    7.86170E-06           38090
   10        1    39089    5.47406E-06           39089
   11        1    42095    6.12150E-06           42095
   12        1    40093    5.98109E-06           40093
   13        1    40094    9.26342E-06           40094
   14        1    40095    2.10190E-06           40095
   15        1    41094    3.60192E-12           41094
   16        1    43099    8.96719E-06           43099
   17        1    45103    4.40585E-06           45103
   18        1    45105    1.67519E-08           45105
   19        1    44101    7.89901E-06           44101
   20        1    44106    1.14008E-06           44106
   21        1    46105    2.49116E-06           46105
   22        1    46108    5.44054E-07           46108
   23        1    47109    3.91284E-07           47109
```

24	1	51124	1.00596E-10	51124
25	1	54131	4.16287E-06	54131
26	1	54132	7.00585E-06	54132
27	1	54135	6.60408E-09	54135
28	1	54136	1.50336E-05	54136
29	1	55134	2.22576E-07	55134
30	1	55135	4.71145E-06	55135
31	1	55137	9.46756E-06	55137
32	1	56136	4.32042E-08	56136
33	1	57139	9.43297E-06	57139
34	1	59141	7.61682E-06	59141
35	1	59143	3.93553E-07	59143
36	1	58144	5.00712E-06	58144
37	1	60143	7.75909E-06	60143
38	1	60145	5.63501E-06	60145
39	1	61147	2.48433E-06	61147
40	1	61148	6.82848E-09	61148
41	1	60147	1.32716E-07	60147
42	1	62147	3.65895E-07	62147
43	1	62149	7.51956E-08	62149
44	1	62150	1.75200E-06	62150
45	1	62151	2.87244E-07	62151
46	1	62152	8.48904E-07	62152
47	1	64155	7.98151E-10	64155
48	1	63153	3.95032E-07	63153
49	1	63154	4.62875E-08	63154
50	1	63155	5.11217E-08	63155
51	2	40302	4.25156E-02	40302
52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	9.78898E-06	55133
56	1	95237	1.23726E-06	95237
57	1	94238	7.95918E-08	94238
58	1	94239	6.54028E-05	94239
59	1	94240	7.15776E-06	94240
60	1	94241	2.50959E-06	94241
61	1	94242	1.17254E-07	94242
62	1	95241	3.39704E-08	95241
63	1	95243	4.26479E-09	95243
64	1	96244	1.64658E-10	96244
65	1	999	1.00000E-20	999
66	4	999	1.00000E-20	66

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	1	4.68122E-01	9.75000E+02	9.05844E-01	0
2	4	4.78790E-01	2.93000E+02	5.49010E-01	0
3	2	5.46100E-01	6.50000E+02	.00000E+00	0
4	3	8.13968E-01	6.07600E+02	.00000E+00	0

7711 locations of 200000 available are required to make a new master containing the self-shielded values

Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

Ocopy 999 1/v cross sectio from log 12 to log 18 bondarenko trigger 0
Ocopy 999 1/v cross sectio from log 18 to log 1 bondarenko trigger 0
Ocopy 999 1/v cross sectio from log 18 to log 1 bondarenko trigger 0
Ocopy 1001 hydrogen from log 12 to log 1 bondarenko trigger 0
Ocopy 5010 b-10 1273 218grp from log 12 to log 1 bondarenko trigger 0
Ocopy 5011 boron-11 from log 12 to log 1 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 12 to log 18 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0

```
0copy    36083  kr-83          from log 12 to log  1   bondarenko trigger 0
0copy    36085  kr-85          from log 12 to log  1   bondarenko trigger 0
0copy    38090  sr-90          from log 12 to log  1   bondarenko trigger 0
0copy    39089   y-89          from log 12 to log  1   bondarenko trigger 0
0copy    40093  zr-93          from log 12 to log  1   bondarenko trigger 0
0copy    40094  zr-94          from log 12 to log  1   bondarenko trigger 0
0copy    40095  zr-95          from log 12 to log  1   bondarenko trigger 0
0copy    40302  zircalloy      from log 12 to log  1   bondarenko trigger 0
0copy    41094  nb-94          from log 12 to log  1   bondarenko trigger 0
0copy    42095  mo-95          from log 12 to log  1   bondarenko trigger 0
0copy    43099  tc-99          from log 12 to log  1   bondarenko trigger 0
0copy    44101  ru-101         from log 12 to log  1   bondarenko trigger 0
0copy    44106  ru-106         from log 12 to log  1   bondarenko trigger 0
0copy    45103  rh-103         from log 12 to log  1   bondarenko trigger 0
0copy    45105  rh-105         from log 12 to log  1   bondarenko trigger 0
0copy    46105  pd-105         from log 12 to log  1   bondarenko trigger 0
0copy    46108  pd-108         from log 12 to log  1   bondarenko trigger 0
0copy    47109  silver-109     from log 12 to log  1   bondarenko trigger 0
0copy    51124  sb-124         from log 12 to log  1   bondarenko trigger 0
0copy    54131  xe-131         from log 12 to log  1   bondarenko trigger 0
0copy    54132  xe-132         from log 12 to log  1   bondarenko trigger 0
0copy    54135  xenon-135      from log 12 to log  1   bondarenko trigger 0
0copy    54136  xe-136         from log 12 to log  1   bondarenko trigger 0
0copy    55133  cesium-133     from log 12 to log  1   bondarenko trigger 0
0copy    55134  cs-134         from log 12 to log  1   bondarenko trigger 0
0copy    55135  cs-135         from log 12 to log  1   bondarenko trigger 0
0copy    55137  cs-137         from log 12 to log  1   bondarenko trigger 0
0copy    56136  ba-136         from log 12 to log  1   bondarenko trigger 0
0copy    57139  la-139         from log 12 to log  1   bondarenko trigger 0
0copy    58144  ce-144         from log 12 to log  1   bondarenko trigger 0
0copy    59141  pr-141         from log 12 to log  1   bondarenko trigger 0
0copy    59143  pr-143         from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143         from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145         from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147         from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147         from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148         from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147         from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149         from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150         from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151         from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152         from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153         from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154         from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155         from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155         from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92235   uranium-235   from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92238   uranium-238   from log 12 to log  1   bondarenko trigger 0
0copy    93237   neptunium-237 from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239   plutonium-239 from log 12 to log  1   bondarenko trigger 0
0copy    94240   plutonium-240 from log 12 to log  1   bondarenko trigger 0
0copy    94241   plutonium-241 from log 12 to log  1   bondarenko trigger 0
0copy    94242   plutonium-242 from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244   curium-244    from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
```


based on endf-b version 4 data with endf-b version 5 fission products
compiled for nrc 1/27/89
last updated 9/16/93
l.m.petrie - ornl

tape id	4321	number of nuclides	66
number of neutron groups	27	number of gamma groups	0
first thermal group	15	logical unit	1


table of contents

1/v cross sections normalized to 1.0 at 0.0253 ev			id	999
1/v cross sections normalized to 1.0 at 0.0253 ev			id	66
hydrogen	endf/b-iv mat 1269/thrmf1002	updated 10/13/89	id	1001
b-10 1273 218ngp 042375 p-3 293k			id	5010
boron-11	endf/b-iv mat 1160	updated 10/13/89	id	5011
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	8016
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	6
kr-83	mt=102,103,103,105,106,107	updated 10/13/89	id	36083
kr-85	mt= 102		id	36085
sr-90	mt=102	updated 10/13/89	id	38090
y-89	mt=102	updated 10/13/89	id	39089
zr-93	mt= 102		id	40093
zr-94	mt=102	updated 10/13/89	id	40094
zr-95	mt=102	updated 10/13/89	id	40095
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id	40802
rb-94	mt=102	updated 10/13/89	id	41094
mo-95	mt=102	updated 10/13/89	id	42095
tc-99	mt=102	updated 10/13/89	id	43099
ru-101	mt=102	updated 10/13/89	id	44101
ru-106	mt=102	updated 10/13/89	id	44106
rh-103	mt=102	updated 10/13/89	id	45103
rh-105	mt= 102		id	45105
pd-105	mt=102	updated 10/13/89	id	46105
pd-108	mt=102	updated 10/13/89	id	46108
silver-109	endf/b-iv mat 1139	updated 10/13/89	id	47109
sb-124	mt=102	updated 10/13/89	id	51124
xe-131	mt=102,103,104,105,106	updated 10/13/89	id	54131
xe-132	mt=102,103,104,105,106	updated 10/13/89	id	54132
xenon-135	endf/b-iv mat 1294	updated 10/13/89	id	54135
xe-136	mt= 102, 103, 104, 105, 107		id	54136
cesium-133	endf/b-iv mat 1141	updated 10/13/89	id	55133
cs-134	mt=102	updated 10/13/89	id	55134
cs-135	mt= 102		id	55135
cs-137	mt=102	updated 10/13/89	id	55137
ba-136	mt=102	updated 10/13/89	id	56136
la-139	mt=102	updated 10/13/89	id	57139
ce-144	mt= 102		id	58144
pr-141	mt=102,103,104,105,106,107	updated 10/13/89	id	59141
pr-143	mt=102	updated 10/13/89	id	59143
nd-143	mt=102	updated 10/13/89	id	60143
nd-145	mt=102	updated 10/13/89	id	60145
nd-147	mt=102	updated 10/13/89	id	60147
pm-147	mt=102	updated 10/13/89	id	61147
pm-148	mt= 102		id	61148
sm-147	endf/b-v fission product	updated 10/13/89	id	62147
sm-149	mt=102,103,107	updated 10/13/89	id	62149
sm-150	mt=102	updated 10/13/89	id	62150
sm-151	mt=102,103,104,105,106,107	updated 10/13/89	id	62151
sm-152	mt=102,103,104,105,106,107	updated 10/13/89	id	62152
eu-153	mt=102,103,104,105,106,107	updated 10/13/89	id	63153
eu-154	mt=102,103,104,105,106,107	updated 10/13/89	id	63154
eu-155	mt=102,103,104,105,106,107	updated 10/13/89	id	63155


```
      gd-155       mt=102                    updated 10/13/89              id   64155
     u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                   id   92234
      uranium-235  endf/b-iv mat 1261        updated 10/13/89              id   92235
     u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                   id   92236
      uranium-238  endf/b-iv mat 1262        updated 10/13/89              id   92238
      neptunium-237  endf/b-iv mat 1263      updated 10/13/89              id   93237
     pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                  id   94238
      plutonium-239  endf/b-iv mat 1264      updated 10/13/89              id   94239
      plutonium-240  endf/b-iv mat 1265      updated 10/13/89              id   94240
      plutonium-241  endf/b-iv mat 1266      updated 10/13/89              id   94241
      plutonium-242  endf/b-iv mat 1161      updated 10/13/89              id   94242
     am-241 1056 sigo=5+4 newxlacs 218grp p-3 293k                         id   95241
     am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                          id   95243
      curium-244   endf/b-iv mat 1162        updated 10/13/89              id   96244
0      tape copy used     0 i/o's, and took     .00 seconds
1
```




```
0
```




```
0
```



```
0
```





program verification information

code system: scale version: 4.2

program: c0c002

creation date: 04/27/95

library: /neutronics/scale/exe

this is not a scale configuration controlled code

jobname: davis

date of execution: 02/16/96

time of execution: 09:58:23

1
0 -1q array has 1 entries.

```
0       0q array has      9 entries.
0       1q array has     12 entries.
0select 65 nuclides from the master  library on logical  1
        0 nuclides from the working library on logical  2
        0 nuclides from the working library on logical  3
          to create the new working library on logical  4

       61 resonance calculations have been requested
        0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0       2q array has     65 entries.
0       3q array has    915 entries.
0       4q array has     65 entries.
0 general information concerning cross section library
    tape identification number                4321
    number of nuclides on tape                  66
    number of neutron energy groups             27
    first thermal neutron energy group          15
    number of gamma energy groups                0
0  direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                             compiled for nrc     1/27/89
                                last updated      9/16/93
                                  l.m.petrie   -   ornl
0 nuclides from xsdrn tape
     1    1/v cross sections normalized to 1.0 at 0.0253 ev                          999
     2     hydrogen       endf/b-iv mat 1269/thrm1002   updated 10/13/89          1001
     3    b-10 1273 218ngp 042375 p-3 293k                                         5010
     4     boron-11       endf/b-iv mat 1160            updated 10/13/89          5011
     5     oxygen-16      endf/b-iv mat 1276            updated 10/13/89          8016
     6     oxygen-16      endf/b-iv mat 1276            updated 10/13/89             6
     7     kr-83          mt=102,103,103,105,106,107    updated 10/13/89         36083
     8     kr-85            mt=  102                                               36085
     9     sr-90          mt=102                        updated 10/13/89         38090
    10      y-89          mt=102                        updated 10/13/89         39089
    11     zr-93            mt=  102                                               40093
    12     zr-94          mt=102                        updated 10/13/89         40094
    13     zr-95          mt=102                        updated 10/13/89         40095
    14     zircalloy      endf/b-iv mat 1284            updated 10/13/89         40302
    15     nb-94          mt=102                        updated 10/13/89         41094
    16     mo-95          mt=102                        updated 10/13/89         42095
    17     tc-99          mt=102                        updated 10/13/89         43099
    18     ru-101         mt=102                        updated 10/13/89         44101
    19     ru-106         mt=102                        updated 10/13/89         44106
    20     rh-103         mt=102                        updated 10/13/89         45103
    21     rh-105           mt=  102                                               45105
    22     pd-105         mt=102                        updated 10/13/89         46105
    23     pd-108         mt=102                        updated 10/13/89         46108
    24     silver-109     endf/b-iv mat 1139            updated 10/13/89         47109
    25     sb-124         mt=102                        updated 10/13/89         51124
    26     xe-131         mt=102,103,104,105,106        updated 10/13/89         54131
    27     xe-132         mt=102,103,104,105,106        updated 10/13/89         54132
    28     xenon-135      endf/b-iv mat 1294            updated 10/13/89         54135
    29     xe-136           mt=  102, 103, 104, 105, 107                         54136
    30     cesium-133     endf/b-iv mat 1141            updated 10/13/89         55133
    31     cs-134         mt=102                        updated 10/13/89         55134
    32     cs-135           mt=  102                                               55135
    33     cs-137         mt=102                        updated 10/13/89         55137
```

```
   34    ba-136        mt=102                          updated 10/13/89              56136
   35    la-139        mt=102                          updated 10/13/89              57139
   36    ce-144           mt=  102                                                   58144
   37    pr-141        mt=102,103,104,105,106,107      updated 10/13/89              59141
   38    pr-143        mt=102                          updated 10/13/89              59143
   39    nd-143        mt=102                          updated 10/13/89              60143
   40    nd-145        mt=102                          updated 10/13/89              60145
   41    nd-147        mt=102                          updated 10/13/89              60147
   42    pm-147        mt=102                          updated 10/13/89              61147
   43    pm-148           mt=  102                                                   61148
   44    sm-147        endf/b-v fission product        updated 10/13/89              62147
   45    sm-149        mt=102,103,107                  updated 10/13/89              62149
   46    sm-150        mt=102                          updated 10/13/89              62150
   47    sm-151        mt=102,103,104,105,106,107      updated 10/13/89              62151
   48    sm-152        mt=102,103,104,105,106,107      updated 10/13/89              62152
   49    eu-153        mt=102,103,104,105,106,107      updated 10/13/89              63153
   50    eu-154        mt=102,103,104,105,106,107      updated 10/13/89              63154
   51    eu-155        mt=102,103,104,105,106,107      updated 10/13/89              63155
   52    gd-155        mt=102                          updated 10/13/89              64155
   53   u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92234
   54    uranium-235   endf/b-iv mat 1261              updated 10/13/89              92235
   55   u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92236
   56    uranium-238   endf/b-iv mat 1262              updated 10/13/89              92238
   57    neptunium-237 endf/b-iv mat 1263              updated 10/13/89              93237
   58   pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         94238
   59    plutonium-239 endf/b-iv mat 1264              updated 10/13/89              94239
   60    plutonium-240 endf/b-iv mat 1265              updated 10/13/89              94240
   61    plutonium-241 endf/b-iv mat 1266              updated 10/13/89              94241
   62    plutonium-242 endf/b-iv mat 1161              updated 10/13/89              94242
   63   am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                95241
   64   am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 95243
   65    curium-244    endf/b-iv mat 1162              updated 10/13/89              96244
01/v cross sections normalized to 1.0 at 0.0253 ev                        999    temperature=   975.00
0 hydrogen      endf/b-iv mat 1269/thrm1002   updated 10/13/89             1001    temperature=   607.60
                      thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                        5010    temperature=   607.60
                      thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 boron-11      endf/b-iv mat 1160            updated 10/13/89             5011    temperature=   607.60
                      thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 oxygen-16     endf/b-iv mat 1276            updated 10/13/89             8016    temperature=   975.00
0 oxygen-16     endf/b-iv mat 1276            updated 10/13/89                6    temperature=   607.60
0 kr-83         mt=102,103,103,105,106,107    updated 10/13/89            36083    temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    82.202          temperature(kelvin)      =   975.000
0potential scatter sigma  =     7.004          lumped nuclear density   = 7.250916E-07
0spin factor (g)          =  4988.190          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =    15.995            sigma(per absorber atom)= 2.355013E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =   237.953            sigma(per absorber atom)= 2.627460E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  11     -9.819651E-04     .000000E+00    -1.251893E-03
  12      2.167537E-02     .000000E+00     9.906985E-03
  13     -2.399784E-01     .000000E+00    -7.504968E-02
  14      4.781998E-05     .000000E+00    -1.721927E-05
0excess resonance integrals
```

```
0                resolved
0absorption      1.45000E+02
 fission         .00000E+00
- elapsed time   .00 min.
0 kr-85           mt=  102                                          36085    temperature=  975.00
0 sr-90         mt=102                        updated 10/13/89      38090    temperature=  975.00
0 y-89          mt=102                        updated 10/13/89      39089    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   88.142          temperature(kelvin)     =  975.000
0potential scatter sigma  =    3.644          lumped nuclear density  = 5.4740635E-06
0spin factor (g)          =   78.664          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995            sigma(per absorber atom)= 3.1194320E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933            sigma(per absorber atom)= 3.4803137E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -7.380091E-07     .000000E+00    9.697895E-06
  10     -3.189627E-05     .000000E+00   -8.988161E-05
0excess resonance integrals
0                resolved
0absorption      1.46470E-01
 fission         .00000E+00
- elapsed time   .00 min.
0 zr-93           mt=  102                                          40093    temperature=  975.00
0 zr-94         mt=102                        updated 10/13/89      40094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   93.100          temperature(kelvin)     =  975.000
0potential scatter sigma  =    3.779          lumped nuclear density  = 9.2634236E-06
0spin factor (g)          =  180.853          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995            sigma(per absorber atom)= 1.8433756E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933            sigma(per absorber atom)= 2.0566324E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   8     -3.996329E-07     .000000E+00   -3.981763E-04
   9     -1.740391E-05     .000000E+00   -1.543847E-03
0excess resonance integrals
0                resolved
0absorption      3.44067E-02
 fission         .00000E+00
- elapsed time   .00 min.
0 zr-95         mt=102                        updated 10/13/89      40095    temperature=  975.00
0 zircalloy     endf/b-iv mat 1284            updated 10/13/89      40302    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =   90.436          temperature(kelvin)     =  650.000
0potential scatter sigma  =    6.385          lumped nuclear density  = 4.2515602E-02
0spin factor (g)          =    1.079          lump dimension (a-bar)  = 5.4610002E-01
0inner radius             = 4.7878999E-01     dancoff correction (c)  = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
```

```
   8      -1.788994E-03     .000000E+00   -4.286907E+00
   9      -5.695375E-02     .000000E+00   -2.695297E+00
  10      -6.959955E-02     .000000E+00   -1.601321E+00
  11      -1.883937E-01     .000000E+00   -7.920912E-01
0excess resonance integrals
0                 resolved
0absorption       2.28539E-01
 fission          .0000E+00
- elapsed time    .02 min.
0 rb-94          mt=102                    updated 10/13/89          41094     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    93.101          temperature(kelvin)     =   975.000
0potential scatter sigma  =     3.779          lumped nuclear density  = 3.6019208E-12
0spin factor (g)          = 43808.801          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.7407952E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   257.933          sigma(per absorber atom)= 5.2892492E+10
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  13       1.042787E-02     .000000E+00    9.252072E-04
  14       9.836727E-03     .000000E+00   -4.064848E-04
0excess resonance integrals
0                 resolved
0absorption       9.15001E+01
 fission          .0000E+00
- elapsed time    .02 min.
0 mo-95          mt=102                    updated 10/13/89          42095     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    94.091          temperature(kelvin)     =   975.000
0potential scatter sigma  =     3.806          lumped nuclear density  = 6.1215037E-06
0spin factor (g)          =   607.724          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.7895055E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   257.933          sigma(per absorber atom)= 3.1122184E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -1.359311E-03     .000000E+00   -7.621617E-03
  11      -2.295119E-03     .000000E+00   -4.000108E-03
  12      -1.778539E+00     .000000E+00   -2.047869E+00
  13       1.600225E-04     .000000E+00   -2.533864E-05
0excess resonance integrals
0                 resolved
0absorption       1.01012E+02
 fission          .0000E+00
- elapsed time    .02 min.
0 tc-99          mt=102                    updated 10/13/89          43099     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    98.150          temperature(kelvin)     =   975.000
0potential scatter sigma  =     6.000          lumped nuclear density  = 8.9671930E-06
0spin factor (g)          =  4527.940          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
```

```
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.9042715E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 2.1245732E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -1.143065E-02     .000000E+00   -5.399383E-03
  12      -2.896091E-03     .000000E+00   -9.676807E-05
  13      -1.866455E-01     .000000E+00   -9.856686E-03
  14      -4.066176E+00     .000000E+00   -1.301287E-01
  15       1.071236E-02     .000000E+00   -5.402104E-04
  16       4.836075E-03     .000000E+00   -2.802230E-04
  17       2.074324E-04     .000000E+00   -1.191662E-05
0excess resonance integrals
0                 resolved
0absorption      3.2972BE+02
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-101        mt=102                  updated 10/13/89            44101     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   100.039          temperature(kelvin)      =   975.000
0potential scatter sigma =     3.965          lumped nuclear density   = 7.8990079E-06
0spin factor (g)         =    8786.290        lump dimension (a-bar)   = 4.6812201E-01
0inner radius            =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 2.1617867E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 2.4118799E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -3.577315E-02     .000000E+00   -3.650390E-03
  12      -3.629454E-02     .000000E+00   -1.328259E-02
  13      -2.097446E-01     .000000E+00   -5.654530E-03
  14       2.376605E-04     .000000E+00   -4.179696E-05
0excess resonance integrals
0                 resolved
0absorption      7.9672DE+01
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-106        mt=102                  updated 10/13/89            44106     temperature=   975.00
0 rh-103        mt=102                  updated 10/13/89            45103     temperature=   975.00
 0resonance data for this nuclide
 0mass number (a)         =   102.021          temperature(kelvin)      =   975.000
 0potential scatter sigma =     5.408          lumped nuclear density   = 4.4058538E-06
 0spin factor (g)         =      .500          lump dimension (a-bar)   = 4.6812201E-01
 0inner radius            =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
 0the absorber will be treated by the nordheim integral method.
 0mass of moderator-1    =    15.995              sigma(per absorber atom)= 3.8757457E+04
 0moderator-1 will be treated by the nordheim integral method.
 0mass of moderator-2    =   237.953              sigma(per absorber atom)= 4.3241238E+04
 0moderator-2 will be treated by the nordheim integral method.
 0this resonance material will be treated as a 2-dimensional object.
 0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
 0group       res abs         res fiss        res scat
   9       1.289190E-03     .000000E+00    2.051222E-03
  10      -2.437226E-03     .000000E+00   -3.482086E-03
  11      -8.577483E-03     .000000E+00   -7.675869E-03
```

```
  12      -1.027692E-04     .000000E+00   -1.704071E-05
  13        .000000E+00     .000000E+00     .000000E+00
  14        .000000E+00     .000000E+00     .000000E+00
  15       2.306213E-01     .000000E+00    3.364654E-03
  16       3.688781E+01     .000000E+00   -4.548918E-02
  17      -1.831598E+02     .000000E+00   -1.432801E-01
  18       8.764003E+01     .000000E+00    2.615952E-01
  19       1.155327E+01     .000000E+00   -1.651123E-03
  20       1.092636E+00     .000000E+00   -2.517397E-03
  21       2.166005E-01     .000000E+00    1.924752E-03
  22       2.583945E-01     .000000E+00    2.928506E-03
  23      -9.880788E-02     .000000E+00    1.799112E-03
0excess resonance integrals
0                 resolved
0absorption      1.15654E+03
 fission          .00000E+00
-  elapsed time    .05 min.
0 rh-105          mt=  102                                        45105     temperature=  975.00
0 pd-105       mt=102                    updated 10/13/89         46105     temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   104.004          temperature(kelvin)     =   975.000
0potential scatter sigma =    4.069          lumped nuclear density  = 2.4911647E-06
0spin factor (g)        = 15210.000          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 6.8546125E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933           sigma(per absorber atom)= 7.6476109E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      -4.953295E-02     .000000E+00   -7.882353E-04
  13       2.276423E-02     .000000E+00   -5.572332E-05
  14       7.777355E-04     .000000E+00   -8.168058E-05
0excess resonance integrals
0                 resolved
0absorption      6.12945E+01
 fission          .00000E+00
-  elapsed time    .07 min.
0 pd-108       mt=102                    updated 10/13/89         46108     temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   106.977          temperature(kelvin)     =   975.000
0potential scatter sigma =    4.146          lumped nuclear density  = 5.4405444E-07
0spin factor (g)        = 21175.100          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 3.1386509E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933           sigma(per absorber atom)= 3.5017556E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11       1.170557E-04     .000000E+00    3.532514E-04
  12      -4.881945E-01     .000000E+00   -3.598531E-01
  13       6.931076E-03     .000000E+00    1.824895E-03
  14       8.561452E-02     .000000E+00   -3.206508E-05
  15      -1.840804E-01     .000000E+00    8.088835E-05
  16       2.946894E-04     .000000E+00   -9.255707E-06
```

```
0excess resonance integrals
0                resolved
0absorption      2.13516E+02
 fission          .00000E+00
- elapsed time    .07 min.
0 silver-109     endf/b-iv mat 1139          updated 10/13/89          47109     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   107.969          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.988          lumped nuclear density   = 3.9128443E-07
0spin factor (g)          =  1441.870          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.3640809E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 4.8689538E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  10     -1.470666E-05      .000000E+00    1.632901E-05
  11     -1.388515E-03      .000000E+00   -1.091168E-03
  12     -7.052492E-01      .000000E+00   -3.163157E-02
  13      7.672281E-01      .000000E+00    3.380755E-02
  14     -3.453321E+00      .000000E+00   -3.333731E-01
0excess resonance integrals
0                resolved
0absorption      1.39897E+03
 fission          .00000E+00
- elapsed time    .07 min.
0 sb-124         mt=102                      updated 10/13/89          51124     temperature=  975.00
0 xe-131         mt=102,103,104,105,106      updated 10/13/89          54131     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   129.781          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301          lumped nuclear density   = 4.1628664E-06
0spin factor (g)          =   246.825          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.1019738E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 4.5765238E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
   9     -1.157132E-06      .000000E+00   -1.109606E-05
  10     -8.302818E-05      .000000E+00   -6.607881E-05
  11     -1.069897E-03      .000000E+00   -8.185382E-04
  12     -2.103276E-02      .000000E+00   -1.964439E-03
  13     -3.601871E+01      .000000E+00   -8.453455E+01
  14      1.100193E-02      .000000E+00    1.539452E-02
0excess resonance integrals
0                resolved
0absorption      7.98384E+02
 fission          .00000E+00
- elapsed time    .08 min.
0 xe-132         mt=102,103,104,105,106      updated 10/13/89          54132     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   130.771          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301          lumped nuclear density   = 7.0068454E-06
0spin factor (g)          =   675.899          lump dimension (a-bar)   = 4.6812201E-01
```

```
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 2.4373887E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933               sigma(per absorber atom)= 2.7193658E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
   9      -1.056912E-05      .000000E+00   -4.704644E-05
  10      -3.331607E-03      .000000E+00   -4.241930E-02
  11       3.344413E-08      .000000E+00   -9.285239E-07
0excess resonance integrals
0                 resolved
0absorption      9.78718E-01
 fission          .00000E+00
-  elapsed time    .08 min.
0 xenon-135     endf/b-iv mat 1294          updated 10/13/89              54135     temperature=  975.00
0 xe-136          mt=  102, 103, 104, 105, 107                            54136     temperature=  975.00
0 cesium-133    endf/b-iv mat 1141          updated 10/13/89              55133     temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   131.764              temperature(kelvin)       =   975.000
0potential scatter sigma =     7.100              lumped nuclear density    = 9.7889797E-06
0spin factor (g)         =   374.437              lump dimension (a-bar)    = 4.6812201E-01
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 1.7444074E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  238.051               sigma(per absorber atom)= 1.8711057E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
   9      -2.907373E-05      .000000E+00   -1.570998E-04
  10      -1.314802E-03      .000000E+00   -2.538390E-03
  11      -5.049485E-02      .000000E+00   -8.853554E-02
  12      -7.794365E-02      .000000E+00   -1.087077E-02
  13      -1.293005E-01      .000000E+00   -7.041851E-03
  14      -5.816844E+00      .000000E+00   -2.551529E-01
  15       5.627014E-03      .000000E+00   -4.058210E-04
  16       2.777945E-03      .000000E+00   -2.215582E-04
  17       2.352170E-03      .000000E+00   -1.830856E-04
  18       2.214986E-03      .000000E+00   -1.679469E-04
  19       1.317094E-03      .000000E+00   -9.670768E-05
0excess resonance integrals
0                 resolved
0absorption      3.59757E+02
 fission          .00000E+00
-  elapsed time    .10 min.
0 cs-134        mt=102                      updated 10/13/89              55134     temperature=  975.00
0 cs-135          mt=  102                                                55135     temperature=  975.00
0 cs-137        mt=102                      updated 10/13/89              55137     temperature=  975.00
0 ba-136        mt=102                      updated 10/13/89              56136     temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   134.737              temperature(kelvin)       =   975.000
0potential scatter sigma =     4.835              lumped nuclear density    = 4.3204217E-08
0spin factor (g)         =  1247.690              lump dimension (a-bar)    = 4.6812201E-01
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 3.9523850E+06
```

```
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 4.409629E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  10      1.325435E-06      .000000E+00    5.726989E-07
  11      1.778946E-05      .000000E+00    1.536195E-05
0excess resonance integrals
0                resolved
0absorption      1.33476E+00
 fission          .00000E+00
- elapsed time    .10 min.
0 la-139        mt=102                    updated 10/13/89            57139    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   137.713          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.906          lumped nuclear density   = 9.432974E-06
0spin factor (g)          =   145.855          lump dimension (a-bar)   = 4.681220E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.810242E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 2.019665E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
   9      2.513561E-05      .000000E+00    4.217379E-03
  10     -2.130884E-04      .000000E+00   -1.470225E-02
  11       .000000E+00      .000000E+00     .000000E+00
  12     -3.235367E-02      .000000E+00   -1.955698E-02
0excess resonance integrals
0                resolved
0absorption      8.11172E+00
 fission          .00000E+00
- elapsed time    .12 min.
0 ce-144         mt=  102                                                 58144    temperature=  975.00
0 pr-141        mt=102,103,104,105,106,107    updated 10/13/89            59141    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   139.697          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.953          lumped nuclear density   = 7.616822E-06
0spin factor (g)          =  1026.500          lump dimension (a-bar)   = 4.681220E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 2.241875E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 2.501234E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  10     -2.990048E-03      .000000E+00   -1.015056E-01
  11     -4.969222E-02      .000000E+00   -6.609490E-01
  12     -1.085222E-03      .000000E+00   -1.048369E-04
0excess resonance integrals
0                resolved
0absorption      1.22139E+01
 fission          .00000E+00
- elapsed time    .12 min.
0 pr-143        mt=102                    updated 10/13/89            59143    temperature=  975.00
```

```
0 nd-143        mt=102                    updated 10/13/89          60143    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   141.682          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.000          lumped nuclear density   = 7.7590876E-06
0spin factor (g)          =  1964.860          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.2007703E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 2.4553734E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10     -7.957541E-05     .000000E+00   -2.374323E-05
  11     -1.830864E-01     .000000E+00   -2.131639E+00
  12     -1.198135E-01     .000000E+00   -5.897775E-02
0excess resonance integrals
0                resolved
0absorption     5.12557E+01
 fission         .00000E+00
- elapsed time    .12 min.
0 nd-145        mt=102                    updated 10/13/89          60145    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   143.668          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.047          lumped nuclear density   = 5.6350132E-06
0spin factor (g)          =  1007.250          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.0303336E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 3.3809074E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10     -2.253398E-03     .000000E+00   -3.557378E-02
  11     -3.474493E-02     .000000E+00   -1.048051E-01
  12     -8.615515E-01     .000000E+00   -5.427825E+00
  13      9.626082E-05     .000000E+00    2.057469E-04
  14     -7.513707E-01     .000000E+00   -1.978675E-02
  15      5.908317E-03     .000000E+00   -4.625057E-04
  16      1.326683E-03     .000000E+00   -1.451354E-04
  17      9.642397E-04     .000000E+00   -1.063940E-04
  18      8.539907E-04     .000000E+00   -9.313782E-05
  19      7.634096E-04     .000000E+00   -8.069522E-05
  20      2.839427E-05     .000000E+00   -2.921005E-06
0excess resonance integrals
0                resolved
0absorption     2.08187E+02
 fission         .00000E+00
- elapsed time    .13 min.
0 nd-147        mt=102                    updated 10/13/89          60147    temperature=  975.00
0 pm-147        mt=102                    updated 10/13/89          61147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 2.4843284E-06
0spin factor (g)          = 21589.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
```

```
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 6.873475E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 7.668654E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  12      -1.223039E-01     .000000E+00    -3.948635E-02
  13      -3.141409E-02     .000000E+00    -1.907241E-03
  14      -5.745860E+01     .000000E+00    -2.474550E+01
  15       4.132830E-02     .000000E+00     6.985857E-03
  16       1.697975E-02     .000000E+00     1.746748E-03
  17       1.369755E-02     .000000E+00     1.150447E-03
  18       1.253781E-02     .000000E+00     9.649050E-04
  19       6.998458E-04     .000000E+00     5.072522E-05
0excess resonance integrals
0                resolved
0absorption     2.04771E+03
 fission         .00000E+00
- elapsed time    .13 min.
0 pm-148          mt=  102                                          61148    temperature=  975.00
0 sm-147       endf/b-v fission product      updated 10/13/89         62147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 3.658945E-07
0spin factor (g)          =      .000          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 4.666909E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 5.206815E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  11       2.896982E-01     .000000E+00     1.129878E+00
  12       1.167188E+00     .000000E+00    -1.330838E+00
  13      -2.347516E+00     .000000E+00    -8.911353E-01
  14      -1.601623E-01     .000000E+00     1.549642E-04
  15       3.119469E-01     .000000E+00    -1.924454E-03
  16       7.287886E-03     .000000E+00    -3.738721E-04
  17       4.281512E-03     .000000E+00    -2.401627E-04
  18       3.510471E-03     .000000E+00    -1.997298E-04
  19       2.910642E-03     .000000E+00    -1.649535E-04
  20       8.435342E-04     .000000E+00    -4.627657E-05
0excess resonance integrals
0                resolved
0absorption     7.24261E+02
 fission         .00000E+00
- elapsed time    .15 min.
                        thermal scattering matrix number  3 at a temperature of    900.03 was selected.
0 sm-149       mt=102,103,107                updated 10/13/89         62149    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   147.638          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.260          lumped nuclear density   = 7.519558E-08
0spin factor (g)          = 10407.900          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 2.270874E+06
0moderator-1 will be treated by the nordheim integral method.
```

```
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 2.5335873E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      8.546639E-03     .000000E+00    3.071180E-02
  12     -5.302144E-02     .000000E+00   -1.779283E-01
  13      2.406209E-02     .000000E+00    2.974950E-03
  14      1.500835E-02     .000000E+00   -6.463817E-03
0excess resonance integrals
0                resolved
0absorption     8.04352E+02
 fission         .00000E+00
-  elapsed time    .15 min.
0 sm-150        mt=102                   updated 10/13/89          62150     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   148.629          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.162          lumped nuclear density   = 1.7519981E-06
0spin factor (g)          =  4376.420          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 9.7465680E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.0874131E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10     -6.373778E-04     .000000E+00   -5.756720E-03
  11     -1.304944E-02     .000000E+00   -1.490106E-01
  12     -4.227013E-02     .000000E+00   -1.278060E-02
  13     -3.095665E+00     .000000E+00   -2.440727E+00
  14      1.066137E-04     .000000E+00   -6.413570E-05
0excess resonance integrals
0                resolved
0absorption     2.91457E+02
 fission         .00000E+00
-  elapsed time    .15 min.
0 sm-151        mt=102,103,104,105,106,107   updated 10/13/89          62151     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   149.623          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.185          lumped nuclear density   = 2.8724369E-07
0spin factor (g)          = 75574.703          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 5.9447675E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 6.6325069E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  14     -1.639246E-01     .000000E+00   -1.796795E-02
  15      1.491918E+01     .000000E+00    7.558513E-02
  16     -2.177298E+01     .000000E+00   -6.173761E-02
  17      1.739949E+02     .000000E+00    8.298581E-01
  18     -3.204102E+02     .000000E+00   -1.780888E+00
  19      6.256166E+01     .000000E+00    3.868497E-01
  20      1.141531E+00     .000000E+00   -1.417522E-04
  21     -7.117683E-02     .000000E+00    1.244102E-02
```

```
  22      6.952534E-02     .000000E+00    3.838926E-03
  23     -1.091920E-02     .000000E+00    3.374054E-04
0excess resonance integrals
0                 resolved
0absorption      2.05685E+03
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-152        mt=102,103,104,105,106,107     updated 10/13/89              62152     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   150.615              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.208              lumped nuclear density   = 8.489045E-07
0spin factor (g)          =   863.594              lump dimension (a-bar)   = 4.681220IE-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 2.0115302E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 2.2442405E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9      2.403006E-06     .000000E+00    1.158916E-04
  10     -6.300000E-04     .000000E+00   -1.018422E-02
  11     -9.556884E-03     .000000E+00   -3.651736E-02
  12     -6.559117E-02     .000000E+00   -2.088114E-01
  13      4.246605E-02     .000000E+00    1.053022E-01
  14     -6.047521E+01     .000000E+00   -1.170778E+02
0excess resonance integrals
0                 resolved
0absorption      2.85243E+03
 fission          .00000E+00
- elapsed time    .17 min.
0 eu-153        mt=102,103,104,105,106,107     updated 10/13/89              63153     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   151.607              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density   = 3.9505220E-07
0spin factor (g)          = 12265.900              lump dimension (a-bar)   = 4.681220IE-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 4.3226778E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 4.8227606E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12     -2.700846E-01     .000000E+00   -5.264485E-02
  13     -7.127646E-02     .000000E+00   -2.768018E-04
  14     -5.875798E-01     .000000E+00    3.188236E-03
  15      2.867073E+00     .000000E+00   -2.053510E-02
  16     -3.292259E+00     .000000E+00    8.159347E-03
  17      1.505616E-01     .000000E+00   -3.437751E-03
  18      7.726888E-02     .000000E+00   -2.231245E-03
  19      5.055488E-02     .000000E+00   -1.541107E-03
  20     -1.253801E-01     .000000E+00   -1.275081E-03
0excess resonance integrals
0                 resolved
0absorption      1.35573E+03
 fission          .00000E+00
- elapsed time    .17 min.
```

```
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89              63154     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   152.601              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density   = 4.6287475E-08
0spin factor (g)          = 19135.801              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 3.6891120E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 4.1158988E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -3.861222E-01     .000000E+00    -6.032471E-02
  13      -2.990322E-01     .000000E+00    -2.442458E-02
  14       3.518871E-01     .000000E+00     1.505895E-02
  15       2.104515E-01     .000000E+00     2.119006E-02
  16       7.291847E+00     .000000E+00     9.268108E-02
  17      -1.437307E+02     .000000E+00    -1.895209E+00
  18       1.138007E+02     .000000E+00     1.859608E+00
  19      -1.014582E+02     .000000E+00     1.187222E+00
0excess resonance integrals
0                 resolved
0absorption      2.13713E+03
 fission          .00000E+00
- elapsed time     .18 min.
0 eu-155        mt=102,103,104,105,106,107     updated 10/13/89              63155     temperature=  975.00
0 gd-155        mt=102                         updated 10/13/89              64155     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   153.592              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.277              lumped nuclear density   = 7.9815138E-10
0spin factor (g)          = 12700.100              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 2.1394400E+08
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 2.3869478E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -1.439277E+00     .000000E+00    -1.839441E-01
  13       1.541312E+00     .000000E+00     1.985276E-01
  14       2.191371E-01     .000000E+00     9.808348E-03
  15      -3.311029E-01     .000000E+00    -7.466390E-06
  16       1.477360E+00     .000000E+00    -4.148879E-03
  17       1.568661E-01     .000000E+00    -1.479119E-03
  18       9.605166E-02     .000000E+00    -1.078106E-03
  19       6.295341E-02     .000000E+00    -8.026526E-04
  20       1.670418E-02     .000000E+00     1.626851E-04
  21        .000000E+00     .000000E+00      .000000E+00
  22        .000000E+00     .000000E+00      .000000E+00
  23        .000000E+00     .000000E+00      .000000E+00
  24        .000000E+00     .000000E+00      .000000E+00
  25      -2.127720E+03     .000000E+00    -1.621942E+00
  26      -5.205629E+03     .000000E+00     1.961451E+00
  27      -1.659955E+03     .000000E+00     7.392510E-01
0excess resonance integrals
0                 resolved
```

```
0absorption      3.97067E+04
 fission          .0000E+00
- elapsed time    .18 min.
0u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    92234     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   232.029          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.021          lumped nuclear density   = 5.0467297E-06
0spin factor (g)          =  6948.450          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.3835711E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.955          sigma(per absorber atom)= 3.7738547E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11     -2.415318E-02     .000000E+00   -7.041884E-02
  12     -1.968077E-01     .000000E+00   -8.249157E-02
  13      7.759724E-04     .000000E+00   -6.471135E-04
  14     -1.926428E+01     .000000E+00   -3.151055E+00
0excess resonance integrals
0                resolved
0absorption      5.80961E+02
 fission          .0000E+00
- elapsed time    .20 min.
0 uranium-235   endf/b-iv mat 1261          updated 10/13/89            92235     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   233.025          temperature(kelvin)      =   975.000
0potential scatter sigma  =    11.500          lumped nuclear density   = 5.4047973E-04
0spin factor (g)          = 15171.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.1594098E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.049          sigma(per absorber atom)= 3.3905756E+02
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12     -2.237724E+00   -1.393543E+00   -5.229959E-02
  13     -7.708092E+00   -3.834183E+00   -1.662088E-01
  14     -6.189115E+00   -3.789033E+00   -4.212886E-02
0excess resonance integrals
0                resolved
0absorption      2.09175E+02
 fission         1.24654E+02
- elapsed time    .22 min.
0u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    92236     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   234.017          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.995          lumped nuclear density   = 3.0808562E-05
0spin factor (g)          =  6328.490          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 5.5426050E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.954          sigma(per absorber atom)= 6.1827402E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
```

```
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -1.523668E-01     .000000E+00   -3.801088E-01
  12      -8.034678E-01     .000000E+00   -5.583938E-01
  13      -6.051546E-02     .000000E+00   -3.357721E-03
  14      -2.886298E+01     .000000E+00   -2.525290E+00
0excess resonance integrals
0                 resolved
0absorption      2.96393E+02
 fission          .00000E+00
- elapsed time    .22 min.
0 uranium-238   endf/b-iv mat 1262          updated 10/13/89          92238     temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   236.006          temperature(kelvin)     =   975.000
0potential scatter sigma =    10.599         lumped nuclear density  = 2.1962663E-02
0spin factor (g)         =   656.527          lump dimension (a-bar)  = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 7.7749991E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   235.041          sigma(per absorber atom)= 3.3478946E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -3.944036E-02     .000000E+00   -4.050720E-01
  10      -1.026518E+00    -1.753316E-05  -6.484920E+00
  11      -9.709722E+00     .000000E+00   -2.690162E+01
  12      -4.305133E+01     .000000E+00   -4.999088E+01
  13      -5.401731E+01     .000000E+00   -1.769248E+01
  14      -1.045068E+02     .000000E+00   -6.060081E+00
0excess resonance integrals
0                 resolved
0absorption      1.79895E+01
 fission         5.03922E-04
- elapsed time    .23 min.
0 neptunium-237  endf/b-iv mat 1263          updated 10/13/89          93237     temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   235.012          temperature(kelvin)     =   975.000
0potential scatter sigma =    10.500         lumped nuclear density  = 1.2372562E-06
0spin factor (g)         = 10100.800          lump dimension (a-bar)  = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 1.3801481E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051          sigma(per absorber atom)= 1.4803898E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -6.325133E-02    -1.946361E-06  -7.388205E-03
  12       3.730817E-02    -9.091694E-05   8.666517E-03
  13       1.510195E-02     9.073738E-05   4.388653E-04
  14      -1.946115E-02    -2.886008E-06  -9.108857E-04
0excess resonance integrals
0                 resolved
0absorption      2.93165E+02
 fission         1.38589E-01
- elapsed time    .27 min.
0pu-238 1050 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)          94238     temperature=  975.00
```

```
0resonance data for this nuclide
0mass number (a)          =   236.167          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.890          lumped nuclear density   = 7.959184E-08
0spin factor (g)          = 13130.600          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.145442E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 2.301267E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  11     -1.284735E-04    -1.341992E-05    -1.980659E-04
  12     -4.305728E-05    -2.905865E-06    -5.489353E-05
  13      4.134514E-01     7.566257E-02    -9.305859E-03
  14     -3.822731E-01    -6.988454E-02     8.538994E-03
0excess resonance integrals
0                resolved
0absorption     8.25506E+01
 fission        9.08542E+00
- elapsed time    .27 min.
0 plutonium-239  endf/b-iv mat 1264          updated 10/13/89          9423    9     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.999          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.200          lumped nuclear density   = 6.540275E-05
0spin factor (g)          =  6435.710          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.610894E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 2.800526E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  11     -1.372717E-01    -5.512489E-02    -4.218680E-02
  12     -1.231102E+00    -4.618338E-01    -1.623044E-01
  13     -4.054652E+00    -2.387267E+00    -6.166678E-02
  14     -1.292015E+00    -6.866961E-01    -1.170952E-02
0excess resonance integrals
0                resolved
0absorption     3.11634E+02
 fission        1.74952E+02
- elapsed time    .28 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89          9424    0     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   237.992          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density   = 7.157762E-06
0spin factor (g)          =   669.244          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.385657E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 2.558950E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
   9     -2.527904E-05    -4.472240E-07    -4.415883E-05
```

```
  10      -1.671842E-03   -1.040354E-04   -7.669151E-03
  11      -5.483094E-02   -3.168331E-04   -7.304044E-02
  12      -7.702689E-01   -4.206388E-03   -7.416141E-01
  13      -9.330229E-02   -5.720981E-04   -6.802758E-03
  14        .000000E+00     .000000E+00     .000000E+00
  15       1.750853E-02    3.341580E-06    3.472721E-03
  16       3.193329E+00    6.094609E-04    4.049562E-01
  17       5.207403E+02    9.958658E-02    4.696471E+01
  18      -5.241542E+03   -1.000371E+00   -4.157560E+02
  19       8.658362E+02    1.652487E-01    6.655492E+01
  20      -9.297894E+01   -1.774544E-02    1.798328E+00
0excess resonance integrals
0                 resolved
0absorption      6.34075E+03
 fission         2.23112E+00
- elapsed time    .30 min.
0 plutonium-241  endf/b-iv mat 1266          updated 10/13/89          9424l     temperature=   975.00
0resonance data for this nuclide
0mass number (a)        =   238.978          temperature(kelvin)      =   975.000
0potential scatter sigma =    10.989         lumped nuclear density   = 2.5095871E-06
0spin factor (g)        = 16402.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 6.8048359E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051          sigma(per absorber atom)= 7.2990789E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      9.910288E-03    8.743934E-03    6.553351E-04
  13     -1.870408E-01   -1.488423E-01   -6.361959E-03
  14     -1.075350E-01   -6.497218E-02    7.055812E-04
  15      1.797773E-02    1.611609E-02   -4.686306E-04
0excess resonance integrals
0                 resolved
0absorption      5.09079E+02
 fission         4.26759E+02
- elapsed time    .32 min.
0 plutonium-242  endf/b-iv mat 1161          updated 10/13/89          9424l     temperature=   975.00
0resonance data for this nuclide
0mass number (a)        =   240.145          temperature(kelvin)      =   975.000
0potential scatter sigma =    10.694         lumped nuclear density   = 1.1725373E-07
0spin factor (g)        =  6606.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 1.4563261E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051          sigma(per absorber atom)= 1.5621008E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11     -1.595395E-04    .000000E+00   -5.900082E-04
  12     -5.455534E-03    .000000E+00   -1.111986E-02
  13      1.023480E-04    .000000E+00    4.744354E-06
  14      8.148858E-02    .000000E+00    1.527138E-02
  15     -1.866679E+00    .000000E+00   -1.871458E-01
  16      4.033705E-02    .000000E+00   -3.458752E-03
  17      1.550415E-02    .000000E+00   -1.848246E-03
```

```
  18      1.112550E-02     .000000E+00   -1.430672E-03
0excess resonance integrals
0                 resolved
0absorption       1.110866E+03
 fission           .00000E+00
- elapsed time     .32 min.
0am-241 1056 sigp=5+4 newklacs 218ngp p-3 293k                          95241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.950          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 3.3970430E-08
0spin factor (g)          = 82058.203          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 5.0267155E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 5.3918115E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  13      4.919184E-01     1.212667E-02    4.934242E-03
  14     -4.313571E-01    -1.109051E-02   -4.482724E-03
0excess resonance integrals
0                 resolved
0absorption       1.95473E+02
 fission          1.07612E+00
- elapsed time     .32 min.
0am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                           95243     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.940          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 4.2647872E-09
0spin factor (g)          = 82052.602          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.0039436E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 4.2947548E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  13     -6.647073E-03     .000000E+00    4.374598E-04
  14      2.210911E-02     .000000E+00    2.339746E-04
0excess resonance integrals
0                 resolved
0absorption       1.60152E+02
 fission           .00000E+00
- elapsed time     .32 min.
0 curium-244     endf/b-iv mat 1162          updated 10/13/89           96244     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   242.133          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.320          lumped nuclear density   = 1.6465758E-10
0spin factor (g)          =  5251.150          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.0370695E+09
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.1123822E+09
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
```

0volume fraction of lump in cell used to account for spatial self-shielding=1.00000

0group	res abs	res fiss	res scat
11	2.577953E-04	7.054416E-06	3.049273E-04
12	6.927479E-04	3.252468E-05	1.367911E-04
13	2.717880E-03	1.335395E-04	7.127342E-04
14	8.386877E-02	5.017790E-03	1.585305E-02

0excess resonance integrals

0	resolved
0absorption	6.139038E+02
fission	3.542216E+01

- elapsed time .32 min.
- elapsed time .33 min.

1 this xsdrn working tape was created 02/16/96 at 09:58:23
the title of the parent case is as follows
scale 4.2 - 27 group neutron burnup library
based on endf-b version 4 data with endf-b version 5 fission products
compiled for nrc 1/27/89

tape id	4321	number of nuclides	65
number of neutron groups	27	number of gamma groups	0
first thermal group	15	logical unit	4


table of contents

1/v cross sections normalized to 1.0 at 0.0253 ev			id	999
hydrogen	endf/b-iv mat 1269/thrmf1002	updated 10/13/89	id	1001
b-10 1273 218ngp 042375 p-3 293k			id	5010
boron-11	endf/b-iv mat 1160	updated 10/13/89	id	5011
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	8016
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	6
kr-83	mt=102,103,103,105,106,107	updated 10/13/89	id	36083
kr-85	mt= 102		id	36085
sr-90	mt=102	updated 10/13/89	id	38090
y-89	mt=102	updated 10/13/89	id	39089
zr-93	mt= 102		id	40093
zr-94	mt=102	updated 10/13/89	id	40094
zr-95	mt=102	updated 10/13/89	id	40095
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id	40802
rb-94	mt=102	updated 10/13/89	id	41094
mo-95	mt=102	updated 10/13/89	id	42095
tc-99	mt=102	updated 10/13/89	id	43099
ru-101	mt=102	updated 10/13/89	id	44101
ru-106	mt=102	updated 10/13/89	id	44106
rh-103	mt=102	updated 10/13/89	id	45103
rh-105	mt= 102		id	45105
pd-105	mt=102	updated 10/13/89	id	46105
pd-108	mt=102	updated 10/13/89	id	46108
silver-109	endf/b-iv mat 1139	updated 10/13/89	id	47109
sb-124	mt=102	updated 10/13/89	id	51124
xe-131	mt=102,103,104,105,106	updated 10/13/89	id	54131
xe-132	mt=102,103,104,105,106	updated 10/13/89	id	54132
xenon-135	endf/b-iv mat 1294	updated 10/13/89	id	54135
xe-136	mt= 102, 103, 104, 105, 107		id	54136
cesium-133	endf/b-iv mat 1141	updated 10/13/89	id	55133
cs-134	mt=102	updated 10/13/89	id	55134
cs-135	mt= 102		id	55135
cs-137	mt=102	updated 10/13/89	id	55137
ba-136	mt=102	updated 10/13/89	id	56136
la-139	mt=102	updated 10/13/89	id	57139
ce-144	mt= 102		id	58144
pr-141	mt=102,103,104,105,106,107	updated 10/13/89	id	59141
pr-143	mt=102	updated 10/13/89	id	59143
nd-143	mt=102	updated 10/13/89	id	60143

```
        nd-145          mt=102                          updated 10/13/89            id    60145
        nd-147          mt=102                          updated 10/13/89            id    60147
        pm-147          mt=102                          updated 10/13/89            id    61147
        pm-148             mt=  102                                                 id    61148
        sm-147          endf/b-v fission product        updated 10/13/89            id    62147
        sm-149          mt=102,103,107                  updated 10/13/89            id    62149
        sm-150          mt=102                          updated 10/13/89            id    62150
        sm-151          mt=102,103,104,105,106,107      updated 10/13/89            id    62151
        sm-152          mt=102,103,104,105,106,107      updated 10/13/89            id    62152
        eu-153          mt=102,103,104,105,106,107      updated 10/13/89            id    63153
        eu-154          mt=102,103,104,105,106,107      updated 10/13/89            id    63154
        eu-155          mt=102,103,104,105,106,107      updated 10/13/89            id    63155
        gd-155          mt=102                          updated 10/13/89            id    64155
       u-234 1043 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                         id    92234
        uranium-235     endf/b-iv mat 1261              updated 10/13/89            id    92235
       u-236 1163 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                         id    92236
        uranium-238     endf/b-iv mat 1262              updated 10/13/89            id    92238
        neptunium-237   endf/b-iv mat 1263              updated 10/13/89            id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                        id    94238
        plutonium-239   endf/b-iv mat 1264              updated 10/13/89            id    94239
        plutonium-240   endf/b-iv mat 1265              updated 10/13/89            id    94240
        plutonium-241   endf/b-iv mat 1266              updated 10/13/89            id    94241
        plutonium-242   endf/b-iv mat 1161              updated 10/13/89            id    94242
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 295k                               id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                id    95243
        curium-244      endf/b-iv mat 1162              updated 10/13/89            id    96244
0       tape copy used      0 i/o's, and took     .00 seconds
1 xx         xx   sssssssssss   ddddddddddd   rrrrrrrrrr   mm         mm  pppppppppp   mm         mm
   xx       xx   sssssssssssss  ddddddddddd   rrrrrrrrrrr  mm         mm  ppppppppppp  mmm       mmm
    xx     xx    ss          ss  dd        dd  rr        rr  mmm       mm  pp        pp  mmmm     mmmm
     xx   xx     ss              dd        dd  rr        rr  mm mm     mm  pp        pp  mm mm   mm mm
      xx xx      ss              dd        dd  rr        rr  mm  mm    mm  pp        pp  mm  mm mm  mm
       xxx       sssssssssss     dd        dd  rrrrrrrrrrr  mm   mm   mm  ppppppppppp  mm   mmm   mm
       xxx        sssssssssss    dd        dd  rrrrrrrrrr   mm    mm  mm  ppppppppppp  mm    m    mm
      xx xx              ss      dd        dd  rr  rr       mm     mm mm  pp            mm         mm
     xx   xx             ss      dd        dd  rr   rr      mm      mmm  pp            mm         mm
    xx     xx    ss      ss      dd        dd  rr    rr     mm       m   pp            mm         mm
   xx       xx   sssssssssssss  ddddddddddd   rr     rr    mm           pp            mm         mm
  xx         xx   sssssssssss   ddddddddddd   rr     rr    mm           pp            mm         mm
0

   ddddddddddd     aaaaaaaa    w         w  iiiiiiiiiiii    sssssssssss
   ddddddddddddd   aaaaaaaaaa  w         w  iiiiiiiiiiii   sssssssssssss
   dd         dd   aa        aa  w         w      ii       ss         ss
   dd         dd   aa        aa  w         w      ii       ss
   dd         dd   aa        aa  w         w      ii       ss
   dd         dd   aaaaaaaaaaaa  w         w      ii       sssssssssss
   dd         dd   aaaaaaaaaaaa   w       w       ii        sssssssssss
   dd         dd   aa        aa    w   w         ii                 ss
   dd         dd   aa        aa     w  w         ii                 ss
   dd         dd   aa        aa      w w         ii       ss        ss
   ddddddddddddd   aa        aa       ww     iiiiiiiiiiii  sssssssssssss
   ddddddddddd     aa        aa        v     iiiiiiiiiiii   sssssssssss
0

     0000000     2222222222            //      11      6666666666          //  9999999999   6666666666
    00000000     2222222222           //      111      6666666666         //   9999999999  6666666666
   00     00    22        22          //     1111      66                 //    99      99  66
  00       00          22            //       11      66                //     99      99  66
  00       00        22             //        11      66               //      99      99  66
```



```
********************************************************************************
********************************************************************************
********************************************************************************
*****                                                                      *****
*****                  program verification information                    *****
*****                                                                      *****
*****                  code system:    scale  version:    4.2             *****
*****                                                                      *****
********************************************************************************
********************************************************************************
*****                                                                      *****
*****                                                                      *****
*****                                                                      *****
*****             program:  c0c001                                         *****
*****                                                                      *****
*****         creation date:  04/27/95                                     *****
*****                                                                      *****
*****             library:  /neutronics/scale/exe                          *****
*****                                                                      *****
*****                                                                      *****
*****                                                                      *****
*****    this is not a  scale  configuration controlled code               *****
*****                                                                      *****
```

```
                    *****          jobname:  davis                          *****
                    *****                                                   *****
                    *****    date of execution:  02/16/96                   *****
                    *****                                                   *****
                    *****    time of execution:  09:59:27                   *****
                    *****                                                   *****
                    *****                                                   *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
                    400 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0      -1q array has     1 entries.
0       1q array has    15 entries.
0       2q array has    10 entries.
0       3q array has    12 entries.
0       4q array has     9 entries.
0       5q array has    12 entries.
0direct access unit  9 requires    12 blocks of length  704 for cross section mixing.
1                    400 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0general problem description data block
0                              general problem data

 ige  1/2/3 = plane/cylinder/sphere      2      isn  quadrature order                  8
 izm  number of zones                    4      isct order of scattering               3
 im   number of special intervals       24      ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1      iim  inner iteration maximum         20
 ibr  right boundary condition           3      iom  outer iteration maximum         25
 mxx  number of mixtures                 3      iclc -1/0/n--flat res/src/opt          0
 ms   mixing table length               65      ith  0/1 = forward/adjoint            0
 igm  number of energy groups           27      iflu not used(always wgtd)             0
 nng  number of neutron groups          27      iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0      idl  0/1/2/3=no/prt nd/pch n/both    53
 iftg number of first thermal group     15      ipbt -1/0/1=none/fine/all bal. prt     0
0                            special options

 ifg  0/1 = none/weighting calculation   1      ipn  0/1/2 diff. coef. param         0
 iqm  volumetric sources (0/n=no/yes)    0      idfm 0/1 = none/density factors 39*    1
 ipm  boundary sources (0/n=no/yes)      0      iaz  0/n = none/n activities by zone   0
 ifn  0/1/2 = input 33*/34*/use last    53      iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10      ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0      ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0      isen outer iteration acceleration     0
 ibln activity data unit                 0      nbnd band rebaln parameter            0
 jbkl 0/1/2 buckling geometry            0
0                          weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1      ihtf total xsect psn in brd gp tables  3
 igmf number of broad groups            27      ndsf psn g-g or file number            4
 itp  0/10/20/30/40 0/c/e/ac/a           0      nusf table length or max order         4
 ipp  -2/-1/0/n=wgted xsect print       -2      msam extra 1-d x-sect positions        0
 iap  -1/n anisn xsect print            -1
0                          floating point parameters

 eps  overall convergence       1.00000E-04     dy   cyl/pla ht for buckling    .00000E+00
 ptc  point convergence         1.00000E-04     dz   plane depth for buckling   .00000E+00
 xnf  normalization factor      1.00000E+00     vsc  void streaming correction  .00000E+00
 ev   eigenvalue guess           .00000E+00     pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier        .00000E+00     eql  ev change eps for search  1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00     xnpm new param mod for search  7.50000E-01
```

this case will require 2535 locations for mixing
this case has been allocated 200000 locations
1 400 d, sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp
0 13q array has 65 entries.
0 14q array has 65 entries.
0 15q array has 65 entries.
0 data block 2 (mixing table, etc.)

0	nuclides on tape	cccc identification	mixing table mixture	mixing table component	atom density	extra xsect id's
1	999		1	92235	5.40480E-04	
2	1001		1	92234	5.04673E-06	
3	5010		1	92236	3.08086E-05	
4	5011		1	92238	2.19627E-02	
5	8016		1	8016	4.55359E-02	
6	6		3	6	2.09710E-02	
7	36083		1	36083	7.25090E-07	
8	36085		1	36085	3.50117E-07	
9	38090		1	38090	7.86170E-06	
10	39089		1	39089	5.47406E-06	
11	40093		1	42095	6.12150E-06	
12	40094		1	40093	5.98109E-06	
13	40095		1	40094	9.26342E-06	
14	40302		1	40095	2.10190E-06	
15	41094		1	41094	3.60192E-12	
16	42095		1	43099	8.96719E-06	
17	43099		1	45103	4.40585E-06	
18	44101		1	45105	1.67519E-08	
19	44106		1	44101	7.89901E-06	
20	45103		1	44106	1.14008E-06	
21	45105		1	46105	2.49116E-06	
22	46105		1	46108	5.44054E-07	
23	46108		1	47109	3.91284E-07	
24	47109		1	51124	1.00596E-10	
25	51124		1	54131	4.16287E-06	
26	54131		1	54132	7.00585E-06	
27	54132		1	54135	6.60408E-09	
28	54135		1	54136	1.50336E-05	
29	54136		1	55134	2.22578E-07	
30	55133		1	55135	4.71145E-06	
31	55134		1	55137	9.46756E-06	
32	55135		1	56136	4.32042E-08	
33	55137		1	57139	9.43297E-06	
34	56136		1	59141	7.61682E-06	
35	57139		1	59143	3.93553E-07	
36	58144		1	58144	5.00712E-06	
37	59141		1	60143	7.75905E-06	
38	59143		1	60145	5.63501E-06	
39	60143		1	61147	2.48433E-06	
40	60145		1	61148	6.82848E-09	
41	60147		1	60147	1.32716E-07	
42	61147		1	62147	3.65895E-07	
43	61148		1	62149	7.51956E-08	
44	62147		1	62150	1.75200E-06	
45	62149		1	62151	2.87244E-07	
46	62150		1	62152	8.48904E-07	
47	62151		1	64155	7.98151E-10	
48	62152		1	63153	3.95082E-07	
49	63153		1	63154	4.62875E-08	
50	63154		1	63155	5.11217E-08	
51	63155		2	40302	4.25156E-02	

52	64155	3	1001	4.19420E-02
53	92234	3	5010	3.81515E-06
54	92235	3	5011	1.54884E-05
55	92236	1	55133	9.78898E-06
56	92238	1	95237	1.23726E-06
57	95237	1	94238	7.95918E-08
58	94238	1	94239	6.54028E-05
59	94239	1	94240	7.15776E-06
60	94240	1	94241	2.50939E-06
61	94241	1	94242	1.17254E-07
62	94242	1	95241	3.39704E-08
63	95241	1	95243	4.26479E-09
64	95243	1	96244	1.64658E-10
65	96244	1	999	1.00000E-20

- elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 400 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40986E-01	2.88737E+09	2	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01036E+07	12	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	13	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00	
15	3.04999E+00	1.50030E+01	2.10601E+06	15	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00	
17	1.29999E+00	1.58557E+01	1.52545E+06	17	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	21	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	23	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	27	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 400 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0	mixture by zone	order p(l) by zone	activity table matl no.	reaction	quadrature constants weights	directions	refl direc	wt x cos
1	1	3			0	-2.79004E-01	3	0
2	1	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03

3	2	3	5.06143E-02	1.97286E-01	2	9.98548E-03
4	3	3	0	-6.04419E-01	8	0
5			5.55953E-02	-5.58410E-01	8	-3.10450E-02
6			5.55953E-02	-2.31301E-01	7	-1.28593E-02
7			5.55953E-02	2.31301E-01	6	1.28593E-02
8			5.55953E-02	5.58410E-01	5	3.10450E-02
9			0	-8.50774E-01	15	0
10			5.22844E-02	-8.21784E-01	15	-4.29665E-02
11			5.22844E-02	-6.01588E-01	14	-3.14537E-02
12			5.22844E-02	-2.20196E-01	13	-1.15128E-02
13			5.22844E-02	2.20196E-01	12	1.15128E-02
14			5.22844E-02	6.01588E-01	11	3.14537E-02
15			5.22844E-02	8.21784E-01	10	4.29665E-02
16			0	-9.83052E-01	24	0
17			4.53355E-02	-9.64143E-01	24	-4.37099E-02
18			4.53355E-02	-8.17361E-01	23	-3.70655E-02
19			4.53355E-02	-5.46143E-01	22	-2.47597E-02
20			4.53355E-02	-1.91780E-01	21	-8.69444E-03
21			4.53355E-02	1.91780E-01	20	8.69444E-03
22			4.53355E-02	5.46143E-01	19	2.47597E-02
23			4.53355E-02	8.17361E-01	18	3.70655E-02
24			4.53355E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83052E-01	-4.49528E-01	8.36885E-01	5.00703E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20962E-01	4.16520E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20962E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17256E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17256E-01
22	5.46143E-01	-4.49528E-01	-3.20962E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20962E-01	-4.16520E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.29551E-02	1	0	2.10906E-03	1.00000E+00	0	
2	2.59102E-02	4.33406E-02	1	1.62798E-01	9.49318E-03	1.00000E+00	0	
3	6.07710E-02	8.75100E-02	1	3.81855E-01	2.94045E-02	1.00000E+00	0	
4	1.14249E-01	1.74155E-01	1	7.17848E-01	1.31104E-01	1.00000E+00	0	
5	2.34061E-01	2.93967E-01	1	1.47065E+00	2.21259E-01	1.00000E+00		
6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00		
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00		
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00		
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07946E-03	0		
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0		
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0		

12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00
14	4.87528E-01	4.99987E-01	3	3.06323E+00	7.82768E-02	1.00000E+00
15	5.12445E-01	5.24903E-01	3	3.21979E+00	8.21777E-02	1.00000E+00
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00
17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00
21	6.80084E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00
22	7.48592E-01	7.63893E-01	4	4.70354E+00	1.46875E-01	1.00000E+00
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00
25	8.13968E-01			5.11431E+00		

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	138	1.09566E-05	1.09759E+00	-1.07731E-01	1.00000E+00	-3.55729E-02	.00000E+00	.0000
2	213	-1.28319E-05	1.10826E+00	-1.48861E-03	-1.15081E-02	-4.26417E-03	.00000E+00	.0000
3	273	1.62299E-05	1.10914E+00	-1.97899E-04	-1.28292E-03	-8.84204E-04	.00000E+00	.0000
4	319	-1.04679E-05	1.10971E+00	-3.81491E-05	-2.70424E-04	-1.78398E-04	.00000E+00	.0167
5	350	-9.05080E-06	1.10975E+00	-8.04876E-06	-5.43973E-05	-3.29763E-05	.00000E+00	.0167

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	1	3.80860E-08	24	1.00000E+00	1
2	1	1	4.46907E-08	24	1.00000E+00	1
3	1	1	4.10794E-08	24	1.00000E+00	1
4	1	1	3.97392E-08	24	1.00000E+00	1
5	1	1	4.12062E-08	24	1.00000E+00	1
6	1	1	2.63373E-08	24	1.00000E+00	1
7	1	1	1.85898E-08	24	1.00000E+00	1
8	1	1	4.40921E-09	24	1.00000E+00	1
9	1	2	2.34214E-09	24	1.00000E+00	1
10	1	1	2.37749E-09	24	1.00000E+00	1
11	1	1	2.43404E-09	24	1.00000E+00	1
12	1	24	4.39035E-09	24	1.00000E+00	1
13	1	24	5.87595E-09	24	1.00000E+00	1
14	1	24	5.61334E-09	24	1.00000E+00	1
15	1	24	4.08595E-05	24	9.99977E-01	1
16	1	24	5.07017E-05	24	9.99983E-01	1
17	1	18	1.82135E-05	24	9.99956E-01	1
18	1	18	2.09272E-05	24	9.99955E-01	1
19	1	18	1.73670E-05	24	9.99951E-01	1
20	1	24	5.16144E-05	24	9.99965E-01	1
21	1	18	2.68156E-05	24	9.99938E-01	1
22	1	24	4.66957E-05	24	9.99989E-01	1
23	1	24	2.32620E-06	24	1.00000E+00	1
24	1	24	1.39544E-05	24	1.00001E+00	1
25	1	24	1.72749E-05	24	1.00000E+00	1
26	1	1	1.01266E-05	24	9.99997E-01	2
27	1	2	4.45654E-06	24	1.00000E+00	2

6	377	-1.79461E-06	1.10967E+00	-1.60890E-06	-1.02061E-05	-6.57033E-06	.00000E+00	.0167

final monitor lambda 1.10965E+00 production/absorption 1.10965E+00 angular flux on 16

- elapsed time .02 min.

1 400 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gad/mtu burn high temp

0 int.	zone number	radius	int. midpoint	area	volume	prod density
1	1	.00000E+00	1.29551E-02	.00000E+00	2.10908E-03	3.25098E-03
2	1	2.59102E-02	4.33408E-02	1.62798E-01	9.49318E-03	1.46265E-02
3	1	6.07710E-02	8.75100E-02	3.81835E-01	2.94045E-02	4.53863E-02

4	1	1.14249E-01	1.74155E-01	7.17848E-01	1.31104E-01	2.04251E-01
5	1	2.34061E-01	2.99967E-01	1.47065E+00	2.21299E-01	3.52723E-01
6	1	3.53873E-01	3.80612E-01	2.22345E+00	1.27890E-01	2.09002E-01
7	1	4.07351E-01	4.24781E-01	2.55946E+00	9.30429E-02	1.54907E-01
8	1	4.42212E-01	4.55167E-01	2.77850E+00	7.41004E-02	1.25505E-01
9	2	4.68122E-01	4.68814E-01	2.94130E+00	4.07946E-03	.00000E+00
10	2	4.69507E-01	4.71481E-01	2.95000E+00	1.16988E-02	.00000E+00
11	2	4.73456E-01	4.75431E-01	2.97481E+00	1.17968E-02	.00000E+00
12	2	4.77405E-01	4.78098E-01	2.99962E+00	4.16023E-03	.00000E+00
13	3	4.78790E-01	4.83159E-01	3.00833E+00	2.65268E-02	.00000E+00
14	3	4.87528E-01	4.99987E-01	3.06325E+00	7.82768E-02	.00000E+00
15	3	5.12445E-01	5.24903E-01	3.21979E+00	8.21777E-02	.00000E+00
16	3	5.37362E-01	5.41731E-01	3.37634E+00	2.97427E-02	.00000E+00
17	4	5.46100E-01	5.53513E-01	3.43125E+00	5.15631E-02	.00000E+00
18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63893E-01	4.70354E+00	1.46875E-01	.00000E+00
23	4	7.79193E-01	7.89167E-01	4.89582E+00	9.89114E-02	.00000E+00
24	4	7.99141E-01	8.06554E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 400 d, sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.75114E-01	1.32204E+00	1.67743E+00	1.04071E+00	1.57532E+00	3.03095E+00	2.90528E+00	2.08005E+00
2	1.75177E-01	1.32267E+00	1.67826E+00	1.04121E+00	1.57602E+00	3.03223E+00	2.90594E+00	2.08012E+00
3	1.75120E-01	1.32205E+00	1.67748E+00	1.04073E+00	1.57523E+00	3.03062E+00	2.90491E+00	2.07992E+00
4	1.74725E-01	1.31778E+00	1.67201E+00	1.03740E+00	1.56992E+00	3.02009E+00	2.89857E+00	2.07887E+00
5	1.73702E-01	1.30685E+00	1.65814E+00	1.02898E+00	1.55660E+00	2.99408E+00	2.88298E+00	2.07627E+00
6	1.72524E-01	1.29439E+00	1.64253E+00	1.01958E+00	1.54181E+00	2.96549E+00	2.86599E+00	2.07339E+00
7	1.71586E-01	1.28464E+00	1.63050E+00	1.01242E+00	1.53069E+00	2.94444E+00	2.85355E+00	2.07122E+00
8	1.70655E-01	1.27515E+00	1.61897E+00	1.00567E+00	1.52034E+00	2.92522E+00	2.84230E+00	2.06918E+00
9	1.70147E-01	1.27002E+00	1.61278E+00	1.00208E+00	1.51490E+00	2.91521E+00	2.83649E+00	2.06810E+00
10	1.70041E-01	1.26898E+00	1.61155E+00	1.00139E+00	1.51390E+00	2.91342E+00	2.83550E+00	2.06790E+00
11	1.69886E-01	1.26748E+00	1.60978E+00	1.00039E+00	1.51248E+00	2.91088E+00	2.83410E+00	2.06762E+00
12	1.69784E-01	1.26649E+00	1.60859E+00	9.99752E-01	1.51156E+00	2.90925E+00	2.83321E+00	2.06743E+00
13	1.69595E-01	1.26465E+00	1.60638E+00	9.98512E-01	1.50975E+00	2.90581E+00	2.83127E+00	2.06705E+00
14	1.69075E-01	1.25963E+00	1.59987E+00	9.94677E-01	1.50393E+00	2.89452E+00	2.82484E+00	2.06601E+00
15	1.68494E-01	1.25310E+00	1.59149E+00	9.89360E-01	1.49553E+00	2.87786E+00	2.81524E+00	2.06488E+00
16	1.68210E-01	1.24960E+00	1.58648E+00	9.85890E-01	1.48980E+00	2.86630E+00	2.80852E+00	2.06437E+00
17	1.68073E-01	1.24759E+00	1.58337E+00	9.83560E-01	1.48582E+00	2.85834E+00	2.80385E+00	2.06423E+00
18	1.67894E-01	1.24499E+00	1.57958E+00	9.80589E-01	1.48076E+00	2.84836E+00	2.79797E+00	2.06409E+00
19	1.67670E-01	1.24190E+00	1.57477E+00	9.77225E-01	1.47507E+00	2.83720E+00	2.79140E+00	2.06386E+00
20	1.67371E-01	1.23790E+00	1.56890E+00	9.73009E-01	1.46799E+00	2.82333E+00	2.78325E+00	2.06353E+00
21	1.67165E-01	1.23511E+00	1.56477E+00	9.70025E-01	1.46296E+00	2.81351E+00	2.77755E+00	2.06344E+00
22	1.67166E-01	1.23499E+00	1.56447E+00	9.69743E-01	1.46244E+00	2.81250E+00	2.77711E+00	2.06366E+00
23	1.67242E-01	1.23584E+00	1.56560E+00	9.70472E-01	1.46362E+00	2.81479E+00	2.77859E+00	2.06395E+00
24	1.67329E-01	1.23685E+00	1.56695E+00	9.71370E-01	1.46508E+00	2.81765E+00	2.78039E+00	2.06422E+00

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58622E+00	1.44471E+00	1.30346E+00	7.94800E-01	6.71758E-01	5.90936E-01	3.71152E-01	2.05785E-01
2	1.58614E+00	1.44461E+00	1.30325E+00	7.94568E-01	6.71548E-01	5.90650E-01	3.71122E-01	2.05744E-01
3	1.58633E+00	1.44482E+00	1.30372E+00	7.95115E-01	6.72001E-01	5.91332E-01	3.71198E-01	2.05786E-01
4	1.58737E+00	1.44606E+00	1.30637E+00	7.98190E-01	6.74585E-01	5.95154E-01	3.71615E-01	2.06025E-01
5	1.58997E+00	1.44909E+00	1.31289E+00	8.05783E-01	6.80963E-01	6.04634E-01	3.72622E-01	2.06610E-01
6	1.59287E+00	1.45239E+00	1.32002E+00	8.14143E-01	6.87975E-01	6.15124E-01	3.73706E-01	2.07248E-01
7	1.59507E+00	1.45481E+00	1.32527E+00	8.20340E-01	6.93165E-01	6.22945E-01	3.74486E-01	2.07713E-01
8	1.59715E+00	1.45701E+00	1.33006E+00	8.26080E-01	6.97922E-01	6.30163E-01	3.75181E-01	2.08136E-01
9	1.59826E+00	1.45815E+00	1.33253E+00	8.28986E-01	7.00395E-01	6.33914E-01	3.75538E-01	2.08355E-01
10	1.59845E+00	1.45833E+00	1.33293E+00	8.29462E-01	7.00799E-01	6.34514E-01	3.75598E-01	2.08392E-01

11	1.59874E+00	1.45860E+00	1.33350E+00	8.30141E-01	7.01377E-01	6.35372E-01	3.75684E-01	2.08446E-01
12	1.59893E+00	1.45877E+00	1.33387E+00	8.30581E-01	7.01752E-01	6.35927E-01	3.75740E-01	2.08481E-01
13	1.59931E+00	1.45912E+00	1.33462E+00	8.31478E-01	7.02514E-01	6.37061E-01	3.75854E-01	2.08552E-01
14	1.60034E+00	1.46024E+00	1.33702E+00	8.34283E-01	7.04909E-01	6.40612E-01	3.76221E-01	2.08775E-01
15	1.60148E+00	1.46183E+00	1.34040E+00	8.38154E-01	7.08209E-01	6.45503E-01	3.76742E-01	2.09084E-01
16	1.60202E+00	1.46289E+00	1.34263E+00	8.40651E-01	7.10337E-01	6.48651E-01	3.77087E-01	2.09283E-01
17	1.60232E+00	1.46368E+00	1.34429E+00	8.42487E-01	7.11869E-01	6.50945E-01	3.77273E-01	2.09409E-01
18	1.60278E+00	1.46478E+00	1.34656E+00	8.44996E-01	7.13943E-01	6.54072E-01	3.77479E-01	2.09570E-01
19	1.60331E+00	1.46598E+00	1.34915E+00	8.47883E-01	7.16336E-01	6.57676E-01	3.77722E-01	2.09757E-01
20	1.60408E+00	1.46753E+00	1.35244E+00	8.51563E-01	7.19386E-01	6.62270E-01	3.78017E-01	2.09992E-01
21	1.60466E+00	1.46864E+00	1.35479E+00	8.54186E-01	7.21531E-01	6.65523E-01	3.78162E-01	2.10135E-01
22	1.60472E+00	1.46875E+00	1.35501E+00	8.54416E-01	7.21674E-01	6.65778E-01	3.78073E-01	2.10110E-01
23	1.60456E+00	1.46847E+00	1.35442E+00	8.53735E-01	7.21067E-01	6.64901E-01	3.77928E-01	2.10034E-01
24	1.60437E+00	1.46813E+00	1.35369E+00	8.52894E-01	7.20334E-01	6.63829E-01	3.77782E-01	2.09954E-01

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.66004E-02	5.31541E-02	1.31681E-01	4.41026E-01	1.17777E-01	2.07352E-01	7.27214E-01	5.24901E-01
2	8.65773E-02	5.31207E-02	1.31642E-01	4.40929E-01	1.17709E-01	2.07207E-01	7.26784E-01	5.24541E-01
3	8.66202E-02	5.32611E-02	1.31719E-01	4.41119E-01	1.17883E-01	2.07750E-01	7.27824E-01	5.25561E-01
4	8.68721E-02	5.39873E-02	1.32168E-01	4.42268E-01	1.18848E-01	2.10591E-01	7.33650E-01	5.31123E-01
5	8.74954E-02	5.58220E-02	1.33265E-01	4.45090E-01	1.21254E-01	2.17711E-01	7.48091E-01	5.44953E-01
6	8.81809E-02	5.79073E-02	1.34458E-01	4.48175E-01	1.23952E-01	2.25724E-01	7.64055E-01	5.60333E-01
7	8.86888E-02	5.95142E-02	1.35328E-01	4.50442E-01	1.25945E-01	2.31820E-01	7.75950E-01	5.71878E-01
8	8.91555E-02	6.10372E-02	1.36114E-01	4.52510E-01	1.27811E-01	2.37536E-01	7.86911E-01	5.82595E-01
9	8.95986E-02	6.18375E-02	1.36521E-01	4.53683E-01	1.28783E-01	2.40525E-01	7.92603E-01	5.88176E-01
10	8.94391E-02	6.19543E-02	1.36687E-01	4.53762E-01	1.28985E-01	2.40966E-01	7.93486E-01	5.89013E-01
11	8.94972E-02	6.21216E-02	1.36883E-01	4.54017E-01	1.29151E-01	2.41594E-01	7.94743E-01	5.90208E-01
12	8.95347E-02	6.22300E-02	1.36745E-01	4.54182E-01	1.29290E-01	2.42001E-01	7.95553E-01	5.90970E-01
13	8.96115E-02	6.24505E-02	1.36872E-01	4.54520E-01	1.29576E-01	2.42831E-01	7.97212E-01	5.92536E-01
14	8.98516E-02	6.31332E-02	1.37273E-01	4.55675E-01	1.30469E-01	2.45408E-01	8.02576E-01	5.97366E-01
15	9.01818E-02	6.40600E-02	1.37853E-01	4.57025E-01	1.31696E-01	2.48912E-01	8.09389E-01	6.03822E-01
16	9.03939E-02	6.46474E-02	1.38199E-01	4.57949E-01	1.32484E-01	2.51131E-01	8.13816E-01	6.07819E-01
17	9.05475E-02	6.50908E-02	1.38461E-01	4.58609E-01	1.33093E-01	2.52865E-01	8.17473E-01	6.11476E-01
18	9.07569E-02	6.57088E-02	1.38813E-01	4.59506E-01	1.33952E-01	2.55344E-01	8.22927E-01	6.17238E-01
19	9.09989E-02	6.64198E-02	1.39220E-01	4.60553E-01	1.34946E-01	2.58230E-01	8.29438E-01	6.24188E-01
20	9.13070E-02	6.73260E-02	1.39740E-01	4.61895E-01	1.36222E-01	2.61953E-01	8.38099E-01	6.33561E-01
21	9.15234E-02	6.79797E-02	1.40103E-01	4.62830E-01	1.37144E-01	2.64665E-01	8.44652E-01	6.40871E-01
22	9.15390E-02	6.80515E-02	1.40125E-01	4.62874E-01	1.37248E-01	2.64976E-01	8.45642E-01	6.42259E-01
23	9.14775E-02	6.78980E-02	1.40019E-01	4.62586E-01	1.37031E-01	2.64346E-01	8.44340E-01	6.41098E-01
24	9.14045E-02	6.77041E-02	1.39892E-01	4.62251E-01	1.36756E-01	2.63545E-01	8.42618E-01	6.39445E-01

0 int.	grp. 25	grp. 26	grp. 27
1	2.16177E-01	1.30156E-01	1.68247E-02
2	2.16028E-01	1.30066E-01	1.68266E-02
3	2.16572E-01	1.30593E-01	1.69881E-02
4	2.19435E-01	1.33224E-01	1.77167E-02
5	2.26562E-01	1.39805E-01	1.95694E-02
6	2.34528E-01	1.47246E-01	2.17378E-02
7	2.40648E-01	1.52954E-01	2.34877E-02
8	2.46178E-01	1.58368E-01	2.52294E-02
9	2.49120E-01	1.61213E-01	2.61617E-02
10	2.49546E-01	1.61596E-01	2.62683E-02
11	2.50151E-01	1.62140E-01	2.64199E-02
12	2.50542E-01	1.62490E-01	2.65176E-02
13	2.51336E-01	1.63202E-01	2.67159E-02
14	2.53747E-01	1.65345E-01	2.73022E-02
15	2.56886E-01	1.68091E-01	2.80273E-02
16	2.58764E-01	1.69699E-01	2.84318E-02
17	2.60646E-01	1.71616E-01	2.90585E-02
18	2.63760E-01	1.74960E-01	3.02029E-02
19	2.67558E-01	1.79023E-01	3.15437E-02
20	2.72740E-01	1.84559E-01	3.33080E-02

21	2.76874E-01	1.89076E-01	3.47586E-02
22	2.77773E-01	1.90231E-01	3.51897E-02
23	2.77252E-01	1.89831E-01	3.51395E-02
24	2.76401E-01	1.89098E-01	3.49777E-02

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.22774E-02	.00000E+00	1.25166E-02	1.04028E-02	3.17762E-03	1.09607E-02	9.98832E-01
2	.00000E+00	1.91850E-01	2.29592E-03	1.66186E-01	6.60876E-02	1.35819E-02	1.14487E-01	1.00004E+00
3	.00000E+00	2.15499E-01	2.60958E-02	1.60773E-01	8.10885E-02	1.55664E-02	1.44988E-01	1.00000E+00
4	.00000E+00	1.24085E-01	3.88498E-02	1.05171E-01	6.78165E-02	7.43247E-03	8.76831E-02	1.00001E+00
5	.00000E+00	1.64899E-01	6.78165E-02	2.59359E-01	9.47669E-02	4.44868E-03	1.33502E-01	9.99992E-01
6	.00000E+00	1.78374E-01	1.34568E-01	6.53782E-01	5.44055E-02	7.04576E-03	2.51482E-01	1.00003E+00
7	.00000E+00	8.83271E-02	9.84097E-02	7.45204E-01	3.63369E-02	7.63574E-03	1.42763E-01	1.00001E+00
8	.00000E+00	1.36205E-02	4.25737E-02	6.30972E-01	2.14889E-02	1.40324E-02	2.06705E-02	1.00004E+00
9	.00000E+00	9.88735E-04	2.17113E-02	5.35049E-01	2.06561E-02	2.31899E-02	-2.11456E-02	9.99991E-01
10	.00000E+00	7.34411E-05	2.06780E-02	4.59547E-01	1.06739E-02	3.60185E-02	-2.59414E-02	1.00001E+00
11	.00000E+00	5.77788E-06	1.06748E-02	4.20560E-01	8.12718E-03	5.84172E-02	-5.58644E-02	1.00001E+00
12	.00000E+00	4.05887E-07	8.12723E-03	2.37903E-01	9.35703E-03	6.38639E-02	-6.50903E-02	9.99959E-01
13	.00000E+00	6.44511E-08	9.35704E-03	1.76672E-01	6.15561E-03	5.84519E-02	-5.52509E-02	1.00001E+00
14	.00000E+00	1.27725E-08	6.15561E-03	1.51883E-01	7.45442E-03	8.08520E-02	-8.21511E-02	1.00000E+00
15	.00000E+00	1.44343E-09	7.54253E-03	8.50837E-02	8.92281E-03	6.68092E-03	-8.09078E-03	1.00190E+00
16	.00000E+00	4.23942E-10	9.09568E-03	4.31122E-02	9.67630E-03	4.51264E-03	-5.11392E-03	1.00146E+00
17	.00000E+00	1.36498E-10	7.83887E-03	1.49801E-02	7.67337E-03	5.73779E-03	-5.58201E-03	1.00072E+00
18	.00000E+00	9.77284E-11	7.29731E-03	1.02207E-02	5.54822E-03	1.75312E-02	-1.57871E-02	1.00022E+00
19	.00000E+00	1.38167E-10	7.70172E-03	2.52994E-02	9.31264E-03	7.78557E-03	-9.40703E-03	1.00062E+00
20	.00000E+00	2.24674E-10	1.07374E-02	1.05505E-01	9.96470E-03	2.54882E-02	-2.47475E-02	1.00091E+00
21	.00000E+00	3.28850E-11	9.51791E-03	2.29079E-02	8.87943E-03	2.18035E-02	-2.11760E-02	1.00036E+00
22	.00000E+00	3.81541E-11	1.27663E-02	4.69140E-02	1.05478E-02	6.34005E-02	-6.11984E-02	1.00023E+00
23	.00000E+00	3.64796E-11	1.57917E-02	1.77060E-01	1.94305E-02	1.23766E-01	-1.27465E-01	1.00042E+00
24	.00000E+00	9.92926E-12	2.34777E-02	1.20933E-01	2.33516E-02	1.22645E-01	-1.22564E-01	1.00030E+00
25	.00000E+00	2.90664E-12	1.99277E-02	4.55053E-02	1.49593E-02	6.73957E-02	-6.24438E-02	1.00022E+00
26	.00000E+00	2.03815E-12	9.74409E-03	3.14246E-02	6.67925E-03	6.06728E-02	-5.76195E-02	1.00017E+00
27	.00000E+00	4.85702E-13	2.09036E-03	4.65127E-03	1.12921E-03	1.68633E-02	-1.59088E-02	1.00009E+00
28	.00000E+00	1.00000E+00	6.30843E-01	5.44918E+00	6.30843E-01	9.37995E-01	6.39953E-02	1.00016E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.70174E-01	1.09607E-02	1.75054E-01	.00000E+00	2.23497E-03	2.60459E-03	.00000E+00	1.19203E-01
2	1.27029E+00	1.14487E-01	1.32142E+00	.00000E+00	1.73374E-05	1.18240E-02	.00000E+00	8.95746E-01
3	1.61311E+00	1.44988E-01	1.67662E+00	.00000E+00	.00000E+00	1.45423E-02	.00000E+00	1.13668E+00
4	1.00226E+00	8.76831E-02	1.04022E+00	.00000E+00	.00000E+00	6.28508E-03	.00000E+00	7.05515E-01
5	1.51516E+00	1.33502E-01	1.57460E+00	.00000E+00	.00000E+00	1.83944E-03	.00000E+00	1.06716E+00
6	2.91569E+00	2.51482E-01	3.02957E+00	.00000E+00	.00000E+00	1.62738E-03	.00000E+00	2.05279E+00
7	2.83676E+00	1.42763E-01	2.90454E+00	.00000E+00	.00000E+00	1.62640E-03	.00000E+00	1.97980E+00
8	2.06815E+00	2.06705E-02	2.07996E+00	.00000E+00	.00000E+00	1.67775E-03	.00000E+00	1.42852E+00
9	1.59821E+00	-2.11456E-02	1.58631E+00	.00000E+00	.00000E+00	2.26989E-03	.00000E+00	1.09549E+00
10	1.45810E+00	-2.59414E-02	1.44483E+00	.00000E+00	.00000E+00	4.83462E-03	.00000E+00	9.98583E-01
11	1.33243E+00	-5.58644E-02	1.30372E+00	.00000E+00	.00000E+00	1.01361E-02	.00000E+00	9.05949E-01
12	8.28860E-01	-6.50903E-02	7.95094E-01	.00000E+00	.00000E+00	1.31558E-02	.00000E+00	5.57221E-01
13	7.00288E-01	-5.52509E-02	6.72015E-01	.00000E+00	.00000E+00	1.35217E-02	.00000E+00	4.70885E-01
14	6.33755E-01	-8.21511E-02	5.91297E-01	.00000E+00	.00000E+00	8.78186E-03	.00000E+00	4.19398E-01
15	3.75527E-01	-8.09078E-03	3.71197E-01	.00000E+00	.00000E+00	2.20594E-03	.00000E+00	2.56839E-01
16	2.08346E-01	-5.11392E-03	2.05792E-01	.00000E+00	.00000E+00	1.50475E-03	.00000E+00	1.42426E-01
17	8.99308E-02	-5.58201E-03	8.66302E-02	.00000E+00	.00000E+00	2.00824E-03	.00000E+00	6.04393E-02
18	6.18088E-02	-1.57871E-02	5.32102E-02	.00000E+00	.00000E+00	2.00612E-03	.00000E+00	3.90798E-02
19	1.36508E-01	-9.40703E-03	1.31752E-01	.00000E+00	.00000E+00	3.19801E-03	.00000E+00	9.20951E-02
20	4.53547E-01	-2.47475E-02	4.41158E-01	.00000E+00	.00000E+00	1.65072E-02	.00000E+00	3.07527E-01
21	1.28750E-01	-2.11760E-02	1.17871E-01	.00000E+00	.00000E+00	1.39008E-02	.00000E+00	8.42857E-02
22	2.40409E-01	-6.11984E-02	2.07574E-01	.00000E+00	.00000E+00	3.96511E-02	.00000E+00	1.52340E-01
23	7.92361E-01	-1.27465E-01	7.27752E-01	.00000E+00	.00000E+00	8.00365E-02	.00000E+00	5.19793E-01
24	5.87945E-01	-1.22564E-01	5.25378E-01	.00000E+00	.00000E+00	7.97521E-02	.00000E+00	3.79811E-01

25	2.49004E-01	-6.24438E-02	2.16400E-01	.00000E+00	.00000E+00	4.57852E-02	.00000E+00	1.58399E-01
26	1.61109E-01	-5.76195E-02	1.30331E-01	.00000E+00	.00000E+00	4.20884E-02	.00000E+00	9.85518E-02
27	2.61330E-02	-1.59038E-02	1.68556E-02	.00000E+00	.00000E+00	1.18066E-02	.00000E+00	1.41831E-02
28	2.34541E+01	6.39931E-02	2.34271E+01	.00000E+00	2.25230E-03	4.35177E-01	.00000E+00	1.61386E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.65661E-09	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-8.94070E-08	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.98023E-08	1.00000E+00
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.98023E-08	1.00000E+00
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-3.35276E-08	1.00000E+00
9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.96046E-08	9.99997E-01
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.23517E-08	9.99999E-01
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.96046E-08	1.00000E+00
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.23517E-08	1.00000E+00
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	4.47035E-08	9.99999E-01
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-9.31323E-10	1.00000E+00
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-9.31323E-10	1.00000E+00
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.58794E-09	1.00000E+00
22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.96046E-08	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.11759E-08	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-3.72529E-09	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-6.33259E-08	9.99999E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*df**2	total flux
1	1.69758E-01	1.09606E-02	1.70174E-01	1.09607E-02	.00000E+00	.00000E+00	.00000E+00	5.39889E-03
2	1.26624E+00	1.14487E-01	1.27029E+00	1.14487E-01	.00000E+00	.00000E+00	.00000E+00	4.02478E-02
3	1.60830E+00	1.44988E-01	1.61311E+00	1.44988E-01	.00000E+00	.00000E+00	.00000E+00	5.11145E-02
4	9.99590E-01	8.76831E-02	1.00226E+00	8.76831E-02	.00000E+00	.00000E+00	.00000E+00	3.17635E-02
5	1.51133E+00	1.33502E-01	1.51516E+00	1.33502E-01	.00000E+00	.00000E+00	.00000E+00	4.80215E-02
6	2.90884E+00	2.51482E-01	2.91569E+00	2.51482E-01	.00000E+00	.00000E+00	.00000E+00	9.24181E-02
7	2.83299E+00	1.42763E-01	2.83676E+00	1.42763E-01	.00000E+00	.00000E+00	.00000E+00	8.99634E-02
8	2.06738E+00	2.06705E-02	2.06815E+00	2.06705E-02	.00000E+00	.00000E+00	.00000E+00	6.56209E-02
9	1.59898E+00	-2.11456E-02	1.59821E+00	-2.11456E-02	.00000E+00	.00000E+00	.00000E+00	5.07319E-02
10	1.45881E+00	-2.59414E-02	1.45810E+00	-2.59414E-02	.00000E+00	.00000E+00	.00000E+00	4.62847E-02
11	1.33394E+00	-5.58644E-02	1.33243E+00	-5.58644E-02	.00000E+00	.00000E+00	.00000E+00	4.23099E-02
12	8.30691E-01	-6.50904E-02	8.28860E-01	-6.50908E-02	.00000E+00	.00000E+00	.00000E+00	2.63339E-02
13	7.01845E-01	-5.52508E-02	7.00288E-01	-5.52509E-02	.00000E+00	.00000E+00	.00000E+00	2.22492E-02
14	6.36066E-01	-8.21510E-02	6.33755E-01	-8.21511E-02	.00000E+00	.00000E+00	.00000E+00	2.01500E-02
15	3.75758E-01	-8.09079E-03	3.75527E-01	-8.09078E-03	.00000E+00	.00000E+00	.00000E+00	1.19211E-02
16	2.08491E-01	-5.11392E-03	2.08346E-01	-5.11392E-03	.00000E+00	.00000E+00	.00000E+00	6.61423E-03
17	8.95471E-02	-5.58201E-03	8.95908E-02	-5.58201E-03	.00000E+00	.00000E+00	.00000E+00	2.83929E-03
18	6.22593E-02	-1.57871E-02	6.18088E-02	-1.57871E-02	.00000E+00	.00000E+00	.00000E+00	1.96878E-03
19	1.36766E-01	-9.40703E-03	1.36508E-01	-9.40703E-03	.00000E+00	.00000E+00	.00000E+00	4.33614E-03
20	4.54255E-01	-2.47475E-02	4.53547E-01	-2.47475E-02	.00000E+00	.00000E+00	.00000E+00	1.44043E-02
21	1.29332E-01	-2.11760E-02	1.28750E-01	-2.11760E-02	.00000E+00	.00000E+00	.00000E+00	4.09518E-03
22	2.42103E-01	-6.11984E-02	2.40409E-01	-6.11984E-02	.00000E+00	.00000E+00	.00000E+00	7.65703E-03
23	7.95748E-01	-1.27465E-01	7.92361E-01	-1.27465E-01	.00000E+00	.00000E+00	.00000E+00	2.52013E-02
24	5.91151E-01	-1.22564E-01	5.87945E-01	-1.22564E-01	.00000E+00	.00000E+00	.00000E+00	1.87112E-02
25	2.50636E-01	-6.24438E-02	2.49004E-01	-6.24438E-02	.00000E+00	.00000E+00	.00000E+00	7.92895E-03

26	1.62576E-01	-5.76195E-02	1.61109E-01	-5.76195E-02	.00000E+00	.00000E+00	.00000E+00	5.13686E-03
27	2.65416E-02	-1.59038E-02	2.61330E-02	-1.59038E-02	.00000E+00	.00000E+00	.00000E+00	8.36021E-04
28	2.34499E+01	6.39952E-02	2.34541E+01	6.39931E-02	.00000E+00	.00000E+00	.00000E+00	7.44253E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	3.74152E-03	2.80474E-03	1.43732E-05	-2.71906E-03	1.00001E+00
2	.00000E+00	.00000E+00	4.89842E-04	2.58014E-02	1.85137E-02	5.12586E-05	-1.80754E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.62885E-03	5.00266E-02	1.58179E-02	1.36826E-04	-1.33248E-02	9.99993E-01
4	.00000E+00	.00000E+00	5.11053E-03	4.20489E-02	5.44442E-03	1.03225E-04	-4.36708E-04	9.99996E-01
5	.00000E+00	.00000E+00	1.10180E-02	8.15850E-02	5.15964E-03	1.51991E-04	5.70606E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.84231E-02	2.34979E-01	3.21046E-03	3.19974E-04	1.48927E-02	1.00000E+00
7	.00000E+00	.00000E+00	1.22704E-02	2.35139E-01	1.18193E-03	3.44682E-04	1.07440E-02	9.99999E-01
8	.00000E+00	.00000E+00	2.15752E-03	1.58516E-01	7.63277E-03	2.94795E-04	-5.77059E-03	1.00002E+00
9	.00000E+00	.00000E+00	7.66597E-03	1.05152E-01	8.76556E-04	1.10880E-03	5.68073E-03	9.99995E-01
10	.00000E+00	.00000E+00	8.77730E-04	8.55144E-02	8.48452E-04	8.35100E-04	-8.05790E-04	9.99999E-01
11	.00000E+00	.00000E+00	8.48513E-04	7.69778E-02	8.69351E-04	1.33568E-03	-1.35650E-03	1.00000E+00
12	.00000E+00	.00000E+00	8.69357E-04	4.67526E-02	8.69815E-04	4.16252E-05	-4.21554E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.69817E-04	3.95207E-02	8.06194E-04	6.00038E-05	3.62098E-06	1.00000E+00
14	.00000E+00	.00000E+00	8.06195E-04	3.60606E-02	6.79566E-04	9.60489E-05	3.05027E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.25794E-04	2.06752E-02	8.46087E-04	8.30211E-05	-2.04784E-04	9.99941E-01
16	.00000E+00	.00000E+00	9.47810E-04	1.09843E-02	9.51590E-04	5.17605E-05	-5.51790E-05	9.99941E-01
17	.00000E+00	.00000E+00	1.03311E-03	4.12690E-03	1.01585E-03	2.49315E-05	-7.62660E-06	9.99994E-01
18	.00000E+00	.00000E+00	1.06905E-03	2.74689E-03	8.86957E-04	1.88105E-05	1.63304E-04	9.99999E-01
19	.00000E+00	.00000E+00	9.19272E-04	6.84829E-03	1.01040E-03	4.43675E-05	-1.35426E-04	9.99993E-01
20	.00000E+00	.00000E+00	1.21060E-03	2.50055E-02	1.06307E-03	1.85918E-04	-3.75081E-05	9.99966E-01
21	.00000E+00	.00000E+00	1.34875E-03	6.04549E-03	1.44405E-03	6.66027E-05	-1.61819E-04	9.99997E-01
22	.00000E+00	.00000E+00	1.82261E-03	1.24574E-02	1.66489E-03	1.45151E-04	1.28821E-05	9.99995E-01
23	.00000E+00	.00000E+00	2.41147E-03	4.28920E-02	3.14899E-03	6.49560E-04	-1.38709E-03	1.00000E+00
24	.00000E+00	.00000E+00	3.85957E-03	3.01764E-02	4.14126E-03	7.02948E-04	-9.84915E-04	1.00000E+00
25	.00000E+00	.00000E+00	3.72886E-03	1.16002E-02	2.98574E-03	3.94554E-04	3.48464E-04	1.00000E+00
26	.00000E+00	.00000E+00	1.55394E-03	8.41237E-03	1.11172E-03	3.67335E-04	7.48336E-05	1.00000E+00
27	.00000E+00	.00000E+00	3.22360E-04	1.57936E-03	8.13744E-07	1.15516E-04	2.06027E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.49869E-02	1.40536E+00	8.49869E-02	7.74487E-03	-7.64218E-03	9.99981E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.68154E-01	8.24158E-03	1.69758E-01	1.09606E-02	1.00211E-04	.00000E+00	.00000E+00	3.65829E-02
2	1.24880E+00	9.64112E-02	1.26624E+00	1.14487E-01	.00000E+00	.00000E+00	.00000E+00	2.72274E-01
3	1.58525E+00	1.31664E-01	1.60830E+00	1.44988E-01	.00000E+00	.00000E+00	.00000E+00	3.45816E-01
4	9.84981E-01	8.72464E-02	9.99590E-01	8.76831E-02	.00000E+00	.00000E+00	.00000E+00	2.14974E-01
5	1.48825E+00	1.39208E-01	1.51133E+00	1.33502E-01	.00000E+00	.00000E+00	.00000E+00	3.24981E-01
6	2.86315E+00	2.66375E-01	2.90884E+00	2.51482E-01	.00000E+00	.00000E+00	.00000E+00	6.25403E-01
7	2.80668E+00	1.53507E-01	2.85299E+00	1.42763E-01	.00000E+00	.00000E+00	.00000E+00	6.11107E-01
8	2.06427E+00	1.48999E-02	2.06738E+00	2.06706E-02	.00000E+00	.00000E+00	.00000E+00	4.47640E-01
9	1.60213E+00	-1.54648E-02	1.59898E+00	-2.11456E-02	.00000E+00	.00000E+00	.00000E+00	3.46948E-01
10	1.46317E+00	-2.67472E-02	1.45881E+00	-2.59414E-02	.00000E+00	.00000E+00	.00000E+00	3.16648E-01
11	1.34321E+00	-5.72209E-02	1.33396E+00	-5.58644E-02	.00000E+00	.00000E+00	.00000E+00	2.90144E-01
12	8.41297E-01	-6.51325E-02	8.30691E-01	-6.50904E-02	.00000E+00	.00000E+00	.00000E+00	1.81242E-01
13	7.10886E-01	-5.52472E-02	7.01845E-01	-5.52508E-02	.00000E+00	.00000E+00	.00000E+00	1.53140E-01
14	6.49463E-01	-8.21205E-02	6.36066E-01	-8.21510E-02	.00000E+00	.00000E+00	.00000E+00	1.39883E-01
15	3.77182E-01	-8.29558E-03	3.75758E-01	-8.09079E-03	.00000E+00	.00000E+00	.00000E+00	8.15946E-02
16	2.09336E-01	-5.16910E-03	2.08491E-01	-5.11398E-03	.00000E+00	.00000E+00	.00000E+00	4.52811E-02
17	9.04515E-02	-5.58964E-03	8.95471E-02	-5.58201E-03	.00000E+00	.00000E+00	.00000E+00	1.95099E-02
18	6.47998E-02	-1.56238E-02	6.22595E-02	-1.57871E-02	.00000E+00	.00000E+00	.00000E+00	1.37856E-02
19	1.38299E-01	-9.54245E-03	1.36766E-01	-9.40708E-03	.00000E+00	.00000E+00	.00000E+00	2.98133E-02
20	4.58198E-01	-2.47850E-02	4.54235E-01	-2.47475E-02	.00000E+00	.00000E+00	.00000E+00	9.88956E-02
21	1.32694E-01	-2.13378E-02	1.29332E-01	-2.11760E-02	.00000E+00	.00000E+00	.00000E+00	2.84128E-02
22	2.51697E-01	-6.11855E-02	2.42103E-01	-6.11984E-02	.00000E+00	.00000E+00	.00000E+00	5.35756E-02
23	8.14928E-01	-1.28852E-01	7.95748E-01	-1.27465E-01	.00000E+00	.00000E+00	.00000E+00	1.74674E-01
24	6.08804E-01	-1.23549E-01	5.91151E-01	-1.22564E-01	.00000E+00	.00000E+00	.00000E+00	1.30177E-01
25	2.59214E-01	-6.20953E-02	2.50636E-01	-6.24438E-02	.00000E+00	.00000E+00	.00000E+00	5.53362E-02
26	1.70078E-01	-5.75446E-02	1.62576E-01	-5.76195E-02	.00000E+00	.00000E+00	.00000E+00	3.61325E-02

27	2.85232E-02	-1.56978E-02	2.65416E-02	-1.59038E-02	.00000E+00	.00000E+00	.00000E+00	5.99467E-03	
28	2.34239E+01	5.63513E-02	2.34499E+01	6.39932E-02	1.00211E-04	.00000E+00	.00000E+00	5.07947E+00	

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	5.91195E-03	7.82496E-03	4.17035E-04	-8.24157E-03	9.99949E-01
2	.00000E+00	.00000E+00	4.48981E-03	7.59598E-02	9.98352E-02	1.06965E-03	-9.64112E-02	9.99962E-01
3	.00000E+00	.00000E+00	4.73567E-02	6.88057E-02	1.79019E-01	5.40804E-06	-1.31663E-01	9.99977E-01
4	.00000E+00	.00000E+00	7.00592E-02	4.57825E-02	1.57304E-01	3.22595E-06	-8.72463E-02	9.99987E-01
5	.00000E+00	.00000E+00	1.29608E-01	1.48577E-01	2.68814E-01	3.77207E-06	-1.39208E-01	9.99991E-01
6	.00000E+00	.00000E+00	2.74570E-01	4.55137E-01	5.40954E-01	1.14731E-05	-2.66375E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.52406E-01	7.94995E-01	7.05897E-01	2.53458E-05	-1.53507E-01	9.99987E-01
8	.00000E+00	.00000E+00	7.35272E-01	1.00050E+00	7.50191E-01	4.69920E-05	-1.48998E-02	9.99912E-01
9	.00000E+00	.00000E+00	7.40482E-01	9.15515E-01	7.25003E-01	9.58498E-05	1.54650E-02	9.99889E-01
10	.00000E+00	.00000E+00	7.21750E-01	8.64640E-01	6.94857E-01	2.11270E-04	2.67473E-02	9.99896E-01
11	.00000E+00	.00000E+00	6.99883E-01	8.04457E-01	6.42247E-01	4.56830E-04	5.72210E-02	9.99940E-01
12	.00000E+00	.00000E+00	5.59151E-01	4.19864E-01	4.93433E-01	5.96706E-04	6.51325E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.89577E-01	3.37852E-01	4.33247E-01	8.97357E-04	5.52472E-02	9.99970E-01
14	.00000E+00	.00000E+00	4.70024E-01	3.23500E-01	3.86444E-01	1.46407E-03	8.21205E-02	9.99988E-01
15	.00000E+00	.00000E+00	2.51764E-01	1.29273E-01	2.42180E-01	1.28804E-03	8.29675E-03	9.99996E-01
16	.00000E+00	.00000E+00	1.67144E-01	5.46799E-02	1.61092E-01	8.85122E-04	5.17011E-03	9.99995E-01
17	.00000E+00	.00000E+00	8.62418E-02	1.54186E-02	8.02224E-02	4.30679E-04	5.58595E-03	1.00003E+00
18	.00000E+00	.00000E+00	7.66626E-02	1.10905E-02	6.06006E-02	3.39526E-04	1.56203E-02	1.00003E+00
19	.00000E+00	.00000E+00	1.26494E-01	3.50070E-02	1.16185E-01	7.67316E-04	9.53673E-03	1.00004E+00
20	.00000E+00	.00000E+00	3.09794E-01	2.49256E-01	2.81818E-01	3.18886E-03	2.47872E-02	1.00000E+00
21	.00000E+00	.00000E+00	1.46271E-01	4.75720E-02	1.23757E-01	1.17872E-03	2.13296E-02	1.00004E+00
22	.00000E+00	.00000E+00	2.78161E-01	1.37742E-01	2.14356E-01	2.61822E-03	6.11882E-02	9.99996E-01
23	.00000E+00	.00000E+00	6.61823E-01	7.94182E-01	5.21518E-01	1.14496E-02	1.28851E-01	1.00001E+00
24	.00000E+00	.00000E+00	6.75005E-01	6.98008E-01	5.38798E-01	1.26543E-02	1.23547E-01	1.00001E+00
25	.00000E+00	.00000E+00	4.34602E-01	2.83951E-01	3.65304E-01	7.20201E-03	6.20944E-02	1.00000E+00
26	.00000E+00	.00000E+00	3.42940E-01	3.01452E-01	2.78431E-01	6.96414E-03	5.75428E-02	1.00001E+00
27	.00000E+00	.00000E+00	1.13959E-01	6.29167E-02	9.58472E-02	2.39401E-03	1.56979E-02	9.99999E-01
28	.00000E+00	.00000E+00	9.16517E+00	9.08132E+00	9.16517E+00	5.66653E-02	-5.63700E-02	9.99968E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*adj**2	total flux
1	1.67374E-01	9.51706E-09	1.68154E-01	8.24158E-03	4.32742E-10	.00000E+00	.00000E+00	1.91561E-01
2	1.23737E+00	-5.43483E-08	1.24880E+00	9.64112E-02	.00000E+00	.00000E+00	.00000E+00	1.41672E+00
3	1.56766E+00	3.61414E-08	1.58525E+00	1.31664E-01	.00000E+00	.00000E+00	.00000E+00	1.79544E+00
4	9.71839E-01	3.75537E-08	9.84981E-01	8.72464E-02	.00000E+00	.00000E+00	.00000E+00	1.11344E+00
5	1.46584E+00	5.84933E-08	1.48825E+00	1.39208E-01	.00000E+00	.00000E+00	.00000E+00	1.67980E+00
6	2.81914E+00	-1.89576E-08	2.86315E+00	2.66375E-01	.00000E+00	.00000E+00	.00000E+00	3.23071E+00
7	2.78133E+00	1.01439E-07	2.80668E+00	1.53507E-01	.00000E+00	.00000E+00	.00000E+00	3.18526E+00
8	2.06435E+00	4.74046E-08	2.06427E+00	1.48999E-02	.00000E+00	.00000E+00	.00000E+00	2.36199E+00
9	1.60426E+00	1.44233E-07	1.60213E+00	-1.54648E-02	.00000E+00	.00000E+00	.00000E+00	1.83600E+00
10	1.46795E+00	3.97199E-08	1.46317E+00	-2.67472E-02	.00000E+00	.00000E+00	.00000E+00	1.67973E+00
11	1.35330E+00	7.56448E-08	1.34321E+00	-5.72209E-02	.00000E+00	.00000E+00	.00000E+00	1.54809E+00
12	8.52453E-01	-4.70533E-08	8.41297E-01	-6.51325E-02	.00000E+00	.00000E+00	.00000E+00	9.74828E-01
13	7.19952E-01	-9.27500E-09	7.10886E-01	-5.52472E-02	.00000E+00	.00000E+00	.00000E+00	8.23472E-01
14	6.65269E-01	-2.58478E-08	6.49463E-01	-8.21205E-02	.00000E+00	.00000E+00	.00000E+00	7.58190E-01
15	3.77714E-01	1.17395E-06	3.77182E-01	-8.29558E-03	.00000E+00	.00000E+00	.00000E+00	4.32571E-01
16	2.09915E-01	1.01414E-06	2.09336E-01	-5.16910E-03	.00000E+00	.00000E+00	.00000E+00	2.40820E-01
17	9.13696E-02	-3.68692E-06	9.04515E-02	-5.58964E-03	.00000E+00	.00000E+00	.00000E+00	1.04515E-01
18	6.76043E-02	-3.45730E-06	6.47998E-02	-1.56238E-02	.00000E+00	.00000E+00	.00000E+00	7.71151E-02
19	1.39831E-01	-5.72888E-06	1.38259E-01	-9.54245E-03	.00000E+00	.00000E+00	.00000E+00	1.59953E-01
20	4.62087E-01	2.19781E-06	4.58198E-01	-2.47850E-02	.00000E+00	.00000E+00	.00000E+00	5.28690E-01
21	1.36618E-01	-8.18188E-06	1.32694E-01	-2.13378E-02	.00000E+00	.00000E+00	.00000E+00	1.55996E-01
22	2.63122E-01	2.64454E-06	2.51697E-01	-6.11855E-02	.00000E+00	.00000E+00	.00000E+00	3.00082E-01
23	8.41693E-01	-5.58053E-07	8.14928E-01	-1.28852E-01	.00000E+00	.00000E+00	.00000E+00	9.60176E-01
24	6.38542E-01	-2.05871E-06	6.08804E-01	-1.23549E-01	.00000E+00	.00000E+00	.00000E+00	7.26469E-01
25	2.75942E-01	-8.83322E-07	2.59214E-01	-6.20953E-02	.00000E+00	.00000E+00	.00000E+00	3.13032E-01
26	1.88682E-01	-2.05815E-06	1.70078E-01	-5.75446E-02	.00000E+00	.00000E+00	.00000E+00	2.12332E-01
27	3.48789E-02	1.46157E-07	2.85232E-02	-1.56978E-02	.00000E+00	.00000E+00	.00000E+00	3.85081E-02

28	2.34641E+01	-1.91602E-05	2.34239E+01	5.63513E-02	4.32742E-10	.00000E+00	.00000E+00	2.68450E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.22774E-02	.00000E+00	2.21701E-02	2.10525E-02	3.60903E-03	9.51706E-09	9.98826E-01
2	.00000E+00	1.91850E-01	7.27557E-03	2.67948E-01	1.84436E-01	1.47028E-02	-5.43483E-08	1.00002E+00
3	.00000E+00	2.15499E-01	7.60814E-02	2.79605E-01	2.75875E-01	1.57086E-02	3.61414E-08	9.99986E-01
4	.00000E+00	1.24085E-01	1.14020E-01	1.93002E-01	2.30665E-01	7.53892E-03	3.75537E-08	1.00000E+00
5	.00000E+00	1.64899E-01	2.08442E-01	4.89321E-01	3.68741E-01	4.60445E-03	5.84953E-08	9.99989E-01
6	.00000E+00	1.78374E-01	4.27561E-01	1.34390E+00	5.98650E-01	7.37721E-03	-1.89578E-08	1.00001E+00
7	.00000E+00	8.83271E-02	6.63086E-01	1.77534E+00	7.43416E-01	8.00577E-03	1.01438E-07	9.99989E-01
8	.00000E+00	1.36205E-02	7.80008E-01	1.78998E+00	7.79313E-01	1.43741E-02	4.74046E-08	9.99920E-01
9	.00000E+00	9.88735E-04	7.69859E-01	1.55572E+00	7.46535E-01	2.43945E-02	1.44253E-07	9.99858E-01
10	.00000E+00	7.34411E-05	7.43306E-01	1.40970E+00	7.06389E-01	3.70648E-02	3.97199E-08	9.99879E-01
11	.00000E+00	5.77788E-06	7.11406E-01	1.30199E+00	6.51244E-01	6.02097E-02	7.56448E-08	9.99942E-01
12	.00000E+00	4.05887E-07	5.68147E-01	7.04020E-01	5.08660E-01	6.45025E-02	-4.70533E-08	9.99974E-01
13	.00000E+00	6.44511E-08	4.99609E-01	5.54084E-01	4.40209E-01	5.94095E-02	-9.27500E-09	9.99971E-01
14	.00000E+00	1.27725E-08	4.76986E-01	5.11443E-01	3.94578E-01	8.24122E-02	-2.58478E-08	9.99989E-01
15	.00000E+00	1.44343E-09	2.60030E-01	2.39080E-01	2.51949E-01	8.05198E-03	1.17395E-06	1.00011E+00
16	.00000E+00	4.23842E-10	1.77189E-01	1.08778E-01	1.71720E-01	5.44952E-03	1.01414E-06	1.00011E+00
17	.00000E+00	1.36498E-10	9.51138E-02	3.45256E-02	8.89116E-02	6.19340E-03	-3.68692E-06	1.00013E+00
18	.00000E+00	9.77284E-11	8.49290E-02	2.40580E-02	6.70158E-02	1.78958E-02	-3.45730E-06	1.00009E+00
19	.00000E+00	1.38167E-10	1.35115E-01	6.71547E-02	1.26508E-01	8.59726E-03	-5.72888E-06	1.00011E+00
20	.00000E+00	2.24674E-10	3.21742E-01	3.79767E-01	2.92846E-01	2.88629E-02	2.19781E-06	1.00010E+00
21	.00000E+00	3.28850E-11	1.57138E-01	7.65254E-02	1.34080E-01	2.30489E-02	-8.18188E-06	1.00011E+00
22	.00000E+00	3.81541E-11	2.92750E-01	1.97113E-01	2.26569E-01	6.61639E-02	2.64454E-06	1.00005E+00
23	.00000E+00	3.64796E-11	6.80026E-01	1.01413E+00	5.44097E-01	1.35865E-01	-5.58053E-07	1.00010E+00
24	.00000E+00	9.92926E-12	7.02342E-01	8.49118E-01	5.66291E-01	1.36003E-01	-2.05871E-06	1.00007E+00
25	.00000E+00	2.90664E-12	4.58258E-01	3.41057E-01	3.85249E-01	7.49908E-02	-8.83522E-07	1.00004E+00
26	.00000E+00	2.03815E-12	3.54238E-01	3.41289E-01	2.86222E-01	6.80043E-02	-2.05815E-06	1.00004E+00
27	.00000E+00	4.85702E-13	1.16352E-01	6.91474E-02	9.69772E-02	1.95729E-02	1.46157E-07	1.00001E+00
28	.00000E+00	1.00000E+00	9.88100E+00	1.59359E+01	9.88100E+00	1.00241E+00	-1.90419E-05	9.99997E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*adj**2	total flux
1	1.67374E-01	9.51706E-09	1.75054E-01	.00000E+00	2.33518E-03	2.60459E-03	.00000E+00	3.52741E-01
2	1.25737E+00	-5.43483E-08	1.32142E+00	.00000E+00	1.73374E-05	1.18240E-02	.00000E+00	2.62499E+00
3	1.56766E+00	3.61414E-08	1.67662E+00	.00000E+00	.00000E+00	1.45423E-02	.00000E+00	3.32905E+00
4	9.71839E-01	3.75537E-08	1.04022E+00	.00000E+00	.00000E+00	6.28508E-03	.00000E+00	2.06570E+00
5	1.46584E+00	5.84953E-08	1.57460E+00	.00000E+00	.00000E+00	1.83944E-03	.00000E+00	3.11997E+00
6	2.81914E+00	-1.89578E-08	3.02957E+00	.00000E+00	.00000E+00	1.62738E-03	.00000E+00	6.00132E+00
7	2.78133E+00	1.01438E-07	2.90454E+00	.00000E+00	.00000E+00	1.62640E-03	.00000E+00	5.86612E+00
8	2.06435E+00	4.74046E-08	2.07996E+00	.00000E+00	.00000E+00	1.67775E-03	.00000E+00	4.30877E+00
9	1.60426E+00	1.44253E-07	1.58631E+00	.00000E+00	.00000E+00	2.26989E-03	.00000E+00	3.32917E+00
10	1.46795E+00	3.97199E-08	1.44483E+00	.00000E+00	.00000E+00	4.83462E-03	.00000E+00	3.04124E+00
11	1.35330E+00	7.56448E-08	1.30372E+00	.00000E+00	.00000E+00	1.01361E-02	.00000E+00	2.78650E+00
12	8.52453E-01	-4.70533E-08	7.95094E-01	.00000E+00	.00000E+00	1.31558E-02	.00000E+00	1.75963E+00
13	7.19952E-01	-9.27500E-09	6.72015E-01	.00000E+00	.00000E+00	1.35217E-02	.00000E+00	1.46975E+00
14	6.63269E-01	-2.58478E-08	5.91297E-01	.00000E+00	.00000E+00	8.78186E-03	.00000E+00	1.33712E+00
15	3.77714E-01	1.17395E-06	3.71197E-01	.00000E+00	.00000E+00	2.20594E-03	.00000E+00	7.82927E-01
16	2.09915E-01	1.01414E-06	2.05792E-01	.00000E+00	.00000E+00	1.50475E-03	.00000E+00	4.34640E-01
17	9.13696E-02	-3.68692E-06	8.66302E-02	.00000E+00	.00000E+00	2.00824E-03	.00000E+00	1.87304E-01
18	6.76043E-02	-3.45730E-06	5.32102E-02	.00000E+00	.00000E+00	2.00612E-03	.00000E+00	1.31949E-01
19	1.39831E-01	-5.72888E-06	1.31732E-01	.00000E+00	.00000E+00	3.19801E-03	.00000E+00	2.86196E-01
20	4.62087E-01	2.19781E-06	4.41158E-01	.00000E+00	.00000E+00	1.65072E-02	.00000E+00	9.49516E-01
21	1.36618E-01	-8.18188E-06	1.17871E-01	.00000E+00	.00000E+00	1.39003E-02	.00000E+00	2.72790E-01
22	2.63122E-01	2.64454E-06	2.07574E-01	.00000E+00	.00000E+00	3.96511E-02	.00000E+00	5.13655E-01
23	8.41693E-01	-5.58053E-07	7.27752E-01	.00000E+00	.00000E+00	8.00365E-02	.00000E+00	1.67984E+00
24	6.38542E-01	-2.05871E-06	5.25378E-01	.00000E+00	.00000E+00	7.97521E-02	.00000E+00	1.25517E+00
25	2.75942E-01	-8.83522E-07	2.16400E-01	.00000E+00	.00000E+00	4.57852E-02	.00000E+00	5.34696E-01
26	1.88682E-01	-2.05815E-06	1.30331E-01	.00000E+00	.00000E+00	4.20884E-02	.00000E+00	3.52153E-01
27	3.48789E-02	1.46157E-07	1.68556E-02	.00000E+00	.00000E+00	1.18066E-02	.00000E+00	5.95219E-02
28	2.34641E+01	-1.91602E-05	2.34271E+01	.00000E+00	2.35251E-03	4.35177E-01	.00000E+00	4.88072E+01

- elapsed time .02 min.
0direct access unit 9 requires 516 blocks of length 1456 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.35140E-03	2.47475E-02	3.15079E-02	1.90954E-02	2.92078E-02	5.58110E-02	3.17882E-02	4.62073E-03
2	3.68453E-03	3.84858E-02	4.87393E-02	2.94756E-02	4.48780E-02	8.45382E-02	4.79912E-02	6.94858E-03
3	2.99390E-03	3.28340E-02	4.30313E-02	2.71787E-02	4.23465E-02	8.03980E-02	4.59882E-02	5.55032E-03
4	1.03346E-03	1.20820E-02	1.64948E-02	1.09253E-02	1.74268E-02	3.33499E-02	1.92934E-02	1.99253E-03
5	1.71392E-03	1.88345E-02	2.47151E-02	1.56028E-02	2.43366E-02	4.64582E-02	2.66432E-02	3.30782E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.73259E-03	5.81298E-03	1.24849E-02	1.44916E-02	1.23077E-02	1.81939E-02	1.83083E-03	1.14541E-03
2	7.10833E-03	8.72049E-03	1.87794E-02	2.18808E-02	1.85732E-02	2.76159E-02	2.71977E-03	1.71908E-03
3	5.71089E-03	8.18237E-03	1.75632E-02	2.02312E-02	1.71671E-02	2.55214E-02	2.54517E-03	1.59734E-03
4	1.90219E-03	3.32957E-03	7.13284E-03	8.12556E-03	6.98056E-03	1.02636E-02	1.11012E-03	6.69828E-04
5	3.31430E-03	4.73831E-03	1.01667E-02	1.17014E-02	9.95242E-03	1.47398E-02	1.52246E-03	9.39700E-04

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.24160E-03	3.40662E-03	2.11873E-03	5.53685E-03	4.65845E-03	1.33223E-02	2.81858E-02	2.69236E-02
2	1.87639E-03	5.30680E-03	3.16215E-03	8.31893E-03	7.11816E-03	2.05725E-02	4.28491E-02	4.12017E-02
3	1.73551E-03	4.87994E-03	2.94379E-03	7.69526E-03	6.60366E-03	1.90131E-02	3.98161E-02	3.82520E-02
4	7.00612E-04	1.92966E-03	1.20433E-03	3.13711E-03	2.65565E-03	7.62001E-03	1.65514E-02	1.56410E-02
5	1.00523E-03	2.77685E-03	1.71774E-03	4.48411E-03	3.79719E-03	1.08898E-02	2.31129E-02	2.21147E-02

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.36428E-02	1.24020E-02	3.25945E-03	3.84827E-01
2	2.09914E-02	1.93696E-02	5.34630E-03	5.87971E-01
3	1.98504E-02	1.78922E-02	4.91070E-03	5.41912E-01
4	7.84082E-03	7.13736E-03	1.79954E-03	2.18080E-01
5	1.11587E-02	1.01850E-02	2.66043E-03	3.12590E-01

1 400 d, sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp
0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.73149E-01	1.30112E+00	1.65109E+00	1.02480E+00	1.55011E+00	2.98179E+00	2.89576E+00	2.07500E+00
2	1.69963E-01	1.26825E+00	1.61066E+00	1.00089E+00	1.51319E+00	2.91216E+00	2.83481E+00	2.06776E+00
3	1.68800E-01	1.25632E+00	1.59565E+00	9.91924E-01	1.49952E+00	2.88571E+00	2.81975E+00	2.06548E+00
4	1.67370E-01	1.23781E+00	1.56870E+00	9.72832E-01	1.46767E+00	2.82272E+00	2.78300E+00	2.05570E+00
5	1.69470E-01	1.26114E+00	1.59940E+00	9.92436E-01	1.49894E+00	2.88325E+00	2.81830E+00	2.06769E+00

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.59126E+00	1.45049E+00	1.31594E+00	8.09395E-01	6.89985E-01	6.09198E-01	3.73073E-01	2.06881E-01
2	1.59860E+00	1.45846E+00	1.33321E+00	8.29800E-01	7.01087E-01	6.34941E-01	3.75641E-01	2.08419E-01
3	1.60088E+00	1.46107E+00	1.33877E+00	8.36282E-01	7.06612E-01	6.43135E-01	3.76492E-01	2.08934E-01
4	1.60414E+00	1.46760E+00	1.35259E+00	8.51721E-01	7.19479E-01	6.62442E-01	3.77944E-01	2.09771E-01
5	1.59945E+00	1.46112E+00	1.33873E+00	8.35779E-01	7.06119E-01	6.42401E-01	3.76146E-01	2.08817E-01

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.77912E-02	5.67655E-02	1.33770E-01	4.46408E-01	1.22429E-01	2.21282E-01	7.55026E-01	5.51696E-01
2	8.94680E-02	6.20376E-02	1.36636E-01	4.53889E-01	1.29042E-01	2.41279E-01	7.94111E-01	5.89604E-01
3	9.00218E-02	6.36089E-02	1.37564E-01	4.56321E-01	1.31102E-01	2.47207E-01	8.05973E-01	6.00567E-01
4	9.13165E-02	6.73765E-02	1.39753E-01	4.61924E-01	1.36296E-01	2.62186E-01	8.38920E-01	6.34726E-01
5	8.99875E-02	6.33952E-02	1.37499E-01	4.56086E-01	1.31058E-01	2.46779E-01	8.07058E-01	6.03028E-01

0zone	grp. 25	grp. 26	grp. 27
1	2.30083E-01	1.43152E-01	2.06017E-02
2	2.49847E-01	1.61866E-01	2.63436E-02
3	2.55330E-01	1.66721E-01	2.76604E-02
4	2.73501E-01	1.85517E-01	3.36451E-02
5	2.56887E-01	1.69187E-01	2.85965E-02

0flux disadvantage factors (zone average/cell average-flux)

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02171E+00	1.03170E+00	1.03232E+00	1.03261E+00	1.03413E+00	1.03417E+00	1.02089E+00	1.00854E+00
2	1.00291E+00	1.00562E+00	1.00704E+00	1.00852E+00	1.00950E+00	1.01003E+00	1.00586E+00	1.00003E+00
3	9.96045E-01	9.96177E-01	9.97657E-01	9.99484E-01	1.00038E+00	1.00085E+00	1.00051E+00	9.98934E-01

4	9.87609E-01	9.81500E-01	9.80807E-01	9.80247E-01	9.79134E-01	9.79005E-01	9.87477E-01	9.98073E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.94874E-01	9.92725E-01	9.82973E-01	9.68429E-01	9.68653E-01	9.48313E-01	9.91829E-01	9.90727E-01
2	9.99464E-01	9.98179E-01	9.95877E-01	9.92846E-01	9.92873E-01	9.88386E-01	9.98656E-01	9.98094E-01
3	1.00089E+00	9.99960E-01	1.00003E+00	1.00060E+00	1.00070E+00	1.00114E+00	1.00092E+00	1.00056E+00
4	1.00295E+00	1.00443E+00	1.01085E+00	1.01907E+00	1.01892E+00	1.03120E+00	1.00478E+00	1.00552E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.75594E-01	8.95451E-01	9.72881E-01	9.78781E-01	9.34160E-01	8.96684E-01	9.35529E-01	9.14875E-01
2	9.94227E-01	9.78616E-01	9.93718E-01	9.95182E-01	9.84616E-01	9.77713E-01	9.83957E-01	9.77739E-01
3	1.00038E+00	1.00340E+00	1.00047E+00	1.00051E+00	1.00033E+00	1.00173E+00	9.98656E-01	9.96068E-01
4	1.01477E+00	1.06284E+00	1.01640E+00	1.01280E+00	1.03997E+00	1.06243E+00	1.03948E+00	1.05256E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 25	grp. 26	grp. 27
1	8.95665E-01	8.46115E-01	7.20428E-01
2	9.72593E-01	9.56730E-01	9.21219E-01
3	9.93939E-01	9.85427E-01	9.67266E-01
4	1.06467E+00	1.09652E+00	1.17655E+00
5	1.00000E+00	1.00000E+00	1.00000E+00

Ocell averaged currents

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.35140E-03	2.47475E-02	3.15079E-02	1.90954E-02	2.92078E-02	5.58110E-02	3.17882E-02	4.62073E-03
2	3.68453E-03	3.84858E-02	4.87393E-02	2.94756E-02	4.48780E-02	8.45382E-02	4.79912E-02	6.94858E-03
3	2.99390E-03	3.28340E-02	4.30313E-02	2.71787E-02	4.23465E-02	8.03980E-02	4.59882E-02	5.55032E-03
4	1.03346E-03	1.20820E-02	1.64948E-02	1.09253E-02	1.74268E-02	3.33499E-02	1.92934E-02	1.99253E-03
5	1.71392E-03	1.88345E-02	2.47151E-02	1.56028E-02	2.43366E-02	4.64582E-02	2.66432E-02	3.30782E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.73259E-03	5.81293E-03	1.24849E-02	1.44916E-02	1.23077E-02	1.81939E-02	1.89083E-03	1.14541E-03
2	7.10833E-03	8.72049E-03	1.87794E-02	2.18808E-02	1.85732E-02	2.76159E-02	2.71977E-03	1.71908E-03
3	5.71089E-03	8.18257E-03	1.75632E-02	2.02312E-02	1.71671E-02	2.55214E-02	2.54517E-03	1.59734E-03
4	1.90219E-03	3.32957E-03	7.13284E-03	8.12554E-03	6.98064E-03	1.02636E-02	1.11012E-03	6.69828E-04
5	3.31430E-03	4.73831E-03	1.01667E-02	1.17014E-02	9.95242E-03	1.47398E-02	1.52246E-03	9.39700E-04


Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.24160E-03	3.40662E-03	2.11873E-03	5.53585E-03	4.65845E-03	1.33223E-02	2.81858E-02	2.69236E-02
2	1.87639E-03	5.30680E-03	3.16215E-03	8.31895E-03	7.11816E-03	2.05725E-02	4.28491E-02	4.12017E-02
3	1.73551E-03	4.87994E-03	2.94379E-03	7.69526E-03	6.60364E-03	1.90131E-02	3.98161E-02	3.82520E-02
4	7.00612E-04	1.92966E-03	1.20433E-03	3.13711E-03	2.66565E-03	7.62001E-03	1.63514E-02	1.56410E-02
5	1.00523E-03	2.77685E-03	1.71774E-03	4.48411E-03	3.79719E-03	1.08898E-02	2.31129E-02	2.21147E-02


Ozone	grp. 25	grp. 26	grp. 27
1	1.36428E-02	1.24020E-02	3.25945E-03
2	2.09914E-02	1.93696E-02	5.34630E-03
3	1.93504E-02	1.78922E-02	4.91070E-03
4	7.84082E-03	7.13736E-03	1.79954E-03
5	1.11587E-02	1.01850E-02	2.66043E-03


Ozone	volume	vol. fraction
1	6.88443E-01	3.30753E-01
2	3.17352E-02	1.52468E-02
3	2.16724E-01	1.04122E-01
4	1.14454E+00	5.49878E-01
5	2.08144E+00	1.00000E+00


- elapsed time .03 min.


Orequested parm=halt8,skipcellwt,skipshipdata
pass= 3, exec halts after pass 8














```
ss       ss  cc        cc  aa       aa  ll           ee
ssssssssssss  cccccccccccc  aa       aa  llllllllllll  eeeeeeeeeeee
 ssssssssss    cccccccccc   aa       aa  llllllllllll  eeeeeeeeeeee
```

```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                 program verification information           *****
*****                                                           *****
*****               code system:  scale  version:  4.2          *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****            program:  c0c008                               *****
*****                                                           *****
*****       creation date:  04/27/95                            *****
*****                                                           *****
*****            library:  /neutronics/scale/exe                *****
*****                                                           *****
*****                                                           *****
*****   this is not a  scale  configuration controlled code     *****
*****                                                           *****
*****            jobname:  davis                                *****
*****                                                           *****
*****   date of execution:  02/16/96                            *****
*****                                                           *****
*****   time of execution:  09:59:30                            *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere              2
0izm--number of zones or material regions                     4
0ms--mixing table length                                     70
0ibl--shielded cross section edit option (0/1--no/yes)        0
0ibr--bondarenko factor edit option (0/1--no/yes)             0
0issopt--dancoff factor option                                0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     70 entries.
0       4q array has     70 entries.
```

```
0       5q array has     70 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     70 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
     1        3     8016     2.09710E-02             201
     2        3     1001     4.19420E-02             202
     3        3     5010     3.81515E-06             203
     4        3     5011     1.54884E-05             204
     5        2    40302     4.25156E-02             205
     6        1    92235     1.78765E-04          200006
     7        1    92234     1.66922E-06          200007
     8        1    92236     1.01900E-05          200008
     9        1    92238     7.26421E-03          200009
    10        1     8016     1.50611E-02          200010
    11        1     8016     1.15315E-02          200011
    12        1    36083     2.39826E-07          200012
    13        1    36085     1.15802E-07          200013
    14        1    38090     2.60028E-06          200014
    15        1    39089     1.81056E-06          200015
    16        1    42095     2.02470E-06          200016
    17        1    40093     1.97826E-06          200017
    18        1    40094     3.06390E-06          200018
    19        1    40095     6.95210E-07          200019
    20        1    41094     1.19135E-12          200020
    21        1    43099     2.96592E-06          200021
    22        1    45103     1.45725E-06          200022
    23        1    45105     5.54075E-09          200023
    24        1    44101     2.61262E-06          200024
    25        1    44106     3.77085E-07          200025
    26        1    46105     8.23960E-07          200026
    27        1    46108     1.79948E-07          200027
    28        1    47109     1.29418E-07          200028
    29        1    51124     3.32722E-11          200029
    30        1    54131     1.37688E-06          200030
    31        1    54132     2.31720E-06          200031
    32        1    54135     2.18432E-09          200032
    33        1    54136     4.97240E-06          200033
    34        1    55134     7.36175E-08          200034
    35        1    55135     1.55852E-06          200035
    36        1    55137     3.13142E-06          200036
    37        1    56136     1.42899E-08          200037
    38        1    57139     3.11998E-06          200038
    39        1    59141     2.51929E-06          200039
    40        1    59143     1.30169E-07          200040
    41        1    58144     1.65612E-06          200041
    42        1    60143     2.56634E-06          200042
    43        1    60145     1.86380E-06          200043
    44        1    61147     8.21699E-07          200044
    45        1    61148     2.25854E-09          200045
    46        1    60147     4.38963E-08          200046
    47        1    62147     1.21021E-07          200047
    48        1    62149     2.48712E-08          200048
    49        1    62150     5.79478E-07          200049
    50        1    62151     9.50067E-08          200050
    51        1    62152     2.80778E-07          200051
```

52	1	64155	2.63991E-10	200052
53	1	63153	1.30658E-07	200053
54	1	63154	1.53097E-08	200054
55	1	63155	1.69086E-08	200055
56	1	40302	4.42681E-03	200056
57	1	1001	2.30630E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	3.23773E-06	200060
61	1	95237	4.09226E-07	200061
62	1	94238	2.63252E-08	200062
63	1	94239	2.16321E-05	200063
64	1	94240	2.36745E-06	200064
65	1	94241	8.29987E-07	200065
66	1	94242	3.87820E-08	200066
67	1	95241	1.12358E-08	200067
68	1	95243	1.41059E-09	200068
69	1	96244	5.44610E-11	200069
70	1	999	3.30753E-21	200070

0geometry and material description

0zone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.23032E+01	0
3	3	8.14000E-01	6.07600E+02	3.54862E+00	0
4	1	2.96100E+00	9.75000E+02	2.32883E-01	0


8067 locations of 200000 available are required to make a new master containing the self-shielded values

0no nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

0copy	999	1/v cross sectio	from log 12	to log 1	bondarenko	trigger 0
0copy	1001	hydrogen	from log 12	to log 18	bondarenko	trigger 0
0copy	1001	hydrogen	from log 18	to log 1	bondarenko	trigger 0
0copy	1001	hydrogen	from log 18	to log 1	bondarenko	trigger 0
0copy	5010	b-10 1273 218ngp	from log 12	to log 18	bondarenko	trigger 0
0copy	5010	b-10 1273 218ngp	from log 18	to log 1	bondarenko	trigger 0
0copy	5010	b-10 1273 218ngp	from log 18	to log 1	bondarenko	trigger 0
0copy	5011	boron-11	from log 12	to log 18	bondarenko	trigger 0
0copy	5011	boron-11	from log 18	to log 1	bondarenko	trigger 0
0copy	5011	boron-11	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 12	to log 18	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	36083	kr-83	from log 12	to log 1	bondarenko	trigger 0
0copy	36085	kr-85	from log 12	to log 1	bondarenko	trigger 0
0copy	38090	sr-90	from log 12	to log 1	bondarenko	trigger 0
0copy	39089	y-89	from log 12	to log 1	bondarenko	trigger 0
0copy	40093	zr-93	from log 12	to log 1	bondarenko	trigger 0
0copy	40094	zr-94	from log 12	to log 1	bondarenko	trigger 0
0copy	40095	zr-95	from log 12	to log 1	bondarenko	trigger 0
0copy	40302	zircalloy	from log 12	to log 18	bondarenko	trigger 0
0copy	40302	zircalloy	from log 18	to log 1	bondarenko	trigger 0
0copy	40302	zircalloy	from log 18	to log 1	bondarenko	trigger 0
0copy	41094	nb-94	from log 12	to log 1	bondarenko	trigger 0
0copy	42095	mo-95	from log 12	to log 1	bondarenko	trigger 0
0copy	43099	tc-99	from log 12	to log 1	bondarenko	trigger 0
0copy	44101	ru-101	from log 12	to log 1	bondarenko	trigger 0
0copy	44106	ru-106	from log 12	to log 1	bondarenko	trigger 0
0copy	45103	rh-103	from log 12	to log 1	bondarenko	trigger 0
0copy	45105	rh-105	from log 12	to log 1	bondarenko	trigger 0
0copy	46105	pd-105	from log 12	to log 1	bondarenko	trigger 0
0copy	46108	pd-108	from log 12	to log 1	bondarenko	trigger 0

```
0copy    47109  silver-109       from lag 12 to lag  1   bondarenko trigger 0
0copy    51124  sb-124           from lag 12 to lag  1   bondarenko trigger 0
0copy    54131  xe-131           from lag 12 to lag  1   bondarenko trigger 0
0copy    54132  xe-132           from lag 12 to lag  1   bondarenko trigger 0
0copy    54135  xenon-135        from lag 12 to lag  1   bondarenko trigger 0
0copy    54136  xe-136           from lag 12 to lag  1   bondarenko trigger 0
0copy    55133  cesium-133       from lag 12 to lag  1   bondarenko trigger 0
0copy    55134  cs-134           from lag 12 to lag  1   bondarenko trigger 0
0copy    55135  cs-135           from lag 12 to lag  1   bondarenko trigger 0
0copy    55137  cs-137           from lag 12 to lag  1   bondarenko trigger 0
0copy    56136  ba-136           from lag 12 to lag  1   bondarenko trigger 0
0copy    57139  la-139           from lag 12 to lag  1   bondarenko trigger 0
0copy    58144  ce-144           from lag 12 to lag  1   bondarenko trigger 0
0copy    59141  pr-141           from lag 12 to lag  1   bondarenko trigger 0
0copy    59143  pr-143           from lag 12 to lag  1   bondarenko trigger 0
0copy    60143  nd-143           from lag 12 to lag  1   bondarenko trigger 0
0copy    60145  nd-145           from lag 12 to lag  1   bondarenko trigger 0
0copy    60147  nd-147           from lag 12 to lag  1   bondarenko trigger 0
0copy    61147  pm-147           from lag 12 to lag  1   bondarenko trigger 0
0copy    61148  pm-148           from lag 12 to lag  1   bondarenko trigger 0
0copy    62147  sm-147           from lag 12 to lag  1   bondarenko trigger 0
0copy    62149  sm-149           from lag 12 to lag  1   bondarenko trigger 0
0copy    62150  sm-150           from lag 12 to lag  1   bondarenko trigger 0
0copy    62151  sm-151           from lag 12 to lag  1   bondarenko trigger 0
0copy    62152  sm-152           from lag 12 to lag  1   bondarenko trigger 0
0copy    63153  eu-153           from lag 12 to lag  1   bondarenko trigger 0
0copy    63154  eu-154           from lag 12 to lag  1   bondarenko trigger 0
0copy    63155  eu-155           from lag 12 to lag  1   bondarenko trigger 0
0copy    64155  gd-155           from lag 12 to lag  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from lag 12 to lag  1   bondarenko trigger 0
0copy    92235  uranium-235      from lag 12 to lag  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from lag 12 to lag  1   bondarenko trigger 0
0copy    92238  uranium-238      from lag 12 to lag  1   bondarenko trigger 0
0copy    93237  neptunium-237    from lag 12 to lag  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from lag 12 to lag  1   bondarenko trigger 0
0copy    94239  plutonium-239    from lag 12 to lag  1   bondarenko trigger 0
0copy    94240  plutonium-240    from lag 12 to lag  1   bondarenko trigger 0
0copy    94241  plutonium-241    from lag 12 to lag  1   bondarenko trigger 0
0copy    94242  plutonium-242    from lag 12 to lag  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from lag 12 to lag  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from lag 12 to lag  1   bondarenko trigger 0
0copy    96244  curium-244       from lag 12 to lag  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
          compiled for nrc     1/27/89
            last updated       9/16/93
               l.m.petrie  -  ornl
        tape id                          4321        number of nuclides          70
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                  table of contents
       1/v cross sections normalized to 1.0 at 0.0253 ev                    id   200070
        hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89      id      202
        hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89      id   200057
       b-10 1273 218ngp 042375 p-3 293k                                    id      203
       b-10 1273 218ngp 042375 p-3 293k                                    id   200058
        boron-11       endf/b-iv mat 1160            updated 10/13/89      id      204
        boron-11       endf/b-iv mat 1160            updated 10/13/89      id   200059
        oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id      201
        oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id   200010
```

```
 oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id   200011
 kr-83          mt=102,103,103,105,106,107    updated 10/13/89          id   200012
 kr-85            mt=  102                                              id   200013
 sr-90          mt=102                        updated 10/13/89          id   200014
  y-89          mt=102                        updated 10/13/89          id   200015
 zr-93            mt=  102                                              id   200017
 zr-94          mt=102                        updated 10/13/89          id   200018
 zr-95          mt=102                        updated 10/13/89          id   200019
 zircalloy      endf/b-iv mat 1284            updated 10/13/89          id     205
 zircalloy      endf/b-iv mat 1284            updated 10/13/89          id   200056
 nb-94          mt=102                        updated 10/13/89          id   200020
 mo-95          mt=102                        updated 10/13/89          id   200016
 tc-99          mt=102                        updated 10/13/89          id   200021
 ru-101         mt=102                        updated 10/13/89          id   200024
 ru-106         mt=102                        updated 10/13/89          id   200025
 rh-103         mt=102                        updated 10/13/89          id   200022
 rh-105           mt=  102                                              id   200023
 pd-105         mt=102                        updated 10/13/89          id   200026
 pd-108         mt=102                        updated 10/13/89          id   200027
 silver-109     endf/b-iv mat 1139            updated 10/13/89          id   200028
 sb-124         mt=102                        updated 10/13/89          id   200029
 xe-131         mt=102,103,104,105,106        updated 10/13/89          id   200030
 xe-132         mt=102,103,104,105,106        updated 10/13/89          id   200031
 xenon-135      endf/b-iv mat 1294            updated 10/13/89          id   200032
 xe-136           mt=  102, 103, 104, 105, 107                          id   200033
 cesium-133     endf/b-iv mat 1141            updated 10/13/89          id   200060
 cs-134         mt=102                        updated 10/13/89          id   200034
 cs-135           mt=  102                                              id   200035
 cs-137         mt=102                        updated 10/13/89          id   200036
 ba-136         mt=102                        updated 10/13/89          id   200037
 la-139         mt=102                        updated 10/13/89          id   200038
 ce-144           mt=  102                                              id   200041
 pr-141         mt=102,103,104,105,106,107    updated 10/13/89          id   200039
 pr-143         mt=102                        updated 10/13/89          id   200040
 nd-143         mt=102                        updated 10/13/89          id   200042
 nd-145         mt=102                        updated 10/13/89          id   200043
 nd-147         mt=102                        updated 10/13/89          id   200046
 pm-147         mt=102                        updated 10/13/89          id   200044
 pm-148           mt=  102                                              id   200045
 sm-147         endf/b-v fission product      updated 10/13/89          id   200047
 sm-149         mt=102,103,107                updated 10/13/89          id   200048
 sm-150         mt=102                        updated 10/13/89          id   200049
 sm-151         mt=102,103,104,105,106,107    updated 10/13/89          id   200050
 sm-152         mt=102,103,104,105,106,107    updated 10/13/89          id   200051
 eu-153         mt=102,103,104,105,106,107    updated 10/13/89          id   200053
 eu-154         mt=102,103,104,105,106,107    updated 10/13/89          id   200054
 eu-155         mt=102,103,104,105,106,107    updated 10/13/89          id   200055
 gd-155         mt=102                        updated 10/13/89          id   200052
u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                     id   200007
 uranium-235    endf/b-iv mat 1261            updated 10/13/89          id   200006
u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                     id   200008
 uranium-238    endf/b-iv mat 1262            updated 10/13/89          id   200009
 neptunium-237  endf/b-iv mat 1263            updated 10/13/89          id   200061
pu-238 1060 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    id   200062
 plutonium-239  endf/b-iv mat 1264            updated 10/13/89          id   200063
 plutonium-240  endf/b-iv mat 1265            updated 10/13/89          id   200064
 plutonium-241  endf/b-iv mat 1266            updated 10/13/89          id   200065
 plutonium-242  endf/b-iv mat 1161            updated 10/13/89          id   200066
am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                           id   200067
am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                            id   200068
```


curium-244 endf/b-iv mat 1162 updated 10/13/89 id 200069
tape copy used 0 i/o's, and took .00 seconds

```
ss            cc            aa       aa  ll            ee
ss            cc            aa       aa  ll            ee
ssssssssssss  cc            aaaaaaaaaaaa  ll            eeeeeeeee
 ssssssssssss cc            aaaaaaaaaaaa  ll            eeeeeeeee
         ss   cc            aa       aa  ll            ee
         ss   cc            aa       aa  ll            ee
ss       ss   cc       cc   aa       aa  ll            ee
ssssssssssss  ccccccccccc   aa       aa  lllllllllllll eeeeeeeeeeee
 sssssssssss   ccccccccccc  aa       aa  lllllllllllll eeeeeeeeeeee
```

```
*****************************************************************
*****************************************************************
*****************************************************************
*****                                                       *****
*****                program verification information       *****
*****                                                       *****
*****                code system:   scale  version:   4.2   *****
*****                                                       *****
*****************************************************************
*****************************************************************
*****                                                       *****
*****                                                       *****
*****           program:  c0c002                            *****
*****                                                       *****
*****       creation date:  04/27/95                        *****
*****                                                       *****
*****           library:  /neutronics/scale/exe             *****
*****                                                       *****
*****                                                       *****
*****   this is not a  scale  configuration controlled code *****
*****                                                       *****
*****           jobname:  davis                             *****
*****                                                       *****
*****   date of execution:  02/16/96                        *****
*****                                                       *****
*****   time of execution:  09:59:31                        *****
*****                                                       *****
*****                                                       *****
*****************************************************************
*****************************************************************
*****************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has     12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0       2q array has     70 entries.
0       3q array has     15 entries.
0       4q array has      5 entries.
```

```
0 general information concerning cross section library
    tape identification number                4349
    number of nuclides on tape                  65
    number of neutron energy groups             27
    first thermal neutron energy group          15
    number of gamma energy groups                0
0   direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                            compiled for nrc      1/27/89
                              last updated        9/16/93
                                l.m.petrie   -   ornl
-  work tape   4349

 xsdrn weighted tape--parent case entitled--  400 d, sas2h: babcock wilcox 15x15,
  3.00wt%, 20gwd/mtu burn high temp



0 nuclides from xsdrn tape
     1     hydrogen        endf/b-iv mat 1269/thrml002    updated 10/13/89          202
     2   b-10 1273 218ngp 042375 p-3 293k                                            203
     3     boron-11        endf/b-iv mat 1160             updated 10/13/89          204
     4     oxygen-16       endf/b-iv mat 1276             updated 10/13/89          201
     5     zircalloy       endf/b-iv mat 1284             updated 10/13/89          205
0 nuclides from  work tape
     6   1/v cross sections normalized to 1.0 at 0.0253 ev                          999
     7     hydrogen        endf/b-iv mat 1269/thrml002    updated 10/13/89         1001
     8   b-10 1273 218ngp 042375 p-3 293k                                         5010
     9     boron-11        endf/b-iv mat 1160             updated 10/13/89         5011
    10     oxygen-16       endf/b-iv mat 1276             updated 10/13/89         8016
    11     oxygen-16       endf/b-iv mat 1276             updated 10/13/89            6
    12     kr-83           mt=102,103,103,105,106,107     updated 10/13/89        36083
    13     kr-85             mt=  102                                              36085
    14     sr-90           mt=102                         updated 10/13/89        38090
    15      y-89           mt=102                         updated 10/13/89        39089
    16     zr-93             mt=  102                                              40093
    17     zr-94           mt=102                         updated 10/13/89        40094
    18     zr-95           mt=102                         updated 10/13/89        40095
    19     zircalloy       endf/b-iv mat 1284             updated 10/13/89        40302
    20     nb-94           mt=102                         updated 10/13/89        41094
    21     mo-95           mt=102                         updated 10/13/89        42095
    22     tc-99           mt=102                         updated 10/13/89        43099
    23     ru-101          mt=102                         updated 10/13/89        44101
    24     ru-106          mt=102                         updated 10/13/89        44106
    25     rh-103          mt=102                         updated 10/13/89        45103
    26     rh-105            mt=  102                                              45105
    27     pd-105          mt=102                         updated 10/13/89        46105
    28     pd-108          mt=102                         updated 10/13/89        46108
    29     silver-109      endf/b-iv mat 1139             updated 10/13/89        47109
    30     sb-124          mt=102                         updated 10/13/89        51124
    31     xe-131          mt=102,103,104,105,106         updated 10/13/89        54131
    32     xe-132          mt=102,103,104,105,106         updated 10/13/89        54132
    33     xenon-135       endf/b-iv mat 1294             updated 10/13/89        54135
    34     xe-136            mt=  102, 103, 104, 105, 107                          54136
    35     cesium-133      endf/b-iv mat 1141             updated 10/13/89        55133
    36     cs-134          mt=102                         updated 10/13/89        55134
    37     cs-135            mt=  102                                              55135
    38     cs-137          mt=102                         updated 10/13/89        55137
```

```
    39    ba-136        mt=102                          updated 10/13/89              56136
    40    la-139        mt=102                          updated 10/13/89              57139
    41    ce-144          mt=  102                                                    58144
    42    pr-141        mt=102,103,104,105,106,107      updated 10/13/89              59141
    43    pr-143        mt=102                          updated 10/13/89              59143
    44    nd-143        mt=102                          updated 10/13/89              60143
    45    nd-145        mt=102                          updated 10/13/89              60145
    46    nd-147        mt=102                          updated 10/13/89              60147
    47    pm-147        mt=102                          updated 10/13/89              61147
    48    pm-148          mt=  102                                                    61148
    49    sm-147        endf/b-v fission product        updated 10/13/89              62147
    50    sm-149        mt=102,103,107                  updated 10/13/89              62149
    51    sm-150        mt=102                          updated 10/13/89              62150
    52    sm-151        mt=102,103,104,105,106,107      updated 10/13/89              62151
    53    sm-152        mt=102,103,104,105,106,107      updated 10/13/89              62152
    54    eu-153        mt=102,103,104,105,106,107      updated 10/13/89              63153
    55    eu-154        mt=102,103,104,105,106,107      updated 10/13/89              63154
    56    eu-155        mt=102,103,104,105,106,107      updated 10/13/89              63155
    57    gd-155        mt=102                          updated 10/13/89              64155
    58   u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92234
    59    uranium-235   endf/b-iv mat 1261              updated 10/13/89              92235
    60   u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92236
    61    uranium-238   endf/b-iv mat 1262              updated 10/13/89              92238
    62    neptunium-237 endf/b-iv mat 1263              updated 10/13/89              93237
    63   pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          94238
    64    plutonium-239 endf/b-iv mat 1264              updated 10/13/89              94239
    65    plutonium-240 endf/b-iv mat 1265              updated 10/13/89              94240
    66    plutonium-241 endf/b-iv mat 1266              updated 10/13/89              94241
    67    plutonium-242 endf/b-iv mat 1161              updated 10/13/89              94242
    68   am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                95241
    69   am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 95243
    70    curium-244    endf/b-iv mat 1162              updated 10/13/89              96244
0 hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89          202    temperature=  607.60
                                thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                           203    temperature=  607.60
                                thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11        endf/b-iv mat 1160             updated 10/13/89          204    temperature=  607.60
                                thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16       endf/b-iv mat 1276             updated 10/13/89          201    temperature=  607.60
0 zircalloy       endf/b-iv mat 1284             updated 10/13/89          205    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =   90.436              temperature(kelvin)      =   650.000
0potential scatter sigma  =    6.385              lumped nuclear density   = 4.251560E-02
0spin factor (g)          =    1.079              lump dimension (a-bar)   = 6.730999E-01
0inner radius             = 6.324600E-01          dancoff correction (c)   = 1.680590E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   8     -1.156752E-03     .000000E+00   -7.806083E-01
   9     -4.625978E-02     .000000E+00   -2.073270E+00
  10     -5.962230E-02     .000000E+00   -1.351984E+00
  11     -1.761672E-01     .000000E+00   -7.350731E-01
0excess resonance integrals
0                resolved
0absorption     2.9240E-01
 fission         .0000E+00
-  elapsed time    .00 min.
-  elapsed time    .02 min.
1     this xsdrn working tape was created 02/16/96 at 09:59:31
```

the title of the parent case is as follows
xsdrn weighted tape--parent case entitled-- 400 d, sas2h: babcock wilcox 15x15,
3.00wt%, 20gwd/mtu burn high temp

tape id	8670	number of nuclides	70
number of neutron groups	27	number of gamma groups	0
first thermal group	15	logical unit	4


table of contents

hydrogen	endf/b-iv mat 1269/thrml002	updated 10/13/89	id	202
b-10 1273 218ngp 042375 p-3 293k			id	203
boron-11	endf/b-iv mat 1160	updated 10/13/89	id	204
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	201
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id	205
1/v cross sections normalized to 1.0 at 0.0253 ev			id	999
hydrogen	endf/b-iv mat 1269/thrml002	updated 10/13/89	id	1001
b-10 1273 218ngp 042375 p-3 293k			id	5010
boron-11	endf/b-iv mat 1160	updated 10/13/89	id	5011
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	8016
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	6
kr-83	mt=102,103,103,105,106,107	updated 10/13/89	id	36083
kr-85	mt= 102		id	36085
sr-90	mt=102	updated 10/13/89	id	38090
y-89	mt=102	updated 10/13/89	id	39089
zr-93	mt= 102		id	40093
zr-94	mt=102	updated 10/13/89	id	40094
zr-95	mt=102	updated 10/13/89	id	40095
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id	40802
nb-94	mt=102	updated 10/13/89	id	41094
mo-95	mt=102	updated 10/13/89	id	42095
tc-99	mt=102	updated 10/13/89	id	43099
ru-101	mt=102	updated 10/13/89	id	44101
ru-106	mt=102	updated 10/13/89	id	44106
rh-103	mt=102	updated 10/13/89	id	45103
rh-105	mt= 102		id	45105
pd-105	mt=102	updated 10/13/89	id	46105
pd-108	mt=102	updated 10/13/89	id	46108
silver-109	endf/b-iv mat 1139	updated 10/13/89	id	47109
sb-124	mt=102	updated 10/13/89	id	51124
xe-131	mt=102,103,104,105,106	updated 10/13/89	id	54131
xe-132	mt=102,103,104,105,106	updated 10/13/89	id	54132
xenon-135	endf/b-iv mat 1294	updated 10/13/89	id	54135
xe-136	mt= 102, 103, 104, 105, 107		id	54136
cesium-133	endf/b-iv mat 1141	updated 10/13/89	id	55133
cs-134	mt=102	updated 10/13/89	id	55134
cs-135	mt= 102		id	55135
cs-137	mt=102	updated 10/13/89	id	55137
ba-136	mt=102	updated 10/13/89	id	56136
la-139	mt=102	updated 10/13/89	id	57139
ce-144	mt= 102		id	58144
pr-141	mt=102,103,104,105,106,107	updated 10/13/89	id	59141
pr-143	mt=102	updated 10/13/89	id	59143
nd-143	mt=102	updated 10/13/89	id	60143
nd-145	mt=102	updated 10/13/89	id	60145
nd-147	mt=102	updated 10/13/89	id	60147
pm-147	mt=102	updated 10/13/89	id	61147
pm-148	mt= 102		id	61148
sm-147	endf/b-v fission product	updated 10/13/89	id	62147
sm-149	mt=102,103,107	updated 10/13/89	id	62149
sm-150	mt=102	updated 10/13/89	id	62150
sm-151	mt=102,103,104,105,106,107	updated 10/13/89	id	62151

```
        sm-152          mt=102,103,104,105,106,107      updated 10/13/89            id    62152
        eu-153          mt=102,103,104,105,106,107      updated 10/13/89            id    63153
        eu-154          mt=102,103,104,105,106,107      updated 10/13/89            id    63154
        eu-155          mt=102,103,104,105,106,107      updated 10/13/89            id    63155
        gd-155          mt=102                          updated 10/13/89            id    64155
       u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                         id    92234
        uranium-235     endf/b-iv mat 1261              updated 10/13/89            id    92235
       u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                         id    92236
        uranium-238     endf/b-iv mat 1262              updated 10/13/89            id    92238
        neptunium-237   endf/b-iv mat 1263              updated 10/13/89            id    93237
       pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                        id    94238
        plutonium-239   endf/b-iv mat 1264              updated 10/13/89            id    94239
        plutonium-240   endf/b-iv mat 1265              updated 10/13/89            id    94240
        plutonium-241   endf/b-iv mat 1266              updated 10/13/89            id    94241
        plutonium-242   endf/b-iv mat 1161              updated 10/13/89            id    94242
       am-241 1056 sigo=5+4 newxlacs 218grp p-3 293k                               id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                id    95243
        curium-244      endf/b-iv mat 1162              updated 10/13/89            id    96244
0        tape copy used      0 i/o's, and took     .00 seconds
1 xx        xx  sssssssss   ddddddddd   rrrrrrrrrr   m        m  ppppppppp   mm        mm
   xx      xx  sssssssssss  ddddddddddd  rrrrrrrrrrr  mm       m  pppppppppp  mmm      mmm
    xx    xx   ss          dd       dd  rr       rr  mmm      m  pp       pp  mmmm    mmmm
     xx  xx    ss          dd       dd  rr       rr  m mm     m  pp       pp  mm mm  mm mm
      xxxx     sssssssss   dd       dd  rr       rr  m  m    m  pp       pp  mm  mmm mm  mm
       xx      sssssssssss dd       dd  rrrrrrrrrrr  m   m   m  ppppppppp   mm   m  mm  mm
      xx xx           ss  dd       dd  rr  rr       m    m  m  pp          mm      mm  mm
     xx   xx          ss  dd       dd  rr   rr      m     m m  pp          mm      mm  mm
    xx     xx  ss     ss  dd       dd  rr    rr     m      mm  pp          mm      mm  mm
   xx       xx  sssssssss  ddddddddd   rr     rr    m      mm  pp          mm      mm  mm
  xx         xx  sssssss   ddddddddd   rr      rr   m      mm  pp          mm      mm  mm
0

  ddddddddd    aaaaaaa    w        w  iiiiiiiiii   sssssssss
  ddddddddddd  aaaaaaaa   w        w  iiiiiiiiii   sssssssssss
  dd      dd  aa     aa   w        w     ii       ss      ss
  dd      dd  aa     aa   w        w     ii       ss
  dd      dd  aa     aa   w        w     ii       ss
  dd      dd  aaaaaaaaaa  w        w     ii       sssssssss
  dd      dd  aaaaaaaaaa   w      w      ii        sssssssss
  dd      dd  aa     aa    w    w       ii              ss
  dd      dd  aa     aa     w  w        ii              ss
  dd      dd  aa     aa      ww         ii       ss     ss
  ddddddddddd aa     aa      ww  iiiiiiiiii   sssssssssss
  ddddddddd   aa     aa       v  iiiiiiiiii    sssssssss
0

    000000    2222222222          //     11     6666666666          //  9999999999  6666666666
   00000000   22222222222        //     111     6666666666        //   9999999999  6666666666
  00      00  22        22      //     1111     66                //   99      99  66
  00      00          22      //       11     66                //    99      99  66
  00      00          22      //       11     66                //    99      99  66
  00      00        22      //         11     6666666666      //      9999999999  6666666666
  00      00      22      //           11     6666666666    //        9999999999  6666666666
  00      00    22      //             11     66      66  //                99  66      66
  00      00  22      //               11     66      66  //                99  66      66
   00    00  22      //                11     66      66  //                99  66      66
    000000   2222222222//              11111111 6666666666//          9999999999  6666666666
     0000    2222222222//              11111111  66666666//           9999999999   66666666
0
```




```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******                program verification information          ******
******                                                          ******
******              code system:   scale  version:   4.2        ******
******                                                          ******
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******           program:  c0c001                               ******
******                                                          ******
******      creation date:  04/27/95                            ******
******                                                          ******
******           library:  /neutronics/scale/exe                ******
******                                                          ******
******                                                          ******
******  this is not a  scale  configuration controlled code     ******
******                                                          ******
******           jobname:  davis                                ******
******                                                          ******
******  date of execution:  02/16/96                            ******
******                                                          ******
******  time of execution:  09:59:32                            ******
******                                                          ******
******                                                          ******
**********************************************************************
```

```
                    ********************************************************************************
                    ********************************************************************************
1
                   400 d, second part of sas2h pass to make library
0      -1q array has      1 entries.
0       0q array has     11 entries.
0       1q array has     15 entries.
0       2q array has     10 entries.
0       3q array has     12 entries.
0       4q array has      9 entries.
0       5q array has     12 entries.
0direct access unit   9 requires    12 blocks of length  704 for cross section mixing.
1                   400 d, second part of sas2h pass to make library
0general problem description data block
0                              general problem data

 ige  1/2/3 = plane/cylinder/sphere      2      isn  quadrature order                  8
 izm  number of zones                    4      isct order of scattering               3
 im   number of special intervals       28      ievt 0/1/2/3/4/5/6=o/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1      iim  inner iteration maximum         20
 ibr  right boundary condition           3      iom  outer iteration maximum         25
 mxx  number of mixtures                 3      iclc -1/0/n--flat res/sn/qpt           0
 ms   mixing table length               70      ith  0/1 = forward/adjoint            0
 igm  number of energy groups           27      iflu not used(always wgtd)             0
 nng  number of neutron groups          27      iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0      idl  0/1/2/3=no/prt nd/pch n/both    14
 iftg number of first thermal group     15      ipbt -1/0/1=none/fine/all bal. prt     0
0                            special options

 ifg  0/1 = none/weighting calculation   1      ipn  0/1/2 diff. coef. param           0
 iqm  volumetric sources (0/n=no/yes)    0      idfm 0/1 = none/density factors 39*    0
 ipm  boundary sources (0/n=no/yes)      0      iaz  0/n = none/n activities by zone   0
 ifn  0/1/2 = input 33*/34*/use last    14      iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10      ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0      ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0      isen outer iteration acceleration     0
 ibln activity data unit                 0      nbnd band rebaln parameter            0
 jbkl 0/1/2 buckling geometry            0
0                          weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1      ihtf total xsect psn in brd gp tables  3
 igmf number of broad groups             3      ndsf psn g-g or file number            4
 itp  0/10/20/30/40 0/c/e/ac/a           0      nusf table length or max order         6
 ipp  -2/-1/0/n=wgted xsect print       -2      mxm extra 1-d x-sect positions         0
 iap  -1/n anisn xsect print            -1
0                           floating point parameters

 eps  overall convergence       1.00000E-04      dy  cyl/pla ht for buckling     .00000E+00
 ptc  point convergence         1.00000E-04      dz  plane depth for buckling  2.00000E+02
 xnf  normalization factor      1.00000E+00      vsc  void streaming correction .00000E+00
 ev   eigenvalue guess           .00000E+00      pv  ipvt=1/2--k/alpha         1.00000E+00
 evm  eigenvalue modifier        .00000E+00      eql  ev change eps for search  1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00      xnpm new param mod for search  7.50000E-01
     this case will require      2611 locations for mixing
     this case has been allocated 200000 locations
1                   400 d, second part of sas2h pass to make library
0       13q array has     70 entries.
0       14q array has     70 entries.
0       15q array has     70 entries.
0                              data block 2 (mixing table, etc.)
```

0	nuclides on tape	cccc identification	mixing table mixture	mixing table component	atom density	extra xsect id's
1	202		3	201	2.09710E-02	
2	203		3	202	4.19420E-02	
3	204		3	203	3.81515E-06	
4	201		3	204	1.54884E-05	
5	205		2	205	4.25156E-02	
6	999		1	92235	1.78765E-04	
7	1001		1	92234	1.66922E-06	
8	5010		1	92236	1.01900E-05	
9	5011		1	92238	7.26421E-03	
10	8016		1	8016	1.50611E-02	
11	6		1	6	1.15315E-02	
12	36083		1	36083	2.39826E-07	
13	36085		1	36085	1.15802E-07	
14	38090		1	38090	2.60028E-06	
15	39089		1	39089	1.81056E-06	
16	40093		1	42095	2.02470E-06	
17	40094		1	40093	1.97826E-06	
18	40095		1	40094	3.06390E-06	
19	40802		1	40095	6.95210E-07	
20	41094		1	41094	1.19135E-12	
21	42095		1	43099	2.96592E-06	
22	43099		1	45103	1.45725E-06	
23	44101		1	45105	5.54075E-09	
24	44106		1	44101	2.61262E-06	
25	45103		1	44106	3.77085E-07	
26	45105		1	46105	8.23960E-07	
27	46105		1	46108	1.79948E-07	
28	46108		1	47109	1.29418E-07	
29	47109		1	51124	3.32722E-11	
30	51124		1	54131	1.37688E-06	
31	54131		1	54132	2.31720E-06	
32	54132		1	54135	2.18632E-09	
33	54135		1	54136	4.97240E-06	
34	54136		1	55134	7.36175E-08	
35	55133		1	55135	1.55832E-06	
36	55134		1	55137	3.13142E-06	
37	55135		1	56136	1.42899E-08	
38	55137		1	57139	3.11998E-06	
39	56136		1	59141	2.51929E-06	
40	57139		1	59143	1.30169E-07	
41	58144		1	58144	1.65612E-06	
42	59141		1	60143	2.56634E-06	
43	59143		1	60145	1.86380E-06	
44	60143		1	61147	8.21699E-07	
45	60145		1	61148	2.25854E-09	
46	60147		1	60147	4.38963E-08	
47	61147		1	62147	1.21021E-07	
48	61148		1	62149	2.48712E-08	
49	62147		1	62150	5.79478E-07	
50	62149		1	62151	9.50067E-08	
51	62150		1	62152	2.80778E-07	
52	62151		1	64155	2.63991E-10	
53	62152		1	63153	1.30668E-07	
54	63153		1	63154	1.53097E-08	
55	63154		1	63155	1.69086E-08	
56	63155		1	40802	4.42681E-05	
57	64155		1	1001	2.30630E-02	
58	92234		1	5010	2.09787E-06	

59	92235	1	5011	8.51673E-06
60	92236	1	55133	3.23773E-06
61	92238	1	95237	4.09226E-07
62	95237	1	94238	2.63252E-08
63	94238	1	94239	2.16321E-05
64	94239	1	94240	2.36745E-06
65	94240	1	94241	8.29987E-07
66	94241	1	94242	3.87820E-08
67	94242	1	95241	1.12358E-08
68	95241	1	95243	1.41059E-09
69	95243	1	96244	5.44610E-11
70	96244	1	999	3.30753E-21

- elapsed time .00 min.
0 24259 locations will be used
0 35q array has 29 entries.
0 36q array has 28 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 400 d, second part of sas2h pass to make library

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	1	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	1	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	1	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	2	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01086E+07	2	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00	
15	3.04999E+00	1.50080E+01	2.10601E+06	2	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00	
17	1.29999E+00	1.58557E+01	1.52545E+06	2	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	3	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	3	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	3	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	3	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 400 d, second part of sas2h pass to make library

0	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	3	3			0	-2.79004E-01	3	0
2	2	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	3	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	1	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02

6				5.55953E-02	-2.31301E-01	7	-1.28595E-02
7				5.55953E-02	2.31301E-01	6	1.28595E-02
8				5.55953E-02	5.58410E-01	5	3.10450E-02
9				0	-8.50774E-01	15	0
10				5.22844E-02	-8.21784E-01	15	-4.29665E-02
11				5.22844E-02	-6.01588E-01	14	-3.14537E-02
12				5.22844E-02	-2.20196E-01	13	-1.15128E-02
13				5.22844E-02	2.20196E-01	12	1.15128E-02
14				5.22844E-02	6.01588E-01	11	3.14537E-02
15				5.22844E-02	8.21784E-01	10	4.29665E-02
16				0	-9.83032E-01	24	0
17				4.53365E-02	-9.64143E-01	24	-4.37099E-02
18				4.53365E-02	-8.17361E-01	23	-3.70655E-02
19				4.53365E-02	-5.46143E-01	22	-2.47597E-02
20				4.53365E-02	-1.91780E-01	21	-8.69444E-03
21				4.53365E-02	1.91780E-01	20	8.69444E-03
22				4.53365E-02	5.46143E-01	19	2.47597E-02
23				4.53365E-02	8.17361E-01	18	3.70655E-02
24				4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86855E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83032E-01	-4.49528E-01	8.36885E-01	5.00703E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17236E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17236E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.97644E-02	1	0	4.90881E-05		0	
2	3.95287E-02	5.92931E-02	1	2.48366E-01	1.47264E-02		0	
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0	
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0	
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01			
6	3.16230E-01	3.55759E-01	1	1.98693E+00	1.76717E-01			
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01			
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.56258E-01			
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42355E-01			
10	5.92931E-01	6.12696E-01	1	3.72550E+00	1.52173E-01			
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02			
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46405E-02			
13	6.73100E-01	6.96589E-01	3	4.22921E+00	2.05562E-01			
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01			

```
    15  7.67053E-01  7.90517E-01       3      4.81941E+00  2.33282E-01
    16  8.14000E-01  8.62795E-01       4      5.11451E+00  5.29051E-01
    17  9.11591E-01  9.60886E-01       4      5.72769E+00  5.88891E-01
    18  1.00918E+00  1.10677E+00       4      6.34088E+00  1.35731E+00
    19  1.20436E+00  1.30195E+00       4      7.56724E+00  1.59667E+00
    20  1.39955E+00  1.49714E+00       4      8.79360E+00  1.83603E+00
    21  1.59473E+00  1.69252E+00       4      1.00200E+01  2.07540E+00
    22  1.78991E+00  1.88750E+00       4      1.12463E+01  2.31476E+00
    23  1.98509E+00  2.08268E+00       4      1.24727E+01  2.55412E+00
    24  2.18027E+00  2.27786E+00       4      1.36991E+01  2.79349E+00
    25  2.37545E+00  2.47305E+00       4      1.49254E+01  3.03286E+00
    26  2.57064E+00  2.66823E+00       4      1.61518E+01  3.27221E+00
    27  2.76582E+00  2.81461E+00       4      1.73781E+01  1.72587E+00
    28  2.86341E+00  2.91220E+00       4      1.79913E+01  1.78571E+00
    29  2.96100E+00                            1.86045E+01
-  elapsed time     .00 min.
1 outer inner  1 - balance   eigenvalue  1 - source   1 - scatter  1 - upscat      search        time
   iter iters                              ratio        ratio        ratio      parameter      (min)
      1   209 -6.79447E-06  1.10245E+00 -1.13242E-01  1.00000E+00 -3.37148E-02  .00000E+00      .0000
      2   310  9.83679E-06  1.11343E+00 -1.52187E-03 -1.43890E-02 -4.02258E-03  .00000E+00      .0167
      3   391 -1.79683E-07  1.11486E+00 -1.88561E-04 -1.61512E-03 -8.38010E-04  .00000E+00      .0167
      4   450  3.41931E-07  1.11512E+00 -3.48739E-05 -3.42568E-04 -1.73054E-04  .00000E+00      .0167
      5   490 -3.09952E-07  1.11519E+00 -7.12395E-06 -7.15464E-05 -3.53365E-05  .00000E+00      .0167
                                                                                 grp to grp inner  mfd    max. flux   msf  max. scale coarse
                                                                                          iters  int.   difference  int.    factor   mesh
                                                                                   1     1     1   17  1.87323E-06   28  1.00000E+00    1
                                                                                   2     2     1   17  2.27993E-06   28  1.00000E+00    1
                                                                                   3     3     1   17  2.11386E-06   28  1.00000E+00    1
                                                                                   4     4     1   17  2.06738E-06   28  1.00000E+00    1
                                                                                   5     5     1   17  2.17286E-06   28  1.00000E+00    1
                                                                                   6     6     1   17  1.48735E-06   28  1.00000E+00    1
                                                                                   7     7     1   24  8.67078E-07   28  1.00000E+00    2
                                                                                   8     8     1    3  1.58248E-07   20  1.00000E+00    2
                                                                                   9     9     1   27  9.38686E-06   28  1.00001E+00    3
                                                                                  10    10     1   26  2.98893E-06   28  1.00000E+00    3
                                                                                  11    11     1   26  2.40436E-06   28  1.00000E+00    3
                                                                                  12    12     1   26  6.88131E-07   28  1.00000E+00    3
                                                                                  13    13     1   26  3.40379E-06   28  9.99997E-01    3
                                                                                  14    14     1   25  1.09215E-06   28  9.99999E-01    3
                                                                                  15    15     1    2  3.61842E-05   28  9.99959E-01    2
                                                                                  16    16     1    2  4.45262E-05   28  9.99963E-01    2
                                                                                  17    17     1   27  9.69786E-05   28  1.00002E+00    3
                                                                                  18    18     1    2  5.90621E-05   28  9.99926E-01    3
                                                                                  19    19     1    2  5.16568E-05   28  9.99895E-01    3
                                                                                  20    20     1    2  4.13515E-05   28  9.99919E-01    3
                                                                                  21    21     1    2  6.39971E-05   28  9.99945E-01    3
                                                                                  22    22     1   23  2.90040E-05   28  9.99968E-01    3
                                                                                  23    23     1   27  2.77437E-05   28  1.00001E+00    4
                                                                                  24    24     1    1  3.29003E-05    9  1.00002E+00    4
                                                                                  25    25     1    1  3.33667E-05    8  1.00002E+00    5
                                                                                  26    26     1    1  2.69977E-05    6  1.00002E+00    6
                                                                                  27    27     1    1  2.52230E-05    5  1.00001E+00    8
      6   517 -1.47045E-06  1.11521E+00 -1.32887E-06 -1.47463E-05 -7.73286E-06  .00000E+00      .0167
            final monitor
                  lambda  1.11520E+00          production/absorption  1.12981E+00          angular flux on  16
-  elapsed time     .02 min.
1                    400 d, second part of sas2h pass to make library
0 int. zone number     radius    int. midpoint     area         volume      prod density
    1      1       .00000E+00  1.97664E-02   .00000E+00  4.90881E-03   .00000E+00
    2      1       3.95287E-02  5.92931E-02  2.48366E-01  1.47264E-02   .00000E+00
```

3	1	7.90575E-02	1.18586E-01	4.96733E-01	5.89057E-02	.00000E+00
4	1	1.58115E-01	1.97644E-01	9.93466E-01	9.81762E-02	.00000E+00
5	1	2.37172E-01	2.76701E-01	1.49020E+00	1.37447E-01	.00000E+00
6	1	3.16230E-01	3.55759E-01	1.98693E+00	1.76717E-01	.00000E+00
7	1	3.95288E-01	4.34816E-01	2.48366E+00	2.15988E-01	.00000E+00
8	1	4.74345E-01	5.13874E-01	2.98040E+00	2.55258E-01	.00000E+00
9	1	5.53403E-01	5.73167E-01	3.47713E+00	1.42355E-01	.00000E+00
10	1	5.92931E-01	6.12696E-01	3.72550E+00	1.52173E-01	.00000E+00
11	2	6.32460E-01	6.42620E-01	3.97386E+00	8.20460E-02	.00000E+00
12	2	6.52780E-01	6.62940E-01	4.10154E+00	8.46405E-02	.00000E+00
13	3	6.73100E-01	6.96583E-01	4.22921E+00	2.05562E-01	.00000E+00
14	3	7.20067E-01	7.43550E-01	4.52431E+00	2.19422E-01	.00000E+00
15	3	7.67033E-01	7.90517E-01	4.81941E+00	2.33282E-01	.00000E+00
16	4	8.14000E-01	8.62795E-01	5.11451E+00	5.29051E-01	2.53798E-02
17	4	9.11591E-01	9.60386E-01	5.72769E+00	5.88891E-01	2.76386E-02
18	4	1.00918E+00	1.10657E+00	6.34088E+00	1.35731E+00	6.24247E-02
19	4	1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	7.19621E-02
20	4	1.39955E+00	1.49714E+00	8.79360E+00	1.85603E+00	8.15879E-02
21	4	1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	9.12662E-02
22	4	1.78991E+00	1.88750E+00	1.12463E+01	2.31478E+00	1.01001E-01
23	4	1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	1.10800E-01
24	4	2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.20679E-01
25	4	2.37545E+00	2.47305E+00	1.49254E+01	3.05285E+00	1.30655E-01
26	4	2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.40759E-01
27	4	2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	7.42165E-02
28	4	2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	7.68256E-02
29		2.96100E+00		1.86045E+01		

1 400 d, second part of sas2h pass to make library

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.25057E-02	8.95631E-02	1.11854E-01	6.87739E-02	1.02549E-01	1.92650E-01	1.92996E-01	1.46916E-01
2	1.25006E-02	8.95125E-02	1.11789E-01	6.87356E-02	1.02498E-01	1.92564E-01	1.92956E-01	1.46910E-01
3	1.25013E-02	8.95252E-02	1.11810E-01	6.87536E-02	1.02531E-01	1.92634E-01	1.93010E-01	1.46921E-01
4	1.25078E-02	8.96048E-02	1.11923E-01	6.88518E-02	1.02660E-01	1.92877E-01	1.93166E-01	1.46950E-01
5	1.25196E-02	8.97448E-02	1.12117E-01	6.89647E-02	1.02877E-01	1.93276E-01	1.93415E-01	1.46993E-01
6	1.25358E-02	8.99574E-02	1.12386E-01	6.91479E-02	1.03174E-01	1.93826E-01	1.93754E-01	1.47050E-01
7	1.25562E-02	9.01839E-02	1.12730E-01	6.93857E-02	1.03563E-01	1.94544E-01	1.94197E-01	1.47120E-01
8	1.25808E-02	9.04917E-02	1.13168E-01	6.96928E-02	1.04059E-01	1.95481E-01	1.94774E-01	1.47203E-01
9	1.26015E-02	9.07625E-02	1.13561E-01	6.99745E-02	1.04537E-01	1.96350E-01	1.95311E-01	1.47272E-01
10	1.26156E-02	9.09748E-02	1.13889E-01	7.02224E-02	1.04958E-01	1.97137E-01	1.95799E-01	1.47320E-01
11	1.26275E-02	9.11508E-02	1.14163E-01	7.04305E-02	1.05312E-01	1.97814E-01	1.96217E-01	1.47365E-01
12	1.26404E-02	9.12817E-02	1.14336E-01	7.05388E-02	1.05481E-01	1.98151E-01	1.96420E-01	1.47408E-01
13	1.26674E-02	9.15202E-02	1.14605E-01	7.06764E-02	1.05671E-01	1.98492E-01	1.96613E-01	1.47477E-01
14	1.27071E-02	9.19001E-02	1.15057E-01	7.09315E-02	1.06047E-01	1.99153E-01	1.96993E-01	1.47568E-01
15	1.27538E-02	9.23889E-02	1.15679E-01	7.13178E-02	1.06644E-01	2.00227E-01	1.97623E-01	1.47669E-01
16	1.28264E-02	9.31720E-02	1.16692E-01	7.19625E-02	1.07660E-01	2.02071E-01	1.98718E-01	1.47838E-01
17	1.28981E-02	9.39521E-02	1.17705E-01	7.26107E-02	1.08693E-01	2.03969E-01	1.99864E-01	1.48035E-01
18	1.29553E-02	9.45857E-02	1.18537E-01	7.31472E-02	1.09561E-01	2.05610E-01	2.00884E-01	1.48239E-01
19	1.30052E-02	9.51495E-02	1.19286E-01	7.36332E-02	1.10365E-01	2.07143E-01	2.01854E-01	1.48451E-01
20	1.30346E-02	9.54890E-02	1.19744E-01	7.39536E-02	1.10853E-01	2.08131E-01	2.02496E-01	1.48606E-01
21	1.30531E-02	9.57079E-02	1.20045E-01	7.41316E-02	1.11184E-01	2.08806E-01	2.02943E-01	1.48722E-01
22	1.30650E-02	9.58513E-02	1.20245E-01	7.42641E-02	1.11408E-01	2.09273E-01	2.03259E-01	1.48809E-01
23	1.30725E-02	9.59439E-02	1.20376E-01	7.43514E-02	1.11557E-01	2.09592E-01	2.03478E-01	1.48872E-01
24	1.30769E-02	9.59995E-02	1.20456E-01	7.44048E-02	1.11650E-01	2.09796E-01	2.03620E-01	1.48914E-01
25	1.30788E-02	9.60249E-02	1.20494E-01	7.44305E-02	1.11695E-01	2.09900E-01	2.03694E-01	1.48935E-01
26	1.30785E-02	9.60221E-02	1.20492E-01	7.44295E-02	1.11695E-01	2.09908E-01	2.03701E-01	1.48936E-01
27	1.30768E-02	9.60022E-02	1.20466E-01	7.44120E-02	1.11666E-01	2.09853E-01	2.03664E-01	1.48922E-01
28	1.30743E-02	9.59726E-02	1.20426E-01	7.43853E-02	1.11622E-01	2.09762E-01	2.03600E-01	1.48902E-01

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.15851E-01	1.07023E-01	1.00742E-01	6.53261E-02	5.58631E-02	5.34703E-02	2.91697E-02	1.62050E-02

2	1.15851E-01	1.07025E-01	1.00746E-01	6.53311E-02	5.58579E-02	5.34771E-02	2.91719E-02	1.62060E-02
3	1.15849E-01	1.07015E-01	1.00725E-01	6.53072E-02	5.58457E-02	5.34451E-02	2.91656E-02	1.62027E-02
4	1.15845E-01	1.06994E-01	1.00675E-01	6.52498E-02	5.57924E-02	5.33681E-02	2.91503E-02	1.61949E-02
5	1.15838E-01	1.06960E-01	1.00599E-01	6.51622E-02	5.57115E-02	5.32510E-02	2.91274E-02	1.61831E-02
6	1.15828E-01	1.06915E-01	1.00498E-01	6.50432E-02	5.56021E-02	5.30922E-02	2.90972E-02	1.61674E-02
7	1.15815E-01	1.06854E-01	1.00359E-01	6.48873E-02	5.54593E-02	5.28844E-02	2.90591E-02	1.61475E-02
8	1.15801E-01	1.06774E-01	1.00179E-01	6.46818E-02	5.52724E-02	5.26115E-02	2.90112E-02	1.61220E-02
9	1.15790E-01	1.06698E-01	1.00009E-01	6.44900E-02	5.50989E-02	5.23572E-02	2.89682E-02	1.60988E-02
10	1.15790E-01	1.06627E-01	9.98521E-02	6.43155E-02	5.49420E-02	5.21263E-02	2.89306E-02	1.60782E-02
11	1.15795E-01	1.06571E-01	9.97279E-02	6.41785E-02	5.48174E-02	5.19440E-02	2.88976E-02	1.60607E-02
12	1.15790E-01	1.06550E-01	9.96815E-02	6.41249E-02	5.47661E-02	5.18708E-02	2.88794E-02	1.60521E-02
13	1.15745E-01	1.06523E-01	9.96181E-02	6.40429E-02	5.46928E-02	5.17622E-02	2.88642E-02	1.60436E-02
14	1.15674E-01	1.06459E-01	9.94736E-02	6.38652E-02	5.45380E-02	5.15298E-02	2.88375E-02	1.60279E-02
15	1.15597E-01	1.06352E-01	9.92370E-02	6.35855E-02	5.42961E-02	5.11648E-02	2.88021E-02	1.60034E-02
16	1.15490E-01	1.06178E-01	9.88450E-02	6.31250E-02	5.38967E-02	5.05607E-02	2.87335E-02	1.59609E-02
17	1.15395E-01	1.06001E-01	9.84532E-02	6.26647E-02	5.34921E-02	4.99536E-02	2.86511E-02	1.59139E-02
18	1.15326E-01	1.05864E-01	9.81182E-02	6.22715E-02	5.31377E-02	4.94330E-02	2.85619E-02	1.58667E-02
19	1.15272E-01	1.05718E-01	9.78056E-02	6.19052E-02	5.28019E-02	4.89466E-02	2.84672E-02	1.58180E-02
20	1.15246E-01	1.05632E-01	9.76034E-02	6.16686E-02	5.25803E-02	4.86311E-02	2.83957E-02	1.57823E-02
21	1.15233E-01	1.05573E-01	9.74629E-02	6.15042E-02	5.24238E-02	4.84108E-02	2.83411E-02	1.57555E-02
22	1.15227E-01	1.05532E-01	9.73628E-02	6.13871E-02	5.23111E-02	4.82535E-02	2.82996E-02	1.57351E-02
23	1.15223E-01	1.05503E-01	9.72917E-02	6.13038E-02	5.22305E-02	4.81415E-02	2.82689E-02	1.57202E-02
24	1.15221E-01	1.05483E-01	9.72433E-02	6.12472E-02	5.21755E-02	4.80653E-02	2.82479E-02	1.57100E-02
25	1.15218E-01	1.05471E-01	9.72144E-02	6.12134E-02	5.21430E-02	4.80202E-02	2.82361E-02	1.57043E-02
26	1.15216E-01	1.05467E-01	9.72050E-02	6.12026E-02	5.21336E-02	4.80065E-02	2.82344E-02	1.57034E-02
27	1.15213E-01	1.05469E-01	9.72108E-02	6.12094E-02	5.21414E-02	4.80166E-02	2.82396E-02	1.57060E-02
28	1.15212E-01	1.05475E-01	9.72264E-02	6.12279E-02	5.21608E-02	4.80427E-02	2.82492E-02	1.57106E-02

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.18856E-03	5.77404E-03	1.11361E-02	3.67568E-02	1.17026E-02	2.45114E-02	8.23524E-02	6.72903E-02
2	7.18914E-03	5.77505E-03	1.11370E-02	3.67591E-02	1.17035E-02	2.45130E-02	8.23472E-02	6.72749E-02
3	7.18674E-03	5.76971E-03	1.11326E-02	3.67463E-02	1.16958E-02	2.44814E-02	8.22286E-02	6.71417E-02
4	7.18094E-03	5.75685E-03	1.11221E-02	3.67161E-02	1.16714E-02	2.44096E-02	8.19679E-02	6.68551E-02
5	7.17216E-03	5.73712E-03	1.11061E-02	3.66707E-02	1.16377E-02	2.43017E-02	8.15812E-02	6.64307E-02
6	7.16031E-03	5.71012E-03	1.10846E-02	3.66099E-02	1.15919E-02	2.41561E-02	8.10660E-02	6.58652E-02
7	7.14487E-03	5.67441E-03	1.10567E-02	3.65314E-02	1.15322E-02	2.39668E-02	8.04095E-02	6.51457E-02
8	7.12469E-03	5.62686E-03	1.10205E-02	3.64299E-02	1.14537E-02	2.37201E-02	7.95802E-02	6.42412E-02
9	7.10594E-03	5.58210E-03	1.09870E-02	3.63366E-02	1.13805E-02	2.34919E-02	7.88345E-02	6.34329E-02
10	7.08890E-03	5.54098E-03	1.09567E-02	3.62528E-02	1.13135E-02	2.32861E-02	7.81864E-02	6.27365E-02
11	7.07524E-03	5.50932E-03	1.09324E-02	3.61859E-02	1.12621E-02	2.31311E-02	7.77151E-02	6.22517E-02
12	7.06955E-03	5.49788E-03	1.09222E-02	3.61580E-02	1.12443E-02	2.30792E-02	7.75701E-02	6.21288E-02
13	7.06188E-03	5.47757E-03	1.09090E-02	3.61211E-02	1.12153E-02	2.29849E-02	7.72897E-02	6.18219E-02
14	7.04569E-03	5.43221E-03	1.08814E-02	3.60443E-02	1.11489E-02	2.27717E-02	7.66667E-02	6.11202E-02
15	7.02004E-03	5.36034E-03	1.08383E-02	3.59251E-02	1.10431E-02	2.24408E-02	7.57563E-02	6.01143E-02
16	6.97771E-03	5.24065E-03	1.07667E-02	3.57294E-02	1.08713E-02	2.19032E-02	7.43599E-02	5.86188E-02
17	6.93481E-03	5.12525E-03	1.06925E-02	3.55267E-02	1.07018E-02	2.13714E-02	7.29415E-02	5.71296E-02
18	6.89685E-03	5.03035E-03	1.06245E-02	3.53387E-02	1.05580E-02	2.09211E-02	7.15856E-02	5.57125E-02
19	6.85046E-03	4.94801E-03	1.05580E-02	3.51531E-02	1.04257E-02	2.05008E-02	7.02214E-02	5.42902E-02
20	6.83605E-03	4.89816E-03	1.05126E-02	3.50242E-02	1.03364E-02	2.02279E-02	6.92483E-02	5.32798E-02
21	6.81853E-03	4.86493E-03	1.04798E-02	3.49297E-02	1.02749E-02	2.00342E-02	6.85188E-02	5.25261E-02
22	6.80577E-03	4.84202E-03	1.04558E-02	3.48596E-02	1.02306E-02	1.98945E-02	6.79658E-02	5.19580E-02
23	6.79658E-03	4.82608E-03	1.04385E-02	3.48083E-02	1.01987E-02	1.97930E-02	6.75511E-02	5.15330E-02
24	6.79052E-03	4.81535E-03	1.04266E-02	3.47728E-02	1.01764E-02	1.97221E-02	6.72513E-02	5.12251E-02
25	6.78670E-03	4.80890E-03	1.04197E-02	3.47518E-02	1.01627E-02	1.96769E-02	6.70536E-02	5.10182E-02
26	6.78581E-03	4.80639E-03	1.04178E-02	3.47450E-02	1.01574E-02	1.96571E-02	6.69571E-02	5.09080E-02
27	6.78691E-03	4.80730E-03	1.04192E-02	3.47503E-02	1.01588E-02	1.96581E-02	6.69476E-02	5.08833E-02
28	6.78947E-03	4.81043E-03	1.04236E-02	3.47628E-02	1.01648E-02	1.96738E-02	6.69992E-02	5.09185E-02

0 int.	grp. 25	grp. 26	grp. 27
1	3.03898E-02	2.19068E-02	4.15995E-03
2	3.03783E-02	2.18929E-02	4.15685E-03
3	3.03061E-02	2.18294E-02	4.14383E-03

4	3.01527E-02	2.16951E-02	4.11622E-03
5	2.99252E-02	2.14969E-02	4.07445E-03
6	2.96217E-02	2.12253E-02	4.01718E-03
7	2.92355E-02	2.08794E-02	3.94217E-03
8	2.87521E-02	2.04428E-02	3.86524E-03
9	2.83226E-02	2.00533E-02	3.75744E-03
10	2.79580E-02	1.97200E-02	3.68178E-03
11	2.77139E-02	1.95052E-02	3.63597E-03
12	2.76618E-02	1.94729E-02	3.63295E-03
13	2.74883E-02	1.93123E-02	3.58986E-03
14	2.70915E-02	1.89801E-02	3.48563E-03
15	2.65368E-02	1.83881E-02	3.32999E-03
16	2.57315E-02	1.76111E-02	3.10172E-03
17	2.49430E-02	1.68792E-02	2.90579E-03
18	2.41993E-02	1.62261E-02	2.75982E-03
19	2.34580E-02	1.55963E-02	2.62914E-03
20	2.29381E-02	1.51746E-02	2.55060E-03
21	2.25547E-02	1.48750E-02	2.49817E-03
22	2.22691E-02	1.46591E-02	2.46212E-03
23	2.20574E-02	1.45025E-02	2.43669E-03
24	2.19050E-02	1.43925E-02	2.41907E-03
25	2.18021E-02	1.43185E-02	2.40741E-03
26	2.17446E-02	1.42760E-02	2.40071E-03
27	2.17277E-02	1.42609E-02	2.39818E-03
28	2.17389E-02	1.42640E-02	2.39807E-03

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	4.87090E-04	6.44704E-04	5.36821E-05	-6.98354E-04	9.99954E-01
2	.00000E+00	.00000E+00	3.69919E-04	6.08007E-03	7.99113E-03	1.73746E-04	-7.79466E-03	9.99963E-01
3	.00000E+00	.00000E+00	3.79336E-03	5.43308E-03	1.41368E-02	9.22434E-05	-1.04344E-02	9.99978E-01
4	.00000E+00	.00000E+00	5.54790E-03	3.58874E-03	1.23306E-02	4.18804E-05	-6.82441E-03	9.99988E-01
5	.00000E+00	.00000E+00	1.02112E-02	1.15085E-02	2.08499E-02	4.99949E-05	-1.06881E-02	9.99992E-01
6	.00000E+00	.00000E+00	2.14361E-02	3.44799E-02	4.09796E-02	8.42484E-05	-1.96277E-02	9.99999E-01
7	.00000E+00	.00000E+00	4.21852E-02	6.09506E-02	5.41196E-02	6.12018E-05	-1.19949E-02	9.99988E-01
8	.00000E+00	.00000E+00	5.63323E-02	7.83160E-02	5.87228E-02	3.63888E-05	-2.42176E-03	9.99912E-01
9	.00000E+00	.00000E+00	5.77629E-02	7.25727E-02	5.74709E-02	2.92600E-05	2.69312E-04	9.99886E-01
10	.00000E+00	.00000E+00	5.70519E-02	6.91067E-02	5.55375E-02	3.60291E-05	1.48434E-03	9.99895E-01
11	.00000E+00	.00000E+00	5.58257E-02	6.55068E-02	5.22981E-02	5.50836E-05	3.47392E-03	9.99935E-01
12	.00000E+00	.00000E+00	4.53517E-02	3.50518E-02	4.12427E-02	6.05735E-05	4.04963E-03	9.99979E-01
13	.00000E+00	.00000E+00	4.05122E-02	2.85695E-02	3.66385E-02	8.46320E-05	3.79026E-03	9.99969E-01
14	.00000E+00	.00000E+00	3.94478E-02	2.83211E-02	3.38517E-02	1.36678E-04	5.47987E-03	9.99988E-01
15	.00000E+00	.00000E+00	2.17288E-02	1.09097E-02	2.04384E-02	1.13197E-04	1.17730E-03	9.99999E-01
16	.00000E+00	.00000E+00	1.42777E-02	4.61551E-03	1.35977E-02	7.69714E-05	6.02984E-04	1.00000E+00
17	.00000E+00	.00000E+00	7.35010E-03	1.32571E-03	6.88720E-03	3.78928E-05	4.25050E-04	9.99994E-01
18	.00000E+00	.00000E+00	6.53283E-03	1.02357E-03	5.59193E-03	3.20218E-05	9.08861E-04	1.00000E+00
19	.00000E+00	.00000E+00	1.09093E-02	3.03867E-03	1.00851E-02	6.80572E-05	7.56118E-04	1.00001E+00
20	.00000E+00	.00000E+00	2.68510E-02	2.16304E-02	2.44561E-02	2.82106E-04	2.11265E-03	1.00001E+00
21	.00000E+00	.00000E+00	1.30419E-02	4.41230E-03	1.14784E-02	1.10653E-04	1.45278E-03	1.00000E+00
22	.00000E+00	.00000E+00	2.60528E-02	1.37924E-02	2.14639E-02	2.64914E-04	4.32368E-03	1.00001E+00
23	.00000E+00	.00000E+00	6.85292E-02	8.34136E-02	5.47754E-02	1.21087E-03	1.23403E-02	1.00004E+00
24	.00000E+00	.00000E+00	7.33842E-02	7.84564E-02	6.05612E-02	1.42736E-03	1.13952E-02	1.00003E+00
25	.00000E+00	.00000E+00	4.88734E-02	3.32269E-02	4.27465E-02	8.44487E-04	5.28160E-03	1.00002E+00
26	.00000E+00	.00000E+00	3.90251E-02	3.71057E-02	3.42702E-02	8.58082E-04	3.89626E-03	1.00001E+00
27	.00000E+00	.00000E+00	1.32287E-02	8.05151E-03	1.22656E-02	3.06472E-04	6.56606E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.05411E-01	8.00971E-01	8.05411E-01	6.62813E-03	-6.60952E-03	9.99977E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.26224E-02	-6.98354E-04	1.25098E-02	.00000E+00	3.56540E-11	.00000E+00	1.95222E-05	1.57829E-02
2	9.10870E-02	-7.79466E-03	8.96060E-02	.00000E+00	.00000E+00	.00000E+00	8.81274E-05	1.13399E-01
3	1.14068E-01	-1.04344E-02	1.11905E-01	.00000E+00	.00000E+00	.00000E+00	9.18164E-05	1.41773E-01

4	7.03623E-02	-6.82441E-03	6.88079E-02	.00000E+00	.00000E+00	.00000E+00	4.16276E-05	8.72793E-02
5	1.05198E-01	-1.06881E-02	1.02598E-01	.00000E+00	.00000E+00	.00000E+00	4.98024E-05	1.30290E-01
6	1.97587E-01	-1.96277E-02	1.92734E-01	.00000E+00	.00000E+00	.00000E+00	8.33793E-05	2.44749E-01
7	1.96079E-01	-1.99949E-02	1.93039E-01	.00000E+00	.00000E+00	.00000E+00	5.92586E-05	2.44207E-01
8	1.47344E-01	-2.42176E-03	1.46923E-01	.00000E+00	.00000E+00	.00000E+00	3.27104E-05	1.84890E-01
9	1.15793E-01	2.69312E-04	1.15850E-01	.00000E+00	.00000E+00	.00000E+00	2.16620E-05	1.45540E-01
10	1.06585E-01	1.48434E-03	1.07020E-01	.00000E+00	.00000E+00	.00000E+00	1.91432E-05	1.34253E-01
11	9.97614E-02	3.47392E-03	1.00734E-01	.00000E+00	.00000E+00	.00000E+00	1.78840E-05	1.26061E-01
12	6.42154E-02	4.04963E-03	6.53172E-02	.00000E+00	.00000E+00	.00000E+00	1.04989E-05	8.14795E-02
13	5.48522E-02	3.79026E-03	5.58546E-02	.00000E+00	.00000E+00	.00000E+00	8.74493E-06	6.96388E-02
14	5.19940E-02	5.47987E-03	5.34581E-02	.00000E+00	.00000E+00	.00000E+00	8.50472E-06	6.63766E-02
15	2.89100E-02	1.17730E-03	2.91671E-02	.00000E+00	.00000E+00	.00000E+00	4.49456E-06	3.65061E-02
16	1.60667E-02	6.02984E-04	1.62088E-02	.00000E+00	.00000E+00	.00000E+00	2.25859E-06	2.02853E-02
17	7.07912E-03	4.25050E-04	7.18759E-03	.00000E+00	.00000E+00	.00000E+00	9.18383E-07	8.97278E-03
18	5.51736E-03	9.08861E-04	5.77216E-03	.00000E+00	.00000E+00	.00000E+00	7.10512E-07	7.11580E-03
19	1.09396E-02	7.56118E-04	1.11345E-02	.00000E+00	.00000E+00	.00000E+00	1.45276E-06	1.38842E-02
20	3.62062E-02	2.11265E-03	3.67535E-02	.00000E+00	.00000E+00	.00000E+00	5.37749E-06	4.58796E-02
21	1.12751E-02	1.45278E-03	1.17000E-02	.00000E+00	.00000E+00	.00000E+00	1.52665E-06	1.44687E-02
22	2.31684E-02	4.32368E-03	2.45039E-02	.00000E+00	.00000E+00	.00000E+00	2.74687E-06	3.00478E-02
23	7.78185E-02	1.23403E-02	8.25315E-02	.00000E+00	.00000E+00	.00000E+00	8.31792E-06	1.00848E-01
24	6.23427E-02	1.13952E-02	6.72752E-02	.00000E+00	.00000E+00	.00000E+00	5.00516E-06	8.16554E-02
25	2.77532E-02	5.28160E-03	3.03848E-02	.00000E+00	.00000E+00	.00000E+00	1.73456E-06	3.66298E-02
26	1.95322E-02	3.89626E-03	2.19042E-02	.00000E+00	.00000E+00	.00000E+00	9.13946E-07	2.61344E-02
27	3.63920E-03	6.56606E-04	4.16017E-03	.00000E+00	.00000E+00	.00000E+00	1.07667E-07	4.92792E-03
28	1.75780E+00	-6.60954E-03	1.76484E+00	.00000E+00	3.56540E-11	.00000E+00	5.87347E-04	2.21307E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.15383E-04	1.61457E-04	2.42210E-06	-1.58120E-04	1.00001E+00
2	.00000E+00	.00000E+00	2.81981E-05	1.44083E-03	1.05387E-03	1.38776E-05	-1.01956E-03	1.00000E+00
3	.00000E+00	.00000E+00	1.47884E-04	2.75496E-03	8.71089E-04	2.01597E-05	-7.43311E-04	9.99995E-01
4	.00000E+00	.00000E+00	2.84131E-04	2.29810E-03	2.97554E-04	1.30594E-05	-2.64714E-05	9.99998E-01
5	.00000E+00	.00000E+00	6.11481E-04	4.41046E-03	2.78928E-04	1.68406E-05	3.15690E-04	1.00000E+00
6	.00000E+00	.00000E+00	1.01580E-03	1.23994E-02	1.69411E-04	2.70556E-05	8.19316E-04	1.00000E+00
7	.00000E+00	.00000E+00	6.69131E-04	1.25914E-02	6.32907E-05	2.68088E-05	5.79052E-04	1.00000E+00
8	.00000E+00	.00000E+00	1.17079E-04	9.20419E-03	4.43196E-04	2.21031E-05	-3.48250E-04	1.00001E+00
9	.00000E+00	.00000E+00	4.45026E-04	6.35590E-03	5.29835E-05	7.66649E-05	3.15394E-04	9.99977E-01
10	.00000E+00	.00000E+00	5.30482E-05	4.98332E-03	4.94432E-05	5.92845E-05	-5.56846E-05	1.00000E+00
11	.00000E+00	.00000E+00	4.94466E-05	4.44910E-03	5.02461E-05	8.99049E-05	-9.07094E-05	1.00000E+00
12	.00000E+00	.00000E+00	5.02464E-05	2.75837E-03	5.13184E-05	5.66705E-06	-6.74324E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.13185E-05	2.35694E-03	4.80759E-05	6.31536E-06	-3.07290E-06	9.99999E-01
14	.00000E+00	.00000E+00	4.80800E-05	2.23846E-03	4.21840E-05	8.54857E-06	-2.65427E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.47981E-05	1.22002E-03	4.99316E-05	6.31821E-06	-1.14141E-05	9.99969E-01
16	.00000E+00	.00000E+00	5.60781E-05	6.49257E-04	5.62444E-05	3.84793E-06	-3.98967E-06	9.99963E-01
17	.00000E+00	.00000E+00	6.20020E-05	2.49363E-04	6.13815E-05	1.85364E-06	-1.21919E-06	9.99971E-01
18	.00000E+00	.00000E+00	6.47016E-05	1.82791E-04	5.90224E-05	1.52182E-06	4.16732E-06	9.99990E-01
19	.00000E+00	.00000E+00	6.02860E-05	4.18390E-04	6.17296E-05	3.24660E-06	-4.67128E-06	9.99977E-01
20	.00000E+00	.00000E+00	7.57261E-05	1.52450E-03	6.48122E-05	1.31067E-05	-2.13273E-06	9.99973E-01
21	.00000E+00	.00000E+00	8.70456E-05	3.99105E-04	9.53318E-05	4.94723E-06	-1.32096E-05	9.99985E-01
22	.00000E+00	.00000E+00	1.26263E-04	8.95497E-04	1.19680E-04	1.15625E-05	-4.96162E-06	9.99996E-01
23	.00000E+00	.00000E+00	1.82549E-04	3.17792E-03	2.33312E-04	5.19052E-05	-1.02700E-04	1.00000E+00
24	.00000E+00	.00000E+00	2.99436E-04	2.40298E-03	3.29773E-04	5.89847E-05	-8.95902E-05	1.00001E+00
25	.00000E+00	.00000E+00	3.05008E-04	9.67478E-04	2.49016E-04	3.42378E-05	2.17282E-05	1.00000E+00
26	.00000E+00	.00000E+00	1.29578E-04	7.56319E-04	9.99495E-05	3.39527E-05	-4.33787E-06	1.00000E+00
27	.00000E+00	.00000E+00	2.89815E-05	1.59608E-04	8.22357E-08	1.18415E-05	1.70544E-05	1.00001E+00
28	.00000E+00	.00000E+00	5.09332E-03	8.14601E-02	5.09332E-03	6.26039E-04	-6.20222E-04	9.99994E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.26481E-02	-8.56474E-04	1.26224E-02	-6.98354E-04	5.76869E-06	.00000E+00	1.59470E-06	2.10592E-03
2	9.13489E-02	-8.81422E-03	9.10870E-02	-7.79466E-03	.00000E+00	.00000E+00	1.10152E-05	1.52047E-02
3	1.14414E-01	-1.11777E-02	1.14068E-01	-1.04344E-02	.00000E+00	.00000E+00	1.26247E-05	1.90441E-02
4	7.05789E-02	-6.85088E-03	7.03623E-02	-6.82441E-03	.00000E+00	.00000E+00	7.41779E-06	1.17490E-02

5	1.05537E-01	-1.03724E-02	1.05198E-01	-1.06881E-02	.00000E+00	.00000E+00	8.62403E-06	1.75684E-02
6	1.98262E-01	-1.88084E-02	1.97587E-01	-1.96277E-02	.00000E+00	.00000E+00	1.01711E-05	3.30015E-02
7	1.96485E-01	-1.14159E-02	1.96079E-01	-1.19949E-02	.00000E+00	.00000E+00	8.35158E-06	3.27240E-02
8	1.47432E-01	-2.77001E-03	1.47344E-01	-2.42178E-03	.00000E+00	.00000E+00	5.27251E-06	2.45674E-02
9	1.15782E-01	5.84706E-04	1.15793E-01	2.69312E-04	.00000E+00	.00000E+00	4.58111E-06	1.93011E-02
10	1.06545E-01	1.42866E-03	1.06585E-01	1.48434E-03	.00000E+00	.00000E+00	4.90574E-06	1.77622E-02
11	9.96685E-02	3.38521E-03	9.97614E-02	3.47392E-03	.00000E+00	.00000E+00	4.75836E-06	1.66194E-02
12	6.41083E-02	4.04285E-03	6.42154E-02	4.04963E-03	.00000E+00	.00000E+00	3.21119E-06	1.06952E-02
13	5.47497E-02	3.78719E-03	5.48522E-02	3.79026E-03	.00000E+00	.00000E+00	2.73684E-06	9.13298E-03
14	5.18477E-02	5.47721E-03	5.19940E-02	5.47987E-03	.00000E+00	.00000E+00	2.58635E-06	8.65217E-03
15	2.88734E-02	1.16589E-03	2.89100E-02	1.17730E-03	.00000E+00	.00000E+00	1.41874E-06	4.81530E-03
16	1.60494E-02	5.98994E-04	1.60667E-02	6.02984E-04	.00000E+00	.00000E+00	7.88577E-07	2.67637E-03
17	7.06775E-03	4.23830E-04	7.07912E-03	4.25050E-04	.00000E+00	.00000E+00	3.47178E-07	1.17887E-03
18	5.49442E-03	9.13028E-04	5.51736E-03	9.08861E-04	.00000E+00	.00000E+00	2.70079E-07	9.17358E-04
19	1.09191E-02	7.51447E-04	1.09396E-02	7.56118E-04	.00000E+00	.00000E+00	5.36007E-07	1.82142E-03
20	3.61504E-02	2.11051E-03	3.62062E-02	2.11265E-03	.00000E+00	.00000E+00	1.77184E-06	6.02934E-03
21	1.12395E-02	1.43957E-03	1.12751E-02	1.45278E-03	.00000E+00	.00000E+00	5.50306E-07	1.87573E-03
22	2.30646E-02	4.31871E-03	2.31684E-02	4.32368E-03	.00000E+00	.00000E+00	1.12842E-06	3.85126E-03
23	7.75285E-02	1.22576E-02	7.78185E-02	1.23403E-02	.00000E+00	.00000E+00	3.77857E-06	1.29418E-02
24	6.20970E-02	1.13098E-02	6.23427E-02	1.13952E-02	.00000E+00	.00000E+00	3.00818E-06	1.03661E-02
25	2.76489E-02	5.30333E-03	2.77532E-02	5.28160E-03	.00000E+00	.00000E+00	1.33133E-06	4.61513E-03
26	1.94675E-02	3.89192E-03	1.95322E-02	3.89626E-03	.00000E+00	.00000E+00	9.27235E-07	3.24852E-03
27	3.63316E-03	6.73660E-04	3.63920E-03	6.56606E-04	.00000E+00	.00000E+00	1.67621E-07	6.05812E-04
28	1.75864E+00	-7.22974E-03	1.75780E+00	-6.60954E-03	5.76869E-06	.00000E+00	1.03875E-04	2.93069E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.58233E-04	3.41793E-04	2.84598E-05	-3.70235E-04	9.99985E-01
2	.00000E+00	.00000E+00	1.96114E-04	3.26545E-03	4.26555E-03	9.27431E-05	-4.16202E-03	9.99988E-01
3	.00000E+00	.00000E+00	2.02449E-03	2.90447E-03	7.55686E-03	4.93124E-05	-5.58153E-03	9.99991E-01
4	.00000E+00	.00000E+00	2.96483E-03	1.92142E-03	6.60181E-03	2.24228E-05	-3.65952E-03	9.99994E-01
5	.00000E+00	.00000E+00	5.46216E-03	6.17154E-03	1.11810E-02	2.65958E-05	-5.74531E-03	9.99996E-01
6	.00000E+00	.00000E+00	1.14852E-02	1.84847E-02	2.19692E-02	4.51656E-05	-1.05312E-02	9.99999E-01
7	.00000E+00	.00000E+00	2.26100E-02	3.23819E-02	2.87528E-02	3.25154E-05	-6.17498E-03	9.99991E-01
8	.00000E+00	.00000E+00	2.99803E-02	4.11483E-02	3.08538E-02	1.91192E-05	-8.89860E-04	9.99919E-01
9	.00000E+00	.00000E+00	3.04122E-02	3.79673E-02	3.00666E-02	1.53077E-05	3.33720E-04	9.99889E-01
10	.00000E+00	.00000E+00	2.98807E-02	3.60666E-02	2.89849E-02	1.88035E-05	8.80195E-04	9.99900E-01
11	.00000E+00	.00000E+00	2.91533E-02	3.40130E-02	2.71547E-02	2.86010E-05	1.97182E-03	9.99945E-01
12	.00000E+00	.00000E+00	2.35738E-02	1.80730E-02	2.12652E-02	3.11292E-05	2.27803E-03	9.99982E-01
13	.00000E+00	.00000E+00	2.09422E-02	1.47182E-02	1.88751E-02	4.35999E-05	2.02418E-03	9.99974E-01
14	.00000E+00	.00000E+00	2.03471E-02	1.44569E-02	1.72699E-02	6.97695E-05	3.00769E-03	9.99991E-01
15	.00000E+00	.00000E+00	1.11306E-02	5.67224E-03	1.06264E-02	5.88538E-05	4.45320E-04	1.00000E+00
16	.00000E+00	.00000E+00	7.36354E-03	2.40001E-03	7.07066E-03	4.00243E-05	2.52656E-04	1.00000E+00
17	.00000E+00	.00000E+00	3.79802E-03	6.83820E-04	3.55788E-03	1.95752E-05	2.20581E-04	9.99995E-01
18	.00000E+00	.00000E+00	3.37567E-03	5.13196E-04	2.80421E-03	1.60581E-05	5.55392E-04	1.00000E+00
19	.00000E+00	.00000E+00	5.61321E-03	1.56669E-03	5.19969E-03	3.50891E-05	3.78374E-04	1.00001E+00
20	.00000E+00	.00000E+00	1.38132E-02	1.11805E-02	1.26411E-02	1.45818E-04	1.02620E-03	1.00001E+00
21	.00000E+00	.00000E+00	6.68412E-03	2.23468E-03	5.81345E-03	5.60422E-05	8.14637E-04	1.00000E+00
22	.00000E+00	.00000E+00	1.32322E-02	6.86523E-03	1.06858E-02	1.31863E-04	2.41643E-03	1.00001E+00
23	.00000E+00	.00000E+00	3.39578E-02	4.16726E-02	2.73653E-02	6.04941E-04	5.96659E-03	1.00002E+00
24	.00000E+00	.00000E+00	3.61385E-02	3.85702E-02	2.97727E-02	7.01708E-04	5.66290E-03	1.00003E+00
25	.00000E+00	.00000E+00	2.38928E-02	1.61333E-02	2.07555E-02	4.10039E-04	2.71696E-03	1.00001E+00
26	.00000E+00	.00000E+00	1.89825E-02	1.76232E-02	1.62774E-02	4.07566E-04	2.29739E-03	1.00001E+00
27	.00000E+00	.00000E+00	6.39842E-03	3.72451E-03	5.67391E-03	1.41769E-04	5.82721E-04	1.00000E+00
28	.00000E+00	.00000E+00	4.13381E-01	4.10651E-01	4.13381E-01	3.29289E-03	-3.28245E-03	9.99975E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.27800E-02	-1.22671E-03	1.26481E-02	-8.56474E-04	1.89021E-11	.00000E+00	1.02438E-05	8.36737E-03
2	9.26692E-02	-1.29762E-02	9.13489E-02	-8.81422E-03	.00000E+00	.00000E+00	4.70411E-05	6.05306E-02
3	1.16041E-01	-1.67592E-02	1.14414E-01	-1.11777E-02	.00000E+00	.00000E+00	4.90841E-05	7.57903E-02
4	7.15465E-02	-1.05102E-02	7.05789E-02	-6.85088E-03	.00000E+00	.00000E+00	2.28774E-05	4.67294E-02
5	1.07001E-01	-1.61177E-02	1.05537E-01	-1.03724E-02	.00000E+00	.00000E+00	2.64389E-05	6.98691E-02

6	2.00871E-01	-2.93395E-02	1.98262E-01	-1.88084E-02	.00000E+00	.00000E+00	4.46996E-05	1.31210E-01
7	1.98001E-01	-1.75909E-02	1.96485E-01	-1.14159E-02	.00000E+00	.00000E+00	3.14830E-05	1.29743E-01
8	1.47723E-01	-3.65987E-03	1.47432E-01	-2.77001E-03	.00000E+00	.00000E+00	1.71865E-05	9.71437E-02
9	1.15554E-01	9.18426E-04	1.15782E-01	5.84706E-04	.00000E+00	.00000E+00	1.13528E-05	7.61409E-02
10	1.06287E-01	2.30885E-03	1.06545E-01	1.42866E-03	.00000E+00	.00000E+00	9.99080E-06	7.00663E-02
11	9.90944E-02	5.35503E-03	9.96685E-02	3.38321E-03	.00000E+00	.00000E+00	9.28590E-06	6.54545E-02
12	6.34182E-02	6.32092E-03	6.41083E-02	4.04289E-03	.00000E+00	.00000E+00	5.41334E-06	4.20115E-02
13	5.41521E-02	5.81137E-03	5.47497E-02	3.78719E-03	.00000E+00	.00000E+00	4.50513E-06	3.58759E-02
14	5.09467E-02	8.48490E-03	5.18477E-02	5.47721E-03	.00000E+00	.00000E+00	4.34136E-06	3.38829E-02
15	2.87815E-02	1.61121E-03	2.88734E-02	1.16589E-03	.00000E+00	.00000E+00	2.33683E-06	1.89804E-02
16	1.59893E-02	8.51850E-04	1.60494E-02	5.98994E-04	.00000E+00	.00000E+00	1.17450E-06	1.05481E-02
17	7.00473E-03	6.44412E-04	7.06775E-03	4.23830E-04	.00000E+00	.00000E+00	4.74431E-07	4.63528E-03
18	5.31703E-03	1.46842E-03	5.49442E-03	9.13088E-04	.00000E+00	.00000E+00	3.56304E-07	3.56840E-03
19	1.08129E-02	1.12982E-03	1.09191E-02	7.51447E-04	.00000E+00	.00000E+00	7.49018E-07	7.15846E-03
20	3.58560E-02	3.13671E-03	3.61504E-02	2.11051E-03	.00000E+00	.00000E+00	2.77957E-06	2.37147E-02
21	1.09799E-02	2.25421E-03	1.12395E-02	1.43957E-03	.00000E+00	.00000E+00	6.71905E-07	7.32790E-03
22	2.22435E-02	6.73514E-03	2.30644E-02	4.31871E-03	.00000E+00	.00000E+00	1.36727E-06	1.49566E-02
23	7.52274E-02	1.82042E-02	7.75285E-02	1.22576E-02	.00000E+00	.00000E+00	4.15556E-06	5.03827E-02
24	5.95316E-02	1.69667E-02	6.20970E-02	1.13038E-02	.00000E+00	.00000E+00	2.46060E-06	4.01429E-02
25	2.62168E-02	8.02088E-03	2.76489E-02	5.30533E-03	.00000E+00	.00000E+00	8.42212E-07	1.77855E-02
26	1.80720E-02	6.18931E-03	1.94675E-02	3.89192E-03	.00000E+00	.00000E+00	4.34099E-07	1.24131E-02
27	3.23510E-03	1.25638E-03	3.63316E-03	6.73660E-04	.00000E+00	.00000E+00	4.98052E-08	2.27959E-03
28	1.75535E+00	-1.05122E-02	1.75864E+00	-7.22974E-03	1.89021E-11	.00000E+00	3.11186E-04	1.15671E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.25011E-02	.00000E+00	2.08848E-02	1.98131E-02	3.68826E-03	1.22670E-03	9.98900E-01
2	.00000E+00	1.92525E-01	6.85378E-03	2.48705E-01	1.71191E-01	1.52242E-02	1.29761E-02	1.00002E+00
3	.00000E+00	2.15618E-01	7.06590E-02	2.56701E-01	2.53277E-01	1.62444E-02	1.67591E-02	9.99988E-01
4	.00000E+00	1.24001E-01	1.04953E-01	1.76351E-01	2.10673E-01	7.77117E-03	1.05101E-02	1.00000E+00
5	.00000E+00	1.64661E-01	1.91269E-01	4.44024E-01	3.34607E-01	5.20950E-03	1.61176E-02	9.99990E-01
6	.00000E+00	1.77976E-01	3.90072E-01	1.19096E+00	5.30432E-01	8.26884E-03	2.95394E-02	1.00001E+00
7	.00000E+00	8.80747E-02	5.92882E-01	1.56441E+00	6.55091E-01	8.28064E-03	1.75914E-02	9.99990E-01
8	.00000E+00	1.35773E-02	6.89252E-01	1.57537E+00	6.85878E-01	1.33484E-02	3.65991E-03	9.99920E-01
9	.00000E+00	9.85518E-04	6.77986E-01	1.37120E+00	6.57991E-01	2.19720E-02	-9.12558E-04	9.99865E-01
10	.00000E+00	7.32011E-05	6.55054E-01	1.26591E+00	6.24316E-01	3.31867E-02	-2.30688E-03	9.99896E-01
11	.00000E+00	5.75899E-06	6.28420E-01	1.15921E+00	5.79823E-01	5.39952E-02	-5.35353E-03	9.99940E-01
12	.00000E+00	4.04559E-07	5.05087E-01	6.33429E-01	4.53159E-01	5.82623E-02	-6.32114E-03	9.99975E-01
13	.00000E+00	6.42403E-08	4.47809E-01	5.02815E-01	3.99520E-01	5.41136E-02	-5.81247E-03	9.99974E-01
14	.00000E+00	1.27307E-08	4.30994E-01	4.71038E-01	3.63406E-01	7.60782E-02	-8.48526E-03	9.99990E-01
15	.00000E+00	1.43871E-09	2.37987E-01	2.16462E-01	2.32045E-01	7.52740E-03	-1.61600E-03	1.00013E+00
16	.00000E+00	4.22456E-10	1.62648E-01	1.00537E-01	1.58397E-01	5.08498E-03	-8.55121E-04	1.00013E+00
17	.00000E+00	1.36051E-10	8.74822E-02	3.19811E-02	8.23589E-02	5.75978E-03	-6.43208E-04	1.00008E+00
18	.00000E+00	9.74088E-11	7.82237E-02	2.25708E-02	6.28919E-02	1.67968E-02	-1.47086E-03	1.00007E+00
19	.00000E+00	1.37715E-10	1.24769E-01	6.25565E-02	1.17844E-01	8.04437E-03	-1.13503E-03	1.00011E+00
20	.00000E+00	2.23939E-10	2.98152E-01	3.55475E-01	2.74113E-01	2.71452E-02	-3.14665E-03	1.00014E+00
21	.00000E+00	3.27775E-11	1.48254E-01	7.32826E-02	1.28399E-01	2.21013E-02	-2.25739E-03	1.00007E+00
22	.00000E+00	3.80293E-11	2.83287E-01	1.95241E-01	2.24417E-01	6.55885E-02	-6.75878E-03	1.00007E+00
23	.00000E+00	3.63602E-11	6.84853E-01	1.04821E+00	5.62382E-01	1.40511E-01	-1.81967E-02	1.00008E+00
24	.00000E+00	9.89678E-12	7.26704E-01	8.98956E-01	5.99529E-01	1.44098E-01	-1.69675E-02	1.00007E+00
25	.00000E+00	2.89713E-12	4.80701E-01	3.63702E-01	4.08696E-01	8.00860E-02	-8.01983E-03	1.00004E+00
26	.00000E+00	2.03149E-12	3.72577E-01	3.64711E-01	3.05864E-01	7.26891E-02	-6.18951E-03	1.00003E+00
27	.00000E+00	4.84114E-13	1.22721E-01	7.36785E-02	1.03332E-01	2.06441E-02	-1.25642E-03	1.00001E+00
28	.00000E+00	1.00000E+00	9.19945E+00	1.46682E+01	9.19945E+00	9.91732E-01	1.04954E-02	9.99999E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.30728E-02	-8.23645E-09	1.27800E-02	-1.22671E-03	2.19980E-03	2.45359E-03	2.88454E-04	3.32292E-01
2	9.59542E-02	-9.25967E-08	9.26692E-02	-1.29762E-02	1.60923E-05	1.09749E-02	1.57752E-03	2.43648E+00
3	1.20401E-01	-8.61707E-08	1.16041E-01	-1.67592E-02	.00000E+00	1.33511E-02	1.82264E-03	3.05635E+00
4	7.43687E-02	-7.48999E-08	7.15465E-02	-1.05102E-02	.00000E+00	5.74283E-03	8.82679E-04	1.88748E+00
5	1.11593E-01	-1.30847E-07	1.07001E-01	-1.61177E-02	.00000E+00	1.66916E-03	1.03129E-03	2.83115E+00
6	2.09705E-01	-1.39526E-07	2.00871E-01	-2.93395E-02	.00000E+00	1.44218E-03	1.73119E-03	5.31835E+00

7	2.08560E-01	4.72277E-07	1.98001E-01	-1.75909E-02	.00000E+00	1.43317E-03	1.22604E-03	5.16917E+00
8	1.48889E-01	3.86691E-08	1.47723E-01	-3.65987E-03	.00000E+00	1.47659E-03	6.97612E-04	3.78777E+00
9	1.15211E-01	5.85745E-06	1.15554E-01	9.18426E-04	.00000E+00	2.00066E-03	4.70875E-04	2.93430E+00
10	1.05478E-01	1.96873E-06	1.06287E-01	2.30865E-03	.00000E+00	4.27290E-03	4.28297E-04	2.68789E+00
11	9.72367E-02	1.50113E-06	9.90944E-02	5.35503E-03	.00000E+00	9.02446E-03	3.86574E-04	2.48091E+00
12	6.12403E-02	-2.23212E-07	6.34182E-02	6.32092E-03	.00000E+00	1.18367E-02	2.27595E-04	1.56520E+00
13	5.21739E-02	-1.09516E-06	5.41521E-02	5.81137E-03	.00000E+00	1.22719E-02	1.95662E-04	1.33390E+00
14	4.80601E-02	-3.63766E-07	5.09467E-02	8.48490E-03	.00000E+00	8.08807E-03	1.76823E-04	1.23149E+00
15	2.82560E-02	-4.76584E-06	2.87815E-02	1.61121E-03	.00000E+00	2.03167E-03	1.11532E-04	7.21075E-01
16	1.57140E-02	-3.27042E-06	1.59893E-02	8.51850E-04	.00000E+00	1.38800E-03	5.82700E-05	4.00918E-01
17	6.79082E-03	1.20404E-06	7.00473E-03	6.44412E-04	.00000E+00	1.86023E-03	2.28359E-05	1.73500E-01
18	4.81286E-03	-2.43980E-06	5.31703E-03	1.46842E-03	.00000E+00	1.88211E-03	1.34026E-05	1.23795E-01
19	1.04274E-02	-5.21187E-06	1.08129E-02	1.12982E-03	.00000E+00	2.97904E-03	3.57887E-05	2.66599E-01
20	3.47734E-02	-9.93118E-06	3.58560E-02	3.13671E-03	.00000E+00	1.54512E-02	1.28599E-04	8.88591E-01
21	1.01693E-02	-3.17838E-06	1.09799E-02	2.25421E-03	.00000E+00	1.33112E-02	2.91887E-05	2.61231E-01
22	1.96854E-02	-3.64302E-06	2.22435E-02	6.73514E-03	.00000E+00	3.92745E-02	5.30524E-05	5.08776E-01
23	6.70355E-02	7.43641E-06	7.52274E-02	1.82042E-02	.00000E+00	8.27260E-02	1.80689E-04	1.73629E+00
24	5.09464E-02	-7.86148E-07	5.95316E-02	1.69667E-02	.00000E+00	8.44330E-02	1.07313E-04	1.32884E+00
25	2.17490E-02	4.55754E-07	2.62168E-02	8.02028E-03	.00000E+00	4.88251E-02	3.65120E-05	5.70198E-01
26	1.42682E-02	-2.01242E-07	1.80720E-02	6.18951E-03	.00000E+00	4.49767E-02	1.79214E-05	3.76520E-01
27	2.39824E-03	-3.56412E-08	3.23510E-03	1.25638E-03	.00000E+00	1.25808E-02	1.83465E-06	6.34222E-02
28	1.74397E+00	-1.67794E-05	1.75535E+00	-1.05122E-02	2.21589E-03	4.37757E-01	1.19400E-02	4.44723E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.25011E-02	.00000E+00	2.18455E-02	2.09611E-02	3.77288E-03	-8.23645E-09	9.98898E-01
2	.00000E+00	1.92525E-01	7.44801E-03	2.59471E-01	1.84482E-01	1.55046E-02	-9.29967E-08	1.00001E+00
3	.00000E+00	2.15618E-01	7.66247E-02	2.67793E-01	2.75841E-01	1.64062E-02	-8.61707E-08	9.99987E-01
4	.00000E+00	1.24001E-01	1.13750E-01	1.84159E-01	2.29509E-01	7.84853E-03	-7.46999E-08	9.99999E-01
5	.00000E+00	1.64661E-01	2.07554E-01	4.66115E-01	3.66916E-01	5.30253E-03	-1.30847E-07	9.99990E-01
6	.00000E+00	1.77976E-01	4.24007E-01	1.25632E+00	5.98550E-01	8.42531E-03	-1.39526E-07	1.00001E+00
7	.00000E+00	8.80747E-02	6.58346E-01	1.67033E+00	7.38026E-01	8.40117E-03	4.72277E-07	9.99990E-01
8	.00000E+00	1.35773E-02	7.75682E-01	1.70404E+00	7.75897E-01	1.34260E-02	3.86691E-08	9.99919E-01
9	.00000E+00	9.85518E-04	7.66606E-01	1.48809E+00	7.45581E-01	2.20952E-02	5.85745E-06	9.99885E-01
10	.00000E+00	7.32011E-05	7.42040E-01	1.35607E+00	7.08888E-01	3.33008E-02	1.96873E-06	9.99895E-01
11	.00000E+00	5.75899E-06	7.13446E-01	1.26318E+00	6.59526E-01	5.41668E-02	1.50113E-06	9.99940E-01
12	.00000E+00	4.04559E-07	5.74063E-01	6.89512E-01	5.15718E-01	5.83594E-02	-2.23212E-07	9.99975E-01
13	.00000E+00	6.42403E-08	5.09315E-01	5.48460E-01	4.55082E-01	5.42482E-02	-1.09516E-06	9.99973E-01
14	.00000E+00	1.27307E-08	4.90837E-01	5.16054E-01	4.14550E-01	7.62932E-02	-3.63766E-07	9.99989E-01
15	.00000E+00	1.43871E-09	2.70891E-01	2.34264E-01	2.63160E-01	7.70577E-03	-4.76584E-06	1.00011E+00
16	.00000E+00	4.22456E-10	1.84345E-01	1.08002E-01	1.79121E-01	5.20583E-03	-3.27042E-06	1.00011E+00
17	.00000E+00	1.36051E-10	9.86924E-02	3.42380E-02	9.28654E-02	5.81911E-03	1.20404E-06	1.00007E+00
18	.00000E+00	9.74088E-11	8.81969E-02	2.42902E-02	7.13471E-02	1.68464E-02	-2.43980E-06	1.00007E+00
19	.00000E+00	1.37715E-10	1.41352E-01	6.75802E-02	1.33192E-01	8.15078E-03	-5.21187E-06	1.00010E+00
20	.00000E+00	2.23959E-10	3.38892E-01	3.89810E-01	3.11275E-01	2.75863E-02	-9.93118E-06	1.00012E+00
21	.00000E+00	3.27775E-11	1.68067E-01	8.05287E-02	1.45788E-01	2.22730E-02	-3.17838E-06	1.00006E+00
22	.00000E+00	3.80298E-11	3.22699E-01	2.16794E-01	2.56684E-01	6.59968E-02	-3.64302E-06	1.00007E+00
23	.00000E+00	3.63602E-11	7.87302E-01	1.17648E+00	6.44756E-01	1.42479E-01	7.43641E-06	1.00008E+00
24	.00000E+00	9.89678E-12	8.36526E-01	1.01839E+00	6.90193E-01	1.46281E-01	-7.86148E-07	1.00006E+00
25	.00000E+00	2.89713E-12	5.53762E-01	4.14030E-01	4.72447E-01	8.12947E-02	4.55754E-07	1.00004E+00
26	.00000E+00	2.03149E-12	4.30514E-01	4.20194E-01	3.56512E-01	7.39887E-02	-2.01242E-07	1.00003E+00
27	.00000E+00	4.84114E-13	1.42578E-01	8.56141E-02	1.21272E-01	2.11042E-02	-3.56412E-08	1.00001E+00
28	.00000E+00	1.00000E+00	1.04233E+01	1.59613E+01	1.04233E+01	1.00228E+00	-1.67535E-05	9.99997E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.30728E-02	-8.23645E-09	1.25098E-02	.00000E+00	2.20557E-03	2.45359E-03	3.19615E-04	3.58548E-01
2	9.59542E-02	-9.29967E-08	8.96060E-02	.00000E+00	1.60923E-05	1.09749E-02	1.72350E-03	2.62561E+00
3	1.20401E-01	-8.61707E-08	1.11909E-01	.00000E+00	.00000E+00	1.33511E-02	1.97616E-03	3.29296E+00
4	7.43687E-02	-7.46999E-08	6.88079E-02	.00000E+00	.00000E+00	5.74283E-03	9.54011E-04	2.05324E+00
5	1.11593E-01	-1.30847E-07	1.02598E-01	.00000E+00	.00000E+00	1.66916E-03	1.11566E-03	3.04888E+00
6	2.09705E-01	-1.39526E-07	1.92734E-01	.00000E+00	.00000E+00	1.44218E-03	1.86944E-03	5.72731E+00
7	2.08560E-01	4.72277E-07	1.98089E-01	.00000E+00	.00000E+00	1.43317E-03	1.32514E-03	5.57585E+00

8	1.48889E-01	3.86691E-08	1.46923E-01	.00000E+00	.00000E+00	1.47659E-03	7.52782E-04	4.09437E+00
9	1.15211E-01	5.85745E-06	1.15850E-01	.00000E+00	.00000E+00	2.00065E-03	5.08451E-04	3.17528E+00
10	1.05478E-01	1.96873E-06	1.07020E-01	.00000E+00	.00000E+00	4.27290E-03	4.62357E-04	2.90997E+00
11	9.72367E-02	1.50113E-06	1.00734E-01	.00000E+00	.00000E+00	9.02446E-03	4.18502E-04	2.68904E+00
12	6.12403E-02	-2.23212E-07	6.53172E-02	.00000E+00	.00000E+00	1.18367E-02	2.46718E-04	1.69958E+00
13	5.21738E-02	-1.09516E-06	5.58546E-02	.00000E+00	.00000E+00	1.22719E-02	2.11649E-04	1.44854E+00
14	4.80601E-02	-3.63766E-07	5.34581E-02	.00000E+00	.00000E+00	8.08807E-03	1.92255E-04	1.34040E+00
15	2.82560E-02	-4.78584E-06	2.91671E-02	.00000E+00	.00000E+00	2.03167E-03	1.19782E-04	7.81377E-01
16	1.57140E-02	-3.27042E-06	1.62088E-02	.00000E+00	.00000E+00	1.38800E-03	6.24918E-05	4.34428E-01
17	6.79082E-03	1.20404E-06	7.18759E-03	.00000E+00	.00000E+00	1.86023E-03	2.45759E-05	1.88286E-01
18	4.81286E-03	-2.43980E-06	5.77216E-03	.00000E+00	.00000E+00	1.88211E-03	1.47395E-05	1.35394E-01
19	1.04274E-02	-5.21187E-06	1.11345E-02	.00000E+00	.00000E+00	2.97904E-03	3.85265E-05	2.89463E-01
20	3.47734E-02	-9.93118E-06	3.67535E-02	.00000E+00	.00000E+00	1.54512E-02	1.38527E-04	9.64214E-01
21	1.01693E-02	-3.17838E-06	1.17000E-02	.00000E+00	.00000E+00	1.33112E-02	3.17376E-05	2.84908E-01
22	1.96854E-02	-3.64302E-06	2.45089E-02	.00000E+00	.00000E+00	3.92745E-02	5.82949E-05	5.57652E-01
23	6.70355E-02	7.43641E-06	8.23315E-02	.00000E+00	.00000E+00	8.27260E-02	1.96941E-04	1.90047E+00
24	5.09464E-02	-7.86148E-07	6.72752E-02	.00000E+00	.00000E+00	8.44330E-02	1.17787E-04	1.46100E+00
25	2.17490E-02	4.55754E-07	3.03848E-02	.00000E+00	.00000E+00	4.88251E-02	4.04201E-05	6.29229E-01
26	1.42682E-02	-2.01242E-07	2.19042E-02	.00000E+00	.00000E+00	4.49767E-02	2.01967E-05	4.18116E-01
27	2.39824E-03	-3.56412E-08	4.16017E-03	.00000E+00	.00000E+00	1.25803E-02	2.15974E-06	7.12356E-02
28	1.74397E+00	-1.67794E-05	1.76484E+00	.00000E+00	2.22166E-03	4.37757E-01	1.29424E-02	4.81351E+01

- elapsed time .02 min.
0direct access unit 9 requires 556 blocks of length 216 for cross section weighting.
1 transport cross section weighting function

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.11943E-03	5.00459E-03	5.27398E-03	2.50524E-03	3.18195E-03	5.52755E-03	3.71888E-03	1.74298E-03
2	6.81981E-04	4.94262E-03	5.77093E-03	3.43856E-03	4.29882E-03	6.15941E-03	4.33682E-03	2.14774E-03
3	1.14767E-03	5.42478E-03	5.85714E-03	2.91225E-03	3.86410E-03	6.78687E-03	4.38250E-03	1.82336E-03
4	7.88463E-04	4.26023E-03	4.91986E-03	2.38575E-03	2.82822E-03	4.80213E-03	3.32695E-03	1.79706E-03
5	8.11503E-04	4.32615E-03	4.96356E-03	2.41016E-03	2.87801E-03	4.89087E-03	3.37614E-03	1.79733E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11254E-03	1.01473E-03	1.09556E-03	8.73455E-04	7.88082E-04	1.02144E-03	3.14856E-04	1.58611E-04
2	1.79015E-03	1.95321E-03	2.04368E-03	1.60047E-03	1.41666E-03	1.67774E-03	6.25492E-04	3.42242E-04
3	1.12161E-03	1.05598E-03	1.29907E-03	1.22050E-03	1.11105E-03	1.54174E-03	3.75369E-04	1.92933E-04
4	1.19457E-03	1.09447E-03	1.03050E-03	6.77876E-04	6.01821E-04	6.40114E-04	3.11243E-04	1.61381E-04
5	1.19269E-03	1.09511E-03	1.04602E-03	7.05350E-04	6.27420E-04	6.85339E-04	3.14842E-04	1.63104E-04

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.69412E-05	1.52564E-04	1.49957E-04	4.60023E-04	2.50989E-04	7.31279E-04	2.15102E-03	1.94689E-03
2	1.71057E-04	2.46103E-04	2.79257E-04	8.64857E-04	4.13486E-04	1.14295E-03	3.34340E-03	3.00861E-03
3	1.22631E-04	2.54226E-04	2.13178E-04	6.21447E-04	3.97153E-04	1.17985E-03	3.26851E-03	3.01913E-03
4	7.01335E-05	7.05929E-05	1.14890E-04	3.85285E-04	1.34023E-04	3.36726E-04	1.09508E-03	8.83210E-04
5	7.27610E-05	7.98759E-05	1.19833E-04	3.97241E-04	1.47339E-04	3.79755E-04	1.20878E-03	9.95644E-04

Ozone	grp. 25	grp. 26	grp. 27	grp. 28
1	8.90710E-04	6.32943E-04	9.64885E-05	4.20055E-02
2	1.39218E-03	1.01683E-03	1.74955E-04	5.52802E-02
3	1.41951E-03	1.06838E-03	1.99854E-04	5.18804E-02
4	3.70880E-04	2.25540E-04	2.79488E-05	3.45350E-02
5	4.25833E-04	2.69089E-04	3.60738E-05	3.54158E-02

1broad group parameters

grp	upper energy	mid energy	velocity	fiss spec
1	2.0000E+07	2.6459E+06	1.9663E+09	7.1931E-01
2	9.0000E+05	1.5094E+05	9.7744E+06	2.8069E-01
3	4.0000E-01	1.2654E-01	3.6728E+05	1.2248E-10
4	1.0000E-05			

1 400 d, second part of sas2h pass to make library
0cell averaged fluxes

Ozone	grp. 1	grp. 2	grp. 3
1	3.88749E-01	1.13781E+00	2.34521E-01
2	3.98985E-01	1.13922E+00	2.24999E-01

```
     3 3.96952E-01  1.13956E+00  2.20714E-01
     4 4.14091E-01  1.14221E+00  1.90284E-01
     5 4.12403E-01  1.14193E+00  1.95240E-01
Oflux disadvantage factors (zone average/cell average-flux)


Ozone   grp. 1      grp. 2      grp. 3
    1 9.42642E-01 9.96394E-01 1.21363E+00
    2 9.55339E-01 9.97625E-01 1.16435E+00
    3 9.62485E-01 9.97925E-01 1.14218E+00
    4 1.00409E+00 1.00025E+00 9.84705E-01
    5 1.00000E+00 1.00000E+00 1.00000E+00
Ocell averaged currents

Ozone   grp. 1      grp. 2      grp. 3
    1 1.70852E-02 1.82180E-02 6.70026E-03
    2 1.91329E-02 2.56549E-02 1.04924E-02
    3 1.92059E-02 2.21225E-02 1.05520E-02
    4 1.51825E-02 1.62791E-02 3.07336E-03
    5 1.53894E-02 1.65639E-02 3.46246E-03
Ozone       volume      vol. fraction

   1     1.25665E+00     4.56236E-02
   2     1.66687E-01     6.05165E-03
   3     6.58265E-01     2.38987E-02
   4     2.54624E+01     9.24426E-01
   5     2.75440E+01     1.00000E+00
-  elapsed time    .03 min.
1  ccccccccccc     ccccccccccc   uu         uu  pppppppppppp   ll            eeeeeeeeeeee
   ccccccccccccc   ccccccccccccc uu         uu  pppppppppppp   ll            eeeeeeeeeeee
   cc         cc   oo         oo uu         uu  pp         pp   ll            ee
   cc              oo         oo uu         uu  pp         pp   ll            ee
   cc              oo         oo uu         uu  pp         pp   ll            ee
   cc              oo         oo uu         uu  pppppppppppp   ll            eeeeeeeee
   cc              oo         oo uu         uu  pppppppppp     ll            eeeeeeeee
   cc              oo         oo uu         uu  pp             ll            ee
   cc              oo         oo uu         uu  pp             ll            ee
   cc         cc   oo         oo uu         uu  pp             ll            ee
   ccccccccccccc   ccccccccccccc uuuuuuuuuuuuu  pp             lllllllllllll eeeeeeeeeeee
    ccccccccccc     ccccccccccc   uuuuuuuuuuu   pp             lllllllllllll eeeeeeeeeeee
0

   ddddddddddd      aaaaaaaaa    w         w iiiiiiiiiii    sssssssssss
   ddddddddddddd    aaaaaaaaaa   w         w iiiiiiiiiii    ssssssssssss
   dd         dd    aa       aa  w         w     ii         ss        ss
   dd         dd    aa       aa  w         w     ii         ss
   dd         dd    aa       aa  w         w     ii         ss
   dd         dd    aaaaaaaaaaaa  w         w     ii         ssssssssssss
   dd         dd    aaaaaaaaaaaa   w       w      ii          ssssssssssss
   dd         dd    aa       aa     w   w         ii                   ss
   dd         dd    aa       aa      w w          ii                   ss
   dd         dd    aa       aa       w w         ii         ss        ss
   ddddddddddddd    aa       aa        ww         iiiiiiiiiii  ssssssssssss
   ddddddddddd      aa       aa         v         iiiiiiiiiii   sssssssssss
0

     0000000     2222222222              //      11     666666666666          //  9999999999   666666666666
    00000000     2222222222222           //     111     666666666666          //  9999999999999 666666666666
   00      00    22        22            //    1111     66                    //  99        99  66
  00        00             22           //      11     66                    //  99        99  66
  00        00             22          //       11     66                   //  99        99  66
```



program verification information

code system: scale version: 4.2

program: c0c005

creation date: 04/27/95

library: /neutronics/scale/exe

this is not a scale configuration controlled code

```
                    *****          jobname:  davis                          *****
                    *****                                                   *****
                    *****    date of execution:  02/16/96                   *****
                    *****                                                   *****
                    *****    time of execution:  09:59:36                   *****
                    *****                                                   *****
                    *****                                                   *****
                    ********************************************************************
                    ********************************************************************
                    ********************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       2q array has      1 entries.
0        * core allocated to array-data (by -1$$ or default) was   200000 words. *
1         * broad 3-group flux weighting factors *
0
0              therm =    .5096
0              res   =    .4040
0              fast  =   3.0945
0 user requested (see jadd) that only the nuclide transitions presently included in
0 origen library be updated.
1cross sections, available from ampx (normalized to thermal flux), barns

                    10010 to  10020  2.78615E-01
                    10010 tot-cap    2.78615E-01
                    50100 to  40100  2.20952E-02
                    50100 to  10010  2.20952E-02
                    50100 to  40090  3.32705E-03
                    50100 to  10020  3.32705E-03
                    50100 to  30070  3.20410E+03
                    50100 to  20040  3.20427E+03
                    50100 to  10030  8.26806E-02
                    50100 tot-cap    3.20421E+03
                    50110 to  50100  9.51898E-06
                    50110 to  50120  4.23931E-03
                    50110 to  40110  1.21472E-06
                    50110 to  10010  1.21472E-06
                    50110 to  40090  1.08401E-05
                    50110 to  10030  1.08401E-05
                    50110 to  30080  1.41512E-04
                    50110 to  20040  1.41512E-04
                    50110 tot-cap    4.40240E-03
                    80160 to  80170  1.48835E-04
                    80160 to  70160  8.32895E-05
                    80160 to  10010  8.32895E-05
                    80160 to  70150  1.57083E-05
                    80160 to  10020  1.57083E-05
                    80160 to  60130  2.35267E-02
                    80160 to  20040  2.35267E-02
                    80160 to  80161  3.65278E-03
                    80160 tot-cap    2.37745E-02
                   360830 to 360820  1.89114E-02
                   360830 to 360810  1.99657E-09
```

360830 to 360840 1.50352E+02
360830 to 350830 7.81413E-04
360830 to 10010 7.81413E-04
360830 to 350820 6.24591E-06
360830 to 10020 6.24591E-06
360830 to 350810 2.18306E-06
360830 to 10030 2.18306E-06
360830 to 340810 3.53311E-08
360830 to 20030 3.53311E-08
360830 to 340800 4.15132E-05
360830 to 20040 4.15132E-05
360830 tot-cap 1.50371E+02
360850 to 360860 1.35661E+00
360850 tot-cap 1.35661E+00
380900 to 380910 6.18195E-01
380900 tot-cap 6.18195E-01
390890 to 390900 9.64542E-01
390890 tot-cap 9.64542E-01
400930 to 400940 1.24328E+01
400930 tot-cap 1.24328E+01
400940 to 400950 1.73545E-01
400940 tot-cap 1.73545E-01
400950 to 400960 2.06668E+00
400950 tot-cap 2.06668E+00
410940 to 410950 3.60758E+01
410940 tot-cap 3.60758E+01
420950 to 420960 3.64035E+01
420950 tot-cap 3.64035E+01
430990 to 430980 5.75799E-03
430990 to 431000 8.45651E+01
430990 tot-cap 8.45608E+01
441010 to 441020 2.61938E+01
441010 tot-cap 2.61938E+01
441060 to 441070 8.02991E-01
441060 tot-cap 8.02991E-01
451030 to 451020 2.07809E-03
451030 to 451040 3.46027E+02
451030 tot-cap 3.46029E+02
451050 to 451060 8.01728E+03
451050 tot-cap 8.01728E+03
461050 to 461060 3.17534E+01
461050 tot-cap 3.17534E+01
461080 to 461090 6.36886E+01
461080 tot-cap 6.36886E+01
471090 to 471080 4.83245E-03
471090 to 471100 3.49156E+02
471090 to 461090 2.75182E-04
471090 to 10010 2.75182E-04
471090 to 451060 2.26861E-04
471090 to 20040 2.26861E-04
471090 to 471091 5.85322E-01
471090 tot-cap 3.49162E+02
511240 to 511250 1.13599E+01
511240 tot-cap 1.13599E+01
541310 to 541300 5.85952E-02
541310 to 541290 1.22524E-05
541310 to 541320 2.46987E+02
541310 to 531310 3.55357E-05
541310 to 10010 3.55357E-05
541310 to 531300 4.91379E-07

541310 to 10020 4.91379E-07
541310 to 531290 5.03860E-07
541310 to 10030 5.03860E-07
541310 to 521280 1.65901E-05
541310 to 20040 1.65901E-05
541310 tot-cap 2.47045E+02
541320 to 541310 9.46579E-03
541320 to 541300 2.00762E-05
541320 to 541330 8.72308E-01
541320 to 531320 7.24232E-06
541320 to 10010 7.24232E-06
541320 to 531310 3.05084E-07
541320 to 10020 3.05084E-07
541320 to 531300 4.10795E-08
541320 to 10030 4.10795E-08
541320 to 521290 8.89626E-07
541320 to 20040 8.89626E-07
541320 tot-cap 8.81797E-01
541350 to 541360 1.45326E+06
541350 tot-cap 1.45326E+06
541360 to 541350 1.61918E-02
541360 to 541340 4.94538E-05
541360 to 541370 1.20415E-01
541360 to 531360 2.99028E-07
541360 to 10010 2.99028E-07
541360 to 531350 1.11314E-07
541360 to 10020 1.11314E-07
541360 to 531340 2.51478E-08
541360 to 10030 2.51478E-08
541360 to 521330 2.50809E-07
541360 to 20040 2.50809E-07
541360 tot-cap 1.36657E-01
551330 to 551320 7.58235E-03
551330 to 551340 9.64131E+01
551330 to 541330 8.28029E-04
551330 to 10010 8.28029E-04
551330 to 531300 1.29558E-05
551330 to 20040 1.29558E-05
551330 tot-cap 9.64215E+01
551340 to 551350 1.24610E+02
551340 tot-cap 1.24610E+02
551350 to 551360 2.00841E+01
551350 tot-cap 2.00841E+01
551370 to 551380 2.15936E-01
551370 tot-cap 2.15936E-01
561360 to 561370 8.46268E-01
561360 tot-cap 8.46268E-01
571390 to 571400 7.70902E+00
571390 tot-cap 7.70902E+00
581440 to 581450 1.18140E+00
581440 tot-cap 1.18140E+00
591410 to 591400 5.43332E-03
591410 to 591390 1.56113E-06
591410 to 571370 2.34117E-06
591410 to 20040 4.85729E-05
591410 to 581400 1.65777E-05
591410 to 10010 4.73127E-05
591410 to 591420 1.14107E+01
591410 to 581410 4.45780E-05
591410 to 10020 1.38430E-05


591410 to 581390 1.45175E-06
591410 to 10080 1.45175E-06
591410 to 571390 1.40204E-08
591410 to 20080 1.40204E-08
591410 to 571380 4.60317E-05
591410 tot-cap 1.14163E+01
591430 to 591440 9.39733E+01
591430 tot-cap 9.39733E+01
601430 to 601420 8.31713E-02
601430 to 601410 8.48474E-06
601430 to 581390 1.85769E-05
601430 to 20040 5.19298E-04
601430 to 591420 3.55170E-06
601430 to 10010 3.66370E-05
601430 to 601440 1.96475E+02
601430 to 591430 3.52989E-05
601430 to 10020 2.21360E-06
601430 to 591410 3.18980E-06
601430 to 10030 3.18980E-06
601430 to 581410 1.53257E-08
601430 to 20030 1.53257E-08
601430 to 581400 5.00721E-04
601430 tot-cap 1.96559E+02
601450 to 601440 1.06753E-01
601450 to 601430 1.08331E-04
601450 to 581410 7.70777E-06
601450 to 20040 1.95360E-04
601450 to 591440 2.03493E-06
601450 to 10010 1.32486E-05
601450 to 601460 7.45570E+01
601450 to 591450 1.24369E-05
601450 to 10020 1.22524E-06
601450 to 591430 1.92846E-06
601450 to 10030 1.92846E-06
601450 to 581430 3.92636E-09
601450 to 20030 3.92636E-09
601450 to 581420 1.85652E-04
601450 tot-cap 7.46641E+01
601470 to 601480 1.76354E+02
601470 tot-cap 1.76354E+02
611470 to 611460 2.91898E-02
611470 to 611450 9.10767E-05
611470 to 591430 8.10818E-06
611470 to 20040 7.52552E-05
611470 to 601460 1.11681E-05
611470 to 10010 2.54828E-05
611470 to 611480 5.53018E+02
611470 to 601470 2.27148E-05
611470 to 10020 8.40014E-06
611470 to 601450 3.17158E-06
611470 to 10030 3.17158E-06
611470 to 591450 4.76856E-09
611470 to 20030 4.76856E-09
611470 to 591440 6.71520E-05
611470 tot-cap 5.53047E+02
611480 to 611490 1.17726E+04
611480 tot-cap 1.17726E+04
621470 to 621460 7.61521E-02
621470 to 621450 6.85655E-03
621470 to 601430 5.97975E-05

621470 to 20040 1.15630E-03
621470 to 611460 1.38191E-04
621470 to 10010 1.97999E-04
621470 to 621480 2.17637E+02
621470 to 611470 1.74704E-04
621470 to 10020 1.14896E-04
621470 to 611450 1.23372E-04
621470 to 10030 1.23372E-04
621470 to 601450 5.67657E-06
621470 to 20030 5.67657E-06
621470 to 601440 1.09651E-03
621470 to 621471 1.53107E+00
621470 tot-cap 2.17722E+02
621490 to 621480 4.30478E-02
621490 to 621470 3.41769E-05
621490 to 621500 4.48465E+04
621490 to 611490 4.42693E-04
621490 to 10010 4.42693E-04
621490 to 601460 4.42693E-04
621490 to 20040 4.42693E-04
621490 tot-cap 4.48465E+04
621500 to 621510 1.28523E+02
621500 tot-cap 1.28523E+02
621510 to 621500 1.43962E-01
621510 to 621490 1.28605E-04
621510 to 601470 1.44849E-05
621510 to 20040 1.13153E-04
621510 to 611500 1.76098E-06
621510 to 10010 1.37227E-05
621510 to 621520 4.86412E+03
621510 to 611510 1.26468E-05
621510 to 10020 6.85087E-07
621510 to 611490 1.24510E-06
621510 to 10030 1.24510E-06
621510 to 601490 1.28269E-09
621510 to 20030 1.28269E-09
621510 to 601480 9.86677E-05
621510 tot-cap 4.86427E+03
621520 to 621510 1.72216E-02
621520 to 621500 1.16367E-04
621520 to 601480 2.60120E-06
621520 to 20040 1.08056E-05
621520 to 611510 7.45938E-07
621520 to 10010 2.20124E-06
621520 to 621530 7.01828E+02
621520 to 611520 1.95538E-06
621520 to 10020 5.00079E-07
621520 to 611500 1.30059E-07
621520 to 10030 1.30059E-07
621520 to 601500 3.94152E-10
621520 to 20030 3.94152E-10
621520 to 601490 8.20436E-06
621520 tot-cap 7.01846E+02
631530 to 631520 1.67262E-02
631530 to 631510 2.49775E-05
631530 to 611490 4.05236E-05
631530 to 20040 5.82415E-04
631530 to 621520 7.00077E-06
631530 to 10010 5.92402E-05
631530 to 631540 5.87260E+02

631530	to 621530	5.68491E-05
631530	to 10020	4.60967E-06
631530	to 621510	1.03267E-06
631530	to 10030	1.03267E-06
631530	to 611510	2.36057E-08
631530	to 20030	2.36057E-08
631530	to 611500	5.41891E-04
631530	tot-cap	5.87278E+02
631540	to 631530	2.67389E-02
631540	to 631520	9.60517E-06
631540	to 611500	9.33931E-11
631540	to 20040	6.96791E-04
631540	to 621530	2.10257E-06
631540	to 10010	1.12821E-03
631540	to 631550	1.04373E+03
631540	to 621540	1.12821E-03
631540	to 10020	2.10140E-06
631540	to 621520	3.55999E-06
631540	to 10030	3.55999E-06
631540	to 611520	1.50913E-08
631540	to 20030	1.50913E-08
631540	to 611510	6.96791E-04
631540	tot-cap	1.04376E+03
631550	to 631540	2.19537E-02
631550	to 631530	6.14752E-05
631550	to 611510	1.65527E-06
631550	to 20040	8.14666E-06
631550	to 621540	3.35213E-06
631550	to 10010	7.04497E-06
631550	to 631560	2.52414E+03
631550	to 621550	5.41398E-06
631550	to 10020	1.72109E-06
631550	to 621530	5.69740E-07
631550	to 10030	5.69740E-07
631550	to 611530	1.29134E-10
631550	to 20030	1.29134E-10
631550	to 611520	6.49139E-06
631550	tot-cap	2.52417E+03
641550	to 641560	1.67300E+04
641550	tot-cap	1.67300E+04
922340	to 922330	5.75156E-03
922340	fission	4.07947E+00
922340	nu-sigf	1.07202E+01
922340	to 922320	8.33942E-05
922340	to 922350	1.75502E+02
922340	to 922341	2.74562E+00
922340	tot-cap	1.79587E+02
922350	to 922340	2.63156E-02
922350	fission	3.55154E+02
922350	nu-sigf	8.59993E+02
922350	to 922330	2.51212E-05
922350	to 922360	8.29762E+01
922350	to 922351	7.80918E-02
922350	tot-cap	4.38156E+02
922360	to 922350	2.92998E-02
922360	fission	1.74637E+00
922360	nu-sigf	4.79174E+00
922360	to 922340	3.90467E-04
922360	to 922370	7.08938E+01
922360	to 922361	3.00576E+00

922360	tot-cap	7.26699E+01
922380	to 922370	5.85224E-02
922380	fission	8.74312E-01
922380	nu-sigf	2.46057E+00
922380	to 922360	3.78177E-04
922380	to 922390	7.93024E+00
922380	tot-cap	8.86345E+00
952370	to 952360	1.33402E-02
952370	fission	4.73060E+00
952370	nu-sigf	1.42424E+01
952370	to 952350	5.10554E-05
952370	to 952380	2.86381E+02
952370	to 952371	7.04022E-01
952370	tot-cap	2.91125E+02
942380	to 942370	2.14425E-03
942380	fission	2.09637E+01
942380	nu-sigf	5.93916E+01
942380	to 942360	1.20008E-05
942380	to 942390	2.60244E+02
942380	to 942381	2.74889E+00
942380	tot-cap	2.81210E+02
942390	to 942380	1.13665E-02
942390	fission	8.48173E+02
942390	nu-sigf	2.43855E+03
942390	to 942370	1.95198E-05
942390	to 942360	1.91520E-08
942390	to 942400	4.78014E+02
942390	tot-cap	1.32620E+03
942400	to 942390	5.34014E-03
942400	fission	5.45402E+00
942400	nu-sigf	1.70563E+01
942400	to 942380	5.21113E-05
942400	to 942410	1.75951E+03
942400	tot-cap	1.76497E+03
942410	to 942400	6.76750E-02
942410	fission	8.92208E+02
942410	nu-sigf	2.61778E+03
942410	to 942390	1.11504E-04
942410	to 942420	2.95726E+02
942410	tot-cap	1.18600E+03
942420	to 942410	2.17690E-02
942420	fission	4.09857E+00
942420	nu-sigf	1.28855E+01
942420	to 942400	2.64650E-04
942420	to 942430	3.10808E+02
942420	tot-cap	3.14929E+02
952410	fission	1.19256E+01
952410	nu-sigf	3.84612E+01
952410	to 952420	1.00850E+03
952410	tot-cap	1.02042E+03
952430	fission	3.16277E+00
952430	nu-sigf	1.06299E+01
952430	to 952440	3.97104E+02
952430	tot-cap	4.00267E+02
962440	to 962430	5.23168E-03
962440	fission	1.42353E+01
962440	nu-sigf	4.76814E+01
962440	to 962420	5.21723E-05
962440	to 962450	1.31908E+02
962440	to 962441	3.50653E+00

```
                962440 tot-cap   1.46148E+02
Othe reaction  50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
Othe reaction  50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
Othe reaction  50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                    in the search of library number 3
Othe reaction  50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
Othe reaction  80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
Othe reaction 621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
Othe fission product transitions for  922340 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 922340 to 922341 was not used, because 922341 is not in library., (in subr pool)
Othe reaction 922350 to 922351 was not used, because 922351 is not in library., (in subr pool)
Othe fission product transitions for  922360 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 922360 to 922361 was not used, because 922361 is not in library., (in subr pool)
Othe fission product transitions for  952370 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 952370 to 952371 was not used, because 952371 is not in library., (in subr pool)
Othe fission product transitions for  942380 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 942380 to 942381 was not used, because 942381 is not in library., (in subr pool)
Othe fission product transitions for  942400 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe fission product transitions for  942420 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe fission product transitions for  952410 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe fission product transitions for  952430 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe fission product transitions for  962440 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 962440 to 962441 was not used, because 962441 is not in library., (in subr pool)
1
0                          case completed.  date,   2/16/1996
0 * normal termination *
1   ooooooooooo   rrrrrrrrrrr   iiiiiiiiiiii    gggggggggg   eeeeeeeeeeee  mm         mm  sssssssssss
    ooooooooooooo  rrrrrrrrrrrr  iiiiiiiiiiii   gggggggggggg  eeeeeeeeeeee  mm         mm  sssssssssssss
    oo         oo  rr         rr       ii      gg         gg  ee            mmm       mm  ss         ss
    oo         oo  rr         rr       ii      gg             ee            mm m      mm  ss
    oo         oo  rr         rr       ii      gg             ee            mm  m     mm  ss
    oo         oo  rrrrrrrrrrrr        ii      gg    ggggggg  eeeeeeeee     mm   m    mm  sssssssssss
    oo         oo  rrrrrrrrrrr         ii      gg    ggggggg  eeeeeeeee     mm    m   mm   sssssssssss
    oo         oo  rr       rr         ii      gg         gg  ee            mm     m  mm            ss
    oo         oo  rr        rr        ii      gg         gg  ee            mm     m  mm            ss
    oo         oo  rr         rr       ii      gg         gg  ee            mm        mm  ss         ss
    ooooooooooooo  rr          rr  iiiiiiiiiiii   gggggggggggg  eeeeeeeeeeee  mm        mm  sssssssssssss
     ooooooooooo   rr          rr  iiiiiiiiiiii    gggggggggg   eeeeeeeeeeee  mm        mm  sssssssssss
0
```


DESIGNWARE
0
1
0

****

```
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                  program verification information                   *****
                    *****                                                                      *****
                    *****                code system:   scale  version:   4.2                  *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  c0c004                                        *****
                    *****                                                                      *****
                    *****         creation date:  04/27/95                                     *****
                    *****                                                                      *****
                    *****              library:  /neutronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****     this is not a   scale  configuration controlled code            *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****     date of execution:  02/16/96                                     *****
                    *****                                                                      *****
                    *****     time of execution:  09:59:36                                     *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0        dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0            short-lived split test fraction, qm =    9.1188E-04
0            half-norm of matrix used, axn =    7.0000E+00
0            4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

         cross-section data taken from position number  1 of library on unit 15.


         pass  3
         pass  1
         pass  0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         pass  1
         pass  0
```

```
      *scale-system control module sas2 library*
      used a time-dependent neutron spectrum, for each of the above passes
        pass 0 applies start-up fuel densiities
        pass n applies mid time densities of nth library interval
      first library updated was...
      ************************************************************************
      *                                                                      *
      *          prelim lwr origen-s binary working library--id = 1143       *
      *        made from modified card-image origen-s libraries of scale 4.2 *
      *      data from the light element, actinide, and fission product libraries *
      *        decay data, including gamma and total energy, are from endf/b-vi *
      *                                                                      *
      *      neutron flux spectrum factors and cross sections were produced from *
      *     the "presas2" case updating all nuclides on the scale "burnup" library *
      *                                                                      *
      *                  fission product yields are from endf/b-v            *
      *                                                                      *
      *              photon libraries use an 18-energy-group structure       *
      *             the photon data are from the master photon data base,    *
      *              produced to include bremsstrahlung from uo2 matrix      *
      *                                                                      *
      *       see information above this box (if present) for later updates  *
      *                                                                      *
      ************************************************************************
      *                                                                      *
0     ************************************************************************
0              .other identification and sizes of library.
0               data set name:  ft15f001
0             2/16/1996    date library was produced
0                  1697    total number of nuclides in library
                    689    number of light-element nuclides
                    129    number of actinide nuclides
                    879    number of fission product nuclides
0                  7935    number of nonzero off-diagonal matrix elements
0     ************************************************************************
1
   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                actinides        page   1
     power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.62E+13n/cm**2-sec
0                                        nuclide concentrations, gram atoms
                                         basis = converted to atoms/(barn-cm)
          charge   360.0 d   400.0 d   440.0 d   480.0 d   480.0 d   520.0 d   560.0 d
   u230 9.43E-22 1.21E-21 1.49E-21 1.82E-21 2.18E-21 2.18E-21 2.60E-21 3.08E-21
   u231 2.22E-20 2.82E-20 3.39E-20 4.04E-20 4.77E-20 4.75E-20 5.59E-20 6.51E-20
   u232 2.94E-13 3.63E-13 4.42E-13 5.32E-13 6.36E-13 6.36E-13 7.53E-13 8.86E-13
   u233 1.71E-11 1.90E-11 2.09E-11 2.26E-11 2.43E-11 2.43E-11 2.59E-11 2.74E-11
   u234 5.14E-06 5.09E-06 5.04E-06 4.99E-06 4.95E-06 4.95E-06 4.90E-06 4.85E-06
   u235 5.67E-04 5.54E-04 5.40E-04 5.27E-04 5.15E-04 5.15E-04 5.02E-04 4.90E-04
   u236 2.59E-05 2.84E-05 3.09E-05 3.32E-05 3.55E-05 3.55E-05 3.77E-05 3.98E-05
   u237 4.08E-08 4.44E-08 4.67E-08 4.88E-08 5.11E-08 5.10E-08 5.32E-08 5.54E-08
   u238 2.20E-02 2.20E-02 2.20E-02 2.20E-02 2.19E-02 2.19E-02 2.19E-02 2.19E-02
   u239 3.23E-09 5.73E-09 5.72E-09 5.71E-09 5.71E-09 2.52E-09 5.71E-09 5.71E-09
   u240  .00E+00 1.49E-36 4.66E-36 1.30E-35 3.28E-35 3.28E-35 7.67E-35 1.68E-34
   u241  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
  np235 7.21E-15 9.47E-15 1.20E-14 1.49E-14 1.80E-14 1.80E-14 2.15E-14 2.52E-14
 np236m 1.60E-14 2.01E-14 2.32E-14 2.66E-14 2.98E-14 2.94E-14 3.33E-14 3.69E-14
  np236 5.75E-13 7.68E-13 9.92E-13 1.25E-12 1.54E-12 1.54E-12 1.87E-12 2.23E-12
  np237 9.17E-07 1.08E-06 1.24E-06 1.42E-06 1.60E-06 1.60E-06 1.79E-06 1.98E-06
  np238 1.09E-09 1.31E-09 1.52E-09 1.73E-09 1.95E-09 1.94E-09 2.18E-09 2.41E-09
  np239 8.03E-07 8.27E-07 8.26E-07 8.25E-07 8.24E-07 8.23E-07 8.24E-07 8.24E-07
 np240m  .00E+00 1.27E-38 3.98E-38 1.11E-37 2.80E-37 2.80E-37 6.55E-37 1.43E-36
```

```
     np240  1.09E-11  1.42E-11  1.42E-11  1.42E-11  1.41E-11  1.04E-11  1.41E-11  1.42E-11
     np241   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
     pu236  7.27E-13  9.64E-13  1.24E-12  1.54E-12  1.89E-12  1.89E-12  2.27E-12  2.69E-12
     pu237  8.31E-14  9.77E-14  1.11E-13  1.24E-13  1.37E-13  1.37E-13  1.49E-13  1.61E-13
     pu238  4.76E-08  6.27E-08  8.03E-08  1.00E-07  1.23E-07  1.23E-07  1.49E-07  1.77E-07
     pu239  5.57E-05  6.11E-05  6.61E-05  7.07E-05  7.50E-05  7.50E-05  7.90E-05  8.27E-05
     pu240  5.13E-06  6.16E-06  7.22E-06  8.30E-06  9.39E-06  9.39E-06  1.05E-05  1.16E-05
     pu241  1.47E-06  1.90E-06  2.41E-06  2.98E-06  3.61E-06  3.61E-06  4.30E-06  5.05E-06
     pu242  5.43E-08  8.09E-08  1.15E-07  1.57E-07  2.08E-07  2.08E-07  2.69E-07  3.41E-07
     pu243  6.51E-12  1.05E-11  1.48E-11  2.02E-11  2.69E-11  2.52E-11  3.48E-11  4.41E-11
     pu244  2.08E-26  7.43E-26  2.32E-25  6.46E-25  1.63E-24  1.64E-24  3.82E-24  8.35E-24
     pu245   .00E+00  5.35E-32  1.67E-31  4.64E-31  1.17E-30  1.14E-30  2.74E-30  6.00E-30
     pu246   .00E+00  1.58E-34  5.23E-34  1.50E-33  3.90E-33  3.89E-33  9.31E-33  2.08E-32
     am239  2.33E-19  3.67E-19  5.17E-19  7.02E-19  9.24E-19  8.99E-19  1.19E-18  1.49E-18
     am240  1.02E-16  1.58E-16  2.23E-16  3.03E-16  3.99E-16  3.98E-16  5.13E-16  6.46E-16
     am241  1.60E-08  2.37E-08  3.35E-08  4.54E-08  5.98E-08  5.98E-08  7.69E-08  9.66E-08
     am242m 1.84E-10  2.98E-10  4.54E-10  6.59E-10  9.19E-10  9.19E-10  1.24E-09  1.63E-09
     am242  1.81E-11  2.70E-11  3.80E-11  5.16E-11  6.79E-11  6.66E-11  8.72E-11  1.10E-10
     am243  1.57E-09  2.70E-09  4.32E-09  6.57E-09  9.57E-09  9.57E-09  1.35E-08  1.85E-08
     am244m  .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
     am244  5.06E-13  9.10E-13  1.46E-12  2.21E-12  3.22E-12  3.12E-12  4.53E-12  6.22E-12
     am245  1.35E-30  4.91E-30  1.52E-29  4.19E-29  1.05E-28  1.05E-28  2.42E-28  5.23E-28
     am246   .00E+00  3.95E-37  1.31E-36  3.75E-36  9.74E-36  9.73E-36  2.33E-35  5.19E-35
   totals   2.26E-02  2.26E-02  2.26E-02  2.26E-02  2.26E-02  2.26E-02  2.26E-02  2.26E-02
0    flux            1.62E+13  1.62E+13  1.62E+13  1.62E+13   .00E+00  1.62E+13  1.62E+13
0 .results on logical unit no. 71, position  1, for time step  7, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position  2, for time step  5, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position  3, for time step  4, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0    .terminated logical unit no. 71 with zero flag record.
1 * normal termination of execution *
0                                table of contents for material tables
0                                  case or subcase printed      page

                                                    1              1
0ndset         33
          15          4          1         27          6          0          0          0          0          0
           0          0          0          0          0          0         -1       1698        690        130
         880       7935          0          5         99          2         16         96         18         18
          18          0         71
0      56q array has      2 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      57q array has      3 entries.
0       1q array has     20 entries.
0       1q array has     10 entries.
    l90  97376
    l116  60826
    l32  33663 rudata (library) storage size
    l44  33734
    l103  75953
0      58q array has      4 entries.
0      60q array has      7 entries.
0      58q array has      7 entries.
```

```
0       66q array has       1 entries.
0       73q array has    1697 entries.
0       74q array has    1697 entries.
0       75q array has    1697 entries.
     l140  66991
     used   101044 in size   200000
0jqpt           12
           0          0          0          0          0          0          0          0          0          0
           0          0
0therm           4
  5.096365E-01 4.040221E-01 3.094528E+00 1.000000E-31
0non             5
        7935         20          6         18       1697
0mm             19
           7          7          0          0          1          1          0          0          0          0
          21        100       1697          4          3         74          4          1          0
0tconst          5
  8.640000E+04 3.200192E+02  .000000E+00  .000000E+00 1.000000E-08
0mzero           4
           0        689        129        879
0pow             3
   .000000E+00  .000000E+00  .000000E+00
0 lirp           9
           6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =            5.7355E+00  1.9541E+02  2.0115E+02
 start of interval flux =          1.61872E+13
 n-gamma, fission and total mev/fission =            5.8325E+00  1.9552E+02  2.0136E+02
 start of interval flux =          1.61661E+13
 n-gamma, fission and total mev/fission =            5.9353E+00  1.9563E+02  2.0157E+02
 start of interval flux =          1.61526E+13
 n-gamma, fission and total mev/fission =            6.0383E+00  1.9574E+02  2.0178E+02
 start of interval flux =          1.61473E+13
 start of interval flux =           .00000E+00
 n-gamma, fission and total mev/fission =            6.1508E+00  1.9584E+02  2.0199E+02
 start of interval flux =          1.61482E+13
 n-gamma, fission and total mev/fission =            6.2640E+00  1.9593E+02  2.0218E+02
 start of interval flux =          1.61575E+13
0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0       56q array has      20 entries.
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 4, exec halts after pass  8
1  bbbbbbbbbb     cccccccccc   m        m                 aaaaaaaa    mm        mm  iiiiiiiiiii    zzzzzzzzzz
   bbbbbbbbbbb   ccccccccccc  mm        m                aaaaaaaaaa   mmm      mmm  iiiiiiiiiii   zzzzzzzzzzz
   bb        bb  oo        oo  mmm      m               aa        aa  mmmm    mmmm      ii       zz        zz
   bb        bb  oo        oo  m mm     m               aa        aa  mm mm  mm mm      ii              zz
   bb        bb  oo        oo  m  m     m               aa        aa  mm  mmm  mm      ii             zz
   bbbbbbbbbbb   oo        oo  m   m    m ----------    aaaaaaaaaaaa  mm   m   mm      ii            zz
   bbbbbbbbbb    oo        oo  m    m   m ----------    aaaaaaaaaaaa  mm       mm      ii           zz
   bb        bb  oo        oo  m     m  m               aa        aa  mm       mm      ii          zz
   bb        bb  oo        oo  m      mm               aa        aa  mm       mm      ii         zz
   bb        bb  oo        oo  m       m               aa        aa  mm       mm      ii        zz
   bbbbbbbbbbb   ccccccccccc  m        m               aa        aa  mm       mm  iiiiiiiiiii  zzzzzzzzzzz
   bbbbbbbbbb     cccccccccc  m        m               aa        aa  mm       mm  iiiiiiiiiii  zzzzzzzzzzz
```



```
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                    *****
                    *****                  program verification information                 *****
                    *****                                                                    *****
                    *****                  code system:    scale  version:    4.2           *****
                    *****                                                                    *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                    *****
                    *****                                                                    *****
                    *****              program:  c0c008                                      *****
                    *****                                                                    *****
                    *****         creation date:  04/27/95                                   *****
                    *****                                                                    *****
                    *****              library:  /neutronics/scale/exe                       *****
                    *****                                                                    *****
                    *****                                                                    *****
                    *****    this is not a   scale  configuration controlled code           *****
                    *****                                                                    *****
                    *****              jobname:  davis                                       *****
                    *****                                                                    *****
                    *****    date of execution:  02/16/96                                    *****
                    *****                                                                    *****
                    *****    time of execution:  09:59:41                                    *****
                    *****                                                                    *****
                    *****                                                                    *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0       -1q array has      1 entries.
0        0q array has      4 entries.
0        1q array has      6 entries.
0        2q array has      2 entries.
1logical assignments
0master library   12
 working library   0
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       66
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0        3q array has     66 entries.
0        4q array has     66 entries.
0        5q array has     66 entries.
0        6q array has      4 entries.
0        7q array has      4 entries.
0        8q array has      4 entries.
0        9q array has      4 entries.
0       10q array has     66 entries.
0       11q array has      4 entries.
0m i x i n g   t a b l e
```

Oentry	mixture	isotope	number density	new identifier
1	1	92235	4.90251E-04	92235
2	1	92234	4.84938E-06	92234
3	1	92236	3.98238E-05	92236
4	1	92238	2.19185E-02	92238
5	1	8016	4.55359E-02	8016
6	3	8016	2.09710E-02	6
7	1	36083	9.77039E-07	36083
8	1	36085	4.70956E-07	36085
9	1	38090	1.06191E-05	38090
10	1	39089	7.90165E-06	39089
11	1	42095	9.68029E-06	42095
12	1	40093	8.21428E-06	40093
13	1	40094	1.27843E-05	40094
14	1	40095	2.07596E-06	40095
15	1	41094	5.48977E-12	41094
16	1	43099	1.24470E-05	43099
17	1	45103	6.47551E-06	45103
18	1	45105	1.88693E-08	45105
19	1	44101	1.10665E-05	44101
20	1	44106	1.65007E-06	44106
21	1	46105	3.81543E-06	46105
22	1	46108	9.30327E-07	46108
23	1	47109	6.68335E-07	47109
24	1	51124	1.62036E-10	51124
25	1	54131	5.77241E-06	54131
26	1	54132	1.00606E-05	54132
27	1	54135	6.65420E-09	54135
28	1	54136	2.10435E-05	54136
29	1	55134	4.21443E-07	55134
30	1	55135	6.63814E-06	55135
31	1	55137	1.31904E-05	55137
32	1	56136	8.15114E-08	56136
33	1	57139	1.31073E-05	57139
34	1	59141	1.09870E-05	59141
35	1	59143	3.85024E-07	59143
36	1	58144	5.87019E-06	58144
37	1	60143	1.06631E-05	60143
38	1	60145	7.73967E-06	60145
39	1	61147	3.14142E-06	61147
40	1	61148	8.83978E-09	61148
41	1	60147	1.31597E-07	60147
42	1	62147	6.67818E-07	62147
43	1	62149	8.02025E-08	62149
44	1	62150	2.54419E-06	62150
45	1	62151	3.32006E-07	62151
46	1	62152	1.24460E-06	62152
47	1	64155	1.18571E-09	64155
48	1	63153	6.30790E-07	63153
49	1	63154	9.52980E-08	63154
50	1	63155	7.31344E-08	63155
51	2	40302	4.25156E-02	40302
52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	1.36295E-05	55133
56	1	95237	1.97949E-06	95237
57	1	94238	1.77348E-07	94238
58	1	94239	8.26635E-05	94239
59	1	94240	1.15798E-05	94240


```
   60       1        94241     5.05481E-06            94241
   61       1        94242     3.41071E-07            94242
   62       1        95241     9.66355E-08            95241
   63       1        95243     1.84689E-08            95243
   64       1        96244     1.04617E-09            96244
   65       1          999     1.00000E-20              999
   66       4          999     1.00000E-20               66
0geometry and material description
0zone   mixture   outer dimension   temperature      extra xs   type (0/1--fuel/mod)
    1         1      4.68122E-01    9.75000E+02   9.05844E-01                      0
    2         4      4.78790E-01    2.93000E+02   5.49010E-01                      0
    3         2      5.46100E-01    6.50000E+02    .00000E+00                      0
    4         3      8.13968E-01    6.07600E+02    .00000E+00                      0
     7711 locations of   200000 available are required to make a new master containing the self-shielded values
0no nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical  1
0copy       999  1/v cross sectio from log 12 to log 18    bondarenko trigger 0
0copy       999  1/v cross sectio from log 18 to log  1    bondarenko trigger 0
0copy       999  1/v cross sectio from log 18 to log  1    bondarenko trigger 0
0copy      1001  hydrogen        from log 12 to log  1    bondarenko trigger 0
0copy      5010  b-10 1273 218ngp from log 12 to log  1    bondarenko trigger 0
0copy      5011  boron-11        from log 12 to log  1    bondarenko trigger 0
0copy      8016  oxygen-16       from log 12 to log 18    bondarenko trigger 0
0copy      8016  oxygen-16       from log 18 to log  1    bondarenko trigger 0
0copy      8016  oxygen-16       from log 18 to log  1    bondarenko trigger 0
0copy     36083  kr-83           from log 12 to log  1    bondarenko trigger 0
0copy     36085  kr-85           from log 12 to log  1    bondarenko trigger 0
0copy     38090  sr-90           from log 12 to log  1    bondarenko trigger 0
0copy     39089   y-89           from log 12 to log  1    bondarenko trigger 0
0copy     40093  zr-93           from log 12 to log  1    bondarenko trigger 0
0copy     40094  zr-94           from log 12 to log  1    bondarenko trigger 0
0copy     40095  zr-95           from log 12 to log  1    bondarenko trigger 0
0copy     40302  zircalloy       from log 12 to log  1    bondarenko trigger 0
0copy     41094  rb-94           from log 12 to log  1    bondarenko trigger 0
0copy     42095  mo-95           from log 12 to log  1    bondarenko trigger 0
0copy     43099  tc-99           from log 12 to log  1    bondarenko trigger 0
0copy     44101  ru-101          from log 12 to log  1    bondarenko trigger 0
0copy     44106  ru-106          from log 12 to log  1    bondarenko trigger 0
0copy     45103  rh-103          from log 12 to log  1    bondarenko trigger 0
0copy     45105  rh-105          from log 12 to log  1    bondarenko trigger 0
0copy     46105  pd-105          from log 12 to log  1    bondarenko trigger 0
0copy     46108  pd-108          from log 12 to log  1    bondarenko trigger 0
0copy     47109  silver-109      from log 12 to log  1    bondarenko trigger 0
0copy     51124  sb-124          from log 12 to log  1    bondarenko trigger 0
0copy     54131  xe-131          from log 12 to log  1    bondarenko trigger 0
0copy     54132  xe-132          from log 12 to log  1    bondarenko trigger 0
0copy     54135  xenon-135       from log 12 to log  1    bondarenko trigger 0
0copy     54136  xe-136          from log 12 to log  1    bondarenko trigger 0
0copy     55133  cesium-133      from log 12 to log  1    bondarenko trigger 0
0copy     55134  cs-134          from log 12 to log  1    bondarenko trigger 0
0copy     55135  cs-135          from log 12 to log  1    bondarenko trigger 0
0copy     55137  cs-137          from log 12 to log  1    bondarenko trigger 0
0copy     56136  ba-136          from log 12 to log  1    bondarenko trigger 0
0copy     57139  la-139          from log 12 to log  1    bondarenko trigger 0
0copy     58144  ce-144          from log 12 to log  1    bondarenko trigger 0
0copy     59141  pr-141          from log 12 to log  1    bondarenko trigger 0
0copy     59143  pr-143          from log 12 to log  1    bondarenko trigger 0
0copy     60143  nd-143          from log 12 to log  1    bondarenko trigger 0
0copy     60145  nd-145          from log 12 to log  1    bondarenko trigger 0
0copy     60147  nd-147          from log 12 to log  1    bondarenko trigger 0
0copy     61147  pm-147          from log 12 to log  1    bondarenko trigger 0
```

```
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
          compiled for nrc     1/27/89
            last updated      9/16/93
              l.m.petrie   -   ornl
        tape id                          4321        number of nuclides          66
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                    id    999
      1/v cross sections normalized to 1.0 at 0.0253 ev                    id     66
       hydrogen       endf/b-iv mat 1269/thrm1002   updated 10/13/89      id   1001
      b-10 1273 218ngp 042375 p-3 293k                                     id   5010
       boron-11       endf/b-iv mat 1160            updated 10/13/89      id   5011
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id   8016
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id      6
       kr-83          mt=102,103,103,105,106,107    updated 10/13/89      id  36083
       kr-85            mt=  102                                           id  36085
       sr-90          mt=102                        updated 10/13/89      id  38090
        y-89          mt=102                        updated 10/13/89      id  39089
       zr-93            mt=  102                                           id  40093
       zr-94          mt=102                        updated 10/13/89      id  40094
       zr-95          mt=102                        updated 10/13/89      id  40095
       zircalloy      endf/b-iv mat 1284            updated 10/13/89      id  40302
       rb-94          mt=102                        updated 10/13/89      id  41094
       mo-95          mt=102                        updated 10/13/89      id  42095
       tc-99          mt=102                        updated 10/13/89      id  43099
       ru-101         mt=102                        updated 10/13/89      id  44101
       ru-106         mt=102                        updated 10/13/89      id  44106
       rh-103         mt=102                        updated 10/13/89      id  45103
       rh-105           mt=  102                                           id  45105
       pd-105         mt=102                        updated 10/13/89      id  46105
       pd-108         mt=102                        updated 10/13/89      id  46108
       silver-109     endf/b-iv mat 1139            updated 10/13/89      id  47109
       sb-124         mt=102                        updated 10/13/89      id  51124
       xe-131         mt=102,103,104,105,106        updated 10/13/89      id  54131
       xe-132         mt=102,103,104,105,106        updated 10/13/89      id  54132
```

```
        xenon-135       endf/b-iv mat 1294              updated 10/13/89                id    54135
        xe-136            mt=  102, 103, 104, 105, 107                                  id    54136
        cesium-133      endf/b-iv mat 1141              updated 10/13/89                id    55133
        cs-134          mt=102                          updated 10/13/89                id    55134
        cs-135            mt=  102                                                      id    55135
        cs-137          mt=102                          updated 10/13/89                id    55137
        ba-136          mt=102                          updated 10/13/89                id    56136
        la-139          mt=102                          updated 10/13/89                id    57139
        ce-144            mt=  102                                                      id    58144
        pr-141          mt=102,103,104,105,106,107      updated 10/13/89                id    59141
        pr-143          mt=102                          updated 10/13/89                id    59143
        nd-143          mt=102                          updated 10/13/89                id    60143
        nd-145          mt=102                          updated 10/13/89                id    60145
        nd-147          mt=102                          updated 10/13/89                id    60147
        pm-147          mt=102                          updated 10/13/89                id    61147
        pm-148            mt=  102                                                      id    61148
        sm-147          endf/b-v fission product        updated 10/13/89                id    62147
        sm-149          mt=102,103,107                  updated 10/13/89                id    62149
        sm-150          mt=102                          updated 10/13/89                id    62150
        sm-151          mt=102,103,104,105,106,107      updated 10/13/89                id    62151
        sm-152          mt=102,103,104,105,106,107      updated 10/13/89                id    62152
        eu-153          mt=102,103,104,105,106,107      updated 10/13/89                id    63153
        eu-154          mt=102,103,104,105,106,107      updated 10/13/89                id    63154
        eu-155          mt=102,103,104,105,106,107      updated 10/13/89                id    63155
        gd-155          mt=102                          updated 10/13/89                id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                              id    92234
        uranium-235     endf/b-iv mat 1261              updated 10/13/89                id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                              id    92236
        uranium-238     endf/b-iv mat 1262              updated 10/13/89                id    92238
        neptunium-237   endf/b-iv mat 1263              updated 10/13/89                id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                             id    94238
        plutonium-239   endf/b-iv mat 1264              updated 10/13/89                id    94239
        plutonium-240   endf/b-iv mat 1265              updated 10/13/89                id    94240
        plutonium-241   endf/b-iv mat 1266              updated 10/13/89                id    94241
        plutonium-242   endf/b-iv mat 1161              updated 10/13/89                id    94242
       am-241 1056 sigo=5+4 newklacs 218grp p-3 293k                                    id    95241
       am-243 1057 218 gp wt f-1/e-m 090876 p3 293k                                     id    95243
        curium-244      endf/b-iv mat 1162              updated 10/13/89                id    96244
0        tape copy used      0 i/o's, and took     .00 seconds
1
```



```
0
```



```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******              program verification information            ******
******                                                          ******
******              code system:   scale  version:   4.2        ******
******                                                          ******
**********************************************************************
```

```
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  c0c002                                        *****
                    *****                                                                      *****
                    *****         creation date:  04/27/95                                     *****
                    *****                                                                      *****
                    *****              library:  /neutronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****    this is not a   scale  configuration controlled code             *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****    date of execution:  02/16/96                                      *****
                    *****                                                                      *****
                    *****    time of execution:  09:59:41                                      *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************

1
0       -1q array has       1 entries.
0        0q array has       9 entries.
0        1q array has      12 entries.
0select 65 nuclides from the master  library on logical  1
         0 nuclides from the working library on logical  2
         0 nuclides from the working library on logical  3
           to create the new working library on logical  4

        61 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      65 entries.
0        3q array has     915 entries.
0        4q array has      65 entries.
0 general information concerning cross section library
    tape identification number                  4321
    number of nuclides on tape                    66
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0   direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                           based on endf-b version 4 data with endf-b version 5 fission products
                              compiled for nrc      1/27/89
                                 last updated       9/16/93
                                    l.m.petrie   -   ornl
0 nuclides from xsdrn tape
     1    1/v cross sections normalized to 1.0 at 0.0253 ev                                  999
     2     hydrogen        endf/b-iv mat 1269/thrmf1002    updated 10/13/89                1001
     3    b-10 1273 218ngp 042375 p-3 293k                                                 5010
     4     boron-11        endf/b-iv mat 1160              updated 10/13/89                5011
     5     oxygen-16       endf/b-iv mat 1276              updated 10/13/89                8016
     6     oxygen-16       endf/b-iv mat 1276              updated 10/13/89                   6
     7     kr-83           mt=102,103,103,105,106,107      updated 10/13/89               36083
     8     kr-85             mt=  102                                                     36085
     9     sr-90           mt=102                          updated 10/13/89               38090
```

```
   10     y-89          mt=102                          updated 10/13/89          39089
   11     zr-93           mt=  102                                                40093
   12     zr-94         mt=102                          updated 10/13/89          40094
   13     zr-95         mt=102                          updated 10/13/89          40095
   14     zircalloy     endf/b-iv mat 1284              updated 10/13/89          40802
   15     nb-94         mt=102                          updated 10/13/89          41094
   16     mo-95         mt=102                          updated 10/13/89          42095
   17     tc-99         mt=102                          updated 10/13/89          43099
   18     ru-101        mt=102                          updated 10/13/89          44101
   19     ru-106        mt=102                          updated 10/13/89          44106
   20     rh-103        mt=102                          updated 10/13/89          45103
   21     rh-105          mt=  102                                                45105
   22     pd-105        mt=102                          updated 10/13/89          46105
   23     pd-108        mt=102                          updated 10/13/89          46108
   24     silver-109    endf/b-iv mat 1139              updated 10/13/89          47109
   25     sb-124        mt=102                          updated 10/13/89          51124
   26     xe-131        mt=102,103,104,105,106          updated 10/13/89          54131
   27     xe-132        mt=102,103,104,105,106          updated 10/13/89          54132
   28     xenon-135     endf/b-iv mat 1294              updated 10/13/89          54135
   29     xe-136          mt=  102, 103, 104, 105, 107                            54136
   30     cesium-133    endf/b-iv mat 1141              updated 10/13/89          55133
   31     cs-134        mt=102                          updated 10/13/89          55134
   32     cs-135          mt=  102                                                55135
   33     cs-137        mt=102                          updated 10/13/89          55137
   34     ba-136        mt=102                          updated 10/13/89          56136
   35     la-139        mt=102                          updated 10/13/89          57139
   36     ce-144          mt=  102                                                58144
   37     pr-141        mt=102,103,104,105,106,107      updated 10/13/89          59141
   38     pr-143        mt=102                          updated 10/13/89          59143
   39     nd-143        mt=102                          updated 10/13/89          60143
   40     nd-145        mt=102                          updated 10/13/89          60145
   41     nd-147        mt=102                          updated 10/13/89          60147
   42     pm-147        mt=102                          updated 10/13/89          61147
   43     pm-148          mt=  102                                                61148
   44     sm-147        endf/b-v fission product        updated 10/13/89          62147
   45     sm-149        mt=102,103,107                  updated 10/13/89          62149
   46     sm-150        mt=102                          updated 10/13/89          62150
   47     sm-151        mt=102,103,104,105,106,107      updated 10/13/89          62151
   48     sm-152        mt=102,103,104,105,106,107      updated 10/13/89          62152
   49     eu-153        mt=102,103,104,105,106,107      updated 10/13/89          63153
   50     eu-154        mt=102,103,104,105,106,107      updated 10/13/89          63154
   51     eu-155        mt=102,103,104,105,106,107      updated 10/13/89          63155
   52     gd-155        mt=102                          updated 10/13/89          64155
   53   u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         92234
   54     uranium-235   endf/b-iv mat 1261              updated 10/13/89          92235
   55   u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         92236
   56     uranium-238   endf/b-iv mat 1262              updated 10/13/89          92238
   57     neptunium-237 endf/b-iv mat 1263              updated 10/13/89          93237
   58   pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                        94238
   59     plutonium-239 endf/b-iv mat 1264              updated 10/13/89          94239
   60     plutonium-240 endf/b-iv mat 1265              updated 10/13/89          94240
   61     plutonium-241 endf/b-iv mat 1266              updated 10/13/89          94241
   62     plutonium-242 endf/b-iv mat 1161              updated 10/13/89          94242
   63   am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                              95241
   64   am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                               95243
   65     curium-244    endf/b-iv mat 1162              updated 10/13/89          96244
01/v cross sections normalized to 1.0 at 0.0253 ev                        999     temperature=   975.00
0 hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89          1001    temperature=   607.60
                          thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                         5010    temperature=   607.60
```

```
                        thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11      endf/b-iv mat 1160          updated 10/13/89          5011    temperature=  607.60
                        thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16     endf/b-iv mat 1276          updated 10/13/89          8016    temperature=  975.00
0 oxygen-16     endf/b-iv mat 1276          updated 10/13/89             6    temperature=  607.60
0 kr-83         mt=102,103,103,105,106,107  updated 10/13/89         36083    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   82.202          temperature(kelvin)     =  975.000
0potential scatter sigma =   7.004          lumped nuclear density  = 9.7703935E-07
0spin factor (g)        = 4988.190          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =  15.995           sigma(per absorber atom)= 1.747725E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    = 237.953           sigma(per absorber atom)= 1.9499170E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11     -1.385983E-03    .000000E+00   -1.759590E-03
  12      2.166790E-02    .000000E+00    9.901676E-03
  13     -3.216016E-01    .000000E+00   -9.862398E-02
  14      4.782765E-05    .000000E+00   -1.722850E-05
0excess resonance integrals
0               resolved
0absorption    1.44905E+02
 fission         .00000E+00
- elapsed time   .00 min.
0 kr-85          mt=  102                                              36085    temperature=  975.00
0 sr-90         mt=102                      updated 10/13/89          38090    temperature=  975.00
0  y-89         mt=102                      updated 10/13/89          39089    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   88.142          temperature(kelvin)     =  975.000
0potential scatter sigma =    3.644         lumped nuclear density  = 7.9016527E-06
0spin factor (g)        =   78.664          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =  15.995           sigma(per absorber atom)= 2.1610631E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    = 237.953           sigma(per absorber atom)= 2.4110725E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   9     -1.668715E-06    .000000E+00   -8.242978E-05
  10     -4.720001E-05    .000000E+00   -1.330676E-04
0excess resonance integrals
0               resolved
0absorption    1.46444E-01
 fission         .00000E+00
- elapsed time   .00 min.
0 zr-93          mt=  102                                              40093    temperature=  975.00
0 zr-94         mt=102                      updated 10/13/89          40094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   93.100          temperature(kelvin)     =  975.000
0potential scatter sigma =    3.779         lumped nuclear density  = 1.2784308E-05
0spin factor (g)        =  180.853          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =  15.995           sigma(per absorber atom)= 1.3356976E+04
```

```
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.4902220E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   8      -6.747734E-07     .000000E+00   -6.500250E-04
   9      -2.446607E-05     .000000E+00   -2.167085E-03
0excess resonance integrals
0                 resolved
0absorption      3.4394OE-02
 fission          .00000E+00
-  elapsed time    .00 min.
0 zr-95          mt=102                   updated 10/13/89          40095     temperature=   975.00
0 zircalloy      endf/b-iv mat 1284       updated 10/13/89          40302     temperature=   650.00
0resonance data for this nuclide
0mass number (a)          =    90.436          temperature(kelvin)     =   650.000
0potential scatter sigma  =     6.385          lumped nuclear density  = 4.2515602E-02
0spin factor (g)          =     1.079          lump dimension (a-bar)  = 5.4610002E-01
0inner radius             = 4.7878999E-01      dancoff correction (c)  = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   8      -1.780596E-03     .000000E+00   -1.286907E+00
   9      -5.895373E-02     .000000E+00   -2.695297E+00
  10      -6.959935E-02     .000000E+00   -1.601321E+00
  11      -1.883957E-01     .000000E+00   -7.920912E-01
0excess resonance integrals
0                 resolved
0absorption      2.28539E-01
 fission          .00000E+00
-  elapsed time    .02 min.
0 rb-94          mt=102                   updated 10/13/89          41094     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    93.101          temperature(kelvin)     =   975.000
0potential scatter sigma  =     3.779          lumped nuclear density  = 5.4897688E-12
0spin factor (g)          = 43808.801          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 3.1105079E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 3.4708569E+10
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13       1.043419E-02     .000000E+00    9.253895E-04
  14       9.836701E-03     .000000E+00   -4.064784E-04
0excess resonance integrals
0                 resolved
0absorption      9.15001E+01
 fission          .00000E+00
-  elapsed time    .02 min.
0 mo-95          mt=102                   updated 10/13/89          42095     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    94.091          temperature(kelvin)     =   975.000
0potential scatter sigma  =     3.806          lumped nuclear density  = 9.6802851E-06
0spin factor (g)          =   607.724          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
```

```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.763994E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.968067E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  10      -2.101411E-03     .000000E+00   -1.219284E-02
  11      -3.741213E-03     .000000E+00   -6.328940E-03
  12      -2.768852E+00     .000000E+00   -3.186731E+00
  13       1.591845E-04     .000000E+00   -2.397025E-05
0excess resonance integrals
0                 resolved
0absorption      9.97889E+01
 fission          .00000E+00
-  elapsed time    .02 min.
0 tc-99          mt=102                  updated 10/13/89          43099     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   98.150          temperature(kelvin)      =   975.000
0potential scatter sigma  =    6.000          lumped nuclear density   = 1.2446981E-05
0spin factor (g)          =  4527.940          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.371896AE+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.530608?E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  11      -1.596682E-02     .000000E+00   -7.532893E-03
  12      -4.130031E-03     .000000E+00   -1.416189E-04
  13      -2.602912E-01     .000000E+00   -1.372298E-02
  14      -5.629467E+00     .000000E+00   -1.798383E-01
  15       1.070845E-02     .000000E+00   -5.397120E-04
  16       4.836022E-03     .000000E+00   -2.802316E-04
  17       2.074402E-04     .000000E+00   -1.192082E-05
0excess resonance integrals
0                 resolved
0absorption      3.27549E+02
 fission          .00000E+00
-  elapsed time    .03 min.
0 ru-101         mt=102                  updated 10/13/89          44101     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =  100.039          temperature(kelvin)      =   975.000
0potential scatter sigma  =    3.965          lumped nuclear density   = 1.1066534E-05
0spin factor (g)          =  8785.290          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.543027?E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.721537?E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  11      -3.600798E-02     .000000E+00   -3.661688E-03
  12      -7.148226E-02     .000000E+00   -2.072446E-02
  13      -2.960912E-01     .000000E+00   -7.977196E-03
```

```
  14     2.374839E-04     .000000E+00   -4.170895E-05
0excess resonance integrals
0                resolved
0absorption      7.95266E+01
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-106        mt=102                    updated 10/13/89            44106    temperature=  975.00
0 rh-103        mt=102                    updated 10/13/89            45103    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   102.021          temperature(kelvin)      =   975.000
0potential scatter sigma =     5.408          lumped nuclear density   = 6.4755109E-06
0spin factor (g)         =      .500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995           sigma(per absorber atom)= 2.6370074E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953           sigma(per absorber atom)= 2.9420779E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
   9     1.271471E-03     .000000E+00    1.996385E-03
  10    -2.977085E-03     .000000E+00   -4.186531E-03
  11    -1.281989E-02     .000000E+00   -1.136710E-02
  12    -1.833917E-04     .000000E+00   -1.934018E-05
  13      .000000E+00     .000000E+00     .000000E+00
  14      .000000E+00     .000000E+00     .000000E+00
  15     2.295552E-01     .000000E+00    3.324061E-03
  16     3.506692E+01     .000000E+00   -5.389979E-02
  17    -1.842000E+02     .000000E+00   -1.504310E-01
  18     8.739133E+01     .000000E+00    2.613078E-01
  19     1.151897E+01     .000000E+00   -1.560780E-03
  20     1.089838E+00     .000000E+00   -2.495795E-03
  21     2.165939E-01     .000000E+00    1.924895E-03
  22     2.583943E-01     .000000E+00    2.928526E-03
  23    -9.880321E-02     .000000E+00    1.799034E-03
0excess resonance integrals
0                resolved
0absorption      1.15157E+03
 fission          .00000E+00
- elapsed time    .07 min.
0 rh-105        mt=  102                                                45105    temperature=  975.00
0 pd-105        mt=102                    updated 10/13/89            46105    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   104.004          temperature(kelvin)      =   975.000
0potential scatter sigma =     4.059          lumped nuclear density   = 3.8154349E-06
0spin factor (g)         = 15210.000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995           sigma(per absorber atom)= 4.4754977E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953           sigma(per absorber atom)= 4.9932598E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  12    -5.267409E-02     .000000E+00   -1.049825E-03
  13     5.370175E-03     .000000E+00   -3.614218E-04
  14     7.773445E-04     .000000E+00   -8.157203E-05
0excess resonance integrals
```

```
0                resolved
0absorption      6.12702E+01
 fission         .00000E+00
- elapsed time   .07 min.
0 pd-108        mt=102                  updated 10/13/89          46108    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  106.977          temperature(kelvin)     =  975.000
0potential scatter sigma  =    4.146          lumped nuclear density  = 9.3032725E-07
0spin factor (g)          = 21175.100          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 1.8354798E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 2.0478253E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      1.170385E-04     .000000E+00    3.531856E-04
  12     -8.421333E-01     .000000E+00   -6.202699E-01
  13      6.858835E-03     .000000E+00    1.834003E-03
  14      8.561365E-02     .000000E+00   -3.207094E-05
  15     -1.840486E-01     .000000E+00    8.083802E-05
  16      2.946586E-04     .000000E+00   -9.255640E-06
0excess resonance integrals
0                resolved
0absorption      2.13080E+02
 fission         .00000E+00
- elapsed time   .07 min.
0 silver-109    endf/b-iv mat 1139        updated 10/13/89          47109    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  107.969          temperature(kelvin)     =  975.000
0potential scatter sigma  =    4.988          lumped nuclear density  = 6.6833451E-07
0spin factor (g)          = 1441.870          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 2.5550033E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 2.8505872E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10     -5.320484E-05     .000000E+00   -3.392181E-05
  11     -2.755409E-03     .000000E+00   -2.078532E-03
  12     -7.117940E-01     .000000E+00   -3.246696E-02
  13      7.671432E-01     .000000E+00    3.380747E-02
  14     -6.185493E+00     .000000E+00   -5.847073E-01
0excess resonance integrals
0                resolved
0absorption      1.39527E+03
 fission         .00000E+00
- elapsed time   .07 min.
0 sb-124        mt=102                  updated 10/13/89          51124    temperature=  975.00
0 xe-131        mt=102,103,104,105,106  updated 10/13/89          54131    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  129.781          temperature(kelvin)     =  975.000
0potential scatter sigma  =    4.301          lumped nuclear density  = 5.7724055E-06
0spin factor (g)          =  246.825          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
```

```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 2.9582066E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 3.3004363E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -1.746571E-06     .000000E+00   -1.644019E-05
  10      -1.217036E-04     .000000E+00   -1.011729E-04
  11      -1.522097E-03     .000000E+00   -1.149261E-03
  12      -2.946790E-02     .000000E+00   -2.748222E-03
  13      -4.860811E+01     .000000E+00   -1.140201E+02
  14       1.086607E-02     .000000E+00    1.520949E-02
0excess resonance integrals
0                 resolved
0absorption      7.85722E+02
 fission          .00000E+00
- elapsed time    .08 min.
0 xe-132        mt=102,103,104,105,106        updated 10/13/89              54132     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   130.771              temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301              lumped nuclear density   = 1.0060623E-05
0spin factor (g)          =   675.899              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.6973074E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.8936658E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -1.536122E-05     .000000E+00   -6.967560E-05
  10      -4.775116E-03     .000000E+00   -6.079132E-02
  11       3.338609E-08     .000000E+00   -9.216575E-07
0excess resonance integrals
0                 resolved
0absorption      9.76256E-01
 fission          .00000E+00
- elapsed time    .08 min.
0 xenon-135     endf/b-iv mat 1294          updated 10/13/89              54135     temperature=   975.00
0 xe-136          mt=  102, 103, 104, 105, 107                            54136     temperature=   975.00
0 cesium-133    endf/b-iv mat 1141          updated 10/13/89              55133     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   131.764              temperature(kelvin)      =   975.000
0potential scatter sigma  =     7.100              lumped nuclear density   = 1.3629538E-05
0spin factor (g)          =   374.437              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.2528647E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.3438617E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -3.902142E-05     .000000E+00   -2.371830E-04
  10      -1.855911E-03     .000000E+00   -3.566480E-03
  11      -7.030141E-02     .000000E+00   -1.231307E-01
```

```
  12      -1.087364E-01     .000000E+00   -1.514590E-02
  13      -1.806647E-01     .000000E+00   -9.834943E-03
  14      -8.027154E+00     .000000E+00   -3.517231E-01
  15       5.625014E-03     .000000E+00   -4.054422E-04
  16       2.777886E-03     .000000E+00   -2.215274E-04
  17       2.352273E-03     .000000E+00   -1.830700E-04
  18       2.215057E-03     .000000E+00   -1.679488E-04
  19       1.317054E-03     .000000E+00   -9.671629E-05
0excess resonance integrals
0                  resolved
0absorption       3.56736E+02
 fission           .00000E+00
- elapsed time     .10 min.
0 cs-134        mt=102                    updated 10/13/89          55134    temperature=  975.00
0 cs-135          mt=  102                                          55135    temperature=  975.00
0 cs-137        mt=102                    updated 10/13/89          55137    temperature=  975.00
0 ba-136        mt=102                    updated 10/13/89          56136    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   134.737          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.835          lumped nuclear density   = 8.1511402E-08
0spin factor (g)          =  1247.690          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.0949178E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 2.3372750E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10       1.264037E-06     .000000E+00    5.433292E-07
  11       1.019501E-05     .000000E+00    8.952431E-06
0excess resonance integrals
0                  resolved
0absorption       1.38475E+00
 fission           .00000E+00
- elapsed time     .10 min.
0 la-139        mt=102                    updated 10/13/89          57139    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   137.713          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.906          lumped nuclear density   = 1.3107317E-05
0spin factor (g)          =   145.855          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.3027813E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.4534978E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9       1.241050E-05     .000000E+00    2.717702E-03
  10      -2.747689E-04     .000000E+00   -1.731751E-02
  11        .000000E+00     .000000E+00     .000000E+00
  12      -4.498419E-02     .000000E+00   -2.717459E-02
0excess resonance integrals
0                  resolved
0absorption       8.09612E+00
 fission           .00000E+00
- elapsed time     .12 min.
```

```
0 ce-144          mt=  102                                          58144     temperature=   975.00
0 pr-141        mt=102,103,104,105,106,107     updated 10/13/89     59141     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   139.697          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.953          lumped nuclear density   = 1.0987034E-05
0spin factor (g)          =  1026.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.5541928E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.7339945E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -4.312013E-03      .000000E+00    -1.464163E-01
  11      -7.124887E-02      .000000E+00    -9.475036E-01
  12      -1.590714E-03      .000000E+00    -1.548419E-04
0excess resonance integrals
0                  resolved
0absorption       1.21742E+01
 fission           .00000E+00
-  elapsed time    .12 min.
0 pr-143        mt=102                       updated 10/13/89     59143     temperature=   975.00
0 nd-143        mt=102                       updated 10/13/89     60143     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   141.682          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.000          lumped nuclear density   = 1.0663101E-05
0spin factor (g)          =  1964.860          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.6014073E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.7866713E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -1.073421E-04      .000000E+00    -4.672364E-05
  11      -2.502638E-01      .000000E+00    -2.911259E+00
  12      -1.644718E-01      .000000E+00    -8.092445E-02
0excess resonance integrals
0                  resolved
0absorption       5.10661E+01
 fission           .00000E+00
-  elapsed time    .12 min.
0 nd-145        mt=102                       updated 10/13/89     60145     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   143.668          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.047          lumped nuclear density   = 7.7396689E-06
0spin factor (g)          =  1007.250          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.2062920E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 2.4615338E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
```

```
  10      -3.127119E-03     .000000E+00   -4.923112E-02
  11      -4.765503E-02     .000000E+00   -1.440322E-01
  12      -1.169613E+00     .000000E+00   -7.364430E+00
  13       9.609872E-05     .000000E+00    2.040021E-04
  14      -1.043070E+00     .000000E+00   -2.743980E-02
  15       5.904867E-03     .000000E+00   -4.619551E-04
  16       1.326684E-03     .000000E+00   -1.451367E-04
  17       9.642499E-04     .000000E+00   -1.063983E-04
  18       8.539784E-04     .000000E+00   -9.314087E-05
  19       7.634346E-04     .000000E+00   -8.070501E-05
  20       2.838992E-05     .000000E+00   -2.919078E-06
0excess resonance integrals
0                resolved
0absorption      2.07412E+02
 fission          .00000E+00
- elapsed time    .13 min.
0 rd-147        mt=102                    updated 10/13/89            60147    temperature=  975.00
0 pm-147        mt=102                    updated 10/13/89            61147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   145.653          temperature(kelvin)     =   975.000
0potential scatter sigma =     5.093          lumped nuclear density  = 3.1414177E-06
0spin factor (g)         = 21589.500          lump dimension (a-bar)  = 4.6812201E-01
0inner radius            =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 5.4357527E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933          sigma(per absorber atom)= 6.0646055E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  12      -1.563805E-01     .000000E+00   -5.028190E-02
  13      -4.012225E-02     .000000E+00   -2.350455E-03
  14      -7.182008E+01     .000000E+00   -3.089703E+01
  15       4.130403E-02     .000000E+00    6.981774E-03
  16       1.697950E-02     .000000E+00    1.746737E-03
  17       1.369752E-02     .000000E+00    1.150408E-03
  18       1.253762E-02     .000000E+00    9.649074E-04
  19       6.999463E-04     .000000E+00    5.069173E-05
0excess resonance integrals
0                resolved
0absorption      2.02910E+03
 fission          .00000E+00
- elapsed time    .13 min.
0 pm-148         mt=  102                                                 61148    temperature=  975.00
0 sm-147        endf/b-v fission product   updated 10/13/89               62147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   145.653          temperature(kelvin)     =   975.000
0potential scatter sigma =     5.093          lumped nuclear density  = 6.6781757E-07
0spin factor (g)         =      .000          lump dimension (a-bar)  = 4.6812201E-01
0inner radius            =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 2.5569811E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.953          sigma(per absorber atom)= 2.8527938E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  11       2.836913E-01     .000000E+00    1.112904E+00
```

```
  12     1.088846E+00     .000000E+00   -1.408553E+00
  13    -2.806831E+00     .000000E+00   -1.302609E+00
  14    -2.406620E-01     .000000E+00   -1.391501E-03
  15     3.117676E-01     .000000E+00   -1.918673E-03
  16     7.287842E-03     .000000E+00   -3.738702E-04
  17     4.281479E-03     .000000E+00   -2.401535E-04
  18     3.510398E-03     .000000E+00   -1.997058E-04
  19     2.910600E-03     .000000E+00   -1.649439E-04
  20     8.434995E-04     .000000E+00   -4.626885E-05
0excess resonance integrals
0                resolved
0absorption     7.23525E+02
 fission         .00000E+00
- elapsed time   .15 min.
                          thermal scattering matrix number  3 at a temperature of   900.03 was selected.
0 sm-149       mt=102,103,107              updated 10/13/89            62149    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   147.638          temperature(kelvin)     =   975.000
0potential scatter sigma =    3.260          lumped nuclear density  = 8.0202490E-08
0spin factor (g)        = 10407.900          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 2.1291073E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.953           sigma(per absorber atom)= 2.3754198E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11     8.546618E-03     .000000E+00    3.071172E-02
  12    -5.400369E-02     .000000E+00   -1.796964E-01
  13     2.356363E-02     .000000E+00    2.899016E-03
  14     9.786990E-03     .000000E+00   -7.090896E-03
0excess resonance integrals
0                resolved
0absorption     8.04343E+02
 fission         .00000E+00
- elapsed time   .15 min.
0 sm-150       mt=102                      updated 10/13/89            62150    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   148.629          temperature(kelvin)     =   975.000
0potential scatter sigma =    5.162          lumped nuclear density  = 2.5441905E-06
0spin factor (g)        = 4376.420           lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 6.7117500E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.953           sigma(per absorber atom)= 7.4882203E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10    -8.860412E-04     .000000E+00   -8.258277E-03
  11    -1.909252E-02     .000000E+00   -2.169535E-01
  12    -6.202067E-02     .000000E+00   -1.874718E-02
  13    -4.471614E+00     .000000E+00   -3.522457E+00
  14     1.065973E-04     .000000E+00   -6.409712E-05
0excess resonance integrals
0                resolved
0absorption     2.89862E+02
```

```
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-151        mt=102,103,104,105,106,107     updated 10/13/89              62151     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   149.623              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.185              lumped nuclear density   = 3.3200570E-07
0spin factor (g)          = 75574.703              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 5.1432759E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953              sigma(per absorber atom)= 5.7382925E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  14      -1.902656E-01     .000000E+00   -1.953556E-02
  15       1.489455E+01     .000000E+00    7.541747E-02
  16      -2.179166E+01     .000000E+00   -6.184455E-02
  17       1.737730E+02     .000000E+00    8.287368E-01
  18      -3.205274E+02     .000000E+00   -1.782191E+00
  19       6.255297E+01     .000000E+00    3.868173E-01
  20       1.141397E+00     .000000E+00   -1.408118E-04
  21      -7.117594E-02     .000000E+00    1.244095E-02
  22       6.952561E-02     .000000E+00    3.838921E-03
  23      -1.091915E-02     .000000E+00    3.374035E-04
0excess resonance integrals
0                 resolved
0absorption      2.05658E+03
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-152        mt=102,103,104,105,106,107     updated 10/13/89              62152     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   150.615              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.208              lumped nuclear density   = 1.2446013E-06
0spin factor (g)          =   863.594              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 1.3720031E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953              sigma(per absorber atom)= 1.5307278E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9       2.402917E-06     .000000E+00    1.158824E-04
  10      -9.668040E-04     .000000E+00   -1.527281E-02
  11      -1.426155E-02     .000000E+00   -5.438628E-02
  12      -9.672706E-02     .000000E+00   -3.073028E-01
  13       4.225402E-02     .000000E+00    1.027757E-01
  14      -8.745422E+01     .000000E+00   -1.690672E+02
0excess resonance integrals
0                 resolved
0absorption      2.79773E+03
 fission          .00000E+00
- elapsed time    .17 min.
0 eu-153        mt=102,103,104,105,106,107     updated 10/13/89              63153     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   151.607              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density   = 6.3078977E-07
```

```
0spin factor (g)          = 12265.900              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995                  sigma(per absorber atom)= 2.7070775E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.953                  sigma(per absorber atom)= 3.0202547E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss       res scat
  12      -2.772844E-01      .000000E+00   -5.409002E-02
  13      -1.013753E-01      .000000E+00   -2.071329E-03
  14      -6.824808E-01      .000000E+00    1.708121E-03
  15       2.400970E+00      .000000E+00   -2.694528E-02
  16      -3.294738E+00      .000000E+00    8.158251E-03
  17       1.506605E-01      .000000E+00   -3.437719E-03
  18       7.726888E-02      .000000E+00   -2.231196E-03
  19       5.055466E-02      .000000E+00   -1.541131E-03
  20      -1.253801E-01      .000000E+00   -1.275065E-03
0excess resonance integrals
0                  resolved
0absorption       1.35519E+03
 fission           .00000E+00
-  elapsed time    .17 min.
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89            63154     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   152.601              temperature(kelvin)       =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density    = 9.5298013E-08
0spin factor (g)          = 19135.801              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995                  sigma(per absorber atom)= 1.7918495E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.953                  sigma(per absorber atom)= 1.9991453E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss       res scat
  12      -3.879111E-01      .000000E+00   -6.058521E-02
  13      -3.050694E-01      .000000E+00   -2.464727E-02
  14       3.428014E-01      .000000E+00    1.488880E-02
  15       1.895024E-01      .000000E+00    2.110245E-02
  16       7.259676E+00      .000000E+00    9.253874E-02
  17      -1.438728E+02      .000000E+00   -1.895837E+00
  18       1.137163E+02      .000000E+00    1.859022E+00
  19      -1.014623E+02      .000000E+00    1.187256E+00
0excess resonance integrals
0                  resolved
0absorption       2.13692E+03
 fission           .00000E+00
-  elapsed time    .18 min.
0 eu-155        mt=102,103,104,105,106,107     updated 10/13/89            63155     temperature=   975.00
0 gd-155        mt=102                         updated 10/13/89            64155     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   153.592              temperature(kelvin)       =   975.000
0potential scatter sigma  =     5.277              lumped nuclear density    = 1.1837075E-09
0spin factor (g)          = 12700.100              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995                  sigma(per absorber atom)= 1.4425835E+08
```

```
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933              sigma(per absorber atom)= 1.6094734E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12      -1.439291E+00     .000000E+00    -1.839456E-01
  13       1.541241E+00     .000000E+00     1.985186E-01
  14       2.190766E-01     .000000E+00     9.807291E-03
  15      -3.322711E-01     .000000E+00    -3.651623E-05
  16       1.477359E+00     .000000E+00    -4.148859E-03
  17       1.568654E-01     .000000E+00    -1.479120E-03
  18       9.605173E-02     .000000E+00    -1.078083E-03
  19       6.295319E-02     .000000E+00    -8.026669E-04
  20       1.670382E-02     .000000E+00     1.627042E-04
  21        .000000E+00     .000000E+00      .000000E+00
  22        .000000E+00     .000000E+00      .000000E+00
  23        .000000E+00     .000000E+00      .000000E+00
  24        .000000E+00     .000000E+00      .000000E+00
  25      -2.127761E+03     .000000E+00    -1.621977E+00
  26      -5.205660E+03     .000000E+00     1.961465E+00
  27      -1.659969E+03     .000000E+00     7.392578E-01
0excess resonance integrals
0                 resolved
0absorption      3.97057E+04
 fission          .00000E+00
-  elapsed time    .18 min.
0u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                    92234     temperature=   975.00
0resonance data for this nuclide
0mass number (a)        =   232.029          temperature(kelvin)      =   975.000
0potential scatter sigma =    10.021         lumped nuclear density   = 4.8493789E-06
0spin factor (g)        =  6948.450          lump dimension (a-bar)   = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 3.5212695E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.955          sigma(per absorber atom)= 3.9274359E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11      -2.320080E-02     .000000E+00    -6.765317E-02
  12      -1.891160E-01     .000000E+00    -7.924187E-02
  13       7.759874E-04     .000000E+00    -6.471546E-04
  14      -1.852598E+01     .000000E+00    -3.033657E+00
0excess resonance integrals
0                 resolved
0absorption      5.81870E+02
 fission          .00000E+00
-  elapsed time    .20 min.
0 uranium-235   endf/b-iv mat 1261          updated 10/13/89            92235     temperature=   975.00
0resonance data for this nuclide
0mass number (a)        =   233.025          temperature(kelvin)      =   975.000
0potential scatter sigma =    11.500         lumped nuclear density   = 4.9025129E-04
0spin factor (g)        = 15171.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 3.4831055E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.049          sigma(per absorber atom)= 3.7379553E+02
```

```
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12      -2.044447E+00    -1.273228E+00    -4.783008E-02
  13      -7.108612E+00    -3.537716E+00    -1.535470E-01
  14      -5.710854E+00    -3.502140E+00    -3.895792E-02
0excess resonance integrals
0                  resolved
0absorption       2.10693E+02
 fission          1.25499E+02
-  elapsed time     .22 min.
0u-236 1163 sigo=5+4 new+lacs p-3 293k f-1/e-m(1.+5)                    92236     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   234.017          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.995          lumped nuclear density   = 3.9823801E-05
0spin factor (g)          =  6328.490          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.2878804E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.934          sigma(per absorber atom)= 4.7831025E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11      -1.949282E-01     .000000E+00    -4.880892E-01
  12      -1.041916E+00     .000000E+00    -7.155065E-01
  13      -6.303462E-02     .000000E+00    -3.415031E-03
  14      -3.580088E+01     .000000E+00    -3.132152E+00
0excess resonance integrals
0                  resolved
0absorption       2.87438E+02
 fission           .00000E+00
-  elapsed time     .22 min.
0 uranium-238    endf/b-iv mat 1262          updated 10/13/89          92238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.006          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density   = 2.1918545E-02
0spin factor (g)          =   656.527          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 7.7906489E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   235.041          sigma(per absorber atom)= 3.3544329E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9      -3.939976E-02     .000000E+00    -4.046979E-01
  10      -1.025897E+00    -1.750593E-05    -6.481733E+00
  11      -9.708024E+00     .000000E+00    -2.689807E+01
  12      -4.304811E+01     .000000E+00    -4.998778E+01
  13      -5.401412E+01     .000000E+00    -1.769151E+01
  14      -1.045006E+02     .000000E+00    -6.059761E+00
0excess resonance integrals
0                  resolved
0absorption       1.80080E+01
 fission          5.03965E-04
-  elapsed time     .23 min.
```


```
0 neptunium-237  endf/b-iv mat 1263              updated 10/13/89              93237     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   235.012              temperature(kelvin)       =   975.000
0potential scatter sigma  =    10.500              lumped nuclear density    = 1.9794916E-06
0spin factor (g)          = 10100.800              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995               sigma(per absorber atom)= 8.6264414E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  238.051               sigma(per absorber atom)= 9.2529891E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  11      -6.338631E-02    -2.012413E-06    -7.400325E-03
  12       3.148655E-02    -9.852385E-05     7.995239E-03
  13      -4.917675E-03     8.935276E-05    -4.406471E-04
  14      -4.483762E-02    -5.801127E-06    -1.160987E-03
0excess resonance integrals
0                 resolved
0absorption      2.93103E+02
 fission         1.38574E-01
-  elapsed time    .27 min.
0pu-238 1050 sigo=5+4 nawklacs p-3 293k f-1/e-m(1.+5)                          94238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.167              temperature(kelvin)       =   975.000
0potential scatter sigma  =    10.850              lumped nuclear density    = 1.7734772E-07
0spin factor (g)          = 13130.600              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995               sigma(per absorber atom)= 9.6285250E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  238.051               sigma(per absorber atom)= 1.0527856E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  11      -8.062604E-04    -1.198825E-04    -8.325950E-04
  12      -5.152005E-04    -5.715002E-05    -2.714376E-04
  13       4.091211E-01     7.547670E-02    -9.684728E-03
  14      -3.823655E-01    -6.990144E-02     8.539011E-03
0excess resonance integrals
0                 resolved
0absorption      8.2543E+01
 fission         9.0849E+00
-  elapsed time    .27 min.
0 plutonium-239  endf/b-iv mat 1264            updated 10/13/89              94239     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.999              temperature(kelvin)       =   975.000
0potential scatter sigma  =    10.200              lumped nuclear density    = 8.2663486E-05
0spin factor (g)          =  6435.710              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995               sigma(per absorber atom)= 2.0657207E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  238.051               sigma(per absorber atom)= 2.2157563E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
```

```
  11     -1.731143E-01   -6.962558E-02   -5.309264E-02
  12     -1.543953E+00   -5.794014E-01   -2.033134E-01
  13     -5.069869E+00   -2.983939E+00   -7.734127E-02
  14     -1.616615E+00   -8.598555E-01   -1.447852E-02
0excess resonance integrals
0                resolved
0absorption     3.09609E+02
 fission        1.73873E+02
- elapsed time    .28 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89          94240     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   237.992          temperature(kelvin)     =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density  = 1.1579618E-05
0spin factor (g)          =   669.244          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.4746573E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.5817633E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9     -3.527370E-05   -8.454460E-07   -1.122160E-04
  10     -2.741197E-03   -1.699441E-04   -1.253630E-02
  11     -8.856678E-02   -5.120134E-04   -1.178721E-01
  12     -1.236512E+00   -6.752137E-03   -1.188553E+00
  13     -1.511770E-01   -9.269665E-04   -1.101984E-02
  14      .000000E+00     .000000E+00     .000000E+00
  15      1.744944E-02    3.330303E-06    3.451913E-03
  16      3.075249E+00    5.869248E-04    3.877850E-01
  17      4.904770E+02    9.360970E-02    4.406704E+01
  18     -6.409365E+03   -1.225256E+00   -5.070545E+02
  19      7.663346E+02    1.462583E-01    5.942957E+01
  20     -9.327890E+01   -1.780269E-02    1.798134E+00
0excess resonance integrals
0                resolved
0absorption     5.56424E+03
 fission        2.07910E+00
- elapsed time    .30 min.
0 plutonium-241  endf/b-iv mat 1266          updated 10/13/89          94241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.978          temperature(kelvin)     =   975.000
0potential scatter sigma  =    10.939          lumped nuclear density  = 5.0548110E-06
0spin factor (g)          = 16402.100          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.3781617E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 3.6235211E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      5.990875E-03    5.138614E-03    6.305210E-04
  13     -3.513053E-01   -2.733082E-01   -1.095470E-02
  14     -2.874569E-01   -1.940983E-01   -1.548980E-05
  15      1.794422E-02    1.608441E-02   -4.673214E-04
0excess resonance integrals
0                resolved
```

```
0absorption       5.08611E+02
 fission          4.26404E+02
- elapsed time     .32 min.
0 plutonium-242  endf/b-iv mat 1161            updated 10/13/89              94242     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.145              temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.694              lumped nuclear density   = 3.4107089E-07
0spin factor (g)          =  6606.710              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 5.0065744E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051              sigma(per absorber atom)= 5.3702075E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -7.865986E-04     .000000E+00    -2.272786E-03
  12      -1.841652E-02     .000000E+00    -3.615677E-02
  13       5.776821E-05     .000000E+00     4.300362E-06
  14       8.144961E-02     .000000E+00     1.525802E-02
  15      -6.458304E+00     .000000E+00    -5.533113E-01
  16       4.032914E-02     .000000E+00    -3.457235E-03
  17       1.550392E-02     .000000E+00    -1.848240E-03
  18       1.112569E-02     .000000E+00    -1.430698E-03
0excess resonance integrals
0                 resolved
0absorption       1.10786E+03
 fission          .00000E+00
- elapsed time     .32 min.
0am-241 1056 sigp=5+4 newklacs 218ngp p-3 295k                                  95241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.950              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511              lumped nuclear density   = 9.6635489E-08
0spin factor (g)          = 82058.203              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 1.7670494E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051              sigma(per absorber atom)= 1.8953921E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  13       4.908576E-01     1.212019E-02    4.871396E-03
  14      -4.369514E-01    -1.113387E-02   -4.605611E-03
0excess resonance integrals
0                 resolved
0absorption       1.93465E+02
 fission          1.07605E+00
- elapsed time     .32 min.
0am-243 1057 218 gp wt f-1/e-m 090376 p3 295k                                   95243     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.940              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511              lumped nuclear density   = 1.8468327E-08
0spin factor (g)          = 82052.602              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 9.2460830E+06
0moderator-1 will be treated by the nordheim integral method.
```

```
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 9.9176360E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  13      -6.806792E-03     .000000E+00    4.328656E-04
  14       2.134225E-02     .000000E+00    2.224311E-04
0excess resonance integrals
0                  resolved
0absorption       1.60150E+02
 fission           .00000E+00
-  elapsed time     .32 min.
0 curium-244     endf/b-iv mat 1162          updated 10/13/89          96244     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   242.133          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.320          lumped nuclear density   = 1.0461749E-09
0spin factor (g)          =  5251.150          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.6322288E+08
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.7507795E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11       2.555260E-04    6.986240E-06    3.015316E-04
  12       6.831913E-04    3.211379E-05    1.340608E-04
  13       2.708539E-03    1.329417E-04    7.121908E-04
  14       7.958634E-02    4.761576E-03    1.462926E-02
0excess resonance integrals
0                  resolved
0absorption       6.13898E+02
 fission          3.54218E+01
-  elapsed time     .33 min.
-  elapsed time     .33 min.
1     this xsdrn working tape was created 02/16/96 at 09:59:42
      the title of the parent case is as follows
      scale 4.2 - 27 group neutron burnup library
         based on endf-b version 4 data with endf-b version 5 fission products
            compiled for nrc     1/27/89
          tape id                          4321        number of nuclides              65
          number of neutron groups           27        number of gamma groups           0
          first thermal group                15        logical unit                     4
                                    table of contents
        1/v cross sections normalized to 1.0 at 0.0253 ev                          id     999
         hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89           id    1001
        b-10 1273 218ngp 042375 p-3 293k                                          id    5010
         boron-11       endf/b-iv mat 1160            updated 10/13/89           id    5011
         oxygen-16      endf/b-iv mat 1276            updated 10/13/89           id    8016
         oxygen-16      endf/b-iv mat 1276            updated 10/13/89           id       6
         kr-83          mt=102,103,103,105,106,107    updated 10/13/89           id   36083
         kr-85            mt=  102                                                 id   36085
         sr-90          mt=102                        updated 10/13/89           id   38090
          y-89          mt=102                        updated 10/13/89           id   39089
         zr-93            mt=  102                                                 id   40093
         zr-94          mt=102                        updated 10/13/89           id   40094
         zr-95          mt=102                        updated 10/13/89           id   40095
         zircalloy      endf/b-iv mat 1284            updated 10/13/89           id   40302
         nb-94          mt=102                        updated 10/13/89           id   41094
```

```
        mo-95          mt=102                          updated 10/13/89              id    42095
        tc-99          mt=102                          updated 10/13/89              id    43099
        ru-101         mt=102                          updated 10/13/89              id    44101
        ru-106         mt=102                          updated 10/13/89              id    44106
        rh-103         mt=102                          updated 10/13/89              id    45103
        rh-105           mt=  102                                                    id    45105
        pd-105         mt=102                          updated 10/13/89              id    46105
        pd-108         mt=102                          updated 10/13/89              id    46108
        silver-109     endf/b-iv mat 1139              updated 10/13/89              id    47109
        sb-124         mt=102                          updated 10/13/89              id    51124
        xe-131         mt=102,103,104,105,106          updated 10/13/89              id    54131
        xe-132         mt=102,103,104,105,106          updated 10/13/89              id    54132
        xenon-135      endf/b-iv mat 1294              updated 10/13/89              id    54135
        xe-136           mt=  102, 103, 104, 105, 107                                id    54136
        cesium-133     endf/b-iv mat 1141              updated 10/13/89              id    55133
        cs-134         mt=102                          updated 10/13/89              id    55134
        cs-135           mt=  102                                                    id    55135
        cs-137         mt=102                          updated 10/13/89              id    55137
        ba-136         mt=102                          updated 10/13/89              id    56136
        la-139         mt=102                          updated 10/13/89              id    57139
        ce-144           mt=  102                                                    id    58144
        pr-141         mt=102,103,104,105,106,107      updated 10/13/89              id    59141
        pr-143         mt=102                          updated 10/13/89              id    59143
        nd-143         mt=102                          updated 10/13/89              id    60143
        nd-145         mt=102                          updated 10/13/89              id    60145
        nd-147         mt=102                          updated 10/13/89              id    60147
        pm-147         mt=102                          updated 10/13/89              id    61147
        pm-148           mt=  102                                                    id    61148
        sm-147         endf/b-v fission product        updated 10/13/89              id    62147
        sm-149         mt=102,103,107                  updated 10/13/89              id    62149
        sm-150         mt=102                          updated 10/13/89              id    62150
        sm-151         mt=102,103,104,105,106,107      updated 10/13/89              id    62151
        sm-152         mt=102,103,104,105,106,107      updated 10/13/89              id    62152
        eu-153         mt=102,103,104,105,106,107      updated 10/13/89              id    63153
        eu-154         mt=102,103,104,105,106,107      updated 10/13/89              id    63154
        eu-155         mt=102,103,104,105,106,107      updated 10/13/89              id    63155
        gd-155         mt=102                          updated 10/13/89              id    64155
       u-234 1043 sigp=5+4 newklacs p-3 293k f-1/e-m(1.+5)                           id    92234
        uranium-235    endf/b-iv mat 1261              updated 10/13/89              id    92235
       u-236 1163 sigp=5+4 newklacs p-3 293k f-1/e-m(1.+5)                           id    92236
        uranium-238    endf/b-iv mat 1262              updated 10/13/89              id    92238
        neptunium-237  endf/b-iv mat 1263              updated 10/13/89              id    93237
       pu-238 1050 sigp=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id    94238
        plutonium-239  endf/b-iv mat 1264              updated 10/13/89              id    94239
        plutonium-240  endf/b-iv mat 1265              updated 10/13/89              id    94240
        plutonium-241  endf/b-iv mat 1266              updated 10/13/89              id    94241
        plutonium-242  endf/b-iv mat 1161              updated 10/13/89              id    94242
       am-241 1056 sigp=5+4 newklacs 218ngp p-3 293k                                 id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                  id    95243
        curium-244     endf/b-iv mat 1162              updated 10/13/89              id    96244
0        tape copy used      0 i/o's, and took      .00 seconds
1 xx         xx  sssssssssss   ddddddddddd   rrrrrrrrrrr   mm         mm  ppppppppp    mm          mm
   xx       xx  sssssssssssss  ddddddddddd   rrrrrrrrrrrr  mm         mm  ppppppppp    mmm         mmm
    xx     xx   ss          ss  dd      dd   rr        rr  mmm        mm  pp       pp  mmmm       mmmm
     xx   xx    ss              dd      dd   rr        rr  mm mm      mm  pp       pp  mm mm     mm mm
      xx xx     ss              dd      dd   rr        rr  mm  mm     mm  pp       pp  mm  mm mm mm
       xxx       sssssssssss    dd      dd   rrrrrrrrrrr   mm   mm    mm  ppppppppp    mm   mmm  mm
       xxx        sssssssssss   dd      dd   rrrrrrrrrrr   mm    mm   mm  ppppppppp    mm    m   mm
      xx xx              ss     dd      dd   rr      rr    mm     mm mm  pp           mm        mm
     xx   xx             ss     dd      dd   rr       rr   mm      mmm  pp           mm        mm
```



```
**********************************************************************
**********************************************************************
**********************************************************************
*****                                                            *****
*****                 program verification information            *****
*****                                                            *****
*****                 code system:    scale  version:    4.2     *****
*****                                                            *****
**********************************************************************
**********************************************************************
*****                                                            *****
*****                                                            *****
*****              program:  c0c001                              *****
*****                                                            *****
*****         creation date:  04/27/95                           *****
*****                                                            *****
*****              library:  /neutronics/scale/exe               *****
*****                                                            *****
*****                                                            *****
*****    this is not a   scale  configuration controlled code    *****
*****                                                            *****
*****              jobname:  davis                               *****
*****                                                            *****
*****    date of execution:  02/16/96                            *****
*****                                                            *****
*****    time of execution:  10:00:45                            *****
*****                                                            *****
*****                                                            *****
**********************************************************************
**********************************************************************
**********************************************************************
```

```
1
                    560 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       -1q array has      1 entries.
0        1q array has     15 entries.
0        2q array has     10 entries.
0        3q array has     12 entries.
0        4q array has      9 entries.
0        5q array has     12 entries.
0direct access unit   9 requires    12 blocks of length  704 for cross section mixing.
1                    560 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0general problem description data block
0                            general problem data

 ige  1/2/3 = plane/cylinder/sphere      2       isn  quadrature order                    8
 izm  number of zones                    4       isct order of scattering                 3
 im   number of special intervals       24       ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h     1
 ibl  0/1/2/3 = vacuum/refl/per/white    1       iim  inner iteration maximum           20
 ibr  right boundary condition           3       iom  outer iteration maximum           25
 mxx  number of mixtures                 3       iclc -1/0/n--flat res/sry/opt          0
 ms   mixing table length               65       ith  0/1 = forward/adjoint             0
 ign  number of energy groups           27       iflu not used(always wgtd)             0
 nrg  number of neutron groups          27       iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0       icl  0/1/2/3=no/prt nd/pch n/both     53
 iftg number of first thermal group     15       ipbt -1/0/1=none/fine/all bal. prt     0
0                           special options
```

ifg	0/1 = none/weighting calculation	1	ipn	0/1/2 diff. coef. param	0
iqm	volumetric sources (0/n=no/yes)	0	idfm	0/1 = none/density factors 38*	1
ipm	boundary sources (0/n=no/yes)	0	iaz	0/n = none/n activities by zone	0
ifn	0/1/2 = input 33*/34*/use last	53	iai	0/1=none/activities by interval	0
itmx	maximum time (minutes)	10	ifct	0/1=no/yes upscatter scaling	0
idt1	0/1/2/3=no/xsect/srce/flux--out	0	ipvt	0/1/2=no/k/alpha parametric srch	0
isx	broad group fluxes	0	isen	outer iteration acceleration	0
ibln	activity data unit	0	nbnd	band rebaln parameter	0
jbkl	0/1/2 buckling geometry	0			

0 weighting data (ifg=1)

icon	-1/0/1=cell/zone/region weight	-1	ihtf	total xsect psn in brd gp tables	3
igmf	number of broad groups	27	ndsf	psn g-g or file number	4
itp	0/10/20/30/40 0/c/e/ac/a	0	nusf	table length or max order	4
ipp	-2/-1/0/n=wgted xsect print	-2	mxm	extra 1-d x-sect positions	0
iap	-1/n anisn xsect print	-1			

0 floating point parameters

eps	overall convergence	1.00000E-04	dy	cyl/pla ht for buckling	.00000E+00
ptc	point convergence	1.00000E-04	dz	plane depth for buckling	.00000E+00
xnf	normalization factor	1.00000E+00	vsc	void streaming correction	.00000E+00
ev	eigenvalue guess	.00000E+00	pv	ipvt=1/2--k/alpha	1.00000E+00
evm	eigenvalue modifier	.00000E+00	eql	ev change eps for search	1.00000E-03
bf	buckling factor=1.420892	1.42089E+00	xrpm	new param mod for search	7.50000E-01

this case will require 2535 locations for mixing
this case has been allocated 200000 locations

1 560 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 13q array has 65 entries.
0 14q array has 65 entries.
0 15q array has 65 entries.
0 data block 2 (mixing table, etc.)

	nuclides on tape	cccc identification	mixing table mixture	mixing table component	mixing table atom density	extra xsect id's
1	999		1	92235	4.90251E-04	
2	1001		1	92234	4.84938E-06	
3	5010		1	92236	3.98238E-05	
4	5011		1	92238	2.19185E-02	
5	8016		1	8016	4.55359E-02	
6	6		3	6	2.09710E-02	
7	36083		1	36083	9.77039E-07	
8	36085		1	36085	4.70956E-07	
9	38090		1	38090	1.06191E-05	
10	39089		1	39089	7.90165E-06	
11	40093		1	42095	9.68029E-06	
12	40094		1	40093	8.21428E-06	
13	40095		1	40094	1.27843E-05	
14	40302		1	40095	2.07596E-06	
15	41094		1	41094	5.48977E-12	
16	42095		1	43099	1.24470E-05	
17	43099		1	45103	6.47551E-06	
18	44101		1	45105	1.88693E-08	
19	44106		1	44101	1.10665E-05	
20	45103		1	44106	1.65007E-06	
21	45105		1	46105	3.81543E-06	
22	46105		1	46108	9.30527E-07	
23	46108		1	47109	6.68335E-07	
24	47109		1	51124	1.62036E-10	
25	51124		1	54131	5.77241E-06	
26	54131		1	54132	1.00606E-05	
27	54132		1	54135	6.65420E-09	

28	54135	1	54136	2.10435E-05
29	54136	1	55134	4.21443E-07
30	55133	1	55135	6.63814E-06
31	55134	1	55137	1.31904E-05
32	55135	1	56136	8.15114E-08
33	55137	1	57139	1.31073E-05
34	56136	1	59141	1.09870E-05
35	57139	1	59143	3.85024E-07
36	58144	1	58144	5.87019E-06
37	59141	1	60143	1.06631E-05
38	59143	1	60145	7.73967E-06
39	60143	1	61147	3.14142E-06
40	60145	1	61148	8.83978E-09
41	60147	1	60147	1.31597E-07
42	61147	1	62147	6.67818E-07
43	61148	1	62149	8.02025E-08
44	62147	1	62150	2.54419E-06
45	62149	1	62151	3.32006E-07
46	62150	1	62152	1.24460E-06
47	62151	1	64155	1.18371E-09
48	62152	1	63153	6.30790E-07
49	63153	1	63154	9.52980E-08
50	63154	1	63155	7.31344E-08
51	63155	2	40802	4.25156E-02
52	64155	3	1001	4.19420E-02
53	92234	3	5010	3.81515E-06
54	92235	3	5011	1.54884E-05
55	92236	1	55133	1.36295E-05
56	92238	1	95237	1.97949E-06
57	95237	1	94238	1.77348E-07
58	94238	1	94239	8.26635E-05
59	94239	1	94240	1.15796E-05
60	94240	1	94241	5.05481E-06
61	94241	1	94242	3.41071E-07
62	94242	1	95241	9.66355E-08
63	95241	1	95243	1.84683E-08
64	95243	1	96244	1.04617E-09
65	96244	1	999	1.00000E-20

- elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 560 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	2	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00	

10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00
12	1.00000E+02	1.15129E+01	1.01036E+07	12	0	12	1.00000E+00
13	3.00000E+01	1.27169E+01	5.69595E+06	13	0	13	1.00000E+00
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00
15	3.04999E+00	1.50030E+01	2.10601E+06	15	0	15	1.00000E+00
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00
17	1.29999E+00	1.58557E+01	1.52545E+06	17	0	17	1.00000E+00
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00
21	4.00000E-01	1.70344E+01	8.17974E+05	21	0	21	1.00000E+00
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00
23	2.25000E-01	1.76098E+01	4.86953E+05	23	0	23	1.00000E+00
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00
27	1.00000E-02	2.07233E+01	8.88201E+04	27	0	27	1.00000E+00
28	1.00000E-05	2.76310E+01					

1 560 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0

	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	1	3			0	-2.79004E-01	3	0
2	1	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	2	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	3	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83032E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70655E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02
20					4.53365E-02	-1.91780E-01	21	-8.69444E-03
21					4.53365E-02	1.91780E-01	20	8.69444E-03
22					4.53365E-02	5.46143E-01	19	2.47597E-02
23					4.53365E-02	8.17361E-01	18	3.70655E-02
24					4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.85235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.85235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.85235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86855E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01

13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83032E-01	-4.49528E-01	8.36885E-01	5.00703E-01	-7.51005E-01
17	-9.66143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.26438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17236E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17236E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.66143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.26438E-01

1 int radii mid pts zone no. areas volumes dens fact radius mod spec(int)

1	0	1.29551E-02	1	0	2.10906E-03	1.00000E+00	0
2	2.59102E-02	4.33406E-02	1	1.62798E-01	9.49318E-03	1.00000E+00	0
3	6.07710E-02	8.75100E-02	1	3.81835E-01	2.94045E-02	1.00000E+00	0
4	1.14249E-01	1.74155E-01	1	7.17848E-01	1.31104E-01	1.00000E+00	0
5	2.34061E-01	2.93967E-01	1	1.47065E+00	2.21259E-01	1.00000E+00	
6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00	
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00	
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00	
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07946E-03	0	
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0	
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0	
12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0	
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00	
14	4.87528E-01	4.99987E-01	3	3.06323E+00	7.82768E-02	1.00000E+00	
15	5.12445E-01	5.24903E-01	3	3.21979E+00	8.21777E-02	1.00000E+00	
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00	
17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00	
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00	
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00	
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00	
21	6.80034E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00	
22	7.48592E-01	7.63893E-01	4	4.70354E+00	1.46875E-01	1.00000E+00	
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00	
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00	
25	8.13968E-01			5.11431E+00			

- elapsed time .00 min.

1 outer iter | inner iters | 1 - balance | eigenvalue | 1 - source ratio | 1 - scatter ratio | 1 - upscat ratio | search parameter | time (min)

1	134	1.17436E-05	1.07271E+00	-8.01027E-02	1.00000E+00	-2.70213E-02	.00000E+00	.0000
2	209	-9.52064E-06	1.08075E+00	-1.44108E-03	-8.42885E-03	-3.60698E-03	.00000E+00	.0000
3	269	1.26498E-05	1.08152E+00	-2.11928E-04	-1.04968E-03	-7.90823E-04	.00000E+00	.0000
4	314	3.15023E-06	1.08185E+00	-4.38725E-05	-2.33586E-04	-1.69522E-04	.00000E+00	.0167
5	343	-1.49547E-05	1.08211E+00	-9.74334E-06	-4.97663E-05	-3.29620E-05	.00000E+00	.0167

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	1	1.84055E-08	24	1.00000E+00	1
2	1	1	1.97450E-08	24	1.00000E+00	1
3	1	1	1.70296E-08	24	1.00000E+00	1
4	1	1	1.49748E-08	24	1.00000E+00	1
5	1	1	8.71266E-09	24	1.00000E+00	1
6	1	1	3.09274E-09	24	1.00000E+00	1
7	1	2	1.84924E-09	24	1.00000E+00	1
8	1	24	1.01951E-09	24	1.00000E+00	1
9	1	1	1.96840E-09	24	1.00000E+00	1
10	1	1	1.75084E-09	24	1.00000E+00	1
11	1	1	1.78388E-09	24	1.00000E+00	1
12	1	24	3.26841E-09	24	1.00000E+00	1

						13	13	1	24	4.40522E-09	24	1.00000E+00	1
						14	14	1	24	4.21909E-09	24	1.00000E+00	1
						15	15	1	24	3.79112E-05	24	9.99977E-01	1
						16	16	1	24	4.69885E-05	24	9.99982E-01	1
						17	17	1	24	6.01809E-05	24	9.99989E-01	1
						18	18	1	18	2.16487E-05	24	9.99959E-01	1
						19	19	1	24	5.91300E-05	24	9.99984E-01	1
						20	20	1	24	4.62845E-05	24	9.99967E-01	1
						21	21	1	18	2.49877E-05	24	9.99945E-01	1
						22	22	1	24	4.22500E-05	24	9.99989E-01	1
						23	23	1	24	1.98220E-06	24	1.00000E+00	1
						24	24	1	2	9.31992E-06	24	1.00001E+00	1
						25	25	1	24	1.63619E-05	24	1.00000E+00	1
						26	26	1	1	1.06731E-05	24	9.99996E-01	2
						27	27	1	2	4.91808E-06	24	1.00000E+00	2
6	370	-3.35889E-07	1.08195E+00	-2.18376E-06	-9.78602E-06	-6.60634E-06	.00000E+00		.0167				

final monitor
lambda 1.08195E+00 production/absorption 1.08195E+00 angular flux on 16
- elapsed time .02 min.

1 560 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 int. zone number radius int. midpoint area volume prod density

int.	zone number	radius	int. midpoint	area	volume	prod density
1	1	.00000E+00	1.29551E-02	.00000E+00	2.10906E-03	3.16533E-03
2	1	2.59102E-02	4.33406E-02	1.62798E-01	9.49318E-03	1.42456E-02
3	1	6.07710E-02	8.75100E-02	3.81835E-01	2.94045E-02	4.42066E-02
4	1	1.14249E-01	1.74155E-01	7.17848E-01	1.31104E-01	1.98987E-01
5	1	2.34061E-01	2.93967E-01	1.47065E+00	2.21299E-01	3.43822E-01
6	1	3.53873E-01	3.80612E-01	2.22345E+00	1.27890E-01	2.03851E-01
7	1	4.07351E-01	4.24781E-01	2.55946E+00	9.30429E-02	1.51156E-01
8	1	4.42212E-01	4.55167E-01	2.77850E+00	7.41004E-02	1.22515E-01
9	2	4.68122E-01	4.68814E-01	2.94130E+00	4.07944E-03	.00000E+00
10	2	4.69507E-01	4.71481E-01	2.95000E+00	1.16988E-02	.00000E+00
11	2	4.73456E-01	4.75431E-01	2.97481E+00	1.17968E-02	.00000E+00
12	2	4.77405E-01	4.78098E-01	2.99962E+00	4.16023E-03	.00000E+00
13	3	4.78790E-01	4.83159E-01	3.00833E+00	2.65268E-02	.00000E+00
14	3	4.87528E-01	4.99387E-01	3.06323E+00	7.82768E-02	.00000E+00
15	3	5.12445E-01	5.24903E-01	3.21979E+00	8.21777E-02	.00000E+00
16	3	5.37362E-01	5.41731E-01	3.37634E+00	2.97427E-02	.00000E+00
17	4	5.46100E-01	5.53513E-01	3.43125E+00	5.15631E-02	.00000E+00
18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63893E-01	4.70354E+00	1.46875E-01	.00000E+00
23	4	7.79193E-01	7.89167E-01	4.89582E+00	9.89116E-02	.00000E+00
24	4	7.99141E-01	8.06554E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 560 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 total flux

int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.77256E-01	1.32813E+00	1.68069E+00	1.04172E+00	1.57595E+00	3.03114E+00	2.90546E+00	2.08063E+00
2	1.77319E-01	1.32876E+00	1.68142E+00	1.04222E+00	1.57665E+00	3.03244E+00	2.90613E+00	2.08069E+00
3	1.77263E-01	1.32814E+00	1.68064E+00	1.04174E+00	1.57586E+00	3.03083E+00	2.90510E+00	2.08050E+00
4	1.76865E-01	1.32388E+00	1.67519E+00	1.03842E+00	1.57058E+00	3.02033E+00	2.89878E+00	2.07944E+00
5	1.75833E-01	1.31293E+00	1.66134E+00	1.03008E+00	1.55730E+00	2.99433E+00	2.88322E+00	2.07684E+00
6	1.74643E-01	1.30044E+00	1.64574E+00	1.02064E+00	1.54254E+00	2.96584E+00	2.86626E+00	2.07395E+00
7	1.73694E-01	1.29066E+00	1.63371E+00	1.01349E+00	1.53144E+00	2.94482E+00	2.85385E+00	2.07178E+00
8	1.72753E-01	1.28113E+00	1.62217E+00	1.00674E+00	1.52110E+00	2.92562E+00	2.84261E+00	2.06973E+00
9	1.72238E-01	1.27597E+00	1.61597E+00	1.00315E+00	1.51567E+00	2.91563E+00	2.83681E+00	2.06865E+00
10	1.72131E-01	1.27493E+00	1.61473E+00	1.00246E+00	1.51467E+00	2.91384E+00	2.83582E+00	2.06846E+00
11	1.71973E-01	1.27342E+00	1.61295E+00	1.00147E+00	1.51325E+00	2.91130E+00	2.83442E+00	2.06817E+00

12	1.71870E-01	1.27263E+00	1.61178E+00	1.00083E+00	1.51233E+00	2.90967E+00	2.83353E+00	2.06798E+00
13	1.71677E-01	1.27058E+00	1.60956E+00	9.99585E-01	1.51052E+00	2.90623E+00	2.83160E+00	2.06760E+00
14	1.71152E-01	1.26533E+00	1.60304E+00	9.95751E-01	1.50471E+00	2.89496E+00	2.82517E+00	2.06656E+00
15	1.70564E-01	1.25897E+00	1.59465E+00	9.90433E-01	1.49631E+00	2.87831E+00	2.81558E+00	2.06543E+00
16	1.70276E-01	1.25545E+00	1.58963E+00	9.86962E-01	1.49058E+00	2.86676E+00	2.80887E+00	2.06491E+00
17	1.70138E-01	1.25343E+00	1.58652E+00	9.84632E-01	1.48661E+00	2.85880E+00	2.80420E+00	2.06477E+00
18	1.69956E-01	1.25082E+00	1.58253E+00	9.81660E-01	1.48154E+00	2.84882E+00	2.79833E+00	2.06463E+00
19	1.69730E-01	1.24772E+00	1.57791E+00	9.78296E-01	1.47586E+00	2.83767E+00	2.79176E+00	2.06440E+00
20	1.69426E-01	1.24370E+00	1.57203E+00	9.74080E-01	1.46878E+00	2.82382E+00	2.78361E+00	2.06407E+00
21	1.69218E-01	1.24090E+00	1.56790E+00	9.71095E-01	1.46376E+00	2.81400E+00	2.77792E+00	2.06397E+00
22	1.69219E-01	1.24077E+00	1.56760E+00	9.70813E-01	1.46324E+00	2.81298E+00	2.77748E+00	2.06420E+00
23	1.69296E-01	1.24163E+00	1.56873E+00	9.71542E-01	1.46441E+00	2.81528E+00	2.77896E+00	2.06448E+00
24	1.69384E-01	1.24264E+00	1.57009E+00	9.72439E-01	1.46587E+00	2.81813E+00	2.78076E+00	2.06475E+00

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58702E+00	1.44599E+00	1.30607E+00	7.95512E-01	6.71182E-01	5.87528E-01	3.70105E-01	2.04382E-01
2	1.58694E+00	1.44589E+00	1.30487E+00	7.95281E-01	6.70971E-01	5.87241E-01	3.70074E-01	2.04359E-01
3	1.58713E+00	1.44610E+00	1.30533E+00	7.95829E-01	6.71429E-01	5.87937E-01	3.70151E-01	2.04404E-01
4	1.58816E+00	1.44733E+00	1.30797E+00	7.98909E-01	6.74040E-01	5.91827E-01	3.70574E-01	2.04662E-01
5	1.59075E+00	1.45033E+00	1.31447E+00	8.06515E-01	6.80488E-01	6.01479E-01	3.71595E-01	2.05292E-01
6	1.59363E+00	1.45361E+00	1.32158E+00	8.14890E-01	6.87572E-01	6.12163E-01	3.72694E-01	2.05979E-01
7	1.59582E+00	1.45601E+00	1.32681E+00	8.21098E-01	6.92817E-01	6.20137E-01	3.73485E-01	2.06482E-01
8	1.59789E+00	1.45819E+00	1.33158E+00	8.26798E-01	6.97627E-01	6.27489E-01	3.74189E-01	2.06939E-01
9	1.59899E+00	1.45931E+00	1.33404E+00	8.29780E-01	7.00126E-01	6.31313E-01	3.74551E-01	2.07175E-01
10	1.59919E+00	1.45950E+00	1.33444E+00	8.30236E-01	7.00535E-01	6.31923E-01	3.74612E-01	2.07216E-01
11	1.59947E+00	1.45978E+00	1.33501E+00	8.30917E-01	7.01118E-01	6.32795E-01	3.74695E-01	2.07274E-01
12	1.59966E+00	1.45998E+00	1.33537E+00	8.31357E-01	7.01496E-01	6.33360E-01	3.74755E-01	2.07312E-01
13	1.60003E+00	1.46027E+00	1.33612E+00	8.32255E-01	7.02268E-01	6.34513E-01	3.74871E-01	2.07388E-01
14	1.60106E+00	1.46138E+00	1.33851E+00	8.35064E-01	7.04683E-01	6.38123E-01	3.75243E-01	2.07629E-01
15	1.60220E+00	1.46296E+00	1.34188E+00	8.38940E-01	7.08014E-01	6.43096E-01	3.75771E-01	2.07962E-01
16	1.60273E+00	1.46401E+00	1.34410E+00	8.41440E-01	7.10162E-01	6.46296E-01	3.76120E-01	2.08177E-01
17	1.60303E+00	1.46480E+00	1.34578E+00	8.43278E-01	7.11708E-01	6.48629E-01	3.76309E-01	2.08315E-01
18	1.60346E+00	1.46587E+00	1.34802E+00	8.45791E-01	7.13803E-01	6.51808E-01	3.76518E-01	2.08491E-01
19	1.60401E+00	1.46708E+00	1.35060E+00	8.48682E-01	7.16220E-01	6.55472E-01	3.76763E-01	2.08698E-01
20	1.60477E+00	1.46862E+00	1.35388E+00	8.52367E-01	7.19299E-01	6.60142E-01	3.77061E-01	2.08956E-01
21	1.60534E+00	1.46972E+00	1.35622E+00	8.54994E-01	7.21465E-01	6.63449E-01	3.77208E-01	2.09115E-01
22	1.60540E+00	1.46982E+00	1.35644E+00	8.55225E-01	7.21609E-01	6.63707E-01	3.77117E-01	2.09092E-01
23	1.60525E+00	1.46955E+00	1.35585E+00	8.54542E-01	7.20998E-01	6.62816E-01	3.76970E-01	2.09013E-01
24	1.60505E+00	1.46921E+00	1.35512E+00	8.53700E-01	7.20258E-01	6.61726E-01	3.76822E-01	2.08927E-01

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.44235E-02	4.40822E-02	1.26326E-01	4.31233E-01	1.11295E-01	1.89516E-01	6.92656E-01	5.05696E-01
2	8.43974E-02	4.40589E-02	1.26282E-01	4.31129E-01	1.11225E-01	1.89182E-01	6.92536E-01	5.05349E-01
3	8.44475E-02	4.42477E-02	1.26374E-01	4.31332E-01	1.11413E-01	1.89775E-01	6.95574E-01	5.06328E-01
4	8.47397E-02	4.51693E-02	1.26900E-01	4.32512E-01	1.12444E-01	1.92806E-01	6.99364E-01	5.11670E-01
5	8.54635E-02	4.75197E-02	1.28185E-01	4.35412E-01	1.15019E-01	2.00427E-01	7.13720E-01	5.24952E-01
6	8.62611E-02	5.02350E-02	1.29583E-01	4.38580E-01	1.17893E-01	2.09044E-01	7.29600E-01	5.39721E-01
7	8.68531E-02	5.23698E-02	1.30602E-01	4.40906E-01	1.20059E-01	2.15638E-01	7.41441E-01	5.50804E-01
8	8.73979E-02	5.44291E-02	1.31522E-01	4.43027E-01	1.22073E-01	2.21852E-01	7.52356E-01	5.61089E-01
9	8.76817E-02	5.55185E-02	1.31996E-01	4.44127E-01	1.23122E-01	2.25109E-01	7.58025E-01	5.66447E-01
10	8.77287E-02	5.56665E-02	1.32074E-01	4.44309E-01	1.23284E-01	2.25578E-01	7.58900E-01	5.67250E-01
11	8.77959E-02	5.58785E-02	1.32185E-01	4.44571E-01	1.23514E-01	2.26249E-01	7.60149E-01	5.68392E-01
12	8.78394E-02	5.60162E-02	1.32256E-01	4.44739E-01	1.23664E-01	2.26685E-01	7.60954E-01	5.69128E-01
13	8.79284E-02	5.62956E-02	1.32403E-01	4.45085E-01	1.23968E-01	2.27568E-01	7.62600E-01	5.70632E-01
14	8.82066E-02	5.71589E-02	1.32869E-01	4.46165E-01	1.24921E-01	2.30314E-01	7.67724E-01	5.75269E-01
15	8.85891E-02	5.83268E-02	1.33521E-01	4.47648E-01	1.26228E-01	2.34044E-01	7.74681E-01	5.81468E-01
16	8.88349E-02	5.90646E-02	1.33947E-01	4.48597E-01	1.27066E-01	2.36404E-01	7.79071E-01	5.85305E-01
17	8.90140E-02	5.96209E-02	1.34253E-01	4.49267E-01	1.27712E-01	2.38245E-01	7.82691E-01	5.88816E-01
18	8.92589E-02	6.03961E-02	1.34665E-01	4.50175E-01	1.28623E-01	2.40875E-01	7.88088E-01	5.94347E-01
19	8.95415E-02	6.12874E-02	1.35141E-01	4.51235E-01	1.29677E-01	2.43936E-01	7.94526E-01	6.01025E-01
20	8.99014E-02	6.24211E-02	1.35747E-01	4.52592E-01	1.31030E-01	2.47880E-01	8.03091E-01	6.10031E-01
21	9.01556E-02	6.32566E-02	1.36172E-01	4.53533E-01	1.32009E-01	2.50746E-01	8.09564E-01	6.17057E-01

22	9.01746E-02	6.33218E-02	1.36197E-01	4.53566E-01	1.32115E-01	2.51067E-01	8.10532E-01	6.18991E-01
23	9.01057E-02	6.31275E-02	1.36075E-01	4.53270E-01	1.31882E-01	2.50393E-01	8.09236E-01	6.17274E-01
24	9.00219E-02	6.28831E-02	1.35927E-01	4.52920E-01	1.31588E-01	2.49540E-01	8.07525E-01	6.15685E-01

0 int.	grp. 25	grp. 26	grp. 27
1	2.09171E-01	1.26496E-01	1.64760E-02
2	2.09027E-01	1.26407E-01	1.64770E-02
3	2.09545E-01	1.26908E-01	1.66308E-02
4	2.12277E-01	1.29414E-01	1.73268E-02
5	2.19075E-01	1.35680E-01	1.90952E-02
6	2.26671E-01	1.42760E-01	2.11622E-02
7	2.32408E-01	1.48185E-01	2.28270E-02
8	2.37771E-01	1.53328E-01	2.44812E-02
9	2.40573E-01	1.56030E-01	2.53661E-02
10	2.40980E-01	1.56395E-01	2.54678E-02
11	2.41557E-01	1.56913E-01	2.56125E-02
12	2.41930E-01	1.57247E-01	2.57058E-02
13	2.42688E-01	1.57924E-01	2.58950E-02
14	2.44988E-01	1.59966E-01	2.64544E-02
15	2.47983E-01	1.62583E-01	2.71464E-02
16	2.49775E-01	1.64114E-01	2.75324E-02
17	2.51572E-01	1.65943E-01	2.81312E-02
18	2.54545E-01	1.69133E-01	2.92247E-02
19	2.58174E-01	1.73011E-01	3.05063E-02
20	2.63128E-01	1.78296E-01	3.21929E-02
21	2.67081E-01	1.82611E-01	3.35798E-02
22	2.67942E-01	1.83714E-01	3.39921E-02
23	2.67426E-01	1.83334E-01	3.39442E-02
24	2.66632E-01	1.82635E-01	3.37896E-02

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.25466E-02	.00000E+00	1.26592E-02	1.05289E-02	3.20981E-03	1.10953E-02	9.98834E-01
2	.00000E+00	1.92653E-01	2.32567E-03	1.66826E-01	6.63876E-02	1.36156E-02	1.14985E-01	1.00004E+00
3	.00000E+00	2.15639E-01	2.62332E-02	1.61016E-01	8.11843E-02	1.55567E-02	1.45130E-01	1.00001E+00
4	.00000E+00	1.23985E-01	3.89532E-02	1.05308E-01	6.78544E-02	7.41953E-03	8.76617E-02	1.00001E+00
5	.00000E+00	1.64616E-01	6.79468E-02	2.59535E-01	9.47660E-02	4.42974E-03	1.33369E-01	9.99992E-01
6	.00000E+00	1.77901E-01	1.34714E-01	6.53812E-01	5.43928E-02	6.99367E-03	2.51218E-01	1.00003E+00
7	.00000E+00	8.80271E-02	9.84539E-02	7.45017E-01	3.63365E-02	7.55446E-03	1.42590E-01	1.00001E+00
8	.00000E+00	1.35691E-02	4.25773E-02	6.30878E-01	2.14972E-02	1.39252E-02	2.07217E-02	1.00004E+00
9	.00000E+00	9.84911E-04	2.17199E-02	5.35315E-01	2.06733E-02	2.30517E-02	-2.10198E-02	9.99991E-01
10	.00000E+00	7.31557E-05	2.06952E-02	4.60513E-01	1.69902E-02	3.57908E-02	-2.57133E-02	1.00001E+00
11	.00000E+00	5.75541E-06	1.06912E-02	4.22014E-01	8.14066E-03	5.82081E-02	-5.56523E-02	1.00001E+00
12	.00000E+00	4.04308E-07	8.14071E-03	2.38761E-01	9.36720E-03	6.39537E-02	-6.51767E-02	9.99958E-01
13	.00000E+00	6.42004E-08	9.36721E-03	1.77659E-01	6.15371E-03	5.89860E-02	-5.57729E-02	1.00001E+00
14	.00000E+00	1.27228E-08	6.15371E-03	1.51950E-01	7.41755E-03	8.22587E-02	-8.35227E-02	1.00000E+00
15	.00000E+00	1.43782E-09	7.50496E-03	8.47901E-02	8.89666E-03	6.76067E-03	-8.19649E-03	1.00282E+00
16	.00000E+00	4.22198E-10	9.06421E-03	4.28271E-02	9.61462E-03	4.94331E-03	-5.52444E-03	1.00211E+00
17	.00000E+00	1.35967E-10	7.74308E-03	1.46958E-02	7.51474E-03	6.68130E-03	-6.46574E-03	1.00090E+00
18	.00000E+00	9.73489E-11	7.17519E-03	9.31984E-03	4.81169E-03	2.21906E-02	-1.98332E-02	1.00022E+00
19	.00000E+00	1.37630E-10	7.02763E-03	2.44088E-02	8.96944E-03	8.96632E-03	-1.09213E-02	1.00073E+00
20	.00000E+00	2.29800E-10	1.02650E-02	1.03125E-01	9.74678E-03	2.57831E-02	-2.53119E-02	1.00132E+00
21	.00000E+00	3.27571E-11	9.21705E-03	2.17326E-02	8.43469E-03	2.33262E-02	-2.25584E-02	1.00046E+00
22	.00000E+00	3.80057E-11	1.21888E-02	4.32563E-02	9.73527E-03	6.75239E-02	-6.50853E-02	1.00030E+00
23	.00000E+00	3.63377E-11	1.48498E-02	1.68759E-01	1.85353E-02	1.22697E-01	-1.26468E-01	1.00060E+00
24	.00000E+00	9.89064E-12	2.25067E-02	1.16323E-01	2.24844E-02	1.17694E-01	-1.17733E-01	1.00044E+00
25	.00000E+00	2.89533E-12	1.92130E-02	4.39144E-02	1.44653E-02	6.43358E-02	-5.96142E-02	1.00033E+00
26	.00000E+00	2.03022E-12	9.42399E-03	3.04365E-02	6.47986E-03	5.78554E-02	-5.49278E-02	1.00025E+00
27	.00000E+00	4.83813E-13	2.02860E-03	4.52622E-03	1.10064E-03	1.61192E-02	-1.51956E-02	1.00014E+00
28	.00000E+00	1.00000E+00	6.26179E-01	5.42938E+00	6.26179E-01	9.39831E-01	6.20714E-02	1.00023E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux

1	1.72266E-01	1.10953E-02	1.77195E-01	.00000E+00	2.25841E-03	2.62977E-03	.00000E+00	1.20666E-01
2	1.27624E+00	1.14985E-01	1.32751E+00	.00000E+00	1.71854E-05	1.18502E-02	.00000E+00	8.99916E-01
3	1.61630E+00	1.45130E-01	1.67978E+00	.00000E+00	.00000E+00	1.45322E-02	.00000E+00	1.13888E+00
4	1.00333E+00	8.76617E-02	1.04123E+00	.00000E+00	.00000E+00	6.27267E-03	.00000E+00	7.06237E-01
5	1.51593E+00	1.33369E-01	1.57523E+00	.00000E+00	.00000E+00	1.82307E-03	.00000E+00	1.06764E+00
6	2.91611E+00	2.51218E-01	3.02978E+00	.00000E+00	.00000E+00	1.58370E-03	.00000E+00	2.05301E+00
7	2.85707E+00	1.42590E-01	2.90473E+00	.00000E+00	.00000E+00	1.55715E-03	.00000E+00	1.97997E+00
8	2.06870E+00	2.07217E-02	2.08063E+00	.00000E+00	.00000E+00	1.58895E-03	.00000E+00	1.42891E+00
9	1.59894E+00	-2.10198E-02	1.58711E+00	.00000E+00	.00000E+00	2.13181E-03	.00000E+00	1.09602E+00
10	1.45926E+00	-2.57133E-02	1.44611E+00	.00000E+00	.00000E+00	4.54090E-03	.00000E+00	9.99431E-01
11	1.33394E+00	-5.56523E-02	1.30533E+00	.00000E+00	.00000E+00	9.59878E-03	.00000E+00	9.07030E-01
12	8.29634E-01	-6.51767E-02	7.95806E-01	.00000E+00	.00000E+00	1.25419E-02	.00000E+00	5.57729E-01
13	7.00018E-01	-5.57729E-02	6.71440E-01	.00000E+00	.00000E+00	1.33688E-02	.00000E+00	4.70578E-01
14	6.31151E-01	-8.35227E-02	5.87894E-01	.00000E+00	.00000E+00	8.47353E-03	.00000E+00	4.17286E-01
15	3.76539E-01	-8.19649E-03	3.70150E-01	.00000E+00	.00000E+00	2.09234E-03	.00000E+00	2.56137E-01
16	2.07166E-01	-5.52444E-03	2.04111E-01	.00000E+00	.00000E+00	1.44179E-03	.00000E+00	1.41533E-01
17	8.76693E-02	-6.46574E-03	8.44542E-02	.00000E+00	.00000E+00	1.82542E-03	.00000E+00	5.90743E-02
18	5.54811E-02	-1.98332E-02	4.41396E-02	.00000E+00	.00000E+00	1.59461E-03	.00000E+00	3.35806E-02
19	1.31977E-01	-1.09213E-02	1.26380E-01	.00000E+00	.00000E+00	2.89268E-03	.00000E+00	8.86652E-02
20	4.44088E-01	-2.53119E-02	4.31366E-01	.00000E+00	.00000E+00	1.60106E-02	.00000E+00	3.00687E-01
21	1.23085E-01	-2.25584E-02	1.11389E-01	.00000E+00	.00000E+00	1.45424E-02	.00000E+00	8.00656E-02
22	2.24985E-01	-6.50933E-02	1.89539E-01	.00000E+00	.00000E+00	4.15271E-02	.00000E+00	1.40645E-01
23	7.57785E-01	-1.26468E-01	6.98485E-01	.00000E+00	.00000E+00	7.74830E-02	.00000E+00	4.96109E-01
24	5.66222E-01	-1.17733E-01	5.06153E-01	.00000E+00	.00000E+00	7.46668E-02	.00000E+00	3.65856E-01
25	2.40462E-01	-5.96142E-02	2.07985E-01	.00000E+00	.00000E+00	4.26923E-02	.00000E+00	1.53130E-01
26	1.55931E-01	-5.49278E-02	1.26664E-01	.00000E+00	.00000E+00	3.92310E-02	.00000E+00	9.55977E-02
27	2.53388E-02	-1.51936E-02	1.65069E-02	.00000E+00	.00000E+00	1.10368E-02	.00000E+00	1.38219E-02
28	2.33536E+01	6.20715E-02	2.33257E+01	.00000E+00	2.27559E-03	4.19530E-01	.00000E+00	1.60682E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	4.65661E-09	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.98023E-08	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.96046E-08	1.00000E+00
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.98023E-08	1.00000E+00
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	6.89179E-08	9.99997E-01
9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-6.70552E-08	1.00000E+00
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	8.56817E-08	9.99998E-01
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.23517E-08	1.00000E+00
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-9.77889E-09	1.00000E+00
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	4.65661E-09	9.99999E-01
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.58794E-09	1.00000E+00
19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.79397E-09	1.00000E+00
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.11759E-08	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.96046E-08	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.98023E-08	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-3.72529E-09	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-9.31323E-10	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.14553E-07	9.99997E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dj**2	total flux
1	1.71843E-01	1.10953E-02	1.72266E-01	1.10953E-02	.00000E+00	.00000E+00	.00000E+00	5.46010E-03

2	1.27218E+00	1.14985E-01	1.27624E+00	1.14985E-01	.00000E+00	.00000E+00	.00000E+00	4.04362E-02
3	1.61148E+00	1.45130E-01	1.61630E+00	1.45130E-01	.00000E+00	.00000E+00	.00000E+00	5.12156E-02
4	1.00066E+00	8.76617E-02	1.00333E+00	8.76617E-02	.00000E+00	.00000E+00	.00000E+00	3.17976E-02
5	1.51210E+00	1.33369E-01	1.51593E+00	1.33369E-01	.00000E+00	.00000E+00	.00000E+00	4.80460E-02
6	2.90926E+00	2.51218E-01	2.91611E+00	2.51218E-01	.00000E+00	.00000E+00	.00000E+00	9.24314E-02
7	2.83331E+00	1.42590E-01	2.83707E+00	1.42590E-01	.00000E+00	.00000E+00	.00000E+00	8.99735E-02
8	2.06794E+00	2.07218E-02	2.06870E+00	2.07217E-02	.00000E+00	.00000E+00	.00000E+00	6.56385E-02
9	1.59971E+00	-2.10199E-02	1.59894E+00	-2.10198E-02	.00000E+00	.00000E+00	.00000E+00	5.07551E-02
10	1.45997E+00	-2.57133E-02	1.45926E+00	-2.57133E-02	.00000E+00	.00000E+00	.00000E+00	4.63216E-02
11	1.33546E+00	-5.56522E-02	1.33394E+00	-5.56523E-02	.00000E+00	.00000E+00	.00000E+00	4.23678E-02
12	8.31467E-01	-6.51767E-02	8.29634E-01	-6.51767E-02	.00000E+00	.00000E+00	.00000E+00	2.63585E-02
13	7.01591E-01	-5.57729E-02	7.00018E-01	-5.57729E-02	.00000E+00	.00000E+00	.00000E+00	2.22409E-02
14	6.33502E-01	-8.35227E-02	6.31151E-01	-8.35227E-02	.00000E+00	.00000E+00	.00000E+00	2.00680E-02
15	3.74774E-01	-8.19649E-03	3.74539E-01	-8.19649E-03	.00000E+00	.00000E+00	.00000E+00	1.18858E-02
16	2.07323E-01	-5.52445E-03	2.07166E-01	-5.52444E-03	.00000E+00	.00000E+00	.00000E+00	6.57697E-03
17	8.78504E-02	-6.46573E-03	8.76693E-02	-6.46574E-03	.00000E+00	.00000E+00	.00000E+00	2.78515E-03
18	5.60524E-02	-1.98332E-02	5.54811E-02	-1.98332E-02	.00000E+00	.00000E+00	.00000E+00	1.76994E-03
19	1.32275E-01	-1.09213E-02	1.31977E-01	-1.09213E-02	.00000E+00	.00000E+00	.00000E+00	4.19314E-03
20	4.44792E-01	-2.53119E-02	4.44088E-01	-2.53119E-02	.00000E+00	.00000E+00	.00000E+00	1.41044E-02
21	1.23706E-01	-2.25584E-02	1.23085E-01	-2.25584E-02	.00000E+00	.00000E+00	.00000E+00	3.91608E-03
22	2.26792E-01	-6.50933E-02	2.24985E-01	-6.50933E-02	.00000E+00	.00000E+00	.00000E+00	7.16938E-03
23	7.61147E-01	-1.26468E-01	7.57785E-01	-1.26468E-01	.00000E+00	.00000E+00	.00000E+00	2.41036E-02
24	5.69301E-01	-1.17733E-01	5.66222E-01	-1.17733E-01	.00000E+00	.00000E+00	.00000E+00	1.80198E-02
25	2.42020E-01	-5.96142E-02	2.40462E-01	-5.96142E-02	.00000E+00	.00000E+00	.00000E+00	7.65666E-03
26	1.57328E-01	-5.49278E-02	1.55931E-01	-5.49278E-02	.00000E+00	.00000E+00	.00000E+00	4.97139E-03
27	2.57287E-02	-1.51936E-02	2.53388E-02	-1.51936E-02	.00000E+00	.00000E+00	.00000E+00	8.10510E-04
28	2.33496E+01	6.20716E-02	2.33536E+01	6.20715E-02	.00000E+00	.00000E+00	.00000E+00	7.41067E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	3.78748E-03	2.83920E-03	1.45497E-05	-2.75248E-03	1.00002E+00
2	.00000E+00	.00000E+00	4.95860E-04	2.59223E-02	1.86005E-02	5.14987E-05	-1.81564E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.64593E-03	5.01259E-02	1.58473E-02	1.37098E-04	-1.33394E-02	9.99993E-01
4	.00000E+00	.00000E+00	5.13070E-03	4.20944E-02	5.45031E-03	1.03337E-04	-4.22552E-04	9.99996E-01
5	.00000E+00	.00000E+00	1.10582E-02	8.16275E-02	5.16252E-03	1.52070E-04	5.74346E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.84734E-02	2.35015E-01	3.21094E-03	3.20023E-04	1.49424E-02	1.00000E+00
7	.00000E+00	.00000E+00	1.22958E-02	2.35167E-01	1.18207E-03	3.44723E-04	1.07690E-02	1.00000E+00
8	.00000E+00	.00000E+00	2.16023E-03	1.58558E-01	7.63480E-03	2.94873E-04	-5.76991E-03	1.00002E+00
9	.00000E+00	.00000E+00	7.66809E-03	1.05199E-01	8.76950E-04	1.10930E-03	5.68217E-03	9.99986E-01
10	.00000E+00	.00000E+00	8.78127E-04	8.55812E-02	8.49114E-04	8.35752E-04	-8.06693E-04	9.99998E-01
11	.00000E+00	.00000E+00	8.49175E-04	7.70634E-02	8.70317E-04	1.33717E-03	-1.35857E-03	1.00000E+00
12	.00000E+00	.00000E+00	8.70323E-04	4.67963E-02	8.70630E-04	4.16641E-05	-4.20883E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.70631E-04	3.95089E-02	8.05955E-04	5.99859E-05	4.71622E-06	1.00000E+00
14	.00000E+00	.00000E+00	8.05956E-04	3.59234E-02	6.76981E-04	9.56835E-05	3.32668E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.20969E-04	2.06197E-02	8.43898E-04	8.28063E-05	-2.05243E-04	9.99946E-01
16	.00000E+00	.00000E+00	9.43792E-04	1.09248E-02	9.46429E-04	5.14799E-05	-5.37680E-05	9.99947E-01
17	.00000E+00	.00000E+00	1.01657E-03	4.05272E-03	9.97588E-04	2.44834E-05	-5.33555E-06	9.99979E-01
18	.00000E+00	.00000E+00	1.04767E-03	2.49420E-03	8.05368E-04	1.70802E-05	2.25250E-04	9.99999E-01
19	.00000E+00	.00000E+00	8.46045E-04	6.63142E-03	9.78406E-04	4.29625E-05	-1.75057E-04	9.99978E-01
20	.00000E+00	.00000E+00	1.16855E-03	2.44908E-02	1.04119E-03	1.82091E-04	-5.39571E-05	9.99971E-01
21	.00000E+00	.00000E+00	1.30334E-03	5.79153E-03	1.38339E-03	6.38049E-05	-1.43764E-04	9.99996E-01
22	.00000E+00	.00000E+00	1.74531E-03	1.17026E-02	1.56402E-03	1.36356E-04	4.52399E-05	9.99996E-01
23	.00000E+00	.00000E+00	2.29337E-03	4.10463E-02	3.01349E-03	6.21609E-04	-1.34172E-03	1.00000E+00
24	.00000E+00	.00000E+00	3.70552E-03	2.90597E-02	3.98800E-03	6.76935E-04	-9.59478E-04	1.00000E+00
25	.00000E+00	.00000E+00	3.59428E-03	1.11990E-02	2.88248E-03	3.80907E-04	3.30856E-04	1.00000E+00
26	.00000E+00	.00000E+00	1.50017E-03	8.13769E-03	1.07542E-03	3.55341E-04	6.95463E-05	1.00000E+00
27	.00000E+00	.00000E+00	3.11885E-04	1.53002E-03	7.88322E-07	1.11907E-04	1.99131E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.43998E-02	1.40005E+00	8.43998E-02	7.64549E-03	-7.54130E-03	9.99984E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.70219E-01	8.34280E-05	1.71843E-01	1.10953E-02	1.01442E-04	.00000E+00	.00000E+00	3.70523E-02
2	1.25465E+00	9.68289E-02	1.27218E+00	1.14985E-01	.00000E+00	.00000E+00	.00000E+00	2.73550E-01

3	1.58841E+00	1.31790E-01	1.61148E+00	1.45130E-01	.00000E+00	.00000E+00	.00000E+00	3.46502E-01
4	9.86054E-01	8.72391E-02	1.00066E+00	8.76617E-02	.00000E+00	.00000E+00	.00000E+00	2.15206E-01
5	1.48904E+00	1.39112E-01	1.51210E+00	1.33369E-01	.00000E+00	.00000E+00	.00000E+00	3.25150E-01
6	2.86361E+00	2.66161E-01	2.90926E+00	2.51218E-01	.00000E+00	.00000E+00	.00000E+00	6.25499E-01
7	2.80702E+00	1.53359E-01	2.83331E+00	1.42590E-01	.00000E+00	.00000E+00	.00000E+00	6.11180E-01
8	2.06482E+00	1.49519E-02	2.06794E+00	2.07218E-02	.00000E+00	.00000E+00	.00000E+00	4.47759E-01
9	1.60284E+00	-1.53377E-02	1.59971E+00	-2.10199E-02	.00000E+00	.00000E+00	.00000E+00	3.47104E-01
10	1.46429E+00	-2.65200E-02	1.45997E+00	-2.57133E-02	.00000E+00	.00000E+00	.00000E+00	3.16895E-01
11	1.34468E+00	-5.70106E-02	1.33546E+00	-5.56522E-02	.00000E+00	.00000E+00	.00000E+00	2.90467E-01
12	8.42086E-01	-6.52188E-02	8.31467E-01	-6.51767E-02	.00000E+00	.00000E+00	.00000E+00	1.81412E-01
13	7.10716E-01	-5.57682E-02	7.01591E-01	-5.57729E-02	.00000E+00	.00000E+00	.00000E+00	1.53094E-01
14	6.47122E-01	-8.34894E-02	6.33502E-01	-8.35227E-02	.00000E+00	.00000E+00	.00000E+00	1.38853E-01
15	3.76217E-01	-8.40173E-03	3.74774E-01	-8.19649E-03	.00000E+00	.00000E+00	.00000E+00	8.13838E-02
16	2.08234E-01	-5.57822E-03	2.07323E-01	-5.52445E-03	.00000E+00	.00000E+00	.00000E+00	4.50355E-02
17	8.88982E-02	-6.47107E-03	8.78504E-02	-6.46573E-03	.00000E+00	.00000E+00	.00000E+00	1.91592E-02
18	5.92547E-02	-1.96079E-02	5.60524E-02	-1.98332E-02	.00000E+00	.00000E+00	.00000E+00	1.25175E-02
19	1.34059E-01	-1.10963E-02	1.32275E-01	-1.09213E-02	.00000E+00	.00000E+00	.00000E+00	2.88692E-02
20	4.48850E-01	-2.53659E-02	4.44792E-01	-2.53119E-02	.00000E+00	.00000E+00	.00000E+00	9.68602E-02
21	1.27287E-01	-2.27022E-02	1.23706E-01	-2.25584E-02	.00000E+00	.00000E+00	.00000E+00	2.72195E-02
22	2.37005E-01	-6.50481E-02	2.26792E-01	-6.50933E-02	.00000E+00	.00000E+00	.00000E+00	5.03294E-02
23	7.80174E-01	-1.27805E-01	7.61147E-01	-1.26468E-01	.00000E+00	.00000E+00	.00000E+00	1.67158E-01
24	5.86248E-01	-1.18693E-01	5.69301E-01	-1.17733E-01	.00000E+00	.00000E+00	.00000E+00	1.25360E-01
25	2.50204E-01	-5.92833E-02	2.42080E-01	-5.96142E-02	.00000E+00	.00000E+00	.00000E+00	5.34229E-02
26	1.64475E-01	-5.48584E-02	1.57328E-01	-5.49278E-02	.00000E+00	.00000E+00	.00000E+00	3.49527E-02
27	2.76194E-02	-1.49945E-02	2.57287E-02	-1.51936E-02	.00000E+00	.00000E+00	.00000E+00	5.80739E-03
28	2.33241E+01	5.45300E-02	2.33496E+01	6.20716E-02	1.01442E-04	.00000E+00	.00000E+00	5.05778E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	5.98456E-03	7.92106E-03	4.22157E-04	-8.34281E-03	9.99951E-01
2	.00000E+00	.00000E+00	4.54495E-03	7.63158E-02	1.00303E-01	1.07467E-03	-9.68289E-02	9.99961E-01
3	.00000E+00	.00000E+00	4.75877E-02	6.89432E-02	1.79577E-01	5.41885E-06	-1.31790E-01	9.99977E-01
4	.00000E+00	.00000E+00	7.02395E-02	4.58529E-02	1.57477E-01	3.22950E-06	-8.72391E-02	9.99987E-01
5	.00000E+00	.00000E+00	1.29849E-01	1.48457E-01	2.68960E-01	3.77411E-06	-1.39112E-01	9.99991E-01
6	.00000E+00	.00000E+00	2.74878E-01	4.55215E-01	5.41027E-01	1.14751E-05	-2.66161E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.52647E-01	7.95099E-01	7.05989E-01	2.53491E-05	-1.53359E-01	9.99987E-01
8	.00000E+00	.00000E+00	7.35415E-01	1.00075E+00	7.50386E-01	4.70041E-05	-1.49520E-02	9.99912E-01
9	.00000E+00	.00000E+00	7.40666E-01	9.15908E-01	7.25314E-01	9.58909E-05	1.53377E-02	9.99889E-01
10	.00000E+00	.00000E+00	7.22087E-01	8.65279E-01	6.95380E-01	2.11426E-04	2.65199E-02	9.99896E-01
11	.00000E+00	.00000E+00	7.00356E-01	8.05312E-01	6.42980E-01	4.57316E-04	5.70105E-02	9.99940E-01
12	.00000E+00	.00000E+00	5.59704E-01	4.19760E-01	4.95899E-01	5.97270E-04	6.52188E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.89846E-01	3.37792E-01	4.33195E-01	8.97250E-04	5.57682E-02	9.99969E-01
14	.00000E+00	.00000E+00	4.70148E-01	3.22462E-01	3.85204E-01	1.45957E-03	8.34894E-02	9.99989E-01
15	.00000E+00	.00000E+00	2.51253E-01	1.28945E-01	2.41567E-01	1.28478E-03	8.40238E-03	9.99998E-01
16	.00000E+00	.00000E+00	1.66756E-01	5.44103E-02	1.60298E-01	8.80758E-04	5.57890E-03	9.99994E-01
17	.00000E+00	.00000E+00	8.58657E-02	1.51818E-02	7.89905E-02	4.24066E-04	6.47153E-03	9.99996E-01
18	.00000E+00	.00000E+00	7.61187E-02	1.02846E-02	5.61972E-02	3.14669E-04	1.96048E-02	1.00008E+00
19	.00000E+00	.00000E+00	1.26710E-01	3.40075E-02	1.12868E-01	7.45409E-04	1.10970E-02	9.99998E-01
20	.00000E+00	.00000E+00	3.04630E-01	2.44252E-01	2.76137E-01	3.12458E-03	2.53677E-02	1.00000E+00
21	.00000E+00	.00000E+00	1.42879E-01	4.57608E-02	1.19045E-01	1.13385E-03	2.26951E-02	1.00008E+00
22	.00000E+00	.00000E+00	2.70382E-01	1.30851E-01	2.02865E-01	2.47774E-03	6.50501E-02	9.99996E-01
23	.00000E+00	.00000E+00	6.38528E-01	7.61024E-01	4.99744E-01	1.09715E-02	1.27809E-01	1.00001E+00
24	.00000E+00	.00000E+00	6.49668E-01	6.72083E-01	5.18787E-01	1.21843E-02	1.18696E-01	1.00000E+00
25	.00000E+00	.00000E+00	4.18654E-01	2.73939E-01	3.52423E-01	6.94805E-03	5.98226E-02	1.00000E+00
26	.00000E+00	.00000E+00	3.30556E-01	2.91208E-01	2.68969E-01	6.72748E-03	5.48562E-02	1.00001E+00
27	.00000E+00	.00000E+00	1.09957E-01	6.08041E-02	9.26287E-02	2.31363E-03	1.49946E-02	9.99999E-01
28	.00000E+00	.00000E+00	9.05787E+00	8.98535E+00	9.05787E+00	5.48425E-02	-5.45342E-02	9.99966E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*df**2	total flux
1	1.69430E-01	-6.09055E-09	1.70219E-01	8.34280E-05	4.38057E-10	.00000E+00	.00000E+00	1.93914E-01
2	1.24317E+00	-1.05055E-08	1.25465E+00	9.68289E-02	.00000E+00	.00000E+00	.00000E+00	1.42536E+00
3	1.57079E+00	1.33290E-08	1.58841E+00	1.31790E-01	.00000E+00	.00000E+00	.00000E+00	1.79908E+00

4	9.72908E-01	-1.06295E-08	9.86054E-01	8.72391E-02	.00000E+00	.00000E+00	.00000E+00	1.11467E+00
5	1.46663E+00	-4.71665E-08	1.48904E+00	1.39112E-01	.00000E+00	.00000E+00	.00000E+00	1.68071E+00
6	2.81963E+00	4.11372E-08	2.86361E+00	2.66161E-01	.00000E+00	.00000E+00	.00000E+00	3.23127E+00
7	2.78169E+00	1.78610E-08	2.80702E+00	1.53359E-01	.00000E+00	.00000E+00	.00000E+00	3.18568E+00
8	2.06488E+00	-1.28764E-07	2.06482E+00	1.49519E-02	.00000E+00	.00000E+00	.00000E+00	2.36260E+00
9	1.60495E+00	-4.49942E-08	1.60284E+00	-1.53377E-02	.00000E+00	.00000E+00	.00000E+00	1.83679E+00
10	1.46903E+00	-6.20540E-08	1.46429E+00	-2.65200E-02	.00000E+00	.00000E+00	.00000E+00	1.68097E+00
11	1.35474E+00	-7.11370E-08	1.34468E+00	-5.70106E-02	.00000E+00	.00000E+00	.00000E+00	1.54974E+00
12	8.53259E-01	-1.05156E-08	8.42086E-01	-6.52188E-02	.00000E+00	.00000E+00	.00000E+00	9.75749E-01
13	7.19872E-01	-1.09993E-08	7.10716E-01	-5.57682E-02	.00000E+00	.00000E+00	.00000E+00	8.23374E-01
14	6.61157E-01	-1.69050E-09	6.47122E-01	-8.34894E-02	.00000E+00	.00000E+00	.00000E+00	7.55758E-01
15	3.76753E-01	6.47627E-07	3.76217E-01	-8.40173E-03	.00000E+00	.00000E+00	.00000E+00	4.31476E-01
16	2.08885E-01	6.75455E-07	2.08254E-01	-5.57822E-03	.00000E+00	.00000E+00	.00000E+00	2.39135E-01
17	8.99783E-02	4.58511E-07	8.88982E-02	-6.47107E-03	.00000E+00	.00000E+00	.00000E+00	1.02910E-01
18	6.27563E-02	-3.11249E-06	5.92547E-02	-1.96079E-02	.00000E+00	.00000E+00	.00000E+00	7.15116E-02
19	1.35851E-01	6.49765E-07	1.34059E-01	-1.10963E-02	.00000E+00	.00000E+00	.00000E+00	1.55387E-01
20	4.52750E-01	1.84102E-06	4.48850E-01	-2.53669E-02	.00000E+00	.00000E+00	.00000E+00	5.18034E-01
21	1.31440E-01	-7.10584E-06	1.27287E-01	-2.27022E-02	.00000E+00	.00000E+00	.00000E+00	1.50057E-01
22	2.49090E-01	2.05832E-06	2.37005E-01	-6.50481E-02	.00000E+00	.00000E+00	.00000E+00	2.83981E-01
23	8.06606E-01	-3.86636E-07	7.80174E-01	-1.27809E-01	.00000E+00	.00000E+00	.00000E+00	9.20888E-01
24	6.14815E-01	3.47787E-06	5.86248E-01	-1.18698E-01	.00000E+00	.00000E+00	.00000E+00	6.99487E-01
25	2.66193E-01	-7.20197E-07	2.50204E-01	-5.92833E-02	.00000E+00	.00000E+00	.00000E+00	3.01994E-01
26	1.82258E-01	-2.24975E-06	1.64475E-01	-5.48584E-02	.00000E+00	.00000E+00	.00000E+00	2.05116E-01
27	3.36952E-02	1.04078E-07	2.76196E-02	-1.49945E-02	.00000E+00	.00000E+00	.00000E+00	3.72151E-02
28	2.33632E+01	-3.95649E-06	2.33241E+01	5.45300E-02	4.38057E-10	.00000E+00	.00000E+00	2.67300E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.25466E-02	.00000E+00	2.24312E-02	2.12892E-02	3.64651E-03	-6.09055E-09	9.98829E-01
2	.00000E+00	1.92653E-01	7.36648E-03	2.69064E-01	1.85291E-01	1.47418E-02	-1.05055E-08	1.00002E+00
3	.00000E+00	2.15639E-01	7.64668E-02	2.80085E-01	2.76410E-01	1.56992E-02	1.33290E-08	9.99987E-01
4	.00000E+00	1.23985E-01	1.14323E-01	1.95256E-01	2.30782E-01	7.52609E-03	-1.06295E-08	1.00000E+00
5	.00000E+00	1.66616E-01	2.08854E-01	4.89620E-01	3.68888E-01	4.58659E-03	-4.71665E-08	9.99989E-01
6	.00000E+00	1.77901E-01	4.28063E-01	1.34404E+00	5.98630E-01	7.32517E-03	4.11372E-08	1.00001E+00
7	.00000E+00	8.80271E-02	6.63396E-01	1.77528E+00	7.43507E-01	7.92453E-03	1.78610E-08	9.99988E-01
8	.00000E+00	1.35691E-02	7.80152E-01	1.79019E+00	7.79518E-01	1.42670E-02	-1.28764E-07	9.99920E-01
9	.00000E+00	9.84911E-04	7.70054E-01	1.55642E+00	7.46865E-01	2.42569E-02	-4.49942E-08	9.99895E-01
10	.00000E+00	7.31557E-05	7.43610E-01	1.41137E+00	7.06920E-01	3.68380E-02	-6.20540E-08	9.99900E-01
11	.00000E+00	5.75541E-06	7.11896E-01	1.30439E+00	6.51941E-01	6.00026E-02	-7.11370E-08	9.99942E-01
12	.00000E+00	4.04308E-07	5.68715E-01	7.05317E-01	5.04137E-01	6.45927E-02	-1.05156E-08	9.99974E-01
13	.00000E+00	6.42004E-08	5.00084E-01	5.54959E-01	4.40155E-01	5.99438E-02	-1.09993E-08	9.99971E-01
14	.00000E+00	1.27228E-08	4.77108E-01	5.10336E-01	3.95299E-01	8.38137E-02	-1.69050E-09	9.99990E-01
15	.00000E+00	1.43782E-09	2.59479E-01	2.34355E-01	2.51307E-01	8.12826E-03	6.47627E-07	1.00017E+00
16	.00000E+00	4.22193E-10	1.76764E-01	1.08162E-01	1.70859E-01	5.87555E-03	6.75455E-07	1.00017E+00
17	.00000E+00	1.35967E-10	9.46454E-02	3.39304E-02	8.75028E-02	7.12985E-03	4.58511E-07	1.00013E+00
18	.00000E+00	9.73483E-11	8.43415E-02	2.20986E-02	6.18142E-02	2.25224E-02	-3.11249E-06	1.00010E+00
19	.00000E+00	1.37630E-10	1.32584E-01	6.50477E-02	1.22816E-01	9.75470E-03	6.49765E-07	1.00010E+00
20	.00000E+00	2.23800E-10	3.16064E-01	3.71848E-01	2.86925E-01	2.90898E-02	1.84102E-06	1.00015E+00
21	.00000E+00	3.27571E-11	1.53399E-01	7.32849E-02	1.28863E-01	2.45239E-02	-7.10584E-06	1.00013E+00
22	.00000E+00	3.80057E-11	2.84316E-01	1.85310E-01	2.14154E-01	7.01380E-02	2.05832E-06	1.00008E+00
23	.00000E+00	3.63377E-11	6.55671E-01	9.70830E-01	5.21293E-01	1.34290E-01	-3.86636E-07	1.00013E+00
24	.00000E+00	9.85064E-12	6.75880E-01	8.17465E-01	5.45259E-01	1.30555E-01	3.47787E-06	1.00009E+00
25	.00000E+00	2.89533E-12	4.41462E-01	3.29052E-01	3.69770E-01	7.16648E-02	-7.20197E-07	1.00006E+00
26	.00000E+00	2.03022E-12	3.41479E-01	3.29782E-01	2.76524E-01	6.49883E-02	-2.24975E-06	1.00006E+00
27	.00000E+00	4.83813E-13	1.12277E-01	6.68603E-02	9.37302E-02	1.85447E-02	1.04078E-07	1.00002E+00
28	.00000E+00	1.00000E+00	9.77845E+00	1.58148E+01	9.77845E+00	1.00252E+00	-3.99449E-06	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.69430E-01	-6.09055E-09	1.77195E-01	.00000E+00	2.35985E-03	2.62977E-03	.00000E+00	3.57072E-01
2	1.24317E+00	-1.05055E-08	1.32751E+00	.00000E+00	1.71854E-03	1.18502E-02	.00000E+00	2.63726E+00
3	1.57079E+00	1.33290E-08	1.67978E+00	.00000E+00	.00000E+00	1.45322E-02	.00000E+00	3.33563E+00
4	9.72908E-01	-1.06295E-08	1.04123E+00	.00000E+00	.00000E+00	6.27267E-03	.00000E+00	2.06791E+00

5	1.46663E+00	-4.71665E-08	1.57523E+00	.00000E+00	.00000E+00	1.82307E-03	.00000E+00	3.12155E+00
6	2.81963E+00	4.11372E-08	3.02978E+00	.00000E+00	.00000E+00	1.58370E-03	.00000E+00	6.00220E+00
7	2.78169E+00	1.78610E-08	2.90473E+00	.00000E+00	.00000E+00	1.55715E-03	.00000E+00	5.86680E+00
8	2.06488E+00	-1.28764E-07	2.08053E+00	.00000E+00	.00000E+00	1.58895E-03	.00000E+00	4.30491E+00
9	1.60495E+00	-4.49942E-08	1.58711E+00	.00000E+00	.00000E+00	2.13181E-03	.00000E+00	3.33067E+00
10	1.46903E+00	-6.20540E-08	1.44611E+00	.00000E+00	.00000E+00	4.54090E-03	.00000E+00	3.04362E+00
11	1.35474E+00	-7.11370E-08	1.30533E+00	.00000E+00	.00000E+00	9.59878E-03	.00000E+00	2.78959E+00
12	8.53259E-01	-1.05156E-08	7.95806E-01	.00000E+00	.00000E+00	1.25419E-02	.00000E+00	1.74125E+00
13	7.19872E-01	-1.09993E-08	6.71440E-01	.00000E+00	.00000E+00	1.33683E-02	.00000E+00	1.46929E+00
14	6.61157E-01	-1.69050E-09	5.87894E-01	.00000E+00	.00000E+00	8.47353E-03	.00000E+00	1.33196E+00
15	3.76753E-01	6.47627E-07	3.70150E-01	.00000E+00	.00000E+00	2.09234E-03	.00000E+00	7.80886E-01
16	2.08885E-01	6.75455E-07	2.04411E-01	.00000E+00	.00000E+00	1.44179E-03	.00000E+00	4.32280E-01
17	8.99783E-02	4.58511E-07	8.44542E-02	.00000E+00	.00000E+00	1.82542E-03	.00000E+00	1.83929E-01
18	6.27563E-02	-3.11249E-06	4.41396E-02	.00000E+00	.00000E+00	1.59461E-03	.00000E+00	1.19580E-01
19	1.35851E-01	6.49765E-07	1.26380E-01	.00000E+00	.00000E+00	2.89268E-03	.00000E+00	2.77104E-01
20	4.52750E-01	1.84102E-06	4.31366E-01	.00000E+00	.00000E+00	1.60106E-02	.00000E+00	9.29685E-01
21	1.31440E-01	-7.10584E-06	1.11389E-01	.00000E+00	.00000E+00	1.45434E-02	.00000E+00	2.61248E-01
22	2.49090E-01	2.05852E-06	1.89539E-01	.00000E+00	.00000E+00	4.15271E-02	.00000E+00	4.82125E-01
23	8.06606E-01	-3.86634E-07	6.93485E-01	.00000E+00	.00000E+00	7.74830E-02	.00000E+00	1.60746E+00
24	6.14815E-01	3.47787E-06	5.06153E-01	.00000E+00	.00000E+00	7.46668E-02	.00000E+00	1.20872E+00
25	2.66193E-01	-7.20197E-07	2.09385E-01	.00000E+00	.00000E+00	4.26925E-02	.00000E+00	5.16208E-01
26	1.82238E-01	-2.24975E-06	1.26664E-01	.00000E+00	.00000E+00	3.92310E-02	.00000E+00	3.40638E-01
27	3.36952E-02	1.04078E-07	1.65059E-02	.00000E+00	.00000E+00	1.10368E-02	.00000E+00	5.76549E-02
28	2.33632E+01	-3.95649E-06	2.33257E+01	.00000E+00	2.37703E-03	4.19530E-01	.00000E+00	4.85970E+01

- elapsed time .02 min.
Odirect access unit 9 requires 516 blocks of length 1456 for cross section weighting.
1 transport cross section weighting function

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.37800E-03	2.48358E-02	3.15170E-02	1.90785E-02	2.91626E-02	5.57354E-02	3.17414E-02	4.63097E-03
2	3.72979E-03	3.86535E-02	4.87869E-02	2.94684E-02	4.48333E-02	8.44496E-02	4.79530E-02	6.96581E-03
3	3.08067E-03	3.29767E-02	4.30731E-02	2.71742E-02	4.23109E-02	8.03236E-02	4.59382E-02	5.56634E-03
4	1.04615E-03	1.21344E-02	1.65107E-02	1.09244E-02	1.74148E-02	3.33232E-02	1.92749E-02	1.99890E-03
5	1.73421E-03	1.89099E-02	2.47319E-02	1.55961E-02	2.43107E-02	4.64094E-02	2.66114E-02	3.31664E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.70455E-03	5.76194E-03	1.24377E-02	1.45107E-02	1.24227E-02	1.84916E-02	1.85482E-03	1.23684E-03
2	7.06606E-03	8.64380E-03	1.87081E-02	2.19098E-02	1.87486E-02	2.80770E-02	2.75530E-03	1.85708E-03
3	5.67164E-03	8.11162E-03	1.74975E-02	2.02581E-02	1.75291E-02	2.59472E-02	2.57808E-03	1.72469E-03
4	1.88639E-03	3.30102E-03	7.10645E-03	8.13598E-03	6.99506E-03	1.04338E-02	1.12452E-03	7.20699E-04
5	3.29160E-03	4.69733E-03	1.01289E-02	1.17166E-02	1.00455E-02	1.49832E-02	1.54228E-03	1.01328E-03

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.43647E-03	4.20291E-03	2.46130E-03	5.66414E-03	4.95029E-03	1.40983E-02	2.79502E-02	2.58665E-02
2	2.17352E-03	6.66691E-03	3.67127E-03	8.50867E-03	7.58290E-03	2.18818E-02	4.25139E-02	3.95780E-02
3	2.00981E-03	6.12758E-03	3.42052E-03	7.87317E-03	7.03047E-03	2.02184E-02	3.94995E-02	3.67274E-02
4	8.08923E-04	2.41974E-03	1.39868E-03	3.21777E-03	2.82516E-03	8.09754E-03	1.62196E-02	1.50528E-02
5	1.16233E-03	3.46035E-03	1.99532E-03	4.59231E-03	4.03846E-03	1.15545E-02	2.29844E-02	2.12492E-02

Ozone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.30301E-02	1.18326E-02	3.12027E-03	3.85114E-01
2	2.00402E-02	1.84648E-02	5.10756E-03	5.88778E-01
3	1.84738E-02	1.70567E-02	4.69107E-03	5.42640E-01
4	7.48920E-03	6.80681E-03	1.71927E-03	2.18967E-01
5	1.06570E-02	9.71408E-03	2.54374E-03	3.12931E-01

1 560 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
Ocell averaged fluxes

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.75274E-01	1.30718E+00	1.65429E+00	1.02585E+00	1.55081E+00	2.98210E+00	2.87601E+00	2.07557E+00
2	1.72052E-01	1.27417E+00	1.61384E+00	1.00197E+00	1.51396E+00	2.91258E+00	2.85513E+00	2.06831E+00
3	1.70873E-01	1.26220E+00	1.59882E+00	9.92998E-01	1.50080E+00	2.88616E+00	2.82009E+00	2.06605E+00
4	1.69425E-01	1.24361E+00	1.57184E+00	9.73903E-01	1.46844E+00	2.82520E+00	2.78357E+00	2.06424E+00
5	1.71550E-01	1.26704E+00	1.60256E+00	9.93499E-01	1.49971E+00	2.88368E+00	2.81862E+00	2.06824E+00

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.59203E+00	1.45173E+00	1.31751E+00	8.10131E-01	6.83540E-01	6.06130E-01	3.72052E-01	2.05584E-01
2	1.59953E+00	1.45963E+00	1.33472E+00	8.30575E-01	7.00825E-01	6.32357E-01	3.74655E-01	2.07245E-01
3	1.60160E+00	1.46221E+00	1.34026E+00	8.37065E-01	7.06403E-01	6.40689E-01	3.75518E-01	2.07801E-01
4	1.60483E+00	1.46869E+00	1.35403E+00	8.52526E-01	7.19394E-01	6.60316E-01	3.76986E-01	2.08935E-01
5	1.60017E+00	1.46227E+00	1.34022E+00	8.36559E-01	7.05899E-01	6.39924E-01	3.75166E-01	2.07683E-01
Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.58086E-02	4.87777E-02	1.28776E-01	4.36764E-01	1.16285E-01	2.04294E-01	7.20625E-01	5.31425E-01
2	8.77622E-02	5.57722E-02	1.32129E-01	4.44439E-01	1.23399E-01	2.25912E-01	7.59522E-01	5.67817E-01
3	8.84038E-02	5.77576E-02	1.33207E-01	4.46929E-01	1.25994E-01	2.32228E-01	7.71292E-01	5.78429E-01
4	8.99142E-02	6.24807E-02	1.35763E-01	4.52613E-01	1.31107E-01	2.48118E-01	8.03894E-01	6.11151E-01
5	8.83662E-02	5.73543E-02	1.33131E-01	4.46655E-01	1.25513E-01	2.31630E-01	7.72281E-01	5.80714E-01
Ozone	grp. 25	grp. 26	grp. 27					
1	2.22430E-01	1.38861E-01	2.00771E-02					
2	2.41267E-01	1.56652E-01	2.55397E-02					
3	2.46499E-01	1.61278E-01	2.67963E-02					
4	2.63856E-01	1.79213E-01	3.25153E-02					
5	2.48003E-01	1.63655E-01	2.76995E-02					

Oflux disadvantage factors (zone average/cell average-flux)


Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02170E+00	1.03168E+00	1.03228E+00	1.03256E+00	1.03408E+00	1.03413E+00	1.02036E+00	1.00355E+00
2	1.00292E+00	1.00563E+00	1.00704E+00	1.00852E+00	1.00951E+00	1.01002E+00	1.00586E+00	1.00004E+00
3	9.96052E-01	9.96185E-01	9.97667E-01	9.99495E-01	1.00089E+00	1.00085E+00	1.00052E+00	9.98935E-01
4	9.87612E-01	9.81511E-01	9.80830E-01	9.80275E-01	9.79166E-01	9.79029E-01	9.87493E-01	9.98067E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.94909E-01	9.92795E-01	9.83053E-01	9.68409E-01	9.68525E-01	9.47190E-01	9.91700E-01	9.89894E-01
2	9.99472E-01	9.98195E-01	9.95897E-01	9.92846E-01	9.92812E-01	9.88176E-01	9.98638E-01	9.97890E-01
3	1.00089E+00	9.99959E-01	1.00003E+00	1.00060E+00	1.00071E+00	1.00119E+00	1.00094E+00	1.00057E+00
4	1.00291E+00	1.00439E+00	1.01030E+00	1.01909E+00	1.01912E+00	1.03187E+00	1.00485E+00	1.00603E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.71057E-01	8.50462E-01	9.67291E-01	9.77856E-01	9.26477E-01	8.81983E-01	9.33112E-01	9.15123E-01
2	9.93165E-01	9.72614E-01	9.92474E-01	9.95040E-01	9.83153E-01	9.75314E-01	9.83478E-01	9.77792E-01
3	1.00043E+00	1.00703E+00	1.00057E+00	1.00061E+00	1.00065E+00	1.00258E+00	9.98720E-01	9.96066E-01
4	1.01752E+00	1.08938E+00	1.01977E+00	1.01334E+00	1.04457E+00	1.07118E+00	1.04093E+00	1.05241E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 25	grp. 26	grp. 27					
1	8.96885E-01	8.48498E-01	7.24817E-01					
2	9.72839E-01	9.57210E-01	9.22029E-01					
3	9.99957E-01	9.85475E-01	9.67391E-01					
4	1.06395E+00	1.09507E+00	1.17386E+00					
5	1.00000E+00	1.00000E+00	1.00000E+00					

Ocell averaged currents


Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.57800E-03	2.48358E-02	3.15170E-02	1.90785E-02	2.91626E-02	5.57354E-02	3.17414E-02	4.63097E-03
2	3.72979E-03	3.86535E-02	4.87869E-02	2.94684E-02	4.48333E-02	8.44496E-02	4.79530E-02	6.96581E-03
3	3.08067E-03	3.29767E-02	4.30731E-02	2.71742E-02	4.23109E-02	8.03234E-02	4.59382E-02	5.56634E-03
4	1.04615E-03	1.21344E-02	1.65107E-02	1.09244E-02	1.74148E-02	3.33252E-02	1.92749E-02	1.99890E-03
5	1.73421E-03	1.89099E-02	2.47319E-02	1.55961E-02	2.43107E-02	4.64094E-02	2.66114E-02	3.31664E-03
Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.70455E-03	5.76194E-03	1.24377E-02	1.45107E-02	1.24227E-02	1.84916E-02	1.85482E-03	1.23684E-03
2	7.06606E-03	8.64380E-03	1.87081E-02	2.19098E-02	1.87486E-02	2.80770E-02	2.75530E-03	1.85708E-03
3	5.67164E-03	8.11162E-03	1.74975E-02	2.02581E-02	1.73291E-02	2.59472E-02	2.57808E-03	1.72469E-03
4	1.88639E-03	3.30102E-03	7.10645E-03	8.13598E-03	6.99506E-03	1.04338E-02	1.12452E-03	7.20699E-04
5	3.29160E-03	4.69733E-03	1.01286E-02	1.17166E-02	1.00455E-02	1.49832E-02	1.54228E-03	1.01328E-03
Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.43647E-03	4.20291E-03	2.46130E-03	5.66414E-03	4.95029E-03	1.40983E-02	2.79502E-02	2.58665E-02

```
    2 2.17352E-03 6.66691E-03 3.67127E-03 8.50867E-03 7.58290E-03 2.18818E-02 4.25139E-02 3.95780E-02
    3 2.00981E-03 6.12758E-03 3.42052E-03 7.87317E-03 7.03047E-03 2.02184E-02 3.94995E-02 3.67274E-02
    4 8.08923E-04 2.41974E-03 1.39868E-03 3.21777E-03 2.82516E-03 8.09754E-03 1.62196E-02 1.50528E-02
    5 1.16233E-03 3.46035E-03 1.99532E-03 4.59231E-03 4.03846E-03 1.15545E-02 2.29244E-02 2.12492E-02
Ozone  grp. 25      grp. 26      grp. 27
    1 1.30301E-02 1.18326E-02 3.12027E-03
    2 2.00402E-02 1.84648E-02 5.10756E-03
    3 1.84738E-02 1.70567E-02 4.69107E-03
    4 7.48920E-03 6.80681E-03 1.71927E-03
    5 1.06570E-02 9.71408E-03 2.54374E-03
Ozone      volume      vol. fraction


    1    6.88443E-01    3.30753E-01
    2    3.17352E-02    1.52468E-02
    3    2.16724E-01    1.04122E-01
    4    1.14454E+00    5.49878E-01
    5    2.08144E+00    1.00000E+00
 - elapsed time    .03 min.
Orequested parm=halt8,skipcellwt,skipshipdata
  pass= 4, exec halts after pass  8
```




```
0
```



```
0
```






```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******                program verification information          ******
******                                                          ******
******                code system:   scale  version:   4.2      ******
******                                                          ******
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******          program:  c0c008                                ******
******                                                          ******
******     creation date:  04/27/95                             ******
******                                                          ******
******          library:  /neutronics/scale/exe                 ******
******                                                          ******
******                                                          ******
****** this is not a  scale  configuration controlled code      ******
******                                                          ******
******          jobname:  davis                                 ******
******                                                          ******
****** date of execution:  02/16/96                            ******
******                                                          ******
****** time of execution:  10:00:48                            ******
******                                                          ******
******                                                          ******
```

```
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************

1
0       -1q array has       1 entries.
0        0q array has       4 entries.
0        1q array has       6 entries.
0        2q array has       2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       70
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0        3q array has      70 entries.
0        4q array has      70 entries.
0        5q array has      70 entries.
0        6q array has       4 entries.
0        7q array has       4 entries.
0        8q array has       4 entries.
0        9q array has       4 entries.
0       10q array has      70 entries.
0       11q array has       4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        3     8016    2.09710E-02          201
    2        3     1001    4.19420E-02          202
    3        3     5010    3.81515E-06          203
    4        3     5011    1.54884E-05          204
    5        2    40302    4.25156E-02          205
    6        1    92235    1.62152E-04       200006
    7        1    92234    1.60395E-06       200007
    8        1    92236    1.31718E-05       200008
    9        1    92238    7.24962E-03       200009
   10        1     8016    1.50611E-02       200010
   11        1     8016    1.15315E-02       200011
   12        1    36083    3.23159E-07       200012
   13        1    36085    1.55770E-07       200013
   14        1    38090    3.51229E-06       200014
   15        1    39089    2.61349E-06       200015
   16        1    42095    3.20178E-06       200016
   17        1    40093    2.71690E-06       200017
   18        1    40094    4.22845E-06       200018
   19        1    40095    6.86629E-07       200019
   20        1    41094    1.81576E-12       200020
   21        1    43099    4.11687E-06       200021
   22        1    45103    2.14179E-06       200022
   23        1    45105    6.24106E-09       200023
   24        1    44101    3.66029E-06       200024
   25        1    44106    5.45766E-07       200025
   26        1    46105    1.26197E-06       200026
   27        1    46108    3.07708E-07       200027
```

28	1	47109	2.21053E-07	200028
29	1	51124	5.35940E-11	200029
30	1	54131	1.90924E-06	200030
31	1	54132	3.32758E-06	200031
32	1	54135	2.20090E-09	200032
33	1	54136	6.96021E-06	200033
34	1	55134	1.39898E-07	200034
35	1	55135	2.19558E-06	200035
36	1	55137	4.36275E-06	200036
37	1	56136	2.69601E-08	200037
38	1	57139	4.33528E-06	200038
39	1	59141	3.63399E-06	200039
40	1	59143	1.27348E-07	200040
41	1	58144	1.94158E-06	200041
42	1	60143	3.52685E-06	200042
43	1	60145	2.55992E-06	200043
44	1	61147	1.03903E-06	200044
45	1	61148	2.92578E-09	200045
46	1	60147	4.35262E-08	200046
47	1	62147	2.20883E-07	200047
48	1	62149	2.65272E-08	200048
49	1	62150	8.41498E-07	200049
50	1	62151	1.09812E-07	200050
51	1	62152	4.11655E-07	200051
52	1	64155	3.91515E-10	200052
53	1	63153	2.08635E-07	200053
54	1	63154	3.15201E-08	200054
55	1	63155	2.41894E-08	200055
56	1	40302	4.42681E-03	200056
57	1	1001	2.30630E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	4.50801E-06	200060
61	1	95237	6.54722E-07	200061
62	1	94238	5.86583E-08	200062
63	1	94239	2.73412E-05	200063
64	1	94240	3.82999E-06	200064
65	1	94241	1.67189E-06	200065
66	1	94242	1.12810E-07	200066
67	1	95241	3.19625E-08	200067
68	1	95243	6.10845E-09	200068
69	1	96244	3.46025E-10	200069
70	1	999	3.30753E-21	200070

0geometry and material description

0zone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.23052E+01	0
3	3	8.14000E-01	6.07600E+02	3.54852E+00	0
4	1	2.96100E+00	9.75000E+02	2.32883E-01	0

8067 locations of 200000 available are required to make a new master containing the self-shielded values

0no nuclides in your problem have bondarenko factor data**boremi will copy from logical 12 to logical 1

0copy 999 1/v cross sectio from log 12 to log 1 bondarenko trigger 0
0copy 1001 hydrogen from log 12 to log 18 bondarenko trigger 0
0copy 1001 hydrogen from log 18 to log 1 bondarenko trigger 0
0copy 1001 hydrogen from log 18 to log 1 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 12 to log 18 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 18 to log 1 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 18 to log 1 bondarenko trigger 0
0copy 5011 boron-11 from log 12 to log 18 bondarenko trigger 0
0copy 5011 boron-11 from log 18 to log 1 bondarenko trigger 0


```
0copy    5011  boron-11          from log 18 to log  1   bondarenko trigger 0
0copy    8016  oxygen-16         from log 12 to log 18   bondarenko trigger 0
0copy    8016  oxygen-16         from log 18 to log  1   bondarenko trigger 0
0copy    8016  oxygen-16         from log 18 to log  1   bondarenko trigger 0
0copy    8016  oxygen-16         from log 18 to log  1   bondarenko trigger 0
0copy   36083  kr-83             from log 12 to log  1   bondarenko trigger 0
0copy   36085  kr-85             from log 12 to log  1   bondarenko trigger 0
0copy   38090  sr-90             from log 12 to log  1   bondarenko trigger 0
0copy   39089   y-89             from log 12 to log  1   bondarenko trigger 0
0copy   40093  zr-93             from log 12 to log  1   bondarenko trigger 0
0copy   40094  zr-94             from log 12 to log  1   bondarenko trigger 0
0copy   40095  zr-95             from log 12 to log  1   bondarenko trigger 0
0copy   40302  zircalloy         from log 12 to log 18   bondarenko trigger 0
0copy   40302  zircalloy         from log 18 to log  1   bondarenko trigger 0
0copy   40302  zircalloy         from log 18 to log  1   bondarenko trigger 0
0copy   41094  nb-94             from log 12 to log  1   bondarenko trigger 0
0copy   42095  mo-95             from log 12 to log  1   bondarenko trigger 0
0copy   43099  tc-99             from log 12 to log  1   bondarenko trigger 0
0copy   44101  ru-101            from log 12 to log  1   bondarenko trigger 0
0copy   44106  ru-106            from log 12 to log  1   bondarenko trigger 0
0copy   45103  rh-103            from log 12 to log  1   bondarenko trigger 0
0copy   45105  rh-105            from log 12 to log  1   bondarenko trigger 0
0copy   46105  pd-105            from log 12 to log  1   bondarenko trigger 0
0copy   46108  pd-108            from log 12 to log  1   bondarenko trigger 0
0copy   47109  silver-109        from log 12 to log  1   bondarenko trigger 0
0copy   51124  sb-124            from log 12 to log  1   bondarenko trigger 0
0copy   54131  xe-131            from log 12 to log  1   bondarenko trigger 0
0copy   54132  xe-132            from log 12 to log  1   bondarenko trigger 0
0copy   54135  xenon-135         from log 12 to log  1   bondarenko trigger 0
0copy   54136  xe-136            from log 12 to log  1   bondarenko trigger 0
0copy   55133  cesium-133        from log 12 to log  1   bondarenko trigger 0
0copy   55134  cs-134            from log 12 to log  1   bondarenko trigger 0
0copy   55135  cs-135            from log 12 to log  1   bondarenko trigger 0
0copy   55137  cs-137            from log 12 to log  1   bondarenko trigger 0
0copy   56136  ba-136            from log 12 to log  1   bondarenko trigger 0
0copy   57139  la-139            from log 12 to log  1   bondarenko trigger 0
0copy   58144  ce-144            from log 12 to log  1   bondarenko trigger 0
0copy   59141  pr-141            from log 12 to log  1   bondarenko trigger 0
0copy   59143  pr-143            from log 12 to log  1   bondarenko trigger 0
0copy   60143  nd-143            from log 12 to log  1   bondarenko trigger 0
0copy   60145  nd-145            from log 12 to log  1   bondarenko trigger 0
0copy   60147  nd-147            from log 12 to log  1   bondarenko trigger 0
0copy   61147  pm-147            from log 12 to log  1   bondarenko trigger 0
0copy   61148  pm-148            from log 12 to log  1   bondarenko trigger 0
0copy   62147  sm-147            from log 12 to log  1   bondarenko trigger 0
0copy   62149  sm-149            from log 12 to log  1   bondarenko trigger 0
0copy   62150  sm-150            from log 12 to log  1   bondarenko trigger 0
0copy   62151  sm-151            from log 12 to log  1   bondarenko trigger 0
0copy   62152  sm-152            from log 12 to log  1   bondarenko trigger 0
0copy   63153  eu-153            from log 12 to log  1   bondarenko trigger 0
0copy   63154  eu-154            from log 12 to log  1   bondarenko trigger 0
0copy   63155  eu-155            from log 12 to log  1   bondarenko trigger 0
0copy   64155  gd-155            from log 12 to log  1   bondarenko trigger 0
0copy   92234  u-234 1043 sigo=  from log 12 to log  1   bondarenko trigger 0
0copy   92235  uranium-235       from log 12 to log  1   bondarenko trigger 0
0copy   92236  u-236 1163 sigo=  from log 12 to log  1   bondarenko trigger 0
0copy   92238  uranium-238       from log 12 to log  1   bondarenko trigger 0
0copy   93237  neptunium-237     from log 12 to log  1   bondarenko trigger 0
0copy   94238  pu-238 1050 sigo  from log 12 to log  1   bondarenko trigger 0
0copy   94239  plutonium-239     from log 12 to log  1   bondarenko trigger 0
```

```
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigp from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc     1/27/89
              last updated      9/16/93
                 l.m.petrie  -  ornl
           tape id                          4321        number of nuclides          70
           number of neutron groups           27        number of gamma groups       0
           first thermal group                15        logical unit                 1
                                    table of contents
        1/v cross sections normalized to 1.0 at 0.0253 ev                       id  200070
         hydrogen        endf/b-iv mat 1269/thrml002    updated 10/13/89        id     202
         hydrogen        endf/b-iv mat 1269/thrml002    updated 10/13/89        id  200057
        b-10 1273 218ngp 042375 p-3 293k                                        id     203
        b-10 1273 218ngp 042375 p-3 293k                                        id  200058
         boron-11        endf/b-iv mat 1160             updated 10/13/89        id     204
         boron-11        endf/b-iv mat 1160             updated 10/13/89        id  200059
         oxygen-16       endf/b-iv mat 1276             updated 10/13/89        id     201
         oxygen-16       endf/b-iv mat 1276             updated 10/13/89        id  200010
         oxygen-16       endf/b-iv mat 1276             updated 10/13/89        id  200011
         kr-83           mt=102,103,103,105,106,107     updated 10/13/89        id  200012
         kr-85             mt=  102                                              id  200013
         sr-90           mt=102                         updated 10/13/89        id  200014
          y-89           mt=102                         updated 10/13/89        id  200015
         zr-93             mt=  102                                              id  200017
         zr-94           mt=102                         updated 10/13/89        id  200018
         zr-95           mt=102                         updated 10/13/89        id  200019
         zircalloy       endf/b-iv mat 1284             updated 10/13/89        id     205
         zircalloy       endf/b-iv mat 1284             updated 10/13/89        id  200056
         nb-94           mt=102                         updated 10/13/89        id  200020
         mo-95           mt=102                         updated 10/13/89        id  200016
         tc-99           mt=102                         updated 10/13/89        id  200021
         ru-101          mt=102                         updated 10/13/89        id  200024
         ru-106          mt=102                         updated 10/13/89        id  200025
         rh-103          mt=102                         updated 10/13/89        id  200022
         rh-105            mt=  102                                              id  200023
         pd-105          mt=102                         updated 10/13/89        id  200026
         pd-108          mt=102                         updated 10/13/89        id  200027
         silver-109      endf/b-iv mat 1139             updated 10/13/89        id  200028
         sb-124          mt=102                         updated 10/13/89        id  200029
         xe-131          mt=102,103,104,105,106         updated 10/13/89        id  200030
         xe-132          mt=102,103,104,105,106         updated 10/13/89        id  200031
         xenon-135       endf/b-iv mat 1294             updated 10/13/89        id  200032
         xe-136            mt=  102, 103, 104, 105, 107                          id  200033
         cesium-133      endf/b-iv mat 1141             updated 10/13/89        id  200060
         cs-134          mt=102                         updated 10/13/89        id  200034
         cs-135            mt=  102                                              id  200035
         cs-137          mt=102                         updated 10/13/89        id  200036
         ba-136          mt=102                         updated 10/13/89        id  200037
         la-139          mt=102                         updated 10/13/89        id  200038
         ce-144            mt=  102                                              id  200041
         pr-141          mt=102,103,104,105,106,107     updated 10/13/89        id  200039
         pr-143          mt=102                         updated 10/13/89        id  200040
         nd-143          mt=102                         updated 10/13/89        id  200042
         nd-145          mt=102                         updated 10/13/89        id  200043
```

```
        rh-147        mt=102                          updated 10/13/89              id   200046
        pm-147        mt=102                          updated 10/13/89              id   200044
        pm-148           mt=  102                                                   id   200045
        sm-147        endf/b-v fission product        updated 10/13/89              id   200047
        sm-149        mt=102,103,107                  updated 10/13/89              id   200048
        sm-150        mt=102                          updated 10/13/89              id   200049
        sm-151        mt=102,103,104,105,106,107      updated 10/13/89              id   200050
        sm-152        mt=102,103,104,105,106,107      updated 10/13/89              id   200051
        eu-153        mt=102,103,104,105,106,107      updated 10/13/89              id   200053
        eu-154        mt=102,103,104,105,106,107      updated 10/13/89              id   200054
        eu-155        mt=102,103,104,105,106,107      updated 10/13/89              id   200055
        gd-155        mt=102                          updated 10/13/89              id   200052
       u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                          id   200007
        uranium-235   endf/b-iv mat 1261              updated 10/13/89              id   200006
       u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                          id   200008
        uranium-238   endf/b-iv mat 1262              updated 10/13/89              id   200009
        neptunium-237 endf/b-iv mat 1263              updated 10/13/89              id   200061
       pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                         id   200062
        plutonium-239 endf/b-iv mat 1264              updated 10/13/89              id   200063
        plutonium-240 endf/b-iv mat 1265              updated 10/13/89              id   200064
        plutonium-241 endf/b-iv mat 1266              updated 10/13/89              id   200065
        plutonium-242 endf/b-iv mat 1161              updated 10/13/89              id   200066
       am-241 1056 sigo=5+4 newxlacs 218ngp p-3 293k                                id   200067
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 id   200068
        curium-244    endf/b-iv mat 1162              updated 10/13/89              id   200069
0        tape copy used      0 i/o's, and took     .00 seconds
1                m         m  iiiiiiiiiiii    ttttttttttttt     aaaaaaaa    ww          ww  ll
                 mm        m  iiiiiiiiiiii    ttttttttttttt    aaaaaaaaaa   ww          ww  ll
                 mmm       m      ii              tt         aa        aa  ww          ww  ll
                 m m       m      ii              tt         aa        aa  ww          ww  ll
                 m  m      m      ii              tt         aa        aa  ww          ww  ll
                 m   m     m      ii              tt         aaaaaaaaaaaa  ww    w     ww  ll
                 m    m    m      ii              tt         aaaaaaaaaaaa  ww   www    ww  ll
                 m     m   m      ii              tt         aa        aa  ww  ww ww   ww  ll
                 m      m  m      ii              tt         aa        aa  ww ww   ww ww  ll
                 m       mm       ii              tt         aa        aa  wwww     wwww  ll
                 m        m  iiiiiiiiiiii        tt         aa        aa  www       www  llllllllllll
                 m        m  iiiiiiiiiiii        tt         aa        aa  ww         ww  llllllllllll
0

   dddddddddd     aaaaaaaa    w         w  iiiiiiiiiii   sssssssss
   dddddddddd    aaaaaaaaaa   w         w  iiiiiiiiiii  sssssssssss
   dd        dd  aa        aa  w         w      ii      ss       ss
   dd        dd  aa        aa  w         w      ii      ss
   dd        dd  aa        aa  w         w      ii      ss
   dd        dd  aaaaaaaaaaaa  w         w      ii       sssssssss
   dd        dd  aaaaaaaaaaaa   w       w       ii        sssssssss
   dd        dd  aa        aa    w     w        ii              ss
   dd        dd  aa        aa     w   w         ii              ss
   dd        dd  aa        aa      w w          ii      ss      ss
   dddddddddd    aa        aa       ww      iiiiiiiiiii  sssssssssss
   dddddddddd    aa        aa        v      iiiiiiiiiii   sssssssss
0

     000000     2222222222          //       11      666666666       //  99999999    666666666
   00000000    22222222222          //      111     66666666666      //  999999999  6666666666
  00      00  22        22          //     1111     66       66      //  99      99 66
 00        00         22           //       11     66       66     //   99      99 66
 00        00        22            //       11     66       66     //   99      99 66
 00        00      22              //       11     666666666666   //    999999999 666666666
```



program verification information

code system: scale version: 4.2

program: c0c002

creation date: 04/27/95

library: /neutronics/scale/exe

this is not a scale configuration controlled code

jobname: davis

```
                    *****                                                  *****
                    *****   date of execution:  02/16/96                   *****
                    *****                                                  *****
                    *****   time of execution:  10:00:49                   *****
                    *****                                                  *****
                    *****                                                  *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has     12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0       2q array has     70 entries.
0       3q array has     15 entries.
0       4q array has      5 entries.
0 general information concerning cross section library
    tape identification number                  4349
    number of nuclides on tape                    65
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0  direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                           based on endf-b version 4 data with endf-b version 5 fission products
                              compiled for nrc      1/27/89
                                 last updated       9/16/93
                                    l.m.petrie   -   ornl
-  work tape   4349

 xsdrn weighted tape--parent case entitled--  560 d, sas2h: babcock wilcox 15x15,
  3.00wt%, 20gwd/mtu burn high temp



0 nuclides from xsdrn tape
     1     hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89          202
     2    b-10 1273 218ngp 042375 p-3 293k                                          203
     3     boron-11        endf/b-iv mat 1160             updated 10/13/89          204
     4     oxygen-16       endf/b-iv mat 1276             updated 10/13/89          201
     5     zircalloy       endf/b-iv mat 1284             updated 10/13/89          205
0 nuclides from  work tape
     6    1/v cross sections normalized to 1.0 at 0.0253 ev                          999
     7     hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89         1001
     8    b-10 1273 218ngp 042375 p-3 293k                                         5010
     9     boron-11        endf/b-iv mat 1160             updated 10/13/89         5011
    10     oxygen-16       endf/b-iv mat 1276             updated 10/13/89         8016
    11     oxygen-16       endf/b-iv mat 1276             updated 10/13/89            6
    12     kr-83           mt=102,103,103,105,106,107     updated 10/13/89        36083
    13     kr-85             mt=  102                                             36085
    14     sr-90           mt=102                         updated 10/13/89        38090
```


```
 15     y-89          mt=102                          updated 10/13/89          39089
 16     zr-93           mt=  102                                                40093
 17     zr-94         mt=102                          updated 10/13/89          40094
 18     zr-95         mt=102                          updated 10/13/89          40095
 19     zircalloy     endf/b-iv mat 1284              updated 10/13/89          40502
 20     nb-94         mt=102                          updated 10/13/89          41094
 21     mo-95         mt=102                          updated 10/13/89          42095
 22     tc-99         mt=102                          updated 10/13/89          43099
 23     ru-101        mt=102                          updated 10/13/89          44101
 24     ru-106        mt=102                          updated 10/13/89          44106
 25     rh-103        mt=102                          updated 10/13/89          45103
 26     rh-105          mt=  102                                                45105
 27     pd-105        mt=102                          updated 10/13/89          46105
 28     pd-108        mt=102                          updated 10/13/89          46108
 29     silver-109    endf/b-iv mat 1139              updated 10/13/89          47109
 30     sb-124        mt=102                          updated 10/13/89          51124
 31     xe-131        mt=102,103,104,105,106          updated 10/13/89          54131
 32     xe-132        mt=102,103,104,105,106          updated 10/13/89          54132
 33     xenon-135     endf/b-iv mat 1294              updated 10/13/89          54135
 34     xe-136          mt=  102, 103, 104, 105, 107                            54136
 35     cesium-133    endf/b-iv mat 1141              updated 10/13/89          55133
 36     cs-134        mt=102                          updated 10/13/89          55134
 37     cs-135          mt=  102                                                55135
 38     cs-137        mt=102                          updated 10/13/89          55137
 39     ba-136        mt=102                          updated 10/13/89          56136
 40     la-139        mt=102                          updated 10/13/89          57139
 41     ce-144          mt=  102                                                58144
 42     pr-141        mt=102,103,104,105,106,107      updated 10/13/89          59141
 43     pr-143        mt=102                          updated 10/13/89          59143
 44     nd-143        mt=102                          updated 10/13/89          60143
 45     nd-145        mt=102                          updated 10/13/89          60145
 46     nd-147        mt=102                          updated 10/13/89          60147
 47     pm-147        mt=102                          updated 10/13/89          61147
 48     pm-148          mt=  102                                                61148
 49     sm-147        endf/b-v fission product        updated 10/13/89          62147
 50     sm-149        mt=102,103,107                  updated 10/13/89          62149
 51     sm-150        mt=102                          updated 10/13/89          62150
 52     sm-151        mt=102,103,104,105,106,107      updated 10/13/89          62151
 53     sm-152        mt=102,103,104,105,106,107      updated 10/13/89          62152
 54     eu-153        mt=102,103,104,105,106,107      updated 10/13/89          63153
 55     eu-154        mt=102,103,104,105,106,107      updated 10/13/89          63154
 56     eu-155        mt=102,103,104,105,106,107      updated 10/13/89          63155
 57     gd-155        mt=102                          updated 10/13/89          64155
 58    u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       92234
 59     uranium-235   endf/b-iv mat 1261              updated 10/13/89          92235
 60    u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       92236
 61     uranium-238   endf/b-iv mat 1262              updated 10/13/89          92238
 62     neptunium-237 endf/b-iv mat 1263              updated 10/13/89          93237
 63    pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      94238
 64     plutonium-239 endf/b-iv mat 1264              updated 10/13/89          94239
 65     plutonium-240 endf/b-iv mat 1265              updated 10/13/89          94240
 66     plutonium-241 endf/b-iv mat 1266              updated 10/13/89          94241
 67     plutonium-242 endf/b-iv mat 1161              updated 10/13/89          94242
 68    am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                             95241
 69    am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                              95243
 70     curium-244    endf/b-iv mat 1162              updated 10/13/89          96244
0 hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89          202    temperature=  607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                          203    temperature=  607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
```

```
0 boron-11      endf/b-iv mat 1160          updated 10/13/89              204    temperature=  607.60
                        thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16     endf/b-iv mat 1276          updated 10/13/89              201    temperature=  607.60
0 zircalloy     endf/b-iv mat 1284          updated 10/13/89              205    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =   90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =    6.385          lumped nuclear density   = 4.251560E-02
0spin factor (g)          =    1.079          lump dimension (a-bar)   = 6.730999E-01
0inner radius             = 6.324600E-01      dancoff correction (c)   = 1.680590?E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group      res abs        res fiss       res scat
   8     -1.156752E-03    .000000E+00   -7.806033E-01
   9     -4.625978E-02    .000000E+00   -2.073270E+00
  10     -5.962230E-02    .000000E+00   -1.351984E+00
  11     -1.761672E-01    .000000E+00   -7.350731E-01
0excess resonance integrals
0                resolved
0absorption      2.92402E-01
 fission         .00000E+00
-  elapsed time   .00 min.
-  elapsed time   .02 min.
1     this xsdrn working tape was created 02/16/96 at 10:00:49
      the title of the parent case is as follows
      xsdrn weighted tape--parent case entitled--  560 cl, sas2h: babcock wilcox 15x15,
       3.00wt%, 20gwd/mtu burn high temp

        tape id                          8670        number of nuclides              70
        number of neutron groups           27        number of gamma groups           0
        first thermal group                15        logical unit                     4
                                  table of contents
       hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89          id    202
      b-10 1273 218ngp 042375 p-3 293k                                        id    203
       boron-11       endf/b-iv mat 1160            updated 10/13/89          id    204
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id    201
       zircalloy      endf/b-iv mat 1284            updated 10/13/89          id    205
      1/v cross sections normalized to 1.0 at 0.0253 ev                        id    999
       hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89          id   1001
      b-10 1273 218ngp 042375 p-3 293k                                        id   5010
       boron-11       endf/b-iv mat 1160            updated 10/13/89          id   5011
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id   8016
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id      6
       kr-83          mt=102,103,103,105,106,107    updated 10/13/89          id  36083
       kr-85            mt=  102                                               id  36085
       sr-90          mt=102                        updated 10/13/89          id  38090
        y-89          mt=102                        updated 10/13/89          id  39089
       zr-93            mt=  102                                               id  40093
       zr-94          mt=102                        updated 10/13/89          id  40094
       zr-95          mt=102                        updated 10/13/89          id  40095
       zircalloy      endf/b-iv mat 1284            updated 10/13/89          id  40302
       rb-94          mt=102                        updated 10/13/89          id  41094
       mo-95          mt=102                        updated 10/13/89          id  42095
       tc-99          mt=102                        updated 10/13/89          id  43099
       ru-101         mt=102                        updated 10/13/89          id  44101
       ru-106         mt=102                        updated 10/13/89          id  44106
       rh-103         mt=102                        updated 10/13/89          id  45103
       rh-105           mt=  102                                               id  45105
       pd-105         mt=102                        updated 10/13/89          id  46105
       pd-108         mt=102                        updated 10/13/89          id  46108
```

```
      silver-109    endf/b-iv mat 1139            updated 10/13/89          id   47109
      sb-124        mt=102                        updated 10/13/89          id   51124
      xe-131        mt=102,103,104,105,106        updated 10/13/89          id   54131
      xe-132        mt=102,103,104,105,106        updated 10/13/89          id   54132
      xenon-135     endf/b-iv mat 1294            updated 10/13/89          id   54135
      xe-136          mt=  102, 103, 104, 105, 107                          id   54136
      cesium-133    endf/b-iv mat 1141            updated 10/13/89          id   55133
      cs-134        mt=102                        updated 10/13/89          id   55134
      cs-135          mt=  102                                              id   55135
      cs-137        mt=102                        updated 10/13/89          id   55137
      ba-136        mt=102                        updated 10/13/89          id   56136
      la-139        mt=102                        updated 10/13/89          id   57139
      ce-144          mt=  102                                              id   58144
      pr-141        mt=102,103,104,105,106,107    updated 10/13/89          id   59141
      pr-143        mt=102                        updated 10/13/89          id   59143
      nd-143        mt=102                        updated 10/13/89          id   60143
      nd-145        mt=102                        updated 10/13/89          id   60145
      nd-147        mt=102                        updated 10/13/89          id   60147
      pm-147        mt=102                        updated 10/13/89          id   61147
      pm-148          mt=  102                                              id   61148
      sm-147        endf/b-v fission product      updated 10/13/89          id   62147
      sm-149        mt=102,103,107                updated 10/13/89          id   62149
      sm-150        mt=102                        updated 10/13/89          id   62150
      sm-151        mt=102,103,104,105,106,107    updated 10/13/89          id   62151
      sm-152        mt=102,103,104,105,106,107    updated 10/13/89          id   62152
      eu-153        mt=102,103,104,105,106,107    updated 10/13/89          id   63153
      eu-154        mt=102,103,104,105,106,107    updated 10/13/89          id   63154
      eu-155        mt=102,103,104,105,106,107    updated 10/13/89          id   63155
      gd-155        mt=102                        updated 10/13/89          id   64155
     u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                     id   92234
      uranium-235   endf/b-iv mat 1261            updated 10/13/89          id   92235
     u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                     id   92236
      uranium-238   endf/b-iv mat 1262            updated 10/13/89          id   92238
      neptunium-237 endf/b-iv mat 1263            updated 10/13/89          id   93237
     pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    id   94238
      plutonium-239 endf/b-iv mat 1264            updated 10/13/89          id   94239
      plutonium-240 endf/b-iv mat 1265            updated 10/13/89          id   94240
      plutonium-241 endf/b-iv mat 1266            updated 10/13/89          id   94241
      plutonium-242 endf/b-iv mat 1161            updated 10/13/89          id   94242
     am-241 1056 sigo=5+4 newklacs 218grp p-3 293k                           id   95241
     am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                            id   95243
      curium-244    endf/b-iv mat 1162            updated 10/13/89          id   96244
0       tape copy used     0 i/o's, and took     .00 seconds
1 xx         xx   sssssssssss   ddddddddddd   rrrrrrrrrrr   mm         mm ppppppppppp   mm         mm
   xx         xx  sssssssssssss  ddddddddddd  rrrrrrrrrrrr  mm         mm ppppppppppp   mmm        mmm
    xx   xx   xx  ss         ss  dd        dd  rr        rr  mmm       mm pp        pp   mmmm      mmmm
     xx  xx  xx   ss             dd        dd  rr        rr  mm mm     mm pp        pp   mm mm    mm mm
      xx xx      ss             dd        dd  rr        rr  mm  mm    mm pp        pp   mm  mm mm  mm
       xxx       sssssssssss    dd        dd  rrrrrrrrrrr   mm   mm   mm ppppppppppp   mm   mmm  mm
       xxx        sssssssssss   dd        dd  rrrrrrrrrr    mm    mm  mm ppppppppppp   mm    m   mm
      xx xx              ss     dd        dd  rr  rr        mm     mm mm pp            mm        mm
     xx   xx             ss     dd        dd  rr   rr       mm      mmm pp            mm        mm
    xx     xx  ss        ss     dd        dd  rr    rr      mm       mm pp            mm        mm
   xx       xx  sssssssssssss   ddddddddddd   rr     rr     mm       mm pp            mm        mm
  xx         xx  sssssssssss    ddddddddddd   rr      rr    mm       mm pp            mm        mm
0

  ddddddddddd     aaaaaaaa     w         w  iiiiiiiiiii    sssssssss
  ddddddddddd    aaaaaaaaaa    w         w  iiiiiiiiiii   sssssssssss
  dd        dd  aa        aa   w         w      ii        ss         ss
```


program verification information

```
                    ******                                                      ******
                    ******              code system:   scale  version:   4.2   ******
                    ******                                                      ******
                    ********************************************************************
                    ********************************************************************
                    ******                                                      ******
                    ******                                                      ******
                    ******            program:  c0c001                          ******
                    ******                                                      ******
                    ******       creation date:  04/27/95                      ******
                    ******                                                      ******
                    ******            library:  /neutronics/scale/exe           ******
                    ******                                                      ******
                    ******                                                      ******
                    ******   this is not a  scale  configuration controlled code******
                    ******                                                      ******
                    ******            jobname:  davis                           ******
                    ******                                                      ******
                    ******   date of execution:  02/16/96                      ******
                    ******                                                      ******
                    ******   time of execution:  10:00:51                      ******
                    ******                                                      ******
                    ******                                                      ******
                    ********************************************************************
                    ********************************************************************
                    ********************************************************************
1
                    560 d, second part of sas2h pass to make library
0      -1q array has      1 entries.
0       0q array has     11 entries.
0       1q array has     15 entries.
0       2q array has     10 entries.
0       3q array has     12 entries.
0       4q array has      9 entries.
0       5q array has     12 entries.
0direct access unit   9 requires    12 blocks of length  704 for cross section mixing.
1                    560 d, second part of sas2h pass to make library
0general problem description data block
0                              general problem data

 ige  1/2/3 = plane/cylinder/sphere      2      isn  quadrature order                 8
 izm  number of zones                    4      isct order of scattering              3
 im   number of special intervals       28      ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h  1
 ibl  0/1/2/3 = vacuum/refl/per/white    1      iim  inner iteration maximum        20
 ibr  right boundary condition           3      iom  outer iteration maximum        25
 mxx  number of mixtures                 3      iclc -1/0/n--flat res/sn/opt          0
 ms   mixing table length               70      ith  0/1 = forward/adjoint           0
 igm  number of energy groups           27      iflu not used(always wgtd)            0
 nng  number of neutron groups          27      iprt -2/-1/0/n=mixture xsec print    -2
 ngg  number of gamma groups             0      idl  0/1/2/3=no/prt nd/pch n/both   14
 iftg number of first thermal group     15      ipbt -1/0/1=none/fine/all bal. prt    0
0                            special options

 ifg  0/1 = none/weighting calculation   1      ipn  0/1/2 diff. coef. param          0
 iqm  volumetric sources (0/n=no/yes)    0      idfm 0/1 = none/density factors 39*   0
 ipm  boundary sources (0/n=no/yes)      0      iaz  0/n = none/n activities by zone  0
 ifn  0/1/2 = input 33*/34*/use last    14      iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10      ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0      ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0      isen outer iteration acceleration     0
```

```
 ibln activity data unit                0       nbnd band rebaln parameter          0
 jbkl 0/1/2 buckling geometry           0
0                                 weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1       ihtf total xsect psn in brd gp tables  3
 igmf number of broad groups             3       ndsf psn g-g or file number            4
 itp  0/10/20/30/40 0/c/e/ac/a           0       nusf table length or max order         6
 ipp  -2/-1/0/n=wgted xsect print       -2       msom extra 1-d x-sect positions        0
 iap  -1/n anisn xsect print            -1
0                               floating point parameters

 eps  overall convergence       1.00000E-04      dy   cyl/pla ht for buckling    .00000E+00
 ptc  point convergence         1.00000E-04      dz   plane depth for buckling  2.00000E+02
 xnf  normalization factor      1.00000E+00      vsc  void streaming correction  .00000E+00
 ev   eigenvalue guess           .00000E+00      pv   ipvt=1/2--k/alpha         1.00000E+00
 evm  eigenvalue modifier        .00000E+00      eql  ev change eps for search  1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00      xrpm new param mod for search  7.50000E-01
     this case will require      2611 locations for mixing
     this case has been allocated 200000 locations
1                  560 d, second part of sas2h pass to make library
0      13q array has     70 entries.
0      14q array has     70 entries.
0      15q array has     70 entries.
0                              data block 2 (mixing table, etc.)
0    nuclides        cccc                          mixing table                    extra
       on tape    identification              mixture   component   atom density   xsect id's
     1     202                                     3         201   2.09710E-02
     2     203                                     3         202   4.19420E-02
     3     204                                     3         203   3.81515E-06
     4     201                                     3         204   1.54884E-05
     5     205                                     2         205   4.25156E-02
     6     999                                     1       92235   1.62152E-04
     7    1001                                     1       92234   1.60395E-06
     8    5010                                     1       92236   1.31718E-05
     9    5011                                     1       92238   7.24962E-03
    10    8016                                     1        8016   1.50611E-02
    11       6                                     1           6   1.15315E-02
    12   36083                                     1       36083   3.23159E-07
    13   36085                                     1       36085   1.55770E-07
    14   38090                                     1       38090   3.51229E-06
    15   39089                                     1       39089   2.61349E-06
    16   40093                                     1       42095   3.20178E-06
    17   40094                                     1       40093   2.71690E-06
    18   40095                                     1       40094   4.22845E-06
    19   40302                                     1       40095   6.86629E-07
    20   41094                                     1       41094   1.81576E-12
    21   42095                                     1       43099   4.11687E-06
    22   43099                                     1       45103   2.14179E-06
    23   44101                                     1       45105   6.24106E-09
    24   44106                                     1       44101   3.66029E-06
    25   45103                                     1       44106   5.45766E-07
    26   45105                                     1       46105   1.26197E-06
    27   46105                                     1       46108   3.07708E-07
    28   46108                                     1       47109   2.21053E-07
    29   47109                                     1       51124   5.35940E-11
    30   51124                                     1       54131   1.90924E-06
    31   54131                                     1       54132   3.32758E-06
    32   54132                                     1       54135   2.20090E-09
    33   54135                                     1       54136   6.96021E-06
    34   54136                                     1       55134   1.39393E-07
```

35	55133	1	55135	2.19558E-06
36	55134	1	55137	4.36275E-06
37	55135	1	56136	2.69601E-08
38	55137	1	57139	4.33528E-06
39	56136	1	59141	3.63399E-06
40	57139	1	59143	1.27348E-07
41	58144	1	58144	1.94158E-06
42	59141	1	60143	3.52685E-06
43	59143	1	60145	2.55992E-06
44	60143	1	61147	1.03903E-06
45	60145	1	61148	2.92378E-09
46	60147	1	60147	4.35262E-08
47	61147	1	62147	2.20883E-07
48	61148	1	62149	2.65272E-08
49	62147	1	62150	8.41498E-07
50	62149	1	62151	1.09812E-07
51	62150	1	62152	4.11655E-07
52	62151	1	64155	3.91515E-10
53	62152	1	63153	2.08635E-07
54	63153	1	63154	3.15201E-08
55	63154	1	63155	2.41894E-08
56	63155	1	40802	4.42681E-03
57	64155	1	1001	2.30630E-02
58	92234	1	5010	2.09787E-06
59	92235	1	5011	8.51673E-06
60	92236	1	55133	4.50801E-06
61	92238	1	95237	6.54722E-07
62	95237	1	94238	5.86583E-08
63	94238	1	94239	2.73412E-05
64	94239	1	94240	3.82999E-06
65	94240	1	94241	1.67189E-06
66	94241	1	94242	1.12810E-07
67	94242	1	95241	3.19625E-08
68	95241	1	95243	6.10845E-09
69	95243	1	96244	3.46025E-10
70	96244	1	999	3.30753E-21

- elapsed time .00 min.
0 24259 locations will be used
0 35q array has 29 entries.
0 36q array has 28 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 560 d, second part of sas2h pass to make library

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	1	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	1	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	1	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	2	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01036E+07	2	0	12	1.00000E+00	

13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00
15	3.04999E+00	1.50030E+01	2.10601E+06	2	0	15	1.00000E+00
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00
17	1.29999E+00	1.58557E+01	1.52545E+06	2	0	17	1.00000E+00
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00
21	4.00000E-01	1.70344E+01	8.17974E+05	3	0	21	1.00000E+00
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00
23	2.25000E-01	1.76098E+01	4.86933E+05	3	0	23	1.00000E+00
24	9.99999E-02	1.84207E+01	3.57766E+05	3	0	24	1.00000E+00
25	5.00000E-02	1.91138E+01	2.71895E+05	3	0	25	1.00000E+00
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00
28	1.00000E-05	2.76310E+01					

1 560 d, second part of sas2h pass to make library

0

	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	3	3			0	-2.79004E-01	3	0
2	2	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	3	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	1	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83032E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70555E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02
20					4.53365E-02	-1.91780E-01	21	-8.69444E-03
21					4.53365E-02	1.91780E-01	20	8.69444E-03
22					4.53365E-02	5.46143E-01	19	2.47597E-02
23					4.53365E-02	8.17361E-01	18	3.70555E-02
24					4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0argl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61278E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61278E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01

16	-9.83032E-01	-4.49528E-01	8.36885E-01	5.00703E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17236E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17236E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.97644E-02	1	0	4.90881E-03		0	
2	3.95287E-02	5.92931E-02	1	2.48366E-01	1.47264E-02		0	
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0	
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0	
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01			
6	3.16230E-01	3.55759E-01	1	1.98698E+00	1.76717E-01			
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01			
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.55258E-01			
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42365E-01			
10	5.92931E-01	6.12698E-01	1	3.72550E+00	1.52173E-01			
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02			
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46405E-02			
13	6.73100E-01	6.96583E-01	3	4.22921E+00	2.05562E-01			
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01			
15	7.67033E-01	7.90517E-01	3	4.81941E+00	2.33282E-01			
16	8.14000E-01	8.62795E-01	4	5.11451E+00	5.29061E-01			
17	9.11591E-01	9.60386E-01	4	5.72769E+00	5.88891E-01			
18	1.00918E+00	1.10677E+00	4	6.34088E+00	1.35731E+00			
19	1.20436E+00	1.30195E+00	4	7.56724E+00	1.59667E+00			
20	1.39955E+00	1.49714E+00	4	8.79360E+00	1.83603E+00			
21	1.59473E+00	1.69232E+00	4	1.00200E+01	2.07540E+00			
22	1.78991E+00	1.88750E+00	4	1.12463E+01	2.31476E+00			
23	1.98509E+00	2.08268E+00	4	1.24727E+01	2.55412E+00			
24	2.18027E+00	2.27786E+00	4	1.36991E+01	2.79349E+00			
25	2.37545E+00	2.47305E+00	4	1.49254E+01	3.03285E+00			
26	2.57064E+00	2.66823E+00	4	1.61518E+01	3.27221E+00			
27	2.76582E+00	2.81461E+00	4	1.73781E+01	1.72587E+00			
28	2.86341E+00	2.91220E+00	4	1.79913E+01	1.78571E+00			
29	2.96100E+00			1.86045E+01				

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	197	1.88423E-05	1.07849E+00	-8.68900E-02	1.00000E+00	-2.64515E-02	.00000E+00	.0000
2	255	-3.96240E-06	1.08746E+00	-1.52593E-03	-1.09213E-02	-3.49812E-03	.00000E+00	.0000
3	371	-1.38464E-06	1.08865E+00	-2.11296E-04	-1.36124E-03	-7.65849E-04	.00000E+00	.0167
4	428	-3.55400E-06	1.08881E+00	-4.25534E-05	-3.02777E-04	-1.65471E-04	.00000E+00	.0167
5	463	2.75520E-06	1.08879E+00	-9.24429E-06	-6.60568E-05	-3.53099E-05	.00000E+00	.0167

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	17	1.52991E-06	28	1.00000E+00	1
2	1	17	1.85022E-06	28	1.00000E+00	1
3	1	17	1.70944E-06	28	1.00000E+00	1
4	1	17	1.66246E-06	28	1.00000E+00	1
5	1	17	1.71501E-06	28	1.00000E+00	1
6	1	17	1.15781E-06	28	1.00000E+00	1
7	1	17	7.13494E-07	28	9.99999E-01	2
8	1	15	1.38889E-07	28	1.00000E+00	2
9	1	27	6.91892E-06	28	1.00001E+00	3
10	1	26	1.58965E-06	28	9.99999E-01	3
11	1	26	2.98429E-06	28	9.99997E-01	3

12	12	1	26	1.25872E-06	28	1.00000E+00	3
13	13	1	26	1.74334E-06	28	9.99998E-01	3
14	14	1	25	5.97175E-07	28	9.99999E-01	3
15	15	1	2	3.50675E-05	28	9.99961E-01	2
16	16	1	2	4.30869E-05	28	9.99964E-01	2
17	17	1	2	4.92700E-05	28	9.99866E-01	3
18	18	1	2	5.74201E-05	28	9.99952E-01	3
19	19	1	2	4.93027E-05	28	9.99902E-01	3
20	20	1	2	3.87405E-05	28	9.99925E-01	3
21	21	1	2	5.99319E-05	28	9.99944E-01	3
22	22	1	23	2.70179E-05	28	9.99971E-01	3
23	23	1	1	1.82895E-05	14	1.00001E+00	4
24	24	1	1	2.60803E-05	9	1.00002E+00	4
25	25	1	1	2.91879E-05	8	1.00001E+00	5
26	26	1	1	2.18458E-05	6	1.00002E+00	6
27	27	1	1	2.02591E-05	5	1.00001E+00	8

6 490 -2.85836E-06 1.08887E+00 -1.88610E-06 -1.41942E-05 -7.87108E-06 .00000E+00 .0167
final monitor
lambda 1.08884E+00 production/absorption 1.10310E+00 angular flux on 16
- elapsed time .02 min.
1 560 d, second part of sas2h pass to make library
0 int. zone number radius int. midpoint area volume prod density

1	1	.00000E+00	1.97644E-02	.00000E+00	4.90881E-03	.00000E+00
2	1	3.95287E-02	5.92931E-02	2.48366E-01	1.47264E-02	.00000E+00
3	1	7.90575E-02	1.18586E-01	4.96733E-01	5.89057E-02	.00000E+00
4	1	1.58115E-01	1.97644E-01	9.93466E-01	9.81762E-02	.00000E+00
5	1	2.37172E-01	2.76701E-01	1.49020E+00	1.37447E-01	.00000E+00
6	1	3.16230E-01	3.55759E-01	1.98693E+00	1.76717E-01	.00000E+00
7	1	3.95288E-01	4.34816E-01	2.48366E+00	2.15988E-01	.00000E+00
8	1	4.74345E-01	5.13874E-01	2.98040E+00	2.55258E-01	.00000E+00
9	1	5.53403E-01	5.73167E-01	3.47713E+00	1.42365E-01	.00000E+00
10	1	5.92931E-01	6.12696E-01	3.72550E+00	1.52173E-01	.00000E+00
11	2	6.32460E-01	6.42620E-01	3.97386E+00	8.20460E-02	.00000E+00
12	2	6.52780E-01	6.62940E-01	4.10154E+00	8.46405E-02	.00000E+00
13	3	6.73100E-01	6.96583E-01	4.22921E+00	2.05562E-01	.00000E+00
14	3	7.20067E-01	7.43550E-01	4.52431E+00	2.19422E-01	.00000E+00
15	3	7.67033E-01	7.90517E-01	4.81941E+00	2.33282E-01	.00000E+00
16	4	8.14000E-01	8.62795E-01	5.11451E+00	5.29051E-01	2.48105E-02
17	4	9.11591E-01	9.60386E-01	5.72769E+00	5.88891E-01	2.70109E-02
18	4	1.00918E+00	1.10677E+00	6.34088E+00	1.35731E+00	6.09905E-02
19	4	1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	7.02898E-02
20	4	1.39955E+00	1.49714E+00	8.79360E+00	1.83603E+00	7.96766E-02
21	4	1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	8.91149E-02
22	4	1.78991E+00	1.88750E+00	1.12463E+01	2.31478E+00	9.86087E-02
23	4	1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	1.08166E-01
24	4	2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.17803E-01
25	4	2.37545E+00	2.47305E+00	1.49254E+01	3.03285E+00	1.27535E-01
26	4	2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.37396E-01
27	4	2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	7.24436E-02
28	4	2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	7.49917E-02
29		2.96100E+00		1.86045E+01		

1 560 d, second part of sas2h pass to make library
0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.26807E-02	9.00449E-02	1.12113E-01	6.88618E-02	1.02615E-01	1.92691E-01	1.93021E-01	1.46944E-01
2	1.26756E-02	8.99940E-02	1.12048E-01	6.88236E-02	1.02562E-01	1.92604E-01	1.92982E-01	1.46938E-01
3	1.26762E-02	9.00069E-02	1.12070E-01	6.88415E-02	1.02597E-01	1.92674E-01	1.93035E-01	1.46950E-01
4	1.26829E-02	9.00869E-02	1.12182E-01	6.89198E-02	1.02726E-01	1.92916E-01	1.93191E-01	1.46978E-01
5	1.26948E-02	9.02276E-02	1.12377E-01	6.90527E-02	1.02943E-01	1.93316E-01	1.93439E-01	1.47022E-01
6	1.27113E-02	9.04213E-02	1.12644E-01	6.92359E-02	1.03240E-01	1.93865E-01	1.93778E-01	1.47079E-01

7	1.27319E-02	9.06691E-02	1.12991E-01	6.94738E-02	1.03628E-01	1.94582E-01	1.94220E-01	1.47148E-01
8	1.27569E-02	9.09786E-02	1.13430E-01	6.97810E-02	1.04134E-01	1.95519E-01	1.94798E-01	1.47231E-01
9	1.27780E-02	9.12509E-02	1.13823E-01	7.00627E-02	1.04602E-01	1.96387E-01	1.95334E-01	1.47300E-01
10	1.27923E-02	9.14643E-02	1.14151E-01	7.03107E-02	1.05023E-01	1.97174E-01	1.95821E-01	1.47349E-01
11	1.28043E-02	9.16412E-02	1.14426E-01	7.05189E-02	1.05377E-01	1.97850E-01	1.96239E-01	1.47395E-01
12	1.28174E-02	9.17728E-02	1.14599E-01	7.06272E-02	1.05546E-01	1.98187E-01	1.96442E-01	1.47437E-01
13	1.28448E-02	9.20127E-02	1.14869E-01	7.07648E-02	1.05736E-01	1.98527E-01	1.96634E-01	1.47505E-01
14	1.28851E-02	9.23947E-02	1.15321E-01	7.10199E-02	1.06111E-01	1.99187E-01	1.97014E-01	1.47597E-01
15	1.29325E-02	9.28863E-02	1.15945E-01	7.14063E-02	1.06708E-01	2.00261E-01	1.97643E-01	1.47698E-01
16	1.30062E-02	9.36736E-02	1.16959E-01	7.20511E-02	1.07723E-01	2.02103E-01	1.98737E-01	1.47868E-01
17	1.30789E-02	9.44577E-02	1.17973E-01	7.26992E-02	1.08755E-01	2.03999E-01	1.99881E-01	1.48064E-01
18	1.31368E-02	9.50988E-02	1.18805E-01	7.32552E-02	1.09622E-01	2.05637E-01	2.00899E-01	1.48268E-01
19	1.31873E-02	9.56692E-02	1.19554E-01	7.37204E-02	1.10415E-01	2.07167E-01	2.01868E-01	1.48480E-01
20	1.32170E-02	9.59994E-02	1.20012E-01	7.40200E-02	1.10910E-01	2.08153E-01	2.02508E-01	1.48635E-01
21	1.32356E-02	9.62184E-02	1.20311E-01	7.42173E-02	1.11241E-01	2.08826E-01	2.02954E-01	1.48751E-01
22	1.32478E-02	9.63616E-02	1.20511E-01	7.43492E-02	1.11464E-01	2.09293E-01	2.03269E-01	1.48838E-01
23	1.32551E-02	9.64539E-02	1.20641E-01	7.44360E-02	1.11612E-01	2.09610E-01	2.03487E-01	1.48901E-01
24	1.32594E-02	9.65090E-02	1.20720E-01	7.44891E-02	1.11704E-01	2.09813E-01	2.03629E-01	1.48942E-01
25	1.32614E-02	9.65344E-02	1.20758E-01	7.45146E-02	1.11749E-01	2.09917E-01	2.03703E-01	1.48964E-01
26	1.32610E-02	9.65315E-02	1.20756E-01	7.45134E-02	1.11749E-01	2.09925E-01	2.03709E-01	1.48964E-01
27	1.32593E-02	9.65114E-02	1.20730E-01	7.44959E-02	1.11720E-01	2.09870E-01	2.03672E-01	1.48951E-01
28	1.32568E-02	9.64818E-02	1.20690E-01	7.44693E-02	1.11675E-01	2.09779E-01	2.03609E-01	1.48930E-01

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.15886E-01	1.07080E-01	1.00822E-01	6.53777E-02	5.58727E-02	5.33752E-02	2.91124E-02	1.61503E-02
2	1.15887E-01	1.07081E-01	1.00826E-01	6.53827E-02	5.58776E-02	5.33821E-02	2.91147E-02	1.61514E-02
3	1.15885E-01	1.07072E-01	1.00805E-01	6.53588E-02	5.58553E-02	5.33496E-02	2.91083E-02	1.61479E-02
4	1.15880E-01	1.07051E-01	1.00756E-01	6.53013E-02	5.58016E-02	5.32715E-02	2.90928E-02	1.61397E-02
5	1.15873E-01	1.07018E-01	1.00680E-01	6.52137E-02	5.57200E-02	5.31525E-02	2.90696E-02	1.61274E-02
6	1.15864E-01	1.06972E-01	1.00577E-01	6.50947E-02	5.56097E-02	5.29913E-02	2.90390E-02	1.61110E-02
7	1.15851E-01	1.06913E-01	1.00441E-01	6.49386E-02	5.54669E-02	5.27804E-02	2.90004E-02	1.60900E-02
8	1.15837E-01	1.06833E-01	1.00261E-01	6.47330E-02	5.52776E-02	5.25032E-02	2.89519E-02	1.60633E-02
9	1.15827E-01	1.06758E-01	1.00092E-01	6.45410E-02	5.51027E-02	5.22450E-02	2.89083E-02	1.60389E-02
10	1.15827E-01	1.06687E-01	9.99359E-02	6.43664E-02	5.49445E-02	5.20105E-02	2.88703E-02	1.60171E-02
11	1.15833E-01	1.06632E-01	9.98123E-02	6.42294E-02	5.48188E-02	5.18254E-02	2.88369E-02	1.59988E-02
12	1.15828E-01	1.06611E-01	9.97660E-02	6.41758E-02	5.47672E-02	5.17511E-02	2.88184E-02	1.59898E-02
13	1.15783E-01	1.06584E-01	9.97029E-02	6.40957E-02	5.46953E-02	5.16408E-02	2.88031E-02	1.59808E-02
14	1.15712E-01	1.06521E-01	9.95590E-02	6.39158E-02	5.45372E-02	5.14046E-02	2.87780E-02	1.59639E-02
15	1.15636E-01	1.06415E-01	9.93234E-02	6.36358E-02	5.42931E-02	5.10335E-02	2.87402E-02	1.59376E-02
16	1.15530E-01	1.06240E-01	9.89529E-02	6.31748E-02	5.38900E-02	5.04191E-02	2.86707E-02	1.58922E-02
17	1.15435E-01	1.06067E-01	9.85427E-02	6.27140E-02	5.34816E-02	4.98016E-02	2.85873E-02	1.58422E-02
18	1.15367E-01	1.05921E-01	9.82090E-02	6.23204E-02	5.31241E-02	4.92724E-02	2.84969E-02	1.57925E-02
19	1.15313E-01	1.05787E-01	9.78976E-02	6.19538E-02	5.27856E-02	4.87783E-02	2.84008E-02	1.57416E-02
20	1.15288E-01	1.05701E-01	9.76963E-02	6.17171E-02	5.25623E-02	4.84580E-02	2.83284E-02	1.57045E-02
21	1.15275E-01	1.05643E-01	9.75564E-02	6.15526E-02	5.24047E-02	4.82346E-02	2.82731E-02	1.56766E-02
22	1.15269E-01	1.05602E-01	9.74567E-02	6.14354E-02	5.22912E-02	4.80751E-02	2.82310E-02	1.56555E-02
23	1.15266E-01	1.05573E-01	9.73869E-02	6.13521E-02	5.22100E-02	4.79615E-02	2.81999E-02	1.56400E-02
24	1.15263E-01	1.05554E-01	9.73377E-02	6.12955E-02	5.21546E-02	4.78842E-02	2.81786E-02	1.56295E-02
25	1.15261E-01	1.05542E-01	9.73090E-02	6.12617E-02	5.21219E-02	4.78384E-02	2.81666E-02	1.56236E-02
26	1.15258E-01	1.05538E-01	9.72997E-02	6.12508E-02	5.21124E-02	4.78244E-02	2.81648E-02	1.56226E-02
27	1.15256E-01	1.05540E-01	9.73052E-02	6.12578E-02	5.21202E-02	4.78346E-02	2.81701E-02	1.56252E-02
28	1.15255E-01	1.05546E-01	9.73208E-02	6.12761E-02	5.21397E-02	4.78609E-02	2.81798E-02	1.56300E-02

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.12314E-03	5.56306E-03	1.09272E-02	3.61687E-02	1.13884E-02	2.36178E-02	7.95371E-02	6.50857E-02
2	7.12377E-03	5.56429E-03	1.09283E-02	3.61712E-02	1.13894E-02	2.36199E-02	7.95321E-02	6.50707E-02
3	7.12109E-03	5.55769E-03	1.09232E-02	3.61577E-02	1.13791E-02	2.35861E-02	7.94143E-02	6.49410E-02
4	7.11461E-03	5.54180E-03	1.09111E-02	3.61261E-02	1.13554E-02	2.35106E-02	7.91554E-02	6.46618E-02
5	7.10477E-03	5.51740E-03	1.08928E-02	3.60786E-02	1.13195E-02	2.33972E-02	7.87713E-02	6.42485E-02
6	7.09146E-03	5.48398E-03	1.08681E-02	3.60151E-02	1.12710E-02	2.32440E-02	7.82597E-02	6.36979E-02
7	7.07410E-03	5.43967E-03	1.08361E-02	3.59331E-02	1.12076E-02	2.30446E-02	7.76078E-02	6.29976E-02
8	7.05134E-03	5.38059E-03	1.07945E-02	3.58273E-02	1.11243E-02	2.27845E-02	7.67841E-02	6.21178E-02

9	7.03017E-03	5.32492E-03	1.07560E-02	3.57302E-02	1.10466E-02	2.25437E-02	7.60435E-02	6.13319E-02
10	7.01090E-03	5.27375E-03	1.07212E-02	3.56432E-02	1.09755E-02	2.23263E-02	7.53998E-02	6.06554E-02
11	6.99551E-03	5.23448E-03	1.06953E-02	3.55735E-02	1.09210E-02	2.21626E-02	7.49314E-02	6.01845E-02
12	6.98921E-03	5.22042E-03	1.06816E-02	3.55442E-02	1.09021E-02	2.21078E-02	7.47870E-02	6.00649E-02
13	6.98044E-03	5.19491E-03	1.06664E-02	3.55059E-02	1.08710E-02	2.20079E-02	7.45084E-02	5.97669E-02
14	6.96177E-03	5.13767E-03	1.06346E-02	3.54271E-02	1.08002E-02	2.17815E-02	7.38895E-02	5.90864E-02
15	6.93221E-03	5.04700E-03	1.05847E-02	3.53052E-02	1.06875E-02	2.14297E-02	7.29852E-02	5.81122E-02
16	6.88347E-03	4.89307E-03	1.05019E-02	3.51042E-02	1.05038E-02	2.08548E-02	7.15960E-02	5.66645E-02
17	6.83435E-03	4.74214E-03	1.04162E-02	3.48948E-02	1.03224E-02	2.02858E-02	7.01838E-02	5.52211E-02
18	6.79141E-03	4.62511E-03	1.03577E-02	3.46988E-02	1.01689E-02	1.98079E-02	6.88343E-02	5.38436E-02
19	6.75059E-03	4.52304E-03	1.02614E-02	3.45044E-02	1.00261E-02	1.93647E-02	6.74769E-02	5.24585E-02
20	6.72335E-03	4.46267E-03	1.02095E-02	3.43687E-02	9.95348E-03	1.90784E-02	6.65092E-02	5.14726E-02
21	6.70406E-03	4.42307E-03	1.01723E-02	3.42690E-02	9.86850E-03	1.88774E-02	6.57838E-02	5.07360E-02
22	6.69010E-03	4.39611E-03	1.01451E-02	3.41948E-02	9.82172E-03	1.87525E-02	6.52342E-02	5.01800E-02
23	6.68008E-03	4.37752E-03	1.01255E-02	3.41405E-02	9.78806E-03	1.86278E-02	6.48220E-02	4.97637E-02
24	6.67328E-03	4.36506E-03	1.01120E-02	3.41029E-02	9.76454E-03	1.85546E-02	6.45241E-02	4.94620E-02
25	6.66957E-03	4.35739E-03	1.01041E-02	3.40806E-02	9.75008E-03	1.85080E-02	6.43276E-02	4.92591E-02
26	6.66843E-03	4.35445E-03	1.01019E-02	3.40734E-02	9.74444E-03	1.84879E-02	6.42316E-02	4.91510E-02
27	6.66967E-03	4.35517E-03	1.01034E-02	3.40789E-02	9.74583E-03	1.84880E-02	6.42222E-02	4.91267E-02
28	6.67172E-03	4.35847E-03	1.01082E-02	3.40921E-02	9.75208E-03	1.85039E-02	6.42730E-02	4.91610E-02

0 int.

	grp. 25	grp. 26	grp. 27
1	2.94143E-02	2.12121E-02	4.02897E-03
2	2.94031E-02	2.11996E-02	4.02594E-03
3	2.93332E-02	2.11382E-02	4.01336E-03
4	2.91864E-02	2.10082E-02	3.98664E-03
5	2.89639E-02	2.08145E-02	3.94622E-03
6	2.86697E-02	2.05538E-02	3.89084E-03
7	2.82957E-02	2.02195E-02	3.81855E-03
8	2.78276E-02	1.97978E-02	3.72474E-03
9	2.74122E-02	1.94217E-02	3.64001E-03
10	2.70597E-02	1.91003E-02	3.56705E-03
11	2.68238E-02	1.88933E-02	3.52295E-03
12	2.67734E-02	1.88620E-02	3.52003E-03
13	2.66057E-02	1.87072E-02	3.47849E-03
14	2.62228E-02	1.83592E-02	3.37816E-03
15	2.56884E-02	1.78182E-02	3.22861E-03
16	2.49135E-02	1.70725E-02	3.00962E-03
17	2.41537E-02	1.63692E-02	2.82145E-03
18	2.34346E-02	1.57391E-02	2.68058E-03
19	2.27163E-02	1.51300E-02	2.55410E-03
20	2.22110E-02	1.47207E-02	2.47773E-03
21	2.18377E-02	1.44292E-02	2.42669E-03
22	2.15592E-02	1.42185E-02	2.39132E-03
23	2.13524E-02	1.40661E-02	2.36638E-03
24	2.12054E-02	1.39581E-02	2.34908E-03
25	2.11028E-02	1.38856E-02	2.33762E-03
26	2.10466E-02	1.38439E-02	2.33103E-03
27	2.10299E-02	1.38291E-02	2.32865E-03
28	2.10409E-02	1.38322E-02	2.32844E-03

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	4.93909E-04	6.53730E-04	5.44336E-05	-7.08129E-04	9.99952E-01
2	.00000E+00	.00000E+00	3.75097E-04	6.11278E-03	8.03413E-03	1.74681E-04	-7.85340E-03	9.99962E-01
3	.00000E+00	.00000E+00	3.81462E-03	5.44565E-03	1.41685E-02	9.24568E-05	-1.04460E-02	9.99978E-01
4	.00000E+00	.00000E+00	5.56442E-03	3.59330E-03	1.23462E-02	4.19336E-05	-6.82359E-03	9.99988E-01
5	.00000E+00	.00000E+00	1.02332E-02	1.15158E-02	2.08631E-02	4.96263E-05	-1.06795E-02	9.99991E-01
6	.00000E+00	.00000E+00	2.14641E-02	3.44867E-02	4.09877E-02	8.42651E-05	-1.98078E-02	9.99999E-01
7	.00000E+00	.00000E+00	4.22069E-02	6.09580E-02	5.41262E-02	6.12078E-05	-1.19799E-02	9.99989E-01
8	.00000E+00	.00000E+00	5.63437E-02	7.83312E-02	5.87342E-02	3.63958E-05	-2.42175E-03	9.99912E-01

9	.00000E+00	.00000E+00	5.77742E-02	7.25955E-02	5.74889E-02	2.92692E-05	2.62572E-04	9.99887E-01
10	.00000E+00	.00000E+00	5.70686E-02	6.91447E-02	5.55680E-02	3.60489E-05	1.47054E-03	9.99896E-01
11	.00000E+00	.00000E+00	5.58517E-02	6.55604E-02	5.23408E-02	5.51286E-05	3.45910E-03	9.99940E-01
12	.00000E+00	.00000E+00	4.53861E-02	3.50795E-02	4.12754E-02	6.04213E-05	4.05131E-03	9.99978E-01
13	.00000E+00	.00000E+00	4.05438E-02	2.85727E-02	3.66426E-02	8.46415E-05	3.81776E-03	9.99969E-01
14	.00000E+00	.00000E+00	3.94615E-02	2.82648E-02	3.37644E-02	1.36406E-04	5.56112E-03	9.99988E-01
15	.00000E+00	.00000E+00	2.17024E-02	1.08877E-02	2.03970E-02	1.12968E-04	1.19245E-03	9.99999E-01
16	.00000E+00	.00000E+00	1.42544E-02	4.59900E-03	1.35491E-02	7.66962E-05	6.28674E-04	9.99999E-01
17	.00000E+00	.00000E+00	7.32923E-03	1.31047E-03	6.81831E-03	3.75137E-05	4.73347E-04	1.00001E+00
18	.00000E+00	.00000E+00	6.50694E-03	9.80409E-04	5.35716E-03	3.06774E-05	1.11910E-03	1.00000E+00
19	.00000E+00	.00000E+00	1.08108E-02	2.97767E-03	9.88262E-03	6.66909E-05	8.61395E-04	1.00001E+00
20	.00000E+00	.00000E+00	2.65444E-02	2.12755E-02	2.40548E-02	2.77477E-04	2.21191E-03	1.00001E+00
21	.00000E+00	.00000E+00	1.28049E-02	4.28748E-03	1.11537E-02	1.07523E-04	1.54372E-03	9.99999E-01
22	.00000E+00	.00000E+00	2.54533E-02	1.32585E-02	2.06331E-02	2.54660E-04	4.56535E-03	1.00001E+00
23	.00000E+00	.00000E+00	6.63183E-02	8.05025E-02	5.28638E-02	1.16862E-03	1.22839E-02	1.00008E+00
24	.00000E+00	.00000E+00	7.10185E-02	7.58686E-02	5.85639E-02	1.38028E-03	1.10728E-02	1.00008E+00
25	.00000E+00	.00000E+00	4.72941E-02	3.21591E-02	4.13727E-02	8.17348E-04	5.10337E-03	1.00001E+00
26	.00000E+00	.00000E+00	3.77734E-02	3.59819E-02	3.31879E-02	8.30984E-04	3.75412E-03	1.00001E+00
27	.00000E+00	.00000E+00	1.28099E-02	7.79891E-03	1.18808E-02	2.96857E-04	6.32156E-04	1.00000E+00
28	.00000E+00	.00000E+00	7.96709E-01	7.91993E-01	7.96709E-01	6.45521E-03	-6.43520E-03	9.99975E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.27992E-02	-7.08129E-04	1.26849E-02	.00000E+00	3.61531E-11	.00000E+00	1.95927E-05	1.60038E-02
2	9.15771E-02	-7.83340E-03	9.00880E-02	.00000E+00	.00000E+00	.00000E+00	8.86016E-05	1.14009E-01
3	1.14330E-01	-1.04460E-02	1.12169E-01	.00000E+00	.00000E+00	.00000E+00	9.20288E-05	1.42101E-01
4	7.04507E-02	-6.82359E-03	6.88958E-02	.00000E+00	.00000E+00	.00000E+00	4.16804E-05	8.73901E-02
5	1.05263E-01	-1.05798E-02	1.02664E-01	.00000E+00	.00000E+00	.00000E+00	4.95334E-05	1.30572E-01
6	1.97624E-01	-1.96078E-02	1.92774E-01	.00000E+00	.00000E+00	.00000E+00	8.33957E-05	2.44798E-01
7	1.96101E-01	-1.19799E-02	1.93064E-01	.00000E+00	.00000E+00	.00000E+00	5.92658E-05	2.44237E-01
8	1.47373E-01	-2.42175E-03	1.46951E-01	.00000E+00	.00000E+00	.00000E+00	3.27167E-05	1.84926E-01
9	1.15830E-01	2.62572E-04	1.15886E-01	.00000E+00	.00000E+00	.00000E+00	2.16688E-05	1.45585E-01
10	1.06646E-01	1.47054E-03	1.07077E-01	.00000E+00	.00000E+00	.00000E+00	1.91537E-05	1.34327E-01
11	9.98456E-02	3.45910E-03	1.00814E-01	.00000E+00	.00000E+00	.00000E+00	1.78986E-05	1.26164E-01
12	6.42663E-02	4.05131E-03	6.53688E-02	.00000E+00	.00000E+00	.00000E+00	1.05072E-05	8.15437E-02
13	5.48639E-02	3.81776E-03	5.58641E-02	.00000E+00	.00000E+00	.00000E+00	8.74591E-06	6.96466E-02
14	5.18761E-02	5.56112E-03	5.33628E-02	.00000E+00	.00000E+00	.00000E+00	8.48780E-06	6.62446E-02
15	2.88493E-02	1.19265E-03	2.91097E-02	.00000E+00	.00000E+00	.00000E+00	4.48547E-06	3.64322E-02
16	1.60049E-02	6.28674E-04	1.61490E-02	.00000E+00	.00000E+00	.00000E+00	2.25061E-06	2.02127E-02
17	6.99993E-03	4.73347E-04	7.12217E-03	.00000E+00	.00000E+00	.00000E+00	9.09197E-07	8.88302E-03
18	5.24432E-03	1.11910E-03	5.56075E-03	.00000E+00	.00000E+00	.00000E+00	6.80682E-07	6.81706E-03
19	1.07014E-02	8.61395E-04	1.09254E-02	.00000E+00	.00000E+00	.00000E+00	1.42360E-06	1.36055E-02
20	3.55946E-02	2.21191E-03	3.61650E-02	.00000E+00	.00000E+00	.00000E+00	5.28925E-06	4.51268E-02
21	1.09348E-02	1.54372E-03	1.13856E-02	.00000E+00	.00000E+00	.00000E+00	1.28912E-06	1.40594E-02
22	2.22018E-02	4.56535E-03	2.36096E-02	.00000E+00	.00000E+00	.00000E+00	2.64054E-06	2.88847E-02
23	7.50345E-02	1.22839E-02	7.95166E-02	.00000E+00	.00000E+00	.00000E+00	8.02763E-06	9.73286E-02
24	6.02731E-02	1.10728E-02	6.50713E-02	.00000E+00	.00000E+00	.00000E+00	4.84009E-06	7.89625E-02
25	2.68618E-02	5.10337E-03	2.94096E-02	.00000E+00	.00000E+00	.00000E+00	1.67882E-06	3.54527E-02
26	1.89195E-02	3.75412E-03	2.12106E-02	.00000E+00	.00000E+00	.00000E+00	8.85084E-07	2.53091E-02
27	3.52607E-03	6.32156E-04	4.02919E-03	.00000E+00	.00000E+00	.00000E+00	1.04289E-07	4.77332E-03
28	1.74998E+00	-6.43513E-03	1.75693E+00	.00000E+00	3.61531E-11	.00000E+00	5.87582E-04	2.20819E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.18399E-04	1.63718E-04	2.45602E-06	-1.60335E-04	1.00001E+00
2	.00000E+00	.00000E+00	2.85980E-05	1.44869E-03	1.08943E-03	1.39523E-05	-1.02481E-03	1.00000E+00
3	.00000E+00	.00000E+00	1.48991E-04	2.76130E-03	8.73095E-04	2.02061E-05	-7.44257E-04	9.99995E-01
4	.00000E+00	.00000E+00	2.85430E-04	2.30098E-03	2.97928E-04	1.30757E-05	-2.55494E-05	9.99997E-01
5	.00000E+00	.00000E+00	6.14061E-04	4.41319E-03	2.79101E-04	1.68510E-05	3.18081E-04	1.00000E+00
6	.00000E+00	.00000E+00	1.01902E-03	1.24017E-02	1.69442E-04	2.70606E-05	8.22512E-04	1.00000E+00
7	.00000E+00	.00000E+00	6.70758E-04	1.25928E-02	6.32978E-05	2.68118E-05	5.80656E-04	9.99999E-01
8	.00000E+00	.00000E+00	1.17251E-04	9.20599E-03	4.43283E-04	2.21074E-05	-3.48166E-04	1.00001E+00
9	.00000E+00	.00000E+00	4.45118E-04	6.35797E-03	5.30007E-05	7.66898E-05	3.15442E-04	9.99980E-01

10	.00000E+00	.00000E+00	5.30655E-05	4.98617E-03	4.94715E-05	5.93184E-05	-5.57248E-05	1.00000E+00
11	.00000E+00	.00000E+00	4.94749E-05	4.45287E-03	5.02886E-05	8.99811E-05	-9.07890E-05	9.99998E-01
12	.00000E+00	.00000E+00	5.02889E-05	2.76055E-03	5.13591E-05	5.67154E-06	-6.74790E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.13592E-05	2.35700E-03	4.80811E-05	6.31551E-06	-3.08566E-06	1.00000E+00
14	.00000E+00	.00000E+00	4.80811E-05	2.23332E-03	4.20872E-05	8.52895E-06	-2.53599E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.46912E-05	1.21745E-03	4.98264E-05	6.30490E-06	-1.14019E-05	9.99969E-01
16	.00000E+00	.00000E+00	5.59083E-05	6.46727E-04	5.60269E-05	3.83305E-06	-3.93204E-06	9.99964E-01
17	.00000E+00	.00000E+00	6.13731E-05	2.46542E-04	6.06868E-05	1.85266E-06	-1.13642E-06	9.99981E-01
18	.00000E+00	.00000E+00	6.38667E-05	1.73619E-04	5.60608E-05	1.44546E-06	6.36990E-06	9.99992E-01
19	.00000E+00	.00000E+00	5.75836E-05	4.09206E-04	6.03747E-05	3.17534E-06	-5.94876E-06	9.99981E-01
20	.00000E+00	.00000E+00	7.38647E-05	1.49866E-03	6.37135E-05	1.28845E-06	-2.67895E-06	9.99976E-01
21	.00000E+00	.00000E+00	8.47763E-05	3.86987E-04	9.24372E-05	4.79701E-06	-1.24370E-05	9.99987E-01
22	.00000E+00	.00000E+00	1.22131E-04	8.57902E-04	1.14654E-04	1.10771E-05	-3.58606E-06	9.99997E-01
23	.00000E+00	.00000E+00	1.75714E-04	3.06399E-03	2.24948E-04	5.00445E-05	-9.92985E-05	1.00000E+00
24	.00000E+00	.00000E+00	2.89152E-04	2.32317E-03	3.18820E-04	5.70256E-05	-8.67415E-05	1.00000E+00
25	.00000E+00	.00000E+00	2.95007E-04	9.36405E-04	2.41018E-04	3.31381E-05	2.08272E-05	1.00000E+00
26	.00000E+00	.00000E+00	1.25413E-04	7.32592E-04	9.68139E-05	3.28876E-05	-4.29805E-06	1.00000E+00
27	.00000E+00	.00000E+00	2.80723E-05	1.54646E-04	7.96795E-08	1.14734E-05	1.65162E-05	1.00000E+00
28	.00000E+00	.00000E+00	5.05904E-03	8.11387E-02	5.05904E-03	6.18946E-04	-6.13004E-04	9.99996E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.28253E-02	-8.68464E-04	1.27992E-02	-7.08129E-04	5.84947E-06	.00000E+00	1.61708E-06	2.13541E-03
2	9.18404E-02	-8.85821E-03	9.15771E-02	-7.83340E-03	.00000E+00	.00000E+00	1.10744E-05	1.52866E-02
3	1.14677E-01	-1.11903E-02	1.14330E-01	-1.04460E-02	.00000E+00	.00000E+00	1.26538E-05	1.90879E-02
4	7.06673E-02	-6.84913E-03	7.04507E-02	-6.82359E-03	.00000E+00	.00000E+00	7.42710E-06	1.17637E-02
5	1.05602E-01	-1.03612E-02	1.05263E-01	-1.06795E-02	.00000E+00	.00000E+00	8.62935E-06	1.75792E-02
6	1.98298E-01	-1.87853E-02	1.97624E-01	-1.96078E-02	.00000E+00	.00000E+00	1.01730E-05	3.30075E-02
7	1.96507E-01	-1.13993E-02	1.96101E-01	-1.19799E-02	.00000E+00	.00000E+00	8.35251E-06	3.27276E-02
8	1.47460E-01	-2.76991E-03	1.47373E-01	-2.42175E-03	.00000E+00	.00000E+00	5.27354E-06	2.45722E-02
9	1.15820E-01	5.78015E-04	1.15830E-01	2.62572E-04	.00000E+00	.00000E+00	4.58260E-06	1.93073E-02
10	1.06606E-01	1.41481E-03	1.06646E-01	1.47054E-03	.00000E+00	.00000E+00	4.90854E-06	1.77723E-02
11	9.97532E-02	3.36831E-03	9.98456E-02	3.45910E-03	.00000E+00	.00000E+00	4.76239E-06	1.66334E-02
12	6.41591E-02	4.04457E-03	6.42663E-02	4.05131E-03	.00000E+00	.00000E+00	3.21374E-06	1.07016E-02
13	5.47507E-02	3.81473E-03	5.48539E-02	3.81776E-03	.00000E+00	.00000E+00	2.73691E-06	9.13320E-03
14	5.17277E-02	5.55858E-03	5.18761E-02	5.56112E-03	.00000E+00	.00000E+00	2.58041E-06	8.63231E-03
15	2.88123E-02	1.18105E-03	2.88493E-02	1.19245E-03	.00000E+00	.00000E+00	1.41575E-06	4.80516E-03
16	1.59870E-02	6.24742E-04	1.60049E-02	6.28674E-04	.00000E+00	.00000E+00	7.85528E-07	2.66602E-03
17	6.98732E-03	4.72211E-04	6.99993E-03	4.73347E-04	.00000E+00	.00000E+00	3.43249E-07	1.16552E-03
18	5.21621E-03	1.12547E-03	5.24432E-03	1.11910E-03	.00000E+00	.00000E+00	2.56527E-07	8.71328E-04
19	1.06781E-02	8.55444E-04	1.07014E-02	8.61395E-04	.00000E+00	.00000E+00	5.24242E-07	1.78144E-03
20	3.55359E-02	2.20925E-03	3.55946E-02	2.21191E-03	.00000E+00	.00000E+00	1.74180E-06	5.92714E-03
21	1.08969E-02	1.53129E-03	1.09348E-02	1.54372E-03	.00000E+00	.00000E+00	5.33599E-07	1.81878E-03
22	2.20924E-02	4.56176E-03	2.22018E-02	4.56535E-03	.00000E+00	.00000E+00	1.08105E-06	3.68957E-03
23	7.47458E-02	1.21846E-02	7.50345E-02	1.22839E-02	.00000E+00	.00000E+00	3.66311E-06	1.24778E-02
24	6.00340E-02	1.09861E-02	6.02731E-02	1.10728E-02	.00000E+00	.00000E+00	2.90827E-06	1.00218E-02
25	2.67609E-02	5.12420E-03	2.68618E-02	5.10337E-03	.00000E+00	.00000E+00	1.28857E-06	4.46690E-03
26	1.88568E-02	3.74982E-03	1.89193E-02	3.75412E-03	.00000E+00	.00000E+00	8.98146E-07	3.14661E-03
27	3.52022E-03	6.48672E-04	3.52607E-03	6.32156E-04	.00000E+00	.00000E+00	1.62411E-07	5.86981E-04
28	1.75082E+00	-7.04818E-03	1.74998E+00	-6.43513E-03	5.84947E-06	.00000E+00	1.08568E-04	2.91765E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.61850E-04	3.46581E-04	2.88585E-05	-3.75421E-04	9.99985E-01
2	.00000E+00	.00000E+00	1.98861E-04	3.26292E-03	4.28651E-03	9.32422E-05	-4.18273E-03	9.99988E-01
3	.00000E+00	.00000E+00	2.08583E-03	2.91114E-03	7.57422E-03	4.94257E-05	-5.58765E-03	9.99991E-01
4	.00000E+00	.00000E+00	2.97362E-03	1.92381E-03	6.61003E-03	2.24508E-05	-3.65880E-03	9.99995E-01
5	.00000E+00	.00000E+00	5.47381E-03	6.17528E-03	1.11877E-02	2.66119E-05	-5.74043E-03	9.99995E-01
6	.00000E+00	.00000E+00	1.14978E-02	1.84879E-02	2.19730E-02	4.51734E-05	-1.05208E-02	9.99999E-01
7	.00000E+00	.00000E+00	2.26210E-02	3.23853E-02	2.87558E-02	3.25188E-05	-6.16695E-03	9.99992E-01
8	.00000E+00	.00000E+00	2.99859E-02	4.11564E-02	3.08599E-02	1.91229E-05	-8.90382E-04	9.99919E-01
9	.00000E+00	.00000E+00	3.04181E-02	3.79799E-02	3.00765E-02	1.53128E-05	3.29698E-04	9.99889E-01
10	.00000E+00	.00000E+00	2.98699E-02	3.60876E-02	2.90018E-02	1.88145E-05	8.72389E-04	9.99900E-01

11	.00000E+00	.00000E+00	2.91688E-02	3.40423E-02	2.71781E-02	2.86256E-05	1.96391E-03	9.99946E-01
12	.00000E+00	.00000E+00	2.35926E-02	1.80874E-02	2.12820E-02	3.11538E-05	2.27999E-03	9.99981E-01
13	.00000E+00	.00000E+00	2.09589E-02	1.47179E-02	1.88747E-02	4.35990E-05	2.04124E-03	9.99974E-01
14	.00000E+00	.00000E+00	2.03525E-02	1.44215E-02	1.72276E-02	6.95982E-05	3.05559E-03	9.99991E-01
15	.00000E+00	.00000E+00	1.11134E-02	5.66013E-03	1.06057E-02	5.87281E-05	4.50913E-04	1.00000E+00
16	.00000E+00	.00000E+00	7.34976E-03	2.39039E-03	7.04231E-03	3.98639E-05	2.67583E-04	1.00000E+00
17	.00000E+00	.00000E+00	3.78542E-03	6.75611E-04	3.51517E-03	1.93402E-05	2.50871E-04	1.00001E+00
18	.00000E+00	.00000E+00	3.36007E-03	4.85033E-04	2.65052E-03	1.51769E-05	6.94574E-04	1.00000E+00
19	.00000E+00	.00000E+00	5.55062E-03	1.53097E-03	5.08117E-03	3.42878E-05	4.35114E-04	1.00001E+00
20	.00000E+00	.00000E+00	1.36278E-02	1.09889E-02	1.24244E-02	1.43318E-04	1.05996E-03	1.00001E+00
21	.00000E+00	.00000E+00	6.55215E-03	2.16447E-03	5.63079E-03	5.42814E-05	8.67080E-04	9.99999E-01
22	.00000E+00	.00000E+00	1.29094E-02	6.56504E-03	1.02166E-02	1.26097E-04	2.56663E-03	1.00001E+00
23	.00000E+00	.00000E+00	3.28926E-02	4.01610E-02	2.63726E-02	5.82997E-04	5.95616E-03	1.00002E+00
24	.00000E+00	.00000E+00	3.49421E-02	3.72868E-02	2.87820E-02	6.78859E-04	5.48083E-03	1.00002E+00
25	.00000E+00	.00000E+00	2.31007E-02	1.56163E-02	2.00904E-02	3.96859E-04	2.61320E-03	1.00001E+00
26	.00000E+00	.00000E+00	1.83681E-02	1.70738E-02	1.57700E-02	3.94860E-04	2.20319E-03	1.00000E+00
27	.00000E+00	.00000E+00	6.19530E-03	3.60994E-03	5.49957E-03	1.37408E-04	5.58514E-04	1.00000E+00
28	.00000E+00	.00000E+00	4.08915E-01	4.06110E-01	4.08915E-01	3.20613E-03	-3.19520E-03	9.99974E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.29591E-02	-1.24388E-03	1.28253E-02	-8.68464E-04	1.91669E-11	.00000E+00	1.08872E-05	8.48457E-03
2	9.31681E-02	-1.30409E-02	9.18404E-02	-8.85821E-03	.00000E+00	.00000E+00	4.72943E-05	6.08564E-02
3	1.16307E-01	-1.67779E-02	1.14677E-01	-1.11903E-02	.00000E+00	.00000E+00	4.91969E-05	7.59644E-02
4	7.16350E-02	-1.05079E-02	7.06673E-02	-6.84913E-03	.00000E+00	.00000E+00	2.23152E-05	4.67876E-02
5	1.07065E-01	-1.61017E-02	1.05602E-01	-1.03612E-02	.00000E+00	.00000E+00	2.64549E-05	6.99114E-02
6	2.00904E-01	-2.93056E-02	1.98298E-01	-1.87853E-02	.00000E+00	.00000E+00	4.47074E-05	1.31235E-01
7	1.98020E-01	-1.75662E-02	1.96507E-01	-1.13993E-02	.00000E+00	.00000E+00	3.14853E-05	1.29756E-01
8	1.47752E-01	-3.66029E-03	1.47460E-01	-2.76991E-03	.00000E+00	.00000E+00	1.71898E-05	9.71628E-02
9	1.15993E-01	9.07712E-04	1.15820E-01	5.78015E-04	.00000E+00	.00000E+00	1.13366E-05	7.61660E-02
10	1.06351E-01	2.28720E-03	1.06606E-01	1.41481E-03	.00000E+00	.00000E+00	9.99663E-06	7.01072E-02
11	9.91815E-02	5.33222E-03	9.97532E-02	3.36831E-03	.00000E+00	.00000E+00	9.29389E-06	6.55109E-02
12	6.34683E-02	6.32456E-03	6.41591E-02	4.04457E-03	.00000E+00	.00000E+00	5.41763E-06	4.20448E-02
13	5.41477E-02	5.85596E-03	5.47507E-02	3.81473E-03	.00000E+00	.00000E+00	4.50503E-06	3.58751E-02
14	5.08119E-02	8.61418E-03	5.17277E-02	5.55858E-03	.00000E+00	.00000E+00	4.33072E-06	3.37999E-02
15	2.87193E-02	1.63196E-03	2.88123E-02	1.18105E-03	.00000E+00	.00000E+00	2.33184E-06	1.82899E-02
16	1.59224E-02	8.92325E-04	1.59870E-02	6.24742E-04	.00000E+00	.00000E+00	1.16979E-06	1.05058E-02
17	6.91462E-03	7.23082E-04	6.98732E-03	4.72211E-04	.00000E+00	.00000E+00	4.68736E-07	4.57964E-03
18	4.99230E-03	1.82004E-03	5.21621E-03	1.12547E-03	.00000E+00	.00000E+00	3.36750E-07	3.37257E-03
19	1.05553E-02	1.29056E-03	1.06781E-02	8.55444E-04	.00000E+00	.00000E+00	7.31945E-07	6.99529E-03
20	3.52344E-02	3.26920E-03	3.55359E-02	2.20923E-03	.00000E+00	.00000E+00	2.73192E-06	2.33082E-02
21	1.06201E-02	2.39857E-03	1.08966E-02	1.53125E-03	.00000E+00	.00000E+00	6.50794E-07	7.09766E-03
22	2.12198E-02	7.12838E-03	2.20924E-02	4.56176E-03	.00000E+00	.00000E+00	1.30748E-06	1.43025E-02
23	7.24599E-02	1.81208E-02	7.47458E-02	1.21846E-02	.00000E+00	.00000E+00	4.00482E-06	4.85552E-02
24	5.75483E-02	1.64669E-02	6.00340E-02	1.09861E-02	.00000E+00	.00000E+00	2.37873E-06	3.88071E-02
25	2.53804E-02	7.73739E-03	2.67609E-02	5.12420E-03	.00000E+00	.00000E+00	8.15224E-07	1.72156E-02
26	1.75147E-02	5.95300E-03	1.88568E-02	3.74982E-03	.00000E+00	.00000E+00	4.20567E-07	1.20262E-02
27	3.13751E-03	1.20719E-03	3.52022E-03	6.48672E-04	.00000E+00	.00000E+00	4.82731E-08	2.20946E-03
28	1.74758E+00	-1.02434E-02	1.75082E+00	-7.04818E-03	1.91669E-11	.00000E+00	3.11309E-04	1.15158E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.28114E-02	.00000E+00	2.11662E-02	2.00885E-02	3.73352E-03	1.24388E-03	9.98901E-01
2	.00000E+00	1.93451E-01	6.95103E-03	2.49902E-01	1.72096E-01	1.52778E-02	1.30409E-02	1.00002E+00
3	.00000E+00	2.15779E-01	7.10660E-02	2.57202E-01	2.53828E-01	1.62432E-02	1.67778E-02	9.99888E-01
4	.00000E+00	1.23886E-01	1.05270E-01	1.76577E-01	2.10887E-01	7.76092E-03	1.05079E-02	1.00000E+00
5	.00000E+00	1.64335E-01	1.91693E-01	4.44291E-01	3.34737E-01	5.19278E-03	1.61016E-02	9.99991E-01
6	.00000E+00	1.77430E-01	3.90580E-01	1.19102E+00	5.30475E-01	8.22250E-03	2.98054E-02	1.00001E+00
7	.00000E+00	8.77290E-02	5.93168E-01	1.56426E+00	6.55129E-01	8.20879E-03	1.75656E-02	9.99991E-01
8	.00000E+00	1.35181E-02	6.89349E-01	1.57544E+00	6.86009E-01	1.32535E-02	3.66022E-03	9.99921E-01
9	.00000E+00	9.81112E-04	6.78112E-01	1.37170E+00	6.58225E-01	2.18491E-02	-9.08390E-04	9.99887E-01
10	.00000E+00	7.28725E-05	6.55269E-01	1.24725E+00	6.24712E-01	3.29826E-02	-2.28817E-03	9.99902E-01
11	.00000E+00	5.73310E-06	6.28783E-01	1.16117E+00	5.80357E-01	5.38009E-02	-5.33400E-03	9.99945E-01

12	.00000E+00	4.02740E-07	5.05519E-01	6.34508E-01	4.53522E-01	5.83351E-02	-6.32414E-03	9.99973E-01
13	.00000E+00	6.39515E-08	4.48175E-01	5.03635E-01	3.99449E-01	5.45948E-02	-5.85654E-03	9.99973E-01
14	.00000E+00	1.26735E-08	4.31066E-01	4.70113E-01	3.62302E-01	7.73835E-02	-8.61438E-03	9.99989E-01
15	.00000E+00	1.43224E-09	2.37505E-01	2.15883E-01	2.31499E-01	7.59882E-03	-1.63653E-03	1.00018E+00
16	.00000E+00	4.20556E-10	1.62281E-01	9.98110E-02	1.57667E-01	5.47975E-03	-8.95428E-04	1.00018E+00
17	.00000E+00	1.35440E-10	8.70766E-02	3.14683E-02	8.11535E-02	6.63470E-03	-7.27074E-04	1.00018E+00
18	.00000E+00	9.69708E-11	7.77200E-02	2.08377E-02	5.82871E-02	2.12485E-02	-1.82174E-03	1.00008E+00
19	.00000E+00	1.37096E-10	1.22542E-01	6.07375E-02	1.14678E-01	9.14271E-03	-1.29525E-03	1.00013E+00
20	.00000E+00	2.22932E-10	2.93208E-01	3.48667E-01	2.69031E-01	2.74015E-02	-3.27833E-03	1.00018E+00
21	.00000E+00	3.26301E-11	1.44984E-01	7.03732E-02	1.25743E-01	2.35772E-02	-2.40192E-03	1.00010E+00
22	.00000E+00	3.78584E-11	2.75593E-01	1.84239E-01	2.12917E-01	6.97813E-02	-7.13160E-03	1.00009E+00
23	.00000E+00	3.61968E-11	6.61892E-01	1.00662E+00	5.40511E-01	1.39414E-01	-1.81174E-02	1.00012E+00
24	.00000E+00	9.85229E-12	7.01257E-01	8.67952E-01	5.78984E-01	1.38722E-01	-1.66675E-02	1.00010E+00
25	.00000E+00	2.88411E-12	4.64370E-01	3.51868E-01	3.95410E-01	7.66698E-02	-7.73850E-03	1.00006E+00
26	.00000E+00	2.02235E-12	3.59944E-01	3.53346E-01	2.96283E-01	6.99957E-02	-5.95318E-03	1.00005E+00
27	.00000E+00	4.81937E-13	1.18737E-01	7.14249E-02	1.00129E-01	1.98126E-02	-1.20721E-03	1.00002E+00
28	.00000E+00	1.00000E+00	9.10206E+00	1.45514E+01	9.10206E+00	9.91916E-01	1.02111E-02	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.32552E-02	-6.95225E-09	1.29591E-02	-1.24388E-03	2.22676E-03	2.48146E-03	2.92453E-04	3.36936E-01
2	9.64634E-02	-6.52760E-08	9.31681E-02	-1.30409E-02	1.59615E-05	1.10063E-02	1.58569E-03	2.44945E+00
3	1.20666E-01	-9.26605E-08	1.16307E-01	-1.67779E-02	.00000E+00	1.33450E-02	1.82658E-03	3.06311E+00
4	7.44527E-02	-7.14484E-08	7.16350E-02	-1.05079E-02	.00000E+00	5.73192E-03	8.85625E-04	1.88964E+00
5	1.11647E-01	-9.81703E-08	1.07065E-01	-1.61017E-02	.00000E+00	1.65429E-03	1.05172E-03	2.83257E+00
6	2.09722E-01	-1.33088E-07	2.00904E-01	-2.93056E-02	.00000E+00	1.40339E-03	1.73132E-03	5.31884E+00
7	2.03569E-01	-5.84223E-07	1.98020E-01	-1.75662E-02	.00000E+00	1.37206E-03	1.22622E-03	5.16943E+00
8	1.48917E-01	-7.29270E-08	1.47752E-01	-3.66029E-03	.00000E+00	1.39834E-03	6.97876E-04	3.78851E+00
9	1.15253E-01	4.32258E-06	1.15593E-01	9.07712E-04	.00000E+00	1.87880E-03	4.71088E-04	2.93538E+00
10	1.05550E-01	-9.69711E-07	1.06351E-01	2.28720E-03	.00000E+00	4.01284E-03	4.28496E-04	2.68968E+00
11	9.73316E-02	-1.77639E-06	9.91815E-02	5.33222E-03	.00000E+00	8.54482E-03	3.86770E-04	2.48529E+00
12	6.12884E-02	4.14981E-07	6.34683E-02	6.32456E-03	.00000E+00	1.12827E-02	2.27619E-04	1.56643E+00
13	5.21527E-02	-5.72705E-07	5.41477E-02	5.85596E-03	.00000E+00	1.21320E-02	1.95190E-04	1.33341E+00
14	4.78785E-02	-1.98471E-07	5.08119E-02	8.61418E-03	.00000E+00	7.80568E-03	1.75561E-04	1.22699E+00
15	2.81867E-02	-4.57024E-06	2.87193E-02	1.63196E-03	.00000E+00	1.92742E-03	1.11247E-04	7.19336E-01
16	1.56334E-02	-3.10803E-06	1.59224E-02	8.92325E-04	.00000E+00	1.33047E-03	5.78601E-05	3.98904E-01
17	6.67426E-03	-3.99226E-06	6.91462E-03	7.23082E-04	.00000E+00	1.69296E-03	2.22116E-05	1.70583E-01
18	4.36092E-03	-1.69847E-06	4.99230E-03	1.82004E-03	.00000E+00	1.50362E-03	1.12376E-05	1.12568E-01
19	1.01122E-02	-4.68952E-06	1.05553E-02	1.29056E-03	.00000E+00	2.70100E-03	3.43877E-05	2.58742E-01
20	3.41080E-02	-9.13532E-06	3.52344E-02	3.26920E-03	.00000E+00	1.50121E-02	1.25958E-04	8.71708E-01
21	9.75682E-03	-3.55369E-06	1.06201E-02	2.39837E-03	.00000E+00	1.39646E-02	2.76321E-05	2.50869E-01
22	1.85156E-02	-3.21685E-06	2.12198E-02	7.12838E-03	.00000E+00	4.12870E-02	4.88033E-05	4.79538E-01
23	6.43097E-02	3.40332E-06	7.26599E-02	1.81208E-02	.00000E+00	8.03394E-02	1.72789E-04	1.66672E+00
24	4.91885E-02	-5.81248E-07	5.75483E-02	1.64669E-02	.00000E+00	7.92781E-02	1.03698E-04	1.28337E+00
25	2.10510E-02	-1.10419E-06	2.53804E-02	7.73739E-03	.00000E+00	4.56524E-02	3.54042E-05	5.51996E-01
26	1.38363E-02	-1.79258E-07	1.75147E-02	5.95300E-03	.00000E+00	4.20842E-02	1.74251E-05	3.64978E-01
27	2.32861E-03	-1.97389E-08	3.13751E-03	1.20719E-03	.00000E+00	1.17908E-02	1.78722E-06	6.15910E-02
28	1.73620E+00	-3.23576E-05	1.74758E+00	-1.02434E-02	2.24272E-03	4.22563E-01	1.19306E-02	4.42743E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.28114E-02	.00000E+00	2.21404E-02	2.12526E-02	3.81906E-03	-6.95225E-09	9.98900E-01
2	.00000E+00	1.93451E-01	7.55369E-03	2.60726E-01	1.85458E-01	1.55595E-02	-6.52760E-08	1.00002E+00
3	.00000E+00	2.15779E-01	7.70654E-02	2.68320E-01	2.76444E-01	1.64053E-02	-9.26605E-08	9.99987E-01
4	.00000E+00	1.23886E-01	1.14093E-01	1.84395E-01	2.30141E-01	7.83838E-03	-7.14484E-08	9.99999E-01
5	.00000E+00	1.64335E-01	2.08014E-01	4.66396E-01	3.67067E-01	5.28587E-03	-9.81703E-08	9.99991E-01
6	.00000E+00	1.77430E-01	4.24561E-01	1.25640E+00	5.93605E-01	8.37900E-03	-1.33088E-07	1.00001E+00
7	.00000E+00	8.77290E-02	6.58667E-01	1.67020E+00	7.38074E-01	8.32953E-03	-5.84223E-07	9.99991E-01
8	.00000E+00	1.35181E-02	7.75798E-01	1.70414E+00	7.76047E-01	1.33311E-02	-7.29270E-08	9.99919E-01
9	.00000E+00	9.81112E-04	7.66750E-01	1.48864E+00	7.45843E-01	2.19704E-02	4.32258E-06	9.99867E-01
10	.00000E+00	7.28725E-05	7.42281E-01	1.35746E+00	7.09352E-01	3.30968E-02	-9.69711E-07	9.99901E-01
11	.00000E+00	5.73510E-06	7.13853E-01	1.26522E+00	6.59926E-01	5.39747E-02	-1.77639E-06	9.99944E-01
12	.00000E+00	4.02740E-07	5.74548E-01	6.90431E-01	5.16131E-01	5.84324E-02	4.14981E-07	9.99974E-01

13	.00000E+00	6.39515E-08	5.09729E-01	5.49283E-01	4.55014E-01	5.47295E-02	-5.72706E-07	9.99973E-01
14	.00000E+00	1.26735E-08	4.90928E-01	5.15033E-01	4.13336E-01	7.75980E-02	-1.98471E-07	9.99989E-01
15	.00000E+00	1.43224E-09	2.70365E-01	2.33648E-01	2.62549E-01	7.77682E-03	-4.57024E-06	1.00016E+00
16	.00000E+00	4.20556E-10	1.83941E-01	1.07447E-01	1.78314E-01	5.60015E-03	-3.10308E-06	1.00016E+00
17	.00000E+00	1.35440E-10	9.82526E-02	3.37009E-02	9.15477E-02	6.69339E-03	-3.99226E-06	1.00016E+00
18	.00000E+00	9.69708E-11	8.76509E-02	2.24768E-02	6.63507E-02	2.12958E-02	-1.69247E-06	1.00007E+00
19	.00000E+00	1.37096E-10	1.38961E-01	6.56554E-02	1.29702E-01	9.24686E-03	-4.68952E-06	1.00012E+00
20	.00000E+00	2.22952E-10	3.33454E-01	3.82420E-01	3.06574E-01	2.78852E-02	-9.13532E-06	1.00016E+00
21	.00000E+00	3.26301E-11	1.64375E-01	7.72122E-02	1.40620E-01	2.37438E-02	-3.55369E-06	1.00009E+00
22	.00000E+00	3.78584E-11	3.14078E-01	2.04921E-01	2.43881E-01	7.01752E-02	-3.21685E-06	1.00008E+00
23	.00000E+00	3.61968E-11	7.61279E-01	1.13035E+00	6.19973E-01	1.41215E-01	3.40332E-06	1.00011E+00
24	.00000E+00	9.85229E-12	8.07507E-01	9.83431E-01	6.66579E-01	1.40838E-01	-5.81248E-07	1.00009E+00
25	.00000E+00	2.88411E-12	5.35060E-01	4.00580E-01	4.57114E-01	7.79167E-02	-1.10419E-06	1.00006E+00
26	.00000E+00	2.02235E-12	4.16211E-01	4.07085E-01	3.45337E-01	7.08544E-02	-1.79258E-07	1.00005E+00
27	.00000E+00	4.81937E-13	1.37770E-01	8.29884E-02	1.17509E-01	2.02583E-02	-1.97389E-08	1.00002E+00
28	.00000E+00	1.00000E+00	1.03127E+01	1.58307E+01	1.03127E+01	1.00220E+00	-3.23389E-05	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.32552E-02	-6.93225E-09	1.26849E-02	.00000E+00	2.25261E-03	2.48146E-03	3.24050E-04	3.63558E-01
2	9.64634E-02	-6.52760E-08	9.00880E-02	.00000E+00	1.59615E-05	1.10063E-02	1.73266E-03	2.63960E+00
3	1.20666E-01	-9.26605E-08	1.12169E-01	.00000E+00	.00000E+00	1.33450E-02	1.98046E-03	3.30027E+00
4	7.44527E-02	-7.14484E-08	6.88958E-02	.00000E+00	.00000E+00	5.73192E-03	9.55047E-04	2.03659E+00
5	1.11647E-01	-9.81708E-08	1.02664E-01	.00000E+00	.00000E+00	1.65429E-03	1.11614E-03	3.05043E+00
6	2.09722E-01	-1.33088E-07	1.92774E-01	.00000E+00	.00000E+00	1.40339E-03	1.86959E-03	5.72788E+00
7	2.08569E-01	-5.84229E-07	1.93064E-01	.00000E+00	.00000E+00	1.37206E-03	1.32532E-03	5.57615E+00
8	1.48917E-01	-7.29270E-08	1.46951E-01	.00000E+00	.00000E+00	1.39834E-03	7.53056E-04	4.09517E+00
9	1.15253E-01	4.32258E-06	1.15886E-01	.00000E+00	.00000E+00	1.87880E-03	5.08675E-04	3.17644E+00
10	1.05550E-01	-9.69711E-07	1.07077E-01	.00000E+00	.00000E+00	4.01284E-03	4.62555E-04	2.91188E+00
11	9.73316E-02	-1.77639E-06	1.00814E-01	.00000E+00	.00000E+00	8.54482E-03	4.18725E-04	2.69160E+00
12	6.12884E-02	4.14981E-07	6.53688E-02	.00000E+00	.00000E+00	1.12827E-02	2.46758E-04	1.70072E+00
13	5.21527E-02	-5.72706E-07	5.58641E-02	.00000E+00	.00000E+00	1.21320E-02	2.11178E-04	1.44806E+00
14	4.78785E-02	-1.98471E-07	5.33628E-02	.00000E+00	.00000E+00	7.80568E-03	1.90960E-04	1.33566E+00
15	2.81867E-02	-4.57024E-06	2.91097E-02	.00000E+00	.00000E+00	1.92742E-03	1.19480E-04	7.79512E-01
16	1.56334E-02	-3.10308E-06	1.61490E-02	.00000E+00	.00000E+00	1.33047E-03	6.20660E-05	4.32289E-01
17	6.67426E-03	-3.99226E-06	7.12217E-03	.00000E+00	.00000E+00	1.69296E-03	2.39528E-05	1.85211E-01
18	4.36092E-03	-1.69247E-06	5.56075E-03	.00000E+00	.00000E+00	1.50862E-03	1.25116E-05	1.23629E-01
19	1.01122E-02	-4.68952E-06	1.09254E-02	.00000E+00	.00000E+00	2.70100E-03	3.70675E-05	2.81125E-01
20	3.41030E-02	-9.13532E-06	3.61460E-02	.00000E+00	.00000E+00	1.50121E-02	1.35721E-04	9.46065E-01
21	9.75682E-03	-3.55369E-06	1.13856E-02	.00000E+00	.00000E+00	1.39646E-02	3.01056E-05	2.73844E-01
22	1.85156E-02	-3.21685E-06	2.36096E-02	.00000E+00	.00000E+00	4.12870E-02	5.38324E-05	5.26215E-01
23	6.43097E-02	3.40332E-06	7.95166E-02	.00000E+00	.00000E+00	8.03394E-02	1.88464E-04	1.82508E+00
24	4.91885E-02	-5.81248E-07	6.50713E-02	.00000E+00	.00000E+00	7.92781E-02	1.13825E-04	1.41116E+00
25	2.10510E-02	-1.10419E-06	2.94096E-02	.00000E+00	.00000E+00	4.56524E-02	3.91868E-05	6.09131E-01
26	1.38363E-02	-1.79258E-07	2.12106E-02	.00000E+00	.00000E+00	4.20342E-02	1.96269E-05	4.05460E-01
27	2.32861E-03	-1.97389E-08	4.02919E-03	.00000E+00	.00000E+00	1.17908E-02	2.10219E-06	6.91608E-02
28	1.73620E+00	-3.23576E-05	1.75693E+00	.00000E+00	2.24857E-03	4.22563E-01	1.29331E-02	4.79209E+01

- elapsed time .02 min.

Odirect access unit 9 requires 556 blocks of length 216 for cross section weighting.

1 transport cross section weighting function

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.13510E-03	5.03136E-03	5.28543E-03	2.50764E-03	3.18244E-03	5.52617E-03	3.71774E-03	1.74328E-03
2	6.91531E-04	4.96888E-03	5.78279E-03	3.44171E-03	4.29908E-03	6.15591E-03	4.33455E-03	2.14811E-03
3	1.16375E-03	5.45359E-03	5.86882E-03	2.91415E-03	3.86310E-03	6.78281E-03	4.37964E-03	1.82367E-03
4	7.99375E-04	4.28258E-03	4.93001E-03	2.38791E-03	2.82864E-03	4.80131E-03	3.32670E-03	1.79788E-03
5	8.22747E-04	4.34888E-03	4.97383E-03	2.41239E-03	2.87840E-03	4.88993E-03	3.37580E-03	1.79794E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11285E-03	1.01465E-03	1.09481E-03	8.73901E-04	7.91769E-04	1.08299E-03	3.16366E-04	1.61275E-04
2	1.79064E-03	1.95368E-03	2.04364E-03	1.60151E-03	1.42107E-03	1.69218E-03	6.26149E-04	3.43903E-04
3	1.12172E-03	1.05509E-03	1.29677E-03	1.22117E-03	1.11805E-03	1.56292E-03	3.78139E-04	1.98357E-04
4	1.19509E-03	1.09481E-03	1.03054E-03	6.77942E-04	6.01865E-04	6.41390E-04	3.11253E-04	1.61329E-04
5	1.19319E-03	1.09540E-03	1.04597E-03	7.05454E-04	6.27823E-04	6.87639E-04	3.14990E-04	1.63316E-04


```
0zone   grp. 17     grp. 18     grp. 19     grp. 20     grp. 21     grp. 22     grp. 23     grp. 24
    1 9.32159E-05 1.84645E-04 1.64559E-04 4.71573E-04 2.64740E-04 7.68202E-04 2.13828E-03 1.89539E-03
    2 1.77245E-04 2.91583E-04 2.93430E-04 8.70172E-04 4.29408E-04 1.19092E-03 3.30816E-03 2.92166E-03
    3 1.34967E-04 3.13059E-04 2.39291E-04 6.41944E-04 4.21506E-04 1.24608E-03 3.25212E-03 2.95205E-03
    4 7.07468E-05 7.53990E-05 1.17095E-04 3.84825E-04 1.35903E-04 3.40228E-04 1.07862E-03 8.60599E-04
    5 7.39512E-05 8.73712E-05 1.23248E-04 3.97865E-04 1.50383E-04 3.86550E-04 1.19240E-03 9.69697E-04
0zone   grp. 25     grp. 26     grp. 27     grp. 28
    1 8.61494E-04 6.10558E-04 9.30382E-05 4.20715E-02
    2 1.34549E-03 9.80382E-04 1.68602E-04 5.52784E-02
    3 1.37027E-03 1.02844E-03 1.92210E-04 5.19737E-02
    4 3.60308E-04 2.18904E-04 2.71435E-05 3.45382E-02
    5 4.13273E-04 2.60728E-04 3.49507E-05 3.54241E-02
1broad group parameters
  grp   upper energy   mid energy      velocity    fiss spec
    1     2.0000E+07   2.6512E+06   1.9675E+09   7.2026E-01
    2     9.0000E+05   1.5116E+05   9.8844E+06   2.7974E-01
    3     4.0000E-01   1.2602E-01   3.6640E+05   1.2198E-10
    4     1.0000E-05
1                          560 d, second part of sas2h pass to make library
0cell averaged fluxes

0zone   grp. 1      grp. 2      grp. 3
    1 3.89825E-01 1.13679E+00 2.26610E-01
    2 3.95069E-01 1.13809E+00 2.17225E-01
    3 3.98022E-01 1.13838E+00 2.13005E-01
    4 4.15189E-01 1.14066E+00 1.82970E-01
    5 4.13500E-01 1.14041E+00 1.85886E-01
0flux disadvantage factors (zone average/cell average-flux)

0zone   grp. 1      grp. 2      grp. 3
    1 9.42745E-01 9.96824E-01 1.21908E+00
    2 9.55428E-01 9.97966E-01 1.16859E+00
    3 9.62569E-01 9.98225E-01 1.14589E+00
    4 1.00409E+00 1.00022E+00 9.84313E-01
    5 1.00000E+00 1.00000E+00 1.00000E+00
0cell averaged currents

0zone   grp. 1      grp. 2      grp. 3
    1 1.71420E-02 1.82998E-02 6.62971E-03
    2 1.91840E-02 2.57438E-02 1.03446E-02
    3 1.92634E-02 2.22678E-02 1.04427E-02
    4 1.52285E-02 1.62880E-02 3.02171E-03
    5 1.54362E-02 1.65799E-02 3.40798E-03
0zone       volume      vol. fraction

    1    1.2566E+00    4.5623E-02
    2    1.6668E-01    6.0516E-03
    3    6.5826E-01    2.3898E-02
    4    2.5462E+01    9.2442E-01
    5    2.7544E+01    1.0000E+00
-  elapsed time    .03 min.
1   ccccccccccc    ccccccccccc   ww        ww  ppppppppppp   ll            eeeeeeeeeeee
    ccccccccccccc  ccccccccccccc ww        ww  ppppppppppppp  ll            eeeeeeeeeeee
    cc         cc  oo         oo ww        ww  pp         pp  ll            ee
    cc             oo         oo ww        ww  pp         pp  ll            ee
    cc             oo         oo ww        ww  pp         pp  ll            ee
    cc             oo         oo ww        ww  ppppppppppp   ll            eeeeeeeee
    cc             oo         oo ww        ww  ppppppppppp   ll            eeeeeeeee
    cc             oo         oo ww        ww  pp            ll            ee
    cc             oo         oo ww        ww  pp            ll            ee
```



```
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                  program verification information                   *****
                    *****                                                                      *****
                    *****                  code system:    scale  version:    4.2             *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  c0c005                                        *****
                    *****                                                                      *****
                    *****         creation date:  04/27/95                                     *****
                    *****                                                                      *****
                    *****              library:  /neutronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****     this is not a   scale  configuration controlled code             *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****     date of execution:  02/16/96                                     *****
                    *****                                                                      *****
                    *****     time of execution:  10:00:54                                     *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0       -1q array has       1 entries.
0        0q array has       1 entries.
0        0q array has       1 entries.
0        1q array has       1 entries.
0        1q array has       1 entries.
0        1q array has       1 entries.
0        1q array has       1 entries.
0        1q array has       1 entries.
0        2q array has       1 entries.
0         * core allocated to array-data (by -1$$ or default) was   200000 words. *
1          * broad 3-group flux weighting factors *
0
0                  therm =    .5102
0                  res   =    .4194
0                  fast  =   3.2255
0 user requested (see jadd) that only the nuclide transitions presently included in
0 origen library be updated.
1cross sections, available from ampx (normalized to thermal flux), barns

                      10010 to  10020  2.81074E-01
                      10010 tot-cap    2.81074E-01
                      50100 to  40100  2.30587E-02
                      50100 to  10010  2.30587E-02
                      50100 to  40090  3.49785E-03
                      50100 to  10020  3.49785E-03
```

50100	to	30070	3.23223E+03
50100	to	20040	3.23240E+03
50100	to	10030	8.63863E-02
50100	tot-cap		3.23234E+03
50110	to	50100	1.00341E-05
50110	to	50120	4.27805E-03
50110	to	40110	1.28045E-06
50110	to	10010	1.28045E-06
50110	to	40090	1.14267E-05
50110	to	10030	1.14267E-05
50110	to	30080	1.49170E-04
50110	to	20040	1.49170E-04
50110	tot-cap		4.44997E-03
80160	to	80170	1.50153E-04
80160	to	70160	8.77965E-05
80160	to	10010	8.77965E-05
80160	to	70150	1.65583E-05
80160	to	10020	1.65583E-05
80160	to	60130	2.46487E-02
80160	to	20040	2.46487E-02
80160	to	80161	3.85045E-03
80160	tot-cap		2.49032E-02
360830	to	360820	1.99539E-02
360830	to	360810	2.10453E-09
360830	to	360840	1.52183E+02
360830	to	350830	8.20360E-04
360830	to	10010	8.20360E-04
360830	to	350820	6.58364E-06
360830	to	10020	6.58364E-06
360830	to	350810	2.30111E-06
360830	to	10030	2.30111E-06
360830	to	340810	3.72415E-08
360830	to	20030	3.72415E-08
360830	to	340800	4.37489E-05
360830	to	20040	4.37489E-05
360830	tot-cap		1.52204E+02
360850	to	360860	1.37560E+00
360850	tot-cap		1.37560E+00
380900	to	380910	6.23767E-01
380900	tot-cap		6.23767E-01
390890	to	390900	9.75890E-01
390890	tot-cap		9.75890E-01
400930	to	400940	1.28827E+01
400930	tot-cap		1.28827E+01
400940	to	400950	1.79301E-01
400940	tot-cap		1.79301E-01
400950	to	400960	2.13947E+00
400950	tot-cap		2.13947E+00
410940	to	410950	3.72018E+01
410940	tot-cap		3.72018E+01
420950	to	420960	3.72416E+01
420950	tot-cap		3.72416E+01
430990	to	430980	6.04825E-03
430990	to	431000	8.67993E+01
430990	tot-cap		8.68054E+01
441010	to	441020	2.71307E+01
441010	tot-cap		2.71307E+01
441060	to	441070	8.32121E-01
441060	tot-cap		8.32121E-01
451080	to	451020	2.19045E-03

451080 to 451040 3.49009E+02
451080 tot-cap 3.49011E+02
451050 to 451060 8.09421E+03
451050 tot-cap 8.09421E+03
461050 to 461060 3.27097E+01
461050 tot-cap 3.27097E+01
461080 to 461090 6.58777E+01
461080 tot-cap 6.58777E+01
471090 to 471080 5.09575E-03
471090 to 471100 3.58892E+02
471090 to 461090 2.89243E-04
471090 to 10010 2.89243E-04
471090 to 451060 2.38972E-04
471090 to 20040 2.38972E-04
471090 to 471091 6.08942E-01
471090 tot-cap 3.58897E+02
511240 to 511250 1.16768E+01
511240 tot-cap 1.16768E+01
541310 to 541300 6.17635E-02
541310 to 541290 1.29149E-05
541310 to 541320 2.51254E+02
541310 to 531310 3.72901E-05
541310 to 10010 3.72901E-05
541310 to 531300 5.17946E-07
541310 to 10020 5.17946E-07
541310 to 531290 5.31105E-07
541310 to 10030 5.31105E-07
541310 to 521280 1.74336E-05
541310 to 20040 1.74336E-05
541310 tot-cap 2.51316E+02
541320 to 541310 9.97762E-03
541320 to 541300 2.11618E-05
541320 to 541330 8.96878E-01
541320 to 531320 7.62170E-06
541320 to 10010 7.62170E-06
541320 to 531310 3.21580E-07
541320 to 10020 3.21580E-07
541320 to 531300 4.33008E-08
541320 to 10030 4.33008E-08
541320 to 521290 9.37729E-07
541320 to 20040 9.37729E-07
541320 tot-cap 9.06886E-01
541350 to 541360 1.45939E+06
541350 tot-cap 1.45939E+06
541360 to 541350 1.70674E-02
541360 to 541340 5.21279E-05
541360 to 541370 1.21829E-01
541360 to 531360 3.15184E-07
541360 to 10010 3.15184E-07
541360 to 531350 1.17333E-07
541360 to 10020 1.17333E-07
541360 to 531340 2.65076E-08
541360 to 10030 2.65076E-08
541360 to 521330 2.64371E-07
541360 to 20040 2.64371E-07
541360 tot-cap 1.38949E-01
551330 to 551320 7.99233E-03
551330 to 551340 9.87234E+01
551330 to 541330 8.68658E-04
551330 to 10010 8.68658E-04

551330	to 531300	1.36559E-05
551330	to 20040	1.36559E-05
551330	tot-cap	9.87323E+01
551340	to 551350	1.26588E+02
551340	tot-cap	1.26588E+02
551350	to 551360	2.06987E+01
551350	tot-cap	2.06987E+01
551370	to 551380	2.22268E-01
551370	tot-cap	2.22268E-01
561360	to 561370	8.71651E-01
561360	tot-cap	8.71651E-01
571390	to 571400	7.82258E+00
571390	tot-cap	7.82258E+00
581440	to 581450	1.20753E+00
581440	tot-cap	1.20753E+00
591410	to 591400	5.72711E-03
591410	to 591390	1.64554E-06
591410	to 571370	2.46396E-06
591410	to 20040	5.08915E-05
591410	to 581400	1.74672E-05
591410	to 10010	4.97664E-05
591410	to 591420	1.16124E+01
591410	to 581410	4.68908E-05
591410	to 10020	1.45916E-05
591410	to 581390	1.53025E-06
591410	to 10030	1.53025E-06
591410	to 571390	1.47785E-08
591410	to 20030	1.47785E-08
591410	to 571380	4.84276E-05
591410	tot-cap	1.16182E+01
591430	to 591440	9.58312E+01
591430	tot-cap	9.58312E+01
601430	to 601420	8.76411E-02
601430	to 601410	8.94352E-06
601430	to 581390	1.94490E-05
601430	to 20040	5.43945E-04
601430	to 591420	3.74375E-06
601430	to 10010	3.85492E-05
601430	to 601440	1.97699E+02
601430	to 591430	3.71388E-05
601430	to 10020	2.33330E-06
601430	to 591410	3.36227E-06
601430	to 10030	3.36227E-06
601430	to 581410	1.61544E-08
601430	to 20030	1.61544E-08
601430	to 581400	5.24498E-04
601430	tot-cap	1.97788E+02
601450	to 601440	1.12467E-01
601450	to 601430	1.14189E-04
601450	to 581410	8.09596E-06
601450	to 20040	2.02831E-04
601450	to 591440	2.14496E-06
601450	to 10010	1.39538E-05
601450	to 601460	7.63322E+01
601450	to 591450	1.30983E-05
601450	to 10020	1.28959E-06
601450	to 591430	2.03274E-06
601450	to 10030	2.03274E-06
601450	to 581430	4.13866E-09
601450	to 20030	4.13866E-09


601450 to 581420 1.94735E-04
601450 tot-cap 7.64450E+01
601470 to 601480 1.82057E+02
601470 tot-cap 1.82057E+02
611470 to 611460 3.07682E-02
611470 to 611450 9.60014E-05
611470 to 591430 8.52691E-06
611470 to 20040 7.90907E-05
611470 to 601460 1.17661E-05
611470 to 10010 2.68168E-05
611470 to 611480 5.65792E+02
611470 to 601470 2.39051E-05
611470 to 10020 8.85435E-06
611470 to 601450 3.34307E-06
611470 to 10030 3.34307E-06
611470 to 591450 5.02640E-09
611470 to 20030 5.02640E-09
611470 to 591440 7.05638E-05
611470 tot-cap 5.65823E+02
611480 to 611490 1.19245E+04
611480 tot-cap 1.19245E+04
621470 to 621460 8.02674E-02
621470 to 621450 7.22730E-03
621470 to 601430 6.27083E-05
621470 to 20040 1.20681E-03
621470 to 611460 1.45664E-04
621470 to 10010 2.08286E-04
621470 to 621480 2.24593E+02
621470 to 611470 1.83730E-04
621470 to 10020 1.21108E-04
621470 to 611450 1.30043E-04
621470 to 10030 1.30043E-04
621470 to 601450 5.98351E-06
621470 to 20030 5.98351E-06
621470 to 601440 1.14410E-03
621470 to 621471 1.59214E+00
621470 tot-cap 2.24682E+02
621490 to 621480 4.53697E-02
621490 to 621470 3.60249E-05
621490 to 621500 4.49604E+04
621490 to 611490 4.64906E-04
621490 to 10010 4.64906E-04
621490 to 601460 4.64906E-04
621490 to 20040 4.64906E-04
621490 tot-cap 4.49604E+04
621500 to 621510 1.31000E+02
621500 tot-cap 1.31000E+02
621510 to 621500 1.51533E-01
621510 to 621490 1.35559E-04
621510 to 601470 1.52300E-05
621510 to 20040 1.18789E-04
621510 to 611500 1.85620E-06
621510 to 10010 1.44460E-05
621510 to 621520 4.90133E+03
621510 to 611510 1.33119E-05
621510 to 10020 7.22131E-07
621510 to 611490 1.31243E-06
621510 to 10030 1.31243E-06
621510 to 601490 1.35205E-09
621510 to 20030 1.35205E-09


621510 to 601480 1.03553E-04
621510 tot-cap 4.90148E+03
621520 to 621510 1.81528E-02
621520 to 621500 1.22659E-04
621520 to 601480 2.74143E-06
621520 to 20040 1.13869E-05
621520 to 611510 7.86272E-07
621520 to 10010 2.32027E-06
621520 to 621530 7.15683E+02
621520 to 611520 2.06111E-06
621520 to 10020 5.27119E-07
621520 to 611500 1.37091E-07
621520 to 10030 1.37091E-07
621520 to 601500 4.15464E-10
621520 to 20030 4.15464E-10
621520 to 601490 8.64549E-06
621520 tot-cap 7.15702E+02
631530 to 631520 1.76307E-02
631530 to 631510 2.63281E-05
631530 to 611490 4.21162E-05
631530 to 20040 6.08576E-04
631530 to 621520 7.37617E-06
631530 to 10010 6.22333E-05
631530 to 631540 6.01907E+02
631530 to 621530 5.97147E-05
631530 to 10020 4.85759E-06
631530 to 621510 1.08846E-06
631530 to 10030 1.08846E-06
631530 to 611510 2.48821E-08
631530 to 20030 2.48821E-08
631530 to 611500 5.66260E-04
631530 tot-cap 6.01925E+02
631540 to 631530 2.81847E-02
631540 to 631520 1.01245E-05
631540 to 611500 9.84430E-11
631540 to 20040 7.29194E-04
631540 to 621530 2.21619E-06
631540 to 10010 1.18422E-03
631540 to 631550 1.05700E+03
631540 to 621540 1.18422E-03
631540 to 10020 2.21498E-06
631540 to 621520 3.75205E-06
631540 to 10030 3.75205E-06
631540 to 611520 1.59074E-08
631540 to 20030 1.59074E-08
631540 to 611510 7.29194E-04
631540 tot-cap 1.05703E+03
631550 to 631540 2.31407E-02
631550 to 631530 6.47992E-05
631550 to 611510 1.74437E-06
631550 to 20040 8.58506E-06
631550 to 621540 3.53338E-06
631550 to 10010 7.42022E-06
631550 to 631560 2.53912E+03
631550 to 621550 5.70099E-06
631550 to 10020 1.81415E-06
631550 to 621530 6.00547E-07
631550 to 10030 6.00547E-07
631550 to 611530 1.36117E-10
631550 to 20030 1.36117E-10


631550	to 611520	6.84069E-06
631550	tot-cap	2.53915E+03
641550	to 641560	1.68507E+04
641550	tot-cap	1.68507E+04
922340	to 922330	6.06255E-03
922340	fission	4.24957E+00
922340	nu-sigf	1.11695E+01
922340	to 922320	8.79035E-05
922340	to 922350	1.80808E+02
922340	to 922341	2.85447E+00
922340	tot-cap	1.84563E+02
922350	to 922340	2.77011E-02
922350	fission	3.58046E+02
922350	nu-sigf	8.67034E+02
922350	to 922330	2.64796E-05
922350	to 922360	8.43002E+01
922350	to 922351	8.11872E-02
922350	tot-cap	4.42574E+02
922360	to 922350	3.08839E-02
922360	fission	1.82111E+00
922360	nu-sigf	4.99822E+00
922360	to 922340	4.11580E-04
922360	to 922370	7.15549E+01
922360	to 922361	3.12284E+00
922360	tot-cap	7.34073E+01
922380	to 922370	6.16837E-02
922380	fission	9.12398E-01
922380	nu-sigf	2.56852E+00
922380	to 922360	3.98626E-04
922380	to 922390	8.18410E+00
922380	tot-cap	9.15858E+00
932370	to 932360	1.40615E-02
932370	fission	4.92771E+00
932370	nu-sigf	1.48387E+01
932370	to 932350	5.37949E-05
932370	to 932380	2.92721E+02
932370	to 932371	7.31933E-01
932370	tot-cap	2.97663E+02
942380	to 942370	2.26019E-03
942380	fission	2.15714E+01
942380	nu-sigf	6.11386E+01
942380	to 942360	1.26492E-05
942380	to 942390	2.62479E+02
942380	to 942381	2.86197E+00
942380	tot-cap	2.84053E+02
942390	to 942380	1.19752E-02
942390	fission	8.43174E+02
942390	nu-sigf	2.42426E+03
942390	to 942370	2.03645E-05
942390	to 942360	2.01876E-08
942390	to 942400	4.73873E+02
942390	tot-cap	1.31706E+03
942400	to 942390	5.62889E-03
942400	fission	5.63826E+00
942400	nu-sigf	1.76464E+01
942400	to 942380	5.49290E-05
942400	to 942410	1.61630E+03
942400	tot-cap	1.62194E+03
942410	to 942400	7.11470E-02
942410	fission	8.93907E+02


```
                942410 nu-sigf    2.62283E+03
                942410 to 942390  1.17533E-04
                942410 to 942420  2.95295E+02
                942410 tot-cap    1.18727E+03
                942420 to 942410  2.29460E-02
                942420 fission    4.27076E+00
                942420 nu-sigf    1.33775E+01
                942420 to 942400  2.78960E-04
                942420 to 942430  3.21212E+02
                942420 tot-cap    3.25506E+02
                952410 fission    1.21625E+01
                952410 nu-sigf    3.92645E+01
                952410 to 952420  1.01112E+03
                952410 tot-cap    1.02328E+03
                952430 fission    3.29622E+00
                952430 nu-sigf    1.10803E+01
                952430 to 952440  4.07930E+02
                952430 tot-cap    4.11227E+02
                962440 to 962430  5.51456E-03
                962440 fission    1.47615E+01
                962440 nu-sigf    4.96557E+01
                962440 to 962420  5.49934E-05
                962440 to 962450  1.36322E+02
                962440 to 962441  3.65043E+00
                962440 tot-cap    1.51089E+02
Othe reaction   50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
Othe reaction   50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
Othe reaction   50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                        in the search of library number 3
Othe reaction   50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
Othe reaction   80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
Othe reaction  621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
Othe fission product transitions for  922340 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction  922340 to 922341 was not used, because  922341 is not in library., (in subr pool)
Othe reaction  922350 to 922351 was not used, because  922351 is not in library., (in subr pool)
Othe fission product transitions for  922360 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction  922360 to 922361 was not used, because  922361 is not in library., (in subr pool)
Othe fission product transitions for  952370 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction  952370 to 952371 was not used, because  952371 is not in library., (in subr pool)
Othe fission product transitions for  942380 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction  942380 to 942381 was not used, because  942381 is not in library., (in subr pool)
Othe fission product transitions for  942400 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe fission product transitions for  942420 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe fission product transitions for  952410 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
```


```
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952430 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  962440 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  962440 to 962441 was not used, because  962441 is not in library., (in subr pool)
1
0                          case completed.  date,   2/16/1996
0 * normal termination *
```












```
*****************************************************************
*****************************************************************
*****************************************************************
*****                                                       *****
*****                program verification information       *****
*****                                                       *****
*****              code system:  scale  version:  4.2       *****
*****                                                       *****
*****************************************************************
*****************************************************************
*****                                                       *****
*****                                                       *****
*****           program:  c0c004                            *****
*****                                                       *****
*****      creation date:  04/27/95                         *****
*****                                                       *****
*****           library:  /nautronics/scale/exe             *****
*****                                                       *****
*****                                                       *****
*****  this is not a  scale  configuration controlled code  *****
*****                                                       *****
*****           jobname:  davis                             *****
*****                                                       *****
*****  date of execution:  02/16/96                         *****
*****                                                       *****
*****  time of execution:  10:00:54                         *****
*****                                                       *****
*****                                                       *****
*****************************************************************
*****************************************************************
*****************************************************************
```

```
 -1q array has     1 entries.
  0q array has     1 entries.
  0q array has     1 entries.
  0q array has     1 entries.
  0q array has     1 entries.
```

```
0       dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0          short-lived split test fraction, qm =    9.1188E-04
0          half-norm of matrix used, awn =    7.0000E+00
0          4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

         cross-section data taken from position number  1 of library on unit 15.

         pass  4
         pass  1
         pass  0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         pass  1
         pass  0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         ************************************************************************
         *                                                                      *
         *          prelim lwr origen-s binary working library--id = 1143       *
         *        made from modified card-image origen-s libraries of scale 4.2 *
         *      data from the light element, actinide, and fission product libraries *
         *        decay data, including gamma and total energy, are from endf/b-vi *
         *                                                                      *
         *      neutron flux spectrum factors and cross sections were produced from *
         *     the "presas2" case updating all nuclides on the scale "burnup" library *
         *                                                                      *
         *                  fission product yields are from endf/b-v            *
         *                                                                      *
         *             photon libraries use an 18-energy-group structure        *
         *            the photon data are from the master photon data base,     *
         *             produced to include bremsstrahlung from ua2 matrix       *
         *                                                                      *
         *        see information above this box (if present) for later updates *
         *                                                                      *
         ************************************************************************
         *                                                                      *
0        ************************************************************************
0                .other identification and sizes of library.
0                 data set name:  ft15f001
0               2/16/1996    date library was produced
0                   1697    total number of nuclides in library
                     689    number of light-element nuclides
                     129    number of actinide nuclides
                     879    number of fission product nuclides
0                   7935    number of nonzero off-diagonal matrix elements
0        ************************************************************************
1
```

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 1
power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.61E+13n/cm**2-sec

0 nuclide concentrations, gram atoms
basis = converted to atoms/(barn-cm)

	charge	520.0 d	560.0 d	600.0 d	640.0 d	640.1 d	680.1 d	720.1 d
he 4	4.44E-09	5.87E-09	7.66E-09	9.90E-09	1.27E-08	1.27E-08	1.60E-08	2.00E-08
u230	2.18E-21	2.67E-21	3.19E-21	3.75E-21	4.39E-21	4.38E-21	5.10E-21	5.89E-21
u231	4.75E-20	5.79E-20	6.77E-20	7.86E-20	9.08E-20	9.04E-20	1.04E-19	1.19E-19
u232	6.36E-13	7.56E-13	8.91E-13	1.04E-12	1.21E-12	1.21E-12	1.40E-12	1.61E-12
u233	2.43E-11	2.60E-11	2.76E-11	2.92E-11	3.07E-11	3.07E-11	3.21E-11	3.34E-11
u234	4.95E-06	4.90E-06	4.85E-06	4.80E-06	4.75E-06	4.75E-06	4.70E-06	4.66E-06
u235	5.15E-04	5.02E-04	4.90E-04	4.78E-04	4.67E-04	4.67E-04	4.56E-04	4.44E-04
u236	3.55E-05	3.77E-05	3.99E-05	4.20E-05	4.40E-05	4.40E-05	4.60E-05	4.79E-05
u237	5.10E-08	5.41E-08	5.62E-08	5.83E-08	6.03E-08	6.02E-08	6.23E-08	6.43E-08
u238	2.19E-02	2.19E-02	2.19E-02	2.19E-02	2.19E-02	2.19E-02	2.19E-02	2.19E-02
u239	2.52E-09	5.85E-09	5.84E-09	5.85E-09	5.85E-09	1.97E-09	5.85E-09	5.86E-09
u240	.00E+00	7.72E-35	1.71E-34	3.56E-34	7.05E-34	7.05E-34	1.34E-33	2.43E-33
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	1.80E-14	2.17E-14	2.57E-14	2.99E-14	3.45E-14	3.45E-14	3.94E-14	4.46E-14
np236m	2.94E-14	3.49E-14	3.87E-14	4.27E-14	4.67E-14	4.59E-14	5.09E-14	5.52E-14
np236	1.54E-12	1.88E-12	2.27E-12	2.69E-12	3.15E-12	3.15E-12	3.66E-12	4.21E-12
np237	1.60E-06	1.79E-06	1.98E-06	2.19E-06	2.39E-06	2.39E-06	2.60E-06	2.82E-06
np238	1.94E-09	2.21E-09	2.45E-09	2.70E-09	2.96E-09	2.94E-09	3.23E-09	3.50E-09
np239	8.23E-07	8.44E-07	8.44E-07	8.44E-07	8.44E-07	8.42E-07	8.45E-07	8.46E-07
np240m	.00E+00	6.59E-37	1.46E-36	3.04E-36	6.02E-36	6.02E-36	1.14E-35	2.08E-35
np240	1.04E-11	1.48E-11	1.48E-11	1.49E-11	1.49E-11	9.84E-12	1.49E-11	1.49E-11
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.85E-12	2.29E-12	2.74E-12	3.22E-12	3.75E-12	3.75E-12	4.31E-12	4.92E-12
pu237	1.37E-13	1.52E-13	1.67E-13	1.81E-13	1.95E-13	1.95E-13	2.09E-13	2.23E-13
pu238	1.23E-07	1.49E-07	1.78E-07	2.10E-07	2.46E-07	2.46E-07	2.84E-07	3.26E-07
pu239	7.50E-05	7.93E-05	8.32E-05	8.69E-05	9.04E-05	9.04E-05	9.36E-05	9.65E-05
pu240	9.39E-06	1.05E-05	1.17E-05	1.29E-05	1.40E-05	1.40E-05	1.51E-05	1.62E-05
pu241	3.61E-06	4.22E-06	4.90E-06	5.62E-06	6.40E-06	6.40E-06	7.22E-06	8.09E-06
pu242	2.08E-07	2.68E-07	3.37E-07	4.17E-07	5.07E-07	5.07E-07	6.09E-07	7.24E-07
pu243	2.52E-11	3.55E-11	4.47E-11	5.53E-11	6.74E-11	6.18E-11	8.10E-11	9.64E-11
pu244	1.64E-24	3.84E-24	8.49E-24	1.77E-23	3.51E-23	3.51E-23	6.65E-23	1.21E-22
pu245	1.14E-30	2.74E-30	6.06E-30	1.27E-29	2.51E-29	2.41E-29	4.76E-29	8.69E-29
pu246	.00E+00	9.00E-33	2.10E-32	4.46E-32	8.99E-32	8.98E-32	1.73E-31	3.20E-31
am239	8.99E-19	1.23E-18	1.53E-18	1.88E-18	2.27E-18	2.19E-18	2.71E-18	3.20E-18
am240	3.96E-16	5.29E-16	6.62E-16	8.13E-16	9.83E-16	9.75E-16	1.17E-15	1.38E-15
am241	5.98E-08	7.67E-08	9.59E-08	1.18E-07	1.42E-07	1.42E-07	1.69E-07	1.99E-07
am242m	9.19E-10	1.24E-09	1.62E-09	2.08E-09	2.61E-09	2.61E-09	3.21E-09	3.90E-09
am242	6.65E-11	8.66E-11	1.08E-10	1.33E-10	1.61E-10	1.56E-10	1.92E-10	2.26E-10
am243	9.57E-09	1.36E-08	1.86E-08	2.49E-08	3.26E-08	3.26E-08	4.18E-08	5.28E-08
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	3.12E-12	4.65E-12	6.39E-12	8.55E-12	1.12E-11	1.07E-11	1.44E-11	1.82E-11
am245	1.05E-28	2.48E-28	5.45E-28	1.13E-27	2.21E-27	2.21E-27	4.14E-27	7.47E-27
am246	.00E+00	2.25E-35	5.24E-35	1.11E-34	2.25E-34	2.25E-34	4.33E-34	8.00E-34
cm241	2.56E-19	4.04E-19	6.01E-19	8.61E-19	1.20E-18	1.19E-18	1.62E-18	2.14E-18
cm242	4.63E-09	6.30E-09	8.35E-09	1.08E-08	1.37E-08	1.37E-08	1.70E-08	2.09E-08
cm243	3.84E-11	5.72E-11	8.22E-11	1.14E-10	1.55E-10	1.55E-10	2.05E-10	2.65E-10
cm244	4.58E-10	7.10E-10	1.06E-09	1.54E-09	2.16E-09	2.16E-09	2.97E-09	3.99E-09
cm245	5.42E-12	9.12E-12	1.47E-11	2.27E-11	3.39E-11	3.39E-11	4.94E-11	7.01E-11
cm246	1.18E-13	2.15E-13	3.73E-13	6.23E-13	1.00E-12	1.00E-12	1.56E-12	2.37E-12
cm247	4.36E-16	8.72E-16	1.64E-15	2.94E-15	5.06E-15	5.06E-15	8.40E-15	1.35E-14

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 2
power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.61E+13n/cm**2-sec

0 nuclide concentrations, gram atoms
basis = converted to atoms/(barn-cm)


```
            charge   520.0 d  560.0 d  600.0 d  640.0 d  640.1 d  680.1 d  720.1 d
    cm248  7.07E-18 1.55E-17 3.16E-17 6.13E-17 1.13E-16 1.13E-16 2.01E-16 3.44E-16
    cm249  3.31E-23 1.01E-22 2.06E-22 3.99E-22 7.39E-22 4.96E-22 1.31E-21 2.25E-21
    cm250  4.02E-27 9.57E-27 2.13E-26 4.45E-26 8.84E-26 8.84E-26 1.68E-25 3.07E-25
    cm251   .00E+00 2.28E-34 5.06E-34 1.06E-33 2.11E-33 4.61E-34 4.01E-33 7.33E-33
   totals  2.26E-02 2.26E-02 2.26E-02 2.25E-02 2.25E-02 2.25E-02 2.25E-02 2.25E-02
0   flux            1.60E+13 1.60E+13 1.60E+13 1.61E+13  .00E+00 1.61E+13 1.61E+13
0 .results on logical unit no. 71, position  1, for time step  7, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position  2, for time step  5, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position  3, for time step  4, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0    .terminated logical unit no. 71 with zero flag record.
1 * normal termination of execution *
0                                table of contents for material tables
0                                  case or subcase printed     page

                                                 1              1
0ndset          33
          15          4          1         27          6          0          0          0          0          0
           0          0          0          0          0          0         -1       1698        650        130
         880       7935          0          5         99          2         16         96         18         18
          18          0         71
0      56q array has      2 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      57q array has      3 entries.
0       1q array has     20 entries.
0       1q array has     10 entries.
    l90  97376
    l116  60826
    l32  33663 nudata (library) storage size
    l44  33734
    l103  75953
0      58q array has      4 entries.
0      60q array has      7 entries.
0      58q array has      7 entries.
0      66q array has      1 entries.
0      73q array has   1697 entries.
0      74q array has   1697 entries.
0      75q array has   1697 entries.
    l140  66991
    used  101044 in size  200000
0jqpt           12
          0          0          0          0          0          0          0          0          0          0
          0          0
0therm          4
 5.102450E-01 4.194440E-01 3.225492E+00 1.000000E-31
0non            5
       7935         20          6         18       1697
0mm            19
          7          7          0          0          1          1          0          0          0          0
         21        100       1697          4          3         74          4          1          0
0tconst         5
 8.640000E+04 4.800385E+02  .000000E+00  .000000E+00 1.000000E-08
```

```
 0mzero          4
          0        689        129        879
 0pow            3
    .000000E+00  .000000E+00  .000000E+00
 0 lirp          9
          6          0         51         26          2       3000       1000       1697         94
  n-gamma, fission and total mev/fission =            6.1975E+00    1.9583E+02    2.0208E+02
  start of interval flux =          1.60283E+13
  n-gamma, fission and total mev/fission =            6.2896E+00    1.9595E+02    2.0222E+02
  start of interval flux =          1.60309E+13
  n-gamma, fission and total mev/fission =            6.3902E+00    1.9602E+02    2.0241E+02
  start of interval flux =          1.60378E+13
  n-gamma, fission and total mev/fission =            6.4906E+00    1.9612E+02    2.0261E+02
  start of interval flux =          1.60502E+13
  start of interval flux =           .00000E+00
  n-gamma, fission and total mev/fission =            6.6029E+00    1.9621E+02    2.0281E+02
  start of interval flux =          1.60661E+13
  n-gamma, fission and total mev/fission =            6.6899E+00    1.9629E+02    2.0298E+02
  start of interval flux =          1.60891E+13
 0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
 0       56q array has     20 entries.
 0       56q array has      1 entries.
 0       56q array has      1 entries.
 0       56q array has     20 entries.
 0       56q array has      1 entries.
 0       56q array has      1 entries.
 0       56q array has     20 entries.
 0       56q array has     20 entries.
 0requested parm=halt8,skipcellwt,skipshipdata
   pass= 5, exec halts after pass  8
 1  bbbbbbbbbb     cccccccccc   m        m                aaaaaaaa    mm        mm iiiiiiiiiii    zzzzzzzzz
    bbbbbbbbbbb   ccccccccccc   mm       m               aaaaaaaaaa   mmm       mm iiiiiiiiiii   zzzzzzzzzz
    bb       bb  cc       cc   mmm      m              aa        aa  mmmm     mmmm     ii          22      22
    bb       bb  cc       cc   mm m     m              aa        aa  mm mm   mm mm     ii                  22
    bb       bb  cc       cc   m  m     m              aa        aa  mm  mm mm  mm     ii                  22
    bbbbbbbbbb   cc       cc   m   m    m ----------    aaaaaaaaaaaa  mm   mmm   mm     ii                22
    bbbbbbbbbb   cc       cc   m    m   m ----------    aaaaaaaaaaaa  mm    m    mm     ii              22
    bb       bb  cc       cc   m     m  m              aa        aa  mm          mm     ii            22
    bb       bb  cc       cc   m      m m              aa        aa  mm          mm     ii          22
    bb       bb  cc       cc   m       mm              aa        aa  mm          mm     ii        22
    bbbbbbbbbbb   ccccccccccc   m        m              aa        aa  mm          mm iiiiiiiiiii  zzzzzzzzzz
    bbbbbbbbbb     cccccccccc   m        m              aa        aa  mm          mm iiiiiiiiiii  zzzzzzzzzz
 0

    ddddddddddd     aaaaaaaa    w        w iiiiiiiiiii   sssssssssss
    ddddddddddd    aaaaaaaaaa   w        w iiiiiiiiiii  ssssssssssss
    dd       dd   aa        aa  w        w     ii       ss        ss
    dd       dd   aa        aa  w        w     ii       ss
    dd       dd   aa        aa  w        w     ii       ss
    dd       dd   aaaaaaaaaaaa  w        w     ii       ssssssssssss
    dd       dd   aaaaaaaaaaaa   w      w      ii        ssssssssssss
    dd       dd   aa        aa    w    w       ii                ss
    dd       dd   aa        aa     w  w        ii                ss
    dd       dd   aa        aa      ww         ii       ss       ss
    ddddddddddd   aa        aa      ww     iiiiiiiiiii  ssssssssssss
    ddddddddddd   aa        aa       v     iiiiiiiiiii   sssssssssss
 0

      0000000     2222222222          //       11       666666666666          //  999999999999   666666666666
     00000000     2222222222          //      111       666666666666          //  999999999999   666666666666
```



program verification information

code system: scale version: 4.2

program: c0c008

creation date: 04/27/95

library: /neutronics/scale/exe

```
                    *****                                                  *****
                    *****   this is not a  scale  configuration controlled code  *****
                    *****                                                  *****
                    *****            jobname:  davis                       *****
                    *****                                                  *****
                    *****   date of execution:  02/16/96                   *****
                    *****                                                  *****
                    *****   time of execution:  10:00:59                   *****
                    *****                                                  *****
                    *****                                                  *****
                    ************************************************************
                    ************************************************************
                    ************************************************************
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library   0
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       66
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0isscpt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     66 entries.
0       4q array has     66 entries.
0       5q array has     66 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     66 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        1    92235   4.44493E-04           92235
    2        1    92234   4.65639E-06           92234
    3        1    92236   4.78943E-05           92236
    4        1    92238   2.18734E-02           92238
    5        1     8016   4.55359E-02            8016
    6        3     8016   2.09710E-02               6
    7        1    36083   1.21060E-06           36083
    8        1    36085   5.82772E-07           36085
    9        1    38090   1.32013E-05           38090
   10        1    39089   1.02024E-05           39089
   11        1    42095   1.31680E-05           42095
   12        1    40093   1.05725E-05           40093
   13        1    40094   1.62229E-05           40094
   14        1    40095   2.03583E-06           40095
   15        1    41094   7.53797E-12           41094
   16        1    43099   1.58444E-05           43099
   17        1    45103   8.51543E-06           45103
```

18	1	45105	2.07139E-08	45105
19	1	44101	1.42308E-05	44101
20	1	44106	2.14911E-06	44106
21	1	46105	5.27789E-06	46105
22	1	46108	1.39336E-06	46108
23	1	47109	9.89759E-07	47109
24	1	51124	2.30439E-10	51124
25	1	54131	7.31080E-06	54131
26	1	54132	1.32259E-05	54132
27	1	54135	6.67573E-09	54135
28	1	54136	2.70586E-05	54136
29	1	55134	6.68995E-07	55134
30	1	55135	8.57012E-06	55135
31	1	55137	1.68757E-05	55137
32	1	56136	1.31478E-07	56136
33	1	57139	1.67362E-05	57139
34	1	59141	1.43133E-05	59141
35	1	59143	3.77677E-07	59143
36	1	58144	6.39792E-06	58144
37	1	60143	1.33774E-05	60143
38	1	60145	9.77101E-06	60145
39	1	61147	3.64313E-06	61147
40	1	61148	1.04656E-08	61148
41	1	60147	1.30684E-07	60147
42	1	62147	1.01929E-06	62147
43	1	62149	8.40493E-08	62149
44	1	62150	3.35633E-06	62150
45	1	62151	3.68860E-07	62151
46	1	62152	1.63140E-06	62152
47	1	64155	1.63702E-09	64155
48	1	63153	9.03257E-07	63153
49	1	63154	1.63879E-07	63154
50	1	63155	9.91552E-08	63155
51	2	40302	4.25156E-02	40302
52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	1.73735E-05	55133
56	1	95237	2.81758E-06	95237
57	1	94238	3.26250E-07	94238
58	1	94239	9.65273E-05	94239
59	1	94240	1.62385E-05	94240
60	1	94241	8.08937E-06	94241
61	1	94242	7.23719E-07	94242
62	1	95241	1.99179E-07	95241
63	1	95243	5.27834E-08	95243
64	1	96244	3.99487E-09	96244
65	1	999	1.00000E-20	999
66	4	999	1.00000E-20	66

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	1	4.68122E-01	9.75000E+02	9.05844E-01	0
2	4	4.78790E-01	2.93000E+02	5.49010E-01	0
3	2	5.46100E-01	6.50000E+02	.00000E+00	0
4	3	8.13968E-01	6.07600E+02	.00000E+00	0

7711 locations of 200000 available are required to make a new master containing the self-shielded values

Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

Ocopy 999 1/v cross sectio from log 12 to log 18 bondarenko trigger 0

Ocopy 999 1/v cross sectio from log 18 to log 1 bondarenko trigger 0

Ocopy 999 1/v cross sectio from log 18 to log 1 bondarenko trigger 0


```
0copy    1001  hydrogen          from log 12 to log  1   bondarenko trigger 0
0copy    5010  b-10 1273 218ngp  from log 12 to log  1   bondarenko trigger 0
0copy    5011  boron-11          from log 12 to log  1   bondarenko trigger 0
0copy    8016  oxygen-16         from log 12 to log 18   bondarenko trigger 0
0copy    8016  oxygen-16         from log 18 to log  1   bondarenko trigger 0
0copy    8016  oxygen-16         from log 18 to log  1   bondarenko trigger 0
0copy   36083  kr-83             from log 12 to log  1   bondarenko trigger 0
0copy   36085  kr-85             from log 12 to log  1   bondarenko trigger 0
0copy   38090  sr-90             from log 12 to log  1   bondarenko trigger 0
0copy   39089   y-89             from log 12 to log  1   bondarenko trigger 0
0copy   40093  zr-93             from log 12 to log  1   bondarenko trigger 0
0copy   40094  zr-94             from log 12 to log  1   bondarenko trigger 0
0copy   40095  zr-95             from log 12 to log  1   bondarenko trigger 0
0copy   40302  zircalloy         from log 12 to log  1   bondarenko trigger 0
0copy   41094  nb-94             from log 12 to log  1   bondarenko trigger 0
0copy   42095  mo-95             from log 12 to log  1   bondarenko trigger 0
0copy   43099  tc-99             from log 12 to log  1   bondarenko trigger 0
0copy   44101  ru-101            from log 12 to log  1   bondarenko trigger 0
0copy   44106  ru-106            from log 12 to log  1   bondarenko trigger 0
0copy   45103  rh-103            from log 12 to log  1   bondarenko trigger 0
0copy   45105  rh-105            from log 12 to log  1   bondarenko trigger 0
0copy   46105  pd-105            from log 12 to log  1   bondarenko trigger 0
0copy   46108  pd-108            from log 12 to log  1   bondarenko trigger 0
0copy   47109  silver-109        from log 12 to log  1   bondarenko trigger 0
0copy   51124  sb-124            from log 12 to log  1   bondarenko trigger 0
0copy   54131  xe-131            from log 12 to log  1   bondarenko trigger 0
0copy   54132  xe-132            from log 12 to log  1   bondarenko trigger 0
0copy   54135  xenon-135         from log 12 to log  1   bondarenko trigger 0
0copy   54136  xe-136            from log 12 to log  1   bondarenko trigger 0
0copy   55133  cesium-133        from log 12 to log  1   bondarenko trigger 0
0copy   55134  cs-134            from log 12 to log  1   bondarenko trigger 0
0copy   55135  cs-135            from log 12 to log  1   bondarenko trigger 0
0copy   55137  cs-137            from log 12 to log  1   bondarenko trigger 0
0copy   56136  ba-136            from log 12 to log  1   bondarenko trigger 0
0copy   57139  la-139            from log 12 to log  1   bondarenko trigger 0
0copy   58144  ce-144            from log 12 to log  1   bondarenko trigger 0
0copy   59141  pr-141            from log 12 to log  1   bondarenko trigger 0
0copy   59143  pr-143            from log 12 to log  1   bondarenko trigger 0
0copy   60143  nd-143            from log 12 to log  1   bondarenko trigger 0
0copy   60145  nd-145            from log 12 to log  1   bondarenko trigger 0
0copy   60147  nd-147            from log 12 to log  1   bondarenko trigger 0
0copy   61147  pm-147            from log 12 to log  1   bondarenko trigger 0
0copy   61148  pm-148            from log 12 to log  1   bondarenko trigger 0
0copy   62147  sm-147            from log 12 to log  1   bondarenko trigger 0
0copy   62149  sm-149            from log 12 to log  1   bondarenko trigger 0
0copy   62150  sm-150            from log 12 to log  1   bondarenko trigger 0
0copy   62151  sm-151            from log 12 to log  1   bondarenko trigger 0
0copy   62152  sm-152            from log 12 to log  1   bondarenko trigger 0
0copy   63153  eu-153            from log 12 to log  1   bondarenko trigger 0
0copy   63154  eu-154            from log 12 to log  1   bondarenko trigger 0
0copy   63155  eu-155            from log 12 to log  1   bondarenko trigger 0
0copy   64155  gd-155            from log 12 to log  1   bondarenko trigger 0
0copy   92234  u-234 1043 sigo=  from log 12 to log  1   bondarenko trigger 0
0copy   92235  uranium-235       from log 12 to log  1   bondarenko trigger 0
0copy   92236  u-236 1163 sigo=  from log 12 to log  1   bondarenko trigger 0
0copy   92238  uranium-238       from log 12 to log  1   bondarenko trigger 0
0copy   93237  neptunium-237     from log 12 to log  1   bondarenko trigger 0
0copy   94238  pu-238 1050 sigo  from log 12 to log  1   bondarenko trigger 0
0copy   94239  plutonium-239     from log 12 to log  1   bondarenko trigger 0
0copy   94240  plutonium-240     from log 12 to log  1   bondarenko trigger 0
```

```
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigp from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1    scale 4.2 - 27 group neutron burnup library
       based on endf-b version 4 data with endf-b version 5 fission products
          compiled for nrc     1/27/89
             last updated      9/16/93
                l.m.petrie  -  ornl
        tape id                          4321        number of nuclides          66
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                  table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                    id   999
      1/v cross sections normalized to 1.0 at 0.0253 ev                    id    66
       hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89      id  1001
      b-10 1273 218grp 042375 p-3 293k                                     id  5010
       boron-11       endf/b-iv mat 1160            updated 10/13/89      id  5011
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id  8016
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89      id     6
       kr-83          mt=102,103,103,105,106,107    updated 10/13/89      id 36083
       kr-85            mt=  102                                           id 36085
       sr-90          mt=102                        updated 10/13/89      id 38090
        y-89          mt=102                        updated 10/13/89      id 39089
       zr-93            mt=  102                                           id 40093
       zr-94          mt=102                        updated 10/13/89      id 40094
       zr-95          mt=102                        updated 10/13/89      id 40095
       zircalloy      endf/b-iv mat 1284            updated 10/13/89      id 40302
       nb-94          mt=102                        updated 10/13/89      id 41094
       mo-95          mt=102                        updated 10/13/89      id 42095
       tc-99          mt=102                        updated 10/13/89      id 43099
       ru-101         mt=102                        updated 10/13/89      id 44101
       ru-106         mt=102                        updated 10/13/89      id 44106
       rh-103         mt=102                        updated 10/13/89      id 45103
       rh-105           mt=  102                                           id 45105
       pd-105         mt=102                        updated 10/13/89      id 46105
       pd-108         mt=102                        updated 10/13/89      id 46108
       silver-109     endf/b-iv mat 1139            updated 10/13/89      id 47109
       sb-124         mt=102                        updated 10/13/89      id 51124
       xe-131         mt=102,103,104,105,106        updated 10/13/89      id 54131
       xe-132         mt=102,103,104,105,106        updated 10/13/89      id 54132
       xenon-135      endf/b-iv mat 1294            updated 10/13/89      id 54135
       xe-136           mt=  102, 103, 104, 105, 107                       id 54136
       cesium-133     endf/b-iv mat 1141            updated 10/13/89      id 55133
       cs-134         mt=102                        updated 10/13/89      id 55134
       cs-135           mt=  102                                           id 55135
       cs-137         mt=102                        updated 10/13/89      id 55137
       ba-136         mt=102                        updated 10/13/89      id 56136
       la-139         mt=102                        updated 10/13/89      id 57139
       ce-144           mt=  102                                           id 58144
       pr-141         mt=102,103,104,105,106,107    updated 10/13/89      id 59141
       pr-143         mt=102                        updated 10/13/89      id 59143
       nd-143         mt=102                        updated 10/13/89      id 60143
       nd-145         mt=102                        updated 10/13/89      id 60145
       nd-147         mt=102                        updated 10/13/89      id 60147
       pm-147         mt=102                        updated 10/13/89      id 61147
       pm-148           mt=  102                                           id 61148
       sm-147         endf/b-v fission product      updated 10/13/89      id 62147
       sm-149         mt=102,103,107                updated 10/13/89      id 62149
```

```
        sm-150        mt=102                          updated 10/13/89              id    62150
        sm-151        mt=102,103,104,105,106,107      updated 10/13/89              id    62151
        sm-152        mt=102,103,104,105,106,107      updated 10/13/89              id    62152
        eu-153        mt=102,103,104,105,106,107      updated 10/13/89              id    63153
        eu-154        mt=102,103,104,105,106,107      updated 10/13/89              id    63154
        eu-155        mt=102,103,104,105,106,107      updated 10/13/89              id    63155
        gd-155        mt=102                          updated 10/13/89              id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         id    92234
        uranium-235   endf/b-iv mat 1261              updated 10/13/89              id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         id    92236
        uranium-238   endf/b-iv mat 1262              updated 10/13/89              id    92238
        neptunium-237 endf/b-iv mat 1263              updated 10/13/89              id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                        id    94238
        plutonium-239 endf/b-iv mat 1264              updated 10/13/89              id    94239
        plutonium-240 endf/b-iv mat 1265              updated 10/13/89              id    94240
        plutonium-241 endf/b-iv mat 1266              updated 10/13/89              id    94241
        plutonium-242 endf/b-iv mat 1161              updated 10/13/89              id    94242
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                               id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                id    95243
        curium-244    endf/b-iv mat 1162              updated 10/13/89              id    96244
0        tape copy used      0 i/o's, and took     .00 seconds
1
                m         m  iiiiiiiiiiii   ttttttttttttt     aaaaaaaa    ww          ww  ll
                mm        m  iiiiiiiiiiii   ttttttttttttt    aaaaaaaaaa   ww          ww  ll
                mm        m      ii             tt         aa        aa   ww          ww  ll
                m m       m      ii             tt         aa        aa   ww          ww  ll
                m  m      m      ii             tt         aa        aa   ww          ww  ll
                m   m     m      ii             tt         aaaaaaaaaaaa   ww    w     ww  ll
                m    m    m      ii             tt         aaaaaaaaaaaa   ww   www    ww  ll
                m     m   m      ii             tt         aa        aa   ww ww ww    ww  ll
                m      m  m      ii             tt         aa        aa   ww ww  ww   ww  ll
                m       mm       ii             tt         aa        aa   wwww    wwww   ll
                m        m  iiiiiiiiiiii       tt         aa        aa   www      www   llllllllllll
                m        m  iiiiiiiiiiii       tt         aa        aa   ww        ww   llllllllllll
0

   ddddddddddd    aaaaaaaa    w         w  iiiiiiiiiii   sssssssss
   ddddddddddddd  aaaaaaaaaa  w         w  iiiiiiiiiii   sssssssssss
   dd        dd  aa        aa w         w     ii        ss       ss
   dd        dd  aa        aa w         w     ii        ss
   dd        dd  aa        aa w         w     ii        ss
   dd        dd  aaaaaaaaaaaa w         w     ii        sssssssssss
   dd        dd  aaaaaaaaaaaa  w       w      ii         sssssssssss
   dd        dd  aa        aa   w     w       ii               ss
   dd        dd  aa        aa    w   w        ii               ss
   dd        dd  aa        aa     w w         ii        ss     ss
   ddddddddddd   aa        aa      ww     iiiiiiiiiii  sssssssssss
   ddddddddddd   aa        aa       v     iiiiiiiiiii   sssssssss
0

     000000    2222222222          //      11     6666666666        //  999999999   6666666666
   00000000   22222222222         //      111     6666666666      //   99999999999 6666666666
  00      00  22        22        //     1111     66             //    99      99  66
 00        00         22        //       11     66            //     99      99  66
 00        00        22        //        11     66           //      99      99  66
 00        00      22         //         11     6666666666  //       999999999   6666666666
 00        00    22          //          11     66666666666 //         99999999   66666666666
 00        00  22           //           11     66      66  //               99  66      66
  00      00  22          //            11     66      66  //               99  66      66
   00000000   2222222222  //            11     66      66  //               99  66      66
     000000   2222222222  //            11     6666666666  //        999999999  6666666666
```


0
1
0
program verification information
code system: scale version: 4.2
program: c0c002
creation date: 04/27/95
library: /neutronics/scale/exe
this is not a scale configuration controlled code
jobname: davis
date of execution: 02/16/96
time of execution: 10:01:00

```
                    *****                                                                *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0       -1q array has       1 entries.
0        0q array has       9 entries.
0        1q array has      12 entries.
0select 65 nuclides from the master  library on logical  1
        0 nuclides from the working library on logical  2
        0 nuclides from the working library on logical  3
          to create the new working library on logical  4

       61 resonance calculations have been requested
        0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      65 entries.
0        3q array has     915 entries.
0        4q array has      65 entries.
0 general information concerning cross section library
    tape identification number                4321
    number of nuclides on tape                  66
    number of neutron energy groups             27
    first thermal neutron energy group          15
    number of gamma energy groups                0
0   direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape  4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                            compiled for nrc      1/27/89
                              last updated       9/16/93
                                l.m.petrie   -    ornl
0 nuclides from xsdrn tape
     1    1/v cross sections normalized to 1.0 at 0.0253 ev                                  999
     2     hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89                  1001
     3    b-10 1273 218ngp 042375 p-3 293k                                                  5010
     4     boron-11       endf/b-iv mat 1160             updated 10/13/89                  5011
     5     oxygen-16      endf/b-iv mat 1276             updated 10/13/89                  8016
     6     oxygen-16      endf/b-iv mat 1276             updated 10/13/89                     6
     7     kr-83          mt=102,103,103,105,106,107     updated 10/13/89                 36083
     8     kr-85            mt=  102                                                       36085
     9     sr-90          mt=102                         updated 10/13/89                  38090
    10      y-89          mt=102                         updated 10/13/89                  39089
    11     zr-93            mt=  102                                                       40093
    12     zr-94          mt=102                         updated 10/13/89                  40094
    13     zr-95          mt=102                         updated 10/13/89                  40095
    14     zircalloy      endf/b-iv mat 1284             updated 10/13/89                  40802
    15     rb-94          mt=102                         updated 10/13/89                  41094
    16     mo-95          mt=102                         updated 10/13/89                  42095
    17     tc-99          mt=102                         updated 10/13/89                  43099
    18     ru-101         mt=102                         updated 10/13/89                  44101
    19     ru-106         mt=102                         updated 10/13/89                  44106
    20     rh-103         mt=102                         updated 10/13/89                  45103
    21     rh-105           mt=  102                                                       45105
    22     pd-105         mt=102                         updated 10/13/89                  46105
    23     pd-108         mt=102                         updated 10/13/89                  46108
    24     silver-109     endf/b-iv mat 1139             updated 10/13/89                  47109
    25     sb-124         mt=102                         updated 10/13/89                  51124
    26     xe-131         mt=102,103,104,105,106         updated 10/13/89                  54131
    27     xe-132         mt=102,103,104,105,106         updated 10/13/89                  54132
```

```
    28    xenon-135      endf/b-iv mat 1294              updated 10/13/89              54135
    29    xe-136           mt=  102, 103, 104, 105, 107                                54136
    30    cesium-133     endf/b-iv mat 1141              updated 10/13/89              55133
    31    cs-134         mt=102                          updated 10/13/89              55134
    32    cs-135           mt=  102                                                    55135
    33    cs-137         mt=102                          updated 10/13/89              55137
    34    ba-136         mt=102                          updated 10/13/89              56136
    35    la-139         mt=102                          updated 10/13/89              57139
    36    ce-144           mt=  102                                                    58144
    37    pr-141         mt=102,103,104,105,106,107      updated 10/13/89              59141
    38    pr-143         mt=102                          updated 10/13/89              59143
    39    nd-143         mt=102                          updated 10/13/89              60143
    40    nd-145         mt=102                          updated 10/13/89              60145
    41    nd-147         mt=102                          updated 10/13/89              60147
    42    pm-147         mt=102                          updated 10/13/89              61147
    43    pm-148           mt=  102                                                    61148
    44    sm-147         endf/b-v fission product        updated 10/13/89              62147
    45    sm-149         mt=102,103,107                  updated 10/13/89              62149
    46    sm-150         mt=102                          updated 10/13/89              62150
    47    sm-151         mt=102,103,104,105,106,107      updated 10/13/89              62151
    48    sm-152         mt=102,103,104,105,106,107      updated 10/13/89              62152
    49    eu-153         mt=102,103,104,105,106,107      updated 10/13/89              63153
    50    eu-154         mt=102,103,104,105,106,107      updated 10/13/89              63154
    51    eu-155         mt=102,103,104,105,106,107      updated 10/13/89              63155
    52    gd-155         mt=102                          updated 10/13/89              64155
    53   u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                            92234
    54    uranium-235    endf/b-iv mat 1261              updated 10/13/89              92235
    55   u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                            92236
    56    uranium-238    endf/b-iv mat 1262              updated 10/13/89              92238
    57    neptunium-237  endf/b-iv mat 1263              updated 10/13/89              93237
    58   pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                           94238
    59    plutonium-239  endf/b-iv mat 1264              updated 10/13/89              94239
    60    plutonium-240  endf/b-iv mat 1265              updated 10/13/89              94240
    61    plutonium-241  endf/b-iv mat 1266              updated 10/13/89              94241
    62    plutonium-242  endf/b-iv mat 1161              updated 10/13/89              94242
    63   am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                  95241
    64   am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                   95243
    65    curium-244     endf/b-iv mat 1162              updated 10/13/89              96244
01/v cross sections normalized to 1.0 at 0.0253 ev                          999    temperature=   975.00
0 hydrogen       endf/b-iv mat 1269/thrmf1002   updated 10/13/89            1001    temperature=   607.60
                          thermal scattering matrix number   2 at a temperature of    550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                          5010    temperature=   607.60
                          thermal scattering matrix number   2 at a temperature of    550.00 was selected.
0 boron-11       endf/b-iv mat 1160             updated 10/13/89            5011    temperature=   607.60
                          thermal scattering matrix number   2 at a temperature of    550.00 was selected.
0 oxygen-16      endf/b-iv mat 1276             updated 10/13/89            8016    temperature=   975.00
0 oxygen-16      endf/b-iv mat 1276             updated 10/13/89               6    temperature=   607.60
0 kr-83          mt=102,103,103,105,106,107     updated 10/13/89           36083    temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    82.202          temperature(kelvin)      =   975.000
0potential scatter sigma  =     7.004          lumped nuclear density   = 1.2106000E-06
0spin factor (g)          =  4988.190          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 1.4105377E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.983          sigma(per absorber atom)= 1.5737203E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
```

```
0group        res abs         res fiss        res scat
  11      -1.760477E-03     .000000E+00   -2.230056E-03
  12       2.166095E-02     .000000E+00    9.896840E-03
  13      -3.971375E-01     .000000E+00   -1.204416E-01
  14       4.782771E-05     .000000E+00   -1.723045E-05
0excess resonance integrals
0                 resolved
0absorption      1.44817E+02
 fission          .00000E+00
- elapsed time    .00 min.
0 kr-85           mt=  102                                          36085    temperature=  975.00
0 sr-90         mt=102                    updated 10/13/89        38090    temperature=  975.00
0  y-89         mt=102                    updated 10/13/89        39089    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =    88.142          temperature(kelvin)      =   975.000
0potential scatter sigma =     3.644          lumped nuclear density   = 1.0202441E-05
0spin factor (g)         =    78.664          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995              sigma(per absorber atom)= 1.6737141E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933              sigma(per absorber atom)= 1.8673432E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -2.549601E-06     .000000E+00   -1.696828E-04
  10      -6.170661E-05     .000000E+00   -1.739975E-04
0excess resonance integrals
0                 resolved
0absorption      1.46419E-01
 fission          .00000E+00
- elapsed time    .00 min.
0 zr-93           mt=  102                                          40093    temperature=  975.00
0 zr-94         mt=102                    updated 10/13/89        40094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =    93.100          temperature(kelvin)      =   975.000
0potential scatter sigma =     3.779          lumped nuclear density   = 1.6222863E-05
0spin factor (g)         =   180.853          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995              sigma(per absorber atom)= 1.0525857E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933              sigma(per absorber atom)= 1.1743585E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   8      -9.432010E-07     .000000E+00   -8.957890E-04
   9      -3.135593E-05     .000000E+00   -2.775020E-03
0excess resonance integrals
0                 resolved
0absorption      3.43817E-02
 fission          .00000E+00
- elapsed time    .00 min.
0 zr-95         mt=102                    updated 10/13/89        40095    temperature=  975.00
0 zircalloy     endf/b-iv mat 1284        updated 10/13/89        40302    temperature=  650.00
0resonance data for this nuclide
0mass number (a)         =    90.436          temperature(kelvin)      =   650.000
0potential scatter sigma =     6.395          lumped nuclear density   = 4.2515602E-02
```

```
0spin factor (g)          =    1.079              lump dimension (a-bar)    = 5.4610002E-01
0inner radius             = 4.7878999E-01         dancoff correction (c)    = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
   8     -1.780596E-03     .000000E+00    -1.286907E+00
   9     -5.895373E-02     .000000E+00    -2.695297E+00
  10     -6.959935E-02     .000000E+00    -1.601321E+00
  11     -1.883937E-01     .000000E+00    -7.920912E-01
0excess resonance integrals
0                 resolved
0absorption      2.28539E-01
 fission          .00000E+00
- elapsed time    .02 min.
0 rb-94          mt=102                  updated 10/13/89          41094     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    93.101             temperature(kelvin)       =   975.000
0potential scatter sigma  =     3.779             lumped nuclear density    = 7.5379746E-12
0spin factor (g)          = 43808.801             lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995             sigma(per absorber atom)= 2.2653258E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953             sigma(per absorber atom)= 2.5273973E+10
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  13      1.043223E-02     .000000E+00     9.253080E-04
  14      9.836712E-03     .000000E+00    -4.064845E-04
0excess resonance integrals
0                 resolved
0absorption      9.15001E+01
 fission          .00000E+00
- elapsed time    .02 min.
0 mo-95          mt=102                  updated 10/13/89          42095     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    94.091             temperature(kelvin)       =   975.000
0potential scatter sigma  =     3.806             lumped nuclear density    = 1.3167981E-05
0spin factor (g)          =   607.724             lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995             sigma(per absorber atom)= 1.2967796E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953             sigma(per absorber atom)= 1.4468017E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  10     -2.827058E-03     .000000E+00    -1.666167E-02
  11     -5.154489E-03     .000000E+00    -8.604292E-03
  12     -3.707084E+00     .000000E+00    -4.265654E+00
  13      1.583315E-04     .000000E+00    -2.254974E-05
0excess resonance integrals
0                 resolved
0absorption      9.86300E+01
 fission          .00000E+00
- elapsed time    .02 min.
0 tc-99          mt=102                  updated 10/13/89          43099     temperature=   975.00
```

```
0resonance data for this nuclide
0mass number (a)          =   98.150          temperature(kelvin)      =   975.000
0potential scatter sigma  =    6.000          lumped nuclear density   = 1.5844425E-05
0spin factor (g)          =  4527.940          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995          sigma(per absorber atom)= 1.0777272E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.953          sigma(per absorber atom)= 1.2024076E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -2.038773E-02     .000000E+00   -9.611921E-03
  12      -5.333800E-03     .000000E+00   -1.853597E-04
  13      -3.317795E-01     .000000E+00   -1.747611E-02
  14      -7.128074E+00     .000000E+00   -2.274936E-01
  15       1.070480E-02     .000000E+00   -5.392398E-04
  16       4.836007E-03     .000000E+00   -2.802095E-04
  17       2.073935E-04     .000000E+00   -1.191064E-05
0excess resonance integrals
0                 resolved
0absorption      3.2546ZE+02
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-101        mt=102                  updated 10/13/89          44101     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   100.039         temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.965         lumped nuclear density   = 1.4230770E-05
0spin factor (g)          =  8765.290         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995          sigma(per absorber atom)= 1.1999529E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.953          sigma(per absorber atom)= 1.3387510E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -3.624243E-02     .000000E+00   -3.672971E-03
  12      -1.064926E-01     .000000E+00   -2.812458E-02
  13      -3.819152E-01     .000000E+00   -1.028591E-02
  14       2.372863E-04     .000000E+00   -4.161137E-05
0excess resonance integrals
0                 resolved
0absorption      7.95820E+01
 fission          .00000E+00
- elapsed time    .03 min.
0 ru-106        mt=102                  updated 10/13/89          44106     temperature=   975.00
0 rh-103        mt=102                  updated 10/13/89          45103     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   102.021         temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.408         lumped nuclear density   = 8.5154315E-06
0spin factor (g)          =      .500         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995          sigma(per absorber atom)= 2.0052971E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.953          sigma(per absorber atom)= 2.2372861E+04
0moderator-2 will be treated by the nordheim integral method.
```

```
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9       1.253997E-03      .000000E+00      1.942356E-03
  10      -3.509026E-03      .000000E+00     -4.880561E-03
  11      -1.699512E-02      .000000E+00     -1.499881E-02
  12      -2.625307E-04      .000000E+00     -2.159846E-05
  13       .000000E+00       .000000E+00      .000000E+00
  14       .000000E+00       .000000E+00      .000000E+00
  15       2.281068E-01      .000000E+00      3.284026E-03
  16       3.328770E+01      .000000E+00     -6.208614E-02
  17      -1.852185E+02      .000000E+00     -1.574388E-01
  18       8.714719E+01      .000000E+00      2.610259E-01
  19       1.148543E+01      .000000E+00     -1.472395E-03
  20       1.087088E+00      .000000E+00     -2.470566E-03
  21       2.165863E-01      .000000E+00      1.925008E-03
  22       2.589935E-01      .000000E+00      2.928524E-03
  23      -9.879865E-02      .000000E+00      1.798960E-03
0excess resonance integrals
0              resolved
0absorption    1.14672E+03
 fission        .00000E+00
- elapsed time   .07 min.
0 rh-105        mt=  102                                          45105     temperature=  975.00
0 pd-105       mt=102                    updated 10/13/89         46105     temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   104.004          temperature(kelvin)     =   975.000
0potential scatter sigma =     4.069         lumped nuclear density  = 5.277886E-06
0spin factor (g)        = 15210.000          lump dimension (a-bar)  = 4.681220lE-01
0inner radius           =  .0000000E+00      dancoff correction (c)  = 3.426926lE-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 3.235379E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953          sigma(per absorber atom)= 3.609675E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12      -5.613977E-02      .000000E+00     -1.338439E-03
  13      -1.381487E-02      .000000E+00     -6.986314E-04
  14       7.769155E-04      .000000E+00     -8.145498E-05
0excess resonance integrals
0              resolved
0absorption    6.12433E+01
 fission        .00000E+00
- elapsed time   .07 min.
0 pd-108       mt=102                    updated 10/13/89         46108     temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   106.977          temperature(kelvin)     =   975.000
0potential scatter sigma =     4.146         lumped nuclear density  = 1.393357lE-06
0spin factor (g)        = 21175.100          lump dimension (a-bar)  = 4.681220lE-01
0inner radius           =  .0000000E+00      dancoff correction (c)  = 3.426926lE-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 1.225527lE+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953          sigma(per absorber atom)= 1.367306lE+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
```

```
  11     1.170302E-04     .000000E+00   3.532026E-04
  12    -1.263694E+00     .000000E+00  -9.304958E-01
  13     6.849444E-03     .000000E+00   1.844850E-03
  14     8.561260E-02     .000000E+00  -3.207809E-05
  15    -1.840706E-01     .000000E+00   8.083708E-05
  16     2.946590E-04     .000000E+00  -9.255679E-06
0excess resonance integrals
0                resolved
0absorption     2.12560E+02
 fission         .00000E+00
- elapsed time    .07 min.
0 silver-109    endf/b-iv mat 1139          updated 10/13/89          47109    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   107.969          temperature(kelvin)     =   975.000
0potential scatter sigma =    4.988          lumped nuclear density  = 9.8975897E-07
0spin factor (g)        =  1441.870          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 1.7252653E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.953           sigma(per absorber atom)= 1.9248583E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10    -9.785545E-05     .000000E+00  -9.223403E-05
  11    -4.345954E-03     .000000E+00  -3.223971E-03
  12    -7.193846E-01     .000000E+00  -3.343606E-02
  13     7.670446E-01     .000000E+00   3.380743E-02
  14    -9.331539E+00     .000000E+00  -8.741142E-01
0excess resonance integrals
0                resolved
0absorption     1.39101E+03
 fission         .00000E+00
- elapsed time    .07 min.
0 sb-124        mt=102                      updated 10/13/89          51124    temperature=  975.00
0 xe-131        mt=102,103,104,105,106      updated 10/13/89          54131    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   129.781          temperature(kelvin)     =   975.000
0potential scatter sigma =    4.301          lumped nuclear density  = 7.3108026E-06
0spin factor (g)        =  246.825           lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 2.3357174E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.953           sigma(per absorber atom)= 2.6059324E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9    -2.310630E-06     .000000E+00  -2.154477E-05
  10    -1.586759E-04     .000000E+00  -1.347479E-04
  11    -1.953774E-03     .000000E+00  -1.464922E-03
  12    -3.751650E-02     .000000E+00  -3.496011E-03
  13    -6.002438E+01     .000000E+00  -1.407475E+02
  14     1.073748E-02     .000000E+00   1.503469E-02
0excess resonance integrals
0                resolved
0absorption     7.70438E+02
 fission         .00000E+00
```

```
- elapsed time    .08 min.
0 xe-132        mt=102,103,104,105,106        updated 10/13/89              54132    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   130.771          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301          lumped nuclear density   = 1.3225989E-05
0spin factor (g)          =   675.899          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.2910969E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.4404615E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -2.032215E-05    .000000E+00   -9.309781E-05
  10     -6.258887E-03    .000000E+00   -7.967591E-02
  11      3.345203E-08    .000000E+00   -9.291078E-07
0excess resonance integrals
0                resolved
0absorption     9.73725E-01
 fission         .00000E+00
- elapsed time    .08 min.
0 xenon-135     endf/b-iv mat 1294            updated 10/13/89              54135    temperature=  975.00
0 xe-136          mt=  102, 103, 104, 105, 107                              54136    temperature=  975.00
0 cesium-133    endf/b-iv mat 1141            updated 10/13/89              55133    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   131.764          temperature(kelvin)      =   975.000
0potential scatter sigma  =     7.100          lumped nuclear density   = 1.7373461E-05
0spin factor (g)          =   374.437          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 9.8287666E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.0542641E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -4.871677E-05    .000000E+00   -3.152509E-04
  10     -2.382956E-03    .000000E+00   -4.567852E-03
  11     -8.948986E-02    .000000E+00   -1.566151E-01
  12     -1.386060E-01    .000000E+00   -1.929299E-02
  13     -2.304727E-01    .000000E+00   -1.254356E-02
  14     -1.013023E+01    .000000E+00   -4.436112E-01
  15      5.623127E-03    .000000E+00   -4.050744E-04
  16      2.777900E-03    .000000E+00   -2.215233E-04
  17      2.352204E-03    .000000E+00   -1.830751E-04
  18      2.215039E-03    .000000E+00   -1.679543E-04
  19      1.317312E-03    .000000E+00   -9.676453E-05
0excess resonance integrals
0                resolved
0absorption     3.53864E+02
 fission         .00000E+00
- elapsed time    .10 min.
0 cs-134        mt=102                        updated 10/13/89              55134    temperature=  975.00
0 cs-135          mt=  102                                                  55135    temperature=  975.00
0 cs-137        mt=102                        updated 10/13/89              55137    temperature=  975.00
0 ba-136        mt=102                        updated 10/13/89              56136    temperature=  975.00
0resonance data for this nuclide
```

```
0mass number (a)          =   134.737          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.835          lumped nuclear density   = 1.3147822E-07
0spin factor (g)          =  1247.690          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.2987680E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.4490201E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      1.195235E-06      .000000E+00      5.099283E-07
  11      4.140539E-07      .000000E+00      7.002787E-07
0excess resonance integrals
0                 resolved
0absorption      1.38473E+00
 fission          .0000E+00
- elapsed time    .10 min.
0 la-139        mt=102                  updated 10/13/89              57139     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   137.713          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.906          lumped nuclear density   = 1.6736218E-05
0spin factor (g)          =   145.855          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.0203004E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.1383371E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9     -1.465711E-07      .000000E+00      1.238383E-03
  10     -3.355732E-04      .000000E+00     -1.989544E-02
  11      .000000E+00       .000000E+00      .000000E+00
  12     -5.739985E-02      .000000E+00     -3.466246E-02
0excess resonance integrals
0                 resolved
0absorption      8.08078E+00
 fission          .0000E+00
- elapsed time    .12 min.
0 ce-144         mt=  102                                                58144     temperature=   975.00
0 pr-141        mt=102,103,104,105,106,107    updated 10/13/89          59141     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   139.697          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.953          lumped nuclear density   = 1.4313312E-05
0spin factor (g)          =  1026.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.1930131E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.3310307E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10     -5.609108E-03      .000000E+00     -1.904915E-01
  11     -9.225772E-02      .000000E+00     -1.226486E+00
  12     -2.091378E-03      .000000E+00     -2.041713E-04
```

```
0excess resonance integrals
0                resolved
0absorption     1.21355E+01
 fission         .00000E+00
- elapsed time    .12 min.
0 pr-143        mt=102                  updated 10/13/89          59143    temperature=  975.00
0 nd-143        mt=102                  updated 10/13/89          60143    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   141.682          temperature(kelvin)     =   975.000
0potential scatter sigma =    5.000          lumped nuclear density  = 1.3377376E-05
0spin factor (g)        =  1964.850          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 1.2764813E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933           sigma(per absorber atom)= 1.4241551E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10      -1.332625E-04     .000000E+00   -6.817683E-05
  11      -3.122534E-01     .000000E+00   -3.629994E+00
  12      -2.059421E-01     .000000E+00   -1.013043E-01
0excess resonance integrals
0                resolved
0absorption     5.09093E+01
 fission         .00000E+00
- elapsed time    .12 min.
0 nd-145        mt=102                  updated 10/13/89          60145    temperature=  975.00
0resonance data for this nuclide
0mass number (a)        =   143.668          temperature(kelvin)     =   975.000
0potential scatter sigma =    5.047          lumped nuclear density  = 9.7710117E-06
0spin factor (g)        =  1007.250          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995           sigma(per absorber atom)= 1.7476152E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933           sigma(per absorber atom)= 1.9497938E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10      -3.969052E-03     .000000E+00   -6.238655E-02
  11      -6.007329E-02     .000000E+00   -1.817612E-01
  12      -1.459763E+00     .000000E+00   -9.188078E+00
  13       9.598665E-05     .000000E+00    2.042568E-04
  14      -1.322929E+00     .000000E+00   -3.478237E-02
  15       5.901529E-03     .000000E+00   -4.614201E-04
  16       1.326675E-03     .000000E+00   -1.451290E-04
  17       9.642597E-04     .000000E+00   -1.063946E-04
  18       8.539732E-04     .000000E+00   -9.314383E-05
  19       7.634159E-04     .000000E+00   -8.070004E-05
  20       2.839149E-05     .000000E+00   -2.919862E-06
0excess resonance integrals
0                resolved
0absorption     2.06675E+02
 fission         .00000E+00
- elapsed time    .13 min.
0 nd-147        mt=102                  updated 10/13/89          60147    temperature=  975.00
0 pm-147        mt=102                  updated 10/13/89          61147    temperature=  975.00
```

```
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 3.643130E-06
0spin factor (g)          = 21589.500          lump dimension (a-bar)   = 4.681220lE-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926lE-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.687169SE+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 5.229419SE+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  12     -1.823680E-01     .000000E+00   -5.851357E-02
  13     -4.676967E-02     .000000E+00   -2.688727E-03
  14     -8.253029E+01     .000000E+00   -3.548271E+01
  15      4.128564E-02     .000000E+00    6.978664E-03
  16      1.697942E-02     .000000E+00    1.746660E-03
  17      1.369772E-02     .000000E+00    1.150461E-03
  18      1.253757E-02     .000000E+00    9.649097E-04
  19      6.998888E-04     .000000E+00    5.070170E-05
0excess resonance integrals
0              resolved
0absorption    2.01524E+03
 fission        .00000E+00
-  elapsed time    .13 min.
0 pm-148        mt=  102                                              61148    temperature=  975.00
0 sm-147      endf/b-v fission product      updated 10/13/89           62147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 1.019287SE-06
0spin factor (g)          =      .000          lump dimension (a-bar)   = 4.681220lE-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926lE-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.675284lE+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.869094SE+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11      2.767026E-01     .000000E+00    1.093160E+00
  12      9.978251E-01     .000000E+00   -1.498843E+00
  13     -3.338374E+00     .000000E+00   -1.778746E+00
  14     -3.342486E-01     .000000E+00   -3.189418E-03
  15      3.115590E-01     .000000E+00   -1.911954E-03
  16      7.287758E-03     .000000E+00   -3.738602E-04
  17      4.281449E-03     .000000E+00   -2.401556E-04
  18      3.510413E-03     .000000E+00   -1.997200E-04
  19      2.910596E-03     .000000E+00   -1.649500E-04
  20      8.434589E-04     .000000E+00   -4.626394E-05
0excess resonance integrals
0              resolved
0absorption    7.22673E+02
 fission        .00000E+00
-  elapsed time    .15 min.
                          thermal scattering matrix number  3 at a temperature of    900.03 was selected.
0 sm-149        mt=102,103,107          updated 10/13/89           62149    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   147.638          temperature(kelvin)      =   975.000
```

```
0potential scatter sigma =    3.260          lumped nuclear density   = 8.4049255E-08
0spin factor (g)         = 10407.900         lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995            sigma(per absorber atom)= 2.0316621E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933            sigma(per absorber atom)= 2.2667015E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      8.546605E-03     .000000E+00    3.071166E-02
  12     -5.476413E-02     .000000E+00   -1.810656E-01
  13      2.318253E-02     .000000E+00    2.840699E-03
  14      5.777774E-03     .000000E+00   -7.572224E-03
0excess resonance integrals
0                resolved
0absorption     8.04337E+02
 fission         .00000E+00
- elapsed time    .15 min.
0 sm-150       mt=102                  updated 10/13/89          62150    temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =  148.629          temperature(kelvin)      =  975.000
0potential scatter sigma =    5.162          lumped nuclear density   = 3.3563288E-06
0spin factor (g)         = 4376.420          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995            sigma(per absorber atom)= 5.0876930E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933            sigma(per absorber atom)= 5.6762789E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10     -1.140486E-03     .000000E+00   -1.081808E-02
  11     -2.526795E-02     .000000E+00   -2.863482E-01
  12     -8.222108E-02     .000000E+00   -2.484979E-02
  13     -5.859069E+00     .000000E+00   -4.613210E+00
  14      1.065659E-04     .000000E+00   -6.400712E-05
0excess resonance integrals
0                resolved
0absorption     2.88255E+02
 fission         .00000E+00
- elapsed time    .15 min.
0 sm-151       mt=102,103,104,105,106,107  updated 10/13/89          62151    temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =  149.623          temperature(kelvin)      =  975.000
0potential scatter sigma =    5.185          lumped nuclear density   = 3.6886007E-07
0spin factor (g)         = 75574.703         lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995            sigma(per absorber atom)= 4.6295894E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933            sigma(per absorber atom)= 5.1649550E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  14     -2.119385E-01     .000000E+00   -2.082594E-02
  15      1.487428E+01     .000000E+00    7.527953E-02
```

```
  16     -2.180708E+01     .000000E+00   -6.195250E-02
  17      1.736728E+02     .000000E+00    8.278137E-01
  18     -3.206240E+02     .000000E+00   -1.785263E+00
  19      6.254583E+01     .000000E+00    3.867906E-01
  20      1.141286E+00     .000000E+00   -1.400558E-04
  21     -7.117704E-02     .000000E+00    1.244100E-02
  22      6.952549E-02     .000000E+00    3.838918E-03
  23     -1.091917E-02     .000000E+00    3.374044E-04
0excess resonance integrals
0                resolved
0absorption      2.05636E+03
 fission          .0000E+00
-  elapsed time    .15 min.
0 sm-152       mt=102,103,104,105,106,107     updated 10/13/89            62152     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   150.615            temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.208            lumped nuclear density   = 1.6314026E-06
0spin factor (g)          =   863.594            lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.0467048E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.1677961E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
   9      2.402817E-06     .000000E+00    1.158716E-04
  10     -1.295784E-03     .000000E+00   -2.024388E-02
  11     -1.885441E-02     .000000E+00   -7.182702E-02
  12     -1.270521E-01     .000000E+00   -4.032254E-01
  13      4.204180E-02     .000000E+00    1.022422E-01
  14     -1.129931E+02     .000000E+00   -2.182685E+02
0excess resonance integrals
0                resolved
0absorption      2.76491E+03
 fission          .0000E+00
-  elapsed time    .17 min.
0 eu-153       mt=102,103,104,105,106,107     updated 10/13/89            63153     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   151.607            temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731            lumped nuclear density   = 9.0325670E-07
0spin factor (g)          = 12265.900            lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.8904891E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 2.1091964E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  12     -2.856052E-01     .000000E+00   -5.575946E-02
  13     -1.361445E-01     .000000E+00   -4.143751E-03
  14     -7.920873E-01     .000000E+00   -1.004343E-06
  15      1.863243E+00     .000000E+00   -3.434145E-02
  16     -3.297554E+00     .000000E+00    8.156992E-03
  17      1.506598E-01     .000000E+00   -3.437532E-03
  18      7.726870E-02     .000000E+00   -2.231252E-03
  19      5.055447E-02     .000000E+00   -1.541113E-03
```

```
  20      -1.253804E-01     .000000E+00   -1.275023E-03
0excess resonance integrals
0                 resolved
0absorption       1.35457E+03
 fission           .00000E+00
-  elapsed time    .17 min.
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89              63154     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   152.601              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density   = 1.6387885E-07
0spin factor (g)          = 19135.801              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 1.0419873E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 1.1625330E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12       -3.904129E-01     .000000E+00   -6.094527E-02
  13       -3.135098E-01     .000000E+00   -2.495858E-02
  14        3.300923E-01     .000000E+00    1.465073E-02
  15        1.597103E-01     .000000E+00    2.097988E-02
  16        7.214694E+00     .000000E+00    9.233933E-02
  17       -1.440717E+02     .000000E+00   -1.896719E+00
  18        1.135982E+02     .000000E+00    1.858201E+00
  19       -1.014681E+02     .000000E+00    1.187304E+00
0excess resonance integrals
0                 resolved
0absorption       2.13664E+03
 fission           .00000E+00
-  elapsed time    .18 min.
0 eu-155        mt=102,103,104,105,106,107     updated 10/13/89              63155     temperature=   975.00
0 gd-155        mt=102                         updated 10/13/89              64155     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   153.592              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.277              lumped nuclear density   = 1.6370191E-09
0spin factor (g)          = 12700.100              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 1.0431136E+08
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 1.1637895E+08
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12       -1.439306E+00     .000000E+00   -1.839472E-01
  13        1.541165E+00     .000000E+00    1.985090E-01
  14        2.190007E-01     .000000E+00    9.806014E-03
  15       -3.336652E-01     .000000E+00   -7.197123E-05
  16        1.477358E+00     .000000E+00   -4.148861E-03
  17        1.568658E-01     .000000E+00   -1.479142E-03
  18        9.605140E-02     .000000E+00   -1.078062E-03
  19        6.295324E-02     .000000E+00   -8.026497E-04
  20        1.670480E-02     .000000E+00    1.626478E-04
  21         .000000E+00     .000000E+00     .000000E+00
  22         .000000E+00     .000000E+00     .000000E+00
  23         .000000E+00     .000000E+00     .000000E+00
```

```
  24       .000000E+00     .000000E+00     .000000E+00
  25      -2.127812E+03    .000000E+00    -1.622019E+00
  26      -5.205697E+03    .000000E+00     1.961483E+00
  27      -1.659984E+03    .000000E+00     7.392656E-01
0excess resonance integrals
0                  resolved
0absorption       3.97046E+04
 fission           .00000E+00
-  elapsed time    .18 min.
0u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    92234     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   232.029          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.021          lumped nuclear density   = 4.656384E-06
0spin factor (g)          =  6948.450          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.667216E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.955          sigma(per absorber atom)= 4.090217E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -2.226899E-02     .000000E+00    -6.494590E-02
  12      -1.815901E-01     .000000E+00    -7.606152E-02
  13       7.759999E-04     .000000E+00    -6.471858E-04
  14      -1.782032E+01     .000000E+00    -2.918325E+00
0excess resonance integrals
0                  resolved
0absorption       5.82763E+02
 fission           .00000E+00
-  elapsed time    .20 min.
0 uranium-235   endf/b-iv mat 1261          updated 10/13/89            92235     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   233.025          temperature(kelvin)      =   975.000
0potential scatter sigma  =    11.500          lumped nuclear density   = 4.444934E-04
0spin factor (g)          = 15171.100          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.841669E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.049          sigma(per absorber atom)= 4.122754E+02
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -1.865952E+00    -1.162127E+00    -4.369178E-02
  13      -6.545614E+00    -3.259067E+00    -1.416060E-01
  14      -5.261562E+00    -3.231865E+00    -3.592915E-02
0excess resonance integrals
0                  resolved
0absorption       2.12116E+02
 fission           1.26292E+02
-  elapsed time    .22 min.
0u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    92236     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   234.017          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.995          lumped nuclear density   = 4.789430E-05
0spin factor (g)          =  6328.490          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
```

```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 3.5653447E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.934              sigma(per absorber atom)= 3.9771189E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  11      -2.324609E-01     .000000E+00    -5.852797E-01
  12      -1.251467E+00     .000000E+00    -8.535315E-01
  13      -6.528463E-02     .000000E+00    -3.466214E-03
  14      -4.155770E+01     .000000E+00    -3.635741E+00
0excess resonance integrals
0                 resolved
0absorption      2.8000E+02
 fission          .0000E+00
-  elapsed time     .22 min.
0 uranium-238   endf/b-iv mat 1262          updated 10/13/89          92238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.006          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density   = 2.1873431E-02
0spin factor (g)          =   666.527          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 7.8067169E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   235.041              sigma(per absorber atom)= 3.3613515E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
   9      -3.935817E-02     .000000E+00    -4.043145E-01
  10      -1.025260E+00    -1.747810E-05    -6.478666E+00
  11      -9.706285E+00     .000000E+00    -2.689441E+01
  12      -4.304482E+01     .000000E+00    -4.998457E+01
  13      -5.401085E+01     .000000E+00    -1.769053E+01
  14      -1.044943E+02     .000000E+00    -6.059432E+00
0excess resonance integrals
0                 resolved
0absorption      1.8027OE+01
 fission          5.0401 7E-04
-  elapsed time     .23 min.
0 neptunium-237  endf/b-iv mat 1263          updated 10/13/89          93237     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   235.012          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.500          lumped nuclear density   = 2.8175818E-06
0spin factor (g)          = 10100.800          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 6.0605043E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 6.5006855E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss        res scat
  11      -6.355906E-02    -2.086214E-06    -7.414002E-03
  12       2.491776E-02    -1.071069E-04     7.235728E-03
  13      -2.751440E-02     8.779010E-05    -1.433365E-03
  14      -7.346514E-02    -9.089304E-06    -1.443095E-03
```

```
0excess resonance integrals
0                resolved
0absorption     2.98033E+02
 fission        1.38557E-01
- elapsed time    .27 min.
0pu-238 1050 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                    94238     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  236.167          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.890          lumped nuclear density   = 3.2625022E-07
0spin factor (g)          = 13130.600         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 5.2340097E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051             sigma(per absorber atom)= 5.6141619E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -1.838366E-03   -2.820870E-04   -1.799045E-03
  12      -1.235117E-03   -1.398544E-04   -6.016181E-04
  13       4.025275E-01    7.519357E-02   -1.026164E-02
  14      -3.825064E-01   -6.992719E-02    8.539043E-03
0excess resonance integrals
0                resolved
0absorption     8.25335E+01
 fission        9.08421E+00
- elapsed time    .27 min.
0 plutonium-239  endf/b-iv mat 1264          updated 10/13/89          94239     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  236.999          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.200          lumped nuclear density   = 9.6527292E-05
0spin factor (g)          = 6435.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 1.7690800E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051             sigma(per absorber atom)= 1.8975167E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -2.017084E-01   -8.120086E-02   -6.177880E-02
  12      -1.791471E+00   -6.726600E-01   -2.357042E-01
  13      -5.869735E+00   -3.453876E+00   -8.969605E-02
  14      -1.871555E+00   -9.958652E-01   -1.665454E-02
0excess resonance integrals
0                resolved
0absorption     3.08014E+02
 fission        1.73024E+02
- elapsed time    .28 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89          94240     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  237.992          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.599          lumped nuclear density   = 1.6238499E-05
0spin factor (g)          =  669.244          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 1.0515730E+04
0moderator-1 will be treated by the nordheim integral method.
```


```
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.127950E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9      -4.579711E-05    -1.264809E-06    -1.838715E-04
  10      -3.865992E-03    -2.392602E-04    -1.766386E-02
  11      -1.257897E-01    -7.158896E-04    -1.646513E-01
  12      -1.718537E+00    -9.389978E-03    -1.649603E+00
  13      -2.116805E-01    -1.297953E-03    -1.542849E-02
  14       .000000E+00      .000000E+00      .000000E+00
  15       1.738746E-02     3.318474E-06     3.429983E-03
  16       2.951208E+00     5.632511E-04     3.697441E-01
  17       4.608201E+02     8.785412E-02     4.117713E+01
  18      -7.401299E+03    -1.412571E+00    -5.844975E+02
  19       6.729597E+02     1.284379E-01     5.275318E+01
  20      -9.357052E+01    -1.785835E-02     1.798074E+00
0excess resonance integrals
0                 resolved
0absorption      4.96040E+03
 fission         1.95989E+00
 - elapsed time    .30 min.
0 plutonium-241  endf/b-iv mat 1266          updated 10/13/89          94241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   238.978          temperature(kelvin)      =   975.000
0potential scatter sigma =    10.939          lumped nuclear density   = 8.0893651E-06
0spin factor (g)         = 16402.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 2.1109156E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051          sigma(per absorber atom)= 2.2642338E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12       1.322123E-03     8.439866E-04     6.005169E-04
  13      -5.462229E-01    -4.209879E-01    -1.635962E-02
  14      -5.012358E-01    -3.475752E-01    -8.718508E-04
  15       1.790424E-02     1.604663E-02    -4.657629E-04
0excess resonance integrals
0                 resolved
0absorption      5.08054E+02
 fission         4.25981E+02
 - elapsed time    .32 min.
0 plutonium-242  endf/b-iv mat 1161          updated 10/13/89          94242     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   240.145          temperature(kelvin)      =   975.000
0potential scatter sigma =    10.694          lumped nuclear density   = 7.2371876E-07
0spin factor (g)         = 6606.710           lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 2.3594758E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051          sigma(per absorber atom)= 2.5308472E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11      -1.854130E-03     .000000E+00     -5.150098E-03
```

```
  12     -4.052668E-02     .000000E+00   -7.886203E-02
  13     -1.853779E-05     .000000E+00    3.537524E-06
  14      8.138350E-02     .000000E+00    1.525547E-02
  15     -1.424625E+01     .000000E+00   -1.174394E+00
  16      4.031559E-02     .000000E+00   -3.454563E-03
  17      1.550382E-02     .000000E+00   -1.848172E-03
  18      1.112574E-02     .000000E+00   -1.430661E-03
0excess resonance integrals
0                resolved
0absorption      1.10276E+03
 fission          .00000E+00
- elapsed time    .32 min.
0am-241 1056 sigp=5+4 newklacs 218ngp p-3 293k                          95241    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  238.950          temperature(kelvin)     =  975.000
0potential scatter sigma =    9.511          lumped nuclear density  = 1.9917980E-07
0spin factor (g)         = 82058.203         lump dimension (a-bar)  = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995          sigma(per absorber atom)= 8.5731644E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051          sigma(per absorber atom)= 9.1958431E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13      4.891248E-01    1.210977E-02    4.768714E-03
  14     -4.461041E-01   -1.120480E-02   -4.801333E-03
0excess resonance integrals
0                resolved
0absorption      1.93451E+02
 fission         1.07595E+00
- elapsed time    .32 min.
0am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                           95243    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  240.940          temperature(kelvin)     =  975.000
0potential scatter sigma =    9.511          lumped nuclear density  = 5.2783381E-08
0spin factor (g)         = 82052.602         lump dimension (a-bar)  = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995          sigma(per absorber atom)= 3.2351033E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051          sigma(per absorber atom)= 3.4700725E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13     -7.188834E-03     .000000E+00    4.218795E-04
  14      1.949712E-02     .000000E+00    1.945697E-04
0excess resonance integrals
0                resolved
0absorption      1.60148E+02
 fission          .00000E+00
- elapsed time    .32 min.
0 curium-244     endf/b-iv mat 1162          updated 10/13/89            96244    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  242.133          temperature(kelvin)     =  975.000
0potential scatter sigma =   10.320          lumped nuclear density  = 3.9948742E-09
0spin factor (g)         = 5251.150          lump dimension (a-bar)  = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
```

```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 4.274469E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 4.584929E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11       2.461100E-04    6.736606E-06    2.889803E-04
  12       6.544668E-04    3.101118E-05    1.239800E-04
  13       2.654965E-03    1.309495E-04    7.104585E-04
  14       6.526409E-02    3.904689E-03    1.058714E-02
0excess resonance integrals
0                resolved
0absorption      6.13880E+02
 fission         3.54207E+01
- elapsed time     .33 min.
- elapsed time     .33 min.
1     this xsdrn working tape was created 02/16/96 at 10:01:00
      the title of the parent case is as follows
      scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
          compiled for nrc     1/27/89
          tape id                          4321        number of nuclides          65
          number of neutron groups           27        number of gamma groups       0
          first thermal group                15        logical unit                 4
                                  table of contents
        1/v cross sections normalized to 1.0 at 0.0253 ev                       id    999
         hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89        id   1001
        b-10 1273 218ngp 042375 p-3 293k                                        id   5010
         boron-11       endf/b-iv mat 1160             updated 10/13/89        id   5011
         oxygen-16      endf/b-iv mat 1276             updated 10/13/89        id   8016
         oxygen-16      endf/b-iv mat 1276             updated 10/13/89        id      6
         kr-83          mt=102,103,103,105,106,107     updated 10/13/89        id  36083
         kr-85            mt=  102                                              id  36085
         sr-90          mt=102                         updated 10/13/89        id  38090
          y-89          mt=102                         updated 10/13/89        id  39089
         zr-93            mt=  102                                              id  40093
         zr-94          mt=102                         updated 10/13/89        id  40094
         zr-95          mt=102                         updated 10/13/89        id  40095
         zircalloy      endf/b-iv mat 1284             updated 10/13/89        id  40302
         nb-94          mt=102                         updated 10/13/89        id  41094
         mo-95          mt=102                         updated 10/13/89        id  42095
         tc-99          mt=102                         updated 10/13/89        id  43099
         ru-101         mt=102                         updated 10/13/89        id  44101
         ru-106         mt=102                         updated 10/13/89        id  44106
         rh-103         mt=102                         updated 10/13/89        id  45103
         rh-105           mt=  102                                              id  45105
         pd-105         mt=102                         updated 10/13/89        id  46105
         pd-108         mt=102                         updated 10/13/89        id  46108
         silver-109     endf/b-iv mat 1139             updated 10/13/89        id  47109
         sb-124         mt=102                         updated 10/13/89        id  51124
         xe-131         mt=102,103,104,105,106         updated 10/13/89        id  54131
         xe-132         mt=102,103,104,105,106         updated 10/13/89        id  54132
         xenon-135      endf/b-iv mat 1294             updated 10/13/89        id  54135
         xe-136           mt=  102, 103, 104, 105, 107                          id  54136
         cesium-133     endf/b-iv mat 1141             updated 10/13/89        id  55133
         cs-134         mt=102                         updated 10/13/89        id  55134
         cs-135           mt=  102                                              id  55135
         cs-137         mt=102                         updated 10/13/89        id  55137
```

```
        ba-136          mt=102                          updated 10/13/89            id    56136
        la-139          mt=102                          updated 10/13/89            id    57139
        ce-144             mt=  102                                                 id    58144
        pr-141          mt=102,103,104,105,106,107      updated 10/13/89            id    59141
        pr-143          mt=102                          updated 10/13/89            id    59143
        nd-143          mt=102                          updated 10/13/89            id    60143
        nd-145          mt=102                          updated 10/13/89            id    60145
        nd-147          mt=102                          updated 10/13/89            id    60147
        pm-147          mt=102                          updated 10/13/89            id    61147
        pm-148             mt=  102                                                 id    61148
        sm-147          endf/b-v fission product        updated 10/13/89            id    62147
        sm-149          mt=102,103,107                  updated 10/13/89            id    62149
        sm-150          mt=102                          updated 10/13/89            id    62150
        sm-151          mt=102,103,104,105,106,107      updated 10/13/89            id    62151
        sm-152          mt=102,103,104,105,106,107      updated 10/13/89            id    62152
        eu-153          mt=102,103,104,105,106,107      updated 10/13/89            id    63153
        eu-154          mt=102,103,104,105,106,107      updated 10/13/89            id    63154
        eu-155          mt=102,103,104,105,106,107      updated 10/13/89            id    63155
        gd-155          mt=102                          updated 10/13/89            id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id    92234
        uranium-235     endf/b-iv mat 1261              updated 10/13/89            id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id    92236
        uranium-238     endf/b-iv mat 1262              updated 10/13/89            id    92238
        neptunium-237   endf/b-iv mat 1263              updated 10/13/89            id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         id    94238
        plutonium-239   endf/b-iv mat 1264              updated 10/13/89            id    94239
        plutonium-240   endf/b-iv mat 1265              updated 10/13/89            id    94240
        plutonium-241   endf/b-iv mat 1266              updated 10/13/89            id    94241
        plutonium-242   endf/b-iv mat 1161              updated 10/13/89            id    94242
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 id    95243
        curium-244      endf/b-iv mat 1162              updated 10/13/89            id    96244
0        tape copy used      0 i/o's, and took     .00 seconds
1 xx         xx  sssssssssss   ddddddddddd   rrrrrrrrrrr   rm         rm  ppppppppppp   mm          mm
   xx       xx  sssssssssssss  ddddddddddd   rrrrrrrrrrrr  rm         rm  ppppppppppp   mmm         mmm
    xx     xx   ss         ss  dd        dd  rr        rr  rmm        rm  pp        pp   mmmm       mmmm
     xx   xx    ss             dd        dd  rr        rr  rm rm      rm  pp        pp   mm mm     mm mm
      xx xx     ss             dd        dd  rr        rr  rm  rm     rm  pp        pp   mm  mm   mm  mm
       xxx      sssssssssss    dd        dd  rrrrrrrrrrrr  rm   rm    rm  ppppppppppp   mm   mmm  mm
       xxx       sssssssssss   dd        dd  rrrrrrrrrrr   rm    rm   rm  ppppppppppp   mm    m   mm
      xx xx              ss    dd        dd  rr      rr    rm     rm  rm  pp            mm        mm
     xx   xx             ss    dd        dd  rr       rr   rm      rm rm  pp            mm        mm
    xx     xx   ss       ss    dd        dd  rr        rr  rm       rmm  pp            mm        mm
   xx       xx  sssssssssssss  ddddddddddd   rr         rr rm        rm  pp            mm        mm
  xx         xx  sssssssssss   ddddddddddd   rr         rr rm        rm  pp            mm        mm
0

   ddddddddddd     aaaaaaaa    w         w  iiiiiiiiiii    sssssssss
   ddddddddddd    aaaaaaaaaa   w         w  iiiiiiiiiii   sssssssssss
   dd        dd  aa        aa  w         w      ii        ss       ss
   dd        dd  aa        aa  w         w      ii        ss
   dd        dd  aa        aa  w         w      ii        ss
   dd        dd  aaaaaaaaaaaa  w         w      ii        sssssssss
   dd        dd  aaaaaaaaaaaa   w       w       ii         sssssssss
   dd        dd  aa        aa    w     w        ii                ss
   dd        dd  aa        aa     w   w         ii                ss
   dd        dd  aa        aa      w w          ii        ss      ss
   ddddddddddd   aa        aa       w           iiiiiiiiiii   sssssssss
   ddddddddddd   aa        aa       v           iiiiiiiiiii    sssssssss
0
```



program verification information

code system: scale version: 4.2

program: c0c001

creation date: 04/27/95

```
                    *****                                                   *****
                    *****           library:  /neutronics/scale/exe         *****
                    *****                                                   *****
                    *****                                                   *****
                    *****   this is not a  scale  configuration controlled code *****
                    *****                                                   *****
                    *****           jobname:  davis                         *****
                    *****                                                   *****
                    *****   date of execution:  02/16/96                    *****
                    *****                                                   *****
                    *****   time of execution:  10:02:03                    *****
                    *****                                                   *****
                    *****                                                   *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
                    720 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0      -1q array has     1 entries.
0       1q array has    15 entries.
0       2q array has    10 entries.
0       3q array has    12 entries.
0       4q array has     9 entries.
0       5q array has    12 entries.
0direct access unit  9 requires    12 blocks of length  704 for cross section mixing.
1                    720 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0general problem description data block
0                          general problem data

 ige  1/2/3 = plane/cylinder/sphere      2      isn  quadrature order                 8
 izn  number of zones                    4      isct order of scattering              3
 im   number of special intervals       24      ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h  1
 ibl  0/1/2/3 = vacuum/refl/per/white    1      iim  inner iteration maximum        20
 ibr  right boundary condition           3      iom  outer iteration maximum        25
 mxx  number of mixtures                 3      iclc -1/0/n--flat res/sn/cpt          0
 ms   mixing table length               65      ith  0/1 = forward/adjoint           0
 ign  number of energy groups           27      iflu not used(always wgtd)            0
 nng  number of neutron groups          27      iprt -2/-1/0/n=mixture xsec print    -2
 ngg  number of gamma groups             0      idl  0/1/2/3=no/prt nd/pch n/both   53
 iftg number of first thermal group     15      ipbt -1/0/1=none/fine/all bal. prt    0
0                               special options

 ifg  0/1 = none/weighting calculation   1      ipn  0/1/2 diff. coef. param         0
 iqm  volumetric sources (0/n=no/yes)    0      idfm 0/1 = none/density factors 38*  1
 ipm  boundary sources (0/n=no/yes)      0      iaz  0/n = none/n activities by zone 0
 ifn  0/1/2 = input 33*/34*/use last    53      iai  0/1=none/activities by interval 0
 itmx maximum time (minutes)            10      ifct 0/1=no/yes upscatter scaling    0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0      ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0      isen outer iteration acceleration    0
 ibln activity data unit                 0      nbnd band rebaln parameter           0
 jbkl 0/1/2 buckling geometry            0
0                             weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1      ihtf total xsect psn in brd gp tables 3
 igmf number of broad groups            27      ndsf psn g-g or file number           4
 itp  0/10/20/30/40 0/c/e/ac/a           0      nusf table length or max order        4
 ipp  -2/-1/0/n=wgted xsect print       -2      msm  extra 1-d x-sect positions      0
 iap  -1/n anisn xsect print            -1
0                           floating point parameters
```

eps	overall convergence	1.00000E-04	dy	cyl/pla ht for buckling	.00000E+00
ptc	point convergence	1.00000E-04	dz	plane depth for buckling	.00000E+00
xnf	normalization factor	1.00000E+00	vsc	void streaming correction	.00000E+00
ev	eigenvalue guess	.00000E+00	pv	ipvt=1/2--k/alpha	1.00000E+00
evm	eigenvalue modifier	.00000E+00	eql	ev change eps for search	1.00000E-03
bf	buckling factor=1.420892	1.42089E+00	xnpm	new param mod for search	7.50000E-01

this case will require 2535 locations for mixing
this case has been allocated 200000 locations

1 720 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gd/mtu burn high temp
0 13q array has 65 entries.
0 14q array has 65 entries.
0 15q array has 65 entries.
0 data block 2 (mixing table, etc.)

	nuclides on tape	cccc identification	mixing table mixture	component	atom density	extra xsect id's
1	999		1	92235	4.44493E-04	
2	1001		1	92234	4.66638E-06	
3	5010		1	92236	4.78943E-05	
4	5011		1	92238	2.18734E-02	
5	8016		1	8016	4.55359E-02	
6	6		3	6	2.09710E-02	
7	36083		1	36083	1.21060E-06	
8	36085		1	36085	5.82772E-07	
9	38090		1	38090	1.32013E-05	
10	39089		1	39089	1.02024E-05	
11	40093		1	42095	1.31680E-05	
12	40094		1	40093	1.03725E-05	
13	40095		1	40094	1.62229E-05	
14	40302		1	40095	2.03583E-06	
15	41094		1	41094	7.53797E-12	
16	42095		1	43099	1.58444E-05	
17	43099		1	45103	8.51543E-06	
18	44101		1	45105	2.07139E-08	
19	44106		1	44101	1.42308E-05	
20	45103		1	44106	2.14911E-06	
21	45105		1	46105	5.27789E-06	
22	46105		1	46108	1.39336E-06	
23	46108		1	47109	9.89759E-07	
24	47109		1	51124	2.30439E-10	
25	51124		1	54131	7.31080E-06	
26	54131		1	54132	1.32259E-05	
27	54132		1	54135	6.67573E-09	
28	54135		1	54136	2.70586E-05	
29	54136		1	55134	6.68995E-07	
30	55133		1	55135	8.57012E-06	
31	55134		1	55137	1.68757E-05	
32	55135		1	56136	1.31478E-07	
33	55137		1	57139	1.67362E-05	
34	56136		1	59141	1.43133E-05	
35	57139		1	59143	3.77677E-07	
36	58144		1	58144	6.39792E-06	
37	59141		1	60143	1.33774E-05	
38	59143		1	60145	9.77101E-06	
39	60143		1	61147	3.64313E-06	
40	60145		1	61148	1.04656E-08	
41	60147		1	60147	1.30684E-07	
42	61147		1	62147	1.01929E-06	
43	61148		1	62149	8.40498E-08	
44	62147		1	62150	3.35633E-06	
45	62149		1	62151	3.68860E-07	

46	62150	1	62152	1.63140E-06
47	62151	1	64155	1.63702E-09
48	62152	1	63153	9.05257E-07
49	63153	1	63154	1.63879E-07
50	63154	1	63155	9.91552E-08
51	63155	2	40302	4.25156E-02
52	64155	3	1001	4.19420E-02
53	92234	3	5010	3.81515E-06
54	92235	3	5011	1.54884E-05
55	92236	1	55133	1.73735E-05
56	92238	1	95237	2.81758E-06
57	95237	1	94238	3.26250E-07
58	94238	1	94239	9.65273E-05
59	94239	1	94240	1.62386E-05
60	94240	1	94241	8.08937E-06
61	94241	1	94242	7.23719E-07
62	94242	1	95241	1.99179E-07
63	95241	1	95243	5.27834E-08
64	95243	1	96244	3.99487E-09
65	96244	1	999	1.00000E-20

elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 720 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	2	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01086E+07	12	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	13	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00	
15	3.04999E+00	1.50030E+01	2.10601E+06	15	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00	
17	1.29999E+00	1.58557E+01	1.52545E+06	17	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	21	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	23	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	27	0	27	1.00000E+00	

```
    28 1.00000E-05 2.76310E+01
1                   720 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0         mixture    order p(l)       activity table                    quadrature constants
           by zone    by zone      matl no.      reaction      weights     directions   refl direc    wt x cos
     1          1           3                                         0   -2.79004E-01           3           0
     2          1           3                                5.06143E-02  -1.97286E-01           3  -9.98548E-03
     3          2           3                                5.06143E-02   1.97286E-01           2   9.98548E-03
     4          3           3                                         0   -6.04419E-01           8           0
     5                                                       5.55953E-02  -5.58410E-01           8  -3.10450E-02
     6                                                       5.55953E-02  -2.31301E-01           7  -1.28595E-02
     7                                                       5.55953E-02   2.31301E-01           6   1.28595E-02
     8                                                       5.55953E-02   5.58410E-01           5   3.10450E-02
     9                                                                 0   -8.50774E-01          15           0
    10                                                       5.22844E-02  -8.21784E-01          15  -4.29665E-02
    11                                                       5.22844E-02  -6.01588E-01          14  -3.14537E-02
    12                                                       5.22844E-02  -2.20196E-01          13  -1.15128E-02
    13                                                       5.22844E-02   2.20196E-01          12   1.15128E-02
    14                                                       5.22844E-02   6.01588E-01          11   3.14537E-02
    15                                                       5.22844E-02   8.21784E-01          10   4.29665E-02
    16                                                                 0   -9.83032E-01          24           0
    17                                                       4.53365E-02  -9.64143E-01          24  -4.37099E-02
    18                                                       4.53365E-02  -8.17361E-01          23  -3.70555E-02
    19                                                       4.53365E-02  -5.46143E-01          22  -2.47597E-02
    20                                                       4.53365E-02  -1.91780E-01          21  -8.69444E-03
    21                                                       4.53365E-02   1.91780E-01          20   8.69444E-03
    22                                                       4.53365E-02   5.46143E-01          19   2.47597E-02
    23                                                       4.53365E-02   8.17361E-01          18   3.70555E-02
    24                                                       4.53365E-02   9.64143E-01          17   4.37099E-02
0constants for p( 3) scattering
0angl     set  1       set  2       set  3       set  4       set  5
     1 -2.79004E-01  8.85235E-01  6.74143E-02 -6.16919E-01 -1.71701E-02
     2 -1.97286E-01  8.85235E-01   .00000E+00 -4.36228E-01  1.21411E-02
     3  1.97286E-01  8.85235E-01   .00000E+00  4.36228E-01 -1.21411E-02
     4 -6.04419E-01  4.52016E-01  3.16379E-01 -8.04435E-01 -1.74564E-01
     5 -5.58410E-01  4.52016E-01  2.25714E-01 -7.43201E-01 -6.68028E-02
     6 -2.31301E-01  4.52016E-01 -2.25713E-01 -3.07844E-01  1.61276E-01
     7  2.31301E-01  4.52016E-01 -2.25713E-01  3.07844E-01 -1.61276E-01
     8  5.58410E-01  4.52016E-01  2.25713E-01  7.43201E-01  6.68028E-02
     9 -8.50774E-01 -8.57235E-02  6.26843E-01 -1.98456E-01 -4.86835E-01
    10 -8.21784E-01 -8.57235E-02  5.42862E-01 -1.91694E-01 -3.44245E-01
    11 -6.01588E-01 -8.57235E-02   .00000E+00 -1.40330E-01  3.44244E-01
    12 -2.20196E-01 -8.57235E-02 -5.42862E-01 -5.13643E-02  3.44245E-01
    13  2.20196E-01 -8.57235E-02 -5.42862E-01  5.13643E-02 -3.44245E-01
    14  6.01588E-01 -8.57235E-02   .00000E+00  1.40330E-01 -3.44245E-01
    15  8.21784E-01 -8.57235E-02  5.42862E-01  1.91694E-01  3.44245E-01
    16 -9.83032E-01 -4.49528E-01  8.36886E-01  5.00708E-01 -7.51005E-01
    17 -9.64143E-01 -4.49528E-01  7.73181E-01  4.91083E-01 -6.24438E-01
    18 -8.17361E-01 -4.49528E-01  3.20862E-01  4.16320E-01  1.46514E-01
    19 -5.46143E-01 -4.49528E-01 -3.20862E-01  2.78176E-01  7.36575E-01
    20 -1.91780E-01 -4.49528E-01 -7.73181E-01  9.76824E-02  4.17236E-01
    21  1.91780E-01 -4.49528E-01 -7.73181E-01 -9.76824E-02 -4.17236E-01
    22  5.46143E-01 -4.49528E-01 -3.20862E-01 -2.78176E-01 -7.36575E-01
    23  8.17361E-01 -4.49528E-01  3.20862E-01 -4.16320E-01 -1.46514E-01
    24  9.64143E-01 -4.49528E-01  7.73181E-01 -4.91083E-01  6.24438E-01
1 int       radii        mid pts      zone no.        areas        volumes     dens fact    radius mod      spec(int)
     1           0    1.29551E-02           1            0    2.10906E-03  1.00000E+00           0
     2  2.59102E-02    4.33406E-02           1    1.62798E-01    9.49318E-03  1.00000E+00           0
     3  6.07710E-02    8.75100E-02           1    3.81835E-01    2.94045E-02  1.00000E+00           0
     4  1.14249E-01    1.74155E-01           1    7.17848E-01    1.31104E-01  1.00000E+00           0
     5  2.34061E-01    2.93967E-01           1    1.47065E+00    2.21259E-01  1.00000E+00
```

6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07946E-03	0
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0
12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00
14	4.87528E-01	4.99987E-01	3	3.06329E+00	7.82768E-02	1.00000E+00
15	5.12445E-01	5.24903E-01	3	3.21979E+00	8.21777E-02	1.00000E+00
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00
17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00
21	6.80084E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00
22	7.48592E-01	7.63895E-01	4	4.70854E+00	1.46875E-01	1.00000E+00
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00
25	8.13968E-01			5.11431E+00		

- elapsed time .00 min.

outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	129	2.30684E-06	1.05050E+00	-5.54241E-02	1.00000E+00	-1.89484E-02	.00000E+00	.0000
2	201	-3.31959E-06	1.05598E+00	-1.19188E-03	-5.77070E-03	-2.77019E-03	.00000E+00	.0000
3	259	-3.35895E-06	1.05675E+00	-1.88910E-04	-7.85543E-04	-6.33710E-04	.00000E+00	.0000
4	302	1.09928E-05	1.05676E+00	-4.10437E-05	-1.82366E-04	-1.42894E-04	.00000E+00	.0000

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	1	1.60256E-07	24	1.00000E+00	1
2	1	1	1.82710E-07	24	1.00000E+00	1
3	1	1	1.66012E-07	24	1.00000E+00	1
4	1	1	1.57203E-07	24	1.00000E+00	1
5	1	1	1.47925E-07	24	1.00000E+00	1
6	1	1	8.90491E-08	24	1.00000E+00	1
7	1	1	5.57681E-08	24	1.00000E+00	1
8	1	1	1.21885E-08	24	1.00000E+00	1
9	1	2	7.34707E-09	24	1.00000E+00	1
10	1	2	7.04445E-09	24	1.00000E+00	1
11	1	2	7.28211E-09	24	1.00000E+00	1
12	1	24	1.75957E-08	24	1.00000E+00	1
13	1	24	2.20915E-08	24	1.00000E+00	1
14	1	24	2.13140E-08	24	1.00000E+00	1
15	1	20	4.85868E-05	24	9.99838E-01	1
16	1	20	5.97910E-05	24	9.99844E-01	1
17	1	19	7.68363E-05	24	9.99850E-01	1
18	2	24	4.75161E-05	24	1.00008E+00	1
19	1	20	7.57303E-05	24	9.99834E-01	1
20	1	20	5.73101E-05	24	9.99794E-01	1
21	2	24	5.05713E-05	24	1.00002E+00	1
22	1	19	5.68041E-05	24	9.99885E-01	1
23	1	24	1.09517E-05	24	1.00000E+00	1
24	1	24	4.63568E-05	24	1.00008E+00	1
25	1	24	5.66416E-05	24	1.00002E+00	1
26	1	2	2.57303E-05	24	1.00002E+00	2
27	1	24	3.24004E-05	19	1.00001E+00	2
5 331	-1.38528E-05	1.05708E+00	-9.66132E-06	-4.09050E-05	-2.89992E-05	.00000E+00	.0167	

final monitor lambda 1.05694E+00 production/absorption 1.05693E+00 angular flux on 16

- elapsed time .02 min.

1 720 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 int. zone number radius int. midpoint area volume prod density

1	1	.00000E+00	1.29551E-02	.00000E+00	2.10906E-03	3.09003E-03
2	1	2.59102E-02	4.33406E-02	1.62798E-01	9.49318E-03	1.39024E-02
3	1	6.07710E-02	8.75100E-02	3.81835E-01	2.94045E-02	4.31432E-02
4	1	1.14249E-01	1.74155E-01	7.17848E-01	1.31104E-01	1.94239E-01
5	1	2.34061E-01	2.93967E-01	1.47065E+00	2.21259E-01	3.35787E-01
6	1	3.53873E-01	3.80612E-01	2.22345E+00	1.27890E-01	1.99196E-01
7	1	4.07351E-01	4.24781E-01	2.55946E+00	9.30429E-02	1.47765E-01
8	1	4.42212E-01	4.55167E-01	2.77850E+00	7.41004E-02	1.19812E-01
9	2	4.68122E-01	4.68814E-01	2.94130E+00	4.07946E-03	.00000E+00
10	2	4.69507E-01	4.71481E-01	2.95000E+00	1.16988E-02	.00000E+00
11	2	4.73456E-01	4.75431E-01	2.97481E+00	1.17968E-02	.00000E+00
12	2	4.77405E-01	4.78098E-01	2.99962E+00	4.16023E-03	.00000E+00
13	3	4.78790E-01	4.83159E-01	3.00833E+00	2.65268E-02	.00000E+00
14	3	4.87528E-01	4.99987E-01	3.06323E+00	7.82768E-02	.00000E+00
15	3	5.12445E-01	5.24903E-01	3.21979E+00	8.21777E-02	.00000E+00
16	3	5.37362E-01	5.41731E-01	3.37634E+00	2.97427E-02	.00000E+00
17	4	5.46100E-01	5.53513E-01	3.43125E+00	5.15631E-02	.00000E+00
18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63893E-01	4.70354E+00	1.46875E-01	.00000E+00
23	4	7.79193E-01	7.89167E-01	4.89582E+00	9.89116E-02	.00000E+00
24	4	7.99141E-01	8.06554E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 720 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 total flux

0 int. grp. 1 grp. 2 grp. 3 grp. 4 grp. 5 grp. 6 grp. 7 grp. 8

1	1.79147E-01	1.33355E+00	1.68345E+00	1.04266E+00	1.57657E+00	3.03138E+00	2.90569E+00	2.08120E+00
2	1.79212E-01	1.33418E+00	1.68429E+00	1.04316E+00	1.57727E+00	3.03269E+00	2.90655E+00	2.08126E+00
3	1.79155E-01	1.33356E+00	1.68351E+00	1.04269E+00	1.57649E+00	3.03108E+00	2.90533E+00	2.08107E+00
4	1.78754E-01	1.32930E+00	1.67807E+00	1.03958E+00	1.57122E+00	3.02061E+00	2.89902E+00	2.08001E+00
5	1.77714E-01	1.31833E+00	1.66424E+00	1.03101E+00	1.55797E+00	2.99465E+00	2.88349E+00	2.07740E+00
6	1.76514E-01	1.30582E+00	1.64865E+00	1.02164E+00	1.54325E+00	2.96621E+00	2.86656E+00	2.07451E+00
7	1.75557E-01	1.29601E+00	1.63662E+00	1.01450E+00	1.53217E+00	2.94522E+00	2.85417E+00	2.07234E+00
8	1.74605E-01	1.28644E+00	1.62507E+00	1.00774E+00	1.52184E+00	2.92605E+00	2.84295E+00	2.07029E+00
9	1.74084E-01	1.28126E+00	1.61887E+00	1.00415E+00	1.51641E+00	2.91606E+00	2.83715E+00	2.06920E+00
10	1.73976E-01	1.28022E+00	1.61763E+00	1.00346E+00	1.51541E+00	2.91427E+00	2.83617E+00	2.06901E+00
11	1.73817E-01	1.27870E+00	1.61584E+00	1.00247E+00	1.51395E+00	2.91174E+00	2.83477E+00	2.06872E+00
12	1.73712E-01	1.27770E+00	1.61466E+00	1.00183E+00	1.51308E+00	2.91011E+00	2.83388E+00	2.06853E+00
13	1.73517E-01	1.27585E+00	1.61244E+00	1.00059E+00	1.51127E+00	2.90667E+00	2.83195E+00	2.06815E+00
14	1.72987E-01	1.27058E+00	1.60592E+00	9.96753E-01	1.50546E+00	2.89541E+00	2.82553E+00	2.06711E+00
15	1.72392E-01	1.26419E+00	1.59752E+00	9.91434E-01	1.49706E+00	2.87877E+00	2.81595E+00	2.06597E+00
16	1.72101E-01	1.26066E+00	1.59250E+00	9.87963E-01	1.49134E+00	2.86723E+00	2.80924E+00	2.06545E+00
17	1.71961E-01	1.25863E+00	1.58988E+00	9.85632E-01	1.48736E+00	2.85927E+00	2.80457E+00	2.06531E+00
18	1.71778E-01	1.25601E+00	1.58539E+00	9.82660E-01	1.48230E+00	2.84930E+00	2.79871E+00	2.06517E+00
19	1.71548E-01	1.25289E+00	1.58078E+00	9.79294E-01	1.47662E+00	2.83816E+00	2.79214E+00	2.06498E+00
20	1.71242E-01	1.24886E+00	1.57488E+00	9.75078E-01	1.46955E+00	2.82431E+00	2.78400E+00	2.06460E+00
21	1.71031E-01	1.24605E+00	1.57074E+00	9.72092E-01	1.46452E+00	2.81449E+00	2.77851E+00	2.06450E+00
22	1.71032E-01	1.24592E+00	1.57044E+00	9.71810E-01	1.46400E+00	2.81348E+00	2.77787E+00	2.06473E+00
23	1.71110E-01	1.24678E+00	1.57157E+00	9.72538E-01	1.46518E+00	2.81577E+00	2.77935E+00	2.06501E+00
24	1.71199E-01	1.24780E+00	1.57293E+00	9.73436E-01	1.46663E+00	2.81862E+00	2.78114E+00	2.06528E+00

0 int. grp. 9 grp. 10 grp. 11 grp. 12 grp. 13 grp. 14 grp. 15 grp. 16

1	1.58778E+00	1.44719E+00	1.30657E+00	7.96177E-01	6.70742E-01	5.84450E-01	3.68940E-01	2.02984E-01
2	1.58771E+00	1.44709E+00	1.30636E+00	7.95945E-01	6.70531E-01	5.84161E-01	3.68908E-01	2.02960E-01
3	1.58769E+00	1.44731E+00	1.30683E+00	7.96495E-01	6.70994E-01	5.84871E-01	3.68987E-01	2.03008E-01
4	1.58892E+00	1.44852E+00	1.30946E+00	7.99580E-01	6.73628E-01	5.88824E-01	3.69420E-01	2.03284E-01
5	1.59150E+00	1.45150E+00	1.31594E+00	8.07199E-01	6.80131E-01	5.98634E-01	3.70464E-01	2.03963E-01

6	1.59437E+00	1.45475E+00	1.32302E+00	8.15587E-01	6.87282E-01	6.09496E-01	3.71589E-01	2.04702E-01
7	1.59854E+00	1.45713E+00	1.32824E+00	8.21806E-01	6.92576E-01	6.17606E-01	3.72598E-01	2.05243E-01
8	1.59860E+00	1.45929E+00	1.33299E+00	8.27516E-01	6.97431E-01	6.25087E-01	3.73120E-01	2.05735E-01
9	1.59970E+00	1.46041E+00	1.33545E+00	8.30482E-01	6.99953E-01	6.28977E-01	3.73490E-01	2.05990E-01
10	1.59989E+00	1.46059E+00	1.33585E+00	8.30959E-01	7.00365E-01	6.29596E-01	3.73552E-01	2.06034E-01
11	1.60018E+00	1.46085E+00	1.33641E+00	8.31640E-01	7.00954E-01	6.30482E-01	3.73642E-01	2.06096E-01
12	1.60036E+00	1.46102E+00	1.33677E+00	8.32081E-01	7.01334E-01	6.31055E-01	3.73699E-01	2.06137E-01
13	1.60074E+00	1.46136E+00	1.33752E+00	8.32980E-01	7.02112E-01	6.32226E-01	3.73818E-01	2.06219E-01
14	1.60178E+00	1.46246E+00	1.33990E+00	8.35793E-01	7.04547E-01	6.35890E-01	3.74199E-01	2.06478E-01
15	1.60289E+00	1.46403E+00	1.34326E+00	8.39673E-01	7.07905E-01	6.40938E-01	3.74739E-01	2.06857E-01
16	1.60342E+00	1.46507E+00	1.34547E+00	8.42177E-01	7.10069E-01	6.44186E-01	3.75098E-01	2.07068E-01
17	1.60371E+00	1.46585E+00	1.34713E+00	8.44017E-01	7.11628E-01	6.46554E-01	3.75290E-01	2.07218E-01
18	1.60414E+00	1.46691E+00	1.34938E+00	8.46533E-01	7.13740E-01	6.49781E-01	3.75504E-01	2.07410E-01
19	1.60468E+00	1.46812E+00	1.35195E+00	8.49429E-01	7.16177E-01	6.53501E-01	3.75756E-01	2.07635E-01
20	1.60544E+00	1.46964E+00	1.35522E+00	8.53118E-01	7.19281E-01	6.58240E-01	3.76064E-01	2.07918E-01
21	1.60600E+00	1.47073E+00	1.35755E+00	8.55748E-01	7.21466E-01	6.61596E-01	3.76217E-01	2.08096E-01
22	1.60606E+00	1.47084E+00	1.35777E+00	8.55980E-01	7.21611E-01	6.61858E-01	3.76127E-01	2.08076E-01
23	1.60591E+00	1.47056E+00	1.35719E+00	8.55296E-01	7.20995E-01	6.60953E-01	3.75978E-01	2.07993E-01
24	1.60572E+00	1.47023E+00	1.35644E+00	8.54453E-01	7.20250E-01	6.59847E-01	3.75828E-01	2.07903E-01

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.22947E-02	3.69456E-02	1.21623E-01	4.23045E-01	1.06334E-01	1.76019E-01	6.67073E-01	4.91611E-01
2	8.22659E-02	3.69358E-02	1.21575E-01	4.22940E-01	1.06268E-01	1.75895E-01	6.66661E-01	4.91274E-01
3	8.23252E-02	3.71640E-02	1.21680E-01	4.23148E-01	1.06467E-01	1.76520E-01	6.67697E-01	4.92220E-01
4	8.26555E-02	3.82301E-02	1.22275E-01	4.24354E-01	1.07545E-01	1.79682E-01	6.73457E-01	4.97389E-01
5	8.34796E-02	4.09748E-02	1.23752E-01	4.27316E-01	1.10240E-01	1.87644E-01	6.87741E-01	5.10237E-01
6	8.43891E-02	4.41961E-02	1.25318E-01	4.30551E-01	1.13253E-01	1.96684E-01	7.03548E-01	5.24521E-01
7	8.50657E-02	4.67821E-02	1.26475E-01	4.32986E-01	1.15530E-01	2.03633E-01	7.15343E-01	5.35257E-01
8	8.56892E-02	4.93228E-02	1.27520E-01	4.35089E-01	1.17651E-01	2.10209E-01	7.26220E-01	5.45180E-01
9	8.60140E-02	5.06765E-02	1.28058E-01	4.36211E-01	1.18758E-01	2.13661E-01	7.31869E-01	5.50358E-01
10	8.60674E-02	5.08489E-02	1.28145E-01	4.36397E-01	1.18927E-01	2.14150E-01	7.32740E-01	5.51135E-01
11	8.61437E-02	5.10954E-02	1.28270E-01	4.36663E-01	1.19168E-01	2.14849E-01	7.33980E-01	5.52240E-01
12	8.61931E-02	5.12556E-02	1.28350E-01	4.36835E-01	1.19324E-01	2.15302E-01	7.34780E-01	5.52952E-01
13	8.62942E-02	5.15806E-02	1.28516E-01	4.37186E-01	1.19642E-01	2.16224E-01	7.36416E-01	5.54406E-01
14	8.66099E-02	5.25832E-02	1.29041E-01	4.38286E-01	1.20636E-01	2.19085E-01	7.41507E-01	5.58891E-01
15	8.70440E-02	5.39557E-02	1.29775E-01	4.39797E-01	1.22000E-01	2.22966E-01	7.48419E-01	5.64887E-01
16	8.73227E-02	5.47874E-02	1.30256E-01	4.40764E-01	1.22872E-01	2.25420E-01	7.52778E-01	5.68598E-01
17	8.75268E-02	5.54283E-02	1.30602E-01	4.41442E-01	1.23544E-01	2.27332E-01	7.56369E-01	5.71998E-01
18	8.78065E-02	5.63208E-02	1.31068E-01	4.42357E-01	1.24491E-01	2.30062E-01	7.61717E-01	5.77345E-01
19	8.81290E-02	5.73463E-02	1.31606E-01	4.43427E-01	1.25587E-01	2.33257E-01	7.68101E-01	5.83805E-01
20	8.85401E-02	5.86489E-02	1.32291E-01	4.44797E-01	1.26993E-01	2.37327E-01	7.76589E-01	5.92525E-01
21	8.88320E-02	5.95812E-02	1.32772E-01	4.45743E-01	1.28008E-01	2.40294E-01	7.82998E-01	5.99328E-01
22	8.88562E-02	5.96760E-02	1.32803E-01	4.45771E-01	1.28115E-01	2.40621E-01	7.83948E-01	6.00620E-01
23	8.87795E-02	5.94501E-02	1.32666E-01	4.45466E-01	1.27871E-01	2.39919E-01	7.82657E-01	5.99540E-01
24	8.86865E-02	5.91669E-02	1.32501E-01	4.45109E-01	1.27564E-01	2.39031E-01	7.80956E-01	5.98002E-01

0 int.	grp. 25	grp. 26	grp. 27
1	2.04150E-01	1.23962E-01	1.62809E-02
2	2.04009E-01	1.23874E-01	1.62612E-02
3	2.04507E-01	1.24353E-01	1.64085E-02
4	2.07134E-01	1.26761E-01	1.70793E-02
5	2.13672E-01	1.32779E-01	1.87817E-02
6	2.20974E-01	1.39573E-01	2.07691E-02
7	2.26487E-01	1.44775E-01	2.23667E-02
8	2.31638E-01	1.49702E-01	2.39516E-02
9	2.34329E-01	1.52290E-01	2.47990E-02
10	2.34719E-01	1.52640E-01	2.48969E-02
11	2.35275E-01	1.53138E-01	2.50362E-02
12	2.35634E-01	1.53459E-01	2.51259E-02
13	2.36363E-01	1.54110E-01	2.53081E-02
14	2.38576E-01	1.56072E-01	2.58465E-02
15	2.41457E-01	1.58587E-01	2.65125E-02

16	2.43181E-01	1.60059E-01	2.68841E-02
17	2.44910E-01	1.61817E-01	2.74610E-02
18	2.47773E-01	1.64887E-01	2.85150E-02
19	2.51269E-01	1.68619E-01	2.97503E-02
20	2.56042E-01	1.73708E-01	3.13762E-02
21	2.59853E-01	1.77863E-01	3.27133E-02
22	2.60684E-01	1.78927E-01	3.31109E-02
23	2.60187E-01	1.78562E-01	3.30648E-02
24	2.59424E-01	1.77890E-01	3.29159E-02

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.27834E-02	.00000E+00	1.27835E-02	1.06397E-02	3.25724E-05	1.12142E-02	9.98836E-01
2	.00000E+00	1.93360E-01	2.35212E-05	1.67578E-01	6.66508E-02	1.36418E-02	1.15429E-01	1.00004E+00
3	.00000E+00	2.15763E-01	2.68562E-02	1.61228E-01	8.13114E-02	1.55438E-02	1.45263E-01	1.00000E+00
4	.00000E+00	1.23897E-01	3.90464E-02	1.05435E-01	6.78865E-02	7.40609E-03	8.76483E-02	1.00001E+00
5	.00000E+00	1.64367E-01	6.80627E-02	2.59700E-01	9.47652E-02	4.41163E-03	1.33256E-01	9.99992E-01
6	.00000E+00	1.77483E-01	1.34857E-01	6.53829E-01	5.43823E-02	6.94352E-03	2.50985E-01	1.00008E+00
7	.00000E+00	8.77626E-02	9.84879E-02	7.44822E-01	3.63351E-02	7.47750E-03	1.42437E-01	1.00001E+00
8	.00000E+00	1.35239E-02	4.25805E-02	6.30765E-01	2.15051E-02	1.38255E-02	2.07712E-02	1.00005E+00
9	.00000E+00	9.81536E-04	2.17281E-02	5.35545E-01	2.06897E-02	2.29246E-02	-2.09042E-02	9.99991E-01
10	.00000E+00	7.29039E-05	2.07116E-02	4.61417E-01	1.97058E-02	3.55838E-02	-2.55057E-02	1.00001E+00
11	.00000E+00	5.73558E-06	1.97067E-02	4.23345E-01	8.15330E-03	5.80208E-02	-5.54615E-02	1.00001E+00
12	.00000E+00	4.02915E-07	8.15335E-03	2.39571E-01	9.37688E-03	6.40370E-02	-6.52571E-02	9.99960E-01
13	.00000E+00	6.39792E-08	9.37689E-03	1.78595E-01	6.15287E-03	5.94453E-02	-5.62217E-02	1.00001E+00
14	.00000E+00	1.26790E-08	6.15287E-03	1.52008E-01	7.38436E-03	8.35490E-02	-8.47806E-02	1.00000E+00
15	.00000E+00	1.43286E-09	7.47109E-03	8.44814E-02	8.86820E-03	6.94069E-03	-8.39745E-03	1.00377E+00
16	.00000E+00	4.20738E-10	9.03061E-03	4.25418E-02	9.55262E-03	5.38954E-03	-5.95372E-03	1.00282E+00
17	.00000E+00	1.35498E-10	7.65731E-03	1.44202E-02	7.36023E-03	7.62079E-03	-7.34180E-03	1.00121E+00
18	.00000E+00	9.70128E-11	7.05739E-03	8.59951E-03	4.25206E-03	2.56773E-02	-2.28560E-02	1.00013E+00
19	.00000E+00	1.37155E-10	6.48623E-03	2.36319E-02	8.66922E-03	1.01044E-02	-1.23063E-02	1.00101E+00
20	.00000E+00	2.23029E-10	9.86478E-03	1.01120E-01	9.56416E-03	2.60108E-02	-2.57754E-02	1.00185E+00
21	.00000E+00	3.26442E-11	8.97754E-03	2.08262E-02	8.09340E-03	2.43936E-02	-2.35258E-02	1.00044E+00
22	.00000E+00	3.78747E-11	1.17446E-02	4.05430E-02	9.13392E-03	7.02846E-02	-6.77078E-02	1.00043E+00
23	.00000E+00	3.62124E-11	1.41527E-02	1.62453E-01	1.78592E-02	1.21836E-01	-1.25645E-01	1.00073E+00
24	.00000E+00	9.85656E-12	2.17814E-02	1.12898E-01	2.18441E-02	1.13778E-01	-1.13917E-01	1.00056E+00
25	.00000E+00	2.88535E-12	1.86887E-02	4.27493E-02	1.41086E-02	6.19250E-02	-5.73764E-02	1.00042E+00
26	.00000E+00	2.02523E-12	9.19215E-03	2.97282E-02	6.33813E-03	5.56420E-02	-5.28068E-02	1.00030E+00
27	.00000E+00	4.82146E-13	1.98517E-03	4.44033E-03	1.08145E-03	1.55400E-02	-1.46389E-02	1.00016E+00
28	.00000E+00	1.00000E+00	6.22642E-01	5.41485E+00	6.22642E-01	9.41190E-01	6.06264E-02	1.00030E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.74113E-01	1.12142E-02	1.79088E-01	.00000E+00	2.27852E-03	2.65102E-03	.00000E+00	1.21957E-01
2	1.28154E+00	1.15429E-01	1.33293E+00	.00000E+00	1.70654E-05	1.18697E-02	.00000E+00	9.03624E-01
3	1.61919E+00	1.45263E-01	1.68264E+00	.00000E+00	.00000E+00	1.45190E-02	.00000E+00	1.14088E+00
4	1.00434E+00	8.76483E-02	1.04218E+00	.00000E+00	.00000E+00	6.25975E-03	.00000E+00	7.06913E-01
5	1.51667E+00	1.33256E-01	1.57586E+00	.00000E+00	.00000E+00	1.80747E-03	.00000E+00	1.06812E+00
6	2.91654E+00	2.50985E-01	3.03003E+00	.00000E+00	.00000E+00	1.54159E-03	.00000E+00	2.05324E+00
7	2.85742E+00	1.42437E-01	2.90495E+00	.00000E+00	.00000E+00	1.49123E-03	.00000E+00	1.98016E+00
8	2.06925E+00	2.07712E-02	2.08110E+00	.00000E+00	.00000E+00	1.50630E-03	.00000E+00	1.42930E+00
9	1.59965E+00	-2.09042E-02	1.58788E+00	.00000E+00	.00000E+00	2.00510E-03	.00000E+00	1.09653E+00
10	1.46036E+00	-2.55057E-02	1.44731E+00	.00000E+00	.00000E+00	4.27114E-03	.00000E+00	1.00023E+00
11	1.33535E+00	-5.54615E-02	1.30683E+00	.00000E+00	.00000E+00	9.09949E-03	.00000E+00	9.08034E-01
12	8.30356E-01	-6.52571E-02	7.96471E-01	.00000E+00	.00000E+00	1.19534E-02	.00000E+00	5.58204E-01
13	6.99845E-01	-5.62217E-02	6.71002E-01	.00000E+00	.00000E+00	1.31836E-02	.00000E+00	4.70354E-01
14	6.28813E-01	-8.47806E-02	5.84819E-01	.00000E+00	.00000E+00	8.23088E-03	.00000E+00	4.15382E-01
15	3.73518E-01	-8.39745E-03	3.69026E-01	.00000E+00	.00000E+00	1.98407E-03	.00000E+00	2.55366E-01
16	2.06002E-01	-5.95372E-03	2.03057E-01	.00000E+00	.00000E+00	1.38096E-03	.00000E+00	1.40633E-01
17	8.60092E-02	-7.34180E-03	8.23378E-02	.00000E+00	.00000E+00	1.66006E-03	.00000E+00	5.77425E-02
18	5.06276E-02	-2.28560E-02	3.69961E-02	.00000E+00	.00000E+00	1.28586E-03	.00000E+00	2.92610E-02
19	1.28051E-01	-1.23063E-02	1.21697E-01	.00000E+00	.00000E+00	2.62594E-03	.00000E+00	8.56450E-02

20	4.36233E-01	-2.57754E-02	4.25240E-01	.00000E+00	.00000E+00	1.55009E-02	.00000E+00	2.95133E-01
21	1.18705E-01	-2.35238E-02	1.06422E-01	.00000E+00	.00000E+00	1.49508E-02	.00000E+00	7.68105E-02
22	2.13547E-01	-6.77078E-02	1.76253E-01	.00000E+00	.00000E+00	4.27190E-02	.00000E+00	1.31991E-01
23	7.31605E-01	-1.25645E-01	6.67572E-01	.00000E+00	.00000E+00	7.53704E-02	.00000E+00	4.78206E-01
24	5.50114E-01	-1.13917E-01	4.92030E-01	.00000E+00	.00000E+00	7.05000E-02	.00000E+00	3.55578E-01
25	2.34210E-01	-5.73766E-02	2.04347E-01	.00000E+00	.00000E+00	4.01535E-02	.00000E+00	1.49320E-01
26	1.52187E-01	-5.28068E-02	1.24118E-01	.00000E+00	.00000E+00	3.68822E-02	.00000E+00	9.35099E-02
27	2.47718E-02	-1.46389E-02	1.62895E-02	.00000E+00	.00000E+00	1.04036E-02	.00000E+00	1.35787E-02
28	2.32790E+01	6.06264E-02	2.32465E+01	.00000E+00	2.29558E-03	4.05807E-01	.00000E+00	1.60157E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.96046E-08	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.96046E-08	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.47035E-08	1.00000E+00
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.38419E-07	9.99999E-01
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.96046E-08	1.00000E+00
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-08	9.99998E-01
9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.96046E-08	9.99997E-01
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.79397E-08	1.00000E+00
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-08	9.99999E-01
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-08	9.99999E-01
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	4.47035E-08	9.99999E-01
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-3.72529E-08	1.00000E+00
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-6.05360E-09	1.00000E+00
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-9.31323E-10	1.00000E+00
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.58794E-09	1.00000E+00
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.11759E-08	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.98023E-08	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.21541E-08	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.11759E-08	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.62050E-07	9.99995E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.73686E-01	1.12142E-02	1.74113E-01	1.12142E-02	.00000E+00	.00000E+00	.00000E+00	5.51864E-03
2	1.27745E+00	1.15429E-01	1.28154E+00	1.15429E-01	.00000E+00	.00000E+00	.00000E+00	4.06040E-02
3	1.61437E+00	1.45263E-01	1.61919E+00	1.45263E-01	.00000E+00	.00000E+00	.00000E+00	5.13074E-02
4	1.00167E+00	8.76483E-02	1.00434E+00	8.76483E-02	.00000E+00	.00000E+00	.00000E+00	3.18294E-02
5	1.51285E+00	1.33256E-01	1.51667E+00	1.33256E-01	.00000E+00	.00000E+00	.00000E+00	4.80696E-02
6	2.90970E+00	2.50985E-01	2.91654E+00	2.50985E-01	.00000E+00	.00000E+00	.00000E+00	9.24452E-02
7	2.83366E+00	1.42437E-01	2.83742E+00	1.42437E-01	.00000E+00	.00000E+00	.00000E+00	8.99845E-02
8	2.06849E+00	2.07712E-02	2.06925E+00	2.07712E-02	.00000E+00	.00000E+00	.00000E+00	6.56659E-02
9	1.60041E+00	-2.09041E-02	1.59965E+00	-2.09042E-02	.00000E+00	.00000E+00	.00000E+00	5.07775E-02
10	1.46106E+00	-2.55057E-02	1.46036E+00	-2.55057E-02	.00000E+00	.00000E+00	.00000E+00	4.63563E-02
11	1.33687E+00	-5.54615E-02	1.33535E+00	-5.54615E-02	.00000E+00	.00000E+00	.00000E+00	4.24025E-02
12	8.32192E-01	-6.52571E-02	8.30356E-01	-6.52571E-02	.00000E+00	.00000E+00	.00000E+00	2.63815E-02
13	7.01430E-01	-5.62217E-02	6.99845E-01	-5.62217E-02	.00000E+00	.00000E+00	.00000E+00	2.22356E-02
14	6.31199E-01	-8.47807E-02	6.28813E-01	-8.47806E-02	.00000E+00	.00000E+00	.00000E+00	1.99944E-02
15	3.75759E-01	-8.39745E-03	3.73518E-01	-8.39745E-03	.00000E+00	.00000E+00	.00000E+00	1.18562E-02
16	2.06170E-01	-5.95373E-03	2.06002E-01	-5.95372E-03	.00000E+00	.00000E+00	.00000E+00	6.53952E-03
17	8.62149E-02	-7.34180E-03	8.60092E-02	-7.34180E-03	.00000E+00	.00000E+00	.00000E+00	2.73258E-03
18	5.12922E-02	-2.28560E-02	5.06278E-02	-2.28560E-02	.00000E+00	.00000E+00	.00000E+00	1.61760E-03
19	1.28386E-01	-1.23063E-02	1.28051E-01	-1.23063E-02	.00000E+00	.00000E+00	.00000E+00	4.06868E-03
20	4.36949E-01	-2.57754E-02	4.36233E-01	-2.57754E-02	.00000E+00	.00000E+00	.00000E+00	1.38534E-02

21	1.19355E-01	-2.35238E-02	1.18705E-01	-2.35238E-02	.00000E+00	.00000E+00	.00000E+00	3.77798E-03
22	2.15431E-01	-6.77078E-02	2.13547E-01	-6.77078E-02	.00000E+00	.00000E+00	.00000E+00	6.80715E-03
23	7.34944E-01	-1.25645E-01	7.31605E-01	-1.25645E-01	.00000E+00	.00000E+00	.00000E+00	2.32732E-02
24	5.53091E-01	-1.13917E-01	5.50114E-01	-1.13917E-01	.00000E+00	.00000E+00	.00000E+00	1.75078E-02
25	2.35709E-01	-5.73766E-02	2.34210E-01	-5.73766E-02	.00000E+00	.00000E+00	.00000E+00	7.45765E-03
26	1.53530E-01	-5.28068E-02	1.52187E-01	-5.28068E-02	.00000E+00	.00000E+00	.00000E+00	4.85195E-03
27	2.51471E-02	-1.46389E-02	2.47718E-02	-1.46389E-02	.00000E+00	.00000E+00	.00000E+00	7.92306E-04
28	2.32750E+01	6.06267E-02	2.32790E+01	6.06264E-02	.00000E+00	.00000E+00	.00000E+00	7.38698E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	3.82808E-03	2.86963E-03	1.47057E-05	-2.78198E-03	1.00002E+00
2	.00000E+00	.00000E+00	5.01174E-04	2.60298E-02	1.86778E-02	5.17123E-05	-1.82283E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.66108E-03	5.02160E-02	1.58777E-02	1.37344E-04	-1.33530E-02	9.99993E-01
4	.00000E+00	.00000E+00	5.14870E-03	4.21368E-02	5.45581E-03	1.03441E-04	-4.10140E-04	9.99996E-01
5	.00000E+00	.00000E+00	1.10940E-02	8.16685E-02	5.16491E-03	1.52147E-04	5.77670E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.85185E-02	2.35052E-01	3.21147E-03	3.20074E-04	1.49868E-02	1.00000E+00
7	.00000E+00	.00000E+00	1.23186E-02	2.35197E-01	1.18222E-03	3.44767E-04	1.07918E-02	9.99999E-01
8	.00000E+00	.00000E+00	2.16269E-03	1.58600E-01	7.63682E-03	2.94951E-04	-5.76968E-03	1.00005E+00
9	.00000E+00	.00000E+00	7.67018E-03	1.05245E-01	8.77329E-04	1.10978E-03	5.68321E-03	9.99994E-01
10	.00000E+00	.00000E+00	8.78509E-04	8.56440E-02	8.49737E-04	8.36365E-04	-8.07460E-04	9.99995E-01
11	.00000E+00	.00000E+00	8.49798E-04	7.71430E-02	8.71214E-04	1.33855E-03	-1.36004E-03	1.00000E+00
12	.00000E+00	.00000E+00	8.71222E-04	4.68372E-02	8.71390E-04	4.17006E-05	-4.19244E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.71392E-04	3.95021E-02	8.05815E-04	5.99755E-05	5.65872E-06	9.99999E-01
14	.00000E+00	.00000E+00	8.05816E-04	3.58004E-02	6.74662E-04	9.53558E-05	3.57777E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.18410E-04	2.05627E-02	8.41566E-04	8.25774E-05	-2.04980E-04	9.99919E-01
16	.00000E+00	.00000E+00	9.39685E-04	1.08649E-02	9.41247E-04	5.11980E-05	-5.23129E-05	9.99936E-01
17	.00000E+00	.00000E+00	1.00274E-03	3.98074E-03	9.79870E-04	2.40486E-05	-1.02259E-06	9.99981E-01
18	.00000E+00	.00000E+00	1.02744E-03	2.30066E-03	7.42873E-04	1.57548E-05	2.68904E-04	9.99996E-01
19	.00000E+00	.00000E+00	7.89713E-04	6.44297E-03	9.50602E-04	4.17416E-05	-2.02259E-04	9.99975E-01
20	.00000E+00	.00000E+00	1.13347E-03	2.40599E-02	1.02287E-03	1.78887E-04	-6.71484E-05	9.99958E-01
21	.00000E+00	.00000E+00	1.26780E-03	5.59527E-03	1.33651E-03	6.16428E-05	-1.30136E-04	9.99991E-01
22	.00000E+00	.00000E+00	1.68609E-03	1.11406E-02	1.48891E-03	1.29808E-04	6.77556E-05	9.99995E-01
23	.00000E+00	.00000E+00	2.20558E-03	3.96499E-02	2.91096E-03	6.00461E-04	-1.30588E-03	1.00000E+00
24	.00000E+00	.00000E+00	3.59052E-03	2.82317E-02	3.87437E-03	6.57647E-04	-9.42275E-04	1.00000E+00
25	.00000E+00	.00000E+00	3.49494E-03	1.09051E-02	2.80682E-03	3.70910E-04	3.16922E-04	1.00000E+00
26	.00000E+00	.00000E+00	1.46077E-03	7.93862E-03	1.04911E-03	3.46649E-04	6.48983E-05	1.00000E+00
27	.00000E+00	.00000E+00	3.04206E-04	1.49458E-03	7.70061E-07	1.09315E-04	1.94094E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.39728E-02	1.39607E+00	8.39729E-02	7.57151E-03	-7.46604E-03	9.99974E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.72044E-01	8.43219E-03	1.73684E-01	1.12142E-02	1.02529E-04	.00000E+00	.00000E+00	3.74292E-02
2	1.25985E+00	9.72008E-02	1.27745E+00	1.15429E-01	.00000E+00	.00000E+00	.00000E+00	2.74684E-01
3	1.59127E+00	1.31910E-01	1.61437E+00	1.45263E-01	.00000E+00	.00000E+00	.00000E+00	3.47125E-01
4	9.87054E-01	8.72381E-02	1.00167E+00	8.76483E-02	.00000E+00	.00000E+00	.00000E+00	2.15423E-01
5	1.48980E+00	1.39033E-01	1.51285E+00	1.33256E-01	.00000E+00	.00000E+00	.00000E+00	3.25314E-01
6	2.86408E+00	2.65972E-01	2.90970E+00	2.50985E-01	.00000E+00	.00000E+00	.00000E+00	6.25598E-01
7	2.80740E+00	1.53229E-01	2.85366E+00	1.42437E-01	.00000E+00	.00000E+00	.00000E+00	6.11259E-01
8	2.06536E+00	1.50015E-02	2.06849E+00	2.07712E-02	.00000E+00	.00000E+00	.00000E+00	4.47877E-01
9	1.60352E+00	-1.52209E-02	1.60041E+00	-2.09041E-02	.00000E+00	.00000E+00	.00000E+00	3.47254E-01
10	1.46535E+00	-2.63132E-02	1.46106E+00	-2.55057E-02	.00000E+00	.00000E+00	.00000E+00	3.17128E-01
11	1.34605E+00	-5.68215E-02	1.33687E+00	-5.54615E-02	.00000E+00	.00000E+00	.00000E+00	2.90767E-01
12	8.42824E-01	-6.52990E-02	8.32192E-01	-6.52571E-02	.00000E+00	.00000E+00	.00000E+00	1.81571E-01
13	7.10628E-01	-5.62160E-02	7.01430E-01	-5.62217E-02	.00000E+00	.00000E+00	.00000E+00	1.53068E-01
14	6.45024E-01	-8.47449E-02	6.31199E-01	-8.47807E-02	.00000E+00	.00000E+00	.00000E+00	1.38377E-01
15	3.75235E-01	-8.60243E-03	3.73759E-01	-8.39745E-03	.00000E+00	.00000E+00	.00000E+00	8.11588E-02
16	2.07151E-01	-6.00604E-03	2.06170E-01	-5.95373E-03	.00000E+00	.00000E+00	.00000E+00	4.47889E-02
17	8.74088E-02	-7.34282E-03	8.62149E-02	-7.34180E-03	.00000E+00	.00000E+00	.00000E+00	1.88189E-02
18	5.50007E-02	-2.25871E-02	5.12922E-02	-2.28540E-02	.00000E+00	.00000E+00	.00000E+00	1.15461E-02
19	1.30398E-01	-1.25086E-02	1.28386E-01	-1.23063E-02	.00000E+00	.00000E+00	.00000E+00	2.80488E-02
20	4.41084E-01	-2.58426E-02	4.36949E-01	-2.57754E-02	.00000E+00	.00000E+00	.00000E+00	9.51558E-02
21	1.23088E-01	-2.36539E-02	1.19355E-01	-2.35238E-02	.00000E+00	.00000E+00	.00000E+00	2.62969E-02

22	2.26061E-01	-6.76401E-02	2.15431E-01	-6.77078E-02	.00000E+00	.00000E+00	.00000E+00	4.79124E-02
23	7.53847E-01	-1.26951E-01	7.34946E-01	-1.25645E-01	.00000E+00	.00000E+00	.00000E+00	1.61471E-01
24	5.69481E-01	-1.14859E-01	5.53091E-01	-1.13917E-01	.00000E+00	.00000E+00	.00000E+00	1.21788E-01
25	2.43582E-01	-5.70596E-02	2.35709E-01	-5.73766E-02	.00000E+00	.00000E+00	.00000E+00	5.20202E-02
26	1.60397E-01	-5.27419E-02	1.53530E-01	-5.28068E-02	.00000E+00	.00000E+00	.00000E+00	3.40977E-02
27	2.69670E-02	-1.44448E-02	2.51471E-02	-1.46389E-02	.00000E+00	.00000E+00	.00000E+00	5.67287E-03
28	2.32499E+01	5.31614E-02	2.32750E+01	6.06267E-02	1.02529E-04	.00000E+00	.00000E+00	5.04165E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	6.04869E-03	8.00593E-03	4.26681E-04	-8.43219E-03	9.99949E-01
2	.00000E+00	.00000E+00	4.59365E-03	7.66324E-02	1.00719E-01	1.07913E-03	-9.72008E-02	9.99962E-01
3	.00000E+00	.00000E+00	4.77980E-02	6.90679E-02	1.79701E-01	5.42865E-06	-1.31910E-01	9.99977E-01
4	.00000E+00	.00000E+00	7.04018E-02	4.58799E-02	1.57639E-01	3.25281E-06	-8.72381E-02	9.99987E-01
5	.00000E+00	.00000E+00	1.30068E-01	1.48536E-01	2.69100E-01	3.77607E-06	-1.39083E-01	9.99991E-01
6	.00000E+00	.00000E+00	2.75159E-01	4.55294E-01	5.41121E-01	1.14771E-05	-2.65972E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.52875E-01	7.95209E-01	7.06087E-01	2.53526E-05	-1.53229E-01	9.99987E-01
8	.00000E+00	.00000E+00	7.35558E-01	1.00101E+00	7.50579E-01	4.70163E-05	-1.50015E-02	9.99911E-01
9	.00000E+00	.00000E+00	7.40850E-01	9.16288E-01	7.25615E-01	9.59307E-05	1.52209E-02	9.99890E-01
10	.00000E+00	.00000E+00	7.22315E-01	8.66882E-01	6.95865E-01	2.11574E-04	2.63131E-02	9.99896E-01
11	.00000E+00	.00000E+00	7.00804E-01	8.06109E-01	6.43566E-01	4.57768E-04	5.68216E-02	9.99940E-01
12	.00000E+00	.00000E+00	5.60220E-01	4.20130E-01	4.94335E-01	5.97796E-04	6.52990E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.90284E-01	3.37784E-01	4.33185E-01	8.97230E-04	5.62160E-02	9.99970E-01
14	.00000E+00	.00000E+00	4.70291E-01	3.21534E-01	3.84096E-01	1.45517E-03	8.47449E-02	9.99989E-01
15	.00000E+00	.00000E+00	2.50802E-01	1.28604E-01	2.40928E-01	1.28139E-03	8.57047E-03	1.00009E+00
16	.00000E+00	.00000E+00	1.66381E-01	5.41407E-02	1.59503E-01	8.76394E-04	5.98415E-03	1.00010E+00
17	.00000E+00	.00000E+00	8.55564E-02	1.49526E-02	7.77979E-02	4.17663E-04	7.33096E-03	1.00011E+00
18	.00000E+00	.00000E+00	7.56921E-02	9.66449E-03	5.28088E-02	2.95696E-04	2.25897E-02	9.99973E-01
19	.00000E+00	.00000E+00	1.25230E-01	3.31428E-02	1.09998E-01	7.26455E-04	1.24912E-02	1.00011E+00
20	.00000E+00	.00000E+00	3.00285E-01	2.40023E-01	2.71379E-01	3.07074E-03	2.57972E-02	1.00013E+00
21	.00000E+00	.00000E+00	1.40132E-01	4.43519E-02	1.15380E-01	1.09894E-03	2.36594E-02	9.99954E-01
22	.00000E+00	.00000E+00	2.64239E-01	1.24809E-01	1.94230E-01	2.37240E-03	6.76174E-02	1.00007E+00
23	.00000E+00	.00000E+00	6.20888E-01	7.35921E-01	4.83259E-01	1.06096E-02	1.26949E-01	1.00008E+00
24	.00000E+00	.00000E+00	6.30606E-01	6.52794E-01	5.08897E-01	1.18346E-02	1.14856E-01	1.00008E+00
25	.00000E+00	.00000E+00	4.06751E-01	2.66556E-01	3.42925E-01	6.76082E-03	5.70686E-02	1.00002E+00
26	.00000E+00	.00000E+00	3.21333E-01	2.83699E-01	2.62034E-01	6.55401E-03	5.27431E-02	1.00001E+00
27	.00000E+00	.00000E+00	1.06970E-01	5.92555E-02	9.02694E-02	2.25470E-03	1.44447E-02	1.00001E+00
28	.00000E+00	.00000E+00	8.99402E+00	8.91332E+00	8.99402E+00	5.34710E-02	-5.33086E-02	9.99982E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.71245E-01	3.02770E-09	1.72044E-01	8.43219E-03	4.42751E-10	.00000E+00	.00000E+00	1.95992E-01
2	1.24852E+00	-2.93830E-08	1.25985E+00	9.72008E-02	.00000E+00	.00000E+00	.00000E+00	1.42926E+00
3	1.57363E+00	3.10709E-09	1.59127E+00	1.31910E-01	.00000E+00	.00000E+00	.00000E+00	1.80228E+00
4	9.73905E-01	1.03098E-08	9.87054E-01	8.72381E-02	.00000E+00	.00000E+00	.00000E+00	1.11581E+00
5	1.46740E+00	-3.42338E-08	1.48980E+00	1.39033E-01	.00000E+00	.00000E+00	.00000E+00	1.68159E+00
6	2.82012E+00	1.26755E-07	2.86408E+00	2.65972E-01	.00000E+00	.00000E+00	.00000E+00	3.23183E+00
7	2.78208E+00	5.12217E-08	2.80740E+00	1.53229E-01	.00000E+00	.00000E+00	.00000E+00	3.18612E+00
8	2.06641E+00	3.82637E-08	2.06536E+00	1.50015E-02	.00000E+00	.00000E+00	.00000E+00	2.36521E+00
9	1.60561E+00	3.62845E-09	1.60352E+00	-1.52209E-02	.00000E+00	.00000E+00	.00000E+00	1.83755E+00
10	1.47005E+00	-6.61256E-08	1.46535E+00	-2.63132E-02	.00000E+00	.00000E+00	.00000E+00	1.68214E+00
11	1.35608E+00	3.56062E-08	1.34605E+00	-5.68215E-02	.00000E+00	.00000E+00	.00000E+00	1.55127E+00
12	8.54012E-01	5.04672E-08	8.42824E-01	-6.52990E-02	.00000E+00	.00000E+00	.00000E+00	9.76609E-01
13	7.19861E-01	2.93091E-09	7.10628E-01	-5.62160E-02	.00000E+00	.00000E+00	.00000E+00	8.23356E-01
14	6.59269E-01	3.15814E-08	6.45024E-01	-8.47449E-02	.00000E+00	.00000E+00	.00000E+00	7.53583E-01
15	3.75799E-01	-3.19654E-05	3.75235E-01	-8.60243E-03	.00000E+00	.00000E+00	.00000E+00	4.30335E-01
16	2.07880E-01	-2.18879E-05	2.07151E-01	-6.00604E-03	.00000E+00	.00000E+00	.00000E+00	2.37950E-01
17	8.86460E-02	-1.18634E-05	8.74088E-02	-7.34282E-03	.00000E+00	.00000E+00	.00000E+00	1.01357E-01
18	5.90139E-02	2.66675E-06	5.50007E-02	-2.25871E-02	.00000E+00	.00000E+00	.00000E+00	6.71999E-02
19	1.32432E-01	-1.74388E-05	1.30398E-01	-1.25086E-02	.00000E+00	.00000E+00	.00000E+00	1.51435E-01
20	4.44997E-01	-4.53686E-05	4.41084E-01	-2.58426E-02	.00000E+00	.00000E+00	.00000E+00	5.09107E-01
21	1.27394E-01	5.54501E-06	1.23088E-01	-2.36539E-02	.00000E+00	.00000E+00	.00000E+00	1.45437E-01
22	2.38680E-01	-2.27256E-05	2.26061E-01	-6.76401E-02	.00000E+00	.00000E+00	.00000E+00	2.71907E-01

23	7.80016E-01	-1.69919E-06	7.53847E-01	-1.26951E-01	.00000E+00	.00000E+00	.00000E+00	8.89738E-01
24	5.97130E-01	-3.49528E-06	5.69481E-01	-1.14859E-01	.00000E+00	.00000E+00	.00000E+00	6.79411E-01
25	2.58989E-01	-1.14040E-06	2.43582E-01	-5.70596E-02	.00000E+00	.00000E+00	.00000E+00	2.93856E-01
26	1.77498E-01	1.18289E-06	1.60397E-01	-5.27419E-02	.00000E+00	.00000E+00	.00000E+00	1.99827E-01
27	3.28238E-02	-1.16969E-07	2.69670E-02	-1.44448E-02	.00000E+00	.00000E+00	.00000E+00	3.62673E-02
28	2.32882E+01	-1.47938E-04	2.32499E+01	5.31614E-02	4.42751E-10	.00000E+00	.00000E+00	2.66444E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.27834E-02	.00000E+00	2.26608E-02	2.15153E-02	3.67863E-03	3.02770E-09	9.98831E-01
2	.00000E+00	1.93360E-01	7.44695E-03	2.70040E-01	1.86048E-01	1.47727E-02	-2.95830E-08	1.00002E+00
3	.00000E+00	2.15763E-01	7.68103E-02	2.80511E-01	2.76890E-01	1.56866E-02	3.10709E-09	9.99986E-01
4	.00000E+00	1.23897E-01	1.14597E-01	1.93451E-01	2.30981E-01	7.51277E-03	1.08098E-08	1.00000E+00
5	.00000E+00	1.64367E-01	2.09224E-01	4.89908E-01	3.69028E-01	4.56755E-03	-3.42338E-08	9.99989E-01
6	.00000E+00	1.77489E-01	4.28515E-01	1.34418E+00	5.98714E-01	7.27507E-03	1.26755E-07	1.00001E+00
7	.00000E+00	8.77626E-02	6.63681E-01	1.77523E+00	7.43604E-01	7.84762E-03	5.12217E-08	9.99989E-01
8	.00000E+00	1.35239E-02	7.80301E-01	1.79038E+00	7.79721E-01	1.41675E-02	3.82657E-08	9.99920E-01
9	.00000E+00	9.81536E-04	7.70248E-01	1.55708E+00	7.47182E-01	2.41308E-02	3.62845E-09	9.99895E-01
10	.00000E+00	7.29039E-05	7.43905E-01	1.41294E+00	7.07420E-01	3.66317E-02	-6.61256E-08	9.99900E-01
11	.00000E+00	5.73558E-06	7.12360E-01	1.30660E+00	6.52591E-01	5.98166E-02	3.56052E-08	9.99942E-01
12	.00000E+00	4.02915E-07	5.69244E-01	7.06538E-01	5.04583E-01	6.46765E-02	5.04672E-08	9.99974E-01
13	.00000E+00	6.39792E-08	5.00532E-01	5.55881E-01	4.40144E-01	6.04025E-02	2.98091E-09	9.99971E-01
14	.00000E+00	1.26790E-08	4.77250E-01	5.09342E-01	3.92155E-01	8.50995E-02	3.15814E-08	9.99989E-01
15	.00000E+00	1.43286E-09	2.58992E-01	2.33648E-01	2.50638E-01	8.30466E-03	-3.19654E-05	1.00031E+00
16	.00000E+00	4.20738E-10	1.76351E-01	1.07547E-01	1.69997E-01	6.31713E-03	-2.18879E-05	1.00033E+00
17	.00000E+00	1.35498E-10	9.42157E-02	3.33535E-02	8.61380E-02	8.06250E-03	-1.18636E-05	1.00029E+00
18	.00000E+00	9.70128E-11	8.37770E-02	2.05647E-02	5.77837E-02	2.59888E-02	2.66675E-06	1.00002E+00
19	.00000E+00	1.37155E-10	1.30506E-01	6.32176E-02	1.19618E-01	1.08726E-02	-1.74388E-05	1.00025E+00
20	.00000E+00	2.23029E-10	3.11284E-01	3.65203E-01	2.81966E-01	2.92599E-02	-4.53686E-05	1.00033E+00
21	.00000E+00	3.26442E-11	1.50377E-01	7.07734E-02	1.24810E-01	2.55542E-02	5.54501E-06	1.00005E+00
22	.00000E+00	3.78747E-11	2.77670E-01	1.76498E-01	2.04853E-01	7.27868E-02	-2.27256E-05	1.00019E+00
23	.00000E+00	3.62124E-11	6.37196E-01	9.38023E-01	5.04029E-01	1.33046E-01	-1.69919E-06	1.00019E+00
24	.00000E+00	9.85666E-12	6.55978E-01	7.93924E-01	5.29616E-01	1.26271E-01	-3.49528E-06	1.00015E+00
25	.00000E+00	2.88535E-12	4.28934E-01	3.20211E-01	3.59841E-01	6.90567E-02	-1.14040E-06	1.00009E+00
26	.00000E+00	2.02323E-12	3.31986E-01	3.21366E-01	2.69421E-01	6.25427E-02	1.18289E-06	1.00006E+00
27	.00000E+00	4.82146E-13	1.09259E-01	6.51904E-02	9.13518E-02	1.79040E-02	-1.16969E-07	1.00003E+00
28	.00000E+00	1.00000E+00	9.70064E+00	1.57242E+01	9.70064E+00	1.00223E+00	-1.48078E-04	1.00003E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.71245E-01	3.02770E-09	1.79086E-01	.00000E+00	2.38106E-03	2.65102E-03	.00000E+00	3.60897E-01
2	1.24852E+00	-2.95830E-08	1.33295E+00	.00000E+00	1.70654E-05	1.18697E-02	.00000E+00	2.64818E+00
3	1.57363E+00	3.10709E-09	1.68264E+00	.00000E+00	.00000E+00	1.45190E-02	.00000E+00	3.34159E+00
4	9.73905E-01	1.08098E-08	1.04218E+00	.00000E+00	.00000E+00	6.25975E-03	.00000E+00	2.06998E+00
5	1.46740E+00	-3.42338E-08	1.57586E+00	.00000E+00	.00000E+00	1.80747E-03	.00000E+00	3.12309E+00
6	2.82012E+00	1.26755E-07	3.03003E+00	.00000E+00	.00000E+00	1.54159E-03	.00000E+00	6.00311E+00
7	2.78208E+00	5.12217E-08	2.90495E+00	.00000E+00	.00000E+00	1.49123E-03	.00000E+00	5.86752E+00
8	2.05541E+00	3.82657E-08	2.08110E+00	.00000E+00	.00000E+00	1.50630E-03	.00000E+00	4.30604E+00
9	1.60561E+00	3.62845E-09	1.58788E+00	.00000E+00	.00000E+00	2.00510E-03	.00000E+00	3.33211E+00
10	1.47005E+00	-6.61256E-08	1.44731E+00	.00000E+00	.00000E+00	4.27114E-03	.00000E+00	3.04586E+00
11	1.35608E+00	3.56062E-08	1.30683E+00	.00000E+00	.00000E+00	9.09949E-03	.00000E+00	2.79248E+00
12	8.54012E-01	5.04672E-08	7.96471E-01	.00000E+00	.00000E+00	1.19534E-02	.00000E+00	1.74276E+00
13	7.19861E-01	2.93091E-09	6.71002E-01	.00000E+00	.00000E+00	1.31836E-02	.00000E+00	1.46901E+00
14	6.59269E-01	3.15814E-08	5.84819E-01	.00000E+00	.00000E+00	8.23038E-03	.00000E+00	1.32734E+00
15	3.75799E-01	-3.19654E-05	3.69026E-01	.00000E+00	.00000E+00	1.98407E-03	.00000E+00	7.78715E-01
16	2.07880E-01	-2.18879E-05	2.03037E-01	.00000E+00	.00000E+00	1.38096E-03	.00000E+00	4.29911E-01
17	8.86460E-02	-1.18536E-05	8.25378E-02	.00000E+00	.00000E+00	1.66006E-03	.00000E+00	1.80651E-01
18	5.90139E-02	2.66675E-06	3.69961E-02	.00000E+00	.00000E+00	1.28586E-03	.00000E+00	1.09625E-01
19	1.32432E-01	-1.74388E-05	1.21697E-01	.00000E+00	.00000E+00	2.62594E-03	.00000E+00	2.69198E-01
20	4.44997E-01	-4.53686E-05	4.25240E-01	.00000E+00	.00000E+00	1.55009E-02	.00000E+00	9.13246E-01
21	1.27394E-01	5.54501E-06	1.06422E-01	.00000E+00	.00000E+00	1.49508E-02	.00000E+00	2.52525E-01
22	2.38580E-01	-2.27256E-05	1.76253E-01	.00000E+00	.00000E+00	4.27190E-02	.00000E+00	4.58618E-01
23	7.80016E-01	-1.69919E-06	6.67572E-01	.00000E+00	.00000E+00	7.53704E-02	.00000E+00	1.55269E+00

24	5.97130E-01	-3.49528E-06	4.92080E-01	.00000E+00	.00000E+00	7.05000E-02	.00000E+00	1.17428E+00
25	2.58585E-01	-1.14040E-06	2.04347E-01	.00000E+00	.00000E+00	4.01535E-02	.00000E+00	5.02654E-01
26	1.77498E-01	1.18289E-06	1.24118E-01	.00000E+00	.00000E+00	3.68822E-02	.00000E+00	3.32287E-01
27	3.28258E-02	-1.16965E-07	1.62875E-02	.00000E+00	.00000E+00	1.04036E-02	.00000E+00	5.63112E-02
28	2.32882E+01	-1.47938E-04	2.32465E+01	.00000E+00	2.39811E-03	4.05807E-01	.00000E+00	4.84405E+01

- elapsed time .02 min.
0direct access unit 9 requires 516 blocks of length 1456 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.40137E-03	2.49138E-02	3.15261E-02	1.90644E-02	2.91232E-02	5.56679E-02	3.16998E-02	4.64092E-03
2	3.76976E-03	3.88027E-02	4.88315E-02	2.94639E-02	4.47955E-02	8.43712E-02	4.78816E-02	6.98245E-03
3	3.06314E-03	3.31057E-02	4.31123E-02	2.71720E-02	4.22810E-02	8.02579E-02	4.58942E-02	5.58177E-03
4	1.05736E-03	1.21810E-02	1.65256E-02	1.09243E-02	1.74049E-02	3.32996E-02	1.92586E-02	2.00503E-03
5	1.75210E-03	1.89768E-02	2.47479E-02	1.59911E-02	2.42886E-02	4.63660E-02	2.65833E-02	3.32516E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.67877E-03	5.71553E-03	1.23953E-02	1.45285E-02	1.25215E-02	1.87644E-02	1.80986E-03	1.33233E-03
2	7.02718E-03	8.57400E-03	1.86440E-02	2.19368E-02	1.88995E-02	2.84999E-02	2.82255E-03	2.00118E-03
3	5.63552E-03	8.04724E-03	1.74385E-02	2.02830E-02	1.74684E-02	2.63376E-02	2.64021E-03	1.85765E-03
4	1.87183E-03	3.27522E-03	7.08272E-03	8.14569E-03	7.05052E-03	1.05898E-02	1.15375E-03	7.76181E-04
5	3.27072E-03	4.66002E-03	1.00944E-02	1.17308E-02	1.01255E-02	1.52068E-02	1.58075E-03	1.09141E-03

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.62874E-03	4.75060E-03	2.77254E-03	5.76883E-03	5.15238E-03	1.46018E-02	2.77568E-02	2.50357E-02
2	2.46775E-03	7.68579E-03	4.13637E-03	8.66524E-03	7.90828E-03	2.27590E-02	4.22387E-02	3.82970E-02
3	2.28112E-03	7.06078E-03	3.85465E-03	8.01808E-03	7.32915E-03	2.10258E-02	3.92398E-02	3.55407E-02
4	9.17635E-04	2.78623E-03	1.57718E-03	3.28855E-03	2.94274E-03	8.42024E-03	1.61109E-02	1.45536E-02
5	1.31844E-03	3.95566E-03	2.24870E-03	4.68331E-03	4.20601E-03	1.19959E-02	2.27694E-02	2.05671E-02

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.25471E-02	1.13865E-02	3.01230E-03	3.85284E-01
2	1.92885E-02	1.77526E-02	4.92127E-03	5.89421E-01
3	1.77815E-02	1.63991E-02	4.51963E-03	5.43224E-01
4	7.21140E-03	6.54629E-03	1.65655E-03	2.18613E-01
5	1.02609E-02	9.34362E-03	2.45286E-03	3.13198E-01

1 720 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.77150E-01	1.31256E+00	1.65719E+00	1.02683E+00	1.55150E+00	2.98244E+00	2.87629E+00	2.07613E+00
2	1.73896E-01	1.27944E+00	1.61673E+00	1.00297E+00	1.51471E+00	2.91301E+00	2.83548E+00	2.06887E+00
3	1.72705E-01	1.26744E+00	1.60169E+00	9.93999E-01	1.50105E+00	2.88661E+00	2.82045E+00	2.06658E+00
4	1.71241E-01	1.24877E+00	1.57468E+00	9.74900E-01	1.46923E+00	2.82369E+00	2.78578E+00	2.06477E+00
5	1.73388E-01	1.27228E+00	1.60542E+00	9.94492E-01	1.50044E+00	2.88411E+00	2.81897E+00	2.06878E+00

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.59277E+00	1.45288E+00	1.31897E+00	8.10821E-01	6.85214E-01	6.03364E-01	3.70952E-01	2.04277E-01
2	1.60004E+00	1.46072E+00	1.33613E+00	8.31298E-01	7.00658E-01	6.30037E-01	3.73597E-01	2.05065E-01
3	1.60229E+00	1.46328E+00	1.34165E+00	8.37796E-01	7.06280E-01	6.38494E-01	3.74480E-01	2.06663E-01
4	1.60549E+00	1.46971E+00	1.35537E+00	8.53277E-01	7.19577E-01	6.58417E-01	3.75990E-01	2.07900E-01
5	1.60087E+00	1.46334E+00	1.34161E+00	8.37288E-01	7.05767E-01	6.37701E-01	3.74123E-01	2.06545E-01

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.38740E-02	4.25031E-02	1.24404E-01	4.28697E-01	1.11571E-01	1.91724E-01	6.94619E-01	5.16495E-01
2	8.61054E-02	5.09716E-02	1.28207E-01	4.36529E-01	1.19047E-01	2.14498E-01	7.33356E-01	5.51684E-01
3	8.68337E-02	5.32758E-02	1.29422E-01	4.39064E-01	1.21338E-01	2.21076E-01	7.45052E-01	5.61948E-01
4	8.85567E-02	5.87135E-02	1.32311E-01	4.44814E-01	1.27071E-01	2.37569E-01	7.77578E-01	5.93611E-01
5	8.67911E-02	5.26676E-02	1.29332E-01	4.38758E-01	1.21225E-01	2.20357E-01	7.45967E-01	5.64169E-01

0zone	grp. 25	grp. 26	grp. 27
1	2.16895E-01	1.35828E-01	1.97298E-02
2	2.34996E-01	1.52888E-01	2.49661E-02
3	2.40080E-01	1.57333E-01	2.61755E-02
4	2.56746E-01	1.74592E-01	3.16872E-02
5	2.41493E-01	1.59643E-01	2.70539E-02

0flux disadvantage factors (zone average/cell average-flux)

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02169E+00	1.03166E+00	1.03224E+00	1.03252E+00	1.03408E+00	1.03409E+00	1.02053E+00	1.00855E+00
2	1.00293E+00	1.00564E+00	1.00704E+00	1.00852E+00	1.00951E+00	1.01002E+00	1.00585E+00	1.00004E+00
3	9.96059E-01	9.96195E-01	9.97675E-01	9.99504E-01	1.00040E+00	1.00087E+00	1.00052E+00	9.98936E-01
4	9.87616E-01	9.81520E-01	9.80851E-01	9.80300E-01	9.79194E-01	9.79051E-01	9.87507E-01	9.98062E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.94941E-01	9.92855E-01	9.83125E-01	9.68390E-01	9.68044E-01	9.46155E-01	9.91471E-01	9.89019E-01
2	9.99480E-01	9.98210E-01	9.95915E-01	9.92847E-01	9.92761E-01	9.87982E-01	9.98693E-01	9.97676E-01
3	1.00089E+00	9.99959E-01	1.00003E+00	1.00061E+00	1.00073E+00	1.00124E+00	1.00095E+00	1.00057E+00
4	1.00285E+00	1.00436E+00	1.01026E+00	1.01910E+00	1.01928E+00	1.03249E+00	1.00499E+00	1.00656E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.66390E-01	8.07006E-01	9.61893E-01	9.77068E-01	9.20366E-01	8.70141E-01	9.31166E-01	9.15498E-01
2	9.92095E-01	9.67797E-01	9.91300E-01	9.94921E-01	9.82051E-01	9.73501E-01	9.85094E-01	9.77871E-01
3	1.00049E+00	1.01155E+00	1.00059E+00	1.00070E+00	1.00093E+00	1.00335E+00	9.98772E-01	9.96064E-01
4	1.02084E+00	1.11479E+00	1.02303E+00	1.01380E+00	1.04822E+00	1.07821E+00	1.04211E+00	1.05219E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 25	grp. 26	grp. 27					
1	8.98143E-01	8.50826E-01	7.29057E-01					
2	9.73095E-01	9.57688E-01	9.22829E-01					
3	9.93940E-01	9.85530E-01	9.67532E-01					
4	1.05316E+00	1.09364E+00	1.17126E+00					
5	1.00000E+00	1.00000E+00	1.00000E+00					


Ocell averaged currents

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.40137E-03	2.49138E-02	3.15261E-02	1.90644E-02	2.91232E-02	5.56679E-02	3.16998E-02	4.64092E-03
2	3.76976E-03	3.88027E-02	4.88315E-02	2.94639E-02	4.47955E-02	8.43712E-02	4.78816E-02	6.98245E-03
3	3.05314E-03	3.31037E-02	4.31123E-02	2.71720E-02	4.22810E-02	8.02579E-02	4.58942E-02	5.58177E-03
4	1.05736E-03	1.21810E-02	1.65256E-02	1.09243E-02	1.74049E-02	3.32996E-02	1.92586E-02	2.00503E-03
5	1.75210E-03	1.89768E-02	2.47479E-02	1.55911E-02	2.42886E-02	4.63660E-02	2.65833E-02	3.32516E-03
Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.67877E-03	5.71553E-03	1.23953E-02	1.45285E-02	1.25215E-02	1.87644E-02	1.89986E-03	1.33233E-03
2	7.02718E-03	8.57400E-03	1.86440E-02	2.19368E-02	1.88995E-02	2.84999E-02	2.82255E-03	2.00118E-03
3	5.63552E-03	8.04724E-03	1.74385E-02	2.02830E-02	1.74684E-02	2.63376E-02	2.64021E-03	1.85765E-03
4	1.87183E-03	3.27522E-03	7.08272E-03	8.14569E-03	7.05052E-03	1.05898E-02	1.15375E-03	7.76181E-04
5	3.27072E-03	4.66002E-03	1.00944E-02	1.17308E-02	1.01255E-02	1.52063E-02	1.58075E-03	1.09141E-03
Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.62874E-03	4.75050E-03	2.77254E-03	5.76883E-03	5.15238E-03	1.46018E-02	2.77568E-02	2.50837E-02
2	2.46775E-03	7.68579E-03	4.13637E-03	8.66324E-03	7.90828E-03	2.27590E-02	4.22387E-02	3.82970E-02
3	2.28112E-03	7.06078E-03	3.85468E-03	8.01808E-03	7.32915E-03	2.10258E-02	3.92398E-02	3.55407E-02
4	9.17635E-04	2.78623E-03	1.57718E-03	3.28855E-03	2.94274E-03	8.42024E-03	1.61109E-02	1.45536E-02
5	1.31844E-03	3.95666E-03	2.24870E-03	4.68331E-03	4.20601E-03	1.19959E-02	2.27894E-02	2.05671E-02
Ozone	grp. 25	grp. 26	grp. 27					
1	1.25471E-02	1.13855E-02	3.01250E-03					
2	1.92889E-02	1.77526E-02	4.92127E-03					
3	1.77815E-02	1.63991E-02	4.51963E-03					
4	7.21140E-03	6.54629E-03	1.65655E-03					
5	1.02609E-02	9.34362E-03	2.45288E-03					

Ozone	volume	vol. fraction
1	6.88443E-01	3.30753E-01
2	3.17352E-02	1.52468E-02
3	2.16724E-01	1.04122E-01
4	1.14454E+00	5.49878E-01
5	2.08144E+00	1.00000E+00

- elapsed time .03 min.

Orequested panm=halt8,skipcellwt,skipshipdata


pass= 5, exec halts after pass 8
1
0
1
0

```
ss           cc           aa       aa  ll           ee
ssssssssssss cc           aaaaaaaaaaaa ll           eeeeeeeee
 ssssssssssss cc          aaaaaaaaaaaa ll           eeeeeeeee
       ss cc              aa       aa  ll           ee
       ss cc              aa       aa  ll           ee
ss     ss cc        cc    aa       aa  ll           ee
ssssssssssss ccccccccccc  aa       aa  lllllllllllll eeeeeeeeeeee
 ssssssssss   cccccccccc   aa       aa  lllllllllllll eeeeeeeeeeee
```

```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                program verification information            *****
*****                                                           *****
*****                code system:   scale  version:   4.2       *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****           program:  c0c008                                *****
*****                                                           *****
*****      creation date:  04/27/95                             *****
*****                                                           *****
*****           library:  /neutronics/scale/exe                 *****
*****                                                           *****
*****                                                           *****
*****   this is not a   scale  configuration controlled code    *****
*****                                                           *****
*****           jobname:  davis                                 *****
*****                                                           *****
*****   date of execution:  02/16/96                            *****
*****                                                           *****
*****   time of execution:  10:02:06                            *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere              2
0izm--number of zones or material regions                     4
0ms--mixing table length                                     70
0ibl--shielded cross section edit option (0/1--no/yes)        0
0ibr--bondarenko factor edit option (0/1--no/yes)             0
```

```
0issopt--dancoff factor option                                    0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     70 entries.
0       4q array has     70 entries.
0       5q array has     70 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     70 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        3     8016     2.09710E-02             201
    2        3     1001     4.19420E-02             202
    3        3     5010     3.81515E-06             203
    4        3     5011     1.54884E-05             204
    5        2    40302     4.25156E-02             205
    6        1    92235     1.47017E-04          200006
    7        1    92234     1.54011E-06          200007
    8        1    92236     1.58412E-05          200008
    9        1    92238     7.23470E-03          200009
   10        1     8016     1.50611E-02          200010
   11        1     8016     1.15315E-02          200011
   12        1    36083     4.00409E-07          200012
   13        1    36085     1.92753E-07          200013
   14        1    38090     4.36638E-06          200014
   15        1    39089     3.37449E-06          200015
   16        1    42095     4.35535E-06          200016
   17        1    40093     3.43072E-06          200017
   18        1    40094     5.36576E-06          200018
   19        1    40095     6.73357E-07          200019
   20        1    41094     2.49321E-12          200020
   21        1    43099     5.24059E-06          200021
   22        1    45103     2.81650E-06          200022
   23        1    45105     6.85117E-09          200023
   24        1    44101     4.70687E-06          200024
   25        1    44106     7.10829E-07          200025
   26        1    46105     1.74568E-06          200026
   27        1    46108     4.60857E-07          200027
   28        1    47109     3.27366E-07          200028
   29        1    51124     7.62189E-11          200029
   30        1    54131     2.41807E-06          200030
   31        1    54132     4.37452E-06          200031
   32        1    54135     2.20802E-09          200032
   33        1    54136     8.94972E-06          200033
   34        1    55134     2.21272E-07          200034
   35        1    55135     2.83459E-06          200035
   36        1    55137     5.58169E-06          200036
   37        1    56136     4.34868E-08          200037
   38        1    57139     5.53655E-06          200038
   39        1    59141     4.73417E-06          200039
   40        1    59143     1.24918E-07          200040
   41        1    58144     2.11613E-06          200041
   42        1    60143     4.42460E-06          200042
   43        1    60145     3.23179E-06          200043
   44        1    61147     1.20498E-06          200044
   45        1    61148     3.46153E-09          200045
   46        1    60147     4.32241E-08          200046
```

47	1	62147	3.37132E-07	200047
48	1	62149	2.77995E-08	200048
49	1	62150	1.11012E-06	200049
50	1	62151	1.22001E-07	200050
51	1	62152	5.39591E-07	200051
52	1	64155	5.41449E-10	200052
53	1	63153	2.98755E-07	200053
54	1	63154	5.42034E-08	200054
55	1	63155	3.27959E-08	200055
56	1	40302	4.42681E-03	200056
57	1	1001	2.30630E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	5.74632E-06	200060
61	1	95237	9.31925E-07	200061
62	1	94238	1.07908E-07	200062
63	1	94239	3.19267E-05	200063
64	1	94240	5.37095E-06	200064
65	1	94241	2.67558E-06	200065
66	1	94242	2.39372E-07	200066
67	1	95241	6.58791E-08	200067
68	1	95243	1.74582E-08	200068
69	1	96244	1.32132E-09	200069
70	1	999	3.30753E-21	200070

0geometry and material description

0zone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.23032E+01	0
3	3	8.14000E-01	6.07600E+02	3.54852E+00	0
4	1	2.96100E+00	9.75000E+02	2.32883E-01	0

8067 locations of 200000 available are required to make a new master containing the self-shielded values


0no nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

0copy 999 1/v cross sectio from log 12 to log 1 bondarenko trigger 0
0copy 1001 hydrogen from log 12 to log 18 bondarenko trigger 0
0copy 1001 hydrogen from log 18 to log 1 bondarenko trigger 0
0copy 1001 hydrogen from log 18 to log 1 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 12 to log 18 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 18 to log 1 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 18 to log 1 bondarenko trigger 0
0copy 5011 boron-11 from log 12 to log 18 bondarenko trigger 0
0copy 5011 boron-11 from log 18 to log 1 bondarenko trigger 0
0copy 5011 boron-11 from log 18 to log 1 bondarenko trigger 0
0copy 8016 oxygen-16 from log 12 to log 18 bondarenko trigger 0
0copy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
0copy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
0copy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
0copy 36083 kr-83 from log 12 to log 1 bondarenko trigger 0
0copy 36085 kr-85 from log 12 to log 1 bondarenko trigger 0
0copy 38090 sr-90 from log 12 to log 1 bondarenko trigger 0
0copy 39089 y-89 from log 12 to log 1 bondarenko trigger 0
0copy 40093 zr-93 from log 12 to log 1 bondarenko trigger 0
0copy 40094 zr-94 from log 12 to log 1 bondarenko trigger 0
0copy 40095 zr-95 from log 12 to log 1 bondarenko trigger 0
0copy 40302 zircalloy from log 12 to log 18 bondarenko trigger 0
0copy 40302 zircalloy from log 18 to log 1 bondarenko trigger 0
0copy 40302 zircalloy from log 18 to log 1 bondarenko trigger 0
0copy 41094 nb-94 from log 12 to log 1 bondarenko trigger 0
0copy 42095 mo-95 from log 12 to log 1 bondarenko trigger 0
0copy 43099 tc-99 from log 12 to log 1 bondarenko trigger 0
0copy 44101 ru-101 from log 12 to log 1 bondarenko trigger 0


```
0copy    44106  ru-106          from log 12 to log  1   bondarenko trigger 0
0copy    45103  rh-103          from log 12 to log  1   bondarenko trigger 0
0copy    45105  rh-105          from log 12 to log  1   bondarenko trigger 0
0copy    46105  pd-105          from log 12 to log  1   bondarenko trigger 0
0copy    46108  pd-108          from log 12 to log  1   bondarenko trigger 0
0copy    47109  silver-109      from log 12 to log  1   bondarenko trigger 0
0copy    51124  sb-124          from log 12 to log  1   bondarenko trigger 0
0copy    54131  xe-131          from log 12 to log  1   bondarenko trigger 0
0copy    54132  xe-132          from log 12 to log  1   bondarenko trigger 0
0copy    54135  xenon-135       from log 12 to log  1   bondarenko trigger 0
0copy    54136  xe-136          from log 12 to log  1   bondarenko trigger 0
0copy    55133  cesium-133      from log 12 to log  1   bondarenko trigger 0
0copy    55134  cs-134          from log 12 to log  1   bondarenko trigger 0
0copy    55135  cs-135          from log 12 to log  1   bondarenko trigger 0
0copy    55137  cs-137          from log 12 to log  1   bondarenko trigger 0
0copy    56136  ba-136          from log 12 to log  1   bondarenko trigger 0
0copy    57139  la-139          from log 12 to log  1   bondarenko trigger 0
0copy    58144  ce-144          from log 12 to log  1   bondarenko trigger 0
0copy    59141  pr-141          from log 12 to log  1   bondarenko trigger 0
0copy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc      1/27/89
              last updated       9/16/93
                 l.m.petrie  -   ornl
        tape id                          4321        number of nuclides          70
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                  table of contents
       1/v cross sections normalized to 1.0 at 0.0253 ev                    id   200070
        hydrogen        endf/b-iv mat 1269/thrml002   updated 10/13/89      id      202
        hydrogen        endf/b-iv mat 1269/thrml002   updated 10/13/89      id   200057
       b-10 1273 218ngp 042375 p-3 293k                                     id      205
```

```
b-10 1273 218ngp 042375 p-3 293k                                    id   200058
 boron-11      endf/b-iv mat 1160          updated 10/13/89         id      204
 boron-11      endf/b-iv mat 1160          updated 10/13/89         id   200059
 oxygen-16     endf/b-iv mat 1276          updated 10/13/89         id      201
 oxygen-16     endf/b-iv mat 1276          updated 10/13/89         id   200010
 oxygen-16     endf/b-iv mat 1276          updated 10/13/89         id   200011
 kr-83         mt=102,103,103,105,106,107  updated 10/13/89         id   200012
 kr-85           mt=  102                                           id   200013
 sr-90         mt=102                      updated 10/13/89         id   200014
  y-89         mt=102                      updated 10/13/89         id   200015
 zr-93           mt=  102                                           id   200017
 zr-94         mt=102                      updated 10/13/89         id   200018
 zr-95         mt=102                      updated 10/13/89         id   200019
 zircalloy     endf/b-iv mat 1284          updated 10/13/89         id      205
 zircalloy     endf/b-iv mat 1284          updated 10/13/89         id   200056
 nb-94         mt=102                      updated 10/13/89         id   200020
 mo-95         mt=102                      updated 10/13/89         id   200016
 tc-99         mt=102                      updated 10/13/89         id   200021
 ru-101        mt=102                      updated 10/13/89         id   200024
 ru-106        mt=102                      updated 10/13/89         id   200025
 rh-103        mt=102                      updated 10/13/89         id   200022
 rh-105          mt=  102                                           id   200023
 pd-105        mt=102                      updated 10/13/89         id   200026
 pd-108        mt=102                      updated 10/13/89         id   200027
 silver-109    endf/b-iv mat 1139          updated 10/13/89         id   200028
 sb-124        mt=102                      updated 10/13/89         id   200029
 xe-131        mt=102,103,104,105,106      updated 10/13/89         id   200030
 xe-132        mt=102,103,104,105,106      updated 10/13/89         id   200031
 xenon-135     endf/b-iv mat 1294          updated 10/13/89         id   200032
 xe-136          mt=  102, 103, 104, 105, 107                       id   200033
 cesium-133    endf/b-iv mat 1141          updated 10/13/89         id   200060
 cs-134        mt=102                      updated 10/13/89         id   200034
 cs-135          mt=  102                                           id   200035
 cs-137        mt=102                      updated 10/13/89         id   200036
 ba-136        mt=102                      updated 10/13/89         id   200037
 la-139        mt=102                      updated 10/13/89         id   200038
 ce-144          mt=  102                                           id   200041
 pr-141        mt=102,103,104,105,106,107  updated 10/13/89         id   200039
 pr-143        mt=102                      updated 10/13/89         id   200040
 nd-143        mt=102                      updated 10/13/89         id   200042
 nd-145        mt=102                      updated 10/13/89         id   200043
 nd-147        mt=102                      updated 10/13/89         id   200046
 pm-147        mt=102                      updated 10/13/89         id   200044
 pm-148          mt=  102                                           id   200045
 sm-147        endf/b-v fission product    updated 10/13/89         id   200047
 sm-149        mt=102,103,107              updated 10/13/89         id   200048
 sm-150        mt=102                      updated 10/13/89         id   200049
 sm-151        mt=102,103,104,105,106,107  updated 10/13/89         id   200050
 sm-152        mt=102,103,104,105,106,107  updated 10/13/89         id   200051
 eu-153        mt=102,103,104,105,106,107  updated 10/13/89         id   200053
 eu-154        mt=102,103,104,105,106,107  updated 10/13/89         id   200054
 eu-155        mt=102,103,104,105,106,107  updated 10/13/89         id   200055
 gd-155        mt=102                      updated 10/13/89         id   200052
u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                 id   200007
 uranium-235   endf/b-iv mat 1261          updated 10/13/89         id   200006
u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                 id   200008
 uranium-238   endf/b-iv mat 1262          updated 10/13/89         id   200009
 neptunium-237 endf/b-iv mat 1263          updated 10/13/89         id   200061
pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                id   200062
 plutonium-239 endf/b-iv mat 1264          updated 10/13/89         id   200063
```


```
      plutonium-240  endf/b-iv mat 1265          updated 10/13/89            id   20064
      plutonium-241  endf/b-iv mat 1266          updated 10/13/89            id   20065
      plutonium-242  endf/b-iv mat 1161          updated 10/13/89            id   20066
     am-241 1056 sigp=5+4 newxlacs 218ngp p-3 295k                           id   20067
     am-243 1057 218 gp wt f-1/e-m 090376 p3 295k                            id   20068
      curium-244     endf/b-iv mat 1162          updated 10/13/89            id   20069
0       tape copy used      0 i/o's, and took     .00 seconds
1
```




```
0
```



```
0
```



```
0
```



```
     11111111      0000000                  0000000     2222222222222                  0000000        77
1
0                          sssssssssss    ccccccccccc     aaaaaaaaa    ll             eeeeeeeeeeee
                          ssssssssssssss  ccccccccccccc   aaaaaaaaaaa  ll             eeeeeeeeeeee
                          ss         ss   cc          cc  aa         aa  ll             ee
                          ss              cc              aa         aa  ll             ee
                          ss              cc              aa         aa  ll             ee
                          sssssssssss     cc              aaaaaaaaaaaa  ll             eeeeeeeee
                           sssssssssss    cc              aaaaaaaaaaaa  ll             eeeeeeeee
                                     ss   cc              aa         aa  ll             ee
                                     ss   cc              aa         aa  ll             ee
                          ss         ss   cc          cc  aa         aa  ll             ee
                          ssssssssssssss  ccccccccccccc   aa         aa  lllllllllllll  eeeeeeeeeeee
                           sssssssssss    ccccccccccc     aa         aa  lllllllllllll  eeeeeeeeeeee
```

```
**********************************************************************
**********************************************************************
**********************************************************************
*****                                                            *****
*****                program verification information             *****
*****                                                            *****
*****                code system:   scale  version:   4.2        *****
*****                                                            *****
**********************************************************************
**********************************************************************
*****                                                            *****
*****                                                            *****
*****           program:  c0c002                                 *****
*****                                                            *****
*****      creation date:  04/27/95                              *****
*****                                                            *****
*****           library:  /neutronics/scale/exe                  *****
*****                                                            *****
*****                                                            *****
*****   this is not a  scale  configuration controlled code      *****
*****                                                            *****
*****           jobname:  davis                                  *****
*****                                                            *****
*****   date of execution:  02/16/96                             *****
*****                                                            *****
*****   time of execution:  10:02:07                             *****
*****                                                            *****
*****                                                            *****
**********************************************************************
**********************************************************************
**********************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has     12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
```

```
        0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0       2q array has     70 entries.
0       3q array has     15 entries.
0       4q array has      5 entries.
0 general information concerning cross section library
    tape identification number                4349
    number of nuclides on tape                  65
    number of neutron energy groups             27
    first thermal neutron energy group          15
    number of gamma energy groups                0
0  direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                            compiled for nrc      1/27/89
                              last updated        9/16/93
                                l.m.petrie   -    ornl
- work tape   4349

 xsdrn weighted tape--parent case entitled--  720 d, sas2h: babcock wilcox 15x15,
  3.00wt%, 20gwd/mtu burn high temp



0 nuclides from xsdrn tape
     1     hydrogen        endf/b-iv mat 1269/thrml002    updated 10/13/89          202
     2    b-10 1273 218ngp 042375 p-3 293k                                          203
     3     boron-11        endf/b-iv mat 1160             updated 10/13/89          204
     4     oxygen-16       endf/b-iv mat 1276             updated 10/13/89          201
     5     zircalloy       endf/b-iv mat 1284             updated 10/13/89          205
0 nuclides from work tape
     6    1/v cross sections normalized to 1.0 at 0.0253 ev                          999
     7     hydrogen        endf/b-iv mat 1269/thrml002    updated 10/13/89         1001
     8    b-10 1273 218ngp 042375 p-3 293k                                         5010
     9     boron-11        endf/b-iv mat 1160             updated 10/13/89         5011
    10     oxygen-16       endf/b-iv mat 1276             updated 10/13/89         8016
    11     oxygen-16       endf/b-iv mat 1276             updated 10/13/89            6
    12     kr-83           mt=102,103,103,105,106,107     updated 10/13/89        36083
    13     kr-85             mt=  102                                              36085
    14     sr-90           mt=102                         updated 10/13/89        38090
    15      y-89           mt=102                         updated 10/13/89        39089
    16     zr-93             mt=  102                                              40093
    17     zr-94           mt=102                         updated 10/13/89        40094
    18     zr-95           mt=102                         updated 10/13/89        40095
    19     zircalloy       endf/b-iv mat 1284             updated 10/13/89        40302
    20     nb-94           mt=102                         updated 10/13/89        41094
    21     mo-95           mt=102                         updated 10/13/89        42095
    22     tc-99           mt=102                         updated 10/13/89        43099
    23     ru-101          mt=102                         updated 10/13/89        44101
    24     ru-106          mt=102                         updated 10/13/89        44106
    25     rh-103          mt=102                         updated 10/13/89        45103
    26     rh-105            mt=  102                                              45105
    27     pd-105          mt=102                         updated 10/13/89        46105
    28     pd-108          mt=102                         updated 10/13/89        46108
    29     silver-109      endf/b-iv mat 1139             updated 10/13/89        47109
    30     sb-124          mt=102                         updated 10/13/89        51124
    31     xe-131          mt=102,103,104,105,106         updated 10/13/89        54131
    32     xe-132          mt=102,103,104,105,106         updated 10/13/89        54132
    33     xenon-135       endf/b-iv mat 1294             updated 10/13/89        54135
```

```
    34    xe-136          mt=  102, 103, 104, 105, 107                          54136
    35    cesium-133      endf/b-iv mat 1141          updated 10/13/89          55133
    36    cs-134          mt=102                      updated 10/13/89          55134
    37    cs-135          mt=  102                                              55135
    38    cs-137          mt=102                      updated 10/13/89          55137
    39    ba-136          mt=102                      updated 10/13/89          56136
    40    la-139          mt=102                      updated 10/13/89          57139
    41    ce-144          mt=  102                                              58144
    42    pr-141          mt=102,103,104,105,106,107  updated 10/13/89          59141
    43    pr-143          mt=102                      updated 10/13/89          59143
    44    nd-143          mt=102                      updated 10/13/89          60143
    45    nd-145          mt=102                      updated 10/13/89          60145
    46    nd-147          mt=102                      updated 10/13/89          60147
    47    pm-147          mt=102                      updated 10/13/89          61147
    48    pm-148          mt=  102                                              61148
    49    sm-147          endf/b-v fission product    updated 10/13/89          62147
    50    sm-149          mt=102,103,107              updated 10/13/89          62149
    51    sm-150          mt=102                      updated 10/13/89          62150
    52    sm-151          mt=102,103,104,105,106,107  updated 10/13/89          62151
    53    sm-152          mt=102,103,104,105,106,107  updated 10/13/89          62152
    54    eu-153          mt=102,103,104,105,106,107  updated 10/13/89          63153
    55    eu-154          mt=102,103,104,105,106,107  updated 10/13/89          63154
    56    eu-155          mt=102,103,104,105,106,107  updated 10/13/89          63155
    57    gd-155          mt=102                      updated 10/13/89          64155
    58    u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                   92234
    59    uranium-235     endf/b-iv mat 1261          updated 10/13/89          92235
    60    u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                   92236
    61    uranium-238     endf/b-iv mat 1262          updated 10/13/89          92238
    62    neptunium-237   endf/b-iv mat 1263          updated 10/13/89          93237
    63    pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                  94238
    64    plutonium-239   endf/b-iv mat 1264          updated 10/13/89          94239
    65    plutonium-240   endf/b-iv mat 1265          updated 10/13/89          94240
    66    plutonium-241   endf/b-iv mat 1266          updated 10/13/89          94241
    67    plutonium-242   endf/b-iv mat 1161          updated 10/13/89          94242
    68    am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                         95241
    69    am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                          95243
    70    curium-244      endf/b-iv mat 1162          updated 10/13/89          96244
0 hydrogen        endf/b-iv mat 1269/thrm1002   updated 10/13/89          202    temperature=  607.60
                            thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                           203    temperature=  607.60
                            thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11        endf/b-iv mat 1160            updated 10/13/89          204    temperature=  607.60
                            thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16       endf/b-iv mat 1276            updated 10/13/89          201    temperature=  607.60
0 zircalloy       endf/b-iv mat 1284            updated 10/13/89          205    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =   90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =    6.385          lumped nuclear density   = 4.251560E-02
0spin factor (g)          =    1.079          lump dimension (a-bar)   = 6.730999E-01
0inner radius             = 6.324600E-01      dancoff correction (c)   = 1.680590E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group      res abs        res fiss       res scat
   8     -1.156752E-03    .000000E+00   -7.806053E-01
   9     -4.625978E-02    .000000E+00   -2.073270E+00
  10     -5.962230E-02    .000000E+00   -1.351984E+00
  11     -1.761672E-01    .000000E+00   -7.350731E-01
0excess resonance integrals
0                resolved
```


```
0absorption      2.92402E-01
 fission          .00000E+00
-  elapsed time    .00 min.
-  elapsed time    .02 min.
1     this xsdrn working tape was created 02/16/96 at 10:02:07
      the title of the parent case is as follows
      xsdrn weighted tape--parent case entitled--  720 d, sas2h: babcock wilcox 15x15,
       3.00wt%, 20gwd/mtu burn high temp

        tape id                          8670        number of nuclides              70
        number of neutron groups           27        number of gamma groups           0
        first thermal group                15        logical unit                     4
                                  table of contents
        hydrogen       endf/b-iv mat 1269/thrm1002   updated 10/13/89          id    202
       b-10 1273 218ngp 042375 p-3 293k                                        id    203
        boron-11       endf/b-iv mat 1160            updated 10/13/89          id    204
        oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id    201
        zircalloy      endf/b-iv mat 1284            updated 10/13/89          id    205
       1/v cross sections normalized to 1.0 at 0.0253 ev                        id    999
        hydrogen       endf/b-iv mat 1269/thrm1002   updated 10/13/89          id   1001
       b-10 1273 218ngp 042375 p-3 293k                                        id   5010
        boron-11       endf/b-iv mat 1160            updated 10/13/89          id   5011
        oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id   8016
        oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id      6
        kr-83          mt=102,103,103,105,106,107    updated 10/13/89          id  36083
        kr-85            mt=  102                                              id  36085
        sr-90          mt=102                        updated 10/13/89          id  38090
         y-89          mt=102                        updated 10/13/89          id  39089
        zr-93            mt=  102                                              id  40093
        zr-94          mt=102                        updated 10/13/89          id  40094
        zr-95          mt=102                        updated 10/13/89          id  40095
        zircalloy      endf/b-iv mat 1284            updated 10/13/89          id  40802
        rb-94          mt=102                        updated 10/13/89          id  41094
        mo-95          mt=102                        updated 10/13/89          id  42095
        tc-99          mt=102                        updated 10/13/89          id  43099
        ru-101         mt=102                        updated 10/13/89          id  44101
        ru-106         mt=102                        updated 10/13/89          id  44106
        rh-103         mt=102                        updated 10/13/89          id  45103
        rh-105           mt=  102                                              id  45105
        pd-105         mt=102                        updated 10/13/89          id  46105
        pd-108         mt=102                        updated 10/13/89          id  46108
        silver-109     endf/b-iv mat 1139            updated 10/13/89          id  47109
        sb-124         mt=102                        updated 10/13/89          id  51124
        xe-131         mt=102,103,104,105,106        updated 10/13/89          id  54131
        xe-132         mt=102,103,104,105,106        updated 10/13/89          id  54132
        xenon-135      endf/b-iv mat 1294            updated 10/13/89          id  54135
        xe-136           mt=  102, 103, 104, 105, 107                          id  54136
        cesium-133     endf/b-iv mat 1141            updated 10/13/89          id  55133
        cs-134         mt=102                        updated 10/13/89          id  55134
        cs-135           mt=  102                                              id  55135
        cs-137         mt=102                        updated 10/13/89          id  55137
        ba-136         mt=102                        updated 10/13/89          id  56136
        la-139         mt=102                        updated 10/13/89          id  57139
        ce-144           mt=  102                                              id  58144
        pr-141         mt=102,103,104,105,106,107    updated 10/13/89          id  59141
        pr-143         mt=102                        updated 10/13/89          id  59143
        nd-143         mt=102                        updated 10/13/89          id  60143
        nd-145         mt=102                        updated 10/13/89          id  60145
        nd-147         mt=102                        updated 10/13/89          id  60147
        pm-147         mt=102                        updated 10/13/89          id  61147
```

```
        pm-148          mt=  102                                          id    61148
        sm-147          endf/b-v fission product      updated 10/13/89    id    62147
        sm-149          mt=102,103,107                updated 10/13/89    id    62149
        sm-150          mt=102                        updated 10/13/89    id    62150
        sm-151          mt=102,103,104,105,106,107    updated 10/13/89    id    62151
        sm-152          mt=102,103,104,105,106,107    updated 10/13/89    id    62152
        eu-153          mt=102,103,104,105,106,107    updated 10/13/89    id    63153
        eu-154          mt=102,103,104,105,106,107    updated 10/13/89    id    63154
        eu-155          mt=102,103,104,105,106,107    updated 10/13/89    id    63155
        gd-155          mt=102                        updated 10/13/89    id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                 id    92234
        uranium-235     endf/b-iv mat 1261            updated 10/13/89    id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                 id    92236
        uranium-238     endf/b-iv mat 1262            updated 10/13/89    id    92238
        neptunium-237   endf/b-iv mat 1263            updated 10/13/89    id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                id    94238
        plutonium-239   endf/b-iv mat 1264            updated 10/13/89    id    94239
        plutonium-240   endf/b-iv mat 1265            updated 10/13/89    id    94240
        plutonium-241   endf/b-iv mat 1266            updated 10/13/89    id    94241
        plutonium-242   endf/b-iv mat 1161            updated 10/13/89    id    94242
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                       id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                        id    95243
        curium-244      endf/b-iv mat 1162            updated 10/13/89    id    96244
0        tape copy used      0 i/o's, and took     .00 seconds
1 xx         xx   sssssssssss   ddddddddddd   rrrrrrrrrrr   mm         mm ppppppppppp   mm         mm
   xx       xx   sssssssssssss  ddddddddddddd  rrrrrrrrrrrr  mm         mm ppppppppppp   mmm        mmm
    xx     xx    ss          ss dd         dd  rr        rr  mmm        mm pp        pp   mmmm      mmmm
     xx   xx     ss             dd         dd  rr        rr  mm mm      mm pp        pp   mm mm    mm mm
      xx xx      ss             dd         dd  rr        rr  mm  mm     mm pp        pp   mm  mm mm  mm
       xxx       sssssssssss    dd         dd  rrrrrrrrrrr   mm   mm    mm ppppppppppp   mm   mmm  mm
       xxx        sssssssssss   dd         dd  rrrrrrrrrr    mm    mm   mm ppppppppppp   mm    m   mm
      xx xx              ss     dd         dd  rr   rr       mm     mm  mm pp             mm        mm
     xx   xx             ss     dd         dd  rr    rr      mm      mm mm pp             mm        mm
    xx     xx    ss      ss     dd         dd  rr     rr     mm       mmm pp             mm        mm
   xx       xx   sssssssssssss  ddddddddddddd  rr      rr    mm        mm pp             mm        mm
  xx         xx   sssssssssss   ddddddddddd    rr      rr    mm        mm pp             mm        mm
0

   ddddddddddd     aaaaaaaa    w         w  iiiiiiiiiii    sssssssss
   ddddddddddd    aaaaaaaaaa   w         w  iiiiiiiiiii   sssssssssss
   dd         dd  aa        aa  w         w      ii       ss       ss
   dd         dd  aa        aa  w         w      ii       ss
   dd         dd  aa        aa  w         w      ii       ss
   dd         dd  aaaaaaaaaaaa  w         w      ii        sssssssss
   dd         dd  aaaaaaaaaaaa   w       w       ii         sssssssss
   dd         dd  aa        aa    w     w        ii                ss
   dd         dd  aa        aa     w   w         ii                ss
   dd         dd  aa        aa      w w          ii       ss       ss
   ddddddddddd    aa        aa       ww     iiiiiiiiiii   sssssssssss
   ddddddddddd    aa        aa        v     iiiiiiiiiii    sssssssss
0

     000000     2222222222          //      11      66666666666          //  9999999999   66666666666
   00000000    22222222222         //      111     66666666666         //  99999999999  66666666666
  00      00   22        22        //      1111    66                  //   99       99  66
 00        00          22         //       11     66                 //    99       99  66
 00        00          22        //        11     66                //     99       99  66
 00        00         22         //        11     666666666666     //      99999999999  666666666666
 00        00        22          //        11     66666666666666  //       99999999999  66666666666666
 00        00      22            //        11     66        66    //               99   66        66
```



****
****
****
****** ******
****** program verification information ******
****** ******
****** code system: scale version: 4.2 ******
****** ******
****
****
****** ******
****** ******
****** program: c0c001 ******
****** ******
****** creation date: 04/27/95 ******
****** ******
****** library: /neutronics/scale/exe ******
****** ******
****** ******
****** this is not a scale configuration controlled code ******
****** ******
****** jobname: davis ******
****** ******
****** date of execution: 02/16/96 ******

```
                    *****                                                    *****
                    *****   time of execution:  10:02:08                     *****
                    *****                                                    *****
                    *****                                                    *****
                    ************************************************************************
                    ************************************************************************
                    ************************************************************************
1
                    720 d, second part of ses2h pass to make library
0       -1q array has     1 entries.
0        0q array has    11 entries.
0        1q array has    15 entries.
0        2q array has    10 entries.
0        3q array has    12 entries.
0        4q array has     9 entries.
0        5q array has    12 entries.
0direct access unit   9 requires    12 blocks of length  704 for cross section mixing.
1                     720 d, second part of ses2h pass to make library
0general problem description data block
0                              general problem data

 ige  1/2/3 = plane/cylinder/sphere      2       isn  quadrature order                  8
 izm  number of zones                    4       isct order of scattering               3
 im   number of special intervals       28       ievt 0/1/2/3/4/5/6=o/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1       iim  inner iteration maximum       20
 ibr  right boundary condition           3       iom  outer iteration maximum       25
 mxx  number of mixtures                 3       iclc -1/0/n--flat res/sn/qpt           0
 ms   mixing table length               70       ith  0/1 = forward/adjoint          0
 igm  number of energy groups           27       iflu not used(always wgtd)             0
 mg   number of neutron groups          27       iprt -2/-1/0/n=mixture xsec print     -2
 rgg  number of gamma groups             0       idl  0/1/2/3=no/prt nd/pch n/both    14
 iftg number of first thermal group     15       ipbt -1/0/1=none/fine/all bal. prt     0
0                           special options

 ifg  0/1 = none/weighting calculation   1       ipn  0/1/2 diff. coef. param          0
 iqm  volumetric sources (0/n=no/yes)    0       idfm 0/1 = none/density factors 38*   0
 ipm  boundary sources (0/n=no/yes)      0       iaz  0/n = none/n activities by zone  0
 ifn  0/1/2 = input 33*/34*/use last    14       iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10       ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0       ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0       isen outer iteration acceleration     0
 ibln activity data unit                 0       rbnd band rebaln parameter            0
 jbkl 0/1/2 buckling geometry            0
0                         weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1       ihtf total xsect psn in brd gp tables  3
 igmf number of broad groups             3       ndsf psn g-g or file number            4
 itp  0/10/20/30/40 0/c/e/ac/a           0       nusf table length or max order         6
 ipp  -2/-1/0/n=wgted xsect print       -2       mscm extra 1-d x-sect positions        0
 iap  -1/n anisn xsect print            -1
0                          floating point parameters

 eps  overall convergence       1.00000E-04      dy   cyl/pla ht for buckling    .00000E+00
 ptc  point convergence         1.00000E-04      dz   plane depth for buckling  2.00000E+02
 xnf  normalization factor      1.00000E+00      vsc  void streaming correction  .00000E+00
 ev   eigenvalue guess           .00000E+00      pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier        .00000E+00      eql  ev change eps for search  1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00      xnpm new param mod for search  7.50000E-01
     this case will require      2611 locations for mixing
     this case has been allocated 200000 locations
```

1 720 d, second part of sas2h pass to make library
0 13q array has 70 entries.
0 14q array has 70 entries.
0 15q array has 70 entries.
0 data block 2 (mixing table, etc.)

0		nuclides on tape	cccc identification	mixing table mixture	mixing table component	atom density	extra xsect id's
	1	202		3	201	2.09710E-02	
	2	203		3	202	4.19420E-02	
	3	204		3	203	3.81515E-06	
	4	201		3	204	1.54884E-05	
	5	205		2	205	4.25156E-02	
	6	999		1	92235	1.47017E-04	
	7	1001		1	92234	1.54011E-06	
	8	5010		1	92236	1.58412E-05	
	9	5011		1	92238	7.23470E-03	
	10	8016		1	8016	1.50611E-02	
	11	6		1	6	1.15315E-02	
	12	36083		1	36083	4.00409E-07	
	13	36085		1	36085	1.92753E-07	
	14	38090		1	38090	4.36638E-06	
	15	39089		1	39089	3.37449E-06	
	16	40093		1	42095	4.35536E-06	
	17	40094		1	40093	3.43072E-06	
	18	40095		1	40094	5.36576E-06	
	19	40302		1	40095	6.73357E-07	
	20	41094		1	41094	2.49821E-12	
	21	42095		1	43099	5.24059E-06	
	22	43099		1	45103	2.81650E-06	
	23	44101		1	45105	6.85117E-09	
	24	44106		1	44101	4.70687E-06	
	25	45103		1	44106	7.10825E-07	
	26	45105		1	46105	1.74568E-06	
	27	46105		1	46108	4.60857E-07	
	28	46108		1	47109	3.27366E-07	
	29	47109		1	51124	7.62188E-11	
	30	51124		1	54131	2.41807E-06	
	31	54131		1	54132	4.37452E-06	
	32	54132		1	54135	2.20802E-09	
	33	54135		1	54136	8.94972E-06	
	34	54136		1	55134	2.21272E-07	
	35	55133		1	55135	2.83459E-06	
	36	55134		1	55137	5.58169E-06	
	37	55135		1	56136	4.34868E-08	
	38	55137		1	57139	5.53555E-06	
	39	56136		1	59141	4.73417E-06	
	40	57139		1	59143	1.24918E-07	
	41	58144		1	58144	2.11613E-06	
	42	59141		1	60143	4.42460E-06	
	43	59143		1	60145	3.23179E-06	
	44	60143		1	61147	1.20498E-06	
	45	60145		1	61148	3.46153E-09	
	46	60147		1	60147	4.32241E-08	
	47	61147		1	62147	3.37132E-07	
	48	61148		1	62149	2.77995E-08	
	49	62147		1	62150	1.11012E-06	
	50	62149		1	62151	1.22001E-07	
	51	62150		1	62152	5.39591E-07	
	52	62151		1	64155	5.41449E-10	
	53	62152		1	63153	2.98756E-07	

54	63153	1	63154	5.42034E-08
55	63154	1	63155	3.27959E-08
56	63155	1	40302	4.42681E-03
57	64155	1	1001	2.30630E-02
58	92234	1	5010	2.09787E-06
59	92235	1	5011	8.51673E-06
60	92236	1	55133	5.74652E-06
61	92238	1	95237	9.31923E-07
62	95237	1	94238	1.07908E-07
63	94238	1	94239	3.19267E-05
64	94239	1	94240	5.37095E-06
65	94240	1	94241	2.67558E-06
66	94241	1	94242	2.39372E-07
67	94242	1	95241	6.58791E-08
68	95241	1	95243	1.74582E-08
69	95243	1	96244	1.32132E-09
70	96244	1	999	3.30753E-21

- elapsed time .00 min.
0 24259 locations will be used
0 35q array has 29 entries.
0 36q array has 28 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 720 d, second part of sas2h pass to make library
neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	1	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	1	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	1	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72615E+08	2	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01086E+07	2	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00	
15	3.04999E+00	1.50080E+01	2.10601E+06	2	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00	
17	1.29999E+00	1.58557E+01	1.52545E+06	2	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00	
21	4.00000E-01	1.70844E+01	8.17974E+05	3	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	3	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	3	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	3	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 720 d, second part of sas2h pass to make library
0

mixture by zone	order p(l) by zone	activity table matl no.	reaction	quadrature constants weights	directions	refl direc	wt x cos

1	3	3	0	-2.79004E-01	3	0
2	2	3	5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	3	3	5.06143E-02	1.97286E-01	2	9.98548E-03
4	1	3	0	-6.04419E-01	8	0
5			5.55953E-02	-5.58410E-01	8	-3.10450E-02
6			5.55953E-02	-2.31301E-01	7	-1.28593E-02
7			5.55953E-02	2.31301E-01	6	1.28593E-02
8			5.55953E-02	5.58410E-01	5	3.10450E-02
9			0	-8.50774E-01	15	0
10			5.22844E-02	-8.21784E-01	15	-4.29665E-02
11			5.22844E-02	-6.01588E-01	14	-3.14537E-02
12			5.22844E-02	-2.20196E-01	13	-1.15128E-02
13			5.22844E-02	2.20196E-01	12	1.15128E-02
14			5.22844E-02	6.01588E-01	11	3.14537E-02
15			5.22844E-02	8.21784E-01	10	4.29665E-02
16			0	-9.83032E-01	24	0
17			4.53355E-02	-9.64143E-01	24	-4.37099E-02
18			4.53355E-02	-8.17361E-01	23	-3.70655E-02
19			4.53355E-02	-5.46143E-01	22	-2.47597E-02
20			4.53355E-02	-1.91780E-01	21	-8.69444E-03
21			4.53355E-02	1.91780E-01	20	8.69444E-03
22			4.53355E-02	5.46143E-01	19	2.47597E-02
23			4.53355E-02	8.17361E-01	18	3.70655E-02
24			4.53355E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83032E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.26438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17236E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17236E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.26438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.97644E-02	1	0	4.90881E-03		0	
2	3.95287E-02	5.92931E-02	1	2.48566E-01	1.47264E-02		0	
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0	
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0	
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01			
6	3.16230E-01	3.55759E-01	1	1.98693E+00	1.76717E-01			
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01			
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.55258E-01			
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42365E-01			

10	5.92931E-01	6.12696E-01	1	3.72550E+00	1.52173E-01
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46405E-02
13	6.73100E-01	6.96583E-01	3	4.22921E+00	2.05562E-01
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01
15	7.67033E-01	7.90517E-01	3	4.81941E+00	2.33282E-01
16	8.14000E-01	8.62795E-01	4	5.11451E+00	5.29051E-01
17	9.11591E-01	9.60386E-01	4	5.72769E+00	5.88891E-01
18	1.00918E+00	1.10677E+00	4	6.34088E+00	1.35731E+00
19	1.20436E+00	1.30195E+00	4	7.56724E+00	1.59667E+00
20	1.39955E+00	1.49714E+00	4	8.79360E+00	1.83603E+00
21	1.59473E+00	1.69232E+00	4	1.00200E+01	2.07540E+00
22	1.78991E+00	1.88750E+00	4	1.12463E+01	2.31476E+00
23	1.98509E+00	2.08268E+00	4	1.24727E+01	2.55412E+00
24	2.18027E+00	2.27786E+00	4	1.36991E+01	2.79349E+00
25	2.37545E+00	2.47305E+00	4	1.49254E+01	3.03285E+00
26	2.57064E+00	2.66823E+00	4	1.61518E+01	3.27221E+00
27	2.76582E+00	2.81461E+00	4	1.73781E+01	1.72587E+00
28	2.86341E+00	2.91220E+00	4	1.79913E+01	1.78571E+00
29	2.96100E+00			1.86045E+01	

- elapsed time .00 min.

outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	186	2.48569E-05	1.05705E+00	-6.31734E-02	1.00000E+00	-1.95208E-02	.00000E+00	.0000
2	281	-1.32135E-05	1.06387E+00	-1.33080E-03	-7.88857E-03	-2.81310E-03	.00000E+00	.0000
3	354	1.01005E-05	1.06448E+00	-1.99320E-04	-1.06861E-03	-6.40909E-04	.00000E+00	.0167
4	409	-8.38561E-06	1.06490E+00	-4.26851E-05	-2.46785E-04	-1.43411E-04	.00000E+00	.0167
5	444	5.49109E-06	1.06478E+00	-9.70884E-06	-5.56824E-05	-3.16001E-05	.00000E+00	.0167

grp	to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	1	17	1.13149E-06	28	1.00000E+00	1
2	2	1	17	1.35454E-06	28	1.00000E+00	1
3	3	1	17	1.24975E-06	28	1.00000E+00	1
4	4	1	17	1.20728E-06	28	1.00000E+00	1
5	5	1	17	1.22270E-06	28	1.00000E+00	1
6	6	1	17	8.15168E-07	28	1.00000E+00	1
7	7	1	17	5.15490E-07	28	1.00000E+00	2
8	8	1	16	1.01462E-07	28	1.00000E+00	2
9	9	1	27	8.55716E-06	28	9.99998E-01	3
10	10	1	26	3.16370E-06	28	9.99997E-01	3
11	11	1	26	2.76400E-06	28	9.99997E-01	3
12	12	1	25	9.50851E-07	28	9.99999E-01	3
13	13	1	26	2.33163E-06	28	1.00000E+00	3
14	14	1	25	3.07860E-07	28	1.00000E+00	3
15	15	1	2	3.06769E-05	28	9.99966E-01	2
16	16	1	2	3.76252E-05	28	9.99969E-01	2
17	17	1	2	4.32990E-05	28	9.99892E-01	3
18	18	1	2	5.08065E-05	28	9.99962E-01	3
19	19	1	2	4.31020E-05	28	9.99916E-01	3
20	20	1	2	3.33729E-05	28	9.99956E-01	3
21	21	1	2	5.14854E-05	28	9.99954E-01	3
22	22	1	23	2.32014E-05	28	9.99978E-01	3
23	23	1	27	1.81769E-05	28	9.99978E-01	4
24	24	1	1	1.87144E-05	9	1.00001E+00	4
25	25	1	1	2.12591E-05	8	1.00001E+00	5
26	26	1	1	1.56697E-05	6	1.00001E+00	6
27	27	1	1	1.42699E-05	5	1.00001E+00	8

6	471	-4.26156E-06	1.06491E+00	-2.09436E-06	-1.22728E-05	-7.12417E-06	.00000E+00	.0167

final monitor

lambda 1.06486E+00 production/absorption 1.07880E+00 angular flux on 16

- elapsed time .02 min.
1 720 d, second part of sas2h pass to make library
0 int. zone number radius int. midpoint area volume prod density

1	1	.00000E+00	1.97644E-02	.00000E+00	4.90881E-03	.00000E+00
2	1	3.95287E-02	5.92931E-02	2.48366E-01	1.47264E-02	.00000E+00
3	1	7.90575E-02	1.18586E-01	4.96733E-01	5.89057E-02	.00000E+00
4	1	1.58115E-01	1.97644E-01	9.93466E-01	9.81762E-02	.00000E+00
5	1	2.37172E-01	2.76701E-01	1.49020E+00	1.37447E-01	.00000E+00
6	1	3.16230E-01	3.55759E-01	1.98693E+00	1.76717E-01	.00000E+00
7	1	3.95288E-01	4.34816E-01	2.48366E+00	2.15988E-01	.00000E+00
8	1	4.74345E-01	5.13874E-01	2.98040E+00	2.55258E-01	.00000E+00
9	1	5.53403E-01	5.73167E-01	3.47713E+00	1.42355E-01	.00000E+00
10	1	5.92931E-01	6.12696E-01	3.72550E+00	1.52173E-01	.00000E+00
11	2	6.32460E-01	6.42620E-01	3.97386E+00	8.20460E-02	.00000E+00
12	2	6.52780E-01	6.62940E-01	4.10154E+00	8.46405E-02	.00000E+00
13	3	6.73100E-01	6.96583E-01	4.22921E+00	2.05562E-01	.00000E+00
14	3	7.20067E-01	7.43550E-01	4.52431E+00	2.19422E-01	.00000E+00
15	3	7.67033E-01	7.90517E-01	4.81941E+00	2.33282E-01	.00000E+00
16	4	8.14000E-01	8.62795E-01	5.11451E+00	5.29051E-01	2.42890E-02
17	4	9.11591E-01	9.60386E-01	5.72769E+00	5.88891E-01	2.64366E-02
18	4	1.00918E+00	1.10677E+00	6.34088E+00	1.35731E+00	5.96802E-02
19	4	1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	6.87644E-02
20	4	1.39955E+00	1.49714E+00	8.79860E+00	1.83603E+00	7.78853E-02
21	4	1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	8.71568E-02
22	4	1.78991E+00	1.88750E+00	1.12463E+01	2.31476E+00	9.64330E-02
23	4	1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	1.05772E-01
24	4	2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.15189E-01
25	4	2.37545E+00	2.47305E+00	1.49254E+01	3.03285E+00	1.24702E-01
26	4	2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.34341E-01
27	4	2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	7.08334E-02
28	4	2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	7.33258E-02
29		2.96100E+00		1.86045E+01		

1 720 d, second part of sas2h pass to make library
0 total flux
0 int. grp. 1 grp. 2 grp. 3 grp. 4 grp. 5 grp. 6 grp. 7 grp. 8

1	1.28271E-02	9.04508E-02	1.12334E-01	6.85895E-02	1.02675E-01	1.92730E-01	1.93048E-01	1.46974E-01
2	1.28219E-02	9.03997E-02	1.12271E-01	6.85013E-02	1.02623E-01	1.92643E-01	1.93009E-01	1.46968E-01
3	1.28225E-02	9.04126E-02	1.12293E-01	6.85193E-02	1.02657E-01	1.92713E-01	1.93062E-01	1.46979E-01
4	1.28292E-02	9.04930E-02	1.12405E-01	6.85976E-02	1.02787E-01	1.92956E-01	1.93218E-01	1.47008E-01
5	1.28414E-02	9.06344E-02	1.12601E-01	6.87305E-02	1.03003E-01	1.93355E-01	1.93466E-01	1.47052E-01
6	1.28580E-02	9.08289E-02	1.12869E-01	6.89139E-02	1.03301E-01	1.93903E-01	1.93805E-01	1.47108E-01
7	1.28789E-02	9.10778E-02	1.13215E-01	6.91517E-02	1.03689E-01	1.94620E-01	1.94264E-01	1.47178E-01
8	1.29042E-02	9.13887E-02	1.13654E-01	6.94589E-02	1.04194E-01	1.95556E-01	1.94823E-01	1.47261E-01
9	1.29255E-02	9.16622E-02	1.14048E-01	7.01408E-02	1.04662E-01	1.96424E-01	1.95359E-01	1.47330E-01
10	1.29400E-02	9.18766E-02	1.14377E-01	7.03889E-02	1.05083E-01	1.97210E-01	1.95846E-01	1.47379E-01
11	1.29522E-02	9.20543E-02	1.14652E-01	7.05972E-02	1.05437E-01	1.97886E-01	1.96264E-01	1.47423E-01
12	1.29654E-02	9.21865E-02	1.14825E-01	7.07055E-02	1.05606E-01	1.98223E-01	1.96466E-01	1.47467E-01
13	1.29931E-02	9.24275E-02	1.15095E-01	7.08430E-02	1.05796E-01	1.98563E-01	1.96658E-01	1.47536E-01
14	1.30339E-02	9.28113E-02	1.15548E-01	7.10982E-02	1.06170E-01	1.99222E-01	1.97038E-01	1.47627E-01
15	1.30819E-02	9.33052E-02	1.16173E-01	7.14847E-02	1.06767E-01	2.00295E-01	1.97666E-01	1.47728E-01
16	1.31566E-02	9.40962E-02	1.17188E-01	7.21295E-02	1.07782E-01	2.02136E-01	1.98758E-01	1.47898E-01
17	1.32300E-02	9.48836E-02	1.18204E-01	7.27777E-02	1.08812E-01	2.04029E-01	1.99901E-01	1.48095E-01
18	1.32885E-02	9.55219E-02	1.19036E-01	7.33133E-02	1.09678E-01	2.05666E-01	2.00918E-01	1.48299E-01
19	1.33395E-02	9.60887E-02	1.19784E-01	7.37979E-02	1.10470E-01	2.07194E-01	2.01885E-01	1.48511E-01
20	1.33694E-02	9.64294E-02	1.20342E-01	7.40969E-02	1.10964E-01	2.08177E-01	2.02523E-01	1.48666E-01
21	1.33882E-02	9.66485E-02	1.20641E-01	7.42936E-02	1.11293E-01	2.08849E-01	2.02969E-01	1.48782E-01
22	1.34002E-02	9.67916E-02	1.20739E-01	7.44250E-02	1.11516E-01	2.09314E-01	2.03283E-01	1.48869E-01
23	1.34077E-02	9.68836E-02	1.20869E-01	7.45114E-02	1.11663E-01	2.09631E-01	2.03501E-01	1.48931E-01
24	1.34121E-02	9.69386E-02	1.20948E-01	7.45642E-02	1.11755E-01	2.09833E-01	2.03642E-01	1.48973E-01
25	1.34140E-02	9.69637E-02	1.20986E-01	7.45895E-02	1.11799E-01	2.09937E-01	2.03716E-01	1.48994E-01

26	1.34136E-02	9.69606E-02	1.20984E-01	7.45883E-02	1.11799E-01	2.09944E-01	2.03722E-01	1.48995E-01
27	1.34118E-02	9.69405E-02	1.20957E-01	7.45708E-02	1.11771E-01	2.09889E-01	2.03685E-01	1.48981E-01
28	1.34094E-02	9.69109E-02	1.20918E-01	7.45443E-02	1.11726E-01	2.09799E-01	2.03622E-01	1.48961E-01
0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.15922E-01	1.07135E-01	1.00898E-01	6.54265E-02	5.58852E-02	5.32915E-02	2.90548E-02	1.60960E-02
2	1.15922E-01	1.07136E-01	1.00902E-01	6.54314E-02	5.58901E-02	5.32986E-02	2.90571E-02	1.60970E-02
3	1.15920E-01	1.07127E-01	1.00881E-01	6.54075E-02	5.58676E-02	5.32656E-02	2.90506E-02	1.60935E-02
4	1.15916E-01	1.07106E-01	1.00832E-01	6.53500E-02	5.58136E-02	5.31864E-02	2.90348E-02	1.60848E-02
5	1.15909E-01	1.07073E-01	1.00756E-01	6.52624E-02	5.57315E-02	5.30659E-02	2.90112E-02	1.60719E-02
6	1.15900E-01	1.07028E-01	1.00654E-01	6.51433E-02	5.56205E-02	5.29024E-02	2.89801E-02	1.60547E-02
7	1.15887E-01	1.06969E-01	1.00518E-01	6.49871E-02	5.54758E-02	5.26886E-02	2.89409E-02	1.60328E-02
8	1.15874E-01	1.06890E-01	1.00339E-01	6.47814E-02	5.52861E-02	5.24076E-02	2.88915E-02	1.60047E-02
9	1.15864E-01	1.06815E-01	1.00171E-01	6.45893E-02	5.51101E-02	5.21457E-02	2.88471E-02	1.59790E-02
10	1.15864E-01	1.06745E-01	1.00015E-01	6.44146E-02	5.49508E-02	5.19080E-02	2.88086E-02	1.59561E-02
11	1.15870E-01	1.06690E-01	9.98917E-02	6.42774E-02	5.48243E-02	5.17202E-02	2.87745E-02	1.59369E-02
12	1.15865E-01	1.06670E-01	9.98457E-02	6.42238E-02	5.47724E-02	5.16450E-02	2.87557E-02	1.59275E-02
13	1.15820E-01	1.06643E-01	9.97825E-02	6.41417E-02	5.46979E-02	5.15331E-02	2.87400E-02	1.59180E-02
14	1.15750E-01	1.06580E-01	9.96395E-02	6.39636E-02	5.45407E-02	5.12933E-02	2.87143E-02	1.58999E-02
15	1.15674E-01	1.06475E-01	9.94047E-02	6.36834E-02	5.42947E-02	5.09168E-02	2.86757E-02	1.58717E-02
16	1.15569E-01	1.06302E-01	9.90157E-02	6.32219E-02	5.38884E-02	5.02928E-02	2.86047E-02	1.58252E-02
17	1.15474E-01	1.06131E-01	9.86268E-02	6.27609E-02	5.34769E-02	4.96657E-02	2.85196E-02	1.57702E-02
18	1.15407E-01	1.05986E-01	9.82943E-02	6.23667E-02	5.31167E-02	4.91287E-02	2.84276E-02	1.57179E-02
19	1.15354E-01	1.05852E-01	9.79841E-02	6.19998E-02	5.27759E-02	4.86276E-02	2.83299E-02	1.56646E-02
20	1.15329E-01	1.05768E-01	9.77885E-02	6.17629E-02	5.25511E-02	4.83029E-02	2.82563E-02	1.56260E-02
21	1.15317E-01	1.05710E-01	9.76441E-02	6.15983E-02	5.23925E-02	4.80766E-02	2.82001E-02	1.55970E-02
22	1.15311E-01	1.05669E-01	9.75449E-02	6.14811E-02	5.22783E-02	4.79150E-02	2.81573E-02	1.55752E-02
23	1.15307E-01	1.05641E-01	9.74743E-02	6.13978E-02	5.21966E-02	4.78001E-02	2.81257E-02	1.55592E-02
24	1.15305E-01	1.05621E-01	9.74263E-02	6.13411E-02	5.21408E-02	4.77218E-02	2.81040E-02	1.55482E-02
25	1.15303E-01	1.05610E-01	9.73977E-02	6.13073E-02	5.21079E-02	4.76753E-02	2.80919E-02	1.55421E-02
26	1.15301E-01	1.05606E-01	9.73885E-02	6.12964E-02	5.20983E-02	4.76612E-02	2.80900E-02	1.55411E-02
27	1.15298E-01	1.05607E-01	9.73939E-02	6.13052E-02	5.21062E-02	4.76713E-02	2.80954E-02	1.55437E-02
28	1.15296E-01	1.05613E-01	9.74094E-02	6.13216E-02	5.21257E-02	4.76979E-02	2.81052E-02	1.55486E-02
0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.06002E-03	5.39608E-03	1.07464E-02	3.56724E-02	1.11395E-02	2.29340E-02	7.73947E-02	6.34270E-02
2	7.06071E-03	5.39747E-03	1.07476E-02	3.56750E-02	1.11406E-02	2.29357E-02	7.73898E-02	6.34123E-02
3	7.05775E-03	5.38991E-03	1.07420E-02	3.56611E-02	1.11299E-02	2.29014E-02	7.72727E-02	6.32853E-02
4	7.05059E-03	5.37170E-03	1.07285E-02	3.56282E-02	1.11051E-02	2.28234E-02	7.70154E-02	6.30121E-02
5	7.03970E-03	5.34371E-03	1.07082E-02	3.55790E-02	1.10678E-02	2.27061E-02	7.66337E-02	6.26077E-02
6	7.02496E-03	5.30532E-03	1.06807E-02	3.55132E-02	1.10173E-02	2.25477E-02	7.61252E-02	6.20691E-02
7	7.00570E-03	5.25445E-03	1.06450E-02	3.54284E-02	1.09512E-02	2.23414E-02	7.54772E-02	6.13842E-02
8	6.98041E-03	5.18653E-03	1.05986E-02	3.53191E-02	1.08644E-02	2.20721E-02	7.46588E-02	6.05241E-02
9	6.95684E-03	5.12249E-03	1.05556E-02	3.52189E-02	1.07885E-02	2.18227E-02	7.39223E-02	5.97562E-02
10	6.93537E-03	5.06362E-03	1.05167E-02	3.51298E-02	1.07095E-02	2.15972E-02	7.32823E-02	5.90957E-02
11	6.91829E-03	5.01852E-03	1.04856E-02	3.50572E-02	1.06527E-02	2.14275E-02	7.28165E-02	5.86358E-02
12	6.91138E-03	5.00247E-03	1.04727E-02	3.50266E-02	1.06330E-02	2.13708E-02	7.26727E-02	5.85190E-02
13	6.90152E-03	4.97297E-03	1.04556E-02	3.49874E-02	1.06005E-02	2.12669E-02	7.23956E-02	5.82280E-02
14	6.88040E-03	4.90665E-03	1.04199E-02	3.49069E-02	1.05265E-02	2.10516E-02	7.17802E-02	5.75645E-02
15	6.84694E-03	4.80164E-03	1.03639E-02	3.47827E-02	1.04089E-02	2.06655E-02	7.08810E-02	5.66156E-02
16	6.79182E-03	4.62038E-03	1.02709E-02	3.45776E-02	1.02166E-02	2.00643E-02	6.94980E-02	5.52061E-02
17	6.73651E-03	4.44198E-03	1.01744E-02	3.43628E-02	1.00266E-02	1.94691E-02	6.80913E-02	5.37995E-02
18	6.68862E-03	4.30598E-03	1.00868E-02	3.41601E-02	9.86613E-03	1.89720E-02	6.67475E-02	5.24537E-02
19	6.64342E-03	4.18892E-03	1.00017E-02	3.39583E-02	9.71702E-03	1.85125E-02	6.53964E-02	5.10985E-02
20	6.61355E-03	4.12089E-03	9.94418E-03	3.38170E-02	9.62058E-03	1.82179E-02	6.44334E-02	5.01322E-02
21	6.59252E-03	4.07681E-03	9.90301E-03	3.37128E-02	9.55300E-03	1.80116E-02	6.37119E-02	4.94092E-02
22	6.57735E-03	4.04711E-03	9.87305E-03	3.36352E-02	9.50442E-03	1.78634E-02	6.31651E-02	4.88629E-02
23	6.56650E-03	4.02679E-03	9.85146E-03	3.35784E-02	9.46948E-03	1.77565E-02	6.27552E-02	4.84536E-02
24	6.55914E-03	4.01321E-03	9.83668E-03	3.35390E-02	9.44511E-03	1.76818E-02	6.24590E-02	4.81567E-02
25	6.55487E-03	4.00484E-03	9.82793E-03	3.35155E-02	9.43005E-03	1.76343E-02	6.22637E-02	4.79571E-02
26	6.55379E-03	4.00147E-03	9.82539E-03	3.35080E-02	9.42417E-03	1.76130E-02	6.21684E-02	4.78607E-02
27	6.55503E-03	4.00200E-03	9.82702E-03	3.35137E-02	9.42554E-03	1.76135E-02	6.21592E-02	4.78268E-02

28	6.55734E-03	4.00532E-03	9.83219E-03	3.35275E-02	9.43193E-03	1.76294E-02	6.22086E-02	4.78605E-02

0 int.

	grp. 25	grp. 26	grp. 27
1	2.86830E-02	2.06921E-02	3.93060E-03
2	2.86721E-02	2.06800E-02	3.92767E-03
3	2.86039E-02	2.06202E-02	3.91540E-03
4	2.84588E-02	2.04957E-02	3.88959E-03
5	2.82439E-02	2.03052E-02	3.85005E-03
6	2.79572E-02	2.00516E-02	3.79617E-03
7	2.75928E-02	1.97265E-02	3.72568E-03
8	2.71372E-02	1.93167E-02	3.63471E-03
9	2.67329E-02	1.89514E-02	3.55244E-03
10	2.63901E-02	1.86394E-02	3.48169E-03
11	2.61608E-02	1.84385E-02	3.43887E-03
12	2.61117E-02	1.84081E-02	3.43602E-03
13	2.59487E-02	1.82580E-02	3.39571E-03
14	2.55769E-02	1.79012E-02	3.29847E-03
15	2.50587E-02	1.73970E-02	3.15374E-03
16	2.43080E-02	1.66761E-02	2.94211E-03
17	2.35713E-02	1.59956E-02	2.76010E-03
18	2.28718E-02	1.53838E-02	2.62326E-03
19	2.21718E-02	1.47911E-02	2.50009E-03
20	2.16783E-02	1.43917E-02	2.42542E-03
21	2.13130E-02	1.41066E-02	2.37527E-03
22	2.10401E-02	1.39002E-02	2.34061E-03
23	2.08373E-02	1.37505E-02	2.31606E-03
24	2.06909E-02	1.36443E-02	2.29900E-03
25	2.05921E-02	1.35731E-02	2.28769E-03
26	2.05368E-02	1.35320E-02	2.28118E-03
27	2.05205E-02	1.35175E-02	2.27873E-03
28	2.05312E-02	1.35206E-02	2.27862E-03

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	4.99611E-04	6.61276E-04	5.50619E-05	-7.16304E-04	9.99952E-01
2	.00000E+00	.00000E+00	3.79427E-04	6.14034E-03	8.07034E-03	1.75468E-04	-7.86608E-03	9.99963E-01
3	.00000E+00	.00000E+00	3.83251E-03	5.45644E-03	1.41966E-02	9.26400E-05	-1.04564E-02	9.99978E-01
4	.00000E+00	.00000E+00	5.57851E-03	3.59733E-03	1.23601E-02	4.19806E-05	-6.82338E-03	9.99988E-01
5	.00000E+00	.00000E+00	1.02522E-02	1.15225E-02	2.08752E-02	4.96551E-05	-1.06725E-02	9.99991E-01
6	.00000E+00	.00000E+00	2.14886E-02	3.44934E-02	4.09957E-02	8.42815E-05	-1.95913E-02	9.99998E-01
7	.00000E+00	.00000E+00	4.22265E-02	6.09661E-02	5.41334E-02	6.12174E-05	-1.19675E-02	9.99988E-01
8	.00000E+00	.00000E+00	5.63550E-02	7.83471E-02	5.87462E-02	3.64052E-05	-2.42234E-03	9.99912E-01
9	.00000E+00	.00000E+00	5.77869E-02	7.26181E-02	5.75068E-02	2.92783E-05	2.56207E-04	9.99859E-01
10	.00000E+00	.00000E+00	5.70853E-02	6.91811E-02	5.55973E-02	3.60679E-05	1.45795E-03	9.99895E-01
11	.00000E+00	.00000E+00	5.58787E-02	6.56109E-02	5.25812E-02	5.51711E-05	3.44575E-03	9.99939E-01
12	.00000E+00	.00000E+00	4.54186E-02	3.51057E-02	4.13062E-02	6.04664E-05	4.05294E-03	9.99978E-01
13	.00000E+00	.00000E+00	4.05737E-02	2.85776E-02	3.66489E-02	8.46561E-05	3.84136E-03	9.99969E-01
14	.00000E+00	.00000E+00	3.94761E-02	2.82151E-02	3.37050E-02	1.36166E-04	5.68539E-03	9.99988E-01
15	.00000E+00	.00000E+00	2.16795E-02	1.08652E-02	2.08550E-02	1.12735E-04	1.21179E-03	9.99999E-01
16	.00000E+00	.00000E+00	1.42523E-02	4.58254E-03	1.35006E-02	7.64217E-05	6.55321E-04	9.99998E-01
17	.00000E+00	.00000E+00	7.30981E-03	1.29767E-03	6.75171E-03	3.71473E-05	5.20908E-04	1.00001E+00
18	.00000E+00	.00000E+00	6.48216E-03	9.46521E-04	5.17198E-03	2.96170E-05	1.28057E-03	9.99999E-01
19	.00000E+00	.00000E+00	1.07274E-02	2.92480E-03	9.70714E-03	6.55067E-05	9.54747E-04	1.00001E+00
20	.00000E+00	.00000E+00	2.62842E-02	2.09761E-02	2.37163E-02	2.73573E-04	2.29415E-03	1.00001E+00
21	.00000E+00	.00000E+00	1.26120E-02	4.18891E-03	1.08973E-02	1.05051E-04	1.60970E-03	9.99997E-01
22	.00000E+00	.00000E+00	2.49792E-02	1.28515E-02	1.99998E-02	2.46844E-04	4.73257E-03	1.00001E+00
23	.00000E+00	.00000E+00	6.47805E-02	7.82889E-02	5.14102E-02	1.13648E-03	1.22324E-02	1.00002E+00
24	.00000E+00	.00000E+00	6.92269E-02	7.39258E-02	5.70640E-02	1.34498E-03	1.08166E-02	1.00002E+00
25	.00000E+00	.00000E+00	4.61044E-02	3.13608E-02	4.03457E-02	7.97058E-04	4.96113E-03	1.00001E+00
26	.00000E+00	.00000E+00	3.68318E-02	3.50569E-02	3.23797E-02	8.10747E-04	3.64108E-03	1.00001E+00
27	.00000E+00	.00000E+00	1.24954E-02	7.60995E-03	1.15950E-02	2.89664E-04	6.12786E-04	1.00000E+00

28	.00000E+00	.00000E+00	7.90077E-01	7.85207E-01	7.90076E-01	6.32429E-03	-6.30270E-03	9.99973E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.29470E-02	-7.16304E-04	1.28313E-02	.00000E+00	3.65704E-11	.00000E+00	1.98189E-05	1.61886E-02
2	9.19899E-02	-7.86608E-03	9.04940E-02	.00000E+00	.00000E+00	.00000E+00	8.90010E-05	1.14523E-01
3	1.14556E-01	-1.04564E-02	1.12592E-01	.00000E+00	.00000E+00	.00000E+00	9.22112E-05	1.42382E-01
4	7.05289E-02	-6.82338E-03	6.89736E-02	.00000E+00	.00000E+00	.00000E+00	4.17271E-05	8.74880E-02
5	1.05325E-01	-1.06725E-02	1.02724E-01	.00000E+00	.00000E+00	.00000E+00	4.95622E-05	1.30448E-01
6	1.97660E-01	-1.99913E-02	1.92813E-01	.00000E+00	.00000E+00	.00000E+00	8.34119E-05	2.44845E-01
7	1.96125E-01	-1.19675E-02	1.95091E-01	.00000E+00	.00000E+00	.00000E+00	5.92737E-05	2.44269E-01
8	1.47403E-01	-2.42234E-03	1.46981E-01	.00000E+00	.00000E+00	.00000E+00	3.27233E-05	1.84963E-01
9	1.15867E-01	2.56207E-04	1.15921E-01	.00000E+00	.00000E+00	.00000E+00	2.16756E-05	1.45631E-01
10	1.06705E-01	1.45798E-03	1.07132E-01	.00000E+00	.00000E+00	.00000E+00	1.91638E-05	1.34398E-01
11	9.99250E-02	3.44575E-03	1.00890E-01	.00000E+00	.00000E+00	.00000E+00	1.79124E-05	1.26261E-01
12	6.43144E-02	4.05294E-03	6.54175E-02	.00000E+00	.00000E+00	.00000E+00	1.05151E-05	8.16046E-02
13	5.48598E-02	3.84136E-03	5.58766E-02	.00000E+00	.00000E+00	.00000E+00	8.74741E-06	6.96586E-02
14	5.17717E-02	5.63539E-03	5.32790E-02	.00000E+00	.00000E+00	.00000E+00	8.47287E-06	6.61280E-02
15	2.87870E-02	1.21179E-03	2.90520E-02	.00000E+00	.00000E+00	.00000E+00	4.47623E-06	3.63571E-02
16	1.59433E-02	6.55321E-04	1.60945E-02	.00000E+00	.00000E+00	.00000E+00	2.24256E-06	2.01404E-02
17	6.92311E-03	5.20908E-04	7.05892E-03	.00000E+00	.00000E+00	.00000E+00	9.00316E-07	8.79626E-03
18	5.02976E-03	1.28057E-03	5.39344E-03	.00000E+00	.00000E+00	.00000E+00	6.57154E-07	6.58142E-03
19	1.04946E-02	9.54747E-04	1.07443E-02	.00000E+00	.00000E+00	.00000E+00	1.39832E-06	1.33639E-02
20	3.50789E-02	2.29415E-03	3.56683E-02	.00000E+00	.00000E+00	.00000E+00	5.21483E-06	4.44918E-02
21	1.06670E-02	1.60970E-03	1.11366E-02	.00000E+00	.00000E+00	.00000E+00	1.25948E-06	1.37361E-02
22	2.14681E-02	4.75237E-03	2.29257E-02	.00000E+00	.00000E+00	.00000E+00	2.55950E-06	2.79982E-02
23	7.29195E-02	1.22524E-02	7.73747E-02	.00000E+00	.00000E+00	.00000E+00	7.80690E-06	9.46523E-02
24	5.87227E-02	1.08166E-02	6.34132E-02	.00000E+00	.00000E+00	.00000E+00	4.71613E-06	7.69401E-02
25	2.61979E-02	4.96113E-03	2.85785E-02	.00000E+00	.00000E+00	.00000E+00	1.63714E-06	3.45726E-02
26	1.84639E-02	3.64108E-03	2.05908E-02	.00000E+00	.00000E+00	.00000E+00	8.63529E-07	2.46928E-02
27	3.44191E-03	6.12786E-04	3.93083E-03	.00000E+00	.00000E+00	.00000E+00	1.01762E-07	4.65766E-03
28	1.74411E+00	-6.30267E-03	1.75098E+00	.00000E+00	3.65704E-11	.00000E+00	5.87850E-04	2.19577E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.20921E-04	1.65608E-04	2.48438E-06	-1.62186E-04	1.00001E+00
2	.00000E+00	.00000E+00	2.89231E-05	1.45512E-03	1.04412E-03	1.40152E-05	-1.02922E-03	1.00000E+00
3	.00000E+00	.00000E+00	1.49920E-04	2.76675E-03	8.74817E-04	2.02460E-05	-7.45096E-04	9.99996E-01
4	.00000E+00	.00000E+00	2.86528E-04	2.30853E-03	2.98258E-04	1.30902E-05	-2.47955E-05	9.99996E-01
5	.00000E+00	.00000E+00	6.16344E-04	4.41569E-03	2.79259E-04	1.68606E-05	3.20103E-04	1.00000E+00
6	.00000E+00	.00000E+00	1.02177E-03	1.24040E-02	1.69473E-04	2.70655E-05	8.25221E-04	1.00000E+00
7	.00000E+00	.00000E+00	6.72146E-04	1.25943E-02	6.33056E-05	2.68151E-05	5.82024E-04	1.00000E+00
8	.00000E+00	.00000E+00	1.17399E-04	9.20787E-03	4.43573E-04	2.21119E-05	-3.48123E-04	1.00001E+00
9	.00000E+00	.00000E+00	4.45214E-04	6.36001E-03	5.30177E-05	7.67145E-05	3.15497E-04	9.99978E-01
10	.00000E+00	.00000E+00	5.30827E-05	4.98891E-03	4.94987E-05	5.95510E-05	-5.57626E-05	9.99997E-01
11	.00000E+00	.00000E+00	4.95020E-05	4.45642E-03	5.05287E-05	9.00528E-05	-9.08754E-05	9.99999E-01
12	.00000E+00	.00000E+00	5.05290E-05	2.76262E-03	5.13976E-05	5.67578E-06	-6.74604E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.13977E-05	2.35729E-03	4.80858E-05	6.31612E-06	-3.00305E-06	1.00000E+00
14	.00000E+00	.00000E+00	4.80858E-05	2.22876E-03	4.20013E-05	8.51155E-06	-2.42610E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.45952E-05	1.21481E-03	4.97182E-05	6.29121E-06	-1.13825E-05	9.99975E-01
16	.00000E+00	.00000E+00	5.57278E-05	6.44216E-04	5.58094E-05	3.81817E-06	-3.87826E-06	9.99970E-01
17	.00000E+00	.00000E+00	6.08346E-05	2.43808E-04	6.00140E-05	1.81234E-06	-9.82953E-07	9.99985E-01
18	.00000E+00	.00000E+00	6.30793E-05	1.66413E-04	5.37339E-05	1.38547E-06	7.96770E-06	9.99994E-01
19	.00000E+00	.00000E+00	5.54506E-05	4.01230E-04	5.91975E-05	3.11345E-06	-6.84586E-06	9.99985E-01
20	.00000E+00	.00000E+00	7.23071E-05	1.47688E-03	6.27873E-05	1.26972E-05	-3.12808E-06	9.99979E-01
21	.00000E+00	.00000E+00	8.29752E-05	3.77457E-04	9.01609E-05	4.67888E-06	-1.18467E-05	9.99989E-01
22	.00000E+00	.00000E+00	1.18953E-04	8.29873E-04	1.10843E-04	1.07088E-05	-2.60305E-06	9.99997E-01
23	.00000E+00	.00000E+00	1.70659E-04	2.97744E-03	2.18594E-04	4.86308E-05	-9.66787E-06	1.00000E+00
24	.00000E+00	.00000E+00	2.81397E-04	2.26338E-03	3.10615E-04	5.55581E-05	-8.48109E-06	1.00000E+00
25	.00000E+00	.00000E+00	2.87529E-04	9.13261E-04	2.35061E-04	3.23191E-05	2.01329E-05	1.00000E+00
26	.00000E+00	.00000E+00	1.22513E-04	7.14961E-04	9.44859E-05	3.20961E-05	-4.27394E-06	1.00000E+00
27	.00000E+00	.00000E+00	2.73967E-04	1.50756E-04	7.77779E-08	1.11996E-05	1.61172E-05	1.00000E+00
28	.00000E+00	.00000E+00	5.05364E-03	8.08963E-02	5.05363E-03	6.13620E-04	-6.07608E-04	9.99999E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.29734E-02	-8.78489E-04	1.29470E-02	-7.16304E-04	5.91701E-06	.00000E+00	1.63570E-06	2.16007E-03
2	9.22544E-02	-8.89530E-03	9.19899E-02	-7.86608E-03	.00000E+00	.00000E+00	1.11244E-05	1.53654E-02
3	1.14903E-01	-1.12015E-02	1.14556E-01	-1.04564E-02	.00000E+00	.00000E+00	1.26787E-05	1.91256E-02
4	7.07456E-02	-6.84818E-03	7.05289E-02	-6.82338E-03	.00000E+00	.00000E+00	7.43533E-06	1.17768E-02
5	1.05662E-01	-1.03524E-02	1.05323E-01	-1.06725E-02	.00000E+00	.00000E+00	8.63424E-06	1.75892E-02
6	1.98334E-01	-1.87661E-02	1.97660E-01	-1.95913E-02	.00000E+00	.00000E+00	1.01748E-05	3.30135E-02
7	1.96531E-01	-1.13854E-02	1.96125E-01	-1.19675E-02	.00000E+00	.00000E+00	8.35354E-06	3.27317E-02
8	1.47491E-01	-2.77046E-03	1.47403E-01	-2.42234E-03	.00000E+00	.00000E+00	5.27461E-06	2.45772E-02
9	1.15858E-01	5.71704E-04	1.15867E-01	2.56207E-04	.00000E+00	.00000E+00	4.58407E-06	1.93135E-02
10	1.06665E-01	1.40216E-03	1.06705E-01	1.45798E-03	.00000E+00	.00000E+00	4.91124E-06	1.77821E-02
11	9.98329E-02	3.35487E-03	9.99250E-02	3.44575E-03	.00000E+00	.00000E+00	4.76619E-06	1.66467E-02
12	6.42072E-02	4.04619E-03	6.43144E-02	4.05294E-03	.00000E+00	.00000E+00	3.21614E-06	1.07096E-02
13	5.47558E-02	3.83835E-03	5.48596E-02	3.84136E-03	.00000E+00	.00000E+00	2.73718E-06	9.13409E-03
14	5.16213E-02	5.63297E-03	5.17717E-02	5.63539E-03	.00000E+00	.00000E+00	2.57515E-06	8.61470E-03
15	2.87494E-02	1.20041E-03	2.87870E-02	1.21179E-03	.00000E+00	.00000E+00	1.41268E-06	4.79472E-03
16	1.59246E-02	6.51443E-04	1.59433E-02	6.55321E-04	.00000E+00	.00000E+00	7.82479E-07	2.65567E-03
17	6.90929E-03	5.19925E-04	6.92311E-03	5.20908E-04	.00000E+00	.00000E+00	3.39443E-07	1.15260E-03
18	4.99765E-03	1.28854E-03	5.02976E-03	1.28057E-03	.00000E+00	.00000E+00	2.45880E-07	8.35162E-04
19	1.04687E-02	9.47901E-04	1.04946E-02	9.54747E-04	.00000E+00	.00000E+00	5.14024E-07	1.74671E-03
20	3.50177E-02	2.29102E-03	3.50789E-02	2.29415E-03	.00000E+00	.00000E+00	1.71648E-06	5.84098E-03
21	1.06276E-02	1.59785E-03	1.06670E-02	1.60970E-03	.00000E+00	.00000E+00	5.20458E-07	1.77399E-03
22	2.13547E-02	4.72977E-03	2.14681E-02	4.73257E-03	.00000E+00	.00000E+00	1.04510E-06	3.56688E-03
23	7.26320E-02	1.21357E-02	7.29195E-02	1.22524E-02	.00000E+00	.00000E+00	3.54020E-06	1.21254E-02
24	5.84889E-02	1.07318E-02	5.87227E-02	1.08166E-02	.00000E+00	.00000E+00	2.85343E-06	9.76391E-03
25	2.60997E-02	4.98127E-03	2.61979E-02	4.96113E-03	.00000E+00	.00000E+00	1.25672E-06	4.35650E-03
26	1.84031E-02	3.63680E-03	1.84639E-02	3.64108E-03	.00000E+00	.00000E+00	8.76531E-07	3.07088E-03
27	3.43621E-03	6.28904E-04	3.44191E-03	6.12786E-04	.00000E+00	.00000E+00	1.58535E-07	5.72973E-04
28	1.74494E+00	-6.91036E-03	1.74411E+00	-6.30267E-03	5.91701E-06	.00000E+00	1.05343E-04	2.90787E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.64875E-04	3.50584E-04	2.91918E-05	-3.79756E-04	9.99986E-01
2	.00000E+00	.00000E+00	2.01158E-04	3.27763E-03	4.30784E-03	9.36627E-05	-4.20018E-03	9.99988E-01
3	.00000E+00	.00000E+00	2.04538E-03	2.91687E-03	7.58913E-03	4.95230E-05	-5.59510E-03	9.99991E-01
4	.00000E+00	.00000E+00	2.98111E-03	1.92593E-03	6.61731E-03	2.24755E-05	-3.65860E-03	9.99994E-01
5	.00000E+00	.00000E+00	5.48386E-03	6.17872E-03	1.11940E-02	2.66267E-05	-5.73663E-03	9.99995E-01
6	.00000E+00	.00000E+00	1.15107E-02	1.84911E-02	2.19768E-02	4.51813E-05	-1.05112E-02	9.99999E-01
7	.00000E+00	.00000E+00	2.26311E-02	3.23892E-02	2.87592E-02	3.25226E-05	-6.16029E-03	9.99991E-01
8	.00000E+00	.00000E+00	2.99914E-02	4.11648E-02	3.08662E-02	1.91268E-05	-8.91165E-04	9.99920E-01
9	.00000E+00	.00000E+00	3.04242E-02	3.79923E-02	3.00864E-02	1.53178E-05	3.25912E-04	9.99892E-01
10	.00000E+00	.00000E+00	2.98990E-02	3.61078E-02	2.90180E-02	1.88250E-05	8.65267E-04	9.99901E-01
11	.00000E+00	.00000E+00	2.91838E-02	3.40699E-02	2.72001E-02	2.86488E-05	1.95682E-03	9.99946E-01
12	.00000E+00	.00000E+00	2.36104E-02	1.81009E-02	2.12979E-02	3.11771E-05	2.28181E-03	9.99981E-01
13	.00000E+00	.00000E+00	2.09746E-02	1.47187E-02	1.88758E-02	4.36015E-05	2.05586E-03	9.99974E-01
14	.00000E+00	.00000E+00	2.08586E-02	1.43900E-02	1.71899E-02	6.94463E-05	3.09950E-03	9.99991E-01
15	.00000E+00	.00000E+00	1.10983E-02	5.64759E-03	1.05802E-02	5.85980E-05	4.59477E-04	1.00000E+00
16	.00000E+00	.00000E+00	7.33652E-03	2.38076E-03	7.01393E-03	3.97032E-05	2.82893E-04	9.99999E-01
17	.00000E+00	.00000E+00	3.77370E-03	6.67649E-04	3.47375E-03	1.91123E-05	2.80816E-04	1.00001E+00
18	.00000E+00	.00000E+00	3.34508E-03	4.62949E-04	2.52966E-03	1.44859E-05	8.00941E-04	1.00000E+00
19	.00000E+00	.00000E+00	5.49801E-03	1.49991E-03	4.97807E-03	3.35955E-05	4.85311E-04	1.00001E+00
20	.00000E+00	.00000E+00	1.34706E-02	1.08274E-02	1.22618E-02	1.41211E-04	1.08756E-03	1.00001E+00
21	.00000E+00	.00000E+00	6.44484E-03	2.10957E-03	5.48746E-03	5.28997E-05	9.04496E-04	9.99999E-01
22	.00000E+00	.00000E+00	1.26543E-02	6.33776E-03	9.86295E-03	1.21731E-04	2.66954E-03	1.00000E+00
23	.00000E+00	.00000E+00	3.20958E-02	3.90129E-02	2.56187E-02	5.66332E-04	5.91010E-03	1.00001E+00
24	.00000E+00	.00000E+00	3.40384E-02	3.63265E-02	2.80408E-02	6.60889E-04	5.33604E-03	1.00001E+00
25	.00000E+00	.00000E+00	2.25139E-02	1.52320E-02	1.95959E-02	3.87132E-04	2.53061E-03	1.00001E+00
26	.00000E+00	.00000E+00	1.79080E-02	1.66668E-02	1.53940E-02	3.85446E-04	2.12847E-03	1.00000E+00
27	.00000E+00	.00000E+00	6.04364E-03	3.52504E-03	5.37008E-03	1.34177E-04	5.39428E-04	1.00000E+00
28	.00000E+00	.00000E+00	4.05516E-01	4.02685E-01	4.05516E-01	3.14064E-03	-3.12908E-03	9.99972E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux

1	1.31088E-02	-1.25825E-03	1.29734E-02	-8.78489E-04	1.95883E-11	.00000E+00	1.05072E-05	8.58257E-03
2	9.35884E-02	-1.30955E-02	9.22544E-02	-8.89530E-03	.00000E+00	.00000E+00	4.75076E-05	6.11308E-02
3	1.16535E-01	-1.67946E-02	1.14903E-01	-1.12015E-02	.00000E+00	.00000E+00	4.92957E-05	7.61139E-02
4	7.17134E-02	-1.05068E-02	7.07456E-02	-6.84818E-03	.00000E+00	.00000E+00	2.23398E-05	4.68392E-02
5	1.07123E-01	-1.60891E-02	1.05662E-01	-1.08524E-02	.00000E+00	.00000E+00	2.64696E-05	6.99504E-02
6	2.00957E-01	-2.92773E-02	1.98334E-01	-1.87661E-02	.00000E+00	.00000E+00	4.47151E-05	1.31256E-01
7	1.98042E-01	-1.75457E-02	1.96531E-01	-1.13854E-02	.00000E+00	.00000E+00	3.14900E-05	1.29772E-01
8	1.47783E-01	-3.66163E-03	1.47491E-01	-2.77046E-03	.00000E+00	.00000E+00	1.71954E-05	9.71827E-02
9	1.15632E-01	8.97616E-04	1.15858E-01	5.71704E-04	.00000E+00	.00000E+00	1.13402E-05	7.61909E-02
10	1.06412E-01	2.26743E-03	1.06665E-01	1.40216E-03	.00000E+00	.00000E+00	1.00022E-05	7.01464E-02
11	9.92633E-02	5.31169E-03	9.98329E-02	3.35487E-03	.00000E+00	.00000E+00	9.30142E-06	6.55640E-02
12	6.35157E-02	6.32801E-03	6.42072E-02	4.04619E-03	.00000E+00	.00000E+00	5.42168E-06	4.20763E-02
13	5.41482E-02	5.89421E-03	5.47558E-02	3.83835E-03	.00000E+00	.00000E+00	4.50529E-06	3.58772E-02
14	5.06918E-02	8.73247E-03	5.16213E-02	5.63297E-03	.00000E+00	.00000E+00	4.32126E-06	3.37261E-02
15	2.86542E-02	1.65988E-03	2.87494E-02	1.20041E-03	.00000E+00	.00000E+00	2.32668E-06	1.88979E-02
16	1.58653E-02	9.34335E-04	1.59246E-02	6.51443E-04	.00000E+00	.00000E+00	1.16507E-06	1.04635E-02
17	6.82698E-03	8.00742E-04	6.90929E-03	5.19925E-04	.00000E+00	.00000E+00	4.68212E-07	4.52567E-03
18	4.73826E-03	2.08948E-03	4.99765E-03	1.28854E-03	.00000E+00	.00000E+00	3.21418E-07	3.21901E-03
19	1.03308E-02	1.43421E-03	1.04687E-02	9.47901E-04	.00000E+00	.00000E+00	7.17093E-07	6.85335E-03
20	3.47106E-02	3.37858E-03	3.50177E-02	2.29102E-03	.00000E+00	.00000E+00	2.69178E-06	2.29656E-02
21	1.03385E-02	2.50235E-03	1.06276E-02	1.59785E-03	.00000E+00	.00000E+00	6.34228E-07	6.91659E-03
22	2.04470E-02	7.39952E-03	2.13547E-02	4.72977E-03	.00000E+00	.00000E+00	1.26222E-06	1.38073E-02
23	7.03589E-02	1.80458E-02	7.26320E-02	1.21357E-02	.00000E+00	.00000E+00	3.89034E-06	4.71672E-02
24	5.60669E-02	1.60678E-02	5.84889E-02	1.07318E-02	.00000E+00	.00000E+00	2.31747E-06	3.78077E-02
25	2.47603E-02	7.51188E-03	2.60997E-02	4.98127E-03	.00000E+00	.00000E+00	7.95161E-07	1.67919E-02
26	1.71035E-02	5.76528E-03	1.84031E-02	3.63680E-03	.00000E+00	.00000E+00	4.10540E-07	1.17395E-02
27	3.05564E-03	1.16833E-03	3.43621E-03	6.28904E-04	.00000E+00	.00000E+00	4.71577E-08	2.15750E-03
28	1.74175E+00	-1.00393E-02	1.74494E+00	-6.91036E-03	1.95883E-11	.00000E+00	3.11451E-04	1.14772E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.30698E-02	.00000E+00	2.13994E-02	2.03181E-02	3.78974E-03	1.25824E-03	9.98904E-01
2	.00000E+00	1.94222E-01	7.03259E-03	2.50889E-01	1.72854E-01	1.53178E-02	1.30954E-02	1.00002E+00
3	.00000E+00	2.15915E-01	7.14098E-02	2.57622E-01	2.54297E-01	1.62366E-02	1.67945E-02	9.99988E-01
4	.00000E+00	1.23790E-01	1.05540E-01	1.76779E-01	2.11074E-01	7.74974E-03	1.05067E-02	1.00000E+00
5	.00000E+00	1.64063E-01	1.92065E-01	4.44539E-01	3.34856E-01	5.17673E-03	1.60890E-02	9.99990E-01
6	.00000E+00	1.76975E-01	3.91014E-01	1.19109E+00	5.30525E-01	8.17797E-03	2.92771E-02	1.00001E+00
7	.00000E+00	8.74405E-02	5.98420E-01	1.56413E+00	6.55180E-01	8.14086E-03	1.75452E-02	9.99991E-01
8	.00000E+00	1.34688E-02	6.89451E-01	1.57552E+00	6.86148E-01	1.31654E-02	3.66160E-03	9.99921E-01
9	.00000E+00	9.77432E-04	6.78245E-01	1.37218E+00	6.58457E-01	2.17362E-02	-9.02944E-04	9.99901E-01
10	.00000E+00	7.25977E-05	6.55483E-01	1.24851E+00	6.25092E-01	3.27972E-02	-2.26952E-03	9.99904E-01
11	.00000E+00	5.71148E-06	6.29133E-01	1.16298E+00	5.80859E-01	5.36285E-02	-5.31337E-03	9.99945E-01
12	.00000E+00	4.01221E-07	5.05927E-01	6.35521E-01	4.53865E-01	5.84032E-02	-6.32841E-03	9.99975E-01
13	.00000E+00	6.37102E-08	4.48520E-01	5.04448E-01	3.99419E-01	5.50084E-02	-5.89350E-03	9.99969E-01
14	.00000E+00	1.26257E-08	4.31160E-01	4.69287E-01	3.61316E-01	7.85815E-02	-8.73236E-03	9.99989E-01
15	.00000E+00	1.42684E-09	2.37079E-01	2.15271E-01	2.30984E-01	7.76238E-03	-1.66382E-03	1.00024E+00
16	.00000E+00	4.18970E-10	1.61924E-01	9.92824E-02	1.56953E-01	5.88910E-03	-9.37013E-04	1.00024E+00
17	.00000E+00	1.34925E-10	8.67084E-02	3.09696E-02	7.99813E-02	7.50788E-03	-8.08885E-04	1.00021E+00
18	.00000E+00	9.66050E-11	7.72340E-02	1.94689E-02	5.47047E-02	2.46136E-02	-2.09075E-03	1.00008E+00
19	.00000E+00	1.36579E-10	1.20703E-01	5.91474E-02	1.11916E-01	1.02057E-02	-1.43813E-03	1.00016E+00
20	.00000E+00	2.22091E-10	2.89027E-01	3.42904E-01	2.64750E-01	2.75970E-02	-3.38612E-03	1.00025E+00
21	.00000E+00	3.25070E-11	1.42243E-01	6.81095E-02	1.20112E-01	2.46187E-02	-2.50520E-03	1.00012E+00
22	.00000E+00	3.77155E-11	2.69524E-01	1.75990E-01	2.04269E-01	7.26250E-02	-7.40179E-03	1.00011E+00
23	.00000E+00	3.60602E-11	6.44472E-01	9.75073E-01	5.23958E-01	1.38468E-01	-1.80546E-02	1.00018E+00
24	.00000E+00	9.81512E-12	6.82119E-01	8.44898E-01	5.63620E-01	1.34479E-01	-1.60683E-02	1.00013E+00
25	.00000E+00	2.87322E-12	4.52194E-01	3.43159E-01	3.85629E-01	7.40404E-02	-7.51283E-03	1.00008E+00
26	.00000E+00	2.01472E-12	3.50698E-01	3.45044E-01	2.89272E-01	6.71679E-02	-5.76540E-03	1.00007E+00
27	.00000E+00	4.80119E-13	1.15788E-01	6.97818E-02	9.77859E-02	1.91668E-02	-1.16834E-03	1.00008E+00
28	.00000E+00	1.00000E+00	9.02810E+00	1.44640E+01	9.02810E+00	9.92031E-01	9.99158E-03	1.00002E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*df**2	total flux
1	1.34078E-02	-5.92210E-09	1.31088E-02	-1.25825E-03	2.24856E-03	2.50851E-03	2.95798E-04	3.40816E-01

2	9.68924E-02	-6.22403E-08	9.35884E-02	-1.30955E-02	1.58552E-05	1.10279E-02	1.59276E-03	2.46038E+00
3	1.20693E-01	-6.99422E-08	1.16535E-01	-1.67944E-02	.00000E+00	1.33342E-02	1.82999E-03	3.06895E+00
4	7.45277E-02	-6.03651E-08	7.17134E-02	-1.05068E-02	.00000E+00	5.72025E-03	8.84473E-04	1.89158E+00
5	1.11698E-01	-7.40120E-08	1.07129E-01	-1.60891E-02	.00000E+00	1.64010E-03	1.03213E-03	2.85390E+00
6	2.09742E-01	-1.39576E-07	2.00957E-01	-2.92773E-02	.00000E+00	1.36601E-03	1.73147E-03	5.31941E+00
7	2.03582E-01	-4.84922E-07	1.98042E-01	-1.75457E-02	.00000E+00	1.31390E-03	1.22643E-03	5.16980E+00
8	1.48948E-01	-3.07247E-08	1.47783E-01	-3.66163E-03	.00000E+00	1.32553E-03	6.98152E-04	3.78928E+00
9	1.15297E-01	-5.32790E-06	1.15632E-01	8.97616E-04	.00000E+00	1.76700E-03	4.71301E-04	2.95644E+00
10	1.05618E-01	-2.08661E-06	1.06412E-01	2.26743E-03	.00000E+00	3.77407E-03	4.28686E-04	2.69138E+00
11	9.74201E-02	-1.68307E-06	9.92653E-02	5.31169E-03	.00000E+00	8.09927E-03	3.86960E-04	2.48553E+00
12	6.13341E-02	-4.06185E-07	6.35157E-02	6.32801E-03	.00000E+00	1.07519E-02	2.27642E-04	1.56759E+00
13	5.21385E-02	7.11566E-07	5.41482E-02	5.89421E-03	.00000E+00	1.19638E-02	1.94784E-04	1.33309E+00
14	4.77156E-02	1.09731E-07	5.06918E-02	8.75247E-03	.00000E+00	7.58312E-03	1.74426E-04	1.22295E+00
15	2.81121E-02	-3.94108E-06	2.86542E-02	1.65988E-03	.00000E+00	1.82802E-03	1.10911E-04	7.17467E-01
16	1.55520E-02	-2.67725E-06	1.58553E-02	9.34335E-04	.00000E+00	1.27483E-03	5.74435E-05	3.96873E-01
17	6.55975E-03	-3.14314E-06	6.82698E-03	8.00742E-04	.00000E+00	1.54140E-03	2.16032E-05	1.67739E-01
18	4.00778E-03	-1.27534E-06	4.73826E-03	2.08948E-03	.00000E+00	1.21734E-03	9.67004E-06	1.05785E-01
19	9.83632E-03	-3.91489E-06	1.05308E-02	1.43421E-03	.00000E+00	2.45687E-03	3.31437E-05	2.51866E-01
20	3.35383E-02	-7.54179E-06	3.47106E-02	3.37858E-03	.00000E+00	1.45544E-02	1.23744E-04	8.57487E-01
21	9.43671E-03	-2.85095E-06	1.05385E-02	2.50235E-03	.00000E+00	1.43881E-02	2.64497E-05	2.42825E-01
22	1.76411E-02	-2.47474E-06	2.04470E-02	7.39952E-03	.00000E+00	4.25972E-02	4.57041E-05	4.57311E-01
23	6.22472E-02	-8.76875E-06	7.03589E-02	1.80458E-02	.00000E+00	7.83479E-02	1.66818E-04	1.61401E+00
24	4.78876E-02	-5.42101E-07	5.60669E-02	1.60678E-02	.00000E+00	7.50265E-02	1.01047E-04	1.24968E+00
25	2.05412E-02	-9.54369E-07	2.47603E-02	7.51188E-03	.00000E+00	4.30311E-02	3.46075E-05	5.38677E-01
26	1.35246E-02	-1.20504E-07	1.71085E-02	5.76528E-03	.00000E+00	3.95997E-02	1.70715E-05	3.56770E-01
27	2.27879E-03	-6.61264E-09	3.06564E-03	1.16833E-03	.00000E+00	1.11363E-02	1.75437E-06	6.02772E-02
28	1.73088E+00	-4.78184E-05	1.74175E+00	-1.00398E-02	2.26442E-03	4.09170E-01	1.19250E-02	4.41258E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.30698E-02	.00000E+00	2.23848E-02	2.14956E-02	3.85648E-03	-5.92210E-09	9.98902E-01
2	.00000E+00	1.94222E-01	7.64210E-03	2.61762E-01	1.86278E-01	1.56009E-02	-6.22403E-08	1.00002E+00
3	.00000E+00	2.15915E-01	7.74376E-02	2.68762E-01	2.76957E-01	1.63990E-02	-6.99422E-08	9.99987E-01
4	.00000E+00	1.23790E-01	1.14386E-01	1.84606E-01	2.30349E-01	7.82729E-03	-6.03651E-08	9.99999E-01
5	.00000E+00	1.64063E-01	2.08408E-01	4.66656E-01	3.67205E-01	5.26987E-03	-7.40120E-08	9.99990E-01
6	.00000E+00	1.76975E-01	4.25085E-01	1.25647E+00	5.95667E-01	8.33450E-03	-1.39576E-07	1.00001E+00
7	.00000E+00	8.74405E-02	6.58949E-01	1.67008E+00	7.38136E-01	8.26141E-03	-4.84922E-07	9.99990E-01
8	.00000E+00	1.34688E-02	7.75915E-01	1.70424E+00	7.76204E-01	1.32431E-02	-3.07247E-08	9.99920E-01
9	.00000E+00	9.77432E-04	7.66901E-01	1.48915E+00	7.46103E-01	2.18575E-02	-5.32790E-06	9.99900E-01
10	.00000E+00	7.25977E-05	7.42521E-01	1.35878E+00	7.09756E-01	3.29115E-02	-2.08661E-06	9.99902E-01
11	.00000E+00	5.71148E-06	7.14345E-01	1.26711E+00	6.60490E-01	5.38024E-02	-1.68307E-06	9.99944E-01
12	.00000E+00	4.01221E-07	5.75006E-01	6.91490E-01	5.16521E-01	5.85006E-02	-4.06185E-07	9.99975E-01
13	.00000E+00	6.37102E-08	5.10120E-01	5.50101E-01	4.54992E-01	5.51430E-02	7.11566E-07	9.99969E-01
14	.00000E+00	1.26257E-08	4.91043E-01	5.14121E-01	4.12253E-01	7.87956E-02	1.09731E-07	9.99989E-01
15	.00000E+00	1.42684E-09	2.69902E-01	2.32999E-01	2.61909E-01	7.94000E-03	-3.94108E-06	1.00021E+00
16	.00000E+00	4.18970E-10	1.88549E-01	1.06890E-01	1.77503E-01	6.00905E-03	-2.67725E-06	1.00021E+00
17	.00000E+00	1.34929E-10	9.78477E-02	3.31787E-02	9.02667E-02	7.56990E-03	-3.14314E-06	1.00019E+00
18	.00000E+00	9.66050E-11	8.71243E-02	2.10447E-02	6.24600E-02	2.46591E-02	-1.27534E-06	1.00007E+00
19	.00000E+00	1.36579E-10	1.36984E-01	6.39733E-02	1.26661E-01	1.03079E-02	-3.91489E-06	1.00014E+00
20	.00000E+00	2.22091E-10	3.28854E-01	3.76185E-01	3.00770E-01	2.80245E-02	-7.54179E-06	1.00020E+00
21	.00000E+00	3.25070E-11	1.61383E-01	7.47852E-02	1.36587E-01	2.47814E-02	-2.85095E-06	1.00011E+00
22	.00000E+00	3.77155E-11	3.07276E-01	1.96009E-01	2.34243E-01	7.30043E-02	-2.47474E-06	1.00010E+00
23	.00000E+00	3.60602E-11	7.41519E-01	1.09535E+00	6.01185E-01	1.40220E-01	-8.76875E-06	1.00017E+00
24	.00000E+00	9.81512E-12	7.85665E-01	9.57414E-01	6.49036E-01	1.36540E-01	-5.42101E-07	1.00011E+00
25	.00000E+00	2.87322E-12	5.21100E-01	3.90665E-01	4.45806E-01	7.52569E-02	-9.54369E-07	1.00007E+00
26	.00000E+00	2.01472E-12	4.05560E-01	3.97483E-01	3.37140E-01	6.83962E-02	-1.20504E-07	1.00006E+00
27	.00000E+00	4.80119E-13	1.34354E-01	8.10678E-02	1.14745E-01	1.96018E-02	-6.61264E-09	1.00003E+00
28	.00000E+00	1.00000E+00	1.02287E+01	1.57328E+01	1.02287E+01	1.00211E+00	-4.78217E-05	1.00002E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.34078E-02	-5.92210E-09	1.28313E-02	.00000E+00	2.25448E-03	2.50351E-03	3.27759E-04	3.67747E-01
2	9.68924E-02	-6.22403E-08	9.04940E-02	.00000E+00	1.58552E-05	1.10279E-02	1.74039E-03	2.65139E+00

3	1.20893E-01	-6.99422E-08	1.12392E-01	.00000E+00	.00000E+00	1.33342E-02	1.98418E-03	3.30655E+00
4	7.45277E-02	-6.03651E-08	6.89736E-02	.00000E+00	.00000E+00	5.72025E-03	9.55975E-04	2.03768E+00
5	1.11698E-01	-7.40120E-08	1.02724E-01	.00000E+00	.00000E+00	1.64010E-03	1.11669E-03	3.05188E+00
6	2.09742E-01	-1.39576E-07	1.92813E-01	.00000E+00	.00000E+00	1.36601E-03	1.86978E-03	5.72852E+00
7	2.03582E-01	-4.84922E-07	1.98091E-01	.00000E+00	.00000E+00	1.31390E-03	1.32555E-03	5.57657E+00
8	1.48948E-01	-3.07247E-08	1.46981E-01	.00000E+00	.00000E+00	1.32553E-03	7.53344E-04	4.09601E+00
9	1.15297E-01	-5.32790E-06	1.15921E-01	.00000E+00	.00000E+00	1.76700E-03	5.08901E-04	3.17757E+00
10	1.05618E-01	-2.08661E-06	1.07132E-01	.00000E+00	.00000E+00	3.77407E-03	4.62763E-04	2.91371E+00
11	9.74201E-02	-1.68307E-06	1.00890E-01	.00000E+00	.00000E+00	8.09927E-03	4.18940E-04	2.69400E+00
12	6.13341E-02	-4.06185E-07	6.54175E-02	.00000E+00	.00000E+00	1.07519E-02	2.46795E-04	1.70198E+00
13	5.21385E-02	7.11566E-07	5.58766E-02	.00000E+00	.00000E+00	1.19638E-02	2.10774E-04	1.44778E+00
14	4.77156E-02	1.09731E-07	5.32790E-02	.00000E+00	.00000E+00	7.58512E-03	1.89795E-04	1.33142E+00
15	2.81121E-02	-3.94108E-06	2.90520E-02	.00000E+00	.00000E+00	1.82802E-03	1.19127E-04	7.77517E-01
16	1.55520E-02	-2.67725E-06	1.60945E-02	.00000E+00	.00000E+00	1.27483E-03	6.16336E-05	4.30132E-01
17	6.55979E-03	-3.14314E-06	7.05892E-03	.00000E+00	.00000E+00	1.54140E-03	2.33061E-05	1.82213E-01
18	4.00778E-03	-1.27534E-06	5.30344E-03	.00000E+00	.00000E+00	1.21734E-03	1.08945E-05	1.14419E-01
19	9.83632E-03	-3.91489E-06	1.07443E-02	.00000E+00	.00000E+00	2.45687E-03	3.57731E-05	2.73829E-01
20	3.35383E-02	-7.54179E-06	3.56683E-02	.00000E+00	.00000E+00	1.45544E-02	1.33367E-04	9.30786E-01
21	9.43671E-03	-2.85095E-06	1.11366E-02	.00000E+00	.00000E+00	1.43881E-02	2.88638E-05	2.65252E-01
22	1.76411E-02	-2.47474E-06	2.29257E-02	.00000E+00	.00000E+00	4.25972E-02	5.05709E-05	5.02683E-01
23	6.22472E-02	-8.76875E-06	7.73747E-02	.00000E+00	.00000E+00	7.83473E-02	1.82056E-04	1.76796E+00
24	4.78876E-02	-5.42101E-07	6.34132E-02	.00000E+00	.00000E+00	7.50265E-02	1.10914E-04	1.37419E+00
25	2.05412E-02	-9.54369E-07	2.86785E-02	.00000E+00	.00000E+00	4.30311E-02	3.82965E-05	5.94398E-01
26	1.35246E-02	-1.20504E-07	2.06908E-02	.00000E+00	.00000E+00	3.95997E-02	1.92221E-05	3.96273E-01
27	2.27879E-03	-6.61264E-09	3.98083E-03	.00000E+00	.00000E+00	1.11363E-02	2.06181E-06	6.76653E-02
28	1.73088E+00	-4.78184E-05	1.75098E+00	.00000E+00	2.27033E-03	4.09170E-01	1.29276E-02	4.77601E+01

- elapsed time .02 min.

Odirect access unit 9 requires 556 blocks of length 216 for cross section weighting.

1 transport cross section weighting function

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.14820E-03	5.05392E-03	5.29528E-03	2.50982E-03	3.18300E-03	5.52513E-03	3.71688E-03	1.74363E-03
2	6.99515E-04	4.99100E-03	5.79303E-03	3.44456E-03	4.29951E-03	6.15307E-03	4.33275E-03	2.14856E-03
3	1.17719E-03	5.47786E-03	5.87891E-03	2.91594E-03	3.85246E-03	6.77952E-03	4.37734E-03	1.82406E-03
4	8.08500E-04	4.30147E-03	4.93882E-03	2.38988E-03	2.82914E-03	4.80078E-03	3.32665E-03	1.79836E-03
5	8.32150E-04	4.36808E-03	4.98272E-03	2.41431E-03	2.87888E-03	4.88930E-03	3.37566E-03	1.79860E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11316E-03	1.01461E-03	1.09416E-03	8.74330E-04	7.94958E-04	1.04358E-03	3.18348E-04	1.64116E-04
2	1.79112E-03	1.95416E-03	2.04367E-03	1.60250E-03	1.42492E-03	1.70552E-03	6.27280E-04	3.45782E-04
3	1.12184E-03	1.05432E-03	1.29472E-03	1.22182E-03	1.12408E-03	1.58232E-03	3.81882E-04	2.04098E-04
4	1.19562E-03	1.09513E-03	1.08062E-03	6.78003E-04	6.01909E-04	6.42609E-04	3.11281E-04	1.61321E-04
5	1.19570E-03	1.09568E-03	1.04596E-03	7.05651E-04	6.28176E-04	6.89795E-04	3.15203E-04	1.63587E-04

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.96719E-05	2.09565E-04	1.77897E-04	4.81411E-04	2.74797E-04	7.93823E-04	2.12714E-03	1.85066E-03
2	1.83930E-04	3.27752E-04	3.07361E-04	8.75044E-04	4.41183E-04	1.22440E-03	3.27981E-03	2.85287E-03
3	1.47332E-04	3.58529E-04	2.62955E-04	6.59123E-04	4.39156E-04	1.29182E-03	3.25767E-03	2.86246E-03
4	7.14884E-05	7.86031E-05	1.19259E-04	3.84632E-04	1.37265E-04	3.42150E-04	1.06555E-03	8.42903E-04
5	7.52672E-05	9.27709E-05	1.26506E-04	3.98578E-04	1.52594E-04	3.90792E-04	1.17929E-03	9.49309E-04

Ozone	grp. 25	grp. 26	grp. 27	grp. 28
1	8.38179E-04	5.92747E-04	9.03010E-05	4.21295E-02
2	1.30858E-03	9.51613E-04	1.63610E-04	5.52731E-02
3	1.33117E-03	9.96687E-04	1.86168E-04	5.20512E-02
4	3.52061E-04	2.13748E-04	2.65248E-05	3.45443E-02
5	4.03427E-04	2.54216E-04	3.40795E-05	3.54342E-02

1broad group parameters

grp	upper energy	mid energy	velocity	fiss spec
1	2.0000E+07	2.6557E+06	1.9685E+09	7.2108E-01
2	9.0000E+05	1.5134E+05	9.9805E+06	2.7894E-01
3	4.0000E-01	1.2556E-01	3.6564E+05	1.2147E-10
4	1.0000E-05			

1 720 d, second part of sas2h pass to make library

0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3
1	3.90743E-01	1.13594E+00	2.20625E-01
2	3.95995E-01	1.13716E+00	2.11358E-01
3	3.98953E-01	1.13741E+00	2.07193E-01
4	4.16127E-01	1.13936E+00	1.77499E-01
5	4.14437E-01	1.13914E+00	1.80381E-01

0flux disadvantage factors (zone average/cell average-flux)

0zone	grp. 1	grp. 2	grp. 3
1	9.42829E-01	9.97195E-01	1.22310E+00
2	9.55500E-01	9.98261E-01	1.17173E+00
3	9.62638E-01	9.98479E-01	1.14864E+00
4	1.00408E+00	1.00019E+00	9.84022E-01
5	1.00000E+00	1.00000E+00	1.00000E+00

0cell averaged currents

0zone	grp. 1	grp. 2	grp. 3
1	1.71902E-02	1.83715E-02	6.56765E-03
2	1.92276E-02	2.58234E-02	1.02221E-02
3	1.98123E-02	2.23957E-02	1.03451E-02
4	1.52678E-02	1.62963E-02	2.98020E-03
5	1.54761E-02	1.65943E-02	3.36371E-03


0zone	volume	vol. fraction
1	1.25665E+00	4.56234E-02
2	1.66687E-01	6.05165E-03
3	6.58265E-01	2.38987E-02
4	2.5462AE+01	9.24426E-01
5	2.7544OE+01	1.00000E+00

- elapsed time .03 min.

1

```
  cccccccccc    ooooooooooo   ww        ww  ppppppppppp   ll            eeeeeeeeeeee
 ccccccccccc   ooooooooooooo  ww        ww  pppppppppppp  ll            eeeeeeeeeeee
 cc       cc   oo         oo  ww        ww  pp        pp  ll            ee
 cc            oo         oo  ww        ww  pp        pp  ll            ee
 cc            oo         oo  ww        ww  pp        pp  ll            ee
 cc            oo         oo  ww        ww  pppppppppppp  ll            eeeeeeeee
 cc            oo         oo  ww        ww  ppppppppppp   ll            eeeeeeeee
 cc            oo         oo  ww        ww  pp            ll            ee
 cc            oo         oo  ww        ww  pp            ll            ee
 cc       cc   oo         oo  ww        ww  pp            ll            ee
 ccccccccccc   ooooooooooooo  wwwwwwwwwwww  pp            llllllllllll  eeeeeeeeeeee
  ccccccccc     ooooooooooo    wwwwwwwwww   pp            llllllllllll  eeeeeeeeeeee
0
```

```
 ddddddddddd     aaaaaaaa    w        w  iiiiiiiiiii    sssssssss
 ddddddddddd    aaaaaaaaaa   w        w  iiiiiiiiiii    sssssssssss
 dd       dd   aa        aa  w        w      ii        ss       ss
 dd       dd   aa        aa  w        w      ii        ss
 dd       dd   aa        aa  w        w      ii        ss
 dd       dd   aaaaaaaaaaaa  w        w      ii        sssssssssss
 dd       dd   aaaaaaaaaaaa   w      w       ii         sssssssssss
 dd       dd   aa        aa    w    w        ii                 ss
 dd       dd   aa        aa     w  w         ii                 ss
 dd       dd   aa        aa      ww          ii        ss       ss
 ddddddddddd   aa        aa      ww      iiiiiiiiiii   sssssssssss
 ddddddddddd   aa        aa       v      iiiiiiiiiii    sssssssss
0
```


program verification information
code system: scale version: 4.2
program: c0c005
creation date: 04/27/95

```
                    *****          library:  /neutronics/scale/exe                *****
                    *****                                                         *****
                    *****                                                         *****
                    *****    this is not a   scale  configuration controlled code *****
                    *****                                                         *****
                    *****          jobname:  davis                                *****
                    *****                                                         *****
                    *****    date of execution:  02/16/96                         *****
                    *****                                                         *****
                    *****    time of execution:  10:02:11                         *****
                    *****                                                         *****
                    *****                                                         *****
                    ***************************************************************
                    ***************************************************************
                    ***************************************************************
1
0       -1q array has      1 entries.
0        0q array has      1 entries.
0        0q array has      1 entries.
0        1q array has      1 entries.
0        1q array has      1 entries.
0        1q array has      1 entries.
0        1q array has      1 entries.
0        2q array has      1 entries.
0         * core allocated to array-data (by -19$ or default) was   200000 words. *
1          * broad 3-group flux weighting factors *
0
0                 therm =    .5110
0                 res   =    .4318
0                 fast  =   3.3315
0 user requested (see jadd) that only the nuclide transitions presently included in
0 origen library be updated.
1cross sections, available from ampx (normalized to thermal flux), barns

                      10010 to  10020  2.82969E-01
                      10010 tot-cap    2.82969E-01
                      50100 to  40100  2.38416E-02
                      50100 to  10010  2.38416E-02
                      50100 to  40090  3.63840E-03
                      50100 to  10020  3.63840E-03
                      50100 to  30070  3.25391E+03
                      50100 to  20040  3.25409E+03
                      50100 to  10030  8.94021E-02
                      50100 tot-cap    3.25403E+03
                      50110 to  50100  1.04597E-05
                      50110 to  50120  4.30798E-03
                      50110 to  40110  1.33478E-06
                      50110 to  10010  1.33478E-06
                      50110 to  40090  1.19114E-05
                      50110 to  10030  1.19114E-05
                      50110 to  30080  1.55497E-04
                      50110 to  20040  1.55497E-04
                      50110 tot-cap    4.48718E-03
                      80160 to  80170  1.51170E-04
                      80160 to  70160  9.15206E-05
                      80160 to  10010  9.15206E-05
                      80160 to  70150  1.72607E-05
                      80160 to  10020  1.72607E-05
                      80160 to  60130  2.55664E-02
```

80160	to 20040	2.55664E-02
80160	to 80161	4.01377E-03
80160	tot-cap	2.58263E-02
360830	to 360820	2.07788E-02
360830	to 360810	2.19572E-09
360830	to 360840	1.53668E+02
360830	to 350830	8.52333E-04
360830	to 10010	8.52333E-04
360830	to 350820	6.86267E-06
360830	to 10020	6.86267E-06
360830	to 350810	2.39863E-06
360830	to 10030	2.39863E-06
360830	to 340810	3.88199E-08
360830	to 20030	3.88199E-08
360830	to 340800	4.55954E-05
360830	to 20040	4.55954E-05
360830	tot-cap	1.53690E+02
360850	to 360860	1.39090E+00
360850	tot-cap	1.39090E+00
380900	to 380910	6.28261E-01
380900	tot-cap	6.28261E-01
390890	to 390900	9.85036E-01
390890	tot-cap	9.85036E-01
400930	to 400940	1.32457E+01
400930	tot-cap	1.32457E+01
400940	to 400950	1.83934E-01
400940	tot-cap	1.83934E-01
400950	to 400960	2.19813E+00
400950	tot-cap	2.19813E+00
410940	to 410950	3.81058E+01
410940	tot-cap	3.81058E+01
420950	to 420960	3.78526E+01
420950	tot-cap	3.78526E+01
430990	to 430980	6.30459E-03
430990	to 431000	8.84718E+01
430990	tot-cap	8.84781E+01
441010	to 441020	2.78753E+01
441010	tot-cap	2.78753E+01
441060	to 441070	8.55579E-01
441060	tot-cap	8.55579E-01
451080	to 451020	2.28529E-03
451080	to 451040	3.50381E+02
451080	tot-cap	3.50383E+02
451050	to 451060	8.14800E+03
451050	tot-cap	8.14800E+03
461060	to 461060	3.34766E+01
461060	tot-cap	3.34766E+01
461080	to 461090	6.75899E+01
461080	tot-cap	6.75899E+01
471090	to 471080	5.30964E-03
471090	to 471100	3.66216E+02
471090	to 461090	3.00810E-04
471090	to 10010	3.00810E-04
471090	to 451060	2.48970E-04
471090	to 20040	2.48970E-04
471090	to 471091	6.27952E-01
471090	tot-cap	3.66221E+02
511240	to 511250	1.19520E+01
511240	tot-cap	1.19520E+01
541310	to 541300	6.43812E-02

541310	to 541290	1.34622E-05
541310	to 541320	2.54120E+02
541310	to 531310	3.87292E-05
541310	to 10010	3.87292E-05
541310	to 531300	5.39901E-07
541310	to 10020	5.39901E-07
541310	to 531290	5.53614E-07
541310	to 10030	5.53614E-07
541310	to 521280	1.81271E-05
541310	to 20040	1.81271E-05
541310	tot-cap	2.54184E+02
541320	to 541310	1.04005E-02
541320	to 541300	2.20587E-05
541320	to 541330	9.16433E-01
541320	to 531320	7.93439E-06
541320	to 10010	7.93439E-06
541320	to 531310	3.35209E-07
541320	to 10020	3.35209E-07
541320	to 531300	4.51360E-08
541320	to 10030	4.51360E-08
541320	to 521290	9.77472E-07
541320	to 20040	9.77472E-07
541320	tot-cap	9.26865E-01
541350	to 541360	1.46510E+06
541350	tot-cap	1.46510E+06
541360	to 541350	1.77907E-02
541360	to 541340	5.43372E-05
541360	to 541370	1.22968E-01
541360	to 531360	3.28531E-07
541360	to 10010	3.28531E-07
541360	to 531350	1.22306E-07
541360	to 10020	1.22306E-07
541360	to 531340	2.76311E-08
541360	to 10030	2.76311E-08
541360	to 521330	2.75575E-07
541360	to 20040	2.75575E-07
541360	tot-cap	1.40814E-01
551330	to 551320	8.33107E-03
551330	to 551340	1.00417E+02
551330	to 541330	9.01970E-04
551330	to 10010	9.01970E-04
551330	to 531300	1.42343E-05
551330	to 20040	1.42343E-05
551330	tot-cap	1.00427E+02
551340	to 551350	1.28178E+02
551340	tot-cap	1.28178E+02
551350	to 551360	2.11933E+01
551350	tot-cap	2.11933E+01
551370	to 551380	2.27369E-01
551370	tot-cap	2.27369E-01
561360	to 561370	8.92118E-01
561360	tot-cap	8.92118E-01
571390	to 571400	7.91315E+00
571390	tot-cap	7.91315E+00
581440	to 581450	1.22858E+00
581440	tot-cap	1.22858E+00
591410	to 591400	5.96984E-03
591410	to 591390	1.71528E-06
591410	to 571370	2.56618E-06
591410	to 20040	5.29664E-05


591410	to 581400	1.82016E-05
591410	to 10010	5.17872E-05
591410	to 591420	1.17723E+01
591410	to 581410	4.87956E-05
591410	to 10020	1.52100E-05
591410	to 581390	1.59511E-06
591410	to 10030	1.59511E-06
591410	to 571390	1.54048E-08
591410	to 20030	1.54048E-08
591410	to 571380	5.04013E-05
591410	tot-cap	1.17784E+01
591430	to 591440	9.73273E+01
591430	tot-cap	9.73273E+01
601430	to 601420	9.13324E-02
601430	to 601410	9.32257E-06
601430	to 581390	2.01613E-05
601430	to 20040	5.64097E-04
601430	to 591420	3.90241E-06
601430	to 10010	4.01248E-05
601430	to 601440	1.98700E+02
601430	to 591430	3.86546E-05
601430	to 10020	2.43219E-06
601430	to 591410	3.50478E-06
601430	to 10030	3.50478E-06
601430	to 581410	1.68390E-08
601430	to 20030	1.68390E-08
601430	to 581400	5.43935E-04
601430	tot-cap	1.98792E+02
601450	to 601440	1.17185E-01
601450	to 601430	1.19028E-04
601450	to 581410	8.41492E-06
601450	to 20040	2.10596E-04
601450	to 591440	2.23587E-06
601450	to 10010	1.45358E-05
601450	to 601460	7.77040E+01
601450	to 591450	1.36440E-05
601450	to 10020	1.34403E-06
601450	to 591430	2.11889E-06
601450	to 10030	2.11889E-06
601450	to 581430	4.31407E-09
601450	to 20030	4.31407E-09
601450	to 581420	2.02181E-04
601450	tot-cap	7.78215E+01
601470	to 601480	1.86601E+02
601470	tot-cap	1.86601E+02
611470	to 611460	3.20722E-02
611470	to 611450	1.00070E-04
611470	to 591430	8.87611E-06
611470	to 20040	8.23451E-05
611470	to 601460	1.22598E-05
611470	to 10010	2.79163E-05
611470	to 611480	5.75790E+02
611470	to 601470	2.48862E-05
611470	to 10020	9.22962E-06
611470	to 601450	3.48478E-06
611470	to 10030	3.48478E-06
611470	to 591450	5.23943E-09
611470	to 20030	5.23943E-09
611470	to 591440	7.33690E-05
611470	tot-cap	5.75823E+02

611480 to 611490 1.20170E+04
611480 tot-cap 1.20170E+04
621470 to 621460 8.36673E-02
621470 to 621450 7.53361E-03
621470 to 601430 6.50957E-05
621470 to 20040 1.24788E-03
621470 to 611460 1.51837E-04
621470 to 10010 2.16761E-04
621470 to 621480 2.30084E+02
621470 to 611470 1.91165E-04
621470 to 10020 1.26241E-04
621470 to 611450 1.35554E-04
621470 to 10030 1.35554E-04
621470 to 601450 6.23710E-06
621470 to 20030 6.23710E-06
621470 to 601440 1.18279E-03
621470 to 621471 1.64121E+00
621470 tot-cap 2.30176E+02
621490 to 621480 4.72877E-02
621490 to 621470 3.75517E-05
621490 to 621500 4.50644E+04
621490 to 611490 4.83152E-04
621490 to 10010 4.83152E-04
621490 to 601460 4.83152E-04
621490 to 20040 4.83152E-04
621490 tot-cap 4.50645E+04
621500 to 621510 1.33056E+02
621500 tot-cap 1.33056E+02
621510 to 621500 1.57778E-01
621510 to 621490 1.41304E-04
621510 to 601470 1.58432E-05
621510 to 20040 1.23404E-04
621510 to 611500 1.93487E-06
621510 to 10010 1.50424E-05
621510 to 621520 4.93300E+03
621510 to 611510 1.38603E-05
621510 to 10020 7.52736E-07
621510 to 611490 1.36805E-06
621510 to 10030 1.36805E-06
621510 to 601490 1.40955E-09
621510 to 20030 1.40955E-09
621510 to 601480 1.07561E-04
621510 tot-cap 4.93316E+03
621520 to 621510 1.89222E-02
621520 to 621500 1.27858E-04
621520 to 601480 2.85726E-06
621520 to 20040 1.18670E-05
621520 to 611510 8.19596E-07
621520 to 10010 2.41860E-06
621520 to 621530 7.25060E+02
621520 to 611520 2.14847E-06
621520 to 10020 5.49459E-07
621520 to 611500 1.42901E-07
621520 to 10030 1.42901E-07
621520 to 601500 4.33072E-10
621520 to 20030 4.33072E-10
621520 to 601490 9.00979E-06
621520 tot-cap 7.25079E+02
631530 to 631520 1.83779E-02
631530 to 631510 2.74439E-05

631530 to 611490 4.34003E-05
631530 to 20040 6.29487E-04
631530 to 621520 7.68614E-06
631530 to 10010 6.46952E-05
631530 to 631540 6.13434E+02
631530 to 621530 6.20694E-05
631530 to 10020 5.06233E-06
631530 to 621510 1.13456E-06
631530 to 10030 1.13456E-06
631530 to 611510 2.59866E-08
631530 to 20030 2.59866E-08
631530 to 611500 5.86087E-04
631530 tot-cap 6.13453E+02
631540 to 631530 2.93793E-02
631540 to 631520 1.05536E-05
631540 to 611500 1.02615E-10
631540 to 20040 7.55638E-04
631540 to 621530 2.31005E-06
631540 to 10010 1.23019E-03
631540 to 631550 1.06661E+03
631540 to 621540 1.23019E-03
631540 to 10020 2.30877E-06
631540 to 621520 3.91070E-06
631540 to 10030 3.91070E-06
631540 to 611520 1.65815E-08
631540 to 20030 1.65815E-08
631540 to 611510 7.55638E-04
631540 tot-cap 1.06664E+03
631550 to 631540 2.41215E-02
631550 to 631530 6.75456E-05
631550 to 611510 1.81798E-06
631550 to 20040 8.94714E-06
631550 to 621540 3.68814E-06
631550 to 10010 7.72990E-06
631550 to 631560 2.55123E+03
631550 to 621550 5.93780E-06
631550 to 10020 1.89104E-06
631550 to 621530 6.26000E-07
631550 to 10030 6.26000E-07
631550 to 611530 1.41886E-10
631550 to 20030 1.41886E-10
631550 to 611520 7.12918E-06
631550 tot-cap 2.55125E+03
641550 to 641560 1.69605E+04
641550 tot-cap 1.69605E+04
922340 to 922330 6.31950E-03
922340 fission 4.38696E+00
922340 nu-sigf 1.15326E+01
922340 to 922320 9.16290E-05
922340 to 922350 1.84139E+02
922340 to 922341 2.94188E+00
922340 tot-cap 1.88533E+02
922350 to 922340 2.88436E-02
922350 fission 3.60472E+02
922350 nu-sigf 8.72939E+02
922350 to 922330 2.76018E-05
922350 to 922360 8.53994E+01
922350 to 922351 8.36730E-02
922350 tot-cap 4.45900E+02
922360 to 922350 3.21928E-02

922360	fission	1.88166E+00
922360	nu-sigf	5.16557E+00
922360	to 922340	4.29024E-04
922360	to 922370	7.19089E+01
922360	to 922361	3.21845E+00
922360	tot-cap	7.38226E+01
922380	to 922370	6.42954E-02
922380	fission	9.43300E-01
922380	nu-sigf	2.65616E+00
922380	to 922360	4.15521E-04
922380	to 922390	8.38842E+00
922380	tot-cap	9.39644E+00
932370	to 932360	1.46575E-02
932370	fission	5.08698E+00
932370	nu-sigf	1.53206E+01
932370	to 932350	5.60749E-05
932370	to 932380	2.97598E+02
932370	to 932371	7.54349E-01
932370	tot-cap	3.02695E+02
942380	to 942370	2.35599E-03
942380	fission	2.20643E+01
942380	nu-sigf	6.25559E+01
942380	to 942360	1.31853E-05
942380	to 942390	2.64386E+02
942380	to 942381	2.95315E+00
942380	tot-cap	2.86453E+02
942390	to 942380	1.24739E-02
942390	fission	8.39238E+02
942390	nu-sigf	2.41301E+03
942390	to 942370	2.12276E-05
942390	to 942360	2.10432E-08
942390	to 942400	4.70561E+02
942390	tot-cap	1.30981E+03
942400	to 942390	5.86746E-03
942400	fission	5.78557E+00
942400	nu-sigf	1.81189E+01
942400	to 942380	5.72571E-05
942400	to 942410	1.49448E+03
942400	tot-cap	1.50027E+03
942410	to 942400	7.40039E-02
942410	fission	8.95401E+02
942410	nu-sigf	2.62727E+03
942410	to 942390	1.22514E-04
942410	to 942420	2.93008E+02
942410	tot-cap	1.18848E+03
942420	to 942410	2.39188E-02
942420	fission	4.40995E+00
942420	nu-sigf	1.38159E+01
942420	to 942400	2.90783E-04
942420	to 942430	3.28604E+02
942420	tot-cap	3.33038E+02
952410	fission	1.23494E+01
952410	nu-sigf	3.99002E+01
952410	to 952420	1.01244E+03
952410	tot-cap	1.02479E+03
952430	fission	3.40415E+00
952430	nu-sigf	1.14446E+01
952430	to 952440	4.16052E+02
952430	tot-cap	4.19456E+02
962440	to 962430	5.74828E-03

```
                962440 fission   1.51799E+01
                962440 nu-sigf   5.08679E+01
                962440 to 962420 5.73241E-05
                962440 to 962450 1.39783E+02
                962440 to 962441 3.76645E+00
                962440 tot-cap   1.54968E+02
0the reaction  50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
0the reaction  50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
0the reaction  50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                        in the search of library number 3
0the reaction  50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                        in the search of library number 3
0the reaction  80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
0the reaction 621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
0the fission product transitions for  922340 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  922340 to 922341 was not used, because  922341 is not in library., (in subr pool)
0the reaction  922350 to 922351 was not used, because  922351 is not in library., (in subr pool)
0the fission product transitions for  922360 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  922360 to 922361 was not used, because  922361 is not in library., (in subr pool)
0the fission product transitions for  952370 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  952370 to 952371 was not used, because  952371 is not in library., (in subr pool)
0the fission product transitions for  942380 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  942380 to 942381 was not used, because  942381 is not in library., (in subr pool)
0the fission product transitions for  942400 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  942420 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952410 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952430 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  962440 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  962440 to 962441 was not used, because  962441 is not in library., (in subr pool)
1
0                              case completed.  date,   2/16/1996
0 * normal termination *
1   oooooooooo    rrrrrrrrrr    iiiiiiiiiii    gggggggggg    eeeeeeeeeee   mm        mm   sssssssssss
    oooooooooooo  rrrrrrrrrrr   iiiiiiiiiii   gggggggggggg   eeeeeeeeeee   mmm       mm  sssssssssssss
    oo        oo  rr        rr      ii       gg        gg   ee            mmm       mm  ss         ss
    oo        oo  rr        rr      ii       gg             ee            mm mm     mm  ss
    oo        oo  rr        rr      ii       gg             ee            mm  mm    mm  ss
    oo        oo  rrrrrrrrrrr       ii       gg   ggggggg   eeeeeeee      mm   mm   mm  sssssssssss
    oo        oo  rrrrrrrrrrr       ii       gg   ggggggg   eeeeeeee      mm    mm  mm   sssssssssss
    oo        oo  rr      rr        ii       gg        gg   ee            mm     mmmm            ss
```



```
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                  program verification information                   *****
                    *****                                                                      *****
                    *****                  code system:    scale  version:    4.2             *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  c0c004                                        *****
                    *****                                                                      *****
                    *****         creation date:  04/27/95                                     *****
                    *****                                                                      *****
                    *****              library:  /neutronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****     this is not a   scale  configuration controlled code             *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****     date of execution:  02/16/96                                     *****
                    *****                                                                      *****
                    *****     time of execution:  10:02:12                                     *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0        dol. prec. machine word applied has, at least, a 16 significant figure accuracy.
0            short-lived split test fraction, qxn =    9.1188E-04
0            half-norm of matrix used, axn =    7.0000E+00
0            4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

         cross-section data taken from position number  1 of library on unit 15.

         pass  5
         pass  1
         pass  0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
```

```
  pass 0 applies start-up fuel densiities
  pass n applies mid time densities of nth library interval
first library updated was...
pass   1
pass   0
*scale-system control module sas2 library*
used a time-dependent neutron spectrum, for each of the above passes
  pass 0 applies start-up fuel densiities
  pass n applies mid time densities of nth library interval
first library updated was...
*****************************************************************************
*                                                                           *
*          prelim lwr origen-s binary working library--id = 1143            *
*        made from modified card-image origen-s libraries of scale 4.2      *
*      data from the light element, actinide, and fission product libraries *
*       decay data, including gamma and total energy, are from endf/b-vi    *
*                                                                           *
*      neutron flux spectrum factors and cross sections were produced from  *
*     the "presas2" case updating all nuclides on the scale "burnup" library*
*                                                                           *
*                  fission product yields are from endf/b-v                 *
*                                                                           *
*              photon libraries use an 18-energy-group structure            *
*             the photon data are from the master photon data base,         *
*              produced to include bremsstrahlung from uc2 matrix           *
*                                                                           *
*        see information above this box (if present) for later updates      *
*                                                                           *
*****************************************************************************
*                                                                           *
0*****************************************************************************
0            .other identification and sizes of library.
0              data set name:  ft15f001
0            2/16/1996     date library was produced
0                1697      total number of nuclides in library
                  699      number of light-element nuclides
                  129      number of actinide nuclides
                  879      number of fission product nuclides
0                7955      number of nonzero off-diagonal matrix elements
0     *****************************************************************************
1
   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides        page   1
     power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.61E+13n/cm**2-sec
0                                    nuclide concentrations, gram atoms
                                     basis = converted to atoms/(barn-cm)
          charge   680.1 d   720.1 d   760.1 d   800.1 d   800.1 d   840.1 d   880.1 d
   he  4 1.27E-08 1.60E-08 2.00E-08 2.48E-08 3.05E-08 3.05E-08 3.70E-08 4.47E-08
    u230 4.38E-21 5.21E-21 6.05E-21 6.98E-21 7.96E-21 7.96E-21 9.06E-21 1.03E-20
    u231 9.04E-20 1.07E-19 1.23E-19 1.40E-19 1.59E-19 1.58E-19 1.79E-19 2.02E-19
    u232 1.21E-12 1.40E-12 1.61E-12 1.84E-12 2.10E-12 2.10E-12 2.38E-12 2.68E-12
    u233 3.07E-11 3.22E-11 3.36E-11 3.49E-11 3.62E-11 3.62E-11 3.75E-11 3.86E-11
    u234 4.75E-06 4.70E-06 4.65E-06 4.61E-06 4.56E-06 4.56E-06 4.51E-06 4.47E-06
    u235 4.67E-04 4.56E-04 4.44E-04 4.34E-04 4.23E-04 4.23E-04 4.13E-04 4.03E-04
    u236 4.40E-05 4.60E-05 4.79E-05 4.98E-05 5.16E-05 5.16E-05 5.34E-05 5.51E-05
    u237 6.02E-08 6.25E-08 6.49E-08 6.68E-08 6.87E-08 6.85E-08 7.06E-08 7.24E-08
    u238 2.19E-02 2.19E-02 2.19E-02 2.19E-02 2.19E-02 2.19E-02 2.18E-02 2.18E-02
    u239 1.97E-09 5.96E-09 5.97E-09 5.97E-09 5.98E-09 1.53E-09 5.99E-09 6.00E-09
    u240  .00E+00 1.34E-33 2.46E-33 4.35E-33 7.46E-33 7.46E-33 1.24E-32 2.02E-32
    u241  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
   np235 3.45E-14 3.97E-14 4.51E-14 5.09E-14 5.69E-14 5.69E-14 6.33E-14 6.99E-14
```

np236m	4.59E-14	5.28E-14	5.73E-14	6.19E-14	6.66E-14	6.50E-14	7.14E-14	7.63E-14
np236	3.15E-12	3.68E-12	4.25E-12	4.86E-12	5.53E-12	5.53E-12	6.25E-12	7.01E-12
np237	2.39E-06	2.60E-06	2.82E-06	3.04E-06	3.27E-06	3.27E-06	3.50E-06	3.73E-06
np238	2.94E-09	3.26E-09	3.54E-09	3.82E-09	4.11E-09	4.07E-09	4.41E-09	4.71E-09
np239	8.42E-07	8.61E-07	8.62E-07	8.62E-07	8.63E-07	8.60E-07	8.64E-07	8.66E-07
np240m	.00E+00	1.14E-35	2.10E-35	3.71E-35	6.36E-35	6.36E-35	1.06E-34	1.72E-34
np240	9.84E-12	1.55E-11	1.55E-11	1.56E-11	1.56E-11	9.30E-12	1.56E-11	1.57E-11
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	3.75E-12	4.34E-12	4.98E-12	5.66E-12	6.38E-12	6.38E-12	7.15E-12	7.96E-12
pu237	1.95E-13	2.13E-13	2.30E-13	2.46E-13	2.62E-13	2.62E-13	2.79E-13	2.96E-13
pu238	2.46E-07	2.85E-07	3.27E-07	3.73E-07	4.23E-07	4.23E-07	4.77E-07	5.35E-07
pu239	9.04E-05	9.38E-05	9.70E-05	1.00E-04	1.03E-04	1.03E-04	1.05E-04	1.08E-04
pu240	1.40E-05	1.52E-05	1.64E-05	1.76E-05	1.87E-05	1.87E-05	1.99E-05	2.10E-05
pu241	6.40E-06	7.13E-06	7.90E-06	8.72E-06	9.57E-06	9.57E-06	1.05E-05	1.14E-05
pu242	5.07E-07	6.08E-07	7.19E-07	8.41E-07	9.75E-07	9.75E-07	1.12E-06	1.28E-06
pu243	6.18E-11	8.22E-11	9.73E-11	1.14E-10	1.32E-10	1.19E-10	1.53E-10	1.75E-10
pu244	3.51E-23	6.67E-23	1.22E-22	2.16E-22	3.71E-22	3.72E-22	6.19E-22	1.01E-21
pu245	2.41E-29	4.76E-29	8.73E-29	1.55E-28	2.66E-28	2.53E-28	4.44E-28	7.23E-28
pu246	.00E+00	1.66E-31	3.21E-31	5.78E-31	1.00E-30	1.00E-30	1.70E-30	2.79E-30
am239	2.19E-18	2.78E-18	3.27E-18	3.80E-18	4.37E-18	4.18E-18	4.99E-18	5.65E-18
am240	9.75E-16	1.20E-15	1.41E-15	1.64E-15	1.89E-15	1.87E-15	2.16E-15	2.45E-15
am241	1.42E-07	1.69E-07	1.98E-07	2.30E-07	2.64E-07	2.64E-07	3.01E-07	3.41E-07
am242m	2.61E-09	3.21E-09	3.88E-09	4.64E-09	5.47E-09	5.47E-09	6.39E-09	7.39E-09
am242	1.56E-10	1.91E-10	2.24E-10	2.60E-10	2.99E-10	2.90E-10	3.42E-10	3.87E-10
am243	3.26E-08	4.20E-08	5.31E-08	6.60E-08	8.11E-08	8.11E-08	9.84E-08	1.18E-07
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.07E-11	1.46E-11	1.85E-11	2.31E-11	2.84E-11	2.69E-11	3.45E-11	4.15E-11
am245	2.21E-27	4.21E-27	7.68E-27	1.35E-26	2.29E-26	2.29E-26	3.78E-26	6.09E-26
am246	.00E+00	4.15E-34	8.03E-34	1.44E-33	2.51E-33	2.51E-33	4.24E-33	6.97E-33
cm241	1.19E-18	1.65E-18	2.20E-18	2.87E-18	3.66E-18	3.66E-18	4.60E-18	5.69E-18
cm242	1.37E-08	1.70E-08	2.08E-08	2.51E-08	2.99E-08	2.99E-08	3.52E-08	4.10E-08
cm243	1.55E-10	2.06E-10	2.67E-10	3.41E-10	4.28E-10	4.28E-10	5.29E-10	6.45E-10
cm244	2.16E-09	2.98E-09	4.03E-09	5.34E-09	6.95E-09	6.95E-09	8.92E-09	1.13E-08
cm245	3.39E-11	4.98E-11	7.11E-11	9.92E-11	1.36E-10	1.36E-10	1.82E-10	2.41E-10
cm246	1.00E-12	1.57E-12	2.38E-12	3.53E-12	5.12E-12	5.12E-12	7.27E-12	1.01E-11
cm247	5.06E-15	8.48E-15	1.37E-14	2.15E-14	3.30E-14	3.30E-14	4.95E-14	7.22E-14

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 2

power= 8.466E-05mw, burnup=2.0518E-02mwd, flux= 1.61E+13n/cm**2-sec

0 nuclide concentrations, gram atoms

basis = converted to atoms/(barn-cm)


	charge	680.1 d	720.1 d	760.1 d	800.1 d	800.1 d	840.1 d	880.1 d
cm248	1.13E-16	2.09E-16	3.51E-16	5.87E-16	9.52E-16	9.52E-16	1.50E-15	2.32E-15
cm249	4.98E-22	1.36E-21	2.35E-21	3.95E-21	6.39E-21	3.88E-21	1.01E-20	1.56E-20
cm250	8.84E-26	1.70E-25	3.13E-25	5.58E-25	9.60E-25	9.60E-25	1.61E-24	2.62E-24
cm251	.00E+00	4.04E-33	7.46E-33	1.33E-32	2.29E-32	3.42E-33	3.84E-32	6.28E-32
totals	2.25E-02	2.25E-02	2.25E-02	2.25E-02	2.25E-02	2.25E-02	2.25E-02	2.24E-02
0 flux		1.60E+13	1.60E+13	1.60E+13	1.61E+13	.00E+00	1.61E+13	1.61E+13

0 .results on logical unit no. 71, position 1, for time step 7, subcase 1. (run position 1, case position 1)
title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position 2, for time step 5, subcase 1. (run position 1, case position 1)
title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position 3, for time step 4, subcase 1. (run position 1, case position 1)
title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .terminated logical unit no. 71 with zero flag record.
1 * normal termination of execution *
0 table of contents for material tables
0 case or subcase printed page


1 1

```
0ndset          33
          15          4          1         27          6          0          0          0          0          0
           0          0          0          0          0          0         -1       1698        650        130
         880       7935          0          5         99          2         16         96         18         18
          18          0         71
0       56q array has       2 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       3 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90   97576
     l116  60826
     l32   33663 nudata (library) storage size
     l44   33734
     l103  75953
0       58q array has       4 entries.
0       60q array has       7 entries.
0       58q array has       7 entries.
0       66q array has       1 entries.
0       73q array has    1697 entries.
0       74q array has    1697 entries.
0       75q array has    1697 entries.
     l140  66991
     used  101044 in size  200000
0jqpt           12
           0          0          0          0          0          0          0          0          0          0
           0          0
0therm          4
 5.109686E-01 4.317639E-01 3.331461E+00 1.000000E-31
0ncn            5
        7935         20          6         18       1697
0mm             19
           7          7          0          0          1          1          0          0          0          0
          21        100       1697          4          3         74          4          1          0
0tconst         5
 8.640000E+04 6.400641E+02 .000000E+00 .000000E+00 1.000000E-08
0mzero          4
           0        689        129        879
0pow            3
  .000000E+00 .000000E+00 .000000E+00
0 lirp          9
           6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =          6.6274E+00 1.9620E+02 2.0283E+02
 start of interval flux =        1.59777E+13
 n-gamma, fission and total mev/fission =          6.7144E+00 1.9629E+02 2.0300E+02
 start of interval flux =        1.59963E+13
 n-gamma, fission and total mev/fission =          6.8126E+00 1.9637E+02 2.0319E+02
 start of interval flux =        1.60171E+13
 n-gamma, fission and total mev/fission =          6.9104E+00 1.9646E+02 2.0337E+02
 start of interval flux =        1.60416E+13
 start of interval flux =         .00000E+00
 n-gamma, fission and total mev/fission =          7.0227E+00 1.9654E+02 2.0356E+02
 start of interval flux =        1.60681E+13
 n-gamma, fission and total mev/fission =          7.1041E+00 1.9662E+02 2.0372E+02
 start of interval flux =        1.61008E+13
```


```
0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       56q array has     20 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has     20 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has     20 entries.
0       56q array has     20 entries.
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 6, exec halts after pass  8
```




```
0
```





```
0
```



```
0
```







1
0 -1q array has 1 entries.
0 0q array has 4 entries.
0 1q array has 6 entries.
0 2q array has 2 entries.
1logical assignments

```
0master library   12
 working library   0
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       66
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     66 entries.
0       4q array has     66 entries.
0       5q array has     66 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     66 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        1    92235    4.02695E-04           92235
    2        1    92234    4.46803E-06           92234
    3        1    92236    5.51142E-05           92236
    4        1    92238    2.18274E-02           92238
    5        1     8016    4.55359E-02            8016
    6        3     8016    2.09710E-02               6
    7        1    36083    1.42718E-06           36083
    8        1    36085    6.86405E-07           36085
    9        1    38090    1.56265E-05           38090
   10        1    39089    1.23885E-05           39089
   11        1    42095    1.65579E-05           42095
   12        1    40093    1.24626E-05           40093
   13        1    40094    1.95879E-05           40094
   14        1    40095    1.99661E-06           40095
   15        1    41094    9.70965E-12           41094
   16        1    43099    1.91603E-05           43099
   17        1    45103    1.05084E-05           45103
   18        1    45105    2.23564E-08           45105
   19        1    44101    1.73887E-05           44101
   20        1    44106    2.62773E-06           44106
   21        1    46105    6.86049E-06           46105
   22        1    46108    1.92546E-06           46108
   23        1    47109    1.34572E-06           47109
   24        1    51124    3.04849E-10           51124
   25        1    54131    8.77608E-06           54131
   26        1    54132    1.64947E-05           54132
   27        1    54135    6.67715E-09           54135
   28        1    54136    3.30816E-05           54136
   29        1    55134    9.57401E-07           55134
   30        1    55135    1.05022E-05           55135
   31        1    55137    2.05235E-05           55137
   32        1    56136    1.93125E-07           56136
   33        1    57139    2.03240E-05           57139
   34        1    59141    1.75987E-05           59141
   35        1    59143    3.71186E-07           59143
   36        1    58144    6.70562E-06           58144
```

37	1	60143	1.59150E-05	60143
38	1	60145	1.17342E-05	60145
39	1	61147	4.02235E-06	61147
40	1	61148	1.17777E-08	61148
41	1	60147	1.29916E-07	60147
42	1	62147	1.40155E-06	62147
43	1	62149	8.69582E-08	62149
44	1	62150	4.18068E-06	62150
45	1	62151	4.01901E-07	62151
46	1	62152	2.00466E-06	62152
47	1	64155	2.18270E-09	64155
48	1	63153	1.20542E-06	63153
49	1	63154	2.52168E-07	63154
50	1	63155	1.30440E-07	63155
51	2	40802	4.25156E-02	40802
52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	2.10206E-05	55133
56	1	95237	3.73057E-06	95237
57	1	94238	5.34530E-07	94238
58	1	94239	1.07741E-04	94239
59	1	94240	2.09730E-05	94240
60	1	94241	1.13808E-05	94241
61	1	94242	1.27952E-06	94242
62	1	95241	3.40567E-07	95241
63	1	95243	1.18128E-07	95243
64	1	96244	1.12999E-08	96244
65	1	999	1.00000E-20	999
66	4	999	1.00000E-20	66

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	1	4.68122E-01	9.75000E+02	9.05844E-01	0
2	4	4.78790E-01	2.93000E+02	5.49010E-01	0
3	2	5.46100E-01	6.50000E+02	.00000E+00	0
4	3	8.13968E-01	6.07600E+02	.00000E+00	0


7711 locations of 200000 available are required to make a new master containing the self-shielded values
Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

Ocopy	999	1/v cross sectio	from log	12	to log	18	bondarenko trigger 0
Ocopy	999	1/v cross sectio	from log	18	to log	1	bondarenko trigger 0
Ocopy	999	1/v cross sectio	from log	18	to log	1	bondarenko trigger 0
Ocopy	1001	hydrogen	from log	12	to log	1	bondarenko trigger 0
Ocopy	5010	b-10 1273 218ngp	from log	12	to log	1	bondarenko trigger 0
Ocopy	5011	boron-11	from log	12	to log	1	bondarenko trigger 0
Ocopy	8016	oxygen-16	from log	12	to log	18	bondarenko trigger 0
Ocopy	8016	oxygen-16	from log	18	to log	1	bondarenko trigger 0
Ocopy	8016	oxygen-16	from log	18	to log	1	bondarenko trigger 0
Ocopy	36083	kr-83	from log	12	to log	1	bondarenko trigger 0
Ocopy	36085	kr-85	from log	12	to log	1	bondarenko trigger 0
Ocopy	38090	sr-90	from log	12	to log	1	bondarenko trigger 0
Ocopy	39089	y-89	from log	12	to log	1	bondarenko trigger 0
Ocopy	40093	zr-93	from log	12	to log	1	bondarenko trigger 0
Ocopy	40094	zr-94	from log	12	to log	1	bondarenko trigger 0
Ocopy	40095	zr-95	from log	12	to log	1	bondarenko trigger 0
Ocopy	40802	zircalloy	from log	12	to log	1	bondarenko trigger 0
Ocopy	41094	nb-94	from log	12	to log	1	bondarenko trigger 0
Ocopy	42095	mo-95	from log	12	to log	1	bondarenko trigger 0
Ocopy	43099	tc-99	from log	12	to log	1	bondarenko trigger 0
Ocopy	44101	ru-101	from log	12	to log	1	bondarenko trigger 0
Ocopy	44106	ru-106	from log	12	to log	1	bondarenko trigger 0


```
0copy    45103  rh-103          from log 12 to log  1   bondarenko trigger 0
0copy    45105  rh-105          from log 12 to log  1   bondarenko trigger 0
0copy    46105  pd-105          from log 12 to log  1   bondarenko trigger 0
0copy    46108  pd-108          from log 12 to log  1   bondarenko trigger 0
0copy    47109  silver-109      from log 12 to log  1   bondarenko trigger 0
0copy    51124  sb-124          from log 12 to log  1   bondarenko trigger 0
0copy    54131  xe-131          from log 12 to log  1   bondarenko trigger 0
0copy    54132  xe-132          from log 12 to log  1   bondarenko trigger 0
0copy    54135  xenon-135       from log 12 to log  1   bondarenko trigger 0
0copy    54136  xe-136          from log 12 to log  1   bondarenko trigger 0
0copy    55133  cesium-133      from log 12 to log  1   bondarenko trigger 0
0copy    55134  cs-134          from log 12 to log  1   bondarenko trigger 0
0copy    55135  cs-135          from log 12 to log  1   bondarenko trigger 0
0copy    55137  cs-137          from log 12 to log  1   bondarenko trigger 0
0copy    56136  ba-136          from log 12 to log  1   bondarenko trigger 0
0copy    57139  la-139          from log 12 to log  1   bondarenko trigger 0
0copy    58144  ce-144          from log 12 to log  1   bondarenko trigger 0
0copy    59141  pr-141          from log 12 to log  1   bondarenko trigger 0
0copy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigo= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigo= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1060 sigo from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigo from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc      1/27/89
              last updated       9/16/95
                 l.m.petrie  -  ornl
        tape id                          4321        number of nuclides          66
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                  table of contents
       1/v cross sections normalized to 1.0 at 0.0253 ev                      id   999
       1/v cross sections normalized to 1.0 at 0.0253 ev                      id    66
        hydrogen       endf/b-iv mat 1269/thrmf002   updated 10/13/89        id  1001
       b-10 1273 218ngp 042375 p-3 293k                                      id  5010
        boron-11       endf/b-iv mat 1160            updated 10/13/89        id  5011
```

oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id 8016
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id 6
kr-83	mt=102,103,105,106,107	updated 10/13/89	id 36083
kr-85	mt= 102		id 36085
sr-90	mt=102	updated 10/13/89	id 38090
y-89	mt=102	updated 10/13/89	id 39089
zr-93	mt= 102		id 40093
zr-94	mt=102	updated 10/13/89	id 40094
zr-95	mt=102	updated 10/13/89	id 40095
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id 40302
nb-94	mt=102	updated 10/13/89	id 41094
mo-95	mt=102	updated 10/13/89	id 42095
tc-99	mt=102	updated 10/13/89	id 43099
ru-101	mt=102	updated 10/13/89	id 44101
ru-106	mt=102	updated 10/13/89	id 44106
rh-103	mt=102	updated 10/13/89	id 45103
rh-105	mt= 102		id 45105
pd-105	mt=102	updated 10/13/89	id 46105
pd-108	mt=102	updated 10/13/89	id 46108
silver-109	endf/b-iv mat 1139	updated 10/13/89	id 47109
sb-124	mt=102	updated 10/13/89	id 51124
xe-131	mt=102,103,104,105,106	updated 10/13/89	id 54131
xe-132	mt=102,103,104,105,106	updated 10/13/89	id 54132
xenon-135	endf/b-iv mat 1294	updated 10/13/89	id 54135
xe-136	mt= 102, 103, 104, 105, 107		id 54136
cesium-133	endf/b-iv mat 1141	updated 10/13/89	id 55133
cs-134	mt=102	updated 10/13/89	id 55134
cs-135	mt= 102		id 55135
cs-137	mt=102	updated 10/13/89	id 55137
ba-136	mt=102	updated 10/13/89	id 56136
la-139	mt=102	updated 10/13/89	id 57139
ce-144	mt= 102		id 58144
pr-141	mt=102,103,104,105,106,107	updated 10/13/89	id 59141
pr-143	mt=102	updated 10/13/89	id 59143
nd-143	mt=102	updated 10/13/89	id 60143
nd-145	mt=102	updated 10/13/89	id 60145
nd-147	mt=102	updated 10/13/89	id 60147
pm-147	mt=102	updated 10/13/89	id 61147
pm-148	mt= 102		id 61148
sm-147	endf/b-v fission product	updated 10/13/89	id 62147
sm-149	mt=102,103,107	updated 10/13/89	id 62149
sm-150	mt=102	updated 10/13/89	id 62150
sm-151	mt=102,103,104,105,106,107	updated 10/13/89	id 62151
sm-152	mt=102,103,104,105,106,107	updated 10/13/89	id 62152
eu-153	mt=102,103,104,105,106,107	updated 10/13/89	id 63153
eu-154	mt=102,103,104,105,106,107	updated 10/13/89	id 63154
eu-155	mt=102,103,104,105,106,107	updated 10/13/89	id 63155
gd-155	mt=102	updated 10/13/89	id 64155
u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)			id 92234
uranium-235	endf/b-iv mat 1261	updated 10/13/89	id 92235
u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)			id 92236
uranium-238	endf/b-iv mat 1262	updated 10/13/89	id 92238
neptunium-237	endf/b-iv mat 1263	updated 10/13/89	id 93237
pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)			id 94238
plutonium-239	endf/b-iv mat 1264	updated 10/13/89	id 94239
plutonium-240	endf/b-iv mat 1265	updated 10/13/89	id 94240
plutonium-241	endf/b-iv mat 1266	updated 10/13/89	id 94241
plutonium-242	endf/b-iv mat 1161	updated 10/13/89	id 94242
am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k			id 95241
am-243 1057 218 gp wt f-1/e-m 090376 p3 293k			id 95243


curium-244 endf/b-iv mat 1162 updated 10/13/89 id 96244
0 tape copy used 0 i/o's, and took .00 seconds
1




0




0



0



1
0



```
  ss            cc            aa        aa  ll            ee
  ss            cc            aa        aa  ll            ee
  sssssssssss   cc            aaaaaaaaaaa   ll            eeeeeeeee
   sssssssssss  cc            aaaaaaaaaaa   ll            eeeeeeeee
         ss     cc            aa        aa  ll            ee
         ss     cc            aa        aa  ll            ee
  ss     ss     cc        cc  aa        aa  ll            ee
  sssssssssssss cccccccccccc  aa        aa  lllllllllllll eeeeeeeeeeee
   sssssssssss   cccccccccc   aa        aa  lllllllllllll eeeeeeeeeeee
```

```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****              program verification information              *****
*****                                                           *****
*****              code system:  scale  version:  4.2           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****           program:  c0c002                                *****
*****                                                           *****
*****      creation date:  04/27/95                             *****
*****                                                           *****
*****           library:  /neutronics/scale/exe                 *****
*****                                                           *****
*****                                                           *****
*****  this is not a  scale  configuration controlled code      *****
*****                                                           *****
*****           jobname:  davis                                 *****
*****                                                           *****
*****  date of execution:  02/16/96                             *****
*****                                                           *****
*****  time of execution:  10:02:17                             *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      9 entries.
0       1q array has     12 entries.
0select 65 nuclides from the master  library on logical  1
        0 nuclides from the working library on logical  2
        0 nuclides from the working library on logical  3
          to create the new working library on logical  4

       61 resonance calculations have been requested
        0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0       2q array has     65 entries.
0       3q array has    915 entries.
0       4q array has     65 entries.
```

```
0 general information concerning cross section library
    tape identification number                4321
    number of nuclides on tape                  66
    number of neutron energy groups             27
    first thermal neutron energy group          15
    number of gamma energy groups                0
0   direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                             compiled for nrc      1/27/89
                                last updated       9/16/93
                                   l.m.petrie   -   ornl
0 nuclides from xsdrn tape
     1    1/v cross sections normalized to 1.0 at 0.0253 ev                                    999
     2     hydrogen        endf/b-iv mat 1269/thrm1002     updated 10/13/89                1001
     3    b-10 1273 218ngp 042375 p-3 293k                                                    5010
     4     boron-11        endf/b-iv mat 1160              updated 10/13/89                5011
     5     oxygen-16       endf/b-iv mat 1276              updated 10/13/89                8016
     6     oxygen-16       endf/b-iv mat 1276              updated 10/13/89                   6
     7     kr-83           mt=102,103,103,105,106,107      updated 10/13/89               36083
     8     kr-85             mt=  102                                                       36085
     9     sr-90           mt=102                          updated 10/13/89               38090
    10      y-89           mt=102                          updated 10/13/89               39089
    11     zr-93             mt=  102                                                       40093
    12     zr-94           mt=102                          updated 10/13/89               40094
    13     zr-95           mt=102                          updated 10/13/89               40095
    14     zircalloy       endf/b-iv mat 1284              updated 10/13/89               40302
    15     nb-94           mt=102                          updated 10/13/89               41094
    16     mo-95           mt=102                          updated 10/13/89               42095
    17     tc-99           mt=102                          updated 10/13/89               43099
    18     ru-101          mt=102                          updated 10/13/89               44101
    19     ru-106          mt=102                          updated 10/13/89               44106
    20     rh-103          mt=102                          updated 10/13/89               45103
    21     rh-105            mt=  102                                                     45105
    22     pd-105          mt=102                          updated 10/13/89               46105
    23     pd-108          mt=102                          updated 10/13/89               46108
    24     silver-109      endf/b-iv mat 1139              updated 10/13/89               47109
    25     sb-124          mt=102                          updated 10/13/89               51124
    26     xe-131          mt=102,103,104,105,106          updated 10/13/89               54131
    27     xe-132          mt=102,103,104,105,106          updated 10/13/89               54132
    28     xenon-135       endf/b-iv mat 1294              updated 10/13/89               54135
    29     xe-136            mt=  102, 103, 104, 105, 107                                 54136
    30     cesium-133      endf/b-iv mat 1141              updated 10/13/89               55133
    31     cs-134          mt=102                          updated 10/13/89               55134
    32     cs-135            mt=  102                                                     55135
    33     cs-137          mt=102                          updated 10/13/89               55137
    34     ba-136          mt=102                          updated 10/13/89               56136
    35     la-139          mt=102                          updated 10/13/89               57139
    36     ce-144            mt=  102                                                     58144
    37     pr-141          mt=102,103,104,105,106,107      updated 10/13/89               59141
    38     pr-143          mt=102                          updated 10/13/89               59143
    39     nd-143          mt=102                          updated 10/13/89               60143
    40     nd-145          mt=102                          updated 10/13/89               60145
    41     nd-147          mt=102                          updated 10/13/89               60147
    42     pm-147          mt=102                          updated 10/13/89               61147
    43     pm-148            mt=  102                                                     61148
    44     sm-147          endf/b-v fission product        updated 10/13/89               62147
    45     sm-149          mt=102,103,107                  updated 10/13/89               62149
    46     sm-150          mt=102                          updated 10/13/89               62150
```

```
    47     sm-151          mt=102,103,104,105,106,107     updated 10/13/89              62151
    48     sm-152          mt=102,103,104,105,106,107     updated 10/13/89              62152
    49     eu-153          mt=102,103,104,105,106,107     updated 10/13/89              63153
    50     eu-154          mt=102,103,104,105,106,107     updated 10/13/89              63154
    51     eu-155          mt=102,103,104,105,106,107     updated 10/13/89              63155
    52     gd-155          mt=102                         updated 10/13/89              64155
    53    u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                            92234
    54     uranium-235     endf/b-iv mat 1261             updated 10/13/89              92235
    55    u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                            92236
    56     uranium-238     endf/b-iv mat 1262             updated 10/13/89              92238
    57     neptunium-237   endf/b-iv mat 1263             updated 10/13/89              93237
    58    pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                           94238
    59     plutonium-239   endf/b-iv mat 1264             updated 10/13/89              94239
    60     plutonium-240   endf/b-iv mat 1265             updated 10/13/89              94240
    61     plutonium-241   endf/b-iv mat 1266             updated 10/13/89              94241
    62     plutonium-242   endf/b-iv mat 1161             updated 10/13/89              94242
    63    am-241 1056 sigo=5+4 newklacs 218grp p-3 293k                                  95241
    64    am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                   95243
    65     curium-244      endf/b-iv mat 1162             updated 10/13/89              96244
01/v cross sections normalized to 1.0 at 0.0253 ev                          999    temperature=  975.00
0 hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89           1001    temperature=  607.60
                        thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218grp 042375 p-3 293k                                          5010    temperature=  607.60
                        thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11        endf/b-iv mat 1160             updated 10/13/89           5011    temperature=  607.60
                        thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16       endf/b-iv mat 1276             updated 10/13/89           8016    temperature=  975.00
0 oxygen-16       endf/b-iv mat 1276             updated 10/13/89              6    temperature=  607.60
0 kr-83           mt=102,103,103,105,106,107     updated 10/13/89          36083    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   82.202          temperature(kelvin)     =  975.000
0potential scatter sigma  =    7.004          lumped nuclear density  = 1.4271768E-06
0spin factor (g)          = 4988.190          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995            sigma(per absorber atom)= 1.1964859E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.953            sigma(per absorber atom)= 1.3349052E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -2.107455E-03     .000000E+00   -2.665955E-03
  12       2.165458E-02     .000000E+00    9.892334E-03
  13      -4.670784E-01     .000000E+00   -1.406421E-01
  14       4.782960E-05     .000000E+00   -1.722996E-05
0excess resonance integrals
0                 resolved
0absorption      1.44735E+02
 fission          .00000E+00
-  elapsed time    .00 min.
0 kr-85           mt=  102                                 36085    temperature=  975.00
0 sr-90          mt=102                         updated 10/13/89          38090    temperature=  975.00
0  y-89          mt=102                         updated 10/13/89          39089    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   88.142          temperature(kelvin)     =  975.000
0potential scatter sigma  =    3.644          lumped nuclear density  = 1.2388544E-05
0spin factor (g)          =   78.664          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
```

```
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.3783677E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.5378286E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9      -3.386356E-06      .000000E+00    -2.525315E-04
  10      -7.546894E-05      .000000E+00    -2.128284E-04
0excess resonance integrals
0                 resolved
0absorption      1.463964E-01
 fission          .00000E+00
-  elapsed time    .00 min.
0 zr-93           mt=  102                                          40093    temperature=  975.00
0 zr-94          mt=102                    updated 10/13/89       40094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =    93.100          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.779          lumped nuclear density   = 1.9587926E-05
0spin factor (g)          =   180.853          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 8.7175996E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 9.7261230E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   8      -1.205871E-06      .000000E+00    -1.136245E-03
   9      -3.808849E-05      .000000E+00    -3.369180E-03
0excess resonance integrals
0                 resolved
0absorption      3.436964E-02
 fission          .00000E+00
-  elapsed time    .00 min.
0 zr-95          mt=102                    updated 10/13/89       40095    temperature=  975.00
0 zircalloy      endf/b-iv mat 1284        updated 10/13/89       40302    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =    90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =     6.385          lumped nuclear density   = 4.2515602E-02
0spin factor (g)          =     1.079          lump dimension (a-bar)   = 5.4610002E-01
0inner radius             = 4.7878999E-01      dancoff correction (c)   = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   8      -1.780596E-03      .000000E+00    -1.286907E+00
   9      -5.895373E-02      .000000E+00    -2.695297E+00
  10      -6.959955E-02      .000000E+00    -1.601321E+00
  11      -1.883957E-01      .000000E+00    -7.920912E-01
0excess resonance integrals
0                 resolved
0absorption      2.285394E-01
 fission          .00000E+00
-  elapsed time    .02 min.
0 nb-94          mt=102                    updated 10/13/89       41094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =    93.101          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.779          lumped nuclear density   = 9.7096506E-12
```

```
0spin factor (g)          = 43808.801              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.7586594E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.9621155E+10
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  13       1.043254E-02     .000000E+00     9.253223E-04
  14       9.836713E-03     .000000E+00    -4.064832E-04
0excess resonance integrals
0                  resolved
0absorption       9.15001E+01
 fission           .00000E+00
-  elapsed time    .02 min.
0 mo-95          mt=102                    updated 10/13/89              42095     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    94.091              temperature(kelvin)       =   975.000
0potential scatter sigma  =     3.806              lumped nuclear density    = 1.6557906E-05
0spin factor (g)          =   607.724              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.0312880E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.1505958E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -3.530957E-03     .000000E+00    -2.099522E-02
  11      -6.524231E-03     .000000E+00    -1.080905E-02
  12      -4.589763E+00     .000000E+00    -5.280679E+00
  13       1.575622E-04     .000000E+00    -2.129488E-05
0excess resonance integrals
0                  resolved
0absorption       9.75400E+01
 fission           .00000E+00
-  elapsed time    .02 min.
0 tc-99          mt=102                    updated 10/13/89              43099     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =    98.150              temperature(kelvin)       =   975.000
0potential scatter sigma  =     6.000              lumped nuclear density    = 1.9160281E-05
0spin factor (g)          =  4527.940              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             = .0000000E+00           dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 8.9121709E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 9.9432041E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11      -2.469531E-02     .000000E+00    -1.163742E-02
  12      -6.508102E-03     .000000E+00    -2.280359E-04
  13      -4.011463E-01     .000000E+00    -2.111810E-02
  14      -8.565925E+00     .000000E+00    -2.732188E-01
  15       1.070115E-02     .000000E+00    -5.387696E-04
  16       4.836025E-03     .000000E+00    -2.802101E-04
```

```
  17      2.074640E-04     .000000E+00   -1.192373E-05
0excess resonance integrals
0                resolved
0absorption      3.234E+02
 fission          .0000E+00
-  elapsed time    .03 min.
0 ru-101        mt=102                    updated 10/13/89            44101     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   100.039          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.965          lumped nuclear density   = 1.738869E-05
0spin factor (g)          =  8785.290          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 9.820158E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.095623E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11     -3.647632E-02     .000000E+00   -3.684222E-03
  12     -1.412914E-01     .000000E+00   -3.547577E-02
  13     -4.671092E-01     .000000E+00   -1.257778E-02
  14      2.371029E-04     .000000E+00   -4.152284E-05
0excess resonance integrals
0                resolved
0absorption      7.923E+01
 fission          .0000E+00
-  elapsed time    .03 min.
0 ru-106        mt=102                    updated 10/13/89            44106     temperature=  975.00
0 rh-103        mt=102                    updated 10/13/89            45103     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   102.021          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.408          lumped nuclear density   = 1.050839E-05
0spin factor (g)          =      .500          lump dimension (a-bar)   = 4.681220E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.426926E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.624984E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 1.812976E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9      1.236941E-03     .000000E+00    1.889577E-03
  10     -4.028342E-03     .000000E+00   -5.558081E-03
  11     -2.106917E-02     .000000E+00   -1.854124E-02
  12     -3.399178E-04     .000000E+00   -2.380681E-05
  13      .000000E+00      .000000E+00    .000000E+00
  14      .000000E+00      .000000E+00    .000000E+00
  15      2.268889E-01     .000000E+00    3.244993E-03
  16      3.156197E+01     .000000E+00   -7.005092E-02
  17     -1.862040E+02     .000000E+00   -1.642171E-01
  18      8.690983E+01     .000000E+00    2.607519E-01
  19      1.145288E+01     .000000E+00   -1.386590E-03
  20      1.084406E+00     .000000E+00   -2.447915E-03
  21      2.165818E-01     .000000E+00    1.925102E-03
  22      2.583936E-01     .000000E+00    2.928526E-03
  23     -9.879320E-02     .000000E+00    1.798871E-03
0excess resonance integrals
```

```
0                resolved
0absorption      1.14205E+03
 fission         .00000E+00
- elapsed time    .07 min.
0 rh-105          mt=  102                                          45105     temperature=  975.00
0 pd-105        mt=102                      updated 10/13/89        46105     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   104.004          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.069          lumped nuclear density   = 6.8604922E-06
0spin factor (g)          = 15210.000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 2.4890299E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953            sigma(per absorber atom)= 2.7769813E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -5.988775E-02     .000000E+00   -1.650568E-03
  13      -3.455140E-02     .000000E+00   -1.063048E-03
  14       7.764513E-04     .000000E+00   -8.132564E-05
0excess resonance integrals
0                resolved
0absorption      6.12143E+01
 fission         .0000E+00
- elapsed time    .07 min.
0 pd-108        mt=102                      updated 10/13/89        46108     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   106.977          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.146          lumped nuclear density   = 1.9254592E-06
0spin factor (g)          = 21175.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 8.8685180E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953            sigma(per absorber atom)= 9.8945008E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11       1.170138E-04     .000000E+00    3.531506E-04
  12      -1.744531E+00     .000000E+00   -1.284438E+00
  13       6.798671E-03     .000000E+00    1.857198E-03
  14       8.561140E-02     .000000E+00   -3.208624E-05
  15      -1.840957E-01     .000000E+00    8.083612E-05
  16       2.946577E-04     .000000E+00   -9.255595E-06
0excess resonance integrals
0                resolved
0absorption      2.11967E+02
 fission         .00000E+00
- elapsed time    .07 min.
0 silver-109    endf/b-iv mat 1139          updated 10/13/89        47109     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   107.969          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.988          lumped nuclear density   = 1.3457269E-06
0spin factor (g)          =  1441.870          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 1.2689049E+05
```

```
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.4157022E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -1.472962E-04     .000000E+00   -1.567339E-04
  11      -6.107400E-03     .000000E+00   -4.491020E-03
  12      -7.277893E-01     .000000E+00   -3.450912E-02
  13       7.669353E-01     .000000E+00    3.380737E-02
  14      -1.278952E+01     .000000E+00   -1.192197E+00
0excess resonance integrals
0                 resolved
0absorption      1.38632E+03
 fission          .00000E+00
-  elapsed time    .07 min.
0 sb-124        mt=102                    updated 10/13/89          51124    temperature=   975.00
0 xe-131        mt=102,103,104,105,106    updated 10/13/89          54131    temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   129.781          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301          lumped nuclear density   = 8.7760827E-06
0spin factor (g)          =   246.825          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.9457393E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 2.1708383E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9      -2.848403E-06     .000000E+00   -2.640883E-05
  10      -1.938772E-04     .000000E+00   -1.666874E-04
  11      -2.365111E-03     .000000E+00   -1.765685E-03
  12      -4.517101E-02     .000000E+00   -4.207236E-03
  13      -7.038969E+01     .000000E+00   -1.650056E+02
  14       1.061624E-02     .000000E+00    1.486984E-02
0excess resonance integrals
0                 resolved
0absorption      7.58385E+02
 fission          .00000E+00
-  elapsed time    .08 min.
0 xe-132        mt=102,103,104,105,106    updated 10/13/89          54132    temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   130.771          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301          lumped nuclear density   = 1.6494707E-05
0spin factor (g)          =   675.899          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.0552393E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.1550043E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   9      -2.544256E-05     .000000E+00   -1.172795E-04
  10      -7.780082E-03     .000000E+00   -9.908657E-02
  11       3.338821E-08     .000000E+00   -9.229524E-07
0excess resonance integrals
```

```
0                resolved
0absorption      9.71131E-01
 fission          .00000E+00
-  elapsed time   .08 min.
0 xenon-135      endf/b-iv mat 1294          updated 10/13/89          54135    temperature=  975.00
0 xe-136           mt=  102, 103, 104, 105, 107                       54136    temperature=  975.00
0 cesium-133     endf/b-iv mat 1141          updated 10/13/89          55133    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   131.764          temperature(kelvin)      =   975.000
0potential scatter sigma  =     7.100          lumped nuclear density   = 2.1020622E-05
0spin factor (g)          =   374.437          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 8.1234365E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051            sigma(per absorber atom)= 8.7134512E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -5.815313E-05     .000000E+00   -3.912479E-04
  10     -2.895950E-03     .000000E+00   -5.542578E-03
  11     -1.080677E-01     .000000E+00   -1.890162E-01
  12     -1.675589E-01     .000000E+00   -2.331297E-02
  13     -2.787342E-01     .000000E+00   -1.516813E-02
  14     -1.213135E+01     .000000E+00   -5.310487E-01
  15      5.621247E-03     .000000E+00   -4.047216E-04
  16      2.777836E-03     .000000E+00   -2.215200E-04
  17      2.352213E-03     .000000E+00   -1.830883E-04
  18      2.215043E-03     .000000E+00   -1.679331E-04
  19      1.317405E-03     .000000E+00   -9.678893E-05
0excess resonance integrals
0                resolved
0absorption      3.51131E+02
 fission          .00000E+00
-  elapsed time   .10 min.
0 cs-134         mt=102                      updated 10/13/89          55134    temperature=  975.00
0 cs-135           mt=  102                                            55135    temperature=  975.00
0 cs-137         mt=102                      updated 10/13/89          55137    temperature=  975.00
0 ba-136         mt=102                      updated 10/13/89          56136    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   134.737          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.835          lumped nuclear density   = 1.9312503E-07
0spin factor (g)          =  1247.690          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 8.8419250E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933            sigma(per absorber atom)= 9.8648313E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10      1.097034E-06     .000000E+00    4.642062E-07
  11     -1.204376E-05     .000000E+00   -9.815700E-06
0excess resonance integrals
0                resolved
0absorption      1.38471E+00
 fission          .00000E+00
-  elapsed time   .10 min.
```

```
0 la-139        mt=102                          updated 10/13/89              57139     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   137.713             temperature(kelvin)       =   975.000
0potential scatter sigma  =     4.906             lumped nuclear density    = 2.0524025E-05
0spin factor (g)          =   145.855             lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00         dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995             sigma(per absorber atom)= 8.4018643E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933             sigma(per absorber atom)= 9.3738604E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -1.254866E-05     .000000E+00    -2.225172E-04
  10      -3.955710E-04     .000000E+00    -2.243899E-02
  11       .000000E+00      .000000E+00     .000000E+00
  12      -6.961611E-02     .000000E+00    -4.208025E-02
0excess resonance integrals
0                 resolved
0absorption      8.0659E+00
 fission          .0000E+00
- elapsed time    .12 min.
0 ce-144          mt=  102                                                  58144     temperature=   975.00
0 pr-141        mt=102,103,104,105,106,107    updated 10/13/89              59141     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   139.697             temperature(kelvin)       =   975.000
0potential scatter sigma  =     4.953             lumped nuclear density    = 1.7598717E-05
0spin factor (g)          =  1026.500             lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00         dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995             sigma(per absorber atom)= 9.7029629E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933             sigma(per absorber atom)= 1.0825481E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  10      -6.883339E-03     .000000E+00    -2.337946E-01
  11      -1.126897E-01     .000000E+00    -1.498327E+00
  12      -2.585426E-03     .000000E+00    -2.528615E-04
0excess resonance integrals
0                 resolved
0absorption      1.2097E+01
 fission          .0000E+00
- elapsed time    .12 min.
0 pr-143        mt=102                          updated 10/13/89              59143     temperature=   975.00
0 nd-143        mt=102                          updated 10/13/89              60143     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   141.682             temperature(kelvin)       =   975.000
0potential scatter sigma  =     5.000             lumped nuclear density    = 1.5915050E-05
0spin factor (g)          =  1964.860             lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00         dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995             sigma(per absorber atom)= 1.0729448E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933             sigma(per absorber atom)= 1.1970719E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
```

```
0group        res abs         res fiss        res scat
  10      -1.574946E-04     .000000E+00   -8.823005E-05
  11      -3.695361E-01     .000000E+00   -4.298528E+00
  12      -2.444570E-01     .000000E+00   -1.202315E-01
0excess resonance integrals
0                  resolved
0absorption       5.07642E+01
 fission           .0000E+00
-  elapsed time    .12 min.
0 nd-145        mt=102                    updated 10/13/89          60145     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   143.668          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.047          lumped nuclear density   = 1.1734181E-05
0spin factor (g)          =  1007.250          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.4552332E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.6235866E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  10      -4.781522E-03     .000000E+00   -7.507609E-02
  11      -7.203245E-02     .000000E+00   -2.180945E-01
  12      -1.733671E+00     .000000E+00   -1.090953E+01
  13       9.577878E-05     .000000E+00    2.044957E-04
  14      -1.591639E+00     .000000E+00   -4.185234E-02
  15       5.898307E-03     .000000E+00   -4.609054E-04
  16       1.326662E-03     .000000E+00   -1.451343E-04
  17       9.642444E-04     .000000E+00   -1.063907E-04
  18       8.539835E-04     .000000E+00   -9.314132E-05
  19       7.634249E-04     .000000E+00   -8.070529E-05
  20       2.859224E-05     .000000E+00   -2.919392E-06
0excess resonance integrals
0                  resolved
0absorption       2.05973E+02
 fission           .0000E+00
-  elapsed time    .13 min.
0 nd-147        mt=102                    updated 10/13/89          60147     temperature=   975.00
0 pm-147        mt=102                    updated 10/13/89          61147     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 4.0223504E-06
0spin factor (g)          = 21589.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.2452715E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 4.7363992E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      -2.019955E-01     .000000E+00   -6.472971E-02
  13      -5.178917E-02     .000000E+00   -2.944189E-03
  14      -9.048184E+01     .000000E+00   -3.888611E+01
  15       4.127173E-02     .000000E+00    6.976340E-03
  16       1.697912E-02     .000000E+00    1.746667E-03
  17       1.369759E-02     .000000E+00    1.150427E-03
```

```
  18      1.253775E-02     .000000E+00    9.649080E-04
  19      6.999401E-04     .000000E+00    5.068677E-05
0excess resonance integrals
0                 resolved
0absorption      2.00495E+03
 fission          .00000E+00
- elapsed time    .13 min.
0 pm-148          mt=  102                                          61148    temperature=  975.00
0 sm-147        endf/b-v fission product      updated 10/13/89       62147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma =     5.093          lumped nuclear density   = 1.4015466E-06
0spin factor (g)         =      .000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995           sigma(per absorber atom)= 1.2183662E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933           sigma(per absorber atom)= 1.3595167E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  11      2.691080E-01     .000000E+00    1.071706E+00
  12      8.990461E-01     .000000E+00   -1.596820E+00
  13     -3.912558E+00     .000000E+00   -2.295034E+00
  14     -4.358768E-01     .000000E+00   -5.141891E-03
  15      3.113323E-01     .000000E+00   -1.904650E-03
  16      7.287706E-03     .000000E+00   -3.738560E-04
  17      4.281466E-03     .000000E+00   -2.401682E-04
  18      3.510456E-03     .000000E+00   -1.997176E-04
  19      2.910619E-03     .000000E+00   -1.649500E-04
  20      8.435568E-04     .000000E+00   -4.628077E-05
0excess resonance integrals
0                 resolved
0absorption      7.21750E+02
 fission          .00000E+00
- elapsed time    .15 min.
                          thermal scattering matrix number  3 at a temperature of    900.03 was selected.
0 sm-149        mt=102,103,107          updated 10/13/89       62149    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   147.638          temperature(kelvin)      =   975.000
0potential scatter sigma =     3.260          lumped nuclear density   = 8.6958181E-08
0spin factor (g)         = 10407.900          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995           sigma(per absorber atom)= 1.9636990E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933           sigma(per absorber atom)= 2.1908758E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  11      8.546590E-03     .000000E+00    3.071159E-02
  12     -5.533293E-02     .000000E+00   -1.820874E-01
  13      2.289289E-02     .000000E+00    2.796631E-03
  14      2.746277E-03     .000000E+00   -7.935149E-03
0excess resonance integrals
0                 resolved
0absorption      8.04332E+02
 fission          .00000E+00
```

```
- elapsed time    .15 min.
0 sm-150        mt=102                    updated 10/13/89          62150    temperature=  975.00
Oresonance data for this nuclide
Omass number (a)          =   148.629          temperature(kelvin)      =   975.000
Opotential scatter sigma  =     5.162          lumped nuclear density   = 4.1806816E-06
Ospin factor (g)          =  4376.420          lump dimension (a-bar)   = 4.6812201E-01
Oinner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
Othe absorber will be treated by the nordheim integral method.
Omass of moderator-1      =    15.995          sigma(per absorber atom)= 4.0844941E+04
Omoderator-1 will be treated by the nordheim integral method.
Omass of moderator-2      =   237.953          sigma(per absorber atom)= 4.5570219E+04
Omoderator-2 will be treated by the nordheim integral method.
Othis resonance material will be treated as a 2-dimensional object.
Ovolume fraction of lump in cell used to account for spatial self-shielding=1.00000
Ogroup        res abs         res fiss        res scat
  10      -1.398363E-03     .000000E+00   -1.341212E-02
  11      -3.151565E-02     .000000E+00   -3.565074E-01
  12      -1.026808E-01     .000000E+00   -3.103027E-02
  13      -7.244654E+00     .000000E+00   -5.702447E+00
  14       1.065287E-04     .000000E+00   -6.390289E-05
Oexcess resonance integrals
0                 resolved
Oabsorption      2.86649E+02
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-151        mt=102,103,104,105,106,107    updated 10/13/89          62151    temperature=  975.00
Oresonance data for this nuclide
Omass number (a)          =   149.623          temperature(kelvin)      =   975.000
Opotential scatter sigma  =     5.185          lumped nuclear density   = 4.0190145E-07
Ospin factor (g)          = 75574.703          lump dimension (a-bar)   = 4.6812201E-01
Oinner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
Othe absorber will be treated by the nordheim integral method.
Omass of moderator-1      =    15.995          sigma(per absorber atom)= 4.2487953E+05
Omoderator-1 will be treated by the nordheim integral method.
Omass of moderator-2      =   237.953          sigma(per absorber atom)= 4.7405309E+05
Omoderator-2 will be treated by the nordheim integral method.
Othis resonance material will be treated as a 2-dimensional object.
Ovolume fraction of lump in cell used to account for spatial self-shielding=1.00000
Ogroup        res abs         res fiss        res scat
  14      -2.313706E-01     .000000E+00   -2.198228E-02
  15       1.485611E+01     .000000E+00    7.515553E-02
  16      -2.182088E+01     .000000E+00   -6.201120E-02
  17       1.735828E+02     .000000E+00    8.269866E-01
  18      -3.207103E+02     .000000E+00   -1.784223E+00
  19       6.253944E+01     .000000E+00    3.867666E-01
  20       1.141187E+00     .000000E+00   -1.393821E-04
  21      -7.117673E-02     .000000E+00    1.244103E-02
  22       6.952596E-02     .000000E+00    3.838923E-03
  23      -1.091910E-02     .000000E+00    3.374031E-04
Oexcess resonance integrals
0                 resolved
Oabsorption      2.05616E+03
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-152        mt=102,103,104,105,106,107    updated 10/13/89          62152    temperature=  975.00
Oresonance data for this nuclide
Omass number (a)          =   150.615          temperature(kelvin)      =   975.000
Opotential scatter sigma  =     5.208          lumped nuclear density   = 2.0046550E-06
Ospin factor (g)          =   863.594          lump dimension (a-bar)   = 4.6812201E-01
Oinner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
```

```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 8.5181586E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 9.5036094E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9       2.402705E-06     .000000E+00     1.158603E-04
  10      -1.613120E-03     .000000E+00    -2.503739E-02
  11      -2.328024E-02     .000000E+00    -8.863147E-02
  12      -1.561992E-01     .000000E+00    -4.954254E-01
  13       4.184015E-02     .000000E+00     1.017387E-01
  14      -1.368911E+02     .000000E+00    -2.642978E+02
0excess resonance integrals
0                 resolved
0absorption      2.73423E+03
 fission          .00000E+00
-  elapsed time    .17 min.
0 eu-153        mt=102,103,104,105,106,107     updated 10/13/89              63153     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   151.607              temperature(kelvin)       =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density    = 1.2054246E-06
0spin factor (g)          = 12265.900              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.4165936E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 1.5804769E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      -2.948301E-01     .000000E+00    -5.761086E-02
  13      -1.746831E-01     .000000E+00    -6.441064E-03
  14      -9.135323E-01     .000000E+00    -1.894943E-03
  15       1.268074E+00     .000000E+00    -4.252725E-02
  16      -3.300676E+00     .000000E+00     8.155595E-03
  17       1.505586E-01     .000000E+00    -3.437673E-03
  18       7.726851E-02     .000000E+00    -2.231216E-03
  19       5.055454E-02     .000000E+00    -1.541080E-03
  20      -1.253804E-01     .000000E+00    -1.274997E-03
0excess resonance integrals
0                 resolved
0absorption      1.35389E+03
 fission          .00000E+00
-  elapsed time    .17 min.
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89              63154     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   152.601              temperature(kelvin)       =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density    = 2.5216809E-07
0spin factor (g)          = 19135.801              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 6.7716613E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 7.5550625E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
```

```
0group       res abs         res fiss        res scat
  12      -3.936354E-01     .000000E+00   -6.141107E-02
  13      -3.243814E-01     .000000E+00   -2.535959E-02
  14       3.137239E-01     .000000E+00    1.434408E-02
  15       1.216527E-01     .000000E+00    2.082218E-02
  16       7.156821E+00     .000000E+00    9.208286E-02
  17      -1.443276E+02     .000000E+00   -1.897852E+00
  18       1.134462E+02     .000000E+00    1.857145E+00
  19      -1.014757E+02     .000000E+00    1.187365E+00
0excess resonance integrals
0                 resolved
0absorption      2.13626E+03
 fission          .00000E+00
-  elapsed time    .18 min.
0 eu-155        mt=102,103,104,105,106,107    updated 10/13/89              63155    temperature=  975.00
0 gd-155        mt=102                        updated 10/13/89              64155    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   153.592          temperature(kelvin)     =   975.000
0potential scatter sigma  =     5.277          lumped nuclear density  = 2.1827047E-09
0spin factor (g)          = 12700.100          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 7.8233072E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 8.7285712E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -1.439525E+00     .000000E+00   -1.839493E-01
  13       1.541064E+00     .000000E+00    1.984967E-01
  14       2.189140E-01     .000000E+00    9.804462E-03
  15      -3.353145E-01     .000000E+00   -1.141159E-04
  16       1.477358E+00     .000000E+00   -4.148867E-03
  17       1.568660E-01     .000000E+00   -1.479133E-03
  18       9.605134E-02     .000000E+00   -1.078060E-03
  19       6.295293E-02     .000000E+00   -8.026360E-04
  20       1.670391E-02     .000000E+00    1.627049E-04
  21        .000000E+00     .000000E+00     .000000E+00
  22        .000000E+00     .000000E+00     .000000E+00
  23        .000000E+00     .000000E+00     .000000E+00
  24        .000000E+00     .000000E+00     .000000E+00
  25      -2.127871E+03     .000000E+00   -1.622070E+00
  26      -5.205742E+03     .000000E+00    1.961503E+00
  27      -1.660003E+03     .000000E+00    7.392749E-01
0excess resonance integrals
0                 resolved
0absorption      3.97032E+04
 fission          .00000E+00
-  elapsed time    .18 min.
0u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                        92234    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   232.029          temperature(kelvin)     =   975.000
0potential scatter sigma  =    10.021          lumped nuclear density  = 4.4680287E-06
0spin factor (g)          =  6948.450          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.8218129E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.955          sigma(per absorber atom)= 4.2626461E+04
```

```
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -2.135940E-02     .000000E+00   -6.230421E-02
  12      -1.742367E-01     .000000E+00   -7.295490E-02
  13       7.760282E-04     .000000E+00   -6.472778E-04
  14      -1.712841E+01     .000000E+00   -2.805241E+00
0excess resonance integrals
0                 resolved
0absorption      5.83639E+02
 fission          .00000E+00
-  elapsed time     .20 min.
0 uranium-235    endf/b-iv mat 1261          updated 10/13/89              92235     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   233.025          temperature(kelvin)      =   975.000
0potential scatter sigma  =    11.500          lumped nuclear density   = 4.026927?E-04
0spin factor (g)          = 15171.100          lump dimension (a-bar)   = 4.681220?E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.426926?E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 4.240446?E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.049            sigma(per absorber atom)= 4.550709?E+02
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      -1.700852E+00   -1.059361E+00   -3.985436E-02
  13      -6.016437E+00   -2.996959E+00   -1.303385E-01
  14      -4.839319E+00   -2.977209E+00   -3.309245E-02
0excess resonance integrals
0                 resolved
0absorption      2.13451E+02
 fission          1.27057E+02
-  elapsed time     .22 min.
0u-236 1163 sigo=5+4 nsexlacs p-3 293k f-1/e-m(1.+5)                          92236     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   234.017          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.995          lumped nuclear density   = 5.511417?E-05
0spin factor (g)          =  6328.490          lump dimension (a-bar)   = 4.681220?E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.426926?E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 3.098290?E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.954            sigma(per absorber atom)= 3.456122?E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -2.655879E-01     .000000E+00   -6.672736E-01
  12      -1.435917E+00     .000000E+00   -9.749925E-01
  13      -6.729345E-02     .000000E+00   -3.511906E-03
  14      -4.638529E+01     .000000E+00   -4.057908E+00
0excess resonance integrals
0                 resolved
0absorption      2.73775E+02
 fission          .00000E+00
-  elapsed time     .22 min.
0 uranium-238    endf/b-iv mat 1262          updated 10/13/89              92238     temperature=   975.00
0resonance data for this nuclide
```

```
0mass number (a)          =  236.006          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.599          lumped nuclear density   = 2.1827353E-02
0spin factor (g)          =  656.527          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995            sigma(per absorber atom)= 7.8231969E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  235.041            sigma(per absorber atom)= 3.3684471E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  9      -3.931561E-02     .000000E+00   -4.039221E-01
 10      -1.024608E+00   -1.744971E-05   -6.475117E+00
 11      -9.704499E+00     .000000E+00   -2.689068E+01
 12      -4.304145E+01     .000000E+00   -4.998128E+01
 13      -5.400749E+01     .000000E+00   -1.768951E+01
 14      -1.044879E+02     .000000E+00   -6.059095E+00
0excess resonance integrals
0              resolved
0absorption   1.8046/4E+01
 fission      5.0405E-04
-  elapsed time    .23 min.
0 neptunium-237  endf/b-iv mat 1263          updated 10/13/89          93237     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =  235.012          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.500          lumped nuclear density   = 3.7305724E-06
0spin factor (g)          = 10100.800         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995            sigma(per absorber atom)= 4.5773051E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  238.051            sigma(per absorber atom)= 4.9097598E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
 11      -6.374864E-02   -2.167091E-06   -7.428924E-03
 12       1.776590E-02   -1.164552E-04    6.408805E-03
 13      -5.210491E-02    8.608940E-05   -2.513370E-03
 14      -1.046165E-01   -1.266708E-05   -1.750064E-03
0excess resonance integrals
0              resolved
0absorption   2.9295/E+02
 fission      1.3853/E-01
-  elapsed time    .27 min.
0pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          94238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =  236.167          temperature(kelvin)      =  975.000
0potential scatter sigma  =   10.890          lumped nuclear density   = 5.3452993E-07
0spin factor (g)          = 13130.600         lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995            sigma(per absorber atom)= 3.1945766E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  238.051            sigma(per absorber atom)= 3.4266022E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
```

```
  11      -3.282632E-03   -5.090203E-04   -3.151380E-03
  12      -2.240102E-03   -2.553125E-04   -1.062740E-03
  13       3.933082E-01    7.479770E-02   -1.106841E-02
  14      -3.827046E-01   -6.996343E-02    8.539104E-03
0excess resonance integrals
0                 resolved
0absorption      8.25191E+01
 fission         9.08318E+00
-  elapsed time    .27 min.
0 plutonium-239  endf/b-iv mat 1264          updated 10/13/89          94239     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   236.999          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.200          lumped nuclear density   = 1.0774087E-04
0spin factor (g)          =  6435.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.5849110E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.7000249E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -2.247174E-01   -9.051856E-02   -6.875905E-02
  12      -1.989344E+00   -7.468539E-01   -2.615587E-01
  13      -6.506670E+00   -3.828007E+00   -9.953720E-02
  14      -2.074125E+00   -1.103918E+00   -1.838425E-02
0excess resonance integrals
0                 resolved
0absorption      3.06743E+02
 fission         1.72348E+02
-  elapsed time    .28 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89          94240     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   237.992          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density   = 2.0973024E-05
0spin factor (g)          =   669.244          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 8.1418721E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 8.7332256E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -5.648960E-05   -1.690455E-06   -2.566680E-04
  10      -5.007082E-03   -3.095440E-04   -2.286355E-02
  11      -1.592344E-01   -9.211631E-04   -2.116978E-01
  12      -2.199039E+00   -1.200747E-02   -2.108182E+00
  13      -2.726513E-01   -1.671806E-03   -1.987130E-02
  14       .000000E+00     .000000E+00     .000000E+00
  15       1.732440E-02    3.306438E-06    3.407707E-03
  16       2.825561E+00    5.392708E-04    3.514705E-01
  17       4.313114E+02    8.231768E-02    3.839495E+01
  18      -8.231488E+03   -1.571016E+00   -6.492285E+02
  19       5.877919E+02    1.121827E-01    4.667348E+01
  20      -9.384860E+01   -1.791142E-02    1.798124E+00
0excess resonance integrals
0                 resolved
```

```
0absorption       4.49037E+03
 fission          1.86623E+00
- elapsed time     .30 min.
0 plutonium-241  endf/b-iv mat 1266            updated 10/13/89            94241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.978          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.939          lumped nuclear density   = 1.1380800E-05
0spin factor (g)          = 16402.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995           sigma(per absorber atom)= 1.5004189E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.6093961E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  12      -3.737381E-03   -3.810023E-03    5.682180E-04
  13      -7.564958E-01   -5.802743E-01   -2.221067E-02
  14      -7.322109E-01   -5.134649E-01   -1.796299E-03
  15       1.786078E-02    1.600555E-02   -4.640525E-04
0excess resonance integrals
0                 resolved
0absorption       5.07453E+02
 fission          4.25525E+02
- elapsed time     .32 min.
0 plutonium-242  endf/b-iv mat 1161            updated 10/13/89            94242     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.145          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.694          lumped nuclear density   = 1.2795216E-06
0spin factor (g)          =  6606.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995           sigma(per absorber atom)= 1.3345588E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.4314892E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -3.405954E-03    .000000E+00   -9.325526E-03
  12      -7.254744E-02    .000000E+00   -1.407043E-01
  13      -1.297766E-04    .000000E+00    2.430201E-06
  14       8.128826E-02    .000000E+00    1.520301E-02
  15      -2.541045E+01    .000000E+00   -2.064759E+00
  16       4.029600E-02    .000000E+00   -3.450822E-03
  17       1.550384E-02    .000000E+00   -1.848195E-03
  18       1.112555E-02    .000000E+00   -1.430695E-03
0excess resonance integrals
0                 resolved
0absorption       1.09547E+03
 fission           .00000E+00
- elapsed time     .32 min.
0am-241 1056 sigp=544 new+klacs 218ngp p-3 293k                                 95241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.950          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 3.4056694E-07
0spin factor (g)          = 82058.203          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
```

```
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 5.0139828E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 5.3781538E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  13      4.867330E-01     1.209541E-02    4.627123E-03
  14     -4.587215E-01    -1.130258E-02   -5.073899E-03
0excess resonance integrals
0                 resolved
0absorption      1.95433E+02
 fission         1.07581E+00
- elapsed time    .32 min.
0am-243 1057 218 gp wt f-1/e-m 090376 p3 295k                                95243     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.940          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 1.1812765E-07
0spin factor (g)          =  8052.602          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.4455521E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.5505443E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  13     -7.920427E-03     .000000E+00    4.008657E-04
  14      1.597974E-02     .000000E+00    1.415215E-04
0excess resonance integrals
0                 resolved
0absorption      1.60142E+02
 fission          .00000E+00
- elapsed time    .32 min.
0 curium-244     endf/b-iv mat 1162          updated 10/13/89             96244     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   242.133          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.320          lumped nuclear density   = 1.1299280E-08
0spin factor (g)          =  5251.150          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 1.5111569E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 1.6209140E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  11      2.241775E-04     6.144474E-06    2.592307E-04
  12      5.799049E-04     2.804284E-05    9.876156E-05
  13      2.536457E-03     1.259993E-04    7.055791E-04
  14      2.975255E-02     1.780067E-03    5.875189E-04
0excess resonance integrals
0                 resolved
0absorption      6.13835E+02
 fission         3.54181E+01
- elapsed time    .33 min.
- elapsed time    .33 min.
1     this xsdrn working tape was created 02/16/96 at 10:02:17
```


the title of the parent case is as follows
scale 4.2 - 27 group neutron burnup library
based on endf-b version 4 data with endf-b version 5 fission products
compiled for nrc 1/27/89


tape id	4321	number of nuclides	65
number of neutron groups	27	number of gamma groups	0
first thermal group	15	logical unit	4


table of contents


1/v cross sections normalized to 1.0 at 0.0253 ev			id	999
hydrogen	endf/b-iv mat 1269/thrml002	updated 10/13/89	id	1001
b-10 1273 218grp 042375 p-3 293k			id	5010
boron-11	endf/b-iv mat 1160	updated 10/13/89	id	5011
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	8016
oxygen-16	endf/b-iv mat 1276	updated 10/13/89	id	6
kr-83	mt=102,103,103,105,106,107	updated 10/13/89	id	36083
kr-85	mt= 102		id	36085
sr-90	mt=102	updated 10/13/89	id	38090
y-89	mt=102	updated 10/13/89	id	39089
zr-93	mt= 102		id	40093
zr-94	mt=102	updated 10/13/89	id	40094
zr-95	mt=102	updated 10/13/89	id	40095
zircalloy	endf/b-iv mat 1284	updated 10/13/89	id	40802
nb-94	mt=102	updated 10/13/89	id	41094
mo-95	mt=102	updated 10/13/89	id	42095
tc-99	mt=102	updated 10/13/89	id	43099
ru-101	mt=102	updated 10/13/89	id	44101
ru-106	mt=102	updated 10/13/89	id	44106
rh-103	mt=102	updated 10/13/89	id	45103
rh-105	mt= 102		id	45105
pd-105	mt=102	updated 10/13/89	id	46105
pd-108	mt=102	updated 10/13/89	id	46108
silver-109	endf/b-iv mat 1139	updated 10/13/89	id	47109
sb-124	mt=102	updated 10/13/89	id	51124
xe-131	mt=102,103,104,105,106	updated 10/13/89	id	54131
xe-132	mt=102,103,104,105,106	updated 10/13/89	id	54132
xenon-135	endf/b-iv mat 1294	updated 10/13/89	id	54135
xe-136	mt= 102, 103, 104, 105, 107		id	54136
cesium-133	endf/b-iv mat 1141	updated 10/13/89	id	55133
cs-134	mt=102	updated 10/13/89	id	55134
cs-135	mt= 102		id	55135
cs-137	mt=102	updated 10/13/89	id	55137
ba-136	mt=102	updated 10/13/89	id	56136
la-139	mt=102	updated 10/13/89	id	57139
ce-144	mt= 102		id	58144
pr-141	mt=102,103,104,105,106,107	updated 10/13/89	id	59141
pr-143	mt=102	updated 10/13/89	id	59143
nd-143	mt=102	updated 10/13/89	id	60143
nd-145	mt=102	updated 10/13/89	id	60145
nd-147	mt=102	updated 10/13/89	id	60147
pm-147	mt=102	updated 10/13/89	id	61147
pm-148	mt= 102		id	61148
sm-147	endf/b-v fission product	updated 10/13/89	id	62147
sm-149	mt=102,103,107	updated 10/13/89	id	62149
sm-150	mt=102	updated 10/13/89	id	62150
sm-151	mt=102,103,104,105,106,107	updated 10/13/89	id	62151
sm-152	mt=102,103,104,105,106,107	updated 10/13/89	id	62152
eu-153	mt=102,103,104,105,106,107	updated 10/13/89	id	63153
eu-154	mt=102,103,104,105,106,107	updated 10/13/89	id	63154
eu-155	mt=102,103,104,105,106,107	updated 10/13/89	id	63155
gd-155	mt=102	updated 10/13/89	id	64155


```
      u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    id   92234
       uranium-235   endf/b-iv mat 1261          updated 10/13/89            id   92235
      u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    id   92236
       uranium-238   endf/b-iv mat 1262          updated 10/13/89            id   92238
       neptunium-237 endf/b-iv mat 1263          updated 10/13/89            id   93237
      pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                   id   94238
       plutonium-239 endf/b-iv mat 1264          updated 10/13/89            id   94239
       plutonium-240 endf/b-iv mat 1265          updated 10/13/89            id   94240
       plutonium-241 endf/b-iv mat 1266          updated 10/13/89            id   94241
       plutonium-242 endf/b-iv mat 1161          updated 10/13/89            id   94242
      am-241 1056 sigo=5+4 newklacs 218grp p-3 293k                          id   95241
      am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                           id   95243
       curium-244    endf/b-iv mat 1162          updated 10/13/89            id   96244
0       tape copy used      0 i/o's, and took     .00 seconds
```











program verification information

code system: scale version: 4.2

program: c0c001

creation date: 04/27/95

library: /neutronics/scale/exe

this is not a scale configuration controlled code

jobname: davis

date of execution: 02/16/96

time of execution: 10:03:24

880 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gd/mtu burn high temp

-1q array has 1 entries.

```
0       1q array has      15 entries.
0       2q array has      10 entries.
0       3q array has      12 entries.
0       4q array has       9 entries.
0       5q array has      12 entries.
0direct access unit   9 requires     12 blocks of length  704 for cross section mixing.
1                    880 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0general problem description data block
0                                general problem data

 ige  1/2/3 = plane/cylinder/sphere      2        isn  quadrature order                    8
 izm  number of zones                    4        isct order of scattering                 3
 im   number of special intervals       24        ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h     1
 ibl  0/1/2/3 = vacuum/refl/per/white    1        iim  inner iteration maximum          20
 ibr  right boundary condition           3        iom  outer iteration maximum          25
 mxx  number of mixtures                 3        iclc -1/0/n--flat res/sn/cpt             0
 ms   mixing table length               65        ith  0/1 = forward/adjoint             0
 igm  number of energy groups           27        iflu not used(always wgtd)               0
 nng  number of neutron groups          27        iprt -2/-1/0/n=mixture xsec print       -2
 ngg  number of gamma groups             0        idl  0/1/2/3=no/prt nd/pch n/both      53
 iftg number of first thermal group     15        ipbt -1/0/1=none/fine/all bal. prt       0
0                              special options

 ifg  0/1 = none/weighting calculation   1        ipn  0/1/2 diff. coef. param            0
 iqm  volumetric sources (0/n=no/yes)    0        idfm 0/1 = none/density factors 38*      1
 ipm  boundary sources (0/n=no/yes)      0        iaz  0/n = none/n activities by zone     0
 ifn  0/1/2 = input 33*/34*/use last    53        iai  0/1=none/activities by interval     0
 itmx maximum time (minutes)            10        ifct 0/1=no/yes upscatter scaling        0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0        ipvt 0/1/2=no/k/alpha parametric srch    0
 isx  broad group fluxes                 0        isen outer iteration acceleration        0
 ibln activity data unit                 0        nbnd band rebaln parameter               0
 jbkl 0/1/2 buckling geometry            0
0                           weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1        ihtf total xsect psn in brd gp tables    3
 igmf number of broad groups            27        ndsf psn g-g or file number              4
 itp  0/10/20/30/40 0/c/e/ac/a           0        nusf table length or max order           4
 ipp  -2/-1/0/n=wgted xsect print       -2        mxm extra 1-d x-sect positions           0
 iap  -1/n anisn xsect print            -1
0                           floating point parameters

 eps  overall convergence       1.00000E-04       dy   cyl/pla ht for buckling     .00000E+00
 ptc  point convergence         1.00000E-04       dz   plane depth for buckling    .00000E+00
 xnf  normalization factor      1.00000E+00       vsc  void streaming correction   .00000E+00
 ev   eigenvalue guess           .00000E+00       pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier        .00000E+00       eql  ev change eps for search   1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00       xnpm new param mod for search   7.50000E-01
     this case will require      2535 locations for mixing
     this case has been allocated 200000 locations
1                    880 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       13q array has     65 entries.
0       14q array has     65 entries.
0       15q array has     65 entries.
0                                data block 2 (mixing table, etc.)
0     nuclides        cccc                          mixing table                          extra
       on tape    identification                 mixture  component    atom density     xsect id's
     1     999                                       1      92235     4.02693E-04
     2    1001                                       1      92234     4.46803E-06
     3    5010                                       1      92236     5.51142E-05
     4    5011                                       1      92238     2.18274E-02
```

5	8016	1	8016	4.55359E-02
6	6	3	6	2.09710E-02
7	36083	1	36083	1.42718E-06
8	36085	1	36085	6.86405E-07
9	38090	1	38090	1.56265E-05
10	39089	1	39089	1.23885E-05
11	40093	1	42095	1.65579E-05
12	40094	1	40093	1.24626E-05
13	40095	1	40094	1.95879E-05
14	40802	1	40095	1.99661E-06
15	41094	1	41094	9.70965E-12
16	42095	1	43099	1.91603E-05
17	43099	1	45103	1.05084E-05
18	44101	1	45105	2.23564E-08
19	44106	1	44101	1.73887E-05
20	45103	1	44106	2.62773E-06
21	45105	1	46105	6.86049E-06
22	46105	1	46108	1.92546E-06
23	46108	1	47109	1.34572E-06
24	47109	1	51124	3.04849E-10
25	51124	1	54131	8.77608E-06
26	54131	1	54132	1.64947E-05
27	54132	1	54135	6.67715E-09
28	54135	1	54136	3.30816E-05
29	54136	1	55134	9.57401E-07
30	55133	1	55135	1.05022E-05
31	55134	1	55137	2.05235E-05
32	55135	1	56136	1.93125E-07
33	55137	1	57139	2.03240E-05
34	56136	1	59141	1.75987E-05
35	57139	1	59143	3.71186E-07
36	58144	1	58144	6.70562E-06
37	59141	1	60143	1.59150E-05
38	59143	1	60145	1.17342E-05
39	60143	1	61147	4.02235E-06
40	60145	1	61148	1.17777E-08
41	60147	1	60147	1.29916E-07
42	61147	1	62147	1.40155E-06
43	61148	1	62149	8.69582E-08
44	62147	1	62150	4.18068E-06
45	62149	1	62151	4.01901E-07
46	62150	1	62152	2.00466E-06
47	62151	1	64155	2.18270E-09
48	62152	1	63153	1.20542E-06
49	63153	1	63154	2.52168E-07
50	63154	1	63155	1.30440E-07
51	63155	2	40802	4.25156E-02
52	64155	3	1001	4.19420E-02
53	92234	3	5010	3.81515E-06
54	92235	3	5011	1.54884E-05
55	92236	1	55133	2.10206E-05
56	92238	1	95237	3.73057E-06
57	95237	1	94238	5.34530E-07
58	94238	1	94239	1.07741E-04
59	94239	1	94240	2.09730E-05
60	94240	1	94241	1.13808E-05
61	94241	1	94242	1.27952E-06
62	94242	1	95241	3.40567E-07
63	95241	1	95243	1.18128E-07
64	95243	1	96244	1.12999E-08

65 96244 1 999 1.00000E-20
- elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 880 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gd/mtu burn high temp
neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	2	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01036E+07	12	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	13	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00	
15	3.04999E+00	1.50030E+01	2.10601E+06	15	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00	
17	1.29999E+00	1.58557E+01	1.52545E+06	17	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	21	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	23	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	27	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 880 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gd/mtu burn high temp

0	mixture by zone	order p(l) by zone	activity table matl no.	reaction	quadrature constants weights	directions	refl direc	wt x cos
1	1	3			0	-2.79004E-01	3	0
2	1	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	2	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	3	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02

16				0	-9.83032E-01	24	0
17				4.53355E-02	-9.64143E-01	24	-4.37099E-02
18				4.53355E-02	-8.17361E-01	23	-3.70655E-02
19				4.53355E-02	-5.46143E-01	22	-2.47597E-02
20				4.53355E-02	-1.91780E-01	21	-8.69444E-03
21				4.53355E-02	1.91780E-01	20	8.69444E-03
22				4.53355E-02	5.46143E-01	19	2.47597E-02
23				4.53355E-02	8.17361E-01	18	3.70655E-02
24				4.53355E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40830E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40830E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83032E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17236E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17236E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.29551E-02	1	0	2.10906E-03	1.00000E+00	0	
2	2.59102E-02	4.33406E-02	1	1.62798E-01	9.49318E-03	1.00000E+00	0	
3	6.07710E-02	8.75100E-02	1	3.81835E-01	2.94045E-02	1.00000E+00	0	
4	1.14249E-01	1.74155E-01	1	7.17848E-01	1.31104E-01	1.00000E+00	0	
5	2.34061E-01	2.93967E-01	1	1.47065E+00	2.21259E-01	1.00000E+00		
6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00		
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00		
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00		
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07946E-03	0		
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0		
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0		
12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0		
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00		
14	4.87528E-01	4.99987E-01	3	3.06523E+00	7.82768E-02	1.00000E+00		
15	5.12445E-01	5.24903E-01	3	3.21979E+00	8.21777E-02	1.00000E+00		
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00		
17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00		
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00		
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00		
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00		
21	6.80034E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00		
22	7.48592E-01	7.63893E-01	4	4.70354E+00	1.46875E-01	1.00000E+00		
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00		
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00		

```
   25 8.13968E-01                          5.11431E+00
 - elapsed time    .00 min.
1 outer inner 1 - balance  eigenvalue 1 - source  1 - scatter 1 - upscat    search        time
  iter iters                             ratio       ratio       ratio     parameter     (min)
     1   124 -4.56957E-06 1.03027E+00 -3.30817E-02 1.00000E+00 -1.13682E-02 .00000E+00     .0000
     2   190 1.53565E-05 1.03327E+00 -8.04118E-04 -3.40285E-03 -1.82550E-03 .00000E+00     .0000
     3   243 -1.66574E-05 1.03412E+00 -1.36843E-04 -5.07636E-04 -4.35670E-04 .00000E+00     .0000
     4   282 1.94148E-05 1.03385E+00 -3.16278E-05 -1.22508E-04 -1.00950E-04 .00000E+00     .0000
                                                                                grp to grp inner  mfd    max. flux   msf  max. scale coarse
                                                                                          iters  int.   difference  int.   factor    mesh
                                                                                  1    1    1     1  7.38235E-08   24  1.00000E+00    1
                                                                                  2    2    1     1  8.32965E-08   24  1.00000E+00    1
                                                                                  3    3    1     1  7.61077E-08   24  1.00000E+00    1
                                                                                  4    4    1     1  7.19577E-08   24  1.00000E+00    1
                                                                                  5    5    1     1  6.73921E-08   24  1.00000E+00    1
                                                                                  6    6    1     1  4.05286E-08   24  1.00000E+00    1
                                                                                  7    7    1     1  2.43421E-08   24  1.00000E+00    1
                                                                                  8    8    1     1  5.59101E-09   24  1.00000E+00    1
                                                                                  9    9    1     2  5.01341E-09   24  1.00000E+00    1
                                                                                 10   10    1     2  4.61203E-09   24  1.00000E+00    1
                                                                                 11   11    1    24  5.02188E-09   24  1.00000E+00    1
                                                                                 12   12    1    24  1.19703E-08   24  1.00000E+00    1
                                                                                 13   13    1    24  1.49805E-08   24  1.00000E+00    1
                                                                                 14   14    1    24  1.43680E-08   24  1.00000E+00    1
                                                                                 15   15    1    19  2.97082E-05   24  9.99879E-01    1
                                                                                 16   16    1    19  3.59892E-05   24  9.99880E-01    1
                                                                                 17   17    1    20  5.24040E-05   24  9.99896E-01    1
                                                                                 18   18    1    20  7.00924E-05   24  9.99904E-01    1
                                                                                 19   19    1    20  5.16881E-05   24  9.99885E-01    1
                                                                                 20   20    1    19  3.66304E-05   24  9.99851E-01    1
                                                                                 21   21    1    19  7.03320E-05   24  9.99868E-01    1
                                                                                 22   22    1    19  3.63593E-05   24  9.99913E-01    1
                                                                                 23   23    1    24  7.99269E-06   24  1.00000E+00    1
                                                                                 24   24    1    24  3.68089E-05   24  1.00002E+00    1
                                                                                 25   25    1    24  3.99912E-05   24  1.00002E+00    1
                                                                                 26   26    1    21  4.11299E-05   24  9.99979E-01    2
                                                                                 27   27    1    24  2.27592E-05   19  1.00001E+00    2
   5   309 -1.45963E-05 1.03425E+00 -7.58119E-06 -2.82615E-05 -2.13481E-05 .00000E+00     .0167
         final monitor
              lambda 1.03409E+00        production/absorption 1.03409E+00        angular flux on  16
 - elapsed time    .02 min.
1                    880 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 int. zone number    radius    int. midpoint    area        volume     prod density
    1      1       .00000E+00 1.29551E-02 .00000E+00 2.10906E-03 3.02061E-03
    2      1       2.59102E-02 4.33406E-02 1.62798E-01 9.49518E-03 1.35900E-02
    3      1       6.07710E-02 8.75100E-02 3.81835E-01 2.94045E-02 4.21756E-02
    4      1       1.14249E-01 1.74155E-01 7.17848E-01 1.31104E-01 1.89916E-01
    5      1       2.34061E-01 2.93967E-01 1.47065E+00 2.21299E-01 3.28455E-01
    6      1       3.53873E-01 3.80612E-01 2.22345E+00 1.27890E-01 1.94941E-01
    7      1       4.07351E-01 4.24781E-01 2.55946E+00 9.30429E-02 1.44661E-01
    8      1       4.42212E-01 4.55167E-01 2.77850E+00 7.41004E-02 1.17336E-01
    9      2       4.68122E-01 4.68814E-01 2.94130E+00 4.07946E-03 .00000E+00
   10      2       4.69507E-01 4.71481E-01 2.95000E+00 1.16988E-02 .00000E+00
   11      2       4.73456E-01 4.75431E-01 2.97481E+00 1.17968E-02 .00000E+00
   12      2       4.77405E-01 4.78098E-01 2.99962E+00 4.16023E-03 .00000E+00
   13      3       4.78790E-01 4.83159E-01 3.00839E+00 2.65268E-02 .00000E+00
   14      3       4.87528E-01 4.99987E-01 3.06329E+00 7.82768E-02 .00000E+00
   15      3       5.12445E-01 5.24903E-01 3.21979E+00 8.21777E-02 .00000E+00
   16      3       5.37362E-01 5.41731E-01 3.37634E+00 2.97427E-02 .00000E+00
   17      4       5.46100E-01 5.53513E-01 3.43125E+00 5.15631E-02 .00000E+00
```

18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63893E-01	4.70854E+00	1.46875E-01	.00000E+00
23	4	7.79193E-01	7.89167E-01	4.89582E+00	9.89116E-02	.00000E+00
24	4	7.99141E-01	8.06554E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 880 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.80843E-01	1.33844E+00	1.68610E+00	1.04357E+00	1.57719E+00	3.03165E+00	2.90595E+00	2.08175E+00
2	1.80908E-01	1.33908E+00	1.68694E+00	1.04407E+00	1.57789E+00	3.03296E+00	2.90660E+00	2.08182E+00
3	1.80851E-01	1.33846E+00	1.68617E+00	1.04360E+00	1.57711E+00	3.03135E+00	2.90558E+00	2.08162E+00
4	1.80448E-01	1.33419E+00	1.68073E+00	1.04029E+00	1.57185E+00	3.02090E+00	2.89928E+00	2.08057E+00
5	1.79401E-01	1.32321E+00	1.66691E+00	1.03194E+00	1.55864E+00	2.99499E+00	2.88378E+00	2.07795E+00
6	1.78192E-01	1.31068E+00	1.65133E+00	1.02258E+00	1.54395E+00	2.96660E+00	2.86688E+00	2.07506E+00
7	1.77226E-01	1.30084E+00	1.63930E+00	1.01544E+00	1.53288E+00	2.94563E+00	2.85450E+00	2.07288E+00
8	1.76266E-01	1.29124E+00	1.62774E+00	1.00869E+00	1.52256E+00	2.92648E+00	2.84330E+00	2.07083E+00
9	1.75740E-01	1.28604E+00	1.62153E+00	1.00510E+00	1.51713E+00	2.91650E+00	2.83751E+00	2.06974E+00
10	1.75630E-01	1.28499E+00	1.62029E+00	1.00441E+00	1.51613E+00	2.91471E+00	2.83652E+00	2.06955E+00
11	1.75470E-01	1.28347E+00	1.61850E+00	1.00342E+00	1.51472E+00	2.91218E+00	2.83513E+00	2.06926E+00
12	1.75364E-01	1.28247E+00	1.61732E+00	1.00278E+00	1.51380E+00	2.91055E+00	2.83424E+00	2.06907E+00
13	1.75167E-01	1.28060E+00	1.61510E+00	1.00154E+00	1.51199E+00	2.90712E+00	2.83231E+00	2.06869E+00
14	1.74631E-01	1.27532E+00	1.60857E+00	9.97701E-01	1.50619E+00	2.89586E+00	2.82590E+00	2.06764E+00
15	1.74031E-01	1.26890E+00	1.60016E+00	9.92381E-01	1.49780E+00	2.87924E+00	2.81632E+00	2.06650E+00
16	1.73737E-01	1.26536E+00	1.59513E+00	9.88909E-01	1.49208E+00	2.86770E+00	2.80961E+00	2.06598E+00
17	1.73596E-01	1.26333E+00	1.59201E+00	9.86678E-01	1.48810E+00	2.85975E+00	2.80495E+00	2.06584E+00
18	1.73411E-01	1.26069E+00	1.58801E+00	9.83604E-01	1.48304E+00	2.84978E+00	2.79909E+00	2.06570E+00
19	1.73179E-01	1.25757E+00	1.58339E+00	9.80238E-01	1.47736E+00	2.83864E+00	2.79253E+00	2.06546E+00
20	1.72869E-01	1.25352E+00	1.57750E+00	9.76020E-01	1.47029E+00	2.82480E+00	2.78439E+00	2.06512E+00
21	1.72657E-01	1.25070E+00	1.57335E+00	9.73034E-01	1.46526E+00	2.81499E+00	2.77871E+00	2.06502E+00
22	1.72658E-01	1.25057E+00	1.57305E+00	9.72751E-01	1.46474E+00	2.81398E+00	2.77826E+00	2.06524E+00
23	1.72734E-01	1.25143E+00	1.57418E+00	9.73480E-01	1.46591E+00	2.81627E+00	2.77974E+00	2.06553E+00
24	1.72826E-01	1.25245E+00	1.57554E+00	9.74378E-01	1.46737E+00	2.81912E+00	2.78154E+00	2.06580E+00

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58851E+00	1.44832E+00	1.30795E+00	7.96783E-01	6.70388E-01	5.81640E-01	3.67597E-01	2.01547E-01
2	1.58864E+00	1.44822E+00	1.30775E+00	7.96652E-01	6.70177E-01	5.81351E-01	3.67564E-01	2.01521E-01
3	1.58862E+00	1.44843E+00	1.30821E+00	7.97102E-01	6.70644E-01	5.82072E-01	3.67645E-01	2.01572E-01
4	1.58965E+00	1.44964E+00	1.31083E+00	8.00192E-01	6.73299E-01	5.86083E-01	3.68092E-01	2.01869E-01
5	1.59221E+00	1.45259E+00	1.31729E+00	8.07825E-01	6.79853E-01	5.96038E-01	3.69171E-01	2.02596E-01
6	1.59507E+00	1.45582E+00	1.32436E+00	8.16225E-01	6.87061E-01	6.07065E-01	3.70333E-01	2.03389E-01
7	1.59723E+00	1.45818E+00	1.32956E+00	8.22454E-01	6.92398E-01	6.15301E-01	3.71170E-01	2.03970E-01
8	1.59929E+00	1.46033E+00	1.33430E+00	8.28173E-01	6.97293E-01	6.22900E-01	3.71917E-01	2.04499E-01
9	1.60088E+00	1.46144E+00	1.33675E+00	8.31145E-01	6.99836E-01	6.26852E-01	3.72300E-01	2.04774E-01
10	1.60057E+00	1.46162E+00	1.33714E+00	8.31622E-01	7.00251E-01	6.27480E-01	3.72365E-01	2.04821E-01
11	1.60085E+00	1.46187E+00	1.33771E+00	8.32304E-01	7.00843E-01	6.28377E-01	3.72457E-01	2.04888E-01
12	1.60104E+00	1.46204E+00	1.33807E+00	8.32745E-01	7.01227E-01	6.28959E-01	3.72517E-01	2.04931E-01
13	1.60141E+00	1.46238E+00	1.33882E+00	8.33645E-01	7.02010E-01	6.30146E-01	3.72640E-01	2.05020E-01
14	1.60242E+00	1.46347E+00	1.34119E+00	8.36462E-01	7.04461E-01	6.33860E-01	3.73034E-01	2.05298E-01
15	1.60365E+00	1.46508E+00	1.34453E+00	8.40847E-01	7.07842E-01	6.38976E-01	3.73591E-01	2.05683E-01
16	1.60408E+00	1.46606E+00	1.34674E+00	8.42853E-01	7.10022E-01	6.42269E-01	3.73961E-01	2.05931E-01
17	1.60436E+00	1.46684E+00	1.34839E+00	8.44696E-01	7.11592E-01	6.44669E-01	3.74162E-01	2.06093E-01
18	1.60479E+00	1.46789E+00	1.35054E+00	8.47215E-01	7.13719E-01	6.47940E-01	3.74387E-01	2.06303E-01
19	1.60533E+00	1.46909E+00	1.35320E+00	8.50114E-01	7.16173E-01	6.51711E-01	3.74651E-01	2.06548E-01
20	1.60607E+00	1.47060E+00	1.35646E+00	8.53808E-01	7.19295E-01	6.56514E-01	3.74974E-01	2.06856E-01
21	1.60664E+00	1.47169E+00	1.35879E+00	8.56441E-01	7.21500E-01	6.59916E-01	3.75137E-01	2.07052E-01
22	1.60669E+00	1.47179E+00	1.35901E+00	8.56673E-01	7.21647E-01	6.60181E-01	3.75047E-01	2.07034E-01
23	1.60654E+00	1.47152E+00	1.35842E+00	8.55989E-01	7.21026E-01	6.59263E-01	3.74894E-01	2.06946E-01
24	1.60635E+00	1.47118E+00	1.35770E+00	8.55145E-01	7.20276E-01	6.58142E-01	3.74740E-01	2.06850E-01

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.02422E-02	3.13534E-02	1.17498E-01	4.16060E-01	1.02445E-01	1.65894E-01	6.47045E-01	4.81091E-01
2	8.02111E-02	3.13567E-02	1.17447E-01	4.15954E-01	1.02578E-01	1.65780E-01	6.46640E-01	4.80762E-01
3	8.02756E-02	3.16152E-02	1.17563E-01	4.16166E-01	1.02584E-01	1.66430E-01	6.47674E-01	4.81681E-01
4	8.05466E-02	3.27844E-02	1.18221E-01	4.17393E-01	1.03696E-01	1.69681E-01	6.53408E-01	4.86708E-01
5	8.15678E-02	3.58212E-02	1.19831E-01	4.20408E-01	1.06478E-01	1.77883E-01	6.67628E-01	4.99203E-01
6	8.25864E-02	3.94368E-02	1.21587E-01	4.23699E-01	1.09591E-01	1.87224E-01	6.83373E-01	5.13091E-01
7	8.33457E-02	4.24003E-02	1.22869E-01	4.26114E-01	1.11949E-01	1.94434E-01	6.95126E-01	5.23508E-01
8	8.40464E-02	4.53694E-02	1.24028E-01	4.28313E-01	1.14149E-01	2.01280E-01	7.05968E-01	5.33172E-01
9	8.44114E-02	4.69621E-02	1.24625E-01	4.29452E-01	1.15258E-01	2.04878E-01	7.11600E-01	5.38204E-01
10	8.44710E-02	4.71529E-02	1.24721E-01	4.29641E-01	1.15472E-01	2.05381E-01	7.12466E-01	5.38959E-01
11	8.45562E-02	4.74265E-02	1.24858E-01	4.29911E-01	1.15720E-01	2.06101E-01	7.13700E-01	5.40034E-01
12	8.46113E-02	4.76041E-02	1.24946E-01	4.30085E-01	1.15881E-01	2.06566E-01	7.14496E-01	5.40726E-01
13	8.47239E-02	4.79645E-02	1.25129E-01	4.30442E-01	1.16209E-01	2.07514E-01	7.16124E-01	5.42140E-01
14	8.50759E-02	4.90748E-02	1.25706E-01	4.31559E-01	1.17253E-01	2.10455E-01	7.21188E-01	5.46502E-01
15	8.55597E-02	5.05683E-02	1.26515E-01	4.33095E-01	1.18636E-01	2.14442E-01	7.28061E-01	5.52533E-01
16	8.58700E-02	5.15061E-02	1.27045E-01	4.34075E-01	1.19533E-01	2.16961E-01	7.32395E-01	5.55942E-01
17	8.60982E-02	5.22101E-02	1.27426E-01	4.34760E-01	1.20222E-01	2.18922E-01	7.35961E-01	5.59044E-01
18	8.64112E-02	5.31899E-02	1.27940E-01	4.35682E-01	1.21194E-01	2.21720E-01	7.41271E-01	5.64449E-01
19	8.67721E-02	5.43152E-02	1.28533E-01	4.36760E-01	1.22320E-01	2.24974E-01	7.47610E-01	5.70736E-01
20	8.72320E-02	5.57433E-02	1.29289E-01	4.38141E-01	1.23763E-01	2.29163E-01	7.56034E-01	5.79223E-01
21	8.75593E-02	5.67633E-02	1.29821E-01	4.39089E-01	1.24804E-01	2.32197E-01	7.62391E-01	5.85846E-01
22	8.75877E-02	5.68644E-02	1.29855E-01	4.39110E-01	1.24914E-01	2.32526E-01	7.63327E-01	5.87103E-01
23	8.75029E-02	5.66151E-02	1.29705E-01	4.38797E-01	1.24662E-01	2.31802E-01	7.62041E-01	5.86052E-01
24	8.73986E-02	5.63034E-02	1.29523E-01	4.38431E-01	1.24347E-01	2.30889E-01	7.60348E-01	5.84655E-01

0 int.	grp. 25	grp. 26	grp. 27
1	2.00500E-01	1.22198E-01	1.61350E-02
2	2.00362E-01	1.22111E-01	1.61347E-02
3	2.00842E-01	1.22573E-01	1.62776E-02
4	2.03385E-01	1.24901E-01	1.69274E-02
5	2.09712E-01	1.30717E-01	1.85768E-02
6	2.16775E-01	1.37280E-01	2.05000E-02
7	2.22104E-01	1.42301E-01	2.20433E-02
8	2.27082E-01	1.47052E-01	2.35720E-02
9	2.29682E-01	1.49547E-01	2.43869E-02
10	2.30060E-01	1.49886E-01	2.44858E-02
11	2.30598E-01	1.50367E-01	2.46187E-02
12	2.30945E-01	1.50677E-01	2.47056E-02
13	2.31651E-01	1.51307E-01	2.48821E-02
14	2.33793E-01	1.53205E-01	2.54057E-02
15	2.36582E-01	1.55636E-01	2.60489E-02
16	2.38250E-01	1.57060E-01	2.64089E-02
17	2.39925E-01	1.58762E-01	2.69684E-02
18	2.42699E-01	1.61735E-01	2.79907E-02
19	2.46089E-01	1.65350E-01	2.91890E-02
20	2.50714E-01	1.70280E-01	3.07663E-02
21	2.54409E-01	1.74307E-01	3.20635E-02
22	2.55216E-01	1.75337E-01	3.24492E-02
23	2.54735E-01	1.74984E-01	3.24045E-02
24	2.53998E-01	1.74334E-01	3.22602E-02

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.29947E-02	.00000E+00	1.28935E-02	1.07384E-02	3.26098E-03	1.13208E-02	9.98638E-01
2	.00000E+00	1.93992E-01	2.37599E-03	1.67861E-01	6.68848E-02	1.36623E-02	1.15830E-01	1.00004E+00
3	.00000E+00	2.15874E-01	2.64680E-02	1.61415E-01	8.14253E-02	1.55286E-02	1.45389E-01	1.00000E+00
4	.00000E+00	1.23819E-01	3.91315E-02	1.05553E-01	6.79140E-02	7.39240E-03	8.76414E-02	1.00001E+00
5	.00000E+00	1.64144E-01	6.81671E-02	2.59856E-01	9.47590E-02	4.39442E-03	1.33160E-01	9.99992E-01
6	.00000E+00	1.77110E-01	1.34943E-01	6.53834E-01	5.43736E-02	6.89551E-03	2.50774E-01	1.00003E+00
7	.00000E+00	8.75260E-02	9.85133E-02	7.44613E-01	3.63352E-02	7.40472E-03	1.42298E-01	1.00001E+00

8	.00000E+00	1.34833E-02	4.25831E-02	6.30633E-01	2.15126E-02	1.37527E-02	2.08185E-02	1.00005E+00
9	.00000E+00	9.78514E-04	2.17359E-02	5.35740E-01	2.07052E-02	2.28072E-02	-2.07976E-02	9.99989E-01
10	.00000E+00	7.26783E-05	2.07272E-02	4.62262E-01	1.07205E-02	3.53954E-02	-2.53167E-02	1.00001E+00
11	.00000E+00	5.71782E-06	1.07215E-02	4.24562E-01	8.16514E-03	5.78533E-02	-5.52919E-02	1.00001E+00
12	.00000E+00	4.01667E-07	8.16519E-03	2.40330E-01	9.38691E-03	6.41184E-02	-6.53356E-02	9.99958E-01
13	.00000E+00	6.37810E-08	9.38592E-03	1.79474E-01	6.15265E-03	5.98476E-02	-5.66145E-02	1.00000E+00
14	.00000E+00	1.26397E-08	6.15266E-03	1.52049E-01	7.35414E-03	8.47368E-02	-8.59585E-02	1.00000E+00
15	.00000E+00	1.42843E-09	7.44018E-03	8.41441E-02	8.83603E-03	7.22145E-03	-8.69178E-03	1.00464E+00
16	.00000E+00	4.19435E-10	8.99353E-03	4.22499E-02	9.48904E-03	5.84705E-03	-6.39505E-03	1.00342E+00
17	.00000E+00	1.35078E-10	7.57841E-03	1.41545E-02	7.21129E-03	8.52735E-03	-8.18167E-03	1.00136E+00
18	.00000E+00	9.67122E-11	6.94410E-03	8.02218E-03	3.77596E-03	2.82583E-02	-2.50985E-02	1.00026E+00
19	.00000E+00	1.36730E-10	6.05006E-03	2.29525E-02	8.40648E-03	1.11651E-02	-1.35437E-02	1.00113E+00
20	.00000E+00	2.22538E-10	9.52379E-03	9.99966E-02	9.40806E-03	2.61904E-02	-2.61542E-02	1.00225E+00
21	.00000E+00	3.25431E-11	8.78140E-03	2.01075E-02	7.82429E-03	2.51524E-02	-2.42179E-02	1.00069E+00
22	.00000E+00	3.77574E-11	1.13959E-02	3.84634E-02	8.67412E-03	7.21888E-02	-6.95075E-02	1.00048E+00
23	.00000E+00	3.61002E-11	1.36216E-02	1.57540E-01	1.73339E-02	1.21121E-01	-1.24958E-01	1.00090E+00
24	.00000E+00	9.82602E-12	2.12274E-02	1.10800E-01	2.13618E-02	1.10601E-01	-1.10830E-01	1.00071E+00
25	.00000E+00	2.87641E-12	1.82965E-02	4.18787E-02	1.38470E-02	5.99759E-02	-5.55659E-02	1.00053E+00
26	.00000E+00	2.01696E-12	9.02276E-03	2.92122E-02	6.23720E-03	5.38595E-02	-5.10991E-02	1.00042E+00
27	.00000E+00	4.80652E-13	1.95433E-03	4.38097E-03	1.06852E-03	1.50777E-02	-1.41956E-02	1.00022E+00
28	.00000E+00	1.00000E+00	6.19898E-01	5.40388E+00	6.19898E-01	9.42216E-01	5.94982E-02	1.00037E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.75768E-01	1.13208E-02	1.80781E-01	.00000E+00	2.29600E-03	2.66921E-03	.00000E+00	1.23115E-01
2	1.28632E+00	1.15830E-01	1.33782E+00	.00000E+00	1.69692E-05	1.18841E-02	.00000E+00	9.06972E-01
3	1.62186E+00	1.45389E-01	1.68529E+00	.00000E+00	.00000E+00	1.45034E-02	.00000E+00	1.14272E+00
4	1.00529E+00	8.76414E-02	1.04308E+00	.00000E+00	.00000E+00	6.24659E-03	.00000E+00	7.07554E-01
5	1.51740E+00	1.33160E-01	1.57647E+00	.00000E+00	.00000E+00	1.79278E-03	.00000E+00	1.06858E+00
6	2.91698E+00	2.50774E-01	3.03080E+00	.00000E+00	.00000E+00	1.50139E-03	.00000E+00	2.05348E+00
7	2.83777E+00	1.42298E-01	2.90520E+00	.00000E+00	.00000E+00	1.42872E-03	.00000E+00	1.98037E+00
8	2.06979E+00	2.08185E-02	2.08166E+00	.00000E+00	.00000E+00	1.42930E-03	.00000E+00	1.42968E+00
9	1.60833E+00	-2.07976E-02	1.58861E+00	.00000E+00	.00000E+00	1.88846E-03	.00000E+00	1.09702E+00
10	1.46139E+00	-2.53167E-02	1.44814E+00	.00000E+00	.00000E+00	4.02264E-03	.00000E+00	1.00097E+00
11	1.33664E+00	-5.52919E-02	1.30820E+00	.00000E+00	.00000E+00	8.63481E-03	.00000E+00	9.08961E-01
12	8.31018E-01	-6.53356E-02	7.97077E-01	.00000E+00	.00000E+00	1.13917E-02	.00000E+00	5.58638E-01
13	6.99726E-01	-5.66145E-02	6.70669E-01	.00000E+00	.00000E+00	1.29779E-02	.00000E+00	4.70180E-01
14	6.26686E-01	-8.59585E-02	5.82013E-01	.00000E+00	.00000E+00	8.03307E-03	.00000E+00	4.13646E-01
15	3.72317E-01	-8.69178E-03	3.67673E-01	.00000E+00	.00000E+00	1.88096E-03	.00000E+00	2.54486E-01
16	2.04780E-01	-6.39505E-03	2.01597E-01	.00000E+00	.00000E+00	1.32236E-03	.00000E+00	1.39708E-01
17	8.44019E-02	-8.18167E-03	8.02856E-02	.00000E+00	.00000E+00	1.51080E-03	.00000E+00	5.64597E-02
18	4.69148E-02	-2.50985E-02	3.14057E-02	.00000E+00	.00000E+00	1.05257E-03	.00000E+00	2.58693E-02
19	1.26610E-01	-1.35437E-02	1.17572E-01	.00000E+00	.00000E+00	2.39214E-03	.00000E+00	8.30098E-02
20	4.29454E-01	-2.61542E-02	4.16236E-01	.00000E+00	.00000E+00	1.49907E-02	.00000E+00	2.90893E-01
21	1.15264E-01	-2.42179E-02	1.02549E-01	.00000E+00	.00000E+00	1.52027E-02	.00000E+00	7.42526E-02
22	2.04757E-01	-6.95075E-02	1.66122E-01	.00000E+00	.00000E+00	4.34857E-02	.00000E+00	1.25378E-01
23	7.11347E-01	-1.24958E-01	6.47548E-01	.00000E+00	.00000E+00	7.35685E-02	.00000E+00	4.64343E-01
24	5.37977E-01	-1.10830E-01	4.81509E-01	.00000E+00	.00000E+00	6.69890E-02	.00000E+00	3.47861E-01
25	2.29571E-01	-5.55659E-02	2.00695E-01	.00000E+00	.00000E+00	3.80096E-02	.00000E+00	1.46520E-01
26	1.49451E-01	-5.10991E-02	1.22354E-01	.00000E+00	.00000E+00	3.48944E-02	.00000E+00	9.20172E-02
27	2.43629E-02	-1.41956E-02	1.61634E-02	.00000E+00	.00000E+00	9.86634E-03	.00000E+00	1.34155E-02
28	2.32221E+01	5.94982E-02	2.31873E+01	.00000E+00	2.31297E-03	3.95568E-01	.00000E+00	1.59756E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.98023E-08	1.00000E+00
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-07	9.99999E-01
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.60770E-08	9.99999E-01

9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.98023E-08	9.99999E-01
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.63685E-08	1.00000E+00
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.79397E-09	1.00000E+00
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	4.65661E-09	9.99999E-01
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.65661E-09	1.00000E+00
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.58794E-09	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.23517E-08	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.23517E-08	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-3.72529E-08	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-9.31323E-10	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.35745E-08	9.99998E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.75337E-01	1.13208E-02	1.75768E-01	1.13208E-02	.00000E+00	.00000E+00	.00000E+00	5.57112E-03
2	1.28222E+00	1.15830E-01	1.28632E+00	1.15830E-01	.00000E+00	.00000E+00	.00000E+00	4.07554E-02
3	1.61703E+00	1.45389E-01	1.62186E+00	1.45389E-01	.00000E+00	.00000E+00	.00000E+00	5.13918E-02
4	1.00262E+00	8.76414E-02	1.00529E+00	8.76414E-02	.00000E+00	.00000E+00	.00000E+00	3.18595E-02
5	1.51357E+00	1.33160E-01	1.51740E+00	1.33160E-01	.00000E+00	.00000E+00	.00000E+00	4.80925E-02
6	2.91015E+00	2.50774E-01	2.91698E+00	2.50774E-01	.00000E+00	.00000E+00	.00000E+00	9.24592E-02
7	2.83401E+00	1.42298E-01	2.83777E+00	1.42298E-01	.00000E+00	.00000E+00	.00000E+00	8.99958E-02
8	2.06903E+00	2.08186E-02	2.06979E+00	2.08186E-02	.00000E+00	.00000E+00	.00000E+00	6.56730E-02
9	1.60108E+00	-2.07975E-02	1.60053E+00	-2.07976E-02	.00000E+00	.00000E+00	.00000E+00	5.07985E-02
10	1.46208E+00	-2.53168E-02	1.46139E+00	-2.53167E-02	.00000E+00	.00000E+00	.00000E+00	4.63888E-02
11	1.33816E+00	-5.52919E-02	1.33664E+00	-5.52919E-02	.00000E+00	.00000E+00	.00000E+00	4.24435E-02
12	8.32656E-01	-6.53356E-02	8.31018E-01	-6.53356E-02	.00000E+00	.00000E+00	.00000E+00	2.64025E-02
13	7.01323E-01	-5.66145E-02	6.99728E-01	-5.66145E-02	.00000E+00	.00000E+00	.00000E+00	2.22520E-02
14	6.29104E-01	-8.59385E-02	6.26686E-01	-8.59385E-02	.00000E+00	.00000E+00	.00000E+00	1.99274E-02
15	3.72566E-01	-8.69178E-03	3.72317E-01	-8.69178E-03	.00000E+00	.00000E+00	.00000E+00	1.18185E-02
16	2.04960E-01	-6.39505E-03	2.04780E-01	-6.39505E-03	.00000E+00	.00000E+00	.00000E+00	6.50109E-03
17	8.46313E-02	-8.18167E-03	8.44019E-02	-8.18167E-03	.00000E+00	.00000E+00	.00000E+00	2.68205E-03
18	4.76518E-02	-2.50985E-02	4.69148E-02	-2.50985E-02	.00000E+00	.00000E+00	.00000E+00	1.50073E-03
19	1.24979E-01	-1.35437E-02	1.24610E-01	-1.35437E-02	.00000E+00	.00000E+00	.00000E+00	3.96020E-03
20	4.30180E-01	-2.61542E-02	4.29454E-01	-2.61542E-02	.00000E+00	.00000E+00	.00000E+00	1.36390E-02
21	1.15953E-01	-2.42179E-02	1.15264E-01	-2.42179E-02	.00000E+00	.00000E+00	.00000E+00	3.66846E-03
22	2.06694E-01	-6.95074E-02	2.04757E-01	-6.95075E-02	.00000E+00	.00000E+00	.00000E+00	6.52919E-03
23	7.14671E-01	-1.24958E-01	7.11347E-01	-1.24958E-01	.00000E+00	.00000E+00	.00000E+00	2.26298E-02
24	5.40872E-01	-1.10830E-01	5.37977E-01	-1.10830E-01	.00000E+00	.00000E+00	.00000E+00	1.71209E-02
25	2.31021E-01	-5.55669E-02	2.29571E-01	-5.55669E-02	.00000E+00	.00000E+00	.00000E+00	7.30950E-03
26	1.50749E-01	-5.10991E-02	1.49451E-01	-5.10991E-02	.00000E+00	.00000E+00	.00000E+00	4.76425E-03
27	2.47264E-02	-1.41956E-02	2.43629E-02	-1.41956E-02	.00000E+00	.00000E+00	.00000E+00	7.79127E-04
28	2.32182E+01	5.94983E-02	2.32221E+01	5.94982E-02	.00000E+00	.00000E+00	.00000E+00	7.36894E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	3.86447E-03	2.89691E-03	1.48455E-05	-2.80842E-03	1.00001E+00
2	.00000E+00	.00000E+00	5.05995E-04	2.61268E-02	1.87473E-02	5.19052E-05	-1.82985E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.67471E-03	5.02989E-02	1.59040E-02	1.37571E-04	-1.33658E-02	9.99995E-01
4	.00000E+00	.00000E+00	5.16500E-03	4.21770E-02	5.46101E-03	1.03540E-04	-3.99187E-04	9.99996E-01
5	.00000E+00	.00000E+00	1.11266E-02	8.17082E-02	5.16743E-03	1.52221E-04	5.80660E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.85596E-02	2.35090E-01	3.21198E-03	3.20125E-04	1.50276E-02	1.00000E+00
7	.00000E+00	.00000E+00	1.23395E-02	2.35228E-01	1.18258E-03	3.44813E-04	1.08123E-02	1.00000E+00
8	.00000E+00	.00000E+00	2.16496E-03	1.58640E-01	7.63879E-03	2.95027E-04	-5.76940E-03	1.00002E+00
9	.00000E+00	.00000E+00	7.67222E-03	1.05288E-01	8.77692E-04	1.11024E-03	5.68445E-03	9.99993E-01

10	.00000E+00	.00000E+00	8.78875E-04	8.57028E-02	8.50321E-04	8.36940E-04	-8.08248E-04	9.99995E-01
11	.00000E+00	.00000E+00	8.50382E-04	7.72166E-02	8.72047E-04	1.33983E-03	-1.36139E-03	9.99997E-01
12	.00000E+00	.00000E+00	8.72053E-04	4.68747E-02	8.72088E-04	4.17339E-05	-4.18350E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.72090E-04	3.94980E-02	8.05731E-04	5.99695E-05	6.38142E-06	1.00000E+00
14	.00000E+00	.00000E+00	8.05732E-04	3.56885E-02	6.72555E-04	9.50579E-05	3.81470E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.16055E-04	2.04992E-02	8.38967E-04	8.23225E-05	-2.04809E-04	9.99956E-01
16	.00000E+00	.00000E+00	9.35383E-04	1.08036E-02	9.35934E-04	5.09090E-05	-5.12246E-05	9.99968E-01
17	.00000E+00	.00000E+00	9.90854E-04	3.91159E-03	9.62848E-04	2.36308E-05	4.47780E-06	9.99989E-01
18	.00000E+00	.00000E+00	1.00839E-03	2.15224E-03	6.94950E-04	1.47384E-05	2.98787E-04	9.99997E-01
19	.00000E+00	.00000E+00	7.46270E-04	6.27890E-03	9.26395E-04	4.06786E-05	-2.20582E-04	9.99985E-01
20	.00000E+00	.00000E+00	1.10380E-03	2.36919E-02	1.00723E-03	1.76151E-04	-7.88793E-05	9.99974E-01
21	.00000E+00	.00000E+00	1.23914E-03	5.43926E-03	1.29924E-03	5.99240E-05	-1.19807E-04	9.99991E-01
22	.00000E+00	.00000E+00	1.63948E-03	1.07085E-02	1.43115E-03	1.24773E-04	8.37594E-05	9.99997E-01
23	.00000E+00	.00000E+00	2.13844E-03	3.85675E-02	2.83150E-03	5.84069E-04	-1.27713E-03	1.00000E+00
24	.00000E+00	.00000E+00	3.50208E-03	2.76051E-02	3.78838E-03	6.43050E-04	-9.29751E-04	1.00000E+00
25	.00000E+00	.00000E+00	3.42011E-03	1.06857E-02	2.75035E-03	3.63448E-04	3.06137E-04	1.00000E+00
26	.00000E+00	.00000E+00	1.43137E-03	7.79184E-03	1.02971E-03	3.40239E-04	6.12065E-05	1.00000E+00
27	.00000E+00	.00000E+00	2.98582E-04	1.46871E-03	7.56732E-07	1.07423E-04	1.90380E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.36576E-02	1.39301E+00	8.36576E-02	7.51517E-03	-7.40968E-03	9.99986E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.73679E-01	8.51234E-03	1.75337E-01	1.13208E-02	1.08504E-04	.00000E+00	.00000E+00	3.77851E-02
2	1.26455E+00	9.75369E-02	1.28222E+00	1.15830E-01	.00000E+00	.00000E+00	.00000E+00	2.75709E-01
3	1.59390E+00	1.32023E-01	1.61703E+00	1.45389E-01	.00000E+00	.00000E+00	.00000E+00	3.47698E-01
4	9.87999E-01	8.72422E-02	1.00262E+00	8.76414E-02	.00000E+00	.00000E+00	.00000E+00	2.15629E-01
5	1.49053E+00	1.38966E-01	1.51357E+00	1.33160E-01	.00000E+00	.00000E+00	.00000E+00	3.25472E-01
6	2.86455E+00	2.65802E-01	2.91015E+00	2.50774E-01	.00000E+00	.00000E+00	.00000E+00	6.25698E-01
7	2.80777E+00	1.53110E-01	2.83401E+00	1.42298E-01	.00000E+00	.00000E+00	.00000E+00	6.11338E-01
8	2.06583E+00	1.50492E-02	2.06903E+00	2.08186E-02	.00000E+00	.00000E+00	.00000E+00	4.47995E-01
9	1.60418E+00	-1.51131E-02	1.60108E+00	-2.07975E-02	.00000E+00	.00000E+00	.00000E+00	3.47398E-01
10	1.46634E+00	-2.61250E-02	1.46208E+00	-2.53168E-02	.00000E+00	.00000E+00	.00000E+00	3.17346E-01
11	1.34732E+00	-5.66532E-02	1.33814E+00	-5.52919E-02	.00000E+00	.00000E+00	.00000E+00	2.91044E-01
12	8.43501E-01	-6.53775E-02	8.32856E-01	-6.53356E-02	.00000E+00	.00000E+00	.00000E+00	1.81716E-01
13	7.10885E-01	-5.66082E-02	7.01323E-01	-5.66145E-02	.00000E+00	.00000E+00	.00000E+00	1.53052E-01
14	6.43118E-01	-8.59004E-02	6.29104E-01	-8.59385E-02	.00000E+00	.00000E+00	.00000E+00	1.37945E-01
15	3.74092E-01	-8.89659E-03	3.72566E-01	-8.69178E-03	.00000E+00	.00000E+00	.00000E+00	8.09083E-02
16	2.06013E-01	-6.44628E-03	2.04960E-01	-6.39505E-03	.00000E+00	.00000E+00	.00000E+00	4.45361E-02
17	8.59562E-02	-8.17719E-03	8.46313E-02	-8.18167E-03	.00000E+00	.00000E+00	.00000E+00	1.84920E-02
18	5.17481E-02	-2.47997E-02	4.76518E-02	-2.50985E-02	.00000E+00	.00000E+00	.00000E+00	1.08013E-02
19	1.27194E-01	-1.37643E-02	1.24979E-01	-1.35437E-02	.00000E+00	.00000E+00	.00000E+00	2.73345E-02
20	4.34379E-01	-2.62331E-02	4.30180E-01	-2.61542E-02	.00000E+00	.00000E+00	.00000E+00	9.37004E-02
21	1.19775E-01	-2.43377E-02	1.15953E-01	-2.42179E-02	.00000E+00	.00000E+00	.00000E+00	2.55637E-02
22	2.17614E-01	-6.94237E-02	2.06694E-01	-6.95074E-02	.00000E+00	.00000E+00	.00000E+00	4.60538E-02
23	7.33468E-01	-1.26235E-01	7.14671E-01	-1.24958E-01	.00000E+00	.00000E+00	.00000E+00	1.57063E-01
24	5.56812E-01	-1.11760E-01	5.40872E-01	-1.10830E-01	.00000E+00	.00000E+00	.00000E+00	1.19084E-01
25	2.38642E-01	-5.52597E-02	2.31021E-01	-5.55659E-02	.00000E+00	.00000E+00	.00000E+00	5.09735E-02
26	1.57392E-01	-5.10579E-02	1.50749E-01	-5.10991E-02	.00000E+00	.00000E+00	.00000E+00	3.34673E-02
27	2.64896E-02	-1.40052E-02	2.47264E-02	-1.41956E-02	.00000E+00	.00000E+00	.00000E+00	5.57467E-03
28	2.31935E+01	5.20885E-02	2.32182E+01	5.94983E-02	1.08504E-04	.00000E+00	.00000E+00	5.02938E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	6.10617E-03	8.08209E-03	4.30736E-04	-8.51234E-03	9.99951E-01
2	.00000E+00	.00000E+00	4.63731E-03	7.69188E-03	1.01095E-01	1.08315E-03	-9.75370E-02	9.99962E-01
3	.00000E+00	.00000E+00	4.79783E-02	6.91827E-02	1.80000E-01	5.43767E-06	-1.32023E-01	9.99977E-01
4	.00000E+00	.00000E+00	7.05502E-02	4.59242E-02	1.57791E-01	3.23592E-06	-8.72422E-02	9.99987E-01
5	.00000E+00	.00000E+00	1.30270E-01	1.48609E-01	2.69235E-01	3.77797E-06	-1.38966E-01	9.99990E-01
6	.00000E+00	.00000E+00	2.75423E-01	4.55374E-01	5.41215E-01	1.14791E-05	-2.65801E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.53092E-01	7.95321E-01	7.06186E-01	2.53562E-05	-1.53111E-01	9.99988E-01
8	.00000E+00	.00000E+00	7.35700E-01	1.00127E+00	7.50768E-01	4.70281E-05	-1.50491E-02	9.99911E-01
9	.00000E+00	.00000E+00	7.41080E-01	9.16651E-01	7.25902E-01	9.59697E-05	1.51130E-02	9.99889E-01
10	.00000E+00	.00000E+00	7.22582E-01	8.66449E-01	6.96320E-01	2.11712E-04	2.61250E-02	9.99896E-01

11	.00000E+00	.00000E+00	7.01225E-01	8.06847E-01	6.44155E-01	4.58187E-04	5.66533E-02	9.99940E-01
12	.00000E+00	.00000E+00	5.60698E-01	4.20470E-01	4.94735E-01	5.98279E-04	6.53774E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.90687E-01	3.37798E-01	4.33197E-01	8.97254E-04	5.66081E-02	9.99969E-01
14	.00000E+00	.00000E+00	4.70437E-01	3.20692E-01	3.83091E-01	1.45136E-03	8.59003E-02	9.99989E-01
15	.00000E+00	.00000E+00	2.50396E-01	1.28231E-01	2.40229E-01	1.27767E-03	8.87064E-03	1.00007E+00
16	.00000E+00	.00000E+00	1.66003E-01	5.38644E-02	1.58689E-01	8.71922E-04	6.42820E-03	1.00008E+00
17	.00000E+00	.00000E+00	8.52379E-02	1.47329E-02	7.66513E-02	4.11508E-04	8.16897E-03	1.00007E+00
18	.00000E+00	.00000E+00	7.52768E-02	9.18684E-03	5.01988E-02	2.81082E-04	2.47930E-02	1.00005E+00
19	.00000E+00	.00000E+00	1.21976E-01	3.23915E-02	1.07505E-01	7.09788E-04	1.37523E-02	1.00008E+00
20	.00000E+00	.00000E+00	2.96567E-01	2.36429E-01	2.67314E-01	3.02475E-03	2.61975E-02	1.00010E+00
21	.00000E+00	.00000E+00	1.37852E-01	4.32250E-02	1.12448E-01	1.07102E-03	2.43225E-02	1.00008E+00
22	.00000E+00	.00000E+00	2.59266E-01	1.20520E-01	1.87956E-01	2.29087E-03	6.94045E-02	1.00006E+00
23	.00000E+00	.00000E+00	6.07051E-01	7.16451E-01	4.70474E-01	1.05289E-02	1.26234E-01	1.00002E+00
24	.00000E+00	.00000E+00	6.15921E-01	6.38135E-01	4.92582E-01	1.15689E-02	1.11756E-01	1.00002E+00
25	.00000E+00	.00000E+00	3.97665E-01	2.61008E-01	3.35781E-01	6.61997E-03	5.52596E-02	1.00001E+00
26	.00000E+00	.00000E+00	3.14313E-01	2.78086E-01	2.56849E-01	6.42634E-03	5.10286E-02	1.00003E+00
27	.00000E+00	.00000E+00	1.04722E-01	5.80976E-02	8.85057E-02	2.21064E-03	1.40051E-02	1.00000E+00
28	.00000E+00	.00000E+00	8.93664E+00	8.85795E+00	8.93655E+00	5.24145E-02	-5.22439E-02	9.99981E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dj**2	total flux
1	1.72873E-01	-5.88278E-09	1.73679E-01	8.51234E-03	4.46959E-10	.00000E+00	.00000E+00	1.97854E-01
2	1.25298E+00	-7.84505E-08	1.26455E+00	9.75369E-02	.00000E+00	.00000E+00	.00000E+00	1.43460E+00
3	1.57625E+00	4.51767E-08	1.59390E+00	1.32023E-01	.00000E+00	.00000E+00	.00000E+00	1.80528E+00
4	9.74847E-01	4.47741E-08	9.87999E-01	8.72422E-02	.00000E+00	.00000E+00	.00000E+00	1.11689E+00
5	1.46813E+00	3.21072E-08	1.49063E+00	1.38966E-01	.00000E+00	.00000E+00	.00000E+00	1.68243E+00
6	2.82061E+00	1.48563E-07	2.86455E+00	2.65802E-01	.00000E+00	.00000E+00	.00000E+00	3.23239E+00
7	2.78247E+00	-1.55781E-07	2.80777E+00	1.53110E-01	.00000E+00	.00000E+00	.00000E+00	3.18656E+00
8	2.05993E+00	2.50965E-08	2.06589E+00	1.50492E-02	.00000E+00	.00000E+00	.00000E+00	2.36381E+00
9	1.60625E+00	-3.31722E-08	1.60418E+00	-1.51131E-02	.00000E+00	.00000E+00	.00000E+00	1.83828E+00
10	1.47101E+00	2.56478E-08	1.46634E+00	-2.61250E-02	.00000E+00	.00000E+00	.00000E+00	1.68324E+00
11	1.35732E+00	3.41550E-08	1.34732E+00	-5.66532E-02	.00000E+00	.00000E+00	.00000E+00	1.55269E+00
12	8.54703E-01	-2.95514E-08	8.43501E-01	-6.53775E-02	.00000E+00	.00000E+00	.00000E+00	9.77399E-01
13	7.19884E-01	-1.49502E-08	7.10685E-01	-5.66082E-02	.00000E+00	.00000E+00	.00000E+00	8.23577E-01
14	6.57556E-01	-1.79083E-08	6.43118E-01	-8.59004E-02	.00000E+00	.00000E+00	.00000E+00	7.51611E-01
15	3.74697E-01	-2.59454E-05	3.74092E-01	-8.89689E-03	.00000E+00	.00000E+00	.00000E+00	4.29087E-01
16	2.06820E-01	-1.80713E-05	2.06013E-01	-6.44628E-03	.00000E+00	.00000E+00	.00000E+00	2.36736E-01
17	8.73505E-02	-8.21982E-06	8.59562E-02	-8.17719E-03	.00000E+00	.00000E+00	.00000E+00	9.98628E-02
18	5.61431E-02	-6.76165E-06	5.17481E-02	-2.47997E-02	.00000E+00	.00000E+00	.00000E+00	6.38786E-02
19	1.29439E-01	-1.19516E-05	1.27194E-01	-1.37643E-02	.00000E+00	.00000E+00	.00000E+00	1.48003E-01
20	4.38295E-01	-3.56484E-05	4.34379E-01	-2.62331E-02	.00000E+00	.00000E+00	.00000E+00	5.01482E-01
21	1.24194E-01	-1.51265E-05	1.19775E-01	-2.43377E-02	.00000E+00	.00000E+00	.00000E+00	1.41742E-01
22	2.30421E-01	-1.91628E-05	2.17614E-01	-6.94237E-02	.00000E+00	.00000E+00	.00000E+00	2.62563E-01
23	7.59424E-01	-1.40479E-06	7.33468E-01	-1.26235E-01	.00000E+00	.00000E+00	.00000E+00	8.66199E-01
24	5.85718E-01	-3.49594E-06	5.56812E-01	-1.11780E-01	.00000E+00	.00000E+00	.00000E+00	6.64155E-01
25	2.53578E-01	-1.09521E-07	2.38642E-01	-5.52597E-02	.00000E+00	.00000E+00	.00000E+00	2.87734E-01
26	1.73964E-01	-9.33473E-06	1.57392E-01	-5.10379E-02	.00000E+00	.00000E+00	.00000E+00	1.95874E-01
27	3.21713E-02	-1.21519E-07	2.64896E-02	-1.40052E-02	.00000E+00	.00000E+00	.00000E+00	3.55586E-02
28	2.32310E+01	-1.55436E-04	2.31985E+01	5.20885E-02	4.46959E-10	.00000E+00	.00000E+00	2.65795E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.29947E-02	.00000E+00	2.28642E-02	2.17173E-02	3.70656E-03	-5.88278E-09	9.98833E-01
2	.00000E+00	1.93992E-01	7.51923E-03	2.70906E-01	1.86727E-01	1.47973E-02	-7.84505E-08	1.00002E+00
3	.00000E+00	2.15874E-01	7.71209E-02	2.80897E-01	2.77527E-01	1.56716E-02	4.51767E-08	9.99986E-01
4	.00000E+00	1.23819E-01	1.14847E-01	1.93654E-01	2.31166E-01	7.49917E-03	4.47741E-08	1.00000E+00
5	.00000E+00	1.64144E-01	2.09563E-01	4.90174E-01	3.69161E-01	4.55042E-03	3.21072E-08	9.99988E-01
6	.00000E+00	1.77110E-01	4.28926E-01	1.34430E+00	5.98800E-01	7.22711E-03	1.48563E-07	1.00001E+00
7	.00000E+00	8.75260E-02	6.63945E-01	1.77516E+00	7.43704E-01	7.77489E-03	-1.55781E-07	9.99990E-01
8	.00000E+00	1.34833E-02	7.80448E-01	1.79054E+00	7.79920E-01	1.40748E-02	2.50965E-08	9.99920E-01
9	.00000E+00	9.78514E-04	7.70438E-01	1.55768E+00	7.47485E-01	2.40136E-02	-3.31722E-08	9.99895E-01
10	.00000E+00	7.26783E-05	7.44188E-01	1.41441E+00	7.07891E-01	3.64441E-02	2.56478E-08	9.99900E-01
11	.00000E+00	5.71782E-06	7.12797E-01	1.30862E+00	6.53192E-01	5.96513E-02	3.41550E-08	9.99942E-01

12	.00000E+00	4.01667E-07	5.69736E-01	7.07675E-01	5.04993E-01	6.47584E-02	-2.95514E-08	9.99974E-01
13	.00000E+00	6.37810E-08	5.00945E-01	5.56765E-01	4.40155E-01	6.08048E-02	-1.49502E-08	9.99970E-01
14	.00000E+00	1.26397E-08	4.77396E-01	5.08430E-01	3.91118E-01	8.62832E-02	-1.79083E-08	9.99989E-01
15	.00000E+00	1.42843E-09	2.58552E-01	2.32875E-01	2.49904E-01	8.58145E-03	-2.59454E-05	1.00036E+00
16	.00000E+00	4.19435E-10	1.75952E-01	1.06918E-01	1.69114E-01	6.76988E-03	-1.80713E-05	1.00038E+00
17	.00000E+00	1.35078E-10	9.38072E-02	3.27984E-02	8.48255E-02	8.96249E-03	-8.21982E-06	1.00029E+00
18	.00000E+00	9.67122E-11	8.32293E-02	1.93613E-02	5.46697E-02	2.85541E-02	-6.76165E-06	1.00015E+00
19	.00000E+00	1.36730E-10	1.28773E-01	6.16230E-02	1.16838E-01	1.19157E-02	-1.19516E-05	1.00024E+00
20	.00000E+00	2.22538E-10	3.07195E-01	3.59517E-01	2.77730E-01	2.93913E-02	-3.56484E-05	1.00036E+00
21	.00000E+00	3.25431E-11	1.47873E-01	6.87718E-02	1.21572E-01	2.62833E-02	-1.51266E-05	1.00022E+00
22	.00000E+00	3.77574E-11	2.72300E-01	1.69692E-01	1.97661E-01	7.46044E-02	-1.91628E-05	1.00020E+00
23	.00000E+00	3.61002E-11	6.22811E-01	9.12559E-01	4.90640E-01	1.32033E-01	-1.40479E-06	1.00022E+00
24	.00000E+00	9.82602E-12	6.40650E-01	7.76039E-01	5.17732E-01	1.22813E-01	-3.49594E-06	1.00017E+00
25	.00000E+00	2.87641E-12	4.19381E-01	3.13568E-01	3.52379E-01	6.69594E-02	-1.09521E-07	1.00010E+00
26	.00000E+00	2.01696E-12	3.24767E-01	3.15090E-01	2.64116E-01	6.06239E-02	-9.33473E-06	1.00011E+00
27	.00000E+00	4.80652E-13	1.06975E-01	6.39472E-02	8.95751E-02	1.73958E-02	-1.21519E-07	1.00004E+00
28	.00000E+00	1.00000E+00	9.64011E+00	1.56548E+01	9.64011E+00	1.00215E+00	-1.55334E-04	1.00004E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*adj**2	total flux
1	1.72873E-01	-5.88278E-09	1.80781E-01	.00000E+00	2.39950E-03	2.66921E-03	.00000E+00	3.64326E-01
2	1.25298E+00	-7.84505E-08	1.33782E+00	.00000E+00	1.69692E-05	1.18841E-02	.00000E+00	2.65803E+00
3	1.57625E+00	4.51767E-08	1.68529E+00	.00000E+00	.00000E+00	1.45034E-02	.00000E+00	3.34709E+00
4	9.74847E-01	4.47741E-08	1.04308E+00	.00000E+00	.00000E+00	6.24659E-03	.00000E+00	2.07195E+00
5	1.46813E+00	3.21072E-08	1.57647E+00	.00000E+00	.00000E+00	1.79278E-03	.00000E+00	3.12458E+00
6	2.82061E+00	1.48563E-07	3.08080E+00	.00000E+00	.00000E+00	1.50139E-03	.00000E+00	6.00408E+00
7	2.78247E+00	-1.55781E-07	2.90520E+00	.00000E+00	.00000E+00	1.42872E-03	.00000E+00	5.86827E+00
8	2.05593E+00	2.50965E-08	2.08166E+00	.00000E+00	.00000E+00	1.42930E-03	.00000E+00	4.30715E+00
9	1.60625E+00	-3.31722E-08	1.58861E+00	.00000E+00	.00000E+00	1.88846E-03	.00000E+00	3.33349E+00
10	1.47101E+00	2.56478E-08	1.44844E+00	.00000E+00	.00000E+00	4.02264E-03	.00000E+00	3.04795E+00
11	1.35752E+00	3.41550E-08	1.30820E+00	.00000E+00	.00000E+00	8.63481E-03	.00000E+00	2.79514E+00
12	8.54703E-01	-2.95514E-08	7.97077E-01	.00000E+00	.00000E+00	1.13917E-02	.00000E+00	1.74416E+00
13	7.19884E-01	-1.49502E-08	6.70649E-01	.00000E+00	.00000E+00	1.29779E-02	.00000E+00	1.46884E+00
14	6.57556E-01	-1.79083E-08	5.82013E-01	.00000E+00	.00000E+00	8.03307E-03	.00000E+00	1.32313E+00
15	3.74697E-01	-2.59454E-05	3.67673E-01	.00000E+00	.00000E+00	1.88096E-03	.00000E+00	7.76300E-01
16	2.06820E-01	-1.80713E-05	2.01597E-01	.00000E+00	.00000E+00	1.32236E-03	.00000E+00	4.27481E-01
17	8.73505E-02	-8.21982E-06	8.02856E-02	.00000E+00	.00000E+00	1.51080E-03	.00000E+00	1.77497E-01
18	5.61431E-02	-6.76165E-06	3.14057E-02	.00000E+00	.00000E+00	1.05237E-03	.00000E+00	1.02050E-01
19	1.29439E-01	-1.19516E-05	1.17572E-01	.00000E+00	.00000E+00	2.39214E-03	.00000E+00	2.62307E-01
20	4.38295E-01	-3.56484E-05	4.16236E-01	.00000E+00	.00000E+00	1.49907E-02	.00000E+00	8.99214E-01
21	1.24194E-01	-1.51265E-05	1.02549E-01	.00000E+00	.00000E+00	1.52027E-02	.00000E+00	2.45227E-01
22	2.30421E-01	-1.91628E-05	1.66122E-01	.00000E+00	.00000E+00	4.34857E-02	.00000E+00	4.40525E-01
23	7.59424E-01	-1.40479E-06	6.47548E-01	.00000E+00	.00000E+00	7.35685E-02	.00000E+00	1.51023E+00
24	5.83718E-01	-3.49594E-06	4.81509E-01	.00000E+00	.00000E+00	6.69890E-02	.00000E+00	1.14822E+00
25	2.53578E-01	-1.09521E-07	2.00695E-01	.00000E+00	.00000E+00	3.80096E-02	.00000E+00	4.92537E-01
26	1.73964E-01	-9.33473E-06	1.22354E-01	.00000E+00	.00000E+00	3.48944E-02	.00000E+00	3.26122E-01
27	3.21713E-02	-1.21519E-07	1.61634E-02	.00000E+00	.00000E+00	9.86634E-03	.00000E+00	5.53279E-02
28	2.32510E+01	-1.55436E-04	2.31873E+01	.00000E+00	2.41647E-03	3.95568E-01	.00000E+00	4.83211E+01

- elapsed time .02 min.
Odirect access unit 9 requires 516 blocks of length 1456 for cross section weighting.
1 transport cross section weighting function

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.42234E-03	2.49847E-02	3.15362E-02	1.90531E-02	2.90892E-02	5.56074E-02	3.16623E-02	4.65054E-03
2	3.80569E-03	3.89376E-02	4.88739E-02	2.94615E-02	4.47630E-02	8.43008E-02	4.78349E-02	6.99836E-03
3	3.09226E-03	3.32185E-02	4.31495E-02	2.71715E-02	4.22554E-02	8.01985E-02	4.58541E-02	5.59651E-03
4	1.06741E-03	1.22231E-02	1.65398E-02	1.09248E-02	1.73966E-02	3.32783E-02	1.92438E-02	2.01088E-03
5	1.76814E-03	1.90574E-02	2.47636E-02	1.55875E-02	2.42895E-02	4.63270E-02	2.65579E-02	3.33334E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.65498E-03	5.67528E-03	1.23576E-02	1.45458E-02	1.26081E-02	1.90154E-02	1.96588E-03	1.43062E-03
2	6.99132E-03	8.51047E-03	1.85869E-02	2.19632E-02	1.90316E-02	2.88891E-02	2.92157E-03	2.14957E-03
3	5.60218E-03	7.98864E-03	1.73860E-02	2.03074E-02	1.75904E-02	2.66971E-02	2.73171E-03	1.99466E-03
4	1.85839E-03	3.25174E-03	7.06161E-03	8.15520E-03	7.09909E-03	1.07534E-02	1.19044E-03	8.30491E-04

5	3.25144E-03	4.62607E-03	1.00640E-02	1.17448E-02	1.01955E-02	1.54116E-02	1.63379E-03	1.17031E-03

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.81256E-03	5.11151E-03	3.04944E-03	5.86532E-03	5.29495E-03	1.49573E-02	2.75943E-02	2.43594E-02
2	2.75015E-03	8.43657E-03	4.55244E-03	8.79097E-03	8.14025E-03	2.33643E-02	4.20072E-02	3.72584E-02
3	2.54130E-03	7.75198E-03	4.24208E-03	8.13795E-03	7.54199E-03	2.15829E-02	3.90215E-02	3.45789E-02
4	1.02016E-03	3.05944E-03	1.73356E-03	3.34197E-03	3.02967E-03	8.64090E-03	1.60191E-02	1.41650E-02
5	1.46701E-03	4.30875E-03	2.47297E-03	4.75571E-03	4.32667E-03	1.22955E-02	2.26389E-02	2.00145E-02

Ozone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.21560E-02	1.10255E-02	2.92636E-03	3.85380E-01
2	1.86799E-02	1.71781E-02	4.77216E-03	5.89949E-01
3	1.72202E-02	1.58686E-02	4.38236E-03	5.43704E-01
4	6.98616E-03	6.33737E-03	1.60628E-03	2.18805E-01
5	9.94000E-03	9.04568E-03	2.38022E-03	3.13388E-01

1 880 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0cell averaged fluxes

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.78831E-01	1.31743E+00	1.65986E+00	1.02776E+00	1.55217E+00	2.98279E+00	2.87659E+00	2.07668E+00
2	1.75550E-01	1.28423E+00	1.61999E+00	1.00392E+00	1.51543E+00	2.91346E+00	2.83583E+00	2.06940E+00
3	1.74344E-01	1.27217E+00	1.60434E+00	9.94946E-01	1.50178E+00	2.88707E+00	2.82082E+00	2.06711E+00
4	1.72868E-01	1.25343E+00	1.57730E+00	9.75843E-01	1.46996E+00	2.82418E+00	2.78415E+00	2.06529E+00
5	1.75035E-01	1.27702E+00	1.60806E+00	9.95431E-01	1.50116E+00	2.88455E+00	2.81953E+00	2.06931E+00

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.59348E+00	1.45397E+00	1.32081E+00	8.11451E-01	6.82961E-01	6.00842E-01	3.69655E-01	2.02934E-01
2	1.60071E+00	1.46175E+00	1.33742E+00	8.31961E-01	7.00545E-01	6.27927E-01	3.72410E-01	2.04854E-01
3	1.60295E+00	1.46428E+00	1.34295E+00	8.38467E-01	7.06206E-01	6.36499E-01	3.73524E-01	2.05497E-01
4	1.60613E+00	1.47067E+00	1.35661E+00	8.53967E-01	7.19396E-01	6.56695E-01	3.74899E-01	2.06839E-01
5	1.60153E+00	1.46436E+00	1.34289E+00	8.37955E-01	7.05684E-01	6.35679E-01	3.72963E-01	2.05377E-01

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.20107E-02	3.75765E-02	1.20576E-01	4.21811E-01	1.07856E-01	1.82119E-01	6.74483E-01	5.05287E-01
2	8.45134E-02	4.72892E-02	1.24789E-01	4.29775E-01	1.15596E-01	2.05739E-01	7.13080E-01	5.35493E-01
3	8.53252E-02	4.98389E-02	1.26126E-01	4.32349E-01	1.17955E-01	2.12500E-01	7.24712E-01	5.49475E-01
4	8.72515E-02	5.58117E-02	1.29312E-01	4.38152E-01	1.23842E-01	2.29405E-01	7.56810E-01	5.80281E-01
5	8.52758E-02	4.90285E-02	1.26022E-01	4.32015E-01	1.17816E-01	2.11644E-01	7.25572E-01	5.51647E-01

Ozone	grp. 25	grp. 26	grp. 27
1	2.12828E-01	1.33660E-01	1.94868E-02
2	2.30327E-01	1.50125E-01	2.45508E-02
3	2.35200E-01	1.54424E-01	2.57225E-02
4	2.51397E-01	1.71137E-01	3.10680E-02
5	2.36633E-01	1.56681E-01	2.65815E-02

0flux disadvantage factors (zone average/cell average-flux)

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02169E+00	1.03164E+00	1.03221E+00	1.03248E+00	1.03398E+00	1.03405E+00	1.02031E+00	1.00356E+00
2	1.00294E+00	1.00566E+00	1.00705E+00	1.00852E+00	1.00951E+00	1.01002E+00	1.00585E+00	1.00004E+00
3	9.96065E-01	9.96202E-01	9.97683E-01	9.99513E-01	1.00041E+00	1.00087E+00	1.00053E+00	9.98957E-01
4	9.87619E-01	9.81529E-01	9.80869E-01	9.80522E-01	9.79218E-01	9.79072E-01	9.87521E-01	9.98057E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.94970E-01	9.92912E-01	9.88190E-01	9.68570E-01	9.67799E-01	9.45198E-01	9.91131E-01	9.88101E-01
2	9.99486E-01	9.98224E-01	9.95952E-01	9.92847E-01	9.92718E-01	9.87805E-01	9.98520E-01	9.97452E-01
3	1.00089E+00	9.99958E-01	1.00003E+00	1.00061E+00	1.00074E+00	1.00129E+00	1.00097E+00	1.00068E+00
4	1.00287E+00	1.00432E+00	1.01022E+00	1.01911E+00	1.01943E+00	1.03305E+00	1.00519E+00	1.00712E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.61711E-01	7.66422E-01	9.56787E-01	9.76381E-01	9.15461E-01	8.60498E-01	9.29589E-01	9.15960E-01
2	9.91060E-01	9.64525E-01	9.90215E-01	9.94816E-01	9.81155E-01	9.72101E-01	9.82783E-01	9.77988E-01
3	1.00058E+00	1.01653E+00	1.00083E+00	1.00077E+00	1.00118E+00	1.00404E+00	9.98816E-01	9.96062E-01
4	1.02317E+00	1.13835E+00	1.02611E+00	1.01420E+00	1.05115E+00	1.08392E+00	1.04305E+00	1.05191E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 25	grp. 26	grp. 27
1	8.99401E-01	8.53071E-01	7.33094E-01
2	9.73365E-01	9.58156E-01	9.23606E-01
3	9.93947E-01	9.85592E-01	9.67682E-01
4	1.06240E+00	1.09227E+00	1.16878E+00
5	1.00000E+00	1.00000E+00	1.00000E+00

Ocell averaged currents

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.42234E-03	2.49847E-02	3.15362E-02	1.90531E-02	2.90892E-02	5.56074E-02	3.16623E-02	4.65054E-03
2	3.80559E-03	3.89576E-02	4.88739E-02	2.94615E-02	4.47630E-02	8.43008E-02	4.78349E-02	6.99836E-03
3	3.09226E-03	3.32185E-02	4.31495E-02	2.71715E-02	4.22554E-02	8.01985E-02	4.58541E-02	5.59651E-03
4	1.06741E-03	1.22231E-02	1.65398E-02	1.09248E-02	1.79366E-02	3.32783E-02	1.92438E-02	2.01088E-03
5	1.76814E-03	1.90374E-02	2.47636E-02	1.55875E-02	2.42695E-02	4.63270E-02	2.65579E-02	3.33334E-03


Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.65498E-03	5.67328E-03	1.23576E-02	1.45458E-02	1.26081E-02	1.90154E-02	1.96588E-03	1.43062E-03
2	6.99132E-03	8.51047E-03	1.85869E-02	2.19632E-02	1.90316E-02	2.88891E-02	2.92157E-03	2.14957E-03
3	5.60218E-03	7.98864E-03	1.73860E-02	2.08074E-02	1.75904E-02	2.66971E-02	2.73171E-03	1.99465E-03
4	1.85839E-03	3.25174E-03	7.06161E-03	8.15520E-03	7.09509E-03	1.07334E-02	1.19044E-03	8.30491E-04
5	3.25144E-03	4.62607E-03	1.00640E-02	1.17448E-02	1.01955E-02	1.54116E-02	1.63579E-03	1.17031E-03

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.81256E-03	5.11151E-03	3.04944E-03	5.85532E-03	5.29495E-03	1.49573E-02	2.75943E-02	2.43594E-02
2	2.75015E-03	8.43657E-03	4.55246E-03	8.79097E-03	8.14025E-03	2.33643E-02	4.20072E-02	3.72584E-02
3	2.54130E-03	7.75198E-03	4.26208E-03	8.13795E-03	7.54199E-03	2.15829E-02	3.90215E-02	3.45789E-02
4	1.02016E-03	3.05944E-03	1.73356E-03	3.34197E-03	3.02967E-03	8.64090E-03	1.60191E-02	1.41650E-02
5	1.46701E-03	4.30875E-03	2.47297E-03	4.75571E-03	4.32667E-03	1.22955E-02	2.26389E-02	2.00145E-02


Ozone	grp. 25	grp. 26	grp. 27
1	1.21560E-02	1.10255E-02	2.92636E-03
2	1.86799E-02	1.71781E-02	4.77216E-03
3	1.72202E-02	1.58686E-02	4.38236E-03
4	6.98616E-03	6.33737E-03	1.60628E-03
5	9.94000E-03	9.04568E-03	2.38022E-03

Ozone	volume	vol. fraction
1	6.88443E-01	3.30753E-01
2	3.17352E-02	1.52468E-02
3	2.16724E-01	1.04122E-01
4	1.14454E+00	5.49878E-01
5	2.08144E+00	1.00000E+00

- elapsed time .02 min.
Orequested parm=halt8,skipcellwt,skipshipdata
pass= 6, exec halts after pass 8



0



program verification information

```
                  *****                code system:    scale  version:    4.2             *****
                  *****                                                                   *****
                  ************************************************************************
                  ************************************************************************
                  *****                                                                   *****
                  *****                                                                   *****
                  *****             program:  c0c008                                      *****
                  *****                                                                   *****
                  *****          creation date:  04/27/95                                 *****
                  *****                                                                   *****
                  *****             library:  /neutronics/scale/exe                       *****
                  *****                                                                   *****
                  *****                                                                   *****
                  *****    this is not a   scale  configuration controlled code          *****
                  *****                                                                   *****
                  *****             jobname:  davis                                       *****
                  *****                                                                   *****
                  *****    date of execution:  02/16/96                                   *****
                  *****                                                                   *****
                  *****    time of execution:  10:03:27                                   *****
                  *****                                                                   *****
                  *****                                                                   *****
                  ************************************************************************
                  ************************************************************************
                  ************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       70
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issqpt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     70 entries.
0       4q array has     70 entries.
0       5q array has     70 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     70 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        3     8016    2.09710E-02             201
    2        3     1001    4.19420E-02             202
    3        3     5010    3.81515E-06             203
    4        3     5011    1.54884E-05             204
    5        2    40902    4.25156E-02             205
```

6	1	92235	1.33192E-04	200006
7	1	92234	1.47781E-06	200007
8	1	92236	1.82292E-05	200008
9	1	92238	7.21946E-03	200009
10	1	8016	1.50611E-02	200010
11	1	8016	1.15315E-02	200011
12	1	36083	4.72043E-07	200012
13	1	36085	2.27030E-07	200013
14	1	38090	5.16852E-06	200014
15	1	39089	4.09755E-06	200015
16	1	42095	5.47657E-06	200016
17	1	40093	4.12203E-06	200017
18	1	40094	6.47876E-06	200018
19	1	40095	6.60385E-07	200019
20	1	41094	3.21149E-12	200020
21	1	43099	6.33732E-06	200021
22	1	45103	3.47568E-06	200022
23	1	45105	7.39443E-09	200023
24	1	44101	5.75136E-06	200024
25	1	44106	8.69130E-07	200025
26	1	46105	2.26913E-06	200026
27	1	46108	6.36851E-07	200027
28	1	47109	4.45102E-07	200028
29	1	51124	1.00830E-10	200029
30	1	54131	2.90271E-06	200030
31	1	54132	5.45567E-06	200031
32	1	54135	2.20848E-09	200032
33	1	54136	1.09418E-05	200033
34	1	55134	3.16663E-07	200034
35	1	55135	3.47362E-06	200035
36	1	55137	6.78821E-06	200036
37	1	56136	6.38766E-08	200037
38	1	57139	6.72223E-06	200038
39	1	59141	5.82082E-06	200039
40	1	59143	1.22771E-07	200040
41	1	58144	2.21790E-06	200041
42	1	60143	5.26395E-06	200042
43	1	60145	3.88111E-06	200043
44	1	61147	1.33040E-06	200044
45	1	61148	3.89552E-09	200045
46	1	60147	4.29701E-08	200046
47	1	62147	4.63566E-07	200047
48	1	62149	2.87617E-08	200048
49	1	62150	1.38277E-06	200049
50	1	62151	1.32930E-07	200050
51	1	62152	6.63045E-07	200051
52	1	64155	7.21936E-10	200052
53	1	63153	3.98698E-07	200053
54	1	63154	8.34053E-08	200054
55	1	63155	4.31432E-08	200055
56	1	40302	4.42681E-03	200056
57	1	1001	2.30630E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	6.95263E-06	200060
61	1	95237	1.23390E-06	200061
62	1	94238	1.76797E-07	200062
63	1	94239	3.56356E-05	200063
64	1	94240	6.95689E-06	200064
65	1	94241	3.76423E-06	200065

66	1	94242	4.23205E-07	200066
67	1	95241	1.12643E-07	200067
68	1	95243	3.90711E-08	200068
69	1	96244	3.73748E-09	200069
70	1	999	3.30753E-21	200070

0geometry and material description

0zone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.23052E+01	0
3	3	8.14000E-01	6.07600E+02	3.54852E+00	0
4	1	2.96100E+00	9.75000E+02	2.32883E-01	0


8067 locations of 200000 available are required to make a new master containing the self-shielded values

0no nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

0copy	999	1/v cross sectio	from log 12	to log 1	bondarenko	trigger 0
0copy	1001	hydrogen	from log 12	to log 18	bondarenko	trigger 0
0copy	1001	hydrogen	from log 18	to log 1	bondarenko	trigger 0
0copy	1001	hydrogen	from log 18	to log 1	bondarenko	trigger 0
0copy	5010	b-10 1273 218ngp	from log 12	to log 18	bondarenko	trigger 0
0copy	5010	b-10 1273 218ngp	from log 18	to log 1	bondarenko	trigger 0
0copy	5010	b-10 1273 218ngp	from log 18	to log 1	bondarenko	trigger 0
0copy	5011	boron-11	from log 12	to log 18	bondarenko	trigger 0
0copy	5011	boron-11	from log 18	to log 1	bondarenko	trigger 0
0copy	5011	boron-11	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 12	to log 18	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	8016	oxygen-16	from log 18	to log 1	bondarenko	trigger 0
0copy	36083	kr-83	from log 12	to log 1	bondarenko	trigger 0
0copy	36085	kr-85	from log 12	to log 1	bondarenko	trigger 0
0copy	38090	sr-90	from log 12	to log 1	bondarenko	trigger 0
0copy	39089	y-89	from log 12	to log 1	bondarenko	trigger 0
0copy	40093	zr-93	from log 12	to log 1	bondarenko	trigger 0
0copy	40094	zr-94	from log 12	to log 1	bondarenko	trigger 0
0copy	40095	zr-95	from log 12	to log 1	bondarenko	trigger 0
0copy	40302	zircalloy	from log 12	to log 18	bondarenko	trigger 0
0copy	40302	zircalloy	from log 18	to log 1	bondarenko	trigger 0
0copy	40302	zircalloy	from log 18	to log 1	bondarenko	trigger 0
0copy	41094	nb-94	from log 12	to log 1	bondarenko	trigger 0
0copy	42095	mo-95	from log 12	to log 1	bondarenko	trigger 0
0copy	43099	tc-99	from log 12	to log 1	bondarenko	trigger 0
0copy	44101	ru-101	from log 12	to log 1	bondarenko	trigger 0
0copy	44106	ru-106	from log 12	to log 1	bondarenko	trigger 0
0copy	45103	rh-103	from log 12	to log 1	bondarenko	trigger 0
0copy	45105	rh-105	from log 12	to log 1	bondarenko	trigger 0
0copy	46105	pd-105	from log 12	to log 1	bondarenko	trigger 0
0copy	46108	pd-108	from log 12	to log 1	bondarenko	trigger 0
0copy	47109	silver-109	from log 12	to log 1	bondarenko	trigger 0
0copy	51124	sb-124	from log 12	to log 1	bondarenko	trigger 0
0copy	54131	xe-131	from log 12	to log 1	bondarenko	trigger 0
0copy	54132	xe-132	from log 12	to log 1	bondarenko	trigger 0
0copy	54135	xenon-135	from log 12	to log 1	bondarenko	trigger 0
0copy	54136	xe-136	from log 12	to log 1	bondarenko	trigger 0
0copy	55133	cesium-133	from log 12	to log 1	bondarenko	trigger 0
0copy	55134	cs-134	from log 12	to log 1	bondarenko	trigger 0
0copy	55135	cs-135	from log 12	to log 1	bondarenko	trigger 0
0copy	55137	cs-137	from log 12	to log 1	bondarenko	trigger 0
0copy	56136	ba-136	from log 12	to log 1	bondarenko	trigger 0
0copy	57139	la-139	from log 12	to log 1	bondarenko	trigger 0
0copy	58144	ce-144	from log 12	to log 1	bondarenko	trigger 0
0copy	59141	pr-141	from log 12	to log 1	bondarenko	trigger 0

```
0copy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
          compiled for nrc     1/27/89
            last updated       9/16/93
                l.m.petrie  -  ornl
        tape id                          4321        number of nuclides          70
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                  table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                        id   200070
       hydrogen       endf/b-iv mat 1269/thrmfl002  updated 10/13/89          id      202
       hydrogen       endf/b-iv mat 1269/thrmfl002  updated 10/13/89          id   200057
      b-10 1273 218ngp 042375 p-3 293k                                         id      203
      b-10 1273 218ngp 042375 p-3 293k                                         id   200058
       boron-11       endf/b-iv mat 1160            updated 10/13/89          id      204
       boron-11       endf/b-iv mat 1160            updated 10/13/89          id   200059
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id      201
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id   200010
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id   200011
       kr-83          mt=102,103,103,105,106,107    updated 10/13/89          id   200012
       kr-85            mt=  102                                               id   200013
       sr-90          mt=102                        updated 10/13/89          id   200014
        y-89          mt=102                        updated 10/13/89          id   200015
       zr-93            mt=  102                                               id   200017
       zr-94          mt=102                        updated 10/13/89          id   200018
       zr-95          mt=102                        updated 10/13/89          id   200019
       zircalloy      endf/b-iv mat 1284            updated 10/13/89          id      205
       zircalloy      endf/b-iv mat 1284            updated 10/13/89          id   200056
       rb-94          mt=102                        updated 10/13/89          id   200020
       mo-95          mt=102                        updated 10/13/89          id   200016
       tc-99          mt=102                        updated 10/13/89          id   200021
       ru-101         mt=102                        updated 10/13/89          id   200024
```

```
        ru-106        mt=102                          updated 10/13/89              id   200025
        rh-103        mt=102                          updated 10/13/89              id   200022
        rh-105          mt=  102                                                    id   200023
        pd-105        mt=102                          updated 10/13/89              id   200026
        pd-108        mt=102                          updated 10/13/89              id   200027
        silver-109    endf/b-iv mat 1139              updated 10/13/89              id   200028
        sb-124        mt=102                          updated 10/13/89              id   200029
        xe-131        mt=102,103,104,105,106          updated 10/13/89              id   200030
        xe-132        mt=102,103,104,105,106          updated 10/13/89              id   200031
        xenon-135     endf/b-iv mat 1294              updated 10/13/89              id   200032
        xe-136          mt=  102, 103, 104, 105, 107                                id   200033
        cesium-133    endf/b-iv mat 1141              updated 10/13/89              id   200060
        cs-134        mt=102                          updated 10/13/89              id   200034
        cs-135          mt=  102                                                    id   200035
        cs-137        mt=102                          updated 10/13/89              id   200036
        ba-136        mt=102                          updated 10/13/89              id   200037
        la-139        mt=102                          updated 10/13/89              id   200038
        ce-144          mt=  102                                                    id   200041
        pr-141        mt=102,103,104,105,106,107      updated 10/13/89              id   200039
        pr-143        mt=102                          updated 10/13/89              id   200040
        nd-143        mt=102                          updated 10/13/89              id   200042
        nd-145        mt=102                          updated 10/13/89              id   200043
        nd-147        mt=102                          updated 10/13/89              id   200046
        pm-147        mt=102                          updated 10/13/89              id   200044
        pm-148          mt=  102                                                    id   200045
        sm-147        endf/b-v fission product        updated 10/13/89              id   200047
        sm-149        mt=102,103,107                  updated 10/13/89              id   200048
        sm-150        mt=102                          updated 10/13/89              id   200049
        sm-151        mt=102,103,104,105,106,107      updated 10/13/89              id   200050
        sm-152        mt=102,103,104,105,106,107      updated 10/13/89              id   200051
        eu-153        mt=102,103,104,105,106,107      updated 10/13/89              id   200053
        eu-154        mt=102,103,104,105,106,107      updated 10/13/89              id   200054
        eu-155        mt=102,103,104,105,106,107      updated 10/13/89              id   200055
        gd-155        mt=102                          updated 10/13/89              id   200052
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id   200007
        uranium-235   endf/b-iv mat 1261              updated 10/13/89              id   200006
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id   200008
        uranium-238   endf/b-iv mat 1262              updated 10/13/89              id   200009
        neptunium-237 endf/b-iv mat 1263              updated 10/13/89              id   200061
       pu-238 1060 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         id   200062
        plutonium-239 endf/b-iv mat 1264              updated 10/13/89              id   200063
        plutonium-240 endf/b-iv mat 1265              updated 10/13/89              id   200064
        plutonium-241 endf/b-iv mat 1266              updated 10/13/89              id   200065
        plutonium-242 endf/b-iv mat 1161              updated 10/13/89              id   200066
       am-241 1056 sigo=5+4 newklacs 218grp p-3 293k                                id   200067
       am-243 1057 218 gp wt f-1/e-m 090876 p3 293k                                 id   200068
        curium-244    endf/b-iv mat 1162              updated 10/13/89              id   200069
0        tape copy used      0 i/o's, and took     .00 seconds
1                m          m  iiiiiiiiiiii   ttttttttttt     aaaaaaaa     ww         ww  ll
                 mm         m  iiiiiiiiiiii   ttttttttttt     aaaaaaaaaa   ww         ww  ll
                 mmm        m      ii           tt         aa         aa   ww         ww  ll
                 m m        m      ii           tt         aa         aa   ww         ww  ll
                 m  m       m      ii           tt         aa         aa   ww         ww  ll
                 m   m      m      ii           tt         aaaaaaaaaaaa   ww    w    ww  ll
                 m    m     m      ii           tt         aaaaaaaaaaaa   ww   www   ww  ll
                 m     m    m      ii           tt         aa         aa   ww  ww ww  ww  ll
                 m      m   m      ii           tt         aa         aa   ww ww   ww ww  ll
                 m       mmm       ii           tt         aa         aa   wwww     wwww  ll
                 m        m  iiiiiiiiiiii      tt         aa         aa   www       www  lllllllllllll
                 m        m  iiiiiiiiiiii      tt         aa         aa   ww         ww  lllllllllllll
```



```
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                  program verification information                   *****
                    *****                                                                      *****
                    *****                 code system:    scale  version:    4.2               *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  c0c002                                        *****
                    *****                                                                      *****
                    *****         creation date:  04/27/95                                     *****
                    *****                                                                      *****
                    *****              library:  /neutronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****     this is not a   scale  configuration controlled code             *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****     date of execution:  02/16/96                                     *****
                    *****                                                                      *****
                    *****     time of execution:  10:03:28                                     *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0       -1q array has       1 entries.
0        0q array has       4 entries.
0        1q array has      12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      70 entries.
0        3q array has      15 entries.
0        4q array has       5 entries.
0 general information concerning cross section library
    tape identification number                  4349
    number of nuclides on tape                    65
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0   direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                             compiled for nrc      1/27/89
                                last updated       9/16/93
                                   l.m.petrie   -    ornl
-  work tape   4349
```

xsdrn weighted tape--parent case entitled-- 880 d, sas2h: babcock wilcox 15x15,
3.00wt%, 20gwd/mtu burn high temp

0 nuclides from xsdrn tape

1	hydrogen	endf/b-iv mat 1269/thrmf1002	updated 10/13/89	202
2	b-10 1273 218ngp 042375 p-3 293k			203
3	boron-11	endf/b-iv mat 1160	updated 10/13/89	204
4	oxygen-16	endf/b-iv mat 1276	updated 10/13/89	201
5	zircalloy	endf/b-iv mat 1284	updated 10/13/89	205

0 nuclides from work tape

6	1/v cross sections normalized to 1.0 at 0.0253 ev			999
7	hydrogen	endf/b-iv mat 1269/thrmf1002	updated 10/13/89	1001
8	b-10 1273 218ngp 042375 p-3 293k			5010
9	boron-11	endf/b-iv mat 1160	updated 10/13/89	5011
10	oxygen-16	endf/b-iv mat 1276	updated 10/13/89	8016
11	oxygen-16	endf/b-iv mat 1276	updated 10/13/89	6
12	kr-83	mt=102,103,103,105,106,107	updated 10/13/89	36083
13	kr-85	mt= 102		36085
14	sr-90	mt=102	updated 10/13/89	38090
15	y-89	mt=102	updated 10/13/89	39089
16	zr-93	mt= 102		40093
17	zr-94	mt=102	updated 10/13/89	40094
18	zr-95	mt=102	updated 10/13/89	40095
19	zircalloy	endf/b-iv mat 1284	updated 10/13/89	40302
20	nb-94	mt=102	updated 10/13/89	41094
21	mo-95	mt=102	updated 10/13/89	42095
22	tc-99	mt=102	updated 10/13/89	43099
23	ru-101	mt=102	updated 10/13/89	44101
24	ru-106	mt=102	updated 10/13/89	44106
25	rh-103	mt=102	updated 10/13/89	45103
26	rh-105	mt= 102		45105
27	pd-105	mt=102	updated 10/13/89	46105
28	pd-108	mt=102	updated 10/13/89	46108
29	silver-109	endf/b-iv mat 1139	updated 10/13/89	47109
30	sb-124	mt=102	updated 10/13/89	51124
31	xe-131	mt=102,103,104,105,106	updated 10/13/89	54131
32	xe-132	mt=102,103,104,105,106	updated 10/13/89	54132
33	xenon-135	endf/b-iv mat 1294	updated 10/13/89	54135
34	xe-136	mt= 102, 103, 104, 105, 107		54136
35	cesium-133	endf/b-iv mat 1141	updated 10/13/89	55133
36	cs-134	mt=102	updated 10/13/89	55134
37	cs-135	mt= 102		55135
38	cs-137	mt=102	updated 10/13/89	55137
39	ba-136	mt=102	updated 10/13/89	56136
40	la-139	mt=102	updated 10/13/89	57139
41	ce-144	mt= 102		58144
42	pr-141	mt=102,103,104,105,106,107	updated 10/13/89	59141
43	pr-143	mt=102	updated 10/13/89	59143
44	nd-143	mt=102	updated 10/13/89	60143
45	nd-145	mt=102	updated 10/13/89	60145
46	nd-147	mt=102	updated 10/13/89	60147
47	pm-147	mt=102	updated 10/13/89	61147
48	pm-148	mt= 102		61148
49	sm-147	endf/b-v fission product	updated 10/13/89	62147
50	sm-149	mt=102,103,107	updated 10/13/89	62149
51	sm-150	mt=102	updated 10/13/89	62150
52	sm-151	mt=102,103,104,105,106,107	updated 10/13/89	62151

```
    53    sm-152          mt=102,103,104,105,106,107     updated 10/13/89              62152
    54    eu-153          mt=102,103,104,105,106,107     updated 10/13/89              63153
    55    eu-154          mt=102,103,104,105,106,107     updated 10/13/89              63154
    56    eu-155          mt=102,103,104,105,106,107     updated 10/13/89              63155
    57    gd-155          mt=102                         updated 10/13/89              64155
    58    u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92234
    59     uranium-235    endf/b-iv mat 1261             updated 10/13/89              92235
    60    u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92236
    61     uranium-238    endf/b-iv mat 1262             updated 10/13/89              92238
    62     neptunium-237  endf/b-iv mat 1263             updated 10/13/89              93237
    63    pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         94238
    64     plutonium-239  endf/b-iv mat 1264             updated 10/13/89              94239
    65     plutonium-240  endf/b-iv mat 1265             updated 10/13/89              94240
    66     plutonium-241  endf/b-iv mat 1266             updated 10/13/89              94241
    67     plutonium-242  endf/b-iv mat 1161             updated 10/13/89              94242
    68    am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                95241
    69    am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 95243
    70     curium-244     endf/b-iv mat 1162             updated 10/13/89              96244
0 hydrogen       endf/b-iv mat 1269/thrmf1002   updated 10/13/89          202    temperature=  607.60
                          thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                          203    temperature=  607.60
                          thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 boron-11       endf/b-iv mat 1160             updated 10/13/89          204    temperature=  607.60
                          thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 oxygen-16      endf/b-iv mat 1276             updated 10/13/89          201    temperature=  607.60
0 zircalloy      endf/b-iv mat 1284             updated 10/13/89          205    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =    90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =     6.385          lumped nuclear density   = 4.2515602E-02
0spin factor (g)          =     1.079          lump dimension (a-bar)   = 6.7309999E-01
0inner radius             = 6.3246000E-01      dancoff correction (c)   = 1.6805907E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   8     -1.156752E-03    .000000E+00   -7.806033E-01
   9     -4.625978E-02    .000000E+00   -2.073270E+00
  10     -5.962230E-02    .000000E+00   -1.351984E+00
  11     -1.761672E-01    .000000E+00   -7.350731E-01
0excess resonance integrals
0                resolved
0absorption     2.92402E-01
 fission         .00000E+00
-  elapsed time     .00 min.
-  elapsed time     .02 min.
1     this xsdrn working tape was created 02/16/96 at 10:03:28
      the title of the parent case is as follows
      xsdrn weighted tape--parent case entitled--  880 d, sas2h: babcock wilcox 15x15,
       3.00wt%, 20gwd/mtu burn high temp

        tape id                        8670        number of nuclides              70
        number of neutron groups         27        number of gamma groups           0
        first thermal group              15        logical unit                     4
                                table of contents
       hydrogen       endf/b-iv mat 1269/thrmf1002   updated 10/13/89          id    202
      b-10 1273 218ngp 042375 p-3 293k                                          id    203
       boron-11       endf/b-iv mat 1160             updated 10/13/89          id    204
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id    201
       zircalloy      endf/b-iv mat 1284             updated 10/13/89          id    205
      1/v cross sections normalized to 1.0 at 0.0253 ev                         id    999
```

```
 hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89          id    1001
b-10 1273 218rgp 042375 p-3 293k                                        id    5010
 boron-11       endf/b-iv mat 1160             updated 10/13/89          id    5011
 oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id    8016
 oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id       6
 kr-83          mt=102,103,103,105,106,107     updated 10/13/89          id   36083
 kr-85            mt=  102                                               id   36085
 sr-90          mt=102                         updated 10/13/89          id   38090
  y-89          mt=102                         updated 10/13/89          id   39089
 zr-93            mt=  102                                               id   40093
 zr-94          mt=102                         updated 10/13/89          id   40094
 zr-95          mt=102                         updated 10/13/89          id   40095
 zircalloy      endf/b-iv mat 1284             updated 10/13/89          id   40802
 nb-94          mt=102                         updated 10/13/89          id   41094
 mo-95          mt=102                         updated 10/13/89          id   42095
 tc-99          mt=102                         updated 10/13/89          id   43099
 ru-101         mt=102                         updated 10/13/89          id   44101
 ru-106         mt=102                         updated 10/13/89          id   44106
 rh-103         mt=102                         updated 10/13/89          id   45103
 rh-105           mt=  102                                               id   45105
 pd-105         mt=102                         updated 10/13/89          id   46105
 pd-108         mt=102                         updated 10/13/89          id   46108
 silver-109     endf/b-iv mat 1139             updated 10/13/89          id   47109
 sb-124         mt=102                         updated 10/13/89          id   51124
 xe-131         mt=102,103,104,105,106         updated 10/13/89          id   54131
 xe-132         mt=102,103,104,105,106         updated 10/13/89          id   54132
 xenon-135      endf/b-iv mat 1294             updated 10/13/89          id   54135
 xe-136           mt=  102, 103, 104, 105, 107                           id   54136
 cesium-133     endf/b-iv mat 1141             updated 10/13/89          id   55133
 cs-134         mt=102                         updated 10/13/89          id   55134
 cs-135           mt=  102                                               id   55135
 cs-137         mt=102                         updated 10/13/89          id   55137
 ba-136         mt=102                         updated 10/13/89          id   56136
 la-139         mt=102                         updated 10/13/89          id   57139
 ce-144           mt=  102                                               id   58144
 pr-141         mt=102,103,104,105,106,107     updated 10/13/89          id   59141
 pr-143         mt=102                         updated 10/13/89          id   59143
 nd-143         mt=102                         updated 10/13/89          id   60143
 nd-145         mt=102                         updated 10/13/89          id   60145
 nd-147         mt=102                         updated 10/13/89          id   60147
 pm-147         mt=102                         updated 10/13/89          id   61147
 pm-148           mt=  102                                               id   61148
 sm-147         endf/b-v fission product       updated 10/13/89          id   62147
 sm-149         mt=102,103,107                 updated 10/13/89          id   62149
 sm-150         mt=102                         updated 10/13/89          id   62150
 sm-151         mt=102,103,104,105,106,107     updated 10/13/89          id   62151
 sm-152         mt=102,103,104,105,106,107     updated 10/13/89          id   62152
 eu-153         mt=102,103,104,105,106,107     updated 10/13/89          id   63153
 eu-154         mt=102,103,104,105,106,107     updated 10/13/89          id   63154
 eu-155         mt=102,103,104,105,106,107     updated 10/13/89          id   63155
 gd-155         mt=102                         updated 10/13/89          id   64155
u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      id   92234
 uranium-235    endf/b-iv mat 1261             updated 10/13/89          id   92235
u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      id   92236
 uranium-238    endf/b-iv mat 1262             updated 10/13/89          id   92238
 neptunium-237  endf/b-iv mat 1263             updated 10/13/89          id   93237
pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                     id   94238
 plutonium-239  endf/b-iv mat 1264             updated 10/13/89          id   94239
 plutonium-240  endf/b-iv mat 1265             updated 10/13/89          id   94240
 plutonium-241  endf/b-iv mat 1266             updated 10/13/89          id   94241
```

```
      plutonium-242  endf/b-iv mat 1161          updated 10/13/89              id    94242
      am-241 1056 sigp=5+4 newxlacs 218ngp p-3 293k                            id    95241
      am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                             id    95243
      curium-244     endf/b-iv mat 1162          updated 10/13/89              id    96244
0       tape copy used      0 i/o's, and took     .00 seconds
1 xx         xx  sssssssssss   ddddddddddd  rrrrrrrrrrr   mm        mm  ppppppppppp   mm         mm
   xx       xx  sssssssssssss  ddddddddddd  rrrrrrrrrrrr  mm        mm  ppppppppppp  mmm         mmm
    xx     xx   ss         ss  dd        dd  rr        rr  mmm       mm  pp        pp  mmmm       mmmm
     xx   xx    ss             dd        dd  rr        rr  mm m     mm  pp        pp  mm mm     mm mm
      xx xx     ss             dd        dd  rr        rr  mm  m    mm  pp        pp  mm  mm   mm  mm
       xxx       sssssssssss   dd        dd  rrrrrrrrrrr   mm   m   mm  ppppppppppp   mm   mmm   mm
       xxx        sssssssssss  dd        dd  rrrrrrrrrrr   mm    m  mm  ppppppppppp   mm    m    mm
      xx xx             ss    dd        dd  rr        rr  mm     m mm  pp            mm         mm
     xx   xx            ss    dd        dd  rr        rr  mm      mmm  pp            mm         mm
    xx     xx     ss     ss    dd        dd  rr        rr  mm       mm  pp            mm         mm
   xx       xx    sssssssssss  ddddddddddd   rr       rr  mm       mm  pp            mm         mm
  xx         xx    sssssssss   ddddddddddd   rr       rr  mm       mm  pp            mm         mm
0

  ddddddddddd    aaaaaaaa   w         w  iiiiiiiiiii    sssssssss
  ddddddddddd   aaaaaaaaaa  w         w  iiiiiiiiiii   sssssssssss
  dd        dd  aa      aa  w         w      ii        ss       ss
  dd        dd  aa      aa  w         w      ii        ss
  dd        dd  aa      aa  w         w      ii        ss
  dd        dd  aaaaaaaaaa  w         w      ii        sssssssss
  dd        dd  aaaaaaaaaa   w       w       ii         sssssssss
  dd        dd  aa      aa    w  w  w        ii              ss
  dd        dd  aa      aa     w  w  w       ii              ss
  dd        dd  aa      aa      w w          ii        ss    ss
  ddddddddddd   aa      aa       ww      iiiiiiiiiii  sssssssss
  ddddddddddd   aa      aa        v      iiiiiiiiiii   sssssssss
0

   0000000    2222222222          //      11       6666666666          //  9999999999  6666666666
  00000000   22222222222         //      111      6666666666         //   9999999999  6666666666
 00      00  22        22        //      1111     66                 //    99      99  66
00        00          22       //        11      66                //     99      99  66
00        00          22      //         11      66               //      99      99  66
00        00        22       //          11      6666666666      //       9999999999  6666666666
00        00      22        //           11      6666666666     //         9999999999  6666666666
00        00    22         //            11      66      66    //                99  66      66
00        00  22          //             11      66      66   //                 99  66      66
 00      00  22          //              11      66      66  //                  99  66      66
  00000000  2222222222  //               11111111 6666666666 //                 9999999999  6666666666
   000000   2222222222  //               11111111  666666666 //                  999999999   666666666
0

     11       0000000                      0000000   3333333333                    2222222222  9999999999
    111      00000000                     00000000  3333333333333                 2222222222  99999999999
   1111     00      00      :::         00      00  33        33        :::     22        22  99      99
     11     00      00      :::         00      00            33        :::             22  99      99
     11     00      00      :::         00      00            33        :::            22   99      99
     11     00      00                  00      00          333                     22     9999999999
     11     00      00                  00      00          333                   22       9999999999
     11     00      00      :::         00      00            33        :::   22           99
     11     00      00      :::         00      00            33        :::  22            99
     11      00    00       :::         00    00   33        33        :::  22            99
 11111111    00000000                    00000000  3333333333333          2222222222  9999999999
 11111111     000000                      000000   3333333333             2222222222  9999999999
1
```

0

```
 ssssssssss    cccccccccc     aaaaaaaa    ll            eeeeeeeeeeee
ssssssssssss  cccccccccccc   aaaaaaaaaa   ll            eeeeeeeeeeee
ss        ss  cc        cc  aa        aa  ll            ee
ss            cc            aa        aa  ll            ee
ss            cc            aa        aa  ll            ee
ssssssssssss  cc            aaaaaaaaaaaa  ll            eeeeeeeee
 ssssssssssss cc            aaaaaaaaaaaa  ll            eeeeeeeee
        ss    cc            aa        aa  ll            ee
        ss    cc            aa        aa  ll            ee
ss      ss    cc        cc  aa        aa  ll            ee
ssssssssssss  cccccccccccc  aa        aa  llllllllllll  eeeeeeeeeeee
 ssssssssss    cccccccccc   aa        aa  llllllllllll  eeeeeeeeeeee
```

```
**********************************************************************
**********************************************************************
**********************************************************************
*****                                                            *****
*****                 program verification information            *****
*****                                                            *****
*****               code system:   scale  version:   4.2         *****
*****                                                            *****
**********************************************************************
**********************************************************************
*****                                                            *****
*****                                                            *****
*****             program:  c0c001                               *****
*****                                                            *****
*****        creation date:  04/27/95                            *****
*****                                                            *****
*****             library:  /neutronics/scale/exe                *****
*****                                                            *****
*****                                                            *****
*****   this is not a   scale  configuration controlled code     *****
*****                                                            *****
*****             jobname:  davis                                *****
*****                                                            *****
*****   date of execution:  02/16/96                             *****
*****                                                            *****
*****   time of execution:  10:03:29                             *****
*****                                                            *****
*****                                                            *****
**********************************************************************
**********************************************************************
**********************************************************************
```

1

880 d, second part of sas2h pass to make library

0 -1q array has 1 entries.
0 0q array has 11 entries.
0 1q array has 15 entries.
0 2q array has 10 entries.
0 3q array has 12 entries.
0 4q array has 9 entries.
0 5q array has 12 entries.
0direct access unit 9 requires 12 blocks of length 704 for cross section mixing.
1 880 d, second part of sas2h pass to make library
0general problem description data block

0 general problem data

ige 1/2/3 = plane/cylinder/sphere	2	isn quadrature order	8
izm number of zones	4	isct order of scattering	3
im number of special intervals	28	ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h	1
ibl 0/1/2/3 = vacuum/refl/per/white	1	iim inner iteration maximum	20
ibr right boundary condition	3	iom outer iteration maximum	25
mx number of mixtures	3	iclc -1/0/n--flat res/sn/qpt	0
ms mixing table length	70	ith 0/1 = forward/adjoint	0
igm number of energy groups	27	iflu not used(always wgtd)	0
nrg number of neutron groups	27	iprt -2/-1/0/n=mixture xsec print	-2
ngg number of gamma groups	0	idl 0/1/2/3=no/prt nd/pch n/both	14
iftg number of first thermal group	15	ipbt -1/0/1=none/fine/all bal. prt	0

0 special options

ifg 0/1 = none/weighting calculation	1	ipn 0/1/2 diff. coef. param	0
iqm volumetric sources (0/n=no/yes)	0	idfm 0/1 = none/density factors 38*	0
ipm boundary sources (0/n=no/yes)	0	iaz 0/n = none/n activities by zone	0
ifn 0/1/2 = input 35*/34*/use last	14	iai 0/1=none/activities by interval	0
itmx maximum time (minutes)	10	ifct 0/1=no/yes upscatter scaling	0
idt1 0/1/2/3=no/xsect/srce/flux--out	0	ipvt 0/1/2=no/k/alpha parametric srch	0
isx broad group fluxes	0	isen outer iteration acceleration	0
ibln activity data unit	0	nbnd band rebaln parameter	0
jbkl 0/1/2 buckling geometry	0		

0 weighting data (ifg=1)

icon -1/0/1=cell/zone/region weight	-1	ihtf total xsect psn in brd gp tables	3
igmf number of broad groups	3	ndsf psn g-g or file number	4
itp 0/10/20/30/40 0/c/e/ac/a	0	nusf table length or max order	6
ipp -2/-1/0/n=wgted xsect print	-2	mcm extra 1-d x-sect positions	0
iap -1/n anisn xsect print	-1		

0 floating point parameters

eps overall convergence	1.00000E-04	dy cyl/pla ht for buckling	.00000E+00
ptc point convergence	1.00000E-04	dz plane depth for buckling	2.00000E+02
xnf normalization factor	1.00000E+00	vsc void streaming correction	.00000E+00
ev eigenvalue guess	.00000E+00	pv ipvt=1/2--k/alpha	1.00000E+00
evm eigenvalue modifier	.00000E+00	eql ev change eps for search	1.00000E-03
bf buckling factor=1.420892	1.42089E+00	xrpm new param mod for search	7.50000E-01

this case will require 2611 locations for mixing
this case has been allocated 200000 locations

1 880 d, second part of sas2h pass to make library
0 13q array has 70 entries.
0 14q array has 70 entries.
0 15q array has 70 entries.
0 data block 2 (mixing table, etc.)

nuclides on tape	cccc identification	mixing table mixture	mixing table component	atom density	extra xsect id's
1 202		3	201	2.09710E-02	
2 205		3	202	4.19420E-02	
3 204		3	203	3.81515E-06	
4 201		3	204	1.54884E-05	
5 205		2	205	4.25156E-02	
6 999		1	92235	1.33192E-04	
7 1001		1	92234	1.47781E-06	
8 5010		1	92236	1.82292E-05	
9 5011		1	92238	7.21946E-03	
10 8016		1	8016	1.50611E-02	
11 6		1	6	1.15315E-02	
12 36083		1	36083	4.72043E-07	

13	36085		1	36085	2.27030E-07
14	38090		1	38090	5.16852E-06
15	39089		1	39089	4.09755E-06
16	40093		1	42095	5.47657E-06
17	40094		1	40093	4.12208E-06
18	40095		1	40094	6.47876E-06
19	40302		1	40095	6.60385E-07
20	41094		1	41094	3.21149E-12
21	42095		1	43099	6.33732E-06
22	43099		1	45103	3.47568E-06
23	44101		1	45105	7.39443E-09
24	44106		1	44101	5.75136E-06
25	45103		1	44106	8.69130E-07
26	45105		1	46105	2.26913E-06
27	46105		1	46108	6.36851E-07
28	46108		1	47109	4.45102E-07
29	47109		1	51124	1.00830E-10
30	51124		1	54131	2.90271E-06
31	54131		1	54132	5.45567E-06
32	54132		1	54135	2.20848E-09
33	54135		1	54136	1.09418E-05
34	54136		1	55134	3.16663E-07
35	55133		1	55135	3.47362E-06
36	55134		1	55137	6.78821E-06
37	55135		1	56136	6.38766E-08
38	55137		1	57139	6.72223E-06
39	56136		1	59141	5.82082E-06
40	57139		1	59143	1.22771E-07
41	58144		1	58144	2.21790E-06
42	59141		1	60143	5.26395E-06
43	59143		1	60145	3.88111E-06
44	60143		1	61147	1.33040E-06
45	60145		1	61148	3.89552E-09
46	60147		1	60147	4.29701E-08
47	61147		1	62147	4.63565E-07
48	61148		1	62149	2.87617E-08
49	62147		1	62150	1.38277E-06
50	62149		1	62151	1.32930E-07
51	62150		1	62152	6.63045E-07
52	62151		1	64155	7.21936E-10
53	62152		1	63153	3.98698E-07
54	63153		1	63154	8.34053E-08
55	63154		1	63155	4.31432E-08
56	63155		1	40302	4.42681E-03
57	64155		1	1001	2.30630E-02
58	92234		1	5010	2.09787E-06
59	92235		1	5011	8.51673E-06
60	92236		1	55133	6.95263E-06
61	92238		1	95237	1.23390E-06
62	95237		1	94238	1.76797E-07
63	94238		1	94239	3.56356E-05
64	94239		1	94240	6.93689E-06
65	94240		1	94241	3.76423E-06
66	94241		1	94242	4.23205E-07
67	94242		1	95241	1.12643E-07
68	95241		1	95243	3.90711E-08
69	95243		1	96244	3.73748E-09
70	96244		1	999	3.30753E-21

- elapsed time .00 min.
0 24259 locations will be used

0 35q array has 29 entries.
0 36q array has 28 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 880 d, second part of sas2h pass to make library

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	1	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	1	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	1	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72615E+08	2	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01036E+07	2	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00	
15	3.04999E+00	1.50030E+01	2.10601E+06	2	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00	
17	1.29999E+00	1.58557E+01	1.52545E+06	2	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	3	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	3	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	3	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	3	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 880 d, second part of sas2h pass to make library

0	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	3	3			0	-2.79004E-01	3	0
2	2	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	3	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	1	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83052E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70655E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02

20					4.53355E-02	-1.91780E-01	21	-8.69444E-03
21					4.53355E-02	1.91780E-01	20	8.69444E-03
22					4.53355E-02	5.46143E-01	19	2.47597E-02
23					4.53355E-02	8.17361E-01	18	3.70555E-02
24					4.53355E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83052E-01	-4.49528E-01	8.36885E-01	5.00703E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20862E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20862E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17236E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17236E-01
22	5.46143E-01	-4.49528E-01	-3.20862E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20862E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.97644E-02	1	0	4.90881E-03		0	
2	3.95287E-02	5.92931E-02	1	2.48366E-01	1.47264E-02		0	
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0	
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0	
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01			
6	3.16230E-01	3.55759E-01	1	1.98693E+00	1.76717E-01			
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01			
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.55258E-01			
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42355E-01			
10	5.92931E-01	6.12698E-01	1	3.72550E+00	1.52173E-01			
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02			
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46405E-02			
13	6.73100E-01	6.96583E-01	3	4.22921E+00	2.05562E-01			
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01			
15	7.67033E-01	7.90517E-01	3	4.81941E+00	2.33282E-01			
16	8.14000E-01	8.62795E-01	4	5.11451E+00	5.29051E-01			
17	9.11591E-01	9.60886E-01	4	5.72769E+00	5.88691E-01			
18	1.00918E+00	1.10677E+00	4	6.34088E+00	1.35731E+00			
19	1.20436E+00	1.30195E+00	4	7.56724E+00	1.59667E+00			
20	1.39955E+00	1.49714E+00	4	8.79360E+00	1.83603E+00			
21	1.59473E+00	1.69252E+00	4	1.00200E+01	2.07540E+00			
22	1.78991E+00	1.88750E+00	4	1.12463E+01	2.31476E+00			
23	1.98509E+00	2.08268E+00	4	1.24727E+01	2.55412E+00			
24	2.18027E+00	2.27786E+00	4	1.36991E+01	2.79349E+00			
25	2.37545E+00	2.47305E+00	4	1.49254E+01	3.03285E+00			
26	2.57064E+00	2.66823E+00	4	1.61518E+01	3.27221E+00			
27	2.76582E+00	2.81461E+00	4	1.73781E+01	1.72587E+00			
28	2.86341E+00	2.91220E+00	4	1.79913E+01	1.78571E+00			

```
   29 2.96100E+00                          1.86045E+01
-  elapsed time    .00 min.
1 outer inner 1 - balance  eigenvalue 1 - source  1 - scatter 1 - upscat    search       time
   iter iters                             ratio       ratio       ratio    parameter    (min)
     1   172 -8.63675E-06 1.03791E+00 -4.15808E-02 1.00000E+00 -1.29586E-02 .00000E+00    .0000
     2   251 5.65640E-06  1.04195E+00 -9.95511E-04 -5.16134E-03 -2.02897E-03 .00000E+00    .0000
     3   314 -3.70457E-07 1.04265E+00 -1.59963E-04 -7.56361E-04 -4.78395E-04 .00000E+00    .0167
     4   361 -1.31994E-06 1.04280E+00 -3.61601E-05 -1.80436E-04 -1.10090E-04 .00000E+00    .0167
                                                                  grp to grp inner  mfd   max. flux  msf  max. scale coarse
                                                                               iters  int.  difference int.   factor   mesh
                                                                    1   1     1    17  1.37238E-06  28  1.00000E+00   1
                                                                    2   2     1    17  1.66839E-06  28  1.00000E+00   1
                                                                    3   3     1    17  1.54704E-06  28  1.00000E+00   1
                                                                    4   4     1    17  1.51222E-06  28  1.00000E+00   1
                                                                    5   5     1    17  1.59874E-06  28  1.00000E+00   1
                                                                    6   6     1    17  1.09976E-06  28  1.00000E+00   1
                                                                    7   7     1    24  1.17530E-06  28  1.00000E+00   2
                                                                    8   8     1    23  7.98909E-08  20  1.00000E+00   2
                                                                    9   9     1    27  1.50382E-05  28  9.99986E-01   3
                                                                   10  10     1    28  9.83594E-07  28  1.00000E+00   3
                                                                   11  11     1    26  4.76753E-06  28  9.99996E-01   3
                                                                   12  12     1    25  8.77948E-07  28  9.99999E-01   3
                                                                   13  13     1    26  4.85440E-06  28  9.99995E-01   3
                                                                   14  14     1    25  8.47488E-07  28  9.99999E-01   3
                                                                   15  15     2    28  3.36890E-05  28  1.00000E+00   2
                                                                   16  16     2    28  4.08855E-05  28  1.00001E+00   2
                                                                   17  17     2    26  9.14355E-05  28  1.00010E+00   3
                                                                   18  18     2    28  4.33017E-05  28  1.00002E+00   3
                                                                   19  19     2    26  8.20417E-05  28  1.00009E+00   3
                                                                   20  20     2    25  2.21060E-05  28  1.00002E+00   3
                                                                   21  21     2    28  5.23587E-05  28  1.00001E+00   3
                                                                   22  22     1    14  8.38734E-05  28  9.99920E-01   3
                                                                   23  23     1    27  4.27573E-05  28  1.00004E+00   4
                                                                   24  24     1     1  3.70277E-05   9  1.00008E+00   4
                                                                   25  25     1     1  4.36447E-05  28  1.00008E+00   5
                                                                   26  26     1     1  3.11986E-05   6  1.00002E+00   6
                                                                   27  27     1     1  2.80956E-05   5  1.00002E+00   8
   5   395 1.90825E-06  1.04280E+00 -8.50867E-06 -4.18172E-05 -2.48051E-05 .00000E+00    .0167
          final monitor
                 lambda 1.04283E+00          production/absorption 1.05648E+00          angular flux on 16
-  elapsed time    .02 min.
1                  880 d, second part of sas2h pass to make library
0 int. zone number    radius    int. midpoint    area        volume     prod density
    1       1      .00000E+00  1.97644E-02  .00000E+00  4.90881E-03  .00000E+00
    2       1      3.95287E-02 5.92931E-02  2.48366E-01 1.47264E-02  .00000E+00
    3       1      7.90575E-02 1.18586E-01  4.96733E-01 5.89057E-02  .00000E+00
    4       1      1.58115E-01 1.97644E-01  9.93466E-01 9.81762E-02  .00000E+00
    5       1      2.37172E-01 2.76701E-01  1.49080E+00 1.37447E-01  .00000E+00
    6       1      3.16230E-01 3.55759E-01  1.98693E+00 1.76717E-01  .00000E+00
    7       1      3.95288E-01 4.34816E-01  2.48366E+00 2.15988E-01  .00000E+00
    8       1      4.74345E-01 5.13874E-01  2.98040E+00 2.55258E-01  .00000E+00
    9       1      5.53403E-01 5.73167E-01  3.47713E+00 1.42355E-01  .00000E+00
   10       1      5.92931E-01 6.12696E-01  3.72550E+00 1.52173E-01  .00000E+00
   11       2      6.32460E-01 6.42620E-01  3.97386E+00 8.20460E-02  .00000E+00
   12       2      6.52780E-01 6.62940E-01  4.10154E+00 8.46405E-02  .00000E+00
   13       3      6.73100E-01 6.96583E-01  4.22921E+00 2.05562E-01  .00000E+00
   14       3      7.20067E-01 7.43550E-01  4.52431E+00 2.19422E-01  .00000E+00
   15       3      7.67033E-01 7.90517E-01  4.81941E+00 2.33282E-01  .00000E+00
   16       4      8.14000E-01 8.62795E-01  5.11451E+00 5.29061E-01  2.38059E-02
   17       4      9.11591E-01 9.60386E-01  5.72769E+00 5.88891E-01  2.59056E-02
```

18	4	1.00918E+00	1.10677E+00	6.34088E+00	1.35731E+00	5.84708E-02
19	4	1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	6.73591E-02
20	4	1.39955E+00	1.49714E+00	8.79360E+00	1.83603E+00	7.63332E-02
21	4	1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	8.53572E-02
22	4	1.78991E+00	1.88750E+00	1.12463E+01	2.31476E+00	9.44350E-02
23	4	1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	1.03575E-01
24	4	2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.12792E-01
25	4	2.37545E+00	2.47305E+00	1.49254E+01	3.03285E+00	1.22108E-01
26	4	2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.31540E-01
27	4	2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	6.93567E-02
28	4	2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	7.17984E-02
29		2.96100E+00		1.86045E+01		

1 880 d, second part of sas2h pass to make library

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.29528E-02	9.08020E-02	1.12533E-01	6.90100E-02	1.02732E-01	1.92768E-01	1.95076E-01	1.47004E-01
2	1.29478E-02	9.07508E-02	1.12468E-01	6.89718E-02	1.02679E-01	1.92681E-01	1.95034E-01	1.46998E-01
3	1.29483E-02	9.07638E-02	1.12489E-01	6.89898E-02	1.02714E-01	1.92751E-01	1.95089E-01	1.47009E-01
4	1.29550E-02	9.08445E-02	1.12602E-01	6.90682E-02	1.02843E-01	1.92994E-01	1.95245E-01	1.47038E-01
5	1.29673E-02	9.09864E-02	1.12798E-01	6.92011E-02	1.03059E-01	1.93392E-01	1.95493E-01	1.47082E-01
6	1.29841E-02	9.11817E-02	1.13067E-01	6.93844E-02	1.03357E-01	1.93941E-01	1.95852E-01	1.47138E-01
7	1.30052E-02	9.14316E-02	1.13413E-01	6.96224E-02	1.03745E-01	1.94657E-01	1.96273E-01	1.47208E-01
8	1.30307E-02	9.17437E-02	1.13853E-01	6.99297E-02	1.04250E-01	1.95595E-01	1.96849E-01	1.47291E-01
9	1.30623E-02	9.20182E-02	1.14247E-01	7.02116E-02	1.04718E-01	1.96461E-01	1.97385E-01	1.47360E-01
10	1.30669E-02	9.22335E-02	1.14576E-01	7.04598E-02	1.05139E-01	1.97246E-01	1.97871E-01	1.47409E-01
11	1.30792E-02	9.24118E-02	1.14851E-01	7.06682E-02	1.05492E-01	1.97922E-01	1.98289E-01	1.47454E-01
12	1.30925E-02	9.25446E-02	1.15025E-01	7.07765E-02	1.05662E-01	1.98259E-01	1.98492E-01	1.47497E-01
13	1.31206E-02	9.27865E-02	1.15295E-01	7.09140E-02	1.05851E-01	1.98598E-01	1.98683E-01	1.47566E-01
14	1.31618E-02	9.31719E-02	1.15749E-01	7.11692E-02	1.06225E-01	1.99256E-01	1.97062E-01	1.47658E-01
15	1.32102E-02	9.36678E-02	1.16374E-01	7.15558E-02	1.06822E-01	2.00328E-01	1.97690E-01	1.47759E-01
16	1.32856E-02	9.44619E-02	1.17391E-01	7.22008E-02	1.07856E-01	2.02168E-01	1.98781E-01	1.47929E-01
17	1.33599E-02	9.52521E-02	1.18407E-01	7.28489E-02	1.08866E-01	2.04060E-01	1.99922E-01	1.48126E-01
18	1.34189E-02	9.58923E-02	1.19240E-01	7.33843E-02	1.09731E-01	2.05695E-01	2.00988E-01	1.48330E-01
19	1.34703E-02	9.64605E-02	1.19988E-01	7.38685E-02	1.10521E-01	2.07221E-01	2.01904E-01	1.48542E-01
20	1.35004E-02	9.68017E-02	1.20445E-01	7.41670E-02	1.11015E-01	2.08208E-01	2.02542E-01	1.48697E-01
21	1.35193E-02	9.70209E-02	1.20743E-01	7.43634E-02	1.11344E-01	2.08873E-01	2.02986E-01	1.48813E-01
22	1.35314E-02	9.71639E-02	1.20942E-01	7.44944E-02	1.11565E-01	2.09338E-01	2.03300E-01	1.48900E-01
23	1.35389E-02	9.72558E-02	1.21071E-01	7.45805E-02	1.11712E-01	2.09654E-01	2.03517E-01	1.48962E-01
24	1.35433E-02	9.73106E-02	1.21150E-01	7.46331E-02	1.11803E-01	2.09855E-01	2.03658E-01	1.49004E-01
25	1.35452E-02	9.73356E-02	1.21187E-01	7.46582E-02	1.11848E-01	2.09959E-01	2.03732E-01	1.49025E-01
26	1.35448E-02	9.73324E-02	1.21185E-01	7.46570E-02	1.11848E-01	2.09966E-01	2.03738E-01	1.49025E-01
27	1.35430E-02	9.73125E-02	1.21159E-01	7.46395E-02	1.11819E-01	2.09911E-01	2.03701E-01	1.49012E-01
28	1.35405E-02	9.72826E-02	1.21119E-01	7.46130E-02	1.11775E-01	2.09821E-01	2.03638E-01	1.48992E-01

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.15956E-01	1.07187E-01	1.00969E-01	6.54718E-02	5.58986E-02	5.32164E-02	2.89961E-02	1.60417E-02
2	1.15957E-01	1.07188E-01	1.00973E-01	6.54768E-02	5.59035E-02	5.32235E-02	2.89984E-02	1.60428E-02
3	1.15955E-01	1.07180E-01	1.00952E-01	6.54529E-02	5.58809E-02	5.31902E-02	2.89919E-02	1.60391E-02
4	1.15951E-01	1.07159E-01	1.00903E-01	6.53954E-02	5.58266E-02	5.31100E-02	2.89757E-02	1.60301E-02
5	1.15944E-01	1.07126E-01	1.00828E-01	6.53077E-02	5.57441E-02	5.29880E-02	2.89514E-02	1.60166E-02
6	1.15935E-01	1.07082E-01	1.00726E-01	6.51885E-02	5.56325E-02	5.28225E-02	2.89198E-02	1.59986E-02
7	1.15923E-01	1.07029E-01	1.00591E-01	6.50325E-02	5.54868E-02	5.26060E-02	2.88797E-02	1.59756E-02
8	1.15909E-01	1.06944E-01	1.00412E-01	6.48263E-02	5.52961E-02	5.23214E-02	2.88259E-02	1.59461E-02
9	1.15900E-01	1.06870E-01	1.00244E-01	6.46342E-02	5.51190E-02	5.20562E-02	2.87838E-02	1.59191E-02
10	1.15901E-01	1.06800E-01	1.00085E-01	6.44593E-02	5.49588E-02	5.18154E-02	2.87442E-02	1.58950E-02
11	1.15906E-01	1.06746E-01	9.99662E-02	6.43221E-02	5.48316E-02	5.16254E-02	2.87095E-02	1.58748E-02
12	1.15902E-01	1.06726E-01	9.99203E-02	6.42684E-02	5.47795E-02	5.15498E-02	2.86904E-02	1.58651E-02
13	1.15857E-01	1.06699E-01	9.98577E-02	6.41862E-02	5.47045E-02	5.14358E-02	2.86743E-02	1.58550E-02
14	1.15787E-01	1.06637E-01	9.97149E-02	6.40080E-02	5.45462E-02	5.11929E-02	2.86477E-02	1.58357E-02
15	1.15711E-01	1.06532E-01	9.94808E-02	6.37275E-02	5.42986E-02	5.08112E-02	2.86078E-02	1.58055E-02
16	1.15607E-01	1.06361E-01	9.90930E-02	6.32655E-02	5.38895E-02	5.01786E-02	2.85346E-02	1.57539E-02

17	1.15513E-01	1.06191E-01	9.87054E-02	6.28037E-02	5.34751E-02	4.95426E-02	2.84473E-02	1.56977E-02
18	1.15447E-01	1.06047E-01	9.85739E-02	6.24095E-02	5.31127E-02	4.89984E-02	2.83531E-02	1.56427E-02
19	1.15394E-01	1.05915E-01	9.80647E-02	6.20423E-02	5.27697E-02	4.84907E-02	2.82532E-02	1.55869E-02
20	1.15370E-01	1.05831E-01	9.78648E-02	6.18052E-02	5.25436E-02	4.81621E-02	2.81784E-02	1.55468E-02
21	1.15357E-01	1.05773E-01	9.77259E-02	6.16405E-02	5.23842E-02	4.79331E-02	2.81211E-02	1.55167E-02
22	1.15351E-01	1.05733E-01	9.76270E-02	6.15233E-02	5.22694E-02	4.77697E-02	2.80775E-02	1.54941E-02
23	1.15348E-01	1.05705E-01	9.75567E-02	6.14400E-02	5.21873E-02	4.76534E-02	2.80453E-02	1.54775E-02
24	1.15346E-01	1.05686E-01	9.75089E-02	6.13832E-02	5.21312E-02	4.75742E-02	2.80233E-02	1.54662E-02
25	1.15344E-01	1.05674E-01	9.74803E-02	6.13494E-02	5.20982E-02	4.75272E-02	2.80108E-02	1.54598E-02
26	1.15342E-01	1.05670E-01	9.74712E-02	6.13385E-02	5.20885E-02	4.75128E-02	2.80088E-02	1.54587E-02
27	1.15340E-01	1.05672E-01	9.74764E-02	6.13452E-02	5.20962E-02	4.75230E-02	2.80141E-02	1.54613E-02
28	1.15337E-01	1.05677E-01	9.74919E-02	6.13637E-02	5.21158E-02	4.75497E-02	2.80239E-02	1.54662E-02

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	6.99978E-03	5.26373E-03	1.05900E-02	3.52499E-02	1.07385E-02	2.23971E-02	7.57244E-02	6.21490E-02
2	7.00052E-03	5.26524E-03	1.05913E-02	3.52526E-02	1.07394E-02	2.23989E-02	7.57195E-02	6.21346E-02
3	6.99729E-03	5.25695E-03	1.05852E-02	3.52389E-02	1.07286E-02	2.23638E-02	7.56031E-02	6.20099E-02
4	6.98948E-03	5.23696E-03	1.05706E-02	3.52044E-02	1.07031E-02	2.22840E-02	7.53472E-02	6.17416E-02
5	6.97759E-03	5.20623E-03	1.05484E-02	3.51538E-02	1.06647E-02	2.21640E-02	7.49676E-02	6.13446E-02
6	6.96147E-03	5.16406E-03	1.05185E-02	3.50860E-02	1.06126E-02	2.20018E-02	7.44619E-02	6.08158E-02
7	6.94088E-03	5.10817E-03	1.04796E-02	3.49988E-02	1.05446E-02	2.17906E-02	7.38175E-02	6.01437E-02
8	6.91264E-03	5.03350E-03	1.04289E-02	3.48866E-02	1.04553E-02	2.15148E-02	7.30052E-02	5.92999E-02
9	6.88676E-03	4.96309E-03	1.03819E-02	3.47837E-02	1.03720E-02	2.12593E-02	7.22709E-02	5.85468E-02
10	6.86317E-03	4.89835E-03	1.03395E-02	3.46919E-02	1.02958E-02	2.10282E-02	7.16342E-02	5.78995E-02
11	6.84447E-03	4.84881E-03	1.03056E-02	3.46180E-02	1.02374E-02	2.08542E-02	7.11707E-02	5.74486E-02
12	6.83698E-03	4.83123E-03	1.02915E-02	3.45864E-02	1.02170E-02	2.07961E-02	7.10275E-02	5.73339E-02
13	6.82606E-03	4.79869E-03	1.02729E-02	3.45462E-02	1.01885E-02	2.06894E-02	7.07517E-02	5.70489E-02
14	6.80256E-03	4.72549E-03	1.02336E-02	3.44644E-02	1.01307E-02	2.04477E-02	7.01395E-02	5.63993E-02
15	6.76534E-03	4.60961E-03	1.01721E-02	3.43384E-02	1.01860E-02	2.00716E-02	6.92446E-02	5.54712E-02
16	6.70403E-03	4.40664E-03	1.00698E-02	3.41300E-02	9.98748E-03	1.94515E-02	6.78571E-02	5.40931E-02
17	6.64270E-03	4.20615E-03	9.96401E-03	3.39106E-02	9.79105E-03	1.88370E-02	6.64655E-02	5.27168E-02
18	6.59002E-03	4.05544E-03	9.86791E-03	3.37022E-02	9.62549E-03	1.83261E-02	6.51270E-02	5.13972E-02
19	6.54066E-03	3.92709E-03	9.77531E-03	3.34945E-02	9.47172E-03	1.78557E-02	6.37816E-02	5.00666E-02
20	6.50834E-03	3.85355E-03	9.71287E-03	3.33482E-02	9.37240E-03	1.75547E-02	6.28230E-02	4.91165E-02
21	6.48561E-03	3.80636E-03	9.66831E-03	3.32408E-02	9.30286E-03	1.73448E-02	6.21049E-02	4.84048E-02
22	6.46927E-03	3.77483E-03	9.63594E-03	3.31598E-02	9.25290E-03	1.71943E-02	6.15611E-02	4.78666E-02
23	6.45760E-03	3.75339E-03	9.61264E-03	3.31007E-02	9.21697E-03	1.70857E-02	6.11532E-02	4.74630E-02
24	6.44964E-03	3.73911E-03	9.59663E-03	3.30596E-02	9.19215E-03	1.70102E-02	6.08584E-02	4.71701E-02
25	6.44496E-03	3.73041E-03	9.58707E-03	3.30350E-02	9.17665E-03	1.69621E-02	6.06639E-02	4.69733E-02
26	6.44361E-03	3.72671E-03	9.58407E-03	3.30282E-02	9.17047E-03	1.69405E-02	6.05687E-02	4.68682E-02
27	6.44524E-03	3.72705E-03	9.58669E-03	3.30337E-02	9.17174E-03	1.69409E-02	6.05589E-02	4.68645E-02
28	6.44800E-03	3.73028E-03	9.59197E-03	3.30477E-02	9.17816E-03	1.69569E-02	6.06100E-02	4.68777E-02

0 int.	grp. 25	grp. 26	grp. 27
1	2.81217E-02	2.02933E-02	3.85498E-03
2	2.81110E-02	2.02814E-02	3.85212E-03
3	2.80442E-02	2.02229E-02	3.84012E-03
4	2.79023E-02	2.00993E-02	3.81469E-03
5	2.76920E-02	1.99151E-02	3.77623E-03
6	2.74114E-02	1.96672E-02	3.72358E-03
7	2.70550E-02	1.93497E-02	3.65472E-03
8	2.66095E-02	1.89496E-02	3.56892E-03
9	2.62144E-02	1.85931E-02	3.48563E-03
10	2.58796E-02	1.82886E-02	3.41665E-03
11	2.56557E-02	1.80930E-02	3.37492E-03
12	2.56077E-02	1.80633E-02	3.37213E-03
13	2.54485E-02	1.79169E-02	3.35282E-03
14	2.50858E-02	1.75694E-02	3.29808E-03
15	2.45809E-02	1.70788E-02	3.09726E-03
16	2.38500E-02	1.63782E-02	2.89161E-03
17	2.31323E-02	1.57165E-02	2.71461E-03
18	2.24490E-02	1.51197E-02	2.58104E-03

19	2.17641E-02	1.45404E-02	2.46055E-03
20	2.12802E-02	1.41490E-02	2.38726E-03
21	2.09215E-02	1.38691E-02	2.33791E-03
22	2.06531E-02	1.36661E-02	2.30572E-03
23	2.04535E-02	1.35186E-02	2.27948E-03
24	2.03094E-02	1.34140E-02	2.26261E-03
25	2.02119E-02	1.33437E-02	2.25142E-03
26	2.01574E-02	1.33032E-02	2.24497E-03
27	2.01415E-02	1.32888E-02	2.24254E-03
28	2.01520E-02	1.32919E-02	2.24244E-03

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	5.04510E-04	6.67761E-04	5.56019E-05	-7.23328E-04	9.99953E-01
2	.00000E+00	.00000E+00	3.83148E-04	6.16418E-03	8.10169E-03	1.76150E-04	-7.89438E-03	9.99963E-01
3	.00000E+00	.00000E+00	3.84799E-03	5.46596E-03	1.42214E-02	9.28018E-05	-1.04659E-02	9.99978E-01
4	.00000E+00	.00000E+00	5.59085E-03	3.60098E-03	1.25726E-02	4.20252E-05	-6.82364E-03	9.99988E-01
5	.00000E+00	.00000E+00	1.02689E-02	1.15287E-02	2.08865E-02	4.96820E-05	-1.06671E-02	9.99992E-01
6	.00000E+00	.00000E+00	2.15106E-02	3.45000E-02	4.10034E-02	8.42975E-05	-1.95771E-02	9.99999E-01
7	.00000E+00	.00000E+00	4.22446E-02	6.09745E-02	5.41408E-02	6.12258E-05	-1.19568E-02	9.99988E-01
8	.00000E+00	.00000E+00	5.63661E-02	7.83630E-02	5.87581E-02	3.64106E-05	-2.42325E-03	9.99912E-01
9	.00000E+00	.00000E+00	5.77976E-02	7.26404E-02	5.75244E-02	2.92873E-05	2.50246E-04	9.99890E-01
10	.00000E+00	.00000E+00	5.71018E-02	6.92160E-02	5.56253E-02	3.60861E-05	1.44639E-03	9.99894E-01
11	.00000E+00	.00000E+00	5.59047E-02	6.56589E-02	5.24190E-02	5.52110E-05	3.43382E-03	9.99939E-01
12	.00000E+00	.00000E+00	4.54492E-02	3.51301E-02	4.13349E-02	6.05084E-05	4.05481E-03	9.99978E-01
13	.00000E+00	.00000E+00	4.06016E-02	2.85832E-02	3.66561E-02	8.46726E-05	3.86204E-03	9.99970E-01
14	.00000E+00	.00000E+00	3.94906E-02	2.81708E-02	3.36515E-02	1.35950E-04	5.70361E-03	9.99988E-01
15	.00000E+00	.00000E+00	2.16591E-02	1.08422E-02	2.03118E-02	1.12496E-04	1.23565E-03	9.99961E-01
16	.00000E+00	.00000E+00	1.42107E-02	4.56608E-03	1.34521E-02	7.61473E-05	6.82897E-04	9.99972E-01
17	.00000E+00	.00000E+00	7.29140E-03	1.28544E-03	6.68810E-03	3.67973E-05	5.66708E-04	9.99972E-01
18	.00000E+00	.00000E+00	6.45842E-03	9.19768E-04	5.02580E-03	2.87800E-05	1.40390E-03	9.99990E-01
19	.00000E+00	.00000E+00	1.05662E-02	2.87901E-03	9.55519E-03	6.44814E-05	1.03678E-03	9.99977E-01
20	.00000E+00	.00000E+00	2.60612E-02	2.07213E-02	2.34283E-02	2.70250E-04	2.36309E-03	9.99986E-01
21	.00000E+00	.00000E+00	1.24522E-02	4.10951E-03	1.06907E-02	1.03060E-04	1.65858E-03	9.99983E-01
22	.00000E+00	.00000E+00	2.45964E-02	1.25329E-02	1.95089E-02	2.40724E-04	4.85135E-03	1.00002E+00
23	.00000E+00	.00000E+00	6.35782E-02	7.65646E-02	5.02779E-02	1.11145E-03	1.21839E-02	1.00005E+00
24	.00000E+00	.00000E+00	6.78364E-02	7.24320E-02	5.59109E-02	1.31776E-03	1.06050E-02	1.00004E+00
25	.00000E+00	.00000E+00	4.51868E-02	3.07501E-02	3.95600E-02	7.81536E-04	4.84419E-03	1.00002E+00
26	.00000E+00	.00000E+00	3.61066E-02	3.43883E-02	3.17622E-02	7.95286E-04	3.54856E-03	1.00002E+00
27	.00000E+00	.00000E+00	1.22538E-02	7.46532E-03	1.13726E-02	2.84159E-04	5.97017E-04	1.00000E+00
28	.00000E+00	.00000E+00	7.84903E-01	7.79957E-01	7.84903E-01	6.22283E-03	-6.20299E-03	9.99975E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.30740E-02	-7.23328E-04	1.29571E-02	.00000E+00	3.69291E-11	.00000E+00	2.00132E-05	1.63473E-02
2	9.23472E-02	-7.89438E-03	9.08455E-02	.00000E+00	.00000E+00	.00000E+00	8.93467E-05	1.14968E-01
3	1.14755E-01	-1.04659E-02	1.12588E-01	.00000E+00	.00000E+00	.00000E+00	9.23722E-05	1.42631E-01
4	7.05999E-02	-6.82364E-03	6.90441E-02	.00000E+00	.00000E+00	.00000E+00	4.17695E-05	8.75769E-02
5	1.05379E-01	-1.06671E-02	1.02781E-01	.00000E+00	.00000E+00	.00000E+00	4.95889E-05	1.30518E-01
6	1.97696E-01	-1.95771E-02	1.92851E-01	.00000E+00	.00000E+00	.00000E+00	8.34278E-05	2.44892E-01
7	1.96151E-01	-1.19568E-02	1.93118E-01	.00000E+00	.00000E+00	.00000E+00	5.92818E-05	2.44303E-01
8	1.47433E-01	-2.42325E-03	1.47011E-01	.00000E+00	.00000E+00	.00000E+00	3.27300E-05	1.85001E-01
9	1.15904E-01	2.50246E-04	1.15956E-01	.00000E+00	.00000E+00	.00000E+00	2.16822E-05	1.45675E-01
10	1.06760E-01	1.44639E-03	1.07184E-01	.00000E+00	.00000E+00	.00000E+00	1.91735E-05	1.34466E-01
11	9.99994E-02	3.43382E-03	1.00961E-01	.00000E+00	.00000E+00	.00000E+00	1.79254E-05	1.26353E-01
12	6.43590E-02	4.05481E-03	6.54629E-02	.00000E+00	.00000E+00	.00000E+00	1.05224E-05	8.16613E-02
13	5.48671E-02	3.86204E-03	5.58900E-02	.00000E+00	.00000E+00	.00000E+00	8.74912E-06	6.96722E-02
14	5.16774E-02	5.70361E-03	5.32088E-02	.00000E+00	.00000E+00	.00000E+00	8.45942E-06	6.60231E-02
15	2.87206E-02	1.23565E-03	2.89915E-02	.00000E+00	.00000E+00	.00000E+00	4.46673E-06	3.62800E-02
16	1.58805E-02	6.82897E-04	1.60393E-02	.00000E+00	.00000E+00	.00000E+00	2.23451E-06	2.00681E-02
17	6.84927E-03	5.66708E-04	6.99815E-03	.00000E+00	.00000E+00	.00000E+00	8.91854E-07	8.71339E-03
18	4.86091E-03	1.40390E-03	5.26061E-03	.00000E+00	.00000E+00	.00000E+00	6.38581E-07	6.39540E-03

19	1.03147E-02	1.03678E-03	1.05871E-02	.00000E+00	.00000E+00	.00000E+00	1.37643E-06	1.31547E-02
20	3.46379E-02	2.36309E-03	3.52432E-02	.00000E+00	.00000E+00	.00000E+00	5.15148E-06	4.39514E-02
21	1.04515E-02	1.65858E-03	1.09349E-02	.00000E+00	.00000E+00	.00000E+00	1.23561E-06	1.34758E-02
22	2.08960E-02	4.85135E-03	2.23888E-02	.00000E+00	.00000E+00	.00000E+00	2.49604E-06	2.73040E-02
23	7.12707E-02	1.21839E-02	7.57016E-02	.00000E+00	.00000E+00	.00000E+00	7.63495E-06	9.25676E-02
24	5.75309E-02	1.06050E-02	6.21325E-02	.00000E+00	.00000E+00	.00000E+00	4.62083E-06	7.53854E-02
25	2.56907E-02	4.84419E-03	2.81161E-02	.00000E+00	.00000E+00	.00000E+00	1.60526E-06	3.38993E-02
26	1.81170E-02	3.54856E-03	2.02911E-02	.00000E+00	.00000E+00	.00000E+00	8.47061E-07	2.42219E-02
27	3.37778E-03	5.97017E-04	3.85506E-03	.00000E+00	.00000E+00	.00000E+00	9.98282E-08	4.56914E-03
28	1.73960E+00	-6.20296E-03	1.74639E+00	.00000E+00	3.69291E-11	.00000E+00	5.88141E-04	2.19007E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.23088E-04	1.67253E-04	2.50875E-06	-1.63776E-04	1.00001E+00
2	.00000E+00	.00000E+00	2.92068E-05	1.46077E-03	1.04817E-03	1.40696E-05	-1.03305E-03	1.00000E+00
3	.00000E+00	.00000E+00	1.50721E-04	2.77156E-03	8.76337E-04	2.02812E-05	-7.45839E-04	9.99995E-01
4	.00000E+00	.00000E+00	2.87481E-04	2.30585E-03	2.98558E-04	1.31034E-05	-2.41627E-05	9.99997E-01
5	.00000E+00	.00000E+00	6.18142E-04	4.41802E-03	2.79406E-04	1.68695E-05	3.21851E-04	1.00000E+00
6	.00000E+00	.00000E+00	1.02416E-03	1.24062E-02	1.69503E-04	2.70703E-05	8.27594E-04	1.00000E+00
7	.00000E+00	.00000E+00	6.73362E-04	1.25980E-02	6.33138E-05	2.68186E-05	5.85230E-04	1.00000E+00
8	.00000E+00	.00000E+00	1.17530E-04	9.20975E-03	4.43464E-04	2.21164E-05	-3.48079E-04	1.00001E+00
9	.00000E+00	.00000E+00	4.45309E-04	6.36202E-03	5.30344E-05	7.67387E-05	3.15545E-04	9.99987E-01
10	.00000E+00	.00000E+00	5.30996E-05	4.99152E-03	4.95246E-05	5.98821E-05	-5.58123E-05	1.00000E+00
11	.00000E+00	.00000E+00	4.95279E-05	4.45974E-03	5.03662E-05	9.01200E-05	-9.09623E-05	1.00000E+00
12	.00000E+00	.00000E+00	5.03665E-05	2.76454E-03	5.14333E-05	5.67973E-06	-6.74743E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.14334E-05	2.35753E-03	4.80920E-05	6.31695E-06	-2.97604E-06	1.00000E+00
14	.00000E+00	.00000E+00	4.80921E-05	2.22465E-03	4.19238E-05	8.49585E-06	-2.32784E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.45076E-05	1.21206E-03	4.96056E-05	6.27696E-06	-1.13790E-05	1.00000E+00
16	.00000E+00	.00000E+00	5.55508E-05	6.41699E-04	5.55914E-05	3.80325E-06	-3.84630E-06	1.00000E+00
17	.00000E+00	.00000E+00	6.03665E-05	2.41195E-04	5.95707E-05	1.79259E-06	-7.95196E-07	9.99994E-01
18	.00000E+00	.00000E+00	6.23429E-05	1.60750E-04	5.19055E-05	1.33832E-06	9.10077E-06	9.99999E-01
19	.00000E+00	.00000E+00	5.37654E-05	3.94315E-04	5.81776E-05	3.05978E-06	-7.46769E-06	9.99996E-01
20	.00000E+00	.00000E+00	7.09980E-05	1.45834E-03	6.19994E-05	1.25378E-05	-3.53763E-06	9.99997E-01
21	.00000E+00	.00000E+00	8.15146E-05	3.69810E-04	8.83341E-05	4.58408E-06	-1.13980E-05	9.99997E-01
22	.00000E+00	.00000E+00	1.16403E-04	8.07124E-04	1.07869E-04	1.04215E-05	-1.82679E-06	9.99988E-01
23	.00000E+00	.00000E+00	1.66569E-04	2.91009E-03	2.13649E-04	4.75308E-05	-9.46401E-05	1.00000E+00
24	.00000E+00	.00000E+00	2.75410E-04	2.21755E-03	3.04325E-04	5.44330E-05	-8.34102E-05	1.00001E+00
25	.00000E+00	.00000E+00	2.81808E-04	8.95630E-04	2.30523E-04	3.16952E-05	1.95573E-05	1.00001E+00
26	.00000E+00	.00000E+00	1.19951E-04	7.01566E-04	9.27138E-05	3.14948E-05	-4.27151E-06	1.00000E+00
27	.00000E+00	.00000E+00	2.68834E-05	1.48149E-04	7.63316E-08	1.09913E-05	1.58114E-05	1.00001E+00
28	.00000E+00	.00000E+00	5.01450E-03	8.07095E-02	5.01450E-03	6.09531E-04	-6.03612E-04	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	nžn rate	fiss rate	flux*adj**2	total flux
1	1.31006E-02	-8.87104E-04	1.30740E-02	-7.23328E-04	5.97506E-06	.00000E+00	1.65175E-06	2.18126E-03
2	9.26127E-02	-8.92743E-03	9.23472E-02	-7.89438E-03	.00000E+00	.00000E+00	1.11676E-05	1.54150E-02
3	1.15103E-01	-1.12117E-02	1.14755E-01	-1.04689E-02	.00000E+00	.00000E+00	1.27008E-05	1.91588E-02
4	7.08166E-02	-6.84780E-03	7.05999E-02	-6.82364E-03	.00000E+00	.00000E+00	7.44280E-06	1.17886E-02
5	1.05718E-01	-1.03452E-02	1.05379E-01	-1.06671E-02	.00000E+00	.00000E+00	8.63880E-06	1.75985E-02
6	1.98369E-01	-1.87495E-02	1.97696E-01	-1.95771E-02	.00000E+00	.00000E+00	1.01766E-05	3.30194E-02
7	1.96556E-01	-1.13736E-02	1.96151E-01	-1.19568E-02	.00000E+00	.00000E+00	8.35461E-06	3.27359E-02
8	1.47521E-01	-2.77132E-03	1.47433E-01	-2.42525E-03	.00000E+00	.00000E+00	5.27569E-06	2.45822E-02
9	1.15894E-01	5.65790E-04	1.15904E-01	2.50246E-04	.00000E+00	.00000E+00	4.58652E-06	1.93196E-02
10	1.06721E-01	1.39058E-03	1.06760E-01	1.44639E-03	.00000E+00	.00000E+00	4.91381E-06	1.77914E-02
11	9.99075E-02	3.34286E-03	9.99994E-02	3.43382E-03	.00000E+00	.00000E+00	4.76975E-06	1.66591E-02
12	6.42518E-02	4.04806E-03	6.43590E-02	4.05481E-03	.00000E+00	.00000E+00	3.21838E-06	1.07171E-02
13	5.47628E-02	3.85906E-03	5.48671E-02	3.86204E-03	.00000E+00	.00000E+00	2.73753E-06	9.13528E-03
14	5.15252E-02	5.70129E-03	5.16774E-02	5.70861E-03	.00000E+00	.00000E+00	2.57040E-06	8.59881E-03
15	2.86823E-02	1.22427E-03	2.87205E-02	1.23565E-03	.00000E+00	.00000E+00	1.40948E-06	4.78387E-03
16	1.58612E-02	6.79060E-04	1.58805E-02	6.82897E-04	.00000E+00	.00000E+00	7.79422E-07	2.64530E-03
17	6.83429E-03	5.65915E-04	6.84927E-03	5.66708E-04	.00000E+00	.00000E+00	3.35805E-07	1.14025E-03
18	4.82575E-03	1.41300E-03	4.86091E-03	1.40890E-03	.00000E+00	.00000E+00	2.37513E-07	8.06744E-04
19	1.02866E-02	1.02931E-03	1.03147E-02	1.03678E-03	.00000E+00	.00000E+00	5.05165E-07	1.71661E-03

20	3.45746E-02	2.35955E-03	3.46379E-02	2.36309E-03	.00000E+00	.00000E+00	1.69494E-06	5.76768E-03
21	1.04109E-02	1.64718E-03	1.04515E-02	1.65858E-03	.00000E+00	.00000E+00	5.09913E-07	1.73805E-03
22	2.07798E-02	4.84952E-03	2.08960E-02	4.85135E-03	.00000E+00	.00000E+00	1.01706E-06	3.47119E-03
23	7.09843E-02	1.20892E-02	7.12707E-02	1.21839E-02	.00000E+00	.00000E+00	3.46012E-06	1.18511E-02
24	5.73016E-02	1.05216E-02	5.75309E-02	1.06050E-02	.00000E+00	.00000E+00	2.77605E-06	9.56620E-03
25	2.55947E-02	4.86374E-03	2.56907E-02	4.84419E-03	.00000E+00	.00000E+00	1.25246E-06	4.27240E-03
26	1.80577E-02	3.54429E-03	1.81170E-02	3.54856E-03	.00000E+00	.00000E+00	8.60109E-07	3.01335E-03
27	3.37218E-03	6.12828E-04	3.37776E-03	5.97017E-04	.00000E+00	.00000E+00	1.55587E-07	5.62318E-04
28	1.74042E+00	-6.80663E-03	1.73960E+00	-6.20296E-03	5.97506E-06	.00000E+00	1.03178E-04	2.90036E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.67474E-04	3.54023E-04	2.94782E-05	-3.85484E-04	9.99986E-01
2	.00000E+00	.00000E+00	2.08132E-04	3.29036E-03	4.32458E-03	9.40265E-05	-4.21532E-03	9.99988E-01
3	.00000E+00	.00000E+00	2.05364E-03	2.92198E-03	7.60229E-03	4.96085E-05	-5.59809E-03	9.99991E-01
4	.00000E+00	.00000E+00	2.98767E-03	1.92786E-03	6.62392E-03	2.24979E-05	-3.65867E-03	9.99994E-01
5	.00000E+00	.00000E+00	5.49275E-03	6.18193E-03	1.11998E-02	2.66405E-05	-5.73358E-03	9.99996E-01
6	.00000E+00	.00000E+00	1.15223E-02	1.84943E-02	2.19806E-02	4.51890E-05	-1.05085E-02	1.00000E+00
7	.00000E+00	.00000E+00	2.26403E-02	3.23952E-02	2.87627E-02	3.25267E-05	-6.15459E-03	9.99991E-01
8	.00000E+00	.00000E+00	2.99969E-02	4.11733E-02	3.08725E-02	1.91308E-05	-8.92048E-04	9.99919E-01
9	.00000E+00	.00000E+00	3.04304E-02	3.80044E-02	3.00960E-02	1.53227E-05	3.22407E-04	9.99893E-01
10	.00000E+00	.00000E+00	2.99079E-02	3.61271E-02	2.90335E-02	1.88350E-05	8.58774E-04	9.99900E-01
11	.00000E+00	.00000E+00	2.91981E-02	3.40957E-02	2.72207E-02	2.85705E-05	1.95049E-03	9.99946E-01
12	.00000E+00	.00000E+00	2.36271E-02	1.81134E-02	2.13127E-02	3.11988E-05	2.28369E-03	9.99982E-01
13	.00000E+00	.00000E+00	2.09892E-02	1.47201E-02	1.88778E-02	4.36057E-05	2.06864E-03	9.99974E-01
14	.00000E+00	.00000E+00	2.03649E-02	1.43616E-02	1.71560E-02	6.93090E-05	3.13989E-03	9.99991E-01
15	.00000E+00	.00000E+00	1.10848E-02	5.63445E-03	1.05556E-02	5.84617E-05	4.71198E-04	9.99962E-01
16	.00000E+00	.00000E+00	7.32352E-03	2.37109E-03	6.98545E-03	3.95420E-05	2.98753E-04	9.99972E-01
17	.00000E+00	.00000E+00	3.76259E-03	6.60032E-04	3.43412E-03	1.88942E-05	3.09684E-04	9.99975E-01
18	.00000E+00	.00000E+00	3.33065E-03	4.45639E-04	2.43506E-03	1.39442E-05	8.81677E-04	9.99994E-01
19	.00000E+00	.00000E+00	5.45331E-03	1.47294E-03	4.88858E-03	3.29896E-05	5.31881E-04	9.99979E-01
20	.00000E+00	.00000E+00	1.33362E-02	1.06900E-02	1.20864E-02	1.39420E-04	1.11058E-03	9.99985E-01
21	.00000E+00	.00000E+00	6.35607E-03	2.06524E-03	5.37266E-03	5.17930E-05	9.31733E-04	9.99986E-01
22	.00000E+00	.00000E+00	1.24484E-02	6.16087E-03	9.58764E-03	1.18334E-04	2.74224E-03	1.00001E+00
23	.00000E+00	.00000E+00	3.14738E-02	3.81199E-02	2.50323E-02	5.53369E-04	5.88688E-03	1.00008E+00
24	.00000E+00	.00000E+00	3.33394E-02	3.55915E-02	2.74734E-02	6.47516E-04	5.21752E-03	1.00008E+00
25	.00000E+00	.00000E+00	2.20632E-02	1.49598E-02	1.92201E-02	3.79707E-04	2.46298E-03	1.00002E+00
26	.00000E+00	.00000E+00	1.75554E-02	1.63585E-02	1.51093E-02	3.78517E-04	2.06758E-03	1.00001E+00
27	.00000E+00	.00000E+00	5.92781E-03	3.46074E-03	5.27208E-03	1.31729E-04	5.23982E-04	1.00000E+00
28	.00000E+00	.00000E+00	4.02870E-01	4.00043E-01	4.02870E-01	3.09006E-03	-3.07884E-03	9.99973E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.32375E-02	-1.27059E-03	1.31006E-02	-8.87104E-04	1.95785E-11	.00000E+00	1.06103E-05	8.66678E-03
2	9.39521E-02	-1.31427E-02	9.26127E-02	-8.92743E-03	.00000E+00	.00000E+00	4.76921E-05	6.13683E-02
3	1.16737E-01	-1.68098E-02	1.15103E-01	-1.12117E-02	.00000E+00	.00000E+00	4.95792E-05	7.62459E-02
4	7.17846E-02	-1.05065E-02	7.08166E-02	-6.84780E-03	.00000E+00	.00000E+00	2.23621E-05	4.68860E-02
5	1.07178E-01	-1.60788E-02	1.05718E-01	-1.03452E-02	.00000E+00	.00000E+00	2.64834E-05	6.99867E-02
6	2.09970E-01	-2.92530E-02	1.98369E-01	-1.87495E-02	.00000E+00	.00000E+00	4.47228E-05	1.31278E-01
7	1.98066E-01	-1.75281E-02	1.96556E-01	-1.13736E-02	.00000E+00	.00000E+00	3.14989E-05	1.29788E-01
8	1.47814E-01	-3.66337E-03	1.47521E-01	-2.77132E-03	.00000E+00	.00000E+00	1.71969E-05	9.72027E-02
9	1.15670E-01	8.88198E-04	1.15894E-01	5.65790E-04	.00000E+00	.00000E+00	1.13438E-05	7.62153E-02
10	1.06469E-01	2.24935E-03	1.06721E-01	1.39058E-03	.00000E+00	.00000E+00	1.00076E-05	7.01838E-02
11	9.95399E-02	5.29535E-03	9.99075E-02	3.34285E-03	.00000E+00	.00000E+00	9.30847E-06	6.56136E-02
12	6.35597E-02	6.33176E-03	6.42518E-02	4.04805E-03	.00000E+00	.00000E+00	5.42544E-06	4.21054E-02
13	5.41511E-02	5.92770E-03	5.47628E-02	3.85906E-03	.00000E+00	.00000E+00	4.50573E-06	3.58807E-02
14	5.05852E-02	8.84118E-03	5.15252E-02	5.70129E-03	.00000E+00	.00000E+00	4.31272E-06	3.36574E-02
15	2.85839E-02	1.69546E-03	2.86823E-02	1.22427E-03	.00000E+00	.00000E+00	2.32126E-06	1.88539E-02
16	1.57870E-02	9.77808E-04	1.58612E-02	6.79060E-04	.00000E+00	.00000E+00	1.16034E-06	1.04210E-02
17	6.74270E-03	8.75598E-04	6.83429E-03	5.69915E-04	.00000E+00	.00000E+00	4.57927E-07	4.47404E-03
18	4.53947E-03	2.29468E-03	4.82575E-03	1.41300E-03	.00000E+00	.00000E+00	3.09399E-07	3.09864E-03
19	1.01351E-02	1.56119E-03	1.02866E-02	1.02931E-03	.00000E+00	.00000E+00	7.04202E-07	6.73015E-03
20	3.42629E-02	3.47013E-03	3.45746E-02	2.35955E-03	.00000E+00	.00000E+00	2.65761E-06	2.26742E-02

21	1.01129E-02	2.57891E-03	1.04109E-02	1.64718E-03	.00000E+00	.00000E+00	6.20959E-07	6.77228E-03
22	1.98472E-02	7.59177E-03	2.07798E-02	4.84952E-03	.00000E+00	.00000E+00	1.22699E-06	1.34220E-02
23	6.87225E-02	1.79761E-02	7.09843E-02	1.20892E-02	.00000E+00	.00000E+00	3.80129E-06	4.60875E-02
24	5.49320E-02	1.57389E-02	5.73016E-02	1.05216E-02	.00000E+00	.00000E+00	2.27057E-06	3.70427E-02
25	2.42893E-02	7.32672E-03	2.55947E-02	4.86374E-03	.00000E+00	.00000E+00	7.79912E-07	1.64699E-02
26	1.67928E-02	5.61187E-03	1.80577E-02	3.54429E-03	.00000E+00	.00000E+00	4.02947E-07	1.15223E-02
27	3.01148E-03	1.13681E-03	3.37218E-03	6.12828E-04	.00000E+00	.00000E+00	4.62779E-08	2.11814E-03
28	1.73727E+00	-9.88547E-03	1.74042E+00	-6.80663E-03	1.95785E-11	.00000E+00	3.11604E-04	1.14477E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.32907E-02	.00000E+00	2.15981E-02	2.05148E-02	3.79999E-03	1.27058E-03	9.98905E-01
2	.00000E+00	1.94883E-01	7.10288E-03	2.51726E-01	1.73507E-01	1.53486E-02	1.31427E-02	1.00002E+00
3	.00000E+00	2.16031E-01	7.17082E-02	2.57985E-01	2.54706E-01	1.62264E-02	1.68097E-02	9.99989E-01
4	.00000E+00	1.23708E-01	1.05777E-01	1.76962E-01	2.11241E-01	7.73803E-03	1.05064E-02	1.00000E+00
5	.00000E+00	1.63830E-01	1.92574E-01	4.44771E-01	3.34967E-01	5.16145E-03	1.60787E-02	9.99990E-01
6	.00000E+00	1.76584E-01	3.91392E-01	1.19114E+00	5.30580E-01	8.13540E-03	2.92529E-02	1.00001E+00
7	.00000E+00	8.71931E-02	5.95645E-01	1.56400E+00	6.55240E-01	8.07672E-03	1.75290E-02	9.99989E-01
8	.00000E+00	1.34264E-02	6.89554E-01	1.57558E+00	6.86290E-01	1.30835E-02	3.66342E-03	9.99920E-01
9	.00000E+00	9.74272E-04	6.78380E-01	1.37263E+00	6.58684E-01	2.16321E-02	-8.97595E-04	9.99906E-01
10	.00000E+00	7.23618E-05	6.55693E-01	1.24970E+00	6.25453E-01	3.26288E-02	-2.24891E-03	9.99898E-01
11	.00000E+00	5.69250E-06	6.29467E-01	1.16465E+00	5.81327E-01	5.34754E-02	-5.29615E-03	9.99947E-01
12	.00000E+00	3.99916E-07	5.06309E-01	6.36473E-01	4.54183E-01	5.84704E-02	-6.33213E-03	9.99975E-01
13	.00000E+00	6.35030E-08	4.48841E-01	5.05227E-01	3.99411E-01	5.53707E-02	-5.92953E-03	9.99974E-01
14	.00000E+00	1.25846E-08	4.31262E-01	4.68528E-01	3.60423E-01	7.96850E-02	-8.84148E-03	9.99991E-01
15	.00000E+00	1.42220E-09	2.36696E-01	2.14619E-01	2.30314E-01	8.01925E-03	-1.69317E-03	1.00024E+00
16	.00000E+00	4.17607E-10	1.61569E-01	9.87491E-02	1.56194E-01	6.30966E-03	-9.76291E-04	1.00026E+00
17	.00000E+00	1.34490E-10	8.63537E-02	3.04912E-02	7.88587E-02	8.35307E-03	-8.71588E-04	1.00016E+00
18	.00000E+00	9.62907E-11	7.67666E-02	1.83898E-02	5.19267E-02	2.71259E-02	-2.29389E-03	1.00005E+00
19	.00000E+00	1.36134E-10	1.19175E-01	5.77618E-02	1.09517E-01	1.12012E-02	-1.55591E-03	1.00010E+00
20	.00000E+00	2.21369E-10	2.85464E-01	3.38005E-01	2.61112E-01	2.77545E-02	-3.46472E-03	1.00022E+00
21	.00000E+00	3.24012E-11	1.40025E-01	6.63100E-02	1.17220E-01	2.53680E-02	-2.57710E-03	1.00010E+00
22	.00000E+00	3.75928E-11	2.64641E-01	1.69624E-01	1.97581E-01	7.46177E-02	-7.59884E-03	1.00015E+00
23	.00000E+00	3.59429E-11	6.30940E-01	9.50573E-01	5.11078E-01	1.37696E-01	-1.79617E-02	1.00020E+00
24	.00000E+00	9.78520E-12	6.67393E-01	8.27379E-01	5.51983E-01	1.31037E-01	-1.57348E-02	1.00016E+00
25	.00000E+00	2.86388E-12	4.42915E-01	3.36617E-01	3.78280E-01	7.19151E-02	-7.32404E-03	1.00010E+00
26	.00000E+00	2.00817E-12	3.43672E-01	3.38860E-01	2.84041E-01	6.52141E-02	-5.61219E-03	1.00008E+00
27	.00000E+00	4.78557E-13	1.13558E-01	6.85610E-02	9.60378E-02	1.86526E-02	-1.13682E-03	1.00004E+00
28	.00000E+00	1.00000E+00	8.97067E+00	1.43969E+01	8.97067E+00	9.92100E-01	9.90674E-03	1.00003E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.35389E-02	-7.77195E-09	1.32375E-02	-1.27059E-03	2.26664E-03	2.52141E-03	2.98674E-04	3.44153E-01
2	9.72642E-02	-6.45417E-08	9.39521E-02	-1.31427E-02	1.57678E-05	1.10427E-02	1.59890E-03	2.46984E+00
3	1.21094E-01	-9.77021E-08	1.16737E-01	-1.68098E-02	.00000E+00	1.33204E-02	1.85303E-03	3.07408E+00
4	7.45965E-02	-8.01678E-08	7.17846E-02	-1.05065E-02	.00000E+00	5.70815E-03	8.85254E-04	1.89334E+00
5	1.11747E-01	-8.22760E-08	1.07178E-01	-1.60788E-02	.00000E+00	1.62672E-03	1.08252E-03	2.83516E+00
6	2.09764E-01	-6.88761E-08	2.00970E-01	-2.92530E-02	.00000E+00	1.33034E-03	1.73166E-03	5.32001E+00
7	2.08598E-01	8.54238E-07	1.98066E-01	-1.75281E-02	.00000E+00	1.25877E-03	1.22666E-03	5.17023E+00
8	1.48979E-01	5.02141E-08	1.47814E-01	-3.66337E-03	.00000E+00	1.25771E-03	6.98434E-04	3.79007E+00
9	1.15338E-01	-9.39736E-06	1.15670E-01	8.88198E-04	.00000E+00	1.66411E-03	4.71514E-04	2.95747E+00
10	1.05681E-01	4.43340E-07	1.05469E-01	2.24935E-03	.00000E+00	3.55418E-03	4.28867E-04	2.69300E+00
11	9.75028E-02	-2.80511E-06	9.95399E-02	5.29535E-03	.00000E+00	7.68478E-03	3.87139E-04	2.48761E+00
12	6.13761E-02	-3.70699E-07	6.35597E-02	6.33178E-03	.00000E+00	1.02455E-02	2.27869E-04	1.56867E+00
13	5.21291E-02	-1.63153E-06	5.41511E-02	5.92770E-03	.00000E+00	1.17766E-02	1.94428E-04	1.33287E+00
14	4.75676E-02	-3.01591E-07	5.05832E-02	8.84118E-03	.00000E+00	7.40263E-03	1.73596E-04	1.21929E+00
15	2.80289E-02	2.29467E-06	2.85838E-02	1.69546E-03	.00000E+00	1.73351E-03	1.10520E-04	7.15444E-01
16	1.54686E-02	1.51225E-06	1.57870E-02	9.77803E-04	.00000E+00	1.22133E-03	5.70208E-05	3.94820E-01
17	6.44890E-03	4.01001E-06	6.74270E-03	8.75598E-04	.00000E+00	1.40452E-03	2.10229E-05	1.65011E-01
18	3.75240E-03	7.91146E-07	4.53947E-03	2.29468E-03	.00000E+00	9.99567E-04	8.52702E-06	9.69296E-02
19	9.59424E-03	5.28060E-06	1.01351E-02	1.56119E-03	.00000E+00	2.24225E-03	3.20494E-05	2.45872E-01
20	3.30550E-02	5.40600E-06	3.42629E-02	3.47013E-03	.00000E+00	1.40957E-02	1.21869E-04	8.45408E-01
21	9.18212E-03	1.81122E-06	1.01129E-02	2.57891E-03	.00000E+00	1.46585E-02	2.55299E-05	2.36449E-01

22	1.69691E-02	-7.07403E-06	1.98472E-02	7.59177E-03	.00000E+00	4.34662E-02	4.33671E-05	4.40348E-01
23	6.06425E-02	1.43647E-05	6.87225E-02	1.79761E-02	.00000E+00	7.66330E-02	1.62200E-04	1.57315E+00
24	4.69019E-02	4.10178E-06	5.49520E-02	1.57389E-02	.00000E+00	7.14206E-02	9.90671E-05	1.22418E+00
25	2.01605E-02	2.68412E-06	2.42893E-02	7.32672E-03	.00000E+00	4.08034E-02	3.40254E-05	5.28740E-01
26	1.32954E-02	-3.23816E-07	1.67928E-02	5.61187E-03	.00000E+00	3.75268E-02	1.68204E-05	3.50725E-01
27	2.26254E-03	-9.92357E-09	3.01148E-03	1.13681E-03	.00000E+00	1.05782E-02	1.73149E-06	5.93197E-02
28	1.72590E+00	2.13532E-05	1.73727E+00	-9.88547E-03	2.28240E-03	3.97176E-01	1.19219E-02	4.40122E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.32907E-02	.00000E+00	2.25952E-02	2.17038E-02	3.88758E-03	-7.77195E-09	9.98903E-01
2	.00000E+00	1.94883E-01	7.71837E-03	2.62641E-01	1.86981E-01	1.56328E-02	-6.45417E-08	1.00002E+00
3	.00000E+00	2.16031E-01	7.77606E-02	2.69145E-01	2.77406E-01	1.63891E-02	-9.77021E-08	9.99987E-01
4	.00000E+00	1.23708E-01	1.14643E-01	1.84797E-01	2.30536E-01	7.81565E-03	-8.01678E-08	9.99999E-01
5	.00000E+00	1.63830E-01	2.08753E-01	4.66899E-01	3.67333E-01	5.25464E-03	-8.22760E-08	9.99990E-01
6	.00000E+00	1.76584E-01	4.25450E-01	1.25654E+00	5.95734E-01	8.29196E-03	-6.88761E-08	1.00001E+00
7	.00000E+00	8.71931E-02	6.59203E-01	1.66997E+00	7.38207E-01	8.19729E-03	8.54238E-07	9.99988E-01
8	.00000E+00	1.34264E-02	7.76085E-01	1.70433E+00	7.76364E-01	1.31612E-02	5.02141E-08	9.99919E-01
9	.00000E+00	9.74272E-04	7.67053E-01	1.48963E+00	7.46357E-01	2.17535E-02	-9.39736E-06	9.99904E-01
10	.00000E+00	7.23618E-05	7.42756E-01	1.36003E+00	7.10161E-01	3.27431E-02	4.43340E-07	9.99898E-01
11	.00000E+00	5.69290E-06	7.14619E-01	1.26886E+00	6.61017E-01	5.36494E-02	-2.80511E-06	9.99945E-01
12	.00000E+00	3.99916E-07	5.75435E-01	6.92481E-01	5.16882E-01	5.85678E-02	-3.70699E-07	9.99975E-01
13	.00000E+00	6.35030E-08	5.10483E-01	5.50888E-01	4.54993E-01	5.55053E-02	-1.63153E-06	9.99973E-01
14	.00000E+00	1.25846E-08	4.91166E-01	5.13284E-01	4.11272E-01	7.98988E-02	-3.01591E-07	9.99990E-01
15	.00000E+00	1.42220E-09	2.69485E-01	2.32308E-01	2.61231E-01	8.19648E-03	2.29467E-06	1.00020E+00
16	.00000E+00	4.17607E-10	1.83159E-01	1.06328E-01	1.76687E-01	6.42916E-03	1.51225E-06	1.00022E+00
17	.00000E+00	1.34490E-10	9.74680E-02	3.26779E-02	8.90402E-02	8.41055E-03	4.01001E-06	1.00014E+00
18	.00000E+00	9.62907E-11	8.66180E-02	1.99160E-02	5.94394E-02	2.71739E-02	7.91146E-07	1.00004E+00
19	.00000E+00	1.36134E-10	1.35338E-01	6.25080E-02	1.24019E-01	1.13017E-02	5.28060E-06	1.00009E+00
20	.00000E+00	2.21369E-10	3.24952E-01	3.70875E-01	2.96688E-01	2.81767E-02	5.40600E-06	1.00019E+00
21	.00000E+00	3.24012E-11	1.58915E-01	7.28546E-02	1.33372E-01	2.55274E-02	1.81122E-06	1.00009E+00
22	.00000E+00	3.75928E-11	3.01803E-01	1.89125E-01	2.26781E-01	7.49872E-02	-7.07403E-06	1.00014E+00
23	.00000E+00	3.59429E-11	7.26157E-01	1.06817E+00	5.86602E-01	1.39408E-01	1.43647E-05	1.00018E+00
24	.00000E+00	9.78520E-12	7.69844E-01	9.37620E-01	6.35671E-01	1.33057E-01	4.10178E-06	1.00015E+00
25	.00000E+00	2.86388E-12	5.10446E-01	3.85202E-01	4.37291E-01	7.31081E-02	2.68412E-06	1.00009E+00
26	.00000E+00	2.00817E-12	3.97454E-01	3.90309E-01	3.31005E-01	6.64192E-02	-3.23816E-07	1.00007E+00
27	.00000E+00	4.78657E-13	1.31766E-01	7.96352E-02	1.12683E-01	1.90795E-02	-9.92357E-09	1.00003E+00
28	.00000E+00	1.00000E+00	1.01635E+01	1.56576E+01	1.01635E+01	1.00202E+00	2.12889E-05	1.00002E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.35389E-02	-7.77195E-09	1.29571E-02	.00000E+00	2.27681E-03	2.52141E-03	3.30949E-04	3.71348E-01
2	9.72642E-02	-6.45417E-08	9.08455E-02	.00000E+00	1.57678E-03	1.10427E-02	1.74711E-03	2.66159E+00
3	1.21094E-01	-9.77021E-08	1.12588E-01	.00000E+00	.00000E+00	1.33204E-02	1.98748E-03	3.31211E+00
4	7.45965E-02	-8.01678E-08	6.90441E-02	.00000E+00	.00000E+00	5.70815E-03	9.56828E-04	2.03959E+00
5	1.11747E-01	-8.22760E-08	1.02781E-01	.00000E+00	.00000E+00	1.62672E-03	1.11703E-03	3.05326E+00
6	2.09764E-01	-6.88761E-08	1.92851E-01	.00000E+00	.00000E+00	1.33034E-03	1.86999E-03	5.72920E+00
7	2.08598E-01	8.54238E-07	1.95118E-01	.00000E+00	.00000E+00	1.25877E-03	1.32579E-03	5.57706E+00
8	1.48979E-01	5.02141E-08	1.47011E-01	.00000E+00	.00000E+00	1.25771E-03	7.53636E-04	4.09686E+00
9	1.15338E-01	-9.39736E-06	1.15956E-01	.00000E+00	.00000E+00	1.66411E-03	5.09126E-04	3.17868E+00
10	1.05681E-01	4.43340E-07	1.07184E-01	.00000E+00	.00000E+00	3.55418E-03	4.62962E-04	2.91544E+00
11	9.75028E-02	-2.80511E-06	1.00961E-01	.00000E+00	.00000E+00	7.68478E-03	4.19143E-04	2.69624E+00
12	6.13761E-02	-3.70699E-07	6.54629E-02	.00000E+00	.00000E+00	1.02455E-02	2.46806E-04	1.70315E+00
13	5.21291E-02	-1.63153E-06	5.58900E-02	.00000E+00	.00000E+00	1.17766E-02	2.10421E-04	1.44756E+00
14	4.75676E-02	-3.01591E-07	5.32038E-02	.00000E+00	.00000E+00	7.40263E-03	1.88738E-04	1.32757E+00
15	2.80286E-02	2.29467E-06	2.89915E-02	.00000E+00	.00000E+00	1.73351E-03	1.18718E-04	7.75362E-01
16	1.54686E-02	1.51225E-06	1.60393E-02	.00000E+00	.00000E+00	1.22133E-03	6.11950E-05	4.27955E-01
17	6.44890E-03	4.01001E-06	6.99815E-03	.00000E+00	.00000E+00	1.40452E-03	2.27084E-05	1.79339E-01
18	3.73240E-03	7.91146E-07	5.26061E-03	.00000E+00	.00000E+00	9.99567E-04	9.71251E-06	1.07230E-01
19	9.59424E-03	5.28060E-06	1.05871E-02	.00000E+00	.00000E+00	2.24225E-03	3.46352E-05	2.67473E-01
20	3.30650E-02	5.40600E-06	3.52432E-02	.00000E+00	.00000E+00	1.40957E-02	1.31373E-04	9.17802E-01
21	9.18212E-03	1.81122E-06	1.09349E-02	.00000E+00	.00000E+00	1.46585E-02	2.78964E-05	2.58435E-01
22	1.69691E-02	-7.07403E-06	2.23888E-02	.00000E+00	.00000E+00	4.34662E-02	4.81072E-05	4.84545E-01

23	6.06425E-02	1.43647E-05	7.57016E-02	.00000E+00	.00000E+00	7.66330E-02	1.77097E-04	1.72365E+00
24	4.69019E-02	4.10178E-06	6.21325E-02	.00000E+00	.00000E+00	7.14206E-02	1.08735E-04	1.34618E+00
25	2.01605E-02	2.68412E-06	2.81161E-02	.00000E+00	.00000E+00	4.08034E-02	3.76430E-05	5.83382E-01
26	1.32954E-02	-3.23816E-07	2.02911E-02	.00000E+00	.00000E+00	3.75268E-02	1.89305E-05	3.89482E-01
27	2.24254E-03	-9.92357E-09	3.85506E-03	.00000E+00	.00000E+00	1.05782E-02	2.03318E-06	6.65693E-02
28	1.72590E+00	2.13532E-05	1.74639E+00	.00000E+00	2.28858E-03	3.97176E-01	1.29248E-02	4.76371E+01

- elapsed time .02 min.
0direct access unit 9 requires 556 blocks of length 216 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.15946E-03	5.07344E-03	5.30400E-03	2.51182E-03	3.18361E-03	5.52432E-03	3.71621E-03	1.74400E-03
2	7.06377E-04	5.01016E-03	5.80210E-03	3.44720E-03	4.30006E-03	6.15070E-03	4.33126E-03	2.14902E-03
3	1.18874E-03	5.49886E-03	5.88786E-03	2.91764E-03	3.86205E-03	6.77676E-03	4.37541E-03	1.82449E-03
4	8.16349E-04	4.31790E-03	4.94671E-03	2.39173E-03	2.82972E-03	4.80048E-03	3.32678E-03	1.79906E-03
5	8.40237E-04	4.38478E-03	4.99068E-03	2.41617E-03	2.87944E-03	4.88891E-03	3.37567E-03	1.79928E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11347E-03	1.01459E-03	1.09362E-03	8.74774E-04	7.97770E-04	1.05334E-03	3.20856E-04	1.67138E-04
2	1.79161E-03	1.95465E-03	2.04376E-03	1.60347E-03	1.42855E-03	1.71786E-03	6.28955E-04	3.47885E-04
3	1.12197E-03	1.05365E-03	1.29292E-03	1.22251E-03	1.12957E-03	1.60017E-03	3.86691E-04	2.10153E-04
4	1.19615E-03	1.09545E-03	1.03072E-03	6.78067E-04	6.01953E-04	6.43761E-04	3.11356E-04	1.61377E-04
5	1.19421E-03	1.09597E-03	1.04598E-03	7.05653E-04	6.28474E-04	6.91805E-04	3.15511E-04	1.63934E-04

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.06031E-04	2.28736E-04	1.89850E-04	4.89852E-04	2.82306E-04	8.12105E-04	2.11711E-03	1.81547E-03
2	1.90842E-04	3.55880E-04	3.20524E-04	8.79474E-04	4.49999E-04	1.24829E-03	3.25621E-03	2.79685E-03
3	1.59395E-04	3.92917E-04	2.84024E-04	6.73691E-04	4.52227E-04	1.32436E-03	3.22447E-03	2.80521E-03
4	7.23362E-05	8.06545E-05	1.21360E-04	3.84672E-04	1.38295E-04	3.43057E-04	1.05510E-03	8.28649E-04
5	7.66712E-05	9.65388E-05	1.29577E-04	3.99372E-04	1.54254E-04	3.95387E-04	1.16872E-03	9.32820E-04

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	8.19043E-04	5.78185E-04	8.80722E-05	4.21792E-02
2	1.27856E-03	9.28284E-04	1.59586E-04	5.52779E-02
3	1.29911E-03	9.70769E-04	1.81268E-04	5.21167E-02
4	3.45441E-04	2.09615E-04	2.60354E-05	3.45528E-02
5	3.95487E-04	2.48970E-04	3.33858E-05	3.54459E-02

1broad group parameters

grp	upper energy	mid energy	velocity	fiss spec
1	2.0000E+07	2.6594E+06	1.9694E+09	7.2174E-01
2	9.0000E+05	1.5150E+05	1.0065E+07	2.7826E-01
3	4.0000E-01	1.2516E-01	3.6496E+05	1.2107E-10
4	1.0000E-05			

1 880 d, second part of sas2h pass to make library
0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3
1	3.91548E-01	1.13524E+00	2.15989E-01
2	3.96806E-01	1.13638E+00	2.06823E-01
3	3.99768E-01	1.13659E+00	2.02707E-01
4	4.16951E-01	1.13826E+00	1.73311E-01
5	4.15260E-01	1.13807E+00	1.76163E-01

0flux disadvantage factors (zone average/cell average-flux)


0zone	grp. 1	grp. 2	grp. 3
1	9.42899E-01	9.97518E-01	1.22607E+00
2	9.55560E-01	9.98517E-01	1.17404E+00
3	9.62694E-01	9.98708E-01	1.15067E+00
4	1.00407E+00	1.00017E+00	9.83808E-01
5	1.00000E+00	1.00000E+00	1.00000E+00


0cell averaged currents


0zone	grp. 1	grp. 2	grp. 3
1	1.72523E-02	1.84346E-02	6.51229E-03


```
    2  1.92659E-02  2.58942E-02  1.01178E-02
    3  1.93552E-02  2.25041E-02  1.02574E-02
    4  1.53024E-02  1.63041E-02  2.94620E-03
    5  1.55113E-02  1.66075E-02  3.32702E-03
Ozone      volume      vol. fraction


    1     1.25665E+00     4.56234E-02
    2     1.66687E-01     6.05165E-03
    3     6.58265E-01     2.38987E-02
    4     2.54624E+01     9.24426E-01
    5     2.75440E+01     1.00000E+00
-  elapsed time    .02 min.
```











```
 ********************************************************************************
 ********************************************************************************
 ********************************************************************************
 *****                                                                      *****
 *****                  program verification information                    *****
 *****                                                                      *****
 *****                  code system:   scale  version:   4.2                *****
 *****                                                                      *****
 ********************************************************************************
 ********************************************************************************
 *****                                                                      *****
 *****                                                                      *****
 *****             program:  c0c005                                         *****
 *****                                                                      *****
 *****          creation date:  04/27/95                                    *****
 *****                                                                      *****
 *****             library:  /neutronics/scale/exe                          *****
 *****                                                                      *****
 *****                                                                      *****
 *****     this is not a   scale  configuration controlled code             *****
 *****                                                                      *****
 *****             jobname:  davis                                          *****
 *****                                                                      *****
 *****     date of execution:  02/16/96                                     *****
 *****                                                                      *****
 *****     time of execution:  10:03:32                                     *****
 *****                                                                      *****
 *****                                                                      *****
 ********************************************************************************
 ********************************************************************************
 ********************************************************************************
```

```
1
0      -1q array has     1 entries.
0       0q array has     1 entries.
0       0q array has     1 entries.
0       1q array has     1 entries.
```

```
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       2q array has      1 entries.
0        * core allocated to array-data (by -1$$ or default) was   200000 words. *
1         * broad 3-group flux weighting factors *
0
0                 therm =    .5118
0                 res   =    .4417
0                 fast  =   3.4180
0 user requested (see jadd) that only the nuclide transitions presently included in
0 origen library be updated.
1cross sections, available from ampx (normalized to thermal flux), barns

                    10010 to  10020  2.84440E-01
                    10010 tot-cap    2.84440E-01
                    50100 to  40100  2.44839E-02
                    50100 to  10010  2.44839E-02
                    50100 to  40090  3.75530E-03
                    50100 to  10020  3.75530E-03
                    50100 to  30070  3.27073E+03
                    50100 to  20040  3.27091E+03
                    50100 to  10030  9.18802E-02
                    50100 tot-cap    3.27085E+03
                    50110 to  50100  1.08152E-05
                    50110 to  50120  4.33124E-03
                    50110 to  40110  1.38013E-06
                    50110 to  10010  1.38013E-06
                    50110 to  40090  1.23162E-05
                    50110 to  10030  1.23162E-05
                    50110 to  30080  1.60782E-04
                    50110 to  20040  1.60782E-04
                    50110 tot-cap    4.51653E-03
                    80160 to  80170  1.51959E-04
                    80160 to  70160  9.46311E-05
                    80160 to  10010  9.46311E-05
                    80160 to  70150  1.78473E-05
                    80160 to  10020  1.78473E-05
                    80160 to  60130  2.63247E-02
                    80160 to  20040  2.63247E-02
                    80160 to  80161  4.15019E-03
                    80160 tot-cap    2.65891E-02
                   360830 to 360820  2.14844E-02
                   360830 to 360810  2.26822E-09
                   360830 to 360840  1.54886E+02
                   360830 to 350830  8.78859E-04
                   360830 to  10010  8.78859E-04
                   360830 to 350820  7.09573E-06
                   360830 to  10020  7.09573E-06
                   360830 to 350810  2.48009E-06
                   360830 to  10030  2.48009E-06
                   360830 to 340810  4.01382E-08
                   360830 to  20030  4.01382E-08
                   360830 to 340800  4.71372E-05
                   360830 to  20040  4.71372E-05
                   360830 tot-cap    1.54908E+02
                   360850 to 360860  1.40538E+00
                   360850 tot-cap    1.40538E+00
                   380900 to 380910  6.31952E-01
```

380900	tot-cap	6.31952E-01
390890	to 390900	9.92494E-01
390890	tot-cap	9.92494E-01
400930	to 400940	1.35410E+01
400930	tot-cap	1.35410E+01
400940	to 400950	1.87693E-01
400940	tot-cap	1.87693E-01
400950	to 400960	2.24580E+00
400950	tot-cap	2.24580E+00
410940	to 410950	3.88374E+01
410940	tot-cap	3.88374E+01
420950	to 420960	3.82943E+01
420950	tot-cap	3.82943E+01
430990	to 430980	6.51869E-03
430990	to 431000	8.97106E+01
430990	tot-cap	8.97171E+01
441010	to 441020	2.84705E+01
441010	tot-cap	2.84705E+01
441060	to 441070	8.74631E-01
441060	tot-cap	8.74631E-01
451030	to 451020	2.36083E-03
451030	to 451040	3.50676E+02
451030	tot-cap	3.50679E+02
451050	to 451060	8.18578E+03
451050	tot-cap	8.18578E+03
461050	to 461060	3.40965E+01
461050	tot-cap	3.40965E+01
461080	to 461090	6.89271E+01
461080	tot-cap	6.89271E+01
471090	to 471080	5.48996E-03
471090	to 471100	3.71689E+02
471090	to 461090	3.10426E-04
471090	to 10010	3.10426E-04
471090	to 451060	2.57311E-04
471090	to 20040	2.57311E-04
471090	to 471091	6.43385E-01
471090	tot-cap	3.71695E+02
511240	to 511250	1.21394E+01
511240	tot-cap	1.21394E+01
541310	to 541300	6.65676E-02
541310	to 541290	1.39194E-05
541310	to 541320	2.55972E+02
541310	to 531310	3.99220E-05
541310	to 10010	3.99220E-05
541310	to 531300	5.58236E-07
541310	to 10020	5.58236E-07
541310	to 531290	5.72415E-07
541310	to 10030	5.72415E-07
541310	to 521280	1.87034E-05
541310	to 20040	1.87034E-05
541310	tot-cap	2.56038E+02
541320	to 541310	1.07537E-02
541320	to 541300	2.28078E-05
541320	to 541330	9.32093E-01
541320	to 531320	8.19490E-06
541320	to 10010	8.19490E-06
541320	to 531310	3.46993E-07
541320	to 10020	3.46993E-07
541320	to 531300	4.66688E-08
541320	to 10030	4.66688E-08

541320 to 521290 1.01067E-06
541320 to 20040 1.01067E-06
541320 tot-cap 9.42879E-01
541350 to 541360 1.47045E+06
541350 tot-cap 1.47045E+06
541360 to 541350 1.83949E-02
541360 to 541340 5.61825E-05
541360 to 541370 1.23898E-01
541360 to 531360 3.39678E-07
541360 to 10010 3.39678E-07
541360 to 531350 1.26459E-07
541360 to 10020 1.26459E-07
541360 to 531340 2.85694E-08
541360 to 10030 2.85694E-08
541360 to 521330 2.84934E-07
541360 to 20040 2.84934E-07
541360 tot-cap 1.42350E-01
551330 to 551320 8.61399E-05
551330 to 551340 1.01647E+02
551330 to 541330 9.29567E-04
551330 to 10010 9.29567E-04
551330 to 531300 1.47174E-05
551330 to 20040 1.47174E-05
551330 tot-cap 1.01656E+02
551340 to 551350 1.29469E+02
551340 tot-cap 1.29469E+02
551350 to 551360 2.15946E+01
551350 tot-cap 2.15946E+01
551370 to 551380 2.31515E-01
551370 tot-cap 2.31515E-01
561360 to 561370 9.08765E-01
561360 tot-cap 9.08765E-01
571390 to 571400 7.98602E+00
571390 tot-cap 7.98602E+00
581440 to 581450 1.24572E+00
581440 tot-cap 1.24572E+00
591410 to 591400 6.17258E-03
591410 to 591390 1.77353E-06
591410 to 571370 2.64952E-06
591410 to 20040 5.46942E-05
591410 to 581400 1.88146E-05
591410 to 10010 5.34694E-05
591410 to 591420 1.19000E+01
591410 to 581410 5.03813E-05
591410 to 10020 1.57265E-05
591410 to 581390 1.64928E-06
591410 to 10030 1.64928E-06
591410 to 571390 1.59280E-08
591410 to 20030 1.59280E-08
591410 to 571380 5.20447E-05
591410 tot-cap 1.19063E+01
591430 to 591440 9.85435E+01
591430 tot-cap 9.85435E+01
601430 to 601420 9.44140E-02
601430 to 601410 9.63916E-06
601430 to 581390 2.07491E-05
601430 to 20040 5.80742E-04
601430 to 591420 4.03494E-06
601430 to 10010 4.14371E-05
601430 to 601440 1.99531E+02

601430 to 591430 3.99169E-05
601430 to 10020 2.51478E-06
601430 to 591410 3.62380E-06
601430 to 10030 3.62380E-06
601430 to 581410 1.74109E-08
601430 to 20030 1.74109E-08
601430 to 581400 5.59993E-04
601430 tot-cap 1.99626E+02
601450 to 601440 1.21123E-01
601450 to 601430 1.23070E-04
601450 to 581410 8.67977E-06
601450 to 20040 2.17027E-04
601450 to 591440 2.31180E-06
601450 to 10010 1.50213E-05
601450 to 601460 7.87674E+01
601450 to 591450 1.40992E-05
601450 to 10020 1.38968E-06
601450 to 591430 2.19085E-06
601450 to 10030 2.19085E-06
601450 to 581430 4.46058E-09
601450 to 20030 4.46058E-09
601450 to 581420 2.08348E-04
601450 tot-cap 7.88889E+01
601470 to 601480 1.90249E+02
601470 tot-cap 1.90249E+02
611470 to 611460 3.31614E-02
611470 to 611450 1.03469E-04
611470 to 591430 9.16700E-06
611470 to 20040 8.48570E-05
611470 to 601460 1.26718E-05
611470 to 10010 2.88523E-05
611470 to 611480 5.83713E+02
611470 to 601470 2.57036E-05
611470 to 10020 9.54306E-06
611470 to 601450 3.60310E-06
611470 to 10030 3.60310E-06
611470 to 591450 5.41737E-09
611470 to 20030 5.41737E-09
611470 to 591440 7.57000E-05
611470 tot-cap 5.83746E+02
611480 to 611490 1.20692E+04
611480 tot-cap 1.20692E+04
621470 to 621460 8.65070E-02
621470 to 621450 7.78945E-03
621470 to 601430 6.70743E-05
621470 to 20040 1.28160E-03
621470 to 611460 1.56994E-04
621470 to 10010 2.23820E-04
621470 to 621480 2.34443E+02
621470 to 611470 1.97355E-04
621470 to 10020 1.30528E-04
621470 to 611450 1.40158E-04
621470 to 10030 1.40158E-04
621470 to 601450 6.44892E-06
621470 to 20030 6.44892E-06
621470 to 601440 1.21453E-03
621470 to 621471 1.68099E+00
621470 tot-cap 2.34539E+02
621490 to 621480 4.88893E-02
621490 to 621470 3.88270E-05


621490 to 621500 4.51610E+04
621490 to 611490 4.98298E-04
621490 to 10010 4.98298E-04
621490 to 601460 4.98298E-04
621490 to 20040 4.98298E-04
621490 tot-cap 4.51611E+04
621500 to 621510 1.34636E+02
621500 tot-cap 1.34636E+02
621510 to 621500 1.62978E-01
621510 to 621490 1.46103E-04
621510 to 601470 1.63534E-05
621510 to 20040 1.27239E-04
621510 to 611500 2.00058E-06
621510 to 10010 1.55395E-05
621510 to 621520 4.96056E+03
621510 to 611510 1.43172E-05
621510 to 10020 7.78299E-07
621510 to 611490 1.41451E-06
621510 to 10080 1.41451E-06
621510 to 601490 1.45722E-09
621510 to 20080 1.45722E-09
621510 to 601480 1.10885E-04
621510 tot-cap 4.96073E+03
621520 to 621510 1.95648E-02
621520 to 621500 1.32200E-04
621520 to 601480 2.95398E-06
621520 to 20040 1.22679E-05
621520 to 611510 8.47430E-07
621520 to 10010 2.50074E-06
621520 to 621530 7.31195E+02
621520 to 611520 2.22143E-06
621520 to 10020 5.68119E-07
621520 to 611500 1.47754E-07
621520 to 10080 1.47754E-07
621520 to 601500 4.47780E-10
621520 to 20080 4.47780E-10
621520 to 601490 9.31394E-06
621520 tot-cap 7.31215E+02
631530 to 631520 1.90020E-02
631530 to 631510 2.85759E-05
631530 to 611490 4.44449E-05
631530 to 20040 6.46822E-04
631530 to 621520 7.94485E-06
631530 to 10010 6.67364E-05
631530 to 631540 6.22530E+02
631530 to 621530 6.40248E-05
631530 to 10020 5.23328E-06
631530 to 621510 1.17306E-06
631530 to 10080 1.17306E-06
631530 to 611510 2.68175E-08
631530 to 20080 2.68175E-08
631530 to 611500 6.02377E-04
631530 tot-cap 6.22550E+02
631540 to 631530 3.03770E-02
631540 to 631520 1.09120E-05
631540 to 611500 1.06100E-10
631540 to 20040 7.77437E-04
631540 to 621530 2.38844E-06
631540 to 10010 1.26831E-03
631540 to 631550 1.07363E+03

631540	to 621540	1.26831E-03
631540	to 10020	2.38712E-06
631540	to 621520	4.04318E-06
631540	to 10030	4.04318E-06
631540	to 611520	1.71447E-08
631540	to 20030	1.71447E-08
631540	to 611510	7.77436E-04
631540	tot-cap	1.07366E+03
631550	to 631540	2.49407E-02
631550	to 631530	6.98394E-05
631550	to 611510	1.87941E-06
631550	to 20040	9.24945E-06
631550	to 621540	3.80822E-06
631550	to 10010	7.98825E-06
631550	to 631560	2.56117E+03
631550	to 621550	6.13529E-06
631550	to 10020	1.95526E-06
631550	to 621530	6.47259E-07
631550	to 10030	6.47259E-07
631550	to 611530	1.46704E-10
631550	to 20030	1.46704E-10
631550	to 611520	7.37004E-06
631550	tot-cap	2.56119E+03
641550	to 641560	1.70609E+04
641550	tot-cap	1.70609E+04
922340	to 922330	6.53411E-03
922340	fission	4.49894E+00
922340	nu-sigf	1.18286E+01
922340	to 922320	9.47408E-05
922340	to 922350	1.87219E+02
922340	to 922341	3.01266E+00
922340	tot-cap	1.91725E+02
922350	to 922340	2.97957E-02
922350	fission	3.62536E+02
922350	nu-sigf	8.77960E+02
922350	to 922330	2.85392E-05
922350	to 922360	8.63216E+01
922350	to 922351	8.56857E-02
922350	tot-cap	4.48887E+02
922360	to 922350	3.32861E-02
922360	fission	1.93115E+00
922360	nu-sigf	5.30249E+00
922360	to 922340	4.43594E-04
922360	to 922370	7.20576E+01
922360	to 922361	3.29586E+00
922360	tot-cap	7.40225E+01
922380	to 922370	6.64767E-02
922380	fission	9.68614E-01
922380	nu-sigf	2.72801E+00
922380	to 922360	4.29632E-04
922380	to 922390	8.55442E+00
922380	tot-cap	9.58994E+00
932370	to 932360	1.51552E-02
932370	fission	5.21673E+00
932370	nu-sigf	1.57137E+01
932370	to 932350	5.79792E-05
932370	to 932380	3.01354E+02
932370	to 932371	7.72498E-01
932370	tot-cap	3.06586E+02
942380	to 942370	2.43600E-03

```
                    942380 fission   2.24679E+01
                    942380 nu-sigf   6.37163E+01
                    942380 to 942360 1.36331E-05
                    942380 to 942390 2.66029E+02
                    942380 to 942381 3.02734E+00
                    942380 tot-cap   2.88499E+02
                    942390 to 942380 1.28918E-02
                    942390 fission   8.36076E+02
                    942390 nu-sigf   2.40898E+03
                    942390 to 942370 2.19485E-05
                    942390 to 942360 2.17579E-08
                    942390 to 942400 4.67858E+02
                    942390 tot-cap   1.30895E+03
                    942400 to 942390 6.06672E-03
                    942400 fission   5.90498E+00
                    942400 nu-sigf   1.85024E+01
                    942400 to 942380 5.92015E-05
                    942400 to 942410 1.39334E+03
                    942400 tot-cap   1.39925E+03
                    942410 to 942400 7.63800E-02
                    942410 fission   8.96700E+02
                    942410 nu-sigf   2.63112E+03
                    942410 to 942390 1.26675E-04
                    942410 to 942420 2.92817E+02
                    942410 tot-cap   1.18959E+03
                    942420 to 942410 2.47305E-02
                    942420 fission   4.52350E+00
                    942420 nu-sigf   1.41737E+01
                    942420 to 942400 3.00658E-04
                    942420 to 942430 3.33458E+02
                    942420 tot-cap   3.38006E+02
                    952410 fission   1.24977E+01
                    952410 nu-sigf   4.04062E+01
                    952410 to 952420 1.01282E+03
                    952410 tot-cap   1.02531E+03
                    952430 fission   3.49225E+00
                    952430 nu-sigf   1.17422E+01
                    952430 to 952440 4.22109E+02
                    952430 tot-cap   4.25601E+02
                    962440 to 962430 5.94350E-03
                    962440 fission   1.55149E+01
                    962440 nu-sigf   5.19995E+01
                    962440 to 962420 5.92708E-05
                    962440 to 962450 1.42507E+02
                    962440 to 962441 3.86081E+00
                    962440 tot-cap   1.58028E+02
0the reaction  50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
0the reaction 621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
0the fission product transitions for  922340 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  922340 to 922341 was not used, because  922341 is not in library., (in subr pool)
```

```
0the reaction  922350 to 922351 was not used, because  922351 is not in library., (in subr pool)
0the fission product transitions for  922360 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  922360 to 922361 was not used, because  922361 is not in library., (in subr pool)
0the fission product transitions for  952370 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  952370 to 952371 was not used, because  952371 is not in library., (in subr pool)
0the fission product transitions for  942380 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  942380 to 942381 was not used, because  942381 is not in library., (in subr pool)
0the fission product transitions for  942400 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  942420 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952410 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952430 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  962440 were not used.  library fissile nuclides are
   922330   922350   942410   922380   942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  962440 to 962441 was not used, because  962441 is not in library., (in subr pool)
1
0                          case completed.  date,  2/16/1996
0 * normal termination *
1   ccccccccccc   rrrrrrrrrrr   iiiiiiiiiiii    ggggggggggg   eeeeeeeeeeee  mm         mm  sssssssssss
   ccccccccccccc  rrrrrrrrrrrr  iiiiiiiiiiii   ggggggggggggg  eeeeeeeeeeee  mmm       mmm  ssssssssssss
   cc       cc   rr       rr       ii        gg       gg    ee            mmmm     mmmm  ss          ss
   cc       cc   rr       rr       ii        gg             ee            mm mm   mm mm  ss
   cc       cc   rr       rr       ii        gg             ee            mm  mm m  mm  ss
   cc       cc   rrrrrrrrrrrr       ii        gg   ggggggg  eeeeeeeee     mm   mmm   mm  sssssssssss
   cc       cc   rrrrrrrrrrr        ii        gg   ggggggg  eeeeeeeee     mm    m    mm  sssssssssss
   cc       cc   rr     rr           ii        gg       gg   ee            mm         mm            ss
   cc       cc   rr      rr          ii        gg       gg   ee            mm         mm            ss
   cc       cc   rr       rr         ii        gg       gg   ee            mm         mm  ss        ss
   ccccccccccc   rr        rr  iiiiiiiiiiii   ggggggggggg   eeeeeeeeeeee  mm         mm  ssssssssssss
    ccccccccc    rr        rr  iiiiiiiiiiii    ggggggggg    eeeeeeeeeeee  mm         mm  sssssssssss
0

   ddddddddddd     aaaaaaaa    w         w  iiiiiiiiiii    sssssssss
   ddddddddddddd   aaaaaaaaaa  w         w  iiiiiiiiiii   sssssssssss
   dd        dd   aa        aa  w         w      ii       ss         ss
   dd        dd   aa        aa  w         w      ii       ss
   dd        dd   aa        aa  w         w      ii       ss
   dd        dd   aaaaaaaaaaaa  w         w      ii       sssssssssss
   dd        dd   aaaaaaaaaaaa   w       w       ii        sssssssssss
   dd        dd   aa        aa    w     w        ii                ss
   dd        dd   aa        aa     w   w         ii                ss
   dd        dd   aa        aa      w w          ii       ss       ss
   ddddddddddd    aa        aa       ww     iiiiiiiiiii  sssssssssss
   ddddddddddd    aa        aa        v     iiiiiiiiiii   sssssssss
0
```


program verification information
code system: scale version: 4.2
program: c0c004
creation date: 04/27/95

```
                    *****          library:  /neutronics/scale/exe                  *****
                    *****                                                           *****
                    *****                                                           *****
                    *****    this is not a   scale  configuration controlled code  *****
                    *****                                                           *****
                    *****          jobname:  davis                                  *****
                    *****                                                           *****
                    *****    date of execution:  02/16/96                           *****
                    *****                                                           *****
                    *****    time of execution:  10:03:32                           *****
                    *****                                                           *****
                    *****                                                           *****
                    ********************************************************************
                    ********************************************************************
                    ********************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0        dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0            short-lived split test fraction, qxn =    9.1188E-04
0            half-norm of matrix used, axn =    7.0000E+00
0            4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

         cross-section data taken from position number  1 of library on unit 15.


         pass  6
         pass  1
         pass  0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         pass  1
         pass  0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         ********************************************************************
         *                                                                  *
         *          prelim lwr origen-s binary working library--id = 1143   *
         *        made from modified card-image origen-s libraries of scale 4.2 *
         *      data from the light element, actinide, and fission product libraries *
         *        decay data, including gamma and total energy, are from endf/b-vi *
         *                                                                  *
         *     neutron flux spectrum factors and cross sections were produced from *
         *     the "presas2" case updating all nuclides on the scale "burnup" library *
         *                                                                  *
```

```
      *                fission product yields are from endf/b-v                *
      *                                                                        *
      *             photon libraries use an 18-energy-group structure          *
      *           the photon data are from the master photon data base,        *
      *            produced to include bremsstrahlung from u02 matrix          *
      *                                                                        *
      *       see information above this box (if present) for later updates    *
      *                                                                        *
      **************************************************************************
      *                                                                        *
0     **************************************************************************
0              .other identification and sizes of library.
0               data set name:  ft15f001
0            2/16/1996    date library was produced
0                1697     total number of nuclides in library
                  689     number of light-element nuclides
                  129     number of actinide nuclides
                  879     number of fission product nuclides
0                7955     number of nonzero off-diagonal matrix elements
0     **************************************************************************
1
   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides        page   1
    power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.61E+13n/cm**2-sec
0                                    nuclide concentrations, gram atoms
                                     basis = converted to atoms/(barn-cm)
          charge   840.1 d   880.1 d   920.1 d   960.1 d   960.1 d  1000.1 d  1040.1 d
   he  4 3.05E-08 3.70E-08 4.46E-08 5.34E-08 6.33E-08 6.33E-08 7.46E-08 8.72E-08
   u230  7.96E-21 9.22E-21 1.05E-20 1.19E-20 1.33E-20 1.33E-20 1.49E-20 1.67E-20
   u231  1.58E-19 1.84E-19 2.07E-19 2.32E-19 2.59E-19 2.58E-19 2.89E-19 3.21E-19
   u232  2.10E-12 2.38E-12 2.68E-12 3.02E-12 3.37E-12 3.37E-12 3.76E-12 4.17E-12
   u233  3.62E-11 3.75E-11 3.87E-11 3.99E-11 4.10E-11 4.10E-11 4.21E-11 4.31E-11
   u234  4.56E-06 4.51E-06 4.47E-06 4.42E-06 4.37E-06 4.37E-06 4.33E-06 4.28E-06
   u235  4.23E-04 4.13E-04 4.03E-04 3.93E-04 3.83E-04 3.83E-04 3.74E-04 3.64E-04
   u236  5.16E-05 5.34E-05 5.51E-05 5.68E-05 5.84E-05 5.84E-05 6.00E-05 6.16E-05
   u237  6.85E-08 7.10E-08 7.28E-08 7.44E-08 7.64E-08 7.61E-08 7.81E-08 7.98E-08
   u238  2.19E-02 2.18E-02 2.18E-02 2.18E-02 2.18E-02 2.18E-02 2.18E-02 2.18E-02
   u239  1.53E-09 6.08E-09 6.09E-09 6.10E-09 6.11E-09 1.19E-09 6.12E-09 6.13E-09
   u240   .00E+00 1.25E-32 2.03E-32 3.23E-32 5.04E-32 5.04E-32 7.71E-32 1.16E-31
   u241   .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
   np235 5.69E-14 6.36E-14 7.05E-14 7.77E-14 8.52E-14 8.52E-14 9.30E-14 1.01E-13
   np236m 6.50E-14 7.35E-14 7.86E-14 8.37E-14 8.90E-14 8.65E-14 9.44E-14 9.98E-14
   np236 5.53E-12 6.27E-12 7.05E-12 7.90E-12 8.79E-12 8.79E-12 9.74E-12 1.07E-11
   np237 3.27E-06 3.50E-06 3.73E-06 3.97E-06 4.21E-06 4.21E-06 4.45E-06 4.70E-06
   np238 4.07E-09 4.45E-09 4.75E-09 5.07E-09 5.39E-09 5.32E-09 5.71E-09 6.04E-09
   np239 8.60E-07 8.78E-07 8.79E-07 8.80E-07 8.82E-07 8.77E-07 8.83E-07 8.85E-07
   np240m  .00E+00 1.06E-34 1.73E-34 2.76E-34 4.30E-34 4.30E-34 6.58E-34 9.88E-34
   np240 9.30E-12 1.61E-11 1.62E-11 1.62E-11 1.63E-11 8.77E-12 1.64E-11 1.64E-11
   np241   .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
   pu236 6.38E-12 7.18E-12 8.02E-12 8.91E-12 9.84E-12 9.84E-12 1.08E-11 1.19E-11
   pu237 2.62E-13 2.83E-13 3.02E-13 3.22E-13 3.41E-13 3.41E-13 3.61E-13 3.82E-13
   pu238 4.23E-07 4.77E-07 5.35E-07 5.98E-07 6.64E-07 6.64E-07 7.34E-07 8.09E-07
   pu239 1.03E-04 1.06E-04 1.08E-04 1.11E-04 1.13E-04 1.13E-04 1.15E-04 1.17E-04
   pu240 1.87E-05 2.00E-05 2.12E-05 2.23E-05 2.35E-05 2.35E-05 2.46E-05 2.57E-05
   pu241 9.57E-06 1.04E-05 1.12E-05 1.20E-05 1.29E-05 1.29E-05 1.38E-05 1.48E-05
   pu242 9.75E-07 1.12E-06 1.27E-06 1.44E-06 1.62E-06 1.62E-06 1.81E-06 2.01E-06
   pu243 1.19E-10 1.54E-10 1.76E-10 1.99E-10 2.24E-10 1.97E-10 2.51E-10 2.79E-10
   pu244 3.72E-22 6.20E-22 1.01E-21 1.61E-21 2.51E-21 2.51E-21 3.84E-21 5.76E-21
   pu245 2.53E-28 4.44E-28 7.24E-28 1.16E-27 1.81E-27 1.70E-27 2.77E-27 4.17E-27
   pu246 1.00E-30 1.69E-30 2.80E-30 4.51E-30 7.12E-30 7.11E-30 1.10E-29 1.67E-29
   am239 4.18E-18 5.09E-18 5.76E-18 6.46E-18 7.21E-18 6.83E-18 8.00E-18 8.82E-18
```

```
     am240  1.87E-15  2.20E-15  2.49E-15  2.80E-15  3.12E-15  3.08E-15  3.46E-15  3.82E-15
     am241  2.64E-07  3.01E-07  3.40E-07  3.80E-07  4.23E-07  4.23E-07  4.69E-07  5.16E-07
     am242m 5.47E-09  6.38E-09  7.36E-09  8.42E-09  9.56E-09  9.56E-09  1.08E-08  1.20E-08
     am242  2.90E-10  3.40E-10  3.85E-10  4.32E-10  4.82E-10  4.63E-10  5.34E-10  5.90E-10
     am243  8.11E-08  9.86E-08  1.18E-07  1.41E-07  1.66E-07  1.66E-07  1.94E-07  2.25E-07
     am244m  .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
     am244  2.69E-11  3.49E-11  4.21E-11  5.01E-11  5.92E-11  5.56E-11  6.94E-11  8.07E-11
     am245  2.25E-26  3.82E-26  6.20E-26  9.81E-26  1.52E-25  1.52E-25  2.30E-25  3.42E-25
     am246   .00E+00  4.24E-33  6.99E-33  1.13E-32  1.78E-32  1.78E-32  2.75E-32  4.17E-32
     cm241  3.66E-18  4.67E-18  5.82E-18  7.14E-18  8.65E-18  8.64E-18  1.03E-17  1.23E-17
     cm242  2.99E-08  3.51E-08  4.09E-08  4.72E-08  5.40E-08  5.40E-08  6.13E-08  6.92E-08
     cm243  4.28E-10  5.30E-10  6.48E-10  7.83E-10  9.35E-10  9.35E-10  1.11E-09  1.29E-09
     cm244  6.95E-09  8.95E-09  1.14E-08  1.42E-08  1.76E-08  1.76E-08  2.16E-08  2.62E-08
     cm245  1.36E-10  1.83E-10  2.43E-10  3.17E-10  4.09E-10  4.09E-10  5.20E-10  6.54E-10
     cm246  5.12E-12  7.28E-12  1.02E-11  1.40E-11  1.90E-11  1.90E-11  2.53E-11  3.34E-11
     cm247  3.30E-14  4.96E-14  7.30E-14  1.05E-13  1.49E-13  1.49E-13  2.08E-13  2.85E-13
1
     sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides        page   2
       power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.61E+13n/cm**2-sec
0                                        nuclide concentrations, gram atoms
                                         basis = converted to atoms/(barn-cm)
            charge   840.1 d   880.1 d   920.1 d   960.1 d   960.1 d  1000.1 d  1040.1 d
     cm248  9.52E-16  1.52E-15  2.35E-15  3.58E-15  5.32E-15  5.32E-15  7.78E-15  1.12E-14
     cm249  3.88E-21  1.04E-20  1.61E-20  2.46E-20  3.66E-20  2.02E-20  5.37E-20  7.74E-20
     cm250  9.60E-25  1.62E-24  2.66E-24  4.28E-24  6.68E-24  6.68E-24  1.08E-23  1.55E-23
     cm251   .00E+00  3.86E-32  6.35E-32  1.02E-31  1.60E-31  1.63E-32  2.46E-31  3.73E-31
    totals  2.25E-02  2.25E-02  2.24E-02  2.24E-02  2.24E-02  2.24E-02  2.24E-02  2.24E-02
0    flux            1.60E+13  1.61E+13  1.61E+13  1.61E+13   .00E+00  1.62E+13  1.62E+13
0  .results on logical unit no. 71, position  1, for time step  7, subcase 1. (run position 1, case position 1)
    title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0  .results on logical unit no. 71, position  2, for time step  5, subcase 1. (run position 1, case position 1)
    title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0  .results on logical unit no. 71, position  3, for time step  4, subcase 1. (run position 1, case position 1)
    title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0     .terminated logical unit no. 71 with zero flag record.
1  * normal termination of execution *
0                                  table of contents for material tables
0                                    case or subcase printed      page

                                                    1                1
0ndset          33
              15          4          1         27          6          0          0          0          0          0
               0          0          0          0          0          0         -1       1698        690        130
             880       7955          0          5         99          2         16         96         18         18
              18          0         71
0       56q array has       2 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       3 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90  97376
     l116  60826
     l32  33663 rudata (library) storage size
     l44  33734
     l103  75953
```

```
0      58q array has      4 entries.
0      60q array has      7 entries.
0      58q array has      7 entries.
0      66q array has      1 entries.
0      73q array has   1697 entries.
0      74q array has   1697 entries.
0      75q array has   1697 entries.
     l140  66991
     used  101044 in size  200000
0jqpt          12
               0          0          0          0          0          0          0          0          0          0
               0          0
0therm          4
  5.117607E-01 4.416862E-01 3.418002E+00 1.000000E-31
0non            5
          7935         20          6         18       1697
0mm            19
               7          7          0          0          1          1          0          0          0          0
              21        100       1697          4          3         74          4          1          0
0tconst         5
  8.640000E+04 8.000961E+02  .000000E+00  .000000E+00 1.000000E-08
0mzero          4
               0        689        129        879
0pow            3
   .000000E+00  .000000E+00  .000000E+00
0 linp          9
               6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =          7.0320E+00 1.9653E+02 2.0356E+02
 start of interval flux =        1.60012E+13
 n-gamma, fission and total mev/fission =          7.1140E+00 1.9661E+02 2.0372E+02
 start of interval flux =        1.60313E+13
 n-gamma, fission and total mev/fission =          7.2102E+00 1.9669E+02 2.0390E+02
 start of interval flux =        1.60621E+13
 n-gamma, fission and total mev/fission =          7.3057E+00 1.9677E+02 2.0407E+02
 start of interval flux =        1.60956E+13
 start of interval flux =         .00000E+00
 n-gamma, fission and total mev/fission =          7.4184E+00 1.9684E+02 2.0426E+02
 start of interval flux =        1.61296E+13
 n-gamma, fission and total mev/fission =          7.4947E+00 1.9692E+02 2.0441E+02
 start of interval flux =        1.61696E+13
0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0      56q array has     20 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has     20 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has     20 entries.
0      56q array has     20 entries.
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 7, exec halts after pass  8
1  bbbbbbbbbbb     ccccccccccc   mm         mm                aaaaaaaaa    mm         mm iiiiiiiiiiii    zzzzzzzzzz
   bbbbbbbbbbbb   cccccccccccc  mmm         mm               aaaaaaaaaaa   mmm        mmm iiiiiiiiiiii   zzzzzzzzzz
   bb        bb   cc        cc  mmm         mm              aa         aa  mmmm      mmmm      ii              zz
   bb        bb   cc        cc  mm mm       mm              aa         aa  mm mm    mm mm      ii             zz
   bb        bb   cc        cc  mm  mm      mm              aa         aa  mm  mm  mm  mm      ii            zz
   bbbbbbbbbbb    cc        cc  mm   mm     mm ----------   aaaaaaaaaaa   mm   mmmm   mm      ii           zz
   bbbbbbbbbbb    cc        cc  mm    mm    mm ----------   aaaaaaaaaaa   mm    mm    mm      ii          zz
   bb        bb   cc        cc  mm     mm   mm              aa         aa  mm          mm      ii         zz
   bb        bb   cc        cc  mm      mm  mm              aa         aa  mm          mm      ii        zz
```



```
*******************************************************************************
*******************************************************************************
*******************************************************************************
*****                                                                     *****
*****                  program verification information                *****
*****                                                                     *****
*****                  code system:    scale  version:    4.2          *****
*****                                                                     *****
*******************************************************************************
*******************************************************************************
*****                                                                     *****
*****                                                                     *****
*****              program:  c0c008                                       *****
*****                                                                     *****
*****         creation date:  04/27/95                                    *****
*****                                                                     *****
*****              library:  /neutronics/scale/exe                        *****
*****                                                                     *****
*****                                                                     *****
*****     this is not a   scale  configuration controlled code            *****
*****                                                                     *****
*****              jobname:  davis                                        *****
*****                                                                     *****
*****     date of execution:  02/16/96                                    *****
*****                                                                     *****
*****     time of execution:  10:03:37                                    *****
*****                                                                     *****
*****                                                                     *****
*******************************************************************************
*******************************************************************************
*******************************************************************************
```

```
1
0       -1q array has      1 entries.
0        0q array has      4 entries.
0        1q array has      6 entries.
0        2q array has      2 entries.
1logical assignments
0master library    12
 working library    0
 scratch file      18
 new library        1
0p r o b l e m   d e s c r i p t i o n
0igm--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       66
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0        3q array has     66 entries.
0        4q array has     66 entries.
0        5q array has     66 entries.
0        6q array has      4 entries.
0        7q array has      4 entries.
0        8q array has      4 entries.
0        9q array has      4 entries.
```

0 10q array has 66 entries.
0 11q array has 4 entries.
0 m i x i n g t a b l e

0entry	mixture	isotope	number density	new identifier
1	1	92235	3.64452E-04	92235
2	1	92234	4.28462E-06	92234
3	1	92236	6.15586E-06	92236
4	1	92238	2.17803E-02	92238
5	1	8016	4.55359E-02	8016
6	3	8016	2.09710E-02	6
7	1	36083	1.62790E-06	36083
8	1	36085	7.82545E-07	36085
9	1	38090	1.79089E-05	38090
10	1	39089	1.44715E-05	39089
11	1	42095	1.98509E-05	42095
12	1	40093	1.44900E-05	40093
13	1	40094	2.28864E-05	40094
14	1	40095	1.96022E-06	40095
15	1	41094	1.19775E-11	41094
16	1	43099	2.23951E-05	43099
17	1	45103	1.24431E-05	45103
18	1	45105	2.38399E-08	45105
19	1	44101	2.05378E-05	44101
20	1	44106	3.08150E-06	44106
21	1	46105	8.54907E-06	46105
22	1	46108	2.52032E-06	46108
23	1	47109	1.72855E-06	47109
24	1	51124	3.84646E-10	51124
25	1	54131	1.01675E-05	54131
26	1	54132	1.98610E-05	54132
27	1	54135	6.66399E-09	54135
28	1	54136	3.91142E-05	54136
29	1	55134	1.27988E-06	55134
30	1	55135	1.24307E-05	55135
31	1	55137	2.41337E-05	55137
32	1	56136	2.66545E-07	56136
33	1	57139	2.38740E-05	57139
34	1	59141	2.08456E-05	59141
35	1	59143	3.65349E-07	59143
36	1	58144	6.86967E-06	58144
37	1	60143	1.82864E-05	60143
38	1	60145	1.36331E-05	60145
39	1	61147	4.30510E-06	61147
40	1	61148	1.28358E-08	61148
41	1	60147	1.29256E-07	60147
42	1	62147	1.79999E-06	62147
43	1	62149	8.91136E-08	62149
44	1	62150	5.01098E-06	62150
45	1	62151	4.32635E-07	62151
46	1	62152	2.36311E-06	62152
47	1	64155	2.83530E-09	64155
48	1	63153	1.53061E-06	63153
49	1	63154	3.59468E-07	63154
50	1	63155	1.67707E-07	63155
51	2	40302	4.25156E-02	40302
52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	2.45710E-05	55133
56	1	95237	4.70039E-06	95237

57	1	94238	8.09288E-07	94238
58	1	94239	1.16852E-04	94239
59	1	94240	2.56808E-05	94240
60	1	94241	1.47624E-05	94241
61	1	94242	2.01045E-06	94242
62	1	95241	5.15913E-07	95241
63	1	95243	2.25204E-07	95243
64	1	96244	2.62419E-08	96244
65	1	999	1.00000E-20	999
66	4	999	1.00000E-20	66

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	1	4.68122E-01	9.75000E+02	9.05844E-01	0
2	4	4.78790E-01	2.93000E+02	5.49010E-01	0
3	2	5.46100E-01	6.50000E+02	.00000E+00	0
4	3	8.13968E-01	6.07600E+02	.00000E+00	0


7711 locations of 200000 available are required to make a new master containing the self-shielded values
Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

Ocopy	999	1/v cross sectio	from log	12	to log	18	bondarenko trigger 0
Ocopy	999	1/v cross sectio	from log	18	to log	1	bondarenko trigger 0
Ocopy	999	1/v cross sectio	from log	18	to log	1	bondarenko trigger 0
Ocopy	1001	hydrogen	from log	12	to log	1	bondarenko trigger 0
Ocopy	5010	b-10 1273 218mgp	from log	12	to log	1	bondarenko trigger 0
Ocopy	5011	boron-11	from log	12	to log	1	bondarenko trigger 0
Ocopy	8016	oxygen-16	from log	12	to log	18	bondarenko trigger 0
Ocopy	8016	oxygen-16	from log	18	to log	1	bondarenko trigger 0
Ocopy	8016	oxygen-16	from log	18	to log	1	bondarenko trigger 0
Ocopy	36083	kr-83	from log	12	to log	1	bondarenko trigger 0
Ocopy	36085	kr-85	from log	12	to log	1	bondarenko trigger 0
Ocopy	38090	sr-90	from log	12	to log	1	bondarenko trigger 0
Ocopy	39089	y-89	from log	12	to log	1	bondarenko trigger 0
Ocopy	40093	zr-93	from log	12	to log	1	bondarenko trigger 0
Ocopy	40094	zr-94	from log	12	to log	1	bondarenko trigger 0
Ocopy	40095	zr-95	from log	12	to log	1	bondarenko trigger 0
Ocopy	40302	zircalloy	from log	12	to log	1	bondarenko trigger 0
Ocopy	41094	nb-94	from log	12	to log	1	bondarenko trigger 0
Ocopy	42095	mo-95	from log	12	to log	1	bondarenko trigger 0
Ocopy	43099	tc-99	from log	12	to log	1	bondarenko trigger 0
Ocopy	44101	ru-101	from log	12	to log	1	bondarenko trigger 0
Ocopy	44106	ru-106	from log	12	to log	1	bondarenko trigger 0
Ocopy	45103	rh-103	from log	12	to log	1	bondarenko trigger 0
Ocopy	45105	rh-105	from log	12	to log	1	bondarenko trigger 0
Ocopy	46105	pd-105	from log	12	to log	1	bondarenko trigger 0
Ocopy	46108	pd-108	from log	12	to log	1	bondarenko trigger 0
Ocopy	47109	silver-109	from log	12	to log	1	bondarenko trigger 0
Ocopy	51124	sb-124	from log	12	to log	1	bondarenko trigger 0
Ocopy	54131	xe-131	from log	12	to log	1	bondarenko trigger 0
Ocopy	54132	xe-132	from log	12	to log	1	bondarenko trigger 0
Ocopy	54135	xenon-135	from log	12	to log	1	bondarenko trigger 0
Ocopy	54136	xe-136	from log	12	to log	1	bondarenko trigger 0
Ocopy	55133	cesium-133	from log	12	to log	1	bondarenko trigger 0
Ocopy	55134	cs-134	from log	12	to log	1	bondarenko trigger 0
Ocopy	55135	cs-135	from log	12	to log	1	bondarenko trigger 0
Ocopy	55137	cs-137	from log	12	to log	1	bondarenko trigger 0
Ocopy	56136	ba-136	from log	12	to log	1	bondarenko trigger 0
Ocopy	57139	la-139	from log	12	to log	1	bondarenko trigger 0
Ocopy	58144	ce-144	from log	12	to log	1	bondarenko trigger 0
Ocopy	59141	pr-141	from log	12	to log	1	bondarenko trigger 0
Ocopy	59143	pr-143	from log	12	to log	1	bondarenko trigger 0
Ocopy	60143	nd-143	from log	12	to log	1	bondarenko trigger 0

```
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigo= from log 12 to log  1   bondarenko trigger 0
0copy    92235  uranium-235     from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigo= from log 12 to log  1   bondarenko trigger 0
0copy    92238  uranium-238     from log 12 to log  1   bondarenko trigger 0
0copy    93237  neptunium-237   from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigo from log 12 to log  1   bondarenko trigger 0
0copy    94239  plutonium-239   from log 12 to log  1   bondarenko trigger 0
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigo from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc     1/27/89
              last updated      9/16/93
                 l.m.petrie  -  ornl
        tape id                              4321        number of nuclides          66
        number of neutron groups               27        number of gamma groups       0
        first thermal group                    15        logical unit                 1
                                  table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                        id    999
      1/v cross sections normalized to 1.0 at 0.0253 ev                        id     66
       hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89          id   1001
      b-10 1273 218ngp 042375 p-3 293k                                         id   5010
       boron-11       endf/b-iv mat 1160            updated 10/13/89          id   5011
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id   8016
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89          id      6
       kr-83          mt=102,103,103,105,106,107    updated 10/13/89          id  36083
       kr-85            mt=  102                                               id  36085
       sr-90          mt=102                        updated 10/13/89          id  38090
        y-89          mt=102                        updated 10/13/89          id  39089
       zr-93            mt=  102                                               id  40093
       zr-94          mt=102                        updated 10/13/89          id  40094
       zr-95          mt=102                        updated 10/13/89          id  40095
       zircalloy      endf/b-iv mat 1284            updated 10/13/89          id  40302
       rb-94          mt=102                        updated 10/13/89          id  41094
       mo-95          mt=102                        updated 10/13/89          id  42095
       tc-99          mt=102                        updated 10/13/89          id  43099
       ru-101         mt=102                        updated 10/13/89          id  44101
       ru-106         mt=102                        updated 10/13/89          id  44106
       rh-103         mt=102                        updated 10/13/89          id  45103
       rh-105           mt=  102                                               id  45105
       pd-105         mt=102                        updated 10/13/89          id  46105
       pd-108         mt=102                        updated 10/13/89          id  46108
       silver-109     endf/b-iv mat 1139            updated 10/13/89          id  47109
```

```
        sb-124          mt=102                          updated 10/13/89            id    51124
        xe-131          mt=102,103,104,105,106          updated 10/13/89            id    54131
        xe-132          mt=102,103,104,105,106          updated 10/13/89            id    54132
        xenon-135       endf/b-iv mat 1294              updated 10/13/89            id    54135
        xe-136            mt=  102, 103, 104, 105, 107                              id    54136
        cesium-133      endf/b-iv mat 1141              updated 10/13/89            id    55133
        cs-134          mt=102                          updated 10/13/89            id    55134
        cs-135            mt=  102                                                  id    55135
        cs-137          mt=102                          updated 10/13/89            id    55137
        ba-136          mt=102                          updated 10/13/89            id    56136
        la-139          mt=102                          updated 10/13/89            id    57139
        ce-144            mt=  102                                                  id    58144
        pr-141          mt=102,103,104,105,106,107      updated 10/13/89            id    59141
        pr-143          mt=102                          updated 10/13/89            id    59143
        nd-143          mt=102                          updated 10/13/89            id    60143
        nd-145          mt=102                          updated 10/13/89            id    60145
        nd-147          mt=102                          updated 10/13/89            id    60147
        pm-147          mt=102                          updated 10/13/89            id    61147
        pm-148            mt=  102                                                  id    61148
        sm-147          endf/b-v fission product        updated 10/13/89            id    62147
        sm-149          mt=102,103,107                  updated 10/13/89            id    62149
        sm-150          mt=102                          updated 10/13/89            id    62150
        sm-151          mt=102,103,104,105,106,107      updated 10/13/89            id    62151
        sm-152          mt=102,103,104,105,106,107      updated 10/13/89            id    62152
        eu-153          mt=102,103,104,105,106,107      updated 10/13/89            id    63153
        eu-154          mt=102,103,104,105,106,107      updated 10/13/89            id    63154
        eu-155          mt=102,103,104,105,106,107      updated 10/13/89            id    63155
        gd-155          mt=102                          updated 10/13/89            id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id    92234
        uranium-235     endf/b-iv mat 1261              updated 10/13/89            id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id    92236
        uranium-238     endf/b-iv mat 1262              updated 10/13/89            id    92238
        neptunium-237   endf/b-iv mat 1263              updated 10/13/89            id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         id    94238
        plutonium-239   endf/b-iv mat 1264              updated 10/13/89            id    94239
        plutonium-240   endf/b-iv mat 1265              updated 10/13/89            id    94240
        plutonium-241   endf/b-iv mat 1266              updated 10/13/89            id    94241
        plutonium-242   endf/b-iv mat 1161              updated 10/13/89            id    94242
       am-241 1056 sigo=5+4 newklacs 218grp p-3 293k                                id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 id    95243
        curium-244      endf/b-iv mat 1162              updated 10/13/89            id    96244
0        tape copy used       0 i/o's, and took      .00 seconds
1                m          m  iiiiiiiiiiii   ttttttttttttt     aaaaaaaa     ww          ww  ll
                 mm         m  iiiiiiiiiiii   ttttttttttttt    aaaaaaaaaa    ww          ww  ll
                 mmm        m      ii             tt         aa        aa    ww          ww  ll
                 m m        m      ii             tt         aa        aa    ww          ww  ll
                 m  m       m      ii             tt         aa        aa    ww          ww  ll
                 m   m      m      ii             tt         aaaaaaaaaaaa    ww    w     ww  ll
                 m    m     m      ii             tt         aaaaaaaaaaaa    ww   www    ww  ll
                 m     m    m      ii             tt         aa        aa    ww  ww ww    ww  ll
                 m.     m m m      ii             tt         aa        aa    ww ww   ww ww  ll
                 m       mmm       ii             tt         aa        aa    wwww     wwww  ll
                 m        mm  iiiiiiiiiiii       tt         aa        aa    www       www  lllllllllllll
                 m        m   iiiiiiiiiiii       tt         aa        aa    ww        ww   lllllllllllll
0

  ddddddddddd     aaaaaaaa    w        w  iiiiiiiiiiii    sssssssssss
  ddddddddddddd  aaaaaaaaaa   w        w  iiiiiiiiiiii   ssssssssssss
  dd       dd   aa        aa  w        w      ii        ss        ss
  dd        dd  aa        aa  w        w      ii        ss
```



program verification information

```
                    *****              code system:    scale  version:    4.2             *****
                    *****                                                                 *****
                    ************************************************************************
                    ************************************************************************
                    *****                                                                 *****
                    *****                                                                 *****
                    *****              program:  c0c002                                   *****
                    *****                                                                 *****
                    *****          creation date:  04/27/95                               *****
                    *****                                                                 *****
                    *****              library:  /neutronics/scale/exe                    *****
                    *****                                                                 *****
                    *****                                                                 *****
                    *****     this is not a   scale  configuration controlled code       *****
                    *****                                                                 *****
                    *****              jobname:  davis                                    *****
                    *****                                                                 *****
                    *****     date of execution:  02/16/96                               *****
                    *****                                                                 *****
                    *****     time of execution:  10:03:38                               *****
                    *****                                                                 *****
                    *****                                                                 *****
                    ************************************************************************
                    ************************************************************************
                    ************************************************************************

1
0       -1q array has       1 entries.
0        0q array has       9 entries.
0        1q array has      12 entries.
0select 65 nuclides from the master  library on logical  1
         0 nuclides from the working library on logical  2
         0 nuclides from the working library on logical  3
           to create the new working library on logical  4

        61 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      65 entries.
0        3q array has     915 entries.
0        4q array has      65 entries.
0 general information concerning cross section library
    tape identification number                  4321
    number of nuclides on tape                    66
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0   direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                            compiled for nrc      1/27/89
                              last updated        9/16/93
                                l.m.petrie   -    ornl
0 nuclides from xsdrn tape
     1    1/v cross sections normalized to 1.0 at 0.0253 ev                              999
     2     hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89             1001
     3    b-10 1273 218ngp 042375 p-3 293k                                             5010
     4     boron-11        endf/b-iv mat 1160             updated 10/13/89             5011
     5     oxygen-16       endf/b-iv mat 1276             updated 10/13/89             8016
     6     oxygen-16       endf/b-iv mat 1276             updated 10/13/89                6
```

```
  7    kr-83          mt=102,103,103,105,106,107     updated 10/13/89          36083
  8    kr-85             mt=  102                                              36085
  9    sr-90          mt=102                         updated 10/13/89          38090
 10     y-89          mt=102                         updated 10/13/89          39089
 11    zr-93             mt=  102                                              40093
 12    zr-94          mt=102                         updated 10/13/89          40094
 13    zr-95          mt=102                         updated 10/13/89          40095
 14    zircalloy      endf/b-iv mat 1284             updated 10/13/89          40802
 15    nb-94          mt=102                         updated 10/13/89          41094
 16    mo-95          mt=102                         updated 10/13/89          42095
 17    tc-99          mt=102                         updated 10/13/89          43099
 18    ru-101         mt=102                         updated 10/13/89          44101
 19    ru-106         mt=102                         updated 10/13/89          44106
 20    rh-103         mt=102                         updated 10/13/89          45103
 21    rh-105            mt=  102                                              45105
 22    pd-105         mt=102                         updated 10/13/89          46105
 23    pd-108         mt=102                         updated 10/13/89          46108
 24    silver-109     endf/b-iv mat 1139             updated 10/13/89          47109
 25    sb-124         mt=102                         updated 10/13/89          51124
 26    xe-131         mt=102,103,104,105,106         updated 10/13/89          54131
 27    xe-132         mt=102,103,104,105,106         updated 10/13/89          54132
 28    xenon-135      endf/b-iv mat 1294             updated 10/13/89          54135
 29    xe-136            mt=  102, 103, 104, 105, 107                          54136
 30    cesium-133     endf/b-iv mat 1141             updated 10/13/89          55133
 31    cs-134         mt=102                         updated 10/13/89          55134
 32    cs-135            mt=  102                                              55135
 33    cs-137         mt=102                         updated 10/13/89          55137
 34    ba-136         mt=102                         updated 10/13/89          56136
 35    la-139         mt=102                         updated 10/13/89          57139
 36    ce-144            mt=  102                                              58144
 37    pr-141         mt=102,103,104,105,106,107     updated 10/13/89          59141
 38    pr-143         mt=102                         updated 10/13/89          59143
 39    nd-143         mt=102                         updated 10/13/89          60143
 40    nd-145         mt=102                         updated 10/13/89          60145
 41    nd-147         mt=102                         updated 10/13/89          60147
 42    pm-147         mt=102                         updated 10/13/89          61147
 43    pm-148            mt=  102                                              61148
 44    sm-147         endf/b-v fission product       updated 10/13/89          62147
 45    sm-149         mt=102,103,107                 updated 10/13/89          62149
 46    sm-150         mt=102                         updated 10/13/89          62150
 47    sm-151         mt=102,103,104,105,106,107     updated 10/13/89          62151
 48    sm-152         mt=102,103,104,105,106,107     updated 10/13/89          62152
 49    eu-153         mt=102,103,104,105,106,107     updated 10/13/89          63153
 50    eu-154         mt=102,103,104,105,106,107     updated 10/13/89          63154
 51    eu-155         mt=102,103,104,105,106,107     updated 10/13/89          63155
 52    gd-155         mt=102                         updated 10/13/89          64155
 53   u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       92234
 54    uranium-235    endf/b-iv mat 1261             updated 10/13/89          92235
 55   u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       92236
 56    uranium-238    endf/b-iv mat 1262             updated 10/13/89          92238
 57    neptunium-237  endf/b-iv mat 1263             updated 10/13/89          93237
 58   pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      94238
 59    plutonium-239  endf/b-iv mat 1264             updated 10/13/89          94239
 60    plutonium-240  endf/b-iv mat 1265             updated 10/13/89          94240
 61    plutonium-241  endf/b-iv mat 1266             updated 10/13/89          94241
 62    plutonium-242  endf/b-iv mat 1161             updated 10/13/89          94242
 63   am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                             95241
 64   am-243 1057 218 gp wt f-1/e-m 090576 p3 293k                              95243
 65    curium-244     endf/b-iv mat 1162             updated 10/13/89          96244
01/v cross sections normalized to 1.0 at 0.0253 ev                    999    temperature=  975.00
```

```
0 hydrogen       endf/b-iv mat 1269/thrm1002    updated 10/13/89              1001     temperature=  607.60
                              thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0b-10 1273 218rgp 042375 p-3 293k                                            5010     temperature=  607.60
                              thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 boron-11       endf/b-iv mat 1160             updated 10/13/89              5011     temperature=  607.60
                              thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 oxygen-16      endf/b-iv mat 1276             updated 10/13/89              8016     temperature=  975.00
0 oxygen-16      endf/b-iv mat 1276             updated 10/13/89                 6     temperature=  607.60
0 kr-83          mt=102,103,103,105,106,107     updated 10/13/89             36083     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   82.202              temperature(kelvin)      =  975.000
0potential scatter sigma  =    7.004              lumped nuclear density   = 1.6278995E-06
0spin factor (g)          = 4988.190              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995              sigma(per absorber atom)= 1.0489573E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.933              sigma(per absorber atom)= 1.1708092E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11     -2.429425E-03     .000000E+00   -3.070467E-03
  12      2.164846E-02     .000000E+00    9.887995E-03
  13     -5.318041E-01     .000000E+00   -1.595370E-01
  14      4.783252E-05     .000000E+00   -1.723491E-05
0excess resonance integrals
0                resolved
0absorption     1.44660E+02
 fission         .00000E+00
-  elapsed time    .00 min.
0 kr-85          mt=  102                                                    36085     temperature=  975.00
0 sr-90          mt=102                         updated 10/13/89             38090     temperature=  975.00
0  y-89          mt=102                         updated 10/13/89             39089     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   88.142              temperature(kelvin)      =  975.000
0potential scatter sigma  =    3.644              lumped nuclear density   = 1.4471508E-05
0spin factor (g)          =   78.664              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995              sigma(per absorber atom)= 1.1799717E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.933              sigma(per absorber atom)= 1.3164805E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -4.184804E-06     .000000E+00   -3.315778E-04
  10     -8.859182E-05     .000000E+00   -2.498568E-04
0excess resonance integrals
0                resolved
0absorption     1.46374E-01
 fission         .00000E+00
-  elapsed time    .00 min.
0 zr-93          mt=  102                                                    40093     temperature=  975.00
0 zr-94          mt=102                         updated 10/13/89             40094     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   93.100              temperature(kelvin)      =  975.000
0potential scatter sigma  =    3.779              lumped nuclear density   = 2.2886412E-05
0spin factor (g)          =  180.853              lump dimension (a-bar)   = 4.6812201E-01
```

```
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 7.4611826E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953               sigma(per absorber atom)= 8.3243535E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   8      -1.463173E-06      .000000E+00    -1.371799E-03
   9      -4.468161E-05      .000000E+00    -3.950986E-03
0excess resonance integrals
0                 resolved
0absorption      3.43578E-02
 fission          .0000E+00
-  elapsed time    .00 min.
0 zr-95          mt=102                    updated 10/13/89          40095     temperature=  975.00
0 zircalloy      endf/b-iv mat 1284        updated 10/13/89          40302     temperature=  650.00
0resonance data for this nuclide
0mass number (a)         =   90.436           temperature(kelvin)      =  650.000
0potential scatter sigma =    6.385           lumped nuclear density   = 4.2515602E-02
0spin factor (g)         =    1.079           lump dimension (a-bar)   = 5.4610002E-01
0inner radius            = 4.7878999E-01      dancoff correction (c)   = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
   8      -1.780594E-03      .000000E+00    -1.286907E+00
   9      -5.895373E-02      .000000E+00    -2.695297E+00
  10      -6.959955E-02      .000000E+00    -1.601321E+00
  11      -1.883957E-01      .000000E+00    -7.920912E-01
0excess resonance integrals
0                 resolved
0absorption      2.28539E-01
 fission          .0000E+00
-  elapsed time    .02 min.
0 rb-94          mt=102                    updated 10/13/89          41094     temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   93.101           temperature(kelvin)      =  975.000
0potential scatter sigma =    3.779           lumped nuclear density   = 1.1977532E-11
0spin factor (g)         = 43808.801           lump dimension (a-bar)   = 4.6812201E-01
0inner radius            =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995           sigma(per absorber atom)= 1.4256668E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953           sigma(per absorber atom)= 1.5905996E+10
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  13       1.043531E-02      .000000E+00     9.253882E-04
  14       9.836712E-03      .000000E+00    -4.064814E-04
0excess resonance integrals
0                 resolved
0absorption      9.15001E+01
 fission          .0000E+00
-  elapsed time    .02 min.
0 mo-95          mt=102                    updated 10/13/89          42095     temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   94.091           temperature(kelvin)      =  975.000
```

```
0potential scatter sigma =    3.806          lumped nuclear density   = 1.9850915E-05
0spin factor (g)         =  607.724          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995            sigma(per absorber atom)= 8.6021064E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933            sigma(per absorber atom)= 9.5972686E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  10     -4.213186E-03    .000000E+00   -2.519524E-02
  11     -7.851104E-03    .000000E+00   -1.294423E-02
  12     -5.421113E+00    .000000E+00   -6.236655E+00
  13      1.567912E-04    .000000E+00   -2.000911E-05
0excess resonance integrals
0              resolved
0absorption    9.65135E+01
 fission        .0000E+00
- elapsed time   .02 min.
0 tc-99        mt=102                  updated 10/13/89          43099    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   98.150          temperature(kelvin)      =  975.000
0potential scatter sigma =    6.000          lumped nuclear density   = 2.2955130E-05
0spin factor (g)         = 4527.940          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995            sigma(per absorber atom)= 7.6248579E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933            sigma(per absorber atom)= 8.5069639E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11     -2.889046E-02    .000000E+00   -1.360966E-02
  12     -7.652462E-03    .000000E+00   -2.696194E-04
  13     -4.684640E-01    .000000E+00   -2.465246E-02
  14     -9.945614E+00    .000000E+00   -3.170968E-01
  15      1.069754E-02    .000000E+00   -5.383165E-04
  16      4.835994E-03    .000000E+00   -2.802093E-04
  17      2.074366E-04    .000000E+00   -1.191927E-05
0excess resonance integrals
0              resolved
0absorption    3.21540E+02
 fission        .0000E+00
- elapsed time   .03 min.
0 ru-101       mt=102                  updated 10/13/89          44101    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  100.089          temperature(kelvin)      =  975.000
0potential scatter sigma =    3.965          lumped nuclear density   = 2.0537844E-05
0spin factor (g)         = 8785.290          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995            sigma(per absorber atom)= 8.3143926E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933            sigma(per absorber atom)= 9.2762695E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
```

```
  11      -3.670957E-02     .000000E+00   -3.695435E-03
  12      -1.758472E-01     .000000E+00   -4.277066E-02
  13      -5.516006E-01     .000000E+00   -1.485083E-02
  14       2.369341E-04     .000000E+00   -4.143942E-05
0excess resonance integrals
0                 resolved
0absorption      7.90961E+01
 fission          .0000E+00
- elapsed time    .03 min.
0 ru-106        mt=102                    updated 10/13/89          44106    temperature=  975.00
0 rh-103        mt=102                    updated 10/13/89          45103    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   102.021          temperature(kelvin)     =   975.000
0potential scatter sigma =     5.408          lumped nuclear density  = 1.2443061E-05
0spin factor (g)         =      .500          lump dimension (a-bar)  = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 1.3725287E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933          sigma(per absorber atom)= 1.5310909E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     1.220378E-03     .000000E+00    1.838315E-03
  10    -4.532174E-03     .000000E+00   -6.215322E-03
  11    -2.501817E-02     .000000E+00   -2.197417E-02
  12    -4.149507E-04     .000000E+00   -2.594820E-05
  13      .000000E+00     .000000E+00     .000000E+00
  14      .000000E+00     .000000E+00     .000000E+00
  15     2.257050E-01     .000000E+00    3.206996E-03
  16     2.989938E+01     .000000E+00   -7.773024E-02
  17    -1.871487E+02     .000000E+00   -1.707123E-01
  18     8.668073E+01     .000000E+00    2.604877E-01
  19     1.142152E+01     .000000E+00   -1.308896E-03
  20     1.081809E+00     .000000E+00   -2.425992E-03
  21     2.165767E-01     .000000E+00    1.925245E-03
  22     2.583930E-01     .000000E+00    2.928540E-03
  23    -9.878896E-02     .000000E+00    1.798803E-03
0excess resonance integrals
0                 resolved
0absorption      1.13757E+03
 fission          .0000E+00
- elapsed time    .07 min.
0 rh-105         mt=  102                                             45105    temperature=  975.00
0 pd-105        mt=102                    updated 10/13/89          46105    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   104.004          temperature(kelvin)     =   975.000
0potential scatter sigma =     4.069          lumped nuclear density  = 8.5490719E-06
0spin factor (g)         = 15210.000          lump dimension (a-bar)  = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 1.9974063E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933          sigma(per absorber atom)= 2.2284826E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12    -6.388361E-02     .000000E+00   -1.985383E-03
```

```
  13      -5.664188E-02     .000000E+00   -1.451314E-03
  14       7.759710E-04     .000000E+00   -8.119541E-05
0excess resonance integrals
0                 resolved
0absorption       6.11833E+01
 fission           .00000E+00
- elapsed time     .07 min.
0 pd-108          mt=102                    updated 10/13/89          46108     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   106.977          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.146          lumped nuclear density   = 2.5205244E-06
0spin factor (g)          = 21175.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 6.7753055E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 7.5591289E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11       1.169935E-04     .000000E+00    3.530870E-04
  12      -2.278071E+00     .000000E+00   -1.677253E+00
  13       6.742267E-03     .000000E+00    1.870996E-03
  14       8.561006E-02     .000000E+00   -3.209501E-05
  15      -1.841239E-01     .000000E+00    8.083533E-05
  16       2.946561E-04     .000000E+00   -9.255422E-06
0excess resonance integrals
0                 resolved
0absorption       2.11309E+02
 fission           .00000E+00
- elapsed time     .07 min.
0 silver-109      endf/b-iv mat 1139        updated 10/13/89          47109     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   107.969          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.988          lumped nuclear density   = 1.7285453E-06
0spin factor (g)          =  1441.870          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 9.8788094E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.953          sigma(per absorber atom)= 1.1021671E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -2.004977E-04     .000000E+00   -2.261498E-04
  11      -8.000466E-03     .000000E+00   -5.853405E-03
  12      -7.368214E-01     .000000E+00   -3.566231E-02
  13       7.668183E-01     .000000E+00    3.380727E-02
  14      -1.647573E+01     .000000E+00   -1.531124E+00
0excess resonance integrals
0                 resolved
0absorption       1.38134E+03
 fission           .00000E+00
- elapsed time     .07 min.
0 sb-124          mt=102                    updated 10/13/89          51124     temperature=   975.00
0 xe-131          mt=102,103,104,105,106    updated 10/13/89          54131     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   129.781          temperature(kelvin)      =   975.000
```

```
0potential scatter sigma =    4.301          lumped nuclear density    = 1.0167540E-05
0spin factor (g)         =  246.825          lump dimension (a-bar)    = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 1.6794592E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933          sigma(per absorber atom)= 1.8737529E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  9      -3.357824E-06    .000000E+00   -3.102342E-05
 10      -2.273006E-04    .000000E+00   -1.970430E-04
 11      -2.755318E-03    .000000E+00   -2.050894E-03
 12      -5.243095E-02    .000000E+00   -4.881767E-03
 13      -7.980322E+01    .000000E+00   -1.870293E+02
 14       1.050233E-02    .000000E+00    1.471501E-02
0excess resonance integrals
0                resolved
0absorption     7.4744E+02
 fission          .0000E+00
- elapsed time    .08 min.
0 xe-132      mt=102,103,104,105,106      updated 10/13/89          54132    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  130.771          temperature(kelvin)       =  975.000
0potential scatter sigma =    4.301          lumped nuclear density    = 1.9860965E-05
0spin factor (g)         =  675.899          lump dimension (a-bar)    = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 8.5977539E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933          sigma(per absorber atom)= 9.5926121E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  9      -3.071550E-05    .000000E+00   -1.421780E-04
 10      -9.339992E-03    .000000E+00   -1.188144E-01
 11       3.337750E-08    .000000E+00   -9.213736E-07
0excess resonance integrals
0                resolved
0absorption     9.6848E-01
 fission          .0000E+00
- elapsed time    .08 min.
0 xenon-135   endf/b-iv mat 1294        updated 10/13/89          54135    temperature=  975.00
0 xe-136        mt= 102, 103, 104, 105, 107                     54136    temperature=  975.00
0 cesium-133  endf/b-iv mat 1141        updated 10/13/89          55133    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =  131.764          temperature(kelvin)       =  975.000
0potential scatter sigma =    7.100          lumped nuclear density    = 2.4571029E-05
0spin factor (g)         =  374.437          lump dimension (a-bar)    = 4.6812201E-01
0inner radius            = .0000000E+00      dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 6.9496348E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  238.051          sigma(per absorber atom)= 7.4543945E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
```

```
   9      -6.734279E-05     .000000E+00   -4.651886E-04
  10      -3.395013E-03     .000000E+00   -6.490357E-03
  11      -1.260895E-01     .000000E+00   -2.203344E-01
  12      -1.956238E-01     .000000E+00   -2.720965E-02
  13      -3.254609E-01     .000000E+00   -1.770940E-02
  14      -1.403704E+01     .000000E+00   -6.143198E-01
  15       5.619422E-03     .000000E+00   -4.043774E-04
  16       2.777897E-03     .000000E+00   -2.215109E-04
  17       2.352275E-03     .000000E+00   -1.830948E-04
  18       2.215023E-03     .000000E+00   -1.679522E-04
  19       1.317540E-03     .000000E+00   -9.688846E-05
0excess resonance integrals
0                resolved
0absorption      3.4853OE+02
 fission          .00000E+00
- elapsed time    .10 min.
0 cs-134        mt=102                    updated 10/13/89              55134    temperature=  975.00
0 cs-135          mt=  102                                              55135    temperature=  975.00
0 cs-137        mt=102                    updated 10/13/89              55137    temperature=  975.00
0 ba-136        mt=102                    updated 10/13/89              56136    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   134.737          temperature(kelvin)      =   975.000
0potential scatter sigma =     4.835          lumped nuclear density   = 2.6654541E-07
0spin factor (g)         =  1247.690          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 6.4064013E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933          sigma(per absorber atom)= 7.1475463E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  10      9.818274E-07      .000000E+00    4.101368E-07
  11     -2.649077E-05      .000000E+00   -2.197935E-05
0excess resonance integrals
0                resolved
0absorption      1.3946BE+00
 fission          .00000E+00
- elapsed time    .10 min.
0 la-139        mt=102                    updated 10/13/89              57139    temperature=  975.00
0resonance data for this nuclide
0mass number (a)         =   137.713          temperature(kelvin)      =   975.000
0potential scatter sigma =     4.906          lumped nuclear density   = 2.3873978E-05
0spin factor (g)         =   145.855          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 7.1525449E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.933          sigma(per absorber atom)= 7.9800098E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
   9     -2.480891E-05      .000000E+00   -1.666073E-03
  10     -4.548107E-04      .000000E+00   -2.495017E-02
  11       .000000E+00      .000000E+00     .000000E+00
  12     -8.164309E-02      .000000E+00   -4.928368E-02
0excess resonance integrals
0                resolved
```

```
0absorption      8.05083E+00
 fission         .00000E+00
- elapsed time   .12 min.
0 ce-144          mt=  102                                          58144    temperature=  975.00
0 pr-141        mt=102,103,104,105,106,107    updated 10/13/89      59141    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  139.697          temperature(kelvin)    =  975.000
0potential scatter sigma  =    4.953          lumped nuclear density = 2.0845648E-05
0spin factor (g)          = 1026.500          lump dimension (a-bar) = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c) = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 8.1916235E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.953             sigma(per absorber atom)= 9.1392979E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  10     -8.135539E-03    .000000E+00   -2.763613E-01
  11     -1.326336E-01    .000000E+00   -1.763402E+00
  12     -3.073294E-03    .000000E+00   -3.009180E-04
0excess resonance integrals
0                resolved
0absorption      1.20611E+01
 fission         .00000E+00
- elapsed time   .12 min.
0 pr-143        mt=102                  updated 10/13/89      59143    temperature=  975.00
0 nd-143        mt=102                  updated 10/13/89      60143    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  141.682          temperature(kelvin)    =  975.000
0potential scatter sigma  =    5.000          lumped nuclear density = 1.8286411E-05
0spin factor (g)          = 1964.850          lump dimension (a-bar) = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c) = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 9.3380645E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.953             sigma(per absorber atom)= 1.0418368E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  10     -1.801388E-04    .000000E+00   -1.069724E-04
  11     -4.224906E-01    .000000E+00   -4.906454E+00
  12     -2.802144E-01    .000000E+00   -1.378043E-01
0excess resonance integrals
0                resolved
0absorption      5.06298E+01
 fission         .00000E+00
- elapsed time   .12 min.
0 nd-145        mt=102                  updated 10/13/89      60145    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  143.668          temperature(kelvin)    =  975.000
0potential scatter sigma  =    5.047          lumped nuclear density = 1.3633068E-05
0spin factor (g)          = 1007.250          lump dimension (a-bar) = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c) = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 1.2525414E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.953             sigma(per absorber atom)= 1.3974456E+04
0moderator-2 will be treated by the nordheim integral method.
```

```
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10       -5.566130E-03     .000000E+00     -8.732534E-02
  11       -8.355895E-02     .000000E+00     -2.531122E-01
  12       -1.992898E+00     .000000E+00     -1.253801E+01
  13        9.566028E-05     .000000E+00      2.045997E-04
  14       -1.849842E+00     .000000E+00     -4.860699E-02
  15        5.895222E-03     .000000E+00     -4.604220E-04
  16        1.326667E-03     .000000E+00     -1.451281E-04
  17        9.642541E-04     .000000E+00     -1.063925E-04
  18        8.539588E-04     .000000E+00     -9.313388E-05
  19        7.634191E-04     .000000E+00     -8.059647E-05
  20        2.839438E-05     .000000E+00     -2.920866E-06
0excess resonance integrals
0                  resolved
0absorption       2.05303E+02
 fission           .00000E+00
-  elapsed time     .13 min.
0 nd-147        mt=102                    updated 10/13/89          60147    temperature=  975.00
0 pm-147        mt=102                    updated 10/13/89          61147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 4.3050986E-06
0spin factor (g)          = 21589.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 3.9664523E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953            sigma(per absorber atom)= 4.4253242E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  12       -2.166141E-01     .000000E+00     -6.936160E-02
  13       -5.553136E-02     .000000E+00     -3.134629E-03
  14       -9.633698E+01     .000000E+00     -4.139169E+01
  15        4.126164E-02     .000000E+00      6.974615E-03
  16        1.697905E-02     .000000E+00      1.746689E-03
  17        1.369750E-02     .000000E+00      1.150443E-03
  18        1.253758E-02     .000000E+00      9.649043E-04
  19        6.999389E-04     .000000E+00      5.070706E-05
0excess resonance integrals
0                  resolved
0absorption       1.99739E+03
 fission           .00000E+00
-  elapsed time     .13 min.
0 pm-148          mt=  102                                             61148    temperature=  975.00
0 sm-147        endf/b-v fission product  updated 10/13/89             62147    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   145.653          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093          lumped nuclear density   = 1.7999949E-06
0spin factor (g)          =      .000          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 9.4866766E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953            sigma(per absorber atom)= 1.0584173E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
```

```
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11       2.611994E-01     .000000E+00     1.049364E+00
  12       7.963288E-01     .000000E+00    -1.698698E+00
  13      -4.507339E+00     .000000E+00    -2.825725E+00
  14      -5.416480E-01     .000000E+00    -7.173979E-03
  15       3.110962E-01     .000000E+00    -1.897037E-03
  16       7.287653E-03     .000000E+00    -3.738371E-04
  17       4.281464E-03     .000000E+00    -2.401531E-04
  18       3.510412E-03     .000000E+00    -1.997157E-04
  19       2.910591E-03     .000000E+00    -1.649537E-04
  20       8.434759E-04     .000000E+00    -4.626545E-05
0excess resonance integrals
0                  resolved
0absorption       7.2079AE+02
 fission           .00000E+00
- elapsed time     .15 min.
                                thermal scattering matrix number   3 at a temperature of    900.03 was selected.
0 sm-149         mt=102,103,107                updated 10/13/89              62149     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   147.638              temperature(kelvin)       =   975.000
0potential scatter sigma  =     3.260              lumped nuclear density    = 8.9113627E-08
0spin factor (g)          = 10407.900              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 1.9162018E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 2.1378838E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  11       8.546577E-03     .000000E+00     3.071155E-02
  12      -5.576071E-02     .000000E+00    -1.828570E-01
  13       2.267975E-02     .000000E+00     2.764212E-03
  14       5.020254E-04     .000000E+00    -8.204340E-03
0excess resonance integrals
0                  resolved
0absorption       8.0432BE+02
 fission           .00000E+00
- elapsed time     .15 min.
0 sm-150         mt=102                        updated 10/13/89              62150     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   148.629              temperature(kelvin)       =   975.000
0potential scatter sigma  =     5.162              lumped nuclear density    = 5.0109784E-06
0spin factor (g)          =  4376.420              lump dimension (a-bar)    = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 3.4077117E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933              sigma(per absorber atom)= 3.8019438E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -1.657741E-03     .000000E+00    -1.602149E-02
  11      -3.778702E-02     .000000E+00    -4.268902E-01
  12      -1.232369E-01     .000000E+00    -3.724020E-02
  13      -8.618197E+00     .000000E+00    -6.782185E+00
  14       1.064539E-04     .000000E+00    -6.370252E-05
```

```
0excess resonance integrals
0                resolved
0absorption      2.85057E+02
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-151        mt=102,103,104,105,106,107     updated 10/13/89            62151     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   149.623            temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.185            lumped nuclear density   = 4.3263481E-07
0spin factor (g)          = 75574.703            lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00        dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 3.9469706E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 4.4035888E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  14      -2.494376E-01     .000000E+00   -2.305733E-02
  15       1.483919E+01     .000000E+00    7.504057E-02
  16      -2.183372E+01     .000000E+00   -6.208440E-02
  17       1.734995E+02     .000000E+00    8.262178E-01
  18      -3.207909E+02     .000000E+00   -1.785116E+00
  19       6.253349E+01     .000000E+00    3.867444E-01
  20       1.141094E+00     .000000E+00   -1.387528E-04
  21      -7.117627E-02     .000000E+00    1.244099E-02
  22       6.952599E-02     .000000E+00    3.838917E-03
  23      -1.091933E-02     .000000E+00    3.374087E-04
0excess resonance integrals
0                resolved
0absorption      2.05598E+03
 fission          .00000E+00
- elapsed time    .17 min.
0 sm-152        mt=102,103,104,105,106,107     updated 10/13/89            62152     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   150.615            temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.208            lumped nuclear density   = 2.3631060E-06
0spin factor (g)          =   863.594            lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00        dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 7.2260695E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.953              sigma(per absorber atom)= 8.0620406E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9       2.402629E-06     .000000E+00    1.158523E-04
  10      -1.917727E-03     .000000E+00   -2.963686E-02
  11      -2.752391E-02     .000000E+00   -1.047432E-01
  12      -1.840857E-01     .000000E+00   -5.836282E-01
  13       4.164582E-02     .000000E+00    1.012530E-01
  14      -1.591912E+02     .000000E+00   -3.072400E+02
0excess resonance integrals
0                resolved
0absorption      2.70562E+03
 fission          .00000E+00
- elapsed time    .17 min.
0 eu-153        mt=102,103,104,105,106,107     updated 10/13/89            63153     temperature=  975.00
```

```
0resonance data for this nuclide
0mass number (a)          =   151.607          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731          lumped nuclear density   = 1.5306148E-06
0spin factor (g)          = 12265.900          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995           sigma(per absorber atom)= 1.1156282E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.933           sigma(per absorber atom)= 1.2446952E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -3.047509E-01     .000000E+00   -5.960166E-02
  13      -2.161284E-01     .000000E+00   -8.911429E-03
  14      -1.044091E+00     .000000E+00   -3.930978E-03
  15       6.289871E-01     .000000E+00   -5.131698E-02
  16      -3.304040E+00     .000000E+00    8.154124E-03
  17       1.505573E-01     .000000E+00   -3.437618E-03
  18       7.726830E-02     .000000E+00   -2.231212E-03
  19       5.055436E-02     .000000E+00   -1.541073E-03
  20      -1.253806E-01     .000000E+00   -1.274959E-03
0excess resonance integrals
0                  resolved
0absorption       1.35315E+03
 fission           .00000E+00
-  elapsed time    .18 min.
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89          63154     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   152.601          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731          lumped nuclear density   = 3.5946826E-07
0spin factor (g)          = 19135.801          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995           sigma(per absorber atom)= 4.7503416E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  237.933           sigma(per absorber atom)= 5.2999000E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -3.975526E-01     .000000E+00   -6.197735E-02
  13      -3.375991E-01     .000000E+00   -2.584699E-02
  14       2.938449E-01     .000000E+00    1.397187E-02
  15       7.538726E-02     .000000E+00    2.053046E-02
  16       7.086454E+00     .000000E+00    9.177127E-02
  17      -1.446384E+02     .000000E+00   -1.899228E+00
  18       1.132616E+02     .000000E+00    1.855863E+00
  19      -1.014847E+02     .000000E+00    1.187440E+00
0excess resonance integrals
0                  resolved
0absorption       2.13582E+03
 fission           .00000E+00
-  elapsed time    .18 min.
0 eu-155        mt=102,103,104,105,106,107     updated 10/13/89          63155     temperature=   975.00
0 gd-155        mt=102                         updated 10/13/89          64155     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   153.592          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.277          lumped nuclear density   = 2.8352998E-09
0spin factor (g)          = 12700.100          lump dimension (a-bar)   = 4.6812201E-01
```

```
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995               sigma(per absorber atom)= 6.0226324E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.933               sigma(per absorber atom)= 6.7195800E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -1.439346E+00     .000000E+00   -1.839517E-01
  13       1.540958E+00     .000000E+00    1.984828E-01
  14       2.188145E-01     .000000E+00    9.802756E-03
  15      -3.373435E-01     .000000E+00   -1.646314E-04
  16       1.477357E+00     .000000E+00   -4.148866E-03
  17       1.568662E-01     .000000E+00   -1.479115E-03
  18       9.605145E-02     .000000E+00   -1.078055E-03
  19       6.295369E-02     .000000E+00   -8.026906E-04
  20       1.670850E-02     .000000E+00    1.627252E-04
  21        .000000E+00     .000000E+00     .000000E+00
  22        .000000E+00     .000000E+00     .000000E+00
  23        .000000E+00     .000000E+00     .000000E+00
  24        .000000E+00     .000000E+00     .000000E+00
  25      -2.127942E+03     .000000E+00   -1.622130E+00
  26      -5.205795E+03     .000000E+00    1.961528E+00
  27      -1.660027E+03     .000000E+00    7.392855E-01
0excess resonance integrals
0                resolved
0absorption     3.97015E+04
 fission         .00000E+00
-  elapsed time    .20 min.
0u-234 1043 sigo=5+4 new+lacs p-3 293k f-1/e-m(1.+5)                    92234     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =  232.029              temperature(kelvin)       =   975.000
0potential scatter sigma =   10.021              lumped nuclear density    = 4.2846223E-06
0spin factor (g)         =  6948.450             lump dimension (a-bar)    = 4.6812201E-01
0inner radius            =  .0000000E+00         dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995              sigma(per absorber atom)= 3.9854086E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.955              sigma(per absorber atom)= 4.4451117E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11      -2.047309E-02     .000000E+00   -5.972941E-02
  12      -1.670759E-01     .000000E+00   -6.992950E-02
  13       7.760423E-04     .000000E+00   -6.473117E-04
  14      -1.645193E+01     .000000E+00   -2.694678E+00
0excess resonance integrals
0                resolved
0absorption     5.84496E+02
 fission         .00000E+00
-  elapsed time    .20 min.
0 uranium-235    endf/b-iv mat 1261          updated 10/13/89            92235     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =  233.025              temperature(kelvin)       =   975.000
0potential scatter sigma =   11.500              lumped nuclear density    = 3.6445219E-04
0spin factor (g)         = 15171.100             lump dimension (a-bar)    = 4.6812201E-01
0inner radius            =  .0000000E+00         dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
```

```
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 4.6853799E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.049              sigma(per absorber atom)= 5.0281970E+02
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12     -1.548013E+00   -9.642566E-01   -3.629514E-02
  13     -5.519265E+00   -2.750468E+00   -1.197143E-01
  14     -4.442442E+00   -2.737241E+00   -3.041829E-02
0excess resonance integrals
0                 resolved
0absorption      2.14703E+02
 fission         1.27737E+02
- elapsed time    .22 min.
0u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)                92236     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   234.017              temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.995              lumped nuclear density   = 6.1558632E-05
0spin factor (g)          =  6328.460              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 2.7739358E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.934              sigma(per absorber atom)= 3.0943074E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  11     -2.948088E-01    .000000E+00   -7.413376E-01
  12     -1.598138E+00    .000000E+00   -1.081784E+00
  13     -6.908284E-02    .000000E+00   -3.552606E-03
  14     -5.045822E+01    .000000E+00   -4.414418E+00
0excess resonance integrals
0                 resolved
0absorption      2.68511E+02
 fission          .00000E+00
- elapsed time    .22 min.
0 uranium-238   endf/b-iv mat 1262          updated 10/13/89          92238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.006              temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.599              lumped nuclear density   = 2.1780336E-02
0spin factor (g)          =   666.527              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 7.8400850E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   235.041              sigma(per absorber atom)= 3.3757189E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -3.927211E-02    .000000E+00   -4.035209E-01
  10     -1.023942E+00   -1.742067E-05   -6.471695E+00
  11     -9.702673E+00    .000000E+00   -2.688686E+01
  12     -4.305799E+01    .000000E+00   -4.997792E+01
  13     -5.400405E+01    .000000E+00   -1.768848E+01
  14     -1.044813E+02    .000000E+00   -6.058750E+00
0excess resonance integrals
0                 resolved
```


```
0absorption       1.80663E+01
 fission          5.04115E-04
- elapsed time     .25 min.
0 neptunium-237  endf/b-iv mat 1263          updated 10/13/89          93237     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   235.012          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.500          lumped nuclear density   = 4.7003864E-06
0spin factor (g)          = 10100.800          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.6328859E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 3.8967465E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs        res fiss       res scat
  11      -6.394980E-02  -2.252332E-06  -7.444753E-03
  12       1.017181E-02  -1.263774E-04   5.530881E-03
  13      -7.820910E-02   8.428999E-05  -3.659707E-03
  14      -1.378659E-01  -1.646240E-05  -2.075727E-03
0excess resonance integrals
0                resolved
0absorption       2.92875E+02
 fission          1.38520E-01
- elapsed time     .27 min.
0pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          94238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.167          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.890          lumped nuclear density   = 8.0928805E-07
0spin factor (g)          = 13130.600          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.1099988E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 2.2632503E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs        res fiss       res scat
  11      -5.186105E-03  -8.081063E-04  -4.934089E-03
  12      -3.566360E-03  -4.077103E-04  -1.670922E-03
  13       3.811535E-01   7.427578E-02  -1.213191E-02
  14      -3.829654E-01  -7.001112E-02   8.539177E-03
0excess resonance integrals
0                resolved
0absorption       8.25002E+01
 fission          9.08183E+00
- elapsed time     .27 min.
0 plutonium-239  endf/b-iv mat 1264          updated 10/13/89          94239     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.999          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.200          lumped nuclear density   = 1.1685169E-04
0spin factor (g)          =  6435.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.4613369E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.5674755E+03
0moderator-2 will be treated by the nordheim integral method.
```


```
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs        res fiss        res scat
  11      -2.433271E-01   -9.805850E-02   -7.439817E-02
  12      -2.148567E+00   -8.067330E-01   -2.823401E-01
  13      -7.017735E+00   -4.128114E+00   -1.074359E-01
  14      -2.236326E+00   -1.190446E+00   -1.976972E-02
0excess resonance integrals
0                resolved
0absorption      3.05723E+02
 fission         1.71805E+02
- elapsed time    .28 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89          94240     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   237.992          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density   = 2.5680782E-05
0spin factor (g)          =   669.244          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 6.6493179E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 7.1322651E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs        res fiss        res scat
   9      -6.711484E-05   -2.113045E-06   -3.290113E-04
  10      -6.139901E-03   -3.795295E-04   -2.802343E-02
  11      -1.941598E-01   -1.123520E-03   -2.580330E-01
  12      -2.667729E+00   -1.456635E-02   -2.554560E+00
  13      -3.328218E-01   -2.040751E-03   -2.425588E-02
  14       .000000E+00     .000000E+00     .000000E+00
  15       1.726114E-02    3.294365E-06    3.385407E-03
  16       2.701083E+00    5.155136E-04    3.333627E-01
  17       4.089492E+02    7.709549E-02    3.576860E+01
  18      -8.924690E+03   -1.703316E+00   -7.032175E+02
  19       5.111380E+02    9.755294E-02    4.121003E+01
  20      -9.411130E+01   -1.796156E-02    1.798258E+00
0excess resonance integrals
0                resolved
0absorption      4.12001E+03
 fission         1.79168E+00
- elapsed time    .32 min.
0 plutonium-241  endf/b-iv mat 1266          updated 10/13/89          94241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.978          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.939          lumped nuclear density   = 1.4762393E-05
0spin factor (g)          = 16402.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.1567209E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 1.2407349E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs        res fiss        res scat
  12      -8.929748E-03   -8.586234E-03    5.350622E-04
  13      -9.712595E-01   -7.429292E-01   -2.818558E-02
  14      -9.685243E-01   -6.832704E-01   -2.741366E-03
```


```
  15      1.781677E-02    1.596397E-02   -4.623220E-04
0excess resonance integrals
0                 resolved
0absorption       5.06859E+02
 fission          4.25058E+02
- elapsed time    .32 min.
0 plutonium-242  endf/b-iv mat 1161          updated 10/13/89          94242     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.145          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.694          lumped nuclear density   = 2.0104515E-06
0spin factor (g)          =  6606.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 8.4935984E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 9.1104984E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -5.444955E-03    .000000E+00    -1.480576E-02
  12      -1.144884E-01    .000000E+00    -2.216890E-01
  13      -2.757552E-04    .000000E+00     9.763985E-07
  14       8.116283E-02    .000000E+00     1.516041E-02
  15      -3.984634E+01    .000000E+00    -3.216101E+00
  16       4.027087E-02    .000000E+00    -3.445925E-03
  17       1.550369E-02    .000000E+00    -1.848117E-03
  18       1.112546E-02    .000000E+00    -1.430697E-03
0excess resonance integrals
0                 resolved
0absorption       1.08606E+03
 fission           .00000E+00
- elapsed time    .32 min.
0am-241 1056 sigp=5+4 new-lacs 218ngp p-3 295k                                 95241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   238.950          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 5.1591286E-07
0spin factor (g)          = 82058.203          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.3098553E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 3.5502538E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  13       4.857694E-01    1.207759E-02    4.451498E-03
  14      -4.743611E-01   -1.142380E-02   -5.411783E-03
0excess resonance integrals
0                 resolved
0absorption       1.93410E+02
 fission          1.07564E+00
- elapsed time    .33 min.
0am-243 1057 218 gp wt f-1/e-m 090376 p3 295k                                  95243     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   240.940          temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.511          lumped nuclear density   = 2.2520586E-07
0spin factor (g)          = 82052.602          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
```


```
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 7.582449E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 8.1331713E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  13      -9.115445E-03     .000000E+00    3.664919E-04
  14       1.020618E-02     .000000E+00    5.452318E-05
0excess resonance integrals
0                  resolved
0absorption       1.60134E+02
 fission           .0000E+00
-  elapsed time    .33 min.
0 curium-244     endf/b-iv mat 1162          updated 10/13/89          9624     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   242.133          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.320          lumped nuclear density   = 2.6241885E-08
0spin factor (g)          =  5251.150          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995              sigma(per absorber atom)= 6.5071425E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 6.9797635E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11       1.785139E-04    4.906880E-06    1.973946E-04
  12       4.277681E-04    2.202040E-05    4.707649E-05
  13       2.291097E-03    1.158380E-04    6.961012E-04
  14      -4.282206E-02   -2.562004E-03   -1.985917E-02
0excess resonance integrals
0                  resolved
0absorption       6.13745E+02
 fission          3.54127E+01
-  elapsed time    .33 min.
-  elapsed time    .33 min.
1     this xsdrn working tape was created 02/16/96 at 10:03:38
      the title of the parent case is as follows
      scale 4.2 - 27 group neutron burnup library
         based on endf-b version 4 data with endf-b version 5 fission products
            compiled for nrc     1/27/89
          tape id                      4321        number of nuclides          65
          number of neutron groups       27        number of gamma groups       0
          first thermal group            15        logical unit                 4
                                table of contents
        1/v cross sections normalized to 1.0 at 0.0253 ev                    id    999
         hydrogen       endf/b-iv mat 1269/thrm1002  updated 10/13/89      id   1001
        b-10 1273 218ngp 042375 p-3 293k                                     id   5010
         boron-11       endf/b-iv mat 1160           updated 10/13/89      id   5011
         oxygen-16      endf/b-iv mat 1276           updated 10/13/89      id   8016
         oxygen-16      endf/b-iv mat 1276           updated 10/13/89      id      6
         kr-83          mt=102,103,105,105,106,107   updated 10/13/89      id  36083
         kr-85             mt=  102                                        id  36085
         sr-90          mt=102                       updated 10/13/89      id  38090
          y-89          mt=102                       updated 10/13/89      id  39089
         zr-93             mt=  102                                        id  40093
         zr-94          mt=102                       updated 10/13/89      id  40094
```


```
        zr-95          mt=102                          updated 10/13/89          id    40095
        zircalloy      endf/b-iv mat 1284              updated 10/13/89          id    40302
        nb-94          mt=102                          updated 10/13/89          id    41094
        mo-95          mt=102                          updated 10/13/89          id    42095
        tc-99          mt=102                          updated 10/13/89          id    43099
        ru-101         mt=102                          updated 10/13/89          id    44101
        ru-106         mt=102                          updated 10/13/89          id    44106
        rh-103         mt=102                          updated 10/13/89          id    45103
        rh-105           mt=  102                                                id    45105
        pd-105         mt=102                          updated 10/13/89          id    46105
        pd-108         mt=102                          updated 10/13/89          id    46108
        silver-109     endf/b-iv mat 1139              updated 10/13/89          id    47109
        sb-124         mt=102                          updated 10/13/89          id    51124
        xe-131         mt=102,103,104,105,106          updated 10/13/89          id    54131
        xe-132         mt=102,103,104,105,106          updated 10/13/89          id    54132
        xenon-135      endf/b-iv mat 1294              updated 10/13/89          id    54135
        xe-136           mt=  102, 103, 104, 105, 107                            id    54136
        cesium-133     endf/b-iv mat 1141              updated 10/13/89          id    55133
        cs-134         mt=102                          updated 10/13/89          id    55134
        cs-135           mt=  102                                                id    55135
        cs-137         mt=102                          updated 10/13/89          id    55137
        ba-136         mt=102                          updated 10/13/89          id    56136
        la-139         mt=102                          updated 10/13/89          id    57139
        ce-144           mt=  102                                                id    58144
        pr-141         mt=102,103,104,105,106,107      updated 10/13/89          id    59141
        pr-143         mt=102                          updated 10/13/89          id    59143
        nd-143         mt=102                          updated 10/13/89          id    60143
        nd-145         mt=102                          updated 10/13/89          id    60145
        nd-147         mt=102                          updated 10/13/89          id    60147
        pm-147         mt=102                          updated 10/13/89          id    61147
        pm-148           mt=  102                                                id    61148
        sm-147         endf/b-v fission product        updated 10/13/89          id    62147
        sm-149         mt=102,103,107                  updated 10/13/89          id    62149
        sm-150         mt=102                          updated 10/13/89          id    62150
        sm-151         mt=102,103,104,105,106,107      updated 10/13/89          id    62151
        sm-152         mt=102,103,104,105,106,107      updated 10/13/89          id    62152
        eu-153         mt=102,103,104,105,106,107      updated 10/13/89          id    63153
        eu-154         mt=102,103,104,105,106,107      updated 10/13/89          id    63154
        eu-155         mt=102,103,104,105,106,107      updated 10/13/89          id    63155
        gd-155         mt=102                          updated 10/13/89          id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       id    92234
        uranium-235    endf/b-iv mat 1261              updated 10/13/89          id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       id    92236
        uranium-238    endf/b-iv mat 1262              updated 10/13/89          id    92238
        neptunium-237  endf/b-iv mat 1263              updated 10/13/89          id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      id    94238
        plutonium-239  endf/b-iv mat 1264              updated 10/13/89          id    94239
        plutonium-240  endf/b-iv mat 1265              updated 10/13/89          id    94240
        plutonium-241  endf/b-iv mat 1266              updated 10/13/89          id    94241
        plutonium-242  endf/b-iv mat 1161              updated 10/13/89          id    94242
       am-241 1056 sigo=5+4 newklacs 218grp p-3 293k                             id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                              id    95243
        curium-244     endf/b-iv mat 1162              updated 10/13/89          id    96244
0        tape copy used      0 i/o's, and took      .00 seconds
1 xx         xx   sssssssssss    ddddddddddd   rrrrrrrrrr   mm        mm  pppppppppp    mm          mm
   xx        xx  sssssssssssss  ddddddddddddd  rrrrrrrrrrr  mmm       mm  ppppppppppp   mmm        mmm
    xx      xx   ss        ss   dd        dd   rr       rr  mmmm      mm  pp       pp   mmmm      mmmm
     xx    xx    ss             dd        dd   rr       rr  mm mm     mm  pp       pp   mm mm    mm mm
      xx xx      ss             dd        dd   rr       rr  mm  mm    mm  pp       pp   mm  mm  mm  mm
       xxx       sssssssssssss  dd        dd   rrrrrrrrrrr  mm   mm   mm  pppppppppp    mm   mmmm   mm
```











sssssssssss ccccccccccc aa aa lllllllllllll eeeeeeeeeeee

```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                 program verification information           *****
*****                                                           *****
*****                 code system:  scale  version:  4.2        *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****                       program:  c0c001                    *****
*****                                                           *****
*****                  creation date:  04/27/95                 *****
*****                                                           *****
*****                       library:  /neutronics/scale/exe     *****
*****                                                           *****
*****                                                           *****
*****  this is not a  scale  configuration controlled code      *****
*****                                                           *****
*****                       jobname:  davis                     *****
*****                                                           *****
*****  date of execution:  02/16/96                             *****
*****                                                           *****
*****  time of execution:  10:04:44                             *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
```

```
1
                  1040 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0      -1q array has      1 entries.
0       1q array has     15 entries.
0       2q array has     10 entries.
0       3q array has     12 entries.
0       4q array has      9 entries.
0       5q array has     12 entries.
0direct access unit   9 requires    12 blocks of length  704 for cross section mixing.
1                  1040 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0general problem description data block
0                          general problem data

 ige  1/2/3 = plane/cylinder/sphere      2      isn  quadrature order                  8
 izm  number of zones                    4      isct order of scattering               3
 im   number of special intervals       24      ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1      iim  inner iteration maximum         20
 ibr  right boundary condition           3      iom  outer iteration maximum         25
 mxx  number of mixtures                 3      iclc -1/0/n--flat res/sn/cpt           0
 ms   mixing table length               65      ith  0/1 = forward/adjoint           0
 igm  number of energy groups           27      iflu not used(always wgtd)             0
 nng  number of neutron groups          27      iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0      idfl 0/1/2/3=no/prt nd/pch n/both     53
```

```
 iftg number of first thermal group      15       ipbt -1/0/1=none/fine/all bal. prt      0
0                                 special options

 ifg  0/1 = none/weighting calculation    1       ipn  0/1/2 diff. coef. param            0
 iqm  volumetric sources (0/n=no/yes)     0       idfm 0/1 = none/density factors 38*     1
 ipm  boundary sources (0/n=no/yes)       0       iaz  0/n = none/n activities by zone    0
 ifn  0/1/2 = input 33*/34*/use last     53       iai  0/1=none/activities by interval    0
 itmx maximum time (minutes)             10       ifct 0/1=no/yes upscatter scaling       0
 idt1 0/1/2/3=no/xsect/srce/flux--out     0       ipvt 0/1/2=no/k/alpha parametric srch   0
 isx  broad group fluxes                  0       isen outer iteration acceleration       0
 ibln activity data unit                  0       nbnd band rebaln parameter              0
 jbkl 0/1/2 buckling geometry             0
0                              weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight     -1       ihtf total xsect psn in brd gp tables   3
 igmf number of broad groups             27       ndsf psn g-g or file number             4
 itp  0/10/20/30/40 0/c/e/ac/a            0       nusf table length or max order          4
 ipp  -2/-1/0/n=wgted xsect print        -2       nscm extra 1-d x-sect positions         0
 iap  -1/n anisn xsect print             -1
0                            floating point parameters

 eps  overall convergence       1.00000E-04       dy   cyl/pla ht for buckling    .00000E+00
 ptc  point convergence         1.00000E-04       dz   plane depth for buckling   .00000E+00
 xnf  normalization factor      1.00000E+00       vsc  void streaming correction  .00000E+00
 ev   eigenvalue guess           .00000E+00       pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier        .00000E+00       eql  ev change eps for search   1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00       xnpm new param mod for search   7.50000E-01
     this case will require      2535 locations for mixing
     this case has been allocated 200000 locations
1                  1040 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0      13q array has     65 entries.
0      14q array has     65 entries.
0      15q array has     65 entries.
0                              data block 2 (mixing table, etc.)
0    nuclides          cccc                          mixing table                    extra
      on tape    identification              mixture   component    atom density    xsect id's
     1     999                                    1       92235    3.64452E-04
     2    1001                                    1       92234    4.28462E-06
     3    5010                                    1       92236    6.15586E-05
     4    5011                                    1       92238    2.17803E-02
     5    8016                                    1        8016    4.55359E-02
     6       6                                    3           6    2.09710E-02
     7   36083                                    1       36083    1.62790E-06
     8   36085                                    1       36085    7.82545E-07
     9   38090                                    1       38090    1.79089E-05
    10   39089                                    1       39089    1.44715E-05
    11   40093                                    1       42095    1.98509E-05
    12   40094                                    1       40093    1.44900E-05
    13   40095                                    1       40094    2.28864E-05
    14   40302                                    1       40095    1.96022E-06
    15   41094                                    1       41094    1.19775E-11
    16   42095                                    1       43099    2.29951E-05
    17   43099                                    1       45103    1.24431E-05
    18   44101                                    1       45105    2.38399E-08
    19   44106                                    1       44101    2.05378E-05
    20   45103                                    1       44106    3.08150E-06
    21   45105                                    1       46105    8.54907E-06
    22   46105                                    1       46108    2.52032E-06
    23   46108                                    1       47109    1.72855E-06
    24   47109                                    1       51124    3.84646E-10
```

25	51124	1	54131	1.01675E-05
26	54131	1	54132	1.98610E-05
27	54132	1	54135	6.66399E-09
28	54135	1	54136	3.91142E-05
29	54136	1	55134	1.27988E-06
30	55133	1	55135	1.24307E-05
31	55134	1	55137	2.41337E-05
32	55135	1	56136	2.66545E-07
33	55137	1	57139	2.38740E-05
34	56136	1	59141	2.08456E-05
35	57139	1	59143	3.65349E-07
36	58144	1	58144	6.86967E-06
37	59141	1	60143	1.82864E-05
38	59143	1	60145	1.36331E-05
39	60143	1	61147	4.30510E-06
40	60145	1	61148	1.28358E-08
41	60147	1	60147	1.29256E-07
42	61147	1	62147	1.79999E-06
43	61148	1	62149	8.91136E-08
44	62147	1	62150	5.01098E-06
45	62149	1	62151	4.32635E-07
46	62150	1	62152	2.36311E-06
47	62151	1	64155	2.83530E-09
48	62152	1	63153	1.53061E-06
49	63153	1	63154	3.59468E-07
50	63154	1	63155	1.67707E-07
51	63155	2	40802	4.25156E-02
52	64155	3	1001	4.19420E-02
53	92234	3	5010	3.81515E-06
54	92235	3	5011	1.54884E-05
55	92236	1	55133	2.45710E-05
56	92238	1	95237	4.70039E-06
57	95237	1	94238	8.09288E-07
58	94238	1	94239	1.16852E-04
59	94239	1	94240	2.56808E-05
60	94240	1	94241	1.47624E-05
61	94241	1	94242	2.01045E-06
62	94242	1	95241	5.15913E-07
63	95241	1	95243	2.25204E-07
64	95243	1	96244	2.62419E-08
65	96244	1	999	1.00000E-20

- elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 1040 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	2	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00	

7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00
10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00
12	1.00000E+02	1.15129E+01	1.01036E+07	12	0	12	1.00000E+00
13	3.00000E+01	1.27169E+01	5.69595E+06	13	0	13	1.00000E+00
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00
15	3.04999E+00	1.50030E+01	2.10601E+06	15	0	15	1.00000E+00
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00
17	1.29999E+00	1.58557E+01	1.52545E+06	17	0	17	1.00000E+00
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00
21	4.00000E-01	1.70844E+01	8.17974E+05	21	0	21	1.00000E+00
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00
23	2.25000E-01	1.76098E+01	4.86953E+05	23	0	23	1.00000E+00
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00
27	1.00000E-02	2.07235E+01	8.88201E+04	27	0	27	1.00000E+00
28	1.00000E-05	2.76310E+01					

1 1040 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0

	mixture by zone	order p(l) by zone	activity table matl no.	reaction	quadrature constants weights	directions	refl direc	wt x cos
1	1	3			0	-2.79004E-01	3	0
2	1	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	2	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	3	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28595E-02
7					5.55953E-02	2.31301E-01	6	1.28595E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.89032E-01	24	0
17					4.53355E-02	-9.64143E-01	24	-4.37099E-02
18					4.53355E-02	-8.17361E-01	23	-3.70555E-02
19					4.53355E-02	-5.46143E-01	22	-2.47597E-02
20					4.53355E-02	-1.91780E-01	21	-8.69444E-03
21					4.53355E-02	1.91780E-01	20	8.69444E-03
22					4.53355E-02	5.46143E-01	19	2.47597E-02
23					4.53355E-02	8.17361E-01	18	3.70555E-02
24					4.53355E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.85235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.85235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.85235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01

10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83032E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17234E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17234E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.29551E-02	1	0	2.10906E-03	1.00000E+00	0	
2	2.59102E-02	4.33406E-02	1	1.62798E-01	9.49318E-03	1.00000E+00	0	
3	6.07710E-02	8.75100E-02	1	3.81835E-01	2.94045E-02	1.00000E+00	0	
4	1.14249E-01	1.74155E-01	1	7.17848E-01	1.31104E-01	1.00000E+00	0	
5	2.34061E-01	2.93967E-01	1	1.47065E+00	2.21259E-01	1.00000E+00		
6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00		
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00		
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00		
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07944E-03	0		
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0		
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0		
12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0		
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00		
14	4.87528E-01	4.99987E-01	3	3.06323E+00	7.82768E-02	1.00000E+00		
15	5.12445E-01	5.24903E-01	3	3.21979E+00	8.21777E-02	1.00000E+00		
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00		
17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00		
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00		
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00		
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00		
21	6.80034E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00		
22	7.48592E-01	7.63893E-01	4	4.70354E+00	1.46875E-01	1.00000E+00		
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00		
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00		
25	8.13968E-01			5.11431E+00				

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	119	-2.23557E-05	1.01176E+00	-1.25636E-02	1.00000E+00	-4.22462E-03	.00000E+00	.0000
2	185	8.53298E-06	1.01259E+00	-3.16202E-04	-1.23238E-03	-8.13098E-04	.00000E+00	.0000
3	252	3.91929E-06	1.01285E+00	-6.28068E-05	-2.22519E-04	-2.08430E-04	.00000E+00	.0000
4	265	-1.24623E-05	1.01309E+00	-1.67925E-05	-5.70544E-05	-4.65967E-05	.00000E+00	.0000

grp	to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	1	1	5.78574E-08	24	1.00000E+00	1
2	2	1	1	6.59902E-08	24	1.00000E+00	1
3	3	1	1	5.81585E-08	24	1.00000E+00	1
4	4	1	1	5.37730E-08	24	1.00000E+00	1
5	5	1	1	4.50401E-08	24	1.00000E+00	1
6	6	1	1	2.47275E-08	24	1.00000E+00	1
7	7	1	1	1.02030E-08	24	1.00000E+00	1
8	8	1	24	1.38611E-08	24	1.00000E+00	1
9	9	1	1	2.17652E-08	24	1.00000E+00	1
10	10	1	1	1.83806E-08	24	1.00000E+00	1

11	11	1	1	1.91079E-08	24	1.00000E+00	1
12	12	1	24	4.32918E-09	24	1.00000E+00	1
13	13	1	24	1.11999E-08	24	1.00000E+00	1
14	14	1	24	1.24675E-08	24	1.00000E+00	1
15	15	1	24	4.54743E-05	24	9.99967E-01	1
16	16	1	24	5.61643E-05	24	9.99974E-01	1
17	17	1	18	2.29950E-05	24	9.99947E-01	1
18	18	1	22	2.51828E-05	24	9.99879E-01	2
19	19	1	19	2.14472E-05	24	9.99942E-01	1
20	20	1	24	5.17553E-05	24	9.99956E-01	1
21	21	1	18	3.11258E-05	24	9.99933E-01	1
22	22	1	24	5.35801E-05	24	9.99984E-01	1
23	23	1	24	4.10872E-06	24	1.00000E+00	1
24	24	1	2	1.24449E-05	24	1.00001E+00	1
25	25	1	24	2.19474E-05	24	1.00001E+00	1
26	26	1	21	1.67941E-05	24	1.00003E+00	2
27	27	1	2	6.65707E-06	24	1.00001E+00	2

5 292 -1.38947E-06 1.01298E+00 -3.34742E-06 -1.28063E-05 -1.06925E-05 .00000E+00 .0167

final monitor

lambda 1.01297E+00 production/absorption 1.01297E+00 angular flux on 16

\- elapsed time .02 min.

1 1040 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 int. zone number

		radius	int. midpoint	area	volume	prod density
1	1	.00000E+00	1.29551E-02	.00000E+00	2.10906E-03	2.95670E-03
2	1	2.59102E-02	4.33406E-02	1.62798E-01	9.49318E-03	1.33025E-02
3	1	6.07710E-02	8.75100E-02	3.81835E-01	2.94045E-02	4.12845E-02
4	1	1.14249E-01	1.74155E-01	7.17848E-01	1.31104E-01	1.85931E-01
5	1	2.34061E-01	2.93967E-01	1.47065E+00	2.21259E-01	3.21681E-01
6	1	3.53873E-01	3.80612E-01	2.22345E+00	1.27890E-01	1.90999E-01
7	1	4.07351E-01	4.24781E-01	2.55946E+00	9.30429E-02	1.41781E-01
8	1	4.42212E-01	4.55167E-01	2.77850E+00	7.41004E-02	1.15033E-01
9	2	4.68122E-01	4.68814E-01	2.94130E+00	4.07944E-03	.00000E+00
10	2	4.69507E-01	4.71481E-01	2.95000E+00	1.16988E-02	.00000E+00
11	2	4.73456E-01	4.75431E-01	2.97481E+00	1.17968E-02	.00000E+00
12	2	4.77405E-01	4.78098E-01	2.99962E+00	4.16023E-03	.00000E+00
13	3	4.78790E-01	4.83159E-01	3.00833E+00	2.65268E-02	.00000E+00
14	3	4.87528E-01	4.99387E-01	3.06329E+00	7.82768E-02	.00000E+00
15	3	5.12445E-01	5.24903E-01	3.21979E+00	8.21777E-02	.00000E+00
16	3	5.37362E-01	5.41731E-01	3.37634E+00	2.97427E-02	.00000E+00
17	4	5.46100E-01	5.53513E-01	3.43125E+00	5.15631E-02	.00000E+00
18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63893E-01	4.70354E+00	1.46875E-01	.00000E+00
23	4	7.79193E-01	7.89167E-01	4.89582E+00	9.89116E-02	.00000E+00
24	4	7.99141E-01	8.06554E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 1040 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 total flux

0 int.

	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.82381E-01	1.34291E+00	1.68857E+00	1.04435E+00	1.57780E+00	3.03195E+00	2.90620E+00	2.08230E+00
2	1.82446E-01	1.34355E+00	1.68941E+00	1.04493E+00	1.57850E+00	3.03325E+00	2.90686E+00	2.08236E+00
3	1.82389E-01	1.34298E+00	1.68864E+00	1.04447E+00	1.57772E+00	3.03165E+00	2.90584E+00	2.08217E+00
4	1.81984E-01	1.33866E+00	1.68321E+00	1.04117E+00	1.57248E+00	3.02121E+00	2.89956E+00	2.08111E+00
5	1.80950E-01	1.32767E+00	1.66940E+00	1.03282E+00	1.55929E+00	2.99534E+00	2.88408E+00	2.07849E+00
6	1.79713E-01	1.31511E+00	1.65383E+00	1.02348E+00	1.54463E+00	2.96699E+00	2.86721E+00	2.07560E+00
7	1.78740E-01	1.30525E+00	1.64179E+00	1.01635E+00	1.53357E+00	2.94605E+00	2.85485E+00	2.07341E+00
8	1.77771E-01	1.29562E+00	1.63023E+00	1.00960E+00	1.52326E+00	2.92691E+00	2.84366E+00	2.07136E+00
9	1.77241E-01	1.29041E+00	1.62401E+00	1.00601E+00	1.51784E+00	2.91694E+00	2.83787E+00	2.07027E+00

10	1.77130E-01	1.28936E+00	1.62277E+00	1.00532E+00	1.51684E+00	2.91516E+00	2.83688E+00	2.07007E+00
11	1.76969E-01	1.28788E+00	1.62097E+00	1.00433E+00	1.51542E+00	2.91262E+00	2.83549E+00	2.06979E+00
12	1.76862E-01	1.28682E+00	1.61980E+00	1.00368E+00	1.51451E+00	2.91100E+00	2.83460E+00	2.06960E+00
13	1.76663E-01	1.28495E+00	1.61757E+00	1.00244E+00	1.51270E+00	2.90757E+00	2.83267E+00	2.06922E+00
14	1.76123E-01	1.27964E+00	1.61103E+00	9.98605E-01	1.50690E+00	2.89632E+00	2.82627E+00	2.06817E+00
15	1.75517E-01	1.27321E+00	1.60262E+00	9.95285E-01	1.49851E+00	2.87971E+00	2.81670E+00	2.06702E+00
16	1.75221E-01	1.26965E+00	1.59758E+00	9.89811E-01	1.49279E+00	2.86817E+00	2.80999E+00	2.06650E+00
17	1.75078E-01	1.26761E+00	1.59446E+00	9.87479E-01	1.48881E+00	2.86022E+00	2.80534E+00	2.06636E+00
18	1.74891E-01	1.26497E+00	1.59046E+00	9.84505E-01	1.48376E+00	2.85026E+00	2.79948E+00	2.06621E+00
19	1.74657E-01	1.26183E+00	1.58583E+00	9.81138E-01	1.47808E+00	2.83912E+00	2.79292E+00	2.06597E+00
20	1.74345E-01	1.25778E+00	1.57993E+00	9.76919E-01	1.47101E+00	2.82529E+00	2.78479E+00	2.06563E+00
21	1.74130E-01	1.25494E+00	1.57578E+00	9.73952E-01	1.46598E+00	2.81548E+00	2.77910E+00	2.06553E+00
22	1.74132E-01	1.25482E+00	1.57549E+00	9.73649E-01	1.46544E+00	2.81447E+00	2.77866E+00	2.06575E+00
23	1.74211E-01	1.25568E+00	1.57661E+00	9.74378E-01	1.46663E+00	2.81676E+00	2.78014E+00	2.06603E+00
24	1.74301E-01	1.25670E+00	1.57798E+00	9.75278E-01	1.46809E+00	2.81961E+00	2.78193E+00	2.06631E+00

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58921E+00	1.44957E+00	1.30922E+00	7.97323E-01	6.70089E-01	5.79053E-01	3.66095E-01	2.00079E-01
2	1.58914E+00	1.44927E+00	1.30902E+00	7.97092E-01	6.69877E-01	5.78762E-01	3.66058E-01	2.00050E-01
3	1.58852E+00	1.44948E+00	1.30948E+00	7.97644E-01	6.70348E-01	5.79495E-01	3.66142E-01	2.00105E-01
4	1.59034E+00	1.45068E+00	1.31210E+00	8.00739E-01	6.73022E-01	5.83560E-01	3.66607E-01	2.00422E-01
5	1.59285E+00	1.45362E+00	1.31854E+00	8.08382E-01	6.79621E-01	5.93649E-01	3.67730E-01	2.01200E-01
6	1.59573E+00	1.45682E+00	1.32559E+00	8.16797E-01	6.86881E-01	6.04828E-01	3.68941E-01	2.02049E-01
7	1.59789E+00	1.45917E+00	1.33078E+00	8.23036E-01	6.92256E-01	6.13181E-01	3.69813E-01	2.02672E-01
8	1.59993E+00	1.46130E+00	1.33550E+00	8.28765E-01	6.97186E-01	6.20889E-01	3.70593E-01	2.03239E-01
9	1.60102E+00	1.46240E+00	1.33795E+00	8.31742E-01	6.99748E-01	6.24898E-01	3.70992E-01	2.03533E-01
10	1.60121E+00	1.46258E+00	1.33834E+00	8.32220E-01	7.00166E-01	6.25534E-01	3.71060E-01	2.03583E-01
11	1.60149E+00	1.46283E+00	1.33890E+00	8.32908E-01	7.00761E-01	6.26443E-01	3.71156E-01	2.03655E-01
12	1.60168E+00	1.46300E+00	1.33926E+00	8.33345E-01	7.01147E-01	6.27032E-01	3.71219E-01	2.03702E-01
13	1.60205E+00	1.46334E+00	1.34001E+00	8.34246E-01	7.01955E-01	6.28259E-01	3.71347E-01	2.03797E-01
14	1.60306E+00	1.46442E+00	1.34257E+00	8.37065E-01	7.04402E-01	6.31994E-01	3.71758E-01	2.04095E-01
15	1.60418E+00	1.46597E+00	1.34571E+00	8.40955E-01	7.07803E-01	6.37174E-01	3.72340E-01	2.04507E-01
16	1.60470E+00	1.46700E+00	1.34791E+00	8.43464E-01	7.09993E-01	6.40507E-01	3.72724E-01	2.04772E-01
17	1.60499E+00	1.46777E+00	1.34956E+00	8.45309E-01	7.11576E-01	6.42957E-01	3.72957E-01	2.04948E-01
18	1.60541E+00	1.46881E+00	1.35180E+00	8.47832E-01	7.13717E-01	6.46249E-01	3.73175E-01	2.05175E-01
19	1.60594E+00	1.47000E+00	1.35436E+00	8.50735E-01	7.16187E-01	6.50067E-01	3.73455E-01	2.05440E-01
20	1.60668E+00	1.47151E+00	1.35761E+00	8.54433E-01	7.19332E-01	6.54930E-01	3.73798E-01	2.05773E-01
21	1.60724E+00	1.47258E+00	1.35993E+00	8.57070E-01	7.21546E-01	6.58373E-01	3.73974E-01	2.05987E-01
22	1.60730E+00	1.47269E+00	1.36015E+00	8.57305E-01	7.21694E-01	6.58641E-01	3.73883E-01	2.05970E-01
23	1.60715E+00	1.47242E+00	1.35957E+00	8.56618E-01	7.21070E-01	6.57712E-01	3.73725E-01	2.05877E-01
24	1.60696E+00	1.47208E+00	1.35884E+00	8.55773E-01	7.20315E-01	6.56577E-01	3.73566E-01	2.05775E-01

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.82863E-02	2.69570E-02	1.13867E-01	4.10013E-01	9.95278E-02	1.57997E-01	6.31219E-01	4.73088E-01
2	7.82533E-02	2.69523E-02	1.13813E-01	4.09906E-01	9.92614E-02	1.57891E-01	6.30820E-01	4.72764E-01
3	7.83247E-02	2.72522E-02	1.13940E-01	4.10122E-01	9.94738E-02	1.58559E-01	6.31851E-01	4.73661E-01
4	7.87325E-02	2.84738E-02	1.14653E-01	4.11368E-01	1.00609E-01	1.61872E-01	6.37561E-01	4.78570E-01
5	7.97463E-02	3.17233E-02	1.16400E-01	4.14425E-01	1.03452E-01	1.70245E-01	6.51725E-01	4.90771E-01
6	8.08692E-02	3.56440E-02	1.18308E-01	4.17763E-01	1.06642E-01	1.79806E-01	6.67412E-01	5.04329E-01
7	8.17081E-02	3.89235E-02	1.19704E-01	4.20212E-01	1.09059E-01	1.87209E-01	6.79125E-01	5.14496E-01
8	8.24852E-02	4.22680E-02	1.20966E-01	4.22441E-01	1.11319E-01	1.94259E-01	6.89985E-01	5.23925E-01
9	8.28871E-02	4.40729E-02	1.21615E-01	4.23596E-01	1.12499E-01	1.97970E-01	6.95551E-01	5.28835E-01
10	8.29525E-02	4.42786E-02	1.21719E-01	4.23788E-01	1.12676E-01	1.98482E-01	6.96413E-01	5.29573E-01
11	8.30460E-02	4.45735E-02	1.21867E-01	4.24060E-01	1.12950E-01	1.99216E-01	6.97641E-01	5.30622E-01
12	8.31065E-02	4.47651E-02	1.21963E-01	4.24237E-01	1.13094E-01	1.99691E-01	6.98433E-01	5.31298E-01
13	8.32302E-02	4.51538E-02	1.22160E-01	4.24598E-01	1.13429E-01	2.00657E-01	7.00053E-01	5.32679E-01
14	8.35166E-02	4.63501E-02	1.22785E-01	4.25729E-01	1.14474E-01	2.03655E-01	7.05094E-01	5.36938E-01
15	8.41472E-02	4.79545E-02	1.23660E-01	4.27283E-01	1.15906E-01	2.07717E-01	7.11953E-01	5.42633E-01
16	8.44875E-02	4.89584E-02	1.24252E-01	4.28278E-01	1.16820E-01	2.10281E-01	7.16246E-01	5.46157E-01
17	8.47383E-02	4.97102E-02	1.24646E-01	4.28969E-01	1.17523E-01	2.12276E-01	7.19791E-01	5.49582E-01
18	8.50828E-02	5.07558E-02	1.25202E-01	4.29897E-01	1.18513E-01	2.15121E-01	7.25068E-01	5.54466E-01
19	8.54797E-02	5.19561E-02	1.25845E-01	4.30982E-01	1.19658E-01	2.18430E-01	7.31367E-01	5.60608E-01

20	8.59855E-02	5.34785E-02	1.26663E-01	4.32570E-01	1.21128E-01	2.22687E-01	7.39738E-01	5.68903E-01
21	8.63460E-02	5.45636E-02	1.27238E-01	4.33319E-01	1.22187E-01	2.25765E-01	7.46050E-01	5.75376E-01
22	8.63782E-02	5.46656E-02	1.27277E-01	4.33332E-01	1.22296E-01	2.26093E-01	7.46975E-01	5.76605E-01
23	8.62857E-02	5.43984E-02	1.27114E-01	4.33010E-01	1.22089E-01	2.25354E-01	7.45693E-01	5.75577E-01
24	8.61717E-02	5.40651E-02	1.26918E-01	4.32637E-01	1.21716E-01	2.24422E-01	7.44007E-01	5.74114E-01

0 int. grp. 25 grp. 26 grp. 27

1	1.97809E-01	1.20966E-01	1.60694E-02
2	1.97673E-01	1.20879E-01	1.60684E-02
3	1.98139E-01	1.21327E-01	1.62073E-02
4	2.00612E-01	1.23589E-01	1.68403E-02
5	2.06762E-01	1.29239E-01	1.84460E-02
6	2.13626E-01	1.35609E-01	2.03164E-02
7	2.18803E-01	1.40479E-01	2.18147E-02
8	2.23636E-01	1.45084E-01	2.32969E-02
9	2.26160E-01	1.47501E-01	2.40885E-02
10	2.26528E-01	1.47831E-01	2.41809E-02
11	2.27051E-01	1.48299E-01	2.43123E-02
12	2.27389E-01	1.48600E-01	2.43969E-02
13	2.28075E-01	1.49212E-01	2.45686E-02
14	2.30159E-01	1.51057E-01	2.50764E-02
15	2.32871E-01	1.53420E-01	2.57046E-02
16	2.34493E-01	1.54804E-01	2.60551E-02
17	2.36123E-01	1.56460E-01	2.66003E-02
18	2.38822E-01	1.59353E-01	2.75966E-02
19	2.42120E-01	1.62871E-01	2.87644E-02
20	2.46627E-01	1.67670E-01	3.03020E-02
21	2.50227E-01	1.71590E-01	3.15666E-02
22	2.51013E-01	1.72598E-01	3.19426E-02
23	2.50546E-01	1.72255E-01	3.18991E-02
24	2.49827E-01	1.71622E-01	3.17584E-02

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.31854E-02	.00000E+00	1.29920E-02	1.08272E-02	3.28173E-03	1.14174E-02	9.98839E-01
2	.00000E+00	1.94563E-01	2.39775E-03	1.68290E-01	6.70948E-02	1.36782E-02	1.16197E-01	1.00004E+00
3	.00000E+00	2.15975E-01	2.65706E-02	1.61584E-01	8.15227E-02	1.55117E-02	1.45510E-01	1.00000E+00
4	.00000E+00	1.23748E-01	3.92102E-02	1.05664E-01	6.79376E-02	7.37861E-03	8.76398E-02	1.00001E+00
5	.00000E+00	1.63943E-01	6.82620E-02	2.60003E-01	9.47533E-02	4.37817E-03	1.33075E-01	9.99992E-01
6	.00000E+00	1.76773E-01	1.35034E-01	6.53824E-01	5.43663E-02	6.84980E-03	2.50581E-01	1.00003E+00
7	.00000E+00	8.73119E-02	9.85313E-02	7.44390E-01	3.63567E-02	7.33603E-03	1.42170E-01	1.00001E+00
8	.00000E+00	1.34466E-02	4.25851E-02	6.30482E-01	2.15198E-02	1.36461E-02	2.08633E-02	1.00005E+00
9	.00000E+00	9.75775E-04	2.17433E-02	5.35903E-01	2.07200E-02	2.26987E-02	-2.06991E-02	9.99989E-01
10	.00000E+00	7.24738E-05	2.07420E-02	4.63053E-01	1.07345E-02	3.52242E-02	-2.51446E-02	1.00001E+00
11	.00000E+00	5.70172E-06	1.07355E-02	4.25674E-01	8.17623E-03	5.77065E-02	-5.51421E-02	1.00001E+00
12	.00000E+00	4.00535E-07	8.17628E-03	2.41088E-01	9.39423E-03	6.42022E-02	-6.54166E-02	9.99958E-01
13	.00000E+00	6.36013E-08	9.39424E-03	1.80290E-01	6.15279E-03	6.02052E-02	-5.69640E-02	1.00000E+00
14	.00000E+00	1.26041E-08	6.15280E-03	1.52071E-01	7.32639E-03	8.58341E-02	-8.70078E-02	1.00000E+00
15	.00000E+00	1.42440E-09	7.41172E-03	8.37812E-02	8.80050E-03	7.59718E-03	-9.07206E-03	1.00525E+00
16	.00000E+00	4.18253E-10	8.95337E-03	4.19522E-02	9.42420E-03	6.31422E-03	-6.84555E-03	1.00384E+00
17	.00000E+00	1.34698E-10	7.50465E-03	1.39004E-02	7.06917E-03	9.38662E-03	-8.97564E-03	1.00149E+00
18	.00000E+00	9.64398E-11	6.83582E-03	7.55428E-03	3.41334E-03	3.01750E-02	-2.67613E-02	1.00026E+00
19	.00000E+00	1.36345E-10	5.69446E-03	2.23549E-02	8.17551E-03	1.21377E-02	-1.46440E-02	1.00124E+00
20	.00000E+00	2.21711E-10	9.23074E-03	9.78938E-02	9.27267E-03	2.63381E-02	-2.64888E-02	1.00249E+00
21	.00000E+00	3.24514E-11	8.61736E-03	1.95256E-02	7.60776E-03	2.56944E-02	-2.47096E-02	1.00074E+00
22	.00000E+00	3.78510E-11	1.11111E-02	3.68291E-02	8.31380E-03	7.35241E-02	-7.07850E-02	1.00047E+00
23	.00000E+00	3.59985E-11	1.32075E-02	1.53627E-01	1.69174E-02	1.20497E-01	-1.24354E-01	1.00107E+00
24	.00000E+00	9.79834E-12	2.07954E-02	1.08285E-01	2.09913E-02	1.07959E-01	-1.08266E-01	1.00087E+00
25	.00000E+00	2.86831E-12	1.79975E-02	4.12148E-02	1.36521E-02	5.83624E-02	-5.40646E-02	1.00066E+00
26	.00000E+00	2.01128E-12	8.89672E-03	2.88298E-02	6.16425E-03	5.23895E-02	-4.96861E-02	1.00050E+00
27	.00000E+00	4.79298E-13	1.95224E-03	4.33982E-03	1.06015E-03	1.47001E-02	-1.38326E-02	1.00029E+00

28	.00000E+00	1.00000E+00	6.17724E-01	5.39535E+00	6.17724E-01	9.43006E-01	5.86340E-02	1.00043E+00
0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.77270E-01	1.14174E-02	1.82319E-01	.00000E+00	2.31132E-03	2.68495E-03	.00000E+00	1.24165E-01
2	1.29068E+00	1.16197E-01	1.34229E+00	.00000E+00	1.68906E-05	1.18944E-02	.00000E+00	9.10031E-01
3	1.62434E+00	1.45510E-01	1.68776E+00	.00000E+00	.00000E+00	1.44862E-02	.00000E+00	1.14443E+00
4	1.00619E+00	8.76398E-02	1.04395E+00	.00000E+00	.00000E+00	6.23335E-03	.00000E+00	7.08168E-01
5	1.51810E+00	1.33075E-01	1.57709E+00	.00000E+00	.00000E+00	1.77908E-03	.00000E+00	1.06904E+00
6	2.91742E+00	2.50581E-01	3.03060E+00	.00000E+00	.00000E+00	1.46332E-03	.00000E+00	2.05374E+00
7	2.88813E+00	1.42170E-01	2.90547E+00	.00000E+00	.00000E+00	1.36962E-03	.00000E+00	1.98058E+00
8	2.07052E+00	2.08633E-02	2.08220E+00	.00000E+00	.00000E+00	1.35758E-03	.00000E+00	1.43005E+00
9	1.60097E+00	-2.06991E-02	1.58931E+00	.00000E+00	.00000E+00	1.78092E-03	.00000E+00	1.09748E+00
10	1.46235E+00	-2.51446E-02	1.44949E+00	.00000E+00	.00000E+00	3.79531E-03	.00000E+00	1.00167E+00
11	1.33784E+00	-5.51421E-02	1.30947E+00	.00000E+00	.00000E+00	8.20207E-03	.00000E+00	9.09815E-01
12	8.31615E-01	-6.54166E-02	7.97617E-01	.00000E+00	.00000E+00	1.08575E-02	.00000E+00	5.59027E-01
13	6.99638E-01	-5.69640E-02	6.70351E-01	.00000E+00	.00000E+00	1.27581E-02	.00000E+00	4.70036E-01
14	6.24730E-01	-8.70078E-02	5.79429E-01	.00000E+00	.00000E+00	7.86777E-03	.00000E+00	4.12048E-01
15	3.70981E-01	-9.07206E-03	3.66144E-01	.00000E+00	.00000E+00	1.78316E-03	.00000E+00	2.53509E-01
16	2.03522E-01	-6.84555E-03	2.00115E-01	.00000E+00	.00000E+00	1.26621E-03	.00000E+00	1.38764E-01
17	8.28729E-02	-8.97564E-03	7.85296E-02	.00000E+00	.00000E+00	1.37635E-03	.00000E+00	5.52378E-02
18	4.40207E-02	-2.67613E-02	2.69833E-02	.00000E+00	.00000E+00	8.73139E-04	.00000E+00	2.31790E-02
19	1.21593E-01	-1.46440E-02	1.13940E-01	.00000E+00	.00000E+00	2.18628E-03	.00000E+00	8.06934E-02
20	4.23559E-01	-2.64688E-02	4.10153E-01	.00000E+00	.00000E+00	1.44888E-02	.00000E+00	2.86288E-01
21	1.12458E-01	-2.47096E-02	9.94272E-02	.00000E+00	.00000E+00	1.53465E-02	.00000E+00	7.21953E-02
22	1.97834E-01	-7.07650E-02	1.58213E-01	.00000E+00	.00000E+00	4.39663E-02	.00000E+00	1.20200E-01
23	6.95310E-01	-1.24354E-01	6.31728E-01	.00000E+00	.00000E+00	7.19866E-02	.00000E+00	4.53379E-01
24	5.28625E-01	-1.08266E-01	4.73507E-01	.00000E+00	.00000E+00	6.39588E-02	.00000E+00	3.41955E-01
25	2.26057E-01	-5.40646E-02	1.98004E-01	.00000E+00	.00000E+00	3.61556E-02	.00000E+00	1.44427E-01
26	1.47409E-01	-4.96861E-02	1.21120E-01	.00000E+00	.00000E+00	3.31709E-02	.00000E+00	9.09579E-02
27	2.40635E-02	-1.38526E-02	1.60976E-02	.00000E+00	.00000E+00	9.39899E-03	.00000E+00	1.33072E-02
28	2.31779E+01	5.86341E-02	2.31411E+01	.00000E+00	2.32821E-03	3.82485E-01	.00000E+00	1.59444E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-3.72529E-08	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.21541E-08	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.96046E-08	1.00000E+00
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.98023E-08	1.00000E+00
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-5.96046E-08	1.00000E+00
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.09782E-08	1.00000E+00
9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-4.65661E-08	1.00000E+00
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.35276E-08	9.99999E-01
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.11759E-08	1.00000E+00
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.32831E-08	9.99997E-01
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.58794E-09	1.00000E+00
19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.11759E-08	9.99999E-01
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.58794E-09	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-09	1.00000E+00
22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.23517E-08	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.11759E-08	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	9.31323E-10	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-2.33762E-07	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.76835E-01	1.14174E-02	1.77270E-01	1.14174E-02	.00000E+00	.00000E+00	.00000E+00	5.61870E-03
2	1.28657E+00	1.16197E-01	1.29068E+00	1.16197E-01	.00000E+00	.00000E+00	.00000E+00	4.08937E-02
3	1.61950E+00	1.45510E-01	1.62434E+00	1.45510E-01	.00000E+00	.00000E+00	.00000E+00	5.14705E-02
4	1.00352E+00	8.76397E-02	1.00619E+00	8.76398E-02	.00000E+00	.00000E+00	.00000E+00	3.18883E-02
5	1.51428E+00	1.33075E-01	1.51810E+00	1.33075E-01	.00000E+00	.00000E+00	.00000E+00	4.81149E-02
6	2.91059E+00	2.50581E-01	2.91742E+00	2.50581E-01	.00000E+00	.00000E+00	.00000E+00	9.24733E-02
7	2.83438E+00	1.42170E-01	2.83813E+00	1.42170E-01	.00000E+00	.00000E+00	.00000E+00	9.00073E-02
8	2.06955E+00	2.08632E-02	2.07052E+00	2.08633E-02	.00000E+00	.00000E+00	.00000E+00	6.56897E-02
9	1.60173E+00	-2.06992E-02	1.60097E+00	-2.06991E-02	.00000E+00	.00000E+00	.00000E+00	5.08193E-02
10	1.46304E+00	-2.51446E-02	1.46235E+00	-2.51446E-02	.00000E+00	.00000E+00	.00000E+00	4.64195E-02
11	1.33936E+00	-5.51421E-02	1.33784E+00	-5.51421E-02	.00000E+00	.00000E+00	.00000E+00	4.24815E-02
12	8.33455E-01	-6.54166E-02	8.31615E-01	-6.54166E-02	.00000E+00	.00000E+00	.00000E+00	2.64215E-02
13	7.01244E-01	-5.69640E-02	6.99638E-01	-5.69640E-02	.00000E+00	.00000E+00	.00000E+00	2.22293E-02
14	6.27179E-01	-8.70078E-02	6.24730E-01	-8.70078E-02	.00000E+00	.00000E+00	.00000E+00	1.98658E-02
15	3.71241E-01	-9.07204E-03	3.70981E-01	-9.07206E-03	.00000E+00	.00000E+00	.00000E+00	1.17772E-02
16	2.03716E-01	-6.84555E-03	2.03522E-01	-6.84555E-03	.00000E+00	.00000E+00	.00000E+00	6.46190E-03
17	8.31248E-02	-8.97564E-03	8.28729E-02	-8.97564E-03	.00000E+00	.00000E+00	.00000E+00	2.63399E-03
18	4.48153E-02	-2.67613E-02	4.40207E-02	-2.67613E-02	.00000E+00	.00000E+00	.00000E+00	1.40986E-03
19	1.21993E-01	-1.46440E-02	1.21593E-01	-1.46440E-02	.00000E+00	.00000E+00	.00000E+00	3.86513E-03
20	4.24294E-01	-2.64688E-02	4.23559E-01	-2.64688E-02	.00000E+00	.00000E+00	.00000E+00	1.34533E-02
21	1.13141E-01	-2.47096E-02	1.12658E-01	-2.47096E-02	.00000E+00	.00000E+00	.00000E+00	3.57981E-03
22	1.99810E-01	-7.07650E-02	1.97834E-01	-7.07650E-02	.00000E+00	.00000E+00	.00000E+00	6.31047E-03
23	6.98619E-01	-1.24354E-01	6.95310E-01	-1.24354E-01	.00000E+00	.00000E+00	.00000E+00	2.21202E-02
24	5.31452E-01	-1.08266E-01	5.28625E-01	-1.08266E-01	.00000E+00	.00000E+00	.00000E+00	1.68227E-02
25	2.27468E-01	-5.40644E-02	2.26057E-01	-5.40644E-02	.00000E+00	.00000E+00	.00000E+00	7.19716E-03
26	1.48671E-01	-4.96861E-02	1.47409E-01	-4.96861E-02	.00000E+00	.00000E+00	.00000E+00	4.69882E-03
27	2.44175E-02	-1.38526E-02	2.40635E-02	-1.38526E-02	.00000E+00	.00000E+00	.00000E+00	7.69458E-04
28	2.31740E+01	5.86336E-02	2.31779E+01	5.86341E-02	.00000E+00	.00000E+00	.00000E+00	7.35495E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	3.89747E-03	2.92165E-03	1.49722E-05	-2.85240E-03	1.00001E+00
2	.00000E+00	.00000E+00	5.10259E-04	2.62155E-02	1.88109E-02	5.20813E-05	-1.85530E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.68711E-03	5.03761E-02	1.59284E-02	1.37782E-04	-1.33780E-02	9.99995E-01
4	.00000E+00	.00000E+00	5.17995E-03	4.22153E-02	5.46597E-03	1.03634E-04	-3.89203E-04	9.99995E-01
5	.00000E+00	.00000E+00	1.11564E-02	8.17470E-02	5.16988E-03	1.52295E-04	5.85398E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.85975E-02	2.35127E-01	3.21269E-03	3.20176E-04	1.50649E-02	1.00000E+00
7	.00000E+00	.00000E+00	1.23587E-02	2.35259E-01	1.18253E-03	3.44858E-04	1.08316E-02	9.99998E-01
8	.00000E+00	.00000E+00	2.16706E-03	1.58680E-01	7.64071E-03	2.95102E-04	-5.76934E-03	1.00038E+00
9	.00000E+00	.00000E+00	7.67421E-03	1.05330E-01	8.78040E-04	1.11068E-03	5.68567E-03	9.99992E-01
10	.00000E+00	.00000E+00	8.79224E-04	8.57581E-02	8.50869E-04	8.37479E-04	-8.09178E-04	1.00000E+00
11	.00000E+00	.00000E+00	8.50931E-04	7.72845E-02	8.72815E-04	1.34101E-03	-1.36291E-03	1.00000E+00
12	.00000E+00	.00000E+00	8.72821E-04	4.69086E-02	8.72719E-04	4.17641E-05	-4.17754E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.72720E-04	3.94952E-02	8.05675E-04	5.99651E-05	7.15256E-06	9.99999E-01
14	.00000E+00	.00000E+00	8.05676E-04	3.55857E-02	6.70617E-04	9.47841E-05	4.02629E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.13866E-04	2.04299E-02	8.36128E-04	8.20439E-05	-2.03717E-04	9.99941E-01
16	.00000E+00	.00000E+00	9.30922E-04	1.07411E-02	9.30516E-04	5.06144E-05	-4.98118E-05	9.99949E-01
17	.00000E+00	.00000E+00	9.80395E-04	3.84579E-03	9.46652E-04	2.32333E-05	1.05482E-05	9.99996E-01
18	.00000E+00	.00000E+00	9.90550E-04	2.03699E-03	6.57734E-04	1.39492E-05	3.18820E-04	1.00000E+00
19	.00000E+00	.00000E+00	7.12318E-04	6.13518E-03	9.05190E-04	3.97476E-05	-2.32544E-04	9.99995E-01
20	.00000E+00	.00000E+00	1.07841E-03	2.33730E-02	9.93670E-04	1.73780E-04	-8.82149E-05	9.99970E-01
21	.00000E+00	.00000E+00	1.21549E-03	5.31273E-03	1.26902E-03	5.85300E-05	-1.11971E-04	9.99997E-01
22	.00000E+00	.00000E+00	1.60204E-03	1.03677E-02	1.38561E-03	1.20802E-04	9.59337E-05	9.99996E-01
23	.00000E+00	.00000E+00	2.08594E-03	3.77100E-02	2.76855E-03	5.71084E-04	-1.25364E-03	1.00000E+00
24	.00000E+00	.00000E+00	3.43304E-03	2.71211E-02	3.72196E-03	6.31776E-04	-9.20936E-04	1.00000E+00
25	.00000E+00	.00000E+00	3.36262E-03	1.05188E-02	2.70740E-03	3.57771E-04	2.97349E-04	1.00000E+00
26	.00000E+00	.00000E+00	1.40900E-03	7.68174E-03	1.01516E-03	3.35432E-04	5.84386E-05	9.99999E-01
27	.00000E+00	.00000E+00	2.94362E-04	1.44954E-03	7.46856E-07	1.06021E-04	1.87588E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.34216E-02	1.39060E+00	8.34216E-02	7.47136E-03	-7.36431E-03	9.99977E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux

1	1.75162E-01	8.58500E-03	1.76835E-01	1.14174E-02	1.04387E-04	.00000E+00	.00000E+00	3.81077E-02
2	1.26884E+00	9.78441E-02	1.28657E+00	1.16197E-01	.00000E+00	.00000E+00	.00000E+00	2.76644E-01
3	1.59635E+00	1.32132E-01	1.61950E+00	1.45510E-01	.00000E+00	.00000E+00	.00000E+00	3.48232E-01
4	9.88902E-01	8.72505E-02	1.00352E+00	8.76397E-02	.00000E+00	.00000E+00	.00000E+00	2.15825E-01
5	1.49125E+00	1.38909E-01	1.51428E+00	1.33075E-01	.00000E+00	.00000E+00	.00000E+00	3.25626E-01
6	2.86502E+00	2.65646E-01	2.91059E+00	2.50581E-01	.00000E+00	.00000E+00	.00000E+00	6.25798E-01
7	2.80816E+00	1.53002E-01	2.83438E+00	1.42170E-01	.00000E+00	.00000E+00	.00000E+00	6.11420E-01
8	2.06641E+00	1.50795E-02	2.08955E+00	2.08532E-02	.00000E+00	.00000E+00	.00000E+00	4.48106E-01
9	1.60480E+00	-1.50135E-02	1.60173E+00	-2.06992E-02	.00000E+00	.00000E+00	.00000E+00	3.47536E-01
10	1.46727E+00	-2.59538E-02	1.46304E+00	-2.51446E-02	.00000E+00	.00000E+00	.00000E+00	3.17550E-01
11	1.34849E+00	-5.65051E-02	1.33956E+00	-5.51421E-02	.00000E+00	.00000E+00	.00000E+00	2.91301E-01
12	8.44113E-01	-6.54584E-02	8.33455E-01	-6.54166E-02	.00000E+00	.00000E+00	.00000E+00	1.81847E-01
13	7.10562E-01	-5.69569E-02	7.01264E-01	-5.69640E-02	.00000E+00	.00000E+00	.00000E+00	1.53041E-01
14	6.41366E-01	-8.69675E-02	6.27179E-01	-8.70078E-02	.00000E+00	.00000E+00	.00000E+00	1.37547E-01
15	3.72852E-01	-9.27576E-03	3.71241E-01	-9.07204E-03	.00000E+00	.00000E+00	.00000E+00	8.06345E-02
16	2.04843E-01	-6.89536E-03	2.03716E-01	-6.84555E-03	.00000E+00	.00000E+00	.00000E+00	4.42783E-02
17	8.45783E-02	-8.96509E-03	8.31268E-02	-8.97564E-03	.00000E+00	.00000E+00	.00000E+00	1.81810E-02
18	4.92158E-02	-2.64424E-02	4.48153E-02	-2.67613E-02	.00000E+00	.00000E+00	.00000E+00	1.02225E-02
19	1.24387E-01	-1.48766E-02	1.21993E-01	-1.46440E-02	.00000E+00	.00000E+00	.00000E+00	2.67088E-02
20	4.28547E-01	-2.65570E-02	4.24294E-01	-2.64688E-02	.00000E+00	.00000E+00	.00000E+00	9.24392E-02
21	1.17061E-01	-2.48216E-02	1.13141E-01	-2.47096E-02	.00000E+00	.00000E+00	.00000E+00	2.49690E-02
22	2.10934E-01	-7.06690E-02	1.99810E-01	-7.07650E-02	.00000E+00	.00000E+00	.00000E+00	4.45882E-02
23	7.17324E-01	-1.25608E-01	6.98619E-01	-1.24354E-01	.00000E+00	.00000E+00	.00000E+00	1.53571E-01
24	5.47018E-01	-1.09187E-01	5.31452E-01	-1.08266E-01	.00000E+00	.00000E+00	.00000E+00	1.16997E-01
25	2.34880E-01	-5.37672E-02	2.27468E-01	-5.40646E-02	.00000E+00	.00000E+00	.00000E+00	5.01775E-02
26	1.55127E-01	-4.96277E-02	1.48671E-01	-4.96861E-02	.00000E+00	.00000E+00	.00000E+00	3.29944E-02
27	2.61341E-02	-1.36450E-02	2.44175E-02	-1.38526E-02	.00000E+00	.00000E+00	.00000E+00	5.50192E-03
28	2.31498E+01	5.12699E-02	2.31740E+01	5.86336E-02	1.04387E-04	.00000E+00	.00000E+00	5.01984E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	6.15830E-03	8.15102E-03	4.34413E-04	-8.58500E-03	9.99950E-01
2	.00000E+00	.00000E+00	4.67689E-03	7.71794E-02	1.01438E-01	1.08683E-03	-9.78441E-02	9.99961E-01
3	.00000E+00	.00000E+00	4.81474E-02	6.92896E-02	1.80278E-01	5.44607E-06	-1.32132E-01	9.99978E-01
4	.00000E+00	.00000E+00	7.06872E-02	4.59665E-02	1.57986E-01	3.23892E-06	-8.72505E-02	9.99988E-01
5	.00000E+00	.00000E+00	1.30458E-01	1.48682E-01	2.69367E-01	3.77982E-06	-1.38909E-01	9.99991E-01
6	.00000E+00	.00000E+00	2.75673E-01	4.55453E-01	5.41308E-01	1.14811E-05	-2.65646E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.53301E-01	7.95434E-01	7.06287E-01	2.53598E-05	-1.53002E-01	9.99987E-01
8	.00000E+00	.00000E+00	7.35840E-01	1.00151E+00	7.50953E-01	4.70397E-05	-1.50957E-02	9.99912E-01
9	.00000E+00	.00000E+00	7.41206E-01	9.16999E-01	7.26178E-01	9.60052E-05	1.50135E-02	9.99889E-01
10	.00000E+00	.00000E+00	7.22838E-01	8.66981E-01	6.96747E-01	2.11842E-04	2.59538E-02	9.99896E-01
11	.00000E+00	.00000E+00	7.01622E-01	8.07529E-01	6.44700E-01	4.58575E-04	5.65050E-02	9.99940E-01
12	.00000E+00	.00000E+00	5.61142E-01	4.20778E-01	4.95097E-01	5.98718E-04	6.54584E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.91056E-01	3.37808E-01	4.33217E-01	8.97295E-04	5.69569E-02	9.99970E-01
14	.00000E+00	.00000E+00	4.70578E-01	3.19919E-01	3.82167E-01	1.44786E-03	8.69675E-02	9.99989E-01
15	.00000E+00	.00000E+00	2.50024E-01	1.27829E-01	2.39475E-01	1.27366E-03	9.27523E-03	9.99999E-01
16	.00000E+00	.00000E+00	1.65622E-01	5.35826E-02	1.57859E-01	8.67361E-04	6.89527E-03	9.99997E-01
17	.00000E+00	.00000E+00	8.49281E-02	1.45222E-02	7.55586E-02	4.05641E-04	8.96078E-03	1.00004E+00
18	.00000E+00	.00000E+00	7.48727E-02	8.81425E-03	4.81629E-02	2.69682E-04	2.64364E-02	1.00006E+00
19	.00000E+00	.00000E+00	1.20894E-01	3.17342E-02	1.05323E-01	6.95581E-04	1.48701E-02	1.00004E+00
20	.00000E+00	.00000E+00	2.95333E-01	2.33311E-01	2.63790E-01	2.98487E-03	2.65563E-02	1.00001E+00
21	.00000E+00	.00000E+00	1.35923E-01	4.23052E-02	1.10055E-01	1.04823E-03	2.48134E-02	1.00004E+00
22	.00000E+00	.00000E+00	2.55156E-01	1.17117E-01	1.82259E-01	2.22618E-03	7.06706E-02	9.99999E-01
23	.00000E+00	.00000E+00	5.96057E-01	7.01015E-01	4.60338E-01	1.01064E-02	1.25608E-01	1.00001E+00
24	.00000E+00	.00000E+00	6.04357E-01	6.26760E-01	4.85801E-01	1.13627E-02	1.09190E-01	1.00000E+00
25	.00000E+00	.00000E+00	3.90581E-01	2.56743E-01	3.30301E-01	6.51192E-03	5.37661E-02	1.00001E+00
26	.00000E+00	.00000E+00	3.08856E-01	2.73811E-01	2.52900E-01	6.32557E-03	4.96356E-02	9.99981E-01
27	.00000E+00	.00000E+00	1.02984E-01	5.72154E-02	8.71618E-02	2.17708E-03	1.36453E-02	9.99998E-01
28	.00000E+00	.00000E+00	8.89081E+00	8.81445E+00	8.89081E+00	5.15827E-02	-5.12840E-02	9.99967E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.74348E-01	3.18745E-09	1.75162E-01	8.58500E-03	4.50774E-10	.00000E+00	.00000E+00	1.99543E-01

2	1.25723E+00	-1.07280E-08	1.26884E+00	9.78441E-02	.00000E+00	.00000E+00	.00000E+00	1.43947E+00
3	1.57869E+00	-1.82101E-07	1.59635E+00	1.32132E-01	.00000E+00	.00000E+00	.00000E+00	1.80807E+00
4	9.75745E-01	-1.69666E-08	9.89902E-01	8.72505E-02	.00000E+00	.00000E+00	.00000E+00	1.11792E+00
5	1.46885E+00	-6.87630E-10	1.49125E+00	1.38909E-01	.00000E+00	.00000E+00	.00000E+00	1.68825E+00
6	2.82110E+00	1.04633E-07	2.86502E+00	2.65644E-01	.00000E+00	.00000E+00	.00000E+00	3.23295E+00
7	2.78287E+00	-5.72649E-08	2.80816E+00	1.53002E-01	.00000E+00	.00000E+00	.00000E+00	3.18702E+00
8	2.06644E+00	1.45577E-07	2.06641E+00	1.50939E-02	.00000E+00	.00000E+00	.00000E+00	2.36439E+00
9	1.60686E+00	-2.25194E-08	1.60480E+00	-1.50135E-02	.00000E+00	.00000E+00	.00000E+00	1.83958E+00
10	1.47191E+00	4.32910E-08	1.46727E+00	-2.59538E-02	.00000E+00	.00000E+00	.00000E+00	1.68428E+00
11	1.35846E+00	-1.14983E-08	1.34849E+00	-5.65051E-02	.00000E+00	.00000E+00	.00000E+00	1.55401E+00
12	8.55330E-01	1.09428E-08	8.44113E-01	-6.54584E-02	.00000E+00	.00000E+00	.00000E+00	9.78115E-01
13	7.19921E-01	-4.60423E-09	7.10562E-01	-5.69569E-02	.00000E+00	.00000E+00	.00000E+00	8.23415E-01
14	6.55984E-01	8.07822E-09	6.41366E-01	-8.69675E-02	.00000E+00	.00000E+00	.00000E+00	7.49799E-01
15	3.73492E-01	-5.27418E-07	3.72852E-01	-9.27576E-03	.00000E+00	.00000E+00	.00000E+00	4.27740E-01
16	2.05725E-01	-8.87998E-08	2.04843E-01	-6.89536E-03	.00000E+00	.00000E+00	.00000E+00	2.35497E-01
17	8.61152E-02	-4.30856E-06	8.45783E-02	-8.96509E-03	.00000E+00	.00000E+00	.00000E+00	9.84392E-02
18	5.38955E-02	-6.05269E-06	4.92158E-02	-2.64424E-02	.00000E+00	.00000E+00	.00000E+00	6.12879E-02
19	1.26821E-01	-6.40948E-06	1.24387E-01	-1.48766E-02	.00000E+00	.00000E+00	.00000E+00	1.44999E-01
20	4.32457E-01	-6.47404E-07	4.28547E-01	-2.66570E-02	.00000E+00	.00000E+00	.00000E+00	4.94870E-01
21	1.21553E-01	-8.18080E-06	1.17061E-01	-2.48216E-02	.00000E+00	.00000E+00	.00000E+00	1.38726E-01
22	2.29352E-01	1.60042E-06	2.10934E-01	-7.06690E-02	.00000E+00	.00000E+00	.00000E+00	2.55149E-01
23	7.43099E-01	-1.16484E-07	7.17324E-01	-1.25608E-01	.00000E+00	.00000E+00	.00000E+00	8.47536E-01
24	5.73308E-01	3.00304E-06	5.47018E-01	-1.09187E-01	.00000E+00	.00000E+00	.00000E+00	6.52316E-01
25	2.49426E-01	-1.13063E-06	2.34880E-01	-5.37672E-02	.00000E+00	.00000E+00	.00000E+00	2.88037E-01
26	1.71255E-01	7.89560E-06	1.55127E-01	-4.96277E-02	.00000E+00	.00000E+00	.00000E+00	1.92862E-01
27	3.16723E-02	3.10201E-07	2.61341E-02	-1.36450E-02	.00000E+00	.00000E+00	.00000E+00	3.50186E-02
28	2.31865E+01	-1.47269E-05	2.31496E+01	5.12699E-02	4.50774E-10	.00000E+00	.00000E+00	2.65287E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.31854E-02	.00000E+00	2.30478E-02	2.18999E-02	3.73111E-03	3.18745E-09	9.98834E-01
2	.00000E+00	1.94563E-01	7.58490E-03	2.71685E-01	1.87344E-01	1.48171E-02	-1.07280E-08	1.00002E+00
3	.00000E+00	2.15975E-01	7.74051E-02	2.81250E-01	2.77729E-01	1.56549E-02	-1.82101E-07	9.99987E-01
4	.00000E+00	1.23748E-01	1.15077E-01	1.93846E-01	2.31340E-01	7.48549E-03	-1.69666E-08	1.00000E+00
5	.00000E+00	1.63943E-01	2.09877E-01	4.90432E-01	3.69290E-01	4.53424E-03	-6.87630E-10	9.99989E-01
6	.00000E+00	1.76773E-01	4.29305E-01	1.34440E+00	5.98887E-01	7.18146E-03	1.04633E-07	1.00001E+00
7	.00000E+00	8.73119E-02	6.64191E-01	1.77508E+00	7.43805E-01	7.70625E-03	-5.72649E-08	9.99990E-01
8	.00000E+00	1.34466E-02	7.80592E-01	1.79067E+00	7.80114E-01	1.39882E-02	1.45577E-07	9.99920E-01
9	.00000E+00	9.75775E-04	7.70623E-01	1.55823E+00	7.47778E-01	2.39053E-02	-2.25194E-08	9.99828E-01
10	.00000E+00	7.24738E-05	7.44459E-01	1.41579E+00	7.08333E-01	3.62735E-02	4.32910E-08	9.99900E-01
11	.00000E+00	5.70172E-06	7.13208E-01	1.31049E+00	6.53749E-01	5.95061E-02	-1.14983E-08	9.99942E-01
12	.00000E+00	4.00535E-07	5.70191E-01	7.08725E-01	5.05364E-01	6.48427E-02	1.09428E-08	9.99974E-01
13	.00000E+00	6.36013E-08	5.01323E-01	5.57594E-01	4.40175E-01	6.11625E-02	-4.60423E-09	9.99971E-01
14	.00000E+00	1.26041E-08	4.77536E-01	5.07576E-01	3.90164E-01	8.73767E-02	8.07822E-09	9.99989E-01
15	.00000E+00	1.42440E-09	2.58149E-01	2.32040E-01	2.49112E-01	8.95289E-03	-5.27418E-07	1.00033E+00
16	.00000E+00	4.18253E-10	1.75506E-01	1.06276E-01	1.68214E-01	7.23219E-03	-8.87998E-08	1.00034E+00
17	.00000E+00	1.34698E-10	9.34131E-02	3.22685E-02	8.35744E-02	9.81550E-03	-4.30856E-06	1.00029E+00
18	.00000E+00	9.64398E-11	8.26991E-02	1.84055E-02	5.22340E-02	3.04586E-02	-6.05269E-06	1.00015E+00
19	.00000E+00	1.36345E-10	1.27300E-01	6.02243E-02	1.14404E-01	1.28730E-02	-6.40948E-06	1.00024E+00
20	.00000E+00	2.21711E-10	3.03643E-01	3.54578E-01	2.74056E-01	2.94967E-02	-6.47404E-07	1.00030E+00
21	.00000E+00	3.24514E-11	1.45756E-01	6.71435E-02	1.18852E-01	2.68012E-02	-8.18020E-06	1.00021E+00
22	.00000E+00	3.76510E-11	2.67869E-01	1.64314E-01	1.91959E-01	7.58710E-02	1.60042E-06	1.00014E+00
23	.00000E+00	3.59985E-11	6.11351E-01	8.92352E-01	4.80024E-01	1.31174E-01	-1.16484E-07	1.00025E+00
24	.00000E+00	9.79834E-12	6.28585E-01	7.62166E-01	5.08515E-01	1.19953E-01	3.00304E-06	1.00018E+00
25	.00000E+00	2.86831E-12	4.11941E-01	3.08477E-01	3.46660E-01	6.52321E-02	-1.13063E-06	1.00012E+00
26	.00000E+00	2.01128E-12	3.19162E-01	3.10322E-01	2.60080E-01	5.90505E-02	7.89560E-06	1.00007E+00
27	.00000E+00	4.79298E-13	1.05211E-01	6.30048E-02	8.82227E-02	1.69852E-02	3.10201E-07	1.00004E+00
28	.00000E+00	1.00000E+00	9.59196E+00	1.56004E+01	9.59196E+00	1.00206E+00	-1.46431E-05	1.00004E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.74348E-01	3.18745E-09	1.82319E-01	.00000E+00	2.41571E-03	2.68493E-03	.00000E+00	3.67435E-01
2	1.25723E+00	-1.07280E-08	1.34229E+00	.00000E+00	1.68906E-05	1.18944E-02	.00000E+00	2.66704E+00

3	1.57869E+00	-1.82101E-07	1.68776E+00	.00000E+00	.00000E+00	1.44862E-02	.00000E+00	3.35220E+00
4	9.75745E-01	-1.69666E-08	1.04395E+00	.00000E+00	.00000E+00	6.23335E-03	.00000E+00	2.07380E+00
5	1.46885E+00	-6.87630E-10	1.57709E+00	.00000E+00	.00000E+00	1.77908E-03	.00000E+00	3.12603E+00
6	2.82110E+00	1.04633E-07	3.03060E+00	.00000E+00	.00000E+00	1.46332E-03	.00000E+00	6.00496E+00
7	2.78287E+00	-5.72649E-08	2.90547E+00	.00000E+00	.00000E+00	1.36962E-03	.00000E+00	5.86903E+00
8	2.06644E+00	1.45577E-07	2.08220E+00	.00000E+00	.00000E+00	1.35758E-03	.00000E+00	4.30823E+00
9	1.60686E+00	-2.25194E-08	1.58931E+00	.00000E+00	.00000E+00	1.78092E-03	.00000E+00	3.33482E+00
10	1.47191E+00	4.32910E-08	1.44949E+00	.00000E+00	.00000E+00	3.79531E-03	.00000E+00	3.04992E+00
11	1.35846E+00	-1.14983E-08	1.30947E+00	.00000E+00	.00000E+00	8.20207E-03	.00000E+00	2.79760E+00
12	8.55330E-01	1.09428E-08	7.97617E-01	.00000E+00	.00000E+00	1.08575E-02	.00000E+00	1.74541E+00
13	7.19921E-01	-4.60423E-09	6.70351E-01	.00000E+00	.00000E+00	1.27581E-02	.00000E+00	1.46872E+00
14	6.55984E-01	8.07822E-09	5.79429E-01	.00000E+00	.00000E+00	7.86777E-03	.00000E+00	1.31926E+00
15	3.73492E-01	-5.27418E-07	3.66144E-01	.00000E+00	.00000E+00	1.78316E-03	.00000E+00	7.73660E-01
16	2.05725E-01	-8.87998E-08	2.00115E-01	.00000E+00	.00000E+00	1.26621E-03	.00000E+00	4.25001E-01
17	8.61152E-02	-4.30856E-06	7.85296E-02	.00000E+00	.00000E+00	1.37635E-03	.00000E+00	1.74492E-01
18	5.39855E-02	-6.05269E-06	2.69853E-02	.00000E+00	.00000E+00	8.73139E-04	.00000E+00	9.60996E-02
19	1.26821E-01	-6.40948E-06	1.13940E-01	.00000E+00	.00000E+00	2.18628E-03	.00000E+00	2.56267E-01
20	4.32457E-01	-6.47404E-07	4.10153E-01	.00000E+00	.00000E+00	1.44888E-02	.00000E+00	8.87050E-01
21	1.21553E-01	-8.18020E-06	9.94272E-02	.00000E+00	.00000E+00	1.53466E-02	.00000E+00	2.39470E-01
22	2.23952E-01	1.60042E-06	1.58213E-01	.00000E+00	.00000E+00	4.39663E-02	.00000E+00	4.26248E-01
23	7.43099E-01	-1.16484E-07	6.31728E-01	.00000E+00	.00000E+00	7.19866E-02	.00000E+00	1.47661E+00
24	5.75308E-01	3.00304E-06	4.73507E-01	.00000E+00	.00000E+00	6.39589E-02	.00000E+00	1.12809E+00
25	2.49426E-01	-1.13063E-06	1.98004E-01	.00000E+00	.00000E+00	3.61555E-02	.00000E+00	4.84839E-01
26	1.71255E-01	7.89560E-06	1.21120E-01	.00000E+00	.00000E+00	3.31709E-02	.00000E+00	3.21495E-01
27	3.16723E-02	3.10201E-07	1.60976E-02	.00000E+00	.00000E+00	9.39899E-03	.00000E+00	5.45972E-02
28	2.31865E+01	-1.47269E-05	2.31411E+01	.00000E+00	2.43260E-03	3.82485E-01	.00000E+00	4.82284E+01

- elapsed time .02 min.
0direct access unit 9 requires 516 blocks of length 1456 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.44142E-03	2.50505E-02	3.15479E-02	1.90445E-02	2.90898E-02	5.55530E-02	3.16283E-02	4.65972E-03
2	3.83808E-03	3.90608E-02	4.89146E-02	2.94610E-02	4.47346E-02	8.42353E-02	4.77920E-02	7.01338E-03
3	3.11865E-03	3.33234E-02	4.31853E-02	2.71725E-02	4.22334E-02	8.01441E-02	4.58173E-02	5.61041E-03
4	1.07652E-03	1.22616E-02	1.65535E-02	1.09259E-02	1.73895E-02	3.32588E-02	1.92301E-02	2.01638E-03
5	1.78270E-03	1.90952E-02	2.47793E-02	1.55854E-02	2.42532E-02	4.62917E-02	2.65346E-02	3.34108E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.63303E-03	5.63482E-03	1.23243E-02	1.45637E-02	1.26850E-02	1.92469E-02	2.05110E-03	1.53102E-03
2	6.95824E-03	8.45264E-03	1.85366E-02	2.19905E-02	1.91490E-02	2.92486E-02	3.04961E-03	2.30118E-03
3	5.57143E-03	7.93529E-03	1.73397E-02	2.05325E-02	1.76989E-02	2.70290E-02	2.84990E-03	2.13457E-03
4	1.84599E-03	3.23057E-03	7.04299E-03	8.16508E-03	7.14230E-03	1.08660E-02	1.23569E-03	8.84530E-04
5	3.23366E-03	4.59516E-03	1.00371E-02	1.17591E-02	1.02578E-02	1.56012E-02	1.70112E-03	1.25011E-03

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.98569E-03	5.33941E-03	3.29442E-03	5.92742E-03	5.39561E-03	1.51634E-02	2.74520E-02	2.38008E-02
2	3.01714E-03	8.99564E-03	4.92252E-03	8.89748E-03	8.30597E-03	2.37884E-02	4.18057E-02	3.63958E-02
3	2.78715E-03	8.26565E-03	4.58600E-03	8.23783E-03	7.69397E-03	2.19730E-02	3.88298E-02	3.37803E-02
4	1.11695E-03	3.26190E-03	1.87186E-03	3.38396E-03	3.08957E-03	8.79571E-03	1.59383E-02	1.38418E-02
5	1.60716E-03	4.55747E-03	2.67149E-03	4.81468E-03	4.41125E-03	1.25014E-02	2.25243E-02	1.95555E-02

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.18521E-02	1.07284E-02	2.85632E-03	3.85430E-01
2	1.81747E-02	1.67030E-02	4.65005E-03	5.90891E-01
3	1.67546E-02	1.54259E-02	4.26991E-03	5.44104E-01
4	6.79941E-03	6.16208E-03	1.56505E-03	2.18950E-01
5	9.67400E-03	8.79807E-03	2.32082E-03	3.13532E-01

1 1040 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.80356E-01	1.32187E+00	1.66235E+00	1.02865E+00	1.55283E+00	2.98316E+00	2.87690E+00	2.07722E+00
2	1.77049E-01	1.28859E+00	1.62187E+00	1.00482E+00	1.51614E+00	2.91390E+00	2.83619E+00	2.06993E+00
3	1.75885E-01	1.27648E+00	1.60680E+00	9.95850E-01	1.50249E+00	2.88754E+00	2.82119E+00	2.06763E+00

4	1.74344E-01	1.25768E+00	1.57973E+00	9.76742E-01	1.47068E+00	2.82468E+00	2.78454E+00	2.06580E+00
5	1.76529E-01	1.28134E+00	1.61052E+00	9.96328E-01	1.50186E+00	2.88500E+00	2.81969E+00	2.06983E+00

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.59415E+00	1.45498E+00	1.32155E+00	8.12016E-01	6.82752E-01	5.98522E-01	3.68235E-01	2.01562E-01
2	1.60135E+00	1.46271E+00	1.33862E+00	8.32560E-01	7.00462E-01	6.25986E-01	3.71108E-01	2.03619E-01
3	1.60359E+00	1.46523E+00	1.34411E+00	8.39073E-01	7.06158E-01	6.34666E-01	3.72061E-01	2.04307E-01
4	1.60674E+00	1.47158E+00	1.35776E+00	8.54993E-01	7.19430E-01	6.55110E-01	3.73722E-01	2.05757E-01
5	1.60217E+00	1.46529E+00	1.34407E+00	8.38659E-01	7.05627E-01	6.33821E-01	3.71695E-01	2.04186E-01

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	8.02358E-02	3.36687E-02	1.17211E-01	4.15848E-01	1.04868E-01	1.74597E-01	6.58658E-01	4.96708E-01
2	8.29991E-02	4.44255E-02	1.21793E-01	4.23923E-01	1.12802E-01	1.98847E-01	6.97023E-01	5.30094E-01
3	8.38900E-02	4.71700E-02	1.23239E-01	4.26529E-01	1.15211E-01	2.05738E-01	7.08601E-01	5.39841E-01
4	8.60077E-02	5.35481E-02	1.26688E-01	4.32575E-01	1.21207E-01	2.22927E-01	7.40504E-01	5.69938E-01
5	8.38323E-02	4.61697E-02	1.23120E-01	4.26171E-01	1.15060E-01	2.04786E-01	7.09419E-01	5.41976E-01

Ozone	grp. 25	grp. 26	grp. 27
1	2.09788E-01	1.32092E-01	1.95294E-02
2	2.26788E-01	1.48063E-01	2.42462E-02
3	2.31527E-01	1.52241E-01	2.53868E-02
4	2.47294E-01	1.68506E-01	3.05963E-02
5	2.32934E-01	1.54457E-01	2.62305E-02

Oflux disadvantage factors (zone average/cell average flux)

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02168E+00	1.03163E+00	1.03218E+00	1.03244E+00	1.03394E+00	1.03402E+00	1.02029E+00	1.00357E+00
2	1.00295E+00	1.00566E+00	1.00705E+00	1.00853E+00	1.00951E+00	1.01002E+00	1.00586E+00	1.00005E+00
3	9.96069E-01	9.96209E-01	9.97689E-01	9.99520E-01	1.00042E+00	1.00088E+00	1.00053E+00	9.98958E-01
4	9.87622E-01	9.81536E-01	9.80885E-01	9.80341E-01	9.79241E-01	9.79090E-01	9.87533E-01	9.98053E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.94997E-01	9.92963E-01	9.85248E-01	9.68347E-01	9.67581E-01	9.44308E-01	9.90692E-01	9.87149E-01
2	9.99493E-01	9.98236E-01	9.95946E-01	9.92846E-01	9.92680E-01	9.87640E-01	9.98422E-01	9.97225E-01
3	1.00089E+00	9.99958E-01	1.00003E+00	1.00061E+00	1.00075E+00	1.00133E+00	1.00099E+00	1.00059E+00
4	1.00286E+00	1.00429E+00	1.01018E+00	1.01912E+00	1.01956E+00	1.03359E+00	1.00546E+00	1.00769E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.57099E-01	7.29237E-01	9.52011E-01	9.75778E-01	9.11495E-01	8.52587E-01	9.28310E-01	9.16477E-01
2	9.90061E-01	9.62222E-01	9.89223E-01	9.94726E-01	9.80465E-01	9.71005E-01	9.82532E-01	9.78077E-01
3	1.00069E+00	1.02166E+00	1.00097E+00	1.00084E+00	1.00140E+00	1.00465E+00	9.98852E-01	9.96062E-01
4	1.02595E+00	1.15981E+00	1.02898E+00	1.01456E+00	1.05351E+00	1.08859E+00	1.04382E+00	1.05159E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00

Ozone	grp. 25	grp. 26	grp. 27
1	9.00633E-01	8.55204E-01	7.36906E-01
2	9.73612E-01	9.58604E-01	9.24351E-01
3	9.98958E-01	9.85665E-01	9.67885E-01
4	1.06165E+00	1.09096E+00	1.16644E+00
5	1.00000E+00	1.00000E+00	1.00000E+00

Ocell averaged currents

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.44142E-03	2.50505E-02	3.15479E-02	1.90445E-02	2.90598E-02	5.55530E-02	3.16283E-02	4.69972E-03
2	3.83808E-03	3.90608E-02	4.89146E-02	2.94610E-02	4.47346E-02	8.42353E-02	4.77920E-02	7.01338E-03
3	3.11865E-03	3.33234E-02	4.31853E-02	2.71725E-02	4.22534E-02	8.01441E-02	4.58173E-02	5.61041E-03
4	1.07652E-03	1.22616E-02	1.65535E-02	1.09259E-02	1.73895E-02	3.32588E-02	1.92301E-02	2.01638E-03
5	1.78270E-03	1.90952E-02	2.47793E-02	1.55854E-02	2.42552E-02	4.62917E-02	2.65346E-02	3.34108E-03


Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.63303E-03	5.63482E-03	1.25243E-02	1.45637E-02	1.26850E-02	1.92469E-02	2.05110E-03	1.53102E-03
2	6.95824E-03	8.45264E-03	1.85366E-02	2.19905E-02	1.91490E-02	2.92485E-02	3.04961E-03	2.30118E-03
3	5.57143E-03	7.93529E-03	1.73397E-02	2.03325E-02	1.76989E-02	2.70290E-02	2.84990E-03	2.13457E-03
4	1.84599E-03	3.23037E-03	7.04299E-03	8.14603E-03	7.14230E-03	1.08660E-02	1.23569E-03	8.84530E-04
5	3.23366E-03	4.59516E-03	1.00371E-02	1.17591E-02	1.02578E-02	1.56012E-02	1.70112E-03	1.25011E-03


Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.98569E-03	5.33941E-03	3.29442E-03	5.92742E-03	5.39561E-03	1.51634E-02	2.74520E-02	2.38003E-02
2	3.01714E-03	8.99564E-03	4.92252E-03	8.89748E-03	8.30697E-03	2.37884E-02	4.18037E-02	3.63958E-02
3	2.78715E-03	8.26565E-03	4.58600E-03	8.23783E-03	7.69397E-03	2.19730E-02	3.88298E-02	3.37803E-02
4	1.11695E-03	3.26190E-03	1.87186E-03	3.38396E-03	3.08957E-03	8.79571E-03	1.59383E-02	1.38418E-02
5	1.60716E-03	4.55747E-03	2.67149E-03	4.81468E-03	4.41125E-03	1.25014E-02	2.25243E-02	1.95555E-02


Ozone	grp. 25	grp. 26	grp. 27
1	1.18321E-02	1.07284E-02	2.85632E-03
2	1.81747E-02	1.67030E-02	4.65005E-03
3	1.67546E-02	1.54299E-02	4.26991E-03
4	6.79941E-03	6.16208E-03	1.56505E-03
5	9.67400E-03	8.79807E-03	2.32082E-03


Ozone	volume	vol. fraction
1	6.88443E-01	3.30753E-01
2	3.17352E-02	1.52468E-02
3	2.16724E-01	1.04122E-01
4	1.14454E+00	5.49878E-01
5	2.08144E+00	1.00000E+00

- elapsed time .03 min.
Orequested parm=halt8,skipcellwt,skipshipdata
pass= 7, exec halts after pass 8









```
*****************************************************************
*****************************************************************
*****************************************************************
******                                                     ******
******              program verification information       ******
******                                                     ******
******              code system:  scale  version:  4.2     ******
******                                                     ******
*****************************************************************
*****************************************************************
******                                                     ******
******                                                     ******
******                                                     ******
******          program:  c0c008                           ******
******                                                     ******
******     creation date:  04/27/95                        ******
******                                                     ******
******          library:  /nautronics/scale/exe            ******
******                                                     ******
******                                                     ******
******  this is not a  scale  configuration controlled code******
******                                                     ******
******          jobname:  davis                            ******
******                                                     ******
****** date of execution:  02/16/96                        ******
******                                                     ******
****** time of execution:  10:04:47                        ******
```

```
                    *****                                                    *****
                    *****                                                    *****
                    ************************************************************
                    ************************************************************
                    ************************************************************
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       70
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0issopt--dancoff factor option                                  0
0convergence criterion    1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     70 entries.
0       4q array has     70 entries.
0       5q array has     70 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     70 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope   number density   new identifier
    1        3     8016     2.09710E-02              201
    2        3     1001     4.19420E-02              202
    3        3     5010     3.81515E-06              203
    4        3     5011     1.54884E-05              204
    5        2    40302     4.25156E-02              205
    6        1    92235     1.20544E-04           200006
    7        1    92234     1.41715E-06           200007
    8        1    92236     2.03607E-05           200008
    9        1    92238     7.20391E-03           200009
   10        1     8016     1.50611E-02           200010
   11        1     8016     1.15315E-02           200011
   12        1    36083     5.38432E-07           200012
   13        1    36085     2.58829E-07           200013
   14        1    38090     5.92341E-06           200014
   15        1    39089     4.78649E-06           200015
   16        1    42095     6.56575E-06           200016
   17        1    40093     4.79260E-06           200017
   18        1    40094     7.56974E-06           200018
   19        1    40095     6.48349E-07           200019
   20        1    41094     3.96160E-12           200020
   21        1    43099     7.40725E-06           200021
   22        1    45103     4.11558E-06           200022
   23        1    45105     7.88511E-09           200023
   24        1    44101     6.79295E-06           200024
   25        1    44106     1.01922E-06           200025
```

26	1	46105	2.82763E-06	200026
27	1	46108	8.33604E-07	200027
28	1	47109	5.71721E-07	200028
29	1	51124	1.27223E-10	200029
30	1	54131	3.36294E-06	200030
31	1	54132	6.56907E-06	200031
32	1	54135	2.20413E-09	200032
33	1	54136	1.29571E-05	200033
34	1	55134	4.23324E-07	200034
35	1	55135	4.11148E-06	200035
36	1	55137	7.98229E-06	200036
37	1	56136	8.81606E-08	200037
38	1	57139	7.89638E-06	200038
39	1	59141	6.89476E-06	200039
40	1	59143	1.20840E-07	200040
41	1	58144	2.27216E-06	200041
42	1	60143	6.04828E-06	200042
43	1	60145	4.50917E-06	200043
44	1	61147	1.42392E-06	200044
45	1	61148	4.24549E-09	200045
46	1	60147	4.27517E-08	200046
47	1	62147	5.95353E-07	200047
48	1	62149	2.94746E-08	200048
49	1	62150	1.65740E-06	200049
50	1	62151	1.43095E-07	200050
51	1	62152	7.81604E-07	200051
52	1	64155	9.37783E-10	200052
53	1	63153	5.06256E-07	200053
54	1	63154	1.18895E-07	200054
55	1	63155	5.54695E-08	200055
56	1	40302	4.42681E-05	200056
57	1	1001	2.30630E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	8.12694E-06	200060
61	1	95237	1.55467E-06	200061
62	1	94238	2.67674E-07	200062
63	1	94239	3.86490E-05	200063
64	1	94240	8.49399E-06	200064
65	1	94241	4.88270E-06	200065
66	1	94242	6.64962E-07	200066
67	1	95241	1.70640E-07	200067
68	1	95243	7.44868E-08	200068
69	1	96244	8.67958E-09	200069
70	1	999	3.30753E-21	200070

0geometry and material description

0zone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.23032E+01	0
3	3	8.14000E-01	6.07600E+02	3.54852E+00	0
4	1	2.96100E+00	9.75000E+02	2.32883E-01	0

8067 locations of 200000 available are required to make a new master containing the self-shielded values

0no nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

0copy 999 1/v cross sectio from log 12 to log 1 bondarenko trigger 0
0copy 1001 hydrogen from log 12 to log 18 bondarenko trigger 0
0copy 1001 hydrogen from log 18 to log 1 bondarenko trigger 0
0copy 1001 hydrogen from log 18 to log 1 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 12 to log 18 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 18 to log 1 bondarenko trigger 0
0copy 5010 b-10 1273 218ngp from log 18 to log 1 bondarenko trigger 0


```
Ocopy   5011  boron-11          from log 12 to log 18   bondarenko trigger 0
Ocopy   5011  boron-11          from log 18 to log  1   bondarenko trigger 0
Ocopy   5011  boron-11          from log 18 to log  1   bondarenko trigger 0
Ocopy   8016  oxygen-16         from log 12 to log 18   bondarenko trigger 0
Ocopy   8016  oxygen-16         from log 18 to log  1   bondarenko trigger 0
Ocopy   8016  oxygen-16         from log 18 to log  1   bondarenko trigger 0
Ocopy   8016  oxygen-16         from log 18 to log  1   bondarenko trigger 0
Ocopy  36083  kr-83             from log 12 to log  1   bondarenko trigger 0
Ocopy  36085  kr-85             from log 12 to log  1   bondarenko trigger 0
Ocopy  38090  sr-90             from log 12 to log  1   bondarenko trigger 0
Ocopy  39089   y-89             from log 12 to log  1   bondarenko trigger 0
Ocopy  40093  zr-93             from log 12 to log  1   bondarenko trigger 0
Ocopy  40094  zr-94             from log 12 to log  1   bondarenko trigger 0
Ocopy  40095  zr-95             from log 12 to log  1   bondarenko trigger 0
Ocopy  40302  zircalloy         from log 12 to log 18   bondarenko trigger 0
Ocopy  40302  zircalloy         from log 18 to log  1   bondarenko trigger 0
Ocopy  40302  zircalloy         from log 18 to log  1   bondarenko trigger 0
Ocopy  41094  nb-94             from log 12 to log  1   bondarenko trigger 0
Ocopy  42095  mo-95             from log 12 to log  1   bondarenko trigger 0
Ocopy  43099  tc-99             from log 12 to log  1   bondarenko trigger 0
Ocopy  44101  ru-101            from log 12 to log  1   bondarenko trigger 0
Ocopy  44106  ru-106            from log 12 to log  1   bondarenko trigger 0
Ocopy  45103  rh-103            from log 12 to log  1   bondarenko trigger 0
Ocopy  45105  rh-105            from log 12 to log  1   bondarenko trigger 0
Ocopy  46105  pd-105            from log 12 to log  1   bondarenko trigger 0
Ocopy  46108  pd-108            from log 12 to log  1   bondarenko trigger 0
Ocopy  47109  silver-109        from log 12 to log  1   bondarenko trigger 0
Ocopy  51124  sb-124            from log 12 to log  1   bondarenko trigger 0
Ocopy  54131  xe-131            from log 12 to log  1   bondarenko trigger 0
Ocopy  54132  xe-132            from log 12 to log  1   bondarenko trigger 0
Ocopy  54135  xenon-135         from log 12 to log  1   bondarenko trigger 0
Ocopy  54136  xe-136            from log 12 to log  1   bondarenko trigger 0
Ocopy  55133  cesium-133        from log 12 to log  1   bondarenko trigger 0
Ocopy  55134  cs-134            from log 12 to log  1   bondarenko trigger 0
Ocopy  55135  cs-135            from log 12 to log  1   bondarenko trigger 0
Ocopy  55137  cs-137            from log 12 to log  1   bondarenko trigger 0
Ocopy  56136  ba-136            from log 12 to log  1   bondarenko trigger 0
Ocopy  57139  la-139            from log 12 to log  1   bondarenko trigger 0
Ocopy  58144  ce-144            from log 12 to log  1   bondarenko trigger 0
Ocopy  59141  pr-141            from log 12 to log  1   bondarenko trigger 0
Ocopy  59143  pr-143            from log 12 to log  1   bondarenko trigger 0
Ocopy  60143  nd-143            from log 12 to log  1   bondarenko trigger 0
Ocopy  60145  nd-145            from log 12 to log  1   bondarenko trigger 0
Ocopy  60147  nd-147            from log 12 to log  1   bondarenko trigger 0
Ocopy  61147  pm-147            from log 12 to log  1   bondarenko trigger 0
Ocopy  61148  pm-148            from log 12 to log  1   bondarenko trigger 0
Ocopy  62147  sm-147            from log 12 to log  1   bondarenko trigger 0
Ocopy  62149  sm-149            from log 12 to log  1   bondarenko trigger 0
Ocopy  62150  sm-150            from log 12 to log  1   bondarenko trigger 0
Ocopy  62151  sm-151            from log 12 to log  1   bondarenko trigger 0
Ocopy  62152  sm-152            from log 12 to log  1   bondarenko trigger 0
Ocopy  63153  eu-153            from log 12 to log  1   bondarenko trigger 0
Ocopy  63154  eu-154            from log 12 to log  1   bondarenko trigger 0
Ocopy  63155  eu-155            from log 12 to log  1   bondarenko trigger 0
Ocopy  64155  gd-155            from log 12 to log  1   bondarenko trigger 0
Ocopy  92234  u-234 1043 sigc=  from log 12 to log  1   bondarenko trigger 0
Ocopy  92235  uranium-235       from log 12 to log  1   bondarenko trigger 0
Ocopy  92236  u-236 1163 sigc=  from log 12 to log  1   bondarenko trigger 0
Ocopy  92238  uranium-238       from log 12 to log  1   bondarenko trigger 0
Ocopy  93237  neptunium-237     from log 12 to log  1   bondarenko trigger 0
```

```
0copy    94238  pu-238 1050 sigp from log 12 to log  1    bondarenko trigger 0
0copy    94239   plutonium-239   from log 12 to log  1    bondarenko trigger 0
0copy    94240   plutonium-240   from log 12 to log  1    bondarenko trigger 0
0copy    94241   plutonium-241   from log 12 to log  1    bondarenko trigger 0
0copy    94242   plutonium-242   from log 12 to log  1    bondarenko trigger 0
0copy    95241  am-241 1056 sigp from log 12 to log  1    bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1    bondarenko trigger 0
0copy    96244   curium-244      from log 12 to log  1    bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc     1/27/89
             last updated      9/16/93
                l.m.petrie  -  ornl
         tape id                          4321        number of nuclides          70
         number of neutron groups           27        number of gamma groups       0
         first thermal group                15        logical unit                 1
                                  table of contents
       1/v cross sections normalized to 1.0 at 0.0253 ev                    id  200070
        hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89       id     202
        hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89       id  200057
       b-10 1273 218ngp 042375 p-3 293k                                     id     203
       b-10 1273 218ngp 042375 p-3 293k                                     id  200058
        boron-11       endf/b-iv mat 1160            updated 10/13/89       id     204
        boron-11       endf/b-iv mat 1160            updated 10/13/89       id  200059
        oxygen-16      endf/b-iv mat 1276            updated 10/13/89       id     201
        oxygen-16      endf/b-iv mat 1276            updated 10/13/89       id  200010
        oxygen-16      endf/b-iv mat 1276            updated 10/13/89       id  200011
        kr-83          mt=102,103,103,105,106,107    updated 10/13/89       id  200012
        kr-85            mt=  102                                           id  200013
        sr-90          mt=102                        updated 10/13/89       id  200014
         y-89          mt=102                        updated 10/13/89       id  200015
        zr-93            mt=  102                                           id  200017
        zr-94          mt=102                        updated 10/13/89       id  200018
        zr-95          mt=102                        updated 10/13/89       id  200019
        zircalloy      endf/b-iv mat 1284            updated 10/13/89       id     205
        zircalloy      endf/b-iv mat 1284            updated 10/13/89       id  200056
        rb-94          mt=102                        updated 10/13/89       id  200020
        mo-95          mt=102                        updated 10/13/89       id  200016
        tc-99          mt=102                        updated 10/13/89       id  200021
        ru-101         mt=102                        updated 10/13/89       id  200024
        ru-106         mt=102                        updated 10/13/89       id  200025
        rh-103         mt=102                        updated 10/13/89       id  200022
        rh-105           mt=  102                                           id  200023
        pd-105         mt=102                        updated 10/13/89       id  200026
        pd-108         mt=102                        updated 10/13/89       id  200027
        silver-109     endf/b-iv mat 1139            updated 10/13/89       id  200028
        sb-124         mt=102                        updated 10/13/89       id  200029
        xe-131         mt=102,103,104,105,106        updated 10/13/89       id  200030
        xe-132         mt=102,103,104,105,106        updated 10/13/89       id  200031
        xenon-135      endf/b-iv mat 1294            updated 10/13/89       id  200032
        xe-136           mt=  102, 103, 104, 105, 107                       id  200033
        cesium-133     endf/b-iv mat 1141            updated 10/13/89       id  200060
        cs-134         mt=102                        updated 10/13/89       id  200034
        cs-135           mt=  102                                           id  200035
        cs-137         mt=102                        updated 10/13/89       id  200036
        ba-136         mt=102                        updated 10/13/89       id  200037
        la-139         mt=102                        updated 10/13/89       id  200038
        ce-144           mt=  102                                           id  200041
        pr-141         mt=102,103,104,105,106,107    updated 10/13/89       id  200039
        pr-143         mt=102                        updated 10/13/89       id  200040
```

```
        nd-143        mt=102                          updated 10/13/89              id   200042
        nd-145        mt=102                          updated 10/13/89              id   200043
        nd-147        mt=102                          updated 10/13/89              id   200046
        pm-147        mt=102                          updated 10/13/89              id   200044
        pm-148          mt=  102                                                    id   200045
        sm-147        endf/b-v fission product        updated 10/13/89              id   200047
        sm-149        mt=102,103,107                  updated 10/13/89              id   200048
        sm-150        mt=102                          updated 10/13/89              id   200049
        sm-151        mt=102,103,104,105,106,107      updated 10/13/89              id   200050
        sm-152        mt=102,103,104,105,106,107      updated 10/13/89              id   200051
        eu-153        mt=102,103,104,105,106,107      updated 10/13/89              id   200053
        eu-154        mt=102,103,104,105,106,107      updated 10/13/89              id   200054
        eu-155        mt=102,103,104,105,106,107      updated 10/13/89              id   200055
        gd-155        mt=102                          updated 10/13/89              id   200052
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id   200007
        uranium-235   endf/b-iv mat 1261              updated 10/13/89              id   200006
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id   200008
        uranium-238   endf/b-iv mat 1262              updated 10/13/89              id   200009
        neptunium-237 endf/b-iv mat 1263              updated 10/13/89              id   200061
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         id   200062
        plutonium-239 endf/b-iv mat 1264              updated 10/13/89              id   200063
        plutonium-240 endf/b-iv mat 1265              updated 10/13/89              id   200064
        plutonium-241 endf/b-iv mat 1266              updated 10/13/89              id   200065
        plutonium-242 endf/b-iv mat 1161              updated 10/13/89              id   200066
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                id   200067
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 id   200068
        curium-244    endf/b-iv mat 1162              updated 10/13/89              id   200069
0       tape copy used      0 i/o's, and took     .00 seconds
1               m         m  iiiiiiiiiiii   ttttttttttt     aaaaaaaa    ww         ww  ll
                mm        m  iiiiiiiiiiii   ttttttttttt     aaaaaaaaaa  ww         ww  ll
                mmm       m      ii           tt         aa        aa  ww         ww  ll
                m m       m      ii           tt         aa        aa  ww         ww  ll
                m  m      m      ii           tt         aa        aa  ww         ww  ll
                m   m     m      ii           tt         aaaaaaaaaaaa  ww    w    ww  ll
                m    m    m      ii           tt         aaaaaaaaaaaa  ww   www   ww  ll
                m     m   m      ii           tt         aa        aa  ww  ww ww  ww  ll
                m      m  m      ii           tt         aa        aa  ww ww   ww ww  ll
                m       mm       ii           tt         aa        aa  wwww     wwww  ll
                m        m  iiiiiiiiiiii      tt         aa        aa  www       www  llllllllllll
                m        m  iiiiiiiiiiii      tt         aa        aa  ww         ww  llllllllllll
0

   ddddddddddd    aaaaaaaa    w         w  iiiiiiiiiii    sssssssssss
   ddddddddddddd  aaaaaaaaaa  w         w  iiiiiiiiiii    ssssssssssss
   dd       dd   aa      aa   w         w      ii        ss      ss
   dd       dd   aa      aa   w         w      ii        ss
   dd       dd   aa      aa   w         w      ii        ss
   dd       dd   aaaaaaaaaaaa w         w      ii        sssssssssss
   dd       dd   aaaaaaaaaaaa  w       w       ii         ssssssssss
   dd       dd   aa      aa     w   w          ii                 ss
   dd       dd   aa      aa      w w           ii                 ss
   dd       dd   aa      aa       w w          ii        ss       ss
   ddddddddddd   aa      aa        w           iiiiiiiiiii ssssssssss
   ddddddddddd   aa      aa        v           iiiiiiiiiii  sssssssss
0

     0000000     2222222222          //      11      6666666666          //  9999999999   6666666666
    00000000     2222222222         //      111     66666666666         //  99999999999  66666666666
   00      00    22      22        //      1111     66                  //   99      99   66
   00      00            22       //        11     66                  //    99      99   66
```



```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******                program verification information          ******
******                                                          ******
******              code system:   scale  version:   4.2        ******
******                                                          ******
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******           program:  c0c002                               ******
******                                                          ******
******       creation date:  04/27/95                           ******
******                                                          ******
******           library:  /neutronics/scale/exe                ******
******                                                          ******
******                                                          ******
******   this is not a  scale  configuration controlled code    ******
```

```
                    *****                                                   *****
                    *****           jobname:  davis                         *****
                    *****                                                   *****
                    *****   date of execution:  02/16/96                    *****
                    *****                                                   *****
                    *****   time of execution:  10:04:48                    *****
                    *****                                                   *****
                    *****                                                   *****
                    ********************************************************************
                    ********************************************************************
                    ********************************************************************

1
0       -1q array has       1 entries.
0        0q array has       4 entries.
0        1q array has      12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
         0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0        2q array has      70 entries.
0        3q array has      15 entries.
0        4q array has       5 entries.
0 general information concerning cross section library
    tape identification number                  4349
    number of nuclides on tape                    65
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0   direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                             compiled for nrc      1/27/89
                                last updated       9/16/93
                                   l.m.petrie   -   ornl
-  work tape   4349

 xsdrn weighted tape--parent case entitled-- 1040 d, sas2h: babcock wilcox 15x15,
  3.00wt%, 20gwd/mtu burn high temp



0 nuclides from xsdrn tape
     1      hydrogen          endf/b-iv mat 1269/thrml002    updated 10/13/89          202
     2    b-10 1273 218ngp 042375 p-3 293k                                            203
     3      boron-11          endf/b-iv mat 1160             updated 10/13/89          204
     4      oxygen-16         endf/b-iv mat 1276             updated 10/13/89          201
     5      zircalloy         endf/b-iv mat 1284             updated 10/13/89          205
0 nuclides from  work tape
     6    1/v cross sections normalized to 1.0 at 0.0253 ev                            999
     7      hydrogen          endf/b-iv mat 1269/thrml002    updated 10/13/89         1001
     8    b-10 1273 218ngp 042375 p-3 293k                                           5010
     9      boron-11          endf/b-iv mat 1160             updated 10/13/89         5011
    10      oxygen-16         endf/b-iv mat 1276             updated 10/13/89         8016
    11      oxygen-16         endf/b-iv mat 1276             updated 10/13/89            6
    12      kr-83             mt=102,103,103,105,106,107     updated 10/13/89        36083
```


```
 13   kr-85          mt=  102                                          36085
 14   sr-90          mt=102                    updated 10/13/89        38090
 15    y-89          mt=102                    updated 10/13/89        39089
 16   zr-93          mt=  102                                          40093
 17   zr-94          mt=102                    updated 10/13/89        40094
 18   zr-95          mt=102                    updated 10/13/89        40095
 19   zircalloy      endf/b-iv mat 1284        updated 10/13/89        40302
 20   nb-94          mt=102                    updated 10/13/89        41094
 21   mo-95          mt=102                    updated 10/13/89        42095
 22   tc-99          mt=102                    updated 10/13/89        43099
 23   ru-101         mt=102                    updated 10/13/89        44101
 24   ru-106         mt=102                    updated 10/13/89        44106
 25   rh-103         mt=102                    updated 10/13/89        45103
 26   rh-105         mt=  102                                          45105
 27   pd-105         mt=102                    updated 10/13/89        46105
 28   pd-108         mt=102                    updated 10/13/89        46108
 29   silver-109     endf/b-iv mat 1139        updated 10/13/89        47109
 30   sb-124         mt=102                    updated 10/13/89        51124
 31   xe-131         mt=102,103,104,105,106    updated 10/13/89        54131
 32   xe-132         mt=102,103,104,105,106    updated 10/13/89        54132
 33   xenon-135      endf/b-iv mat 1294        updated 10/13/89        54135
 34   xe-136         mt=  102, 103, 104, 105, 107                      54136
 35   cesium-133     endf/b-iv mat 1141        updated 10/13/89        55133
 36   cs-134         mt=102                    updated 10/13/89        55134
 37   cs-135         mt=  102                                          55135
 38   cs-137         mt=102                    updated 10/13/89        55137
 39   ba-136         mt=102                    updated 10/13/89        56136
 40   la-139         mt=102                    updated 10/13/89        57139
 41   ce-144         mt=  102                                          58144
 42   pr-141         mt=102,103,104,105,106,107 updated 10/13/89       59141
 43   pr-143         mt=102                    updated 10/13/89        59143
 44   nd-143         mt=102                    updated 10/13/89        60143
 45   nd-145         mt=102                    updated 10/13/89        60145
 46   nd-147         mt=102                    updated 10/13/89        60147
 47   pm-147         mt=102                    updated 10/13/89        61147
 48   pm-148         mt=  102                                          61148
 49   sm-147         endf/b-v fission product  updated 10/13/89        62147
 50   sm-149         mt=102,103,107            updated 10/13/89        62149
 51   sm-150         mt=102                    updated 10/13/89        62150
 52   sm-151         mt=102,103,104,105,106,107 updated 10/13/89       62151
 53   sm-152         mt=102,103,104,105,106,107 updated 10/13/89       62152
 54   eu-153         mt=102,103,104,105,106,107 updated 10/13/89       63153
 55   eu-154         mt=102,103,104,105,106,107 updated 10/13/89       63154
 56   eu-155         mt=102,103,104,105,106,107 updated 10/13/89       63155
 57   gd-155         mt=102                    updated 10/13/89        64155
 58  u-234 1043 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)               92234
 59   uranium-235    endf/b-iv mat 1261        updated 10/13/89        92235
 60  u-236 1163 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)               92236
 61   uranium-238    endf/b-iv mat 1262        updated 10/13/89        92238
 62   neptunium-237  endf/b-iv mat 1263        updated 10/13/89        93237
 63  pu-238 1050 sigo=5+4 newxlacs p-3 293k f-1/e-m(1.+5)               94238
 64   plutonium-239  endf/b-iv mat 1264        updated 10/13/89        94239
 65   plutonium-240  endf/b-iv mat 1265        updated 10/13/89        94240
 66   plutonium-241  endf/b-iv mat 1266        updated 10/13/89        94241
 67   plutonium-242  endf/b-iv mat 1161        updated 10/13/89        94242
 68  am-241 1056 sigo=5+4 newxlacs 218ngp p-3 293k                     95241
 69  am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                      95243
 70   curium-244     endf/b-iv mat 1162        updated 10/13/89        96244
0 hydrogen      endf/b-iv mat 1269/thrm1002    updated 10/13/89          202    temperature=  607.60
                      thermal scattering matrix number  2 at a temperature of   550.00 was selected.
```

```
0b-10 1273 218ngp 042375 p-3 293k                                    203    temperature=  607.60
                        thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 boron-11      endf/b-iv mat 1160          updated 10/13/89         204    temperature=  607.60
                        thermal scattering matrix number   2 at a temperature of   550.00 was selected.
0 oxygen-16     endf/b-iv mat 1276          updated 10/13/89         201    temperature=  607.60
0 zircalloy     endf/b-iv mat 1284          updated 10/13/89         205    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =   90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =    6.385          lumped nuclear density   = 4.251560E-02
0spin factor (g)          =    1.079          lump dimension (a-bar)   = 6.730999E-01
0inner radius             = 6.324600E-01      dancoff correction (c)   = 1.680590E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group      res abs        res fiss       res scat
   8     -1.156752E-03   .000000E+00   -7.806033E-01
   9     -4.625978E-02   .000000E+00   -2.073270E+00
  10     -5.962230E-02   .000000E+00   -1.351984E+00
  11     -1.761672E-01   .000000E+00   -7.350731E-01
0excess resonance integrals
0                resolved
0absorption     2.92402E-01
 fission         .00000E+00
-  elapsed time    .00 min.
-  elapsed time    .02 min.
1     this xsdrn working tape was created 02/16/96 at 10:04:48
      the title of the parent case is as follows
      xsdrn weighted tape--parent case entitled-- 1040 d, sas2h: babcock wilcox 15x15,
       3.00wt%, 20gwd/mtu burn high temp

        tape id                          8670       number of nuclides              70
        number of neutron groups           27       number of gamma groups           0
        first thermal group                15       logical unit                     4
                                table of contents
       hydrogen       endf/b-iv mat 1269/thrmf1002  updated 10/13/89        id    202
      b-10 1273 218ngp 042375 p-3 293k                                       id    203
       boron-11       endf/b-iv mat 1160            updated 10/13/89        id    204
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89        id    201
       zircalloy      endf/b-iv mat 1284            updated 10/13/89        id    205
      1/v cross sections normalized to 1.0 at 0.0253 ev                       id    999
       hydrogen       endf/b-iv mat 1269/thrmf1002  updated 10/13/89        id   1001
      b-10 1273 218ngp 042375 p-3 293k                                       id   5010
       boron-11       endf/b-iv mat 1160            updated 10/13/89        id   5011
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89        id   8016
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89        id      6
       kr-83          mt=102,103,103,105,106,107    updated 10/13/89        id  36083
       kr-85            mt=  102                                            id  36085
       sr-90          mt=102                        updated 10/13/89        id  38090
        y-89          mt=102                        updated 10/13/89        id  39089
       zr-93            mt=  102                                            id  40093
       zr-94          mt=102                        updated 10/13/89        id  40094
       zr-95          mt=102                        updated 10/13/89        id  40095
       zircalloy      endf/b-iv mat 1284            updated 10/13/89        id  40802
       rb-94          mt=102                        updated 10/13/89        id  41094
       mo-95          mt=102                        updated 10/13/89        id  42095
       tc-99          mt=102                        updated 10/13/89        id  43099
       ru-101         mt=102                        updated 10/13/89        id  44101
       ru-106         mt=102                        updated 10/13/89        id  44106
       rh-103         mt=102                        updated 10/13/89        id  45103
       rh-105           mt=  102                                            id  45105
```

```
        pd-105          mt=102                          updated 10/13/89            id    46105
        pd-108          mt=102                          updated 10/13/89            id    46108
        silver-109      endf/b-iv mat 1139              updated 10/13/89            id    47109
        sb-124          mt=102                          updated 10/13/89            id    51124
        xe-131          mt=102,103,104,105,106          updated 10/13/89            id    54131
        xe-132          mt=102,103,104,105,106          updated 10/13/89            id    54132
        xenon-135       endf/b-iv mat 1294              updated 10/13/89            id    54135
        xe-136            mt=  102, 103,  104,  105,  107                           id    54136
        cesium-133      endf/b-iv mat 1141              updated 10/13/89            id    55133
        cs-134          mt=102                          updated 10/13/89            id    55134
        cs-135            mt=  102                                                  id    55135
        cs-137          mt=102                          updated 10/13/89            id    55137
        ba-136          mt=102                          updated 10/13/89            id    56136
        la-139          mt=102                          updated 10/13/89            id    57139
        ce-144            mt=  102                                                  id    58144
        pr-141          mt=102,103,104,105,106,107      updated 10/13/89            id    59141
        pr-143          mt=102                          updated 10/13/89            id    59143
        nd-143          mt=102                          updated 10/13/89            id    60143
        nd-145          mt=102                          updated 10/13/89            id    60145
        nd-147          mt=102                          updated 10/13/89            id    60147
        pm-147          mt=102                          updated 10/13/89            id    61147
        pm-148            mt=  102                                                  id    61148
        sm-147          endf/b-v fission product        updated 10/13/89            id    62147
        sm-149          mt=102,103,107                  updated 10/13/89            id    62149
        sm-150          mt=102                          updated 10/13/89            id    62150
        sm-151          mt=102,103,104,105,106,107      updated 10/13/89            id    62151
        sm-152          mt=102,103,104,105,106,107      updated 10/13/89            id    62152
        eu-153          mt=102,103,104,105,106,107      updated 10/13/89            id    63153
        eu-154          mt=102,103,104,105,106,107      updated 10/13/89            id    63154
        eu-155          mt=102,103,104,105,106,107      updated 10/13/89            id    63155
        gd-155          mt=102                          updated 10/13/89            id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id    92234
        uranium-235     endf/b-iv mat 1261              updated 10/13/89            id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          id    92236
        uranium-238     endf/b-iv mat 1262              updated 10/13/89            id    92238
        neptunium-237   endf/b-iv mat 1263              updated 10/13/89            id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         id    94238
        plutonium-239   endf/b-iv mat 1264              updated 10/13/89            id    94239
        plutonium-240   endf/b-iv mat 1265              updated 10/13/89            id    94240
        plutonium-241   endf/b-iv mat 1266              updated 10/13/89            id    94241
        plutonium-242   endf/b-iv mat 1161              updated 10/13/89            id    94242
       am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                                 id    95243
        curium-244      endf/b-iv mat 1162              updated 10/13/89            id    96244
0         tape copy used      0 i/o's, and took      .00 seconds
1  xx          xx   sssssssssss    ddddddddddd   rrrrrrrrrr   m         m  ppppppppp    mm          mm
    xx        xx    sssssssssss    ddddddddddd   rrrrrrrrrr   mm        m  ppppppppp    mmm         mmm
     xx      xx     ss          ss  dd        dd  rr       rr  mmm       m  pp      pp   mmmm       mmmm
      xx    xx      ss              dd        dd  rr       rr  m mm      m  pp      pp   mm mm     mm mm
       xx xx        ss              dd        dd  rr       rr  m  mm     m  pp      pp   mm  mm   mm  mm
        xxx         sssssssssss     dd        dd  rrrrrrrrrr   m   mm    m  ppppppppp    mm   mmm   mm
        xxx          sssssssssss    dd        dd  rrrrrrrrrr   m    mm   m  ppppppppp    mm    m    mm
       xx xx                ss     dd        dd  rr     rr    m     mm  m  pp             mm         mm
      xx   xx               ss     dd        dd  rr      rr   m      mm m  pp             mm         mm
     xx     xx     ss        ss    dd        dd  rr       rr  m       mmm  pp             mm         mm
    xx       xx    sssssssssssss   ddddddddddd   rr        rr m        mm  pp             mm         mm
   xx         xx    sssssssssss    ddddddddddd   rr        rr m        m   pp             mm         mm
0

   ddddddddddd     aaaaaaaa    w         w  iiiiiiiiiii    sssssssssss
```


WARNING
0
0
1
0

****
****
****

```
                    ******                                                      ******
                    ******              program verification information         ******
                    ******                                                      ******
                    ******              code system:   scale  version:   4.2    ******
                    ******                                                      ******
                    ********************************************************************
                    ********************************************************************
                    ******                                                      ******
                    ******                                                      ******
                    ******              program:  c0c001                        ******
                    ******                                                      ******
                    ******           creation date:  04/27/95                   ******
                    ******                                                      ******
                    ******              library:  /neutronics/scale/exe         ******
                    ******                                                      ******
                    ******                                                      ******
                    ******    this is not a   scale  configuration controlled code ******
                    ******                                                      ******
                    ******              jobname:  davis                         ******
                    ******                                                      ******
                    ******    date of execution:  02/16/96                      ******
                    ******                                                      ******
                    ******    time of execution:  10:04:49                      ******
                    ******                                                      ******
                    ******                                                      ******
                    ********************************************************************
                    ********************************************************************
                    ********************************************************************
1
                   1040 d, second part of sas2h pass to make library
0       -1q array has      1 entries.
0        0q array has     11 entries.
0        1q array has     15 entries.
0        2q array has     10 entries.
0        3q array has     12 entries.
0        4q array has      9 entries.
0        5q array has     12 entries.
0direct access unit   9 requires     12 blocks of length  704 for cross section mixing.
1                   1040 d, second part of sas2h pass to make library
0general problem description data block
0                              general problem data

 ige  1/2/3 = plane/cylinder/sphere      2       isn  quadrature order                  8
 izm  number of zones                    4       isct order of scattering               3
 im   number of special intervals       28       ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/White    1       iim  inner iteration maximum          20
 ibr  right boundary condition           3       iom  outer iteration maximum          25
 mxx  number of mixtures                 3       iclc -1/0/n--flat res/sn/cpt           0
 ms   mixing table length               70       ith  0/1 = forward/adjoint           0
 igm  number of energy groups           27       iflu not used(always wgtd)             0
 nrg  number of neutron groups          27       iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0       idl  0/1/2/3=no/prt nd/pch n/both    14
 iftg number of first thermal group     15       ipbt -1/0/1=none/fine/all bal. prt     0
0                             special options

 ifg  0/1 = none/weighting calculation   1       ipn  0/1/2 diff. coef. param          0
 iqm  volumetric sources (0/n=no/yes)    0       idfm 0/1 = none/density factors 38*   0
 ipm  boundary sources (0/n=no/yes)      0       iaz  0/n = none/n activities by zone  0
 ifn  0/1/2 = input 33*/34*/use last    14       iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10       ifct 0/1=no/yes upscatter scaling     0
```

```
 idt1 0/1/2/3=no/xsect/srce/flux--out      0        ipvt 0/1/2=no/k/alpha parametric srch    0
 isx  broad group fluxes                   0        isen outer iteration acceleration        0
 ibln activity data unit                   0        nbnd band rebaln parameter               0
 jbkl 0/1/2 buckling geometry              0
0                              weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight      -1        ihtf total xsect psn in brd gp tables    3
 igmf number of broad groups               3        ndsf psn g-g or file number              4
 itp  0/10/20/30/40 0/c/e/ac/a             0        nusf table length or max order           6
 ipp  -2/-1/0/n=wgted xsect print         -2        msom extra 1-d x-sect positions          0
 iap  -1/n anisn xsect print              -1
0                            floating point parameters

 eps  overall convergence        1.00000E-04       dy   cyl/pla ht for buckling     .00000E+00
 ptc  point convergence          1.00000E-04       dz   plane depth for buckling  2.00000E+02
 xnf  normalization factor       1.00000E+00       vsc  void streaming correction   .00000E+00
 ev   eigenvalue guess            .00000E+00       pv   ipvt=1/2--k/alpha          1.00000E+00
 evm  eigenvalue modifier         .00000E+00       eql  ev change eps for search   1.00000E-03
 bf   buckling factor=1.420892   1.42089E+00       xnpm new param mod for search   7.50000E-01
      this case will require      2611 locations for mixing
      this case has been allocated 200000 locations
1                    1040 d, second part of sas2h pass to make library
0       13q array has     70 entries.
0       14q array has     70 entries.
0       15q array has     70 entries.
0                              data block 2 (mixing table, etc.)
0     nuclides        cccc                              mixing table                          extra
        on tape     identification                mixture   component   atom density      xsect id's
     1      202                                        3         201   2.09710E-02
     2      203                                        3         202   4.19420E-02
     3      204                                        3         203   3.81515E-06
     4      201                                        3         204   1.54884E-05
     5      205                                        2         205   4.25156E-02
     6      999                                        1       92235   1.20544E-04
     7     1001                                        1       92234   1.41715E-06
     8     5010                                        1       92236   2.03607E-05
     9     5011                                        1       92238   7.20891E-03
    10     8016                                        1        8016   1.50611E-02
    11        6                                        1           6   1.15315E-02
    12    36083                                        1       36083   5.38432E-07
    13    36085                                        1       36085   2.58829E-07
    14    38090                                        1       38090   5.92341E-06
    15    39089                                        1       39089   4.78649E-06
    16    40093                                        1       42095   6.56575E-06
    17    40094                                        1       40093   4.79260E-06
    18    40095                                        1       40094   7.56974E-06
    19    40802                                        1       40095   6.48349E-07
    20    41094                                        1       41094   3.96160E-12
    21    42095                                        1       43099   7.40725E-06
    22    43099                                        1       45103   4.11558E-06
    23    44101                                        1       45105   7.88511E-09
    24    44106                                        1       44101   6.79295E-06
    25    45103                                        1       44106   1.01922E-06
    26    45105                                        1       46105   2.82763E-06
    27    46105                                        1       46108   8.33604E-07
    28    46108                                        1       47109   5.71721E-07
    29    47109                                        1       51124   1.27223E-10
    30    51124                                        1       54131   3.36294E-06
    31    54131                                        1       54132   6.56907E-06
    32    54132                                        1       54135   2.20413E-09
```

33	54135	1	54136	1.29571E-05
34	54136	1	55134	4.23324E-07
35	55133	1	55135	4.11148E-06
36	55134	1	55137	7.98229E-06
37	55135	1	56136	8.81606E-08
38	55137	1	57139	7.89638E-06
39	56136	1	59141	6.89476E-06
40	57139	1	59143	1.20840E-07
41	58144	1	58144	2.27216E-06
42	59141	1	60143	6.04828E-06
43	59143	1	60145	4.50917E-06
44	60143	1	61147	1.42392E-06
45	60145	1	61148	4.24549E-09
46	60147	1	60147	4.27517E-08
47	61147	1	62147	5.95353E-07
48	61148	1	62149	2.94746E-08
49	62147	1	62150	1.65740E-06
50	62149	1	62151	1.43095E-07
51	62150	1	62152	7.81604E-07
52	62151	1	64155	9.37788E-10
53	62152	1	63153	5.06255E-07
54	63153	1	63154	1.18895E-07
55	63154	1	63155	5.54695E-08
56	63155	1	40302	4.42681E-03
57	64155	1	1001	2.30630E-02
58	92234	1	5010	2.09787E-06
59	92235	1	5011	8.51673E-06
60	92236	1	55133	8.12694E-06
61	92238	1	95237	1.55467E-06
62	95237	1	94238	2.67674E-07
63	94238	1	94239	3.86490E-05
64	94239	1	94240	8.49899E-06
65	94240	1	94241	4.88270E-06
66	94241	1	94242	6.64962E-07
67	94242	1	95241	1.70640E-07
68	95241	1	95243	7.44868E-08
69	95243	1	96244	8.67958E-09
70	96244	1	999	3.30753E-21

- elapsed time .00 min.
0 24259 locations will be used
0 35q array has 29 entries.
0 36q array has 28 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 1040 d, second part of sas2h pass to make library

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40969E-01	2.88737E+09	1	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	1	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.44535E+09	1	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	2	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00	

11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00
12	1.00000E+02	1.15129E+01	1.01036E+07	2	0	12	1.00000E+00
13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00
15	3.04999E+00	1.50030E+01	2.10601E+06	2	0	15	1.00000E+00
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00
17	1.29999E+00	1.58557E+01	1.52545E+06	2	0	17	1.00000E+00
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00
21	4.00000E-01	1.70344E+01	8.17974E+05	3	0	21	1.00000E+00
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00
23	2.25000E-01	1.76098E+01	4.86953E+05	3	0	23	1.00000E+00
24	9.99999E-02	1.84207E+01	3.57766E+05	3	0	24	1.00000E+00
25	5.00000E-02	1.91138E+01	2.71895E+05	3	0	25	1.00000E+00
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00
28	1.00000E-05	2.76310E+01					

1 1040 d, second part of sas2h pass to make library

0

	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	3	3			0	-2.79004E-01	3	0
2	2	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	3	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	1	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83032E-01	24	0
17					4.53365E-02	-9.64143E-01	24	-4.37099E-02
18					4.53365E-02	-8.17361E-01	23	-3.70655E-02
19					4.53365E-02	-5.46143E-01	22	-2.47597E-02
20					4.53365E-02	-1.91780E-01	21	-8.69444E-03
21					4.53365E-02	1.91780E-01	20	8.69444E-03
22					4.53365E-02	5.46143E-01	19	2.47597E-02
23					4.53365E-02	8.17361E-01	18	3.70655E-02
24					4.53365E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.85235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.85235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.85235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40830E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01

14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83052E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51006E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17236E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17236E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int radii mid pts zone no. areas volumes dens fact radius mod spec(int)

1	0	1.97644E-02	1	0	4.90881E-03		0
2	3.95287E-02	5.92931E-02	1	2.48366E-01	1.47264E-02		0
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01		
6	3.16230E-01	3.55759E-01	1	1.98693E+00	1.76717E-01		
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01		
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.55258E-01		
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42355E-01		
10	5.92931E-01	6.12696E-01	1	3.72550E+00	1.52173E-01		
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02		
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46406E-02		
13	6.73100E-01	6.96583E-01	3	4.22921E+00	2.05562E-01		
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01		
15	7.67033E-01	7.90517E-01	3	4.81941E+00	2.33282E-01		
16	8.14000E-01	8.62795E-01	4	5.11451E+00	5.29051E-01		
17	9.11591E-01	9.60386E-01	4	5.72769E+00	5.88891E-01		
18	1.00918E+00	1.10577E+00	4	6.34088E+00	1.35731E+00		
19	1.20436E+00	1.30195E+00	4	7.56724E+00	1.59667E+00		
20	1.39955E+00	1.49714E+00	4	8.79360E+00	1.83603E+00		
21	1.59473E+00	1.69232E+00	4	1.00200E+01	2.07540E+00		
22	1.78991E+00	1.88750E+00	4	1.12463E+01	2.31476E+00		
23	1.98509E+00	2.08268E+00	4	1.24727E+01	2.55412E+00		
24	2.18027E+00	2.27786E+00	4	1.36991E+01	2.79349E+00		
25	2.37545E+00	2.47305E+00	4	1.49254E+01	3.03285E+00		
26	2.57064E+00	2.66823E+00	4	1.61518E+01	3.27221E+00		
27	2.76582E+00	2.81461E+00	4	1.73781E+01	1.72587E+00		
28	2.86341E+00	2.91220E+00	4	1.79913E+01	1.78571E+00		
29	2.96100E+00			1.86045E+01			

- elapsed time .00 min.

1 outer iter | inner iters | 1 - balance | eigenvalue | 1 - source ratio | 1 - scatter ratio | 1 - upscat ratio | search parameter | time (min)

1	158	-1.38670E-05	1.01990E+00	-2.16600E-02	1.00000E+00	-6.74411E-03	.00000E+00	.0000
2	233	-3.84269E-07	1.02189E+00	-5.59663E-04	-2.64721E-03	-1.18196E-03	.00000E+00	.0000
3	290	-1.95462E-06	1.02227E+00	-9.94730E-05	-4.33499E-04	-2.89140E-04	.00000E+00	.0167
4	331	3.72296E-06	1.02230E+00	-2.39066E-05	-1.07205E-04	-6.81095E-05	.00000E+00	.0167

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	17	5.45690E-07	28	1.00000E+00	1
2	1	17	6.50441E-07	28	1.00000E+00	1
3	1	17	6.09149E-07	28	1.00000E+00	1
4	1	17	5.95387E-07	28	1.00000E+00	1
5	1	17	6.33868E-07	28	1.00000E+00	1
6	1	17	4.42394E-07	28	1.00000E+00	1
7	1	24	1.34014E-06	28	9.99999E-01	2
8	1	28	2.25154E-07	28	1.00000E+00	2
9	1	27	1.43450E-05	28	1.00001E+00	3
10	1	26	1.70372E-06	28	9.99999E-01	3

11	11	1	26	3.75121E-06	28	9.99996E-01	3
12	12	1	25	1.61102E-06	28	9.99999E-01	3
13	13	1	26	3.67547E-06	28	1.00000E+00	3
14	14	1	28	2.95231E-07	28	1.00000E+00	3
15	15	1	2	6.39406E-05	28	9.99929E-01	2
16	16	1	2	7.64618E-05	28	9.99938E-01	2
17	17	1	2	9.14770E-05	28	9.99858E-01	3
18	18	2	28	3.36478E-05	28	1.00001E+00	3
19	19	2	2	4.54975E-06	28	1.00000E+00	3
20	20	1	2	6.84650E-05	28	9.99872E-01	3
21	21	2	28	3.42746E-05	28	1.00001E+00	3
22	22	1	6	5.43675E-05	28	9.99950E-01	3
23	23	1	27	7.16428E-06	28	1.00001E+00	4
24	24	1	28	2.38330E-05	9	1.00002E+00	4
25	25	1	26	3.35758E-05	8	1.00001E+00	5
26	26	1	28	1.49048E-05	6	1.00001E+00	6
27	27	1	1	1.15270E-05	5	1.00001E+00	8

5 361 -2.95269E-06 1.02239E+00 -5.86852E-06 -2.53599E-05 -1.54551E-05 .00000E+00 .0167
final monitor
lambda 1.02236E+00 production/absorption 1.03575E+00 angular flux on 16
- elapsed time .02 min.
1 1040 d, second part of sas2h pass to make library
0 int. zone number radius int. midpoint area volume prod density

1	1	.00000E+00	1.97644E-02	.00000E+00	4.90881E-03	.00000E+00
2	1	3.95287E-02	5.92931E-02	2.48366E-01	1.47264E-02	.00000E+00
3	1	7.90575E-02	1.18586E-01	4.96733E-01	5.89057E-02	.00000E+00
4	1	1.58115E-01	1.97644E-01	9.93466E-01	9.81762E-02	.00000E+00
5	1	2.37172E-01	2.76701E-01	1.49020E+00	1.37447E-01	.00000E+00
6	1	3.16230E-01	3.55759E-01	1.98693E+00	1.76717E-01	.00000E+00
7	1	3.95288E-01	4.34816E-01	2.48366E+00	2.15988E-01	.00000E+00
8	1	4.74345E-01	5.13874E-01	2.98040E+00	2.55258E-01	.00000E+00
9	1	5.53403E-01	5.73167E-01	3.47713E+00	1.42355E-01	.00000E+00
10	1	5.92931E-01	6.12696E-01	3.72550E+00	1.52173E-01	.00000E+00
11	2	6.32460E-01	6.42620E-01	3.97386E+00	8.20460E-02	.00000E+00
12	2	6.52780E-01	6.62940E-01	4.10154E+00	8.46405E-02	.00000E+00
13	3	6.73100E-01	6.96883E-01	4.22921E+00	2.05562E-01	.00000E+00
14	3	7.20067E-01	7.43550E-01	4.52431E+00	2.19422E-01	.00000E+00
15	3	7.67033E-01	7.90517E-01	4.81941E+00	2.33282E-01	.00000E+00
16	4	8.14000E-01	8.62795E-01	5.11451E+00	5.29051E-01	2.33536E-02
17	4	9.11591E-01	9.60386E-01	5.72769E+00	5.88891E-01	2.54094E-02
18	4	1.00918E+00	1.10577E+00	6.34088E+00	1.35731E+00	5.73426E-02
19	4	1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	6.60501E-02
20	4	1.39955E+00	1.49714E+00	8.79360E+00	1.83603E+00	7.48427E-02
21	4	1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	8.36843E-02
22	4	1.78991E+00	1.88750E+00	1.12463E+01	2.31476E+00	9.25790E-02
23	4	1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	1.01535E-01
24	4	2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.10567E-01
25	4	2.37545E+00	2.47305E+00	1.49254E+01	3.03285E+00	1.19692E-01
26	4	2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.28942E-01
27	4	2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	6.79867E-02
28	4	2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	7.03808E-02
29		2.96100E+00		1.86045E+01		

1 1040 d, second part of sas2h pass to make library
0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.30631E-02	9.11126E-02	1.12710E-01	6.90754E-02	1.02785E-01	1.92805E-01	1.95104E-01	1.47033E-01
2	1.30578E-02	9.10612E-02	1.12645E-01	6.90372E-02	1.02733E-01	1.92719E-01	1.95065E-01	1.47028E-01
3	1.30585E-02	9.10743E-02	1.12667E-01	6.90552E-02	1.02767E-01	1.92789E-01	1.95117E-01	1.47039E-01
4	1.30653E-02	9.11553E-02	1.12780E-01	6.91335E-02	1.02897E-01	1.93031E-01	1.95273E-01	1.47068E-01
5	1.30777E-02	9.12977E-02	1.12975E-01	6.92665E-02	1.03113E-01	1.93430E-01	1.95521E-01	1.47112E-01

6	1.30946E-02	9.14936E-02	1.13245E-01	6.94499E-02	1.03410E-01	1.93978E-01	1.93859E-01	1.47168E-01
7	1.31160E-02	9.17443E-02	1.13591E-01	6.96879E-02	1.03798E-01	1.94694E-01	1.94300E-01	1.47238E-01
8	1.31417E-02	9.20575E-02	1.14031E-01	6.99953E-02	1.04303E-01	1.95629E-01	1.94877E-01	1.47321E-01
9	1.31634E-02	9.23330E-02	1.14426E-01	7.02773E-02	1.04771E-01	1.96496E-01	1.95411E-01	1.47391E-01
10	1.31782E-02	9.25489E-02	1.14755E-01	7.05256E-02	1.05192E-01	1.97282E-01	1.95898E-01	1.47439E-01
11	1.31906E-02	9.27279E-02	1.15031E-01	7.07340E-02	1.05545E-01	1.97957E-01	1.96315E-01	1.47484E-01
12	1.32041E-02	9.28611E-02	1.15205E-01	7.08424E-02	1.05715E-01	1.98294E-01	1.96518E-01	1.47528E-01
13	1.32324E-02	9.31088E-02	1.15475E-01	7.09799E-02	1.05904E-01	1.98632E-01	1.96709E-01	1.47596E-01
14	1.32739E-02	9.34906E-02	1.15980E-01	7.12352E-02	1.06278E-01	1.99290E-01	1.97088E-01	1.47688E-01
15	1.33228E-02	9.39882E-02	1.16655E-01	7.16218E-02	1.06874E-01	2.00861E-01	1.97715E-01	1.47790E-01
16	1.33988E-02	9.47851E-02	1.17573E-01	7.22669E-02	1.07888E-01	2.02200E-01	1.98805E-01	1.47960E-01
17	1.34738E-02	9.55779E-02	1.18590E-01	7.29151E-02	1.08917E-01	2.04091E-01	1.99946E-01	1.48157E-01
18	1.35332E-02	9.62197E-02	1.19424E-01	7.34503E-02	1.09782E-01	2.05724E-01	2.00960E-01	1.48361E-01
19	1.35850E-02	9.67892E-02	1.20172E-01	7.39342E-02	1.10571E-01	2.07248E-01	2.01925E-01	1.48573E-01
20	1.36154E-02	9.71309E-02	1.20628E-01	7.42524E-02	1.11064E-01	2.08229E-01	2.02562E-01	1.48728E-01
21	1.36343E-02	9.73608E-02	1.20927E-01	7.44284E-02	1.11392E-01	2.08899E-01	2.03006E-01	1.48844E-01
22	1.36464E-02	9.74933E-02	1.21125E-01	7.45592E-02	1.11613E-01	2.09362E-01	2.03319E-01	1.48931E-01
23	1.36540E-02	9.75851E-02	1.21254E-01	7.46450E-02	1.11780E-01	2.09678E-01	2.03536E-01	1.48993E-01
24	1.36584E-02	9.76397E-02	1.21332E-01	7.46975E-02	1.11851E-01	2.09879E-01	2.03676E-01	1.49035E-01
25	1.36603E-02	9.76647E-02	1.21369E-01	7.47225E-02	1.11895E-01	2.09982E-01	2.03749E-01	1.49056E-01
26	1.36598E-02	9.76614E-02	1.21367E-01	7.47212E-02	1.11895E-01	2.09990E-01	2.03756E-01	1.49057E-01
27	1.36581E-02	9.76412E-02	1.21341E-01	7.47037E-02	1.11866E-01	2.09935E-01	2.03719E-01	1.49043E-01
28	1.36555E-02	9.76115E-02	1.21301E-01	7.46772E-02	1.11822E-01	2.09844E-01	2.03656E-01	1.49023E-01

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.15991E-01	1.07257E-01	1.01085E-01	6.55136E-02	5.59119E-02	5.31478E-02	2.89529E-02	1.59856E-02
2	1.15991E-01	1.07239E-01	1.01085E-01	6.55185E-02	5.59168E-02	5.31550E-02	2.89553E-02	1.59868E-02
3	1.15989E-01	1.07230E-01	1.01019E-01	6.54946E-02	5.58941E-02	5.31213E-02	2.89285E-02	1.59829E-02
4	1.15985E-01	1.07209E-01	1.00970E-01	6.54371E-02	5.58395E-02	5.30402E-02	2.89120E-02	1.59735E-02
5	1.15979E-01	1.07176E-01	1.00895E-01	6.53493E-02	5.57566E-02	5.29168E-02	2.88873E-02	1.59594E-02
6	1.15969E-01	1.07132E-01	1.00793E-01	6.52301E-02	5.56444E-02	5.27494E-02	2.88548E-02	1.59406E-02
7	1.15958E-01	1.07074E-01	1.00668E-01	6.50737E-02	5.54981E-02	5.25305E-02	2.88136E-02	1.59166E-02
8	1.15945E-01	1.06996E-01	1.00480E-01	6.48677E-02	5.53064E-02	5.22426E-02	2.87618E-02	1.58856E-02
9	1.15935E-01	1.06922E-01	1.00313E-01	6.46753E-02	5.51283E-02	5.19744E-02	2.87152E-02	1.58573E-02
10	1.15936E-01	1.06853E-01	1.00158E-01	6.45008E-02	5.49672E-02	5.17308E-02	2.86745E-02	1.58320E-02
11	1.15942E-01	1.06799E-01	1.00066E-01	6.43630E-02	5.48394E-02	5.15385E-02	2.86389E-02	1.58108E-02
12	1.15938E-01	1.06779E-01	9.99898E-02	6.43094E-02	5.47870E-02	5.14616E-02	2.86194E-02	1.58008E-02
13	1.15895E-01	1.06753E-01	9.99274E-02	6.42270E-02	5.47117E-02	5.13468E-02	2.86027E-02	1.57901E-02
14	1.15823E-01	1.06690E-01	9.97850E-02	6.40486E-02	5.45524E-02	5.11008E-02	2.85751E-02	1.57695E-02
15	1.15748E-01	1.06587E-01	9.95517E-02	6.37679E-02	5.43084E-02	5.07145E-02	2.85335E-02	1.57373E-02
16	1.15644E-01	1.06416E-01	9.91649E-02	6.33054E-02	5.38918E-02	5.00737E-02	2.84578E-02	1.56825E-02
17	1.15551E-01	1.06248E-01	9.87784E-02	6.28431E-02	5.34749E-02	4.94296E-02	2.83675E-02	1.56230E-02
18	1.15485E-01	1.06105E-01	9.84479E-02	6.24484E-02	5.31103E-02	4.88787E-02	2.82707E-02	1.55654E-02
19	1.15433E-01	1.05973E-01	9.81396E-02	6.20809E-02	5.27655E-02	4.83651E-02	2.81684E-02	1.55071E-02
20	1.15409E-01	1.05890E-01	9.79403E-02	6.18437E-02	5.25383E-02	4.80528E-02	2.80916E-02	1.54651E-02
21	1.15397E-01	1.05853E-01	9.78018E-02	6.16789E-02	5.23780E-02	4.78013E-02	2.80332E-02	1.54339E-02
22	1.15391E-01	1.05798E-01	9.77051E-02	6.15616E-02	5.22627E-02	4.76362E-02	2.79888E-02	1.54106E-02
23	1.15388E-01	1.05765E-01	9.76331E-02	6.14782E-02	5.21802E-02	4.75187E-02	2.79560E-02	1.53935E-02
24	1.15386E-01	1.05746E-01	9.75854E-02	6.14214E-02	5.21239E-02	4.74387E-02	2.79336E-02	1.53818E-02
25	1.15384E-01	1.05734E-01	9.75569E-02	6.13876E-02	5.20906E-02	4.73912E-02	2.79210E-02	1.53752E-02
26	1.15381E-01	1.05730E-01	9.75478E-02	6.13767E-02	5.20808E-02	4.73765E-02	2.79191E-02	1.53741E-02
27	1.15379E-01	1.05732E-01	9.75531E-02	6.13834E-02	5.20887E-02	4.73867E-02	2.79244E-02	1.53769E-02
28	1.15378E-01	1.05738E-01	9.75685E-02	6.14018E-02	5.21083E-02	4.74137E-02	2.79347E-02	1.53820E-02

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	6.94169E-03	5.15677E-03	1.04522E-02	3.48803E-02	1.07715E-02	2.19647E-02	7.43973E-02	6.11483E-02
2	6.94248E-03	5.15838E-03	1.04537E-02	3.48831E-02	1.07726E-02	2.19666E-02	7.43925E-02	6.11342E-02
3	6.93500E-03	5.14951E-03	1.04471E-02	3.48684E-02	1.07613E-02	2.19809E-02	7.42767E-02	6.10113E-02
4	6.98057E-03	5.12816E-03	1.04314E-02	3.48337E-02	1.07353E-02	2.18498E-02	7.40220E-02	6.07472E-02
5	6.91774E-03	5.09532E-03	1.04077E-02	3.47818E-02	1.06961E-02	2.17278E-02	7.36443E-02	6.03563E-02
6	6.90032E-03	5.05026E-03	1.03756E-02	3.47125E-02	1.06429E-02	2.15630E-02	7.31411E-02	5.98358E-02
7	6.87751E-03	4.99051E-03	1.03339E-02	3.46233E-02	1.05735E-02	2.13482E-02	7.24998E-02	5.91743E-02

8	6.84744E-03	4.91067E-03	1.02795E-02	3.45086E-02	1.04822E-02	2.10676E-02	7.16894E-02	5.83441E-02
9	6.81942E-03	4.83538E-03	1.02291E-02	3.44036E-02	1.03971E-02	2.08076E-02	7.09605E-02	5.76034E-02
10	6.79384E-03	4.76615E-03	1.01835E-02	3.43099E-02	1.03194E-02	2.05725E-02	7.03268E-02	5.69669E-02
11	6.77361E-03	4.71321E-03	1.01471E-02	3.42345E-02	1.02598E-02	2.03954E-02	6.98653E-02	5.65237E-02
12	6.76557E-03	4.69444E-03	1.01321E-02	3.42020E-02	1.02390E-02	2.03362E-02	6.97226E-02	5.64109E-02
13	6.75365E-03	4.66958E-03	1.01120E-02	3.41611E-02	1.02047E-02	2.02276E-02	6.94480E-02	5.61308E-02
14	6.72790E-03	4.58115E-03	1.00696E-02	3.40782E-02	1.01267E-02	1.99813E-02	6.88385E-02	5.54928E-02
15	6.68714E-03	4.45700E-03	1.00032E-02	3.39507E-02	1.00029E-02	1.95979E-02	6.79476E-02	5.45820E-02
16	6.61995E-03	4.23675E-03	9.89262E-03	3.37396E-02	9.79978E-03	1.89639E-02	6.65751E-02	5.32303E-02
17	6.55290E-03	4.01852E-03	9.77843E-03	3.35165E-02	9.59852E-03	1.83353E-02	6.51780E-02	5.18793E-02
18	6.49571E-03	3.85638E-03	9.67505E-03	3.33034E-02	9.42917E-03	1.78142E-02	6.39443E-02	5.05816E-02
19	6.44216E-03	3.71947E-03	9.57562E-03	3.30901E-02	9.27190E-03	1.73356E-02	6.25040E-02	4.92716E-02
20	6.40747E-03	3.64195E-03	9.50892E-03	3.29398E-02	9.17041E-03	1.70803E-02	6.15494E-02	4.83350E-02
21	6.38321E-03	3.59261E-03	9.46147E-03	3.28287E-02	9.09941E-03	1.68178E-02	6.08343E-02	4.76327E-02
22	6.36584E-03	3.55988E-03	9.42710E-03	3.27459E-02	9.04842E-03	1.66657E-02	6.02929E-02	4.71011E-02
23	6.35348E-03	3.53776E-03	9.40240E-03	3.26851E-02	9.01177E-03	1.65563E-02	5.98869E-02	4.67025E-02
24	6.34510E-03	3.52311E-03	9.38544E-03	3.26429E-02	8.98642E-03	1.64800E-02	5.95936E-02	4.64128E-02
25	6.34021E-03	3.51411E-03	9.37535E-03	3.26178E-02	8.97059E-03	1.64315E-02	5.94000E-02	4.62181E-02
26	6.33889E-03	3.51021E-03	9.37219E-03	3.26092E-02	8.96424E-03	1.64095E-02	5.93053E-02	4.61142E-02
27	6.33966E-03	3.51041E-03	9.37432E-03	3.26153E-02	8.96549E-03	1.64098E-02	5.92958E-02	4.60909E-02
28	6.34271E-03	3.51357E-03	9.37994E-03	3.26301E-02	8.97200E-03	1.64256E-02	5.93455E-02	4.61238E-02

0 int. grp. 25 grp. 26 grp. 27

1	2.76841E-02	1.99829E-02	3.79587E-03
2	2.76737E-02	1.99707E-02	3.79306E-03
3	2.76081E-02	1.99133E-02	3.78129E-03
4	2.74687E-02	1.97921E-02	3.75634E-03
5	2.72622E-02	1.96114E-02	3.71861E-03
6	2.69868E-02	1.93684E-02	3.66698E-03
7	2.66370E-02	1.90571E-02	3.59948E-03
8	2.62000E-02	1.86651E-02	3.51247E-03
9	2.58125E-02	1.83160E-02	3.43384E-03
10	2.54844E-02	1.80181E-02	3.36633E-03
11	2.52650E-02	1.78264E-02	3.32550E-03
12	2.52179E-02	1.77973E-02	3.32276E-03
13	2.50619E-02	1.76540E-02	3.28428E-03
14	2.47068E-02	1.73142E-02	3.19161E-03
15	2.42130E-02	1.68350E-02	3.05401E-03
16	2.34987E-02	1.61513E-02	2.86330E-03
17	2.27967E-02	1.55051E-02	2.68047E-03
18	2.21269E-02	1.49207E-02	2.54960E-03
19	2.14546E-02	1.43525E-02	2.43131E-03
20	2.09787E-02	1.39678E-02	2.35915E-03
21	2.06254E-02	1.36921E-02	2.31045E-03
22	2.03608E-02	1.34919E-02	2.27665E-03
23	2.01638E-02	1.33463E-02	2.25264E-03
24	2.00215E-02	1.32429E-02	2.23593E-03
25	1.99253E-02	1.31734E-02	2.22483E-03
26	1.98715E-02	1.31333E-02	2.21844E-03
27	1.98665E-02	1.31191E-02	2.21603E-03
28	1.98661E-02	1.31221E-02	2.21593E-03

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	5.08807E-04	6.73448E-04	5.60754E-05	-7.29488E-04	9.99952E-01
2	.00000E+00	.00000E+00	3.86411E-04	6.18527E-03	8.12940E-03	1.76752E-04	-7.91942E-03	9.99961E-01
3	.00000E+00	.00000E+00	3.86166E-03	5.47456E-03	1.42437E-02	9.29477E-05	-1.04747E-02	9.99978E-01
4	.00000E+00	.00000E+00	5.60190E-03	3.60437E-03	1.23842E-02	4.20627E-05	-6.82427E-03	9.99988E-01
5	.00000E+00	.00000E+00	1.02841E-02	1.15346E-02	2.08972E-02	4.97074E-05	-1.06626E-02	9.99991E-01
6	.00000E+00	.00000E+00	2.15307E-02	3.45064E-02	4.10111E-02	8.43132E-05	-1.95644E-02	9.99998E-01
7	.00000E+00	.00000E+00	4.22615E-02	6.09831E-02	5.41484E-02	6.12344E-05	-1.19475E-02	9.99989E-01

8	.00000E+00	.00000E+00	5.63771E-02	7.83791E-02	5.87701E-02	3.64181E-05	-2.42432E-03	9.99912E-01
9	.00000E+00	.00000E+00	5.78094E-02	7.26623E-02	5.75418E-02	2.92961E-05	2.44917E-04	9.99885E-01
10	.00000E+00	.00000E+00	5.71180E-02	6.92491E-02	5.56520E-02	3.61033E-05	1.43595E-03	9.99875E-01
11	.00000E+00	.00000E+00	5.59294E-02	6.57025E-02	5.26543E-02	5.52482E-05	3.42326E-03	9.99939E-01
12	.00000E+00	.00000E+00	4.54778E-02	3.51525E-02	4.13612E-02	6.05469E-05	4.05705E-03	9.99979E-01
13	.00000E+00	.00000E+00	4.06273E-02	2.85889E-02	3.66633E-02	8.46893E-05	3.88059E-03	9.99968E-01
14	.00000E+00	.00000E+00	3.95045E-02	2.81294E-02	3.36026E-02	1.35753E-04	5.76659E-03	9.99988E-01
15	.00000E+00	.00000E+00	2.16405E-02	1.08173E-02	2.02651E-02	1.12237E-04	1.26324E-03	9.99998E-01
16	.00000E+00	.00000E+00	1.41888E-02	4.54909E-03	1.34020E-02	7.58638E-05	7.10851E-04	1.00000E+00
17	.00000E+00	.00000E+00	7.27320E-03	1.27368E-03	6.62690E-03	3.64605E-05	6.09795E-04	1.00001E+00
18	.00000E+00	.00000E+00	6.43510E-03	8.98264E-04	4.90830E-03	2.81071E-05	1.49873E-03	9.99994E-01
19	.00000E+00	.00000E+00	1.05933E-02	2.83870E-03	9.42141E-03	6.35785E-05	1.10845E-03	9.99990E-01
20	.00000E+00	.00000E+00	2.58651E-02	2.04988E-02	2.31765E-02	2.67345E-04	2.42103E-03	1.00001E+00
21	.00000E+00	.00000E+00	1.23161E-02	4.04375E-03	1.05197E-02	1.01411E-04	1.69514E-03	9.99988E-01
22	.00000E+00	.00000E+00	2.42796E-02	1.22770E-02	1.91057E-02	2.35809E-04	4.95791E-03	1.00001E+00
23	.00000E+00	.00000E+00	6.26124E-02	7.51956E-02	4.95789E-02	1.09158E-03	1.21405E-02	1.00002E+00
24	.00000E+00	.00000E+00	6.67371E-02	7.12650E-02	5.50100E-02	1.29652E-03	1.04293E-02	1.00002E+00
25	.00000E+00	.00000E+00	4.44666E-02	3.02755E-02	3.89495E-02	7.69476E-04	4.74715E-03	1.00001E+00
26	.00000E+00	.00000E+00	3.55385E-02	3.38693E-02	3.12822E-02	7.83284E-04	3.47208E-03	1.00001E+00
27	.00000E+00	.00000E+00	1.20651E-02	7.35278E-03	1.12012E-02	2.79875E-04	5.84006E-04	1.00000E+00
28	.00000E+00	.00000E+00	7.80781E-01	7.75815E-01	7.80781E-01	6.14270E-03	-6.12084E-03	9.99972E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.31853E-02	-7.29488E-04	1.30674E-02	.00000E+00	3.72436E-11	.00000E+00	2.01857E-05	1.64865E-02
2	9.26630E-02	-7.91942E-03	9.11561E-02	.00000E+00	.00000E+00	.00000E+00	8.96523E-05	1.15361E-01
3	1.14955E-01	-1.04747E-02	1.12766E-01	.00000E+00	.00000E+00	.00000E+00	9.25174E-05	1.42855E-01
4	7.06657E-02	-6.82427E-03	6.91094E-02	.00000E+00	.00000E+00	.00000E+00	4.18087E-05	8.76592E-02
5	1.05432E-01	-1.06626E-02	1.02834E-01	.00000E+00	.00000E+00	.00000E+00	4.94142E-05	1.30585E-01
6	1.97731E-01	-1.95646E-02	1.92888E-01	.00000E+00	.00000E+00	.00000E+00	8.34434E-05	2.44938E-01
7	1.96177E-01	-1.19475E-02	1.95146E-01	.00000E+00	.00000E+00	.00000E+00	5.92902E-05	2.44337E-01
8	1.47464E-01	-2.42432E-03	1.47040E-01	.00000E+00	.00000E+00	.00000E+00	3.27367E-05	1.85039E-01
9	1.15939E-01	2.44917E-04	1.15990E-01	.00000E+00	.00000E+00	.00000E+00	2.16887E-05	1.45719E-01
10	1.06813E-01	1.43595E-03	1.07254E-01	.00000E+00	.00000E+00	.00000E+00	1.91827E-05	1.34530E-01
11	1.00069E-01	3.42326E-03	1.01028E-01	.00000E+00	.00000E+00	.00000E+00	1.79574E-05	1.26438E-01
12	6.44000E-02	4.05705E-03	6.55046E-02	.00000E+00	.00000E+00	.00000E+00	1.05291E-05	8.17133E-02
13	5.48750E-02	3.88059E-03	5.59031E-02	.00000E+00	.00000E+00	.00000E+00	8.75085E-06	6.96860E-02
14	5.15911E-02	5.76659E-03	5.31350E-02	.00000E+00	.00000E+00	.00000E+00	8.44713E-06	6.59272E-02
15	2.86524E-02	1.26324E-03	2.89105E-02	.00000E+00	.00000E+00	.00000E+00	4.45646E-06	3.61966E-02
16	1.58179E-02	7.10851E-04	1.59843E-02	.00000E+00	.00000E+00	.00000E+00	2.22619E-06	1.99934E-02
17	6.77923E-03	6.09795E-04	6.94042E-03	.00000E+00	.00000E+00	.00000E+00	8.83672E-07	8.63365E-03
18	4.72622E-03	1.49873E-03	5.15355E-03	.00000E+00	.00000E+00	.00000E+00	6.23650E-07	6.26587E-03
19	1.01572E-02	1.10845E-03	1.04495E-02	.00000E+00	.00000E+00	.00000E+00	1.35716E-06	1.29705E-02
20	3.42582E-02	2.42103E-03	3.48768E-02	.00000E+00	.00000E+00	.00000E+00	5.09612E-06	4.34790E-02
21	1.02744E-02	1.69514E-03	1.07680E-02	.00000E+00	.00000E+00	.00000E+00	1.21584E-06	1.32601E-02
22	2.04379E-02	4.95791E-03	2.19562E-02	.00000E+00	.00000E+00	.00000E+00	2.44508E-06	2.67465E-02
23	6.99665E-02	1.21405E-02	7.43764E-02	.00000E+00	.00000E+00	.00000E+00	7.49844E-06	9.09125E-02
24	5.66064E-02	1.04293E-02	6.11340E-02	.00000E+00	.00000E+00	.00000E+00	4.54638E-06	7.41708E-02
25	2.53000E-02	4.74715E-03	2.76795E-02	.00000E+00	.00000E+00	.00000E+00	1.58049E-06	3.33762E-02
26	1.78504E-02	3.47208E-03	1.99808E-02	.00000E+00	.00000E+00	.00000E+00	8.34278E-07	2.38563E-02
27	3.32835E-03	5.84006E-04	3.79604E-03	.00000E+00	.00000E+00	.00000E+00	9.85233E-08	4.50026E-03
28	1.73609E+00	-6.12038E-03	1.74283E+00	.00000E+00	3.72436E-11	.00000E+00	5.88445E-04	2.18562E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.24988E-04	1.68657E-04	2.53012E-06	-1.65172E-04	1.00001E+00
2	.00000E+00	.00000E+00	2.94556E-05	1.46578E-03	1.05178E-03	1.41177E-05	-1.03644E-03	1.00000E+00
3	.00000E+00	.00000E+00	1.51427E-04	2.77590E-03	8.77709E-04	2.03129E-05	-7.46537E-04	9.99995E-01
4	.00000E+00	.00000E+00	2.88326E-04	2.30800E-03	2.98836E-04	1.31156E-05	-2.35979E-05	9.99996E-01
5	.00000E+00	.00000E+00	6.19828E-04	4.42024E-03	2.79546E-04	1.68779E-05	3.25387E-04	1.00000E+00
6	.00000E+00	.00000E+00	1.02631E-03	1.24084E-02	1.69533E-04	2.70751E-05	8.29713E-04	9.99999E-01
7	.00000E+00	.00000E+00	6.74451E-04	1.25976E-02	6.33222E-05	2.68222E-05	5.84320E-04	9.99999E-01
8	.00000E+00	.00000E+00	1.17649E-04	9.21166E-03	4.43556E-04	2.21210E-05	-3.48074E-04	1.00002E+00

9	.00000E+00	.00000E+00	4.45404E-04	6.36399E-03	5.30509E-05	7.67624E-05	3.15607E-04	9.99976E-01
10	.00000E+00	.00000E+00	5.31162E-05	4.99400E-03	4.95492E-05	5.94114E-05	-5.58461E-05	1.00000E+00
11	.00000E+00	.00000E+00	4.95526E-05	4.46284E-03	5.04012E-05	9.01826E-05	-9.10230E-05	9.99998E-01
12	.00000E+00	.00000E+00	5.04015E-05	2.76630E-03	5.14660E-05	5.68334E-06	-6.75069E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.14661E-05	2.35786E-03	4.80988E-05	6.31783E-06	-2.94857E-06	1.00000E+00
14	.00000E+00	.00000E+00	4.80988E-05	2.22085E-03	4.18529E-05	8.48148E-06	-2.23611E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.44262E-05	1.20907E-03	4.94833E-05	6.26148E-06	-1.12508E-05	9.99948E-01
16	.00000E+00	.00000E+00	5.53666E-05	6.39105E-04	5.53666E-05	3.78787E-06	-3.74473E-06	9.99944E-01
17	.00000E+00	.00000E+00	5.99443E-05	2.38686E-04	5.87533E-05	1.77427E-06	-5.64032E-07	9.99971E-01
18	.00000E+00	.00000E+00	6.16488E-05	1.56226E-04	5.04447E-05	1.30066E-06	9.90450E-06	9.99999E-01
19	.00000E+00	.00000E+00	5.24101E-05	3.88229E-04	5.72797E-05	3.01256E-06	-7.88085E-06	9.99999E-01
20	.00000E+00	.00000E+00	6.98617E-05	1.44216E-03	6.13114E-05	1.23987E-05	-3.75649E-06	9.99963E-01
21	.00000E+00	.00000E+00	8.02968E-05	3.63502E-04	8.68274E-05	4.50589E-06	-1.10328E-05	9.99998E-01
22	.00000E+00	.00000E+00	1.14353E-04	7.89522E-04	1.05490E-04	1.01916E-05	-1.28942E-06	9.99992E-01
23	.00000E+00	.00000E+00	1.63415E-04	2.85667E-03	2.09727E-04	4.66582E-05	-9.29758E-05	1.00000E+00
24	.00000E+00	.00000E+00	2.70704E-04	2.18185E-03	2.99426E-04	5.35567E-05	-8.23066E-05	1.00000E+00
25	.00000E+00	.00000E+00	2.77361E-04	8.81993E-04	2.27013E-04	3.12126E-05	1.91191E-05	1.00000E+00
26	.00000E+00	.00000E+00	1.18124E-04	6.91231E-04	9.13480E-05	3.10508E-05	-4.26173E-06	1.00000E+00
27	.00000E+00	.00000E+00	2.64874E-05	1.45979E-04	7.52139E-08	1.08304E-05	1.55798E-05	1.00000E+00
28	.00000E+00	.00000E+00	4.99988E-03	8.05625E-02	4.99988E-03	6.06334E-04	-6.00056E-04	9.99976E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.32122E-02	-8.94660E-04	1.31853E-02	-7.29488E-04	6.02595E-06	.00000E+00	1.66582E-06	2.19984E-03
2	9.29264E-02	-8.95586E-03	9.26630E-02	-7.91942E-03	.00000E+00	.00000E+00	1.12058E-05	1.54678E-02
3	1.15283E-01	-1.12212E-02	1.14955E-01	-1.04747E-02	.00000E+00	.00000E+00	1.27206E-05	1.91888E-02
4	7.08824E-02	-6.84786E-03	7.06657E-02	-6.82427E-03	.00000E+00	.00000E+00	7.44974E-06	1.17996E-02
5	1.05770E-01	-1.03592E-02	1.05432E-01	-1.06626E-02	.00000E+00	.00000E+00	8.64313E-06	1.76073E-02
6	1.98404E-01	-1.87349E-02	1.97731E-01	-1.95646E-02	.00000E+00	.00000E+00	1.01784E-05	3.30253E-02
7	1.96582E-01	-1.13632E-02	1.96177E-01	-1.19475E-02	.00000E+00	.00000E+00	8.35573E-06	3.27403E-02
8	1.47551E-01	-2.77239E-03	1.47464E-01	-2.42432E-03	.00000E+00	.00000E+00	5.27678E-06	2.45873E-02
9	1.15930E-01	5.60524E-04	1.15939E-01	2.44917E-04	.00000E+00	.00000E+00	4.58694E-06	1.95256E-02
10	1.06774E-01	1.38010E-03	1.06813E-01	1.43595E-03	.00000E+00	.00000E+00	4.91625E-06	1.78002E-02
11	9.99771E-02	3.33223E-03	1.00069E-01	3.42326E-03	.00000E+00	.00000E+00	4.77306E-06	1.66707E-02
12	6.42927E-02	4.05029E-03	6.44000E-02	4.05705E-03	.00000E+00	.00000E+00	3.22043E-06	1.07239E-02
13	5.47702E-02	3.87764E-03	5.48750E-02	3.88059E-03	.00000E+00	.00000E+00	2.73792E-06	9.13656E-03
14	5.14373E-02	5.76435E-03	5.15911E-02	5.76659E-03	.00000E+00	.00000E+00	2.56605E-06	8.58426E-03
15	2.86134E-02	1.25199E-03	2.86524E-02	1.26324E-03	.00000E+00	.00000E+00	1.40600E-06	4.77207E-03
16	1.57978E-02	7.07106E-04	1.58179E-02	7.10851E-04	.00000E+00	.00000E+00	7.76270E-07	2.63460E-03
17	6.76315E-03	6.09231E-04	6.77923E-03	6.09795E-04	.00000E+00	.00000E+00	3.32313E-07	1.12839E-03
18	4.68868E-03	1.50864E-03	4.72622E-03	1.49873E-03	.00000E+00	.00000E+00	2.30829E-07	7.84039E-04
19	1.01271E-02	1.10057E-03	1.01572E-02	1.10845E-03	.00000E+00	.00000E+00	4.97368E-07	1.69012E-03
20	3.41952E-02	2.41728E-03	3.42582E-02	2.42103E-03	.00000E+00	.00000E+00	1.67613E-06	5.70867E-03
21	1.02528E-02	1.68411E-03	1.02744E-02	1.69514E-03	.00000E+00	.00000E+00	5.01216E-07	1.70840E-03
22	2.03196E-02	4.93662E-03	2.04379E-02	4.95791E-03	.00000E+00	.00000E+00	9.94632E-07	3.39463E-03
23	6.98812E-02	1.20478E-02	6.99665E-02	1.21406E-02	.00000E+00	.00000E+00	3.39660E-06	1.16336E-02
24	5.63807E-02	1.03470E-02	5.66064E-02	1.04295E-02	.00000E+00	.00000E+00	2.73136E-06	9.41220E-03
25	2.52058E-02	4.76627E-03	2.53000E-02	4.74715E-03	.00000E+00	.00000E+00	1.21369E-06	4.20734E-03
26	1.77922E-02	3.46782E-03	1.78504E-02	3.47208E-03	.00000E+00	.00000E+00	8.47439E-07	2.96896E-03
27	3.32287E-03	5.99586E-04	3.32885E-03	5.84006E-04	.00000E+00	.00000E+00	1.53309E-07	5.54084E-04
28	1.73691E+00	-6.72040E-03	1.73609E+00	-6.12088E-03	6.02595E-06	.00000E+00	1.08054E-04	2.89449E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.69753E-04	3.57040E-04	2.97259E-05	-3.86751E-04	9.99985E-01
2	.00000E+00	.00000E+00	2.04862E-04	3.30162E-03	4.33957E-03	9.43482E-05	-4.22868E-03	9.99987E-01
3	.00000E+00	.00000E+00	2.06094E-03	2.92649E-03	7.61417E-03	4.96864E-05	-5.60274E-03	9.99991E-01
4	.00000E+00	.00000E+00	2.99555E-03	1.92964E-03	6.63005E-03	2.25188E-05	-3.65894E-03	9.99994E-01
5	.00000E+00	.00000E+00	5.50080E-03	6.18498E-03	1.12053E-02	2.66537E-05	-5.73107E-03	9.99995E-01
6	.00000E+00	.00000E+00	1.15329E-02	1.84974E-02	2.19843E-02	4.51967E-05	-1.04966E-02	9.99999E-01
7	.00000E+00	.00000E+00	2.26490E-02	3.23973E-02	2.87664E-02	3.25309E-05	-6.14985E-03	9.99992E-01
8	.00000E+00	.00000E+00	3.00023E-02	4.11818E-02	3.08789E-02	1.91347E-05	-8.92989E-04	9.99919E-01
9	.00000E+00	.00000E+00	3.04366E-02	3.80164E-02	3.01065E-02	1.53275E-05	3.19259E-04	9.99888E-01

10	.00000E+00	.00000E+00	2.99168E-02	3.61453E-02	2.90481E-02	1.88445E-05	8.52902E-04	9.99900E-01
11	.00000E+00	.00000E+00	2.92117E-02	3.41197E-02	2.72399E-02	2.86907E-05	1.94490E-03	9.99946E-01
12	.00000E+00	.00000E+00	2.36427E-02	1.81249E-02	2.13262E-02	3.12185E-05	2.28573E-03	9.99982E-01
13	.00000E+00	.00000E+00	2.10027E-02	1.47218E-02	1.88797E-02	4.36105E-05	2.08006E-03	9.99973E-01
14	.00000E+00	.00000E+00	2.05710E-02	1.43355E-02	1.71248E-02	6.91833E-05	3.17721E-03	9.99991E-01
15	.00000E+00	.00000E+00	1.10725E-02	5.62012E-03	1.05287E-02	5.83130E-05	4.85421E-04	1.00000E+00
16	.00000E+00	.00000E+00	7.31027E-03	2.36113E-03	6.95609E-03	3.95758E-05	3.14775E-04	1.00000E+00
17	.00000E+00	.00000E+00	3.75166E-03	6.52729E-04	3.39612E-03	1.86851E-05	3.36823E-04	1.00001E+00
18	.00000E+00	.00000E+00	3.31651E-03	4.31850E-04	2.35972E-03	1.35128E-05	9.43299E-04	9.99997E-01
19	.00000E+00	.00000E+00	5.41422E-03	1.44921E-03	4.80975E-03	3.24579E-05	5.72027E-04	9.99992E-01
20	.00000E+00	.00000E+00	1.32184E-02	1.05701E-02	1.19509E-02	1.37856E-04	1.12952E-03	1.00001E+00
21	.00000E+00	.00000E+00	6.28064E-03	2.02895E-03	5.27818E-03	5.08822E-05	9.51661E-04	9.99990E-01
22	.00000E+00	.00000E+00	1.22782E-02	6.01960E-03	9.36780E-03	1.15620E-04	2.79469E-03	1.00000E+00
23	.00000E+00	.00000E+00	3.09776E-02	3.74119E-02	2.45674E-02	5.43090E-04	5.86650E-03	1.00001E+00
24	.00000E+00	.00000E+00	3.27886E-02	3.50198E-02	2.70321E-02	6.37115E-04	5.11886E-03	1.00001E+00
25	.00000E+00	.00000E+00	2.17112E-02	1.47145E-02	1.89302E-02	3.73979E-04	2.40684E-03	1.00001E+00
26	.00000E+00	.00000E+00	1.72806E-02	1.61215E-02	1.48904E-02	3.72836E-04	2.01724E-03	1.00001E+00
27	.00000E+00	.00000E+00	5.85767E-03	3.41129E-03	5.19675E-03	1.29847E-04	5.11274E-04	1.00000E+00
28	.00000E+00	.00000E+00	4.00764E-01	3.97965E-01	4.00764E-01	3.05024E-03	-3.03835E-03	9.99971E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.33503E-02	-1.28141E-03	1.32122E-02	-8.94660E-04	1.97453E-11	.00000E+00	1.07007E-05	8.74062E-03
2	9.42736E-02	-1.31845E-02	9.29294E-02	-8.95586E-03	.00000E+00	.00000E+00	4.78553E-05	6.15782E-02
3	1.16919E-01	-1.68240E-02	1.15283E-01	-1.12212E-02	.00000E+00	.00000E+00	4.94563E-05	7.63650E-02
4	7.18507E-02	-1.05068E-02	7.08824E-02	-6.84786E-03	.00000E+00	.00000E+00	2.23928E-05	4.69294E-02
5	1.07230E-01	-1.60708E-02	1.05770E-01	-1.03392E-02	.00000E+00	.00000E+00	2.64964E-05	7.00213E-02
6	2.01003E-01	-2.92315E-02	1.98404E-01	-1.87349E-02	.00000E+00	.00000E+00	4.47304E-05	1.31301E-01
7	1.98091E-01	-1.75129E-02	1.96582E-01	-1.13632E-02	.00000E+00	.00000E+00	3.14980E-05	1.29804E-01
8	1.47844E-01	-3.66538E-03	1.47551E-01	-2.77239E-03	.00000E+00	.00000E+00	1.72005E-05	9.72229E-02
9	1.15706E-01	8.79825E-04	1.15580E-01	5.60524E-04	.00000E+00	.00000E+00	1.13474E-05	7.62393E-02
10	1.06524E-01	2.23300E-03	1.06774E-01	1.38010E-03	.00000E+00	.00000E+00	1.00126E-05	7.02193E-02
11	9.94111E-02	5.27714E-03	9.99771E-02	3.33223E-03	.00000E+00	.00000E+00	9.31503E-06	6.56599E-02
12	6.35998E-02	6.33602E-03	6.42927E-02	4.05029E-03	.00000E+00	.00000E+00	5.42889E-06	4.21322E-02
13	5.41550E-02	5.95770E-03	5.47702E-02	3.87764E-03	.00000E+00	.00000E+00	4.50622E-06	3.58846E-02
14	5.04836E-02	8.94156E-03	5.14373E-02	5.76435E-03	.00000E+00	.00000E+00	4.30490E-06	3.35983E-02
15	2.85108E-02	1.73741E-03	2.86134E-02	1.25199E-03	.00000E+00	.00000E+00	2.31536E-06	1.88060E-02
16	1.57187E-02	1.02188E-03	1.57978E-02	7.07106E-04	.00000E+00	.00000E+00	1.15547E-06	1.03772E-02
17	6.66279E-03	9.46053E-04	6.76315E-03	6.09231E-04	.00000E+00	.00000E+00	4.52860E-07	4.42453E-03
18	4.38194E-03	2.45193E-03	4.68868E-03	1.50864E-03	.00000E+00	.00000E+00	2.99826E-07	3.00277E-03
19	9.96347E-03	1.67260E-03	1.01271E-02	1.10057E-03	.00000E+00	.00000E+00	6.92853E-07	6.62169E-03
20	3.38777E-02	3.54679E-03	3.41952E-02	2.41728E-03	.00000E+00	.00000E+00	2.62780E-06	2.24198E-02
21	9.92864E-03	2.63577E-03	1.02328E-02	1.68411E-03	.00000E+00	.00000E+00	6.10040E-07	6.65319E-03
22	1.98691E-02	7.73131E-03	2.03196E-02	4.93662E-03	.00000E+00	.00000E+00	1.19886E-06	1.31142E-02
23	6.74292E-02	1.79141E-02	6.96812E-02	1.20476E-02	.00000E+00	.00000E+00	3.73068E-06	4.52315E-02
24	5.40547E-02	1.54658E-02	5.63807E-02	1.03470E-02	.00000E+00	.00000E+00	2.23410E-06	3.64477E-02
25	2.39285E-02	7.17311E-03	2.52058E-02	4.76627E-03	.00000E+00	.00000E+00	7.68146E-07	1.62214E-02
26	1.65561E-02	5.48506E-03	1.77922E-02	3.46782E-03	.00000E+00	.00000E+00	3.97109E-07	1.13554E-02
27	2.97080E-03	1.11086E-03	3.32267E-03	5.99586E-04	.00000E+00	.00000E+00	4.56166E-08	2.08788E-03
28	1.73379E+00	-9.75886E-03	1.73691E+00	-6.72040E-03	1.97453E-11	.00000E+00	3.11764E-04	1.14246E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.34835E-02	.00000E+00	2.17709E-02	2.06866E-02	3.82560E-03	1.28141E-03	9.98905E-01
2	.00000E+00	1.95460E-01	7.16469E-03	2.52450E-01	1.74080E-01	1.55724E-02	1.31845E-02	1.00002E+00
3	.00000E+00	2.16133E-01	7.19728E-02	2.58306E-01	2.55072E-01	1.62136E-02	1.68239E-02	9.99888E-01
4	.00000E+00	1.23637E-01	1.05989E-01	1.77132E-01	2.11393E-01	7.72605E-03	1.05068E-02	9.99993E-01
5	.00000E+00	1.63627E-01	1.92659E-01	4.44990E-01	3.35072E-01	5.14701E-03	1.60702E-02	9.99990E-01
6	.00000E+00	1.76243E-01	3.91730E-01	1.19120E+00	5.30639E-01	8.09498E-03	2.92314E-02	1.00001E+00
7	.00000E+00	8.69766E-02	5.95850E-01	1.56388E+00	6.55306E-01	8.01626E-03	1.75114E-02	9.99991E-01
8	.00000E+00	1.33893E-02	6.89659E-01	1.57564E+00	6.86432E-01	1.30071E-02	3.66520E-03	9.99921E-01
9	.00000E+00	9.71502E-04	6.78514E-01	1.37304E+00	6.58906E-01	2.15359E-02	-8.70875E-04	9.99879E-01
10	.00000E+00	7.21551E-05	6.55899E-01	1.25082E+00	6.25794E-01	3.24757E-02	-2.23998E-03	9.99902E-01

11	.00000E+00	5.67662E-06	6.29784E-01	1.16619E+00	5.81763E-01	5.33410E-02	-5.27941E-03	9.99945E-01
12	.00000E+00	3.98772E-07	5.06664E-01	6.37355E-01	4.54473E-01	5.85405E-02	-6.33669E-03	9.99976E-01
13	.00000E+00	6.33213E-08	4.49136E-01	5.05960E-01	3.99414E-01	5.56927E-02	-5.95657E-03	9.99988E-01
14	.00000E+00	1.25486E-08	4.31362E-01	4.67818E-01	3.59604E-01	8.07050E-02	-8.94152E-03	9.99989E-01
15	.00000E+00	1.41813E-09	2.36346E-01	2.13907E-01	2.29645E-01	8.36333E-03	-1.74555E-03	1.00036E+00
16	.00000E+00	4.16412E-10	1.61205E-01	9.82015E-02	1.55434E-01	6.73931E-03	-1.02677E-03	1.00036E+00
17	.00000E+00	1.34105E-10	8.60151E-02	3.00328E-02	7.77842E-02	9.15592E-03	-9.50470E-04	1.00029E+00
18	.00000E+00	9.60152E-11	7.63121E-02	1.75281E-02	4.97439E-02	2.90143E-02	-2.45152E-03	1.00007E+00
19	.00000E+00	1.35745E-10	1.17873E-01	5.65410E-02	1.07407E-01	1.21168E-02	-1.67242E-03	1.00018E+00
20	.00000E+00	2.20735E-10	2.82360E-01	3.33729E-01	2.57942E-01	2.78825E-02	-3.56150E-03	1.00034E+00
21	.00000E+00	3.23085E-11	1.38148E-01	6.48419E-02	1.14855E-01	2.59073E-02	-2.63464E-03	1.00014E+00
22	.00000E+00	3.74853E-11	2.60617E-01	1.64582E-01	1.92272E-01	7.60364E-02	-7.73609E-03	1.00016E+00
23	.00000E+00	3.58401E-11	6.20191E-01	9.31170E-01	5.00905E-01	1.37039E-01	-1.79119E-02	1.00025E+00
24	.00000E+00	9.75521E-12	6.55841E-01	8.13847E-01	5.42598E-01	1.28184E-01	-1.54664E-02	1.00019E+00
25	.00000E+00	2.85569E-12	4.35719E-01	3.31629E-01	3.72678E-01	7.01614E-02	-7.17637E-03	1.00013E+00
26	.00000E+00	2.00242E-12	3.38241E-01	3.34190E-01	2.80084E-01	6.36089E-02	-5.48519E-03	1.00010E+00
27	.00000E+00	4.77188E-13	1.11844E-01	6.76414E-02	9.47151E-02	1.82348E-02	-1.11083E-03	1.00004E+00
28	.00000E+00	1.00000E+00	8.92510E+00	1.43444E+01	8.92510E+00	9.92138E-01	9.72608E-03	1.00004E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.36540E-02	-4.06352E-09	1.33503E-02	-1.28141E-05	2.28188E-05	2.53618E-05	3.01199E-04	3.47079E-01
2	9.75930E-02	-3.14073E-08	9.42736E-02	-1.31845E-02	1.56948E-05	1.10523E-02	1.60436E-03	2.47821E+00
3	1.21277E-01	-5.16775E-08	1.16919E-01	-1.68240E-02	.00000E+00	1.33044E-02	1.88580E-03	3.07873E+00
4	7.46607E-02	-2.17850E-08	7.18507E-02	-1.05068E-02	.00000E+00	5.69588E-03	8.85991E-04	1.89499E+00
5	1.11794E-01	-5.68470E-08	1.07230E-01	-1.60708E-02	.00000E+00	1.61424E-03	1.05291E-03	2.83638E+00
6	2.09787E-01	-1.08293E-07	2.01003E-01	-2.92515E-02	.00000E+00	1.29656E-03	1.73187E-03	5.32064E+00
7	2.08616E-01	-1.49689E-06	1.98091E-01	-1.75129E-02	.00000E+00	1.20666E-03	1.22692E-03	5.17072E+00
8	1.49010E-01	-1.80777E-07	1.47844E-01	-3.66538E-03	.00000E+00	1.19455E-03	6.98720E-04	3.79087E+00
9	1.15376E-01	8.94787E-06	1.15706E-01	8.79823E-04	.00000E+00	1.56926E-03	4.71727E-04	2.95848E+00
10	1.05742E-01	-9.79025E-07	1.06524E-01	2.23300E-03	.00000E+00	3.35129E-03	4.29036E-04	2.69452E+00
11	9.75792E-02	-2.26843E-06	9.94111E-02	5.27714E-03	.00000E+00	7.29890E-03	3.87307E-04	2.48955E+00
12	6.14143E-02	-6.68124E-07	6.35998E-02	6.33602E-03	.00000E+00	9.76411E-03	2.27668E-04	1.56965E+00
13	5.21211E-02	1.12596E-06	5.41550E-02	5.95770E-03	.00000E+00	1.15766E-02	1.94110E-04	1.33271E+00
14	4.74317E-02	3.77203E-08	5.04836E-02	8.94156E-03	.00000E+00	7.25150E-03	1.72454E-04	1.21592E+00
15	2.79425E-02	-8.13845E-06	2.85108E-02	1.73741E-03	.00000E+00	1.64382E-03	1.10066E-04	7.13204E-01
16	1.53859E-02	-4.88585E-06	1.57187E-02	1.02188E-03	.00000E+00	1.17001E-03	5.65876E-05	3.92712E-01
17	6.34546E-03	-4.41695E-06	6.66279E-03	9.46053E-04	.00000E+00	1.28100E-03	2.04740E-05	1.62403E-01
18	3.51575E-03	4.10572E-07	4.38194E-03	2.45198E-03	.00000E+00	8.31515E-04	7.67636E-06	9.15184E-02
19	9.38344E-03	1.79238E-07	9.96347E-03	1.67260E-03	.00000E+00	2.05257E-03	3.10823E-05	2.40595E-01
20	3.26433E-02	-1.47142E-05	3.38777E-02	3.54679E-03	.00000E+00	1.36368E-02	1.20240E-04	8.34871E-01
21	8.97624E-03	1.12438E-06	9.92844E-03	2.63577E-03	.00000E+00	1.48204E-02	2.47962E-05	2.31261E-01
22	1.64376E-02	-4.77990E-06	1.98691E-02	7.73131E-03	.00000E+00	4.40380E-02	4.15552E-05	4.26944E-01
23	5.98809E-02	2.26603E-06	6.74292E-02	1.79141E-02	.00000E+00	7.51179E-02	1.58562E-04	1.54084E+00
24	4.61492E-02	-6.00261E-07	5.40547E-02	1.54658E-02	.00000E+00	6.82952E-02	9.75683E-05	1.20458E+00
25	1.98757E-02	-3.25380E-06	2.39285E-02	7.17311E-03	.00000E+00	3.88690E-02	3.35964E-05	5.21228E-01
26	1.31258E-02	-1.31666E-07	1.65561E-02	5.48506E-03	.00000E+00	3.57222E-02	1.66405E-05	3.46220E-01
27	2.21605E-03	2.86444E-08	2.97080E-03	1.11086E-03	.00000E+00	1.00907E-02	1.71561E-06	5.86150E-02
28	1.72243E+00	-3.26864E-05	1.73379E+00	-9.75885E-03	2.29757E-03	3.86281E-01	1.19206E-02	4.39235E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.34836E-02	.00000E+00	2.27744E-02	2.18857E-02	3.91394E-03	-4.06352E-09	9.98905E-01
2	.00000E+00	1.95460E-01	7.78542E-03	2.63402E-01	1.87601E-01	1.56577E-02	-3.14073E-08	1.00001E+00
3	.00000E+00	2.16133E-01	7.80468E-02	2.69482E-01	2.77807E-01	1.63765E-02	-5.16775E-08	9.99986E-01
4	.00000E+00	1.23637E-01	1.14872E-01	1.84974E-01	2.30706E-01	7.80574E-03	-2.17850E-08	9.99998E-01
5	.00000E+00	1.63627E-01	2.09064E-01	4.67130E-01	3.67454E-01	5.24025E-03	-5.68470E-08	9.99990E-01
6	.00000E+00	1.76243E-01	4.25820E-01	1.25661E+00	5.93804E-01	8.25152E-03	-1.08293E-07	1.00001E+00
7	.00000E+00	8.69766E-02	6.59435E-01	1.66986E+00	7.38283E-01	8.13685E-03	-1.49689E-06	9.99991E-01
8	.00000E+00	1.33893E-02	7.76156E-01	1.70441E+00	7.76525E-01	1.30848E-02	-1.80777E-07	9.99919E-01
9	.00000E+00	9.71502E-04	7.67208E-01	1.49008E+00	7.46605E-01	2.16573E-02	8.94787E-06	9.99880E-01
10	.00000E+00	7.21551E-05	7.42987E-01	1.36120E+00	7.10544E-01	3.25901E-02	-9.79025E-07	9.99901E-01
11	.00000E+00	5.67662E-06	7.14975E-01	1.27047E+00	6.61507E-01	5.35151E-02	-2.26843E-06	9.99944E-01

12	.00000E+00	3.98772E-07	5.75855E-01	6.93399E-01	5.17212E-01	5.86380E-02	-6.68124E-07	9.99976E-01
13	.00000E+00	6.33213E-08	5.10817E-01	5.51628E-01	4.55005E-01	5.58274E-02	1.12596E-06	9.99967E-01
14	.00000E+00	1.25486E-08	4.91286E-01	5.12504E-01	4.10373E-01	8.09184E-02	3.77203E-08	9.99988E-01
15	.00000E+00	1.41813E-09	2.69104E-01	2.31554E-01	2.60489E-01	8.54015E-03	-8.13845E-06	1.00031E+00
16	.00000E+00	4.16412E-10	1.82759E-01	1.05751E-01	1.75848E-01	6.85833E-03	-4.88585E-06	1.00032E+00
17	.00000E+00	1.34105E-10	9.70999E-02	3.21979E-02	8.78660E-02	9.21284E-03	-4.41695E-06	1.00026E+00
18	.00000E+00	9.60152E-11	8.61253E-02	1.90144E-02	5.70624E-02	2.90572E-02	4.10572E-07	1.00006E+00
19	.00000E+00	1.35745E-10	1.39853E-01	6.12171E-02	1.21695E-01	1.22158E-02	1.79238E-07	1.00016E+00
20	.00000E+00	2.20736E-10	3.21513E-01	3.66239E-01	2.98130E-01	2.83001E-02	-1.47142E-05	1.00030E+00
21	.00000E+00	3.23085E-11	1.56825E-01	7.12781E-02	1.30740E-01	2.60641E-02	1.12438E-06	1.00012E+00
22	.00000E+00	3.74853E-11	2.97289E-01	1.83668E-01	2.20851E-01	7.63980E-02	-4.77990E-06	1.00015E+00
23	.00000E+00	3.58401E-11	7.13944E-01	1.04663E+00	5.75061E-01	1.38720E-01	2.26603E-06	1.00023E+00
24	.00000E+00	9.75521E-12	7.55638E-01	9.22314E-01	6.25338E-01	1.30171E-01	-6.00861E-07	1.00017E+00
25	.00000E+00	2.85568E-12	5.02174E-01	3.77501E-01	4.30784E-01	7.13361E-02	-3.25380E-06	1.00011E+00
26	.00000E+00	2.00242E-12	3.91178E-01	3.84872E-01	3.26348E-01	6.47961E-02	-1.31666E-07	1.00009E+00
27	.00000E+00	4.77188E-13	1.29773E-01	7.85514E-02	1.11113E-01	1.86553E-02	2.86444E-08	1.00004E+00
28	.00000E+00	1.00000E+00	1.01116E+01	1.59987E+01	1.01116E+01	1.00194E+00	-3.26679E-05	1.00004E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dd**2	total flux
1	1.36540E-02	-4.06352E-09	1.30674E-02	.00000E+00	2.28790E-03	2.53618E-03	3.33749E-04	3.74505E-01
2	9.75980E-02	-3.14073E-08	9.11561E-02	.00000E+00	1.56948E-05	1.10523E-02	1.75307E-03	2.67062E+00
3	1.21277E-01	-5.16775E-08	1.12766E-01	.00000E+00	.00000E+00	1.33044E-02	1.99049E-03	3.31714E+00
4	7.46607E-02	-2.17850E-08	6.91094E-02	.00000E+00	.00000E+00	5.69588E-03	9.57632E-04	2.04138E+00
5	1.11794E-01	-5.68470E-08	1.02834E-01	.00000E+00	.00000E+00	1.61424E-03	1.11746E-03	3.05460E+00
6	2.09787E-01	-1.08295E-07	1.92888E-01	.00000E+00	.00000E+00	1.29656E-03	1.87022E-03	5.72991E+00
7	2.03616E-01	-1.49683E-06	1.95144E-01	.00000E+00	.00000E+00	1.20666E-03	1.32606E-03	5.57760E+00
8	1.49010E-01	-1.80777E-07	1.47040E-01	.00000E+00	.00000E+00	1.19455E-03	7.53934E-04	4.09772E+00
9	1.15376E-01	8.94787E-06	1.15990E-01	.00000E+00	.00000E+00	1.56926E-03	5.09350E-04	3.17978E+00
10	1.05742E-01	-9.79025E-07	1.07234E-01	.00000E+00	.00000E+00	3.35129E-03	4.63148E-04	2.91707E+00
11	9.75792E-02	-2.26843E-06	1.01028E-01	.00000E+00	.00000E+00	7.29890E-03	4.19333E-04	2.69852E+00
12	6.14143E-02	-6.68124E-07	6.55046E-02	.00000E+00	.00000E+00	9.76411E-03	2.46847E-04	1.70421E+00
13	5.21211E-02	1.12596E-06	5.59031E-02	.00000E+00	.00000E+00	1.15766E-02	2.10105E-04	1.44742E+00
14	4.74317E-02	3.77208E-08	5.31350E-02	.00000E+00	.00000E+00	7.25150E-03	1.87772E-04	1.32403E+00
15	2.79425E-02	-8.13845E-06	2.89305E-02	.00000E+00	.00000E+00	1.64382E-03	1.18243E-04	7.72978E-01
16	1.53859E-02	-4.88585E-06	1.59843E-02	.00000E+00	.00000E+00	1.17001E-03	6.07455E-05	4.25717E-01
17	6.34546E-03	-4.41695E-06	6.94042E-03	.00000E+00	.00000E+00	1.28100E-03	2.21429E-05	1.76585E-01
18	3.51575E-03	4.10572E-07	5.15355E-03	.00000E+00	.00000E+00	8.31515E-04	8.83067E-06	1.01551E-01
19	9.38344E-03	1.79238E-07	1.04495E-02	.00000E+00	.00000E+00	2.05257E-03	3.36297E-05	2.61876E-01
20	3.26433E-02	-1.47142E-05	3.48768E-02	.00000E+00	.00000E+00	1.36368E-02	1.29640E-04	9.06493E-01
21	8.97624E-03	1.12438E-06	1.07680E-02	.00000E+00	.00000E+00	1.48204E-02	2.71233E-05	2.52883E-01
22	1.64378E-02	-4.77990E-06	2.19562E-02	.00000E+00	.00000E+00	4.40380E-02	4.61938E-05	4.70199E-01
23	5.95809E-02	2.26603E-06	7.43764E-02	.00000E+00	.00000E+00	7.51179E-02	1.73188E-04	1.68862E+00
24	4.61492E-02	-6.00861E-07	6.11340E-02	.00000E+00	.00000E+00	6.82952E-02	1.07080E-04	1.32461E+00
25	1.98757E-02	-3.25380E-06	2.76795E-02	.00000E+00	.00000E+00	3.88690E-02	3.71587E-05	5.75033E-01
26	1.31258E-02	-1.31666E-07	1.99808E-02	.00000E+00	.00000E+00	3.57222E-02	1.87193E-05	3.84401E-01
27	2.21605E-03	2.86444E-08	3.79604E-03	.00000E+00	.00000E+00	1.00907E-02	2.01286E-06	6.57572E-02
28	1.72243E+00	-3.26864E-05	1.74283E+00	.00000E+00	2.30360E-03	3.86281E-01	1.29239E-02	4.75410E+01

- elapsed time .02 min.

Odirect access unit 9 requires 556 blocks of length 216 for cross section weighting.

1 transport cross section weighting function

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.16953E-03	5.09070E-03	5.31188E-03	2.51372E-03	3.18427E-03	5.52368E-03	3.71568E-03	1.74438E-03
2	7.12394E-04	5.02709E-03	5.81052E-03	3.44971E-03	4.30069E-03	6.14866E-03	4.33003E-03	2.14950E-03
3	1.19887E-03	5.51743E-03	5.89598E-03	2.91929E-03	3.86183E-03	6.77437E-03	4.37378E-03	1.82495E-03
4	8.23241E-04	4.33250E-03	4.95393E-03	2.39850E-03	2.89036E-03	4.80035E-03	3.32700E-03	1.79975E-03
5	8.47338E-04	4.39962E-03	4.99795E-03	2.41794E-03	2.88005E-03	4.88868E-03	3.37582E-03	1.79998E-03

Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11378E-03	1.01461E-03	1.09316E-03	8.75250E-04	8.00304E-04	1.06257E-03	3.23771E-04	1.70254E-04
2	1.79209E-03	1.95514E-03	2.04391E-03	1.60444E-03	1.43145E-03	1.72953E-03	6.30977E-04	3.50116E-04
3	1.12212E-03	1.05307E-03	1.29135E-03	1.22526E-03	1.13412E-03	1.61667E-03	3.92363E-04	2.16374E-04
4	1.19668E-03	1.09578E-03	1.08083E-03	6.78130E-04	6.01984E-04	6.44863E-04	3.11345E-04	1.61402E-04


```
    5 1.19472E-03 1.09624E-03 1.04603E-03 7.05757E-04 6.28769E-04 6.93699E-04 3.15782E-04 1.64261E-04
0zone   grp. 17     grp. 18     grp. 19     grp. 20     grp. 21     grp. 22     grp. 23     grp. 24
    1 1.12105E-04 2.43536E-04 2.00417E-04 4.96986E-04 2.87952E-04 8.25432E-04 2.10826E-03 1.78616E-03
    2 1.97688E-04 3.77700E-04 3.32593E-04 8.83234E-04 4.56658E-04 1.26564E-03 3.23641E-03 2.75062E-03
    3 1.70829E-04 4.19462E-04 3.02611E-04 6.85905E-04 4.61946E-04 1.34799E-03 3.21262E-03 2.75750E-03
    4 7.30702E-05 8.18574E-05 1.23139E-04 3.84512E-04 1.38982E-04 3.43480E-04 1.04633E-03 8.17017E-04
    5 7.79415E-05 9.90924E-05 1.32221E-04 3.99865E-04 1.55418E-04 3.95056E-04 1.15980E-03 9.19509E-04
0zone   grp. 25     grp. 26     grp. 27     grp. 28
    1 8.03128E-04 5.66114E-04 8.62278E-05 4.22234E-02
    2 1.25379E-03 9.09085E-04 1.56284E-04 5.52854E-02
    3 1.27244E-03 9.49288E-04 1.77223E-04 5.21736E-02
    4 3.39997E-04 2.06277E-04 2.56439E-05 3.45620E-02
    5 3.88940E-04 2.44704E-04 3.28211E-05 3.54578E-02
1broad group parameters
  grp   upper energy  mid energy     velocity    fiss spec
    1    2.0000E+07   2.6627E+06  1.9701E+09   7.2234E-01
    2    9.0000E+05   1.5164E+05  1.0141E+07   2.7766E-01
    3    4.0000E-01   1.2480E-01  3.6435E+05   1.2072E-10
    4    1.0000E-05
1                    1040 d, second part of sas2h pass to make library
0cell averaged fluxes

0zone   grp. 1      grp. 2      grp. 3
    1 3.92269E-01 1.13464E+00 2.12328E-01
    2 3.97532E-01 1.13571E+00 2.08251E-01
    3 4.00499E-01 1.13588E+00 1.99177E-01
    4 4.17691E-01 1.13730E+00 1.70043E-01
    5 4.15998E-01 1.13714E+00 1.72869E-01
0flux disadvantage factors (zone average/cell average-flux)

0zone   grp. 1      grp. 2      grp. 3
    1 9.42959E-01 9.97802E-01 1.22826E+00
    2 9.55611E-01 9.98743E-01 1.17575E+00
    3 9.62742E-01 9.98995E-01 1.15218E+00
    4 1.00407E+00 1.00015E+00 9.83650E-01
    5 1.00000E+00 1.00000E+00 1.00000E+00
0cell averaged currents

0zone   grp. 1      grp. 2      grp. 3
    1 1.72699E-02 1.84908E-02 6.46326E-03
    2 1.93002E-02 2.59569E-02 1.00284E-02
    3 1.93934E-02 2.26012E-02 1.01790E-02
    4 1.53335E-02 1.63107E-02 2.91772E-03
    5 1.55429E-02 1.66189E-02 3.29605E-03
0zone      volume      vol. fraction

    1    1.25665E+00    4.56234E-02
    2    1.66687E-01    6.05165E-03
    3    6.58265E-01    2.38987E-02
    4    2.54624E+01    9.24426E-01
    5    2.75440E+01    1.00000E+00
-  elapsed time    .02 min.
1  ccccccccccc    ooooooooooo   ww        ww  ppppppppppp   ll          eeeeeeeeeeee
   ccccccccccccc  ooooooooooooo  ww        ww  ppppppppppppp  ll          eeeeeeeeeeee
   cc         cc  oo         oo  ww        ww  pp         pp  ll          ee
   cc             oo         oo  ww        ww  pp         pp  ll          ee
   cc             oo         oo  ww        ww  pp         pp  ll          ee
   cc             oo         oo  ww        ww  ppppppppppp   ll          eeeeeeeee
   cc             oo         oo  ww        ww  ppppppppppp   ll          eeeeeeeee
   cc             oo         oo  ww        ww  pp            ll          ee
```



```
*********************************************************************
*********************************************************************
*********************************************************************
*****                                                           *****
*****                program verification information            *****
*****                                                           *****
*****                code system:   scale  version:   4.2       *****
*****                                                           *****
*********************************************************************
*********************************************************************
*****                                                           *****
*****                                                           *****
*****             program:  c0c005                              *****
*****                                                           *****
*****          creation date:  04/27/95                         *****
*****                                                           *****
*****             library:  /neutronics/scale/exe               *****
*****                                                           *****
*****                                                           *****
*****    this is not a  scale  configuration controlled code    *****
*****                                                           *****
*****             jobname:  davis                               *****
*****                                                           *****
*****    date of execution:  02/16/96                           *****
*****                                                           *****
*****    time of execution:  10:04:52                           *****
*****                                                           *****
*****                                                           *****
*********************************************************************
*********************************************************************
*********************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       2q array has      1 entries.
0        * core allocated to array-data (by -1$$ or default) was   200000 words. *
1         * broad 3-group flux weighting factors *
0
0               therm =    .5126
0               res   =    .4497
0               fast  =   3.4893
0 user requested (see jadi) that only the nuclide transitions presently included in
0 origen library be updated.
1cross sections, available from ampx (normalized to thermal flux), barns

                    10010 to  10020  2.85588E-01
                    10010 tot-cap    2.85588E-01
                    50100 to  40100  2.50160E-02
                    50100 to  10010  2.50160E-02
                    50100 to  40090  3.85350E-03
```

50100	to	10020	3.85350E-03
50100	to	30070	3.28386E+03
50100	to	20040	3.28404E+03
50100	to	10030	9.39563E-02
50100	tot-cap		3.28398E+03
50110	to	50100	1.11152E-05
50110	to	50120	4.34943E-03
50110	to	40110	1.41841E-06
50110	to	10010	1.41841E-06
50110	to	40090	1.26578E-05
50110	to	10030	1.26578E-05
50110	to	30080	1.65242E-04
50110	to	20040	1.65242E-04
50110	tot-cap		4.53987E-03
80160	to	80170	1.52575E-04
80160	to	70160	9.72558E-05
80160	to	10010	9.72558E-05
80160	to	70150	1.83423E-05
80160	to	10020	1.83423E-05
80160	to	60130	2.69575E-02
80160	to	20040	2.69575E-02
80160	to	80161	4.26530E-03
80160	tot-cap		2.72256E-02
360830	to	360820	2.20799E-02
360830	to	360810	2.33108E-09
360830	to	360840	1.55894E+02
360830	to	350830	9.01086E-04
360830	to	10010	9.01086E-04
360830	to	350820	7.29238E-06
360830	to	10020	7.29238E-06
360830	to	350810	2.54882E-06
360830	to	10030	2.54882E-06
360830	to	340810	4.12506E-08
360830	to	20030	4.12506E-08
360830	to	340800	4.84378E-05
360830	to	20040	4.84378E-05
360830	tot-cap		1.55917E+02
360850	to	360860	1.41363E+00
360850	tot-cap		1.41363E+00
380900	to	380910	6.34958E-01
380900	tot-cap		6.34958E-01
390890	to	390900	9.98628E-01
390890	tot-cap		9.98628E-01
400930	to	400940	1.37852E+01
400930	tot-cap		1.37852E+01
400940	to	400950	1.90769E-01
400940	tot-cap		1.90769E-01
400950	to	400960	2.28487E+00
400950	tot-cap		2.28487E+00
410940	to	410950	3.94339E+01
410940	tot-cap		3.94339E+01
420950	to	420960	3.86075E+01
420950	tot-cap		3.86075E+01
430990	to	430980	6.69935E-03
430990	to	431000	9.06188E+01
430990	tot-cap		9.06250E+01
441010	to	441020	2.89488E+01
441010	tot-cap		2.89488E+01
441060	to	441070	8.90233E-01
441060	tot-cap		8.90233E-01

451030 to 451020 2.42626E-03
451030 to 451040 3.50206E+02
451030 tot-cap 3.50209E+02
451050 to 451060 8.21154E+03
451050 tot-cap 8.21154E+03
461050 to 461060 3.46009E+01
461050 tot-cap 3.46009E+01
461080 to 461090 6.99666E+01
461080 tot-cap 6.99666E+01
471090 to 471080 5.64211E-03
471090 to 471100 3.75733E+02
471090 to 461090 3.18502E-04
471090 to 10010 3.18502E-04
471090 to 451060 2.64343E-04
471090 to 20040 2.64343E-04
471090 to 471091 6.56022E-01
471090 tot-cap 3.75740E+02
511240 to 511250 1.23095E+01
511240 tot-cap 1.23095E+01
541310 to 541300 6.84125E-02
541310 to 541290 1.43052E-05
541310 to 541320 2.57092E+02
541310 to 531310 4.09207E-05
541310 to 10010 4.09207E-05
541310 to 531300 5.73707E-07
541310 to 10020 5.73707E-07
541310 to 531290 5.88279E-07
541310 to 10030 5.88279E-07
541310 to 521280 1.91871E-05
541310 to 20040 1.91871E-05
541310 tot-cap 2.57161E+02
541320 to 541310 1.10517E-02
541320 to 541300 2.34399E-05
541320 to 541330 9.44700E-01
541320 to 531320 8.41414E-06
541320 to 10010 8.41414E-06
541320 to 531310 3.56199E-07
541320 to 10020 3.56199E-07
541320 to 531300 4.79622E-08
541320 to 10030 4.79622E-08
541320 to 521290 1.03868E-06
541320 to 20040 1.03868E-06
541320 tot-cap 9.55785E-01
541350 to 541360 1.47549E+06
541350 tot-cap 1.47549E+06
541360 to 541350 1.86047E-02
541360 to 541340 5.77395E-05
541360 to 541370 1.24662E-01
541360 to 531360 3.49083E-07
541360 to 10010 3.49083E-07
541360 to 531350 1.29964E-07
541360 to 10020 1.29964E-07
541360 to 531340 2.93612E-08
541360 to 10030 2.93612E-08
541360 to 521330 2.92831E-07
541360 to 20040 2.92831E-07
541360 tot-cap 1.43626E-01
551330 to 551320 8.85279E-03
551330 to 551340 1.02523E+02
551330 to 541330 9.52659E-04

551330	to 10010	9.52659E-04
551330	to 531300	1.51250E-05
551330	to 20040	1.51250E-05
551330	tot-cap	1.02533E+02
551340	to 551350	1.30526E+02
551340	tot-cap	1.30526E+02
551350	to 551360	2.19227E+01
551350	tot-cap	2.19227E+01
551370	to 551380	2.34914E-01
551370	tot-cap	2.34914E-01
561360	to 561370	9.22416E-01
561360	tot-cap	9.22416E-01
571390	to 571400	8.04501E+00
571390	tot-cap	8.04501E+00
581440	to 581450	1.25978E+00
581440	tot-cap	1.25978E+00
591410	to 591400	6.34364E-03
591410	to 591390	1.82268E-06
591410	to 571370	2.72050E-06
591410	to 20040	5.61475E-05
591410	to 581400	1.93316E-05
591410	to 10010	5.48838E-05
591410	to 591420	1.20027E+01
591410	to 581410	5.17146E-05
591410	to 10020	1.61624E-05
591410	to 581390	1.69499E-06
591410	to 10030	1.69499E-06
591410	to 571390	1.63694E-08
591410	to 20030	1.63694E-08
591410	to 571380	5.34270E-05
591410	tot-cap	1.20091E+01
591430	to 591440	9.95397E+01
591430	tot-cap	9.95397E+01
601430	to 601420	9.70131E-02
601430	to 601410	9.90631E-06
601430	to 581390	2.12389E-05
601430	to 20040	5.94627E-04
601430	to 591420	4.14677E-06
601430	to 10010	4.25411E-05
601430	to 601440	2.00228E+02
601430	to 591430	4.09788E-05
601430	to 10020	2.58648E-06
601430	to 591410	3.72423E-06
601430	to 10030	3.72423E-06
601430	to 581410	1.78934E-08
601430	to 20030	1.78934E-08
601430	to 581400	5.73388E-04
601430	tot-cap	2.00525E+02
601450	to 601440	1.24443E-01
601450	to 601430	1.26481E-04
601450	to 581410	8.90192E-06
601450	to 20040	2.22408E-04
601450	to 591440	2.37587E-06
601450	to 10010	1.54304E-05
601450	to 601460	7.95926E+01
601450	to 591450	1.44827E-05
601450	to 10020	1.42819E-06
601450	to 591430	2.25157E-06
601450	to 10030	2.25157E-06
601450	to 581430	4.58420E-09


601450 to 20030 4.58420E-09
601450 to 581420 2.13505E-04
601450 tot-cap 7.97175E+01
601470 to 601480 1.93197E+02
601470 tot-cap 1.93197E+02
611470 to 611460 3.40804E-02
611470 to 611450 1.06336E-04
611470 to 591430 9.41178E-06
611470 to 20040 8.70684E-05
611470 to 601460 1.30192E-05
611470 to 10010 2.96031E-05
611470 to 611480 5.90057E+02
611470 to 601470 2.63915E-05
611470 to 10020 9.80754E-06
611470 to 601450 3.70296E-06
611470 to 10030 3.70296E-06
611470 to 591450 5.56751E-09
611470 to 20080 5.56751E-09
611470 to 591440 7.76567E-05
611470 tot-cap 5.90092E+02
611480 to 611490 1.20917E+04
611480 tot-cap 1.20917E+04
621470 to 621460 8.89030E-02
621470 to 621450 8.00533E-03
621470 to 601430 6.87306E-05
621470 to 20040 1.30955E-03
621470 to 611460 1.61345E-04
621470 to 10010 2.29758E-04
621470 to 621480 2.37921E+02
621470 to 611470 2.02560E-04
621470 to 10020 1.34146E-04
621470 to 611450 1.44042E-04
621470 to 10030 1.44042E-04
621470 to 601450 6.62765E-06
621470 to 20030 6.62765E-06
621470 to 601440 1.24082E-03
621470 to 621471 1.71350E+00
621470 tot-cap 2.38020E+02
621490 to 621480 5.03406E-02
621490 to 621470 3.99031E-05
621490 to 621500 4.52520E+04
621490 to 611490 5.10996E-04
621490 to 10010 5.10996E-04
621490 to 601460 5.10996E-04
621490 to 20040 5.10996E-04
621490 tot-cap 4.52520E+04
621500 to 621510 1.35845E+02
621500 tot-cap 1.35845E+02
621510 to 621500 1.67358E-01
621510 to 621490 1.50152E-04
621510 to 601470 1.67820E-05
621510 to 20040 1.30450E-04
621510 to 611500 2.05602E-06
621510 to 10010 1.59581E-05
621510 to 621520 4.98487E+03
621510 to 611510 1.47020E-05
621510 to 10020 7.99870E-07
621510 to 611490 1.45371E-06
621510 to 10030 1.45371E-06
621510 to 601490 1.49760E-09


621510 to 20030 1.49760E-09
621510 to 601480 1.13668E-04
621510 tot-cap 4.98503E+03
621520 to 621510 2.01070E-02
621520 to 621500 1.35864E-04
621520 to 601480 3.03558E-06
621520 to 20040 1.26060E-05
621520 to 611510 8.70916E-07
621520 to 10010 2.57005E-06
621520 to 621530 7.34953E+02
621520 to 611520 2.28300E-06
621520 to 10020 5.83865E-07
621520 to 611500 1.51849E-07
621520 to 10030 1.51849E-07
621520 to 601500 4.60190E-10
621520 to 20030 4.60190E-10
621520 to 601490 9.57046E-06
621520 tot-cap 7.34973E+02
631530 to 631520 1.95286E-02
631530 to 631510 2.91623E-05
631530 to 611490 4.53018E-05
631530 to 20040 6.61191E-04
631530 to 621520 8.16303E-06
631530 to 10010 6.84505E-05
631530 to 631540 6.29703E+02
631530 to 621530 6.56649E-05
631530 to 10020 5.37745E-06
631530 to 621510 1.20554E-06
631530 to 10030 1.20554E-06
631530 to 611510 2.75607E-08
631530 to 20030 2.75607E-08
631530 to 611500 6.15889E-04
631530 tot-cap 6.29723E+02
631540 to 631530 3.12189E-02
631540 to 631520 1.12145E-05
631540 to 611500 1.09041E-10
631540 to 20040 7.95581E-04
631540 to 621530 2.45459E-06
631540 to 10010 1.30024E-05
631540 to 631550 1.07871E+03
631540 to 621540 1.30024E-05
631540 to 10020 2.45329E-06
631540 to 621520 4.15495E-06
631540 to 10030 4.15495E-06
631540 to 611520 1.76198E-08
631540 to 20030 1.76198E-08
631540 to 611510 7.95581E-04
631540 tot-cap 1.07874E+03
631550 to 631540 2.56319E-02
631550 to 631530 7.17750E-05
631550 to 611510 1.93124E-06
631550 to 20040 9.50444E-06
631550 to 621540 3.91378E-06
631550 to 10010 8.20598E-06
631550 to 631560 2.56940E+03
631550 to 621550 6.30167E-06
631550 to 10020 2.00945E-06
631550 to 621530 6.65198E-07
631550 to 10030 6.65198E-07
631550 to 611530 1.50770E-10


631550	to 20030	1.50770E-10
631550	to 611520	7.57320E-06
631550	tot-cap	2.56943E+03
641550	to 641560	1.71533E+04
641550	tot-cap	1.71533E+04
922340	to 922330	6.71520E-03
922340	fission	4.59102E+00
922340	nu-sigf	1.20723E+01
922340	to 922320	9.73665E-05
922340	to 922350	1.89714E+02
922340	to 922341	3.07043E+00
922340	tot-cap	1.94312E+02
922350	to 922340	3.05974E-02
922350	fission	3.64309E+02
922350	nu-sigf	8.82275E+02
922350	to 922330	2.93301E-05
922350	to 922360	8.71018E+01
922350	to 922351	8.73287E-02
922350	tot-cap	4.51442E+02
922360	to 922350	3.42086E-02
922360	fission	1.97200E+00
922360	nu-sigf	5.41556E+00
922360	to 922340	4.55888E-04
922360	to 922370	7.20735E+01
922360	to 922361	3.35905E+00
922360	tot-cap	7.40802E+01
922380	to 922370	6.83171E-02
922380	fission	9.89546E-01
922380	nu-sigf	2.78747E+00
922380	to 922360	4.41539E-04
922380	to 922390	8.69045E+00
922380	tot-cap	9.74876E+00
932370	to 932360	1.55753E-02
932370	fission	5.32347E+00
932370	nu-sigf	1.60371E+01
932370	to 932350	5.95861E-05
932370	to 932380	3.04246E+02
932370	to 932371	7.87315E-01
932370	tot-cap	3.09585E+02
942380	to 942370	2.50851E-03
942380	fission	2.28012E+01
942380	nu-sigf	6.46745E+01
942380	to 942360	1.40109E-05
942380	to 942390	2.67456E+02
942380	to 942381	3.08822E+00
942380	tot-cap	2.90260E+02
942390	to 942380	1.32440E-02
942390	fission	8.33475E+02
942390	nu-sigf	2.39654E+03
942390	to 942370	2.25568E-05
942390	to 942360	2.23609E-08
942390	to 942400	4.65602E+02
942390	tot-cap	1.29909E+03
942400	to 942390	6.23485E-03
942400	fission	6.00277E+00
942400	nu-sigf	1.88168E+01
942400	to 942380	6.08423E-05
942400	to 942410	1.30940E+03
942400	tot-cap	1.31541E+03
942410	to 942400	7.85761E-02


```
                    942410 fission   8.97827E+02
                    942410 nu-sigf   2.63446E+03
                    942410 to 942390 1.30186E-04
                    942410 to 942420 2.92690E+02
                    942410 tot-cap   1.19060E+03
                    942420 to 942410 2.54158E-02
                    942420 fission   4.61698E+00
                    942420 nu-sigf   1.44685E+01
                    942420 to 942400 3.08991E-04
                    942420 to 942430 3.36161E+02
                    942420 tot-cap   3.40804E+02
                    952410 fission   1.26157E+01
                    952410 nu-sigf   4.08103E+01
                    952410 to 952420 1.01243E+03
                    952410 tot-cap   1.02505E+03
                    952430 fission   3.56485E+00
                    952430 nu-sigf   1.19874E+01
                    952430 to 952440 4.26547E+02
                    952430 tot-cap   4.30111E+02
                    962440 to 962430 6.10822E-03
                    962440 fission   1.57846E+01
                    962440 nu-sigf   5.29118E+01
                    962440 to 962420 6.09135E-05
                    962440 to 962450 1.44656E+02
                    962440 to 962441 3.93822E+00
                    962440 tot-cap   1.60446E+02
Othe reaction  50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                                  in the search of library number 3
Othe reaction  50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                                  in the search of library number 3
Othe reaction  50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                                  in the search of library number 3
Othe reaction  50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                                  in the search of library number 3
Othe reaction  80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
Othe reaction 621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
Othe fission product transitions for  922340 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 922340 to 922341 was not used, because 922341 is not in library., (in subr pool)
Othe reaction 922350 to 922351 was not used, because 922351 is not in library., (in subr pool)
Othe fission product transitions for  922360 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 922360 to 922361 was not used, because 922361 is not in library., (in subr pool)
Othe fission product transitions for  952370 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 952370 to 952371 was not used, because 952371 is not in library., (in subr pool)
Othe fission product transitions for  942380 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe reaction 942380 to 942381 was not used, because 942381 is not in library., (in subr pool)
Othe fission product transitions for  942400 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe fission product transitions for  942420 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
Ouse substitute nuclide in block 8 data.  or, update with new fission yield data.
Othe fission product transitions for  952410 were not used.  library fissile nuclides are
```


```
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952430 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  962440 were not used.  library fissile nuclides are
   922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction  962440 to 962441 was not used, because  962441 is not in library., (in subr pool)
1
0                          case completed.  date,  2/16/1996
0 * normal termination *
```


















```
1
0     -1q array has     1 entries.
0      0q array has     1 entries.
0      0q array has     1 entries.
0      0q array has     1 entries.
```

```
0       0q array has       1 entries.
0        dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0            short-lived split test fraction, qm =     9.1188E-04
0            half-norm of matrix used, axn =     7.0000E+00
0            4-place-accuracy-retention ratio, ratio4 =     6.4516E-13
0       1q array has      20 entries.
0       3q array has       1 entries.
0       3q array has       1 entries.
0       3q array has       1 entries.
0       4q array has       1 entries.
0      54q array has      12 entries.
1library information...

         cross-section data taken from position number  1 of library on unit 15.

         pass   7
         pass   1
         pass   0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         pass   1
         pass   0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         ********************************************************************************
         *                                                                              *
         *           prelim lwr origen-s binary working library--id = 1143              *
         *         made from modified card-image origen-s libraries of scale 4.2        *
         *       data from the light element, actinide, and fission product libraries   *
         *         decay data, including gamma and total energy, are from endf/b-vi     *
         *                                                                              *
         *       neutron flux spectrum factors and cross sections were produced from    *
         *      the "presas2" case updating all nuclides on the scale "burnup" library  *
         *                                                                              *
         *                    fission product yields are from endf/b-v                  *
         *                                                                              *
         *                photon libraries use an 18-energy-group structure             *
         *               the photon data are from the master photon data base,          *
         *                produced to include bremsstrahlung from uo2 matrix            *
         *                                                                              *
         *         see information above this box (if present) for later updates        *
         *                                                                              *
         ********************************************************************************
         *                                                                              *
0        ********************************************************************************
0                  .other identification and sizes of library.
0                   data set name:  ft15f001
0                 2/16/1996    date library was produced
0                      1697    total number of nuclides in library
                        689    number of light-element nuclides
                        129    number of actinide nuclides
                        879    number of fission product nuclides
0                      7935    number of nonzero off-diagonal matrix elements
0        ********************************************************************************
```

1

sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp actinides page 1
power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.62E+13n/cm**2-sec

0 nuclide concentrations, gram atoms
basis = converted to atoms/(barn-cm)

	charge	1000.1 d	1040.1 d	1080.1 d	1120.1 d	1120.2 d	1160.2 d	1200.2 d
he 4	6.33E-08	7.46E-08	8.72E-08	1.01E-07	1.17E-07	1.17E-07	1.34E-07	1.54E-07
u230	1.33E-20	1.51E-20	1.69E-20	1.89E-20	2.09E-20	2.09E-20	2.31E-20	2.55E-20
u231	2.58E-19	2.94E-19	3.27E-19	3.62E-19	3.99E-19	3.96E-19	4.40E-19	4.83E-19
u232	3.37E-12	3.76E-12	4.18E-12	4.63E-12	5.10E-12	5.10E-12	5.61E-12	6.15E-12
u233	4.10E-11	4.22E-11	4.32E-11	4.42E-11	4.52E-11	4.52E-11	4.61E-11	4.70E-11
u234	4.37E-06	4.33E-06	4.28E-06	4.24E-06	4.19E-06	4.19E-06	4.15E-06	4.11E-06
u235	3.83E-04	3.74E-04	3.64E-04	3.55E-04	3.47E-04	3.47E-04	3.38E-04	3.29E-04
u236	5.84E-05	6.00E-05	6.16E-05	6.31E-05	6.45E-05	6.45E-05	6.59E-05	6.73E-05
u237	7.61E-08	7.84E-08	8.01E-08	8.18E-08	8.34E-08	8.30E-08	8.50E-08	8.66E-08
u238	2.18E-02	2.18E-02	2.18E-02	2.18E-02	2.18E-02	2.18E-02	2.17E-02	2.17E-02
u239	1.19E-09	6.19E-09	6.21E-09	6.22E-09	6.23E-09	9.22E-10	6.24E-09	6.26E-09
u240	.00E+00	7.72E-32	1.16E-31	1.72E-31	2.50E-31	2.50E-31	3.60E-31	5.10E-31
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	8.52E-14	9.34E-14	1.02E-13	1.10E-13	1.19E-13	1.19E-13	1.28E-13	1.38E-13
np236m	8.66E-14	9.67E-14	1.02E-13	1.08E-13	1.14E-13	1.10E-13	1.20E-13	1.26E-13
np236	8.79E-12	9.76E-12	1.08E-11	1.19E-11	1.30E-11	1.30E-11	1.42E-11	1.55E-11
np237	4.21E-06	4.45E-06	4.70E-06	4.95E-06	5.20E-06	5.20E-06	5.46E-06	5.71E-06
np238	5.32E-09	5.75E-09	6.08E-09	6.42E-09	6.76E-09	6.66E-09	7.11E-09	7.46E-09
np239	8.77E-07	8.94E-07	8.96E-07	8.98E-07	9.00E-07	8.93E-07	9.01E-07	9.03E-07
np240m	.00E+00	6.59E-34	9.91E-34	1.47E-33	2.14E-33	2.14E-33	3.07E-33	4.35E-33
np240	8.77E-12	1.68E-11	1.68E-11	1.69E-11	1.70E-11	8.24E-12	1.71E-11	1.72E-11
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	9.84E-12	1.09E-11	1.19E-11	1.30E-11	1.42E-11	1.42E-11	1.54E-11	1.66E-11
pu237	3.41E-13	3.65E-13	3.89E-13	4.12E-13	4.35E-13	4.35E-13	4.59E-13	4.84E-13
pu238	6.64E-07	7.35E-07	8.10E-07	8.90E-07	9.74E-07	9.74E-07	1.06E-06	1.16E-06
pu239	1.13E-04	1.15E-04	1.17E-04	1.19E-04	1.21E-04	1.21E-04	1.23E-04	1.24E-04
pu240	2.35E-05	2.47E-05	2.59E-05	2.70E-05	2.81E-05	2.81E-05	2.92E-05	3.03E-05
pu241	1.29E-05	1.37E-05	1.46E-05	1.54E-05	1.63E-05	1.63E-05	1.72E-05	1.81E-05
pu242	1.62E-06	1.81E-06	2.00E-06	2.21E-06	2.43E-06	2.44E-06	2.67E-06	2.91E-06
pu243	1.97E-10	2.52E-10	2.80E-10	3.10E-10	3.42E-10	2.94E-10	3.75E-10	4.11E-10
pu244	2.51E-21	3.84E-21	5.78E-21	8.56E-21	1.25E-20	1.25E-20	1.79E-20	2.54E-20
pu245	1.70E-27	2.77E-27	4.17E-27	6.19E-27	9.05E-27	8.42E-27	1.30E-26	1.85E-26
pu246	7.11E-30	1.10E-29	1.67E-29	2.51E-29	3.69E-29	3.68E-29	5.35E-29	7.66E-29
am239	6.83E-18	8.13E-18	8.96E-18	9.83E-18	1.07E-17	1.01E-17	1.17E-17	1.26E-17
am240	3.08E-15	3.52E-15	3.88E-15	4.26E-15	4.65E-15	4.58E-15	5.06E-15	5.48E-15
am241	4.23E-07	4.68E-07	5.15E-07	5.63E-07	6.13E-07	6.13E-07	6.65E-07	7.18E-07
am242m	9.56E-09	1.07E-08	1.20E-08	1.33E-08	1.47E-08	1.47E-08	1.62E-08	1.77E-08
am242	4.63E-10	5.32E-10	5.86E-10	6.43E-10	7.02E-10	6.70E-10	7.63E-10	8.26E-10
am243	1.66E-07	1.94E-07	2.25E-07	2.60E-07	2.97E-07	2.98E-07	3.39E-07	3.84E-07
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	5.56E-11	6.99E-11	8.13E-11	9.40E-11	1.08E-10	1.00E-10	1.23E-10	1.40E-10
am245	1.52E-25	2.31E-25	3.46E-25	5.09E-25	7.36E-25	7.36E-25	1.05E-24	1.47E-24
am246	.00E+00	2.75E-32	4.18E-32	6.26E-32	9.22E-32	9.21E-32	1.34E-31	1.92E-31
cm241	8.64E-18	1.05E-17	1.25E-17	1.47E-17	1.71E-17	1.71E-17	1.98E-17	2.28E-17
cm242	5.40E-08	6.13E-08	6.90E-08	7.73E-08	8.61E-08	8.61E-08	9.53E-08	1.05E-07
cm243	9.35E-10	1.11E-09	1.30E-09	1.51E-09	1.74E-09	1.74E-09	2.00E-09	2.27E-09
cm244	1.76E-08	2.16E-08	2.63E-08	3.17E-08	3.79E-08	3.79E-08	4.50E-08	5.30E-08
cm245	4.09E-10	5.22E-10	6.58E-10	8.21E-10	1.01E-09	1.01E-09	1.24E-09	1.51E-09
cm246	1.90E-11	2.53E-11	3.34E-11	4.36E-11	5.63E-11	5.63E-11	7.19E-11	9.10E-11
cm247	1.49E-13	2.09E-13	2.88E-13	3.91E-13	5.24E-13	5.24E-13	6.94E-13	9.10E-13

1

sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp actinides page 2
power= 8.466E-05mw, burnup=2.0318E-02mwd, flux= 1.62E+13n/cm**2-sec

0 nuclide concentrations, gram atoms


```
                                                  basis = converted to atoms/(barn-cm)
              charge  1000.1 d  1040.1 d  1080.1 d  1120.1 d  1120.2 d  1160.2 d  1200.2 d
     cm248  5.32E-15  7.82E-15  1.13E-14  1.60E-14  2.25E-14  2.25E-14  3.11E-14  4.24E-14
     cm249  2.02E-20  5.47E-20  7.92E-20  1.13E-19  1.59E-19  7.88E-20  2.20E-19  3.01E-19
     cm250  6.68E-24  1.03E-23  1.56E-23  2.33E-23  3.41E-23  3.41E-23  4.92E-23  7.02E-23
     cm251   .00E+00  2.47E-31  3.76E-31  5.61E-31  8.25E-31  5.72E-32  1.19E-30  1.71E-30
    totals  2.24E-02  2.24E-02  2.24E-02  2.24E-02  2.23E-02  2.23E-02  2.23E-02  2.23E-02
0    flux             1.61E+13  1.61E+13  1.62E+13  1.62E+13   .00E+00  1.63E+13  1.63E+13
0 .results on logical unit no. 71, position  1, for time step  7, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position  2, for time step  5, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 .results on logical unit no. 71, position  3, for time step  4, subcase 1. (run position 1, case position 1)
   title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0    .terminated logical unit no. 71 with zero flag record.
1 * normal termination of execution *
0                                table of contents for material tables
0                                  case or subcase printed     page

                                                      1              1
0ndset          33
          15          4          1         27          6          0          0          0          0          0
           0          0          0          0          0          0         -1       1698        690        130
         880       7955          0          5         99          2         16         96         18         18
          18          0         71
0      56q array has      2 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      56q array has      1 entries.
0      57q array has      3 entries.
0       1q array has     20 entries.
0       1q array has     10 entries.
    l90  97376
    l116  60826
    l32  33663 nudata (library) storage size
    l44  33734
    l103  75953
0      58q array has      4 entries.
0      60q array has      7 entries.
0      58q array has      7 entries.
0      66q array has      1 entries.
0      73q array has   1697 entries.
0      74q array has   1697 entries.
0      75q array has   1697 entries.
    l140  66991
    used  101044 in size  200000
0jqpt           12
          0          0          0          0          0          0          0          0          0          0
          0          0
0therm           4
 5.125936E-01 4.497346E-01 3.489529E+00 1.000000E-31
0nan             5
       7955         20          6         18       1697
0mm             19
          7          7          0          0          1          1          0          0          0          0
         21        100       1697          4          3         74          4          1          0
0tconst          5
```

```
  8.640000E+04 9.601346E+02  .000000E+00  .000000E+00 1.000000E-08
0mzero          4
          0         689         129         879
0pow            3
   .000000E+00  .000000E+00  .000000E+00
0 lirp          9
          6           0          51          26           2        3000        1000        1697          94
 n-gamma, fission and total mev/fission =              7.4172E+00  1.9683E+02  2.0425E+02
 start of interval flux =          1.60782E+13
 n-gamma, fission and total mev/fission =              7.4945E+00  1.9691E+02  2.0440E+02
 start of interval flux =          1.61169E+13
 n-gamma, fission and total mev/fission =              7.5889E+00  1.9698E+02  2.0457E+02
 start of interval flux =          1.61552E+13
 n-gamma, fission and total mev/fission =              7.6825E+00  1.9705E+02  2.0473E+02
 start of interval flux =          1.61953E+13
 start of interval flux =           .00000E+00
 n-gamma, fission and total mev/fission =              7.7959E+00  1.9712E+02  2.0492E+02
 start of interval flux =          1.62348E+13
 n-gamma, fission and total mev/fission =              7.8675E+00  1.9719E+02  2.0506E+02
 start of interval flux =          1.62804E+13
0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0       56q array has      20 entries.
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 8, exec halts after pass   8
1  bbbbbbbbbb    oooooooooo   mm        mm                aaaaaaaa    mm        mm  iiiiiiiiiii    zzzzzzzzzz
   bbbbbbbbbbb  oooooooooooo  mm        mm               aaaaaaaaaa   mmm       mmm  iiiiiiiiiii   zzzzzzzzzzz
   bb        bb oo        oo  mmm       mm              aa        aa  mmmm     mmmm      ii        zz       zz
   bb        bb oo        oo  mm mm     mm              aa        aa  mm mm   mm mm      ii              zz
   bb        bb oo        oo  mm  mm    mm              aa        aa  mm  mm mm  mm      ii             zz
   bbbbbbbbbb   oo        oo  mm   mm   mm ----------   aaaaaaaaaaaa  mm   mmm   mm      ii            zz
   bbbbbbbbbb   oo        oo  mm    mm  mm ----------   aaaaaaaaaaaa  mm    m    mm      ii           zz
   bb        bb oo        oo  mm     mm mm              aa        aa  mm         mm      ii          zz
   bb        bb oo        oo  mm      mmm              aa        aa  mm         mm      ii         zz
   bb        bb oo        oo  mm       m               aa        aa  mm         mm      ii        zz
   bbbbbbbbbbb  oooooooooooo  mm                       aa        aa  mm         mm  iiiiiiiiiii  zzzzzzzzzzz
   bbbbbbbbbb    oooooooooo   mm                       aa        aa  mm         mm  iiiiiiiiiii  zzzzzzzzzzz
0

   ddddddddddd    aaaaaaaa    w        w  iiiiiiiiiii   sssssssssss
   ddddddddddd   aaaaaaaaaa   w        w  iiiiiiiiiii  ssssssssssss
   dd        dd  aa        aa  w        w      ii      ss      ss
   dd        dd  aa        aa  w        w      ii      ss
   dd        dd  aa        aa  w        w      ii      ss
   dd        dd  aaaaaaaaaaaa  w        w      ii       sssssssss
   dd        dd  aaaaaaaaaaaa   w      w       ii        sssssssss
   dd        dd  aa        aa    w    w        ii              ss
   dd        dd  aa        aa     w  w         ii              ss
   dd        dd  aa        aa      ww          ii      ss      ss
   ddddddddddd   aa        aa      ww      iiiiiiiiiii  ssssssssssss
   ddddddddddd   aa        aa       v      iiiiiiiiiii   sssssssss
0

    0000000     zzzzzzzzzz          //      11       66666666666          //  9999999999    66666666666
```



```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******                program verification information          ******
******                                                          ******
******                code system:   scale  version:   4.2      ******
******                                                          ******
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******          program:  c0c008                                ******
******                                                          ******
******     creation date:  04/27/95                             ******
******                                                          ******
******          library:  /nautronics/scale/exe                 ******
```

```
                    *****                                                   *****
                    *****                                                   *****
                    *****   this is not a  scale  configuration controlled code   *****
                    *****                                                   *****
                    *****            jobname:  davis                        *****
                    *****                                                   *****
                    *****   date of execution:  02/16/96                    *****
                    *****                                                   *****
                    *****   time of execution:  10:04:57                    *****
                    *****                                                   *****
                    *****                                                   *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library   0
 scratch file     18
 new library       1
0p r o b l e m   d e s c r i p t i o n
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere                2
0izm--number of zones or material regions                       4
0ms--mixing table length                                       66
0ibl--shielded cross section edit option (0/1--no/yes)          0
0ibr--bondarenko factor edit option (0/1--no/yes)               0
0isscpt--dancoff factor option                                  0
0convergence criterion    1.0000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     66 entries.
0       4q array has     66 entries.
0       5q array has     66 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     66 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        1    92235    3.29451E-04           92235
    2        1    92234    4.10648E-06           92234
    3        1    92236    6.72906E-05           92236
    4        1    92238    2.17324E-02           92238
    5        1     8016    4.55359E-02            8016
    6        3     8016    2.09710E-02               6
    7        1    36083    1.81372E-06           36083
    8        1    36085    8.71779E-07           36085
    9        1    38090    2.00600E-05           38090
   10        1    39089    1.64607E-05           39089
   11        1    42095    2.30516E-05           42095
   12        1    40093    1.64590E-05           40093
   13        1    40094    2.61240E-05           40094
   14        1    40095    1.92652E-06           40095
   15        1    41094    1.43208E-11           41094
   16        1    43099    2.55495E-05           43099
```

17	1	45103	1.43117E-05	45103
18	1	45105	2.51927E-08	45105
19	1	44101	2.36761E-05	44101
20	1	44106	3.50872E-06	44106
21	1	46105	1.03319E-05	46105
22	1	46108	3.17250E-06	46108
23	1	47109	2.13200E-06	47109
24	1	51124	4.69372E-10	51124
25	1	54131	1.14853E-05	54131
26	1	54132	2.33195E-05	54132
27	1	54135	6.64007E-09	54135
28	1	54136	4.51578E-05	54136
29	1	55134	1.63057E-06	55134
30	1	55135	1.43530E-05	55135
31	1	55137	2.77063E-05	55137
32	1	56136	3.51878E-07	56136
33	1	57139	2.73886E-05	57139
34	1	59141	2.40560E-05	59141
35	1	59143	3.60032E-07	59143
36	1	58144	6.94065E-06	58144
37	1	60143	2.05000E-05	60143
38	1	60145	1.54707E-05	60145
39	1	61147	4.51202E-06	61147
40	1	61148	1.36887E-08	61148
41	1	60147	1.28677E-07	60147
42	1	62147	2.20336E-06	62147
43	1	62149	9.06657E-08	62149
44	1	62150	5.84210E-06	62150
45	1	62151	4.61651E-07	62151
46	1	62152	2.70673E-06	62152
47	1	64155	3.60027E-09	64155
48	1	63153	1.87279E-06	63153
49	1	63154	4.84438E-07	63154
50	1	63155	2.11219E-07	63155
51	2	40802	4.25156E-02	40802
52	3	1001	4.19420E-02	1001
53	3	5010	3.81515E-06	5010
54	3	5011	1.54884E-05	5011
55	1	55133	2.80248E-05	55133
56	1	95237	5.71129E-06	95237
57	1	94238	1.15608E-06	94238
58	1	94239	1.24276E-04	94239
59	1	94240	3.02952E-05	94240
60	1	94241	1.81183E-05	94241
61	1	94242	2.91035E-06	94242
62	1	95241	7.18357E-07	95241
63	1	95243	3.83515E-07	95243
64	1	96244	5.30179E-08	96244
65	1	999	1.00000E-20	999
66	4	999	1.00000E-20	66

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	1	4.68122E-01	9.75000E+02	9.05844E-01	0
2	4	4.78790E-01	2.93000E+02	5.49010E-01	0
3	2	5.46100E-01	6.50000E+02	.00000E+00	0
4	3	8.13968E-01	6.07600E+02	.00000E+00	0

7711 locations of 200000 available are required to make a new master containing the self-shielded values
Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1
Ocopy 999 1/v cross sectio from log 12 to log 18 bondarenko trigger 0
Ocopy 999 1/v cross sectio from log 18 to log 1 bondarenko trigger 0


```
0copy      999  1/v cross sectio from lag 18 to lag  1   bondarenko trigger 0
0copy     1001   hydrogen        from lag 12 to lag  1   bondarenko trigger 0
0copy     5010  b-10 1273 218mp  from lag 12 to lag  1   bondarenko trigger 0
0copy     5011   boron-11        from lag 12 to lag  1   bondarenko trigger 0
0copy     8016   oxygen-16       from lag 12 to lag 18   bondarenko trigger 0
0copy     8016   oxygen-16       from lag 18 to lag  1   bondarenko trigger 0
0copy     8016   oxygen-16       from lag 18 to lag  1   bondarenko trigger 0
0copy    36083   kr-83           from lag 12 to lag  1   bondarenko trigger 0
0copy    36085   kr-85           from lag 12 to lag  1   bondarenko trigger 0
0copy    38090   sr-90           from lag 12 to lag  1   bondarenko trigger 0
0copy    39089    y-89           from lag 12 to lag  1   bondarenko trigger 0
0copy    40093   zr-93           from lag 12 to lag  1   bondarenko trigger 0
0copy    40094   zr-94           from lag 12 to lag  1   bondarenko trigger 0
0copy    40095   zr-95           from lag 12 to lag  1   bondarenko trigger 0
0copy    40302   zircalloy       from lag 12 to lag  1   bondarenko trigger 0
0copy    41094   nb-94           from lag 12 to lag  1   bondarenko trigger 0
0copy    42095   mo-95           from lag 12 to lag  1   bondarenko trigger 0
0copy    43099   tc-99           from lag 12 to lag  1   bondarenko trigger 0
0copy    44101   ru-101          from lag 12 to lag  1   bondarenko trigger 0
0copy    44106   ru-106          from lag 12 to lag  1   bondarenko trigger 0
0copy    45103   rh-103          from lag 12 to lag  1   bondarenko trigger 0
0copy    45105   rh-105          from lag 12 to lag  1   bondarenko trigger 0
0copy    46105   pd-105          from lag 12 to lag  1   bondarenko trigger 0
0copy    46108   pd-108          from lag 12 to lag  1   bondarenko trigger 0
0copy    47109   silver-109      from lag 12 to lag  1   bondarenko trigger 0
0copy    51124   sb-124          from lag 12 to lag  1   bondarenko trigger 0
0copy    54131   xe-131          from lag 12 to lag  1   bondarenko trigger 0
0copy    54132   xe-132          from lag 12 to lag  1   bondarenko trigger 0
0copy    54135   xenon-135       from lag 12 to lag  1   bondarenko trigger 0
0copy    54136   xe-136          from lag 12 to lag  1   bondarenko trigger 0
0copy    55133   cesium-133      from lag 12 to lag  1   bondarenko trigger 0
0copy    55134   cs-134          from lag 12 to lag  1   bondarenko trigger 0
0copy    55135   cs-135          from lag 12 to lag  1   bondarenko trigger 0
0copy    55137   cs-137          from lag 12 to lag  1   bondarenko trigger 0
0copy    56136   ba-136          from lag 12 to lag  1   bondarenko trigger 0
0copy    57139   la-139          from lag 12 to lag  1   bondarenko trigger 0
0copy    58144   ce-144          from lag 12 to lag  1   bondarenko trigger 0
0copy    59141   pr-141          from lag 12 to lag  1   bondarenko trigger 0
0copy    59143   pr-143          from lag 12 to lag  1   bondarenko trigger 0
0copy    60143   nd-143          from lag 12 to lag  1   bondarenko trigger 0
0copy    60145   nd-145          from lag 12 to lag  1   bondarenko trigger 0
0copy    60147   nd-147          from lag 12 to lag  1   bondarenko trigger 0
0copy    61147   pm-147          from lag 12 to lag  1   bondarenko trigger 0
0copy    61148   pm-148          from lag 12 to lag  1   bondarenko trigger 0
0copy    62147   sm-147          from lag 12 to lag  1   bondarenko trigger 0
0copy    62149   sm-149          from lag 12 to lag  1   bondarenko trigger 0
0copy    62150   sm-150          from lag 12 to lag  1   bondarenko trigger 0
0copy    62151   sm-151          from lag 12 to lag  1   bondarenko trigger 0
0copy    62152   sm-152          from lag 12 to lag  1   bondarenko trigger 0
0copy    63153   eu-153          from lag 12 to lag  1   bondarenko trigger 0
0copy    63154   eu-154          from lag 12 to lag  1   bondarenko trigger 0
0copy    63155   eu-155          from lag 12 to lag  1   bondarenko trigger 0
0copy    64155   gd-155          from lag 12 to lag  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigo= from lag 12 to lag  1   bondarenko trigger 0
0copy    92235   uranium-235     from lag 12 to lag  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigo= from lag 12 to lag  1   bondarenko trigger 0
0copy    92238   uranium-238     from lag 12 to lag  1   bondarenko trigger 0
0copy    93237   neptunium-237   from lag 12 to lag  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigo from lag 12 to lag  1   bondarenko trigger 0
0copy    94239   plutonium-239   from lag 12 to lag  1   bondarenko trigger 0
```

```
0copy    94240  plutonium-240   from log 12 to log  1   bondarenko trigger 0
0copy    94241  plutonium-241   from log 12 to log  1   bondarenko trigger 0
0copy    94242  plutonium-242   from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigp from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244  curium-244      from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
      based on endf-b version 4 data with endf-b version 5 fission products
        compiled for nrc     1/27/89
          last updated       9/16/93
            l.m.petrie   -   ornl
       tape id                          4321        number of nuclides          66
       number of neutron groups           27        number of gamma groups       0
       first thermal group                15        logical unit                 1
                                table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                      id    999
      1/v cross sections normalized to 1.0 at 0.0253 ev                      id     66
       hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89        id   1001
      b-10 1273 218gp 04375 p-3 293k                                         id   5010
       boron-11       endf/b-iv mat 1160            updated 10/13/89        id   5011
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89        id   8016
       oxygen-16      endf/b-iv mat 1276            updated 10/13/89        id      6
       kr-83          mt=102,103,103,105,106,107    updated 10/13/89        id  36083
       kr-85            mt=  102                                             id  36085
       sr-90          mt=102                        updated 10/13/89        id  38090
        y-89          mt=102                        updated 10/13/89        id  39089
       zr-93            mt=  102                                             id  40093
       zr-94          mt=102                        updated 10/13/89        id  40094
       zr-95          mt=102                        updated 10/13/89        id  40095
       zircalloy      endf/b-iv mat 1284            updated 10/13/89        id  40302
       nb-94          mt=102                        updated 10/13/89        id  41094
       mo-95          mt=102                        updated 10/13/89        id  42095
       tc-99          mt=102                        updated 10/13/89        id  43099
       ru-101         mt=102                        updated 10/13/89        id  44101
       ru-106         mt=102                        updated 10/13/89        id  44106
       rh-103         mt=102                        updated 10/13/89        id  45103
       rh-105           mt=  102                                             id  45105
       pd-105         mt=102                        updated 10/13/89        id  46105
       pd-108         mt=102                        updated 10/13/89        id  46108
       silver-109     endf/b-iv mat 1139            updated 10/13/89        id  47109
       sb-124         mt=102                        updated 10/13/89        id  51124
       xe-131         mt=102,103,104,105,106        updated 10/13/89        id  54131
       xe-132         mt=102,103,104,105,106        updated 10/13/89        id  54132
       xenon-135      endf/b-iv mat 1294            updated 10/13/89        id  54135
       xe-136           mt=  102, 103, 104, 105, 107                         id  54136
       cesium-133     endf/b-iv mat 1141            updated 10/13/89        id  55133
       cs-134         mt=102                        updated 10/13/89        id  55134
       cs-135           mt=  102                                             id  55135
       cs-137         mt=102                        updated 10/13/89        id  55137
       ba-136         mt=102                        updated 10/13/89        id  56136
       la-139         mt=102                        updated 10/13/89        id  57139
       ce-144           mt=  102                                             id  58144
       pr-141         mt=102,103,104,105,106,107    updated 10/13/89        id  59141
       pr-143         mt=102                        updated 10/13/89        id  59143
       nd-143         mt=102                        updated 10/13/89        id  60143
       nd-145         mt=102                        updated 10/13/89        id  60145
       nd-147         mt=102                        updated 10/13/89        id  60147
       pm-147         mt=102                        updated 10/13/89        id  61147
       pm-148           mt=  102                                             id  61148
       sm-147         endf/b-v fission product      updated 10/13/89        id  62147
```

```
        sm-149        mt=102,103,107                updated 10/13/89              id    62149
        sm-150        mt=102                        updated 10/13/89              id    62150
        sm-151        mt=102,103,104,105,106,107    updated 10/13/89              id    62151
        sm-152        mt=102,103,104,105,106,107    updated 10/13/89              id    62152
        eu-153        mt=102,103,104,105,106,107    updated 10/13/89              id    63153
        eu-154        mt=102,103,104,105,106,107    updated 10/13/89              id    63154
        eu-155        mt=102,103,104,105,106,107    updated 10/13/89              id    63155
        gd-155        mt=102                        updated 10/13/89              id    64155
       u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       id    92234
        uranium-235   endf/b-iv mat 1261            updated 10/13/89              id    92235
       u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       id    92236
        uranium-238   endf/b-iv mat 1262            updated 10/13/89              id    92238
        neptunium-237 endf/b-iv mat 1263            updated 10/13/89              id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      id    94238
        plutonium-239 endf/b-iv mat 1264            updated 10/13/89              id    94239
        plutonium-240 endf/b-iv mat 1265            updated 10/13/89              id    94240
        plutonium-241 endf/b-iv mat 1266            updated 10/13/89              id    94241
        plutonium-242 endf/b-iv mat 1161            updated 10/13/89              id    94242
       am-241 1056 sigo=5+4 newklacs 218grp p-3 293k                             id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                              id    95243
        curium-244    endf/b-iv mat 1162            updated 10/13/89              id    96244
0       tape copy used      0 i/o's, and took     .00 seconds
1               m         m  iiiiiiiiiiii   ttttttttttttt     aaaaaaaa     ww         ww  ll
                mm        m  iiiiiiiiiiii   ttttttttttttt    aaaaaaaaaa    ww         ww  ll
                mmm       m      ii             tt         aa        aa    ww         ww  ll
                m m       m      ii             tt         aa        aa    ww         ww  ll
                m  m      m      ii             tt         aa        aa    ww         ww  ll
                m   m     m      ii             tt         aaaaaaaaaaaa    ww    w    ww  ll
                m    m    m      ii             tt         aaaaaaaaaaaa    ww   www   ww  ll
                m     m   m      ii             tt         aa        aa    ww  ww ww  ww  ll
                m      m  m      ii             tt         aa        aa    ww ww   ww ww  ll
                m       mm       ii             tt         aa        aa    wwww     wwww  ll
                m        m  iiiiiiiiiiii       tt         aa        aa    www       www  llllllllllll
                m        m  iiiiiiiiiiii       tt         aa        aa    ww         ww  llllllllllll
0

   ddddddddddd    aaaaaaaa    w         w  iiiiiiiiiiii    sssssssssss
   ddddddddddddd  aaaaaaaaaa  w         w  iiiiiiiiiiii   ssssssssssssss
   dd       dd   aa       aa  w         w      ii        ss          ss
   dd       dd   aa       aa  w         w      ii        ss
   dd       dd   aa       aa  w         w      ii        ss
   dd       dd   aaaaaaaaaaaa  w         w      ii        ssssssssssss
   dd       dd   aaaaaaaaaaaa   w       w       ii         ssssssssssss
   dd       dd   aa       aa    w     w        ii                    ss
   dd       dd   aa       aa     w   w         ii                    ss
   dd       dd   aa       aa      w w          ii        ss          ss
   ddddddddddd   aa       aa       ww          iiiiiiiiiiii   ssssssssssss
   ddddddddddd   aa       aa        v          iiiiiiiiiiii    sssssssssss
0

     000000     2222222222          //      11     6666666666          //  9999999999   6666666666
   00000000    22222222222         //      111    66666666666         //  99999999999  66666666666
  00      00   22        22       //      1111   66                  //   99       99  66
 00        00          22        //        11    66                 //    99       99  66
 00        00          22       //         11    66                //     99       99  66
 00        00         22        //         11    6666666666       //      9999999999   6666666666
 00        00       22          //         11    66666666666     //       9999999999   66666666666
 00        00     22            //         11    66       66    //               99   66       66
 00        00   22              //         11    66       66   //                99   66       66
  00      00   22               //         11    66       66   //                99   66       66
```




```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******                program verification information          ******
******                                                          ******
******                code system:   scale  version:   4.2      ******
******                                                          ******
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******           program:  c0c002                               ******
******                                                          ******
******      creation date:  04/27/95                            ******
******                                                          ******
******           library:  /neutronics/scale/exe                ******
******                                                          ******
******                                                          ******
******  this is not a  scale  configuration controlled code     ******
******                                                          ******
******           jobname:  davis                                ******
******                                                          ******
******  date of execution:  02/16/96                            ******
******                                                          ******
******  time of execution:  10:04:58                            ******
```

```
                    *****                                                  *****
                    *****                                                  *****
                    ********************************************************************
                    ********************************************************************
                    ********************************************************************

1
0       -1q array has       1 entries.
0        0q array has       9 entries.
0        1q array has      12 entries.
0select 65 nuclides from the master  library on logical  1
         0 nuclides from the working library on logical  2
         0 nuclides from the working library on logical  3
           to create the new working library on logical  4

        61 resonance calculations have been requested
         0 output option for ampx formatted cross section data.
0the storage allocated for this case is 200000 words
0        2q array has      65 entries.
0        3q array has     915 entries.
0        4q array has      65 entries.
0 general information concerning cross section library
    tape identification number                  4321
    number of nuclides on tape                    66
    number of neutron energy groups               27
    first thermal neutron energy group            15
    number of gamma energy groups                  0
0   direct access unit number  9 requires 117 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                          based on endf-b version 4 data with endf-b version 5 fission products
                            compiled for nrc      1/27/89
                              last updated       9/16/93
                                l.m.petrie  -  ornl
0 nuclides from xsdrn tape
     1    1/v cross sections normalized to 1.0 at 0.0253 ev                          999
     2     hydrogen       endf/b-iv mat 1269/thrml002   updated 10/13/89          1001
     3    b-10 1273 218ngp 042575 p-3 293k                                        5010
     4     boron-11       endf/b-iv mat 1160            updated 10/13/89          5011
     5     oxygen-16      endf/b-iv mat 1276            updated 10/13/89          8016
     6     oxygen-16      endf/b-iv mat 1276            updated 10/13/89             6
     7     kr-83          mt=102,103,103,105,106,107    updated 10/13/89         36083
     8     kr-85            mt=  102                                             36085
     9     sr-90          mt=102                        updated 10/13/89         38090
    10      y-89          mt=102                        updated 10/13/89         39089
    11     zr-93            mt=  102                                             40093
    12     zr-94          mt=102                        updated 10/13/89         40094
    13     zr-95          mt=102                        updated 10/13/89         40095
    14     zircalloy      endf/b-iv mat 1284            updated 10/13/89         40802
    15     nb-94          mt=102                        updated 10/13/89         41094
    16     mo-95          mt=102                        updated 10/13/89         42095
    17     tc-99          mt=102                        updated 10/13/89         43099
    18     ru-101         mt=102                        updated 10/13/89         44101
    19     ru-106         mt=102                        updated 10/13/89         44106
    20     rh-103         mt=102                        updated 10/13/89         45103
    21     rh-105           mt=  102                                             45105
    22     pd-105         mt=102                        updated 10/13/89         46105
    23     pd-108         mt=102                        updated 10/13/89         46108
    24     silver-109     endf/b-iv mat 1139            updated 10/13/89         47109
    25     sb-124         mt=102                        updated 10/13/89         51124
    26     xe-131         mt=102,103,104,105,106        updated 10/13/89         54131
```

```
    27    xe-132          mt=102,103,104,105,106          updated 10/13/89          54132
    28    xenon-135       endf/b-iv mat 1294              updated 10/13/89          54135
    29    xe-136            mt=  102,  103,  104,  105,  107                        54136
    30    cesium-133      endf/b-iv mat 1141              updated 10/13/89          55133
    31    cs-134          mt=102                          updated 10/13/89          55134
    32    cs-135            mt=  102                                                55135
    33    cs-137          mt=102                          updated 10/13/89          55137
    34    ba-136          mt=102                          updated 10/13/89          56136
    35    la-139          mt=102                          updated 10/13/89          57139
    36    ce-144            mt=  102                                                58144
    37    pr-141          mt=102,103,104,105,106,107      updated 10/13/89          59141
    38    pr-143          mt=102                          updated 10/13/89          59143
    39    nd-143          mt=102                          updated 10/13/89          60143
    40    nd-145          mt=102                          updated 10/13/89          60145
    41    nd-147          mt=102                          updated 10/13/89          60147
    42    pm-147          mt=102                          updated 10/13/89          61147
    43    pm-148            mt=  102                                                61148
    44    sm-147          endf/b-v fission product        updated 10/13/89          62147
    45    sm-149          mt=102,103,107                  updated 10/13/89          62149
    46    sm-150          mt=102                          updated 10/13/89          62150
    47    sm-151          mt=102,103,104,105,106,107      updated 10/13/89          62151
    48    sm-152          mt=102,103,104,105,106,107      updated 10/13/89          62152
    49    eu-153          mt=102,103,104,105,106,107      updated 10/13/89          63153
    50    eu-154          mt=102,103,104,105,106,107      updated 10/13/89          63154
    51    eu-155          mt=102,103,104,105,106,107      updated 10/13/89          63155
    52    gd-155          mt=102                          updated 10/13/89          64155
    53   u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92234
    54    uranium-235     endf/b-iv mat 1261              updated 10/13/89          92235
    55   u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                          92236
    56    uranium-238     endf/b-iv mat 1262              updated 10/13/89          92238
    57    neptunium-237   endf/b-iv mat 1263              updated 10/13/89          93237
    58   pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                         94238
    59    plutonium-239   endf/b-iv mat 1264              updated 10/13/89          94239
    60    plutonium-240   endf/b-iv mat 1265              updated 10/13/89          94240
    61    plutonium-241   endf/b-iv mat 1266              updated 10/13/89          94241
    62    plutonium-242   endf/b-iv mat 1161              updated 10/13/89          94242
    63   am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                                95241
    64   am-243 1057 218 gp wt f-1/e-m 050576 p3 293k                                 95243
    65    curium-244      endf/b-iv mat 1162              updated 10/13/89          96244
01/v cross sections normalized to 1.0 at 0.0253 ev                          999     temperature=   975.00
0 hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89           1001    temperature=   607.60
                            thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                          5010    temperature=   607.60
                            thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11        endf/b-iv mat 1160             updated 10/13/89           5011    temperature=   607.60
                            thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16       endf/b-iv mat 1276             updated 10/13/89           8016    temperature=   975.00
0 oxygen-16       endf/b-iv mat 1276             updated 10/13/89              6    temperature=   607.60
0 kr-83           mt=102,103,103,105,106,107     updated 10/13/89          36083    temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   82.202              temperature(kelvin)      =  975.000
0potential scatter sigma  =    7.004              lumped nuclear density   = 1.8137241E-06
0spin factor (g)          = 4988.190              lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995                sigma(per absorber atom)= 9.4148664E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.953                sigma(per absorber atom)= 1.0504055E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
```

```
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -2.726823E-03     .000000E+00   -3.444124E-03
  12       2.164301E-02     .000000E+00    9.884226E-03
  13      -5.916534E-01     .000000E+00   -1.766241E-01
  14       4.783685E-05     .000000E+00   -1.724147E-05
0excess resonance integrals
0                 resolved
0absorption      1.44590E+02
 fission          .00000E+00
- elapsed time    .00 min.
0 kr-85           mt=  102                                          36085    temperature=  975.00
0 sr-90          mt=102                    updated 10/13/89        38090    temperature=  975.00
0 y-89           mt=102                    updated 10/13/89        39089    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   88.142          temperature(kelvin)     =  975.000
0potential scatter sigma  =    3.644          lumped nuclear density  = 1.6460750E-05
0spin factor (g)          =   78.664          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995              sigma(per absorber atom)= 1.0373749E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933              sigma(per absorber atom)= 1.1573869E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   9      -4.946415E-06     .000000E+00   -4.070307E-04
  10      -1.010821E-04     .000000E+00   -2.851098E-04
0excess resonance integrals
0                 resolved
0absorption      1.46353E-01
 fission          .00000E+00
- elapsed time    .00 min.
0 zr-93           mt=  102                                          40093    temperature=  975.00
0 zr-94          mt=102                    updated 10/13/89        40094    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   93.100          temperature(kelvin)     =  975.000
0potential scatter sigma  =    3.779          lumped nuclear density  = 2.6124020E-05
0spin factor (g)          =  180.853          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =   15.995              sigma(per absorber atom)= 6.5365015E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =  237.933              sigma(per absorber atom)= 7.2926973E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
   8      -1.715812E-06     .000000E+00   -1.608045E-03
   9      -5.114553E-05     .000000E+00   -4.521406E-03
0excess resonance integrals
0                 resolved
0absorption      3.43462E-02
 fission          .00000E+00
- elapsed time    .00 min.
0 zr-95          mt=102                    updated 10/13/89        40095    temperature=  975.00
0 zircalloy      endf/b-iv mat 1284        updated 10/13/89        40302    temperature=  650.00
0resonance data for this nuclide
0mass number (a)          =   90.436          temperature(kelvin)     =  650.000
```

```
0potential scatter sigma =    6.385              lumped nuclear density    = 4.2515602E-02
0spin factor (g)         =    1.079              lump dimension (a-bar)    = 5.4610002E-01
0inner radius            = 4.7878999E-01         dancoff correction (c)    = 5.0364637E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   8     -1.780596E-03    .000000E+00   -1.286907E+00
   9     -5.893573E-02    .000000E+00   -2.695297E+00
  10     -6.999985E-02    .000000E+00   -1.601321E+00
  11     -1.883957E-01    .000000E+00   -7.920912E-01
0excess resonance integrals
0              resolved
0absorption    2.28539E-01
 fission        .00000E+00
- elapsed time   .02 min.
0 rb-94        mt=102                  updated 10/13/89          41094    temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   93.101          temperature(kelvin)       =   975.000
0potential scatter sigma =    3.779          lumped nuclear density    = 1.4320781E-11
0spin factor (g)         = 43808.801          lump dimension (a-bar)    = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 1.1923910E+10
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953          sigma(per absorber atom)= 1.3303366E+10
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  13      1.043053E-02    .000000E+00    9.253249E-04
  14      9.836727E-03    .000000E+00   -4.064859E-04
0excess resonance integrals
0              resolved
0absorption    9.15001E+01
 fission        .00000E+00
- elapsed time   .02 min.
0 mo-95        mt=102                  updated 10/13/89          42095    temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   94.091          temperature(kelvin)       =   975.000
0potential scatter sigma =    3.806          lumped nuclear density    = 2.3051618E-05
0spin factor (g)         =  607.724          lump dimension (a-bar)    = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =   15.995          sigma(per absorber atom)= 7.4077100E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =  237.953          sigma(per absorber atom)= 8.2646943E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  10     -4.875015E-03    .000000E+00   -2.926810E-02
  11     -9.137521E-03    .000000E+00   -1.501381E-02
  12     -6.205746E+00    .000000E+00   -7.138883E+00
  13      1.560822E-04    .000000E+00   -1.886280E-05
0excess resonance integrals
0              resolved
0absorption    9.55450E+01
 fission        .00000E+00
- elapsed time   .03 min.
```

```
0 tc-99        mt=102                    updated 10/13/89          43099     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   98.150          temperature(kelvin)      =   975.000
0potential scatter sigma  =    6.000          lumped nuclear density   = 2.554956E-05
0spin factor (g)          = 4527.940          lump dimension (a-bar)   = 4.681220IE-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 6.6834966E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 7.4566982E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11      -3.297395E-02    .000000E+00   -1.552925E-02
  12      -8.767703E-03    .000000E+00   -3.101468E-04
  13      -5.338035E-01    .000000E+00   -2.808330E-02
  14      -1.126903E+01    .000000E+00   -3.591854E-01
  15       1.069416E-02    .000000E+00   -5.378884E-04
  16       4.835891E-03    .000000E+00   -2.801828E-04
  17       2.074195E-04    .000000E+00   -1.191841E-05
0excess resonance integrals
0                resolved
0absorption     3.19699E+02
 fission         .00000E+00
- elapsed time    .03 min.
0 ru-101       mt=102                    updated 10/13/89          44101     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  100.039          temperature(kelvin)      =   975.000
0potential scatter sigma  =    3.965          lumped nuclear density   = 2.3676123E-05
0spin factor (g)          = 8785.290          lump dimension (a-bar)   = 4.681220IE-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 7.2123169E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 8.0466968E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11      -3.694152E-02    .000000E+00   -3.706604E-03
  12      -2.101600E-01    .000000E+00   -5.001156E-02
  13      -6.353251E-01    .000000E+00   -1.710328E-02
  14       2.367621E-04    .000000E+00   -4.135463E-05
0excess resonance integrals
0                resolved
0absorption     7.89550E+01
 fission         .00000E+00
- elapsed time    .03 min.
0 ru-106       mt=102                    updated 10/13/89          44106     temperature=  975.00
0 rh-103       mt=102                    updated 10/13/89          45103     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =  102.021          temperature(kelvin)      =   975.000
0potential scatter sigma  =    5.408          lumped nuclear density   = 1.4311722E-05
0spin factor (g)          =     .500          lump dimension (a-bar)   = 4.681220IE-01
0inner radius             = .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 1.1931457E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  237.933             sigma(per absorber atom)= 1.3311786E+04
```

```
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  9      1.204389E-03     .000000E+00     1.788869E-03
 10     -5.018506E-03     .000000E+00    -6.849820E-03
 11     -2.882715E-02     .000000E+00    -2.528439E-02
 12     -4.875087E-04     .000000E+00    -2.801735E-05
 13      .000000E+00      .000000E+00     .000000E+00
 14      .000000E+00      .000000E+00     .000000E+00
 15      2.245639E-01     .000000E+00     3.170446E-03
 16      2.830610E+01     .000000E+00    -8.509585E-02
 17     -1.880581E+02     .000000E+00    -1.769714E-01
 18      8.646072E+01     .000000E+00     2.602341E-01
 19      1.139143E+01     .000000E+00    -1.224586E-03
 20      1.079305E+00     .000000E+00    -2.404856E-03
 21      2.165706E-01     .000000E+00     1.925355E-03
 22      2.583927E-01     .000000E+00     2.928545E-03
 23     -9.878527E-02     .000000E+00     1.798742E-03
0excess resonance integrals
0                 resolved
0absorption      1.13329E+03
 fission          .00000E+00
- elapsed time    .07 min.
0 rh-105          mt=  102                                          45105     temperature=  975.00
0 pd-105        mt=102                      updated 10/13/89        46105     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   104.004          temperature(kelvin)     =   975.000
0potential scatter sigma  =     4.059          lumped nuclear density  = 1.0331927E-05
0spin factor (g)          = 15210.000          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.6527381E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   257.953          sigma(per absorber atom)= 1.8439402E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
 12     -6.809954E-02     .000000E+00    -2.334454E-03
 13     -7.995243E-02     .000000E+00    -1.860649E-03
 14      7.754399E-04     .000000E+00    -8.104906E-05
0excess resonance integrals
0                 resolved
0absorption      6.11507E+01
 fission          .00000E+00
- elapsed time    .07 min.
0 pd-108        mt=102                      updated 10/13/89        46108     temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   106.977          temperature(kelvin)     =   975.000
0potential scatter sigma  =     4.146          lumped nuclear density  = 3.1724992E-06
0spin factor (g)          = 21175.100          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 5.3824973E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   257.953          sigma(per absorber atom)= 6.0051887E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
```

```
0group       res abs         res fiss        res scat
  11      1.169765E-04     .000000E+00    3.530660E-04
  12     -2.857494E+00     .000000E+00   -2.103978E+00
  13      6.680858E-03     .000000E+00    1.885999E-03
  14      8.560859E-02     .000000E+00   -3.210489E-05
  15     -1.841547E-01     .000000E+00    8.083373E-05
  16      2.946991E-04     .000000E+00   -9.255674E-06
0excess resonance integrals
0                resolved
0absorption      2.10595E+02
 fission          .00000E+00
- elapsed time    .07 min.
0 silver-109    endf/b-iv mat 1139          updated 10/13/89          47109    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   107.969          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.988          lumped nuclear density   = 2.1320018E-06
0spin factor (g)          =  1441.870          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 8.0093602E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933            sigma(per absorber atom)= 8.9559484E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10     -2.564913E-04     .000000E+00   -2.992681E-04
  11     -9.993934E-03     .000000E+00   -7.288188E-03
  12     -7.463377E-01     .000000E+00   -3.687714E-02
  13      7.666948E-01     .000000E+00    3.380718E-02
  14     -2.031872E+01     .000000E+00   -1.884823E+00
0excess resonance integrals
0                resolved
0absorption      1.37614E+03
 fission          .00000E+00
- elapsed time    .08 min.
0 sb-124        mt=102                      updated 10/13/89          51124    temperature=  975.00
0 xe-131        mt=102,103,104,105,106      updated 10/13/89          54131    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   129.781          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.301          lumped nuclear density   = 1.1485292E-05
0spin factor (g)          =   246.825          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995            sigma(per absorber atom)= 1.4867684E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933            sigma(per absorber atom)= 1.6587699E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -3.839524E-06     .000000E+00   -3.538854E-05
  10     -2.589499E-04     .000000E+00   -2.257703E-04
  11     -3.124803E-03     .000000E+00   -2.320908E-03
  12     -5.929664E-02     .000000E+00   -5.519651E-03
  13     -8.836818E+01     .000000E+00   -2.070617E+02
  14      1.039511E-02     .000000E+00    1.456956E-02
0excess resonance integrals
0                resolved
0absorption      7.37500E+02
```

```
 fission          .00000E+00
- elapsed time    .08 min.
0 xe-132        mt=102,103,104,105,106        updated 10/13/89          54132    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   130.771          temperature(kelvin)      =  975.000
0potential scatter sigma  =     4.301          lumped nuclear density   = 2.3319530E-05
0spin factor (g)          =   675.899          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 7.3226045E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 8.1697432E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -3.613185E-05     .000000E+00   -1.677534E-04
  10     -1.091632E-02     .000000E+00   -1.389546E-01
  11      3.338928E-08     .000000E+00   -9.226723E-07
0excess resonance integrals
0                resolved
0absorption     9.65781E-01
 fission          .00000E+00
- elapsed time    .08 min.
0 xenon-135     endf/b-iv mat 1294          updated 10/13/89          54135    temperature=  975.00
0 xe-136          mt=  102, 103, 104, 105, 107                        54136    temperature=  975.00
0 cesium-133    endf/b-iv mat 1141          updated 10/13/89          55133    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   131.764          temperature(kelvin)      =  975.000
0potential scatter sigma  =     7.100          lumped nuclear density   = 2.8024819E-05
0spin factor (g)          =   374.437          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 6.0931592E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.051          sigma(per absorber atom)= 6.5357119E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -7.628979E-05     .000000E+00   -5.370495E-04
  10     -3.880106E-03     .000000E+00   -7.411718E-03
  11     -1.434303E-01     .000000E+00   -2.506073E-01
  12     -2.228179E-01     .000000E+00   -3.098573E-02
  13     -3.706751E-01     .000000E+00   -2.016849E-02
  14     -1.585101E+01     .000000E+00   -6.935894E-01
  15      5.617684E-03     .000000E+00   -4.040337E-04
  16      2.777807E-03     .000000E+00   -2.215017E-04
  17      2.352259E-03     .000000E+00   -1.830746E-04
  18      2.215079E-03     .000000E+00   -1.679363E-04
  19      1.317512E-03     .000000E+00   -9.681352E-05
0excess resonance integrals
0                resolved
0absorption     3.46055E+02
 fission          .00000E+00
- elapsed time    .10 min.
0 cs-134        mt=102                      updated 10/13/89          55134    temperature=  975.00
0 cs-135          mt=  102                                            55135    temperature=  975.00
0 cs-137        mt=102                      updated 10/13/89          55137    temperature=  975.00
0 ba-136        mt=102                      updated 10/13/89          56136    temperature=  975.00
```

```
0resonance data for this nuclide
0mass number (a)          =   134.737          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.835          lumped nuclear density   = 3.5187762E-07
0spin factor (g)          =  1247.690          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.8528150E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 5.4142288E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10      8.530733E-07     .000000E+00   3.484196E-07
  11     -4.364408E-05     .000000E+00  -3.643748E-05
0excess resonance integrals
0                 resolved
0absorption      1.38465E+00
 fission          .00000E+00
- elapsed time    .12 min.
0 la-139        mt=102                    updated 10/13/89            57139     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   137.713          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.906          lumped nuclear density   = 2.7388562E-05
0spin factor (g)          =   145.855          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 6.2347080E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 6.9559902E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     -3.695308E-05     .000000E+00  -3.095299E-03
  10     -5.133480E-04     .000000E+00  -2.743127E-02
  11      .000000E+00      .000000E+00   .000000E+00
  12     -9.349354E-02     .000000E+00  -5.643091E-02
0excess resonance integrals
0                 resolved
0absorption      8.03619E+00
 fission          .00000E+00
- elapsed time    .12 min.
0 ce-144          mt=  102                                              58144     temperature=   975.00
0 pr-141        mt=102,103,104,105,106,107    updated 10/13/89            59141     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   139.697          temperature(kelvin)      =   975.000
0potential scatter sigma  =     4.953          lumped nuclear density   = 2.4055988E-05
0spin factor (g)          =  1026.500          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 7.0984277E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 7.9196329E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  10     -9.366466E-03     .000000E+00  -3.182227E-01
  11     -1.521154E-01     .000000E+00  -2.022333E+00
```

```
  12      -3.555179E-03     .000000E+00   -3.483960E-04
0excess resonance integrals
0                 resolved
0absorption       1.20251E+01
 fission           .00000E+00
- elapsed time     .12 min.
0 pr-143        mt=102                        updated 10/13/89              59143     temperature=   975.00
0 nd-143        mt=102                        updated 10/13/89              60143     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   141.682             temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.000             lumped nuclear density   = 2.049999E-05
0spin factor (g)          =  1964.860             lump dimension (a-bar)   = 4.681220IE-01
0inner radius             =  .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995             sigma(per absorber atom)= 8.329742E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933             sigma(per absorber atom)= 9.293394E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -2.012659E-04     .000000E+00   -1.244567E-04
  11      -4.714201E-01     .000000E+00   -5.472525E+00
  12      -3.134185E-01     .000000E+00   -1.541217E-01
0excess resonance integrals
0                 resolved
0absorption       5.05055E+01
 fission           .00000E+00
- elapsed time     .12 min.
0 nd-145        mt=102                        updated 10/13/89              60145     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   143.668             temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.047             lumped nuclear density   = 1.5470734E-05
0spin factor (g)          =  1007.250             lump dimension (a-bar)   = 4.681220IE-01
0inner radius             =  .0000000E+00         dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995             sigma(per absorber atom)= 1.103759E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933             sigma(per absorber atom)= 1.231451E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs          res fiss         res scat
  10      -6.324348E-03     .000000E+00   -9.915684E-02
  11      -9.467698E-02     .000000E+00   -2.868854E-01
  12      -2.238582E+00     .000000E+00   -1.408134E+01
  13       9.550272E-05     .000000E+00    2.048740E-04
  14      -2.098093E+00     .000000E+00   -5.512056E-02
  15       5.892251E-03     .000000E+00   -4.599468E-04
  16       1.326648E-03     .000000E+00   -1.451205E-04
  17       9.642470E-04     .000000E+00   -1.063907E-04
  18       8.539751E-04     .000000E+00   -9.319939E-05
  19       7.634095E-04     .000000E+00   -8.069685E-05
  20       2.839469E-05     .000000E+00   -2.920642E-06
0excess resonance integrals
0                 resolved
0absorption       2.04653E+02
 fission           .00000E+00
- elapsed time     .13 min.
0 nd-147        mt=102                        updated 10/13/89              60147     temperature=   975.00
```

```
0 pm-147        mt=102                          updated 10/13/89            61147     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   145.653             temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093             lumped nuclear density   = 4.5120155E-06
0spin factor (g)          = 21589.500             lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995             sigma(per absorber atom)= 3.7845547E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933             sigma(per absorber atom)= 4.2223832E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  12      -2.273065E-01     .000000E+00   -7.274823E-02
  13      -5.826789E-02     .000000E+00   -3.273887E-03
  14      -1.005808E+02     .000000E+00   -4.320737E+01
  15       4.125411E-02     .000000E+00    6.973337E-03
  16       1.697908E-02     .000000E+00    1.746665E-03
  17       1.369737E-02     .000000E+00    1.150451E-03
  18       1.253792E-02     .000000E+00    9.649521E-04
  19       6.998683E-04     .000000E+00    5.069563E-05
0excess resonance integrals
0                resolved
0absorption      1.99190E+03
 fission         .00000E+00
- elapsed time    .13 min.
0 pm-148         mt=  102                                                  61148     temperature=   975.00
0 sm-147        endf/b-v fission product        updated 10/13/89            62147     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   145.653             temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.093             lumped nuclear density   = 2.2033623E-06
0spin factor (g)          =      .000             lump dimension (a-bar)   = 4.6812201E-01
0inner radius             = .0000000E+00          dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995             sigma(per absorber atom)= 7.7499602E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   237.933             sigma(per absorber atom)= 8.6465391E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
  11       2.531995E-01     .000000E+00    1.026770E+00
  12       6.925951E-01     .000000E+00   -1.801583E+00
  13      -5.105210E+00     .000000E+00   -3.361143E+00
  14      -6.485435E-01     .000000E+00   -9.227741E-03
  15       3.108576E-01     .000000E+00   -1.889360E-03
  16       7.287601E-03     .000000E+00   -3.739430E-04
  17       4.281461E-03     .000000E+00   -2.401654E-04
  18       3.510383E-03     .000000E+00   -1.997177E-04
  19       2.910569E-03     .000000E+00   -1.649473E-04
  20       8.434785E-04     .000000E+00   -4.626470E-05
0excess resonance integrals
0                resolved
0absorption      7.19832E+02
 fission         .00000E+00
- elapsed time    .15 min.
                          thermal scattering matrix number  3 at a temperature of    900.03 was selected.
0 sm-149        mt=102,103,107                  updated 10/13/89            62149     temperature=   975.00
0resonance data for this nuclide
```

```
0mass number (a)          =   147.638          temperature(kelvin)      =   975.000
0potential scatter sigma  =     3.260          lumped nuclear density   = 9.0665708E-08
0spin factor (g)          = 10407.900          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 1.8833989E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 2.1012860E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  11      8.546572E-03     .000000E+00     3.071153E-02
  12     -5.606520E-02     .000000E+00    -1.834105E-01
  13      2.252520E-02     .000000E+00     2.740474E-03
  14     -1.121898E-03     .000000E+00    -8.399253E-03
0excess resonance integrals
0                 resolved
0absorption      8.04326E+02
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-150        mt=102                    updated 10/13/89          62150     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   148.629          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.162          lumped nuclear density   = 5.8421019E-06
0spin factor (g)          =  4376.420          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 2.9229152E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 3.2610619E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  10     -1.916888E-03     .000000E+00    -1.862840E-02
  11     -4.404323E-02     .000000E+00    -4.970627E-01
  12     -1.437634E-01     .000000E+00    -4.344102E-02
  13     -9.971263E+00     .000000E+00    -7.845757E+00
  14      1.064415E-04     .000000E+00    -6.365839E-05
0excess resonance integrals
0                 resolved
0absorption      2.83489E+02
 fission          .00000E+00
- elapsed time    .15 min.
0 sm-151        mt=102,103,104,105,106,107    updated 10/13/89          62151     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   149.623          temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.185          lumped nuclear density   = 4.6166064E-07
0spin factor (g)          = 75574.703          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 3.6988944E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.933          sigma(per absorber atom)= 4.1268128E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  14     -2.664968E-01     .000000E+00    -2.407252E-02
```

```
  15      1.482324E+01     .000000E+00    7.495161E-02
  16     -2.184584E+01     .000000E+00   -6.215366E-02
  17      1.734203E+02     .000000E+00    8.254912E-01
  18     -3.208668E+02     .000000E+00   -1.785959E+00
  19      6.252787E+01     .000000E+00    3.867234E-01
  20      1.141006E+00     .000000E+00   -1.381543E-04
  21     -7.117630E-02     .000000E+00    1.244101E-02
  22      6.952575E-02     .000000E+00    3.838917E-03
  23     -1.091929E-02     .000000E+00    3.374082E-04
0excess resonance integrals
0                resolved
0absorption     2.05581E+03
 fission          .0000E+00
- elapsed time    .17 min.
0 sm-152       mt=102,103,104,105,106,107    updated 10/13/89          62152    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   150.615          temperature(kelvin)     =   975.000
0potential scatter sigma  =     5.208          lumped nuclear density  = 2.7067281E-06
0spin factor (g)          =   863.594          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =    15.995             sigma(per absorber atom)= 6.3087125E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =   237.933             sigma(per absorber atom)= 7.0385563E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9     2.402534E-06     .000000E+00    1.158422E-04
  10    -2.209686E-03     .000000E+00   -3.404345E-02
  11    -3.158748E-02     .000000E+00   -1.201679E-01
  12    -2.107241E-01     .000000E+00   -6.678880E-01
  13     4.146078E-02     .000000E+00    1.007926E-01
  14    -1.800018E+02     .000000E+00   -3.473057E+02
0excess resonance integrals
0                resolved
0absorption     2.67894E+03
 fission          .0000E+00
- elapsed time    .17 min.
0 eu-153       mt=102,103,104,105,106,107    updated 10/13/89          63153    temperature=  975.00
0resonance data for this nuclide
0mass number (a)          =   151.607          temperature(kelvin)     =   975.000
0potential scatter sigma  =     9.731          lumped nuclear density  = 1.8727959E-06
0spin factor (g)          = 12265.900          lump dimension (a-bar)  = 4.6812201E-01
0inner radius             = .0000000E+00       dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =    15.995             sigma(per absorber atom)= 9.1179117E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =   237.933             sigma(per absorber atom)= 1.0172746E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12    -3.151911E-01     .000000E+00   -6.169670E-02
  13    -2.597048E-01     .000000E+00   -1.150879E-02
  14    -1.181352E+00     .000000E+00   -6.071259E-03
  15    -4.179145E-02     .000000E+00   -6.054394E-02
  16    -3.307578E+00     .000000E+00    8.152518E-03
  17     1.505559E-01     .000000E+00   -3.437564E-03
  18     7.726792E-02     .000000E+00   -2.231180E-03
```

```
  19      5.055416E-02     .000000E+00   -1.541084E-03
  20     -1.253808E-01     .000000E+00   -1.274912E-03
0excess resonance integrals
0                resolved
0absorption      1.35238E+03
 fission          .00000E+00
- elapsed time    .18 min.
0 eu-154        mt=102,103,104,105,106,107     updated 10/13/89              63154     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   152.601              temperature(kelvin)      =   975.000
0potential scatter sigma  =     9.731              lumped nuclear density   = 4.843843E-07
0spin factor (g)          = 19135.801              lump dimension (a-bar)   = 4.681220IE-01
0inner radius             = .0000000E+00           dancoff correction (c)   = 3.426926IE-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 3.524899IE+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   257.933              sigma(per absorber atom)= 3.952689IE+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  12     -4.021110E-01     .000000E+00   -6.263666E-02
  13     -3.529810E-01     .000000E+00   -2.641435E-02
  14      2.707021E-01     .000000E+00    1.353824E-02
  15      2.154105E-02     .000000E+00    2.040740E-02
  16      7.004523E+00     .000000E+00    9.140816E-02
  17     -1.450002E+02     .000000E+00   -1.900830E+00
  18      1.130468E+02     .000000E+00    1.854371E+00
  19     -1.014953E+02     .000000E+00    1.187526E+00
0excess resonance integrals
0                resolved
0absorption      2.13529E+03
 fission          .00000E+00
- elapsed time    .18 min.
0 eu-155        mt=102,103,104,105,106,107     updated 10/13/89              63155     temperature=   975.00
0 gd-155        mt=102                         updated 10/13/89              64155     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   153.592              temperature(kelvin)      =   975.000
0potential scatter sigma  =     5.277              lumped nuclear density   = 3.600273E-09
0spin factor (g)          = 12700.100              lump dimension (a-bar)   = 4.681220IE-01
0inner radius             = .0000000E+00           dancoff correction (c)   = 3.426926IE-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995              sigma(per absorber atom)= 4.742964E+07
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   257.933              sigma(per absorber atom)= 5.291669E+07
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss         res scat
  12     -1.439572E+00     .000000E+00   -1.839546E-01
  13      1.540814E+00     .000000E+00    1.984648E-01
  14      2.186907E-01     .000000E+00    9.800664E-03
  15     -3.396920E-01     .000000E+00   -2.257280E-04
  16      1.477357E+00     .000000E+00   -4.148852E-03
  17      1.568659E-01     .000000E+00   -1.479108E-03
  18      9.605182E-02     .000000E+00   -1.078052E-03
  19      6.295395E-02     .000000E+00   -8.026944E-04
  20      1.670401E-02     .000000E+00    1.626967E-04
  21       .000000E+00     .000000E+00     .000000E+00
  22       .000000E+00     .000000E+00     .000000E+00
```

```
  23       .000000E+00     .000000E+00     .000000E+00
  24       .000000E+00     .000000E+00     .000000E+00
  25      -2.128025E+03    .000000E+00    -1.622201E+00
  26      -5.205858E+03    .000000E+00     1.961556E+00
  27      -1.660053E+03    .000000E+00     7.392990E-01
0excess resonance integrals
0                  resolved
0absorption       3.96996E+04
 fission           .00000E+00
-  elapsed time    .20 min.
0u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    92234     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   232.029          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.021          lumped nuclear density   = 4.1064836E-06
0spin factor (g)          =  6948.450          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 4.1582949E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   237.985          sigma(per absorber atom)= 4.6379398E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  11      -1.961208E-02     .000000E+00    -5.722908E-02
  12      -1.601150E-01     .000000E+00    -6.698953E-02
  13       7.760650E-04     .000000E+00    -6.473847E-04
  14      -1.579266E+01     .000000E+00    -2.586926E+00
0excess resonance integrals
0                  resolved
0absorption       5.85330E+02
 fission           .00000E+00
-  elapsed time    .20 min.
0 uranium-235    endf/b-iv mat 1261          updated 10/13/89          92235     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   233.025          temperature(kelvin)      =   975.000
0potential scatter sigma  =    11.500          lumped nuclear density   = 3.2945091E-04
0spin factor (g)          = 15171.100          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =    15.995          sigma(per absorber atom)= 5.1831604E+02
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =   238.049          sigma(per absorber atom)= 5.5623993E+02
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  12      -1.406618E+00    -8.762659E-01    -3.299534E-02
  13      -5.052756E+00    -2.519020E+00    -1.097110E-01
  14      -4.070006E+00    -2.511537E+00    -2.790143E-02
0excess resonance integrals
0                  resolved
0absorption       2.15877E+02
 fission          1.28395E+02
-  elapsed time    .22 min.
0u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    92236     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   234.017          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.995          lumped nuclear density   = 6.7290581E-05
0spin factor (g)          =  6328.490          lump dimension (a-bar)   = 4.6812201E-01
```

```
0inner radius            =  .0000000E+00          dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995              sigma(per absorber atom)= 2.5376465E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   237.984              sigma(per absorber atom)= 2.8307280E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  11     -3.205253E-01     .000000E+00   -8.065267E-01
  12     -1.740610E+00     .000000E+00   -1.175568E+00
  13     -7.067173E-02     .000000E+00   -3.588744E-03
  14     -5.391120E+01     .000000E+00   -4.716531E+00
0excess resonance integrals
0                  resolved
0absorption      2.6404SE+02
 fission           .00000E+00
- elapsed time    .22 min.
0 uranium-238   endf/b-iv mat 1262          updated 10/13/89            92258     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =  236.006            temperature(kelvin)      =  975.000
0potential scatter sigma =   10.599            lumped nuclear density   = 2.1732399E-02
0spin factor (g)         =  656.527            lump dimension (a-bar)   = 4.6812201E-01
0inner radius            =  .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995           sigma(per absorber atom)= 7.8573786E+00
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   235.041           sigma(per absorber atom)= 3.3831647E-01
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
   9     -3.922767E-02     .000000E+00   -4.031110E-01
  10     -1.025260E+00    -1.739109E-05   -6.468191E+00
  11     -9.700805E+00     .000000E+00   -2.688294E+01
  12     -4.303446E+01     .000000E+00   -4.997749E+01
  13     -5.400053E+01     .000000E+00   -1.768741E+01
  14     -1.044746E+02     .000000E+00   -6.058397E+00
0excess resonance integrals
0                  resolved
0absorption      1.8086TE+01
 fission          5.04166E-04
- elapsed time    .25 min.
0 neptunium-237  endf/b-iv mat 1263          updated 10/13/89            93237     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =  235.012            temperature(kelvin)      =  975.000
0potential scatter sigma =   10.500            lumped nuclear density   = 5.7112925E-06
0spin factor (g)         = 10100.800           lump dimension (a-bar)   = 4.6812201E-01
0inner radius            =  .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995           sigma(per absorber atom)= 2.9898605E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   238.051           sigma(per absorber atom)= 3.2070176E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs          res fiss        res scat
  11     -6.415946E-02    -2.341952E-06   -7.461254E-03
  12      2.260366E-03    -1.367187E-04    4.616411E-03
  13     -1.053958E-01     8.240857E-05   -4.853373E-03
```


```
  14      -1.720739E-01   -2.041332E-05   -2.414718E-03
0excess resonance integrals
0                resolved
0absorption      2.92790E+02
 fission         1.38500E-01
- elapsed time    .27 min.
0pu-238 1050 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                    9238     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.167          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.890          lumped nuclear density   = 1.1560305E-06
0spin factor (g)          = 13130.600          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995           sigma(per absorber atom)= 1.4771209E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  238.051           sigma(per absorber atom)= 1.5844058E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -7.587170E-03   -1.185391E-03   -7.182622E-03
  12      -5.238791E-03   -5.998517E-04   -2.438190E-03
  13       3.658336E-01    7.361796E-02   -1.347240E-02
  14      -3.832955E-01   -7.007144E-02    8.539291E-03
0excess resonance integrals
0                resolved
0absorption      8.24762E+01
 fission         9.08013E+00
- elapsed time    .27 min.
0 plutonium-239  endf/b-iv mat 1264          updated 10/13/89         9239     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   236.999          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.200          lumped nuclear density   = 1.2427598E-04
0spin factor (g)          =  6435.710          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995           sigma(per absorber atom)= 1.3740361E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2      =  238.051           sigma(per absorber atom)= 1.4738339E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group        res abs         res fiss        res scat
  11      -2.584350E-01   -1.041815E-01   -7.897274E-02
  12      -2.277330E+00   -8.551598E-01   -2.991308E-01
  13      -7.430213E+00   -4.370307E+00   -1.138121E-01
  14      -2.367054E+00   -1.260186E+00   -2.088675E-02
0excess resonance integrals
0                resolved
0absorption      3.04900E+02
 fission         1.71368E+02
- elapsed time    .28 min.
0 plutonium-240  endf/b-iv mat 1265          updated 10/13/89         9240     temperature=   975.00
0resonance data for this nuclide
0mass number (a)          =   237.992          temperature(kelvin)      =   975.000
0potential scatter sigma  =    10.599          lumped nuclear density   = 3.0295155E-05
0spin factor (g)          =   669.244          lump dimension (a-bar)   = 4.6812201E-01
0inner radius             =  .0000000E+00      dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1      =   15.995           sigma(per absorber atom)= 5.6369063E+03
```


```
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051              sigma(per absorber atom)= 6.046321E+03
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
   9      -7.751930E-05   -2.527774E-06   -3.998371E-04
  10      -7.247898E-03   -4.475637E-04   -3.306840E-02
  11      -2.280458E-01   -1.319958E-03   -3.029641E-01
  12      -3.118656E+00   -1.702781E-02   -2.983013E+00
  13      -3.913366E-01   -2.399544E-03   -2.851979E-02
  14       .000000E+00     .000000E+00     .000000E+00
  15       1.719924E-02    3.282550E-06    3.363419E-03
  16       2.579595E+00    4.925270E-04    3.156881E-01
  17       3.784549E+02    7.222978E-02    3.331969E+01
  18      -9.504828E+03   -1.814088E+00   -7.485503E+02
  19       4.425319E+02    8.445916E-02    3.632726E+01
  20      -9.435818E+01   -1.800868E-02    1.798456E+00
0excess resonance integrals
0              resolved
0absorption    3.82386E+03
 fission       1.73142E+00
- elapsed time    .30 min.
0 plutonium-241  endf/b-iv mat 1266          updated 10/13/89          94241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)        =   238.978          temperature(kelvin)     =   975.000
0potential scatter sigma =    10.939         lumped nuclear density  = 1.8118280E-05
0spin factor (g)        = 16402.100          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 9.4247178E+03
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051          sigma(per absorber atom)= 1.0109246E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  12      -1.407894E-02   -1.332771E-02    5.022025E-04
  13      -1.183183E+00   -9.034095E-01   -3.408006E-02
  14      -1.202047E+00   -8.511612E-01   -3.674328E-03
  15       1.777249E-02    1.592212E-02   -4.605964E-04
0excess resonance integrals
0              resolved
0absorption    5.06252E+02
 fission       4.24597E+02
- elapsed time    .32 min.
0 plutonium-242  endf/b-iv mat 1161          updated 10/13/89          94242     temperature=   975.00
0resonance data for this nuclide
0mass number (a)        =   240.145          temperature(kelvin)     =   975.000
0potential scatter sigma =    10.694         lumped nuclear density  = 2.9103480E-06
0spin factor (g)        =  6606.710          lump dimension (a-bar)  = 4.6812201E-01
0inner radius           =  .0000000E+00      dancoff correction (c)  = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1    =    15.995          sigma(per absorber atom)= 5.8673289E+04
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2    =   238.051          sigma(per absorber atom)= 6.2934793E+04
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
```


```
  11     -7.952340E-03     .000000E+00   -2.154490E-02
  12     -1.658367E-01     .000000E+00   -3.208174E-01
  13     -4.553379E-04     .000000E+00   -8.138200E-07
  14      8.100781E-02     .000000E+00    1.510768E-02
  15     -5.724017E+01     .000000E+00   -4.603442E+00
  16      4.024002E-02     .000000E+00   -3.439860E-03
  17      1.550333E-02     .000000E+00   -1.848019E-03
  18      1.112551E-02     .000000E+00   -1.430582E-03
0excess resonance integrals
0                resolved
0absorption      1.07474E+03
 fission          .0000E+00
-  elapsed time    .32 min.
0am-241 1056 sigp-5+4 newxlacs 218ngp p-3 293k                          95241     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   238.950          temperature(kelvin)      =   975.000
0potential scatter sigma =     9.511          lumped nuclear density   = 7.1835694E-07
0spin factor (g)         = 82058.203          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 2.3770869E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   238.051          sigma(per absorber atom)= 2.5497373E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13      4.803471E-01    1.205702E-02    4.248833E-03
  14     -4.924113E-01   -1.156366E-02   -5.801683E-03
0excess resonance integrals
0                resolved
0absorption      1.95383E+02
 fission         1.0754E+00
-  elapsed time    .32 min.
0am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                           95243     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   240.940          temperature(kelvin)      =   975.000
0potential scatter sigma =     9.511          lumped nuclear density   = 3.8351467E-07
0spin factor (g)         = 82052.602          lump dimension (a-bar)   = 4.6812201E-01
0inner radius            = .0000000E+00       dancoff correction (c)   = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1     =    15.995          sigma(per absorber atom)= 4.4524938E+05
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2     =   238.051          sigma(per absorber atom)= 4.7758834E+05
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs         res fiss        res scat
  13     -1.088286E-02     .000000E+00    3.156997E-04
  14      1.681003E-03     .000000E+00   -7.395986E-05
0excess resonance integrals
0                resolved
0absorption      1.60121E+02
 fission          .0000E+00
-  elapsed time    .32 min.
0 curium-244     endf/b-iv mat 1162          updated 10/13/89            96244     temperature=   975.00
0resonance data for this nuclide
0mass number (a)         =   242.133          temperature(kelvin)      =   975.000
0potential scatter sigma =    10.320          lumped nuclear density   = 5.3017931E-08
0spin factor (g)         =  5251.150          lump dimension (a-bar)   = 4.6812201E-01
```

```
0inner radius          =  .0000000E+00        dancoff correction (c)    = 3.4269261E-01
0the absorber will be treated by the nordheim integral method.
0mass of moderator-1   =   15.995             sigma(per absorber atom)= 3.2207913E+06
0moderator-1 will be treated by the nordheim integral method.
0mass of moderator-2   =  238.051             sigma(per absorber atom)= 3.4547208E+06
0moderator-2 will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group      res abs        res fiss       res scat
  11     9.779739E-05   2.721715E-06   8.773984E-05
  12     1.565525E-04   1.130185E-05   -4.530439E-05
  13     1.849926E-03   9.752654E-05   6.787102E-04
  14     -1.728596E-01  -1.034203E-02  -5.648884E-02
0excess resonance integrals
0                resolved
0absorption     6.13582E+02
 fission        3.54030E+01
-  elapsed time    .33 min.
-  elapsed time    .33 min.
1    this xsdrn working tape was created 02/16/96 at 10:04:59
     the title of the parent case is as follows
     scale 4.2 - 27 group neutron burnup library
       based on endf-b version 4 data with endf-b version 5 fission products
         compiled for nrc    1/27/89
        tape id                        4321      number of nuclides          65
        number of neutron groups         27      number of gamma groups       0
        first thermal group              15      logical unit                 4
                                table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                    id    999
       hydrogen      endf/b-iv mat 1269/thrm1002   updated 10/13/89        id   1001
      b-10 1273 218ngp 042375 p-3 295k                                     id   5010
       boron-11      endf/b-iv mat 1160            updated 10/13/89        id   5011
       oxygen-16     endf/b-iv mat 1276            updated 10/13/89        id   8016
       oxygen-16     endf/b-iv mat 1276            updated 10/13/89        id      6
       kr-83         mt=102,103,103,105,106,107    updated 10/13/89        id  36083
       kr-85           mt=  102                                            id  36085
       sr-90         mt=102                        updated 10/13/89        id  38090
        y-89         mt=102                        updated 10/13/89        id  39089
       zr-93           mt=  102                                            id  40093
       zr-94         mt=102                        updated 10/13/89        id  40094
       zr-95         mt=102                        updated 10/13/89        id  40095
       zircalloy     endf/b-iv mat 1284            updated 10/13/89        id  40302
       nb-94         mt=102                        updated 10/13/89        id  41094
       mo-95         mt=102                        updated 10/13/89        id  42095
       tc-99         mt=102                        updated 10/13/89        id  43099
       ru-101        mt=102                        updated 10/13/89        id  44101
       ru-106        mt=102                        updated 10/13/89        id  44106
       rh-103        mt=102                        updated 10/13/89        id  45103
       rh-105          mt=  102                                            id  45105
       pd-105        mt=102                        updated 10/13/89        id  46105
       pd-108        mt=102                        updated 10/13/89        id  46108
       silver-109    endf/b-iv mat 1139            updated 10/13/89        id  47109
       sb-124        mt=102                        updated 10/13/89        id  51124
       xe-131        mt=102,103,104,105,106        updated 10/13/89        id  54131
       xe-132        mt=102,103,104,105,106        updated 10/13/89        id  54132
       xenon-135     endf/b-iv mat 1294            updated 10/13/89        id  54135
       xe-136          mt=  102, 103, 104, 105, 107                        id  54136
       cesium-133    endf/b-iv mat 1141            updated 10/13/89        id  55133
       cs-134        mt=102                        updated 10/13/89        id  55134
       cs-135          mt=  102                                            id  55135
```

```
        cs-137      mt=102                          updated 10/13/89          id    55137
        ba-136      mt=102                          updated 10/13/89          id    56136
        la-139      mt=102                          updated 10/13/89          id    57139
        ce-144        mt=  102                                                id    58144
        pr-141      mt=102,103,104,105,106,107      updated 10/13/89          id    59141
        pr-143      mt=102                          updated 10/13/89          id    59143
        nd-143      mt=102                          updated 10/13/89          id    60143
        nd-145      mt=102                          updated 10/13/89          id    60145
        nd-147      mt=102                          updated 10/13/89          id    60147
        pm-147      mt=102                          updated 10/13/89          id    61147
        pm-148        mt=  102                                                id    61148
        sm-147      endf/b-v fission product        updated 10/13/89          id    62147
        sm-149      mt=102,103,107                  updated 10/13/89          id    62149
        sm-150      mt=102                          updated 10/13/89          id    62150
        sm-151      mt=102,103,104,105,106,107      updated 10/13/89          id    62151
        sm-152      mt=102,103,104,105,106,107      updated 10/13/89          id    62152
        eu-153      mt=102,103,104,105,106,107      updated 10/13/89          id    63153
        eu-154      mt=102,103,104,105,106,107      updated 10/13/89          id    63154
        eu-155      mt=102,103,104,105,106,107      updated 10/13/89          id    63155
        gd-155      mt=102                          updated 10/13/89          id    64155
       u-234 1043 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                     id    92234
        uranium-235   endf/b-iv mat 1261            updated 10/13/89          id    92235
       u-236 1163 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                     id    92236
        uranium-238   endf/b-iv mat 1262            updated 10/13/89          id    92238
        neptunium-237 endf/b-iv mat 1263            updated 10/13/89          id    93237
       pu-238 1050 sigo=5+4 newklacs p-3 295k f-1/e-m(1.+5)                    id    94238
        plutonium-239 endf/b-iv mat 1264            updated 10/13/89          id    94239
        plutonium-240 endf/b-iv mat 1265            updated 10/13/89          id    94240
        plutonium-241 endf/b-iv mat 1266            updated 10/13/89          id    94241
        plutonium-242 endf/b-iv mat 1161            updated 10/13/89          id    94242
       am-241 1056 sigo=5+4 newklacs 218grp p-3 295k                           id    95241
       am-243 1057 218 gp wt f-1/e-m 090376 p3 295k                            id    95243
        curium-244    endf/b-iv mat 1162            updated 10/13/89          id    96244
0         tape copy used      0 i/o's, and took     .00 seconds
```







program verification information

code system: scale version: 4.2

program: d0c001

```
                    *****       creation date:  04/27/95                    *****
                    *****                                                   *****
                    *****             library:  /neutronics/scale/exe       *****
                    *****                                                   *****
                    *****                                                   *****
                    *****   this is not a   scale  configuration controlled code *****
                    *****                                                   *****
                    *****             jobname:  davis                       *****
                    *****                                                   *****
                    *****   date of execution:  02/16/96                    *****
                    *****                                                   *****
                    *****   time of execution:  10:06:07                    *****
                    *****                                                   *****
                    *****                                                   *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
                    1200 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       -1q array has      1 entries.
0        1q array has     15 entries.
0        2q array has     10 entries.
0        3q array has     12 entries.
0        4q array has      9 entries.
0        5q array has     12 entries.
0direct access unit  9 requires    12 blocks of length  704 for cross section mixing.
1                    1200 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0general problem description data block
0                              general problem data

 ige  1/2/3 = plane/cylinder/sphere      2        isn  quadrature order                  8
 izm  number of zones                    4        isct order of scattering               3
 im   number of special intervals       24        ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1        iim  inner iteration maximum        20
 ibr  right boundary condition           3        iom  outer iteration maximum        25
 mxx  number of mixtures                 3        iclc -1/0/n--flat res/sn/cpt           0
 ms   mixing table length               65        ith  0/1 = forward/adjoint           0
 igm  number of energy groups           27        iflu not used(always wgtd)             0
 nng  number of neutron groups          27        iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0        idl  0/1/2/3=no/prt nd/pch n/both    53
 iftg number of first thermal group     15        ipbt -1/0/1=none/fine/all bal. prt     0
0                            special options

 ifg  0/1 = none/weighting calculation   1        ipn  0/1/2 diff. coef. param           0
 iqm  volumetric sources (0/n=no/yes)    0        idfm 0/1 = none/density factors 39*    1
 ipm  boundary sources (0/n=no/yes)      0        iaz  0/n = none/n activities by zone   0
 ifn  0/1/2 = input 35*/34*/use last    53        iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10        ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0        ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0        isen outer iteration acceleration     0
 ibln activity data unit                 0        nbnd band rebaln parameter            0
 jbkl 0/1/2 buckling geometry            0
0                          weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1        ihtf total xsect psn in brd gp tables 3
 igmf number of broad groups            27        ndsf psn g-g or file number           4
 itp  0/10/20/30/40 0/c/e/ac/a           0        nusf table length or max order        4
 igp  -2/-1/0/n=gted xsect print        -2        mscm extra 1-d x-sect positions       0
 iap  -1/n anisn xsect print            -1
0                          floating point parameters
```

eps	overall convergence	1.00000E-04	dy	cyl/pla ht for buckling	.00000E+00
ptc	point convergence	1.00000E-04	dz	plane depth for buckling	.00000E+00
xnf	normalization factor	1.00000E+00	vsc	void streaming correction	.00000E+00
ev	eigenvalue guess	.00000E+00	pv	ipvt=1/2--k/alpha	1.00000E+00
evm	eigenvalue modifier	.00000E+00	eql	ev change eps for search	1.00000E-03
bf	buckling factor=1.420892	1.42089E+00	xrpm	new param mod for search	7.50000E-01

this case will require 2535 locations for mixing
this case has been allocated 200000 locations

1 1200 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0 13q array has 65 entries.
0 14q array has 65 entries.
0 15q array has 65 entries.
0 data block 2 (mixing table, etc.)

	nuclides on tape	cccc identification	mixing table mixture	component	atom density	extra xsect id's
1	999		1	92235	3.29451E-04	
2	1001		1	92234	4.10648E-06	
3	5010		1	92236	6.72905E-05	
4	5011		1	92238	2.17324E-02	
5	8016		1	8016	4.55359E-02	
6	6		3	6	2.09710E-02	
7	36083		1	36083	1.81372E-06	
8	36085		1	36085	8.71779E-07	
9	38090		1	38090	2.00600E-05	
10	39089		1	39089	1.64607E-05	
11	40093		1	42095	2.30516E-05	
12	40094		1	40093	1.64590E-05	
13	40095		1	40094	2.61240E-05	
14	40802		1	40095	1.92652E-06	
15	41094		1	41094	1.43208E-11	
16	42095		1	43099	2.55495E-05	
17	43099		1	45103	1.43117E-05	
18	44101		1	45105	2.51927E-08	
19	44106		1	44101	2.36761E-05	
20	45103		1	44106	3.50872E-06	
21	45105		1	46105	1.03319E-05	
22	46105		1	46108	3.17250E-06	
23	46108		1	47109	2.13200E-06	
24	47109		1	51124	4.69572E-10	
25	51124		1	54131	1.14853E-05	
26	54131		1	54132	2.33195E-05	
27	54132		1	54135	6.64007E-09	
28	54135		1	54136	4.51576E-05	
29	54136		1	55134	1.63057E-06	
30	55133		1	55135	1.43530E-05	
31	55134		1	55137	2.77063E-05	
32	55135		1	56136	3.51878E-07	
33	55137		1	57139	2.73886E-05	
34	56136		1	59141	2.40560E-05	
35	57139		1	59143	3.60032E-07	
36	58144		1	58144	6.94065E-06	
37	59141		1	60143	2.05000E-05	
38	59143		1	60145	1.54707E-05	
39	60143		1	61147	4.51202E-06	
40	60145		1	61148	1.36887E-08	
41	60147		1	60147	1.28677E-07	
42	61147		1	62147	2.20336E-06	
43	61148		1	62149	9.06657E-08	
44	62147		1	62150	5.84210E-06	

45	62149	1	62151	4.61651E-07
46	62150	1	62152	2.70673E-06
47	62151	1	64155	3.60027E-09
48	62152	1	63153	1.87279E-06
49	63153	1	63154	4.84438E-07
50	63154	1	63155	2.11219E-07
51	63155	2	40302	4.25156E-02
52	64155	3	1001	4.19420E-02
53	92234	3	5010	3.81515E-06
54	92235	3	5011	1.54884E-05
55	92236	1	55133	2.80248E-05
56	92238	1	95237	5.71129E-06
57	95237	1	94238	1.15603E-06
58	94238	1	94239	1.24276E-04
59	94239	1	94240	3.02952E-05
60	94240	1	94241	1.81183E-05
61	94241	1	94242	2.91035E-06
62	94242	1	95241	7.18357E-07
63	95241	1	95243	3.83515E-07
64	95243	1	96244	5.30179E-08
65	96244	1	999	1.00000E-20

- elapsed time .00 min.
0 21649 locations will be used
0 35q array has 25 entries.
0 36q array has 24 entries.
0 38q array has 24 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 1200 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 neutron group parameters

gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	2	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	3	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	4	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	5	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	6	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	7	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	8	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	9	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	10	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	11	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01036E+07	12	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	13	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	14	0	14	1.00000E+00	
15	3.04999E+00	1.50030E+01	2.10601E+06	15	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	16	0	16	1.00000E+00	
17	1.29999E+00	1.58657E+01	1.52545E+06	17	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	18	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	19	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	20	0	20	1.00000E+00	
21	4.00000E-01	1.70344E+01	8.17974E+05	21	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	22	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	23	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	24	0	24	1.00000E+00	
25	5.00000E-02	1.91138E+01	2.71895E+05	25	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	26	0	26	1.00000E+00	

27	1.00000E-02	2.07233E+01	8.88201E+04	27	0	27	1.00000E+00
28	1.00000E-05	2.76310E+01					

1 1200 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0

	mixture by zone	order p(l) by zone	activity table matl no.	activity table reaction	quadrature constants weights	quadrature constants directions	quadrature constants refl direc	quadrature constants wt x cos
1	1	3			0	-2.79004E-01	3	0
2	1	3			5.06143E-02	-1.97286E-01	3	-9.98548E-03
3	2	3			5.06143E-02	1.97286E-01	2	9.98548E-03
4	3	3			0	-6.04419E-01	8	0
5					5.55953E-02	-5.58410E-01	8	-3.10450E-02
6					5.55953E-02	-2.31301E-01	7	-1.28593E-02
7					5.55953E-02	2.31301E-01	6	1.28593E-02
8					5.55953E-02	5.58410E-01	5	3.10450E-02
9					0	-8.50774E-01	15	0
10					5.22844E-02	-8.21784E-01	15	-4.29665E-02
11					5.22844E-02	-6.01588E-01	14	-3.14537E-02
12					5.22844E-02	-2.20196E-01	13	-1.15128E-02
13					5.22844E-02	2.20196E-01	12	1.15128E-02
14					5.22844E-02	6.01588E-01	11	3.14537E-02
15					5.22844E-02	8.21784E-01	10	4.29665E-02
16					0	-9.83052E-01	24	0
17					4.53355E-02	-9.64143E-01	24	-4.37099E-02
18					4.53355E-02	-8.17361E-01	23	-3.70655E-02
19					4.53355E-02	-5.46143E-01	22	-2.47597E-02
20					4.53355E-02	-1.91780E-01	21	-8.69444E-03
21					4.53355E-02	1.91780E-01	20	8.69444E-03
22					4.53355E-02	5.46143E-01	19	2.47597E-02
23					4.53355E-02	8.17361E-01	18	3.70655E-02
24					4.53355E-02	9.64143E-01	17	4.37099E-02

0constants for p(3) scattering

0angl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83052E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.26438E-01
18	-8.17361E-01	-4.49528E-01	3.20862E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20862E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17256E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17256E-01
22	5.46143E-01	-4.49528E-01	-3.20862E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20862E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.26438E-01

1

int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.29551E-02	1	0	2.10906E-03	1.00000E+00	0	
2	2.59102E-02	4.33406E-02	1	1.62798E-01	9.49318E-03	1.00000E+00	0	
3	6.07710E-02	8.75100E-02	1	3.81835E-01	2.94045E-02	1.00000E+00	0	
4	1.14249E-01	1.74155E-01	1	7.17848E-01	1.31104E-01	1.00000E+00	0	

5	2.34061E-01	2.93967E-01	1	1.47065E+00	2.21299E-01	1.00000E+00
6	3.53873E-01	3.80612E-01	1	2.22345E+00	1.27890E-01	1.00000E+00
7	4.07351E-01	4.24781E-01	1	2.55946E+00	9.30429E-02	1.00000E+00
8	4.42212E-01	4.55167E-01	1	2.77850E+00	7.41004E-02	1.00000E+00
9	4.68122E-01	4.68814E-01	2	2.94130E+00	4.07946E-03	0
10	4.69507E-01	4.71481E-01	2	2.95000E+00	1.16988E-02	0
11	4.73456E-01	4.75431E-01	2	2.97481E+00	1.17968E-02	0
12	4.77405E-01	4.78098E-01	2	2.99962E+00	4.16023E-03	0
13	4.78790E-01	4.83159E-01	3	3.00833E+00	2.65268E-02	1.00000E+00
14	4.87528E-01	4.99987E-01	3	3.06323E+00	7.82768E-02	1.00000E+00
15	5.12445E-01	5.24903E-01	3	3.21979E+00	8.21777E-02	1.00000E+00
16	5.37362E-01	5.41731E-01	3	3.37634E+00	2.97427E-02	1.00000E+00
17	5.46100E-01	5.53513E-01	4	3.43125E+00	5.15631E-02	1.00000E+00
18	5.60926E-01	5.70900E-01	4	3.52440E+00	7.15548E-02	1.00000E+00
19	5.80874E-01	5.96175E-01	4	3.64974E+00	1.14628E-01	1.00000E+00
20	6.11475E-01	6.45755E-01	4	3.84201E+00	2.78169E-01	1.00000E+00
21	6.80034E-01	7.14313E-01	4	4.27278E+00	3.07702E-01	1.00000E+00
22	7.48592E-01	7.63878E-01	4	4.70354E+00	1.46875E-01	1.00000E+00
23	7.79193E-01	7.89167E-01	4	4.89582E+00	9.89116E-02	1.00000E+00
24	7.99141E-01	8.06554E-01	4	5.02115E+00	7.51357E-02	1.00000E+00
25	8.13968E-01			5.11431E+00		

- elapsed time .00 min.

1 outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	101	1.11787E-05	9.98993E-01	6.49892E-03	1.00000E+00	2.52158E-03	.00000E+00	.0000
2	149	-8.33695E-06	9.98406E-01	2.43131E-04	7.98053E-04	2.45349E-04	.00000E+00	.0000
3	181	1.44078E-05	9.98092E-01	2.80463E-05	6.79948E-05	4.57289E-05	.00000E+00	.0000

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	1	5.73095E-08	24	1.00000E+00	1
2	1	2	5.51458E-08	24	1.00000E+00	1
3	1	1	6.01701E-08	24	1.00000E+00	1
4	1	1	6.08779E-08	24	1.00000E+00	1
5	1	1	6.98855E-08	24	1.00000E+00	1
6	1	1	4.77424E-08	24	1.00000E+00	1
7	1	24	1.37317E-07	24	1.00000E+00	1
8	1	24	1.62673E-08	24	1.00000E+00	1
9	1	24	4.18811E-08	24	1.00000E+00	1
10	1	24	4.67403E-08	24	1.00000E+00	1
11	1	24	5.11897E-08	24	1.00000E+00	1
12	1	24	9.35846E-08	24	1.00000E+00	1
13	1	24	1.00540E-07	24	1.00000E+00	1
14	1	24	7.25213E-08	24	1.00000E+00	1
15	1	24	5.27113E-05	24	1.00003E+00	1
16	1	24	6.67454E-05	24	1.00002E+00	1
17	1	18	2.26954E-05	24	1.00005E+00	1
18	1	19	4.83348E-05	24	1.00004E+00	2
19	1	18	2.16966E-05	24	1.00006E+00	1
20	1	24	5.35083E-05	24	1.00004E+00	1
21	1	18	2.70142E-05	24	1.00006E+00	1
22	1	24	3.62316E-05	24	1.00002E+00	1
23	1	24	7.42565E-06	24	9.99996E-01	1
24	1	24	1.55458E-05	24	9.99990E-01	1
25	1	24	2.10491E-05	24	9.99994E-01	1
26	1	21	1.97174E-05	24	9.99963E-01	2
27	1	2	6.17690E-06	24	9.99994E-01	2

4	208	4.57026E-07	9.95225E-01	4.67737E-06	1.25755E-05	1.06706E-05	.00000E+00	.0000

final monitor
lambda 9.95227E-01 production/absorption 9.95230E-01 angular flux on 16

- elapsed time .00 min.

1 1200 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 int. zone number radius int. midpoint area volume prod density

1	1	.00000E+00	1.29551E-02	.00000E+00	2.10906E-03	2.89726E-03
2	1	2.59102E-02	4.33406E-02	1.62798E-01	9.49518E-03	1.30351E-02
3	1	6.07710E-02	8.75100E-02	3.81835E-01	2.94045E-02	4.04558E-02
4	1	1.14249E-01	1.74155E-01	7.17848E-01	1.31104E-01	1.82221E-01
5	1	2.34061E-01	2.93967E-01	1.47065E+00	2.21299E-01	3.15358E-01
6	1	3.53873E-01	3.80612E-01	2.22345E+00	1.27890E-01	1.87310E-01
7	1	4.07351E-01	4.24781E-01	2.55946E+00	9.30429E-02	1.39080E-01
8	1	4.42212E-01	4.55167E-01	2.77850E+00	7.41004E-02	1.12871E-01
9	2	4.68122E-01	4.68814E-01	2.94130E+00	4.07944E-03	.00000E+00
10	2	4.69507E-01	4.71481E-01	2.95000E+00	1.16988E-02	.00000E+00
11	2	4.73456E-01	4.75431E-01	2.97481E+00	1.17968E-02	.00000E+00
12	2	4.77405E-01	4.78098E-01	2.99962E+00	4.16023E-03	.00000E+00
13	3	4.78790E-01	4.83159E-01	3.00833E+00	2.65268E-02	.00000E+00
14	3	4.87528E-01	4.99387E-01	3.06323E+00	7.82768E-02	.00000E+00
15	3	5.12445E-01	5.24903E-01	3.21979E+00	8.21777E-02	.00000E+00
16	3	5.37362E-01	5.41731E-01	3.37634E+00	2.97427E-02	.00000E+00
17	4	5.46100E-01	5.53513E-01	3.43125E+00	5.15631E-02	.00000E+00
18	4	5.60926E-01	5.70900E-01	3.52440E+00	7.15548E-02	.00000E+00
19	4	5.80874E-01	5.96175E-01	3.64974E+00	1.14628E-01	.00000E+00
20	4	6.11475E-01	6.45755E-01	3.84201E+00	2.78169E-01	.00000E+00
21	4	6.80034E-01	7.14313E-01	4.27278E+00	3.07702E-01	.00000E+00
22	4	7.48592E-01	7.63893E-01	4.70354E+00	1.46875E-01	.00000E+00
23	4	7.79193E-01	7.89167E-01	4.89582E+00	9.89114E-02	.00000E+00
24	4	7.99141E-01	8.06554E-01	5.02115E+00	7.51357E-02	.00000E+00
25		8.13968E-01		5.11431E+00		

1 1200 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.85788E-01	1.34704E+00	1.69091E+00	1.04528E+00	1.57842E+00	3.05225E+00	2.90647E+00	2.08282E+00
2	1.85854E-01	1.34768E+00	1.69174E+00	1.04578E+00	1.57912E+00	3.05355E+00	2.90713E+00	2.08289E+00
3	1.85797E-01	1.34706E+00	1.69098E+00	1.04531E+00	1.57854E+00	3.05195E+00	2.90611E+00	2.08269E+00
4	1.85389E-01	1.34279E+00	1.68555E+00	1.04202E+00	1.57311E+00	3.02153E+00	2.89984E+00	2.08163E+00
5	1.82330E-01	1.33178E+00	1.67175E+00	1.03368E+00	1.55994E+00	2.99570E+00	2.88438E+00	2.07901E+00
6	1.81105E-01	1.31920E+00	1.65618E+00	1.02435E+00	1.54530E+00	2.96738E+00	2.86753E+00	2.07611E+00
7	1.80125E-01	1.30952E+00	1.64414E+00	1.01722E+00	1.53425E+00	2.94646E+00	2.85518E+00	2.07395E+00
8	1.79149E-01	1.29966E+00	1.63256E+00	1.01047E+00	1.52395E+00	2.92734E+00	2.84400E+00	2.07187E+00
9	1.78614E-01	1.29443E+00	1.62634E+00	1.00688E+00	1.51853E+00	2.91738E+00	2.83822E+00	2.07078E+00
10	1.78603E-01	1.29357E+00	1.62510E+00	1.00619E+00	1.51753E+00	2.91559E+00	2.83724E+00	2.07058E+00
11	1.78340E-01	1.29184E+00	1.62330E+00	1.00520E+00	1.51612E+00	2.91306E+00	2.83585E+00	2.07029E+00
12	1.78253E-01	1.29089E+00	1.62213E+00	1.00455E+00	1.51520E+00	2.91144E+00	2.83498E+00	2.07011E+00
13	1.78052E-01	1.28896E+00	1.61990E+00	1.00331E+00	1.51339E+00	2.90801E+00	2.83308E+00	2.06972E+00
14	1.77487E-01	1.28363E+00	1.61335E+00	9.99475E-01	1.50760E+00	2.89677E+00	2.82663E+00	2.06857E+00
15	1.76876E-01	1.27718E+00	1.60493E+00	9.94153E-01	1.49921E+00	2.88017E+00	2.81707E+00	2.06753E+00
16	1.76578E-01	1.27361E+00	1.59989E+00	9.90679E-01	1.49349E+00	2.86864E+00	2.81057E+00	2.06700E+00
17	1.76434E-01	1.27157E+00	1.59677E+00	9.88846E-01	1.48952E+00	2.86069E+00	2.80571E+00	2.06686E+00
18	1.76264E-01	1.26892E+00	1.59276E+00	9.85371E-01	1.48446E+00	2.85073E+00	2.79986E+00	2.06671E+00
19	1.76010E-01	1.26577E+00	1.58812E+00	9.82005E-01	1.47878E+00	2.83960E+00	2.79330E+00	2.06646E+00
20	1.75695E-01	1.26170E+00	1.58222E+00	9.77783E-01	1.47171E+00	2.82577E+00	2.78518E+00	2.06612E+00
21	1.75479E-01	1.25886E+00	1.57807E+00	9.74795E-01	1.46669E+00	2.81597E+00	2.77950E+00	2.06602E+00
22	1.75480E-01	1.25873E+00	1.57777E+00	9.74512E-01	1.46617E+00	2.81498E+00	2.77905E+00	2.06624E+00
23	1.75560E-01	1.25960E+00	1.57890E+00	9.75241E-01	1.46734E+00	2.81725E+00	2.78053E+00	2.06652E+00
24	1.75651E-01	1.26062E+00	1.58026E+00	9.76139E-01	1.46879E+00	2.82009E+00	2.78232E+00	2.06680E+00

0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.58987E+00	1.45035E+00	1.31088E+00	7.97791E-01	6.69819E-01	5.76649E-01	3.64426E-01	1.98572E-01
2	1.58980E+00	1.45025E+00	1.31018E+00	7.97560E-01	6.69607E-01	5.76358E-01	3.64389E-01	1.98542E-01
3	1.58998E+00	1.45046E+00	1.31064E+00	7.98113E-01	6.70081E-01	5.77100E-01	3.64477E-01	1.98600E-01
4	1.59100E+00	1.45165E+00	1.31325E+00	8.01214E-01	6.72771E-01	5.81215E-01	3.64954E-01	1.98938E-01
5	1.59354E+00	1.45457E+00	1.31968E+00	8.08869E-01	6.79413E-01	5.91429E-01	3.66140E-01	1.99769E-01

6	1.59637E+00	1.45775E+00	1.32671E+00	8.17298E-01	6.86718E-01	6.02749E-01	3.67410E-01	2.00675E-01
7	1.59852E+00	1.46009E+00	1.33189E+00	8.23548E-01	6.92128E-01	6.11210E-01	3.68325E-01	2.01341E-01
8	1.60055E+00	1.46221E+00	1.33661E+00	8.29287E-01	6.97091E-01	6.19021E-01	3.69144E-01	2.01947E-01
9	1.60163E+00	1.46330E+00	1.33905E+00	8.32269E-01	6.99669E-01	6.23082E-01	3.69564E-01	2.02262E-01
10	1.60183E+00	1.46348E+00	1.33944E+00	8.32747E-01	7.00088E-01	6.23725E-01	3.69635E-01	2.02315E-01
11	1.60211E+00	1.46373E+00	1.34000E+00	8.33431E-01	7.00688E-01	6.24645E-01	3.69757E-01	2.02392E-01
12	1.60229E+00	1.46389E+00	1.34036E+00	8.33874E-01	7.01076E-01	6.25240E-01	3.69802E-01	2.02441E-01
13	1.60266E+00	1.46423E+00	1.34110E+00	8.34776E-01	7.01868E-01	6.26456E-01	3.69957E-01	2.02543E-01
14	1.60367E+00	1.46531E+00	1.34344E+00	8.37599E-01	7.04348E-01	6.30259E-01	3.70368E-01	2.02861E-01
15	1.60478E+00	1.46684E+00	1.34679E+00	8.41494E-01	7.07769E-01	6.35498E-01	3.70978E-01	2.03301E-01
16	1.60530E+00	1.46787E+00	1.34899E+00	8.44006E-01	7.09973E-01	6.38869E-01	3.71381E-01	2.03585E-01
17	1.60558E+00	1.46864E+00	1.35063E+00	8.45854E-01	7.11562E-01	6.41326E-01	3.71607E-01	2.03773E-01
18	1.60600E+00	1.46967E+00	1.35286E+00	8.48380E-01	7.13715E-01	6.44677E-01	3.71853E-01	2.04019E-01
19	1.60653E+00	1.47086E+00	1.35542E+00	8.51287E-01	7.16198E-01	6.48537E-01	3.72163E-01	2.04305E-01
20	1.60727E+00	1.47235E+00	1.35864E+00	8.54990E-01	7.19362E-01	6.53455E-01	3.72552E-01	2.04665E-01
21	1.60782E+00	1.47342E+00	1.36098E+00	8.57631E-01	7.21588E-01	6.56938E-01	3.72726E-01	2.04898E-01
22	1.60788E+00	1.47352E+00	1.36120E+00	8.57864E-01	7.21737E-01	6.57208E-01	3.72637E-01	2.04883E-01
23	1.60773E+00	1.47326E+00	1.36052E+00	8.57178E-01	7.21110E-01	6.56269E-01	3.72475E-01	2.04786E-01
24	1.60754E+00	1.47295E+00	1.35990E+00	8.56332E-01	7.20560E-01	6.55121E-01	3.72308E-01	2.04678E-01

0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.64320E-02	2.34091E-02	1.10648E-01	4.04673E-01	9.67856E-02	1.51708E-01	6.18489E-01	4.66905E-01
2	7.63974E-02	2.34339E-02	1.10591E-01	4.04565E-01	9.67183E-02	1.51609E-01	6.18075E-01	4.66587E-01
3	7.64755E-02	2.37291E-02	1.10728E-01	4.04784E-01	9.69350E-02	1.52291E-01	6.19124E-01	4.67464E-01
4	7.69180E-02	2.50190E-02	1.11490E-01	4.06045E-01	9.80879E-02	1.55648E-01	6.24811E-01	4.72273E-01
5	7.80191E-02	2.84204E-02	1.13359E-01	4.09140E-01	1.00978E-01	1.64143E-01	6.38920E-01	4.84224E-01
6	7.98408E-02	3.25764E-02	1.15402E-01	4.12519E-01	1.04219E-01	1.73864E-01	6.54551E-01	4.97501E-01
7	8.01553E-02	3.61208E-02	1.16900E-01	4.14997E-01	1.06681E-01	1.81413E-01	6.66226E-01	5.07454E-01
8	8.10014E-02	3.97955E-02	1.18259E-01	4.17252E-01	1.08984E-01	1.88618E-01	6.77004E-01	5.16683E-01
9	8.14424E-02	4.17918E-02	1.18953E-01	4.18420E-01	1.10187E-01	1.92414E-01	6.82603E-01	5.21488E-01
10	8.15133E-02	4.20092E-02	1.19063E-01	4.18614E-01	1.10367E-01	1.92953E-01	6.83461E-01	5.22211E-01
11	8.16146E-02	4.23210E-02	1.19222E-01	4.18889E-01	1.10625E-01	1.93677E-01	6.84684E-01	5.23239E-01
12	8.16802E-02	4.25237E-02	1.19324E-01	4.19068E-01	1.10791E-01	1.94158E-01	6.85473E-01	5.23901E-01
13	8.18142E-02	4.29348E-02	1.19534E-01	4.19439E-01	1.11131E-01	1.95138E-01	6.87087E-01	5.25254E-01
14	8.22328E-02	4.41991E-02	1.20201E-01	4.20575E-01	1.12192E-01	1.98176E-01	6.92105E-01	5.29426E-01
15	8.28073E-02	4.58904E-02	1.21134E-01	4.22146E-01	1.13643E-01	2.02291E-01	6.98914E-01	5.35005E-01
16	8.31757E-02	4.69454E-02	1.21745E-01	4.23153E-01	1.14570E-01	2.04888E-01	7.03206E-01	5.38457E-01
17	8.34476E-02	4.77336E-02	1.22185E-01	4.23849E-01	1.15282E-01	2.06906E-01	7.06733E-01	5.41617E-01
18	8.38213E-02	4.88290E-02	1.22780E-01	4.24781E-01	1.16284E-01	2.09784E-01	7.11982E-01	5.46600E-01
19	8.42518E-02	5.00861E-02	1.23466E-01	4.25873E-01	1.17444E-01	2.13130E-01	7.18246E-01	5.52619E-01
20	8.48003E-02	5.16798E-02	1.24339E-01	4.27269E-01	1.18951E-01	2.17434E-01	7.26569E-01	5.60751E-01
21	8.51914E-02	5.28138E-02	1.24953E-01	4.28221E-01	1.20002E-01	2.20543E-01	7.32841E-01	5.67098E-01
22	8.52267E-02	5.29215E-02	1.24994E-01	4.28229E-01	1.20111E-01	2.20872E-01	7.33757E-01	5.68304E-01
23	8.51267E-02	5.26404E-02	1.24821E-01	4.27902E-01	1.19869E-01	2.20122E-01	7.32480E-01	5.67296E-01
24	8.50084E-02	5.22905E-02	1.24611E-01	4.27523E-01	1.19521E-01	2.19178E-01	7.30801E-01	5.65862E-01

0 int.	grp. 25	grp. 26	grp. 27
1	1.95803E-01	1.20105E-01	1.60443E-02
2	1.95669E-01	1.20022E-01	1.60428E-02
3	1.96123E-01	1.20458E-01	1.61783E-02
4	1.98536E-01	1.22664E-01	1.67972E-02
5	2.04537E-01	1.28173E-01	1.83664E-02
6	2.11232E-01	1.34381E-01	2.01924E-02
7	2.16279E-01	1.39123E-01	2.16530E-02
8	2.20989E-01	1.43604E-01	2.30958E-02
9	2.23448E-01	1.45956E-01	2.38661E-02
10	2.23807E-01	1.46278E-01	2.39564E-02
11	2.24318E-01	1.46734E-01	2.40848E-02
12	2.24648E-01	1.47028E-01	2.41675E-02
13	2.25318E-01	1.47626E-01	2.43363E-02
14	2.27352E-01	1.49425E-01	2.48316E-02
15	2.30000E-01	1.51731E-01	2.54465E-02

16	2.31583E-01	1.53082E-01	2.57881E-02
17	2.33174E-01	1.54698E-01	2.65213E-02
18	2.35811E-01	1.57524E-01	2.72960E-02
19	2.39033E-01	1.60961E-01	2.84387E-02
20	2.43438E-01	1.65651E-01	2.99428E-02
21	2.46957E-01	1.69483E-01	3.11799E-02
22	2.47727E-01	1.70464E-01	3.15478E-02
23	2.47271E-01	1.70129E-01	3.15054E-02
24	2.46568E-01	1.69513E-01	3.13679E-02

- elapsed time .00 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.33589E-02	.00000E+00	1.30809E-02	1.09077E-02	3.30003E-03	1.15058E-02	9.98841E-01
2	.00000E+00	1.95084E-01	2.41777E-03	1.68673E-01	6.72845E-02	1.36905E-02	1.16535E-01	1.00004E+00
3	.00000E+00	2.16067E-01	2.66656E-02	1.61736E-01	8.16111E-02	1.54936E-02	1.45627E-01	1.00000E+00
4	.00000E+00	1.23684E-01	3.98836E-02	1.05769E-01	6.79578E-02	7.36486E-03	8.76426E-02	1.00001E+00
5	.00000E+00	1.63760E-01	6.83491E-02	2.60142E-01	9.47464E-02	4.36292E-03	1.33002E-01	9.99992E-01
6	.00000E+00	1.76465E-01	1.35112E-01	6.53798E-01	5.43600E-02	6.80647E-03	2.50401E-01	1.00003E+00
7	.00000E+00	8.71164E-02	9.85425E-02	7.44150E-01	3.63364E-02	7.27131E-03	1.42050E-01	1.00001E+00
8	.00000E+00	1.34131E-02	4.25864E-02	6.30310E-01	2.15264E-02	1.35652E-02	2.09053E-02	1.00004E+00
9	.00000E+00	9.73270E-04	2.17502E-02	5.36035E-01	2.07341E-02	2.25980E-02	-2.06082E-02	9.99991E-01
10	.00000E+00	7.22868E-05	2.07561E-02	4.63791E-01	1.07478E-02	3.50686E-02	-2.49887E-02	1.00001E+00
11	.00000E+00	5.68697E-06	1.07488E-02	4.26688E-01	8.18658E-03	5.75793E-02	-5.50120E-02	1.00001E+00
12	.00000E+00	3.99500E-07	8.18663E-03	2.41694E-01	9.40173E-03	6.42909E-02	-6.55026E-02	9.99959E-01
13	.00000E+00	6.34369E-08	9.40174E-03	1.81043E-01	6.15307E-03	6.05272E-02	-5.72788E-02	1.00000E+00
14	.00000E+00	1.25715E-08	6.15308E-03	1.52074E-01	7.30064E-03	8.68506E-02	-8.79983E-02	1.00000E+00
15	.00000E+00	1.42072E-09	7.38525E-03	8.33912E-02	8.76155E-03	8.05705E-03	-9.53961E-03	1.00632E+00
16	.00000E+00	4.17172E-10	8.91006E-03	4.16468E-02	9.35774E-03	6.78972E-03	-7.31179E-03	1.00461E+00
17	.00000E+00	1.34350E-10	7.43423E-03	1.36579E-02	6.95405E-03	1.01912E-02	-9.71775E-03	1.00156E+00
18	.00000E+00	9.61905E-11	6.73231E-03	7.16929E-03	3.12093E-03	3.16056E-02	-2.80013E-02	1.00020E+00
19	.00000E+00	1.35998E-10	5.40004E-03	2.18239E-02	7.97073E-03	1.30210E-02	-1.56190E-02	1.00130E+00
20	.00000E+00	2.21138E-10	8.97591E-03	9.65570E-02	9.15287E-03	2.64602E-02	-2.67453E-02	1.00304E+00
21	.00000E+00	3.23675E-11	8.47705E-03	1.90448E-02	7.43011E-03	2.60782E-02	-2.50569E-02	1.00076E+00
22	.00000E+00	3.75537E-11	1.08786E-02	3.55168E-02	8.02540E-03	7.44615E-02	-7.16532E-02	1.00054E+00
23	.00000E+00	3.59055E-11	1.28780E-02	1.50450E-01	1.65811E-02	1.19930E-01	-1.23805E-01	1.00126E+00
24	.00000E+00	9.77301E-12	2.04524E-02	1.06694E-01	2.07018E-02	1.05716E-01	-1.06097E-01	1.00104E+00
25	.00000E+00	2.86090E-12	1.77658E-02	4.06994E-02	1.35049E-02	5.70012E-02	-5.27962E-02	1.00079E+00
26	.00000E+00	2.00608E-12	8.80172E-03	2.85425E-02	6.11118E-03	5.11556E-02	-4.85021E-02	1.00065E+00
27	.00000E+00	4.78059E-13	1.91637E-03	4.31134E-03	1.05471E-03	1.43858E-02	-1.35259E-02	1.00037E+00
28	.00000E+00	1.00000E+00	6.15961E-01	5.38849E+00	6.15961E-01	9.43622E-01	5.79055E-02	1.00050E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.78643E-01	1.15058E-02	1.85726E-01	.00000E+00	2.32484E-03	2.69862E-03	.00000E+00	1.25126E-01
2	1.29471E+00	1.16535E-01	1.34641E+00	.00000E+00	1.68249E-05	1.19016E-02	.00000E+00	9.12852E-01
3	1.62667E+00	1.45627E-01	1.69009E+00	.00000E+00	.00000E+00	1.44679E-02	.00000E+00	1.14605E+00
4	1.00706E+00	8.76426E-02	1.04479E+00	.00000E+00	.00000E+00	6.22017E-03	.00000E+00	7.08760E-01
5	1.51879E+00	1.33002E-01	1.57771E+00	.00000E+00	.00000E+00	1.76665E-03	.00000E+00	1.06946E+00
6	2.91786E+00	2.50401E-01	3.03090E+00	.00000E+00	.00000E+00	1.42756E-03	.00000E+00	2.05399E+00
7	2.83849E+00	1.42050E-01	2.90573E+00	.00000E+00	.00000E+00	1.31395E-03	.00000E+00	1.98080E+00
8	2.07083E+00	2.09053E-02	2.08273E+00	.00000E+00	.00000E+00	1.29080E-03	.00000E+00	1.43040E+00
9	1.60158E+00	-2.06082E-02	1.58997E+00	.00000E+00	.00000E+00	1.68168E-03	.00000E+00	1.09792E+00
10	1.46325E+00	-2.49887E-02	1.45046E+00	.00000E+00	.00000E+00	3.58150E-03	.00000E+00	1.00232E+00
11	1.33894E+00	-5.50120E-02	1.31063E+00	.00000E+00	.00000E+00	7.79913E-03	.00000E+00	9.10596E-01
12	8.32142E-01	-6.55026E-02	7.98086E-01	.00000E+00	.00000E+00	1.03512E-02	.00000E+00	5.59566E-01
13	6.99558E-01	-5.72788E-02	6.70082E-01	.00000E+00	.00000E+00	1.25294E-02	.00000E+00	4.69906E-01
14	6.22912E-01	-8.79983E-02	5.77028E-01	.00000E+00	.00000E+00	7.72475E-03	.00000E+00	4.10563E-01
15	3.69541E-01	-9.53961E-03	3.64468E-01	.00000E+00	.00000E+00	1.69067E-03	.00000E+00	2.52432E-01
16	2.02246E-01	-7.31179E-03	1.98607E-01	.00000E+00	.00000E+00	1.21258E-03	.00000E+00	1.37796E-01
17	8.14204E-02	-9.71775E-03	7.64719E-02	.00000E+00	.00000E+00	1.25535E-03	.00000E+00	5.40792E-02
18	4.17338E-02	-2.80013E-02	2.34500E-02	.00000E+00	.00000E+00	7.33272E-04	.00000E+00	2.10149E-02
19	1.18918E-01	-1.56190E-02	1.10714E-01	.00000E+00	.00000E+00	2.00413E-03	.00000E+00	7.86402E-02

20	4.18359E-01	-2.67453E-02	4.04792E-01	.00000E+00	.00000E+00	1.39996E-02	.00000E+00	2.82661E-01
21	1.10135E-01	-2.50569E-02	9.68741E-02	.00000E+00	.00000E+00	1.54127E-02	.00000E+00	7.05084E-02
22	1.92276E-01	-7.16532E-02	1.51921E-01	.00000E+00	.00000E+00	4.42529E-02	.00000E+00	1.16059E-01
23	6.82388E-01	-1.23805E-01	6.19016E-01	.00000E+00	.00000E+00	7.05656E-02	.00000E+00	4.44549E-01
24	5.21309E-01	-1.06097E-01	4.67341E-01	.00000E+00	.00000E+00	6.12938E-02	.00000E+00	3.37362E-01
25	2.23357E-01	-5.27962E-02	1.96003E-01	.00000E+00	.00000E+00	3.45226E-02	.00000E+00	1.42843E-01
26	1.45875E-01	-4.85021E-02	1.20267E-01	.00000E+00	.00000E+00	3.16494E-02	.00000E+00	9.01527E-02
27	2.38426E-02	-1.35299E-02	1.60728E-02	.00000E+00	.00000E+00	8.98464E-03	.00000E+00	1.32570E-02
28	2.31429E+01	5.79064E-02	2.31043E+01	.00000E+00	2.34167E-03	3.72332E-01	.00000E+00	1.59195E+01

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-09	1.00000E+00
2	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
3	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
4	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
5	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-08	9.99999E-01
6	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
7	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.19209E-07	9.99999E-01
8	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.79397E-08	9.99999E-01
9	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	5.21541E-08	9.99997E-01
10	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	6.89179E-08	9.99997E-01
11	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
12	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.00000E+00
13	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-08	1.00000E+00
14	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-3.72529E-08	1.00000E+00
15	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.04891E-08	9.99998E-01
16	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-09	1.00000E+00
17	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-09	1.00000E+00
18	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.86265E-09	1.00000E+00
19	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
20	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.86265E-08	1.00000E+00
21	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	7.45058E-09	1.00000E+00
22	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-7.45058E-09	1.00000E+00
23	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.23517E-08	1.00000E+00
24	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	-1.49012E-08	1.00000E+00
25	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	3.72529E-09	1.00000E+00
26	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	1.49012E-08	1.00000E+00
27	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	9.31323E-10	1.00000E+00
28	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	.00000E+00	2.95229E-07	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.78205E-01	1.15058E-02	1.78643E-01	1.15058E-02	.00000E+00	.00000E+00	.00000E+00	5.66224E-03
2	1.29058E+00	1.16535E-01	1.29471E+00	1.16535E-01	.00000E+00	.00000E+00	.00000E+00	4.10212E-02
3	1.62183E+00	1.45627E-01	1.62667E+00	1.45627E-01	.00000E+00	.00000E+00	.00000E+00	5.15445E-02
4	1.00439E+00	8.76426E-02	1.00706E+00	8.76426E-02	.00000E+00	.00000E+00	.00000E+00	3.19159E-02
5	1.51498E+00	1.33002E-01	1.51879E+00	1.33002E-01	.00000E+00	.00000E+00	.00000E+00	4.81369E-02
6	2.91103E+00	2.50401E-01	2.91786E+00	2.50401E-01	.00000E+00	.00000E+00	.00000E+00	9.24872E-02
7	2.83474E+00	1.42050E-01	2.83849E+00	1.42050E-01	.00000E+00	.00000E+00	.00000E+00	9.00185E-02
8	2.07006E+00	2.09053E-02	2.07083E+00	2.09053E-02	.00000E+00	.00000E+00	.00000E+00	6.57058E-02
9	1.60234E+00	-2.06081E-02	1.60158E+00	-2.06082E-02	.00000E+00	.00000E+00	.00000E+00	5.08588E-02
10	1.46394E+00	-2.49886E-02	1.46325E+00	-2.49887E-02	.00000E+00	.00000E+00	.00000E+00	4.64478E-02
11	1.34045E+00	-5.50120E-02	1.33894E+00	-5.50120E-02	.00000E+00	.00000E+00	.00000E+00	4.25163E-02
12	8.33984E-01	-6.55026E-02	8.32142E-01	-6.55026E-02	.00000E+00	.00000E+00	.00000E+00	2.64382E-02
13	7.01173E-01	-5.72788E-02	6.99558E-01	-5.72788E-02	.00000E+00	.00000E+00	.00000E+00	2.22269E-02
14	6.25389E-01	-8.79984E-02	6.22912E-01	-8.79983E-02	.00000E+00	.00000E+00	.00000E+00	1.98086E-02
15	3.69814E-01	-9.53959E-03	3.69541E-01	-9.53961E-03	.00000E+00	.00000E+00	.00000E+00	1.17521E-02
16	2.02453E-01	-7.31179E-03	2.02246E-01	-7.31179E-03	.00000E+00	.00000E+00	.00000E+00	6.42173E-03
17	8.16954E-02	-9.71775E-03	8.14204E-02	-9.71775E-03	.00000E+00	.00000E+00	.00000E+00	2.58844E-03
18	4.25738E-02	-2.80013E-02	4.17338E-02	-2.80013E-02	.00000E+00	.00000E+00	.00000E+00	1.33810E-03
19	1.19344E-01	-1.56190E-02	1.18918E-01	-1.56190E-02	.00000E+00	.00000E+00	.00000E+00	3.78101E-03
20	4.19102E-01	-2.67453E-02	4.18359E-01	-2.67453E-02	.00000E+00	.00000E+00	.00000E+00	1.32892E-02

21	1.10828E-01	-2.50569E-02	1.10135E-01	-2.50569E-02	.00000E+00	.00000E+00	.00000E+00	3.50659E-03
22	1.94278E-01	-7.16532E-02	1.92276E-01	-7.16532E-02	.00000E+00	.00000E+00	.00000E+00	6.13453E-03
23	6.85683E-01	-1.23805E-01	6.82388E-01	-1.23805E-01	.00000E+00	.00000E+00	.00000E+00	2.17091E-02
24	5.24079E-01	-1.06097E-01	5.21309E-01	-1.06097E-01	.00000E+00	.00000E+00	.00000E+00	1.65887E-02
25	2.24735E-01	-5.27962E-02	2.23567E-01	-5.27962E-02	.00000E+00	.00000E+00	.00000E+00	7.11054E-03
26	1.47106E-01	-4.85021E-02	1.45875E-01	-4.85021E-02	.00000E+00	.00000E+00	.00000E+00	4.64936E-03
27	2.41885E-02	-1.35299E-02	2.38426E-02	-1.35299E-02	.00000E+00	.00000E+00	.00000E+00	7.62287E-04
28	2.31390E+01	5.79058E-02	2.31429E+01	5.79064E-02	.00000E+00	.00000E+00	.00000E+00	7.34381E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	3.92766E-03	2.94428E-03	1.50882E-05	-2.85434E-03	1.00001E+00
2	.00000E+00	.00000E+00	5.14212E-04	2.62972E-02	1.88695E-02	5.22437E-05	-1.84078E-02	1.00000E+00
3	.00000E+00	.00000E+00	2.69852E-03	5.04487E-02	1.59513E-02	1.37981E-04	-1.33897E-02	9.99995E-01
4	.00000E+00	.00000E+00	5.19375E-03	4.22522E-02	5.47074E-03	1.03724E-04	-3.80322E-04	9.99996E-01
5	.00000E+00	.00000E+00	1.11840E-02	8.17850E-02	5.17228E-03	1.52364E-04	5.85908E-03	1.00000E+00
6	.00000E+00	.00000E+00	1.85328E-02	2.35164E-01	3.21300E-03	3.20227E-04	1.50998E-02	1.00000E+00
7	.00000E+00	.00000E+00	1.23767E-02	2.35290E-01	1.18269E-03	3.44904E-04	1.08473E-02	9.99999E-01
8	.00000E+00	.00000E+00	2.16903E-03	1.58719E-01	7.64257E-03	2.95174E-04	-5.76928E-03	1.00002E+00
9	.00000E+00	.00000E+00	7.67613E-03	1.05369E-01	8.78370E-04	1.11110E-03	5.68689E-03	9.99990E-01
10	.00000E+00	.00000E+00	8.79557E-04	8.58097E-02	8.51381E-04	8.37983E-04	-8.09861E-04	1.00000E+00
11	.00000E+00	.00000E+00	8.51443E-04	7.73469E-02	8.73519E-04	1.34209E-03	-1.36416E-03	1.00000E+00
12	.00000E+00	.00000E+00	8.73525E-04	4.69386E-02	8.73277E-04	4.17908E-05	-4.15519E-05	1.00000E+00
13	.00000E+00	.00000E+00	8.73278E-04	3.94928E-02	8.05625E-04	5.99614E-05	7.74115E-06	9.99999E-01
14	.00000E+00	.00000E+00	8.05629E-04	3.54901E-02	6.68816E-04	9.45295E-05	4.23193E-05	1.00000E+00
15	.00000E+00	.00000E+00	7.11807E-04	2.03544E-02	8.33088E-04	8.17407E-05	-2.03708E-04	1.00007E+00
16	.00000E+00	.00000E+00	9.26294E-04	1.05770E-02	9.24964E-04	5.03123E-05	-4.94584E-05	1.00006E+00
17	.00000E+00	.00000E+00	9.70918E-04	3.78339E-03	9.31292E-04	2.28563E-05	1.67396E-05	1.00000E+00
18	.00000E+00	.00000E+00	9.73845E-04	1.94598E-03	6.28349E-04	1.33260E-05	3.32095E-04	1.00000E+00
19	.00000E+00	.00000E+00	6.85313E-04	6.00804E-03	8.86432E-04	3.89239E-05	-2.40121E-04	1.00000E+00
20	.00000E+00	.00000E+00	1.05638E-03	2.30911E-02	9.81685E-04	1.71684E-04	-9.77423E-05	1.00008E+00
21	.00000E+00	.00000E+00	1.19553E-03	5.20795E-03	1.24399E-03	5.73756E-05	-1.05906E-04	1.00000E+00
22	.00000E+00	.00000E+00	1.57133E-03	1.00930E-02	1.34889E-03	1.17601E-04	1.04651E-04	1.00000E+00
23	.00000E+00	.00000E+00	2.04398E-03	3.70180E-02	2.71774E-03	5.60603E-04	-1.23431E-03	1.00000E+00
24	.00000E+00	.00000E+00	3.37802E-03	2.67407E-02	3.66976E-03	6.22915E-04	-9.14447E-04	9.99998E-01
25	.00000E+00	.00000E+00	3.31770E-03	1.03898E-02	2.67419E-03	3.53384E-04	2.90211E-04	9.99998E-01
26	.00000E+00	.00000E+00	1.39170E-03	7.59797E-03	1.00409E-03	3.31774E-04	5.57713E-05	1.00000E+00
27	.00000E+00	.00000E+00	2.91152E-04	1.43516E-03	7.39446E-07	1.04969E-04	1.85450E-04	1.00000E+00
28	.00000E+00	.00000E+00	8.32426E-02	1.38867E+00	8.32426E-02	7.43662E-03	-7.33284E-03	1.00001E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*dv**2	total flux
1	1.76518E-01	8.65149E-03	1.78205E-01	1.15058E-02	1.05196E-04	.00000E+00	.00000E+00	3.84029E-02
2	1.27280E+00	9.81276E-02	1.29058E+00	1.16535E-01	.00000E+00	.00000E+00	.00000E+00	2.77507E-01
3	1.59866E+00	1.32257E-01	1.62183E+00	1.45627E-01	.00000E+00	.00000E+00	.00000E+00	3.48733E-01
4	9.89769E-01	8.72623E-02	1.00439E+00	8.76426E-02	.00000E+00	.00000E+00	.00000E+00	2.16013E-01
5	1.49195E+00	1.38861E-01	1.51498E+00	1.33002E-01	.00000E+00	.00000E+00	.00000E+00	3.25778E-01
6	2.86549E+00	2.65500E-01	2.91103E+00	2.50401E-01	.00000E+00	.00000E+00	.00000E+00	6.25897E-01
7	2.80853E+00	1.52899E-01	2.83474E+00	1.42050E-01	.00000E+00	.00000E+00	.00000E+00	6.11500E-01
8	2.06691E+00	1.51360E-02	2.07006E+00	2.09053E-02	.00000E+00	.00000E+00	.00000E+00	4.48215E-01
9	1.60540E+00	-1.49212E-02	1.60234E+00	-2.06081E-02	.00000E+00	.00000E+00	.00000E+00	3.47666E-01
10	1.46814E+00	-2.57984E-02	1.46394E+00	-2.49886E-02	.00000E+00	.00000E+00	.00000E+00	3.17741E-01
11	1.34956E+00	-5.63761E-02	1.34045E+00	-5.50120E-02	.00000E+00	.00000E+00	.00000E+00	2.91536E-01
12	8.44656E-01	-6.55441E-02	8.39384E-01	-6.55026E-02	.00000E+00	.00000E+00	.00000E+00	1.81964E-01
13	7.10543E-01	-5.72711E-02	7.01173E-01	-5.72788E-02	.00000E+00	.00000E+00	.00000E+00	1.53052E-01
14	6.39738E-01	-8.79560E-02	6.25389E-01	-8.79984E-02	.00000E+00	.00000E+00	.00000E+00	1.37178E-01
15	3.71482E-01	-9.74330E-03	3.69814E-01	-9.53959E-03	.00000E+00	.00000E+00	.00000E+00	8.03365E-02
16	2.03657E-01	-7.36125E-03	2.02453E-01	-7.31179E-03	.00000E+00	.00000E+00	.00000E+00	4.40141E-02
17	8.32672E-02	-9.70101E-03	8.16934E-02	-9.71775E-03	.00000E+00	.00000E+00	.00000E+00	1.78860E-02
18	4.72122E-02	-2.76692E-02	4.25738E-02	-2.80013E-02	.00000E+00	.00000E+00	.00000E+00	9.76614E-03
19	1.21898E-01	-1.58591E-02	1.19344E-01	-1.56190E-02	.00000E+00	.00000E+00	.00000E+00	2.61554E-02
20	4.23401E-01	-2.68431E-02	4.19102E-01	-2.67453E-02	.00000E+00	.00000E+00	.00000E+00	9.13242E-02
21	1.14803E-01	-2.51628E-02	1.10828E-01	-2.50569E-02	.00000E+00	.00000E+00	.00000E+00	2.44765E-02

22	2.05548E-01	-7.15485E-02	1.94278E-01	-7.16532E-02	.00000E+00	.00000E+00	.00000E+00	4.34067E-02
23	7.04305E-01	-1.25039E-01	6.85683E-01	-1.23805E-01	.00000E+00	.00000E+00	.00000E+00	1.50752E-01
24	5.39529E-01	-1.07011E-01	5.24079E-01	-1.06097E-01	.00000E+00	.00000E+00	.00000E+00	1.15356E-01
25	2.31970E-01	-5.25060E-02	2.24735E-01	-5.27962E-02	.00000E+00	.00000E+00	.00000E+00	4.95621E-02
26	1.53406E-01	-4.84463E-02	1.47106E-01	-4.85021E-02	.00000E+00	.00000E+00	.00000E+00	3.26346E-02
27	2.58662E-02	-1.33444E-02	2.41885E-02	-1.35299E-02	.00000E+00	.00000E+00	.00000E+00	5.44733E-03
28	2.31148E+01	5.05727E-02	2.31390E+01	5.79058E-02	1.05196E-04	.00000E+00	.00000E+00	5.01228E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	6.20599E-03	8.21414E-03	4.37777E-04	-8.65148E-03	9.99950E-01
2	.00000E+00	.00000E+00	4.71311E-03	7.74201E-02	1.01755E-01	1.09022E-03	-9.81276E-02	9.99961E-01
3	.00000E+00	.00000E+00	4.89033E-02	6.93901E-02	1.80539E-01	5.45397E-06	-1.32257E-01	9.99977E-01
4	.00000E+00	.00000E+00	7.08152E-02	4.60072E-02	1.58078E-01	3.24178E-06	-8.72622E-02	9.99987E-01
5	.00000E+00	.00000E+00	1.30636E-01	1.48753E-01	2.69495E-01	3.78163E-06	-1.38861E-01	9.99991E-01
6	.00000E+00	.00000E+00	2.75911E-01	4.55531E-01	5.41401E-01	1.14830E-05	-2.65500E-01	9.99998E-01
7	.00000E+00	.00000E+00	5.53502E-01	7.95545E-01	7.06385E-01	2.53633E-05	-1.52899E-01	9.99988E-01
8	.00000E+00	.00000E+00	7.35977E-01	1.00175E+00	7.51132E-01	4.70509E-05	-1.51360E-02	9.99912E-01
9	.00000E+00	.00000E+00	7.41376E-01	9.17331E-01	7.26441E-01	9.60399E-05	1.49212E-02	9.99889E-01
10	.00000E+00	.00000E+00	7.23083E-01	8.67478E-01	6.97147E-01	2.11964E-04	2.57985E-02	9.99896E-01
11	.00000E+00	.00000E+00	7.01994E-01	8.08156E-01	6.45201E-01	4.58931E-04	5.63762E-02	9.99940E-01
12	.00000E+00	.00000E+00	5.61551E-01	4.21052E-01	4.95420E-01	5.99108E-04	6.55442E-02	9.99979E-01
13	.00000E+00	.00000E+00	4.91388E-01	3.37825E-01	4.33265E-01	8.97333E-04	5.72711E-02	9.99970E-01
14	.00000E+00	.00000E+00	4.70704E-01	3.19200E-01	3.81308E-01	1.44461E-03	8.79561E-02	9.99989E-01
15	.00000E+00	.00000E+00	2.49677E-01	1.27396E-01	2.38665E-01	1.26985E-03	9.74157E-03	1.00000E+00
16	.00000E+00	.00000E+00	1.65232E-01	5.32943E-02	1.57010E-01	8.62694E-04	7.35957E-03	9.99997E-01
17	.00000E+00	.00000E+00	8.46211E-02	1.43225E-02	7.45192E-02	4.00062E-04	9.70544E-03	9.99957E-01
18	.00000E+00	.00000E+00	7.44775E-02	8.51852E-03	4.65469E-02	2.60634E-04	2.76712E-02	9.99983E-01
19	.00000E+00	.00000E+00	1.19986E-01	3.11525E-02	1.05393E-01	6.82831E-04	1.58665E-02	9.99956E-01
20	.00000E+00	.00000E+00	2.90467E-01	2.30557E-01	2.60676E-01	2.94963E-03	2.68416E-02	9.99999E-01
21	.00000E+00	.00000E+00	1.34254E-01	4.15384E-02	1.08061E-01	1.02923E-03	2.51695E-02	9.99960E-01
22	.00000E+00	.00000E+00	2.51685E-01	1.14357E-01	1.77965E-01	2.17372E-03	7.15489E-02	9.99993E-01
23	.00000E+00	.00000E+00	5.87104E-01	6.88541E-01	4.52146E-01	9.92654E-03	1.25086E-01	9.99992E-01
24	.00000E+00	.00000E+00	5.95071E-01	6.17774E-01	4.76865E-01	1.11998E-02	1.07012E-01	9.99990E-01
25	.00000E+00	.00000E+00	3.84954E-01	2.53418E-01	3.26022E-01	6.42757E-03	5.25071E-02	9.99991E-01
26	.00000E+00	.00000E+00	3.04534E-01	2.70498E-01	2.49841E-01	6.24905E-03	4.84376E-02	1.00002E+00
27	.00000E+00	.00000E+00	1.01616E-01	5.65318E-02	8.61203E-02	2.15106E-03	1.33442E-02	1.00000E+00
28	.00000E+00	.00000E+00	8.85358E+00	8.77954E+00	8.85358E+00	5.09145E-02	-5.05678E-02	9.99961E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*dv**2	total flux
1	1.75698E-01	2.03183E-09	1.76518E-01	8.65149E-03	4.54265E-10	.00000E+00	.00000E+00	2.01089E-01
2	1.26115E+00	-1.47898E-08	1.27280E+00	9.81276E-02	.00000E+00	.00000E+00	.00000E+00	1.44396E+00
3	1.58097E+00	9.30596E-08	1.59866E+00	1.32257E-01	.00000E+00	.00000E+00	.00000E+00	1.81069E+00
4	9.76608E-01	9.58997E-08	9.89769E-01	8.72623E-02	.00000E+00	.00000E+00	.00000E+00	1.11891E+00
5	1.46956E+00	-1.75408E-08	1.49195E+00	1.38861E-01	.00000E+00	.00000E+00	.00000E+00	1.68406E+00
6	2.82158E+00	1.74066E-07	2.86549E+00	2.65500E-01	.00000E+00	.00000E+00	.00000E+00	3.23350E+00
7	2.78326E+00	9.98467E-09	2.80853E+00	1.52899E-01	.00000E+00	.00000E+00	.00000E+00	3.18746E+00
8	2.06693E+00	3.20919E-08	2.06691E+00	1.51360E-02	.00000E+00	.00000E+00	.00000E+00	2.36495E+00
9	1.60744E+00	3.34927E-09	1.60540E+00	-1.49212E-02	.00000E+00	.00000E+00	.00000E+00	1.83964E+00
10	1.47275E+00	3.21656E-08	1.46814E+00	-2.57984E-02	.00000E+00	.00000E+00	.00000E+00	1.68524E+00
11	1.35952E+00	4.98413E-08	1.34956E+00	-5.63761E-02	.00000E+00	.00000E+00	.00000E+00	1.55521E+00
12	8.55889E-01	4.67275E-08	8.44656E-01	-6.55441E-02	.00000E+00	.00000E+00	.00000E+00	9.78753E-01
13	7.19954E-01	5.61550E-09	7.10543E-01	-5.72711E-02	.00000E+00	.00000E+00	.00000E+00	8.23450E-01
14	6.54521E-01	5.24308E-08	6.39738E-01	-8.79560E-02	.00000E+00	.00000E+00	.00000E+00	7.48114E-01
15	3.72221E-01	-1.72885E-06	3.71482E-01	-9.74330E-03	.00000E+00	.00000E+00	.00000E+00	4.26298E-01
16	2.04622E-01	-1.68595E-06	2.03657E-01	-7.36125E-03	.00000E+00	.00000E+00	.00000E+00	2.34230E-01
17	8.49354E-02	4.43419E-06	8.32672E-02	-9.70101E-03	.00000E+00	.00000E+00	.00000E+00	9.70851E-02
18	5.21055E-02	1.97887E-06	4.72122E-02	-2.76692E-02	.00000E+00	.00000E+00	.00000E+00	5.92316E-02
19	1.24498E-01	6.41674E-06	1.21898E-01	-1.58591E-02	.00000E+00	.00000E+00	.00000E+00	1.42342E-01
20	4.27318E-01	-1.51288E-06	4.23401E-01	-2.68431E-02	.00000E+00	.00000E+00	.00000E+00	4.89027E-01
21	1.19343E-01	6.70112E-06	1.14803E-01	-2.51628E-02	.00000E+00	.00000E+00	.00000E+00	1.36211E-01
22	2.18680E-01	4.33475E-07	2.05548E-01	-7.15485E-02	.00000E+00	.00000E+00	.00000E+00	2.49137E-01

23	7.29924E-01	-3.22225E-06	7.04305E-01	-1.25039E-01	.00000E+00	.00000E+00	.00000E+00	8.32454E-01
24	5.65102E-01	9.46293E-07	5.39529E-01	-1.07011E-01	.00000E+00	.00000E+00	.00000E+00	6.42964E-01
25	2.46187E-01	1.11305E-06	2.31970E-01	-5.25060E-02	.00000E+00	.00000E+00	.00000E+00	2.79572E-01
26	1.69172E-01	-8.74975E-06	1.53406E-01	-4.84463E-02	.00000E+00	.00000E+00	.00000E+00	1.90525E-01
27	3.12850E-02	-2.91616E-07	2.58662E-02	-1.33444E-02	.00000E+00	.00000E+00	.00000E+00	3.46002E-02
28	2.31512E+01	5.21995E-06	2.31148E+01	5.05727E-02	4.54265E-10	.00000E+00	.00000E+00	2.64885E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.33589E-02	.00000E+00	2.32146E-02	2.20661E-02	3.75289E-03	2.03183E-09	9.98836E-01
2	.00000E+00	1.95084E-01	7.64510E-03	2.72390E-01	1.87909E-01	1.48330E-02	-1.47898E-08	1.00002E+00
3	.00000E+00	2.16067E-01	7.76674E-02	2.81575E-01	2.78102E-01	1.56370E-02	9.30359E-08	9.99985E-01
4	.00000E+00	1.23684E-01	1.15292E-01	1.94029E-01	2.31505E-01	7.47182E-03	9.58997E-08	1.00000E+00
5	.00000E+00	1.63780E-01	2.10169E-01	4.90681E-01	3.69414E-01	4.51906E-03	-1.75408E-08	9.99989E-01
6	.00000E+00	1.76465E-01	4.29656E-01	1.34449E+00	5.98974E-01	7.13818E-03	1.74066E-07	1.00001E+00
7	.00000E+00	8.71164E-02	6.64422E-01	1.77499E+00	7.43904E-01	7.64158E-03	9.98467E-09	9.99990E-01
8	.00000E+00	1.34131E-02	7.80732E-01	1.79078E+00	7.80301E-01	1.39074E-02	3.20919E-08	9.99920E-01
9	.00000E+00	9.73270E-04	7.70802E-01	1.55874E+00	7.48053E-01	2.38051E-02	3.34927E-09	9.99895E-01
10	.00000E+00	7.22868E-05	7.44718E-01	1.41708E+00	7.08744E-01	3.61186E-02	3.21656E-08	9.99900E-01
11	.00000E+00	5.68699E-06	7.13594E-01	1.31219E+00	6.54261E-01	5.95804E-02	4.98413E-08	9.99942E-01
12	.00000E+00	3.99500E-07	5.70611E-01	7.09686E-01	5.05695E-01	6.49318E-02	4.67275E-08	9.99974E-01
13	.00000E+00	6.34369E-08	5.01663E-01	5.58358E-01	4.40194E-01	6.14845E-02	5.61550E-09	9.99971E-01
14	.00000E+00	1.25715E-08	4.77663E-01	5.06764E-01	3.89278E-01	8.83898E-02	5.24309E-08	9.99989E-01
15	.00000E+00	1.42072E-09	2.57774E-01	2.31142E-01	2.48259E-01	9.40814E-03	-1.72885E-06	1.00042E+00
16	.00000E+00	4.17172E-10	1.75068E-01	1.05618E-01	1.67293E-01	7.70273E-03	-1.68695E-06	1.00042E+00
17	.00000E+00	1.34350E-10	9.30263E-02	3.17637E-02	8.25846E-02	1.06141E-02	4.43419E-06	1.00025E+00
18	.00000E+00	9.61905E-11	8.21837E-02	1.76338E-02	5.02962E-02	3.18795E-02	1.97887E-06	1.00007E+00
19	.00000E+00	1.35992E-10	1.26021E-01	5.89845E-02	1.12250E-01	1.37428E-02	6.41674E-06	1.00018E+00
20	.00000E+00	2.21138E-10	3.00499E-01	3.50205E-01	2.70810E-01	2.95815E-02	-1.51288E-06	1.00036E+00
21	.00000E+00	3.23675E-11	1.43927E-01	6.57911E-02	1.16735E-01	2.71648E-02	6.70112E-06	1.00014E+00
22	.00000E+00	3.75537E-11	2.64135E-01	1.59967E-01	1.87339E-01	7.67529E-02	4.33475E-07	1.00016E+00
23	.00000E+00	3.59055E-11	6.02026E-01	8.76009E-01	4.71445E-01	1.30417E-01	-3.22225E-06	1.00028E+00
24	.00000E+00	9.77301E-12	6.18901E-01	7.51209E-01	5.01237E-01	1.17538E-01	9.46293E-07	1.00020E+00
25	.00000E+00	2.86090E-12	4.06037E-01	3.04507E-01	3.42102E-01	6.37821E-02	1.11305E-06	1.00013E+00
26	.00000E+00	2.00608E-12	3.14728E-01	3.06639E-01	2.56956E-01	5.77364E-02	-8.74975E-06	1.00014E+00
27	.00000E+00	4.78059E-13	1.03823E-01	6.22788E-02	8.71758E-02	1.66419E-02	-2.91616E-07	1.00005E+00
28	.00000E+00	1.00000E+00	9.55279E+00	1.55567E+01	9.55278E+00	1.00197E+00	5.39736E-06	1.00004E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	rxn rate	fiss rate	flux*dv**2	total flux
1	1.75698E-01	2.03183E-09	1.85726E-01	.00000E+00	2.43004E-03	2.69862E-03	.00000E+00	3.70280E-01
2	1.26115E+00	-1.47898E-08	1.34641E+00	.00000E+00	1.68249E-02	1.19016E-02	.00000E+00	2.67534E+00
3	1.58097E+00	9.30359E-08	1.69009E+00	.00000E+00	.00000E+00	1.44679E-02	.00000E+00	3.35701E+00
4	9.76608E-01	9.58997E-08	1.04479E+00	.00000E+00	.00000E+00	6.22017E-03	.00000E+00	2.07560E+00
5	1.46956E+00	-1.75408E-08	1.57771E+00	.00000E+00	.00000E+00	1.76645E-03	.00000E+00	3.12746E+00
6	2.82158E+00	1.74066E-07	3.03090E+00	.00000E+00	.00000E+00	1.42756E-03	.00000E+00	6.00588E+00
7	2.78326E+00	9.98467E-09	2.90573E+00	.00000E+00	.00000E+00	1.31395E-03	.00000E+00	5.86978E+00
8	2.06693E+00	3.20919E-08	2.08273E+00	.00000E+00	.00000E+00	1.29080E-03	.00000E+00	4.30928E+00
9	1.60744E+00	3.34927E-09	1.58997E+00	.00000E+00	.00000E+00	1.68168E-03	.00000E+00	3.33607E+00
10	1.47275E+00	3.21656E-08	1.45046E+00	.00000E+00	.00000E+00	3.58150E-03	.00000E+00	3.05175E+00
11	1.35952E+00	4.98413E-08	1.31063E+00	.00000E+00	.00000E+00	7.79913E-03	.00000E+00	2.79986E+00
12	8.55889E-01	4.67275E-08	7.98086E-01	.00000E+00	.00000E+00	1.03512E-02	.00000E+00	1.74652E+00
13	7.19954E-01	5.61550E-09	6.70082E-01	.00000E+00	.00000E+00	1.25294E-02	.00000E+00	1.46861E+00
14	6.54521E-01	5.24308E-08	5.77028E-01	.00000E+00	.00000E+00	7.72475E-03	.00000E+00	1.31566E+00
15	3.72221E-01	-1.72885E-06	3.64468E-01	.00000E+00	.00000E+00	1.69067E-03	.00000E+00	7.70792E-01
16	2.04622E-01	-1.68695E-06	1.98607E-01	.00000E+00	.00000E+00	1.21258E-03	.00000E+00	4.22462E-01
17	8.49354E-02	4.43419E-06	7.64719E-02	.00000E+00	.00000E+00	1.25535E-03	.00000E+00	1.71639E-01
18	5.21055E-02	1.97887E-06	2.34500E-02	.00000E+00	.00000E+00	7.33272E-04	.00000E+00	9.13507E-02
19	1.24498E-01	6.41674E-06	1.10714E-01	.00000E+00	.00000E+00	2.00413E-03	.00000E+00	2.50918E-01
20	4.27318E-01	-1.51288E-06	4.04792E-01	.00000E+00	.00000E+00	1.39996E-02	.00000E+00	8.76302E-01
21	1.19343E-01	6.70112E-06	9.68741E-02	.00000E+00	.00000E+00	1.54127E-02	.00000E+00	2.34708E-01
22	2.18680E-01	4.33475E-07	1.51921E-01	.00000E+00	.00000E+00	4.42529E-02	.00000E+00	4.14757E-01
23	7.29924E-01	-3.22225E-06	6.19016E-01	.00000E+00	.00000E+00	7.05656E-02	.00000E+00	1.44946E+00

24	5.65102E-01	9.46298E-07	4.67341E-01	.00000E+00	.00000E+00	6.12938E-02	.00000E+00	1.11227E+00
25	2.46187E-01	1.11305E-06	1.96003E-01	.00000E+00	.00000E+00	3.45226E-02	.00000E+00	4.78887E-01
26	1.69172E-01	-8.74975E-06	1.20267E-01	.00000E+00	.00000E+00	3.16494E-02	.00000E+00	3.17966E-01
27	3.12850E-02	-2.91616E-07	1.60728E-02	.00000E+00	.00000E+00	8.98464E-03	.00000E+00	5.40468E-02
28	2.31512E+01	5.21995E-06	2.31043E+01	.00000E+00	2.44686E-03	3.72332E-01	.00000E+00	4.81547E+01

- elapsed time .00 min.
0direct access unit 9 requires 516 blocks of length 1456 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.45899E-03	2.51122E-02	3.15610E-02	1.90388E-02	2.90346E-02	5.55033E-02	3.15969E-02	4.66847E-03
2	3.86780E-03	3.91746E-02	4.89541E-02	2.94619E-02	4.47099E-02	8.41748E-02	4.77516E-02	7.02753E-03
3	3.14281E-03	3.34202E-02	4.32200E-02	2.71747E-02	4.22143E-02	8.00934E-02	4.57827E-02	5.62349E-03
4	1.08486E-03	1.22971E-02	1.65667E-02	1.09273E-02	1.73834E-02	3.32406E-02	1.92173E-02	2.02157E-03
5	1.79607E-03	1.91449E-02	2.47951E-02	1.55844E-02	2.42392E-02	4.62590E-02	2.65130E-02	3.34840E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.61227E-03	5.59994E-03	1.22953E-02	1.45827E-02	1.27543E-02	1.94613E-02	2.15574E-03	1.63485E-03
2	6.92764E-03	8.40018E-03	1.84928E-02	2.20194E-02	1.92549E-02	2.95815E-02	3.20688E-03	2.45795E-03
3	5.54296E-03	7.88691E-03	1.72994E-02	2.08592E-02	1.77966E-02	2.73365E-02	2.99527E-03	2.27942E-03
4	1.83450E-03	3.21098E-03	7.02679E-03	8.17550E-03	7.18124E-03	1.09888E-02	1.29434E-03	9.42618E-04
5	3.21719E-03	4.56712E-03	1.00138E-02	1.17744E-02	1.03139E-02	1.57767E-02	1.78652E-03	1.33387E-03

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	2.14701E-03	5.47367E-03	3.51060E-03	5.99072E-03	5.46607E-03	1.53156E-02	2.73227E-02	2.33268E-02
2	3.26685E-03	9.41307E-03	5.25072E-03	8.99094E-03	8.42348E-03	2.40870E-02	4.16175E-02	3.56646E-02
3	3.01702E-03	8.64944E-03	4.89065E-03	8.32569E-03	7.80167E-03	2.22477E-02	3.86547E-02	3.31035E-02
4	1.20694E-03	3.41263E-03	1.99330E-03	3.42387E-03	3.13115E-03	8.90294E-03	1.58649E-02	1.35687E-02
5	1.73774E-03	4.73108E-03	2.84648E-03	4.86813E-03	4.47043E-03	1.26449E-02	2.24202E-02	1.91671E-02

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	1.15586E-02	1.04798E-02	2.79811E-03	3.85460E-01
2	1.77476E-02	1.63040E-02	4.54813E-03	5.90777E-01
3	1.63609E-02	1.50615E-02	4.17603E-03	5.44456E-01
4	6.64134E-03	6.01781E-03	1.53064E-03	2.19088E-01
5	9.44909E-03	8.59193E-03	2.27131E-03	3.13661E-01

1 1200 d, sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.81752E-01	1.32597E+00	1.66469E+00	1.02951E+00	1.55349E+00	2.98353E+00	2.87721E+00	2.07774E+00
2	1.78421E-01	1.29261E+00	1.62420E+00	1.00569E+00	1.51683E+00	2.91434E+00	2.83655E+00	2.07044E+00
3	1.77197E-01	1.28046E+00	1.60911E+00	9.96720E-01	1.50319E+00	2.88799E+00	2.82156E+00	2.06814E+00
4	1.75694E-01	1.26160E+00	1.58203E+00	9.77606E-01	1.47139E+00	2.82516E+00	2.78493E+00	2.06629E+00
5	1.77898E-01	1.28533E+00	1.61283E+00	9.97192E-01	1.50255E+00	2.88544E+00	2.82005E+00	2.07033E+00

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.59479E+00	1.45592E+00	1.32269E+00	8.12509E-01	6.82563E-01	5.96366E-01	3.66670E-01	2.00156E-01
2	1.60197E+00	1.46360E+00	1.33972E+00	8.33088E-01	7.00387E-01	6.24183E-01	3.69686E-01	2.02353E-01
3	1.60419E+00	1.46611E+00	1.34519E+00	8.39610E-01	7.06114E-01	6.32962E-01	3.70686E-01	2.03088E-01
4	1.60752E+00	1.47242E+00	1.35881E+00	8.55150E-01	7.19460E-01	6.53638E-01	3.72458E-01	2.04650E-01
5	1.60277E+00	1.46617E+00	1.34515E+00	8.39092E-01	7.05576E-01	6.32095E-01	3.70317E-01	2.02966E-01

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	7.85529E-02	3.05252E-02	1.14229E-01	4.10580E-01	1.02417E-01	1.68582E-01	6.45731E-01	4.90036E-01
2	8.15637E-02	4.21644E-02	1.19142E-01	4.18751E-01	1.10495E-01	1.95304E-01	6.84069E-01	5.22722E-01
3	8.25288E-02	4.50625E-02	1.20685E-01	4.21385E-01	1.12939E-01	2.00286E-01	6.95596E-01	5.32270E-01
4	8.48246E-02	5.17515E-02	1.24366E-01	4.27270E-01	1.19010E-01	2.17674E-01	7.27527E-01	5.61766E-01
5	8.24615E-02	4.38882E-02	1.20550E-01	4.21007E-01	1.12760E-01	1.99255E-01	6.96375E-01	5.34375E-01

0zone	grp. 25	grp. 26	grp. 27
1	2.07487E-01	1.30952E-01	1.92274E-02
2	2.24061E-01	1.46505E-01	2.40202E-02
3	2.28688E-01	1.50581E-01	2.51349E-02
4	2.44091E-01	1.66468E-01	3.02307E-02
5	2.30075E-01	1.52762E-01	2.59661E-02

0flux disadvantage factors (zone average/cell average-flux)


Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.02168E+00	1.03162E+00	1.03216E+00	1.03241E+00	1.03390E+00	1.03399E+00	1.02027E+00	1.00358E+00
2	1.00295E+00	1.00566E+00	1.00705E+00	1.00853E+00	1.00951E+00	1.01002E+00	1.00585E+00	1.00005E+00
3	9.96074E-01	9.96214E-01	9.97894E-01	9.99526E-01	1.00043E+00	1.00088E+00	1.00053E+00	9.98939E-01
4	9.87624E-01	9.81542E-01	9.80899E-01	9.80858E-01	9.79862E-01	9.79108E-01	9.87545E-01	9.98048E-01
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	9.95022E-01	9.93010E-01	9.85259E-01	9.68520E-01	9.67385E-01	9.43477E-01	9.90153E-01	9.86154E-01
2	9.99498E-01	9.98247E-01	9.95959E-01	9.92844E-01	9.92646E-01	9.87487E-01	9.98296E-01	9.96982E-01
3	1.00089E+00	9.99957E-01	1.00003E+00	1.00062E+00	1.00078E+00	1.00137E+00	1.00100E+00	1.00060E+00
4	1.00284E+00	1.00426E+00	1.01015E+00	1.01914E+00	1.01968E+00	1.03409E+00	1.00578E+00	1.00830E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	9.52602E-01	6.95522E-01	9.47565E-01	9.75233E-01	9.08278E-01	8.46065E-01	9.27274E-01	9.17026E-01
2	9.89113E-01	9.60728E-01	9.88321E-01	9.94640E-01	9.79918E-01	9.70132E-01	9.82328E-01	9.78195E-01
3	1.00082E+00	1.02676E+00	1.00112E+00	1.00090E+00	1.00159E+00	1.00617E+00	9.98881E-01	9.96062E-01
4	1.02866E+00	1.17917E+00	1.03165E+00	1.01488E+00	1.05543E+00	1.09244E+00	1.04445E+00	1.05126E+00
5	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00	1.00000E+00
Ozone	grp. 25	grp. 26	grp. 27					
1	9.01825E-01	8.57224E-01	7.40483E-01					
2	9.73862E-01	9.59036E-01	9.25062E-01					
3	9.99771E-01	9.85722E-01	9.67991E-01					
4	1.06092E+00	1.08972E+00	1.16424E+00					
5	1.00000E+00	1.00000E+00	1.00000E+00					

Ocell averaged currents

Ozone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	2.45899E-03	2.51122E-02	3.15610E-02	1.90883E-02	2.90346E-02	5.55033E-02	3.15969E-02	4.66847E-03
2	3.86780E-03	3.91746E-02	4.89541E-02	2.94619E-02	4.47099E-02	8.41748E-02	4.77516E-02	7.02753E-03
3	3.14281E-03	3.34202E-02	4.32200E-02	2.71747E-02	4.22143E-02	8.00934E-02	4.57827E-02	5.62349E-03
4	1.08488E-03	1.22971E-02	1.65667E-02	1.09273E-02	1.73834E-02	3.32406E-02	1.92173E-02	2.02157E-03
5	1.79607E-03	1.91449E-02	2.47951E-02	1.55844E-02	2.42392E-02	4.62590E-02	2.65130E-02	3.34840E-03
Ozone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	4.61272E-03	5.59994E-03	1.22953E-02	1.45827E-02	1.27543E-02	1.94613E-02	2.15574E-03	1.63485E-03
2	6.92764E-03	8.40018E-03	1.84928E-02	2.20194E-02	1.92549E-02	2.95815E-02	3.20688E-03	2.45795E-03
3	5.54296E-03	7.88691E-03	1.72994E-02	2.03592E-02	1.77966E-02	2.73365E-02	2.99527E-03	2.27942E-03
4	1.83450E-03	3.21098E-03	7.02679E-03	8.17550E-03	7.18124E-03	1.09888E-02	1.29434E-03	9.42618E-04
5	3.21719E-03	4.56712E-03	1.00138E-02	1.17744E-02	1.03139E-02	1.57767E-02	1.78652E-03	1.33387E-03
Ozone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	2.14701E-03	5.47367E-03	3.51060E-03	5.99072E-03	5.46607E-03	1.53156E-02	2.73227E-02	2.33268E-02
2	3.26685E-03	9.41307E-03	5.25072E-03	8.99094E-03	8.42348E-03	2.40870E-02	4.16175E-02	3.56646E-02
3	3.01702E-03	8.64944E-03	4.89055E-03	8.32569E-03	7.80167E-03	2.22477E-02	3.86547E-02	3.31035E-02
4	1.20694E-03	3.41263E-03	1.99330E-03	3.42387E-03	3.13115E-03	8.90294E-03	1.58649E-02	1.35687E-02
5	1.75774E-03	4.73108E-03	2.84648E-03	4.86813E-03	4.47043E-03	1.26449E-02	2.24202E-02	1.91671E-02
Ozone	grp. 25	grp. 26	grp. 27					
1	1.15586E-02	1.04793E-02	2.79811E-03					
2	1.77476E-02	1.63040E-02	4.54813E-03					
3	1.63609E-02	1.50615E-02	4.17603E-03					
4	6.64134E-03	6.01781E-03	1.53064E-03					
5	9.44909E-03	8.59198E-03	2.27131E-03					

Ozone	volume	vol. fraction
1	6.88443E-01	3.30753E-01
2	3.17352E-02	1.52468E-02
3	2.16724E-01	1.04122E-01
4	1.14454E+00	5.49878E-01
5	2.08144E+00	1.00000E+00

- elapsed time .02 min.
Orequested panmhalt8,skipcellwt,skipshipdata


pass= 8, exec halts after pass 8

```
ss          cc          aa      aa  ll          ee
ssssssssssss  cc        aaaaaaaaaaaa  ll        eeeeeeeee
 ssssssssssss cc        aaaaaaaaaaaa  ll        eeeeeeeee
        ss   cc        aa      aa  ll          ee
        ss   cc        aa      aa  ll          ee
ss      ss   cc    cc  aa      aa  ll          ee
ssssssssssss cccccccccccc  aa      aa  llllllllllll  eeeeeeeeeee
 ssssssssss   cccccccccc   aa      aa  llllllllllll  eeeeeeeeeee
```

```
**********************************************************************
**********************************************************************
**********************************************************************
*****                                                            *****
*****                program verification information             *****
*****                                                            *****
*****              code system:   scale  version:   4.2          *****
*****                                                            *****
**********************************************************************
**********************************************************************
*****                                                            *****
*****                                                            *****
*****            program:  c0c008                                *****
*****                                                            *****
*****       creation date:  04/27/95                             *****
*****                                                            *****
*****            library:  /neutronics/scale/exe                 *****
*****                                                            *****
*****                                                            *****
*****   this is not a  scale  configuration controlled code      *****
*****                                                            *****
*****            jobname:  davis                                 *****
*****                                                            *****
*****   date of execution:  02/16/96                             *****
*****                                                            *****
*****   time of execution:  10:06:09                             *****
*****                                                            *****
*****                                                            *****
**********************************************************************
**********************************************************************
**********************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has      6 entries.
0       2q array has      2 entries.
1logical assignments
0master library   12
 working library  17
 scratch file     18
 new library       1
0problem description
0igr--geometry (0/1/2/3--inf med/slab/cyl/sphere              2
0izm--number of zones or material regions                     4
0ms--mixing table length                                     70
0ibl--shielded cross section edit option (0/1--no/yes)        0
0ibr--bondarenko factor edit option (0/1--no/yes)             0
```

```
0issopt--dancoff factor option                                    0
0convergence criterion   1.00000E-03
0geometry correction factor for wigner rational approximation  1.350E+00
0       3q array has     70 entries.
0       4q array has     70 entries.
0       5q array has     70 entries.
0       6q array has      4 entries.
0       7q array has      4 entries.
0       8q array has      4 entries.
0       9q array has      4 entries.
0      10q array has     70 entries.
0      11q array has      4 entries.
0m i x i n g   t a b l e
0entry  mixture  isotope  number density  new identifier
    1        3     8016   2.09710E-02             201
    2        3     1001   4.19420E-02             202
    3        3     5010   3.81515E-06             203
    4        3     5011   1.54884E-05             204
    5        2    40302   4.25156E-02             205
    6        1    92235   1.08967E-04          200006
    7        1    92234   1.35829E-06          200007
    8        1    92236   2.22565E-05          200008
    9        1    92238   7.18805E-03          200009
   10        1     8016   1.50611E-02          200010
   11        1     8016   1.15315E-02          200011
   12        1    36083   5.99894E-07          200012
   13        1    36085   2.88343E-07          200013
   14        1    38090   6.63490E-06          200014
   15        1    39089   5.44444E-06          200015
   16        1    42095   7.62439E-06          200016
   17        1    40093   5.44388E-06          200017
   18        1    40094   8.64059E-06          200018
   19        1    40095   6.37208E-07          200019
   20        1    41094   4.73664E-12          200020
   21        1    43099   8.45055E-06          200021
   22        1    45103   4.73364E-06          200022
   23        1    45105   8.33256E-09          200023
   24        1    44101   7.83094E-06          200024
   25        1    44106   1.16052E-06          200025
   26        1    46105   3.41731E-06          200026
   27        1    46108   1.04931E-06          200027
   28        1    47109   7.05166E-07          200028
   29        1    51124   1.55246E-10          200029
   30        1    54131   3.79879E-06          200030
   31        1    54132   7.71300E-06          200031
   32        1    54135   2.19622E-09          200032
   33        1    54136   1.49360E-05          200033
   34        1    55134   5.39516E-07          200034
   35        1    55135   4.74731E-06          200035
   36        1    55137   9.16393E-06          200036
   37        1    56136   1.16385E-07          200037
   38        1    57139   9.05884E-06          200038
   39        1    59141   7.95659E-06          200039
   40        1    59143   1.19082E-07          200040
   41        1    58144   2.29564E-06          200041
   42        1    60143   6.78043E-06          200042
   43        1    60145   5.11699E-06          200043
   44        1    61147   1.49236E-06          200044
   45        1    61148   4.52757E-09          200045
   46        1    60147   4.25602E-08          200046
```

47	1	62147	7.28768E-07	200047
48	1	62149	2.99879E-08	200048
49	1	62150	1.95229E-06	200049
50	1	62151	1.52692E-07	200050
51	1	62152	8.95258E-07	200051
52	1	64155	1.19080E-09	200052
53	1	63153	6.19432E-07	200053
54	1	63154	1.60229E-07	200054
55	1	63155	6.98613E-08	200055
56	1	40302	4.42681E-03	200056
57	1	1001	2.30630E-02	200057
58	1	5010	2.09787E-06	200058
59	1	5011	8.51673E-06	200059
60	1	55133	9.26929E-06	200060
61	1	95237	1.88903E-06	200061
62	1	94238	3.82360E-07	200062
63	1	94239	4.11046E-05	200063
64	1	94240	1.00195E-05	200064
65	1	94241	5.99267E-06	200065
66	1	94242	9.62606E-07	200066
67	1	95241	2.37599E-07	200067
68	1	95243	1.26849E-07	200068
69	1	96244	1.75358E-08	200069
70	1	999	3.30753E-21	200070

Ogeometry and material description

Ozone	mixture	outer dimension	temperature	extra xs	type (0/1--fuel/mod)
1	3	6.32460E-01	6.07600E+02	7.90564E-01	0
2	2	6.73100E-01	6.50000E+02	1.23052E+01	0
3	3	8.14000E-01	6.07600E+02	3.54852E+00	0
4	1	2.96100E+00	9.75000E+02	2.32883E-01	0

8067 locations of 200000 available are required to make a new master containing the self-shielded values

Ono nuclides in your problem have bondarenko factor data**bonami will copy from logical 12 to logical 1

Ocopy 999 1/v cross sectio from log 12 to log 1 bondarenko trigger 0
Ocopy 1001 hydrogen from log 12 to log 18 bondarenko trigger 0
Ocopy 1001 hydrogen from log 18 to log 1 bondarenko trigger 0
Ocopy 1001 hydrogen from log 18 to log 1 bondarenko trigger 0
Ocopy 5010 b-10 1273 218ngp from log 12 to log 18 bondarenko trigger 0
Ocopy 5010 b-10 1273 218ngp from log 18 to log 1 bondarenko trigger 0
Ocopy 5010 b-10 1273 218ngp from log 18 to log 1 bondarenko trigger 0
Ocopy 5011 boron-11 from log 12 to log 18 bondarenko trigger 0
Ocopy 5011 boron-11 from log 18 to log 1 bondarenko trigger 0
Ocopy 5011 boron-11 from log 18 to log 1 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 12 to log 18 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
Ocopy 8016 oxygen-16 from log 18 to log 1 bondarenko trigger 0
Ocopy 36083 kr-83 from log 12 to log 1 bondarenko trigger 0
Ocopy 36085 kr-85 from log 12 to log 1 bondarenko trigger 0
Ocopy 38090 sr-90 from log 12 to log 1 bondarenko trigger 0
Ocopy 39089 y-89 from log 12 to log 1 bondarenko trigger 0
Ocopy 40093 zr-93 from log 12 to log 1 bondarenko trigger 0
Ocopy 40094 zr-94 from log 12 to log 1 bondarenko trigger 0
Ocopy 40095 zr-95 from log 12 to log 1 bondarenko trigger 0
Ocopy 40302 zircalloy from log 12 to log 18 bondarenko trigger 0
Ocopy 40302 zircalloy from log 18 to log 1 bondarenko trigger 0
Ocopy 40302 zircalloy from log 18 to log 1 bondarenko trigger 0
Ocopy 41094 nb-94 from log 12 to log 1 bondarenko trigger 0
Ocopy 42095 mo-95 from log 12 to log 1 bondarenko trigger 0
Ocopy 43099 tc-99 from log 12 to log 1 bondarenko trigger 0
Ocopy 44101 ru-101 from log 12 to log 1 bondarenko trigger 0

```
0copy    44106  ru-106          from log 12 to log  1   bondarenko trigger 0
0copy    45103  rh-103          from log 12 to log  1   bondarenko trigger 0
0copy    45105  rh-105          from log 12 to log  1   bondarenko trigger 0
0copy    46105  pd-105          from log 12 to log  1   bondarenko trigger 0
0copy    46108  pd-108          from log 12 to log  1   bondarenko trigger 0
0copy    47109  silver-109      from log 12 to log  1   bondarenko trigger 0
0copy    51124  sb-124          from log 12 to log  1   bondarenko trigger 0
0copy    54131  xe-131          from log 12 to log  1   bondarenko trigger 0
0copy    54132  xe-132          from log 12 to log  1   bondarenko trigger 0
0copy    54135  xenon-135       from log 12 to log  1   bondarenko trigger 0
0copy    54136  xe-136          from log 12 to log  1   bondarenko trigger 0
0copy    55133  cesium-133      from log 12 to log  1   bondarenko trigger 0
0copy    55134  cs-134          from log 12 to log  1   bondarenko trigger 0
0copy    55135  cs-135          from log 12 to log  1   bondarenko trigger 0
0copy    55137  cs-137          from log 12 to log  1   bondarenko trigger 0
0copy    56136  ba-136          from log 12 to log  1   bondarenko trigger 0
0copy    57139  la-139          from log 12 to log  1   bondarenko trigger 0
0copy    58144  ce-144          from log 12 to log  1   bondarenko trigger 0
0copy    59141  pr-141          from log 12 to log  1   bondarenko trigger 0
0copy    59143  pr-143          from log 12 to log  1   bondarenko trigger 0
0copy    60143  nd-143          from log 12 to log  1   bondarenko trigger 0
0copy    60145  nd-145          from log 12 to log  1   bondarenko trigger 0
0copy    60147  nd-147          from log 12 to log  1   bondarenko trigger 0
0copy    61147  pm-147          from log 12 to log  1   bondarenko trigger 0
0copy    61148  pm-148          from log 12 to log  1   bondarenko trigger 0
0copy    62147  sm-147          from log 12 to log  1   bondarenko trigger 0
0copy    62149  sm-149          from log 12 to log  1   bondarenko trigger 0
0copy    62150  sm-150          from log 12 to log  1   bondarenko trigger 0
0copy    62151  sm-151          from log 12 to log  1   bondarenko trigger 0
0copy    62152  sm-152          from log 12 to log  1   bondarenko trigger 0
0copy    63153  eu-153          from log 12 to log  1   bondarenko trigger 0
0copy    63154  eu-154          from log 12 to log  1   bondarenko trigger 0
0copy    63155  eu-155          from log 12 to log  1   bondarenko trigger 0
0copy    64155  gd-155          from log 12 to log  1   bondarenko trigger 0
0copy    92234  u-234 1043 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92235   uranium-235    from log 12 to log  1   bondarenko trigger 0
0copy    92236  u-236 1163 sigc= from log 12 to log  1   bondarenko trigger 0
0copy    92238   uranium-238    from log 12 to log  1   bondarenko trigger 0
0copy    93237   neptunium-237  from log 12 to log  1   bondarenko trigger 0
0copy    94238  pu-238 1050 sigc from log 12 to log  1   bondarenko trigger 0
0copy    94239   plutonium-239  from log 12 to log  1   bondarenko trigger 0
0copy    94240   plutonium-240  from log 12 to log  1   bondarenko trigger 0
0copy    94241   plutonium-241  from log 12 to log  1   bondarenko trigger 0
0copy    94242   plutonium-242  from log 12 to log  1   bondarenko trigger 0
0copy    95241  am-241 1056 sigc from log 12 to log  1   bondarenko trigger 0
0copy    95243  am-243 1057 218  from log 12 to log  1   bondarenko trigger 0
0copy    96244   curium-244     from log 12 to log  1   bondarenko trigger 0
1     scale 4.2 - 27 group neutron burnup library
        based on endf-b version 4 data with endf-b version 5 fission products
           compiled for nrc      1/27/89
              last updated       9/16/93
                 l.m.petrie  -   ornl
        tape id                          4321        number of nuclides          70
        number of neutron groups           27        number of gamma groups       0
        first thermal group                15        logical unit                 1
                                table of contents
      1/v cross sections normalized to 1.0 at 0.0253 ev                      id  200070
       hydrogen        endf/b-iv mat 1269/thrml002   updated 10/13/89        id     202
       hydrogen        endf/b-iv mat 1269/thrml002   updated 10/13/89        id  200057
      b-10 1273 218grp 042575 p-3 293k                                       id     203
```

```
b-10 1273 218ngp 042375 p-3 293k                                        id   200058
 boron-11       endf/b-iv mat 1160              updated 10/13/89        id      204
 boron-11       endf/b-iv mat 1160              updated 10/13/89        id   200059
 oxygen-16      endf/b-iv mat 1276              updated 10/13/89        id      201
 oxygen-16      endf/b-iv mat 1276              updated 10/13/89        id   200010
 oxygen-16      endf/b-iv mat 1276              updated 10/13/89        id   200011
 kr-83          mt=102,103,103,105,106,107      updated 10/13/89        id   200012
 kr-85            mt=  102                                              id   200013
 sr-90          mt=102                          updated 10/13/89        id   200014
  y-89          mt=102                          updated 10/13/89        id   200015
 zr-93            mt=  102                                              id   200017
 zr-94          mt=102                          updated 10/13/89        id   200018
 zr-95          mt=102                          updated 10/13/89        id   200019
 zircalloy      endf/b-iv mat 1284              updated 10/13/89        id      205
 zircalloy      endf/b-iv mat 1284              updated 10/13/89        id   200056
 nb-94          mt=102                          updated 10/13/89        id   200020
 mo-95          mt=102                          updated 10/13/89        id   200016
 tc-99          mt=102                          updated 10/13/89        id   200021
 ru-101         mt=102                          updated 10/13/89        id   200024
 ru-106         mt=102                          updated 10/13/89        id   200025
 rh-103         mt=102                          updated 10/13/89        id   200022
 rh-105           mt=  102                                              id   200023
 pd-105         mt=102                          updated 10/13/89        id   200026
 pd-108         mt=102                          updated 10/13/89        id   200027
 silver-109     endf/b-iv mat 1139              updated 10/13/89        id   200028
 sb-124         mt=102                          updated 10/13/89        id   200029
 xe-131         mt=102,103,104,105,106          updated 10/13/89        id   200030
 xe-132         mt=102,103,104,105,106          updated 10/13/89        id   200031
 xenon-135      endf/b-iv mat 1294              updated 10/13/89        id   200032
 xe-136           mt=  102, 103, 104, 105, 107                          id   200033
 cesium-133     endf/b-iv mat 1141              updated 10/13/89        id   200060
 cs-134         mt=102                          updated 10/13/89        id   200034
 cs-135           mt=  102                                              id   200035
 cs-137         mt=102                          updated 10/13/89        id   200036
 ba-136         mt=102                          updated 10/13/89        id   200037
 la-139         mt=102                          updated 10/13/89        id   200038
 ce-144           mt=  102                                              id   200041
 pr-141         mt=102,103,104,105,106,107      updated 10/13/89        id   200039
 pr-143         mt=102                          updated 10/13/89        id   200040
 nd-143         mt=102                          updated 10/13/89        id   200042
 nd-145         mt=102                          updated 10/13/89        id   200043
 nd-147         mt=102                          updated 10/13/89        id   200046
 pm-147         mt=102                          updated 10/13/89        id   200044
 pm-148           mt=  102                                              id   200045
 sm-147         endf/b-v fission product        updated 10/13/89        id   200047
 sm-149         mt=102,103,107                  updated 10/13/89        id   200048
 sm-150         mt=102                          updated 10/13/89        id   200049
 sm-151         mt=102,103,104,105,106,107      updated 10/13/89        id   200050
 sm-152         mt=102,103,104,105,106,107      updated 10/13/89        id   200051
 eu-153         mt=102,103,104,105,106,107      updated 10/13/89        id   200053
 eu-154         mt=102,103,104,105,106,107      updated 10/13/89        id   200054
 eu-155         mt=102,103,104,105,106,107      updated 10/13/89        id   200055
 gd-155         mt=102                          updated 10/13/89        id   200052
u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      id   200007
 uranium-235    endf/b-iv mat 1261              updated 10/13/89        id   200006
u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      id   200008
 uranium-238    endf/b-iv mat 1262              updated 10/13/89        id   200009
 neptunium-237  endf/b-iv mat 1263              updated 10/13/89        id   200061
pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                     id   200062
 plutonium-239  endf/b-iv mat 1264              updated 10/13/89        id   200063
```

```
      plutonium-240  endf/b-iv mat 1265          updated 10/13/89            id   20064
      plutonium-241  endf/b-iv mat 1266          updated 10/13/89            id   20065
      plutonium-242  endf/b-iv mat 1161          updated 10/13/89            id   20066
     am-241 1056 sig=5+4 newklacs 218ngp p-3 295k                            id   20067
     am-243 1057 218 gp wt f-1/e-m 090376 p3 295k                            id   20068
      curium-244     endf/b-iv mat 1162          updated 10/13/89            id   20069
0      tape copy used      0 i/o's, and took     .00 seconds
1            m        m  iiiiiiiiiiii   ttttttttttt     aaaaaaaa    ww        ww  ll
             mm       m  iiiiiiiiiiii   ttttttttttt    aaaaaaaaaa   ww        ww  ll
             mmm      m      ii            tt        aa        aa  ww        ww  ll
             m m      m      ii            tt        aa        aa  ww        ww  ll
             m  m     m      ii            tt        aa        aa  ww        ww  ll
             m   m    m      ii            tt        aaaaaaaaaaaa  ww    w   ww  ll
             m    m   m      ii            tt        aaaaaaaaaaaa  ww   www  ww  ll
             m     m  m      ii            tt        aa        aa  ww  www ww  ll
             m      m m      ii            tt        aa        aa  ww ww  ww ww  ll
             m       mm      ii            tt        aa        aa  wwww    wwww  ll
             m        m  iiiiiiiiiiii      tt        aa        aa  www      www  llllllllllll
             m        m  iiiiiiiiiiii      tt        aa        aa  ww        ww  llllllllllll
0

  dddddddddd    aaaaaaaa    w        w  iiiiiiiiiii   sssssssss
  dddddddddd   aaaaaaaaaa   w        w  iiiiiiiiiii   sssssssssss
  dd       dd  aa      aa   w        w      ii       ss       ss
  dd       dd  aa      aa   w        w      ii       ss
  dd       dd  aa      aa   w        w      ii       ss
  dd       dd  aaaaaaaaaaaa  w      w      ii        sssssssssss
  dd       dd  aaaaaaaaaaaa   w    w       ii              ss
  dd       dd  aa      aa     w  w         ii              ss
  dd       dd  aa      aa      ww          ii       ss     ss
  dddddddddd   aa      aa      ww     iiiiiiiiiii   sssssssssss
  dddddddddd   aa      aa       v     iiiiiiiiiii    sssssssss
0

    000000    2222222222          //      11      6666666666          //  9999999999  6666666666
   00000000   2222222222         //      111      6666666666         //  9999999999  6666666666
  00      00  22        22       //     1111      66                 //  99      99  66
  00      00  22        22      //       11      66                //   99      99  66
  00      00  22        22      //       11      66                //   99      99  66
  00      00  22       22       //      11      6666666666         //   9999999999  6666666666
  00      00  22      22        //      11      6666666666         //    9999999999  6666666666
  00      00  22     22         //      11      66      66         //            99  66      66
  00      00  22    22          //      11      66      66         //            99  66      66
   00      00 22   22           //      11      66      66         //            99  66      66
    00000000  2222222222       //      11      6666666666         //  9999999999  6666666666
     000000   2222222222       //      11      6666666666         //  9999999999  6666666666
0

      11       000000                      000000   6666666666                  11       000000
     111      00000000                    00000000  6666666666                 111      00000000
    1111     00      00      :::         00      00 66          :::           1111     00      00
      11     00      00      :::         00      00 66          :::             11     00      00
      11     00      00      :::         00      00 66          :::             11     00      00
      11     00      00                  00      00 6666666666                  11     00      00
      11     00      00                  00      00 6666666666                  11     00      00
      11     00      00      :::         00      00 66      66  :::             11     00      00
      11     00      00      :::         00      00 66      66  :::             11     00      00
      11     00      00      :::         00      00 66      66  :::             11     00      00
  11111111    00000000                    00000000  6666666666                 11111111    00000000
```

```
    11111111      0000000                  0000000     6666666666                  11111111      0000000
1
0                          sssssssssss    ccccccccccc    aaaaaaaa    ll            eeeeeeeeeeee
                          ssssssssssss   cccccccccccc   aaaaaaaaaa   ll            eeeeeeeeeeee
                          ss         ss  cc         cc  aa        aa  ll            ee
                          ss             cc             aa        aa  ll            ee
                          ss             cc             aa        aa  ll            ee
                          sssssssssss    cc             aaaaaaaaaaaa  ll            eeeeeeeee
                           sssssssssss   cc             aaaaaaaaaaaa  ll            eeeeeeeee
                                    ss   cc             aa        aa  ll            ee
                                    ss   cc             aa        aa  ll            ee
                          ss        ss   cc         cc  aa        aa  ll            ee
                          ssssssssssss   cccccccccccc   aa        aa  llllllllllll  eeeeeeeeeeee
                           sssssssssss    ccccccccccc   aa        aa  llllllllllll  eeeeeeeeeeee
```

```
**********************************************************************
**********************************************************************
**********************************************************************
*****                                                            *****
*****                program verification information             *****
*****                                                            *****
*****                code system:  scale  version:  4.2          *****
*****                                                            *****
**********************************************************************
**********************************************************************
*****                                                            *****
*****                                                            *****
*****           program:  c0c002                                 *****
*****                                                            *****
*****      creation date:  04/27/95                              *****
*****                                                            *****
*****           library:  /neutronics/scale/exe                  *****
*****                                                            *****
*****                                                            *****
*****   this is not a  scale  configuration controlled code      *****
*****                                                            *****
*****           jobname:  davis                                  *****
*****                                                            *****
*****   date of execution:  02/16/96                             *****
*****                                                            *****
*****   time of execution:  10:06:10                             *****
*****                                                            *****
*****                                                            *****
**********************************************************************
**********************************************************************
**********************************************************************
```

```
1
0      -1q array has      1 entries.
0       0q array has      4 entries.
0       1q array has     12 entries.
0select  5 nuclides from the master  library on logical  1
        65 nuclides from the working library on logical  3
         0 nuclides from the working library on logical  0
           to create the new working library on logical  4

         1 resonance calculations have been requested
```

```
        0 output option for ampx formatted cross section data
0the storage allocated for this case is 200000 words
0       2q array has     70 entries.
0       3q array has     15 entries.
0       4q array has      5 entries.
0 general information concerning cross section library
    tape identification number                4349
    number of nuclides on tape                  66
    number of neutron energy groups             27
    first thermal neutron energy group          15
    number of gamma energy groups                0
0  direct access unit number  9 requires  72 blocks of length  1484 words
- xsdrn tape   4321
                        scale 4.2 - 27 group neutron burnup library
                           based on endf-b version 4 data with endf-b version 5 fission products
                              compiled for nrc      1/27/89
                                 last updated       9/16/93
                                    l.m.petrie   -   ornl
-  work tape   4349

 xsdrn weighted tape--parent case entitled-- 1200 d, sas2h: babcock wilcox 15x15,
  3.00wt%, 20gwd/mtu burn high temp




0 nuclides from xsdrn tape
     1     hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89          202
     2    b-10 1273 218ngp 042375 p-3 293k                                           203
     3     boron-11        endf/b-iv mat 1160             updated 10/13/89          204
     4     oxygen-16       endf/b-iv mat 1276             updated 10/13/89          201
     5     zircalloy       endf/b-iv mat 1284             updated 10/13/89          205
0 nuclides from  work tape
     6    1/v cross sections normalized to 1.0 at 0.0253 ev                           999
     7     hydrogen        endf/b-iv mat 1269/thrm1002    updated 10/13/89         1001
     8    b-10 1273 218ngp 042375 p-3 293k                                          5010
     9     boron-11        endf/b-iv mat 1160             updated 10/13/89         5011
    10     oxygen-16       endf/b-iv mat 1276             updated 10/13/89         8016
    11     oxygen-16       endf/b-iv mat 1276             updated 10/13/89            6
    12     kr-83           mt=102,103,103,105,106,107     updated 10/13/89        36083
    13     kr-85             mt=  102                                              36085
    14     sr-90           mt=102                         updated 10/13/89        38090
    15      y-89           mt=102                         updated 10/13/89        39089
    16     zr-93             mt=  102                                              40093
    17     zr-94           mt=102                         updated 10/13/89        40094
    18     zr-95           mt=102                         updated 10/13/89        40095
    19     zircalloy       endf/b-iv mat 1284             updated 10/13/89        40302
    20     rb-94           mt=102                         updated 10/13/89        41094
    21     mo-95           mt=102                         updated 10/13/89        42095
    22     tc-99           mt=102                         updated 10/13/89        43099
    23     ru-101          mt=102                         updated 10/13/89        44101
    24     ru-106          mt=102                         updated 10/13/89        44106
    25     rh-103          mt=102                         updated 10/13/89        45103
    26     rh-105            mt=  102                                              45105
    27     pd-105          mt=102                         updated 10/13/89        46105
    28     pd-108          mt=102                         updated 10/13/89        46108
    29     silver-109      endf/b-iv mat 1139             updated 10/13/89        47109
    30     sb-124          mt=102                         updated 10/13/89        51124
    31     xe-131          mt=102,103,104,105,106         updated 10/13/89        54131
    32     xe-132          mt=102,103,104,105,106         updated 10/13/89        54132
    33     xenon-135       endf/b-iv mat 1294             updated 10/13/89        54135
```


```
    34     xe-136          mt=  102, 103, 104, 105, 107                          54136
    35     cesium-133    endf/b-iv mat 1141            updated 10/13/89          55133
    36     cs-134        mt=102                        updated 10/13/89          55134
    37     cs-135          mt=  102                                              55135
    38     cs-137        mt=102                        updated 10/13/89          55137
    39     ba-136        mt=102                        updated 10/13/89          56136
    40     la-139        mt=102                        updated 10/13/89          57139
    41     ce-144          mt=  102                                              58144
    42     pr-141        mt=102,103,104,105,106,107    updated 10/13/89          59141
    43     pr-143        mt=102                        updated 10/13/89          59143
    44     nd-143        mt=102                        updated 10/13/89          60143
    45     nd-145        mt=102                        updated 10/13/89          60145
    46     nd-147        mt=102                        updated 10/13/89          60147
    47     pm-147        mt=102                        updated 10/13/89          61147
    48     pm-148          mt=  102                                              61148
    49     sm-147        endf/b-v fission product      updated 10/13/89          62147
    50     sm-149        mt=102,103,107                updated 10/13/89          62149
    51     sm-150        mt=102                        updated 10/13/89          62150
    52     sm-151        mt=102,103,104,105,106,107    updated 10/13/89          62151
    53     sm-152        mt=102,103,104,105,106,107    updated 10/13/89          62152
    54     eu-153        mt=102,103,104,105,106,107    updated 10/13/89          63153
    55     eu-154        mt=102,103,104,105,106,107    updated 10/13/89          63154
    56     eu-155        mt=102,103,104,105,106,107    updated 10/13/89          63155
    57     gd-155        mt=102                        updated 10/13/89          64155
    58    u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                     92234
    59     uranium-235   endf/b-iv mat 1261            updated 10/13/89          92235
    60    u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                     92236
    61     uranium-238   endf/b-iv mat 1262            updated 10/13/89          92238
    62     neptunium-237 endf/b-iv mat 1263            updated 10/13/89          93237
    63    pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                    94238
    64     plutonium-239 endf/b-iv mat 1264            updated 10/13/89          94239
    65     plutonium-240 endf/b-iv mat 1265            updated 10/13/89          94240
    66     plutonium-241 endf/b-iv mat 1266            updated 10/13/89          94241
    67     plutonium-242 endf/b-iv mat 1161            updated 10/13/89          94242
    68    am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                           95241
    69    am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                            95243
    70     curium-244    endf/b-iv mat 1162            updated 10/13/89          96244
0 hydrogen       endf/b-iv mat 1269/thrm1002   updated 10/13/89          202    temperature=   607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0b-10 1273 218ngp 042375 p-3 293k                                          203    temperature=   607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 boron-11       endf/b-iv mat 1160            updated 10/13/89          204    temperature=   607.60
                          thermal scattering matrix number  2 at a temperature of   550.00 was selected.
0 oxygen-16      endf/b-iv mat 1276            updated 10/13/89          201    temperature=   607.60
0 zircalloy      endf/b-iv mat 1284            updated 10/13/89          205    temperature=   650.00
0resonance data for this nuclide
0mass number (a)          =    90.436          temperature(kelvin)      =   650.000
0potential scatter sigma  =     6.385          lumped nuclear density   = 4.2515602E-02
0spin factor (g)          =     1.079          lump dimension (a-bar)   = 6.7309999E-01
0inner radius             = 6.3246000E-01      dancoff correction (c)   = 1.6805907E-01
0the absorber will be treated by the nordheim integral method.
0this resonance material will be treated as a 2-dimensional object.
0volume fraction of lump in cell used to account for spatial self-shielding=1.00000
0group       res abs        res fiss       res scat
   8     -1.156752E-03    .000000E+00   -7.806053E-01
   9     -4.625978E-02    .000000E+00   -2.075270E+00
  10     -5.962230E-02    .000000E+00   -1.351984E+00
  11     -1.761672E-01    .000000E+00   -7.350731E-01
0excess resonance integrals
0                resolved
```


```
0absorption      2.92402E-01
 fission         .00000E+00
-  elapsed time   .00 min.
-  elapsed time   .02 min.
1     this xsdrn working tape was created 02/16/96 at 10:06:11
      the title of the parent case is as follows
      xsdrn weighted tape--parent case entitled-- 1200 d, sas2h: babcock wilcox 15x15,
       3.00wt%, 20gwd/mtu burn high temp


        tape id                          8670        number of nuclides              70
        number of neutron groups           27        number of gamma groups           0
        first thermal group                15        logical unit                     4
                                  table of contents
       hydrogen       endf/b-iv mat 1269/thrmf1002   updated 10/13/89          id   202
      b-10 1273 218ngp 042375 p-3 293k                                          id   203
       boron-11       endf/b-iv mat 1160             updated 10/13/89          id   204
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id   201
       zircalloy      endf/b-iv mat 1284             updated 10/13/89          id   205
      1/v cross sections normalized to 1.0 at 0.0253 ev                         id   999
       hydrogen       endf/b-iv mat 1269/thrmf1002   updated 10/13/89          id  1001
      b-10 1273 218ngp 042375 p-3 293k                                          id  5010
       boron-11       endf/b-iv mat 1160             updated 10/13/89          id  5011
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id  8016
       oxygen-16      endf/b-iv mat 1276             updated 10/13/89          id     6
       kr-83          mt=102,103,103,105,106,107     updated 10/13/89          id 36083
       kr-85            mt=  102                                                id 36085
       sr-90          mt=102                         updated 10/13/89          id 38090
        y-89          mt=102                         updated 10/13/89          id 39089
       zr-93            mt=  102                                                id 40093
       zr-94          mt=102                         updated 10/13/89          id 40094
       zr-95          mt=102                         updated 10/13/89          id 40095
       zircalloy      endf/b-iv mat 1284             updated 10/13/89          id 40302
       nb-94          mt=102                         updated 10/13/89          id 41094
       mo-95          mt=102                         updated 10/13/89          id 42095
       tc-99          mt=102                         updated 10/13/89          id 43099
       ru-101         mt=102                         updated 10/13/89          id 44101
       ru-106         mt=102                         updated 10/13/89          id 44106
       rh-103         mt=102                         updated 10/13/89          id 45103
       rh-105           mt=  102                                                id 45105
       pd-105         mt=102                         updated 10/13/89          id 46105
       pd-108         mt=102                         updated 10/13/89          id 46108
       silver-109     endf/b-iv mat 1139             updated 10/13/89          id 47109
       sb-124         mt=102                         updated 10/13/89          id 51124
       xe-131         mt=102,103,104,105,106         updated 10/13/89          id 54131
       xe-132         mt=102,103,104,105,106         updated 10/13/89          id 54132
       xenon-135      endf/b-iv mat 1294             updated 10/13/89          id 54135
       xe-136           mt=  102,  103,  104,  105,  107                       id 54136
       cesium-133     endf/b-iv mat 1141             updated 10/13/89          id 55133
       cs-134         mt=102                         updated 10/13/89          id 55134
       cs-135           mt=  102                                                id 55135
       cs-137         mt=102                         updated 10/13/89          id 55137
       ba-136         mt=102                         updated 10/13/89          id 56136
       la-139         mt=102                         updated 10/13/89          id 57139
       ce-144           mt=  102                                                id 58144
       pr-141         mt=102,103,104,105,106,107     updated 10/13/89          id 59141
       pr-143         mt=102                         updated 10/13/89          id 59143
       nd-143         mt=102                         updated 10/13/89          id 60143
       nd-145         mt=102                         updated 10/13/89          id 60145
       nd-147         mt=102                         updated 10/13/89          id 60147
       pm-147         mt=102                         updated 10/13/89          id 61147
```

```
      pm-148          mt=  102                                                id    61148
      sm-147        endf/b-v fission product      updated 10/13/89            id    62147
      sm-149        mt=102,103,107                updated 10/13/89            id    62149
      sm-150        mt=102                        updated 10/13/89            id    62150
      sm-151        mt=102,103,104,105,106,107    updated 10/13/89            id    62151
      sm-152        mt=102,103,104,105,106,107    updated 10/13/89            id    62152
      eu-153        mt=102,103,104,105,106,107    updated 10/13/89            id    63153
      eu-154        mt=102,103,104,105,106,107    updated 10/13/89            id    63154
      eu-155        mt=102,103,104,105,106,107    updated 10/13/89            id    63155
      gd-155        mt=102                        updated 10/13/89            id    64155
     u-234 1043 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       id    92234
      uranium-235   endf/b-iv mat 1261            updated 10/13/89            id    92235
     u-236 1163 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                       id    92236
      uranium-238   endf/b-iv mat 1262            updated 10/13/89            id    92238
      neptunium-237 endf/b-iv mat 1263            updated 10/13/89            id    93237
     pu-238 1050 sigo=5+4 newklacs p-3 293k f-1/e-m(1.+5)                      id    94238
      plutonium-239 endf/b-iv mat 1264            updated 10/13/89            id    94239
      plutonium-240 endf/b-iv mat 1265            updated 10/13/89            id    94240
      plutonium-241 endf/b-iv mat 1266            updated 10/13/89            id    94241
      plutonium-242 endf/b-iv mat 1161            updated 10/13/89            id    94242
     am-241 1056 sigo=5+4 newklacs 218ngp p-3 293k                             id    95241
     am-243 1057 218 gp wt f-1/e-m 090376 p3 293k                              id    95243
      curium-244    endf/b-iv mat 1162            updated 10/13/89            id    96244
0       tape copy used      0 i/o's, and took     .00 seconds
```









```
*****************************************************************
*****************************************************************
*****************************************************************
******                                                     ******
******              program verification information       ******
******                                                     ******
******              code system:  scale  version:  4.2     ******
******                                                     ******
*****************************************************************
*****************************************************************
******                                                     ******
******                                                     ******
******          program:  c0c001                           ******
******                                                     ******
******       creation date:  04/27/95                      ******
******                                                     ******
******          library:  /neutronics/scale/exe            ******
******                                                     ******
******                                                     ******
******  this is not a  scale  configuration controlled code******
******                                                     ******
******          jobname:  davis                            ******
******                                                     ******
******  date of execution:  02/16/96                       ******
```

```
                    *****                                                    *****
                    *****   time of execution:  10:06:12                     *****
                    *****                                                    *****
                    *****                                                    *****
                    ************************************************************
                    ************************************************************
                    ************************************************************
1
                    1200 cl, second part of sas2h pass to make library
0       -1q array has      1 entries.
0        0q array has     11 entries.
0        1q array has     15 entries.
0        2q array has     10 entries.
0        3q array has     12 entries.
0        4q array has      9 entries.
0        5q array has     12 entries.
0direct access unit   9 requires     12 blocks of length  704 for cross section mixing.
1                     1200 cl, second part of sas2h pass to make library
0general problem description data block
0                              general problem data

 ige  1/2/3 = plane/cylinder/sphere      2      isn  quadrature order                  8
 izm  number of zones                    4      isct order of scattering               3
 im   number of special intervals       28      ievt 0/1/2/3/4/5/6=q/k/alpha/c/z/r/h   1
 ibl  0/1/2/3 = vacuum/refl/per/white    1      iim  inner iteration maximum         20
 ibr  right boundary condition           3      iom  outer iteration maximum         25
 mxx  number of mixtures                 3      iclc -1/0/n--flat res/sn/cpt           0
 ms   mixing table length               70      ith  0/1 = forward/adjoint            0
 igm  number of energy groups           27      iflu not used(always wgtd)             0
 nng  number of neutron groups          27      iprt -2/-1/0/n=mixture xsec print     -2
 ngg  number of gamma groups             0      idl  0/1/2/3=no/prt nd/pch n/both    14
 iftg number of first thermal group     15      ipbt -1/0/1=none/fine/all bal. prt     0
0                            special options

 ifg  0/1 = none/weighting calculation   1      ipn  0/1/2 diff. coef. param          0
 iqm  volumetric sources (0/n=no/yes)    0      idfm 0/1 = none/density factors 38*   0
 ipm  boundary sources (0/n=no/yes)      0      iaz  0/n = none/n activities by zone   0
 ifn  0/1/2 = input 33*/34*/use last    14      iai  0/1=none/activities by interval  0
 itmx maximum time (minutes)            10      ifct 0/1=no/yes upscatter scaling     0
 idt1 0/1/2/3=no/xsect/srce/flux--out    0      ipvt 0/1/2=no/k/alpha parametric srch 0
 isx  broad group fluxes                 0      isen outer iteration acceleration     0
 ibln activity data unit                 0      nbnd band rebaln parameter            0
 jbkl 0/1/2 buckling geometry            0
0                          weighting data (ifg=1)

 icon -1/0/1=cell/zone/region weight    -1      ihtf total xsect psn in brd gp tables 3
 igmf number of broad groups             3      ndsf psn g-g or file number           4
 itp  0/10/20/30/40 0/c/e/ac/a           0      nusf table length or max order        6
 ipp  -2/-1/0/n=wgted xsect print       -2      msm  extra 1-d x-sect positions      0
 iap  -1/n anisn xsect print            -1
0                          floating point parameters

 eps  overall convergence       1.00000E-04     dy   cyl/pla ht for buckling    .00000E+00
 ptc  point convergence         1.00000E-04     dz   plane depth for buckling 2.00000E+02
 xnf  normalization factor      1.00000E+00     vsc  void streaming correction .00000E+00
 ev   eigenvalue guess           .00000E+00     pv   ipvt=1/2--k/alpha         1.00000E+00
 evm  eigenvalue modifier        .00000E+00     eql  ev change eps for search 1.00000E-03
 bf   buckling factor=1.420892  1.42089E+00     xrpm new param mod for search 7.50000E-01
     this case will require       2611 locations for mixing
     this case has been allocated 200000 locations
```

1 1200 d, second part of sas2h pass to make library
0 13q array has 70 entries.
0 14q array has 70 entries.
0 15q array has 70 entries.
0 data block 2 (mixing table, etc.)

0	nuclides on tape	cccc identification	mixture	mixing table component	atom density	extra xsect id's
1	202		3	201	2.09710E-02	
2	203		3	202	4.19420E-02	
3	204		3	203	3.81515E-06	
4	201		3	204	1.54884E-05	
5	205		2	205	4.25156E-02	
6	999		1	92235	1.08967E-04	
7	1001		1	92234	1.35823E-06	
8	5010		1	92236	2.22565E-05	
9	5011		1	92238	7.18805E-03	
10	8016		1	8016	1.50611E-02	
11	6		1	6	1.15315E-02	
12	36083		1	36083	5.99894E-07	
13	36085		1	36085	2.88343E-07	
14	38090		1	38090	6.63490E-06	
15	39089		1	39089	5.44444E-06	
16	40093		1	42095	7.62639E-06	
17	40094		1	40093	5.44388E-06	
18	40095		1	40094	8.64059E-06	
19	40302		1	40095	6.37208E-07	
20	41094		1	41094	4.73664E-12	
21	42095		1	43099	8.45055E-06	
22	43099		1	45103	4.73364E-06	
23	44101		1	45105	8.33256E-09	
24	44106		1	44101	7.83094E-06	
25	45103		1	44106	1.16052E-06	
26	45105		1	46105	3.41731E-06	
27	46105		1	46108	1.04931E-06	
28	46108		1	47109	7.05166E-07	
29	47109		1	51124	1.55246E-10	
30	51124		1	54131	3.79879E-06	
31	54131		1	54132	7.71300E-06	
32	54132		1	54135	2.19622E-09	
33	54135		1	54136	1.49360E-05	
34	54136		1	55134	5.39316E-07	
35	55133		1	55135	4.74731E-06	
36	55134		1	55137	9.16393E-06	
37	55135		1	56136	1.16385E-07	
38	55137		1	57139	9.05884E-06	
39	56136		1	59141	7.95659E-06	
40	57139		1	59143	1.19082E-07	
41	58144		1	58144	2.29564E-06	
42	59141		1	60143	6.78043E-06	
43	59143		1	60145	5.11699E-06	
44	60143		1	61147	1.49236E-06	
45	60145		1	61148	4.52757E-09	
46	60147		1	60147	4.25602E-08	
47	61147		1	62147	7.28768E-07	
48	61148		1	62149	2.99879E-08	
49	62147		1	62150	1.95229E-06	
50	62149		1	62151	1.52692E-07	
51	62150		1	62152	8.95258E-07	
52	62151		1	64155	1.19080E-09	
53	62152		1	63153	6.19432E-07	

54	63153	1	63154	1.60229E-07
55	63154	1	63155	6.98613E-08
56	63155	1	40302	4.42681E-03
57	64155	1	1001	2.30630E-02
58	92234	1	5010	2.09787E-06
59	92235	1	5011	8.51673E-06
60	92236	1	55133	9.26929E-06
61	92238	1	95237	1.88903E-06
62	95237	1	94238	3.82360E-07
63	94238	1	94239	4.11046E-05
64	94239	1	94240	1.00195E-05
65	94240	1	94241	5.99267E-06
66	94241	1	94242	9.62606E-07
67	94242	1	95241	2.37599E-07
68	95241	1	95243	1.26849E-07
69	95243	1	96244	1.75358E-08
70	96244	1	999	3.30753E-21

- elapsed time .00 min.
0 24259 locations will be used
0 35q array has 29 entries.
0 36q array has 28 entries.
0 39q array has 4 entries.
0 40q array has 4 entries.
0 47q array has 27 entries.
0 51q array has 27 entries.
1 1200 d, second part of sas2h pass to make library

neutron group parameters

0 gp	energy boundaries	lethargy boundaries	weighted velocities	broad gp numbers	calc type	group band	right albedo	left albedo
1	2.00000E+07	-6.93147E-01	4.60581E+09	1	0	1	1.00000E+00	
2	6.43400E+06	4.40989E-01	2.88737E+09	1	0	2	1.00000E+00	
3	3.00000E+06	1.20397E+00	2.12201E+09	1	0	3	1.00000E+00	
4	1.85000E+06	1.68740E+00	1.75673E+09	1	0	4	1.00000E+00	
5	1.40000E+06	1.96611E+00	1.46535E+09	1	0	5	1.00000E+00	
6	9.00000E+05	2.40795E+00	1.06620E+09	2	0	6	1.00000E+00	
7	4.00000E+05	3.21888E+00	6.07557E+08	2	0	7	1.00000E+00	
8	1.00000E+05	4.60517E+00	2.72415E+08	2	0	8	1.00000E+00	
9	1.70000E+04	6.37713E+00	1.13526E+08	2	0	9	1.00000E+00	
10	3.00000E+03	8.11173E+00	4.82126E+07	2	0	10	1.00000E+00	
11	5.50000E+02	9.80818E+00	2.05946E+07	2	0	11	1.00000E+00	
12	1.00000E+02	1.15129E+01	1.01036E+07	2	0	12	1.00000E+00	
13	3.00000E+01	1.27169E+01	5.69595E+06	2	0	13	1.00000E+00	
14	1.00000E+01	1.38155E+01	3.20957E+06	2	0	14	1.00000E+00	
15	3.04999E+00	1.50030E+01	2.10601E+06	2	0	15	1.00000E+00	
16	1.77000E+00	1.55471E+01	1.70522E+06	2	0	16	1.00000E+00	
17	1.29999E+00	1.58657E+01	1.52545E+06	2	0	17	1.00000E+00	
18	1.12999E+00	1.59959E+01	1.42867E+06	2	0	18	1.00000E+00	
19	1.00000E+00	1.61181E+01	1.31002E+06	2	0	19	1.00000E+00	
20	8.00000E-01	1.63412E+01	9.05898E+05	2	0	20	1.00000E+00	
21	4.00000E-01	1.70844E+01	8.17974E+05	3	0	21	1.00000E+00	
22	3.25000E-01	1.72420E+01	6.90070E+05	3	0	22	1.00000E+00	
23	2.25000E-01	1.76098E+01	4.86953E+05	3	0	23	1.00000E+00	
24	9.99999E-02	1.84207E+01	3.57766E+05	3	0	24	1.00000E+00	
25	5.00000E-02	1.91139E+01	2.71895E+05	3	0	25	1.00000E+00	
26	3.00000E-02	1.96247E+01	1.87283E+05	3	0	26	1.00000E+00	
27	1.00000E-02	2.07233E+01	8.88201E+04	3	0	27	1.00000E+00	
28	1.00000E-05	2.76310E+01						

1 1200 d, second part of sas2h pass to make library

0	mixture by zone	order p(l) by zone	activity table matl no.	reaction	weights	quadrature constants directions	refl direc	wt x cos

1	3	3	0	-2.79004E-01	3	0	
2	2	3	5.06143E-02	-1.97286E-01	3	-9.98548E-03	
3	3	3	5.06143E-02	1.97286E-01	2	9.98548E-03	
4	1	3	0	-6.04419E-01	8	0	
5			5.59953E-02	-5.58410E-01	8	-3.10450E-02	
6			5.59953E-02	-2.31301E-01	7	-1.28595E-02	
7			5.59953E-02	2.31301E-01	6	1.28595E-02	
8			5.59953E-02	5.58410E-01	5	3.10450E-02	
9			0	-8.50774E-01	15	0	
10			5.22844E-02	-8.21784E-01	15	-4.29666E-02	
11			5.22844E-02	-6.01588E-01	14	-3.14537E-02	
12			5.22844E-02	-2.20196E-01	13	-1.15128E-02	
13			5.22844E-02	2.20196E-01	12	1.15128E-02	
14			5.22844E-02	6.01588E-01	11	3.14537E-02	
15			5.22844E-02	8.21784E-01	10	4.29666E-02	
16			0	-9.83032E-01	24	0	
17			4.53355E-02	-9.64143E-01	24	-4.37099E-02	
18			4.53355E-02	-8.17361E-01	23	-3.70555E-02	
19			4.53355E-02	-5.46143E-01	22	-2.47597E-02	
20			4.53355E-02	-1.91780E-01	21	-8.69444E-03	
21			4.53355E-02	1.91780E-01	20	8.69444E-03	
22			4.53355E-02	5.46143E-01	19	2.47597E-02	
23			4.53355E-02	8.17361E-01	18	3.70555E-02	
24			4.53355E-02	9.64143E-01	17	4.37099E-02	

0constants for p(3) scattering

0argl	set 1	set 2	set 3	set 4	set 5
1	-2.79004E-01	8.83235E-01	6.74143E-02	-6.16919E-01	-1.71701E-02
2	-1.97286E-01	8.83235E-01	.00000E+00	-4.36228E-01	1.21411E-02
3	1.97286E-01	8.83235E-01	.00000E+00	4.36228E-01	-1.21411E-02
4	-6.04419E-01	4.52016E-01	3.16379E-01	-8.04435E-01	-1.74564E-01
5	-5.58410E-01	4.52016E-01	2.23714E-01	-7.43201E-01	-6.68028E-02
6	-2.31301E-01	4.52016E-01	-2.23713E-01	-3.07844E-01	1.61276E-01
7	2.31301E-01	4.52016E-01	-2.23713E-01	3.07844E-01	-1.61276E-01
8	5.58410E-01	4.52016E-01	2.23713E-01	7.43201E-01	6.68028E-02
9	-8.50774E-01	-8.57235E-02	6.26843E-01	-1.98456E-01	-4.86835E-01
10	-8.21784E-01	-8.57235E-02	5.42862E-01	-1.91694E-01	-3.44245E-01
11	-6.01588E-01	-8.57235E-02	.00000E+00	-1.40330E-01	3.44244E-01
12	-2.20196E-01	-8.57235E-02	-5.42862E-01	-5.13643E-02	3.44245E-01
13	2.20196E-01	-8.57235E-02	-5.42862E-01	5.13643E-02	-3.44245E-01
14	6.01588E-01	-8.57235E-02	.00000E+00	1.40330E-01	-3.44245E-01
15	8.21784E-01	-8.57235E-02	5.42862E-01	1.91694E-01	3.44245E-01
16	-9.83032E-01	-4.49528E-01	8.36885E-01	5.00708E-01	-7.51005E-01
17	-9.64143E-01	-4.49528E-01	7.73181E-01	4.91083E-01	-6.24438E-01
18	-8.17361E-01	-4.49528E-01	3.20262E-01	4.16320E-01	1.46514E-01
19	-5.46143E-01	-4.49528E-01	-3.20262E-01	2.78176E-01	7.36575E-01
20	-1.91780E-01	-4.49528E-01	-7.73181E-01	9.76824E-02	4.17234E-01
21	1.91780E-01	-4.49528E-01	-7.73181E-01	-9.76824E-02	-4.17234E-01
22	5.46143E-01	-4.49528E-01	-3.20262E-01	-2.78176E-01	-7.36575E-01
23	8.17361E-01	-4.49528E-01	3.20262E-01	-4.16320E-01	-1.46514E-01
24	9.64143E-01	-4.49528E-01	7.73181E-01	-4.91083E-01	6.24438E-01

1 int	radii	mid pts	zone no.	areas	volumes	dens fact	radius mod	spec(int)
1	0	1.97644E-02	1	0	4.90881E-03		0	
2	3.95287E-02	5.92931E-02	1	2.48366E-01	1.47264E-02		0	
3	7.90575E-02	1.18586E-01	1	4.96733E-01	5.89057E-02		0	
4	1.58115E-01	1.97644E-01	1	9.93466E-01	9.81762E-02		0	
5	2.37172E-01	2.76701E-01	1	1.49020E+00	1.37447E-01			
6	3.16230E-01	3.55759E-01	1	1.98693E+00	1.76717E-01			
7	3.95288E-01	4.34816E-01	1	2.48366E+00	2.15988E-01			
8	4.74345E-01	5.13874E-01	1	2.98040E+00	2.55258E-01			
9	5.53403E-01	5.73167E-01	1	3.47713E+00	1.42355E-01			

10	5.92931E-01	6.12696E-01	1	3.72550E+00	1.52173E-01
11	6.32460E-01	6.42620E-01	2	3.97386E+00	8.20460E-02
12	6.52780E-01	6.62940E-01	2	4.10154E+00	8.46405E-02
13	6.73100E-01	6.96583E-01	3	4.22921E+00	2.05562E-01
14	7.20067E-01	7.43550E-01	3	4.52431E+00	2.19422E-01
15	7.67033E-01	7.90517E-01	3	4.81941E+00	2.33282E-01
16	8.14000E-01	8.62795E-01	4	5.11451E+00	5.29061E-01
17	9.11591E-01	9.60386E-01	4	5.72769E+00	5.88891E-01
18	1.00918E+00	1.10677E+00	4	6.34088E+00	1.35731E+00
19	1.20436E+00	1.30195E+00	4	7.56724E+00	1.59667E+00
20	1.39955E+00	1.49714E+00	4	8.79360E+00	1.83603E+00
21	1.59473E+00	1.69232E+00	4	1.00200E+01	2.07540E+00
22	1.78991E+00	1.88750E+00	4	1.12463E+01	2.31478E+00
23	1.98509E+00	2.08268E+00	4	1.24727E+01	2.55412E+00
24	2.18027E+00	2.27786E+00	4	1.36991E+01	2.79349E+00
25	2.37545E+00	2.47305E+00	4	1.49254E+01	3.03285E+00
26	2.57064E+00	2.66823E+00	4	1.61518E+01	3.27221E+00
27	2.76582E+00	2.81461E+00	4	1.73781E+01	1.72587E+00
28	2.86341E+00	2.91220E+00	4	1.79913E+01	1.78571E+00
29	2.96100E+00			1.86045E+01	

- elapsed time .00 min.

outer iter	inner iters	1 - balance	eigenvalue	1 - source ratio	1 - scatter ratio	1 - upscat ratio	search parameter	time (min)
1	125	8.00497E-06	1.00276E+00	-3.08108E-03	1.00000E+00	-8.34411E-04	.00000E+00	.0000
2	178	-1.07835E-05	1.00317E+00	-4.80255E-05	-2.79825E-04	-2.92346E-04	.00000E+00	.0000
3	219	6.02662E-06	1.00306E+00	-2.19952E-05	-1.05387E-04	-7.97182E-05	.00000E+00	.0000

grp to grp	inner iters	mfd int.	max. flux difference	msf int.	max. scale factor	coarse mesh
1	1	17	8.28958E-07	28	1.00000E+00	1
2	1	17	9.68108E-07	28	1.00000E+00	1
3	1	17	8.26446E-07	28	1.00000E+00	1
4	1	17	7.39969E-07	28	1.00000E+00	1
5	1	17	4.78289E-07	28	1.00000E+00	1
6	1	28	1.74231E-07	28	1.00000E+00	1
7	1	24	4.55098E-06	28	9.99996E-01	2
8	1	28	4.53025E-07	28	1.00000E+00	2
9	1	27	1.50841E-05	28	1.00001E+00	3
10	1	26	4.82669E-06	28	9.99996E-01	3
11	1	26	6.86737E-06	28	9.99993E-01	3
12	1	25	4.01992E-06	28	9.99997E-01	3
13	1	26	5.41574E-06	28	1.00000E+00	3
14	1	28	2.00883E-06	28	9.99999E-01	3
15	1	2	7.39044E-05	28	9.99918E-01	2
16	1	2	8.80606E-05	28	9.99928E-01	2
17	2	26	6.60470E-05	28	1.00007E+00	3
18	2	28	3.57694E-05	28	1.00001E+00	3
19	2	25	3.91572E-05	28	1.00004E+00	3
20	1	2	7.77912E-05	28	9.99861E-01	3
21	2	28	3.98852E-05	28	1.00001E+00	3
22	1	1	8.78960E-05	28	9.99956E-01	3
23	1	1	2.32202E-05	14	9.99990E-01	4
24	1	28	3.36975E-05	28	1.00008E+00	4
25	1	23	2.30561E-05	28	1.00004E+00	5
26	1	28	2.92714E-05	28	1.00001E+00	6
27	1	28	2.22264E-05	28	1.00001E+00	8

4	250	-2.66281E-06	1.00318E+00	-7.01149E-06	-2.88134E-05	-1.87275E-05	.00000E+00	.0167

final monitor lambda 1.00316E+00 production/absorption 1.01629E+00 angular flux on 16

- elapsed time .02 min.

1 1200 d, second part of ses2h pass to make library

0 int.	zone number	radius	int. midpoint	area	volume	prod density
1	1	.00000E+00	1.97644E-02	.00000E+00	4.90881E-03	.00000E+00
2	1	3.95287E-02	5.92931E-02	2.48366E-01	1.47264E-02	.00000E+00
3	1	7.90575E-02	1.18586E-01	4.96733E-01	5.89057E-02	.00000E+00
4	1	1.58115E-01	1.97644E-01	9.93466E-01	9.81762E-02	.00000E+00
5	1	2.37172E-01	2.76701E-01	1.49020E+00	1.37447E-01	.00000E+00
6	1	3.16230E-01	3.55759E-01	1.98693E+00	1.76717E-01	.00000E+00
7	1	3.95288E-01	4.34816E-01	2.48366E+00	2.15988E-01	.00000E+00
8	1	4.74345E-01	5.13874E-01	2.98040E+00	2.55258E-01	.00000E+00
9	1	5.53408E-01	5.73167E-01	3.47713E+00	1.42355E-01	.00000E+00
10	1	5.92931E-01	6.12698E-01	3.72550E+00	1.52173E-01	.00000E+00
11	2	6.32460E-01	6.42620E-01	3.97386E+00	8.20460E-02	.00000E+00
12	2	6.52780E-01	6.62940E-01	4.10154E+00	8.46405E-02	.00000E+00
13	3	6.73100E-01	6.96583E-01	4.22921E+00	2.05562E-01	.00000E+00
14	3	7.20067E-01	7.43550E-01	4.52431E+00	2.19422E-01	.00000E+00
15	3	7.67033E-01	7.90517E-01	4.81941E+00	2.33282E-01	.00000E+00
16	4	8.14000E-01	8.62795E-01	5.11451E+00	5.29051E-01	2.29262E-02
17	4	9.11591E-01	9.60386E-01	5.72769E+00	5.88891E-01	2.49412E-02
18	4	1.00918E+00	1.10677E+00	6.34088E+00	1.35731E+00	5.62798E-02
19	4	1.20436E+00	1.30195E+00	7.56724E+00	1.59667E+00	6.48191E-02
20	4	1.39955E+00	1.49714E+00	8.79360E+00	1.83603E+00	7.34425E-02
21	4	1.59473E+00	1.69232E+00	1.00200E+01	2.07540E+00	8.21141E-02
22	4	1.78991E+00	1.88750E+00	1.12463E+01	2.31476E+00	9.08579E-02
23	4	1.98509E+00	2.08268E+00	1.24727E+01	2.55412E+00	9.96221E-02
24	4	2.18027E+00	2.27786E+00	1.36991E+01	2.79349E+00	1.08481E-01
25	4	2.37545E+00	2.47305E+00	1.49254E+01	3.03285E+00	1.17432E-01
26	4	2.57064E+00	2.66823E+00	1.61518E+01	3.27221E+00	1.26507E-01
27	4	2.76582E+00	2.81461E+00	1.73781E+01	1.72587E+00	6.67052E-02
28	4	2.86341E+00	2.91220E+00	1.79913E+01	1.78571E+00	6.90526E-02
29		2.96100E+00		1.86045E+01		

1 1200 d, second part of sas2h pass to make library

0 total flux

0 int.	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.31613E-02	9.13913E-02	1.12872E-01	6.91366E-02	1.02836E-01	1.92842E-01	1.95131E-01	1.47062E-01
2	1.31560E-02	9.13397E-02	1.12808E-01	6.90984E-02	1.02784E-01	1.92755E-01	1.95092E-01	1.47057E-01
3	1.31567E-02	9.13529E-02	1.12829E-01	6.91164E-02	1.02818E-01	1.92825E-01	1.95145E-01	1.47068E-01
4	1.31636E-02	9.14341E-02	1.12942E-01	6.91948E-02	1.02948E-01	1.93067E-01	1.95301E-01	1.47097E-01
5	1.31781E-02	9.15770E-02	1.13138E-01	6.93279E-02	1.03164E-01	1.93466E-01	1.95548E-01	1.47140E-01
6	1.31981E-02	9.17735E-02	1.13408E-01	6.95112E-02	1.03461E-01	1.94014E-01	1.95887E-01	1.47197E-01
7	1.32146E-02	9.20250E-02	1.13755E-01	6.97495E-02	1.03864E-01	1.94729E-01	1.96327E-01	1.47267E-01
8	1.32406E-02	9.23991E-02	1.14195E-01	7.00568E-02	1.04354E-01	1.95664E-01	1.96903E-01	1.47350E-01
9	1.32624E-02	9.26154E-02	1.14590E-01	7.03389E-02	1.04821E-01	1.96531E-01	1.97438E-01	1.47420E-01
10	1.32774E-02	9.28320E-02	1.14919E-01	7.05872E-02	1.05242E-01	1.97316E-01	1.97924E-01	1.47469E-01
11	1.32899E-02	9.30115E-02	1.15195E-01	7.07957E-02	1.05596E-01	1.97991E-01	1.98341E-01	1.47513E-01
12	1.33034E-02	9.31451E-02	1.15396E-01	7.09042E-02	1.05765E-01	1.98328E-01	1.98543E-01	1.47557E-01
13	1.33319E-02	9.33886E-02	1.15640E-01	7.10417E-02	1.05954E-01	1.98666E-01	1.98734E-01	1.47626E-01
14	1.33738E-02	9.37765E-02	1.16095E-01	7.12970E-02	1.06328E-01	1.99523E-01	1.99112E-01	1.47718E-01
15	1.34231E-02	9.42757E-02	1.16721E-01	7.16857E-02	1.06984E-01	2.00894E-01	1.99739E-01	1.47819E-01
16	1.34997E-02	9.50750E-02	1.17741E-01	7.23290E-02	1.07988E-01	2.02231E-01	1.98829E-01	1.47990E-01
17	1.35752E-02	9.58701E-02	1.18758E-01	7.29772E-02	1.08967E-01	2.04121E-01	1.99968E-01	1.48187E-01
18	1.36351E-02	9.65136E-02	1.19592E-01	7.35123E-02	1.09830E-01	2.05753E-01	2.00982E-01	1.48391E-01
19	1.36872E-02	9.70841E-02	1.20340E-01	7.39959E-02	1.10619E-01	2.07276E-01	2.01946E-01	1.48603E-01
20	1.37177E-02	9.74264E-02	1.20797E-01	7.42939E-02	1.11112E-01	2.08256E-01	2.02582E-01	1.48758E-01
21	1.37368E-02	9.76460E-02	1.21095E-01	7.44897E-02	1.11439E-01	2.08925E-01	2.03025E-01	1.48874E-01
22	1.37489E-02	9.77890E-02	1.21293E-01	7.46208E-02	1.11660E-01	2.09387E-01	2.03338E-01	1.48961E-01
23	1.37569E-02	9.78808E-02	1.21422E-01	7.47060E-02	1.11806E-01	2.09708E-01	2.03665E-01	1.49029E-01
24	1.37609E-02	9.79854E-02	1.21500E-01	7.47588E-02	1.11897E-01	2.09908E-01	2.03695E-01	1.49065E-01
25	1.37628E-02	9.79803E-02	1.21537E-01	7.47832E-02	1.11941E-01	2.10006E-01	2.03768E-01	1.49086E-01
26	1.37624E-02	9.79570E-02	1.21539E-01	7.47819E-02	1.11940E-01	2.10014E-01	2.03774E-01	1.49088E-01
27	1.37606E-02	9.79367E-02	1.21508E-01	7.47644E-02	1.11912E-01	2.09959E-01	2.03737E-01	1.49073E-01

28	1.37580E-02	9.79069E-02	1.21469E-01	7.47380E-02	1.11868E-01	2.09868E-01	2.08674E-01	1.49053E-01
0 int.	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.16023E-01	1.07284E-01	1.01096E-01	6.55511E-02	5.59258E-02	5.30857E-02	2.88673E-02	1.59289E-02
2	1.16023E-01	1.07286E-01	1.01101E-01	6.55560E-02	5.59287E-02	5.30909E-02	2.88697E-02	1.59300E-02
3	1.16022E-01	1.07277E-01	1.01080E-01	6.55321E-02	5.59069E-02	5.30569E-02	2.88628E-02	1.59260E-02
4	1.16018E-01	1.07256E-01	1.01031E-01	6.54745E-02	5.58511E-02	5.29750E-02	2.88458E-02	1.59162E-02
5	1.16011E-01	1.07224E-01	1.00956E-01	6.53867E-02	5.57678E-02	5.28503E-02	2.88204E-02	1.59014E-02
6	1.16002E-01	1.07180E-01	1.00855E-01	6.52673E-02	5.56551E-02	5.26812E-02	2.87870E-02	1.58818E-02
7	1.15991E-01	1.07122E-01	1.00721E-01	6.51109E-02	5.55081E-02	5.24599E-02	2.87447E-02	1.58566E-02
8	1.15978E-01	1.07044E-01	1.00543E-01	6.49046E-02	5.53155E-02	5.21690E-02	2.86913E-02	1.58242E-02
9	1.15969E-01	1.06971E-01	1.00376E-01	6.47121E-02	5.51366E-02	5.18980E-02	2.86432E-02	1.57946E-02
10	1.15970E-01	1.06902E-01	1.00221E-01	6.45370E-02	5.49747E-02	5.16517E-02	2.86012E-02	1.57680E-02
11	1.15976E-01	1.06848E-01	1.00099E-01	6.43995E-02	5.48463E-02	5.14575E-02	2.85664E-02	1.57459E-02
12	1.15971E-01	1.06829E-01	1.00054E-01	6.43459E-02	5.47957E-02	5.13798E-02	2.85544E-02	1.57355E-02
13	1.15927E-01	1.06803E-01	9.99914E-02	6.42635E-02	5.47180E-02	5.12637E-02	2.85273E-02	1.57241E-02
14	1.15857E-01	1.06741E-01	9.98494E-02	6.40849E-02	5.45579E-02	5.10150E-02	2.84984E-02	1.57022E-02
15	1.15783E-01	1.06638E-01	9.96166E-02	6.38038E-02	5.43076E-02	5.06243E-02	2.84548E-02	1.56680E-02
16	1.15680E-01	1.06468E-01	9.92308E-02	6.33408E-02	5.38957E-02	4.99760E-02	2.83756E-02	1.56097E-02
17	1.15587E-01	1.06301E-01	9.88452E-02	6.28779E-02	5.34745E-02	4.93243E-02	2.82820E-02	1.55471E-02
18	1.15521E-01	1.06159E-01	9.85156E-02	6.24828E-02	5.31081E-02	4.87672E-02	2.81823E-02	1.54867E-02
19	1.15470E-01	1.06028E-01	9.82080E-02	6.21150E-02	5.27616E-02	4.82481E-02	2.80772E-02	1.54258E-02
20	1.15446E-01	1.05945E-01	9.80093E-02	6.18778E-02	5.25333E-02	4.79124E-02	2.79984E-02	1.53821E-02
21	1.15434E-01	1.05889E-01	9.78711E-02	6.17126E-02	5.23724E-02	4.76786E-02	2.79387E-02	1.53498E-02
22	1.15429E-01	1.05846E-01	9.77727E-02	6.15952E-02	5.22565E-02	4.75119E-02	2.78953E-02	1.53256E-02
23	1.15426E-01	1.05821E-01	9.77029E-02	6.15118E-02	5.21736E-02	4.73933E-02	2.78699E-02	1.53079E-02
24	1.15424E-01	1.05802E-01	9.76553E-02	6.14550E-02	5.21171E-02	4.73126E-02	2.78370E-02	1.52959E-02
25	1.15421E-01	1.05791E-01	9.76269E-02	6.14211E-02	5.20836E-02	4.72646E-02	2.78042E-02	1.52891E-02
26	1.15419E-01	1.05787E-01	9.76178E-02	6.14101E-02	5.20737E-02	4.72497E-02	2.78221E-02	1.52879E-02
27	1.15416E-01	1.05789E-01	9.76230E-02	6.14168E-02	5.20817E-02	4.72599E-02	2.78278E-02	1.52907E-02
28	1.15416E-01	1.05794E-01	9.76384E-02	6.14353E-02	5.21013E-02	4.72870E-02	2.78381E-02	1.52960E-02
0 int.	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	6.88639E-03	5.06897E-03	1.03301E-02	3.45541E-02	1.06307E-02	2.16097E-02	7.33210E-02	6.03480E-02
2	6.88723E-03	5.07066E-03	1.03316E-02	3.45569E-02	1.06319E-02	2.16116E-02	7.33162E-02	6.03340E-02
3	6.88350E-03	5.06135E-03	1.03247E-02	3.45419E-02	1.06204E-02	2.15755E-02	7.32009E-02	6.02128E-02
4	6.87450E-03	5.03893E-03	1.03081E-02	3.45066E-02	1.05940E-02	2.14934E-02	7.29474E-02	5.99522E-02
5	6.86076E-03	5.00445E-03	1.02830E-02	3.44536E-02	1.05541E-02	2.13700E-02	7.25713E-02	5.95665E-02
6	6.84211E-03	4.95714E-03	1.02490E-02	3.43829E-02	1.05001E-02	2.12052E-02	7.20703E-02	5.90530E-02
7	6.81767E-03	4.89439E-03	1.02048E-02	3.42920E-02	1.04296E-02	2.09868E-02	7.14319E-02	5.84006E-02
8	6.78545E-03	4.81055E-03	1.01471E-02	3.41752E-02	1.03369E-02	2.07018E-02	7.06250E-02	5.75820E-02
9	6.75536E-03	4.73147E-03	1.00957E-02	3.40683E-02	1.02505E-02	2.04385E-02	6.98993E-02	5.68518E-02
10	6.72789E-03	4.65878E-03	1.00454E-02	3.39730E-02	1.01716E-02	2.02004E-02	6.92682E-02	5.62250E-02
11	6.70622E-03	4.60319E-03	1.00068E-02	3.38962E-02	1.01111E-02	2.00211E-02	6.88086E-02	5.57884E-02
12	6.69766E-03	4.58346E-03	9.99090E-03	3.38630E-02	1.00889E-02	1.99612E-02	6.86664E-02	5.56771E-02
13	6.68479E-03	4.56484E-03	9.96951E-03	3.38215E-02	1.00551E-02	1.98511E-02	6.83980E-02	5.54012E-02
14	6.65693E-03	4.46438E-03	9.92434E-03	3.37378E-02	9.97584E-03	1.96015E-02	6.77860E-02	5.47732E-02
15	6.61282E-03	4.33388E-03	9.85351E-03	3.36089E-02	9.85020E-03	1.92128E-02	6.68990E-02	5.38771E-02
16	6.54006E-03	4.09981E-03	9.73561E-03	3.33954E-02	9.64370E-03	1.85685E-02	6.55310E-02	5.25478E-02
17	6.46757E-03	3.86727E-03	9.61391E-03	3.31691E-02	9.43901E-03	1.79293E-02	6.41383E-02	5.12183E-02
18	6.40607E-03	3.69618E-03	9.50407E-03	3.29520E-02	9.26664E-03	1.74007E-02	6.28091E-02	4.99395E-02
19	6.34892E-03	3.55276E-03	9.39875E-03	3.27340E-02	9.10672E-03	1.69161E-02	6.14735E-02	4.86469E-02
20	6.31196E-03	3.47233E-03	9.32831E-03	3.25802E-02	9.00357E-03	1.66076E-02	6.05225E-02	4.77222E-02
21	6.28619E-03	3.42148E-03	9.27833E-03	3.24664E-02	8.93143E-03	1.63953E-02	5.98103E-02	4.70277E-02
22	6.26779E-03	3.38796E-03	9.24220E-03	3.23814E-02	8.87965E-03	1.62401E-02	5.92713E-02	4.65018E-02
23	6.25469E-03	3.36541E-03	9.21625E-03	3.23190E-02	8.84243E-03	1.61300E-02	5.88669E-02	4.61070E-02
24	6.24579E-03	3.35053E-03	9.19846E-03	3.22757E-02	8.81670E-03	1.60533E-02	5.85748E-02	4.58208E-02
25	6.24053E-03	3.34139E-03	9.18778E-03	3.22499E-02	8.80062E-03	1.60045E-02	5.83821E-02	4.56277E-02
26	6.23895E-03	3.33757E-03	9.18461E-03	3.22411E-02	8.79414E-03	1.59823E-02	5.82878E-02	4.55247E-02
27	6.24049E-03	3.33747E-03	9.18670E-03	3.22474E-02	8.79538E-03	1.59825E-02	5.82784E-02	4.55014E-02
28	6.24350E-03	3.34055E-03	9.19248E-03	3.22625E-02	8.80196E-03	1.59983E-02	5.83274E-02	4.55341E-02
0 int.	grp. 25	grp. 26	grp. 27					

1	2.73358E-02	1.97348E-02	3.74869E-03
2	2.73254E-02	1.97234E-02	3.74592E-03
3	2.72609E-02	1.96669E-02	3.73435E-03
4	2.71236E-02	1.95477E-02	3.70980E-03
5	2.69204E-02	1.93700E-02	3.67270E-03
6	2.66494E-02	1.91311E-02	3.62194E-03
7	2.63053E-02	1.88253E-02	3.55958E-03
8	2.58754E-02	1.84401E-02	3.47009E-03
9	2.54946E-02	1.80971E-02	3.39286E-03
10	2.51721E-02	1.78047E-02	3.32660E-03
11	2.49566E-02	1.76165E-02	3.28653E-03
12	2.49102E-02	1.75879E-02	3.28384E-03
13	2.47570E-02	1.74473E-02	3.24605E-03
14	2.44083E-02	1.71140E-02	3.15512E-03
15	2.39238E-02	1.66443E-02	3.02025E-03
16	2.32257E-02	1.59751E-02	2.82372E-03
17	2.25352E-02	1.53421E-02	2.65440E-03
18	2.18768E-02	1.47682E-02	2.52580E-03
19	2.12153E-02	1.42094E-02	2.40957E-03
20	2.07461E-02	1.38304E-02	2.33815E-03
21	2.03974E-02	1.35589E-02	2.28999E-03
22	2.01360E-02	1.33604E-02	2.25651E-03
23	1.99414E-02	1.32164E-02	2.23271E-03
24	1.98006E-02	1.31139E-02	2.21612E-03
25	1.97052E-02	1.30450E-02	2.20510E-03
26	1.96519E-02	1.30053E-02	2.19875E-03
27	1.96365E-02	1.29913E-02	2.19635E-03
28	1.96467E-02	1.29943E-02	2.19625E-03

- elapsed time .02 min.

1fine group summary for zone 1 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	5.12634E-04	6.78513E-04	5.64972E-05	-7.34974E-04	9.99950E-01
2	.00000E+00	.00000E+00	3.89318E-04	6.20419E-03	8.15427E-03	1.77259E-04	-7.94192E-03	9.99961E-01
3	.00000E+00	.00000E+00	3.87393E-03	5.48243E-03	1.42642E-02	9.30813E-05	-1.04830E-02	9.99977E-01
4	.00000E+00	.00000E+00	5.61194E-03	3.60754E-03	1.23952E-02	4.20998E-05	-6.82516E-03	9.99987E-01
5	.00000E+00	.00000E+00	1.02980E-02	1.15402E-02	2.09074E-02	4.97317E-05	-1.06589E-02	9.99990E-01
6	.00000E+00	.00000E+00	2.15495E-02	3.45127E-02	4.10188E-02	8.43286E-05	-1.95534E-02	9.99998E-01
7	.00000E+00	.00000E+00	4.22775E-02	6.09915E-02	5.41559E-02	6.12428E-05	-1.19391E-02	9.99990E-01
8	.00000E+00	.00000E+00	5.63876E-02	7.83945E-02	5.87817E-02	3.64252E-05	-2.42535E-03	9.99912E-01
9	.00000E+00	.00000E+00	5.78207E-02	7.26830E-02	5.75582E-02	2.93045E-05	2.39825E-04	9.99885E-01
10	.00000E+00	.00000E+00	5.71334E-02	6.92801E-02	5.56769E-02	3.61195E-05	1.42638E-03	9.99896E-01
11	.00000E+00	.00000E+00	5.59526E-02	6.57431E-02	5.24857E-02	5.52823E-05	3.41398E-03	9.99940E-01
12	.00000E+00	.00000E+00	4.55042E-02	3.51725E-02	4.13848E-02	6.05815E-05	4.05977E-03	9.99978E-01
13	.00000E+00	.00000E+00	4.05606E-02	2.85939E-02	3.66698E-02	8.47043E-05	3.89740E-03	9.99969E-01
14	.00000E+00	.00000E+00	3.95170E-02	2.80911E-02	3.35570E-02	1.35568E-04	5.82491E-03	9.99988E-01
15	.00000E+00	.00000E+00	2.16231E-02	1.07912E-02	2.02163E-02	1.11967E-04	1.29488E-03	9.99998E-01
16	.00000E+00	.00000E+00	1.41666E-02	4.53187E-03	1.33513E-02	7.55767E-05	7.39689E-04	1.00000E+00
17	.00000E+00	.00000E+00	7.25527E-03	1.26248E-03	6.56865E-03	3.61401E-05	6.50624E-04	9.99980E-01
18	.00000E+00	.00000E+00	6.41239E-03	8.80709E-04	4.81237E-03	2.75577E-05	1.57250E-03	9.99994E-01
19	.00000E+00	.00000E+00	1.05371E-02	2.80299E-03	9.30287E-03	6.27786E-05	1.17162E-03	9.99986E-01
20	.00000E+00	.00000E+00	2.56905E-02	2.03021E-02	2.29543E-02	2.64782E-04	2.47121E-03	1.00001E+00
21	.00000E+00	.00000E+00	1.21985E-02	3.98849E-03	1.05759E-02	1.00025E-04	1.72275E-03	9.99981E-01
22	.00000E+00	.00000E+00	2.40127E-02	1.20675E-02	1.87796E-02	2.31784E-04	5.00151E-03	9.99991E-01
23	.00000E+00	.00000E+00	6.18254E-02	7.40863E-02	4.86505E-02	1.07547E-03	1.21000E-02	9.99992E-01
24	.00000E+00	.00000E+00	6.58498E-02	7.03337E-02	5.42912E-02	1.27958E-03	1.02796E-02	9.99992E-01
25	.00000E+00	.00000E+00	4.38875E-02	2.98990E-02	3.84652E-02	7.59907E-04	4.66466E-03	9.99994E-01
26	.00000E+00	.00000E+00	3.50840E-02	3.34582E-02	3.09031E-02	7.73774E-04	3.40732E-03	9.99994E-01
27	.00000E+00	.00000E+00	1.19145E-02	7.26339E-03	1.10650E-02	2.76473E-04	5.73019E-04	9.99999E-01
28	.00000E+00	.00000E+00	7.77425E-01	7.72478E-01	7.77425E-01	6.07808E-03	-6.05021E-03	9.99965E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux

1	1.32845E-02	-7.34974E-04	1.31657E-02	.00000E+00	3.75237E-11	.00000E+00	2.05365E-05	1.66106E-02
2	9.29464E-02	-7.94192E-03	9.14349E-02	.00000E+00	.00000E+00	.00000E+00	8.99265E-05	1.15714E-01
3	1.15100E-01	-1.04830E-02	1.12928E-01	.00000E+00	.00000E+00	.00000E+00	9.26504E-05	1.43060E-01
4	7.07274E-02	-6.82516E-03	6.91706E-02	.00000E+00	.00000E+00	.00000E+00	4.18456E-05	8.77364E-02
5	1.05483E-01	-1.06568E-02	1.02885E-01	.00000E+00	.00000E+00	.00000E+00	4.94384E-05	1.30649E-01
6	1.97766E-01	-1.95534E-02	1.92925E-01	.00000E+00	.00000E+00	.00000E+00	8.34586E-05	2.44982E-01
7	1.96203E-01	-1.19391E-02	1.93174E-01	.00000E+00	.00000E+00	.00000E+00	5.92983E-05	2.44371E-01
8	1.47493E-01	-2.42536E-03	1.47069E-01	.00000E+00	.00000E+00	.00000E+00	3.27431E-05	1.85075E-01
9	1.15973E-01	2.39825E-04	1.16022E-01	.00000E+00	.00000E+00	.00000E+00	2.16945E-05	1.45761E-01
10	1.06863E-01	1.42638E-03	1.07281E-01	.00000E+00	.00000E+00	.00000E+00	1.91913E-05	1.34590E-01
11	1.00132E-01	3.41398E-03	1.01089E-01	.00000E+00	.00000E+00	.00000E+00	1.79485E-05	1.26516E-01
12	6.44365E-02	4.05977E-03	6.55422E-02	.00000E+00	.00000E+00	.00000E+00	1.05351E-05	8.17599E-02
13	5.48821E-02	3.89740E-03	5.59150E-02	.00000E+00	.00000E+00	.00000E+00	8.75295E-06	6.96983E-02
14	5.15106E-02	5.82491E-03	5.30708E-02	.00000E+00	.00000E+00	.00000E+00	8.43566E-06	6.58576E-02
15	2.85786E-02	1.29488E-03	2.88649E-02	.00000E+00	.00000E+00	.00000E+00	4.44573E-06	3.61095E-02
16	1.57533E-02	7.39689E-04	1.59275E-02	.00000E+00	.00000E+00	.00000E+00	2.21776E-06	1.99177E-02
17	6.71186E-03	6.50624E-04	6.88469E-03	.00000E+00	.00000E+00	.00000E+00	8.75906E-07	8.55776E-03
18	4.61683E-03	1.57250E-03	5.06558E-03	.00000E+00	.00000E+00	.00000E+00	6.11462E-07	6.12381E-03
19	1.00173E-02	1.17162E-03	1.08272E-02	.00000E+00	.00000E+00	.00000E+00	1.34008E-06	1.28073E-02
20	3.39206E-02	2.47121E-03	3.45506E-02	.00000E+00	.00000E+00	.00000E+00	5.04726E-06	4.30622E-02
21	1.01259E-02	1.72275E-03	1.06271E-02	.00000E+00	.00000E+00	.00000E+00	1.19923E-06	1.30789E-02
22	2.00643E-02	5.00151E-03	2.16013E-02	.00000E+00	.00000E+00	.00000E+00	2.40335E-06	2.62900E-02
23	6.89102E-02	1.21000E-02	7.33008E-02	.00000E+00	.00000E+00	.00000E+00	7.38782E-06	8.95713E-02
24	5.58696E-02	1.02796E-02	6.08340E-02	.00000E+00	.00000E+00	.00000E+00	4.48697E-06	7.32015E-02
25	2.49909E-02	4.66466E-03	2.73313E-02	.00000E+00	.00000E+00	.00000E+00	1.56083E-06	3.29612E-02
26	1.76401E-02	3.40732E-03	1.97334E-02	.00000E+00	.00000E+00	.00000E+00	8.24149E-07	2.35667E-02
27	3.28934E-03	5.73019E-04	3.74895E-03	.00000E+00	.00000E+00	.00000E+00	9.71280E-08	4.44555E-03
28	1.73329E+00	-6.05016E-03	1.73997E+00	.00000E+00	3.75237E-11	.00000E+00	5.88752E-04	2.18205E+00

1fine group summary for zone 2 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.26681E-04	1.69926E-04	2.54915E-06	-1.66415E-04	1.00001E+00
2	.00000E+00	.00000E+00	2.96772E-05	1.47025E-03	1.05497E-03	1.41609E-05	-1.03947E-03	1.00000E+00
3	.00000E+00	.00000E+00	1.52059E-04	2.77987E-03	8.78965E-04	2.03420E-05	-7.47189E-04	9.99995E-01
4	.00000E+00	.00000E+00	2.89087E-04	2.31001E-03	2.99096E-04	1.31270E-05	-2.31168E-05	9.99997E-01
5	.00000E+00	.00000E+00	6.21348E-04	4.42235E-03	2.79680E-04	1.68860E-05	3.24773E-04	1.00000E+00
6	.00000E+00	.00000E+00	1.02825E-03	1.24105E-02	1.69562E-04	2.70798E-05	8.31595E-04	1.00000E+00
7	.00000E+00	.00000E+00	6.75439E-04	1.25993E-02	6.33305E-05	2.68257E-05	5.85293E-04	9.99999E-01
8	.00000E+00	.00000E+00	1.17756E-04	9.21348E-03	4.43664E-04	2.21254E-05	-3.48044E-04	1.00001E+00
9	.00000E+00	.00000E+00	4.45495E-04	6.36585E-03	5.30664E-05	7.67849E-05	3.15659E-04	9.99978E-01
10	.00000E+00	.00000E+00	5.31318E-05	4.99632E-03	4.95722E-05	5.94391E-05	-5.58849E-05	1.00000E+00
11	.00000E+00	.00000E+00	4.95755E-05	4.46568E-03	5.04333E-05	9.02401E-05	-9.10966E-05	1.00000E+00
12	.00000E+00	.00000E+00	5.04336E-05	2.76787E-03	5.14952E-05	5.68657E-06	-6.75488E-06	1.00000E+00
13	.00000E+00	.00000E+00	5.14953E-05	2.35816E-03	4.81048E-05	6.31862E-06	-2.92598E-06	1.00000E+00
14	.00000E+00	.00000E+00	4.81048E-05	2.21738E-03	4.17867E-05	8.46807E-06	-2.14998E-06	1.00000E+00
15	.00000E+00	.00000E+00	4.43495E-05	1.20592E-03	4.98544E-05	6.26518E-06	-1.11695E-05	9.99940E-01
16	.00000E+00	.00000E+00	5.51786E-05	6.36471E-04	5.51385E-05	3.77227E-06	-3.68326E-06	9.99939E-01
17	.00000E+00	.00000E+00	5.95582E-05	2.36301E-04	5.81661E-05	1.75654E-06	-3.61819E-07	9.99998E-01
18	.00000E+00	.00000E+00	6.09980E-05	1.52556E-04	4.92578E-05	1.27010E-06	1.04690E-05	9.99999E-01
19	.00000E+00	.00000E+00	5.13033E-05	3.82839E-04	5.64845E-05	2.97074E-06	-8.14872E-06	9.99997E-01
20	.00000E+00	.00000E+00	6.88780E-05	1.42789E-03	6.07046E-05	1.22760E-05	-3.99747E-06	9.99959E-01
21	.00000E+00	.00000E+00	7.92644E-05	3.58223E-04	8.55664E-05	4.44045E-06	-1.07377E-05	9.99997E-01
22	.00000E+00	.00000E+00	1.12663E-04	7.74799E-04	1.08549E-04	1.00041E-05	-8.30274E-07	9.99988E-01
23	.00000E+00	.00000E+00	1.60871E-04	2.81343E-03	2.06553E-04	4.59520E-05	-9.16002E-05	9.99997E-01
24	.00000E+00	.00000E+00	2.66925E-04	2.15347E-03	2.95531E-04	5.28600E-05	-8.14330E-05	9.99997E-01
25	.00000E+00	.00000E+00	2.73833E-04	8.71228E-04	2.24243E-04	3.08316E-05	1.87564E-05	1.00000E+00
26	.00000E+00	.00000E+00	1.16681E-04	6.83096E-04	9.02729E-05	3.06656E-05	-4.25688E-06	1.00000E+00
27	.00000E+00	.00000E+00	2.61757E-05	1.44269E-04	7.43328E-08	1.07085E-05	1.53984E-05	9.99999E-01
28	.00000E+00	.00000E+00	4.98853E-03	8.04442E-02	4.98853E-03	6.05781E-04	-5.97326E-04	9.99971E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.33116E-02	-9.01389E-04	1.32845E-02	-7.34974E-04	6.07129E-06	.00000E+00	1.67885E-06	2.21639E-03

2	9.32134E-02	-8.98139E-03	9.29464E-02	-7.94192E-03	.00000E+00	.00000E+00	1.12400E-05	1.55151E-02
3	1.15448E-01	-1.12302E-02	1.15100E-01	-1.04830E-02	.00000E+00	.00000E+00	1.27388E-05	1.92162E-02
4	7.09442E-02	-6.84828E-03	7.07274E-02	-6.82516E-03	.00000E+00	.00000E+00	7.45623E-06	1.18099E-02
5	1.05821E-01	-1.03341E-02	1.05483E-01	-1.06589E-02	.00000E+00	.00000E+00	8.64728E-06	1.76158E-02
6	1.98439E-01	-1.87218E-02	1.97765E-01	-1.95534E-02	.00000E+00	.00000E+00	1.01802E-05	3.30310E-02
7	1.96608E-01	-1.13538E-02	1.96203E-01	-1.19391E-02	.00000E+00	.00000E+00	8.35682E-06	3.27445E-02
8	1.47581E-01	-2.77340E-03	1.47493E-01	-2.42536E-03	.00000E+00	.00000E+00	5.27783E-06	2.45922E-02
9	1.15964E-01	5.55484E-04	1.15973E-01	2.39825E-04	.00000E+00	.00000E+00	4.58828E-06	1.93313E-02
10	1.06824E-01	1.37050E-03	1.06863E-01	1.42638E-03	.00000E+00	.00000E+00	4.91853E-06	1.78065E-02
11	1.00041E-01	3.32288E-03	1.00132E-01	3.41398E-03	.00000E+00	.00000E+00	4.77610E-06	1.66813E-02
12	6.43292E-02	4.05302E-03	6.44365E-02	4.05977E-03	.00000E+00	.00000E+00	3.22225E-06	1.07300E-02
13	5.47769E-02	3.89447E-03	5.48821E-02	3.89740E-03	.00000E+00	.00000E+00	2.73826E-06	9.13769E-03
14	5.13553E-02	5.82276E-03	5.15106E-02	5.82491E-03	.00000E+00	.00000E+00	2.56199E-06	8.57069E-03
15	2.85386E-02	1.28571E-03	2.85785E-02	1.29488E-03	.00000E+00	.00000E+00	1.40254E-06	4.75964E-03
16	1.57324E-02	7.36006E-04	1.57533E-02	7.39689E-04	.00000E+00	.00000E+00	7.73072E-07	2.62375E-03
17	6.69474E-03	6.50262E-04	6.71186E-03	6.50624E-04	.00000E+00	.00000E+00	3.28992E-07	1.11711E-03
18	4.57743E-03	1.58297E-03	4.61683E-03	1.57250E-03	.00000E+00	.00000E+00	2.25407E-07	7.65622E-04
19	9.98557E-03	1.16348E-03	1.00173E-02	1.17162E-03	.00000E+00	.00000E+00	4.90463E-07	1.66665E-03
20	3.38541E-02	2.46722E-03	3.39206E-02	2.47121E-03	.00000E+00	.00000E+00	1.65954E-06	5.64723E-03
21	1.00836E-02	1.71201E-03	1.01259E-02	1.72275E-03	.00000E+00	.00000E+00	4.98956E-07	1.68859E-03
22	1.99445E-02	5.00068E-03	2.00643E-02	5.00151E-03	.00000E+00	.00000E+00	9.76332E-07	3.33217E-03
23	6.86258E-02	1.20084E-02	6.89102E-02	1.21000E-02	.00000E+00	.00000E+00	3.34519E-06	1.14574E-02
24	5.56471E-02	1.01981E-02	5.58696E-02	1.02796E-02	.00000E+00	.00000E+00	2.69583E-06	9.28975E-03
25	2.48983E-02	4.68341E-03	2.49909E-02	4.66466E-03	.00000E+00	.00000E+00	1.19888E-06	4.15599E-03
26	1.75830E-02	3.40807E-03	1.76401E-02	3.40732E-03	.00000E+00	.00000E+00	8.37464E-07	2.93401E-03
27	3.28395E-03	5.88417E-04	3.28954E-03	5.73019E-04	.00000E+00	.00000E+00	1.51513E-07	5.47593E-04
28	1.73410E+00	-6.64754E-03	1.73329E+00	-6.05016E-03	6.07129E-06	.00000E+00	1.02960E-04	2.88981E-01

1fine group summary for zone 3 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	.00000E+00	.00000E+00	2.71782E-04	3.59727E-04	2.99531E-05	-3.89661E-04	9.99985E-01
2	.00000E+00	.00000E+00	2.06404E-04	3.31172E-03	4.35264E-03	9.46367E-05	-4.24070E-03	9.99987E-01
3	.00000E+00	.00000E+00	2.05748E-03	2.93067E-03	7.62504E-03	4.97573E-05	-5.60713E-03	9.99990E-01
4	.00000E+00	.00000E+00	2.99885E-03	1.93131E-03	6.63580E-03	2.25383E-05	-3.66957E-03	9.99994E-01
5	.00000E+00	.00000E+00	5.50818E-03	6.18790E-03	1.12106E-02	2.66663E-05	-5.72899E-03	9.99995E-01
6	.00000E+00	.00000E+00	1.15427E-02	1.85005E-02	2.98795E-02	4.52042E-05	-1.04904E-02	9.99999E-01
7	.00000E+00	.00000E+00	2.26572E-02	3.24014E-02	2.87701E-02	3.25350E-05	-6.14510E-03	9.99998E-01
8	.00000E+00	.00000E+00	3.00076E-02	4.11900E-02	3.08851E-02	1.91385E-05	-8.98900E-04	9.99919E-01
9	.00000E+00	.00000E+00	3.04426E-02	3.80277E-02	3.01144E-02	1.53321E-05	3.16313E-04	9.99888E-01
10	.00000E+00	.00000E+00	2.99251E-02	3.61624E-02	2.90619E-02	1.88534E-05	8.47524E-04	9.99900E-01
11	.00000E+00	.00000E+00	2.92265E-02	3.41418E-02	2.72575E-02	2.87093E-05	1.94002E-03	9.99946E-01
12	.00000E+00	.00000E+00	2.36570E-02	1.81352E-02	2.13383E-02	3.12362E-05	2.28797E-03	9.99982E-01
13	.00000E+00	.00000E+00	2.10148E-02	1.47232E-02	1.88815E-02	4.36148E-05	2.09037E-03	9.99974E-01
14	.00000E+00	.00000E+00	2.05764E-02	1.43112E-02	1.70958E-02	6.90660E-05	3.21178E-03	9.99991E-01
15	.00000E+00	.00000E+00	1.10610E-02	5.60497E-03	1.05004E-02	5.81558E-05	5.02442E-04	1.00000E+00
16	.00000E+00	.00000E+00	7.29684E-03	2.35101E-03	6.98625E-03	3.92071E-05	3.31318E-04	1.00000E+00
17	.00000E+00	.00000E+00	3.74085E-03	6.45785E-04	3.35999E-03	1.84864E-05	3.62488E-04	9.99983E-01
18	.00000E+00	.00000E+00	3.30274E-03	4.20702E-04	2.29880E-03	1.31639E-05	9.90793E-04	9.99997E-01
19	.00000E+00	.00000E+00	5.37951E-03	1.42818E-03	4.74001E-03	3.19870E-05	6.07600E-04	9.99988E-01
20	.00000E+00	.00000E+00	1.31138E-02	1.04643E-02	1.18313E-02	1.36477E-04	1.14592E-03	1.00001E+00
21	.00000E+00	.00000E+00	6.21557E-03	1.99869E-03	5.19927E-03	5.01215E-05	9.66288E-04	9.99985E-01
22	.00000E+00	.00000E+00	1.21350E-02	5.90458E-03	9.18880E-03	1.13411E-04	2.83278E-03	9.99998E-01
23	.00000E+00	.00000E+00	3.05736E-02	3.68392E-02	2.41913E-02	5.34778E-04	5.84755E-03	1.00000E+00
24	.00000E+00	.00000E+00	3.23455E-02	3.45659E-02	2.66817E-02	6.28858E-04	5.03530E-03	9.99992E-01
25	.00000E+00	.00000E+00	2.14304E-02	1.45370E-02	1.87019E-02	3.69468E-04	2.35918E-03	9.99998E-01
26	.00000E+00	.00000E+00	1.70620E-02	1.59857E-02	1.47187E-02	3.68538E-04	1.97464E-03	1.00000E+00
27	.00000E+00	.00000E+00	5.76661E-03	3.37250E-03	5.13766E-03	1.28570E-04	5.00587E-04	1.00000E+00
28	.00000E+00	.00000E+00	3.99052E-01	3.96295E-01	3.99052E-01	3.01826E-03	-3.00434E-03	9.99966E-01

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.34508E-02	-1.29105E-03	1.33114E-02	-9.01389E-04	1.98939E-11	.00000E+00	1.07812E-05	8.80639E-03
2	9.45620E-02	-1.32221E-02	9.32134E-02	-8.98139E-03	.00000E+00	.00000E+00	4.80016E-05	6.17666E-02

3	1.17086E-01	-1.68573E-02	1.15448E-01	-1.12502E-02	.00000E+00	.00000E+00	4.95270E-05	7.64740E-02
4	7.19126E-02	-1.05076E-02	7.09442E-02	-6.84828E-03	.00000E+00	.00000E+00	2.24022E-05	4.69701E-02
5	1.07280E-01	-1.60631E-02	1.05821E-01	-1.03341E-02	.00000E+00	.00000E+00	2.65090E-05	7.00543E-02
6	2.01035E-01	-2.92121E-02	1.98438E-01	-1.87218E-02	.00000E+00	.00000E+00	4.47378E-05	1.31322E-01
7	1.98115E-01	-1.74989E-02	1.96608E-01	-1.13538E-02	.00000E+00	.00000E+00	3.15020E-05	1.29821E-01
8	1.47874E-01	-3.66730E-03	1.47581E-01	-2.77340E-03	.00000E+00	.00000E+00	1.72039E-05	9.72422E-02
9	1.15741E-01	8.71797E-04	1.15964E-01	5.55484E-04	.00000E+00	.00000E+00	1.13508E-05	7.62619E-02
10	1.06576E-01	2.21802E-03	1.06824E-01	1.37050E-03	.00000E+00	.00000E+00	1.00173E-05	7.02524E-02
11	9.94764E-02	5.26291E-03	1.00041E-01	3.32288E-03	.00000E+00	.00000E+00	9.32104E-06	6.57025E-02
12	6.36356E-02	6.34099E-03	6.43292E-02	4.05302E-03	.00000E+00	.00000E+00	5.43196E-06	4.21560E-02
13	5.41584E-02	5.98484E-03	5.47769E-02	3.89447E-03	.00000E+00	.00000E+00	4.50666E-06	3.58881E-02
14	5.03908E-02	9.03455E-03	5.13553E-02	5.82276E-03	.00000E+00	.00000E+00	4.29760E-06	3.35414E-02
15	2.84310E-02	1.78615E-03	2.85386E-02	1.28371E-03	.00000E+00	.00000E+00	2.30912E-06	1.87553E-02
16	1.56483E-02	1.06732E-03	1.57324E-02	7.36006E-04	.00000E+00	.00000E+00	1.15051E-06	1.03328E-02
17	6.58612E-03	1.01275E-03	6.69474E-03	6.50262E-04	.00000E+00	.00000E+00	4.48043E-07	4.37746E-03
18	4.25496E-03	2.57376E-03	4.57743E-03	1.58297E-03	.00000E+00	.00000E+00	2.92086E-07	2.92526E-03
19	9.81114E-03	1.77107E-03	9.98557E-03	1.16348E-03	.00000E+00	.00000E+00	6.82800E-07	6.52561E-03
20	3.35353E-02	3.61313E-03	3.38541E-02	2.46722E-03	.00000E+00	.00000E+00	2.60151E-06	2.21955E-02
21	9.77459E-03	2.67830E-03	1.00836E-02	1.71201E-03	.00000E+00	.00000E+00	6.00920E-07	6.55372E-03
22	1.89810E-02	7.83344E-03	1.99445E-02	5.00068E-03	.00000E+00	.00000E+00	1.17995E-06	1.28636E-02
23	6.63828E-02	1.78659E-02	6.86258E-02	1.20084E-02	.00000E+00	.00000E+00	3.67357E-06	4.45390E-02
24	5.33583E-02	1.52334E-02	5.56471E-02	1.01981E-02	.00000E+00	.00000E+00	2.20515E-06	3.59753E-02
25	2.36448E-02	7.04260E-03	2.48983E-02	4.68341E-03	.00000E+00	.00000E+00	7.58881E-07	1.60258E-02
26	1.63712E-02	5.37770E-03	1.75830E-02	3.40507E-03	.00000E+00	.00000E+00	3.92531E-07	1.12245E-02
27	2.95822E-03	1.08900E-03	3.28395E-03	5.88417E-04	.00000E+00	.00000E+00	4.50979E-08	2.06414E-03
28	1.73101E+00	-9.65188E-03	1.73410E+00	-6.64754E-03	1.98939E-11	.00000E+00	3.11926E-04	1.14062E+00

1fine group summary for zone 4 by group including sum for all groups in line 28

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.36542E-02	.00000E+00	2.19234E-02	2.08388E-02	3.84762E-03	1.29105E-03	9.98908E-01
2	.00000E+00	1.95973E-01	7.21990E-03	2.53086E-01	1.74591E-01	1.53910E-02	1.32221E-02	1.00002E+00
3	.00000E+00	2.16224E-01	7.22109E-02	2.58592E-01	2.55402E-01	1.61990E-02	1.68374E-02	9.99987E-01
4	.00000E+00	1.23574E-01	1.06181E-01	1.77291E-01	2.11534E-01	7.71395E-03	1.05077E-02	1.00000E+00
5	.00000E+00	1.63447E-01	1.92918E-01	4.45198E-01	3.35172E-01	5.13346E-03	1.60532E-02	9.99990E-01
6	.00000E+00	1.75940E-01	3.92035E-01	1.19124E+00	5.30699E-01	8.05661E-03	2.92123E-02	1.00001E+00
7	.00000E+00	8.67841E-02	5.94038E-01	1.56374E+00	6.55371E-01	7.95952E-03	1.74943E-02	9.99998E-01
8	.00000E+00	1.33562E-02	6.89761E-01	1.57566E+00	6.86569E-01	1.29858E-02	3.66698E-03	9.99922E-01
9	.00000E+00	9.69036E-04	6.78647E-01	1.37341E+00	6.59114E-01	2.14467E-02	-8.62380E-04	9.99880E-01
10	.00000E+00	7.19709E-05	6.56094E-01	1.25186E+00	6.26113E-01	3.23367E-02	-2.22100E-03	9.99905E-01
11	.00000E+00	5.66212E-06	6.30081E-01	1.16759E+00	5.82162E-01	5.32241E-02	-5.26709E-03	9.99949E-01
12	.00000E+00	3.97753E-07	5.06991E-01	6.38162E-01	4.54730E-01	5.86155E-02	-6.34265E-03	9.99978E-01
13	.00000E+00	6.31594E-08	4.49400E-01	5.06634E-01	3.99416E-01	5.59826E-02	-5.98324E-03	9.99967E-01
14	.00000E+00	1.25165E-08	4.31462E-01	4.67141E-01	3.58841E-01	8.16502E-02	-9.08492E-03	9.99990E-01
15	.00000E+00	1.41450E-09	2.36019E-01	2.13149E-01	2.28834E-01	8.78631E-03	-1.79545E-03	1.00040E+00
16	.00000E+00	4.15347E-10	1.60834E-01	9.76436E-02	1.54662E-01	7.17729E-03	-1.07294E-03	1.00042E+00
17	.00000E+00	1.33762E-10	8.56851E-02	2.99366E-02	7.67639E-02	9.90987E-03	-1.00995E-03	1.00025E+00
18	.00000E+00	9.57698E-11	7.58718E-02	1.68306E-02	4.80052E-02	3.04344E-02	-2.57336E-03	1.00007E+00
19	.00000E+00	1.35398E-10	1.16745E-01	5.54589E-02	1.05540E-01	1.29515E-02	-1.76842E-03	1.00019E+00
20	.00000E+00	2.20171E-10	2.79622E-01	3.29955E-01	2.55151E-01	2.79898E-02	-3.62822E-03	1.00039E+00
21	.00000E+00	3.22259E-11	1.36533E-01	6.36280E-02	1.12895E-01	2.62950E-02	-2.67702E-03	1.00016E+00
22	.00000E+00	3.73894E-11	2.57241E-01	1.60511E-01	1.87976E-01	7.70540E-02	-7.85945E-03	1.00019E+00
23	.00000E+00	3.57484E-11	6.11482E-01	9.15499E-01	4.92698E-01	1.36451E-01	-1.78695E-02	1.00031E+00
24	.00000E+00	9.73027E-12	6.46601E-01	8.03187E-01	5.35919E-01	1.25768E-01	-1.52525E-02	1.00022E+00
25	.00000E+00	2.84838E-12	4.30028E-01	3.27752E-01	3.68325E-01	6.86843E-02	-7.05787E-03	1.00013E+00
26	.00000E+00	1.99730E-12	3.33961E-01	3.30600E-01	2.77086E-01	6.22645E-02	-5.37779E-03	1.00012E+00
27	.00000E+00	4.75968E-13	1.10502E-01	6.69367E-02	9.36965E-02	1.78884E-02	-1.08693E-03	1.00006E+00
28	.00000E+00	1.00000E+00	8.88815E+00	1.43023E+01	8.88815E+00	9.92146E-01	9.62244E-03	1.00006E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	n2n rate	fiss rate	flux*db**2	total flux
1	1.37564E-02	2.68880E-09	1.34508E-02	-1.29105E-03	2.29488E-03	2.54853E-03	3.03452E-04	3.49686E-01
2	9.78884E-02	4.62509E-08	9.45620E-02	-1.32221E-02	1.56325E-05	1.10581E-02	1.60928E-03	2.48573E+00
3	1.21444E-01	5.63894E-08	1.17086E-01	-1.68573E-02	.00000E+00	1.32870E-02	1.89836E-03	3.08300E+00

4	7.47215E-02	4.07060E-08	7.19126E-02	-1.05076E-02	.00000E+00	5.68358E-03	8.86693E-04	1.89654E+00
5	1.11840E-01	1.13271E-07	1.07280E-01	-1.60631E-02	.00000E+00	1.60271E-03	1.03329E-03	2.83757E+00
6	2.09812E-01	1.71846E-07	2.01035E-01	-2.92121E-02	.00000E+00	1.26484E-03	1.75209E-03	5.32128E+00
7	2.03636E-01	-4.58645E-06	1.98115E-01	-1.74989E-02	.00000E+00	1.15758E-03	1.22718E-03	5.17121E+00
8	1.49040E-01	-3.20550E-07	1.47874E-01	-3.66730E-03	.00000E+00	1.13574E-03	6.99004E-04	3.79163E+00
9	1.15413E-01	9.41713E-06	1.15741E-01	8.71797E-04	.00000E+00	1.48174E-03	4.71953E-04	2.93943E+00
10	1.05799E-01	-2.97725E-06	1.06576E-01	2.21802E-03	.00000E+00	3.16392E-03	4.29193E-04	2.69595E+00
11	9.76494E-02	-4.18098E-06	9.94764E-02	5.26291E-03	.00000E+00	6.93966E-03	3.87460E-04	2.49132E+00
12	6.14479E-02	-1.66196E-06	6.36356E-02	6.34099E-03	.00000E+00	9.30799E-03	2.27664E-04	1.57050E+00
13	5.21141E-02	1.60048E-06	5.41584E-02	5.98484E-03	.00000E+00	1.13687E-02	1.95820E-04	1.33257E+00
14	4.73053E-02	-3.76107E-07	5.03908E-02	9.03455E-03	.00000E+00	7.12078E-03	1.71585E-04	1.21279E+00
15	2.78461E-02	-9.29524E-06	2.84310E-02	1.78615E-03	.00000E+00	1.55906E-03	1.09558E-04	7.10790E-01
16	1.53000E-02	-5.61701E-06	1.56483E-02	1.06732E-03	.00000E+00	1.12102E-03	5.61468E-05	3.90564E-01
17	6.24486E-03	2.81560E-06	6.58612E-03	1.01275E-03	.00000E+00	1.14970E-03	1.99596E-05	1.59929E-01
18	3.34268E-03	4.09098E-07	4.25496E-03	2.57376E-03	.00000E+00	6.99870E-04	7.02970E-06	8.71896E-02
19	9.19575E-03	2.65518E-06	9.81114E-03	1.77107E-03	.00000E+00	1.88434E-03	3.02256E-05	2.35920E-01
20	3.22761E-02	-1.50844E-06	3.35353E-02	3.61313E-03	.00000E+00	1.31901E-02	1.18810E-04	8.25631E-01
21	8.80620E-03	1.27856E-06	9.77459E-03	2.67830E-03	.00000E+00	1.49055E-02	2.42019E-05	2.26979E-01
22	1.60104E-02	-5.98316E-06	1.89810E-02	7.83546E-03	.00000E+00	4.44033E-02	4.01212E-05	4.16148E-01
23	5.83634E-02	-3.58308E-06	6.63826E-02	1.78559E-02	.00000E+00	7.37467E-02	1.55643E-04	1.51481E+00
24	4.55585E-02	9.12368E-07	5.33583E-02	1.52334E-02	.00000E+00	6.55348E-02	9.64147E-05	1.18923E+00
25	1.96549E-02	4.73044E-06	2.36448E-02	7.04260E-03	.00000E+00	3.71580E-02	3.32758E-05	5.15445E-01
26	1.29978E-02	-8.85605E-08	1.63712E-02	5.37770E-03	.00000E+00	3.41225E-02	1.65107E-05	3.42812E-01
27	2.19635E-03	7.05898E-08	2.95822E-03	1.08900E-03	.00000E+00	9.65668E-03	1.70463E-06	5.80895E-02
28	1.71966E+00	-2.94197E-05	1.73101E+00	-9.65188E-03	2.31051E-03	3.76272E-01	1.19206E-02	4.38527E+01

1fine group summary for system

0 grp.	fix source	fiss source	in scatter	slf scatter	out scatter	absorption	leakage	balance
1	.00000E+00	2.36542E-02	.00000E+00	2.29345E-02	2.20470E-02	3.93662E-03	2.68880E-09	9.98905E-01
2	.00000E+00	1.95973E-01	7.84530E-03	2.64072E-01	1.88153E-01	1.56771E-02	4.62509E-08	1.00002E+00
3	.00000E+00	2.16224E-01	7.83043E-02	2.69785E-01	2.78170E-01	1.63622E-02	5.63894E-08	9.99986E-01
4	.00000E+00	1.23574E-01	1.15081E-01	1.85140E-01	2.30864E-01	7.79172E-03	4.07060E-08	9.99999E-01
5	.00000E+00	1.63447E-01	2.09346E-01	4.67349E-01	3.67570E-01	5.22675E-03	1.13271E-07	9.99989E-01
6	.00000E+00	1.75940E-01	4.26155E-01	1.25666E+00	5.98875E-01	8.21322E-03	1.71846E-07	1.00001E+00
7	.00000E+00	8.67841E-02	6.59648E-01	1.66973E+00	7.38361E-01	8.07992E-03	-4.58645E-06	9.99995E-01
8	.00000E+00	1.33562E-02	7.76274E-01	1.70446E+00	7.76679E-01	1.30135E-02	-3.20550E-07	9.99921E-01
9	.00000E+00	9.69036E-04	7.67356E-01	1.49049E+00	7.46859E-01	2.15681E-02	9.41713E-06	9.99880E-01
10	.00000E+00	7.19709E-05	7.43206E-01	1.36230E+00	7.10902E-01	3.24511E-02	-2.97725E-06	9.99935E-01
11	.00000E+00	5.66212E-06	7.15307E-01	1.27194E+00	6.61956E-01	5.33983E-02	-4.18098E-06	9.99947E-01
12	.00000E+00	3.97753E-07	5.76203E-01	6.94237E-01	5.17506E-01	5.87130E-02	-1.66196E-06	9.99978E-01
13	.00000E+00	6.31594E-08	5.11117E-01	5.52309E-01	4.55015E-01	5.61172E-02	1.60048E-06	9.99967E-01
14	.00000E+00	1.25165E-08	4.91393E-01	5.11761E-01	4.09535E-01	8.18633E-02	-3.76107E-07	9.99990E-01
15	.00000E+00	1.41450E-09	2.68747E-01	2.30751E-01	2.59700E-01	8.96168E-03	-9.29524E-06	1.00036E+00
16	.00000E+00	4.15347E-10	1.82353E-01	1.05163E-01	1.74994E-01	7.29584E-03	-5.61701E-06	1.00037E+00
17	.00000E+00	1.33762E-10	9.67408E-02	3.17412E-02	8.67507E-02	9.96625E-03	2.81560E-06	1.00022E+00
18	.00000E+00	9.57698E-11	8.56479E-02	1.82845E-02	5.51654E-02	3.04764E-02	4.09092E-07	1.00006E+00
19	.00000E+00	1.35398E-10	1.32713E-01	6.00729E-02	1.19640E-01	1.30495E-02	2.65518E-06	1.00016E+00
20	.00000E+00	2.20171E-10	3.18495E-01	3.62149E-01	2.89997E-01	2.84033E-02	-1.50844E-05	1.00034E+00
21	.00000E+00	3.22259E-11	1.55026E-01	6.99713E-02	1.28554E-01	2.64496E-02	1.27856E-06	1.00014E+00
22	.00000E+00	3.73894E-11	2.95501E-01	1.79258E-01	2.16048E-01	7.74092E-02	-5.98316E-06	1.00017E+00
23	.00000E+00	3.57484E-11	7.04042E-01	1.02984E+00	5.65746E-01	1.38108E-01	-3.58308E-06	1.00027E+00
24	.00000E+00	9.73027E-12	7.45053E-01	9.10240E-01	6.17187E-01	1.27729E-01	9.12368E-07	1.00020E+00
25	.00000E+00	2.84838E-12	4.95622E-01	3.73060E-01	4.25714E-01	6.98446E-02	4.73044E-06	1.00011E+00
26	.00000E+00	1.99730E-12	3.86224E-01	3.80677E-01	3.22748E-01	6.34375E-02	-8.85605E-08	1.00010E+00
27	.00000E+00	4.75968E-13	1.28209E-01	7.77169E-02	1.09899E-01	1.83039E-02	7.05898E-08	1.00004E+00
28	.00000E+00	1.00000E+00	1.00696E+01	1.55515E+01	1.00696E+01	1.00186E+00	-2.94321E-05	1.00006E+00

0 grp.	rt bdy flux	rt leakage	lft bdy flux	lft leakage	r2n rate	fiss rate	flux*db**2	total flux
1	1.37564E-02	2.68880E-09	1.31657E-02	.00000E+00	2.30095E-03	2.54853E-03	3.36247E-04	3.77319E-01
2	9.78884E-02	4.62509E-08	9.14349E-02	.00000E+00	1.56325E-05	1.10581E-02	1.75845E-03	2.67873E+00
3	1.21444E-01	5.63894E-08	1.12928E-01	.00000E+00	.00000E+00	1.32870E-02	1.99528E-03	3.32175E+00
4	7.47215E-02	4.07060E-08	6.91706E-02	.00000E+00	.00000E+00	5.68358E-03	9.58397E-04	2.04306E+00

5	1.11840E-01	1.13271E-07	1.02885E-01	.00000E+00	.00000E+00	1.60271E-03	1.11788E-03	3.05589E+00
6	2.09812E-01	1.71846E-07	1.92925E-01	.00000E+00	.00000E+00	1.26484E-03	1.87047E-03	5.73062E+00
7	2.03636E-01	-4.58645E-06	1.93174E-01	.00000E+00	.00000E+00	1.15758E-03	1.32634E-03	5.57814E+00
8	1.49040E-01	-3.20550E-07	1.47069E-01	.00000E+00	.00000E+00	1.13574E-03	7.54229E-04	4.09854E+00
9	1.15413E-01	9.41713E-06	1.16022E-01	.00000E+00	.00000E+00	1.48174E-03	5.09567E-04	3.18078E+00
10	1.05799E-01	-2.97725E-06	1.07281E-01	.00000E+00	.00000E+00	3.16392E-03	4.63520E-04	2.91860E+00
11	9.76494E-02	-4.18098E-06	1.01089E-01	.00000E+00	.00000E+00	6.93966E-03	4.19506E-04	2.70022E+00
12	6.14479E-02	-1.66196E-06	6.55422E-02	.00000E+00	.00000E+00	9.30799E-03	2.46854E-04	1.70515E+00
13	5.21141E-02	1.60048E-06	5.59150E-02	.00000E+00	.00000E+00	1.13687E-02	2.09817E-04	1.44729E+00
14	4.73053E-02	-3.76107E-07	5.30708E-02	.00000E+00	.00000E+00	7.12078E-03	1.86880E-04	1.32074E+00
15	2.78461E-02	-9.29524E-06	2.88649E-02	.00000E+00	.00000E+00	1.55906E-03	1.17715E-04	7.70414E-01
16	1.53000E-02	-5.61701E-06	1.59275E-02	.00000E+00	.00000E+00	1.12102E-03	6.02882E-05	4.23438E-01
17	6.24486E-03	2.81560E-06	6.88469E-03	.00000E+00	.00000E+00	1.16970E-03	2.16125E-05	1.73981E-01
18	3.34268E-03	4.09092E-07	5.06558E-03	.00000E+00	.00000E+00	6.99870E-04	8.15865E-06	9.70043E-02
19	9.19575E-03	2.65518E-06	1.05272E-02	.00000E+00	.00000E+00	1.88434E-03	3.27390E-05	2.56920E-01
20	3.22761E-02	-1.50844E-05	3.45506E-02	.00000E+00	.00000E+00	1.31901E-02	1.28118E-04	8.96536E-01
21	8.80620E-03	1.27856E-06	1.06271E-02	.00000E+00	.00000E+00	1.49055E-02	2.64959E-05	2.48295E-01
22	1.60104E-02	-5.98316E-06	2.16013E-02	.00000E+00	.00000E+00	4.44033E-02	4.46768E-05	4.58634E-01
23	5.83634E-02	-3.58903E-06	7.33008E-02	.00000E+00	.00000E+00	7.37467E-02	1.70049E-04	1.66037E+00
24	4.55585E-02	9.12368E-07	6.03340E-02	.00000E+00	.00000E+00	6.55348E-02	1.05803E-04	1.30770E+00
25	1.96549E-02	4.73046E-06	2.73313E-02	.00000E+00	.00000E+00	3.71580E-02	3.67944E-05	5.68588E-01
26	1.29978E-02	-8.85605E-08	1.97334E-02	.00000E+00	.00000E+00	3.41225E-02	1.85649E-05	3.80537E-01
27	2.19635E-03	7.05898E-08	3.74889E-03	.00000E+00	.00000E+00	9.65668E-03	1.99836E-06	6.51468E-02
28	1.71966E+00	-2.94197E-05	1.73997E+00	.00000E+00	2.31659E-03	3.76272E-01	1.29243E-02	4.74644E+01

- elapsed time .02 min.
0direct access unit 9 requires 556 blocks of length 216 for cross section weighting.
1 transport cross section weighting function

0zone	grp. 1	grp. 2	grp. 3	grp. 4	grp. 5	grp. 6	grp. 7	grp. 8
1	1.17813E-03	5.10618E-03	5.31911E-03	2.51551E-03	3.18495E-03	5.52315E-03	3.71522E-03	1.74474E-03
2	7.17753E-04	5.04228E-03	5.81787E-03	3.45209E-03	4.30139E-03	6.14684E-03	4.32892E-03	2.14997E-03
3	1.20789E-03	5.53410E-03	5.90345E-03	2.92089E-03	3.86175E-03	6.77226E-03	4.37252E-03	1.82536E-03
4	8.29392E-04	4.34569E-03	4.96063E-03	2.39522E-03	2.83104E-03	4.80034E-03	3.32731E-03	1.80051E-03
5	8.53673E-04	4.41300E-03	5.00471E-03	2.41967E-03	2.88072E-03	4.88860E-03	3.37605E-03	1.80067E-03

0zone	grp. 9	grp. 10	grp. 11	grp. 12	grp. 13	grp. 14	grp. 15	grp. 16
1	1.11407E-03	1.01463E-03	1.09279E-03	8.75769E-04	8.02605E-04	1.07075E-03	3.27189E-04	1.73544E-04
2	1.79255E-03	1.95561E-03	2.04409E-03	1.60541E-03	1.43427E-03	1.74001E-03	6.33522E-04	3.52567E-04
3	1.12226E-03	1.05255E-03	1.29000E-03	1.22412E-03	1.13843E-03	1.63197E-03	3.99080E-04	2.22891E-04
4	1.19720E-03	1.09604E-03	1.03093E-03	6.78184E-04	6.02020E-04	6.45895E-04	3.11402E-04	1.61499E-04
5	1.19522E-03	1.09649E-03	1.04607E-03	7.05857E-04	6.29027E-04	6.95465E-04	3.16166E-04	1.64672E-04

0zone	grp. 17	grp. 18	grp. 19	grp. 20	grp. 21	grp. 22	grp. 23	grp. 24
1	1.17950E-04	2.55100E-04	2.09827E-04	5.05261E-04	2.92204E-04	8.35224E-04	2.10019E-03	1.76126E-03
2	2.04480E-04	3.94776E-04	3.43641E-04	8.86648E-04	4.61474E-04	1.27828E-03	3.21924E-03	2.71167E-03
3	1.81742E-04	4.40078E-04	3.19116E-04	6.96578E-04	4.69257E-04	1.36531E-03	3.20162E-03	2.71696E-03
4	7.39435E-05	8.25546E-05	1.24815E-04	3.84526E-04	1.39479E-04	3.43500E-04	1.08898E-03	8.07407E-04
5	7.95174E-05	1.00861E-04	1.34662E-04	4.00439E-04	1.56276E-04	3.96011E-04	1.15228E-03	9.08085E-04

0zone	grp. 25	grp. 26	grp. 27	grp. 28
1	7.89621E-04	5.55903E-04	8.46702E-05	4.22635E-02
2	1.23294E-03	8.92954E-04	1.53520E-04	5.52948E-02
3	1.24981E-03	9.31120E-04	1.73817E-04	5.22246E-02
4	3.35566E-04	2.03516E-04	2.55228E-05	3.45729E-02
5	3.85561E-04	2.41154E-04	3.23551E-05	3.54711E-02

1broad group parameters

grp	upper energy	mid energy	velocity	fiss spec
1	2.0000E+07	2.6656E+06	1.9708E+09	7.2287E-01
2	9.0000E+05	1.5177E+05	1.0210E+07	2.7713E-01
3	4.0000E-01	1.2448E-01	3.6380E+05	1.2042E-10
4	1.0000E-05			


1 1200 d, second part of sas2h pass to make library
0cell averaged fluxes


```
Ozone   grp. 1      grp. 2      grp. 3
    1 3.92924E-01 1.13410E+00 2.09577E-01
    2 3.98192E-01 1.13511E+00 2.00379E-01
    3 4.01162E-01 1.13526E+00 1.96343E-01
    4 4.18364E-01 1.13645E+00 1.67444E-01
    5 4.16670E-01 1.13631E+00 1.70247E-01
Oflux disadvantage factors (zone average/cell average-flux)

Ozone   grp. 1      grp. 2      grp. 3
    1 9.43011E-01 9.98057E-01 1.22985E+00
    2 9.55654E-01 9.98946E-01 1.17699E+00
    3 9.62782E-01 9.99076E-01 1.15329E+00
    4 1.00407E+00 1.00013E+00 9.85535E-01
    5 1.00000E+00 1.00000E+00 1.00000E+00
Ocell averaged currents

Ozone   grp. 1      grp. 2      grp. 3
    1 1.73039E-02 1.85406E-02 6.41907E-03
    2 1.95314E-02 2.60133E-02 9.95008E-03
    3 1.94281E-02 2.26887E-02 1.01079E-02
    4 1.53620E-02 1.63172E-02 2.89377E-03
    5 1.55718E-02 1.66296E-02 3.26972E-03
Ozone       volume      vol. fraction

   1     1.25665E+00     4.56236E-02
   2     1.66687E-01     6.05165E-03
   3     6.58265E-01     2.38987E-02
   4     2.54624E+01     9.24426E-01
   5     2.75440E+01     1.00000E+00
-  elapsed time    .02 min.
1
0
0
0
```





```
 SSSSSSSSS   CCCCCCCCCC    AAAAAAAA   LL          EEEEEEEEEEE
SSSSSSSSSSS CCCCCCCCCCCC  AAAAAAAAAA LL          EEEEEEEEEEE
SS     SS   CC        CC  AA      AA LL          EE
SS          CC            AA      AA LL          EE
SS          CC            AA      AA LL          EE
SSSSSSSSSSS CC            AAAAAAAAAA LL          EEEEEEEE
 SSSSSSSSSS CC            AAAAAAAAAA LL          EEEEEEEE
      SS    CC            AA      AA LL          EE
      SS    CC            AA      AA LL          EE
SS    SS    CC        CC  AA      AA LL          EE
SSSSSSSSSSS CCCCCCCCCCCC  AA      AA LLLLLLLLLLL EEEEEEEEEEE
 SSSSSSSSS   CCCCCCCCCC   AA      AA LLLLLLLLLLL EEEEEEEEEEE
```

```
**********************************************************************
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******          program verification information                ******
******                                                          ******
******          code system:  scale  version:  4.2              ******
**********************************************************************
**********************************************************************
******                                                          ******
******                                                          ******
******                                                          ******
******          program:  c0c005                                ******
******                                                          ******
******     creation date:  04/27/95                             ******
******                                                          ******
******          library:  /neutronics/scale/exe                 ******
******                                                          ******
```

```
                    *****                                                                *****
                    *****   this is not a  scale  configuration controlled code          *****
                    *****                                                                *****
                    *****            jobname:  davis                                     *****
                    *****                                                                *****
                    *****   date of execution:  02/16/96                                 *****
                    *****                                                                *****
                    *****   time of execution:  10:06:14                                 *****
                    *****                                                                *****
                    *****                                                                *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       1q array has      1 entries.
0       2q array has      1 entries.
0        * core allocated to array-data (by -1$$ or default) was   200000 words. *
1         * broad 3-group flux weighting factors *
0
0               therm =    .5134
0               res   =    .4563
0               fast  =   3.5488
0 user requested (see jaddl) that only the nuclide transitions presently included in
0 origen library be updated.
1cross sections, available from ampx (normalized to thermal flux), barns

                    10010 to  10020  2.86486E-01
                    10010 tot-cap    2.86486E-01
                    50100 to  40100  2.54618E-02
                    50100 to  10010  2.54618E-02
                    50100 to  40090  3.93698E-03
                    50100 to  10020  3.93698E-03
                    50100 to  30070  3.29413E+03
                    50100 to  20040  3.29433E+03
                    50100 to  10030  9.56629E-02
                    50100 tot-cap    3.29426E+03
                    50110 to  50100  1.13713E-05
                    50110 to  50120  4.36372E-03
                    50110 to  40110  1.45109E-06
                    50110 to  10010  1.45109E-06
                    50110 to  40090  1.29495E-05
                    50110 to  10030  1.29495E-05
                    50110 to  30080  1.69049E-04
                    50110 to  20040  1.69049E-04
                    50110 tot-cap    4.55854E-03
                    80160 to  80170  1.53057E-04
                    80160 to  70160  9.94968E-05
                    80160 to  10010  9.94968E-05
                    80160 to  70150  1.87650E-05
                    80160 to  10020  1.87650E-05
                    80160 to  60130  2.74917E-02
                    80160 to  20040  2.74917E-02
                    80160 to  80161  4.36358E-03
```

80160	tot-cap	2.77630E-02
360830	to 360820	2.25882E-02
360830	to 360810	2.38476E-09
360830	to 360840	1.56736E+02
360830	to 350830	9.19953E-04
360830	to 10010	9.19953E-04
360830	to 350820	7.46029E-06
360830	to 10020	7.46029E-06
360830	to 350810	2.60751E-06
360830	to 10030	2.60751E-06
360830	to 340810	4.22004E-08
360830	to 20030	4.22004E-08
360830	to 340800	4.95479E-05
360830	to 20040	4.95479E-05
360830	tot-cap	1.56760E+02
360850	to 360860	1.42215E+00
360850	tot-cap	1.42215E+00
380900	to 380910	6.37479E-01
380900	tot-cap	6.37479E-01
390890	to 390900	1.00373E+00
390890	tot-cap	1.00373E+00
400930	to 400940	1.39857E+01
400930	tot-cap	1.39857E+01
400940	to 400950	1.95314E-01
400940	tot-cap	1.95314E-01
400950	to 400960	2.31722E+00
400950	tot-cap	2.31722E+00
410940	to 410950	3.99247E+01
410940	tot-cap	3.99247E+01
420950	to 420960	3.88237E+01
420950	tot-cap	3.88237E+01
430990	to 430980	6.85361E-03
430990	to 431000	9.12749E+01
430990	tot-cap	9.12817E+01
441010	to 441020	2.95358E+01
441010	tot-cap	2.95358E+01
441060	to 441070	9.03144E-01
441060	tot-cap	9.03144E-01
451030	to 451020	2.48212E-03
451030	to 451040	3.49220E+02
451030	tot-cap	3.49222E+02
451050	to 451060	8.22852E+03
451050	tot-cap	8.22852E+03
461050	to 461060	3.50150E+01
461050	tot-cap	3.50150E+01
461080	to 461090	7.07706E+01
461080	tot-cap	7.07706E+01
471090	to 471080	5.77202E-03
471090	to 471100	3.78681E+02
471090	to 461090	3.25365E-04
471090	to 10010	3.25365E-04
471090	to 451060	2.70340E-04
471090	to 20040	2.70340E-04
471090	to 471091	6.66486E-01
471090	tot-cap	3.78687E+02
511240	to 511250	1.24499E+01
511240	tot-cap	1.24499E+01
541310	to 541300	6.99877E-02
541310	to 541290	1.46346E-05
541310	to 541320	2.57690E+02

541310 to 531310	4.17668E-05
541310 to 10010	4.17668E-05
541310 to 531300	5.86917E-07
541310 to 10020	5.86917E-07
541310 to 531290	6.01824E-07
541310 to 10030	6.01824E-07
541310 to 521280	1.99981E-05
541310 to 20040	1.99981E-05
541310 tot-cap	2.57760E+02
541320 to 541310	1.13062E-02
541320 to 541300	2.39796E-05
541320 to 541330	9.54927E-01
541320 to 531320	8.60085E-06
541320 to 10010	8.60085E-06
541320 to 531310	3.64400E-07
541320 to 10020	3.64400E-07
541320 to 531300	4.90665E-08
541320 to 10030	4.90665E-08
541320 to 521290	1.06259E-06
541320 to 20040	1.06259E-06
541320 tot-cap	9.66268E-01
541350 to 541360	1.48021E+06
541350 tot-cap	1.48021E+06
541360 to 541350	1.93400E-02
541360 to 541340	5.90690E-05
541360 to 541370	1.25298E-01
541360 to 531360	3.57113E-07
541360 to 10010	3.57113E-07
541360 to 531350	1.32956E-07
541360 to 10020	1.32956E-07
541360 to 531340	3.00873E-08
541360 to 10030	3.00873E-08
541360 to 521330	2.99573E-07
541360 to 20040	2.99573E-07
541360 tot-cap	1.44698E-01
551330 to 551320	9.05656E-05
551330 to 551340	1.03135E+02
551330 to 541330	9.72211E-04
551330 to 10010	9.72211E-04
551330 to 531300	1.54730E-05
551330 to 20040	1.54730E-05
551330 tot-cap	1.03145E+02
551340 to 551350	1.31399E+02
551340 tot-cap	1.31399E+02
551350 to 551360	2.21934E+01
551350 tot-cap	2.21934E+01
551370 to 551380	2.37729E-01
551370 tot-cap	2.37729E-01
561360 to 561370	9.33725E-01
561360 tot-cap	9.33725E-01
571390 to 571400	8.09313E+00
571390 tot-cap	8.09313E+00
581440 to 581450	1.27143E+00
581440 tot-cap	1.27143E+00
591410 to 591400	6.48971E-03
591410 to 591390	1.86465E-06
591410 to 571370	2.78096E-06
591410 to 20040	5.73846E-05
591410 to 581400	1.97727E-05
591410 to 10010	5.60874E-05


591410 to 591420 1.20857E+01
591410 to 581410 5.28492E-05
591410 to 10020 1.65345E-05
591410 to 581390 1.73401E-06
591410 to 10030 1.73401E-06
591410 to 571390 1.67463E-08
591410 to 20030 1.67463E-08
591410 to 571380 5.46036E-05
591410 tot-cap 1.20923E+01
591430 to 591440 1.00364E+02
591430 tot-cap 1.00364E+02
601430 to 601420 9.92310E-02
601430 to 601410 1.01344E-05
601430 to 581390 2.16519E-05
601430 to 20040 6.06348E-04
601430 to 591420 4.24225E-06
601430 to 10010 4.34810E-05
601430 to 601440 2.00818E+02
601430 to 591430 4.18828E-05
601430 to 10020 2.64399E-06
601430 to 591410 3.80998E-06
601430 to 10030 3.80998E-06
601430 to 581410 1.83054E-08
601430 to 20030 1.83054E-08
601430 to 581400 5.84698E-04
601430 tot-cap 2.00918E+02
601450 to 601440 1.27275E-01
601450 to 601430 1.29394E-04
601450 to 581410 9.09047E-05
601450 to 20040 2.26964E-04
601450 to 591440 2.43057E-06
601450 to 10010 1.57795E-05
601450 to 601460 8.02349E+01
601450 to 591450 1.48098E-05
601450 to 10020 1.46108E-06
601450 to 591430 2.30341E-06
601450 to 10030 2.30341E-06
601450 to 581430 4.68975E-09
601450 to 20030 4.68975E-09
601450 to 581420 2.17874E-04
601450 tot-cap 8.03625E+01
601470 to 601480 1.95601E+02
601470 tot-cap 1.95601E+02
611470 to 611460 3.48651E-02
611470 to 611450 1.08785E-04
611470 to 591430 9.62018E-06
611470 to 20040 8.89388E-05
611470 to 601460 1.33155E-05
611470 to 10010 3.02595E-05
611470 to 611480 5.95205E+02
611470 to 601470 2.69774E-05
611470 to 10020 1.00834E-05
611470 to 601450 3.78822E-06
611470 to 10030 3.78822E-06
611470 to 591450 5.69570E-09
611470 to 20030 5.69570E-09
611470 to 591440 7.93186E-05
611470 tot-cap 5.95240E+02
611480 to 611490 1.20952E+04
611480 tot-cap 1.20952E+04

621470 to 621460 9.09486E-02
621470 to 621450 8.18966E-03
621470 to 601430 7.01333E-05
621470 to 20040 1.33299E-03
621470 to 611460 1.65060E-04
621470 to 10010 2.34814E-04
621470 to 621480 2.40718E+02
621470 to 611470 2.06989E-04
621470 to 10020 1.37235E-04
621470 to 611450 1.47359E-04
621470 to 10030 1.47359E-04
621470 to 601450 6.78025E-06
621470 to 20030 6.78025E-06
621470 to 601440 1.26285E-03
621470 to 621471 1.74035E+00
621470 tot-cap 2.40819E+02
621490 to 621480 5.13940E-02
621490 to 621470 4.08219E-05
621490 to 621500 4.53374E+04
621490 to 611490 5.21771E-04
621490 to 10010 5.21771E-04
621490 to 601460 5.21771E-04
621490 to 20040 5.21771E-04
621490 tot-cap 4.53374E+04
621500 to 621510 1.36769E+02
621500 tot-cap 1.36769E+02
621510 to 621500 1.71089E-01
621510 to 621490 1.53609E-04
621510 to 601470 1.71465E-05
621510 to 20040 1.33173E-04
621510 to 611500 2.10336E-06
621510 to 10010 1.63148E-05
621510 to 621520 5.00646E+03
621510 to 611510 1.50297E-05
621510 to 10020 8.18287E-07
621510 to 611490 1.48719E-06
621510 to 10030 1.48719E-06
621510 to 601490 1.53209E-09
621510 to 20030 1.53209E-09
621510 to 601480 1.16026E-04
621510 tot-cap 5.00663E+03
621520 to 621510 2.05699E-02
621520 to 621500 1.38992E-04
621520 to 601480 3.10523E-06
621520 to 20040 1.28946E-05
621520 to 611510 8.90969E-07
621520 to 10010 2.62922E-06
621520 to 621530 7.36977E+02
621520 to 611520 2.33556E-06
621520 to 10020 5.97308E-07
621520 to 611500 1.55346E-07
621520 to 10030 1.55346E-07
621520 to 601500 4.70786E-10
621520 to 20030 4.70786E-10
621520 to 601490 9.78938E-06
621520 tot-cap 7.36997E+02
631530 to 631520 1.99789E-02
631530 to 631510 2.98338E-05
631530 to 611490 4.60126E-05
631530 to 20040 6.75243E-04

631530 to 621520 8.34917E-06
631530 to 10010 6.99057E-05
631530 to 631540 6.35374E+02
631530 to 621530 6.70570E-05
631530 to 10020 5.50050E-06
631530 to 621510 1.23327E-06
631530 to 10030 1.23327E-06
631530 to 611510 2.81953E-08
631530 to 20030 2.81953E-08
631530 to 611500 6.27230E-04
631530 tot-cap 6.35395E+02
631540 to 631530 3.19377E-02
631540 to 631520 1.14727E-05
631540 to 611500 1.11551E-10
631540 to 20040 8.10863E-04
631540 to 621530 2.51107E-06
631540 to 10010 1.32731E-03
631540 to 631550 1.08235E+03
631540 to 621540 1.32730E-03
631540 to 10020 2.50967E-06
631540 to 621520 4.25037E-06
631540 to 10030 4.25037E-06
631540 to 611520 1.80255E-08
631540 to 20030 1.80255E-08
631540 to 611510 8.10863E-04
631540 tot-cap 1.08238E+03
631550 to 631540 2.62221E-02
631550 to 631530 7.34276E-05
631550 to 611510 1.97547E-06
631550 to 20040 9.72207E-06
631550 to 621540 4.00387E-06
631550 to 10010 8.39165E-06
631550 to 631560 2.57630E+03
631550 to 621550 6.44349E-06
631550 to 10020 2.05572E-06
631550 to 621530 6.80514E-07
631550 to 10030 6.80514E-07
631550 to 611530 1.54241E-10
631550 to 20030 1.54241E-10
631550 to 611520 7.74659E-06
631550 tot-cap 2.57633E+03
641550 to 641560 1.72382E+04
641550 tot-cap 1.72382E+04
922340 to 922330 6.86982E-05
922340 fission 4.66762E+00
922340 nu-sigf 1.22751E+01
922340 to 922320 9.96083E-05
922340 to 922350 1.91754E+02
922340 to 922341 3.11810E+00
922340 tot-cap 1.96429E+02
922350 to 922340 3.12804E-02
922350 fission 3.65849E+02
922350 nu-sigf 8.86019E+02
922350 to 922330 3.00055E-05
922350 to 922360 8.77685E+01
922350 to 922351 8.86841E-02
922350 tot-cap 4.53648E+02
922360 to 922350 3.49963E-02
922360 fission 2.00610E+00
922360 nu-sigf 5.51004E+00

922360	to 922340	4.66385E-04
922360	to 922370	7.20087E+01
922360	to 922361	3.41118E+00
922360	tot-cap	7.40502E+01
922380	to 922370	6.98884E-02
922380	fission	1.00706E+00
922380	nu-sigf	2.83726E+00
922380	to 922360	4.51706E-04
922380	to 922390	8.80519E+00
922380	tot-cap	9.88059E+00
932370	to 932360	1.59539E-02
932370	fission	5.41228E+00
932370	nu-sigf	1.63064E+01
932370	to 932350	6.09581E-05
932370	to 932380	3.06479E+02
932370	to 932371	7.99538E-01
932370	tot-cap	3.11901E+02
942380	to 942370	2.56115E-03
942380	fission	2.30798E+01
942380	nu-sigf	6.54744E+01
942380	to 942360	1.43335E-05
942380	to 942390	2.68704E+02
942380	to 942381	3.13875E+00
942380	tot-cap	2.91786E+02
942390	to 942380	1.35444E-02
942390	fission	8.31324E+02
942390	nu-sigf	2.39040E+03
942390	to 942370	2.30761E-05
942390	to 942360	2.28757E-08
942390	to 942400	4.63709E+02
942390	tot-cap	1.29505E+03
942400	to 942390	6.37841E-03
942400	fission	6.08386E+00
942400	nu-sigf	1.90778E+01
942400	to 942380	6.22432E-05
942400	to 942410	1.23941E+03
942400	tot-cap	1.24550E+03
942410	to 942400	8.00730E-02
942410	fission	8.98817E+02
942410	nu-sigf	2.63740E+03
942410	to 942390	1.33183E-04
942410	to 942420	2.92612E+02
942410	tot-cap	1.19151E+03
942420	to 942410	2.60009E-02
942420	fission	4.69482E+00
942420	nu-sigf	1.47141E+01
942420	to 942400	3.16105E-04
942420	to 942430	3.37105E+02
942420	tot-cap	3.41826E+02
952410	fission	1.27105E+01
952410	nu-sigf	4.11364E+01
952410	to 952420	1.01153E+03
952410	tot-cap	1.03424E+03
952430	fission	3.62531E+00
952430	nu-sigf	1.21919E+01
952430	to 952440	4.29741E+02
952430	tot-cap	4.33366E+02
962440	to 962430	6.24886E-03
962440	fission	1.60052E+01
962440	nu-sigf	5.36525E+01

```
                962440 to 962420  6.23160E-05
                962440 to 962450  1.46352E+02
                962440 to 962441  4.00245E+00
                962440 tot-cap    1.62362E+02
0the reaction  50100 to  30070 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50100 to  40090 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50110 to  40090 was not used, because  50110 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  50100 to  40100 was not used, because  50100 is not in library., (in subr pool)
                                    in the search of library number 3
0the reaction  80160 to  80161 was not used, because  80161 is not in library., (in subr pool)
0the reaction 621470 to 621471 was not used, because 621471 is not in library., (in subr pool)
0the fission product transitions for  922340 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 922340 to 922341 was not used, because 922341 is not in library., (in subr pool)
0the reaction 922350 to 922351 was not used, because 922351 is not in library., (in subr pool)
0the fission product transitions for  922360 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 922360 to 922361 was not used, because 922361 is not in library., (in subr pool)
0the fission product transitions for  952370 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 952370 to 952371 was not used, because 952371 is not in library., (in subr pool)
0the fission product transitions for  942380 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 942380 to 942381 was not used, because 942381 is not in library., (in subr pool)
0the fission product transitions for  942400 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  942420 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952410 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  952430 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the fission product transitions for  962440 were not used.  library fissile nuclides are
  922330  922350  942410  922380  942390
0use substitute nuclide in block 8 data.  or, update with new fission yield data.
0the reaction 962440 to 962441 was not used, because 962441 is not in library., (in subr pool)
1
0                        case completed.  date,  2/16/1996
0 * normal termination *
1   ccccccccccc    rrrrrrrrrrr    iiiiiiiiiiii     ggggggggg    eeeeeeeeeeee  mm         mm  sssssssssss
    ccccccccccccc  rrrrrrrrrrrr   iiiiiiiiiiii     ggggggggggg  eeeeeeeeeeee  mm         mm  sssssssssssss
    cc        cc   rr        rr       ii          gg      gg   ee            mmm        mm  ss        ss
    cc        cc   rr        rr       ii          gg           ee            mm mm      mm  ss
    cc        cc   rr        rr       ii          gg           ee            mm  mm     mm  ss
    cc        cc   rrrrrrrrrrrr       ii          gg  ggggggg  eeeeeeeee     mm   mm    mm  sssssssssss
    cc        cc   rrrrrrrrrrr        ii          gg  ggggggg  eeeeeeeee     mm    mm   mm   sssssssssss
    cc        cc   rr      rr         ii          gg      gg   ee            mm     mm mm            ss
    cc        cc   rr       rr        ii          gg      gg   ee            mm      mmm       ss     ss
    cc        cc   rr        rr       ii          gg      gg   ee            mm       m        ss     ss
```



```
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                  program verification information                   *****
                    *****                                                                      *****
                    *****                  code system:    scale  version:    4.2             *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  c0c004                                        *****
                    *****                                                                      *****
                    *****         creation date:  04/27/95                                     *****
                    *****                                                                      *****
                    *****              library:  /neutronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****    this is not a   scale  configuration controlled code             *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****    date of execution:  02/16/96                                      *****
                    *****                                                                      *****
                    *****    time of execution:  10:06:14                                      *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
0      -1q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0       0q array has      1 entries.
0        dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0            short-lived split test fraction, qm =    9.1188E-04
0            half-norm of matrix used, am =    7.0000E+00
0            4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      5*q array has     12 entries.
1library information...

         cross-section data taken from position number  1 of library on unit 33.

         pass   1
         pass   0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
```

```
        first library updated was...
        pass   1
        pass   0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        ********************************************************************************
        *                                                                              *
        *            prelim lwr origen-s binary working library--id = 1143             *
        *          made from modified card-image origen-s libraries of scale 4.2       *
        *       data from the light element, actinide, and fission product libraries   *
        *         decay data, including gamma and total energy, are from endf/b-vi     *
        *                                                                              *
        *       neutron flux spectrum factors and cross sections were produced from    *
        *      the "presas2" case updating all nuclides on the scale "burnup" library  *
        *                                                                              *
        *                   fission product yields are from endf/b-v                   *
        *                                                                              *
        *              photon libraries use an 18-energy-group structure               *
        *             the photon data are from the master photon data base,            *
        *              produced to include bremsstrahlung from us2 matrix              *
        *                                                                              *
        *         see information above this box (if present) for later updates        *
        *                                                                              *
        ********************************************************************************
        *                                                                              *
0       ********************************************************************************
0                .other identification and sizes of library.
0                 data set name:  ft33f001
0              2/16/1996    date library was produced
0                  1697    total number of nuclides in library
                    689    number of light-element nuclides
                    129    number of actinide nuclides
                    879    number of fission product nuclides
0                  7955    number of nonzero off-diagonal matrix elements
0       ********************************************************************************
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                light elements        page   1
0                                       nuclide concentrations, grams
                                        basis =single reactor assembly
              initial  1E-18 d
   total      .00E+00   .00E+00
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides         page   2
0                                       nuclide concentrations, grams
                                        basis =single reactor assembly
              initial  1E-18 d
     U234   1.11E+02  1.11E+02
     U235   1.39E+04  1.39E+04
     U236   6.40E+01  6.40E+01
     U238   4.50E+05  4.50E+05
   total    4.64E+05  4.64E+05
1   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                                      page   3
       power=   7.25mw, burnup=   1160.mwd, flux= 1.65E+13n/cm**2-sec
0                                       basis =
0   (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0                    initial         40.0 d         80.0 d        120.0 d        160.0 d        160.0 d
    productions  3.258919E+04   3.290367E+04   3.325273E+04   3.354246E+04   3.378176E+04   3.378195E+04
```

	absorptions	2.444205E+04	2.533198E+04	2.567749E+04	2.599583E+04	2.629677E+04	2.630302E+04
	k infinity	1.333324E+00	1.298898E+00	1.295015E+00	1.290302E+00	1.284635E+00	1.284337E+00
0		initial	40.0 d	80.0 d	120.0 d	160.0 d	160.0 d
	actinide						
	absorptions	2.444205E+04	2.466995E+04	2.495103E+04	2.517635E+04	2.540672E+04	2.540682E+04
	non-actinide						
	abs. fracs.	.000000E+00	2.613515E-02	2.907044E-02	3.152382E-02	3.384656E-02	3.407222E-02

1 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 4

power= 7.25mw, burnup= 1160.mwd, flux= 1.69E+13n/cm**2-sec

0 nuclide concentrations, gram atoms

basis = single reactor assembly

	charge	40.0 d	80.0 d	120.0 d	160.0 d	160.0 d
he 4	.00E+00	1.37E-06	5.40E-06	1.23E-05	2.22E-05	2.22E-05
th226	.00E+00	3.39E-21	1.00E-20	1.79E-20	2.67E-20	2.67E-20
th227	.00E+00	6.58E-18	4.57E-17	1.38E-16	2.97E-16	2.97E-16
th228	.00E+00	1.08E-12	4.34E-12	9.84E-12	1.78E-11	1.78E-11
th229	.00E+00	5.13E-14	2.07E-13	4.70E-13	8.44E-13	8.44E-13
th230	.00E+00	1.45E-07	2.85E-07	4.21E-07	5.52E-07	5.52E-07
th231	.00E+00	3.61E-10	4.72E-10	5.78E-10	6.80E-10	6.78E-10
th232	.00E+00	1.32E-09	3.51E-09	6.54E-09	1.04E-08	1.04E-08
th233	.00E+00	1.07E-15	2.82E-15	5.21E-15	8.23E-15	6.18E-15
th234	.00E+00	1.91E-08	2.51E-08	2.70E-08	2.76E-08	2.76E-08
pa231	.00E+00	7.55E-09	1.81E-08	3.14E-08	4.71E-08	4.71E-08
pa232	.00E+00	5.80E-12	1.38E-11	2.38E-11	3.55E-11	3.54E-11
pa233	.00E+00	5.98E-11	2.41E-10	4.92E-10	7.87E-10	7.87E-10
pa234m	.00E+00	6.43E-13	8.46E-13	9.10E-13	9.30E-13	9.30E-13
pa234	.00E+00	2.91E-13	3.93E-13	4.37E-13	4.64E-13	4.63E-13
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	3.29E-18	9.70E-18	1.73E-17	2.59E-17	2.58E-17
u231	.00E+00	1.47E-16	3.22E-16	5.05E-16	7.01E-16	7.01E-16
u232	.00E+00	2.03E-09	4.18E-09	6.52E-09	9.15E-09	9.15E-09
u233	.00E+00	2.08E-07	4.06E-07	5.94E-07	7.74E-07	7.74E-07
u234	4.76E-01	4.71E-01	4.67E-01	4.62E-01	4.58E-01	4.58E-01
u235	5.92E+01	5.77E+01	5.63E+01	5.49E+01	5.36E+01	5.36E+01
u236	2.71E-01	5.44E-01	8.07E-01	1.06E+00	1.31E+00	1.31E+00
u237	.00E+00	1.80E-03	2.07E-03	2.31E-03	2.53E-03	2.53E-03
u238	1.89E+03	1.89E+03	1.89E+03	1.89E+03	1.89E+03	1.89E+03
u239	.00E+00	4.74E-04	4.70E-04	4.67E-04	4.66E-04	3.54E-04
u240	.00E+00	.00E+00	1.14E-38	8.79E-37	1.92E-35	1.92E-35
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	5.53E-12	2.80E-11	6.92E-11	1.30E-10	1.30E-10
np236m	.00E+00	9.07E-11	2.21E-10	3.64E-10	5.20E-10	5.18E-10
np236	.00E+00	3.83E-10	1.98E-09	5.00E-09	9.58E-09	9.58E-09
np237	.00E+00	5.39E-03	1.32E-02	2.19E-02	3.14E-02	3.14E-02
np238	.00E+00	6.47E-06	1.58E-05	2.60E-05	3.71E-05	3.71E-05
np239	.00E+00	6.84E-02	6.79E-02	6.75E-02	6.71E-02	6.71E-02
np240m	.00E+00	.00E+00	9.72E-41	7.50E-39	1.64E-37	1.64E-37
np240	.00E+00	1.13E-06	1.11E-06	1.10E-06	1.09E-06	9.82E-07
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	.00E+00	5.02E-10	2.62E-09	6.57E-09	1.25E-08	1.25E-08
pu237	.00E+00	2.88E-10	9.86E-10	1.86E-09	2.81E-09	2.81E-09
pu238	.00E+00	3.19E-05	1.71E-04	4.34E-04	8.31E-04	8.31E-04
pu239	.00E+00	7.08E-01	1.42E+00	2.08E+00	2.68E+00	2.68E+00
pu240	.00E+00	1.06E-02	4.03E-02	8.48E-02	1.41E-01	1.41E-01
pu241	.00E+00	4.33E-04	3.18E-03	9.97E-03	2.20E-02	2.20E-02
pu242	.00E+00	1.97E-06	2.84E-05	1.34E-04	3.98E-04	3.98E-04
pu243	.00E+00	2.42E-10	3.47E-09	1.63E-08	4.79E-08	4.68E-08
pu244	.00E+00	3.31E-31	5.68E-28	4.38E-26	9.57E-25	9.57E-25
pu245	.00E+00	2.51E-37	4.29E-34	3.28E-32	7.14E-31	7.07E-31

```
    pu246    .00E+00  2.10E-40  6.03E-37  6.00E-35  1.53E-33  1.53E-33
    am239    .00E+00  8.52E-18  1.22E-16  5.69E-16  1.67E-15  1.65E-15
    am240    .00E+00  3.65E-15  5.22E-14  2.44E-13  7.16E-13  7.15E-13
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides        page   5
    power=   7.25mw, burnup=   1160.mwd, flux= 1.69E+13n/cm**2-sec
0                                          nuclide concentrations, gram atoms
                                           basis = single reactor assembly
            charge    40.0 d    80.0 d   120.0 d   160.0 d   160.0 d
    am241    .00E+00  5.91E-07  8.50E-06  3.95E-05  1.18E-04  1.18E-04
    am242m   .00E+00  1.12E-09  3.03E-08  2.04E-07  7.73E-07  7.73E-07
    am242    .00E+00  7.01E-10  1.00E-08  4.68E-08  1.37E-07  1.36E-07
    am243    .00E+00  6.68E-09  1.90E-07  1.34E-06  5.31E-06  5.31E-06
    am244m   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
    am244    .00E+00  2.18E-12  6.14E-11  4.32E-10  1.70E-09  1.68E-09
    am245    .00E+00  2.30E-35  3.87E-32  2.93E-30  6.30E-29  6.30E-29
    am246    .00E+00   .00E+00  1.51E-39  1.50E-37  3.83E-36  3.83E-36
    cm241    .00E+00  3.37E-21  3.33E-19  4.68E-18  2.94E-17  2.94E-17
    cm242    .00E+00  4.75E-09  1.31E-07  9.06E-07  3.49E-06  3.49E-06
    cm243    .00E+00  3.13E-12  1.71E-10  1.75E-09  8.97E-09  8.97E-09
    cm244    .00E+00  2.43E-11  1.36E-09  1.45E-08  7.66E-08  7.67E-08
    cm245    .00E+00  2.50E-14  2.75E-12  4.31E-11  3.00E-10  3.00E-10
    cm246    .00E+00  4.53E-17  9.92E-15  2.32E-13  2.15E-12  2.15E-12
    cm247    .00E+00  1.35E-20  5.86E-18  2.03E-16  2.49E-15  2.49E-15
    cm248    .00E+00  1.73E-23  1.49E-20  7.66E-19  1.25E-17  1.25E-17
    cm249    .00E+00  1.04E-28  8.86E-26  4.53E-24  7.37E-23  6.67E-23
    cm250    .00E+00  8.14E-34  1.38E-30  1.05E-28  2.27E-27  2.27E-27
    cm251    .00E+00  2.04E-41  3.47E-38  2.63E-36  5.66E-35  3.87E-35
   totals   1.95E+03  1.95E+03  1.95E+03  1.95E+03  1.94E+03  1.94E+03
0   flux              1.71E+13  1.70E+13  1.69E+13  1.68E+13  1.68E-02
0       1q array has      20 entries.
0       3q array has       1 entries.
0       3q array has       1 entries.
0       3q array has       1 entries.
0       4q array has       1 entries.
0      54q array has      12 entries.
1library information...

        cross-section data taken from position number  2 of library on unit 33.

        pass   1
        pass   0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        pass   1
        pass   0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        ********************************************************************************
        *                                                                              *
        *          prelim lwr origen-s binary working library--id = 1143               *
        *        made from modified card-image origen-s libraries of scale 4.2         *
        *      data from the light element, actinide, and fission product libraries    *
        *       decay data, including gamma and total energy, are from endf/b-vi       *
```

```
*                                                                              *
*     neutron flux spectrum factors and cross sections were produced from      *
*    the "presas2" case updating all nuclides on the scale "burnup" library    *
*                                                                              *
*                  fission product yields are from endf/b-v                    *
*                                                                              *
*             photon libraries use an 18-energy-group structure                *
*            the photon data are from the master photon data base,             *
*             produced to include bremsstrahlung from uo2 matrix               *
*                                                                              *
*       see information above this box (if present) for later updates          *
*                                                                              *
********************************************************************************
*                                                                              *
********************************************************************************
0
0          .other identification and sizes of library.
0           data set name:  ft33f001
0         2/16/1996    date library was produced
0             1697     total number of nuclides in library
                689     number of light-element nuclides
                129     number of actinide nuclides
                879     number of fission product nuclides
0              7955     number of nonzero off-diagonal matrix elements
0
1   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                                    page   6
       power=   7.25mw, burnup=   2520.mwd, flux= 1.64E+13n/cm**2-sec
0                                      basis =
0   (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0                  initial        200.0 d        240.0 d        280.0 d        320.0 d        320.0 d
    productions  3.427559E+04  3.450159E+04  3.469240E+04  3.484916E+04  3.497630E+04  3.497669E+04
    absorptions  2.700098E+04  2.729749E+04  2.758232E+04  2.785215E+04  2.810795E+04  2.811999E+04
    k infinity   1.269420E+00  1.263911E+00  1.257777E+00  1.251220E+00  1.244356E+00  1.243837E+00
0                  initial        200.0 d        240.0 d        280.0 d        320.0 d        320.0 d
    actinide
    absorptions  2.609392E+04  2.632092E+04  2.653591E+04  2.673765E+04  2.692678E+04  2.692698E+04
    non-actinide
    abs. fracs.  3.359577E-02  3.577524E-02  3.795770E-02  4.001468E-02  4.202265E-02  4.242539E-02
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides       page   7
    power=   7.25mw, burnup=   2520.mwd, flux= 1.64E+13n/cm**2-sec
0                                      nuclide concentrations, gram atoms
                                       basis = single reactor assembly
           charge   200.0 d   240.0 d   280.0 d   320.0 d   320.0 d
    he  4  2.22E-05  3.60E-05  5.44E-05  7.89E-05  1.11E-04  1.11E-04
    th226  2.67E-20  3.86E-20  5.16E-20  6.63E-20  8.34E-20  8.33E-20
    th227  2.97E-16  5.39E-16  8.77E-16  1.32E-15  1.89E-15  1.89E-15
    th228  1.78E-11  2.84E-11  4.23E-11  5.98E-11  8.14E-11  8.14E-11
    th229  8.44E-13  1.34E-12  1.96E-12  2.71E-12  3.61E-12  3.61E-12
    th230  5.52E-07  6.79E-07  8.02E-07  9.21E-07  1.04E-06  1.04E-06
    th231  6.78E-10  8.06E-10  9.04E-10  1.00E-09  1.09E-09  1.09E-09
    th232  1.04E-08  1.50E-08  2.03E-08  2.64E-08  3.33E-08  3.33E-08
    th233  6.18E-15  1.23E-14  1.67E-14  2.17E-14  2.72E-14  1.53E-14
    th234  2.78E-08  2.78E-08  2.78E-08  2.78E-08  2.78E-08  2.78E-08
    pa231  4.71E-08  6.57E-08  8.66E-08  1.10E-07  1.35E-07  1.35E-07
    pa232  3.54E-11  5.07E-11  6.67E-11  8.43E-11  1.03E-10  1.03E-10
    pa233  7.87E-10  1.12E-09  1.49E-09  1.88E-09  2.31E-09  2.31E-09
    pa234m 9.30E-13  9.36E-13  9.38E-13  9.38E-13  9.38E-13  9.38E-13
    pa234  4.63E-13  4.89E-13  5.13E-13  5.38E-13  5.65E-13  5.60E-13
    pa235   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
    u230   2.58E-17  3.74E-17  5.00E-17  6.43E-17  8.08E-17  8.07E-17
```

u231	7.01E-16	9.83E-16	1.25E-15	1.56E-15	1.91E-15	1.91E-15
u232	9.15E-09	1.23E-08	1.60E-08	2.02E-08	2.52E-08	2.52E-08
u233	7.74E-07	9.59E-07	1.14E-06	1.30E-06	1.47E-06	1.47E-06
u234	4.58E-01	4.54E-01	4.49E-01	4.45E-01	4.41E-01	4.41E-01
u235	5.36E+01	5.23E+01	5.10E+01	4.98E+01	4.86E+01	4.86E+01
u236	1.31E+00	1.55E+00	1.78E+00	2.00E+00	2.22E+00	2.22E+00
u237	2.53E-03	2.87E-03	3.09E-03	3.30E-03	3.50E-03	3.50E-03
u238	1.89E+03	1.89E+03	1.88E+03	1.88E+03	1.88E+03	1.88E+03
u239	3.54E-04	4.81E-04	4.79E-04	4.78E-04	4.77E-04	2.76E-04
u240	1.92E-35	2.19E-34	1.60E-33	8.50E-33	3.57E-32	3.57E-32
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	1.30E-10	2.17E-10	3.28E-10	4.61E-10	6.18E-10	6.18E-10
np236m	5.18E-10	7.48E-10	9.48E-10	1.16E-09	1.39E-09	1.37E-09
np236	9.58E-09	1.63E-08	2.51E-08	3.60E-08	4.92E-08	4.92E-08
np237	3.14E-02	4.21E-02	5.35E-02	6.57E-02	7.85E-02	7.85E-02
np238	3.71E-05	5.08E-05	6.44E-05	7.86E-05	9.41E-05	9.37E-05
np239	6.71E-02	6.95E-02	6.92E-02	6.90E-02	6.88E-02	6.88E-02
np240m	1.64E-37	1.87E-36	1.37E-35	7.26E-35	3.05E-34	3.05E-34
np240	9.82E-07	1.17E-06	1.16E-06	1.15E-06	1.15E-06	9.34E-07
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.25E-08	2.12E-08	3.23E-08	4.60E-08	6.23E-08	6.23E-08
pu237	2.81E-09	3.95E-09	5.05E-09	6.10E-09	7.12E-09	7.12E-09
pu238	8.31E-04	1.35E-03	2.11E-03	3.00E-03	4.08E-03	4.08E-03
pu239	2.68E+00	3.26E+00	3.81E+00	4.31E+00	4.77E+00	4.77E+00
pu240	1.41E-01	2.06E-01	2.78E-01	3.57E-01	4.40E-01	4.40E-01
pu241	2.20E-02	3.86E-02	6.13E-02	9.03E-02	1.26E-01	1.26E-01
pu242	3.96E-04	8.88E-04	1.70E-03	2.92E-03	4.65E-03	4.65E-03
pu243	4.68E-08	1.12E-07	2.13E-07	3.66E-07	5.82E-07	5.58E-07
pu244	9.57E-25	1.09E-23	7.98E-23	4.25E-22	1.78E-21	1.78E-21
pu245	7.07E-31	8.01E-30	5.83E-29	3.09E-28	1.30E-27	1.27E-27
pu246	1.53E-33	1.91E-32	1.51E-31	8.53E-31	3.77E-30	3.77E-30
am239	1.65E-15	3.95E-15	7.51E-15	1.28E-14	2.03E-14	1.99E-14
am240	7.15E-13	1.70E-12	3.23E-12	5.53E-12	8.74E-12	8.71E-12

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 8
power= 7.25mw, burnup= 2520.mwd, flux= 1.64E+13n/cm**2-sec

0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	200.0 d	240.0 d	280.0 d	320.0 d	320.0 d
am241	1.18E-04	2.65E-04	5.05E-04	8.64E-04	1.37E-03	1.37E-03
am242m	7.73E-07	2.10E-06	4.66E-06	9.01E-06	1.58E-05	1.58E-05
am242	1.36E-07	3.05E-07	5.80E-07	9.91E-07	1.57E-06	1.55E-06
am243	5.31E-06	1.56E-05	3.66E-05	7.37E-05	1.35E-04	1.35E-04
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.68E-09	5.17E-09	1.20E-08	2.42E-08	4.43E-08	4.33E-08
am245	6.30E-29	7.41E-28	5.34E-27	2.79E-26	1.16E-25	1.16E-25
am246	3.83E-36	4.77E-35	3.78E-34	2.13E-33	9.41E-33	9.41E-33
cm241	2.94E-17	1.27E-16	3.92E-16	9.86E-16	2.15E-15	2.15E-15
cm242	3.49E-06	9.65E-06	2.17E-05	4.26E-05	7.56E-05	7.56E-05
cm243	8.97E-09	3.20E-08	8.74E-08	2.00E-07	4.06E-07	4.06E-07
cm244	7.67E-08	2.87E-07	8.21E-07	1.96E-06	4.13E-06	4.13E-06
cm245	3.00E-10	1.42E-09	4.88E-09	1.36E-08	3.26E-08	3.26E-08
cm246	2.15E-12	1.23E-11	5.14E-11	1.69E-10	4.68E-10	4.68E-10
cm247	2.49E-15	1.83E-14	9.15E-14	3.53E-13	1.12E-12	1.12E-12
cm248	1.25E-17	1.17E-16	7.06E-16	3.19E-15	1.16E-14	1.16E-14
cm249	6.67E-23	7.20E-22	4.33E-21	1.95E-20	7.12E-20	5.83E-20
cm250	2.27E-27	2.66E-26	1.94E-25	1.02E-24	4.29E-24	4.29E-24
cm251	3.87E-35	6.50E-34	4.71E-33	2.48E-32	1.04E-31	4.85E-32
totals	1.94E+03	1.94E+03	1.94E+03	1.94E+03	1.94E+03	1.94E+03
0 flux		1.65E+13	1.64E+13	1.64E+13	1.64E+13	1.64E-02

```
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

        cross-section data taken from position number  3 of library on unit 33.

        pass   1
        pass   0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        pass   1
        pass   0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        ************************************************************************
        *                                                                      *
        *          prelim lwr origen-s binary working library--id = 1143       *
        *        made from modified card-image origen-s libraries of scale 4.2 *
        *      data from the light element, actinide, and fission product libraries *
        *        decay data, including gamma and total energy, are from endf/b-vi *
        *                                                                      *
        *      neutron flux spectrum factors and cross sections were produced from *
        *     the 'presas2' case updating all nuclides on the scale 'burnup' library *
        *                                                                      *
        *                  fission product yields are from endf/b-v            *
        *                                                                      *
        *             photon libraries use an 18-energy-group structure        *
        *            the photon data are from the master photon data base,     *
        *             produced to include bremsstrahlung from uo2 matrix       *
        *                                                                      *
        *       see information above this box (if present) for later updates  *
        *                                                                      *
        ************************************************************************
        *                                                                      *
0       ************************************************************************
0               .other identification and sizes of library.
0                data set name:  ft33f001
0              2/16/1996     date library was produced
0                   1697     total number of nuclides in library
                     689     number of light-element nuclides
                     129     number of actinide nuclides
                     879     number of fission product nuclides
0                   7985     number of nonzero off-diagonal matrix elements
0       ************************************************************************
1   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                                  page   9
       power=   7.25mw, burnup=   3480.mwd, flux= 1.62E+13n/cm**2-sec
0                                          basis =
0   (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0                  initial        360.0 d        400.0 d        440.0 d        480.0 d        480.0 d
    productions  3.533429E+04  3.545952E+04  3.556331E+04  3.564504E+04  3.570724E+04  3.570783E+04
```

absorptions 2.863199E+04 2.887506E+04 2.911586E+04 2.934422E+04 2.956090E+04 2.957839E+04
k infinity 1.234084E+00 1.228033E+00 1.221441E+00 1.214721E+00 1.207921E+00 1.207227E+00
0 initial 360.0 d 400.0 d 440.0 d 480.0 d 480.0 d
actinide
absorptions 2.742413E+04 2.760863E+04 2.778306E+04 2.794630E+04 2.809889E+04 2.809919E+04
non-actinide
abs. fracs. 4.218566E-02 4.385889E-02 4.577571E-02 4.763854E-02 4.945773E-02 5.000957E-02
1

sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp actinides page 10
power= 7.25mw, burnup= 3480.mwd, flux= 1.62E+13n/cm**2-sec
0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	360.0 d	400.0 d	440.0 d	480.0 d	480.0 d
he 4	1.11E-04	1.54E-04	2.11E-04	2.85E-04	3.80E-04	3.80E-04
th226	8.33E-20	1.07E-19	1.32E-19	1.60E-19	1.93E-19	1.93E-19
th227	1.89E-15	2.59E-15	3.44E-15	4.44E-15	5.60E-15	5.61E-15
th228	8.14E-11	1.08E-10	1.40E-10	1.79E-10	2.24E-10	2.24E-10
th229	3.61E-12	4.67E-12	5.90E-12	7.33E-12	8.96E-12	8.96E-12
th230	1.04E-06	1.15E-06	1.25E-06	1.35E-06	1.45E-06	1.45E-06
th231	1.09E-09	1.22E-09	1.31E-09	1.39E-09	1.48E-09	1.46E-09
th232	3.33E-08	4.08E-08	4.89E-08	5.77E-08	6.72E-08	6.72E-08
th233	1.53E-14	3.44E-14	4.12E-14	4.88E-14	5.66E-14	2.39E-14
th234	2.78E-08	2.78E-08	2.78E-08	2.78E-08	2.78E-08	2.78E-08
pa231	1.35E-07	1.63E-07	1.93E-07	2.25E-07	2.58E-07	2.58E-07
pa232	1.03E-10	1.28E-10	1.51E-10	1.75E-10	2.01E-10	1.99E-10
pa233	2.31E-09	2.76E-09	3.25E-09	3.74E-09	4.26E-09	4.26E-09
pa234m	9.38E-13	9.38E-13	9.37E-13	9.37E-13	9.37E-13	9.36E-13
pa234	5.60E-13	5.99E-13	6.30E-13	6.63E-13	6.97E-13	6.84E-13
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	8.07E-17	1.04E-16	1.28E-16	1.56E-16	1.87E-16	1.87E-16
u231	1.91E-15	2.42E-15	2.90E-15	3.44E-15	4.08E-15	4.07E-15
u232	2.52E-08	3.10E-08	3.78E-08	4.56E-08	5.45E-08	5.45E-08
u233	1.47E-06	1.63E-06	1.79E-06	1.94E-06	2.08E-06	2.08E-06
u234	4.41E-01	4.36E-01	4.32E-01	4.28E-01	4.24E-01	4.24E-01
u235	4.86E+01	4.74E+01	4.63E+01	4.52E+01	4.41E+01	4.41E+01
u236	2.22E+00	2.44E+00	2.64E+00	2.84E+00	3.04E+00	3.04E+00
u237	3.50E-03	3.80E-03	4.00E-03	4.19E-03	4.38E-03	4.37E-03
u238	1.88E+03	1.88E+03	1.88E+03	1.88E+03	1.88E+03	1.88E+03
u239	2.76E-04	4.91E-04	4.90E-04	4.89E-04	4.89E-04	2.16E-04
u240	3.57E-32	1.28E-31	3.99E-31	1.11E-30	2.81E-30	2.81E-30
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	6.18E-10	8.11E-10	1.03E-09	1.27E-09	1.54E-09	1.54E-09
np236m	1.37E-09	1.72E-09	1.99E-09	2.27E-09	2.59E-09	2.52E-09
np236	4.92E-08	6.58E-08	8.50E-08	1.07E-07	1.32E-07	1.32E-07
np237	7.85E-02	9.22E-02	1.07E-01	1.22E-01	1.37E-01	1.37E-01
np238	9.37E-05	1.12E-04	1.30E-04	1.48E-04	1.67E-04	1.66E-04
np239	6.88E-02	7.08E-02	7.07E-02	7.06E-02	7.06E-02	7.05E-02
np240m	3.05E-34	1.09E-33	3.41E-33	9.49E-33	2.40E-32	2.40E-32
np240	9.34E-07	1.22E-06	1.21E-06	1.21E-06	1.21E-06	8.88E-07
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	6.23E-08	8.25E-08	1.06E-07	1.32E-07	1.62E-07	1.62E-07
pu237	7.12E-09	8.37E-09	9.53E-09	1.06E-08	1.17E-08	1.17E-08
pu238	4.08E-03	5.37E-03	6.88E-03	8.60E-03	1.06E-02	1.06E-02
pu239	4.77E+00	5.23E+00	5.66E+00	6.05E+00	6.42E+00	6.42E+00
pu240	4.40E-01	5.27E-01	6.18E-01	7.11E-01	8.04E-01	8.04E-01
pu241	1.26E-01	1.63E-01	2.06E-01	2.55E-01	3.09E-01	3.09E-01
pu242	4.65E-03	6.93E-03	9.82E-03	1.34E-02	1.78E-02	1.78E-02
pu243	5.58E-07	8.97E-07	1.27E-06	1.73E-06	2.30E-06	2.16E-06
pu244	1.78E-21	6.36E-21	1.99E-20	5.54E-20	1.40E-19	1.40E-19
pu245	1.27E-27	4.58E-27	1.43E-26	3.98E-26	1.01E-25	9.75E-26

```
    pu246  3.77E-30  1.38E-29  4.48E-29  1.29E-28  3.34E-28  3.33E-28
    am239  1.99E-14  3.14E-14  4.43E-14  6.01E-14  7.91E-14  7.70E-14
    am240  8.71E-12  1.36E-11  1.91E-11  2.59E-11  3.42E-11  3.40E-11
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides        page  11
    power=   7.25mw, burnup=   3480.mwd, flux= 1.62E+13n/cm**2-sec
0                                          nuclide concentrations, gram atoms
                                           basis = single reactor assembly
          charge   360.0 d   400.0 d   440.0 d   480.0 d   480.0 d
    am241 1.37E-03 2.03E-03 2.87E-03 3.89E-03 5.12E-03 5.12E-03
    am242m 1.58E-05 2.55E-05 3.89E-05 5.64E-05 7.87E-05 7.87E-05
    am242  1.55E-06 2.31E-06 3.25E-06 4.42E-06 5.81E-06 5.70E-06
    am243  1.35E-04 2.31E-04 3.70E-04 5.62E-04 8.20E-04 8.20E-04
    am244m  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
    am244  4.33E-08 7.79E-08 1.25E-07 1.89E-07 2.76E-07 2.67E-07
    am245  1.16E-25 4.20E-25 1.31E-24 3.59E-24 8.98E-24 8.98E-24
    am246  9.41E-33 3.44E-32 1.12E-31 3.21E-31 8.34E-31 8.34E-31
    cm241  2.15E-15 4.40E-15 8.06E-15 1.37E-14 2.20E-14 2.20E-14
    cm242  7.56E-05 1.24E-04 1.91E-04 2.81E-04 3.96E-04 3.96E-04
    cm243  4.06E-07 7.61E-07 1.31E-06 2.13E-06 3.29E-06 3.29E-06
    cm244  4.13E-06 8.04E-06 1.45E-05 2.45E-05 3.92E-05 3.93E-05
    cm245  3.26E-08 7.17E-08 1.43E-07 2.66E-07 4.64E-07 4.64E-07
    cm246  4.68E-10 1.15E-09 2.56E-09 5.26E-09 1.01E-08 1.01E-08
    cm247  1.12E-12 3.16E-12 7.85E-12 1.78E-11 3.73E-11 3.73E-11
    cm248  1.16E-14 3.74E-14 1.05E-13 2.63E-13 6.06E-13 6.06E-13
    cm249  5.83E-20 2.37E-19 6.63E-19 1.66E-18 3.83E-18 2.84E-18
    cm250  4.29E-24 1.56E-23 4.89E-23 1.36E-22 3.44E-22 3.44E-22
    cm251  4.85E-32 3.74E-31 1.17E-30 3.26E-30 8.24E-30 2.62E-30
   totals  1.94E+03 1.94E+03 1.94E+03 1.94E+03 1.93E+03 1.93E+03
0   flux            1.62E+13 1.62E+13 1.62E+13 1.62E+13 1.61E-02
0       1q array has      20 entries.
0       3q array has       1 entries.
0       3q array has       1 entries.
0       3q array has       1 entries.
0       4q array has       1 entries.
0      54q array has      12 entries.
1library infonmation...

        cross-section data taken from position number  4 of library on unit 33.

        pass  1
        pass  0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        pass  1
        pass  0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        ********************************************************************************
        *                                                                              *
        *            prelim lwr origen-s binary working library--id = 1143             *
        *          made from modified card-image origen-s libraries of scale 4.2       *
        *       data from the light element, actinide, and fission product libraries   *
        *         decay data, including gamma and total energy, are from endf/b-vi     *
```

```
      *                                                                     *
      *     neutron flux spectrum factors and cross sections were produced from    *
      *    the "presas2" case updating all nuclides on the scale "burnup" library  *
      *                                                                     *
      *                  fission product yields are from endf/b-v           *
      *                                                                     *
      *            photon libraries use an 18-energy-group structure        *
      *           the photon data are from the master photon data base,     *
      *            produced to include bremsstrahlung from uo2 matrix       *
      *                                                                     *
      *       see information above this box (if present) for later updates *
      *                                                                     *
      ***********************************************************************
      *                                                                     *
0     ***********************************************************************
0              .other identification and sizes of library.
0               data set name:  ft33f001
0             2/16/1996    date library was produced
0                  1697    total number of nuclides in library
                    689    number of light-element nuclides
                    129    number of actinide nuclides
                    879    number of fission product nuclides
0                  7985    number of nonzero off-diagonal matrix elements
0     ***********************************************************************
1   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                                  page  12
       power=  7.25mw, burnup=  4640.mwd, flux= 1.60E+13n/cm**2-sec
0                                    basis =
0   (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0                 initial       520.0 d       560.0 d       600.0 d       640.0 d       640.1 d
    productions  3.597085E+04  3.608198E+04  3.607921E+04  3.611125E+04  3.612969E+04  3.613048E+04
    absorptions  2.993967E+04  3.013748E+04  3.034138E+04  3.053502E+04  3.071900E+04  3.074160E+04
    k infinity   1.201445E+00  1.195587E+00  1.189109E+00  1.182618E+00  1.176135E+00  1.175298E+00
0                 initial       520.0 d       560.0 d       600.0 d       640.0 d       640.1 d
    actinide
    absorptions  2.844444E+04  2.859273E+04  2.875273E+04  2.896341E+04  2.898521E+04  2.898562E+04
    non-actinide
    abs. fracs.  4.994160E-02  5.125684E-02  5.301845E-02  5.474389E-02  5.644029E-02  5.712068E-02
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                  actinides       page  13
    power=  7.25mw, burnup=  4640.mwd, flux= 1.60E+13n/cm**2-sec
0                                    nuclide concentrations, gram atoms
                                     basis = single reactor assembly
          charge   520.0 d   560.0 d   600.0 d   640.0 d   640.1 d
    he  4 3.80E-04 5.02E-04 6.56E-04 8.48E-04 1.08E-03 1.08E-03
    pb206 9.74E-18 1.41E-17 1.97E-17 2.70E-17 3.63E-17 3.63E-17
    pb207 2.44E-14 3.30E-14 4.37E-14 5.67E-14 7.24E-14 7.24E-14
    pb208 3.04E-11 4.02E-11 5.25E-11 6.71E-11 8.51E-11 8.51E-11
    pb209 1.93E-18 2.40E-18 2.96E-18 3.61E-18 4.37E-18 4.37E-18
    pb210 2.80E-15 3.55E-15 4.42E-15 5.42E-15 6.58E-15 6.58E-15
    pb211 6.96E-18 8.69E-18 1.07E-17 1.29E-17 1.54E-17 1.54E-17
    pb212 1.43E-13 1.77E-13 2.18E-13 2.65E-13 3.19E-13 3.19E-13
    pb214 2.99E-19 3.47E-19 3.98E-19 4.52E-19 5.09E-19 4.97E-19
    th226 1.93E-19 2.36E-19 2.82E-19 3.32E-19 3.88E-19 3.88E-19
    th227 5.61E-15 6.95E-15 8.47E-15 1.02E-14 1.21E-14 1.21E-14
    th228 2.24E-10 2.78E-10 3.42E-10 4.15E-10 5.01E-10 5.01E-10
    th229 8.96E-12 1.08E-11 1.30E-11 1.54E-11 1.82E-11 1.82E-11
    th230 1.45E-06 1.55E-06 1.64E-06 1.73E-06 1.81E-06 1.81E-06
    th231 1.46E-09 1.60E-09 1.68E-09 1.75E-09 1.83E-09 1.80E-09
    th232 6.72E-08 7.72E-08 8.79E-08 9.91E-08 1.11E-07 1.11E-07
    th233 2.39E-14 6.67E-14 7.59E-14 8.56E-14 9.59E-14 3.05E-14
```

th234	2.78E-08	2.77E-08	2.77E-08	2.77E-08	2.77E-08	2.77E-08
pa231	2.58E-07	2.94E-07	3.31E-07	3.70E-07	4.10E-07	4.10E-07
pa232	1.99E-10	2.33E-10	2.63E-10	2.94E-10	3.26E-10	3.22E-10
pa233	4.26E-09	4.80E-09	5.37E-09	5.96E-09	6.56E-09	6.56E-09
pa234m	9.36E-13	9.36E-13	9.36E-13	9.36E-13	9.35E-13	9.34E-13
pa234	6.84E-13	7.41E-13	7.79E-13	8.18E-13	8.59E-13	8.32E-13
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.87E-16	2.29E-16	2.73E-16	3.21E-16	3.76E-16	3.75E-16
u231	4.07E-15	4.96E-15	5.80E-15	6.73E-15	7.78E-15	7.74E-15
u232	5.45E-08	6.47E-08	7.63E-08	8.93E-08	1.04E-07	1.04E-07
u233	2.08E-06	2.23E-06	2.37E-06	2.50E-06	2.63E-06	2.63E-06
u234	4.24E-01	4.19E-01	4.15E-01	4.11E-01	4.07E-01	4.07E-01
u235	4.41E+01	4.30E+01	4.20E+01	4.10E+01	4.00E+01	4.00E+01
u236	3.04E+00	3.23E+00	3.41E+00	3.59E+00	3.77E+00	3.77E+00
u237	4.37E-03	4.63E-03	4.82E-03	4.99E-03	5.17E-03	5.15E-03
u238	1.88E+03	1.88E+03	1.88E+03	1.88E+03	1.88E+03	1.88E+03
u239	2.16E-04	5.01E-04	5.01E-04	5.01E-04	5.01E-04	1.69E-04
u240	2.81E-30	6.61E-30	1.46E-29	3.05E-29	6.04E-29	6.04E-29
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	1.54E-09	1.86E-09	2.20E-09	2.56E-09	2.96E-09	2.96E-09
np236m	2.52E-09	2.99E-09	3.32E-09	3.66E-09	4.00E-09	3.93E-09
np236	1.32E-07	1.61E-07	1.94E-07	2.30E-07	2.70E-07	2.70E-07
np237	1.37E-01	1.53E-01	1.70E-01	1.87E-01	2.05E-01	2.05E-01
np238	1.66E-04	1.89E-04	2.10E-04	2.32E-04	2.54E-04	2.51E-04
np239	7.05E-02	7.23E-02	7.23E-02	7.23E-02	7.23E-02	7.21E-02
np240m	2.40E-32	5.64E-32	1.25E-31	2.60E-31	5.15E-31	5.15E-31
np240	8.88E-07	1.27E-06	1.27E-06	1.27E-06	1.27E-06	8.43E-07
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.62E-07	1.98E-07	2.34E-07	2.76E-07	3.21E-07	3.21E-07
pu237	1.17E-08	1.31E-08	1.43E-08	1.55E-08	1.67E-08	1.67E-08
pu238	1.06E-02	1.28E-02	1.53E-02	1.80E-02	2.10E-02	2.10E-02
pu239	6.42E+00	6.79E+00	7.13E+00	7.44E+00	7.74E+00	7.74E+00
pu240	8.04E-01	9.03E-01	1.00E+00	1.10E+00	1.20E+00	1.20E+00

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 14
power= 7.25mw, burnup= 4640.mwd, flux= 1.60E+13n/cm**2-sec

0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	520.0 d	560.0 d	600.0 d	640.0 d	640.1 d
pu241	3.09E-01	3.62E-01	4.19E-01	4.82E-01	5.48E-01	5.48E-01
pu242	1.78E-02	2.29E-02	2.89E-02	3.57E-02	4.34E-02	4.34E-02
pu243	2.16E-06	3.04E-06	3.83E-06	4.73E-06	5.77E-06	5.29E-06
pu244	1.40E-19	3.29E-19	7.27E-19	1.52E-18	3.01E-18	3.01E-18
pu245	9.75E-26	2.35E-25	5.19E-25	1.08E-24	2.15E-24	2.06E-24
pu246	3.33E-28	7.96E-28	1.80E-27	3.82E-27	7.70E-27	7.69E-27
am239	7.70E-14	1.05E-13	1.31E-13	1.61E-13	1.95E-13	1.88E-13
am240	3.40E-11	4.53E-11	5.67E-11	6.96E-11	8.42E-11	8.35E-11
am241	5.12E-03	6.57E-03	8.21E-03	1.01E-02	1.22E-02	1.22E-02
am242m	7.87E-05	1.05E-04	1.39E-04	1.78E-04	2.23E-04	2.23E-04
am242	5.70E-06	7.41E-06	9.28E-06	1.14E-05	1.38E-05	1.34E-05
am243	8.20E-04	1.16E-03	1.60E-03	2.13E-03	2.79E-03	2.79E-03
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	2.67E-07	3.98E-07	5.47E-07	7.32E-07	9.58E-07	9.19E-07
am245	8.98E-24	2.12E-23	4.67E-23	9.65E-23	1.89E-22	1.89E-22
am246	8.34E-31	1.99E-30	4.49E-30	9.54E-30	1.92E-29	1.92E-29
cm241	2.20E-14	3.46E-14	5.15E-14	7.38E-14	1.02E-13	1.02E-13
cm242	3.96E-04	5.40E-04	7.15E-04	9.25E-04	1.17E-03	1.17E-03
cm243	3.29E-06	4.90E-06	7.04E-06	9.79E-06	1.32E-05	1.32E-05
cm244	3.93E-05	6.08E-05	9.09E-05	1.31E-04	1.85E-04	1.85E-04
cm245	4.64E-07	7.81E-07	1.26E-06	1.94E-06	2.91E-06	2.91E-06

```
    cm246  1.01E-08  1.84E-08  3.20E-08  5.33E-08  8.58E-08  8.58E-08
    cm247  3.73E-11  7.47E-11  1.41E-10  2.52E-10  4.34E-10  4.34E-10
    cm248  6.06E-13  1.32E-12  2.71E-12  5.25E-12  9.70E-12  9.70E-12
    cm249  2.84E-18  8.62E-18  1.76E-17  3.42E-17  6.33E-17  4.25E-17
    cm250  3.44E-22  8.20E-22  1.82E-21  3.81E-21  7.57E-21  7.57E-21
    cm251  2.62E-30  1.95E-29  4.34E-29  9.08E-29  1.81E-28  3.94E-29
   totals  1.93E+03  1.93E+03  1.93E+03  1.93E+03  1.93E+03  1.93E+03
0   flux             1.60E+13  1.60E+13  1.60E+13  1.61E+13  1.61E-02
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

        cross-section data taken from position number  5 of library on unit 33.

        pass  1
        pass  0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        pass  1
        pass  0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        ************************************************************************
        *                                                                      *
        *          prelim lwr origen-s binary working library--id = 1143       *
        *        made from modified card-image origen-s libraries of scale 4.2 *
        *      data from the light element, actinide, and fission product libraries *
        *        decay data, including gamma and total energy, are from endf/b-vi *
        *                                                                      *
        *     neutron flux spectrum factors and cross sections were produced from *
        *    the "presas2" case updating all nuclides on the scale "burnup" library *
        *                                                                      *
        *                  fission product yields are from endf/b-v            *
        *                                                                      *
        *            photon libraries use an 18-energy-group structure         *
        *           the photon data are from the master photon data base,      *
        *            produced to include bremsstrahlung from uo2 matrix        *
        *                                                                      *
        *       see information above this box (if present) for later updates  *
        *                                                                      *
        ************************************************************************
        *                                                                      *
0       ************************************************************************
0               .other identification and sizes of library.
0                 data set name:  ft33f001
0              2/16/1996    date library was produced
0                   1697    total number of nuclides in library
                     689    number of light-element nuclides
                     129    number of actinide nuclides
                     879    number of fission product nuclides
```

0 7935 number of nonzero off-diagonal matrix elements
0 **********

1 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp page 15
power= 7.25mw, burnup= 5800.mwd, flux= 1.60E+13n/cm**2-sec
0 basis =
0 (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)

0	initial	680.1 d	720.1 d	760.1 d	800.1 d	800.1 d
productions	3.632766E+04	3.634378E+04	3.635084E+04	3.634718E+04	3.633388E+04	3.633488E+04
absorptions	3.099263E+04	3.115259E+04	3.132613E+04	3.149116E+04	3.164824E+04	3.167582E+04
k infinity	1.172139E+00	1.166637E+00	1.160400E+00	1.154208E+00	1.148054E+00	1.147086E+00

0	initial	680.1 d	720.1 d	760.1 d	800.1 d	800.1 d
actinide absorptions	2.922103E+04	2.939353E+04	2.945092E+04	2.955483E+04	2.965138E+04	2.965189E+04
non-actinide abs. fracs.	5.716181E-02	5.820584E-02	5.986065E-02	6.148809E-02	6.309545E-02	6.389511E-02

1 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 16
power= 7.25mw, burnup= 5800.mwd, flux= 1.60E+13n/cm**2-sec
0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	680.1 d	720.1 d	760.1 d	800.1 d	800.1 d
he 4	1.08E-03	1.37E-03	1.72E-03	2.13E-03	2.61E-03	2.61E-03
pb206	3.63E-17	4.79E-17	6.21E-17	7.95E-17	1.00E-16	1.00E-16
pb207	7.24E-14	9.09E-14	1.13E-13	1.38E-13	1.67E-13	1.67E-13
pb208	8.51E-11	1.07E-10	1.32E-10	1.63E-10	1.99E-10	1.99E-10
pb209	4.37E-18	5.23E-18	6.24E-18	7.39E-18	8.69E-18	8.70E-18
pb210	6.58E-15	7.90E-15	9.39E-15	1.11E-14	1.30E-14	1.30E-14
pb211	1.54E-17	1.82E-17	2.12E-17	2.46E-17	2.83E-17	2.82E-17
pb212	3.19E-13	3.82E-13	4.53E-13	5.35E-13	6.27E-13	6.27E-13
pb214	4.97E-19	5.68E-19	6.30E-19	6.94E-19	7.61E-19	7.40E-19
th226	3.88E-19	4.60E-19	5.34E-19	6.15E-19	7.04E-19	7.03E-19
th227	1.21E-14	1.42E-14	1.66E-14	1.91E-14	2.19E-14	2.19E-14
th228	5.01E-10	5.99E-10	7.11E-10	8.39E-10	9.83E-10	9.83E-10
th229	1.82E-11	2.13E-11	2.48E-11	2.88E-11	3.33E-11	3.33E-11
th230	1.81E-06	1.89E-06	1.97E-06	2.04E-06	2.11E-06	2.11E-06
th231	1.80E-09	1.94E-09	2.01E-09	2.08E-09	2.14E-09	2.10E-09
th232	1.11E-07	1.23E-07	1.36E-07	1.49E-07	1.63E-07	1.63E-07
th233	3.05E-14	1.09E-13	1.20E-13	1.32E-13	1.45E-13	3.45E-14
th234	2.77E-08	2.77E-08	2.77E-08	2.77E-08	2.76E-08	2.76E-08
pa231	4.10E-07	4.52E-07	4.95E-07	5.39E-07	5.84E-07	5.84E-07
pa232	3.22E-10	3.66E-10	4.01E-10	4.37E-10	4.75E-10	4.67E-10
pa233	6.56E-09	7.18E-09	7.82E-09	8.47E-09	9.14E-09	9.14E-09
pa234m	9.34E-13	9.35E-13	9.35E-13	9.34E-13	9.34E-13	9.32E-13
pa234	8.32E-13	9.11E-13	9.56E-13	1.00E-12	1.05E-12	1.00E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	3.75E-16	4.44E-16	5.18E-16	5.96E-16	6.82E-16	6.81E-16
u231	7.74E-15	9.19E-15	1.06E-14	1.20E-14	1.36E-14	1.35E-14
u232	1.04E-07	1.20E-07	1.38E-07	1.58E-07	1.80E-07	1.80E-07
u233	2.63E-06	2.75E-06	2.87E-06	2.99E-06	3.10E-06	3.10E-06
u234	4.07E-01	4.03E-01	3.99E-01	3.95E-01	3.91E-01	3.91E-01
u235	4.00E+01	3.90E+01	3.81E+01	3.71E+01	3.62E+01	3.62E+01
u236	3.77E+00	3.94E+00	4.10E+00	4.27E+00	4.42E+00	4.42E+00
u237	5.15E-03	5.39E-03	5.56E-03	5.72E-03	5.89E-03	5.87E-03
u238	1.88E+03	1.87E+03	1.87E+03	1.87E+03	1.87E+03	1.87E+03
u239	1.69E-04	5.11E-04	5.11E-04	5.12E-04	5.12E-04	1.31E-04
u240	6.04E-29	1.15E-28	2.10E-28	3.72E-28	6.39E-28	6.39E-28
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	2.96E-09	3.40E-09	3.88E-09	4.36E-09	4.87E-09	4.87E-09
np236m	3.93E-09	4.52E-09	4.91E-09	5.30E-09	5.70E-09	5.57E-09
np236	2.70E-07	3.15E-07	3.64E-07	4.17E-07	4.74E-07	4.74E-07

np237	2.05E-01	2.23E-01	2.42E-01	2.61E-01	2.80E-01	2.80E-01
np238	2.51E-04	2.79E-04	3.03E-04	3.27E-04	3.52E-04	3.49E-04
np239	7.21E-02	7.37E-02	7.38E-02	7.39E-02	7.39E-02	7.36E-02
np240m	5.15E-31	9.79E-31	1.79E-30	3.18E-30	5.45E-30	5.45E-30
np240	8.43E-07	1.33E-06	1.33E-06	1.33E-06	1.34E-06	7.97E-07
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	3.21E-07	3.72E-07	4.26E-07	4.84E-07	5.46E-07	5.46E-07
pu237	1.67E-08	1.82E-08	1.97E-08	2.11E-08	2.25E-08	2.24E-08
pu238	2.10E-02	2.44E-02	2.80E-02	3.20E-02	3.62E-02	3.62E-02
pu239	7.74E+00	8.03E+00	8.31E+00	8.56E+00	8.80E+00	8.80E+00
pu240	1.20E+00	1.30E+00	1.40E+00	1.50E+00	1.60E+00	1.60E+00

1

ses2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 17
power= 7.25mw, burnup= 5800.mwd, flux= 1.60E+13n/cm**2-sec

0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	680.1 d	720.1 d	760.1 d	800.1 d	800.1 d
pu241	5.48E-01	6.10E-01	6.77E-01	7.46E-01	8.20E-01	8.20E-01
pu242	4.34E-02	5.20E-02	6.15E-02	7.20E-02	8.35E-02	8.35E-02
pu243	5.29E-06	7.04E-06	8.34E-06	9.77E-06	1.13E-05	1.02E-05
pu244	3.01E-18	5.72E-18	1.05E-17	1.85E-17	3.18E-17	3.18E-17
pu245	2.06E-24	4.07E-24	7.47E-24	1.33E-23	2.28E-23	2.16E-23
pu246	7.69E-27	1.48E-26	2.76E-26	4.95E-26	8.61E-26	8.60E-26
am239	1.88E-13	2.38E-13	2.80E-13	3.25E-13	3.74E-13	3.58E-13
am240	8.35E-11	1.03E-10	1.21E-10	1.41E-10	1.62E-10	1.60E-10
am241	1.22E-02	1.45E-02	1.70E-02	1.97E-02	2.26E-02	2.26E-02
am242m	2.23E-04	2.75E-04	3.33E-04	3.97E-04	4.69E-04	4.69E-04
am242	1.34E-05	1.63E-05	1.92E-05	2.23E-05	2.56E-05	2.48E-05
am243	2.79E-03	3.59E-03	4.54E-03	5.66E-03	6.94E-03	6.95E-03
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	9.19E-07	1.25E-06	1.59E-06	1.98E-06	2.43E-06	2.31E-06
am245	1.89E-22	3.61E-22	6.57E-22	1.15E-21	1.96E-21	1.96E-21
am246	1.92E-29	3.70E-29	6.88E-29	1.24E-28	2.15E-28	2.15E-28
cm241	1.02E-13	1.41E-13	1.88E-13	2.45E-13	3.13E-13	3.13E-13
cm242	1.17E-03	1.46E-03	1.78E-03	2.15E-03	2.56E-03	2.56E-03
cm243	1.32E-05	1.76E-05	2.29E-05	2.92E-05	3.66E-05	3.66E-05
cm244	1.85E-04	2.55E-04	3.45E-04	4.57E-04	5.95E-04	5.98E-04
cm245	2.91E-06	4.26E-06	6.09E-06	8.50E-06	1.16E-05	1.16E-05
cm246	8.58E-08	1.34E-07	2.04E-07	3.02E-07	4.38E-07	4.38E-07
cm247	4.34E-10	7.26E-10	1.17E-09	1.85E-09	2.82E-09	2.82E-09
cm248	9.70E-12	1.74E-11	3.01E-11	5.02E-11	8.15E-11	8.15E-11
cm249	4.25E-17	1.16E-16	2.01E-16	3.36E-16	5.47E-16	3.32E-16
cm250	7.57E-21	1.45E-20	2.68E-20	4.78E-20	8.22E-20	8.22E-20
cm251	3.94E-29	3.46E-28	6.39E-28	1.14E-27	1.96E-27	2.93E-28
totals	1.93E+03	1.93E+03	1.93E+03	1.93E+03	1.92E+03	1.92E+03
0 flux		1.60E+13	1.60E+13	1.60E+13	1.61E+13	1.61E-02

0 1q array has 20 entries.
0 3q array has 1 entries.
0 3q array has 1 entries.
0 3q array has 1 entries.
0 4q array has 1 entries.
0 54q array has 12 entries.
1library information...

cross-section data taken from position number 6 of library on unit 33.

pass 1
pass 0
scale-system control module ses2 library
used a time-dependent neutron spectrum, for each of the above passes

```
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        pass   1
        pass   0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densiities
          pass n applies mid time densities of nth library interval
        first library updated was...
        ********************************************************************************
        *                                                                              *
        *            prelim lwr origen-s binary working library--id = 1143             *
        *          made from modified card-image origen-s libraries of scale 4.2       *
        *        data from the light element, actinide, and fission product libraries  *
        *          decay data, including gamma and total energy, are from endf/b-vi    *
        *                                                                              *
        *        neutron flux spectrum factors and cross sections were produced from   *
        *       the 'presas2" case updating all nuclides on the scale 'burnup' library *
        *                                                                              *
        *                     fission product yields are from endf/b-v                 *
        *                                                                              *
        *                photon libraries use an 18-energy-group structure             *
        *               the photon data are from the master photon data base,          *
        *                produced to include bremsstrahlung from uo2 matrix            *
        *                                                                              *
        *          see information above this box (if present) for later updates       *
        *                                                                              *
        ********************************************************************************
        *                                                                              *
0       ********************************************************************************
0                .other identification and sizes of library.
0                 data set name:  ft33f001
0               2/16/1996     date library was produced
0                    1697     total number of nuclides in library
                      689     number of light-element nuclides
                      129     number of actinide nuclides
                      879     number of fission product nuclides
0                    7985     number of nonzero off-diagonal matrix elements
0       ********************************************************************************
1   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                                  page   18
       power=   7.25mw, burnup=   6960.mwd, flux= 1.61E+13n/cm**2-sec
0                                    basis =
0   (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0                  initial       840.1 d       880.1 d       920.1 d       960.1 d       960.1 d
    productions  3.648544E+04  3.646848E+04  3.644588E+04  3.641576E+04  3.637886E+04  3.638007E+04
    absorptions  3.184782E+04  3.197600E+04  3.212463E+04  3.226626E+04  3.240135E+04  3.243368E+04
    k infinity   1.145618E+00  1.140495E+00  1.134515E+00  1.128602E+00  1.122757E+00  1.121676E+00
0                  initial       840.1 d       880.1 d       920.1 d       960.1 d       960.1 d
    actinide
    absorptions  2.980953E+04  2.990528E+04  2.999171E+04  3.007383E+04  3.014992E+04  3.015054E+04
    non-actinide
    abs. fracs.  6.400120E-02  6.482118E-02  6.639504E-02  6.794798E-02  6.948555E-02  7.089404E-02
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides     page   19
    power=   7.25mw, burnup=   6960.mwd, flux= 1.61E+13n/cm**2-sec
0                                    nuclide concentrations, gram atoms
                                     basis = single reactor assembly
          charge   840.1 d   880.1 d   920.1 d   960.1 d   960.1 d
    he  4  2.61E-03  3.17E-03  3.82E-03  4.57E-03  5.42E-03  5.42E-03
```

pb206	1.00E-16	1.25E-16	1.55E-16	1.90E-16	2.31E-16	2.31E-16
pb207	1.67E-13	2.01E-13	2.39E-13	2.82E-13	3.30E-13	3.30E-13
pb208	1.99E-10	2.40E-10	2.85E-10	3.45E-10	4.10E-10	4.10E-10
pb209	8.70E-18	1.02E-17	1.18E-17	1.37E-17	1.58E-17	1.59E-17
pb210	1.30E-14	1.51E-14	1.74E-14	2.00E-14	2.29E-14	2.29E-14
pb211	2.82E-17	3.22E-17	3.65E-17	4.12E-17	4.61E-17	4.61E-17
pb212	6.27E-13	7.31E-13	8.47E-13	9.78E-13	1.12E-12	1.12E-12
pb214	7.40E-19	8.30E-19	9.01E-19	9.73E-19	1.05E-18	1.02E-18
th226	7.03E-19	8.15E-19	9.27E-19	1.05E-18	1.18E-18	1.18E-18
th227	2.19E-14	2.50E-14	2.82E-14	3.17E-14	3.55E-14	3.55E-14
th228	9.83E-10	1.15E-09	1.33E-09	1.53E-09	1.76E-09	1.76E-09
th229	3.33E-11	3.84E-11	4.42E-11	5.06E-11	5.78E-11	5.78E-11
th230	2.11E-06	2.18E-06	2.24E-06	2.30E-06	2.36E-06	2.36E-06
th231	2.10E-09	2.24E-09	2.31E-09	2.36E-09	2.42E-09	2.37E-09
th232	1.63E-07	1.78E-07	1.92E-07	2.08E-07	2.23E-07	2.23E-07
th233	3.45E-14	1.60E-13	1.74E-13	1.88E-13	2.03E-13	3.63E-14
th234	2.76E-08	2.76E-08	2.76E-08	2.76E-08	2.76E-08	2.76E-08
pa231	5.84E-07	6.31E-07	6.79E-07	7.27E-07	7.76E-07	7.76E-07
pa232	4.67E-10	5.20E-10	5.60E-10	6.01E-10	6.43E-10	6.30E-10
pa233	9.14E-09	9.82E-09	1.05E-08	1.12E-08	1.19E-08	1.19E-08
pa234m	9.32E-13	9.34E-13	9.33E-13	9.33E-13	9.33E-13	9.30E-13
pa234	1.00E-12	1.11E-12	1.16E-12	1.21E-12	1.26E-12	1.18E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	6.81E-16	7.85E-16	8.98E-16	1.02E-15	1.14E-15	1.14E-15
u231	1.35E-14	1.57E-14	1.77E-14	1.99E-14	2.22E-14	2.21E-14
u232	1.80E-07	2.04E-07	2.30E-07	2.58E-07	2.89E-07	2.89E-07
u233	3.10E-06	3.21E-06	3.32E-06	3.42E-06	3.52E-06	3.52E-06
u234	3.91E-01	3.87E-01	3.83E-01	3.75E-01	3.75E-01	3.75E-01
u235	3.62E+01	3.53E+01	3.45E+01	3.36E+01	3.28E+01	3.28E+01
u236	4.42E+00	4.57E+00	4.72E+00	4.87E+00	5.01E+00	5.01E+00
u237	5.87E-03	6.08E-03	6.24E-03	6.39E-03	6.54E-03	6.52E-03
u238	1.87E+03	1.87E+03	1.87E+03	1.87E+03	1.87E+03	1.87E+03
u239	1.31E-04	5.21E-04	5.21E-04	5.22E-04	5.23E-04	1.02E-04
u240	6.39E-28	1.07E-27	1.74E-27	2.77E-27	4.32E-27	4.32E-27
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	4.87E-09	5.44E-09	6.04E-09	6.66E-09	7.30E-09	7.30E-09
np236m	5.57E-09	6.29E-09	6.73E-09	7.17E-09	7.62E-09	7.41E-09
np236	4.74E-07	5.37E-07	6.04E-07	6.76E-07	7.53E-07	7.53E-07
np237	2.80E-01	3.00E-01	3.20E-01	3.40E-01	3.61E-01	3.61E-01
np238	3.49E-04	3.81E-04	4.07E-04	4.34E-04	4.61E-04	4.55E-04
np239	7.36E-02	7.52E-02	7.53E-02	7.54E-02	7.55E-02	7.51E-02
np240m	5.45E-30	9.10E-30	1.48E-29	2.36E-29	3.69E-29	3.69E-29
np240	7.97E-07	1.38E-06	1.39E-06	1.39E-06	1.40E-06	7.51E-07
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	5.46E-07	6.15E-07	6.87E-07	7.63E-07	8.43E-07	8.43E-07
pu237	2.24E-08	2.42E-08	2.59E-08	2.76E-08	2.92E-08	2.92E-08
pu238	3.62E-02	4.09E-02	4.59E-02	5.12E-02	5.69E-02	5.69E-02
pu239	8.80E+00	9.04E+00	9.26E+00	9.47E+00	9.66E+00	9.66E+00
pu240	1.60E+00	1.71E+00	1.81E+00	1.91E+00	2.01E+00	2.01E+00

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 20
power= 7.25mw, burnup= 6960.mwd, flux= 1.61E+13n/cm**2-sec

0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	840.1 d	880.1 d	920.1 d	960.1 d	960.1 d
pu241	8.20E-01	8.87E-01	9.57E-01	1.03E+00	1.11E+00	1.11E+00
pu242	8.35E-02	9.58E-02	1.09E-01	1.23E-01	1.39E-01	1.39E-01
pu243	1.02E-05	1.32E-05	1.50E-05	1.70E-05	1.92E-05	1.69E-05
pu244	3.18E-17	5.31E-17	8.66E-17	1.38E-16	2.15E-16	2.15E-16
pu245	2.16E-23	3.80E-23	6.20E-23	9.90E-23	1.55E-22	1.44E-22

```
     pu246  8.60E-26 1.45E-25 2.40E-25 3.87E-25 6.10E-25 6.09E-25
     am239  3.58E-13 4.36E-13 4.93E-13 5.53E-13 6.17E-13 5.85E-13
     am240  1.60E-10 1.89E-10 2.14E-10 2.40E-10 2.67E-10 2.64E-10
     am241  2.28E-02 2.58E-02 2.91E-02 3.26E-02 3.63E-02 3.63E-02
     am242m 4.69E-04 5.46E-04 6.30E-04 7.21E-04 8.18E-04 8.18E-04
     am242  2.48E-05 2.91E-05 3.29E-05 3.70E-05 4.12E-05 3.96E-05
     am243  6.95E-03 8.44E-03 1.01E-02 1.21E-02 1.42E-02 1.42E-02
     am244m  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00  .00E+00
     am244  2.31E-06 2.99E-06 3.60E-06 4.29E-06 5.07E-06 4.76E-06
     am245  1.98E-21 3.27E-21 5.31E-21 8.40E-21 1.30E-20 1.30E-20
     am246  2.15E-28 3.63E-28 5.99E-28 9.66E-28 1.52E-27 1.52E-27
     cm241  3.13E-13 4.00E-13 4.99E-13 6.12E-13 7.40E-13 7.40E-13
     cm242  2.56E-03 3.01E-03 3.50E-03 4.04E-03 4.62E-03 4.62E-03
     cm243  3.66E-05 4.54E-05 5.55E-05 6.70E-05 8.01E-05 8.01E-05
     cm244  5.96E-04 7.66E-04 9.72E-04 1.22E-03 1.51E-03 1.51E-03
     cm245  1.16E-05 1.57E-05 2.08E-05 2.72E-05 3.50E-05 3.50E-05
     cm246  4.38E-07 6.24E-07 8.72E-07 1.20E-06 1.62E-06 1.62E-06
     cm247  2.82E-09 4.25E-09 6.25E-09 9.01E-09 1.28E-08 1.28E-08
     cm248  8.15E-11 1.30E-10 2.02E-10 3.06E-10 4.56E-10 4.56E-10
     cm249  3.32E-16 8.88E-16 1.38E-15 2.10E-15 3.14E-15 1.73E-15
     cm250  8.22E-20 1.39E-19 2.28E-19 3.65E-19 5.72E-19 5.72E-19
     cm251  2.93E-28 3.31E-27 5.44E-27 8.73E-27 1.37E-26 1.40E-27
   totals   1.92E+03 1.92E+03 1.92E+03 1.92E+03 1.92E+03 1.92E+03
0    flux            1.60E+13 1.61E+13 1.61E+13 1.61E+13 1.61E-02
0       1q array has     20 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       3q array has      1 entries.
0       4q array has      1 entries.
0      54q array has     12 entries.
1library information...

        cross-section data taken from position number  7 of library on unit 33.

        pass   1
        pass   0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densities
          pass n applies mid time densities of nth library interval
        first library updated was...
        pass   1
        pass   0
        *scale-system control module sas2 library*
        used a time-dependent neutron spectrum, for each of the above passes
          pass 0 applies start-up fuel densities
          pass n applies mid time densities of nth library interval
        first library updated was...
        ********************************************************************************
        *                                                                              *
        *          prelim lwr origen-s binary working library--id = 1143               *
        *        made from modified card-image origen-s libraries of scale 4.2         *
        *      data from the light element, actinide, and fission product libraries    *
        *        decay data, including gamma and total energy, are from endf/b-vi      *
        *                                                                              *
        *      neutron flux spectrum factors and cross sections were produced from     *
        *     the "presas2" case updating all nuclides on the scale "burnup" library   *
        *                                                                              *
        *                  fission product yields are from endf/b-v                    *
        *                                                                              *
```

```
        *            photon libraries use an 18-energy-group structure            *
        *           the photon data are from the master photon data base,         *
        *            produced to include bremsstrahlung from uo2 matrix           *
        *                                                                         *
        *       see information above this box (if present) for later updates     *
        *                                                                         *
        ***************************************************************************
        *                                                                         *
0       ***************************************************************************
0              .other identification and sizes of library.
0               data set name:  ft33f001
0            2/16/1996    date library was produced
0                1697     total number of nuclides in library
                  689     number of light-element nuclides
                  129     number of actinide nuclides
                  879     number of fission product nuclides
0                7955     number of nonzero off-diagonal matrix elements
0       ***************************************************************************
1   sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                                    page  21
       power=   7.25mw, burnup=   8120.mwd, flux= 1.62E+13n/cm**2-sec
0                                    basis =
0   (rate, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)
0                  initial       1000.1 d      1040.1 d      1080.1 d      1120.1 d      1120.2 d
    productions  3.649635E+04  3.645478E+04  3.641009E+04  3.636028E+04  3.630584E+04  3.630727E+04
    absorptions  3.254830E+04  3.264978E+04  3.277802E+04  3.290054E+04  3.301784E+04  3.305464E+04
    k infinity   1.121298E+00  1.116539E+00  1.110808E+00  1.105157E+00  1.099589E+00  1.098402E+00
0                  initial       1000.1 d      1040.1 d      1080.1 d      1120.1 d      1120.2 d
    actinide
    absorptions  3.025247E+04  3.052627E+04  3.089594E+04  3.046046E+04  3.052005E+04  3.052078E+04
    non-actinide
    abs. fracs.  7.053602E-02  7.116461E-02  7.267308E-02  7.416546E-02  7.564402E-02  7.665670E-02
1
    sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp                    actinides      page  22
    power=   7.25mw, burnup=   8120.mwd, flux= 1.62E+13n/cm**2-sec
0                                    nuclide concentrations, gram atoms
                                     basis = single reactor assembly
          charge  1000.1 d  1040.1 d  1080.1 d  1120.1 d  1120.2 d
    he  4 5.42E-03 6.39E-03 7.47E-03 8.68E-03 1.00E-02 1.00E-02
    pb206 2.31E-16 2.78E-16 3.32E-16 3.95E-16 4.66E-16 4.67E-16
    pb207 3.30E-13 3.84E-13 4.44E-13 5.11E-13 5.84E-13 5.84E-13
    pb208 4.10E-10 4.84E-10 5.69E-10 6.65E-10 7.74E-10 7.74E-10
    pb209 1.59E-17 1.81E-17 2.08E-17 2.37E-17 2.69E-17 2.71E-17
    pb210 2.29E-14 2.60E-14 2.95E-14 3.33E-14 3.74E-14 3.74E-14
    pb211 4.61E-17 5.15E-17 5.71E-17 6.31E-17 6.95E-17 6.94E-17
    pb212 1.12E-12 1.28E-12 1.46E-12 1.65E-12 1.87E-12 1.87E-12
    pb214 1.02E-18 1.12E-18 1.20E-18 1.28E-18 1.36E-18 1.32E-18
    ra222 2.43E-20 2.74E-20 3.07E-20 3.42E-20 3.79E-20 3.80E-20
    ra223 2.11E-14 2.35E-14 2.60E-14 2.88E-14 3.17E-14 3.17E-14
    ra224 9.26E-12 1.06E-11 1.20E-11 1.37E-11 1.54E-11 1.54E-11
    ra225 1.72E-15 1.98E-15 2.26E-15 2.57E-15 2.92E-15 2.91E-15
    ra226 3.29E-11 3.53E-11 3.77E-11 4.02E-11 4.28E-11 4.28E-11
    ra228 9.78E-18 1.09E-17 1.21E-17 1.33E-17 1.47E-17 1.47E-17
    th226 1.18E-18 1.34E-18 1.50E-18 1.67E-18 1.85E-18 1.85E-18
    th227 3.55E-14 3.95E-14 4.38E-14 4.83E-14 5.31E-14 5.31E-14
    th228 1.76E-09 2.01E-09 2.29E-09 2.59E-09 2.93E-09 2.93E-09
    th229 5.78E-11 6.59E-11 7.50E-11 8.51E-11 9.63E-11 9.63E-11
    th230 2.36E-06 2.41E-06 2.46E-06 2.51E-06 2.56E-06 2.56E-06
    th231 2.37E-09 2.51E-09 2.56E-09 2.61E-09 2.66E-09 2.59E-09
    th232 2.23E-07 2.39E-07 2.56E-07 2.73E-07 2.90E-07 2.90E-07
    th233 3.63E-14 2.21E-13 2.36E-13 2.53E-13 2.69E-13 3.61E-14
```

th234	2.76E-08	2.76E-08	2.76E-08	2.75E-08	2.75E-08	2.75E-08
pa231	7.78E-07	8.27E-07	8.77E-07	9.29E-07	9.80E-07	9.80E-07
pa232	6.30E-10	6.95E-10	7.37E-10	7.82E-10	8.27E-10	8.08E-10
pa233	1.19E-08	1.27E-08	1.34E-08	1.42E-08	1.49E-08	1.49E-08
pa234m	9.30E-13	9.32E-13	9.32E-13	9.32E-13	9.31E-13	9.28E-13
pa234	1.18E-12	1.33E-12	1.38E-12	1.44E-12	1.50E-12	1.38E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.14E-15	1.30E-15	1.45E-15	1.62E-15	1.79E-15	1.79E-15
u231	2.21E-14	2.52E-14	2.80E-14	3.10E-14	3.42E-14	3.39E-14
u232	2.89E-07	3.22E-07	3.58E-07	3.96E-07	4.37E-07	4.37E-07
u233	3.52E-06	3.61E-06	3.70E-06	3.79E-06	3.87E-06	3.87E-06
u234	3.75E-01	3.71E-01	3.67E-01	3.63E-01	3.59E-01	3.59E-01
u235	3.28E+01	3.20E+01	3.12E+01	3.04E+01	2.97E+01	2.97E+01
u236	5.01E+00	5.14E+00	5.27E+00	5.40E+00	5.53E+00	5.53E+00
u237	6.52E-03	6.71E-03	6.88E-03	7.00E-03	7.14E-03	7.11E-03
u238	1.87E+03	1.87E+03	1.87E+03	1.86E+03	1.86E+03	1.86E+03
u239	1.02E-04	5.30E-04	5.31E-04	5.32E-04	5.34E-04	7.90E-05
u240	4.32E-27	6.61E-27	9.94E-27	1.47E-26	2.14E-26	2.14E-26
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	7.30E-09	7.99E-09	8.71E-09	9.45E-09	1.02E-08	1.02E-08
np236m	7.41E-09	8.28E-09	8.76E-09	9.25E-09	9.74E-09	9.42E-09
np236	7.53E-07	8.36E-07	9.24E-07	1.02E-06	1.12E-06	1.12E-06
np237	3.61E-01	3.81E-01	4.03E-01	4.24E-01	4.46E-01	4.46E-01
np238	4.55E-04	4.92E-04	5.21E-04	5.50E-04	5.79E-04	5.70E-04
np239	7.51E-02	7.66E-02	7.67E-02	7.69E-02	7.70E-02	7.65E-02
np240m	3.69E-29	5.64E-29	8.48E-29	1.26E-28	1.83E-28	1.83E-28
np240	7.51E-07	1.44E-06	1.44E-06	1.45E-06	1.46E-06	7.06E-07

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 23
power= 7.25mw, burnup= 8120.mwd, flux= 1.62E+13n/cm**2-sec

0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	1000.1 d	1040.1 d	1080.1 d	1120.1 d	1120.2 d
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	8.43E-07	9.30E-07	1.02E-06	1.11E-06	1.21E-06	1.21E-06
pu237	2.92E-08	3.13E-08	3.33E-08	3.53E-08	3.73E-08	3.73E-08
pu238	5.69E-02	6.29E-02	6.94E-02	7.62E-02	8.34E-02	8.34E-02
pu239	9.66E+00	9.85E+00	1.00E+01	1.02E+01	1.04E+01	1.04E+01
pu240	2.01E+00	2.11E+00	2.22E+00	2.31E+00	2.41E+00	2.41E+00
pu241	1.11E+00	1.17E+00	1.25E+00	1.32E+00	1.40E+00	1.40E+00
pu242	1.35E-01	1.55E-01	1.72E-01	1.90E-01	2.09E-01	2.09E-01
pu243	1.69E-05	2.16E-05	2.40E-05	2.66E-05	2.93E-05	2.52E-05
pu244	2.15E-16	3.29E-16	4.95E-16	7.33E-16	1.07E-15	1.07E-15
pu245	1.46E-22	2.37E-22	3.57E-22	5.30E-22	7.75E-22	7.21E-22
pu246	6.05E-25	9.42E-25	1.43E-24	2.15E-24	3.16E-24	3.15E-24
am239	5.85E-13	6.96E-13	7.68E-13	8.42E-13	9.19E-13	8.63E-13
am240	2.64E-10	3.02E-10	3.33E-10	3.65E-10	3.98E-10	3.92E-10
am241	3.63E-02	4.01E-02	4.41E-02	4.82E-02	5.25E-02	5.25E-02
am242m	8.18E-04	9.20E-04	1.03E-03	1.14E-03	1.26E-03	1.26E-03
am242	3.96E-05	4.56E-05	5.03E-05	5.51E-05	6.01E-05	5.74E-05
am243	1.42E-02	1.66E-02	1.95E-02	2.22E-02	2.55E-02	2.55E-02
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	4.78E-06	5.95E-06	6.97E-06	8.05E-06	9.24E-06	8.58E-06
am245	1.30E-20	1.98E-20	2.97E-20	4.36E-20	6.30E-20	6.30E-20
am246	1.52E-27	2.35E-27	3.58E-27	5.36E-27	7.90E-27	7.89E-27
cm241	7.40E-13	8.97E-13	1.07E-12	1.26E-12	1.47E-12	1.47E-12
cm242	4.62E-03	5.25E-03	5.91E-03	6.62E-03	7.37E-03	7.37E-03
cm243	8.01E-05	9.48E-05	1.11E-04	1.29E-04	1.49E-04	1.49E-04
cm244	1.51E-03	1.85E-03	2.25E-03	2.72E-03	3.25E-03	3.25E-03
cm245	3.50E-05	4.47E-05	5.64E-05	7.03E-05	8.69E-05	8.69E-05

```
     cm246   1.62E-06  2.17E-06  2.86E-06  3.74E-06  4.82E-06  4.82E-06
     cm247   1.28E-08  1.79E-08  2.46E-08  3.35E-08  4.49E-08  4.49E-08
     cm248   4.56E-10  6.70E-10  9.67E-10  1.37E-09  1.93E-09  1.93E-09
     cm249   1.73E-15  4.69E-15  6.78E-15  9.67E-15  1.36E-14  6.75E-15
     cm250   5.72E-19  8.83E-19  1.34E-18  1.99E-18  2.92E-18  2.92E-18
     cm251   1.40E-27  2.12E-26  3.22E-26  4.81E-26  7.06E-26  4.90E-27
    totals   1.92E+03  1.92E+03  1.92E+03  1.92E+03  1.91E+03  1.91E+03
0    flux              1.61E+13  1.61E+13  1.62E+13  1.62E+13  1.62E-02
0       1q array has      20 entries.
0       3q array has       1 entries.
0       3q array has       1 entries.
0       3q array has       1 entries.
0       4q array has       1 entries.
0      54q array has      12 entries.
1library information...

         cross-section data taken from position number  1 of library on unit 15.

         pass   8
         pass   1
         pass   0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         pass   1
         pass   0
         *scale-system control module sas2 library*
         used a time-dependent neutron spectrum, for each of the above passes
           pass 0 applies start-up fuel densiities
           pass n applies mid time densities of nth library interval
         first library updated was...
         ************************************************************************
         *                                                                      *
         *           prelim lwr origen-s binary working library--id = 1143      *
         *        made from modified card-image origen-s libraries of scale 4.2 *
         *      data from the light element, actinide, and fission product libraries *
         *        decay data, including gamma and total energy, are from endf/b-vi *
         *                                                                      *
         *      neutron flux spectrum factors and cross sections were produced from *
         *     the "presas2" case updating all nuclides on the scale "burnup" library *
         *                                                                      *
         *                  fission product yields are from endf/b-v            *
         *                                                                      *
         *             photon libraries use an 18-energy-group structure        *
         *            the photon data are from the master photon data base,     *
         *             produced to include bremsstrahlung from uo2 matrix       *
         *                                                                      *
         *        see information above this box (if present) for later updates *
         *                                                                      *
         ************************************************************************
         *                                                                      *
0        ************************************************************************
0                .other identification and sizes of library.
0                 data set name:  ft15f001
0               2/16/1996     date library was produced
0                    1697     total number of nuclides in library
                      689     number of light-element nuclides
                      129     number of actinide nuclides
```

879 number of fission product nuclides
0 7955 number of nonzero off-diagonal matrix elements
0 **********

1 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp page 24
power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 basis =
0 (note, k-infinities, clad and moderator absorptions are correct, only, if correctly weighted cross sections are applied.)

0	initial	1160.2 d	1200.2 d	1240.2 d	1280.2 d
productions	3.639873E+04	3.633892E+04	3.627805E+04	3.621389E+04	3.614675E+04
absorptions	3.312836E+04	3.320723E+04	3.331886E+04	3.342576E+04	3.352825E+04
k infinity	1.098718E+00	1.094307E+00	1.088814E+00	1.083413E+00	1.078099E+00

0	initial	1160.2 d	1200.2 d	1240.2 d	1280.2 d
actinide absorptions	3.058359E+04	3.064127E+04	3.069584E+04	3.074624E+04	3.079265E+04
non-actinide abs. fracs.	7.681549E-02	7.727140E-02	7.872462E-02	8.016524E-02	8.159089E-02

1
sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 25
power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	1160.2 d	1200.2 d	1240.2 d	1280.2 d
he 4	1.00E-02	1.15E-02	1.31E-02	1.49E-02	1.69E-02
pb206	4.67E-16	5.48E-16	6.40E-16	7.44E-16	8.60E-16
pb207	5.84E-13	6.65E-13	7.53E-13	8.49E-13	9.54E-13
pb208	7.74E-10	8.97E-10	1.03E-09	1.19E-09	1.36E-09
pb209	2.71E-17	3.04E-17	3.43E-17	3.85E-17	4.32E-17
pb210	3.74E-14	4.19E-14	4.67E-14	5.20E-14	5.77E-14
pb211	6.94E-17	7.62E-17	8.32E-17	9.06E-17	9.84E-17
pb212	1.87E-12	2.10E-12	2.35E-12	2.63E-12	2.93E-12
pb214	1.32E-18	1.45E-18	1.53E-18	1.62E-18	1.70E-18
ra222	3.80E-20	4.23E-20	4.68E-20	5.14E-20	5.64E-20
ra223	3.17E-14	3.47E-14	3.80E-14	4.13E-14	4.49E-14
ra224	1.54E-11	1.73E-11	1.94E-11	2.17E-11	2.42E-11
ra225	2.91E-15	3.29E-15	3.71E-15	4.17E-15	4.67E-15
ra226	4.28E-11	4.54E-11	4.80E-11	5.07E-11	5.34E-11
ra228	1.47E-17	1.61E-17	1.76E-17	1.91E-17	2.08E-17
th226	1.85E-18	2.06E-18	2.28E-18	2.51E-18	2.75E-18
th227	5.31E-14	5.81E-14	6.34E-14	6.90E-14	7.48E-14
th228	2.93E-09	3.29E-09	3.69E-09	4.12E-09	4.59E-09
th229	9.63E-11	1.09E-10	1.23E-10	1.38E-10	1.55E-10
th230	2.56E-06	2.60E-06	2.64E-06	2.68E-06	2.71E-06
th231	2.59E-09	2.74E-09	2.78E-09	2.83E-09	2.87E-09
th232	2.90E-07	3.08E-07	3.26E-07	3.44E-07	3.63E-07
th233	3.61E-14	2.89E-13	3.07E-13	3.25E-13	3.44E-13
th234	2.75E-08	2.75E-08	2.75E-08	2.75E-08	2.75E-08
pa231	9.80E-07	1.03E-06	1.09E-06	1.14E-06	1.19E-06
pa232	8.08E-10	8.81E-10	9.28E-10	9.76E-10	1.02E-09
pa233	1.49E-08	1.57E-08	1.64E-08	1.72E-08	1.80E-08
pa234m	9.28E-13	9.31E-13	9.31E-13	9.30E-13	9.30E-13
pa234	1.38E-12	1.57E-12	1.63E-12	1.69E-12	1.75E-12
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.79E-15	2.00E-15	2.21E-15	2.43E-15	2.67E-15
u231	3.35E-14	3.82E-14	4.20E-14	4.60E-14	5.02E-14
u232	4.37E-07	4.81E-07	5.27E-07	5.77E-07	6.29E-07
u233	3.87E-06	3.95E-06	4.03E-06	4.11E-06	4.18E-06
u234	3.59E-01	3.55E-01	3.52E-01	3.48E-01	3.44E-01
u235	2.97E+01	2.89E+01	2.82E+01	2.75E+01	2.68E+01
u236	5.53E+00	5.65E+00	5.76E+00	5.88E+00	5.99E+00
u237	7.11E-03	7.30E-03	7.43E-03	7.57E-03	7.70E-03

u238	1.86E+03	1.86E+03	1.86E+03	1.86E+03	1.86E+03
u239	7.90E-05	5.40E-04	5.41E-04	5.43E-04	5.44E-04
u240	2.14E-26	3.08E-26	4.37E-26	6.13E-26	8.49E-26
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	1.00E-08	1.10E-08	1.19E-08	1.27E-08	1.36E-08
np236m	9.42E-09	1.04E-08	1.10E-08	1.15E-08	1.20E-08
np236	1.12E-06	1.22E-06	1.33E-06	1.45E-06	1.57E-06
np237	4.46E-01	4.67E-01	4.89E-01	5.11E-01	5.33E-01
np238	5.70E-04	6.12E-04	6.42E-04	6.73E-04	7.04E-04
np239	7.65E-02	7.80E-02	7.82E-02	7.83E-02	7.85E-02
np240m	1.83E-28	2.63E-28	3.73E-28	5.23E-28	7.25E-28
np240	7.06E-07	1.49E-06	1.50E-06	1.51E-06	1.52E-06

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 26
power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide concentrations, gram atoms
basis = single reactor assembly

	charge	1160.2 d	1200.2 d	1240.2 d	1280.2 d
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.21E-06	1.32E-06	1.43E-06	1.54E-06	1.66E-06
pu237	3.73E-08	3.97E-08	4.21E-08	4.45E-08	4.69E-08
pu238	8.34E-02	9.10E-02	9.91E-02	1.07E-01	1.16E-01
pu239	1.04E+01	1.06E+01	1.07E+01	1.08E+01	1.09E+01
pu240	2.41E+00	2.51E+00	2.61E+00	2.71E+00	2.80E+00
pu241	1.40E+00	1.46E+00	1.53E+00	1.61E+00	1.68E+00
pu242	2.09E-01	2.28E-01	2.49E-01	2.70E-01	2.93E-01
pu243	2.52E-05	3.21E-05	3.51E-05	3.82E-05	4.15E-05
pu244	1.07E-15	1.54E-15	2.18E-15	3.05E-15	4.23E-15
pu245	7.21E-22	1.12E-21	1.59E-21	2.23E-21	3.10E-21
pu246	3.15E-24	4.58E-24	6.58E-24	9.31E-24	1.30E-23
am239	8.63E-13	1.01E-12	1.10E-12	1.18E-12	1.27E-12
am240	3.92E-10	4.39E-10	4.75E-10	5.12E-10	5.51E-10
am241	5.25E-02	5.69E-02	6.14E-02	6.61E-02	7.08E-02
am242m	1.26E-03	1.39E-03	1.51E-03	1.65E-03	1.78E-03
am242	5.74E-05	6.51E-05	7.04E-05	7.59E-05	8.16E-05
am243	2.55E-02	2.90E-02	3.28E-02	3.70E-02	4.15E-02
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	8.58E-06	1.06E-05	1.20E-05	1.36E-05	1.53E-05
am245	6.30E-20	9.02E-20	1.27E-19	1.77E-19	2.44E-19
am246	7.85E-27	1.15E-26	1.64E-26	2.33E-26	3.26E-26
cm241	1.47E-12	1.72E-12	1.98E-12	2.26E-12	2.57E-12
cm242	7.37E-03	8.15E-03	8.98E-03	9.84E-03	1.07E-02
cm243	1.49E-04	1.71E-04	1.95E-04	2.21E-04	2.48E-04
cm244	3.25E-03	3.86E-03	4.55E-03	5.33E-03	6.20E-03
cm245	8.69E-05	1.07E-04	1.30E-04	1.56E-04	1.87E-04
cm246	4.82E-06	6.16E-06	7.80E-06	9.79E-06	1.22E-05
cm247	4.49E-08	5.97E-08	7.84E-08	1.02E-07	1.31E-07
cm248	1.93E-09	2.67E-09	3.66E-09	4.95E-09	6.62E-09
cm249	6.75E-15	1.91E-14	2.62E-14	3.56E-14	4.77E-14
cm250	2.92E-18	4.23E-18	6.05E-18	8.54E-18	1.19E-17
cm251	4.90E-27	1.03E-25	1.47E-25	2.08E-25	2.91E-25
bk249	1.62E-11	2.33E-11	3.28E-11	4.57E-11	6.28E-11
bk250	4.54E-15	8.28E-15	1.17E-14	1.63E-14	2.25E-14
bk251	3.75E-20	1.19E-19	1.69E-19	2.36E-19	3.26E-19
totals	1.91E+03	1.91E+03	1.91E+03	1.91E+03	1.91E+03
0 flux		1.62E+13	1.63E+13	1.63E+13	1.64E+13

0 .results on logical unit no. 71, position 1, for time step 4, subcase 9. (run position 1, case position 1)
title: sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp light elements page 27

decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide concentrations, grams
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
total	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 element radioactivity, curies
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
totals	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 element thermal power, watts
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
totals	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide gamma power, watts
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
total	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide concentrations, gram atoms
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
he 4	1.69E-02	2.64E-02	3.03E-02	3.28E-02	3.48E-02	3.69E-02	3.89E-02
th230	2.71E-06	3.52E-06	4.34E-06	5.15E-06	5.96E-06	6.78E-06	7.60E-06
th232	3.63E-07	5.10E-07	6.58E-07	8.06E-07	9.53E-07	1.10E-06	1.25E-06
pa231	1.19E-06	1.22E-06	1.24E-06	1.26E-06	1.28E-06	1.30E-06	1.33E-06
u232	6.29E-07	9.24E-07	1.16E-06	1.35E-06	1.51E-06	1.63E-06	1.73E-06
u233	4.18E-06	4.34E-06	4.51E-06	4.67E-06	4.84E-06	5.00E-06	5.17E-06
u234	3.44E-01	3.45E-01	3.46E-01	3.47E-01	3.47E-01	3.48E-01	3.49E-01
u235	2.68E+01	2.68E+01	2.68E+01	2.68E+01	2.68E+01	2.68E+01	2.68E+01
u236	5.99E+00	5.99E+00	5.99E+00	5.99E+00	5.99E+00	5.99E+00	5.99E+00
u238	1.86E+03	1.86E+03	1.86E+03	1.86E+03	1.86E+03	1.86E+03	1.86E+03
np236	1.57E-06	1.57E-06	1.57E-06	1.57E-06	1.57E-06	1.57E-06	1.57E-06
np237	5.33E-01	5.41E-01	5.41E-01	5.42E-01	5.42E-01	5.43E-01	5.43E-01
pu238	1.16E-01	1.24E-01	1.25E-01	1.25E-01	1.25E-01	1.24E-01	1.23E-01
pu239	1.09E+01	1.10E+01	1.10E+01	1.10E+01	1.10E+01	1.10E+01	1.10E+01
pu240	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00
pu241	1.68E+00	1.61E+00	1.55E+00	1.49E+00	1.43E+00	1.37E+00	1.32E+00
pu242	2.93E-01	2.93E-01	2.93E-01	2.93E-01	2.93E-01	2.93E-01	2.93E-01
am241	7.08E-02	1.37E-01	2.00E-01	2.61E-01	3.20E-01	3.75E-01	4.29E-01
am242m	1.78E-03	1.78E-03	1.77E-03	1.76E-03	1.76E-03	1.75E-03	1.74E-03
am243	4.15E-02	4.15E-02	4.15E-02	4.15E-02	4.15E-02	4.15E-02	4.15E-02
cm242	1.07E-02	2.97E-03	8.16E-04	2.27E-04	6.55E-05	2.12E-05	9.12E-06
cm243	2.48E-04	2.43E-04	2.38E-04	2.33E-04	2.29E-04	2.24E-04	2.20E-04
cm244	6.20E-03	6.02E-03	5.83E-03	5.65E-03	5.47E-03	5.30E-03	5.13E-03
cm245	1.87E-04	1.87E-04	1.87E-04	1.87E-04	1.87E-04	1.87E-04	1.87E-04
cm246	1.22E-05	1.22E-05	1.22E-05	1.22E-05	1.22E-05	1.22E-05	1.22E-05
total	1.91E+03	1.91E+03	1.91E+03	1.91E+03	1.91E+03	1.91E+03	1.91E+03

1

decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 element concentrations, gram atoms
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
he	1.69E-02	2.64E-02	3.03E-02	3.28E-02	3.48E-02	3.69E-02	3.89E-02
th	3.11E-06	4.07E-06	5.04E-06	6.00E-06	6.97E-06	7.94E-06	8.91E-06
pa	1.21E-06	1.23E-06	1.26E-06	1.28E-06	1.30E-06	1.32E-06	1.34E-06
u	1.89E+03	1.89E+03	1.89E+03	1.89E+03	1.89E+03	1.89E+03	1.89E+03
np	6.13E-01	5.41E-01	5.41E-01	5.42E-01	5.42E-01	5.43E-01	5.43E-01
pu	1.58E+01	1.58E+01	1.58E+01	1.57E+01	1.57E+01	1.56E+01	1.55E+01
am	1.14E-01	1.80E-01	2.44E-01	3.04E-01	3.63E-01	4.19E-01	4.72E-01
cm	1.74E-02	9.43E-03	7.09E-03	6.31E-03	5.97E-03	5.75E-03	5.56E-03
totals	1.91E+03	1.91E+03	1.91E+03	1.91E+03	1.91E+03	1.91E+03	1.91E+03

1
sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 33
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide concentrations, grams
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
he 4	6.76E-02	1.06E-01	1.21E-01	1.31E-01	1.39E-01	1.47E-01	1.56E-01
pb208	2.83E-07	7.04E-07	1.43E-06	2.49E-06	3.88E-06	5.59E-06	7.58E-06
th228	1.05E-06	2.06E-06	3.24E-06	4.46E-06	5.63E-06	6.73E-06	7.71E-06
th230	6.24E-04	8.10E-04	9.97E-04	1.18E-03	1.37E-03	1.56E-03	1.75E-03
th232	8.41E-05	1.18E-04	1.53E-04	1.87E-04	2.21E-04	2.55E-04	2.90E-04
th234	6.43E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	2.75E-04	2.81E-04	2.86E-04	2.91E-04	2.96E-04	3.01E-04	3.06E-04
pa233	4.19E-06	4.36E-06	4.36E-06	4.36E-06	4.37E-06	4.37E-06	4.37E-06
u232	1.46E-04	2.14E-04	2.70E-04	3.14E-04	3.50E-04	3.78E-04	4.01E-04
u233	9.73E-04	1.01E-03	1.05E-03	1.09E-03	1.13E-03	1.17E-03	1.20E-03
u234	8.05E+01	8.07E+01	8.09E+01	8.11E+01	8.13E+01	8.15E+01	8.17E+01
u235	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03
u236	1.41E+03	1.41E+03	1.41E+03	1.41E+03	1.41E+03	1.41E+03	1.41E+03
u237	1.82E+00	1.18E-05	1.13E-05	1.09E-05	1.04E-05	1.00E-05	9.64E-06
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
np236	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04
np237	1.28E+02	1.28E+02	1.28E+02	1.28E+02	1.28E+02	1.29E+02	1.29E+02
np239	1.88E+01	8.68E-06	8.68E-06	8.68E-06	8.68E-06	8.67E-06	8.67E-06
pu236	3.91E-04	3.22E-04	2.64E-04	2.16E-04	1.77E-04	1.45E-04	1.19E-04
pu238	2.77E+01	2.95E+01	2.98E+01	2.98E+01	2.98E+01	2.95E+01	2.93E+01
pu239	2.61E+03	2.63E+03	2.63E+03	2.63E+03	2.63E+03	2.63E+03	2.63E+03
pu240	6.72E+02	6.72E+02	6.72E+02	6.72E+02	6.72E+02	6.72E+02	6.72E+02
pu241	4.05E+02	3.86E+02	3.73E+02	3.59E+02	3.45E+02	3.31E+02	3.18E+02
pu242	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01
am241	1.71E+01	3.30E+01	4.83E+01	6.29E+01	7.70E+01	9.05E+01	1.03E+02
am242m	4.32E-01	4.30E-01	4.28E-01	4.27E-01	4.25E-01	4.23E-01	4.21E-01
am242	1.97E-02	5.55E-06	5.53E-06	5.50E-06	5.48E-06	5.46E-06	5.44E-06
am243	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.01E+01
cm242	2.60E+00	7.18E-01	1.97E-01	5.49E-02	1.58E-02	5.14E-03	2.21E-03
cm243	6.03E-02	5.91E-02	5.79E-02	5.67E-02	5.56E-02	5.45E-02	5.34E-02
cm244	1.51E+00	1.47E+00	1.42E+00	1.38E+00	1.34E+00	1.29E+00	1.25E+00
cm245	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02
cm246	3.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03
cm247	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05
cm248	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1
sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 34
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 element concentrations, grams
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
he	6.76E-02	1.06E-01	1.21E-01	1.31E-01	1.39E-01	1.47E-01	1.56E-01
pb	2.84E-07	7.06E-07	1.43E-06	2.49E-06	3.89E-06	5.60E-06	7.59E-06
th	7.16E-04	9.37E-04	1.16E-03	1.38E-03	1.61E-03	1.83E-03	2.05E-03
pa	2.79E-04	2.85E-04	2.90E-04	2.95E-04	3.00E-04	3.06E-04	3.11E-04
u	4.50E+05	4.50E+05	4.50E+05	4.50E+05	4.50E+05	4.50E+05	4.50E+05
np	1.45E+02	1.28E+02	1.28E+02	1.28E+02	1.28E+02	1.29E+02	1.29E+02
pu	3.79E+03	3.79E+03	3.78E+03	3.76E+03	3.75E+03	3.73E+03	3.72E+03
am	2.76E+01	4.35E+01	5.88E+01	7.35E+01	8.75E+01	1.01E+02	1.14E+02
cm	4.22E+00	2.29E+00	1.73E+00	1.54E+00	1.46E+00	1.40E+00	1.36E+00
totals	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 35
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 element radioactivity, curies
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
tl	3.11E-04	6.09E-04	9.58E-04	1.32E-03	1.67E-03	1.99E-03	2.28E-03
pb	8.64E-04	1.69E-03	2.66E-03	3.67E-03	4.64E-03	5.54E-03	6.35E-03
bi	8.64E-04	1.69E-03	2.66E-03	3.67E-03	4.64E-03	5.54E-03	6.35E-03
po	1.42E-03	2.78E-03	4.37E-03	6.01E-03	7.61E-03	9.08E-03	1.04E-02
rn	8.64E-04	1.69E-03	2.66E-03	3.67E-03	4.64E-03	5.54E-03	6.35E-03
ra	8.64E-04	1.69E-03	2.66E-03	3.67E-03	4.64E-03	5.54E-03	6.35E-03
ac	5.99E-07	8.95E-07	1.22E-06	1.55E-06	1.87E-06	2.19E-06	2.51E-06
th	5.05E-01	1.64E-01	1.65E-01	1.66E-01	1.67E-01	1.68E-01	1.69E-01
pa	3.40E-01	2.40E-01	2.40E-01	2.40E-01	2.40E-01	2.40E-01	2.40E-01
u	4.51E+06	1.72E+00	1.69E+00	1.65E+00	1.62E+00	1.59E+00	1.56E+00
np	4.40E+06	2.13E+00	2.13E+00	2.12E+00	2.12E+00	2.12E+00	2.12E+00
pu	6.89E+04	4.10E+04	3.95E+04	3.79E+04	3.65E+04	3.51E+04	3.37E+04
am	2.08E+04	1.24E+02	1.77E+02	2.27E+02	2.75E+02	3.21E+02	3.66E+02
cm	8.74E+03	2.50E+03	7.72E+02	2.96E+02	1.64E+02	1.25E+02	1.12E+02
bk	4.76E-05	1.33E-05	6.86E-06	3.55E-06	1.84E-06	9.50E-07	4.91E-07
totals	9.01E+06	4.37E+04	4.04E+04	3.85E+04	3.69E+04	3.55E+04	3.42E+04

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 36
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 element thermal power, watts
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
tl	7.26E-06	1.42E-05	2.24E-05	3.08E-05	3.90E-05	4.66E-05	5.34E-05
pb	1.63E-06	3.20E-06	5.04E-06	6.93E-06	8.77E-06	1.06E-05	1.20E-05
bi	1.45E-05	2.84E-05	4.46E-05	6.14E-05	7.77E-05	9.28E-05	1.06E-04
po	6.47E-05	1.27E-04	2.00E-04	2.75E-04	3.47E-04	4.15E-04	4.76E-04
rn	3.28E-05	6.43E-05	1.01E-04	1.39E-04	1.76E-04	2.10E-04	2.41E-04
ra	2.96E-05	5.81E-05	9.14E-05	1.26E-04	1.59E-04	1.90E-04	2.18E-04
th	4.82E-04	1.32E-04	1.64E-04	1.97E-04	2.29E-04	2.58E-04	2.85E-04
pa	1.64E-03	9.63E-04	9.63E-04	9.63E-04	9.63E-04	9.63E-04	9.64E-04
u	1.21E+04	2.31E-02	2.31E-02	2.31E-02	2.31E-02	2.31E-02	2.31E-02
np	1.13E+04	7.77E-03	7.77E-03	7.77E-03	7.78E-03	7.78E-03	7.78E-03
pu	5.71E+01	2.79E+01	2.80E+01	2.79E+01	2.78E+01	2.76E+01	2.75E+01
am	5.21E+01	3.85E+00	5.60E+00	7.28E+00	8.89E+00	1.04E+01	1.19E+01
cm	3.19E+02	9.10E+01	2.80E+01	1.09E+01	5.80E+00	4.39E+00	3.92E+00
cf	1.73E-08	1.63E-08	1.50E-08	1.38E-08	1.27E-08	1.17E-08	1.09E-08
totals	2.38E+04	1.23E+02	6.16E+01	4.59E+01	4.25E+01	4.25E+01	4.34E+01

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp actinides page 37
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide gamma power, watts
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d

tl208	6.18E-06	1.21E-05	1.91E-05	2.62E-05	3.32E-05	3.96E-05	4.54E-05
pb212	7.42E-07	1.46E-06	2.29E-06	3.15E-06	3.98E-06	4.78E-06	5.46E-06
bi212	5.38E-07	1.06E-06	1.66E-06	2.29E-06	2.89E-06	3.45E-06	3.96E-06
rn220	3.12E-09	6.12E-09	9.63E-09	1.33E-08	1.68E-08	2.00E-08	2.30E-08
ra224	5.15E-08	1.01E-07	1.59E-07	2.19E-07	2.77E-07	3.30E-07	3.79E-07
th228	1.79E-08	3.53E-08	5.54E-08	7.62E-08	9.64E-08	1.15E-07	1.32E-07
th231	6.47E-05	2.50E-06	2.50E-06	2.50E-06	2.50E-06	2.50E-06	2.50E-06
th234	8.56E-06	8.56E-06	8.56E-06	8.56E-06	8.56E-06	8.56E-06	8.56E-06
pa233	1.15E-04	1.20E-04	1.20E-04	1.20E-04	1.20E-04	1.20E-04	1.20E-04
pa234m	9.84E-06	9.79E-06	9.79E-06	9.79E-06	9.79E-06	9.79E-06	9.79E-06
pa234	9.50E-06	2.25E-06	2.25E-06	2.25E-06	2.25E-06	2.25E-06	2.25E-06
u232	4.15E-08	6.09E-08	7.66E-08	8.92E-08	9.95E-08	1.07E-07	1.14E-07
u234	4.78E-06	4.79E-06	4.80E-06	4.82E-06	4.83E-06	4.84E-06	4.85E-06
u235	1.34E-05	1.34E-05	1.34E-05	1.34E-05	1.34E-05	1.34E-05	1.34E-05
u236	9.21E-07	9.21E-07	9.21E-07	9.21E-07	9.21E-07	9.21E-07	9.22E-07
u237	1.26E+02	8.13E-04	7.81E-04	7.50E-04	7.21E-04	6.92E-04	6.65E-04
u238	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06
np235	1.86E-07	1.09E-07	6.42E-08	3.77E-08	2.21E-08	1.30E-08	7.63E-09
np237	1.85E-05	1.88E-05	1.88E-05	1.88E-05	1.89E-05	1.89E-05	1.89E-05
np238	1.67E+02	7.78E-05	7.75E-05	7.72E-05	7.69E-05	7.66E-05	7.62E-05
np239	4.74E+03	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03
pu236	2.83E-06	2.32E-06	1.90E-06	1.56E-06	1.28E-06	1.05E-06	8.58E-07
pu238	5.34E-03	5.70E-03	5.76E-03	5.75E-03	5.72E-03	5.68E-03	5.65E-03
pu239	7.79E-04	7.84E-04	7.84E-04	7.84E-04	7.84E-04	7.84E-04	7.84E-04
pu240	1.49E-03	1.49E-03	1.49E-03	1.49E-03	1.49E-03	1.49E-03	1.49E-03
pu241	4.34E-04	4.17E-04	4.01E-04	3.85E-04	3.70E-04	3.55E-04	3.41E-04
pu242	2.44E-06	2.44E-06	2.44E-06	2.44E-06	2.44E-06	2.44E-06	2.44E-06
am241	9.92E-03	1.92E-02	2.81E-02	3.66E-02	4.48E-02	5.26E-02	6.02E-02
am242m	1.64E-04	1.63E-04	1.62E-04	1.62E-04	1.61E-04	1.60E-04	1.60E-04
am242	1.84E+00	5.17E-04	5.15E-04	5.13E-04	5.10E-04	5.08E-04	5.06E-04
am243	7.00E-04	7.01E-04	7.01E-04	7.01E-04	7.01E-04	7.01E-04	7.01E-04
cm242	1.08E-01	2.97E-02	8.18E-03	2.27E-03	6.57E-04	2.13E-04	9.14E-05
cm243	2.45E-03	2.40E-03	2.35E-03	2.31E-03	2.26E-03	2.22E-03	2.17E-03
cm244	1.35E-03	1.31E-03	1.27E-03	1.23E-03	1.19E-03	1.15E-03	1.12E-03
cm245	4.34E-06	4.34E-06	4.34E-06	4.34E-06	4.34E-06	4.34E-06	4.34E-06
cm246	2.71E-08	2.71E-08	2.71E-08	2.71E-08	2.71E-08	2.71E-08	2.71E-08
total	6.41E+03	6.57E-02	5.30E-02	5.54E-02	6.19E-02	6.91E-02	7.63E-02

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp fission products page 38
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0
nuclide concentrations, grams
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h 3	1.36E-02	1.30E-02	1.24E-02	1.18E-02	1.13E-02	1.07E-02	1.03E-02
li 6	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05
li 7	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06
be 9	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06
be 10	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05
c 14	7.47E-06	7.47E-06	7.47E-06	7.47E-06	7.47E-06	7.46E-06	7.46E-06
zn 70	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06
ga 71	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05
ge 72	1.29E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03
ge 73	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03
ge 74	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03
as 75	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02
ge 76	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01
se 76	6.29E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04
se 77	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01
se 78	7.24E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01
se 79	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00

br 79	5.12E-05	7.58E-05	1.00E-04	1.25E-04	1.49E-04	1.74E-04	1.98E-04
se 80	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00
kr 80	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05
br 81	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00
kr 81	7.13E-07	7.13E-07	7.13E-07	7.13E-07	7.13E-07	7.13E-07	7.13E-07
se 82	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00
kr 82	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01
kr 83	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01
kr 84	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01
kr 85	6.66E+00	6.31E+00	5.97E+00	5.66E+00	5.36E+00	5.08E+00	4.82E+00
rb 85	2.80E+01	2.83E+01	2.86E+01	2.90E+01	2.93E+01	2.95E+01	2.98E+01
kr 86	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01
sr 86	6.19E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02
rb 87	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01
sr 87	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02
y 89	1.33E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
sr 90	1.63E+02	1.59E+02	1.56E+02	1.53E+02	1.50E+02	1.47E+02	1.44E+02
y 90	4.30E-02	4.14E-02	4.05E-02	3.97E-02	3.89E-02	3.81E-02	3.74E-02
zr 90	7.74E+00	1.10E+01	1.43E+01	1.74E+01	2.06E+01	2.36E+01	2.66E+01
zr 91	1.69E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02
zr 92	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02
zr 93	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rb 93	8.41E-06	1.32E-05	1.97E-05	2.78E-05	3.74E-05	4.86E-05	6.12E-05
rb 93m	1.10E-04	1.58E-04	2.04E-04	2.48E-04	2.91E-04	3.32E-04	3.72E-04
zr 94	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02
rb 94	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04
zr 95	1.55E+01	5.76E-01	2.13E-02	7.90E-04	2.93E-05	1.08E-06	4.02E-08
rb 95	8.53E+00	6.69E-01	2.56E-02	9.51E-04	3.52E-05	1.30E-06	4.83E-08
mo 95	2.00E+02	2.23E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02
zr 96	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02
mo 96	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00
mo 97	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02
mo 98	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
tc 98	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03

1

sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp fission products page 39
decay, following reactor irradiation identified by: power= 7.2mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide concentrations, grams
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
tc 99	2.30E+02	2.31E+02	2.31E+02	2.31E+02	2.31E+02	2.31E+02	2.31E+02
ru 99	9.13E-03	9.79E-03	1.04E-02	1.10E-02	1.17E-02	1.23E-02	1.29E-02
mo100	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02
ru100	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01
ru101	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02
ru102	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02
rh102	2.17E-04	1.78E-04	1.46E-04	1.19E-04	9.79E-05	8.02E-05	6.57E-05
rh103	1.34E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
pd104	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01
pd105	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02
ru106	3.37E+01	1.91E+01	1.08E+01	6.14E+00	3.48E+00	1.97E+00	1.12E+00
rh106	3.22E-05	1.77E-05	1.00E-05	5.69E-06	3.23E-06	1.83E-06	1.04E-06
pd106	4.57E+01	6.03E+01	6.86E+01	7.33E+01	7.59E+01	7.74E+01	7.83E+01
pd107	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01
ag107	7.30E-06	1.18E-05	1.64E-05	2.09E-05	2.55E-05	3.00E-05	3.46E-05
pd108	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01
ag108m	4.21E-05	4.19E-05	4.17E-05	4.16E-05	4.14E-05	4.12E-05	4.10E-05
cd108	4.34E-05	4.34E-05	4.34E-05	4.34E-05	4.35E-05	4.35E-05	4.35E-05

ag109	2.18E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01
pd110	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00
ag110m	1.04E-01	4.46E-02	1.92E-02	8.23E-03	3.54E-03	1.52E-03	6.53E-04
cd110	5.66E+00	5.72E+00	5.74E+00	5.75E+00	5.76E+00	5.76E+00	5.76E+00
cd111	4.98E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00
cd112	2.63E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00
cd113	4.52E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
cd113m	2.80E-02	2.69E-02	2.58E-02	2.48E-02	2.38E-02	2.29E-02	2.19E-02
in113	1.97E-03	3.10E-03	4.18E-03	5.21E-03	6.21E-03	7.16E-03	8.08E-03
cd114	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00
sn114	6.61E-05	7.50E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05
in115	4.53E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01
sn115	4.55E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
sn116	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn118	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01
sn119	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00
sn119m	2.29E-03	1.12E-03	5.43E-04	2.64E-04	1.29E-04	6.26E-05	3.05E-05
sn120	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00
sn121m	1.08E-02	1.07E-02	1.05E-02	1.04E-02	1.03E-02	1.02E-02	1.01E-02
sb121	1.03E+00	1.04E+00	1.04E+00	1.04E+00	1.04E+00	1.04E+00	1.04E+00
sn122	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
te122	4.65E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02
sn123	1.57E-02	3.07E-03	6.00E-04	1.17E-04	2.29E-05	4.47E-06	8.72E-07
sb123	1.22E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00
te123	2.99E-04	3.56E-04	3.66E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04
sn124	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00
te124	3.43E-02	3.96E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02
sb125	1.85E+00	1.50E+00	1.22E+00	9.84E-01	7.96E-01	6.45E-01	5.22E-01
te125	8.02E-01	1.16E+00	1.45E+00	1.68E+00	1.87E+00	2.03E+00	2.15E+00
te125m	2.33E-02	2.13E-02	1.73E-02	1.40E-02	1.13E-02	9.16E-03	7.41E-03
sn126	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.89E+00

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp fission products page 40
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0

nuclide concentrations, grams
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
te126	7.76E-02	7.84E-02	7.84E-02	7.85E-02	7.85E-02	7.85E-02	7.85E-02
te127m	2.94E-01	4.41E-02	6.37E-03	9.19E-04	1.33E-04	1.92E-05	2.77E-06
i127	1.08E+01	1.11E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01
te128	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01
xe128	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01
i129	4.95E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01
xe129	1.18E-03	1.20E-03	1.21E-03	1.21E-03	1.21E-03	1.21E-03	1.21E-03
te130	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02
xe130	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00
xe131	1.36E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe132	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02
ba132	4.82E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05
cs133	3.38E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02
xe134	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02
cs134	2.08E+01	1.57E+01	1.19E+01	8.99E+00	6.79E+00	5.13E+00	3.88E+00
ba134	8.91E+00	1.40E+01	1.79E+01	2.08E+01	2.30E+01	2.46E+01	2.59E+01
cs135	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02
ba135	3.81E-02	3.82E-02	3.83E-02	3.83E-02	3.84E-02	3.84E-02	3.84E-02
xe136	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02
ba136	4.65E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00
cs137	3.46E+02	3.39E+02	3.33E+02	3.26E+02	3.20E+02	3.14E+02	3.08E+02

ba137	1.43E+01	2.09E+01	2.74E+01	3.37E+01	3.99E+01	4.60E+01	5.20E+01
ba137m	5.31E-05	5.18E-05	5.08E-05	4.99E-05	4.89E-05	4.80E-05	4.71E-05
ba138	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02
la138	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03
la139	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ce140	3.61E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02
pr141	3.10E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02
ce142	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02
nd142	3.23E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00
nd143	2.64E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02
ce144	8.57E+01	4.09E+01	1.95E+01	9.30E+00	4.44E+00	2.12E+00	1.01E+00
pr144	3.62E-03	1.72E-03	8.22E-04	3.92E-04	1.87E-04	8.91E-05	4.25E-05
nd144	2.56E+02	3.01E+02	3.22E+02	3.33E+02	3.38E+02	3.40E+02	3.41E+02
nd145	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02
pm145	7.90E-05	1.19E-04	1.38E-04	1.45E-04	1.47E-04	1.46E-04	1.43E-04
sm145	9.31E-05	5.00E-05	2.69E-05	1.45E-05	7.78E-06	4.18E-06	2.25E-06
nd146	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02
pm146	1.87E-03	1.69E-03	1.52E-03	1.37E-03	1.23E-03	1.11E-03	1.00E-03
sm146	1.95E-03	2.01E-03	2.07E-03	2.12E-03	2.17E-03	2.21E-03	2.24E-03
pm147	5.78E+01	4.77E+01	3.83E+01	3.07E+01	2.46E+01	1.98E+01	1.59E+01
sm147	3.03E+01	4.20E+01	5.14E+01	5.90E+01	6.51E+01	6.99E+01	7.38E+01
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
sm148	2.84E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01
sm149	1.17E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00
nd150	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01
sm150	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01
sm151	6.15E+00	6.16E+00	6.12E+00	6.08E+00	6.04E+00	6.01E+00	5.97E+00
eu151	1.55E-02	5.51E-02	9.46E-02	1.34E-01	1.73E-01	2.11E-01	2.50E-01
sm152	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01
eu152	2.68E-02	2.54E-02	2.43E-02	2.33E-02	2.23E-02	2.14E-02	2.05E-02
gd152	2.45E-02	2.48E-02	2.52E-02	2.54E-02	2.57E-02	2.60E-02	2.62E-02

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp fission products page 41
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide concentrations, grams
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
eu153	2.68E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01
gd153	7.13E-04	2.98E-04	1.24E-04	5.19E-05	2.17E-05	9.05E-06	3.78E-06
sm154	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00
eu154	7.30E+00	6.83E+00	6.38E+00	5.97E+00	5.58E+00	5.22E+00	4.88E+00
gd154	6.33E-01	1.11E+00	1.55E+00	1.97E+00	2.35E+00	2.72E+00	3.06E+00
eu155	3.12E+00	2.78E+00	2.44E+00	2.16E+00	1.91E+00	1.69E+00	1.49E+00
gd155	5.34E-02	4.16E-01	7.37E-01	1.02E+00	1.27E+00	1.49E+00	1.69E+00
gd156	9.00E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00
gd157	2.88E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02
gd158	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00
tb159	5.02E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01
gd160	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01
dy160	3.04E-02	3.88E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02
dy161	8.12E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02
dy162	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02
dy163	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02
dy164	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02
ho165	9.49E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03
ho166m	2.38E-05	2.38E-05	2.38E-05	2.38E-05	2.38E-05	2.37E-05	2.37E-05
er166	1.54E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03
er167	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05
er168	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05
tm169	7.29E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07

er170	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07
yb171	3.69E-07	5.44E-07	6.77E-07	7.75E-07	8.44E-07	9.00E-07	9.39E-07
total	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp fission products page 42
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 element radioactivity, curies
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h	1.31E+02	1.25E+02	1.20E+02	1.14E+02	1.09E+02	1.04E+02	9.91E+01
be	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07
c	3.33E-05	3.33E-05	3.33E-05	3.33E-05	3.33E-05	3.33E-05	3.33E-05
se	2.20E+05	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01
kr	9.07E+05	2.47E+03	2.35E+03	2.22E+03	2.11E+03	2.00E+03	1.89E+03
rb	1.29E+06	2.64E-03	6.24E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06
sr	1.90E+06	2.54E+04	2.21E+04	2.16E+04	2.11E+04	2.07E+04	2.03E+04
y	2.46E+06	2.93E+04	2.22E+04	2.16E+04	2.11E+04	2.07E+04	2.03E+04
zr	2.03E+06	1.24E+04	4.59E+02	1.73E+01	9.78E-01	3.72E-01	3.50E-01
nb	2.95E+06	2.64E+04	1.01E+03	3.76E+01	1.46E+00	1.31E-01	9.06E-02
tc	2.04E+06	3.95E+00	3.95E+00	3.95E+00	3.95E+00	3.95E+00	3.95E+00
ru	8.68E+05	6.47E+04	3.59E+04	2.03E+04	1.15E+04	6.54E+03	3.71E+03
rh	1.11E+06	6.47E+04	3.59E+04	2.03E+04	1.15E+04	6.54E+03	3.71E+03
pd	8.87E+04	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02
ag	1.23E+05	2.15E+02	9.23E+01	3.97E+01	1.71E+01	7.33E+00	3.15E+00
cd	1.75E+04	6.66E+00	5.81E+00	5.57E+00	5.35E+00	5.13E+00	4.92E+00
sn	2.79E+05	3.06E+01	8.11E+00	3.09E+00	1.79E+00	1.38E+00	1.22E+00
sb	7.37E+05	1.58E+03	1.27E+03	1.03E+03	8.35E+02	6.78E+02	5.47E+02
te	1.64E+06	1.24E+03	4.30E+02	2.69E+02	2.06E+02	1.65E+02	1.34E+02
i	2.39E+06	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03
cs	1.59E+06	4.99E+04	4.44E+04	4.00E+04	3.67E+04	3.40E+04	3.18E+04
ba	1.98E+06	2.79E+04	2.73E+04	2.68E+04	2.63E+04	2.58E+04	2.53E+04
ce	1.56E+06	1.31E+05	6.21E+04	2.98E+04	1.41E+04	6.74E+03	3.21E+03
pr	1.33E+06	1.32E+05	6.30E+04	3.00E+04	1.43E+04	6.83E+03	3.26E+03
pm	2.92E+05	4.43E+04	3.55E+04	2.85E+04	2.28E+04	1.83E+04	1.47E+04
sm	8.12E+04	1.62E+02	1.61E+02	1.60E+02	1.59E+02	1.58E+02	1.57E+02
eu	2.66E+04	3.21E+03	2.93E+03	2.68E+03	2.45E+03	2.24E+03	2.06E+03
gd	1.14E+03	1.06E+00	4.40E-01	1.84E-01	7.66E-02	3.20E-02	1.34E-02
tb	3.82E+02	5.44E+00	2.94E-01	1.59E-02	8.59E-04	4.64E-05	2.51E-06
ho	4.24E+00	4.27E-05	4.27E-05	4.27E-05	4.26E-05	4.26E-05	4.26E-05
tm	1.67E-03	5.51E-04	4.07E-04	3.01E-04	2.23E-04	1.65E-04	1.22E-04
totals	3.45E+07	6.17E+05	3.57E+05	2.45E+05	1.88E+05	1.52E+05	1.31E+05

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp fission products page 43
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 element thermal power, watts
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
h	4.43E-03	4.23E-03	4.03E-03	3.85E-03	3.67E-03	3.50E-03	3.34E-03
c	9.77E-09	9.76E-09	9.76E-09	9.76E-09	9.76E-09	9.76E-09	9.76E-09
se	3.96E+03	6.03E-05	6.03E-05	6.03E-05	6.03E-05	6.03E-05	6.03E-05
kr	1.48E+04	3.71E+00	3.52E+00	3.33E+00	3.16E+00	2.99E+00	2.84E+00
sr	2.76E+04	3.63E+01	2.57E+01	2.51E+01	2.45E+01	2.40E+01	2.36E+01
y	4.05E+04	1.49E+02	1.23E+02	1.20E+02	1.17E+02	1.15E+02	1.12E+02
zr	2.05E+04	6.24E+01	2.31E+00	8.56E-02	3.21E-03	1.57E-04	4.37E-05
nb	4.16E+04	1.26E+02	4.84E+00	1.80E-01	6.66E-03	2.60E-04	2.46E-05
tc	2.36E+04	1.98E-03	1.98E-03	1.98E-03	1.98E-03	1.98E-03	1.98E-03
ru	4.60E+03	8.43E+00	2.16E+00	1.21E+00	6.86E-01	3.89E-01	2.20E-01
rh	5.01E+03	6.07E+02	3.44E+02	1.95E+02	1.11E+02	6.27E+01	3.55E+01
pd	2.93E+02	1.45E-06	1.45E-06	1.45E-06	1.45E-06	1.45E-06	1.45E-06
ag	4.89E+02	3.56E+00	1.53E+00	6.57E-01	2.82E-01	1.21E-01	5.21E-02

cd	2.07E+02	8.85E-03	6.33E-03	6.06E-03	5.81E-03	5.58E-03	5.36E-03
sn	3.71E+03	8.18E-02	1.71E-02	4.17E-03	1.48E-03	8.70E-04	7.11E-04
sb	1.36E+04	5.02E+00	4.03E+00	3.26E+00	2.64E+00	2.14E+00	1.73E+00
te	1.57E+04	1.19E+00	3.74E-01	2.28E-01	1.74E-01	1.39E-01	1.12E-01
i	3.59E+04	4.13E-06	4.13E-06	4.13E-06	4.13E-06	4.13E-06	4.13E-06
cs	2.92E+04	2.41E+02	1.89E+02	1.50E+02	1.21E+02	9.81E+01	8.10E+01
ba	1.73E+04	1.10E+02	1.07E+02	1.05E+02	1.03E+02	1.01E+02	9.95E+01
ce	7.13E+03	8.59E+01	4.06E+01	1.94E+01	9.24E+00	4.41E+00	2.10E+00
pr	1.06E+04	9.56E+02	4.56E+02	2.17E+02	1.04E+02	4.95E+01	2.36E+01
pm	1.35E+03	1.69E+01	1.30E+01	1.05E+01	8.39E+00	6.73E+00	5.40E+00
sm	2.00E+02	1.91E-02	1.90E-02	1.88E-02	1.87E-02	1.86E-02	1.85E-02
eu	2.36E+02	1.78E+01	1.66E+01	1.55E+01	1.45E+01	1.35E+01	1.26E+01
gd	3.47E+00	9.25E-04	3.86E-04	1.61E-04	6.74E-05	2.81E-05	1.17E-05
tb	2.21E+00	4.77E-02	2.58E-03	1.39E-04	7.53E-06	4.07E-07	2.20E-08
ho	1.82E-02	4.49E-07	4.49E-07	4.49E-07	4.48E-07	4.48E-07	4.48E-07
tm	5.59E-06	8.70E-08	6.32E-08	4.66E-08	3.44E-08	2.55E-08	1.88E-08
totals	4.30E+05	2.43E+03	1.33E+03	8.67E+02	6.19E+02	4.81E+02	4.01E+02

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp fission products page 44
decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec
0 nuclide gamma power, watts
basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	3.45E-02	3.27E-02	3.10E-02	2.94E-02	2.78E-02	2.64E-02	2.50E-02
y 90	2.35E-04	2.27E-04	2.22E-04	2.17E-04	2.13E-04	2.09E-04	2.05E-04
y 91	5.30E+00	1.45E-01	3.94E-03	1.07E-04	2.91E-06	7.89E-08	2.14E-09
rb 93m	2.93E-07	4.19E-07	5.41E-07	6.59E-07	7.73E-07	8.82E-07	9.88E-07
rb 94	2.18E-07	2.18E-07	2.18E-07	2.18E-07	2.18E-07	2.18E-07	2.18E-07
zr 95	1.45E+03	5.37E+01	1.99E+00	7.37E-02	2.73E-03	1.01E-04	3.74E-06
nb 95	1.52E+03	1.19E+02	4.56E+00	1.69E-01	6.27E-03	2.32E-04	8.61E-06
nb 95m	1.57E+00	5.92E-02	2.19E-03	8.12E-05	3.01E-06	1.11E-07	4.13E-09
tc 98	9.81E-09	9.81E-09	9.81E-09	9.81E-09	9.81E-09	9.81E-09	9.81E-09
tc 99	1.44E-08	1.45E-08	1.45E-08	1.45E-08	1.45E-08	1.45E-08	1.45E-08
rh102	3.36E-03	2.75E-03	2.26E-03	1.85E-03	1.52E-03	1.24E-03	1.02E-03
rh106	1.41E+02	7.73E+01	4.38E+01	2.48E+01	1.41E+01	7.98E+00	4.52E+00
ag108	1.74E-05	1.04E-08	1.03E-08	1.03E-08	1.02E-08	1.02E-08	1.01E-08
ag108m	1.06E-05	1.05E-05	1.05E-05	1.04E-05	1.04E-05	1.03E-05	1.03E-05
ag110	3.54E+00	5.25E-04	2.25E-04	9.69E-05	4.16E-05	1.79E-05	7.69E-06
ag110m	8.01E+00	3.44E+00	1.48E+00	6.36E-01	2.73E-01	1.17E-01	5.04E-02
cd113m	2.64E-06	2.53E-06	2.43E-06	2.33E-06	2.24E-06	2.15E-06	2.06E-06
sn119m	5.82E-04	2.83E-04	1.38E-04	6.71E-05	3.27E-05	1.59E-05	7.74E-06
sn121m	1.71E-05	1.70E-05	1.68E-05	1.66E-05	1.64E-05	1.63E-05	1.61E-05
sn123	5.29E-03	1.03E-03	2.02E-04	3.94E-05	7.70E-06	1.50E-06	2.93E-07
te123m	5.38E-04	9.24E-05	1.58E-05	2.72E-06	4.66E-07	8.00E-08	1.37E-08
sb124	1.05E+00	3.15E-02	9.47E-04	2.85E-05	8.55E-07	2.57E-08	7.73E-10
sb125	4.98E+00	4.05E+00	3.28E+00	2.65E+00	2.15E+00	1.74E+00	1.41E+00
te125m	8.84E-02	8.08E-02	6.57E-02	5.32E-02	4.30E-02	3.48E-02	2.82E-02
sn126	1.07E-04	1.07E-04	1.07E-04	1.07E-04	1.07E-04	1.07E-04	1.07E-04
sb126	1.04E+00	3.17E-04	3.17E-04	3.17E-04	3.17E-04	3.17E-04	3.17E-04
sb126m	7.41E-01	1.28E-03	1.28E-03	1.28E-03	1.28E-03	1.28E-03	1.28E-03
te127	4.78E-01	1.18E-02	1.71E-03	2.47E-04	3.56E-05	5.14E-06	7.42E-07
te127m	1.83E-01	2.74E-02	3.95E-03	5.71E-04	8.24E-05	1.19E-05	1.72E-06
i129	1.28E-06	1.29E-06	1.29E-06	1.29E-06	1.29E-06	1.29E-06	1.29E-06
ba133	1.54E-08	1.46E-08	1.38E-08	1.30E-08	1.24E-08	1.17E-08	1.11E-08
cs134	2.49E+02	1.88E+02	1.42E+02	1.07E+02	8.11E+01	6.13E+01	4.63E+01
ba137m	1.01E+02	9.90E+01	9.71E+01	9.52E+01	9.34E+01	9.16E+01	8.99E+01
ce139	2.19E-05	4.73E-06	1.02E-06	2.21E-07	4.78E-08	1.03E-08	2.22E-09
ce144	3.07E+01	1.47E+01	6.99E+00	3.34E+00	1.59E+00	7.59E-01	3.62E-01
pr144	4.69E+01	2.23E+01	1.06E+01	5.07E+00	2.42E+00	1.15E+00	5.50E-01
pr144m	2.84E-01	1.35E-01	6.44E-02	3.07E-02	1.47E-02	6.99E-03	3.33E-03

pm145	2.11E-06	3.17E-06	3.67E-06	3.88E-06	3.93E-06	3.90E-06	3.82E-06
sm145	9.50E-05	5.11E-05	2.75E-05	1.48E-05	7.94E-06	4.27E-06	2.30E-06
pm146	3.69E-03	3.33E-03	3.00E-03	2.70E-03	2.43E-03	2.19E-03	1.97E-03
pm147	1.39E-03	1.15E-03	9.21E-04	7.39E-04	5.93E-04	4.76E-04	3.82E-04
eu150	1.30E-07	1.28E-07	1.26E-07	1.24E-07	1.22E-07	1.20E-07	1.18E-07
sm151	1.36E-05	1.36E-05	1.36E-05	1.35E-05	1.34E-05	1.33E-05	1.32E-05
eu152	3.23E-02	3.09E-02	2.96E-02	2.83E-02	2.71E-02	2.60E-02	2.49E-02
gd153	1.61E-03	6.71E-04	2.80E-04	1.17E-04	4.89E-05	2.04E-05	8.52E-06
eu154	1.47E+01	1.37E+01	1.28E+01	1.20E+01	1.12E+01	1.05E+01	9.80E+00
eu155	5.91E-01	5.22E-01	4.61E-01	4.08E-01	3.61E-01	3.19E-01	2.82E-01
tb160	7.30E-01	3.94E-02	2.13E-03	1.15E-04	6.22E-06	3.36E-07	1.82E-08
ho166m	4.12E-07	4.12E-07	4.12E-07	4.12E-07	4.11E-07	4.11E-07	4.11E-07
total	2.13E+05	6.01E+02	3.25E+02	2.52E+02	2.07E+02	1.76E+02	1.53E+02

1

sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp fission products page 45

decay, following reactor irradiation identified by: power= 7.25mw, burnup= 9280.mwd, flux= 1.63E+13n/cm**2-sec

0 element gamma power, watts

basis =single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr	7.71E+03	3.27E-02	3.10E-02	2.94E-02	2.78E-02	2.64E-02	2.50E-02
y	1.47E+04	1.47E-01	4.19E-03	3.25E-04	2.16E-04	2.09E-04	2.05E-04
zr	8.12E+03	5.37E+01	1.99E+00	7.37E-02	2.73E-03	1.01E-04	3.74E-06
nb	1.75E+04	1.19E+02	4.56E+00	1.69E-01	6.28E-03	2.34E-04	9.82E-06
tc	1.21E+04	2.43E-08	2.43E-08	2.43E-08	2.43E-08	2.43E-08	2.43E-08
rh	1.55E+03	7.73E+01	4.38E+01	2.48E+01	1.41E+01	7.98E+00	4.53E+00
ag	1.30E+02	3.44E+00	1.48E+00	6.36E-01	2.73E-01	1.17E-01	5.04E-02
cd	9.93E+01	1.20E-04	3.48E-06	2.35E-06	2.24E-06	2.15E-06	2.06E-06
sn	2.40E+03	1.44E-03	4.64E-04	2.30E-04	1.64E-04	1.41E-04	1.31E-04
sb	9.36E+03	4.08E+00	3.28E+00	2.66E+00	2.15E+00	1.74E+00	1.41E+00
te	9.32E+03	1.30E-01	7.14E-02	5.40E-02	4.31E-02	3.48E-02	2.82E-02
i	2.38E+04	1.29E-06	1.29E-06	1.29E-06	1.29E-06	1.29E-06	1.29E-06
cs	1.44E+04	1.88E+02	1.42E+02	1.07E+02	8.11E+01	6.13E+01	4.63E+01
ba	7.30E+03	9.90E+01	9.71E+01	9.52E+01	9.34E+01	9.16E+01	8.99E+01
ce	3.37E+03	1.49E+01	6.99E+00	3.34E+00	1.59E+00	7.59E-01	3.62E-01
pr	3.19E+03	2.24E+01	1.07E+01	5.10E+00	2.43E+00	1.16E+00	5.54E-01
pm	5.12E+02	5.92E-01	7.47E-03	3.46E-03	3.03E-03	2.67E-03	2.36E-03
sm	4.66E+01	6.47E-05	4.10E-05	2.82E-05	2.13E-05	1.78E-05	1.55E-05
eu	1.61E+02	1.43E+01	1.33E+01	1.24E+01	1.16E+01	1.08E+01	1.01E+01
gd	1.08E+00	6.71E-04	2.80E-04	1.17E-04	4.89E-05	2.04E-05	8.52E-06
tb	1.52E+00	3.94E-02	2.13E-03	1.15E-04	6.22E-06	3.36E-07	1.82E-08
ho	7.42E-04	4.12E-07	4.12E-07	4.12E-07	4.11E-07	4.11E-07	4.11E-07
totals	2.13E+05	6.01E+02	3.25E+02	2.52E+02	2.07E+02	1.76E+02	1.53E+02

1 page 46

photon spectrum as a function of time for light elements, cladding and structural materials

0 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp

power= 7.25 mw, burnup= 9280.mwd, flux= 1.63E+13 n**2-sec

0 spectrum of photon release rates, photons/sec

basis = single reactor assembly

0

emean	time after discharge						
(mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.00E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
5.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
8.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
1.20E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
1.70E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
6.50E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

	1.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	1.58E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	2.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	2.40E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	2.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	3.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	3.75E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	4.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	4.75E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
	5.50E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
0	total	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
0	mev/sec	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

0 spectrum of energy release rates, mev/watt-sec
basis = single reactor assembly

0

emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
			time after discharge				
1.00E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.00E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
5.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
8.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
1.20E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
1.70E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
6.50E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
1.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
1.58E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
2.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
2.40E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
2.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
3.75E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
4.75E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
5.50E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
0 total	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
0 gamma watts	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1 page 47

photon spectrum as a function of time for fission products

0 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
power= 7.25 mw, burnup= 9280.mwd, flux= 1.63E+13 n**2-sec

0 spectrum of photon release rates, photons/sec
basis = single reactor assembly

0

emean (mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
			time after discharge				
1.00E-02	4.22E+17	6.46E+15	3.54E+15	2.14E+15	1.43E+15	1.05E+15	8.42E+14
3.00E-02	1.87E+17	2.77E+15	1.52E+15	9.21E+14	6.14E+14	4.54E+14	3.68E+14
5.50E-02	9.88E+16	1.51E+15	8.32E+14	5.00E+14	3.29E+14	2.39E+14	1.91E+14
8.50E-02	6.82E+16	9.54E+14	5.17E+14	3.05E+14	1.96E+14	1.39E+14	1.08E+14
1.20E-01	5.58E+16	1.20E+15	6.29E+14	3.51E+14	2.13E+14	1.42E+14	1.06E+14
1.70E-01	9.03E+16	6.24E+14	3.35E+14	1.96E+14	1.25E+14	8.75E+13	6.74E+13
3.00E-01	1.91E+17	7.19E+14	3.89E+14	2.25E+14	1.41E+14	9.75E+13	7.41E+13
6.50E-01	3.90E+17	5.53E+15	2.94E+15	2.28E+15	1.87E+15	1.59E+15	1.39E+15
1.13E+00	1.26E+17	1.80E+14	1.20E+14	8.60E+13	6.61E+13	5.37E+13	4.55E+13
1.58E+00	6.53E+16	6.03E+13	3.63E+13	2.30E+13	1.53E+13	1.07E+13	7.78E+12
2.00E+00	1.92E+16	4.68E+13	2.27E+13	1.11E+13	5.41E+12	2.66E+12	1.32E+12
2.40E+00	1.58E+16	2.84E+12	1.57E+12	8.74E+11	4.87E+11	2.72E+11	1.53E+11
2.80E+00	6.55E+15	4.44E+11	2.49E+11	1.40E+11	7.84E+10	4.41E+10	2.49E+10

	3.25E+00	3.37E+15	7.07E+10	4.01E+10	2.27E+10	1.29E+10	7.30E+09	4.14E+09
	3.75E+00	1.60E+15	3.12E+07	1.77E+07	1.00E+07	5.68E+06	3.22E+06	1.82E+06
	4.25E+00	1.58E+15	9.80E-06	1.00E-05	1.02E-05	1.04E-05	1.05E-05	1.06E-05
	4.75E+00	4.67E+14	4.92E-06	5.04E-06	5.14E-06	5.22E-06	5.28E-06	5.33E-06
	5.50E+00	3.58E+14	3.65E-06	3.74E-06	3.81E-06	3.87E-06	3.92E-06	3.95E-06
0	total	1.74E+18	2.01E+16	1.09E+16	7.04E+15	5.00E+15	3.86E+15	3.20E+15
0	mev/sec	7.22E+17	4.77E+15	2.58E+15	1.88E+15	1.48E+15	1.23E+15	1.06E+15

0 spectrum of energy release rates, mev/watt-sec
basis = single reactor assembly

0

emean	time after discharge						
(mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	5.82E+08	8.90E+06	4.88E+06	2.96E+06	1.97E+06	1.44E+06	1.16E+06
3.00E-02	7.73E+08	1.15E+07	6.30E+06	3.81E+06	2.54E+06	1.88E+06	1.52E+06
5.50E-02	7.50E+08	1.15E+07	6.31E+06	3.79E+06	2.50E+06	1.82E+06	1.45E+06
8.50E-02	8.00E+08	1.12E+07	6.07E+06	3.57E+06	2.29E+06	1.63E+06	1.27E+06
1.20E-01	9.23E+08	1.99E+07	1.04E+07	5.81E+06	3.52E+06	2.35E+06	1.75E+06
1.70E-01	2.12E+09	1.46E+07	7.86E+06	4.60E+06	2.95E+06	2.05E+06	1.58E+06
3.00E-01	7.91E+09	2.98E+07	1.61E+07	9.32E+06	5.85E+06	4.03E+06	3.07E+06
6.50E-01	3.50E+10	4.95E+08	2.64E+08	2.04E+08	1.68E+08	1.43E+08	1.25E+08
1.13E+00	1.96E+10	2.79E+07	1.86E+07	1.33E+07	1.08E+07	8.33E+06	7.06E+06
1.58E+00	1.42E+10	1.31E+07	7.88E+06	4.99E+06	3.33E+06	2.32E+06	1.69E+06
2.00E+00	5.31E+09	1.29E+07	6.26E+06	3.05E+06	1.49E+06	7.34E+05	3.64E+05
2.40E+00	5.22E+09	9.39E+05	5.21E+05	2.89E+05	1.61E+05	9.02E+04	5.05E+04
2.80E+00	2.53E+09	1.71E+05	9.60E+04	5.39E+04	3.03E+04	1.70E+04	9.60E+03
3.25E+00	1.51E+09	3.17E+04	1.80E+04	1.02E+04	5.78E+03	3.27E+03	1.86E+03
3.75E+00	8.27E+08	1.61E+01	9.14E+00	5.18E+00	2.94E+00	1.67E+00	9.44E-01
4.25E+00	9.28E+08	5.75E-12	5.89E-12	6.00E-12	6.10E-12	6.17E-12	6.23E-12
4.75E+00	3.06E+08	3.22E-12	3.30E-12	3.37E-12	3.42E-12	3.46E-12	3.49E-12
5.50E+00	2.71E+08	2.77E-12	2.84E-12	2.89E-12	2.94E-12	2.97E-12	3.00E-12
0 total	9.95E+10	6.58E+08	3.55E+08	2.60E+08	2.05E+08	1.69E+08	1.46E+08
0 gamma watts	1.16E+05	7.65E+02	4.13E+02	3.02E+02	2.38E+02	1.97E+02	1.69E+02

1 page 48

0 principal photon sources in group 1, photons/sec
mean energy = .0100 mev. nuclides exceeding 1.0E-03 of total group release rate (1.05E+15) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	1.38E+13	1.31E+13	1.24E+13	1.17E+13	1.11E+13	1.05E+13	9.98E+12
sr 90	9.35E+13	9.16E+13	8.97E+13	8.79E+13	8.61E+13	8.44E+13	8.27E+13
y 90	4.68E+14	4.50E+14	4.41E+14	4.32E+14	4.23E+14	4.15E+14	4.06E+14
rh106	3.42E+15	1.88E+15	1.07E+15	6.05E+14	3.43E+14	1.95E+14	1.10E+14
sb125	4.63E+12	3.77E+12	3.05E+12	2.47E+12	2.00E+12	1.62E+12	1.31E+12
cs134	8.74E+13	6.60E+13	4.99E+13	3.77E+13	2.85E+13	2.15E+13	1.63E+13
cs137	1.06E+14	1.04E+14	1.02E+14	1.00E+14	9.83E+13	9.65E+13	9.46E+13
ba137m	5.01E+12	4.89E+12	4.79E+12	4.70E+12	4.61E+12	4.52E+12	4.44E+12
ce144	5.25E+14	2.51E+14	1.20E+14	5.70E+13	2.72E+13	1.30E+13	6.18E+12
pr144	6.98E+15	3.32E+15	1.58E+15	7.55E+14	3.60E+14	1.72E+14	8.19E+13
pm147	6.23E+13	5.14E+13	4.12E+13	3.31E+13	2.65E+13	2.13E+13	1.71E+13
eu154	1.30E+13	1.21E+13	1.13E+13	1.06E+13	9.91E+12	9.27E+12	8.67E+12
eu155	4.07E+12	3.60E+12	3.18E+12	2.81E+12	2.49E+12	2.20E+12	1.94E+12

0 principal photon sources in group 2, photons/sec
mean energy = .0300 mev. nuclides exceeding 1.0E-03 of total group release rate (4.54E+14) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	4.02E+12	3.81E+12	3.61E+12	3.42E+12	3.24E+12	3.07E+12	2.91E+12
sr 90	2.64E+13	2.59E+13	2.54E+13	2.48E+13	2.43E+13	2.38E+13	2.34E+13
y 90	1.52E+14	1.47E+14	1.44E+14	1.41E+14	1.38E+14	1.35E+14	1.32E+14
rh106	1.14E+15	6.29E+14	3.57E+14	2.02E+14	1.15E+14	6.50E+13	3.68E+13
sb125	3.55E+13	2.89E+13	2.34E+13	1.89E+13	1.53E+13	1.24E+13	1.00E+13
te125m	1.79E+13	1.64E+13	1.33E+13	1.08E+13	8.72E+12	7.08E+12	5.71E+12

cs134	3.26E+13	2.46E+13	1.86E+13	1.41E+13	1.06E+13	8.03E+12	6.07E+12
cs137	2.98E+13	2.90E+13	2.85E+13	2.79E+13	2.74E+13	2.69E+13	2.64E+13
ba137m	8.60E+13	8.39E+13	8.23E+13	8.08E+13	7.92E+13	7.77E+13	7.62E+13
ce144	1.22E+15	5.82E+14	2.78E+14	1.32E+14	6.31E+13	3.01E+13	1.44E+13
pr144	2.31E+15	1.10E+15	5.24E+14	2.50E+14	1.19E+14	5.68E+13	2.71E+13
pr144m	4.72E+13	2.24E+13	1.07E+13	5.10E+12	2.43E+12	1.16E+12	5.54E+11
pm147	1.37E+13	1.13E+13	9.07E+12	7.27E+12	5.84E+12	4.68E+12	3.76E+12
eu154	2.83E+12	2.64E+12	2.47E+12	2.31E+12	2.16E+12	2.02E+12	1.89E+12

0 principal photon sources in group 3, photons/sec

mean energy = .0550 mev. nuclides exceeding 1.0E-03 of total group release rate (2.39E+14) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	2.46E+12	2.33E+12	2.21E+12	2.10E+12	1.99E+12	1.88E+12	1.78E+12
sr 90	1.56E+13	1.53E+13	1.50E+13	1.47E+13	1.44E+13	1.41E+13	1.38E+13
y 90	1.05E+14	1.01E+14	9.93E+13	9.73E+13	9.53E+13	9.34E+13	9.15E+13
rh106	8.10E+14	4.46E+14	2.53E+14	1.43E+14	8.12E+13	4.60E+13	2.61E+13
cs134	1.45E+13	1.09E+13	8.26E+12	6.24E+12	4.72E+12	3.57E+12	2.69E+12
cs137	1.72E+13	1.69E+13	1.66E+13	1.63E+13	1.59E+13	1.56E+13	1.53E+13
ce144	1.77E+14	8.42E+13	4.02E+13	1.91E+13	9.13E+12	4.36E+12	2.08E+12
pr144	1.62E+15	7.71E+14	3.68E+14	1.75E+14	8.37E+13	3.99E+13	1.90E+13
pm147	5.75E+12	4.75E+12	3.81E+12	3.06E+12	2.45E+12	1.97E+12	1.58E+12
eu154	1.66E+13	1.56E+13	1.46E+13	1.36E+13	1.27E+13	1.19E+13	1.11E+13
eu155	1.19E+13	1.06E+13	9.28E+12	8.20E+12	7.25E+12	6.41E+12	5.66E+12

1 page 49

0 principal photon sources in group 4, photons/sec

mean energy = .0850 mev. nuclides exceeding 1.0E-03 of total group release rate (1.39E+14) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	1.23E+12	1.17E+12	1.11E+12	1.05E+12	9.94E+11	9.42E+11	8.92E+11
sr 90	7.45E+12	7.29E+12	7.15E+12	7.00E+12	6.86E+12	6.72E+12	6.58E+12
y 90	6.09E+13	5.87E+13	5.75E+13	5.63E+13	5.52E+13	5.40E+13	5.29E+13
rh106	4.81E+14	2.66E+14	1.50E+14	8.51E+13	4.82E+13	2.73E+13	1.55E+13
cs134	7.00E+12	5.29E+12	4.00E+12	3.02E+12	2.28E+12	1.73E+12	1.30E+12
cs137	8.06E+12	7.91E+12	7.76E+12	7.61E+12	7.47E+12	7.32E+12	7.18E+12
ce144	2.49E+14	1.19E+14	5.67E+13	2.70E+13	1.29E+13	6.15E+12	2.93E+12
pr144	9.55E+14	4.54E+14	2.17E+14	1.03E+14	4.92E+13	2.35E+13	1.12E+13
pm147	1.64E+12	1.35E+12	1.08E+12	8.70E+11	6.98E+11	5.60E+11	4.49E+11
eu154	9.14E+11	8.54E+11	7.99E+11	7.47E+11	6.98E+11	6.53E+11	6.10E+11
eu155	1.80E+13	1.59E+13	1.41E+13	1.25E+13	1.10E+13	9.73E+12	8.60E+12

0 principal photon sources in group 5, photons/sec

mean energy = .1200 mev. nuclides exceeding 1.0E-03 of total group release rate (1.42E+14) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	7.43E+11	7.04E+11	6.67E+11	6.32E+11	5.99E+11	5.68E+11	5.38E+11
sr 90	4.24E+12	4.15E+12	4.07E+12	3.99E+12	3.90E+12	3.82E+12	3.75E+12
y 90	4.29E+13	4.13E+13	4.04E+13	3.96E+13	3.88E+13	3.80E+13	3.72E+13
rh106	3.48E+14	1.91E+14	1.08E+14	6.15E+13	3.48E+13	1.97E+13	1.12E+13
cs134	4.08E+12	3.08E+12	2.33E+12	1.76E+12	1.33E+12	1.00E+12	7.59E+11
cs137	4.52E+12	4.43E+12	4.35E+12	4.27E+12	4.19E+12	4.11E+12	4.03E+12
ce144	1.22E+15	5.83E+14	2.78E+14	1.33E+14	6.32E+13	3.02E+13	1.44E+13
pr144	6.83E+14	3.25E+14	1.55E+14	7.39E+13	3.52E+13	1.68E+13	8.02E+12
pm147	5.19E+11	4.28E+11	3.44E+11	2.78E+11	2.21E+11	1.78E+11	1.42E+11
eu154	3.10E+13	2.89E+13	2.71E+13	2.53E+13	2.37E+13	2.21E+13	2.07E+13
eu155	1.03E+13	9.10E+12	8.04E+12	7.11E+12	6.28E+12	5.55E+12	4.91E+12

0 principal photon sources in group 6, photons/sec

mean energy = .1700 mev. nuclides exceeding 1.0E-03 of total group release rate (8.75E+13) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	5.90E+11	5.59E+11	5.30E+11	5.02E+11	4.76E+11	4.51E+11	4.27E+11
sr 90	3.02E+12	2.96E+12	2.90E+12	2.84E+12	2.78E+12	2.73E+12	2.67E+12

y 90	4.42E+13	4.25E+13	4.17E+13	4.08E+13	4.00E+13	3.92E+13	3.84E+13
rh106	3.73E+14	2.05E+14	1.16E+14	6.59E+13	3.74E+13	2.12E+13	1.20E+13
sb125	5.35E+12	4.35E+12	3.52E+12	2.85E+12	2.31E+12	1.87E+12	1.51E+12
cs134	3.05E+12	2.30E+12	1.74E+12	1.32E+12	9.94E+11	7.51E+11	5.68E+11
cs137	3.19E+12	3.13E+12	3.07E+12	3.01E+12	2.95E+12	2.90E+12	2.84E+12
pr144	7.22E+14	3.44E+14	1.64E+14	7.81E+13	3.73E+13	1.78E+13	8.48E+12
eu154	7.24E+11	6.77E+11	6.33E+11	5.92E+11	5.53E+11	5.17E+11	4.84E+11

1 page 50

0 principal photon sources in group 7, photons/sec

mean energy = .3000 mev. nuclides exceeding 1.0E-03 of total group release rate (9.75E+13) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
kr 85	3.56E+11	3.38E+11	3.20E+11	3.03E+11	2.87E+11	2.72E+11	2.58E+11
sr 90	1.37E+12	1.34E+12	1.32E+12	1.29E+12	1.26E+12	1.24E+12	1.21E+12
y 90	4.91E+13	4.72E+13	4.63E+13	4.53E+13	4.44E+13	4.35E+13	4.26E+13
rh106	4.50E+14	2.47E+14	1.40E+14	7.95E+13	4.51E+13	2.55E+13	1.45E+13
sb125	2.03E+12	1.65E+12	1.33E+12	1.08E+12	8.73E+11	7.07E+11	5.72E+11
cs134	1.94E+12	1.47E+12	1.11E+12	8.37E+11	6.33E+11	4.78E+11	3.61E+11
cs137	1.62E+12	1.58E+12	1.55E+12	1.52E+12	1.50E+12	1.47E+12	1.44E+12
pr144	8.46E+14	4.02E+14	1.92E+14	9.15E+13	4.36E+13	2.08E+13	9.92E+12
eu154	4.73E+12	4.42E+12	4.14E+12	3.87E+12	3.62E+12	3.38E+12	3.16E+12

0 principal photon sources in group 8, photons/sec

mean energy = .6500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.59E+15) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
y 90	2.07E+13	2.00E+13	1.96E+13	1.92E+13	1.88E+13	1.84E+13	1.80E+13
rh106	1.39E+15	7.64E+14	4.33E+14	2.45E+14	1.39E+14	7.89E+13	4.47E+13
sb125	4.35E+13	3.54E+13	2.86E+13	2.32E+13	1.87E+13	1.52E+13	1.23E+13
cs134	2.27E+15	1.72E+15	1.30E+15	9.81E+14	7.42E+14	5.60E+14	4.24E+14
ba137m	9.67E+14	9.44E+14	9.26E+14	9.08E+14	8.91E+14	8.74E+14	8.57E+14
pr144	5.77E+14	2.74E+14	1.31E+14	6.24E+13	2.98E+13	1.42E+13	6.77E+12
eu154	3.96E+13	3.70E+13	3.46E+13	3.24E+13	3.03E+13	2.83E+13	2.65E+13

0 principal photon sources in group 9, photons/sec

mean energy = 1.1250 mev. nuclides exceeding 1.0E-03 of total group release rate (5.37E+13) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
y 90	2.70E+12	2.60E+12	2.55E+12	2.50E+12	2.45E+12	2.40E+12	2.35E+12
rh106	1.29E+14	7.12E+13	4.03E+13	2.29E+13	1.30E+13	7.35E+12	4.16E+12
ag110m	5.33E+12	2.29E+12	9.84E+11	4.23E+11	1.82E+11	7.81E+10	3.35E+10
cs134	2.78E+13	2.10E+13	1.59E+13	1.20E+13	9.08E+12	6.86E+12	5.19E+12
pr144	7.39E+13	3.51E+13	1.67E+13	7.99E+12	3.81E+12	1.82E+12	8.66E+11
eu152	7.28E+10	6.97E+10	6.67E+10	6.39E+10	6.12E+10	5.86E+10	5.61E+10
eu154	4.91E+13	4.59E+13	4.29E+13	4.02E+13	3.75E+13	3.51E+13	3.28E+13

0 principal photon sources in group 10, photons/sec

mean energy = 1.5750 mev. nuclides exceeding 1.0E-03 of total group release rate (1.07E+13) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
y 90	3.45E+11	3.32E+11	3.26E+11	3.19E+11	3.13E+11	3.06E+11	3.00E+11
rh106	2.44E+13	1.34E+13	7.61E+12	4.31E+12	2.44E+12	1.39E+12	7.85E+11
ag110m	7.10E+12	3.05E+12	1.31E+12	5.63E+11	2.42E+11	1.04E+11	4.47E+10
cs134	2.63E+13	1.99E+13	1.50E+13	1.13E+13	8.57E+12	6.48E+12	4.90E+12
pr144	4.59E+13	2.18E+13	1.04E+13	4.97E+12	2.37E+12	1.13E+12	5.39E+11
eu152	3.34E+10	3.20E+10	3.07E+10	2.94E+10	2.81E+10	2.69E+10	2.58E+10
eu154	1.78E+12	1.66E+12	1.55E+12	1.45E+12	1.36E+12	1.27E+12	1.19E+12

1 page 51

0 principal photon sources in group 11, photons/sec

mean energy = 2.0000 mev. nuclides exceeding 1.0E-03 of total group release rate (2.66E+12) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
y 90	2.07E+10	1.99E+10	1.95E+10	1.91E+10	1.87E+10	1.83E+10	1.79E+10

rh106	7.93E+12	4.36E+12	2.47E+12	1.40E+12	7.94E+11	4.50E+11	2.55E+11
pr144	8.91E+13	4.24E+13	2.02E+13	9.64E+12	4.60E+12	2.19E+12	1.05E+12

0 principal photon sources in group 12, photons/sec
mean energy = 2.4000 mev. nuclides exceeding 1.0E-03 of total group release rate (2.72E+11) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
rh106	4.43E+12	2.44E+12	1.38E+12	7.83E+11	4.44E+11	2.52E+11	1.43E+11
pr144	8.42E+11	4.00E+11	1.91E+11	9.11E+10	4.34E+10	2.07E+10	9.88E+09

0 principal photon sources in group 13, photons/sec
mean energy = 2.8000 mev. nuclides exceeding 1.0E-03 of total group release rate (4.41E+10) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
rh106	7.47E+11	4.11E+11	2.33E+11	1.32E+11	7.49E+10	4.25E+10	2.41E+10
pr144	6.78E+10	3.22E+10	1.54E+10	7.33E+09	3.50E+09	1.67E+09	7.96E+08

0 principal photon sources in group 14, photons/sec
mean energy = 3.2500 mev. nuclides exceeding 1.0E-03 of total group release rate (7.30E+09) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
rh106	1.29E+11	7.07E+10	4.01E+10	2.27E+10	1.29E+10	7.30E+09	4.14E+09

0 principal photon sources in group 15, photons/sec
mean energy = 3.7500 mev. nuclides exceeding 1.0E-03 of total group release rate (3.22E+06) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
rh106	5.67E+07	3.12E+07	1.77E+07	1.00E+07	5.68E+06	3.22E+06	1.82E+06

0 principal photon sources in group 16, photons/sec
mean energy = 4.2500 mev. nuclides exceeding 1.0E-03 of total group release rate (1.05E-05) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
ce142	8.67E-06	8.67E-06	8.67E-06	8.67E-06	8.67E-06	8.67E-06	8.67E-06
sm146	5.18E-08	5.35E-08	5.50E-08	5.63E-08	5.76E-08	5.87E-08	5.97E-08
sm147	7.78E-07	1.08E-06	1.32E-06	1.51E-06	1.67E-06	1.79E-06	1.89E-06

1 page 52
0 principal photon sources in group 17, photons/sec
mean energy = 4.7500 mev. nuclides exceeding 1.0E-03 of total group release rate (5.28E-06) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
ce142	4.35E-06	4.35E-06	4.35E-06	4.35E-06	4.35E-06	4.35E-06	4.35E-06
sm146	2.60E-08	2.68E-08	2.76E-08	2.83E-08	2.89E-08	2.94E-08	2.99E-08
sm147	3.89E-07	5.40E-07	6.62E-07	7.59E-07	8.37E-07	9.00E-07	9.50E-07

0 principal photon sources in group 18, photons/sec
mean energy = 5.5000 mev. nuclides exceeding 1.0E-03 of total group release rate (3.92E-06) at 1521.9 d

nuclide	time after discharge						
	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
ce142	3.23E-06	3.23E-06	3.23E-06	3.23E-06	3.23E-06	3.23E-06	3.23E-06
sm146	1.93E-08	1.99E-08	2.05E-08	2.10E-08	2.14E-08	2.18E-08	2.22E-08
sm147	2.89E-07	4.01E-07	4.91E-07	5.63E-07	6.21E-07	6.67E-07	7.05E-07

1 page 53

photon spectrum as a function of time for heavy metals and their daughters

0 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
power= 7.25 mw, burnup= 9280.mwd, flux= 1.63E+13 n**2-sec
0 actinide photon release rates, photons/sec
basis = single reactor assembly
0

emean	time after discharge						
(mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1.00E-02	2.27E+17	2.10E+13	1.10E+13	8.56E+12	8.12E+12	8.22E+12	8.46E+12
3.00E-02	1.43E+16	1.02E+11	1.46E+11	1.88E+11	2.28E+11	2.67E+11	3.04E+11
5.50E-02	1.92E+16	1.69E+12	2.43E+12	3.15E+12	3.84E+12	4.51E+12	5.14E+12
8.50E-02	9.06E+16	8.07E+10	8.08E+10	8.08E+10	8.08E+10	8.08E+10	8.07E+10

	1.20E-01	9.33E+16	1.12E+11	1.10E+11	1.09E+11	1.08E+11	1.07E+11	1.06E+11
	1.70E-01	2.97E+15	3.54E+09	2.71E+09	2.47E+09	2.39E+09	2.36E+09	2.35E+09
	3.00E-01	4.92E+16	5.79E+10	5.72E+10	5.64E+10	5.57E+10	5.50E+10	5.43E+10
	6.50E-01	2.59E+15	6.37E+08	4.92E+08	4.79E+08	5.01E+08	5.31E+08	5.62E+08
	1.13E+00	1.13E+15	4.46E+08	4.27E+08	4.20E+08	4.18E+08	4.16E+08	4.15E+08
	1.58E+00	3.91E+07	2.06E+07	1.72E+07	1.71E+07	1.79E+07	1.88E+07	1.97E+07
	2.00E+00	2.22E+06	1.92E+06	1.96E+06	1.99E+06	2.03E+06	2.06E+06	2.09E+06
	2.40E+00	1.45E+07	6.30E+06	3.98E+06	3.28E+06	3.02E+06	2.89E+06	2.79E+06
	2.80E+00	1.95E+07	2.48E+07	3.54E+07	4.74E+07	5.92E+07	7.03E+07	8.03E+07
	3.25E+00	5.18E+06	2.26E+06	1.42E+06	1.17E+06	1.08E+06	1.03E+06	1.00E+06
	3.75E+00	3.00E+06	1.31E+06	8.25E+05	6.80E+05	6.27E+05	5.99E+05	5.80E+05
	4.25E+00	1.74E+06	7.57E+05	4.78E+05	3.94E+05	3.63E+05	3.47E+05	3.36E+05
	4.75E+00	1.01E+06	4.39E+05	2.77E+05	2.28E+05	2.10E+05	2.01E+05	1.95E+05
	5.50E+00	9.10E+05	3.97E+05	2.51E+05	2.06E+05	1.90E+05	1.82E+05	1.76E+05
0	total	5.00E+17	2.30E+13	1.39E+13	1.21E+13	1.24E+13	1.32E+13	1.42E+13
0	mev/sec	4.09E+16	3.45E+11	2.87E+11	3.03E+11	3.37E+11	3.76E+11	4.14E+11

0 actinide energy release rates, mev/watt-sec
basis = single reactor assembly

0

	emean		time after discharge					
	(mev)	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
	1.00E-02	3.13E+03	2.90E+04	1.52E+04	1.18E+04	1.12E+04	1.13E+04	1.17E+04
	3.00E-02	5.94E+07	4.29E+02	6.04E+02	7.78E+02	9.45E+02	1.10E+03	1.26E+03
	5.50E-02	1.46E+03	1.28E+04	1.84E+04	2.39E+04	2.91E+04	3.42E+04	3.90E+04
	8.50E-02	1.06E+09	9.47E+02	9.47E+02	9.47E+02	9.47E+02	9.47E+02	9.47E+02
	1.20E-01	1.54E+09	1.85E+03	1.82E+03	1.80E+03	1.79E+03	1.77E+03	1.76E+03
	1.70E-01	6.96E+07	8.31E+01	6.35E+01	5.79E+01	5.61E+01	5.54E+01	5.50E+01
	3.00E-01	2.04E+09	2.40E+03	2.37E+03	2.33E+03	2.31E+03	2.28E+03	2.25E+03
	6.50E-01	2.32E+08	5.71E+01	4.41E+01	4.30E+01	4.50E+01	4.76E+01	5.04E+01
	1.13E+00	1.75E+08	6.92E+01	6.62E+01	6.52E+01	6.48E+01	6.46E+01	6.44E+01
	1.58E+00	8.50E+00	4.48E+00	3.73E+00	3.71E+00	3.89E+00	4.09E+00	4.29E+00
	2.00E+00	6.11E-01	5.31E-01	5.40E-01	5.50E-01	5.59E-01	5.68E-01	5.76E-01
	2.40E+00	4.79E+00	2.09E+00	1.32E+00	1.08E+00	1.00E+00	9.57E-01	9.25E-01
	2.80E+00	7.52E+00	9.58E+00	1.37E+01	1.83E+01	2.29E+01	2.72E+01	3.10E+01
	3.25E+00	2.32E+00	1.01E+00	6.39E-01	5.26E-01	4.85E-01	4.64E-01	4.48E-01
	3.75E+00	1.55E+00	6.76E-01	4.27E-01	3.52E-01	3.24E-01	3.10E-01	3.00E-01
	4.25E+00	1.02E+00	4.44E-01	2.80E-01	2.31E-01	2.13E-01	2.04E-01	1.97E-01
	4.75E+00	6.59E-01	2.87E-01	1.82E-01	1.50E-01	1.38E-01	1.32E-01	1.28E-01
	5.50E+00	6.90E-01	3.01E-01	1.90E-01	1.57E-01	1.44E-01	1.38E-01	1.34E-01
0	total	5.64E+09	4.76E+04	3.96E+04	4.17E+04	4.65E+04	5.18E+04	5.71E+04
0	gamma watts	6.55E+03	5.53E-02	4.60E-02	4.85E-02	5.40E-02	6.02E-02	6.64E-02

1 neutron source intensity as a function of time

0 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
alpha-n neutron source, neutrons/sec/basis
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
pb210	2.24E-15	3.18E-15	4.36E-15	5.98E-15	8.09E-15	1.08E-14	1.41E-14
bi210	5.61E-13	8.11E-13	1.11E-12	1.53E-12	2.07E-12	2.75E-12	3.60E-12
bi211	8.13E-04	1.41E-03	1.93E-03	2.45E-03	2.96E-03	3.47E-03	3.98E-03
bi212	3.78E-01	7.42E-01	1.17E+00	1.61E+00	2.03E+00	2.43E+00	2.78E+00
bi213	9.63E-07	1.79E-07	1.96E-07	2.14E-07	2.32E-07	2.50E-07	2.70E-07
bi214	3.35E-09	4.84E-09	6.72E-09	9.00E-09	1.17E-08	1.47E-08	1.82E-08
po210	4.43E-07	7.84E-07	1.11E-06	1.54E-06	2.09E-06	2.81E-06	3.72E-06
po211	3.22E-06	5.58E-06	7.64E-06	9.69E-06	1.17E-05	1.37E-05	1.57E-05
po212	1.94E+00	3.80E+00	5.97E+00	8.22E+00	1.04E+01	1.24E+01	1.42E+01
po213	1.27E-04	2.36E-05	2.59E-05	2.82E-05	3.06E-05	3.30E-05	3.56E-05

po214	7.16E-05	4.31E-05	5.99E-05	8.01E-05	1.04E-04	1.31E-04	1.62E-04
po215	1.15E-03	1.99E-03	2.73E-03	3.46E-03	4.18E-03	4.90E-03	5.62E-03
po216	1.51E+00	2.96E+00	4.66E+00	6.42E+00	8.12E+00	9.69E+00	1.11E+01
po218	1.42E-05	2.05E-05	2.85E-05	3.81E-05	4.94E-05	6.24E-05	7.70E-05
at217	8.23E-05	1.53E-05	1.68E-05	1.83E-05	1.98E-05	2.14E-05	2.31E-05
rn218	3.40E-05	1.34E-09	5.25E-14	2.07E-18	8.12E-23	2.73E-27	.00E+00
rn219	9.14E-04	1.58E-03	2.17E-03	2.75E-03	3.33E-03	3.90E-03	4.47E-03
rn220	1.20E+00	2.35E+00	3.69E+00	5.08E+00	6.43E+00	7.68E+00	8.80E+00
rn222	1.04E-05	1.50E-05	2.08E-05	2.78E-05	3.61E-05	4.55E-05	5.62E-05
fr221	6.01E-05	1.12E-05	1.22E-05	1.33E-05	1.45E-05	1.56E-05	1.68E-05
fr223	3.77E-10	5.99E-10	8.21E-10	1.04E-09	1.26E-09	1.47E-09	1.69E-09
ra222	2.63E-05	1.03E-09	4.06E-14	1.60E-18	6.28E-23	2.47E-27	.00E+00
ra223	5.29E-04	9.17E-04	1.26E-03	1.59E-03	1.93E-03	2.26E-03	2.59E-03
ra224	8.46E-01	1.66E+00	2.61E+00	3.59E+00	4.54E+00	5.43E+00	6.22E+00
ra226	6.05E-06	8.76E-06	1.22E-05	1.63E-05	2.11E-05	2.66E-05	3.29E-05
ac225	4.32E-05	8.04E-06	8.79E-06	9.58E-06	1.04E-05	1.12E-05	1.21E-05
ac227	4.24E-06	6.75E-06	9.24E-06	1.17E-05	1.42E-05	1.66E-05	1.90E-05
ac228	2.26E-17	3.90E-17	6.02E-17	8.56E-17	1.15E-16	1.48E-16	1.83E-16
th226	2.37E-05	9.33E-10	3.67E-14	1.44E-18	5.67E-23	2.23E-27	.00E+00
th227	6.03E-04	1.01E-03	1.39E-03	1.76E-03	2.12E-03	2.49E-03	2.85E-03
th228	7.10E-01	1.40E+00	2.20E+00	3.02E+00	3.82E+00	4.56E+00	5.23E+00
th229	4.27E-06	4.70E-06	5.14E-06	5.60E-06	6.07E-06	6.56E-06	7.07E-06
th230	6.02E-03	7.82E-03	9.62E-03	1.14E-02	1.32E-02	1.51E-02	1.69E-02
th232	2.05E-09	2.89E-09	3.73E-09	4.56E-09	5.40E-09	6.24E-09	7.07E-09
pa231	7.88E-03	8.05E-03	8.19E-03	8.34E-03	8.49E-03	8.63E-03	8.78E-03
u230	1.87E-05	7.34E-10	2.89E-14	1.13E-18	4.46E-23	1.76E-27	.00E+00
u231	7.25E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	2.49E+00	3.65E+00	4.59E+00	5.35E+00	5.96E+00	6.44E+00	6.83E+00
u233	4.96E-03	5.16E-03	5.35E-03	5.55E-03	5.74E-03	5.94E-03	6.14E-03
u234	2.52E+02	2.52E+02	2.53E+02	2.54E+02	2.54E+02	2.55E+02	2.55E+02
u235	5.03E+00	5.03E+00	5.03E+00	5.03E+00	5.03E+00	5.03E+00	5.03E+00
u236	3.58E+01	3.58E+01	3.58E+01	3.58E+01	3.58E+01	3.58E+01	3.58E+01
u238	4.25E+01	4.25E+01	4.25E+01	4.25E+01	4.25E+01	4.25E+01	4.25E+01
np235	3.81E-05	2.24E-05	1.31E-05	7.71E-06	4.53E-06	2.66E-06	1.56E-06
np237	4.24E+01	4.31E+01	4.31E+01	4.31E+01	4.31E+01	4.32E+01	4.32E+01
pu236	2.11E+02	1.74E+02	1.42E+02	1.17E+02	9.55E+01	7.82E+01	6.41E+01
pu237	4.58E-03	4.30E-05	4.02E-07	3.77E-09	3.53E-11	3.31E-13	3.10E-15
pu238	4.11E+05	4.39E+05	4.43E+05	4.43E+05	4.40E+05	4.38E+05	4.35E+05

1

neutron source intensity as a function of time

0

ses2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp
alpha-n neutron source, neutrons/sec/basis
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
pu239	1.10E+05	1.11E+05	1.11E+05	1.11E+05	1.11E+05	1.11E+05	1.11E+05
pu240	1.05E+05	1.05E+05	1.06E+05	1.05E+05	1.05E+05	1.05E+05	1.05E+05
pu241	5.56E+02	5.34E+02	5.13E+02	4.93E+02	4.73E+02	4.54E+02	4.37E+02
pu242	1.57E+02	1.57E+02	1.57E+02	1.57E+02	1.57E+02	1.57E+02	1.57E+02
pu244	8.07E-15	2.77E-14	4.74E-14	6.71E-14	8.68E-14	1.06E-13	1.26E-13
am239	3.45E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	5.15E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	5.04E+04	9.75E+04	1.43E+05	1.86E+05	2.28E+05	2.67E+05	3.06E+05
am242m	1.46E+01	1.45E+01	1.45E+01	1.44E+01	1.44E+01	1.43E+01	1.42E+01
am243	1.51E+03	1.51E+03	1.51E+03	1.51E+03	1.51E+03	1.51E+03	1.51E+03
cm241	1.15E-04	1.85E-07	2.97E-10	4.78E-13	7.70E-16	1.24E-18	1.99E-21
cm242	1.05E+07	2.89E+06	7.94E+05	2.21E+05	6.37E+04	2.07E+04	8.87E+03
cm243	3.38E+03	3.32E+03	3.25E+03	3.18E+03	3.12E+03	3.06E+03	3.00E+03

cm244	1.30E+05	1.26E+05	1.22E+05	1.18E+05	1.14E+05	1.11E+05	1.07E+05
cm245	6.55E+00	6.55E+00	6.55E+00	6.55E+00	6.55E+00	6.55E+00	6.55E+00
cm246	7.41E-01	7.41E-01	7.41E-01	7.41E-01	7.41E-01	7.41E-01	7.41E-01
cm247	1.72E-06	1.72E-06	1.72E-06	1.72E-06	1.72E-06	1.72E-06	1.72E-06
cm248	4.09E-06	4.09E-06	4.09E-06	4.09E-06	4.09E-06	4.09E-06	4.09E-06
cm250	4.29E-14	4.29E-14	4.29E-14	4.29E-14	4.29E-14	4.29E-14	4.29E-14
bk249	2.95E-07	1.53E-07	7.90E-08	4.09E-08	2.11E-08	1.09E-08	5.65E-09
cf249	1.29E-05	4.70E-05	6.45E-05	7.35E-05	7.81E-05	8.04E-05	8.16E-05
cf250	2.27E-04	2.18E-04	2.09E-04	2.00E-04	1.91E-04	1.83E-04	1.75E-04
cf251	1.45E-06	1.45E-06	1.45E-06	1.45E-06	1.44E-06	1.44E-06	1.44E-06
cf252	1.66E-04	1.34E-04	1.07E-04	8.63E-05	6.94E-05	5.58E-05	4.48E-05
cf253	2.36E-08	1.69E-13	1.22E-18	8.73E-24	6.27E-29	.00E+00	.00E+00
cf254	2.47E-12	7.55E-14	2.31E-15	7.06E-17	2.16E-18	6.60E-20	2.02E-21
es253	7.86E-06	2.07E-09	8.24E-14	2.85E-18	9.62E-23	3.21E-27	.00E+00
es254	9.36E-09	4.35E-09	2.03E-09	9.42E-10	4.38E-10	2.04E-10	9.48E-11
es255	9.38E-11	4.21E-13	1.88E-15	8.42E-18	3.77E-20	1.68E-22	7.53E-25
0 total	1.13E+07	3.77E+06	1.72E+06	1.19E+06	1.07E+06	1.06E+06	1.08E+06

1 page 56

neutron source intensity as a function of time

0 sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp
spontaneous fission neutron source, neutrons/sec/basis
basis = single reactor assembly

	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
th230	1.55E-07	2.01E-07	2.47E-07	2.93E-07	3.40E-07	3.86E-07	4.33E-07
pa231	9.88E-07	1.01E-06	1.03E-06	1.05E-06	1.06E-06	1.08E-06	1.10E-06
u232	1.53E-04	2.24E-04	2.82E-04	3.29E-04	3.66E-04	3.96E-04	4.19E-04
u234	5.42E-01	5.43E-01	5.44E-01	5.46E-01	5.47E-01	5.48E-01	5.50E-01
u235	6.15E-02	6.15E-02	6.15E-02	6.15E-02	6.15E-02	6.15E-02	6.15E-02
u236	5.38E+00	5.38E+00	5.38E+00	5.38E+00	5.38E+00	5.38E+00	5.38E+00
u237	3.03E-06	1.95E-11	1.88E-11	1.80E-11	1.73E-11	1.66E-11	1.60E-11
u238	6.00E+03	6.00E+03	6.00E+03	6.00E+03	6.00E+03	6.00E+03	6.00E+03
u239	1.66E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	5.88E-08	5.88E-08	5.88E-08	5.88E-08	5.88E-08	5.88E-08	5.88E-08
np238	9.14E-06	4.27E-12	4.25E-12	4.23E-12	4.22E-12	4.20E-12	4.18E-12
np239	3.38E-02	1.56E-08	1.56E-08	1.56E-08	1.56E-08	1.56E-08	1.56E-08
pu236	1.43E+01	1.17E+01	9.63E+00	7.89E+00	6.46E+00	5.30E+00	4.34E+00
pu238	7.59E+04	8.10E+04	8.19E+04	8.17E+04	8.13E+04	8.08E+04	8.03E+04
pu239	5.91E+01	5.95E+01	5.95E+01	5.95E+01	5.95E+01	5.95E+01	5.95E+01
pu240	6.98E+05	6.98E+05	6.98E+05	6.98E+05	6.98E+05	6.98E+05	6.98E+05
pu241	2.00E+01	1.92E+01	1.85E+01	1.77E+01	1.70E+01	1.64E+01	1.57E+01
pu242	1.22E+05	1.22E+05	1.22E+05	1.22E+05	1.22E+05	1.22E+05	1.22E+05
pu243	6.67E-04	7.45E-17	7.45E-17	7.45E-17	7.45E-17	7.45E-17	7.45E-17
pu244	1.93E-09	6.64E-09	1.13E-08	1.60E-08	2.08E-08	2.55E-08	3.02E-08
am241	1.94E+01	3.75E+01	5.49E+01	7.16E+01	8.76E+01	1.03E+02	1.18E+02
am242m	6.94E+01	6.91E+01	6.88E+01	6.86E+01	6.83E+01	6.80E+01	6.77E+01
am242	2.67E+02	7.51E-02	7.48E-02	7.44E-02	7.41E-02	7.38E-02	7.35E-02
am243	6.95E+00	6.95E+00	6.95E+00	6.95E+00	6.95E+00	6.95E+00	6.95E+00
am244	6.80E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm242	5.22E+07	1.44E+07	3.97E+06	1.10E+06	3.18E+05	1.03E+05	4.43E+04
cm243	7.35E+01	7.20E+01	7.06E+01	6.91E+01	6.78E+01	6.64E+01	6.51E+01
cm244	1.69E+07	1.64E+07	1.59E+07	1.54E+07	1.49E+07	1.44E+07	1.40E+07
cm245	1.78E+00	1.78E+00	1.78E+00	1.78E+00	1.78E+00	1.78E+00	1.78E+00
cm246	2.67E+04	2.67E+04	2.67E+04	2.67E+04	2.67E+04	2.67E+04	2.67E+04
cm248	6.70E+01	6.70E+01	6.70E+01	6.70E+01	6.70E+01	6.70E+01	6.70E+01
cm250	1.83E-05	1.83E-05	1.83E-05	1.83E-05	1.83E-05	1.83E-05	1.83E-05
bk249	1.63E-03	8.42E-04	4.35E-04	2.25E-04	1.16E-04	6.03E-05	3.12E-05
cf249	7.83E-06	2.86E-05	3.92E-05	4.47E-05	4.75E-05	4.89E-05	4.96E-05

	cf250	1.90E+01	1.82E+01	1.75E+01	1.67E+01	1.60E+01	1.53E+01	1.47E+01
	cf252	5.82E+02	4.66E+02	3.76E+02	3.02E+02	2.43E+02	1.95E+02	1.57E+02
	cf254	1.06E-01	3.24E-03	9.91E-05	3.03E-06	9.27E-08	2.83E-09	8.67E-11
	es253	5.85E-05	1.54E-08	6.13E-13	2.12E-17	7.16E-22	2.40E-26	8.03E-31
	es255	2.70E-07	1.21E-09	5.42E-12	2.42E-14	1.08E-16	4.85E-19	2.17E-21
0	total	7.00E+07	3.18E+07	2.08E+07	1.74E+07	1.62E+07	1.55E+07	1.50E+07
	---	---	---	---	---	---	---	---
0	total	8.13E+07	3.55E+07	2.25E+07	1.86E+07	1.72E+07	1.65E+07	1.60E+07

1 page 57

alpha-n neutron source spectrum as a function of time
(using reaction spectra for uranium dioxide)

0 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
alpha-n neutron spectra, neutrons/sec/basis
basis = single reactor assembly

	boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1	6.43E+00 - 2.00E+01	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
2	3.00E+00 - 6.43E+00	4.957E+06	1.553E+06	6.080E+05	3.276E+05	2.468E+05	2.269E+05	2.256E+05
3	1.85E+00 - 3.00E+00	5.320E+06	1.812E+06	8.610E+05	6.208E+05	5.717E+05	5.719E+05	5.845E+05
4	1.40E+00 - 1.85E+00	7.028E+05	2.721E+05	1.616E+05	1.423E+05	1.442E+05	1.490E+05	1.538E+05
5	9.00E-01 - 1.40E+00	2.409E+05	1.072E+05	7.586E+04	7.450E+04	7.877E+04	8.248E+04	8.545E+04
6	4.00E-01 - 9.00E-01	3.964E+04	2.217E+04	1.912E+04	2.061E+04	2.248E+04	2.376E+04	2.468E+04
7	1.00E-01 - 4.00E-01	7.422E+03	3.864E+03	3.159E+03	3.328E+03	3.603E+03	3.798E+03	3.941E+03
8	1.70E-02 - 1.00E-01	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
9	3.00E-03 - 1.70E-02	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
10	5.50E-04 - 3.00E-03	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
11	1.00E-04 - 5.50E-04	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
12	3.00E-05 - 1.00E-04	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
13	1.00E-05 - 3.00E-05	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
14	3.05E-06 - 1.00E-05	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
15	1.77E-06 - 3.05E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
16	1.30E-06 - 1.77E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
17	1.13E-06 - 1.30E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
18	1.00E-06 - 1.13E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
19	8.00E-07 - 1.00E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
20	4.00E-07 - 8.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
21	3.25E-07 - 4.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
22	2.25E-07 - 3.25E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
23	1.00E-07 - 2.25E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
24	5.00E-08 - 1.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
25	3.00E-08 - 5.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
26	1.00E-08 - 3.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
27	1.00E-11 - 1.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
0		1.127E+07	3.770E+06	1.724E+06	1.189E+06	1.067E+06	1.058E+06	1.078E+06

1 page 58

spontaneous fission neutron source spectrum as a function of time

0 sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
spontaneous fission neutron spectra, neutrons/sec/basis
basis = single reactor assembly

	boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1	6.43E+00 - 2.00E+01	1.333E+06	6.018E+05	3.925E+05	3.284E+05	3.043E+05	2.913E+05	2.817E+05
2	3.00E+00 - 6.43E+00	1.467E+07	6.651E+06	4.357E+06	3.653E+06	3.387E+06	3.244E+06	3.136E+06
3	1.85E+00 - 3.00E+00	1.595E+07	7.218E+06	4.717E+06	3.951E+06	3.662E+06	3.507E+06	3.391E+06
4	1.40E+00 - 1.85E+00	9.080E+06	4.131E+06	2.713E+06	2.278E+06	2.114E+06	2.025E+06	1.958E+06
5	9.00E-01 - 1.40E+00	1.240E+07	5.663E+06	3.718E+06	3.121E+06	2.895E+06	2.773E+06	2.681E+06

6	4.00E-01 - 9.00E-01	1.385E+07	6.259E+06	4.092E+06	3.427E+06	3.177E+06	3.045E+06	2.942E+06	
7	1.00E-01 - 4.00E-01	2.725E+06	1.230E+06	8.025E+05	6.715E+05	6.222E+05	5.958E+05	5.760E+05	
8	1.70E-02 - 1.00E-01	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
9	3.00E-03 - 1.70E-02	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
10	5.50E-04 - 3.00E-03	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
11	1.00E-04 - 5.50E-04	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
12	3.00E-05 - 1.00E-04	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
13	1.00E-05 - 3.00E-05	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
14	3.05E-06 - 1.00E-05	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
15	1.77E-06 - 3.05E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
16	1.30E-06 - 1.77E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
17	1.13E-06 - 1.30E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
18	1.00E-06 - 1.13E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
19	8.00E-07 - 1.00E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
20	4.00E-07 - 8.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
21	3.25E-07 - 4.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
22	2.25E-07 - 3.25E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
23	1.00E-07 - 2.25E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
24	5.00E-08 - 1.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
25	3.00E-08 - 5.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
26	1.00E-08 - 3.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
27	1.00E-11 - 1.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	
0		7.004E+07	3.175E+07	2.079E+07	1.743E+07	1.616E+07	1.548E+07	1.498E+07	

1

total (alpha-n plus spon. fission) neutron source spectrum as a function of time
(using reaction spectra for uranium dioxide)

0 sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp
neutron spectra, neutrons/sec/basis
basis = single reactor assembly

	boundaries, mev	initial	304.4 d	608.8 d	913.1 d	1217.5 d	1521.9 d	1826.3 d
1	6.43E+00 - 2.00E+01	1.333E+06	6.018E+05	3.925E+05	3.284E+05	3.043E+05	2.913E+05	2.817E+05
2	3.00E+00 - 6.43E+00	1.962E+07	8.204E+06	4.960E+06	3.980E+06	3.634E+06	3.471E+06	3.362E+06
3	1.85E+00 - 3.00E+00	2.127E+07	9.080E+06	5.578E+06	4.572E+06	4.234E+06	4.079E+06	3.975E+06
4	1.40E+00 - 1.85E+00	9.783E+06	4.403E+06	2.875E+06	2.421E+06	2.258E+06	2.174E+06	2.111E+06
5	9.00E-01 - 1.40E+00	1.270E+07	5.770E+06	3.794E+06	3.195E+06	2.974E+06	2.855E+06	2.766E+06
6	4.00E-01 - 9.00E-01	1.387E+07	6.281E+06	4.111E+06	3.448E+06	3.200E+06	3.066E+06	2.966E+06
7	1.00E-01 - 4.00E-01	2.732E+06	1.234E+06	8.057E+05	6.748E+05	6.258E+05	5.993E+05	5.799E+05
8	1.70E-02 - 1.00E-01	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
9	3.00E-03 - 1.70E-02	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
10	5.50E-04 - 3.00E-03	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
11	1.00E-04 - 5.50E-04	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
12	3.00E-05 - 1.00E-04	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
13	1.00E-05 - 3.00E-05	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
14	3.05E-06 - 1.00E-05	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
15	1.77E-06 - 3.05E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
16	1.30E-06 - 1.77E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
17	1.13E-06 - 1.30E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
18	1.00E-06 - 1.13E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
19	8.00E-07 - 1.00E-06	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
20	4.00E-07 - 8.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
21	3.25E-07 - 4.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
22	2.25E-07 - 3.25E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
23	1.00E-07 - 2.25E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
24	5.00E-08 - 1.00E-07	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
25	3.00E-08 - 5.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
26	1.00E-08 - 3.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00
27	1.00E-11 - 1.00E-08	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00	.000E+00

```
0                    8.131E+07 3.552E+07 2.252E+07 1.662E+07 1.723E+07 1.654E+07 1.604E+07
1
1                  * gamma sources determined *
0case applies the following photon data base
                   master photon library
                   in binary mode
0    the sources include photons of nuclides for...

       light elements
       actinides
       fission products
1                  gamma source spectrum for gamma lines (sas2)
0                                    1826.25  day time of the requested nuclides
0                      energy interval in mev      photons / second     mev / second
0
                   1.0000E-02 to     5.0000E-02      6.8561E+14       2.0568E+13
                   5.0000E-02 to     1.0000E-01      2.0308E+14       1.5231E+13
                   1.0000E-01 to     2.0000E-01      1.6111E+14       2.4167E+13
                   2.0000E-01 to     3.0000E-01      4.5083E+13       1.1271E+13
                   3.0000E-01 to     4.0000E-01      3.1358E+13       1.0975E+13
                   4.0000E-01 to     6.0000E-01      2.2631E+14       1.1315E+14
                   6.0000E-01 to     8.0000E-01      1.0168E+15       7.1177E+14
                   8.0000E-01 to     1.0000E+00      9.6947E+13       8.7252E+13
                   1.0000E+00 to     1.3300E+00      3.6226E+13       4.2204E+13
                   1.3300E+00 to     1.6600E+00      7.9534E+12       1.1860E+13
                   1.6600E+00 to     2.0000E+00      4.3816E+11       8.0183E+11
                   2.0000E+00 to     2.5000E+00      1.1466E+12       2.5799E+12
                   2.5000E+00 to     3.0000E+00      3.0775E+10       8.4631E+10
                   3.0000E+00 to     4.0000E+00      3.7983E+09       1.3294E+10
                   4.0000E+00 to     5.0000E+00      5.2258E+05       2.3516E+06
                   5.0000E+00 to     6.5000E+00      2.0954E+05       1.2048E+06
                   6.5000E+00 to     8.0000E+00      4.1069E+04       2.9775E+05
                   8.0000E+00 to     1.0000E+01      8.7149E+03       7.8434E+04
0                  totals                            2.5121E+15       1.0519E+15
0
0                  total energy from nuclides with spectrum data     =   1.0519E+15
0                  total energy from nuclides with no spectrum data =   6.4491E+09
1
0 .results on logical unit no. 71, position  2, for time step  6, subcase10. (run position 1, case position 2)
   title: sas2h: babcock wilcox 15x15, 3.00w%, 20gwd/mtu burn high temp
0    .terminated logical unit no. 71 with zero flag record.
1 * normal termination of execution *
0                                table of contents for material tables
0                                  case or subcase printed      page

                                             1                    1
                                             2                    3
                                             3                    6
                                             4                    9
                                             5                   12
                                             6                   15
                                             7                   18
                                             8                   21
                                             9                   24
                                            10                   27
0ndset        33
        33          4          1         27          6          0          0          0          0          0
         0          0          0          0          0          2         -1       1698        690        130
       880       7935          0          5         99          2         16         96         18         18
        18          0         71
```

```
0       56q array has      20 entries.
0       57q array has       3 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90  87162
     l116  49981
     l32  33663 rudata (library) storage size
     l44  33734
     l103  65583
0       60q array has       1 entries.
0       61q array has       7 entries.
0       65q array has      63 entries.
0       73q array has       4 entries.
0       74q array has       4 entries.
0       75q array has       4 entries.
     l140  56777
     used   88136 in size  200000
0jcpt          12
             5          0          0          0          0          0          0          0          0          0
             0          0
0therm          4
 5.091676E-01 3.604486E-01 2.731459E+00 1.000000E-31
0rcn            5
          7985         20          6         18       1697
0rmn           19
             0          1          0          0          1         -1          0          0          0          0
            21        100          4          4          3          0          4          0          0
0tconst         5
 8.640000E+04 1.000000E-20  .000000E+00  .000000E+00 1.000000E-08
0rzero          4
             0        689        129        879
0pow            3
  .000000E+00  .000000E+00  .000000E+00
0 lirp          9
             6          0         51         26          2       3000       1000       1697         94
0 case or subcase    1  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       4 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90  93972
     l116  57212
     l32  33663 rudata (library) storage size
     l44  33734
     l103  72497
0       58q array has       5 entries.
0       60q array has       5 entries.
0       66q array has       1 entries.
0       73q array has       4 entries.
0       74q array has       4 entries.
0       75q array has       4 entries.
     l140  63587
     used   96742 in size  200000
```

```
0jqpt          12
          5          0          0          0          0          0          0          0          0          0
          0          0
0therm          4
  5.091676E-01 3.604486E-01 2.731459E+00 1.000000E-31
0ncn            5
       7935         20          6         18       1697
0mm            19
          5          5          0          0          1          3          0          0          0          0
         21        100          4          4          3         74          4          1          0
0tconst         5
  8.640000E+04 1.000000E-20 5.000000E+00  .000000E+00 1.000000E-08
0mzero          4
         12        689        129        879
0pow            3
   .000000E+00  .000000E+00  .000000E+00
0 lirp          9
          6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =            4.4180E+00 1.9429E+02 1.9871E+02
 start of interval flux =        1.71666E+13
 n-gamma, fission and total mev/fission =            4.8296E+00 1.9446E+02 1.9929E+02
 start of interval flux =        1.70387E+13
 n-gamma, fission and total mev/fission =            4.9247E+00 1.9462E+02 1.9955E+02
 start of interval flux =        1.69221E+13
 n-gamma, fission and total mev/fission =            5.0218E+00 1.9477E+02 1.9980E+02
 start of interval flux =        1.68318E+13
 n-gamma, fission and total mev/fission =            5.1227E+00 1.9491E+02 2.0004E+02
 start of interval flux =        1.67630E-02
0 case or subcase    2  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0ndset         33
         33          4          2         27          6          0          0          0          0          0
          0          0          0          0          0          2         -1       1698        690        130
        880       7935          0          5         99          2         16         96         18         18
         18          0         71
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       57q array has      4 entries.
0        1q array has     20 entries.
0        1q array has     10 entries.
     l90  93972
     l116 57212
     l32  33663 nudata (library) storage size
     l44  33734
     l103 72497
0       58q array has      5 entries.
0       60q array has      5 entries.
0       66q array has      1 entries.
     l140 63587
     used   96742 in size   200000
0jqpt          12
          5          0          0          0          0          0          0          0          0          0
          0          0
0therm          4
  5.091676E-01 3.604486E-01 2.731459E+00 1.000000E-31
```

```
0non            5
        7935          20           6          18        1697
0mm            19
           5           5           0           0           1           3           0           0           0           5
          21         100           0           4           3          74           4           1           0
0tconst         5
  8.640000E+04 1.600064E+02 2.900000E+01  .000000E+00 1.000000E-08
0mzero          4
          16         689         129         879
0pow            3
  7.250000E+00 1.159993E+03 1.694262E+13
0 lirp          9
           6           0          51          26           2        3000        1000        1697          94
 n-gamma, fission and total mev/fission =             5.2408E+00  1.9492E+02  2.0016E+02
 start of interval flux =          1.6520E+13
 n-gamma, fission and total mev/fission =             5.3397E+00  1.9505E+02  2.0039E+02
 start of interval flux =          1.6459ZE+13
 n-gamma, fission and total mev/fission =             5.4422E+00  1.9518E+02  2.0062E+02
 start of interval flux =          1.6411BE+13
 n-gamma, fission and total mev/fission =             5.5462E+00  1.9530E+02  2.0085E+02
 start of interval flux =          1.6377ZE+13
 n-gamma, fission and total mev/fission =             5.6512E+00  1.9542E+02  2.0107E+02
 start of interval flux =          1.6355SE-02
0 case or subcase    3  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0ndset         33
          33           4           3          27           6           0           0           0           0           0
           0           0           0           0           0           2          -1        1698         690         130
         880        7935           0           5          99           2          16          96          18          18
          18           0          71
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       4 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90   93972
     l116  57212
     l32   33663 nudata (library) storage size
     l44   33734
     l103  72497
0       58q array has       5 entries.
0       60q array has       5 entries.
0       66q array has       1 entries.
     l140  63587
     used   96742 in size   200000
0jqpt           12
           5           0           0           0           0           0           0           0           0           0
           0           0
0therm          4
  5.091678E-01 3.604486E-01 2.731459E+00 1.000000E-31
0non            5
        7935          20           6          18        1697
0mm            19
           5           5           0           0           1           3           0           0           0           5
          21         100           0           4           3          74           4           1           0
```

```
0tconst          5
  8.640000E+04 3.200192E+02 2.600000E+01  .000000E+00 1.000000E-08
0mzero           4
          16         689         129         879
0pow             3
  7.250000E+00 2.319985E+03 1.642759E+13
0 lirp           9
           6           0          51          26           2        3000        1000        1697          94
 n-gamma, fission and total mev/fission =              5.7355E+00  1.9541E+02  2.0115E+02
 start of interval flux =          1.61872E+13
 n-gamma, fission and total mev/fission =              5.8525E+00  1.9552E+02  2.0136E+02
 start of interval flux =          1.61661E+13
 n-gamma, fission and total mev/fission =              5.9353E+00  1.9563E+02  2.0157E+02
 start of interval flux =          1.61526E+13
 n-gamma, fission and total mev/fission =              6.0383E+00  1.9574E+02  2.0178E+02
 start of interval flux =          1.61473E+13
 n-gamma, fission and total mev/fission =              6.1413E+00  1.9584E+02  2.0198E+02
 start of interval flux =          1.61492E-02
0 case or subcase    4  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0ndset           33
          33           4           4          27           6           0           0           0           0           0
           0           0           0           0           0           2          -1        1698         690         130
         880        7935           0           5          99           2          16          96          18          18
          18           0          71
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       4 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90  99972
     l116  57212
     l32  33663 nudata (library) storage size
     l44  33734
     l103  72497
0       58q array has       5 entries.
0       60q array has       5 entries.
0       66q array has       1 entries.
     l140  63587
     used   96742 in size   200000
0jopt            12
          5           0           0           0           0           0           0           0           0           0
          0           0
0therm           4
  5.091676E-01 3.604486E-01 2.731459E+00 1.000000E-31
0non             5
        7935          20           6          18        1697
0mm             19
          5           5           0           0           1           3           0           0           0           5
         21         100           0           4           3          74           4           1           0
0tconst          5
  8.640000E+04 4.800385E+02 2.900000E+01  .000000E+00 1.000000E-08
0mzero           4
          16         689         129         879
0pow             3
```

```
  7.249999E+00 3.479978E+03 1.616451E+13
0 lirp          9
          6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =              6.1975E+00    1.9583E+02    2.0203E+02
 start of interval flux =          1.60283E+13
 n-gamma, fission and total mev/fission =              6.2896E+00    1.9593E+02    2.0222E+02
 start of interval flux =          1.60310E+13
 n-gamma, fission and total mev/fission =              6.3902E+00    1.9602E+02    2.0241E+02
 start of interval flux =          1.60378E+13
 n-gamma, fission and total mev/fission =              6.4905E+00    1.9612E+02    2.0261E+02
 start of interval flux =          1.60502E+13
 n-gamma, fission and total mev/fission =              6.5905E+00    1.9621E+02    2.0280E+02
 start of interval flux =          1.60674E-02
0 case or subcase    5  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0ndset          33
         33          4          5         27          6          0          0          0          0          0
          0          0          0          0          0          2         -1       1698        690        130
        880       7935          0          5         99          2         16         96         18         18
         18          0         71
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       4 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
    l90  93972
    l116  57212
    l32  33663 nudata (library) storage size
    l44  33734
    l103  72497
0       58q array has       5 entries.
0       60q array has       5 entries.
0       66q array has       1 entries.
    l140  63587
    used  96742 in size  200000
0jopt          12
          5          0          0          0          0          0          0          0          0          0
          0          0
0therm          4
  5.091678E-01 3.604486E-01 2.731459E+00 1.000000E-31
0non            5
       7935         20          6         18       1697
0mm            19
          5          5          0          0          1          3          0          0          0          5
         21        100          0          4          3         74          4          1          0
0tconst         5
  8.640000E+04 6.400641E+02 2.900000E+01  .000000E+00 1.000000E-08
0mzero          4
         16        689        129        879
0pow            3
  7.250002E+00 4.639970E+03 1.604761E+13
0 lirp          9
          6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =              6.6274E+00    1.9620E+02    2.0283E+02
 start of interval flux =          1.59778E+13
```

```
 n-gamma, fission and total mev/fission =              6.7144E+00      1.9629E+02      2.0300E+02
 start of interval flux =          1.59963E+13
 n-gamma, fission and total mev/fission =              6.8126E+00      1.9637E+02      2.0319E+02
 start of interval flux =          1.60171E+13
 n-gamma, fission and total mev/fission =              6.9104E+00      1.9646E+02      2.0337E+02
 start of interval flux =          1.60417E+13
 n-gamma, fission and total mev/fission =              7.0078E+00      1.9654E+02      2.0355E+02
 start of interval flux =          1.60897E-02
0 case or subcase    6  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0ndset          33
          33          4          6         27          6          0          0          0          0          0
           0          0          0          0          0          2         -1       1698        650        130
         880       7935          0          5         99          2         16         96         18         18
          18          0         71
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       57q array has       4 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90   93972
     l116  57212
     l32   33663 nudata (library) storage size
     l44   33734
     l103  72497
0       58q array has       5 entries.
0       60q array has       5 entries.
0       66q array has       1 entries.
     l140  63587
     used   96742 in size   200000
0jqpt           12
           5          0          0          0          0          0          0          0          0          0
           0          0
0therm          4
 5.091678E-01 3.604486E-01 2.731459E+00 1.000000E-31
0non            5
        7935         20          6         18       1697
0mm            19
           5          5          0          0          1          3          0          0          0          5
          21        100          0          4          3         74          4          1          0
0tconst         5
 8.640000E+04 8.000961E+02 2.800000E+01  .000000E+00 1.000000E-08
0mzero          4
          16        689        129        879
0pow            3
 7.250000E+00 5.799963E+03 1.602551E+13
0 lirp          9
           6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =              7.0320E+00      1.9653E+02      2.0356E+02
 start of interval flux =          1.60012E+13
 n-gamma, fission and total mev/fission =              7.1140E+00      1.9661E+02      2.0372E+02
 start of interval flux =          1.60313E+13
 n-gamma, fission and total mev/fission =              7.2102E+00      1.9669E+02      2.0390E+02
 start of interval flux =          1.60621E+13
 n-gamma, fission and total mev/fission =              7.3057E+00      1.9677E+02      2.0407E+02
```

```
 start of interval flux =        1.60956E+13
 n-gamma, fission and total mev/fission =              7.4007E+00      1.9684E+02      2.0424E+02
 start of interval flux =        1.61315E-02
0 case or subcase    7  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0ndset          33
          33          4          7         27          6          0          0          0          0          0
           0          0          0          0          0          2         -1       1698        690        130
         880       7935          0          5         99          2         16         96         18         18
          18          0         71
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       57q array has      4 entries.
0        1q array has     20 entries.
0        1q array has     10 entries.
     l90  93972
     l116  57212
     l32  33663 nudata (library) storage size
     l44  33734
     l103  72497
0       58q array has      5 entries.
0       60q array has      5 entries.
0       66q array has      1 entries.
     l140  63587
     used  96742 in size  200000
0jqpt           12
          5          0          0          0          0          0          0          0          0          0
          0          0
0therm           4
 5.091676E-01 3.604486E-01 2.731459E+00 1.000000E-31
0nan             5
       7935         20          6         18       1697
0mm             19
          5          5          0          0          1          3          0          0          0          5
         21        100          0          4          3         74          4          1          0
0tconst          5
 8.640000E+04 9.601346E+02 2.900000E+01  .000000E+00 1.000000E-08
0mzero           4
         16        689        129        879
0pow             3
 7.250001E+00 6.959956E+03 1.606958E+13
0 lirp           9
          6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =              7.4172E+00      1.9683E+02      2.0425E+02
 start of interval flux =        1.60782E+13
 n-gamma, fission and total mev/fission =              7.4945E+00      1.9691E+02      2.0440E+02
 start of interval flux =        1.61169E+13
 n-gamma, fission and total mev/fission =              7.5889E+00      1.9698E+02      2.0457E+02
 start of interval flux =        1.61552E+13
 n-gamma, fission and total mev/fission =              7.6825E+00      1.9705E+02      2.0473E+02
 start of interval flux =        1.61953E+13
 n-gamma, fission and total mev/fission =              7.7755E+00      1.9712E+02      2.0490E+02
 start of interval flux =        1.62371E-02
0 case or subcase    8  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0ndset          33
```


```
          15          4          1         27          6          0          0          0          0          0
           0          0          0          0          0          2         -1       1698        690        130
         880       7935          0          5         99          2         16         96         18         18
          18          0         71
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       57q array has      4 entries.
0        1q array has     20 entries.
0        1q array has     10 entries.
    l90  92270
    l116  55405
    l32  33663 rudata (library) storage size
    l44  33734
    l103  70769
0       58q array has      4 entries.
0       60q array has      4 entries.
0       66q array has      1 entries.
    l140  61885
    used  94591 in size  200000
0jqpt          12
          5          0          0          0          0          0          0          0          0          0
          0          0
0therm          4
  5.134401E-01 4.563286E-01 3.548801E+00 1.000000E-31
0non          5
       7935         20          6         18       1697
0mm          19
          4          4          0          0          1          1          0          0          0          5
         21        100          0          4          3         74          4          1          0
0tconst          5
  8.640000E+04 1.120179E+03 2.800000E+01  .000000E+00 1.000000E-08
0mzero          4
         16        689        129        879
0pow          3
  7.250000E+00 8.119948E+03 1.616192E+13
0 lirp          9
          6          0         51         26          2       3000       1000       1697         94
 n-gamma, fission and total mev/fission =          7.7875E+00  1.9711E+02  2.0490E+02
 start of interval flux =       1.61945E+13
 n-gamma, fission and total mev/fission =          7.8604E+00  1.9718E+02  2.0504E+02
 start of interval flux =       1.62397E+13
 n-gamma, fission and total mev/fission =          7.9532E+00  1.9725E+02  2.0520E+02
 start of interval flux =       1.62835E+13
 n-gamma, fission and total mev/fission =          8.0451E+00  1.9732E+02  2.0536E+02
 start of interval flux =       1.63285E+13
0 case or subcase    9  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       56q array has     20 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
0       56q array has      1 entries.
```

```
0       56q array has       1 entries.
0       57q array has       4 entries.
0        1q array has      20 entries.
0        1q array has      10 entries.
     l90  95662
     l116  59001
     l32  33663 nudata (library) storage size
     l44  33734
     l103  74213
0       60q array has       6 entries.
0       66q array has       1 entries.
0       61q array has       7 entries.
0       65q array has      63 entries.
0       81q array has       4 entries.
0       82q array has       6 entries.
0       83q array has      19 entries.
     l140  80695
     used   98881 in size  200000
0jopt           12
             5          0          0          0          0          0          0          0          0          0
             0          0
0therm           4
  5.134401E-01 4.563286E-01 3.548801E+00 1.000000E-31
0non             5
          7935         20          6         18       1697
0mm             19
             0          6          0          0          5          1          0          0          0          4
            21        100          0          4          3         74          2          1          0
0tconst          5
  8.640000E+04 1.000000E-19 2.900000E+01  .000000E+00 1.000000E-03
0mzero           4
            15        689        129        879
0pow             3
  7.250000E+00 9.279940E+03 1.626613E+13
0 lirp           9
             6          2         51         26          1      18418       1000       1697         94
0 case or subcase   10  sas2h: babcock wilcox 15x15, 3.00wt%, 20gwd/mtu burn high temp
0       56q array has      20 entries.
0       56q array has       1 entries.
0       56q array has       1 entries.
0       56q array has      20 entries.
0requested parm=halt8,skipcellwt,skipshipdata
  pass= 9, exec halts after pass   8
1
0    ************************************************************
     ************************************************************
0       information on the origen-s library produced
0
          dataset name:  ft33f001
0         logical unit number: 33
0         number of records:   68
0
     ************************************************************
     ************************************************************
0.....................................................
0 halt feature invokes stop 0
```

```
0*******************************************************************************
*                                                                              *
*                    scale4.2  bulletin  board                                 *
*                    --------  --------  -----                                 *
*                                                                              *
*      welcome to the configuration controlled version of scale4.2.            *
*      any problems should be reported to kay martin at 4-9213.                *
*                                                                              *
*      updates that have been made from version 4.1 to 4.2 include:            *
*                                                                              *
*      nitawl:  parameter added to prevent exponent underflows for very        *
*      dilute resonance calculations on workstation.  (mrr 93-011)             *
*                                                                              *
*      nitawl:   corrected discrepancies in maximum fractional energy loss     *
*      of neutron in admixed moderator calculation and simpson rule            *
*      calculation of collision density as documented in "improved             *
*      calculation of flux shapes with the resonance shielding code            *
*      nitawl", by j. oppe, ecn-i--93-003.  affects all calculations.          *
*      impact will vary, but is insignificant for hydrogen-moderated           *
*      systems. (mrr 93-030)                                                   *
*                                                                              *
*      sas4:  added option of axial source profile input for both radial       *
*      and axial dose calculations. also added option idr = 2 for              *
*      estimation to point detectors from collisions in both top and           *
*      bottom halves of geometry.  (mrr 92-016)                                *
*                                                                              *
*      morse:  modifications made for compatibility with the new options in    *
*      sas4 (i.e., the axial source profile input option and                   *
*      the option idr = 2 for estimation to point detectors from collisions    *
*      in both top and bottom halves of geometry).  (mrr 92-016)               *
*                                                                              *
*      csas & keno-v.a:  error checking during input processing was added      *
*      so that these modules terminate with an error message if input          *
*      errors are encountered.  (mrr 93-013, 93-014, 93-015, 93-018)           *
*                                                                              *
*      keno-v.a:  corrections made for applying differential albedo            *
*      boundary conditions to supergrouped problems where global unit          *
*      contains only an array specification.  effect on keff is very large     *
*      for this type of problem.  (mrr 93-033)                                 *
*                                                                              *
*      keno-v.a:  corrected an error introduced with modification on may 24,   *
*      1993 (mrr 93-033). this error affected problems with mirror or          *
*      periodic boundary conditions and could cause problem to loop, fail,     *
*      or run incorrectly.                                                     *
*                                                                              *
*      xsdrnpm:  corrected calculation of number of direct access data         *
*      blocks needed to weight the cross sections to prevent occasional        *
*      failure.  improved calculation of balance tables.  (mrr 93-021)         *
*                                                                              *
*      origen-s:  modified program to read combined binary libraries that      *
*      include multi-cycle cross sections.  add option to edit binary          *
*      library.  (mrr 93-026)                                                  *
*                                                                              *
*      sas2:  modified to produce combined binary libraries for origen-s.      *
*      (mrr 93-027)                                                            *
*                                                                              *
*      couple:  modified to allow combined binary libraries to be made by      *
*      sas2.  (mrr 93-031)                                                     *
*                                                                              *
*      origen-s couple, sas2:  modified programs to accept the new updated     *
```

```
*      and expanded decay data and fission product yield libraries.  (mrr     *
*      92-088, 92-025, 92-026)                                                *
*                                                                             *
*      origen-s libraries:  the six standard origen-s card image libraries    *
*      have been replaced by two new libraries, end6dec and xsectpho.         *
*      end6dec contains the updated and expanded decay data library based     *
*      on endf/b-vi data.  xsectpho contains the basic cross section and      *
*      photon spectra data and updated fission product yield data based on    *
*      endf/b-v data.  (drr 92-006, 007, 008, 009, 010, and drr 93-001,       *
*      002, 003, 006, 008, 009)                                               *
*                                                                             *
*      std. comp. library:  in drr 92-033, the following nuclides were        *
*      changed to turn on resonance processing flag but should not have       *
*      been changed:  niss, fess, mnss, crss, niinconel, crinconel,           *
*      feinconel.  flags for these nuclides have now been returned to off.    *
*      (drr 93-014)                                                           *
*                                                                             *
*      heating7:  replaced heating6 with version 7.2.  (mrr 93-038)           *
*                                                                             *
*      htas1:  updated for compatibility with heating7 and to interact        *
*      effectively with ocular.  fin effectiveness technique was added.       *
*      (mrr 93-036)                                                           *
*                                                                             *
*      ocular:  made compatible with heating7 and htas1 on mainframe and      *
*      workstation.  (mrr 93-037)                                             *
*                                                                             *
*      sas2:  corrected so that 'parm=skipshipdata' would work on             *
*      workstation.  (mrr 93-051)                                             *
*                                                                             *
*      aim:  ft47ft001 is no longer require for aim to execute on             *
*      workstation.  (mrr 93-052)                                             *
*                                                                             *
*      27group, 27burnup, and 218group - these libraries have been            *
*      updated to correct an error found in the chlorine cross-sections.      *
*      (drr93-022)                                                            *
*                                                                             *
*      bonami:  corrected so that a case with a number density of zero        *
*      for a nuclide that has bondarenko data will run without failing.       *
*      (mrr 93-060)                                                           *
*                                                                             *
*      csas:  corrected calculation of dancoff correction factor for          *
*      cylindrical cells.  note that previous calculations of small           *
*      cylindrical cells (o.d. < 0.3 cm) gave non-conservative keff           *
*      values.  also corrected dancoff factor for multiregion slab            *
*      cell with vacuum boundary conditions to be set to zero.                *
*      (mrr 93-065)                                                           *
*                                                                             *
*      csas, sas1, sas2, sas3, sas4:  error in miplib was corrected.  for     *
*      resonance materials that are not part of the unit cell in lattice-     *
*      cell or multiregion problems, the dancoff factor defaulted  to -1.     *
*      check your nitawl output in any previous scale-4.2 calculations        *
*      for dancoff factors =-1.                                               *
*      (mrr 93-070)                                                           *
*                                                                             *
*******************************************************************************
1          primary module access and input record ( scale driver - 10/01/86 - 14:00 )
-   module origens  will be called
      0$$  a8 26 a11 71 e
      1$$ 1  1t
       b&w 15x15, 3.0%/20 Decay
```

```
      3$$ 21 0 1 e
      '   3$$ 21 0 1  a33  -88
      2t
      35$$ 0  t
      '  54$$ a8 1 e
      '   56$$ 0 7 a5 1 a13 -1 a15 3 0 4 e   5t
      56$$ 0 7 a13 -1 a15 3 0 4 e   5t
      Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
      per B&W assembly, 0.409 mthm for grams
      60**  0 1 90 365.25 730.5 1826.25  3652.5
      '  61** f1-20
      '  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
      '   a25 1 2z 1 2z 1 5z 1 2z 1
      '   a46 1 2z 1 2z 1 5z 1 2z 1 e
      65$$ a25 1 5z 0 a46 1 5z 0 e
      6t
      '   56$$ 0 -6 a10 1  e  t
      56$$ 0 10 a10 7 a14 5 a17 4 e  57** 10  e  5t
      60**  15 20 30 50 100 150 200 250 300 400
      '  61** f1-20
      '  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
      '   a25 1 2z 1 2z 1 5z 1 2z 1
      '   a46 1 2z 1 2z 1 5z 1 2z 1 e
      65$$ a25 1 5z 0 a46 1 5z 0 e
      6t
      56$$ 0 10 a10 10 a14 5 a17 4 e  57** 400  e  5t
      60**  500 1+3 2+3 4+3 6+3 8+3 1+4 1.2+4 1.4+4 1.6+4
      '    61** f1-20
      65$$ a25 1 5z 0 a46 1 5z 0 e
      6t
      56$$ 0 10 a10 10 a14 5 a17 4 e  57** 1.6+4  e  5t
      60**  1.8+4 2.0+4 2.2+4 2.4+4 2.6+4 2.8+4 3+4 3.2+4 3.6+4 3.8+4
      '  61** f1-20
      65$$ a25 1 5z 0 a46 1 5z 0 e
      6t
      56$$ 0 10 a10 10 a14 5 a17 4 e  57** 3.8+4  e  5t
      60**  4+4 4.5+4 5+4 5.5+4 6+4 6.5+4 7+4 1+5 2+5 2.5+5
      '    61** f1-20
      65$$ a25 1 5z 0 a46 1 5z 0 e
      6t
      56$$ 0 3 a10 10 a14 5 a17 4 e  57** 2.5+5  e  5t
      60**  3+5 5+5 999999
      '  61** f1-20
      65$$ a25 1 5z 0 a46 1 5z 0 e
      6t
      '   56$$ 0 -10 a10 1 e  t
      56$$ f0  t
0   module origens  is finished. completion code     0. cpu time used     5.00 (seconds).
1    ooooooooooo    rrrrrrrrrrr    iiiiiiiiiii     ggggggggggg    eeeeeeeeeeeee   nn          nn   sssssssssss
   ooooooooooooo   rrrrrrrrrrrr   iiiiiiiiiiii    gggggggggggg   eeeeeeeeeeeee   nnn         nn  sssssssssssss
   oo          oo  rr          rr        ii       gg          gg  ee              nnnn        nn  ss          ss
   oo          oo  rr          rr        ii       gg              ee              nn nn       nn  ss
   oo          oo  rr          rr        ii       gg              ee              nn  nn      nn  ss
   oo          oo  rrrrrrrrrrrr          ii       gg    ggggggg   eeeeeeeee       nn   nn     nn   sssssssssss
   oo          oo  rrrrrrrrrrrr          ii       gg    ggggggg   eeeeeeeee       nn    nn    nn    sssssssssss
   oo          oo  rr        rr          ii       gg          gg  ee              nn     nn   nn              ss
   oo          oo  rr         rr         ii       gg          gg  ee              nn      nn nn              ss
   oo          oo  rr          rr        ii       gg          gg  ee              nn       nnnn  ss          ss
   ooooooooooooo   rr           rr  iiiiiiiiiiii   ggggggggggggg  eeeeeeeeeeeee   nn         nnn  sssssssssssss
    ooooooooooo    rr           rr  iiiiiiiiiiii    gggggggggg   eeeeeeeeeeeee   nn          nn   sssssssssss
```



```
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                  program verification information                   *****
                    *****                                                                      *****
                    *****                 code system:    scale  version:   4.2               *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    *****                                                                      *****
                    *****                                                                      *****
                    *****              program:  origns                                        *****
                    *****                                                                      *****
                    *****         creation date:  04/27/95                                     *****
                    *****                                                                      *****
                    *****              library:  /neutronics/scale/exe                         *****
                    *****                                                                      *****
                    *****                                                                      *****
                    *****    this is not a   scale  configuration controlled code             *****
                    *****                                                                      *****
                    *****              jobname:  davis                                         *****
                    *****                                                                      *****
                    *****    date of execution:  02/16/96                                      *****
                    *****                                                                      *****
                    *****    time of execution:  10:07:00                                      *****
                    *****                                                                      *****
                    *****                                                                      *****
                    ********************************************************************************
                    ********************************************************************************
                    ********************************************************************************
1
1            * input echo * (with break between col. 1-72 and 73-80)
0        note:  only comments are permitted after column 72.
0--------------------only this is used as input data.--------------------         comment or title end
0..............................columns 1-72.............................              ..73-80.

 0$$  a8 26 a11 71 e
 1$$ 1  1t
  b&w 15x15, 3.0%/20 Decay
 3$$ 21 0 1 e
 '   3$$ 21 0 1  a33  -88
 2t
 35$$ 0  t
 '  54$$ a8 1 e
 '   56$$ 0 7 a5 1 a13 -1 a15 3 0 4 e   5t
 56$$ 0 7 a13 -1 a15 3 0 4 e   5t
 Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
 per B&W assembly, 0.409 mthm for grams
 60**  0 1 90 365.25 730.5 1826.25  3652.5
 '  61** f1-20
 '  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
 '   a25 1 2z 1 2z 1 5z 1 2z 1
 '   a46 1 2z 1 2z 1 5z 1 2z 1 e
 65$$ a25 1 5z 0 a46 1 5z 0 e
 6t
 '   56$$ 0 -6 a10 1  e  t
 56$$ 0 10 a10 7 a14 5 a17 4 e  57** 10  e  5t
 60**  15 20 30 50 100 150 200 250 300 400
 '  61** f1-20
```

```
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 5z 0 a46 1 5z 0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 400  e  5t
60**  500 1+3 2+3 4+3 6+3 8+3 1+4 1.2+4 1.4+4 1.6+4
'    61** f1-20
65$$ a25 1 5z 0 a46 1 5z 0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 1.6+4  e  5t
60**  1.8+4 2.0+4 2.2+4 2.4+4 2.6+4 2.8+4 3+4 3.2+4 3.6+4 3.8+4
'  61** f1-20
65$$ a25 1 5z 0 a46 1 5z 0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 3.8+4  e  5t
60**  4+4 4.5+4 5+4 5.5+4 6+4 6.5+4 7+4 1+5 2+5 2.5+5
'    61** f1-20
65$$ a25 1 5z 0 a46 1 5z 0 e
6t
56$$ 0 3 a10 10 a14 5 a17 4 e  57** 2.5+5  e  5t
60**  3+5 5+5 999999
'  61** f1-20
65$$ a25 1 5z 0 a46 1 5z 0 e
6t
'   56$$ 0 -10 a10 1 e  t
56$$ f0  t
0when job "fails", make sure no fido input.....................................is out here!

0    0$ array     12 entries read
0    1$ array      1 entries read
0    1t
0         dbl. prec. machine word applied has, at least, a 16 significant figure accuracy.
0             short-lived split test fraction, qxn =    9.1188E-04
0             half-norm of matrix used, axn =    7.0000E+00
0             4-place-accuracy-retention ratio, ratio4 =    6.4516E-13
   3$$ 21 0 1  a33  -88
0    3$ array     33 entries read
0    2t
1library information...

          cross-section data taken from position number  1 of library on unit 21.

          pass   1
          pass   0
          *scale-system control module sas2 library*
          used a time-dependent neutron spectrum, for each of the above passes
            pass 0 applies start-up fuel densiities
            pass n applies mid time densities of nth library interval
          first library updated was...
          ********************************************************************************
          *                                                                              *
          *            prelim lwr origen-s binary working library--id = 1143             *
          *         made from modified card-image origen-s libraries of scale 4.2        *
          *      data from the light element, actinide, and fission product libraries    *
          *        decay data, including gamma and total energy, are from endf/b-vi      *
          *                                                                              *
          *      neutron flux spectrum factors and cross sections were produced from     *
          *     the "presas2" case updating all nuclides on the scale "burnup" library   *
          *                                                                              *
```

```
          *                  fission product yields are from endf/b-v                  *
          *                                                                            *
          *              photon libraries use an 18-energy-group structure             *
          *             the photon data are from the master photon data base,          *
          *              produced to include bremsstrahlung from uo2 matrix            *
          *                                                                            *
          *        see information above this box (if present) for later updates       *
          *                                                                            *
          ******************************************************************************
          *                                                                            *
0         ******************************************************************************
0                   .other identification and sizes of library.
0                    data set name:  /neutronics/scale/datalib/origen/binrylib/pr
0                 4/20/1995     date library was produced
0                      1697     total number of nuclides in library
                        689     number of light-element nuclides
                        129     number of actinide nuclides
                        879     number of fission product nuclides
0                      7935     number of nonzero off-diagonal matrix elements
0         ******************************************************************************
0obtaining data from position no.     1 on unit no.   71
1
     Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay                                                    actinides          page    1
0                                        nuclide concentrations, grams
                                         basis =per B&W assembly, 0.409 mthm for grams
            charge  discharge     .0 d     1.0 d    90.0 d   365.3 d   730.5 d  1826.3 d  3652.5 d
he  4   6.76E-02  6.76E-02  6.76E-02  6.78E-02  8.33E-02  1.10E-01  1.26E-01  1.56E-01  2.09E-01
tl206   5.52E-24  5.52E-24  5.52E-24  5.54E-24  6.41E-24  8.49E-24  1.24E-23  3.54E-23  1.29E-22
tl207   2.68E-15  2.68E-15  2.68E-15  2.69E-15  3.19E-15  5.00E-15  7.05E-15  1.31E-14  2.29E-14
tl208   1.05E-12  1.05E-12  1.05E-12  1.07E-12  1.32E-12  2.28E-12  3.72E-12  7.68E-12  1.13E-11
tl209   2.14E-18  2.14E-18  2.14E-18  2.13E-18  4.40E-19  4.05E-19  4.50E-19  5.97E-19  8.79E-19
pb206   1.77E-13  1.77E-13  1.77E-13  1.78E-13  2.43E-13  5.26E-13  1.08E-12  4.78E-12  2.81E-11
pb207   1.97E-10  1.97E-10  1.97E-10  1.98E-10  2.53E-10  4.88E-10  9.40E-10  3.23E-09  1.01E-08
pb208   2.83E-07  2.83E-07  2.83E-07  2.84E-07  3.79E-07  8.23E-07  1.81E-06  7.58E-06  2.38E-05
pb209   9.02E-15  9.02E-15  9.02E-15  8.59E-15  1.86E-15  1.71E-15  1.90E-15  2.52E-15  3.71E-15
pb210   1.21E-11  1.21E-11  1.21E-11  1.21E-11  1.38E-11  1.83E-11  2.68E-11  7.64E-11  2.79E-10
pb211   2.08E-14  2.08E-14  2.08E-14  2.08E-14  2.47E-14  3.87E-14  5.46E-14  1.01E-13  1.77E-13
pb212   6.21E-10  6.21E-10  6.21E-10  6.20E-10  7.81E-10  1.35E-09  2.20E-09  4.55E-09  6.68E-09
pb214   3.64E-16  3.64E-16  3.64E-16  3.64E-16  4.08E-16  5.64E-16  8.25E-16  1.98E-15  5.12E-15
bi208    .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
bi209   1.42E-11  1.42E-11  1.42E-11  1.43E-11  1.63E-11  1.86E-11  2.19E-11  3.42E-11  6.31E-11
bi210m   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
bi210   7.33E-15  7.33E-15  7.33E-15  7.34E-15  8.50E-15  1.13E-14  1.65E-14  4.70E-14  1.72E-13
bi211   1.23E-15  1.23E-15  1.23E-15  1.23E-15  1.46E-15  2.29E-15  3.23E-15  6.01E-15  1.05E-14
bi212   5.89E-11  5.89E-11  5.89E-11  6.01E-11  7.41E-11  1.28E-10  2.09E-10  4.32E-10  6.34E-10
bi213   2.15E-15  2.15E-15  2.15E-15  2.14E-15  4.43E-16  4.07E-16  4.52E-16  6.01E-16  8.84E-16
bi214   2.70E-16  2.70E-16  2.70E-16  2.71E-16  3.03E-16  4.19E-16  6.13E-16  1.47E-15  3.81E-15
po210   1.29E-13  1.29E-13  1.29E-13  1.30E-13  1.62E-13  2.47E-13  3.71E-13  1.10E-12  4.74E-12
po211m   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00   .00E+00
po211   1.36E-20  1.36E-20  1.36E-20  1.36E-20  1.61E-20  2.53E-20  3.57E-20  6.64E-20  1.16E-19
po212   3.09E-21  3.09E-21  3.09E-21  3.16E-21  3.89E-21  6.74E-21  1.10E-20  2.27E-20  3.33E-20
po213   3.23E-24  3.23E-24  3.23E-24  3.22E-24  6.66E-25  6.12E-25  6.80E-25  9.03E-25  1.33E-24
po214   8.94E-23  8.94E-23  8.94E-23  8.77E-23  4.42E-23  5.76E-23  8.43E-23  2.02E-22  5.24E-22
po215   1.74E-20  1.74E-20  1.74E-20  1.74E-20  2.06E-20  3.24E-20  4.57E-20  8.49E-20  1.48E-19
po216   2.39E-15  2.39E-15  2.39E-15  2.39E-15  3.01E-15  5.22E-15  8.50E-15  1.76E-14  2.58E-14
po218   4.29E-17  4.29E-17  4.29E-17  4.29E-17  4.80E-17  6.65E-17  9.73E-17  2.33E-16  6.04E-16
at217   2.58E-20  2.58E-20  2.58E-20  2.58E-20  5.33E-21  4.90E-21  5.44E-21  7.23E-21  1.06E-20
rn218   1.13E-20  1.13E-20  1.13E-20  1.10E-20  5.64E-22  5.86E-26  3.03E-31   .00E+00   .00E+00
rn219   3.94E-17  3.94E-17  3.94E-17  3.95E-17  4.68E-17  7.34E-17  1.04E-16  1.92E-16  3.36E-16
rn220   9.35E-13  9.35E-13  9.35E-13  9.35E-13  1.18E-12  2.04E-12  3.32E-12  6.86E-12  1.01E-11
```

rn222	7.77E-14	7.77E-14	7.77E-14	7.77E-14	8.69E-14	1.20E-13	1.76E-13	4.21E-13	1.09E-12
fr221	2.39E-16	2.39E-16	2.39E-16	2.39E-16	4.94E-17	4.54E-17	5.05E-17	6.70E-17	9.86E-17
fr223	1.99E-16	1.99E-16	1.99E-16	1.99E-16	2.34E-16	3.40E-16	4.80E-16	8.92E-16	1.56E-15
ra222	1.25E-17	1.25E-17	1.25E-17	1.21E-17	6.24E-19	6.48E-23	3.35E-28	.00E+00	.00E+00
ra223	1.00E-11	1.00E-11	1.00E-11	1.00E-11	1.19E-11	1.86E-11	2.63E-11	4.89E-11	8.54E-11
ra224	5.42E-09	5.42E-09	5.42E-09	5.41E-09	6.82E-09	1.18E-08	1.92E-08	3.97E-08	5.83E-08
ra225	1.05E-12	1.05E-12	1.05E-12	1.01E-12	1.96E-13	2.01E-13	2.24E-13	2.97E-13	4.37E-13
ra226	1.21E-08	1.21E-08	1.21E-08	1.21E-08	1.35E-08	1.87E-08	2.74E-08	6.55E-08	1.70E-07
ra228	4.74E-15	4.74E-15	4.74E-15	4.75E-15	5.65E-15	9.00E-15	1.47E-14	3.85E-14	9.44E-14
ac225	7.17E-13	7.17E-13	7.17E-13	7.15E-13	1.48E-13	1.36E-13	1.51E-13	2.00E-13	2.95E-13
ac227	7.71E-09	7.71E-09	7.71E-09	7.72E-09	9.06E-09	1.32E-08	1.86E-08	3.46E-08	6.04E-08
ac228	5.79E-19	5.79E-19	5.79E-19	5.79E-19	6.90E-19	1.10E-18	1.79E-18	4.70E-18	1.15E-17
th226	6.22E-16	6.22E-16	6.22E-16	6.02E-16	3.10E-17	3.22E-21	1.66E-26	.00E+00	.00E+00
th227	1.70E-11	1.70E-11	1.70E-11	1.70E-11	2.01E-11	3.06E-11	4.32E-11	8.03E-11	1.40E-10
th228	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.32E-06	2.29E-06	3.73E-06	7.71E-06	1.13E-05
th229	3.55E-08	3.55E-08	3.55E-08	3.55E-08	3.65E-08	3.98E-08	4.42E-08	5.87E-08	8.64E-08
th230	6.24E-04	6.24E-04	6.24E-04	6.25E-04	6.79E-04	8.48E-04	1.07E-03	1.75E-03	2.89E-03
th231	6.62E-07	6.62E-07	6.62E-07	3.57E-07	2.56E-08	2.56E-08	2.56E-08	2.56E-08	2.56E-08

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 2

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
th232	8.41E-05	8.41E-05	8.41E-05	8.43E-05	9.43E-05	1.25E-04	1.66E-04	2.90E-04	4.95E-04
th233	8.02E-11	8.02E-11	8.02E-11	2.92E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.43E-06	6.43E-06	6.43E-06	6.43E-06	6.42E-06	6.43E-06	6.42E-06	6.42E-06	6.42E-06
pa231	2.75E-04	2.75E-04	2.75E-04	2.75E-04	2.77E-04	2.82E-04	2.88E-04	3.06E-04	3.37E-04
pa232	2.38E-07	2.38E-07	2.38E-07	1.40E-07	4.98E-28	.00E+00	.00E+00	.00E+00	.00E+00
pa233	4.19E-06	4.19E-06	4.19E-06	4.20E-06	4.34E-06	4.36E-06	4.36E-06	4.37E-06	4.41E-06
pa234m	2.18E-10	2.18E-10	2.18E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10
pa234	4.09E-10	4.09E-10	4.09E-10	1.23E-10	9.67E-11	9.68E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	6.13E-13	6.13E-13	6.13E-13	5.93E-13	3.05E-14	3.17E-18	1.64E-23	2.26E-39	.00E+00
u231	1.16E-11	1.16E-11	1.16E-11	9.83E-12	4.13E-18	7.84E-38	.00E+00	.00E+00	.00E+00
u232	1.46E-04	1.46E-04	1.46E-04	1.46E-04	1.68E-04	2.26E-04	2.89E-04	4.01E-04	4.60E-04
u233	9.73E-04	9.73E-04	9.73E-04	9.73E-04	9.83E-04	1.02E-03	1.06E-03	1.19E-03	1.40E-03
u234	8.05E+01	8.05E+01	8.05E+01	8.05E+01	8.06E+01	8.08E+01	8.10E+01	8.17E+01	8.28E+01
u235	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03
u236	1.41E+03	1.41E+03	1.41E+03	1.41E+03	1.41E+03	1.41E+03	1.41E+03	1.41E+03	1.41E+03
u237	1.82E+00	1.82E+00	1.82E+00	1.65E+00	1.89E-04	1.17E-05	1.11E-05	9.64E-06	7.57E-06
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	1.30E-01	1.30E-01	1.30E-01	4.38E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	2.04E-23	2.04E-23	2.04E-23	2.05E-23	3.51E-23	8.00E-23	1.40E-22	3.19E-22	6.17E-22
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	3.20E-06	3.20E-06	3.20E-06	3.19E-06	2.73E-06	1.69E-06	8.91E-07	1.31E-07	5.36E-09
np236m	2.84E-06	2.84E-06	2.84E-06	1.36E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04
np237	1.26E+02	1.26E+02	1.26E+02	1.27E+02	1.28E+02	1.28E+02	1.28E+02	1.29E+02	1.30E+02
np238	1.68E-01	1.68E-01	1.68E-01	1.21E-01	7.85E-08	7.82E-08	7.78E-08	7.67E-08	7.48E-08
np239	1.88E+01	1.88E+01	1.88E+01	1.41E+01	8.68E-06	8.68E-06	8.68E-06	8.67E-06	8.67E-06
np240m	1.74E-25	1.74E-25	1.74E-25	1.75E-25	2.99E-25	6.83E-25	1.19E-24	2.72E-24	5.27E-24
np240	3.64E-04	3.64E-04	3.64E-04	3.61E-11	3.08E-27	7.03E-27	1.23E-26	2.80E-26	5.42E-26
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	3.91E-04	3.91E-04	3.91E-04	3.92E-04	3.70E-04	3.09E-04	2.44E-04	1.19E-04	3.60E-05
pu237	1.11E-05	1.11E-05	1.11E-05	1.09E-05	2.79E-06	4.09E-08	1.51E-10	7.52E-18	5.08E-30
pu238	2.77E+01	2.77E+01	2.77E+01	2.77E+01	2.86E+01	2.96E+01	2.98E+01	2.93E+01	2.81E+01
pu239	2.61E+03	2.61E+03	2.61E+03	2.62E+03	2.63E+03	2.63E+03	2.63E+03	2.63E+03	2.63E+03
pu240	6.72E+02	6.72E+02	6.72E+02	6.72E+02	6.72E+02	6.72E+02	6.72E+02	6.72E+02	6.72E+02
pu241	4.05E+02	4.05E+02	4.05E+02	4.05E+02	4.00E+02	3.86E+02	3.67E+02	3.18E+02	2.50E+02
pu242	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01

pu243	1.01E-02	1.01E-02	1.01E-02	3.52E-04	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15
pu244	1.03E-12	1.03E-12	1.03E-12	1.04E-12	1.78E-12	4.05E-12	7.07E-12	1.61E-11	3.12E-11
pu245	7.59E-19	7.59E-19	7.59E-19	1.56E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	3.21E-21	3.21E-21	3.21E-21	3.08E-21	1.26E-21	1.25E-21	1.25E-21	1.25E-21	1.25E-21
am239	3.03E-10	3.03E-10	3.03E-10	7.49E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	1.32E-07	1.32E-07	1.32E-07	9.53E-08	2.21E-20	.00E+00	.00E+00	.00E+00	.00E+00
am241	1.71E+01	1.71E+01	1.71E+01	1.71E+01	2.18E+01	3.61E+01	5.42E+01	1.03E+02	1.71E+02
am242m	4.32E-01	4.32E-01	4.32E-01	4.32E-01	4.31E-01	4.30E-01	4.28E-01	4.21E-01	4.11E-01
am242	1.97E-02	1.97E-02	1.97E-02	6.99E-03	5.57E-06	5.54E-06	5.52E-06	5.44E-06	5.30E-06
am243	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.01E+01
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	3.73E-03	3.73E-03	3.73E-03	7.18E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	5.97E-17	5.97E-17	5.97E-17	5.95E-17	4.91E-17	2.70E-17	1.23E-17	1.14E-18	2.19E-20
am246	8.01E-24	8.01E-24	8.01E-24	7.72E-24	3.14E-24	3.12E-24	3.12E-24	3.12E-24	3.12E-24
cm241	6.19E-10	6.19E-10	6.19E-10	6.06E-10	9.25E-11	2.75E-13	1.22E-16	1.08E-26	3.38E-43

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 3

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
cm242	2.60E+00	2.60E+00	2.60E+00	2.60E+00	1.78E+00	5.54E-01	1.18E-01	2.21E-03	1.07E-03
cm243	6.03E-02	6.03E-02	6.03E-02	6.03E-02	5.99E-02	5.88E-02	5.74E-02	5.34E-02	4.73E-02
cm244	1.51E+00	1.51E+00	1.51E+00	1.52E+00	1.50E+00	1.46E+00	1.41E+00	1.25E+00	1.03E+00
cm245	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02
cm246	3.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	3.00E-03	2.99E-03
cm247	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05
cm248	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06
cm249	1.19E-11	1.19E-11	1.19E-11	3.68E-18	5.01E-20	1.12E-24	7.51E-31	.00E+00	.00E+00
cm250	2.98E-15	2.98E-15	2.98E-15	2.98E-15	2.98E-15	2.98E-15	2.98E-15	2.98E-15	2.98E-15
cm251	7.30E-23	7.30E-23	7.30E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	1.56E-08	1.56E-08	1.56E-08	1.56E-08	1.29E-08	7.10E-09	3.22E-09	3.00E-10	5.74E-12
bk250	5.62E-12	5.62E-12	5.62E-12	3.19E-14	1.36E-18	6.81E-19	2.72E-19	1.73E-20	1.84E-22
bk251	8.19E-17	8.19E-17	8.19E-17	3.31E-21	6.81E-22	5.11E-24	7.74E-27	2.70E-35	.00E+00
cf249	2.85E-09	2.85E-09	2.85E-09	2.88E-09	5.62E-09	1.14E-08	1.52E-08	1.81E-08	1.82E-08
cf250	1.73E-09	1.73E-09	1.73E-09	1.74E-09	1.72E-09	1.65E-09	1.56E-09	1.33E-09	1.02E-09
cf251	8.53E-10	8.53E-10	8.53E-10	8.53E-10	8.53E-10	8.52E-10	8.52E-10	8.50E-10	8.46E-10
cf252	2.52E-10	2.52E-10	2.52E-10	2.52E-10	2.36E-10	1.94E-10	1.49E-10	6.80E-11	1.83E-11
cf253	2.17E-13	2.17E-13	2.17E-13	2.09E-13	6.55E-15	1.46E-19	9.81E-26	.00E+00	.00E+00
cf254	8.70E-17	8.70E-17	8.70E-17	8.60E-17	3.10E-17	1.32E-18	2.02E-20	7.12E-26	5.83E-35
cf255	8.67E-21	8.67E-21	8.67E-21	1.32E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	1.91E-13	1.91E-13	1.91E-13	1.92E-13	3.80E-14	6.80E-18	3.30E-23	2.56E-39	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	3.56E-15	3.56E-15	3.56E-15	3.55E-15	2.84E-15	1.42E-15	5.68E-16	3.61E-17	3.66E-19
es255	3.36E-18	3.36E-18	3.36E-18	3.31E-18	6.81E-19	5.11E-21	7.74E-24	2.70E-32	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 4

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
h 3	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.34E-02	1.28E-02	1.21E-02	1.03E-02	7.74E-03
li 6	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05
li 7	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06
be 9	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06
be 10	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05
c 14	7.47E-06	7.47E-06	7.47E-06	7.47E-06	7.47E-06	7.47E-06	7.47E-06	7.46E-06	7.46E-06
ni 66	5.76E-10	5.76E-10	5.76E-10	4.25E-10	7.15E-22	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	9.01E-13	9.01E-13	9.01E-13	6.62E-13	1.11E-24	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	1.74E-07	1.74E-07	1.74E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07

se 77	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01
se 77m	1.65E-10	1.65E-10	1.65E-10	1.14E-10	3.29E-27	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	4.61E-15	4.61E-15	4.61E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	1.28E-12	1.28E-12	1.28E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	1.79E-09	1.79E-09	1.79E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	2.77E-08	2.77E-08	2.77E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	4.88E-05	4.88E-05	4.88E-05	5.79E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	5.09E-05	5.09E-05	5.09E-05	8.65E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	7.24E-01	7.24E-01	7.24E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01
cu 79	3.71E-13	3.71E-13	3.71E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	5.92E-10	5.92E-10	5.92E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	1.65E-08	1.65E-08	1.65E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	3.08E-07	3.08E-07	3.08E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	9.49E-06	9.49E-06	9.49E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00
se 79m	4.08E-06	4.08E-06	4.08E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	5.12E-05	5.12E-05	5.12E-05	5.13E-05	5.85E-05	8.07E-05	1.10E-04	1.98E-04	3.46E-04
br 79m	3.00E-14	3.00E-14	3.00E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	6.66E-14	6.66E-14	6.66E-14	4.14E-14	1.82E-32	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	2.91E-14	2.91E-14	2.91E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	1.23E-10	1.23E-10	1.23E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	7.45E-09	7.45E-09	7.45E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	1.19E-06	1.19E-06	1.19E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	7.11E-07	7.11E-07	7.11E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00
br 80	3.70E-10	3.70E-10	3.70E-10	6.11E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	3.69E-09	3.69E-09	3.69E-09	8.56E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05
cu 81	2.46E-15	2.46E-15	2.46E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	6.41E-12	6.41E-12	6.41E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	3.53E-09	3.53E-09	3.53E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	3.27E-07	3.27E-07	3.27E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	2.28E-06	2.28E-06	2.28E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	7.98E-05	7.98E-05	7.98E-05	2.27E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	1.78E-05	1.78E-05	1.78E-05	4.78E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00
kr 81	7.13E-07	7.13E-07	7.13E-07	7.13E-07	7.13E-07	7.13E-07	7.13E-07	7.13E-07	7.13E-07
kr 81m	9.94E-14	9.94E-14	9.94E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	1.50E-12	1.50E-12	1.50E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	1.10E-09	1.10E-09	1.10E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 6

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
ge 82	1.92E-07	1.92E-07	1.92E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	1.30E-06	1.30E-06	1.30E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	3.59E-07	3.59E-07	3.59E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00
br 82	3.96E-04	3.96E-04	3.96E-04	2.48E-04	1.52E-22	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	9.40E-07	9.40E-07	9.40E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01
zn 83	5.12E-14	5.12E-14	5.12E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	6.88E-11	6.88E-11	6.88E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	3.59E-08	3.59E-08	3.59E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	1.47E-06	1.47E-06	1.47E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	1.12E-04	1.12E-04	1.12E-04	4.08E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	6.19E-06	6.19E-06	6.19E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	1.53E-03	1.53E-03	1.53E-03	1.63E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01

kr 83m	1.16E-03	1.16E-03	1.16E-03	5.36E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	1.80E-10	1.80E-10	1.80E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	1.51E-08	1.51E-08	1.51E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	4.51E-07	4.51E-07	4.51E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	6.23E-05	6.23E-05	6.23E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	6.36E-04	6.36E-04	6.36E-04	1.65E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	3.22E-06	3.22E-06	3.22E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01
ga 85	3.15E-13	3.15E-13	3.15E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	5.49E-10	5.49E-10	5.49E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	9.72E-08	9.72E-08	9.72E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	4.92E-06	4.92E-06	4.92E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	2.59E-06	2.59E-06	2.59E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	6.48E-05	6.48E-05	6.48E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	6.65E+00	6.65E+00	6.65E+00	6.65E+00	6.55E+00	6.24E+00	5.85E+00	4.82E+00	3.49E+00
kr 85m	6.08E-03	6.08E-03	6.08E-03	1.50E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	2.80E+01	2.80E+01	2.80E+01	2.80E+01	2.81E+01	2.84E+01	2.88E+01	2.98E+01	3.11E+01
ge 86	1.17E-10	1.17E-10	1.17E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	2.45E-08	2.45E-08	2.45E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	5.76E-06	5.76E-06	5.76E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	2.56E-05	2.56E-05	2.56E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	4.85E-06	4.85E-06	4.85E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01
rb 86	2.67E-03	2.67E-03	2.67E-03	2.57E-03	9.38E-05	3.35E-09	4.22E-15	8.39E-33	.00E+00
rb 86m	8.18E-09	8.18E-09	8.18E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	6.19E-02	6.19E-02	6.19E-02	6.20E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02
ge 87	5.35E-10	5.35E-10	5.35E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	4.80E-09	4.80E-09	4.80E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	1.25E-06	1.25E-06	1.25E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	3.41E-05	3.41E-05	3.41E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	3.55E-03	3.55E-03	3.55E-03	7.48E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01
sr 87	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04
sr 87m	5.51E-08	5.51E-08	5.51E-08	1.48E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	9.21E-13	9.21E-13	9.21E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	9.66E-10	9.66E-10	9.66E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	1.82E-07	1.82E-07	1.82E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 7

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
br 88	9.89E-06	9.89E-06	9.89E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	1.11E-02	1.11E-02	1.11E-02	3.17E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	1.19E-03	1.19E-03	1.19E-03	3.70E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02
as 89	1.60E-11	1.60E-11	1.60E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	1.77E-08	1.77E-08	1.77E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	1.84E-06	1.84E-06	1.84E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	2.61E-04	2.61E-04	2.61E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	1.35E-03	1.35E-03	1.35E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	6.62E+00	6.62E+00	6.62E+00	6.53E+00	1.93E+00	4.43E-02	2.96E-04	8.85E-11	1.18E-21
y 89	1.33E+02	1.33E+02	1.33E+02	1.33E+02	1.37E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
y 89m	2.28E-09	2.28E-09	2.28E-09	2.23E-09	6.59E-10	1.51E-11	1.01E-13	3.02E-20	4.04E-31
as 90	1.18E-13	1.18E-13	1.18E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	4.12E-09	4.12E-09	4.12E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	4.43E-07	4.43E-07	4.43E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	4.79E-05	4.79E-05	4.79E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	2.10E-04	2.10E-04	2.10E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	1.12E-04	1.12E-04	1.12E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr 90	1.63E+02	1.63E+02	1.63E+02	1.63E+02	1.62E+02	1.59E+02	1.55E+02	1.44E+02	1.27E+02
y 90	4.30E-02	4.30E-02	4.30E-02	4.28E-02	4.20E-02	4.12E-02	4.02E-02	3.74E-02	3.30E-02
y 90m	3.65E-08	3.65E-08	3.65E-08	1.98E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	7.74E+00	7.74E+00	7.74E+00	7.75E+00	8.72E+00	1.17E+01	1.56E+01	2.66E+01	4.32E+01
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	2.67E-10	2.67E-10	2.67E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	4.62E-08	4.62E-08	4.62E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	8.82E-06	8.82E-06	8.82E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.07E-04	1.07E-04	1.07E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	6.74E-02	6.74E-02	6.74E-02	1.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	1.01E+01	1.01E+01	1.01E+01	1.01E+01	3.51E+00	1.35E-01	1.78E-03	4.09E-09	1.64E-18
y 91m	3.40E-03	3.40E-03	3.40E-03	6.50E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.69E+02	1.69E+02	1.69E+02	1.69E+02	1.76E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02
nb 91	2.67E-10	2.67E-10	2.67E-10	2.67E-10	2.67E-10	2.67E-10	2.66E-10	2.65E-10	2.64E-10
se 92	1.39E-11	1.39E-11	1.39E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	4.84E-09	4.84E-09	4.84E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	1.03E-06	1.03E-06	1.03E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	7.36E-06	7.36E-06	7.36E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	2.06E-02	2.06E-02	2.06E-02	4.44E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	2.71E-02	2.71E-02	2.71E-02	8.55E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02
nb 92	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08
se 93	6.10E-14	6.10E-14	6.10E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	6.53E-10	6.53E-10	6.53E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	2.47E-07	2.47E-07	2.47E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	7.80E-06	7.80E-06	7.80E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	1.07E-03	1.07E-03	1.07E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	5.92E-02	5.92E-02	5.92E-02	1.15E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
nb 93	8.41E-06	8.41E-06	8.41E-06	8.42E-06	9.65E-06	1.44E-05	2.27E-05	6.12E-05	1.65E-04
nb 93m	1.10E-04	1.10E-04	1.10E-04	1.10E-04	1.24E-04	1.67E-04	2.22E-04	3.72E-04	5.83E-04
br 94	2.17E-11	2.17E-11	2.17E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	1.87E-08	1.87E-08	1.87E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	1.93E-06	1.93E-06	1.93E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 8

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sr 94	1.81E-04	1.81E-04	1.81E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	2.93E-03	2.93E-03	2.93E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02
nb 94	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04
nb 94m	3.29E-10	3.29E-10	3.29E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	2.38E-13	2.38E-13	2.38E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	6.61E-09	6.61E-09	6.61E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	1.34E-07	1.34E-07	1.34E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	5.48E-05	5.48E-05	5.48E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	1.72E-03	1.72E-03	1.72E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	1.55E+01	1.55E+01	1.55E+01	1.54E+01	5.87E+00	2.98E-01	5.71E-03	4.02E-08	1.04E-16
nb 95	8.53E+00	8.53E+00	8.53E+00	8.53E+00	5.35E+00	3.51E-01	7.08E-03	4.84E-08	1.25E-16
nb 95m	1.01E-02	1.01E-02	1.01E-02	1.00E-02	3.89E-03	1.98E-04	3.79E-06	2.66E-11	6.88E-20
mo 95	2.00E+02	2.00E+02	2.00E+02	2.00E+02	2.13E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02
br 96	4.47E-14	4.47E-14	4.47E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	4.35E-10	4.35E-10	4.35E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	1.75E-08	1.75E-08	1.75E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	1.71E-06	1.71E-06	1.71E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	1.57E-05	1.57E-05	1.57E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02
nb 96	2.59E-04	2.59E-04	2.59E-04	1.27E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

mo 96	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00
kr 97	2.02E-12	2.02E-12	2.02E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	4.20E-09	4.20E-09	4.20E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	3.46E-07	3.46E-07	3.46E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	7.71E-06	7.71E-06	7.71E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	1.66E-01	1.66E-01	1.66E-01	6.21E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	1.19E-02	1.19E-02	1.19E-02	4.44E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	1.56E-04	1.56E-04	1.56E-04	5.81E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02
kr 98	1.17E-12	1.17E-12	1.17E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	2.82E-10	2.82E-10	2.82E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	2.21E-07	2.21E-07	2.21E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	1.06E-06	1.06E-06	1.06E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	8.98E-05	8.98E-05	8.98E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	8.43E-06	8.43E-06	8.43E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	7.05E-05	7.05E-05	7.05E-05	2.50E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
tc 98	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03
rb 99	4.36E-12	4.36E-12	4.36E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	3.65E-08	3.65E-08	3.65E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	1.54E-06	1.54E-06	1.54E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	6.09E-06	6.09E-06	6.09E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	2.82E-05	2.82E-05	2.82E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	2.01E-04	2.01E-04	2.01E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	7.60E-01	7.60E-01	7.60E-01	5.91E-01	1.05E-10	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.30E+02	2.30E+02	2.30E+02	2.30E+02	2.31E+02	2.31E+02	2.31E+02	2.31E+02	2.31E+02
tc 99m	6.10E-02	6.10E-02	6.10E-02	5.18E-02	9.26E-12	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	9.13E-03	9.13E-03	9.13E-03	9.14E-03	9.34E-03	9.91E-03	1.07E-02	1.29E-02	1.67E-02
rb100	2.25E-12	2.25E-12	2.25E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	3.57E-09	3.57E-09	3.57E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	2.48E-07	2.48E-07	2.48E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 9

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
zr100	2.05E-05	2.05E-05	2.05E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	4.70E-06	4.70E-06	4.70E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	7.50E-07	7.50E-07	7.50E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02
tc100	7.90E-06	7.90E-06	7.90E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01
rb101	1.75E-14	1.75E-14	1.75E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	5.22E-10	5.22E-10	5.22E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	8.60E-08	8.60E-08	8.60E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	3.36E-06	3.36E-06	3.36E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	2.00E-05	2.00E-05	2.00E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	2.59E-03	2.59E-03	2.59E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	2.52E-03	2.52E-03	2.52E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02
sr102	1.32E-10	1.32E-10	1.32E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	7.27E-08	7.27E-08	7.27E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	3.41E-06	3.41E-06	3.41E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	3.10E-06	3.10E-06	3.10E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	1.91E-03	1.91E-03	1.91E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	1.49E-05	1.49E-05	1.49E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	7.52E-07	7.52E-07	7.52E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02
rh102	2.17E-04	2.17E-04	2.17E-04	2.17E-04	2.05E-04	1.71E-04	1.35E-04	6.57E-05	1.99E-05
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr103	4.49E-13	4.49E-13	4.49E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	6.32E-09	6.32E-09	6.32E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	5.65E-07	5.65E-07	5.65E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	2.64E-06	2.64E-06	2.64E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	1.83E-04	1.83E-04	1.83E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	1.50E-04	1.50E-04	1.50E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	9.36E+00	9.36E+00	9.36E+00	9.19E+00	1.91E+00	1.48E-02	2.34E-05	9.29E-14	9.22E-28
rh103	1.34E+02	1.34E+02	1.34E+02	1.34E+02	1.42E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02
rh103m	9.27E-03	9.27E-03	9.27E-03	9.11E-03	1.89E-03	1.47E-05	2.32E-08	9.20E-17	9.13E-31
sr104	1.95E-13	1.95E-13	1.95E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	8.72E-11	8.72E-11	8.72E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	3.30E-07	3.30E-07	3.30E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	3.85E-06	3.85E-06	3.85E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	1.28E-04	1.28E-04	1.28E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	2.46E-03	2.46E-03	2.46E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rh104	4.73E-05	4.73E-05	4.73E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	2.12E-05	2.12E-05	2.12E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01
y105	1.25E-12	1.25E-12	1.25E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	1.86E-08	1.86E-08	1.86E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	9.52E-07	9.52E-07	9.52E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	5.53E-05	5.53E-05	5.53E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	8.43E-04	8.43E-04	8.43E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	2.99E-02	2.99E-02	2.99E-02	7.25E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	2.32E-01	2.32E-01	2.32E-01	1.66E-01	1.09E-19	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	2.39E-05	2.39E-05	2.39E-05	5.82E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 10

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
y106	1.39E-14	1.39E-14	1.39E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	1.59E-09	1.59E-09	1.59E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	6.07E-08	6.07E-08	6.07E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	7.13E-06	7.13E-06	7.13E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	4.67E-05	4.67E-05	4.67E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	3.37E+01	3.37E+01	3.37E+01	3.36E+01	2.85E+01	1.70E+01	8.63E+00	1.12E+00	3.71E-02
rh106	3.22E-05	3.22E-05	3.22E-05	3.12E-05	2.64E-05	1.58E-05	8.01E-06	1.04E-06	3.44E-08
rh106m	1.10E-04	1.10E-04	1.10E-04	5.11E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	4.57E+01	4.57E+01	4.57E+01	4.58E+01	5.09E+01	6.24E+01	7.08E+01	7.83E+01	7.94E+01
ag106	2.68E-15	2.68E-15	2.68E-15	2.33E-33	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	1.31E-16	1.31E-16	1.31E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	4.24E-12	4.24E-12	4.24E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	8.29E-09	8.29E-09	8.29E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	1.19E-06	1.19E-06	1.19E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	1.86E-05	1.86E-05	1.86E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	2.39E-04	2.39E-04	2.39E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	1.39E-03	1.39E-03	1.39E-03	1.80E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01
pd107m	6.52E-08	6.52E-08	6.52E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	7.30E-06	7.30E-06	7.30E-06	7.31E-06	8.64E-06	1.28E-05	1.82E-05	3.46E-05	6.19E-05
zr108	2.68E-13	2.68E-13	2.68E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	8.12E-11	8.12E-11	8.12E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	7.28E-08	7.28E-08	7.28E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	1.54E-06	1.54E-06	1.54E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	1.85E-04	1.85E-04	1.85E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	1.16E-05	1.16E-05	1.16E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	4.06E-06	4.06E-06	4.06E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pd108	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01
ag108	2.17E-10	2.17E-10	2.17E-10	1.30E-13	1.30E-13	1.29E-13	1.29E-13	1.27E-13	1.23E-13
ag108m	4.21E-05	4.21E-05	4.21E-05	4.21E-05	4.21E-05	4.19E-05	4.17E-05	4.10E-05	3.99E-05
cd108	4.34E-05	4.34E-05	4.34E-05	4.34E-05	4.34E-05	4.34E-05	4.34E-05	4.35E-05	4.36E-05
zr109	6.67E-17	6.67E-17	6.67E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	4.24E-12	4.24E-12	4.24E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	7.22E-09	7.22E-09	7.22E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	1.41E-07	1.41E-07	1.41E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	1.63E-05	1.63E-05	1.63E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	4.36E-05	4.36E-05	4.36E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	1.36E-05	1.36E-05	1.36E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	2.97E-02	2.97E-02	2.97E-02	8.84E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	7.34E-07	7.34E-07	7.34E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.18E+01	2.18E+01	2.18E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01
ag109m	2.39E-05	2.39E-05	2.39E-05	7.10E-06	2.85E-14	1.88E-14	1.09E-14	2.11E-15	1.37E-16
cd109	3.29E-08	3.29E-08	3.29E-08	3.28E-08	2.87E-08	1.90E-08	1.10E-08	2.13E-09	1.38E-10
nb110	7.02E-14	7.02E-14	7.02E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	1.49E-09	1.49E-09	1.49E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	1.28E-08	1.28E-08	1.28E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	2.20E-06	2.20E-06	2.20E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	8.06E-08	8.06E-08	8.06E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	4.90E-06	4.90E-06	4.90E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00
ag110	4.66E-06	4.66E-06	4.66E-06	1.60E-09	1.25E-09	5.84E-10	2.12E-10	1.01E-11	6.37E-14
ag110m	1.04E-01	1.04E-01	1.04E-01	1.03E-01	8.08E-02	3.77E-02	1.37E-02	6.53E-04	4.11E-06

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 11

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
cd110	5.66E+00	5.66E+00	5.66E+00	5.66E+00	5.68E+00	5.72E+00	5.75E+00	5.76E+00	5.76E+00
nb111	6.56E-16	6.56E-16	6.56E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	2.22E-11	2.22E-11	2.22E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	5.89E-09	5.89E-09	5.89E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	7.75E-08	7.75E-08	7.75E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	1.06E-06	1.06E-06	1.06E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	1.45E-04	1.45E-04	1.45E-04	2.51E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	9.29E-05	9.29E-05	9.29E-05	4.51E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	6.65E-02	6.65E-02	6.65E-02	6.08E-02	1.54E-05	1.16E-16	2.03E-31	.00E+00	.00E+00
ag111m	6.70E-06	6.70E-06	6.70E-06	1.44E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	4.98E+00	4.98E+00	4.98E+00	4.98E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00
cd111m	2.40E-07	2.40E-07	2.40E-07	2.89E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	1.14E-17	1.14E-17	1.14E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	6.07E-12	6.07E-12	6.07E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	2.10E-10	2.10E-10	2.10E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	5.80E-08	5.80E-08	5.80E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	5.87E-08	5.87E-08	5.87E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	3.68E-03	3.68E-03	3.68E-03	1.67E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	5.50E-04	5.50E-04	5.50E-04	2.92E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.63E+00	2.63E+00	2.63E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00
mo113	2.68E-14	2.68E-14	2.68E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	7.30E-11	7.30E-11	7.30E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	1.53E-08	1.53E-08	1.53E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	1.70E-08	1.70E-08	1.70E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	2.63E-06	2.63E-06	2.63E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	5.31E-04	5.31E-04	5.31E-04	2.41E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	3.79E-07	3.79E-07	3.79E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	4.52E-02	4.52E-02	4.52E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
cd113m	2.80E-02	2.80E-02	2.80E-02	2.81E-02	2.77E-02	2.67E-02	2.54E-02	2.19E-02	1.72E-02
in113	1.97E-03	1.97E-03	1.97E-03	1.98E-03	2.31E-03	3.32E-03	4.60E-03	8.08E-03	1.29E-02

in113m	1.77E-13	1.77E-13	1.77E-13	7.77E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	2.22E-14	2.22E-14	2.22E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	3.44E-12	3.44E-12	3.44E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	1.50E-08	1.50E-08	1.50E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	1.64E-08	1.64E-08	1.64E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	3.32E-06	3.32E-06	3.32E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	1.08E-07	1.08E-07	1.08E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00
in114	2.18E-10	2.18E-10	2.18E-10	1.49E-10	4.30E-11	9.11E-13	5.48E-15	1.19E-21	9.42E-33
in114m	9.41E-06	9.41E-06	9.41E-06	9.28E-06	2.67E-06	5.66E-08	3.41E-10	7.43E-17	5.86E-28
sn114	6.61E-05	6.61E-05	6.61E-05	6.62E-05	7.25E-05	7.50E-05	7.51E-05	7.51E-05	7.51E-05
mo115	3.27E-17	3.27E-17	3.27E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	1.58E-13	1.58E-13	1.58E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	3.72E-10	3.72E-10	3.72E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	3.31E-08	3.31E-08	3.31E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	5.26E-07	5.26E-07	5.26E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	1.32E-05	1.32E-05	1.32E-05	2.88E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	8.28E-08	8.28E-08	8.28E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	2.96E-03	2.96E-03	2.96E-03	2.18E-03	2.06E-15	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	2.68E-03	2.68E-03	2.68E-03	2.64E-03	6.63E-04	9.19E-06	3.15E-08	1.26E-15	5.93E-28
in115	4.53E-01	4.53E-01	4.53E-01	4.54E-01	4.58E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01
in115m	2.49E-04	2.49E-04	2.49E-04	1.99E-04	3.07E-10	4.25E-12	1.46E-14	5.84E-22	2.75E-34

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 12

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sn115	4.55E-02	4.55E-02	4.55E-02	4.55E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
tc116	2.84E-14	2.84E-14	2.84E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	2.36E-10	2.36E-10	2.36E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	1.90E-09	1.90E-09	1.90E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	1.96E-07	1.96E-07	1.96E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	2.84E-06	2.84E-06	2.84E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	2.32E-08	2.32E-08	2.32E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
in116	3.47E-08	3.47E-08	3.47E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	3.01E-05	3.01E-05	3.01E-05	2.97E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01
tc117	4.62E-16	4.62E-16	4.62E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	7.53E-12	7.53E-12	7.53E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	9.56E-10	9.56E-10	9.56E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	5.24E-08	5.24E-08	5.24E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	6.78E-07	6.78E-07	6.78E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	4.97E-08	4.97E-08	4.97E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	1.46E-04	1.46E-04	1.46E-04	1.84E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	4.51E-05	4.51E-05	4.51E-05	3.20E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	3.19E-05	3.19E-05	3.19E-05	2.06E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	1.04E-04	1.04E-04	1.04E-04	6.20E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn117m	9.88E-05	9.88E-05	9.88E-05	9.45E-05	1.01E-06	8.18E-13	6.73E-21	.00E+00	.00E+00
tc118	7.42E-18	7.42E-18	7.42E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	2.38E-12	2.38E-12	2.38E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	5.96E-11	5.96E-11	5.96E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	1.57E-08	1.57E-08	1.57E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	3.27E-08	3.27E-08	3.27E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	1.23E-08	1.23E-08	1.23E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	4.60E-05	4.60E-05	4.60E-05	1.11E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	7.63E-08	7.63E-08	7.63E-08	1.84E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	5.28E-09	5.28E-09	5.28E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01

ru119	9.05E-14	9.05E-14	9.05E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	3.06E-11	3.06E-11	3.06E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	4.56E-09	4.56E-09	4.56E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	2.09E-08	2.09E-08	2.09E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	1.73E-06	1.73E-06	1.73E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	6.82E-07	6.82E-07	6.82E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	9.69E-07	9.69E-07	9.69E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	1.05E-05	1.05E-05	1.05E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00
sn119m	2.29E-03	2.29E-03	2.29E-03	2.29E-03	1.85E-03	9.66E-04	4.07E-04	3.05E-05	4.06E-07
ru120	2.08E-14	2.08E-14	2.08E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	2.64E-12	2.64E-12	2.64E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	5.71E-09	5.71E-09	5.71E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	7.90E-09	7.90E-09	7.90E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	7.69E-07	7.69E-07	7.69E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	4.75E-08	4.75E-08	4.75E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	1.26E-08	1.26E-08	1.26E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00
rh121	1.06E-12	1.06E-12	1.06E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 13

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
pd121	3.96E-10	3.96E-10	3.96E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	3.89E-09	3.89E-09	3.89E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	2.06E-07	2.06E-07	2.06E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	3.41E-08	3.41E-08	3.41E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	3.62E-06	3.62E-06	3.62E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	1.63E-03	1.63E-03	1.63E-03	8.83E-04	4.67E-07	4.63E-07	4.57E-07	4.40E-07	4.13E-07
sn121m	1.08E-02	1.08E-02	1.08E-02	1.08E-02	1.07E-02	1.06E-02	1.05E-02	1.01E-02	9.49E-03
sb121	1.03E+00	1.03E+00	1.03E+00	1.04E+00	1.04E+00	1.04E+00	1.04E+00	1.04E+00	1.04E+00
rh122	5.06E-14	5.06E-14	5.06E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	2.88E-10	2.88E-10	2.88E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	1.21E-09	1.21E-09	1.21E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	8.64E-08	8.64E-08	8.64E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	2.76E-08	2.76E-08	2.76E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	1.97E-08	1.97E-08	1.97E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
sb122	3.32E-04	3.32E-04	3.32E-04	2.57E-04	3.07E-14	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	3.59E-08	3.59E-08	3.59E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	4.65E-02	4.65E-02	4.65E-02	4.66E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02
rh123	5.43E-15	5.43E-15	5.43E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	1.08E-11	1.08E-11	1.08E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	3.96E-10	3.96E-10	3.96E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	9.52E-08	9.52E-08	9.52E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	8.20E-08	8.20E-08	8.20E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	1.79E-07	1.79E-07	1.79E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	1.57E-02	1.57E-02	1.57E-02	1.57E-02	9.71E-03	2.22E-03	3.12E-04	8.72E-07	4.84E-11
sn123m	4.31E-05	4.31E-05	4.31E-05	6.67E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.22E+00	1.22E+00	1.22E+00	1.22E+00	1.22E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00
te123	2.99E-04	2.99E-04	2.99E-04	2.99E-04	3.27E-04	3.60E-04	3.67E-04	3.68E-04	3.68E-04
te123m	6.92E-05	6.92E-05	6.92E-05	6.88E-05	4.11E-05	8.34E-06	1.01E-06	1.76E-09	4.49E-14
pd124	1.00E-11	1.00E-11	1.00E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	1.96E-10	1.96E-10	1.96E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	1.49E-08	1.49E-08	1.49E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	9.87E-08	9.87E-08	9.87E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00
sb124	5.48E-03	5.48E-03	5.48E-03	5.41E-03	1.94E-03	8.17E-05	1.22E-06	4.03E-12	2.97E-21
sb124m	2.46E-09	2.46E-09	2.46E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te124	3.43E-02	3.43E-02	3.43E-02	3.43E-02	3.78E-02	3.97E-02	3.98E-02	3.98E-02	3.98E-02
pd125	7.83E-13	7.83E-13	7.83E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	1.19E-10	1.19E-10	1.19E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	1.60E-08	1.60E-08	1.60E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	4.16E-08	4.16E-08	4.16E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	1.67E-07	1.67E-07	1.67E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	8.76E-03	8.76E-03	8.76E-03	8.15E-03	1.36E-05	3.44E-14	1.35E-25	.00E+00	.00E+00
sn125m	1.85E-05	1.85E-05	1.85E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	1.85E+00	1.85E+00	1.85E+00	1.85E+00	1.74E+00	1.44E+00	1.12E+00	5.22E-01	1.47E-01
te125	8.02E-01	8.02E-01	8.02E-01	8.04E-01	9.14E-01	1.22E+00	1.55E+00	2.15E+00	2.53E+00
te125m	2.33E-02	2.33E-02	2.33E-02	2.33E-02	2.37E-02	2.04E-02	1.59E-02	7.41E-03	2.08E-03
pd126	2.73E-13	2.73E-13	2.73E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	2.20E-11	2.20E-11	2.20E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	6.17E-09	6.17E-09	6.17E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	6.12E-08	6.12E-08	6.12E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.89E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 14

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sb126	7.63E-04	7.63E-04	7.63E-04	7.22E-04	5.21E-06	2.32E-07	2.32E-07	2.32E-07	2.32E-07
sb126m	1.02E-06	1.02E-06	1.02E-06	1.77E-09	1.77E-09	1.77E-09	1.77E-09	1.77E-09	1.76E-09
te126	7.76E-02	7.76E-02	7.76E-02	7.77E-02	7.84E-02	7.84E-02	7.84E-02	7.85E-02	7.87E-02
xe126	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09
ag127	1.54E-11	1.54E-11	1.54E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	5.35E-09	5.35E-09	5.35E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	4.37E-08	4.37E-08	4.37E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	1.43E-07	1.43E-07	1.43E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	5.72E-04	5.72E-04	5.72E-04	2.07E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	2.51E-05	2.51E-05	2.51E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	6.23E-02	6.23E-02	6.23E-02	5.25E-02	5.76E-09	1.72E-30	.00E+00	.00E+00	.00E+00
te127	6.23E-03	6.23E-03	6.23E-03	5.80E-03	6.04E-04	1.05E-04	1.03E-05	9.68E-09	8.76E-14
te127m	2.94E-01	2.94E-01	2.94E-01	2.94E-01	1.72E-01	3.00E-02	2.94E-03	2.77E-06	2.50E-11
i127	1.08E+01	1.08E+01	1.08E+01	1.08E+01	1.10E+01	1.11E+01	1.12E+01	1.12E+01	1.12E+01
xe127	1.45E-07	1.45E-07	1.45E-07	1.43E-07	2.62E-08	1.39E-10	1.32E-13	1.15E-22	9.04E-38
ag128	4.02E-12	4.02E-12	4.02E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	9.25E-09	9.25E-09	9.25E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	6.18E-08	6.18E-08	6.18E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	1.11E-03	1.11E-03	1.11E-03	5.11E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	1.07E-03	1.07E-03	1.07E-03	1.77E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	2.06E-04	2.06E-04	2.06E-04	1.09E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01
i128	1.96E-05	1.96E-05	1.96E-05	8.75E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01
cd129	1.32E-09	1.32E-09	1.32E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	4.70E-08	4.70E-08	4.70E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	3.60E-05	3.60E-05	3.60E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	1.09E-04	1.09E-04	1.09E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	1.14E-02	1.14E-02	1.14E-02	2.63E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	2.84E-03	2.84E-03	2.84E-03	4.39E-04	5.77E-05	1.97E-07	1.05E-10	1.61E-20	6.97E-37
te129m	3.99E-01	3.99E-01	3.99E-01	3.93E-01	6.26E-02	2.14E-04	1.14E-07	1.74E-17	7.56E-34
i129	4.95E+01	4.95E+01	4.95E+01	4.95E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01
xe129	1.18E-03	1.18E-03	1.18E-03	1.18E-03	1.20E-03	1.20E-03	1.21E-03	1.21E-03	1.22E-03
xe129m	2.07E-05	2.07E-05	2.07E-05	1.92E-05	1.86E-08	8.88E-18	3.81E-30	.00E+00	.00E+00
cd130	7.83E-10	7.83E-10	7.83E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	1.86E-08	1.86E-08	1.86E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	1.69E-04	1.69E-04	1.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	5.74E-04	5.74E-04	5.74E-04	6.09E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	3.82E-04	3.82E-04	3.82E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te130	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02
i130	1.31E-03	1.31E-03	1.31E-03	3.43E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	8.33E-06	8.33E-06	8.33E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00
cd131	2.73E-11	2.73E-11	2.73E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	6.83E-09	6.83E-09	6.83E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	2.52E-05	2.52E-05	2.52E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	2.46E-03	2.46E-03	2.46E-03	3.54E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	2.88E-03	2.88E-03	2.88E-03	8.74E-05	3.22E-26	.00E+00	.00E+00	.00E+00	.00E+00
te131m	4.85E-02	4.85E-02	4.85E-02	2.80E-02	1.03E-23	.00E+00	.00E+00	.00E+00	.00E+00
i131	1.57E+00	1.57E+00	1.57E+00	1.46E+00	6.97E-04	3.45E-14	7.30E-28	.00E+00	.00E+00
xe131	1.36E+02	1.36E+02	1.36E+02	1.36E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe131m	2.55E-02	2.55E-02	2.55E-02	2.55E-02	4.00E-04	4.60E-11	2.64E-20	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 15

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
cd132	4.27E-12	4.27E-12	4.27E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	1.27E-09	1.27E-09	1.27E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	2.11E-05	2.11E-05	2.11E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	2.70E-04	2.70E-04	2.70E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	1.74E-04	1.74E-04	1.74E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	9.25E-01	9.25E-01	9.25E-01	7.48E-01	4.48E-09	.00E+00	.00E+00	.00E+00	.00E+00
i132	2.75E-02	2.75E-02	2.75E-02	2.25E-02	1.35E-10	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02
cs132	4.00E-05	4.00E-05	4.00E-05	3.59E-05	2.63E-09	4.29E-22	4.59E-39	.00E+00	.00E+00
ba132	4.82E-05	4.82E-05	4.82E-05	4.83E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05
in133	2.45E-11	2.45E-11	2.45E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	2.08E-07	2.08E-07	2.08E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	2.24E-04	2.24E-04	2.24E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	1.93E-03	1.93E-03	1.93E-03	5.39E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	7.03E-03	7.03E-03	7.03E-03	1.06E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	3.55E-01	3.55E-01	3.55E-01	1.64E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	3.25E-06	3.25E-06	3.25E-06	2.93E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	2.09E+00	2.09E+00	2.09E+00	2.02E+00	1.76E-05	2.76E-21	2.98E-42	.00E+00	.00E+00
xe133m	2.82E-02	2.82E-02	2.82E-02	2.54E-02	1.94E-14	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.38E+02	3.38E+02	3.38E+02	3.39E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02
ba133	2.52E-08	2.52E-08	2.52E-08	2.52E-08	2.48E-08	2.36E-08	2.21E-08	1.81E-08	1.30E-08
in134	2.98E-12	2.98E-12	2.98E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	2.57E-08	2.57E-08	2.57E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	2.33E-07	2.33E-07	2.33E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	2.08E-06	2.08E-06	2.08E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	1.06E-02	1.06E-02	1.06E-02	4.51E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	1.67E-02	1.67E-02	1.67E-02	3.90E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	1.02E-04	1.02E-04	1.02E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02
xe134m	2.79E-08	2.79E-08	2.79E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	2.08E+01	2.08E+01	2.08E+01	2.08E+01	1.92E+01	1.49E+01	1.06E+01	3.88E+00	7.23E-01
cs134m	6.61E-04	6.61E-04	6.61E-04	2.18E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	8.91E+00	8.91E+00	8.91E+00	8.93E+00	1.06E+01	1.49E+01	1.91E+01	2.59E+01	2.90E+01
sn135	8.95E-10	8.95E-10	8.95E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	2.17E-07	2.17E-07	2.17E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	4.34E-05	4.34E-05	4.34E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	1.08E-01	1.08E-01	1.08E-01	8.60E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	7.66E-02	7.66E-02	7.66E-02	4.43E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	9.14E-04	9.14E-04	9.14E-04	5.45E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02
cs135m	1.03E-04	1.03E-04	1.03E-04	6.85E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	3.81E-02	3.81E-02	3.81E-02	3.82E-02	3.82E-02	3.82E-02	3.83E-02	3.84E-02	3.87E-02

ba135m	3.22E-05	3.22E-05	3.22E-05	1.81E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	1.36E-10	1.36E-10	1.36E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	1.65E-08	1.65E-08	1.65E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	1.80E-05	1.80E-05	1.80E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	1.75E-04	1.75E-04	1.75E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	4.82E-05	4.82E-05	4.82E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02
cs136	1.34E-01	1.34E-01	1.34E-01	1.27E-01	1.17E-03	5.92E-10	2.61E-18	.00E+00	.00E+00
ba136	4.65E+00	4.65E+00	4.65E+00	4.66E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00
ba136m	4.08E-09	4.08E-09	4.08E-09	3.87E-09	3.56E-11	1.80E-17	7.94E-26	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 16

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sb137	9.38E-09	9.38E-09	9.38E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	1.23E-06	1.23E-06	1.23E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	5.54E-05	5.54E-05	5.54E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	1.02E-03	1.02E-03	1.02E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	3.46E+02	3.46E+02	3.46E+02	3.46E+02	3.44E+02	3.38E+02	3.30E+02	3.08E+02	2.75E+02
ba137	1.43E+01	1.43E+01	1.43E+01	1.43E+01	1.63E+01	2.22E+01	2.99E+01	5.20E+01	8.56E+01
ba137m	5.31E-05	5.31E-05	5.31E-05	5.28E-05	5.25E-05	5.16E-05	5.04E-05	4.71E-05	4.19E-05
sb138	4.92E-11	4.92E-11	4.92E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	1.20E-07	1.20E-07	1.20E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	7.48E-06	7.48E-06	7.48E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	3.54E-03	3.54E-03	3.54E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	8.77E-03	8.77E-03	8.77E-03	5.21E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	3.36E-05	3.36E-05	3.36E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02
la138	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03
sb139	4.72E-12	4.72E-12	4.72E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	7.94E-09	7.94E-09	7.94E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	1.30E-06	1.30E-06	1.30E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	1.24E-04	1.24E-04	1.24E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	2.37E-03	2.37E-03	2.37E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	2.22E-02	2.22E-02	2.22E-02	1.89E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ce139	3.11E-06	3.11E-06	3.11E-06	3.10E-06	1.98E-06	4.95E-07	7.86E-08	3.15E-10	3.19E-14
pr139	2.13E-10	2.13E-10	2.13E-10	4.91E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	1.80E-09	1.80E-09	1.80E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	1.25E-07	1.25E-07	1.25E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	2.98E-05	2.98E-05	2.98E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	2.45E-04	2.45E-04	2.45E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	4.85E+00	4.85E+00	4.85E+00	4.59E+00	3.64E-02	1.16E-08	2.78E-17	.00E+00	.00E+00
la140	6.59E-01	6.59E-01	6.59E-01	6.46E-01	5.52E-03	1.76E-09	4.22E-18	.00E+00	.00E+00
ce140	3.61E+02	3.61E+02	3.61E+02	3.62E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02
pr140	9.58E-09	9.58E-09	9.58E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	6.64E-12	6.64E-12	6.64E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	9.03E-09	9.03E-09	9.03E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	1.47E-06	1.47E-06	1.47E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	7.39E-05	7.39E-05	7.39E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	4.42E-03	4.42E-03	4.42E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	5.74E-02	5.74E-02	5.74E-02	8.94E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	1.15E+01	1.15E+01	1.15E+01	1.13E+01	1.69E+00	4.77E-03	1.97E-06	1.40E-16	1.70E-33
pr141	3.10E+02	3.10E+02	3.10E+02	3.10E+02	3.20E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02
nd141	5.58E-10	5.58E-10	5.58E-10	6.97E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	5.69E-12	5.69E-12	5.69E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	1.06E-09	1.06E-09	1.06E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	4.13E-07	4.13E-07	4.13E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	2.93E-06	2.93E-06	2.93E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ba142	2.45E-03	2.45E-03	2.45E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	2.19E-02	2.19E-02	2.19E-02	4.30E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02
pr142	6.12E-03	6.12E-03	6.12E-03	2.56E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.23E+00	3.23E+00	3.23E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00
i143	2.57E-11	2.57E-11	2.57E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 17

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
xe143	4.92E-08	4.92E-08	4.92E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	1.57E-06	1.57E-06	1.57E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	4.82E-05	4.82E-05	4.82E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	3.25E-03	3.25E-03	3.25E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	4.58E-01	4.58E-01	4.58E-01	2.79E-01	9.13E-21	.00E+00	.00E+00	.00E+00	.00E+00
pr143	4.38E+00	4.38E+00	4.38E+00	4.34E+00	4.92E-02	3.84E-08	3.01E-16	.00E+00	.00E+00
nd143	2.64E+02	2.64E+02	2.64E+02	2.64E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02
i144	3.79E-13	3.79E-13	3.79E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	1.22E-08	1.22E-08	1.22E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	2.64E-07	2.64E-07	2.64E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	2.96E-05	2.96E-05	2.96E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	1.39E-04	1.39E-04	1.39E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	8.57E+01	8.57E+01	8.57E+01	8.55E+01	6.89E+01	3.53E+01	1.45E+01	1.01E+00	1.19E-02
pr144	3.62E-03	3.62E-03	3.62E-03	3.60E-03	2.90E-03	1.49E-03	6.11E-04	4.25E-05	5.00E-07
pr144m	2.11E-05	2.11E-05	2.11E-05	2.10E-05	1.69E-05	8.66E-06	3.56E-06	2.48E-07	2.92E-09
nd144	2.56E+02	2.56E+02	2.56E+02	2.56E+02	2.73E+02	3.07E+02	3.27E+02	3.41E+02	3.42E+02
i145	1.59E-14	1.59E-14	1.59E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	1.01E-09	1.01E-09	1.01E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	3.80E-08	3.80E-08	3.80E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	5.01E-06	5.01E-06	5.01E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	5.89E-05	5.89E-05	5.89E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	4.80E-04	4.80E-04	4.80E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	5.73E-02	5.73E-02	5.73E-02	3.59E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02
pm145	7.90E-05	7.90E-05	7.90E-05	7.92E-05	9.38E-05	1.24E-04	1.42E-04	1.43E-04	1.20E-04
sm145	9.31E-05	9.31E-05	9.31E-05	9.29E-05	7.75E-05	4.42E-05	2.10E-05	2.25E-06	5.44E-08
xe146	5.73E-11	5.73E-11	5.73E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	4.87E-09	4.87E-09	4.87E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	1.33E-06	1.33E-06	1.33E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	9.74E-06	9.74E-06	9.74E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	1.73E-03	1.73E-03	1.73E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	3.11E-03	3.11E-03	3.11E-03	7.92E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02
pm146	1.87E-03	1.87E-03	1.87E-03	1.87E-03	1.82E-03	1.65E-03	1.46E-03	1.00E-03	5.35E-04
sm146	1.95E-03	1.95E-03	1.95E-03	1.95E-03	1.97E-03	2.02E-03	2.09E-03	2.24E-03	2.40E-03
xe147	6.43E-14	6.43E-14	6.43E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	1.75E-10	1.75E-10	1.75E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	7.16E-08	7.16E-08	7.16E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	2.96E-06	2.96E-06	2.96E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	9.09E-05	9.09E-05	9.09E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	1.39E-03	1.39E-03	1.39E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	1.62E+00	1.62E+00	1.62E+00	1.52E+00	5.52E-03	1.57E-10	1.52E-20	.00E+00	.00E+00
pm147	5.78E+01	5.78E+01	5.78E+01	5.79E+01	5.57E+01	4.56E+01	3.50E+01	1.59E+01	4.23E+00
sm147	3.03E+01	3.03E+01	3.03E+01	3.03E+01	3.40E+01	4.40E+01	5.46E+01	7.38E+01	8.54E+01
cs148	1.21E-11	1.21E-11	1.21E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	1.24E-08	1.24E-08	1.24E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	2.25E-07	2.25E-07	2.25E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	6.40E-05	6.40E-05	6.40E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pr148	1.80E-04	1.80E-04	1.80E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
pm148	1.79E-01	1.79E-01	1.79E-01	1.57E-01	5.80E-04	5.70E-06	1.24E-08	1.28E-16	6.21E-30
pm148m	3.81E-01	3.81E-01	3.81E-01	3.75E-01	8.42E-02	8.29E-04	1.80E-06	1.86E-14	9.04E-28

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 18

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sm148	2.84E+01	2.84E+01	2.84E+01	2.84E+01	2.88E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01
cs149	1.19E-13	1.19E-13	1.19E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	1.60E-09	1.60E-09	1.60E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	1.48E-07	1.48E-07	1.48E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	3.08E-06	3.08E-06	3.08E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	1.24E-04	1.24E-04	1.24E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	6.03E-03	6.03E-03	6.03E-03	3.99E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	2.49E-01	2.49E-01	2.49E-01	1.87E-01	1.44E-13	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.17E+00	1.17E+00	1.17E+00	1.23E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00
eu149	3.79E-11	3.79E-11	3.79E-11	3.76E-11	1.94E-11	2.49E-12	1.64E-13	4.68E-17	5.79E-23
cs150	7.79E-15	7.79E-15	7.79E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	2.02E-10	2.02E-10	2.02E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	6.33E-09	6.33E-09	6.33E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	1.07E-06	1.07E-06	1.07E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	3.53E-06	3.53E-06	3.53E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01
pm150	5.92E-05	5.92E-05	5.92E-05	1.19E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01
eu150	2.14E-07	2.14E-07	2.14E-07	2.14E-07	2.13E-07	2.10E-07	2.06E-07	1.95E-07	1.77E-07
ba151	7.05E-13	7.05E-13	7.05E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	1.28E-09	1.28E-09	1.28E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	7.82E-08	7.82E-08	7.82E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	5.63E-06	5.63E-06	5.63E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	3.73E-04	3.73E-04	3.73E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	5.17E-02	5.17E-02	5.17E-02	2.90E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	6.15E+00	6.15E+00	6.15E+00	6.17E+00	6.19E+00	6.15E+00	6.11E+00	5.97E+00	5.74E+00
eu151	1.55E-02	1.55E-02	1.55E-02	1.56E-02	2.72E-02	6.30E-02	1.10E-01	2.50E-01	4.75E-01
ba152	4.80E-15	4.80E-15	4.80E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	6.93E-12	6.93E-12	6.93E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	6.72E-08	6.72E-08	6.72E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	6.55E-07	6.55E-07	6.55E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	2.30E-04	2.30E-04	2.30E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	8.57E-05	8.57E-05	8.57E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	5.66E-06	5.66E-06	5.66E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01
eu152	2.65E-02	2.65E-02	2.65E-02	2.65E-02	2.62E-02	2.52E-02	2.39E-02	2.05E-02	1.58E-02
eu152m	2.51E-05	2.51E-05	2.51E-05	4.21E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	2.45E-02	2.45E-02	2.45E-02	2.45E-02	2.46E-02	2.49E-02	2.53E-02	2.62E-02	2.75E-02
la153	4.68E-12	4.68E-12	4.68E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	5.33E-09	5.33E-09	5.33E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	1.88E-07	1.88E-07	1.88E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	1.30E-05	1.30E-05	1.30E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	7.53E-05	7.53E-05	7.53E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	1.48E-01	1.48E-01	1.48E-01	1.03E-01	1.32E-15	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.68E+01	2.68E+01	2.68E+01	2.69E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01
gd153	7.13E-04	7.13E-04	7.13E-04	7.11E-04	5.51E-04	2.50E-04	8.77E-05	3.78E-06	2.00E-08
la154	5.64E-14	5.64E-14	5.64E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	7.52E-10	7.52E-10	7.52E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	8.48E-09	8.48E-09	8.48E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	3.79E-06	3.79E-06	3.79E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	1.24E-05	1.24E-05	1.24E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pm154m	4.02E-06	4.02E-06	4.02E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 19

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sm154	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00
eu154	7.30E+00	7.30E+00	7.30E+00	7.30E+00	7.16E+00	6.73E+00	6.21E+00	4.88E+00	3.26E+00
gd154	6.33E-01	6.33E-01	6.33E-01	6.35E-01	7.77E-01	1.20E+00	1.72E+00	3.06E+00	4.67E+00
la155	2.88E-16	2.88E-16	2.88E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	1.71E-11	1.71E-11	1.71E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	1.98E-09	1.98E-09	1.98E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	5.96E-07	5.96E-07	5.96E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	3.63E-06	3.63E-06	3.63E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	1.23E-04	1.23E-04	1.23E-04	4.63E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	3.12E+00	3.12E+00	3.12E+00	3.12E+00	3.01E+00	2.69E+00	2.32E+00	1.49E+00	7.10E-01
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	5.34E-02	5.34E-02	5.34E-02	5.46E-02	1.65E-01	4.83E-01	8.54E-01	1.69E+00	2.47E+00
ce156	1.51E-12	1.51E-12	1.51E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	9.59E-11	9.59E-11	9.59E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	2.27E-07	2.27E-07	2.27E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	4.95E-07	4.95E-07	4.95E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	1.97E-03	1.97E-03	1.97E-03	3.36E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	3.13E-01	3.13E-01	3.13E-01	3.01E-01	5.19E-03	1.81E-08	1.04E-15	.00E+00	.00E+00
gd156	9.00E+00	9.00E+00	9.00E+00	9.01E+00	9.31E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00
ce157	2.60E-14	2.60E-14	2.60E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	1.46E-11	1.46E-11	1.46E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	7.14E-09	7.14E-09	7.14E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	1.02E-06	1.02E-06	1.02E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	1.74E-05	1.74E-05	1.74E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	2.31E-03	2.31E-03	2.31E-03	7.80E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	2.88E-02	2.88E-02	2.88E-02	3.03E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02
pr158	3.40E-13	3.40E-13	3.40E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	1.29E-09	1.29E-09	1.29E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	1.68E-08	1.68E-08	1.68E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	6.11E-06	6.11E-06	6.11E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	5.75E-05	5.75E-05	5.75E-05	2.32E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00
pr159	1.49E-14	1.49E-14	1.49E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	2.75E-11	2.75E-11	2.75E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	2.99E-09	2.99E-09	2.99E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	1.21E-06	1.21E-06	1.21E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	1.14E-05	1.14E-05	1.14E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	8.20E-04	8.20E-04	8.20E-04	3.40E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.02E-01	5.02E-01	5.02E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01
nd160	1.99E-12	1.99E-12	1.99E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	8.10E-11	8.10E-11	8.10E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	1.60E-07	1.60E-07	1.60E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	1.87E-07	1.87E-07	1.87E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01
tb160	8.91E-03	8.91E-03	8.91E-03	8.83E-03	3.76E-03	2.69E-04	8.10E-06	2.22E-10	5.53E-18
dy160	3.04E-02	3.04E-02	3.04E-02	3.05E-02	3.55E-02	3.90E-02	3.93E-02	3.93E-02	3.93E-02
nd161	3.04E-14	3.04E-14	3.04E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	9.99E-12	9.99E-12	9.99E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	2.24E-09	2.24E-09	2.24E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	6.86E-08	6.86E-08	6.86E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	5.03E-07	5.03E-07	5.03E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	1.44E-03	1.44E-03	1.44E-03	1.30E-03	1.71E-07	1.68E-19	1.96E-35	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 20

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
dy161	8.12E-02	8.12E-02	8.12E-02	8.13E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02
pm162	2.17E-13	2.17E-13	2.17E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	3.58E-10	3.58E-10	3.58E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	6.73E-08	6.73E-08	6.73E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	4.94E-07	4.94E-07	4.94E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	4.65E-07	4.65E-07	4.65E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	1.49E-07	1.49E-07	1.49E-07	8.55E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02
sm163	6.78E-12	6.78E-12	6.78E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	6.20E-10	6.20E-10	6.20E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	3.23E-08	3.23E-08	3.23E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	4.70E-07	4.70E-07	4.70E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02
sm164	4.86E-13	4.86E-13	4.86E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	1.47E-11	1.47E-11	1.47E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	1.35E-07	1.35E-07	1.35E-07	1.38E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	2.63E-08	2.63E-08	2.63E-08	2.21E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02
sm165	7.20E-15	7.20E-15	7.20E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	1.41E-12	1.41E-12	1.41E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	9.57E-10	9.57E-10	9.57E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	6.35E-09	6.35E-09	6.35E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	3.09E-06	3.09E-06	3.09E-06	2.50E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	2.11E-08	2.11E-08	2.11E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	9.49E-03	9.49E-03	9.49E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03
dy166	2.61E-06	2.61E-06	2.61E-06	2.13E-06	2.82E-14	.00E+00	.00E+00	.00E+00	.00E+00
ho166	6.02E-06	6.02E-06	6.02E-06	3.59E-06	1.38E-14	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	2.38E-05	2.38E-05	2.38E-05	2.38E-05	2.38E-05	2.38E-05	2.38E-05	2.37E-05	2.37E-05
er166	1.54E-03	1.54E-03	1.54E-03	1.54E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03
er167	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05
er167m	6.33E-16	6.33E-16	6.33E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	1.23E-08	1.23E-08	1.23E-08	1.14E-08	1.61E-11	2.47E-20	4.97E-32	.00E+00	.00E+00
tm169	7.29E-07	7.29E-07	7.29E-07	7.30E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07
tm170	9.71E-10	9.71E-10	9.71E-10	9.66E-10	5.98E-10	1.36E-10	1.89E-11	5.15E-14	2.73E-18
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	3.65E-09	3.65E-09	3.65E-09	3.66E-09	4.02E-09	4.49E-09	4.60E-09	4.62E-09	4.62E-09
er171	5.73E-10	5.73E-10	5.73E-10	6.27E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	6.82E-07	6.82E-07	6.82E-07	6.82E-07	6.24E-07	4.76E-07	3.31E-07	1.12E-07	1.85E-08
yb171	3.69E-07	3.69E-07	3.69E-07	3.70E-07	4.27E-07	5.76E-07	7.20E-07	9.39E-07	1.03E-06
er172	2.37E-09	2.37E-09	2.37E-09	1.69E-09	1.54E-22	.00E+00	.00E+00	.00E+00	.00E+00
tm172	3.20E-09	3.20E-09	3.20E-09	3.06E-09	8.23E-19	.00E+00	.00E+00	.00E+00	.00E+00
yb172	6.67E-07	6.67E-07	6.67E-07	6.68E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07
total	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03

1 Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 21

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
he 4	2.09E-01	2.70E-01	3.35E-01	4.74E-01	7.72E-01	1.51E+00	2.18E+00	2.79E+00	3.36E+00	3.87E+00	4.81E+00
tl206	1.29E-22	3.23E-22	6.46E-22	1.79E-21	6.59E-21	3.78E-20	1.01E-19	2.00E-19	3.34E-19	5.04E-19	9.52E-19
tl207	2.29E-14	3.24E-14	4.16E-14	5.93E-14	9.27E-14	1.71E-13	2.47E-13	3.22E-13	3.98E-13	4.73E-13	6.23E-13
tl208	1.13E-11	1.22E-11	1.22E-11	1.12E-11	9.22E-12	5.61E-12	3.41E-12	2.08E-12	1.26E-12	7.70E-13	2.85E-13

tl209	8.79E-19	1.21E-18	1.58E-18	2.46E-18	4.80E-18	1.44E-17	3.01E-17	5.28E-17	8.35E-17	1.23E-16	2.31E-16
pb206	2.81E-11	9.66E-11	2.48E-10	9.95E-10	6.06E-09	7.08E-08	2.91E-07	7.77E-07	1.65E-06	3.02E-06	7.74E-06
pb207	1.01E-08	2.07E-08	3.48E-08	7.35E-08	1.90E-07	6.97E-07	1.50E-06	2.59E-06	3.97E-06	5.64E-06	9.84E-06
pb208	2.38E-05	4.36E-05	6.40E-05	1.03E-04	1.71E-04	2.91E-04	3.65E-04	4.09E-04	4.37E-04	4.53E-04	4.69E-04
pb209	3.71E-15	5.09E-15	6.66E-15	1.04E-14	2.03E-14	6.08E-14	1.27E-13	2.23E-13	3.53E-13	5.19E-13	9.74E-13
pb210	2.79E-10	6.96E-10	1.39E-09	3.85E-09	1.42E-08	8.16E-08	2.19E-07	4.31E-07	7.20E-07	1.09E-06	2.05E-06
pb211	1.77E-13	2.51E-13	3.22E-13	4.58E-13	7.17E-13	1.32E-12	1.91E-12	2.49E-12	3.08E-12	3.66E-12	4.82E-12
pb212	6.68E-09	7.26E-09	7.21E-09	6.65E-09	5.46E-09	3.32E-09	2.02E-09	1.23E-09	7.50E-10	4.56E-10	1.69E-10
pb214	5.12E-15	9.83E-15	1.61E-14	3.34E-14	8.76E-14	3.41E-13	7.70E-13	1.38E-12	2.17E-12	3.14E-12	5.62E-12
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	6.31E-11	1.04E-10	1.59E-10	3.16E-10	8.78E-10	4.48E-09	1.30E-08	2.91E-08	5.57E-08	9.61E-08	2.33E-07
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.72E-13	4.29E-13	8.58E-13	2.37E-12	8.75E-12	5.02E-11	1.35E-10	2.65E-10	4.43E-10	6.69E-10	1.26E-09
bi211	1.05E-14	1.49E-14	1.91E-14	2.72E-14	4.25E-14	7.84E-14	1.13E-13	1.48E-13	1.82E-13	2.17E-13	2.86E-13
bi212	6.34E-10	6.89E-10	6.84E-10	6.30E-10	5.18E-10	3.15E-10	1.92E-10	1.17E-10	7.11E-11	4.33E-11	1.61E-11
bi213	8.84E-16	1.21E-15	1.59E-15	2.47E-15	4.83E-15	1.45E-14	3.02E-14	5.31E-14	8.40E-14	1.24E-13	2.32E-13
bi214	3.81E-15	7.30E-15	1.20E-14	2.48E-14	6.50E-14	2.53E-13	5.72E-13	1.02E-12	1.61E-12	2.33E-12	4.17E-12
po210	4.74E-12	1.18E-11	2.37E-11	6.55E-11	2.42E-10	1.39E-09	3.71E-09	7.32E-09	1.22E-08	1.85E-08	3.49E-08
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	1.16E-19	1.64E-19	2.11E-19	3.00E-19	4.70E-19	8.66E-19	1.25E-18	1.63E-18	2.01E-18	2.40E-18	3.16E-18
po212	3.33E-20	3.62E-20	3.59E-20	3.31E-20	2.72E-20	1.66E-20	1.01E-20	6.14E-21	3.74E-21	2.27E-21	8.44E-22
po213	1.33E-24	1.82E-24	2.38E-24	3.72E-24	7.26E-24	2.17E-23	4.55E-23	7.99E-23	1.26E-22	1.86E-22	3.49E-22
po214	5.24E-22	1.00E-21	1.65E-21	3.42E-21	8.95E-21	3.48E-20	7.86E-20	1.41E-19	2.21E-19	3.21E-19	5.74E-19
po215	1.48E-19	2.10E-19	2.69E-19	3.84E-19	6.00E-19	1.11E-18	1.60E-18	2.09E-18	2.58E-18	3.06E-18	4.04E-18
po216	2.58E-14	2.80E-14	2.78E-14	2.56E-14	2.11E-14	1.28E-14	7.80E-15	4.75E-15	2.89E-15	1.76E-15	6.53E-16
po218	6.04E-16	1.16E-15	1.90E-15	3.94E-15	1.03E-14	4.02E-14	9.07E-14	1.62E-13	2.56E-13	3.70E-13	6.62E-13
at217	1.06E-20	1.46E-20	1.91E-20	2.98E-20	5.81E-20	1.74E-19	3.64E-19	6.39E-19	1.01E-18	1.49E-18	2.79E-18
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	3.36E-16	4.75E-16	6.10E-16	8.70E-16	1.36E-15	2.51E-15	3.62E-15	4.73E-15	5.84E-15	6.94E-15	9.14E-15
rn220	1.01E-11	1.09E-11	1.09E-11	1.00E-11	8.23E-12	5.01E-12	3.05E-12	1.85E-12	1.13E-12	6.88E-13	2.55E-13
rn222	1.09E-12	2.10E-12	3.43E-12	7.13E-12	1.87E-11	7.27E-11	1.64E-10	2.94E-10	4.62E-10	6.69E-10	1.20E-09
fr221	9.86E-17	1.35E-16	1.77E-16	2.76E-16	5.39E-16	1.61E-15	3.37E-15	5.93E-15	9.36E-15	1.38E-14	2.59E-14
fr223	1.56E-15	2.20E-15	2.83E-15	4.03E-15	6.31E-15	1.16E-14	1.68E-14	2.19E-14	2.71E-14	3.22E-14	4.24E-14
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	8.54E-11	1.21E-10	1.55E-10	2.21E-10	3.46E-10	6.37E-10	9.20E-10	1.20E-09	1.48E-09	1.76E-09	2.32E-09
ra224	5.83E-08	6.33E-08	6.29E-08	5.80E-08	4.77E-08	2.90E-08	1.76E-08	1.07E-08	6.54E-09	3.98E-09	1.48E-09
ra225	4.37E-13	5.99E-13	7.84E-13	1.22E-12	2.39E-12	7.15E-12	1.49E-11	2.62E-11	4.15E-11	6.10E-11	1.15E-10
ra226	1.70E-07	3.26E-07	5.34E-07	1.11E-06	2.91E-06	1.13E-05	2.55E-05	4.57E-05	7.19E-05	1.04E-04	1.86E-04
ra228	9.44E-14	1.62E-13	2.37E-13	3.96E-13	7.24E-13	1.55E-12	2.38E-12	3.22E-12	4.05E-12	4.89E-12	6.71E-12
ac225	2.95E-13	4.05E-13	5.29E-13	8.25E-13	1.61E-12	4.83E-12	1.01E-11	1.77E-11	2.80E-11	4.12E-11	7.74E-11
ac227	6.04E-08	8.54E-08	1.10E-07	1.56E-07	2.44E-07	4.51E-07	6.51E-07	8.50E-07	1.05E-06	1.25E-06	1.64E-06
ac228	1.15E-17	1.98E-17	2.89E-17	4.83E-17	8.84E-17	1.90E-16	2.91E-16	3.93E-16	4.95E-16	5.97E-16	8.19E-16
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	1.40E-10	1.98E-10	2.55E-10	3.63E-10	5.68E-10	1.05E-09	1.51E-09	1.97E-09	2.44E-09	2.90E-09	3.82E-09
th228	1.13E-05	1.23E-05	1.22E-05	1.13E-05	9.26E-06	5.63E-06	3.43E-06	2.09E-06	1.27E-06	7.74E-07	2.87E-07
th229	8.64E-08	1.19E-07	1.55E-07	2.42E-07	4.72E-07	1.41E-06	2.96E-06	5.19E-06	8.21E-06	1.21E-05	2.27E-05
th230	2.89E-03	4.04E-03	5.21E-03	7.59E-03	1.25E-02	2.55E-02	3.93E-02	5.35E-02	6.81E-02	8.29E-02	1.13E-01
th231	2.56E-08	2.56E-08	2.56E-08	2.56E-08	2.56E-08	2.56E-08	2.57E-08	2.57E-08	2.57E-08	2.57E-08	2.57E-08

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 22

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
th232	4.95E-04	7.01E-04	9.07E-04	1.32E-03	2.14E-03	4.21E-03	6.27E-03	8.35E-03	1.04E-02	1.25E-02	1.67E-02
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	3.37E-04	3.67E-04	3.98E-04	4.59E-04	5.80E-04	8.85E-04	1.19E-03	1.49E-03	1.80E-03	2.10E-03	2.71E-03
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	4.41E-06	4.46E-06	4.53E-06	4.68E-06	5.05E-06	6.05E-06	7.00E-06	7.88E-06	8.70E-06	9.45E-06	1.08E-05
pa234m	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10

pa234	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	4.60E-04	4.62E-04	4.47E-04	4.07E-04	3.34E-04	2.03E-04	1.24E-04	7.54E-05	4.59E-05	2.79E-05	1.04E-05
u233	1.40E-03	1.60E-03	1.81E-03	2.25E-03	3.16E-03	5.76E-03	8.82E-03	1.23E-02	1.62E-02	2.04E-02	2.99E-02
u234	8.28E+01	8.39E+01	8.49E+01	8.68E+01	9.03E+01	9.69E+01	1.01E+02	1.04E+02	1.06E+02	1.08E+02	1.09E+02
u235	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.30E+03	6.31E+03	6.31E+03	6.31E+03	6.32E+03	6.32E+03	6.33E+03
u236	1.41E+03	1.41E+03	1.41E+03	1.42E+03	1.42E+03	1.42E+03	1.42E+03	1.43E+03	1.43E+03	1.43E+03	1.44E+03
u237	7.57E-06	5.94E-06	4.67E-06	2.88E-06	1.10E-06	9.79E-08	8.74E-09	7.83E-10	7.20E-11	8.48E-12	2.28E-12
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	6.17E-22	9.15E-22	1.21E-21	1.81E-21	3.00E-21	5.99E-21	8.97E-21	1.20E-20	1.49E-20	1.79E-20	2.39E-20
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	5.36E-09	2.20E-10	9.00E-12	1.51E-14	4.24E-20	5.62E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.71E-04	3.70E-04	3.70E-04	3.70E-04	3.70E-04	3.70E-04	3.70E-04
np237	1.30E+02	1.31E+02	1.33E+02	1.38E+02	1.49E+02	1.78E+02	2.06E+02	2.32E+02	2.56E+02	2.78E+02	3.17E+02
np238	7.48E-08	7.30E-08	7.12E-08	6.78E-08	6.14E-08	4.81E-08	3.76E-08	2.94E-08	2.30E-08	1.80E-08	1.10E-08
np239	8.67E-06	8.67E-06	8.66E-06	8.65E-06	8.64E-06	8.60E-06	8.56E-06	8.52E-06	8.48E-06	8.44E-06	8.36E-06
np240m	5.27E-24	7.81E-24	1.04E-23	1.54E-23	2.56E-23	5.11E-23	7.65E-23	1.02E-22	1.27E-22	1.53E-22	2.04E-22
np240	5.42E-26	8.04E-26	1.07E-25	1.59E-25	2.64E-25	5.26E-25	7.87E-25	1.05E-24	1.31E-24	1.57E-24	2.10E-24
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	3.60E-05	1.09E-05	3.30E-06	3.03E-07	3.37E-09	8.32E-10	8.31E-10	8.31E-10	8.31E-10	8.30E-10	8.30E-10
pu237	5.08E-30	3.32E-42	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	2.81E+01	2.71E+01	2.60E+01	2.41E+01	2.06E+01	1.39E+01	9.40E+00	6.36E+00	4.31E+00	2.92E+00	1.35E+00
pu239	2.63E+03	2.63E+03	2.63E+03	2.63E+03	2.63E+03	2.62E+03	2.62E+03	2.62E+03	2.61E+03	2.61E+03	2.60E+03
pu240	6.72E+02	6.72E+02	6.71E+02	6.71E+02	6.70E+02	6.66E+02	6.63E+02	6.59E+02	6.56E+02	6.52E+02	6.46E+02
pu241	2.50E+02	1.96E+02	1.54E+02	9.50E+01	3.62E+01	3.23E+00	2.88E-01	2.58E-02	2.37E-03	2.80E-04	7.54E-05
pu242	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01	7.08E+01
pu243	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15
pu244	3.12E-11	4.63E-11	6.15E-11	9.17E-11	1.52E-10	3.03E-10	4.54E-10	6.05E-10	7.56E-10	9.07E-10	1.21E-09
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	1.25E-21	1.25E-21	1.25E-21	1.25E-21	1.25E-21	1.24E-21	1.24E-21	1.24E-21	1.24E-21	1.23E-21	1.23E-21
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	1.71E+02	2.23E+02	2.63E+02	3.17E+02	3.65E+02	3.68E+02	3.42E+02	3.16E+02	2.92E+02	2.69E+02	2.30E+02
am242m	4.11E-01	4.01E-01	3.91E-01	3.73E-01	3.38E-01	2.64E-01	2.07E-01	1.62E-01	1.26E-01	9.88E-02	6.05E-02
am242	5.30E-06	5.18E-06	5.05E-06	4.81E-06	4.36E-06	3.41E-06	2.67E-06	2.08E-06	1.63E-06	1.28E-06	7.80E-07
am243	1.01E+01	1.01E+01	1.01E+01	1.01E+01	1.00E+01	9.99E+00	9.94E+00	9.90E+00	9.85E+00	9.80E+00	9.71E+00
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	2.19E-20	4.18E-22	8.01E-24	2.94E-27	3.94E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	3.12E-24	3.12E-24	3.12E-24	3.12E-24	3.12E-24	3.11E-24	3.10E-24	3.10E-24	3.09E-24	3.08E-24	3.07E-24
cm241	3.38E-43	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 23

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
cm242	1.07E-03	1.05E-03	1.02E-03	9.71E-04	8.80E-04	6.88E-04	5.38E-04	4.21E-04	3.29E-04	2.57E-04	1.57E-04
cm243	4.73E-02	4.18E-02	3.71E-02	2.91E-02	1.79E-02	5.29E-03	1.57E-03	4.65E-04	1.38E-04	4.08E-05	3.59E-06
cm244	1.03E+00	8.54E-01	7.05E-01	4.81E-01	2.24E-01	3.29E-02	4.85E-03	7.15E-04	1.05E-04	1.55E-05	3.37E-07
cm245	4.58E-02	4.58E-02	4.58E-02	4.57E-02	4.56E-02	4.55E-02	4.53E-02	4.51E-02	4.49E-02	4.47E-02	4.44E-02
cm246	2.99E-03	2.99E-03	2.99E-03	2.98E-03	2.98E-03	2.95E-03	2.93E-03	2.91E-03	2.89E-03	2.87E-03	2.83E-03
cm247	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05
cm248	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	2.98E-15	2.98E-15	2.98E-15	2.97E-15	2.97E-15	2.97E-15	2.96E-15	2.95E-15	2.95E-15	2.94E-15	2.93E-15
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

bk249	5.74E-12	1.10E-13	2.10E-15	7.71E-19	1.03E-25	6.98E-43	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	1.84E-22	1.06E-23	8.80E-24	8.78E-24	8.77E-24	8.76E-24	8.74E-24	8.72E-24	8.71E-24	8.69E-24	8.65E-24
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	1.82E-08	1.80E-08	1.78E-08	1.75E-08	1.68E-08	1.52E-08	1.38E-08	1.25E-08	1.13E-08	1.02E-08	8.41E-09
cf250	1.02E-09	7.85E-10	6.02E-10	3.55E-10	1.23E-10	8.68E-12	6.14E-13	4.34E-14	3.06E-15	2.17E-16	1.39E-18
cf251	8.46E-10	8.43E-10	8.40E-10	8.33E-10	8.21E-10	7.90E-10	7.60E-10	7.31E-10	7.03E-10	6.77E-10	6.26E-10
cf252	1.83E-11	4.95E-12	1.33E-12	9.71E-14	5.14E-16	1.05E-21	2.13E-27	4.34E-33	8.84E-39	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	5.83E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	3.66E-19	3.71E-21	3.76E-23	3.86E-27	4.07E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 24

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
h 3	7.74E-03	5.84E-03	4.41E-03	2.51E-03	8.17E-04	4.91E-05	2.95E-06	1.78E-07	1.07E-08	6.43E-10	2.32E-12
li 6	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05
li 7	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06
be 9	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06
be 10	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05
c 14	7.46E-06	7.45E-06	7.45E-06	7.44E-06	7.42E-06	7.38E-06	7.33E-06	7.29E-06	7.25E-06	7.20E-06	7.12E-06
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08
zn 68	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08
zn 70	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 25

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.40E+00	1.39E+00	1.39E+00	1.39E+00
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	3.46E-04	4.93E-04	6.40E-04	9.35E-04	1.52E-03	2.99E-03	4.46E-03	5.93E-03	7.40E-03	8.86E-03	1.18E-02
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00
kr 81	7.13E-07	7.13E-07	7.12E-07	7.12E-07	7.12E-07	7.12E-07	7.12E-07	7.12E-07	7.12E-07	7.12E-07	7.12E-07
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 26

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	3.49E+00	2.52E+00	1.83E+00	9.56E-01	2.62E-01	1.03E-02	4.08E-04	1.61E-05	6.34E-07	2.50E-08	3.89E-11
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	3.11E+01	3.21E+01	3.28E+01	3.37E+01	3.44E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01
sr 87	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.06E-04	3.07E-04	3.07E-04	3.07E-04	3.07E-04	3.07E-04
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 27

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	1.18E-21	1.57E-32	2.49E-43	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
y 89m	4.04E-31	5.74E-42	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	1.27E+02	1.12E+02	9.93E+01	7.77E+01	4.75E+01	1.39E+01	4.04E+00	1.18E+00	3.45E-01	1.01E-01	8.57E-03
y 90	3.30E-02	2.92E-02	2.58E-02	2.02E-02	1.23E-02	3.60E-03	1.05E-03	3.07E-04	8.95E-05	2.61E-05	2.23E-06
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	4.32E+01	5.80E+01	7.10E+01	9.27E+01	1.23E+02	1.56E+02	1.66E+02	1.69E+02	1.70E+02	1.70E+02	1.70E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	1.64E-18	6.59E-28	2.64E-37	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02
nb 91	2.64E-10	2.63E-10	2.61E-10	2.59E-10	2.54E-10	2.41E-10	2.29E-10	2.18E-10	2.07E-10	1.97E-10	1.77E-10
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02
nb 92	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
nb 93	1.65E-04	3.09E-04	4.86E-04	9.15E-04	1.96E-03	4.96E-03	8.09E-03	1.12E-02	1.44E-02	1.75E-02	2.38E-02

nb 93m	5.83E-04	7.53E-04	8.91E-04	1.09E-03	1.31E-03	1.45E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 28

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02
nb 94	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.25E-04	1.24E-04	1.24E-04	1.24E-04	1.24E-04	1.24E-04	1.23E-04
nb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	1.04E-16	2.68E-25	6.91E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	1.25E-16	3.22E-25	8.31E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	6.88E-20	1.78E-28	4.44E-37	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
tc 98	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.31E+02	2.31E+02	2.31E+02	2.31E+02	2.31E+02	2.30E+02	2.30E+02	2.30E+02	2.30E+02	2.30E+02	2.30E+02
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	1.67E-02	2.05E-02	2.43E-02	3.19E-02	4.70E-02	8.48E-02	1.23E-01	1.61E-01	1.98E-01	2.36E-01	3.12E-01
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 29

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02
rh102	1.99E-05	6.02E-06	1.82E-06	1.67E-07	1.40E-09	9.04E-15	5.83E-20	3.76E-25	2.43E-30	1.56E-35	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	9.22E-28	9.09E-42	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02
rh103m	9.13E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02

1

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	3.71E-02	1.23E-03	4.08E-05	4.48E-08	5.42E-14	8.72E-29	1.49E-43	.00E+00	.00E+00	.00E+00	.00E+00
rh106	3.44E-08	1.14E-09	3.78E-11	4.16E-14	5.03E-20	8.09E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	6.19E-05	8.92E-05	1.16E-04	1.71E-04	2.80E-04	5.53E-04	8.26E-04	1.10E-03	1.37E-03	1.65E-03	2.19E-03
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01
ag108	1.23E-13	1.20E-13	1.17E-13	1.10E-13	9.90E-14	7.53E-14	5.73E-14	4.36E-14	3.32E-14	2.53E-14	1.47E-14
ag108m	3.99E-05	3.88E-05	3.78E-05	3.58E-05	3.21E-05	2.44E-05	1.86E-05	1.41E-05	1.08E-05	8.19E-06	4.75E-06
cd108	4.36E-05	4.37E-05	4.38E-05	4.39E-05	4.43E-05	4.49E-05	4.54E-05	4.58E-05	4.61E-05	4.63E-05	4.66E-05
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01
ag109m	1.37E-16	8.87E-18	5.74E-19	2.41E-21	4.25E-26	5.54E-38	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	1.38E-10	8.95E-12	5.80E-13	2.43E-15	4.29E-20	5.60E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00
ag110	6.37E-14	4.01E-16	2.52E-18	9.99E-23	1.56E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	4.11E-06	2.59E-08	1.63E-10	6.44E-15	1.01E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1 Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 31

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr

cd110	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	4.57E-02	4.57E-02	4.57E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02
cd113m	1.72E-02	1.34E-02	1.05E-02	6.42E-03	2.40E-03	2.06E-04	1.76E-05	1.51E-06	1.29E-07	1.10E-08	8.09E-11
in113	1.29E-02	1.66E-02	1.95E-02	2.36E-02	2.76E-02	2.98E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00
in114	9.42E-33	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	5.86E-28	4.61E-39	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	5.93E-28	2.78E-40	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01
in115m	2.75E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 32

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sn115	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00
sn119m	4.06E-07	5.40E-09	7.18E-11	1.27E-14	3.98E-22	6.89E-41	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 33

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	4.13E-07	3.88E-07	3.64E-07	3.21E-07	2.50E-07	1.33E-07	7.08E-08	3.77E-08	2.01E-08	1.07E-08	3.03E-09

sn121m	9.49E-03	8.91E-03	8.37E-03	7.38E-03	5.73E-03	3.05E-03	1.63E-03	8.66E-04	4.61E-04	2.46E-04	6.96E-05
sb121	1.04E+00	1.04E+00	1.04E+00	1.04E+00	1.04E+00	1.04E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	4.84E-11	2.68E-15	1.48E-19	4.55E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00
te123	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04
te123m	4.49E-14	1.14E-18	2.91E-23	1.89E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00
sb124	2.97E-21	2.19E-30	1.61E-39	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	1.47E-01	4.12E-02	1.16E-02	9.13E-04	5.69E-06	1.74E-11	5.33E-17	1.63E-22	5.00E-28	1.53E-33	.00E+00
te125	2.53E+00	2.64E+00	2.67E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00
te125m	2.08E-03	5.85E-04	1.64E-04	1.30E-05	8.08E-08	2.47E-13	7.57E-19	2.32E-24	7.10E-30	2.15E-35	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	4.89E+00	4.89E+00	4.89E+00	4.89E+00	4.88E+00	4.88E+00	4.88E+00	4.88E+00	4.88E+00	4.88E+00	4.87E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 34

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sb126	2.32E-07	2.32E-07	2.32E-07	2.32E-07	2.32E-07	2.32E-07	2.32E-07	2.32E-07	2.32E-07	2.32E-07	2.32E-07
sb126m	1.76E-09	1.76E-09	1.76E-09	1.76E-09	1.76E-09	1.76E-09	1.76E-09	1.76E-09	1.76E-09	1.76E-09	1.76E-09
te126	7.87E-02	7.89E-02	7.91E-02	7.94E-02	8.01E-02	8.18E-02	8.35E-02	8.51E-02	8.68E-02	8.85E-02	9.19E-02
xe126	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	8.76E-14	7.92E-19	7.16E-24	5.85E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	2.50E-11	2.26E-16	2.04E-21	1.67E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01
xe127	9.04E-38	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	6.97E-37	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	7.56E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01
xe129	1.22E-03	1.24E-03	1.25E-03	1.27E-03	1.31E-03	1.42E-03	1.53E-03	1.64E-03	1.75E-03	1.86E-03	2.08E-03
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 35

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02
ba133	1.30E-08	9.38E-09	6.75E-09	3.49E-09	9.35E-10	3.47E-11	1.29E-12	4.77E-14	1.77E-15	6.56E-17	9.02E-20
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	7.23E-01	1.35E-01	2.50E-02	8.68E-04	1.04E-06	5.23E-14	2.62E-21	1.31E-28	6.57E-36	3.76E-43	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	2.90E+01	2.96E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	3.87E-02	3.90E-02	3.92E-02	3.98E-02	4.09E-02	4.35E-02	4.62E-02	4.89E-02	5.15E-02	5.42E-02	5.95E-02
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 36

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	2.75E+02	2.45E+02	2.18E+02	1.73E+02	1.09E+02	3.43E+01	1.08E+01	3.40E+00	1.07E+00	3.37E-01	3.35E-02
ba137	8.56E+01	1.16E+02	1.42E+02	1.87E+02	2.51E+02	3.26E+02	3.49E+02	3.57E+02	3.59E+02	3.60E+02	3.60E+02
ba137m	4.19E-05	3.73E-05	3.33E-05	2.64E-05	1.66E-05	5.24E-06	1.65E-06	5.20E-07	1.64E-07	5.15E-08	5.11E-09
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02
la138	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03

sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ce139	3.19E-14	3.22E-18	3.26E-22	3.33E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	1.70E-33	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 37

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02
[illegible]	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	1.19E-02	1.40E-04	1.64E-06	2.27E-10	4.36E-18	2.21E-37	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	5.00E-07	5.88E-09	6.92E-11	9.58E-15	1.84E-22	2.02E-43	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	2.92E-09	3.43E-11	4.04E-13	5.59E-17	1.07E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02
pm145	1.20E-04	9.85E-05	8.10E-05	5.47E-05	2.50E-05	3.53E-06	4.98E-07	7.03E-08	9.92E-09	1.40E-09	2.79E-11
sm145	5.44E-08	1.31E-09	3.17E-11	1.85E-14	6.32E-21	4.29E-37	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02
pm146	5.35E-04	2.86E-04	1.53E-04	4.36E-05	3.55E-06	6.73E-09	1.28E-11	2.42E-14	4.59E-17	8.69E-20	3.12E-25
sm146	2.40E-03	2.49E-03	2.53E-03	2.57E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	4.23E+00	1.13E+00	3.01E-01	2.15E-02	1.09E-04	1.99E-10	3.64E-16	6.66E-22	1.22E-27	2.23E-33	.00E+00
sm147	8.54E+01	8.85E+01	8.94E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
pm148	6.21E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	9.04E-28	4.40E-41	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 38

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sm148	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00
eu149	5.79E-23	7.15E-29	8.83E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01
eu150	1.77E-07	1.60E-07	1.45E-07	1.20E-07	8.14E-08	3.09E-08	1.17E-08	4.46E-09	1.69E-09	6.44E-10	9.29E-11
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	5.74E+00	5.52E+00	5.32E+00	4.92E+00	4.22E+00	2.87E+00	1.95E+00	1.33E+00	9.04E-01	6.15E-01	2.85E-01
eu151	4.75E-01	6.92E-01	9.01E-01	1.29E+00	2.00E+00	3.35E+00	4.26E+00	4.89E+00	5.31E+00	5.60E+00	5.93E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01
eu152	1.58E-02	1.22E-02	9.38E-03	5.57E-03	1.97E-03	1.46E-04	1.09E-05	8.06E-07	5.98E-08	4.44E-09	2.45E-11
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	2.75E-02	2.85E-02	2.93E-02	3.04E-02	3.14E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01
gd153	2.00E-08	1.06E-10	5.61E-13	1.57E-17	1.24E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 39

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sm154	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00
eu154	3.26E+00	2.18E+00	1.45E+00	6.49E-01	1.29E-01	2.29E-03	4.04E-05	7.15E-07	1.27E-08	2.24E-10	7.01E-14
gd154	4.67E+00	5.76E+00	6.48E+00	7.28E+00	7.80E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	7.10E-01	3.39E-01	1.62E-01	3.67E-02	1.90E-03	1.15E-06	7.02E-10	4.27E-13	2.59E-16	1.58E-19	5.83E-26
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	2.47E+00	2.84E+00	3.02E+00	3.14E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01
tb160	5.53E-18	1.38E-25	3.43E-33	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 40

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
dy161	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	2.37E-05	2.36E-05	2.35E-05	2.34E-05	2.31E-05	2.25E-05	2.18E-05	2.12E-05	2.06E-05	2.00E-05	1.89E-05
er166	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03	1.55E-03
er167	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07
tm170	2.73E-18	1.45E-22	7.68E-27	2.16E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	1.85E-08	3.04E-09	5.00E-10	1.35E-11	9.89E-15	1.43E-22	2.08E-30	3.01E-38	.00E+00	.00E+00	.00E+00
yb171	1.03E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07
total	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 41

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
he 4	4.81E+00	5.62E+00	8.60E+00	1.20E+01	1.64E+01	2.01E+01	2.33E+01	2.62E+01	2.89E+01	3.13E+01	3.35E+01
tl206	9.52E-19	1.54E-18	6.83E-18	2.46E-17	7.84E-17	1.44E-16	2.13E-16	2.82E-16	3.51E-16	4.19E-16	4.85E-16
tl207	6.23E-13	7.73E-13	1.57E-12	3.06E-12	5.99E-12	8.86E-12	1.17E-11	1.44E-11	1.71E-11	1.97E-11	2.23E-11
tl208	2.85E-13	1.06E-13	1.26E-15	5.33E-16	5.39E-16	5.46E-16	5.53E-16	5.61E-16	5.70E-16	5.79E-16	5.88E-16
tl209	2.31E-16	3.81E-16	1.90E-15	9.43E-15	4.29E-14	9.80E-14	1.71E-13	2.59E-13	3.59E-13	4.70E-13	5.88E-13
pb206	7.74E-06	1.59E-05	1.44E-04	1.12E-03	7.68E-03	2.22E-02	4.57E-02	7.83E-02	1.20E-01	1.71E-01	2.31E-01
pb207	9.84E-06	1.52E-05	6.00E-05	2.36E-04	9.26E-04	2.06E-03	3.63E-03	5.63E-03	8.04E-03	1.09E-02	1.41E-02
pb208	4.69E-04	4.75E-04	4.79E-04	4.79E-04	4.79E-04	4.80E-04	4.80E-04	4.81E-04	4.81E-04	4.81E-04	4.82E-04
pb209	9.74E-13	1.61E-12	8.02E-12	3.98E-11	1.81E-10	4.14E-10	7.23E-10	1.09E-09	1.52E-09	1.98E-09	2.48E-09
pb210	2.05E-06	3.32E-06	1.47E-05	5.30E-05	1.69E-04	3.10E-04	4.58E-04	6.08E-04	7.57E-04	9.03E-04	1.05E-03
pb211	4.82E-12	5.98E-12	1.21E-11	2.36E-11	4.63E-11	6.85E-11	9.03E-11	1.12E-10	1.32E-10	1.53E-10	1.72E-10
pb212	1.69E-10	6.29E-11	7.49E-13	3.16E-13	3.19E-13	3.24E-13	3.28E-13	3.33E-13	3.38E-13	3.43E-13	3.49E-13
pb214	5.62E-12	8.80E-12	3.43E-11	1.23E-10	3.94E-10	7.21E-10	1.07E-09	1.42E-09	1.76E-09	2.10E-09	2.44E-09
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	2.33E-07	4.71E-07	4.52E-06	4.51E-05	4.27E-04	1.51E-03	3.61E-03	6.99E-03	1.19E-02	1.84E-02	2.67E-02
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.26E-09	2.04E-09	9.06E-09	3.26E-08	1.04E-07	1.91E-07	2.82E-07	3.74E-07	4.66E-07	5.56E-07	6.44E-07
bi211	2.86E-13	3.55E-13	7.20E-13	1.40E-12	2.74E-12	4.06E-12	5.35E-12	6.61E-12	7.84E-12	9.05E-12	1.02E-11
bi212	1.61E-11	5.97E-12	7.10E-14	3.00E-14	3.03E-14	3.07E-14	3.11E-14	3.16E-14	3.20E-14	3.25E-14	3.31E-14
bi213	2.32E-13	3.83E-13	1.91E-12	9.48E-12	4.31E-11	9.85E-11	1.72E-10	2.61E-10	3.61E-10	4.72E-10	5.91E-10
bi214	4.17E-12	6.53E-12	2.55E-11	9.16E-11	2.92E-10	5.35E-10	7.93E-10	1.05E-09	1.31E-09	1.56E-09	1.81E-09
po210	3.49E-08	5.65E-08	2.50E-07	9.01E-07	2.87E-06	5.26E-06	7.79E-06	1.03E-05	1.29E-05	1.54E-05	1.78E-05
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	3.16E-18	3.92E-18	7.95E-18	1.55E-17	3.03E-17	4.49E-17	5.91E-17	7.31E-17	8.67E-17	1.00E-16	1.13E-16
po212	8.44E-22	3.14E-22	3.73E-24	1.57E-24	1.59E-24	1.61E-24	1.63E-24	1.66E-24	1.68E-24	1.71E-24	1.74E-24
po213	3.49E-22	5.76E-22	2.87E-21	1.43E-20	6.48E-20	1.48E-19	2.59E-19	3.92E-19	5.43E-19	7.10E-19	8.89E-19
po214	5.74E-19	8.99E-19	3.50E-18	1.26E-17	4.02E-17	7.37E-17	1.09E-16	1.45E-16	1.80E-16	2.15E-16	2.49E-16
po215	4.04E-18	5.01E-18	1.02E-17	1.98E-17	3.88E-17	5.74E-17	7.56E-17	9.34E-17	1.11E-16	1.28E-16	1.44E-16
po216	6.53E-16	2.43E-16	2.89E-18	1.22E-18	1.23E-18	1.25E-18	1.27E-18	1.28E-18	1.30E-18	1.32E-18	1.34E-18
po218	6.62E-13	1.04E-12	4.04E-12	1.45E-11	4.64E-11	8.50E-11	1.26E-10	1.67E-10	2.08E-10	2.48E-10	2.87E-10
at217	2.79E-18	4.61E-18	2.30E-17	1.14E-16	5.19E-16	1.19E-15	2.07E-15	3.14E-15	4.35E-15	5.68E-15	7.11E-15
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	9.14E-15	1.13E-14	2.30E-14	4.49E-14	8.79E-14	1.30E-13	1.71E-13	2.12E-13	2.51E-13	2.90E-13	3.27E-13
rn220	2.55E-13	9.48E-14	1.13E-15	4.76E-16	4.81E-16	4.87E-16	4.94E-16	5.01E-16	5.09E-16	5.17E-16	5.25E-16

rn222	1.20E-09	1.88E-09	7.31E-09	2.63E-08	8.39E-08	1.54E-07	2.28E-07	3.02E-07	3.76E-07	4.49E-07	5.20E-07
fr221	2.59E-14	4.27E-14	2.13E-13	1.06E-12	4.81E-12	1.10E-11	1.92E-11	2.91E-11	4.03E-11	5.27E-11	6.59E-11
fr223	4.24E-14	5.27E-14	1.07E-13	2.08E-13	4.08E-13	6.03E-13	7.95E-13	9.82E-13	1.17E-12	1.34E-12	1.52E-12
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	2.32E-09	2.88E-09	5.85E-09	1.14E-08	2.23E-08	3.30E-08	4.35E-08	5.38E-08	6.38E-08	7.36E-08	8.31E-08
ra224	1.48E-09	5.49E-10	6.53E-12	2.76E-12	2.79E-12	2.82E-12	2.86E-12	2.90E-12	2.95E-12	2.99E-12	3.04E-12
ra225	1.15E-10	1.89E-10	9.43E-10	4.68E-09	2.13E-08	4.87E-08	8.50E-08	1.29E-07	1.79E-07	2.33E-07	2.92E-07
ra226	1.86E-04	2.92E-04	1.14E-03	4.09E-03	1.31E-02	2.39E-02	3.54E-02	4.70E-02	5.85E-02	6.98E-02	8.08E-02
ra228	6.71E-12	8.40E-12	1.70E-11	3.46E-11	7.19E-11	1.11E-10	1.52E-10	1.95E-10	2.39E-10	2.83E-10	3.29E-10
ac225	7.74E-11	1.28E-10	6.37E-10	3.16E-09	1.44E-08	3.29E-08	5.74E-08	8.70E-08	1.21E-07	1.58E-07	1.97E-07
ac227	1.64E-06	2.04E-06	4.14E-06	8.07E-06	1.58E-05	2.34E-05	3.08E-05	3.81E-05	4.52E-05	5.21E-05	5.89E-05
ac228	8.19E-16	1.03E-15	2.07E-15	4.23E-15	8.77E-15	1.36E-14	1.86E-14	2.38E-14	2.91E-14	3.46E-14	4.01E-14
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	3.82E-09	4.74E-09	9.61E-09	1.87E-08	3.67E-08	5.43E-08	7.15E-08	8.83E-08	1.05E-07	1.21E-07	1.37E-07
th228	2.87E-07	1.07E-07	1.27E-09	5.35E-10	5.41E-10	5.48E-10	5.56E-10	5.64E-10	5.73E-10	5.82E-10	5.91E-10
th229	2.27E-05	3.75E-05	1.87E-04	9.27E-04	4.21E-03	9.63E-03	1.68E-02	2.55E-02	3.53E-02	4.62E-02	5.78E-02
th230	1.13E-01	1.43E-01	2.95E-01	5.98E-01	1.19E+00	1.77E+00	2.34E+00	2.89E+00	3.44E+00	3.96E+00	4.48E+00
th231	2.57E-08	2.58E-08	2.59E-08	2.62E-08	2.68E-08	2.73E-08	2.78E-08	2.82E-08	2.87E-08	2.91E-08	2.95E-08

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 42

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
th232	1.67E-02	2.09E-02	4.22E-02	8.61E-02	1.79E-01	2.77E-01	3.79E-01	4.85E-01	5.94E-01	7.04E-01	8.17E-01
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	2.71E-03	3.32E-03	6.34E-03	1.23E-02	2.42E-02	3.58E-02	4.71E-02	5.83E-02	6.91E-02	7.97E-02	9.01E-02
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	1.08E-05	1.19E-05	1.55E-05	1.78E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05
pa234m	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10
pa234	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.04E-05	3.85E-06	4.62E-08	1.95E-08	1.92E-08	1.90E-08	1.88E-08	1.85E-08	1.83E-08	1.81E-08	1.79E-08
u233	2.99E-02	4.06E-02	1.06E-01	2.64E-01	6.03E-01	9.41E-01	1.28E+00	1.61E+00	1.94E+00	2.26E+00	2.59E+00
u234	1.09E+02	1.10E+02	1.11E+02	1.10E+02	1.10E+02	1.09E+02	1.09E+02	1.08E+02	1.08E+02	1.07E+02	1.07E+02
u235	6.33E+03	6.34E+03	6.37E+03	6.44E+03	6.58E+03	6.71E+03	6.83E+03	6.95E+03	7.06E+03	7.16E+03	7.26E+03
u236	1.44E+03	1.45E+03	1.48E+03	1.54E+03	1.64E+03	1.72E+03	1.79E+03	1.84E+03	1.89E+03	1.92E+03	1.95E+03
u237	2.28E-12	2.22E-12	2.13E-12	1.96E-12	1.67E-12	1.41E-12	1.20E-12	1.02E-12	8.67E-13	7.37E-13	6.26E-13
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	2.39E-20	2.98E-20	5.96E-20	1.19E-19	2.38E-19	3.56E-19	4.73E-19	5.91E-19	7.07E-19	8.24E-19	9.39E-19
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	3.70E-04	3.70E-04	3.68E-04	3.66E-04	3.62E-04	3.58E-04	3.53E-04	3.49E-04	3.45E-04	3.41E-04	3.37E-04
np237	3.17E+02	3.51E+02	4.57E+02	5.25E+02	5.42E+02	5.42E+02	5.42E+02	5.41E+02	5.41E+02	5.41E+02	5.40E+02
np238	1.10E-08	6.73E-09	5.76E-10	4.22E-12	2.27E-16	1.22E-20	6.54E-25	3.51E-29	1.89E-33	8.80E-38	.00E+00
np239	8.36E-06	8.28E-06	7.90E-06	7.19E-06	5.96E-06	4.94E-06	4.09E-06	3.39E-06	2.81E-06	2.33E-06	1.93E-06
np240m	2.04E-22	2.55E-22	5.09E-22	1.02E-21	2.03E-21	3.04E-21	4.04E-21	5.04E-21	6.04E-21	7.03E-21	8.02E-21
np240	2.10E-24	2.62E-24	5.24E-24	1.05E-23	2.09E-23	3.12E-23	4.16E-23	5.19E-23	6.21E-23	7.23E-23	8.25E-23
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	8.30E-10	8.29E-10	8.27E-10	8.22E-10	8.12E-10	8.02E-10	7.93E-10	7.83E-10	7.74E-10	7.65E-10	7.55E-10
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	1.35E+00	6.24E-01	1.53E-02	1.74E-05	1.67E-09	9.00E-14	4.83E-18	2.60E-22	1.39E-26	7.49E-31	4.02E-35
pu239	2.60E+03	2.59E+03	2.56E+03	2.49E+03	2.35E+03	2.22E+03	2.10E+03	1.98E+03	1.87E+03	1.77E+03	1.67E+03
pu240	6.46E+02	6.39E+02	6.06E+02	5.45E+02	4.41E+02	3.57E+02	2.89E+02	2.34E+02	1.90E+02	1.53E+02	1.24E+02
pu241	7.54E-05	7.32E-05	7.03E-05	6.48E-05	5.50E-05	4.67E-05	3.97E-05	3.37E-05	2.86E-05	2.43E-05	2.07E-05
pu242	7.08E+01	7.08E+01	7.07E+01	7.06E+01	7.03E+01	7.01E+01	6.98E+01	6.96E+01	6.93E+01	6.91E+01	6.88E+01

pu243	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15
pu244	1.21E-09	1.51E-09	3.02E-09	6.03E-09	1.20E-08	1.80E-08	2.40E-08	2.99E-08	3.58E-08	4.17E-08	4.76E-08
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	1.23E-21	1.22E-21	1.20E-21	1.15E-21	1.07E-21	9.84E-22	9.09E-22	8.39E-22	7.75E-22	7.15E-22	6.61E-22
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	2.30E+02	1.96E+02	8.77E+01	1.77E+01	7.18E-01	3.05E-02	2.43E-03	1.11E-03	9.03E-04	7.66E-04	6.50E-04
am242m	6.05E-02	3.70E-02	3.17E-03	2.32E-05	1.25E-09	6.69E-14	3.60E-18	1.93E-22	1.04E-26	5.57E-31	2.99E-35
am242	7.80E-07	4.77E-07	4.08E-08	2.99E-10	1.61E-14	8.64E-19	4.64E-23	2.49E-27	1.34E-31	7.19E-36	.00E+00
am243	9.71E+00	9.62E+00	9.18E+00	8.36E+00	6.92E+00	5.74E+00	4.75E+00	3.94E+00	3.26E+00	2.70E+00	2.24E+00
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	3.07E-24	3.06E-24	3.00E-24	2.88E-24	2.66E-24	2.46E-24	2.27E-24	2.10E-24	1.94E-24	1.79E-24	1.65E-24
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 43

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
cm242	1.57E-04	9.63E-05	8.25E-06	6.04E-08	3.26E-12	1.75E-16	9.40E-21	5.05E-25	2.71E-29	1.46E-33	7.82E-38
cm243	3.59E-06	3.15E-07	1.65E-12	4.51E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	3.37E-07	7.32E-09	3.54E-17	8.24E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	4.44E-02	4.40E-02	4.22E-02	3.89E-02	3.31E-02	2.81E-02	2.39E-02	2.03E-02	1.72E-02	1.46E-02	1.24E-02
cm246	2.83E-03	2.79E-03	2.59E-03	2.24E-03	1.67E-03	1.24E-03	9.28E-04	6.93E-04	5.17E-04	3.85E-04	2.88E-04
cm247	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05
cm248	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.63E-06	1.62E-06	1.62E-06	1.61E-06	1.60E-06	1.60E-06	1.59E-06
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	2.93E-15	2.92E-15	2.86E-15	2.75E-15	2.54E-15	2.34E-15	2.17E-15	2.00E-15	1.85E-15	1.70E-15	1.57E-15
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	8.65E-24	8.62E-24	8.45E-24	8.12E-24	7.50E-24	6.92E-24	6.39E-24	5.90E-24	5.45E-24	5.03E-24	4.65E-24
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	8.41E-09	6.90E-09	2.57E-09	3.55E-10	6.79E-12	1.30E-13	2.49E-15	4.77E-17	9.12E-19	1.75E-20	3.34E-22
cf250	1.39E-18	3.13E-19	3.01E-19	2.89E-19	2.67E-19	2.47E-19	2.28E-19	2.10E-19	1.94E-19	1.79E-19	1.66E-19
cf251	6.26E-10	5.80E-10	3.94E-10	1.82E-10	3.89E-11	8.31E-12	1.77E-12	3.79E-13	8.09E-14	1.73E-14	3.69E-15
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 44

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
h 3	2.32E-12	8.41E-15	5.20E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05
li 7	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06
be 9	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06
be 10	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.68E-05	3.68E-05	3.68E-05	3.67E-05	3.67E-05	3.67E-05
c 14	7.12E-06	7.03E-06	6.62E-06	5.86E-06	4.60E-06	3.61E-06	2.84E-06	2.23E-06	1.75E-06	1.37E-06	1.08E-06
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07

cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08
zn 68	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08
zn 70	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 45

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

se 77	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.39E+00	1.39E+00	1.37E+00	1.34E+00	1.29E+00	1.24E+00	1.18E+00	1.14E+00	1.09E+00	1.04E+00	1.00E+00
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	1.18E-02	1.47E-02	2.92E-02	5.77E-02	1.13E-01	1.66E-01	2.17E-01	2.66E-01	3.13E-01	3.57E-01	4.00E-01
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00
kr 81	7.12E-07	7.11E-07	7.10E-07	7.08E-07	7.03E-07	6.99E-07	6.94E-07	6.90E-07	6.85E-07	6.81E-07	6.76E-07
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 46

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01

kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	3.89E-11	6.05E-14	5.49E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01
sr 87	3.07E-04	3.07E-04	3.07E-04	3.08E-04	3.11E-04	3.13E-04	3.15E-04	3.17E-04	3.19E-04	3.21E-04	3.23E-04
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 47

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr 90	8.57E-03	7.30E-04	3.28E-09	6.62E-20	2.70E-41	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	2.23E-06	1.90E-07	8.52E-13	1.72E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02
nb 91	1.77E-10	1.60E-10	9.63E-11	3.47E-11	4.52E-12	5.89E-13	7.67E-14	9.98E-15	1.30E-15	1.69E-16	2.20E-17
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02
nb 92	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
nb 93	2.38E-02	3.01E-02	6.15E-02	1.24E-01	2.50E-01	3.76E-01	5.01E-01	6.26E-01	7.51E-01	8.76E-01	1.00E+00
nb 93m	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.45E-03	1.45E-03
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 48

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02
nb 94	1.23E-04	1.23E-04	1.21E-04	1.17E-04	1.09E-04	1.02E-04	9.50E-05	8.88E-05	8.29E-05	7.74E-05	7.23E-05
nb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

mo 96	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
tc 98	1.37E-03	1.37E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.30E+02	2.30E+02	2.30E+02	2.29E+02	2.28E+02	2.26E+02	2.25E+02	2.23E+02	2.22E+02	2.20E+02	2.19E+02
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	3.12E-01	3.87E-01	7.65E-01	1.52E+00	3.02E+00	4.51E+00	5.99E+00	7.46E+00	8.92E+00	1.04E+01	1.18E+01
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 49

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 50

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.11E+01	5.11E+01	5.11E+01	5.11E+01	5.11E+01
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	2.19E-03	2.74E-03	5.47E-03	1.09E-02	2.18E-02	3.28E-02	4.37E-02	5.46E-02	6.55E-02	7.64E-02	8.73E-02
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pd108	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01
ag108	1.47E-14	8.49E-15	5.54E-16	2.36E-18	4.29E-23	7.79E-28	1.42E-32	2.57E-37	.00E+00	.00E+00	.00E+00
ag108m	4.75E-06	2.75E-06	1.80E-07	7.65E-10	1.39E-14	2.52E-19	4.59E-24	8.33E-29	1.51E-33	2.75E-38	4.54E-43
cd108	4.66E-05	4.67E-05	4.69E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 51

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
cd110	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02
cd113m	8.09E-11	5.93E-13	1.25E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02

in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 52

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
sn115	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01

ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 53

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	3.03E-09	8.60E-10	1.58E-12	5.32E-18	6.03E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	6.96E-05	1.98E-05	3.62E-08	1.22E-13	1.38E-24	1.57E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00
te123	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te124	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	4.87E+00	4.87E+00	4.85E+00	4.82E+00	4.75E+00	4.69E+00	4.62E+00	4.56E+00	4.50E+00	4.43E+00	4.37E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 54

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
sb126	2.32E-07	2.31E-07	2.31E-07	2.29E-07	2.26E-07	2.23E-07	2.20E-07	2.17E-07	2.14E-07	2.11E-07	2.08E-07
sb126m	1.76E-09	1.76E-09	1.75E-09	1.74E-09	1.72E-09	1.69E-09	1.67E-09	1.65E-09	1.62E-09	1.60E-09	1.58E-09
te126	9.19E-02	9.53E-02	1.12E-01	1.46E-01	2.12E-01	2.77E-01	3.42E-01	4.06E-01	4.68E-01	5.30E-01	5.91E-01
xe126	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01
xe129	2.08E-03	2.30E-03	3.41E-03	5.61E-03	1.00E-02	1.44E-02	1.88E-02	2.33E-02	2.77E-02	3.21E-02	3.65E-02
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te130	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 55

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02
ba133	9.02E-20	1.24E-22	6.10E-37	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.76E+02	1.76E+02
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	5.95E-02	6.49E-02	9.16E-02	1.45E-01	2.52E-01	3.58E-01	4.65E-01	5.71E-01	6.78E-01	7.84E-01	8.91E-01

ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 56

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	3.35E-02	3.32E-03	3.19E-08	2.94E-18	2.50E-38	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02
ba137m	5.11E-09	5.07E-10	4.87E-15	4.49E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02
la138	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 57

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02
pm145	2.79E-11	5.55E-13	1.74E-21	1.71E-38	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02
pm146	3.12E-25	1.12E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 58

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
sm148	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01
eu150	9.29E-11	1.34E-11	8.38E-16	3.28E-24	5.02E-41	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	2.85E-01	1.32E-01	2.80E-03	1.26E-06	2.58E-13	5.26E-20	1.07E-26	2.19E-33	4.46E-40	.00E+00	.00E+00
eu151	5.93E+00	6.08E+00	6.21E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01
eu152	2.45E-11	1.35E-13	6.85E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 59

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
sm154	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00
eu154	7.01E-14	2.19E-17	6.59E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	5.83E-26	2.15E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	16000.0 yr
dy161	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	1.89E-05	1.78E-05	1.34E-05	7.49E-06	2.36E-06	7.43E-07	2.34E-07	7.38E-08	2.32E-08	7.32E-09	2.30E-09
er166	1.55E-03	1.56E-03	1.56E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03
er167	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07
total	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03

1 Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 61

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
he 4	3.35E+01	3.54E+01	3.73E+01	3.90E+01	4.05E+01	4.20E+01	4.33E+01	4.46E+01	4.58E+01	4.79E+01	4.89E+01
tl206	4.85E-16	5.50E-16	6.14E-16	6.76E-16	7.36E-16	7.95E-16	8.53E-16	9.09E-16	9.64E-16	1.07E-15	1.12E-15
tl207	2.23E-11	2.48E-11	2.72E-11	2.96E-11	3.19E-11	3.42E-11	3.64E-11	3.85E-11	4.06E-11	4.46E-11	4.65E-11
tl208	5.88E-16	5.97E-16	6.07E-16	6.17E-16	6.27E-16	6.37E-16	6.48E-16	6.58E-16	6.69E-16	6.90E-16	7.01E-16

tl209	5.88E-13	7.13E-13	8.43E-13	9.77E-13	1.12E-12	1.26E-12	1.40E-12	1.54E-12	1.69E-12	1.98E-12	2.12E-12
pb206	2.31E-01	2.99E-01	3.76E-01	4.61E-01	5.55E-01	6.56E-01	7.65E-01	8.81E-01	1.01E+00	1.27E+00	1.42E+00
pb207	1.41E-02	1.77E-02	2.17E-02	2.60E-02	3.07E-02	3.58E-02	4.12E-02	4.70E-02	5.30E-02	6.61E-02	7.31E-02
pb208	4.82E-04	4.82E-04	4.83E-04	4.83E-04	4.83E-04	4.84E-04	4.84E-04	4.85E-04	4.85E-04	4.86E-04	4.86E-04
pb209	2.48E-09	3.01E-09	3.56E-09	4.13E-09	4.71E-09	5.30E-09	5.90E-09	6.51E-09	7.12E-09	8.34E-09	8.96E-09
pb210	1.05E-03	1.19E-03	1.32E-03	1.46E-03	1.59E-03	1.71E-03	1.84E-03	1.96E-03	2.08E-03	2.31E-03	2.42E-03
pb211	1.72E-10	1.92E-10	2.11E-10	2.29E-10	2.47E-10	2.65E-10	2.82E-10	2.98E-10	3.14E-10	3.45E-10	3.60E-10
pb212	3.49E-13	3.54E-13	3.60E-13	3.66E-13	3.72E-13	3.78E-13	3.84E-13	3.90E-13	3.96E-13	4.09E-13	4.16E-13
pb214	2.44E-09	2.76E-09	3.08E-09	3.39E-09	3.70E-09	3.99E-09	4.28E-09	4.57E-09	4.84E-09	5.38E-09	5.63E-09
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	2.67E-02	3.70E-02	4.93E-02	6.36E-02	8.01E-02	9.88E-02	1.20E-01	1.43E-01	1.68E-01	2.26E-01	2.58E-01
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	6.44E-07	7.30E-07	8.14E-07	8.97E-07	9.77E-07	1.06E-06	1.13E-06	1.21E-06	1.28E-06	1.42E-06	1.49E-06
bi211	1.02E-11	1.14E-11	1.25E-11	1.36E-11	1.46E-11	1.57E-11	1.67E-11	1.77E-11	1.86E-11	2.04E-11	2.13E-11
bi212	3.31E-14	3.36E-14	3.41E-14	3.47E-14	3.53E-14	3.58E-14	3.64E-14	3.70E-14	3.76E-14	3.88E-14	3.94E-14
bi213	5.91E-10	7.17E-10	8.48E-10	9.83E-10	1.12E-09	1.26E-09	1.41E-09	1.55E-09	1.69E-09	1.99E-09	2.13E-09
bi214	1.81E-09	2.05E-09	2.29E-09	2.52E-09	2.75E-09	2.97E-09	3.18E-09	3.39E-09	3.60E-09	3.99E-09	4.18E-09
po210	1.78E-05	2.02E-05	2.25E-05	2.48E-05	2.70E-05	2.91E-05	3.13E-05	3.33E-05	3.53E-05	3.92E-05	4.11E-05
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	1.13E-16	1.26E-16	1.38E-16	1.50E-16	1.62E-16	1.73E-16	1.84E-16	1.95E-16	2.06E-16	2.26E-16	2.36E-16
po212	1.74E-24	1.77E-24	1.79E-24	1.82E-24	1.85E-24	1.88E-24	1.91E-24	1.94E-24	1.98E-24	2.04E-24	2.07E-24
po213	8.89E-19	1.08E-18	1.27E-18	1.48E-18	1.69E-18	1.90E-18	2.11E-18	2.33E-18	2.55E-18	2.99E-18	3.20E-18
po214	2.49E-16	2.82E-16	3.15E-16	3.47E-16	3.78E-16	4.08E-16	4.38E-16	4.67E-16	4.95E-16	5.49E-16	5.75E-16
po215	1.44E-16	1.61E-16	1.76E-16	1.92E-16	2.07E-16	2.22E-16	2.36E-16	2.50E-16	2.63E-16	2.89E-16	3.01E-16
po216	1.34E-18	1.37E-18	1.39E-18	1.41E-18	1.43E-18	1.46E-18	1.48E-18	1.51E-18	1.53E-18	1.58E-18	1.60E-18
po218	2.87E-10	3.26E-10	3.63E-10	4.00E-10	4.36E-10	4.71E-10	5.05E-10	5.38E-10	5.71E-10	6.34E-10	6.64E-10
at217	7.11E-15	8.62E-15	1.02E-14	1.18E-14	1.35E-14	1.52E-14	1.69E-14	1.86E-14	2.04E-14	2.39E-14	2.57E-14
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	3.27E-13	3.64E-13	4.00E-13	4.35E-13	4.69E-13	5.02E-13	5.34E-13	5.66E-13	5.96E-13	6.55E-13	6.83E-13
rn220	5.25E-16	5.34E-16	5.42E-16	5.51E-16	5.60E-16	5.69E-16	5.78E-16	5.88E-16	5.97E-16	6.16E-16	6.26E-16
rn222	5.20E-07	5.89E-07	6.57E-07	7.23E-07	7.88E-07	8.51E-07	9.13E-07	9.74E-07	1.03E-06	1.15E-06	1.20E-06
fr221	6.59E-11	8.00E-11	9.46E-11	1.10E-10	1.25E-10	1.41E-10	1.57E-10	1.73E-10	1.89E-10	2.22E-10	2.38E-10
fr223	1.52E-12	1.69E-12	1.86E-12	2.02E-12	2.18E-12	2.33E-12	2.48E-12	2.63E-12	2.77E-12	3.04E-12	3.17E-12
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	8.31E-08	9.25E-08	1.02E-07	1.10E-07	1.19E-07	1.28E-07	1.36E-07	1.44E-07	1.51E-07	1.66E-07	1.73E-07
ra224	3.04E-12	3.09E-12	3.14E-12	3.19E-12	3.24E-12	3.30E-12	3.35E-12	3.40E-12	3.46E-12	3.57E-12	3.63E-12
ra225	2.92E-07	3.54E-07	4.19E-07	4.86E-07	5.54E-07	6.24E-07	6.94E-07	7.65E-07	8.37E-07	9.81E-07	1.05E-06
ra226	8.08E-02	9.16E-02	1.02E-01	1.13E-01	1.23E-01	1.32E-01	1.42E-01	1.51E-01	1.61E-01	1.78E-01	1.87E-01
ra228	3.29E-10	3.75E-10	4.21E-10	4.68E-10	5.15E-10	5.62E-10	6.10E-10	6.58E-10	7.06E-10	8.02E-10	8.50E-10
ac225	1.97E-07	2.39E-07	2.83E-07	3.28E-07	3.74E-07	4.21E-07	4.69E-07	5.17E-07	5.65E-07	6.63E-07	7.11E-07
ac227	5.89E-05	6.55E-05	7.19E-05	7.82E-05	8.43E-05	9.03E-05	9.61E-05	1.02E-04	1.07E-04	1.18E-04	1.23E-04
ac228	4.01E-14	4.57E-14	5.14E-14	5.71E-14	6.29E-14	6.86E-14	7.45E-14	8.03E-14	8.61E-14	9.79E-14	1.04E-13
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	1.37E-07	1.52E-07	1.67E-07	1.81E-07	1.96E-07	2.10E-07	2.23E-07	2.36E-07	2.49E-07	2.73E-07	2.85E-07
th228	5.91E-10	6.00E-10	6.10E-10	6.20E-10	6.30E-10	6.40E-10	6.51E-10	6.61E-10	6.72E-10	6.94E-10	7.05E-10
th229	5.78E-02	7.01E-02	8.29E-02	9.61E-02	1.10E-01	1.23E-01	1.37E-01	1.51E-01	1.66E-01	1.94E-01	2.08E-01
th230	4.48E+00	4.99E+00	5.48E+00	5.96E+00	6.43E+00	6.89E+00	7.34E+00	7.78E+00	8.20E+00	9.03E+00	9.42E+00
th231	2.95E-08	2.99E-08	3.02E-08	3.06E-08	3.09E-08	3.12E-08	3.14E-08	3.17E-08	3.20E-08	3.24E-08	3.26E-08

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 62

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
th232	8.17E-01	9.32E-01	1.05E+00	1.16E+00	1.28E+00	1.40E+00	1.52E+00	1.64E+00	1.76E+00	1.99E+00	2.11E+00
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	9.01E-02	1.00E-01	1.10E-01	1.20E-01	1.29E-01	1.38E-01	1.47E-01	1.56E-01	1.64E-01	1.80E-01	1.88E-01
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	1.84E-05	1.83E-05	1.83E-05	1.83E-05	1.83E-05	1.83E-05	1.83E-05	1.83E-05	1.83E-05	1.82E-05	1.82E-05
pa234m	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10

pa234	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.79E-08	1.77E-08	1.75E-08	1.72E-08	1.70E-08	1.68E-08	1.66E-08	1.64E-08	1.62E-08	1.58E-08	1.57E-08
u233	2.59E+00	2.91E+00	3.23E+00	3.54E+00	3.85E+00	4.16E+00	4.46E+00	4.77E+00	5.07E+00	5.66E+00	5.95E+00
u234	1.07E+02	1.07E+02	1.06E+02	1.06E+02	1.05E+02	1.05E+02	1.04E+02	1.04E+02	1.03E+02	1.02E+02	1.02E+02
u235	7.26E+03	7.35E+03	7.43E+03	7.52E+03	7.59E+03	7.67E+03	7.73E+03	7.80E+03	7.86E+03	7.97E+03	8.03E+03
u236	1.95E+03	1.98E+03	1.99E+03	2.01E+03	2.02E+03	2.03E+03	2.04E+03	2.05E+03	2.05E+03	2.06E+03	2.06E+03
u237	6.26E-13	5.32E-13	4.52E-13	3.84E-13	3.26E-13	2.77E-13	2.35E-13	2.00E-13	1.70E-13	1.22E-13	1.04E-13
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	9.39E-19	1.05E-18	1.17E-18	1.28E-18	1.40E-18	1.51E-18	1.62E-18	1.74E-18	1.85E-18	2.07E-18	2.18E-18
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	3.37E-04	3.33E-04	3.29E-04	3.25E-04	3.21E-04	3.17E-04	3.13E-04	3.09E-04	3.06E-04	2.98E-04	2.95E-04
np237	5.40E+02	5.40E+02	5.40E+02	5.39E+02	5.39E+02	5.39E+02	5.38E+02	5.38E+02	5.38E+02	5.37E+02	5.37E+02
np238	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np239	1.93E-06	1.60E-06	1.32E-06	1.10E-06	9.08E-07	7.52E-07	6.23E-07	5.17E-07	4.28E-07	2.94E-07	2.43E-07
np240m	8.02E-21	9.00E-21	9.98E-21	1.10E-20	1.19E-20	1.29E-20	1.39E-20	1.48E-20	1.58E-20	1.77E-20	1.86E-20
np240	8.25E-23	9.26E-23	1.03E-22	1.13E-22	1.23E-22	1.33E-22	1.43E-22	1.52E-22	1.62E-22	1.82E-22	1.92E-22
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	7.55E-10	7.46E-10	7.37E-10	7.29E-10	7.20E-10	7.11E-10	7.03E-10	6.94E-10	6.86E-10	6.70E-10	6.62E-10
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	4.02E-35	2.16E-39	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu239	1.67E+03	1.57E+03	1.49E+03	1.40E+03	1.33E+03	1.25E+03	1.18E+03	1.12E+03	1.05E+03	9.39E+02	8.87E+02
pu240	1.24E+02	1.01E+02	8.14E+01	6.59E+01	5.34E+01	4.32E+01	3.50E+01	2.83E+01	2.29E+01	1.50E+01	1.22E+01
pu241	2.07E-05	1.76E-05	1.49E-05	1.27E-05	1.08E-05	9.14E-06	7.77E-06	6.60E-06	5.61E-06	4.04E-06	3.44E-06
pu242	6.88E+01	6.85E+01	6.83E+01	6.80E+01	6.78E+01	6.75E+01	6.73E+01	6.70E+01	6.68E+01	6.63E+01	6.60E+01
pu243	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.12E-15
pu244	4.76E-08	5.34E-08	5.92E-08	6.50E-08	7.08E-08	7.65E-08	8.22E-08	8.79E-08	9.36E-08	1.05E-07	1.10E-07
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	6.61E-22	6.10E-22	5.63E-22	5.20E-22	4.80E-22	4.44E-22	4.10E-22	3.78E-22	3.49E-22	2.98E-22	2.75E-22
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	6.50E-04	5.52E-04	4.69E-04	3.99E-04	3.39E-04	2.88E-04	2.44E-04	2.08E-04	1.76E-04	1.28E-04	1.08E-04
am242m	2.99E-35	1.61E-39	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am242	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am243	2.24E+00	1.86E+00	1.54E+00	1.27E+00	1.06E+00	8.74E-01	7.24E-01	6.00E-01	4.97E-01	3.41E-01	2.83E-01
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	1.65E-24	1.52E-24	1.41E-24	1.30E-24	1.20E-24	1.11E-24	1.02E-24	9.45E-25	8.72E-25	7.44E-25	6.87E-25
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 63

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
cm242	7.82E-38	4.07E-42	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm243	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	1.24E-02	1.06E-02	8.97E-03	7.62E-03	6.47E-03	5.50E-03	4.67E-03	3.97E-03	3.37E-03	2.43E-03	2.07E-03
cm246	2.88E-04	2.14E-04	1.60E-04	1.19E-04	8.90E-05	6.64E-05	4.96E-05	3.70E-05	2.76E-05	1.53E-05	1.14E-05
cm247	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05
cm248	1.59E-06	1.58E-06	1.58E-06	1.57E-06	1.56E-06	1.56E-06	1.55E-06	1.54E-06	1.54E-06	1.53E-06	1.52E-06
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	1.57E-15	1.45E-15	1.34E-15	1.24E-15	1.14E-15	1.06E-15	9.76E-16	9.01E-16	8.32E-16	7.10E-16	6.55E-16
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	4.65E-24	4.29E-24	3.96E-24	3.66E-24	3.38E-24	3.12E-24	2.88E-24	2.66E-24	2.46E-24	2.10E-24	1.93E-24
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	3.34E-22	6.40E-24	1.23E-25	2.35E-27	4.49E-29	8.59E-31	1.65E-32	3.15E-34	6.03E-36	2.21E-39	4.22E-41
cf250	1.66E-19	1.53E-19	1.41E-19	1.30E-19	1.20E-19	1.11E-19	1.03E-19	9.49E-20	8.76E-20	7.47E-20	6.90E-20
cf251	3.69E-15	7.88E-16	1.68E-16	3.60E-17	7.68E-18	1.64E-18	3.50E-19	7.48E-20	1.60E-20	7.29E-22	1.56E-22
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 64

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
h 3	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05
li 7	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06
be 9	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06
be 10	3.67E-05	3.67E-05	3.66E-05	3.66E-05	3.66E-05	3.65E-05	3.65E-05	3.65E-05	3.64E-05	3.64E-05	3.63E-05
c 14	1.08E-06	8.46E-07	6.64E-07	5.21E-07	4.09E-07	3.21E-07	2.52E-07	1.98E-07	1.55E-07	9.58E-08	7.52E-08
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08
zn 68	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08
zn 70	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 65

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.00E+00	9.60E-01	9.21E-01	8.83E-01	8.47E-01	8.12E-01	7.78E-01	7.46E-01	7.16E-01	6.58E-01	6.31E-01
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	4.00E-01	4.42E-01	4.81E-01	5.19E-01	5.55E-01	5.90E-01	6.24E-01	6.56E-01	6.86E-01	7.44E-01	7.71E-01
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00
kr 81	6.76E-07	6.72E-07	6.68E-07	6.63E-07	6.59E-07	6.55E-07	6.50E-07	6.46E-07	6.42E-07	6.34E-07	6.30E-07
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 66

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01
sr 87	3.23E-04	3.25E-04	3.27E-04	3.29E-04	3.31E-04	3.34E-04	3.36E-04	3.38E-04	3.40E-04	3.44E-04	3.46E-04
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 67

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02
nb 91	2.20E-17	2.87E-18	3.73E-19	4.86E-20	6.33E-21	8.24E-22	1.07E-22	1.40E-23	1.82E-24	3.08E-26	4.01E-27
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02
nb 92	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.38E+02	1.38E+02	1.38E+02	1.37E+02	1.37E+02	1.37E+02	1.37E+02	1.37E+02	1.37E+02	1.37E+02	1.36E+02
nb 93	1.00E+00	1.13E+00	1.25E+00	1.38E+00	1.50E+00	1.62E+00	1.75E+00	1.87E+00	2.00E+00	2.24E+00	2.37E+00

nb 93m	1.45E-03	1.45E-03	1.45E-03	1.45E-03	1.45E-03	1.45E-03	1.45E-03	1.44E-03	1.44E-03	1.44E-03	1.44E-03
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 68

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02
nb 94	7.23E-05	6.75E-05	6.31E-05	5.89E-05	5.50E-05	5.14E-05	4.80E-05	4.48E-05	4.19E-05	3.65E-05	3.41E-05
nb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
tc 98	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.19E+02	2.17E+02	2.16E+02	2.14E+02	2.13E+02	2.12E+02	2.10E+02	2.09E+02	2.08E+02	2.05E+02	2.03E+02
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	1.18E+01	1.32E+01	1.47E+01	1.61E+01	1.75E+01	1.89E+01	2.03E+01	2.16E+01	2.30E+01	2.57E+01	2.71E+01
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 69

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02

1

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.11E+01	5.11E+01	5.11E+01	5.11E+01	5.11E+01	5.10E+01	5.10E+01	5.10E+01	5.10E+01	5.10E+01	5.10E+01
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	8.73E-02	9.82E-02	1.09E-01	1.20E-01	1.31E-01	1.42E-01	1.53E-01	1.64E-01	1.74E-01	1.96E-01	2.07E-01
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01
ag108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	4.54E-43	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd108	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1 Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 71

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams
initial 18000.0 yr 20000.0 yr 22000.0 yr 24000.0 yr 26000.0 yr 28000.0 yr 30000.0 yr 32000.0 yr 36000.0 yr 38000.0 yr

cd110	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02
cd113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 72

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
sn115	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 73

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr	yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00
te123	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	4.37E+00	4.31E+00	4.25E+00	4.20E+00	4.14E+00	4.08E+00	4.02E+00	3.97E+00	3.91E+00	3.81E+00	3.76E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 74

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
sb126	2.08E-07	2.05E-07	2.02E-07	1.99E-07	1.97E-07	1.94E-07	1.91E-07	1.89E-07	1.86E-07	1.81E-07	1.78E-07
sb126m	1.58E-09	1.56E-09	1.54E-09	1.52E-09	1.49E-09	1.47E-09	1.45E-09	1.43E-09	1.41E-09	1.38E-09	1.36E-09
te126	5.91E-01	6.52E-01	7.11E-01	7.70E-01	8.27E-01	8.84E-01	9.40E-01	9.96E-01	1.05E+00	1.16E+00	1.21E+00
xe126	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01
xe129	3.65E-02	4.09E-02	4.53E-02	4.97E-02	5.41E-02	5.85E-02	6.29E-02	6.73E-02	7.17E-02	8.05E-02	8.49E-02
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 75

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02
ba133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.76E+02	1.76E+02	1.76E+02	1.76E+02	1.76E+02	1.76E+02	1.76E+02	1.76E+02	1.75E+02	1.75E+02	1.75E+02
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	8.91E-01	9.97E-01	1.10E+00	1.21E+00	1.32E+00	1.42E+00	1.53E+00	1.63E+00	1.74E+00	1.95E+00	2.06E+00
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 76

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02
ba137m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02
la138	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03

sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 77

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02
pm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02
pm146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 78

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr
sm148	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01
eu150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu151	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01
eu152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 79

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr	yr
sm154	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	
eu154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
gd154	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
eu155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
gd155	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
gd156	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	

eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 80

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	18000.0 yr	20000.0 yr	22000.0 yr	24000.0 yr	26000.0 yr	28000.0 yr	30000.0 yr	32000.0 yr	36000.0 yr	38000.0 yr	yr
dy161	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
dy162	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
dy163	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
dy164	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
ho165	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	

ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	2.30E-09	7.26E-10	2.29E-10	7.20E-11	2.27E-11	7.14E-12	2.25E-12	7.08E-13	2.23E-13	2.21E-14	6.97E-15
er166	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03
er167	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07
total	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 81

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
he 4	4.89E+01	4.98E+01	5.19E+01	5.37E+01	5.52E+01	5.66E+01	5.78E+01	5.89E+01	6.33E+01	6.96E+01	7.18E+01
tl206	1.12E-15	1.17E-15	1.29E-15	1.40E-15	1.51E-15	1.61E-15	1.70E-15	1.79E-15	2.25E-15	2.72E-15	2.71E-15
tl207	4.65E-11	4.84E-11	5.27E-11	5.68E-11	6.06E-11	6.40E-11	6.72E-11	7.02E-11	8.33E-11	9.83E-11	9.99E-11
tl208	7.01E-16	7.12E-16	7.40E-16	7.68E-16	7.96E-16	8.25E-16	8.54E-16	8.84E-16	1.07E-15	1.74E-15	2.10E-15
tl209	2.12E-12	2.26E-12	2.62E-12	2.98E-12	3.33E-12	3.67E-12	4.01E-12	4.34E-12	6.15E-12	1.12E-11	1.21E-11
pb206	1.42E+00	1.57E+00	1.98E+00	2.42E+00	2.90E+00	3.42E+00	3.97E+00	4.54E+00	8.56E+00	2.54E+01	3.43E+01
pb207	7.31E-02	8.03E-02	9.97E-02	1.21E-01	1.43E-01	1.67E-01	1.92E-01	2.19E-01	3.96E-01	1.11E+00	1.49E+00
pb208	4.86E-04	4.87E-04	4.88E-04	4.89E-04	4.91E-04	4.92E-04	4.93E-04	4.95E-04	5.05E-04	5.51E-04	5.83E-04
pb209	8.96E-09	9.57E-09	1.11E-08	1.26E-08	1.41E-08	1.55E-08	1.69E-08	1.83E-08	2.60E-08	4.74E-08	5.12E-08
pb210	2.42E-03	2.53E-03	2.78E-03	3.03E-03	3.25E-03	3.47E-03	3.67E-03	3.85E-03	4.86E-03	5.86E-03	5.85E-03
pb211	3.60E-10	3.74E-10	4.08E-10	4.39E-10	4.69E-10	4.95E-10	5.20E-10	5.43E-10	6.45E-10	7.61E-10	7.72E-10
pb212	4.16E-13	4.22E-13	4.39E-13	4.55E-13	4.72E-13	4.89E-13	5.07E-13	5.24E-13	6.33E-13	1.03E-12	1.24E-12
pb214	5.63E-09	5.88E-09	6.48E-09	7.05E-09	7.58E-09	8.07E-09	8.54E-09	8.98E-09	1.13E-08	1.37E-08	1.36E-08
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	2.58E-01	2.93E-01	3.90E-01	5.00E-01	6.25E-01	7.63E-01	9.14E-01	1.08E+00	2.33E+00	9.35E+00	1.39E+01
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.49E-06	1.55E-06	1.71E-06	1.86E-06	2.00E-06	2.13E-06	2.26E-06	2.37E-06	2.99E-06	3.61E-06	3.60E-06
bi211	2.13E-11	2.22E-11	2.42E-11	2.60E-11	2.78E-11	2.94E-11	3.08E-11	3.22E-11	3.82E-11	4.51E-11	4.58E-11
bi212	3.94E-14	4.00E-14	4.16E-14	4.32E-14	4.48E-14	4.64E-14	4.80E-14	4.97E-14	6.00E-14	9.77E-14	1.18E-13
bi213	2.13E-09	2.28E-09	2.64E-09	3.00E-09	3.35E-09	3.69E-09	4.03E-09	4.36E-09	6.19E-09	1.13E-08	1.22E-08
bi214	4.18E-09	4.37E-09	4.81E-09	5.23E-09	5.63E-09	6.00E-09	6.34E-09	6.67E-09	8.41E-09	1.01E-08	1.01E-08
po210	4.11E-05	4.29E-05	4.73E-05	5.14E-05	5.53E-05	5.89E-05	6.23E-05	6.55E-05	8.26E-05	9.96E-05	9.94E-05
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	2.36E-16	2.45E-16	2.67E-16	2.88E-16	3.07E-16	3.25E-16	3.41E-16	3.56E-16	4.22E-16	4.98E-16	5.06E-16
po212	2.07E-24	2.10E-24	2.19E-24	2.27E-24	2.35E-24	2.44E-24	2.52E-24	2.61E-24	3.15E-24	5.13E-24	6.19E-24
po213	3.20E-18	3.42E-18	3.97E-18	4.50E-18	5.03E-18	5.55E-18	6.06E-18	6.55E-18	9.30E-18	1.70E-17	1.83E-17
po214	5.75E-16	6.01E-16	6.62E-16	7.20E-16	7.74E-16	8.25E-16	8.72E-16	9.17E-16	1.16E-15	1.39E-15	1.39E-15
po215	3.01E-16	3.13E-16	3.42E-16	3.68E-16	3.92E-16	4.15E-16	4.36E-16	4.55E-16	5.40E-16	6.37E-16	6.47E-16
po216	1.60E-18	1.63E-18	1.69E-18	1.76E-18	1.82E-18	1.89E-18	1.95E-18	2.02E-18	2.44E-18	3.97E-18	4.79E-18
po218	6.64E-10	6.93E-10	7.64E-10	8.31E-10	8.93E-10	9.52E-10	1.01E-09	1.06E-09	1.33E-09	1.61E-09	1.61E-09
at217	2.57E-14	2.74E-14	3.18E-14	3.61E-14	4.03E-14	4.44E-14	4.85E-14	5.25E-14	7.45E-14	1.36E-13	1.47E-13
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	6.83E-13	7.10E-13	7.74E-13	8.34E-13	8.89E-13	9.40E-13	9.87E-13	1.03E-12	1.22E-12	1.44E-12	1.47E-12
rn220	6.26E-16	6.36E-16	6.61E-16	6.86E-16	7.11E-16	7.37E-16	7.63E-16	7.89E-16	9.53E-16	1.55E-15	1.87E-15

rn222	1.20E-06	1.25E-06	1.38E-06	1.50E-06	1.62E-06	1.72E-06	1.82E-06	1.91E-06	2.41E-06	2.91E-06	2.90E-06
fr221	2.38E-10	2.54E-10	2.94E-10	3.34E-10	3.73E-10	4.12E-10	4.49E-10	4.86E-10	6.90E-10	1.26E-09	1.36E-09
fr223	3.17E-12	3.29E-12	3.59E-12	3.87E-12	4.13E-12	4.36E-12	4.58E-12	4.78E-12	5.68E-12	6.70E-12	6.80E-12
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	1.73E-07	1.80E-07	1.97E-07	2.12E-07	2.26E-07	2.39E-07	2.51E-07	2.62E-07	3.11E-07	3.67E-07	3.72E-07
ra224	3.63E-12	3.68E-12	3.83E-12	3.97E-12	4.12E-12	4.27E-12	4.42E-12	4.57E-12	5.52E-12	8.98E-12	1.08E-11
ra225	1.05E-06	1.13E-06	1.30E-06	1.48E-06	1.65E-06	1.82E-06	1.99E-06	2.15E-06	3.06E-06	5.58E-06	6.03E-06
ra226	1.87E-01	1.95E-01	2.15E-01	2.34E-01	2.51E-01	2.68E-01	2.83E-01	2.98E-01	3.76E-01	4.53E-01	4.52E-01
ra228	8.50E-10	8.98E-10	1.02E-09	1.14E-09	1.26E-09	1.38E-09	1.50E-09	1.62E-09	2.35E-09	4.77E-09	5.97E-09
ac225	7.11E-07	7.60E-07	8.81E-07	1.00E-06	1.12E-06	1.23E-06	1.34E-06	1.45E-06	2.06E-06	3.77E-06	4.07E-06
ac227	1.23E-04	1.28E-04	1.39E-04	1.50E-04	1.60E-04	1.69E-04	1.77E-04	1.85E-04	2.20E-04	2.60E-04	2.64E-04
ac228	1.04E-13	1.10E-13	1.24E-13	1.39E-13	1.54E-13	1.69E-13	1.83E-13	1.98E-13	2.87E-13	5.82E-13	7.29E-13
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	2.85E-07	2.96E-07	3.23E-07	3.48E-07	3.71E-07	3.92E-07	4.12E-07	4.30E-07	5.11E-07	6.02E-07	6.12E-07
th228	7.05E-10	7.16E-10	7.43E-10	7.72E-10	8.00E-10	8.29E-10	8.59E-10	8.88E-10	1.07E-09	1.75E-09	2.11E-09
th229	2.08E-01	2.23E-01	2.58E-01	2.93E-01	3.27E-01	3.61E-01	3.94E-01	4.26E-01	6.05E-01	1.10E+00	1.19E+00
th230	9.42E+00	9.81E+00	1.07E+01	1.16E+01	1.24E+01	1.32E+01	1.39E+01	1.46E+01	1.78E+01	2.16E+01	2.14E+01
th231	3.26E-08	3.28E-08	3.33E-08	3.37E-08	3.40E-08	3.43E-08	3.45E-08	3.48E-08	3.56E-08	3.61E-08	3.62E-08

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 82

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
th232	2.11E+00	2.23E+00	2.53E+00	2.84E+00	3.14E+00	3.44E+00	3.74E+00	4.04E+00	5.85E+00	1.19E+01	1.49E+01
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	1.88E-01	1.95E-01	2.13E-01	2.30E-01	2.45E-01	2.59E-01	2.72E-01	2.84E-01	3.37E-01	3.97E-01	4.04E-01
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	1.82E-05	1.82E-05	1.82E-05	1.82E-05	1.81E-05	1.81E-05	1.81E-05	1.80E-05	1.79E-05	1.73E-05	1.70E-05
pa234m	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10
pa234	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.57E-08	1.55E-08	1.50E-08	1.46E-08	1.41E-08	1.37E-08	1.33E-08	1.29E-08	1.08E-08	5.90E-09	4.36E-09
u233	5.95E+00	6.24E+00	6.95E+00	7.64E+00	8.32E+00	8.98E+00	9.62E+00	1.03E+01	1.37E+01	2.22E+01	2.51E+01
u234	1.02E+02	1.02E+02	1.00E+02	9.94E+01	9.83E+01	9.73E+01	9.62E+01	9.52E+01	8.94E+01	7.33E+01	6.68E+01
u235	8.03E+03	8.07E+03	8.18E+03	8.28E+03	8.36E+03	8.43E+03	8.50E+03	8.55E+03	8.75E+03	8.89E+03	8.89E+03
u236	2.06E+03	2.06E+03	2.07E+03	2.07E+03	2.07E+03	2.07E+03	2.07E+03	2.07E+03	2.07E+03	2.06E+03	2.06E+03
u237	1.04E-13	8.84E-14	5.88E-14	3.91E-14	2.60E-14	1.73E-14	1.15E-14	7.65E-15	6.62E-16	1.90E-19	3.22E-21
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	2.18E-18	2.29E-18	2.57E-18	2.84E-18	3.10E-18	3.37E-18	3.63E-18	3.89E-18	5.40E-18	9.79E-18	1.17E-17
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	2.95E-04	2.91E-04	2.83E-04	2.74E-04	2.66E-04	2.58E-04	2.51E-04	2.43E-04	2.03E-04	1.11E-04	8.21E-05
np237	5.37E+02	5.36E+02	5.35E+02	5.34E+02	5.34E+02	5.33E+02	5.32E+02	5.31E+02	5.26E+02	5.09E+02	5.01E+02
np238	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np239	2.43E-07	2.02E-07	1.26E-07	7.87E-08	4.92E-08	3.07E-08	1.92E-08	1.20E-08	7.14E-10	7.13E-14	1.30E-14
np240m	1.86E-20	1.96E-20	2.19E-20	2.42E-20	2.65E-20	2.88E-20	3.10E-20	3.32E-20	4.60E-20	8.36E-20	9.96E-20
np240	1.92E-22	2.01E-22	2.25E-22	2.49E-22	2.73E-22	2.96E-22	3.19E-22	3.42E-22	4.74E-22	8.60E-22	1.02E-21
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	6.62E-10	6.54E-10	6.34E-10	6.15E-10	5.97E-10	5.79E-10	5.62E-10	5.46E-10	4.55E-10	2.49E-10	1.84E-10
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu239	8.87E+02	8.37E+02	7.25E+02	6.28E+02	5.44E+02	4.71E+02	4.08E+02	3.54E+02	1.49E+02	8.42E+00	2.00E+00
pu240	1.22E+01	9.85E+00	5.81E+00	3.42E+00	2.02E+00	1.19E+00	7.02E-01	4.14E-01	1.74E-02	4.50E-07	2.34E-09
pu241	3.44E-06	2.92E-06	1.94E-06	1.29E-06	8.59E-07	5.71E-07	3.80E-07	2.53E-07	2.19E-08	6.27E-12	1.06E-13
pu242	6.60E+01	6.58E+01	6.52E+01	6.46E+01	6.40E+01	6.34E+01	6.28E+01	6.22E+01	5.89E+01	4.89E+01	4.46E+01

pu243	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.11E-15
pu244	1.10E-07	1.16E-07	1.30E-07	1.44E-07	1.57E-07	1.71E-07	1.84E-07	1.97E-07	2.73E-07	4.96E-07	5.91E-07
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	2.75E-22	2.54E-22	2.08E-22	1.70E-22	1.40E-22	1.14E-22	9.38E-23	7.68E-23	2.33E-23	4.33E-25	5.90E-26
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	1.08E-04	9.18E-05	5.86E-05	3.89E-05	2.59E-05	1.72E-05	1.15E-05	7.62E-06	6.59E-07	1.99E-10	3.20E-12
am242m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am242	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am243	2.83E-01	2.34E-01	1.46E-01	9.15E-02	5.72E-02	3.57E-02	2.23E-02	1.39E-02	8.30E-04	8.29E-08	1.52E-08
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	6.87E-25	6.34E-25	5.20E-25	4.26E-25	3.49E-25	2.86E-25	2.34E-25	1.92E-25	5.81E-26	1.08E-27	1.48E-28
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 83

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
cm242	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm243	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	2.07E-03	1.75E-03	1.17E-03	7.76E-04	5.16E-04	3.43E-04	2.28E-04	1.52E-04	1.31E-05	3.77E-09	6.39E-11
cm246	1.14E-05	8.54E-06	4.10E-06	1.97E-06	9.48E-07	4.56E-07	2.19E-07	1.05E-07	1.30E-09	5.63E-16	3.85E-19
cm247	3.24E-05	3.24E-05	3.24E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.21E-05	3.21E-05
cm248	1.52E-06	1.51E-06	1.50E-06	1.48E-06	1.47E-06	1.45E-06	1.44E-06	1.42E-06	1.34E-06	1.09E-06	9.86E-07
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	6.55E-16	6.05E-16	4.96E-16	4.06E-16	3.33E-16	2.73E-16	2.23E-16	1.83E-16	5.54E-17	1.03E-18	1.41E-19
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	1.93E-24	1.79E-24	1.46E-24	1.20E-24	9.83E-25	8.05E-25	6.60E-25	5.41E-25	1.64E-25	3.05E-27	4.15E-28
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	4.22E-41	6.98E-43	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf250	6.90E-20	6.37E-20	5.22E-20	4.28E-20	3.50E-20	2.87E-20	2.35E-20	1.93E-20	5.83E-21	1.09E-22	1.48E-23
cf251	1.56E-22	3.32E-23	7.00E-25	1.48E-26	3.11E-28	6.56E-30	1.38E-31	2.91E-33	3.52E-43	.00E+00	.00E+00
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 84

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
h 3	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05
li 7	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06
be 9	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06
be 10	3.63E-05	3.63E-05	3.62E-05	3.61E-05	3.61E-05	3.60E-05	3.59E-05	3.58E-05	3.54E-05	3.39E-05	3.31E-05
c 14	7.52E-08	5.91E-08	3.23E-08	1.76E-08	9.62E-09	5.25E-09	2.87E-09	1.57E-09	4.15E-11	2.31E-16	5.45E-19
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07

cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08
zn 68	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08
zn 70	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 85

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

se 77	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	6.31E-01	6.05E-01	5.45E-01	4.90E-01	4.41E-01	3.97E-01	3.58E-01	3.22E-01	1.71E-01	2.10E-02	7.33E-03
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	7.71E-01	7.97E-01	8.57E-01	9.12E-01	9.61E-01	1.00E+00	1.04E+00	1.08E+00	1.23E+00	1.38E+00	1.39E+00
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00
kr 81	6.30E-07	6.26E-07	6.15E-07	6.06E-07	5.96E-07	5.86E-07	5.77E-07	5.67E-07	5.15E-07	3.72E-07	3.16E-07
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 86

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01

kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01
sr 87	3.46E-04	3.48E-04	3.53E-04	3.59E-04	3.64E-04	3.69E-04	3.74E-04	3.80E-04	4.11E-04	5.16E-04	5.68E-04
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 87

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02
nb 91	4.01E-27	5.22E-28	3.19E-30	1.95E-32	1.19E-34	7.31E-37	4.47E-39	2.73E-41	.00E+00	.00E+00	.00E+00
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02
nb 92	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.27E-08	3.27E-08
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.36E+02	1.36E+02	1.36E+02	1.36E+02	1.35E+02	1.35E+02	1.35E+02	1.34E+02	1.33E+02	1.27E+02	1.24E+02
nb 93	2.37E+00	2.49E+00	2.80E+00	3.11E+00	3.42E+00	3.72E+00	4.03E+00	4.33E+00	6.15E+00	1.20E+01	1.49E+01
nb 93m	1.44E-03	1.44E-03	1.43E-03	1.43E-03	1.43E-03	1.42E-03	1.42E-03	1.42E-03	1.40E-03	1.34E-03	1.31E-03
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 88

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02
nb 94	3.41E-05	3.19E-05	2.69E-05	2.26E-05	1.91E-05	1.61E-05	1.36E-05	1.14E-05	4.11E-06	1.35E-07	2.45E-08
nb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

mo 96	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
tc 98	1.36E-03	1.36E-03	1.36E-03	1.35E-03	1.35E-03	1.35E-03	1.35E-03	1.35E-03	1.34E-03	1.32E-03	1.31E-03
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.03E+02	2.02E+02	1.99E+02	1.96E+02	1.92E+02	1.89E+02	1.86E+02	1.83E+02	1.66E+02	1.20E+02	1.01E+02
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	2.71E+01	2.84E+01	3.17E+01	3.49E+01	3.81E+01	4.12E+01	4.43E+01	4.74E+01	6.45E+01	1.11E+02	1.29E+02
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 89

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 90

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.10E+01	5.10E+01	5.09E+01	5.09E+01	5.09E+01	5.09E+01	5.08E+01	5.08E+01	5.06E+01	5.01E+01	4.98E+01
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	2.07E-01	2.18E-01	2.45E-01	2.72E-01	2.99E-01	3.27E-01	3.54E-01	3.81E-01	5.43E-01	1.08E+00	1.35E+00
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pd108	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01
ag108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd108	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00	9.64E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 91

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
cd110	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02
cd113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02

in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 92

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sn115	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01

ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 93

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02	4.68E-02
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00
te123	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te124	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	3.76E+00	3.70E+00	3.58E+00	3.46E+00	3.34E+00	3.22E+00	3.11E+00	3.01E+00	2.44E+00	1.22E+00	8.64E-01

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 94

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sb126	1.78E-07	1.76E-07	1.70E-07	1.64E-07	1.59E-07	1.53E-07	1.48E-07	1.43E-07	1.16E-07	5.80E-08	4.10E-08
sb126m	1.36E-09	1.34E-09	1.29E-09	1.25E-09	1.21E-09	1.16E-09	1.12E-09	1.09E-09	8.83E-10	4.41E-10	3.12E-10
te126	1.21E+00	1.26E+00	1.39E+00	1.51E+00	1.63E+00	1.74E+00	1.85E+00	1.96E+00	2.52E+00	3.74E+00	4.10E+00
xe126	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	4.99E+01	4.99E+01	4.98E+01	4.98E+01	4.98E+01	4.98E+01	4.98E+01	4.98E+01	4.97E+01	4.95E+01	4.94E+01
xe129	8.49E-02	8.93E-02	1.00E-01	1.11E-01	1.22E-01	1.33E-01	1.44E-01	1.55E-01	2.21E-01	4.40E-01	5.50E-01
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te130	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 95

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02
ba133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01	2.97E+01
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.75E+02	1.75E+02	1.75E+02	1.75E+02	1.74E+02	1.74E+02	1.74E+02	1.73E+02	1.72E+02	1.67E+02	1.64E+02
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	2.06E+00	2.16E+00	2.43E+00	2.69E+00	2.95E+00	3.21E+00	3.48E+00	3.74E+00	5.30E+00	1.04E+01	1.29E+01

ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 96

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02
ba137m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02
la138	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 97

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02
pm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02
pm146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 98

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sm148	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01
eu150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu151	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01
eu152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 99

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sm154	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00
eu154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	40000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
dy161	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02	8.26E-02
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	6.97E-15	2.20E-15	1.22E-16	6.81E-18	3.79E-19	2.11E-20	1.17E-21	6.54E-23	1.95E-30	.00E+00	.00E+00
er166	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03
er167	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07
total	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03

1 Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 101

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
he 4	7.18E+01	7.39E+01	8.21E+01	9.90E+01
tl206	2.71E-15	2.61E-15	2.01E-15	1.18E-15
tl207	9.99E-11	1.00E-10	1.01E-10	1.01E-10
tl208	2.10E-15	2.46E-15	3.99E-15	7.90E-15

tl209	1.21E-11	1.33E-11	1.59E-11	1.52E-11
pb206	3.43E+01	4.31E+01	7.35E+01	1.23E+02
pb207	1.49E+00	1.87E+00	3.42E+00	7.27E+00
pb208	5.83E-04	6.21E-04	8.35E-04	1.82E-03
pb209	5.12E-08	5.61E-08	6.74E-08	6.41E-08
pb210	5.85E-03	5.63E-03	4.33E-03	2.55E-03
pb211	7.72E-10	7.77E-10	7.79E-10	7.78E-10
pb212	1.24E-12	1.46E-12	2.37E-12	4.68E-12
pb214	1.36E-08	1.31E-08	1.01E-08	5.95E-09
bi208	.00E+00	.00E+00	.00E+00	.00E+00
bi209	1.39E+01	1.89E+01	4.26E+01	1.06E+02
bi210m	.00E+00	.00E+00	.00E+00	.00E+00
bi210	3.60E-06	3.47E-06	2.67E-06	1.57E-06
bi211	4.58E-11	4.60E-11	4.62E-11	4.61E-11
bi212	1.18E-13	1.39E-13	2.24E-13	4.44E-13
bi213	1.22E-08	1.34E-08	1.60E-08	1.53E-08
bi214	1.01E-08	9.74E-09	7.50E-09	4.42E-09
po210	9.94E-05	9.57E-05	7.37E-05	4.34E-05
po211m	.00E+00	.00E+00	.00E+00	.00E+00
po211	5.06E-16	5.09E-16	5.10E-16	5.10E-16
po212	6.19E-24	7.28E-24	1.18E-23	2.33E-23
po213	1.83E-17	2.01E-17	2.41E-17	2.30E-17
po214	1.39E-15	1.34E-15	1.03E-15	6.08E-16
po215	6.47E-16	6.50E-16	6.52E-16	6.52E-16
po216	4.79E-18	5.63E-18	9.13E-18	1.81E-17
po218	1.61E-09	1.55E-09	1.19E-09	7.01E-10
at217	1.47E-13	1.61E-13	1.93E-13	1.84E-13
rn218	.00E+00	.00E+00	.00E+00	.00E+00
rn219	1.47E-12	1.47E-12	1.48E-12	1.48E-12
rn220	1.87E-15	2.20E-15	3.57E-15	7.05E-15
rn222	2.90E-06	2.80E-06	2.15E-06	1.27E-06
fr221	1.36E-09	1.49E-09	1.79E-09	1.70E-09
fr223	6.80E-12	6.84E-12	6.86E-12	6.86E-12
ra222	.00E+00	.00E+00	.00E+00	.00E+00
ra223	3.72E-07	3.74E-07	3.75E-07	3.75E-07
ra224	1.08E-11	1.27E-11	2.06E-11	4.09E-11
ra225	6.03E-06	6.60E-06	7.92E-06	7.54E-06
ra226	4.52E-01	4.35E-01	3.35E-01	1.97E-01
ra228	5.97E-09	7.18E-09	1.20E-08	2.39E-08
ac225	4.07E-06	4.46E-06	5.35E-06	5.09E-06
ac227	2.64E-04	2.65E-04	2.66E-04	2.66E-04
ac228	7.29E-13	8.76E-13	1.46E-12	2.91E-12
th226	.00E+00	.00E+00	.00E+00	.00E+00
th227	6.12E-07	6.15E-07	6.17E-07	6.17E-07
th228	2.11E-09	2.48E-09	4.01E-09	7.94E-09
th229	1.19E+00	1.31E+00	1.57E+00	1.49E+00
th230	2.14E+01	2.06E+01	1.60E+01	9.46E+00
th231	3.62E-08	3.62E-08	3.62E-08	3.61E-08

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 102

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial300000. yr	500000. yr	999999. yr	
th232	1.49E+01	1.79E+01	2.98E+01	5.93E+01
th233	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	4.04E-01	4.06E-01	4.07E-01	4.07E-01
pa232	.00E+00	.00E+00	.00E+00	.00E+00
pa233	1.70E-05	1.67E-05	1.57E-05	1.33E-05
pa234m	2.17E-10	2.17E-10	2.17E-10	2.17E-10

pa234	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00
u232	4.36E-09	3.23E-09	9.67E-10	4.75E-11
u233	2.51E+01	2.73E+01	3.16E+01	3.05E+01
u234	6.68E+01	6.12E+01	4.51E+01	2.91E+01
u235	8.89E+03	8.89E+03	8.89E+03	8.89E+03
u236	2.06E+03	2.06E+03	2.05E+03	2.01E+03
u237	3.22E-21	5.45E-23	4.48E-30	.00E+00
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	.00E+00	.00E+00	.00E+00	.00E+00
u240	1.17E-17	1.34E-17	1.87E-17	2.53E-17
u241	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00
np236	8.21E-05	6.08E-05	1.82E-05	8.93E-07
np237	5.01E+02	4.93E+02	4.62E+02	3.93E+02
np238	.00E+00	.00E+00	.00E+00	.00E+00
np239	1.30E-14	1.25E-14	1.24E-14	1.21E-14
np240m	9.96E-20	1.14E-19	1.59E-19	2.16E-19
np240	1.02E-21	1.17E-21	1.64E-21	2.22E-21
np241	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.84E-10	1.36E-10	4.08E-11	2.01E-12
pu237	.00E+00	.00E+00	.00E+00	.00E+00
pu238	.00E+00	.00E+00	.00E+00	.00E+00
pu239	2.00E+00	4.75E-01	1.51E-03	4.61E-08
pu240	2.34E-09	6.49E-11	7.61E-11	1.03E-10
pu241	1.06E-13	1.80E-15	1.48E-22	.00E+00
pu242	4.46E+01	4.06E+01	2.80E+01	1.11E+01
pu243	1.11E-15	1.11E-15	1.10E-15	1.08E-15
pu244	5.91E-07	6.77E-07	9.45E-07	1.28E-06
pu245	.00E+00	.00E+00	.00E+00	.00E+00
pu246	5.90E-26	8.06E-27	2.79E-30	.00E+00
am239	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00
am241	3.20E-12	5.42E-14	4.70E-21	9.14E-39
am242m	.00E+00	.00E+00	.00E+00	.00E+00
am242	.00E+00	.00E+00	.00E+00	.00E+00
am243	1.52E-08	1.45E-08	1.44E-08	1.41E-08
am244m	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00
am246	1.48E-28	2.01E-29	6.97E-33	1.55E-41
cm241	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 103

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
cm242	.00E+00	.00E+00	.00E+00	.00E+00
cm243	.00E+00	.00E+00	.00E+00	.00E+00
cm244	.00E+00	.00E+00	.00E+00	.00E+00
cm245	6.39E-11	1.08E-12	8.90E-20	1.73E-37
cm246	3.85E-19	2.26E-21	9.53E-25	2.13E-33
cm247	3.21E-05	3.20E-05	3.17E-05	3.10E-05
cm248	9.86E-07	8.91E-07	5.92E-07	2.14E-07
cm249	.00E+00	.00E+00	.00E+00	.00E+00
cm250	1.41E-19	1.92E-20	6.65E-24	1.48E-32
cm251	.00E+00	.00E+00	.00E+00	.00E+00

bk249	.00E+00	.00E+00	.00E+00	.00E+00
bk250	4.15E-28	5.67E-29	1.96E-32	.00E+00
bk251	.00E+00	.00E+00	.00E+00	.00E+00
cf249	.00E+00	.00E+00	.00E+00	.00E+00
cf250	1.48E-23	2.02E-24	7.00E-28	1.56E-36
cf251	.00E+00	.00E+00	.00E+00	.00E+00
cf252	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 104

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
h 3	.00E+00	.00E+00	.00E+00	.00E+00
li 6	7.49E-05	7.49E-05	7.49E-05	7.49E-05
li 7	2.88E-06	2.88E-06	2.88E-06	2.88E-06
be 9	5.54E-06	5.54E-06	5.54E-06	5.54E-06
be 10	3.31E-05	3.24E-05	2.97E-05	2.40E-05
c 14	5.45E-19	1.29E-21	3.98E-32	.00E+00
ni 66	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	1.75E-07	1.75E-07	1.75E-07	1.75E-07
cu 67	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	2.32E-08	2.32E-08	2.32E-08	2.32E-08
zn 68	2.07E-09	2.07E-09	2.07E-09	2.07E-09
zn 69	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	7.63E-08	7.63E-08	7.63E-08	7.63E-08
zn 70	2.03E-06	2.03E-06	2.03E-06	2.03E-06
ga 70	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	2.79E-09	2.79E-09	2.79E-09	2.79E-09
zn 71	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	2.00E-05	2.00E-05	2.00E-05	2.00E-05
ge 71	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	1.30E-03	1.30E-03	1.30E-03	1.30E-03
co 73	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	4.09E-03	4.09E-03	4.09E-03	4.09E-03
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00

zn 74	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	3.49E-03	3.49E-03	3.49E-03	3.49E-03
co 75	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00
as 75	3.33E-02	3.33E-02	3.33E-02	3.33E-02
ni 76	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 105

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial300000. yr	500000. yr	999999. yr	
zn 76	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	1.02E-01	1.02E-01	1.02E-01	1.02E-01
as 76	.00E+00	.00E+00	.00E+00	.00E+00
se 76	6.31E-04	6.31E-04	6.31E-04	6.31E-04
ni 77	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00
se 77	2.33E-01	2.33E-01	2.33E-01	2.33E-01
se 77m	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00
se 78	7.25E-01	7.25E-01	7.25E-01	7.25E-01
cu 79	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00
se 79	7.33E-03	2.56E-03	3.83E-05	1.05E-09
se 79m	.00E+00	.00E+00	.00E+00	.00E+00
br 79	1.39E+00	1.40E+00	1.40E+00	1.40E+00
br 79m	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00
se 80	3.93E+00	3.93E+00	3.93E+00	3.93E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	1.50E-05	1.50E-05	1.50E-05	1.50E-05
cu 81	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00

ga 81	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00
br 81	5.85E+00	5.85E+00	5.85E+00	5.85E+00
kr 81	3.16E-07	2.68E-07	1.40E-07	2.75E-08
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 106

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00
se 82	9.54E+00	9.54E+00	9.54E+00	9.54E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	1.22E-01	1.22E-01	1.22E-01	1.22E-01
zn 83	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	1.35E+01	1.35E+01	1.35E+01	1.35E+01
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	3.28E+01	3.28E+01	3.28E+01	3.28E+01
ga 85	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	3.46E+01	3.46E+01	3.46E+01	3.46E+01
ge 86	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	5.55E+01	5.55E+01	5.55E+01	5.55E+01
rb 86	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	6.45E-02	6.45E-02	6.45E-02	6.45E-02
ge 87	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00

kr 87	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	7.25E+01	7.25E+01	7.25E+01	7.25E+01
sr 87	5.68E-04	6.20E-04	8.30E-04	1.35E-03
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 107

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02
as 89	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.39E+02	1.39E+02	1.39E+02	1.39E+02
y 89m	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	.00E+00	.00E+00	.00E+00	.00E+00
y 90	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	1.70E+02	1.70E+02	1.70E+02	1.70E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.79E+02	1.79E+02	1.79E+02	1.79E+02
nb 91	.00E+00	.00E+00	.00E+00	.00E+00
se 92	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.89E+02	1.89E+02	1.89E+02	1.89E+02
nb 92	3.27E-08	3.26E-08	3.25E-08	3.22E-08
se 93	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.24E+02	1.21E+02	1.11E+02	8.82E+01
nb 93	1.49E+01	1.76E+01	2.81E+01	5.06E+01

nb 93m	1.31E-03	1.28E-03	1.17E-03	9.30E-04
br 94	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 108

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.23E+02	2.23E+02	2.23E+02	2.23E+02
nb 94	2.45E-08	4.44E-09	4.80E-12	1.84E-19
nb 94m	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.24E+02	2.24E+02	2.24E+02	2.24E+02
br 96	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.32E+02	2.32E+02	2.32E+02	2.32E+02
nb 96	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	6.56E+00	6.56E+00	6.56E+00	6.56E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.17E+02	2.17E+02	2.17E+02	2.17E+02
kr 98	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.33E+02	2.33E+02	2.33E+02	2.33E+02
tc 98	1.31E-03	1.30E-03	1.26E-03	1.16E-03
rb 99	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	1.01E+02	8.61E+01	4.46E+01	8.64E+00
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	1.29E+02	1.44E+02	1.86E+02	2.22E+02
rb100	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00

y100	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 109

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.63E+02	2.63E+02	2.63E+02	2.63E+02
tc100	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.89E+01	1.89E+01	1.89E+01	1.89E+01
rb101	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.18E+02	2.18E+02	2.18E+02	2.18E+02
sr102	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.10E+02	2.10E+02	2.10E+02	2.10E+02
rh102	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.44E+02	1.44E+02	1.44E+02	1.44E+02
rh103m	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rh104	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.10E+01	4.10E+01	4.10E+01	4.10E+01
y105	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.01E+02	1.01E+02	1.01E+02	1.01E+02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 110

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
y106	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00
pd106	7.94E+01	7.94E+01	7.94E+01	7.94E+01
ag106	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00
pd107	4.98E+01	4.96E+01	4.85E+01	4.60E+01
pd107m	.00E+00	.00E+00	.00E+00	.00E+00
ag107	1.35E+00	1.61E+00	2.66E+00	5.18E+00
zr108	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00
pd108	3.25E+01	3.25E+01	3.25E+01	3.25E+01
ag108	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	.00E+00	.00E+00	.00E+00	.00E+00
cd108	4.70E-05	4.70E-05	4.70E-05	4.70E-05
zr109	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.19E+01	2.19E+01	2.19E+01	2.19E+01
ag109m	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.64E+00	9.64E+00	9.64E+00	9.64E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00

1
Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 111

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr

cd110	5.76E+00	5.76E+00	5.76E+00	5.76E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.04E+00	5.04E+00	5.04E+00	5.04E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00
nb112	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.64E+00	2.64E+00	2.64E+00	2.64E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00
cd113	4.58E-02	4.58E-02	4.58E-02	4.58E-02
cd113m	.00E+00	.00E+00	.00E+00	.00E+00
in113	3.00E-02	3.00E-02	3.00E-02	3.00E-02
in113m	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00
cd114	2.93E+00	2.93E+00	2.93E+00	2.93E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00
sn114	7.51E-05	7.51E-05	7.51E-05	7.51E-05
mo115	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00
in115	4.59E-01	4.59E-01	4.59E-01	4.59E-01
in115m	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 112

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial300000. yr	500000. yr	999999. yr	
sn115	4.57E-02	4.57E-02	4.57E-02	4.57E-02
tc116	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00

rh116	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.77E-01	4.77E-01	4.77E-01	4.77E-01
tc117	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.73E-01	9.73E-01	9.73E-01	9.73E-01
ru119	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.03E+00	1.03E+00	1.03E+00	1.03E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.01E+00	1.01E+00	1.01E+00	1.01E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 113

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial300000. yr	500000. yr	999999. yr	
pd121	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00
sn121	.00E+00	.00E+00	.00E+00	.00E+00

sn121m	.00E+00	.00E+00	.00E+00	.00E+00
sb121	1.05E+00	1.05E+00	1.05E+00	1.05E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.31E+00	1.31E+00	1.31E+00	1.31E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00
te122	4.68E-02	4.68E-02	4.68E-02	4.68E-02
rh123	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.23E+00	1.23E+00	1.23E+00	1.23E+00
te123	3.68E-04	3.68E-04	3.68E-04	3.68E-04
te123m	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.20E+00	2.20E+00	2.20E+00	2.20E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00
te124	3.98E-02	3.98E-02	3.98E-02	3.98E-02
pd125	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00
te125	2.68E+00	2.68E+00	2.68E+00	2.68E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00
sn126	8.64E-01	6.11E-01	1.53E-01	4.77E-03

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 114

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
sb126	4.10E-08	2.90E-08	7.25E-09	2.27E-10
sb126m	3.12E-10	2.21E-10	5.52E-11	1.72E-12
te126	4.10E+00	4.35E+00	4.81E+00	4.96E+00
xe126	1.22E-09	1.22E-09	1.22E-09	1.22E-09
ag127	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00

sn127m	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.12E+01	1.12E+01	1.12E+01	1.12E+01
xe127	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.43E+01	2.43E+01	2.43E+01	2.43E+01
i128	.00E+00	.00E+00	.00E+00	.00E+00
xe128	3.97E-01	3.97E-01	3.97E-01	3.97E-01
cd129	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00
i129	4.94E+01	4.93E+01	4.89E+01	4.78E+01
xe129	5.50E-01	6.58E-01	1.09E+00	2.16E+00
xe129m	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00
te130	1.01E+02	1.01E+02	1.01E+02	1.01E+02
i130	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.16E+00	1.16E+00	1.16E+00	1.16E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe131m	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 115

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial300000. yr	500000. yr	999999. yr	
cd132	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.84E+02	2.84E+02	2.84E+02	2.84E+02
cs132	.00E+00	.00E+00	.00E+00	.00E+00
ba132	4.90E-05	4.90E-05	4.90E-05	4.90E-05
in133	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00

sb133	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.41E+02	3.41E+02	3.41E+02	3.41E+02
ba133	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.27E+02	4.27E+02	4.27E+02	4.27E+02
xe134m	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00
ba134	2.97E+01	2.97E+01	2.97E+01	2.97E+01
sn135	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.64E+02	1.62E+02	1.52E+02	1.31E+02
cs135m	.00E+00	.00E+00	.00E+00	.00E+00
ba135	1.29E+01	1.54E+01	2.48E+01	4.61E+01
ba135m	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.61E+02	5.61E+02	5.61E+02	5.61E+02
cs136	.00E+00	.00E+00	.00E+00	.00E+00
ba136	4.78E+00	4.78E+00	4.78E+00	4.78E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 116

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00
cs137	.00E+00	.00E+00	.00E+00	.00E+00
ba137	3.60E+02	3.60E+02	3.60E+02	3.60E+02
ba137m	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.65E+02	3.65E+02	3.65E+02	3.65E+02
la138	2.18E-03	2.18E-03	2.18E-03	2.18E-03

sb139	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ce139	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.67E+02	3.67E+02	3.67E+02	3.67E+02
pr140	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.21E+02	3.21E+02	3.21E+02	3.21E+02
nd141	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.23E+02	3.23E+02	3.23E+02	3.23E+02
pr142	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.24E+00	3.24E+00	3.24E+00	3.24E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 117

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.69E+02	2.69E+02	2.69E+02	2.69E+02
i144	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.42E+02	3.42E+02	3.42E+02	3.42E+02
i145	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00

cs145	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.03E+02	2.03E+02	2.03E+02	2.03E+02
pm145	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.87E+02	1.87E+02	1.87E+02	1.87E+02
pm146	.00E+00	.00E+00	.00E+00	.00E+00
sm146	2.58E-03	2.58E-03	2.57E-03	2.57E-03
xe147	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00
sm147	8.97E+01	8.97E+01	8.97E+01	8.97E+01
cs148	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02
pm148	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 118

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
sm148	2.89E+01	2.89E+01	2.89E+01	2.89E+01
cs149	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.42E+00	1.42E+00	1.42E+00	1.42E+00
eu149	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.85E+01	4.85E+01	4.85E+01	4.85E+01
pm150	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.04E+01	8.04E+01	8.04E+01	8.04E+01
eu150	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00

ce151	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00
sm151	.00E+00	.00E+00	.00E+00	.00E+00
eu151	6.22E+00	6.22E+00	6.22E+00	6.22E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.74E+01	3.74E+01	3.74E+01	3.74E+01
eu152	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00
gd152	3.19E-02	3.19E-02	3.19E-02	3.19E-02
la153	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.70E+01	2.70E+01	2.70E+01	2.70E+01
gd153	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 119

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
sm154	9.08E+00	9.08E+00	9.08E+00	9.08E+00
eu154	.00E+00	.00E+00	.00E+00	.00E+00
gd154	7.93E+00	7.93E+00	7.93E+00	7.93E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00
eu155	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00
gd155	3.18E+00	3.18E+00	3.18E+00	3.18E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00
gd156	9.32E+00	9.32E+00	9.32E+00	9.32E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00

eu157	.00E+00	.00E+00	.00E+00	.00E+00
gd157	3.11E-02	3.11E-02	3.11E-02	3.11E-02
pr158	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.25E+00	3.25E+00	3.25E+00	3.25E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.03E-01	5.03E-01	5.03E-01	5.03E-01
nd160	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.25E-01	2.25E-01	2.25E-01	2.25E-01
tb160	.00E+00	.00E+00	.00E+00	.00E+00
dy160	3.93E-02	3.93E-02	3.93E-02	3.93E-02
nd161	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 120

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	300000. yr	500000. yr	999999. yr
dy161	8.26E-02	8.26E-02	8.26E-02	8.26E-02
pm162	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.62E-02	5.62E-02	5.62E-02	5.62E-02
sm163	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.66E-02	3.66E-02	3.66E-02	3.66E-02
sm164	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.00E-02	1.00E-02	1.00E-02	1.00E-02
sm165	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00
ho165	9.50E-03	9.50E-03	9.50E-03	9.50E-03
dy166	.00E+00	.00E+00	.00E+00	.00E+00

```
     ho166    .00E+00   .00E+00   .00E+00   .00E+00
     ho166m   .00E+00   .00E+00   .00E+00   .00E+00
     er166   1.57E-03  1.57E-03  1.57E-03  1.57E-03
     er167   2.44E-05  2.44E-05  2.44E-05  2.44E-05
     er167m   .00E+00   .00E+00   .00E+00   .00E+00
     er168   2.01E-05  2.01E-05  2.01E-05  2.01E-05
     yb168    .00E+00   .00E+00   .00E+00   .00E+00
     er169    .00E+00   .00E+00   .00E+00   .00E+00
     tm169   7.41E-07  7.41E-07  7.41E-07  7.41E-07
     yb169    .00E+00   .00E+00   .00E+00   .00E+00
     er170   7.89E-07  7.89E-07  7.89E-07  7.89E-07
     tm170    .00E+00   .00E+00   .00E+00   .00E+00
     tm170m   .00E+00   .00E+00   .00E+00   .00E+00
     yb170   4.62E-09  4.62E-09  4.62E-09  4.62E-09
     er171    .00E+00   .00E+00   .00E+00   .00E+00
     tm171    .00E+00   .00E+00   .00E+00   .00E+00
     yb171   1.05E-06  1.05E-06  1.05E-06  1.05E-06
     er172    .00E+00   .00E+00   .00E+00   .00E+00
     tm172    .00E+00   .00E+00   .00E+00   .00E+00
     yb172   6.73E-07  6.73E-07  6.73E-07  6.73E-07
   total     9.58E+03  9.58E+03  9.58E+03  9.58E+03
1  * normal termination of execution *
0                                    table of contents for material tables
0                                      case or subcase printed      page

                                                        1              1
                                                        2             21
                                                        3             41
                                                        4             61
                                                        5             81
                                                        6            101
0ndset           33
           21            4            1           27            6            0            0            0            0            0
            0            0            0            0            0            0           -1         1698          690          130
          880         7935            0            5           99            4           20           95           18           18
           18            0           71
0   35$ array      1 entries read
0    0t
   54$$ a8 1 e
    56$$ 0 7 a5 1 a13 -1 a15 3 0 4 e   5t
0   56$ array     20 entries read
0    5t
     l90   97344
     l116  60787
     l32   33663 nudata (library) storage size
     l44   33734
     l103  75921
   61** f1-20
   65$$ a4 1 2z 1 2z 1 5z 1 2z 1
    a25 1 2z 1 2z 1 5z 1 2z 1
    a46 1 2z 1 2z 1 5z 1 2z 1 e
0   60* array      7 entries read
0   65$ array     63 entries read
0    6t
     l140  66851
     used   100723 in size   150000
0jopt            12
           0            0            0            0            0            0            0            0            0            0
           0            0
0therm            4
```

```
  5.279960E-01 3.626268E-01 2.877356E+00 1.000000E-25
0non             5
          7935           20            6           18         1697
0mmn            19
             0            7            0            0            1            1            0            0            0            0
            21          100           -1            4            3            0            4            0            0
0tconst          5
  8.640000E+04  .000000E+00  .000000E+00  .000000E+00 5.000000E-02
0mzero           4
             0          689          129          879
0pow             3
   .000000E+00  .000000E+00  .000000E+00
0 linp           9
             6            0           51           26            2         3000         1000         1697            5
0 case or subcase    1  Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
    56$$ 0 -6 a10 1  e  t
0   56$ array     20 entries read
0   57* array      5 entries read
0    5t
     l90  102444
     l116  66199
     l32   33663 nudata (library) storage size
     l44   33734
     l103  81099
   61** f1-20
   65$$ a4 1 2z 1 2z 1 5z 1 2z 1
    a25 1 2z 1 2z 1 5z 1 2z 1
    a46 1 2z 1 2z 1 5z 1 2z 1 e
0   60* array     10 entries read
0   65$ array     63 entries read
0    6t
     l140  71957
     used   107068 in size   150000
0jopt           12
             0            0            0            0            0            0            0            0            0            0
             0            0
0therm           4
  5.279960E-01 3.626268E-01 2.877356E+00 1.000000E-25
0non             5
          7935           20            6           18         1697
0mmn            19
             0           10            0            0            1            1            0            0            0            7
            21          100            0            5            0            0            4            0            0
0tconst          5
  3.156000E+07 1.000000E+01 2.300000E+01  .000000E+00 5.000000E-02
0mzero           4
            18          689          129          879
0pow             3
   .000000E+00  .000000E+00  .000000E+00
0 linp           9
             6            0           51           26            2         3000         1000         1697            5
0 case or subcase    2  Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
0   56$ array     20 entries read
0   57* array      5 entries read
0    5t
     l90  102444
     l116  66199
     l32   33663 nudata (library) storage size
     l44   33734
     l103  81099
```

```
     61** f1-20
0   60* array     10 entries read
0   65$ array     63 entries read
0    6t
     l140  71957
     used   107068 in size   150000
0jopt            12
             0            0            0            0            0            0            0            0            0            0
             0            0
0therm           4
  5.279960E-01 3.626268E-01 2.877356E+00 1.000000E-25
0non             5
          7935           20            6           18         1697
0mmn            19
             0           10            0            0            1            1            0            0            0           10
            21          100            0            5            0            0            4            0            0
0tconst          5
  3.156000E+07 4.000000E+02 2.800000E+01  .000000E+00 5.000000E-02
0mzero           4
            21          689          129          879
0pow             3
   .000000E+00  .000000E+00  .000000E+00
0 linp           9
             6            0           51           26            2         3000         1000         1697            5
0 case or subcase    3  Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
0   56$ array     20 entries read
0   57* array      5 entries read
0    5t
     l90  102444
     l116  66199
     l32   33663 nudata (library) storage size
     l44   33734
     l103  81099
   61** f1-20
0   60* array     10 entries read
0   65$ array     63 entries read
0    6t
     l140  71957
     used   107068 in size   150000
0jopt            12
             0            0            0            0            0            0            0            0            0            0
             0            0
0therm           4
  5.279960E-01 3.626268E-01 2.877356E+00 1.000000E-25
0non             5
          7935           20            6           18         1697
0mmn            19
             0           10            0            0            1            1            0            0            0           10
            21          100            0            5            0            0            4            0            0
0tconst          5
  3.156000E+07 1.600000E+04 2.500000E+01  .000000E+00 5.000000E-02
0mzero           4
            21          689          129          879
0pow             3
   .000000E+00  .000000E+00  .000000E+00
0 linp           9
             6            0           51           26            2         3000         1000         1697            5
0 case or subcase    4  Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
0   56$ array     20 entries read
0   57* array      5 entries read
```

```
0    5t
     l90  102444
     l116  66199
     l32   33663 nudata (library) storage size
     l44   33734
     l103  81099
     61** f1-20
0   60* array     10 entries read
0   65$ array     63 entries read
0    6t
     l140  71957
     used   107068 in size   150000
0jopt            12
             0            0            0            0            0            0            0            0            0            0
             0            0
0therm           4
  5.279960E-01 3.626268E-01 2.877356E+00 1.000000E-25
0non             5
          7935           20            6           18         1697
0mmn            19
             0           10            0            0            1            1            0            0            0           10
            21          100            0            5            0            0            4            0            0
0tconst          5
  3.156000E+07 3.800000E+04 2.500000E+01  .000000E+00 5.000000E-02
0mzero           4
            21          689          129          879
0pow             3
   .000000E+00  .000000E+00  .000000E+00
0 linp           9
             6            0           51           26            2         3000         1000         1697            5
0 case or subcase    5  Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
0   56$ array     20 entries read
0   57* array      5 entries read
0    5t
     l90   90544
     l116  53571
     l32   33663 nudata (library) storage size
     l44   33734
     l103  69017
   61** f1-20
0   60* array      3 entries read
0   65$ array     63 entries read
0    6t
     l140  60057
     used    92263 in size   150000
0jopt            12
             0            0            0            0            0            0            0            0            0            0
             0            0
0therm           4
  5.279960E-01 3.626268E-01 2.877356E+00 1.000000E-25
0non             5
          7935           20            6           18         1697
0mmn            19
             0            3            0            0            1            1            0            0            0           10
            21          100            0            5            0            0            4            0            0
0tconst          5
  3.156000E+07 2.500000E+05 2.600000E+01  .000000E+00 5.000000E-02
0mzero           4
            21          689          129          879
0pow             3
```

```
   .000000E+00  .000000E+00  .000000E+00
0 linp          9
              6           0          51          26           2        3000        1000        1697           5
0 case or subcase    6  Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
    56$$ 0 -10 a10 1 e  t
0   56$ array     20 entries read
0    0t
```

SAS2H Number Density Worksheet:

Number Density = (mass/assembly) / (volume) * (Na) / (Aw) * correction to 96% density for fresh fuel
Avogadro's Number [Na] 0.602252
Atomic Weight [Aw]

Volume= Pi X .468122 X .468122 X 360.172 X 208
= 51575.24014

SAS2H UO2 density=10.206
U mass=.464kg
UO2 mass= 526.38 kg
Correction to 96% density
1.030928

Isotope List:

	Element	Symbol	Isotope	MCNP ID	Atomic Weight	ORIGINS ID
8	Oxygen	O	O-16	8016.50C	15.994915	
42	Molybdenum	Mo	nat.	42000.50C	95.94	
		Mo	Mo-95	42095.50C	94.905839	mo 95
43	Technetium	Tc	Tc-99*	43099.50C	98.90627501	tc 99
44	Ruthenium	Ru	Ru-101	44101.50C	100.905576	ru101
45	Rhodium	Rh	Rh-103	45103.50C	102.905511	rh103
47	Silver	Ag	Ag-109	47109.50C	108.904756	ag109
48	Cadmium	Cd	nat.	48000.50C	112.4	
55	Cesium	Cs	Cs-133	55133.50C	132.905355	cs133
		Cs	Cs-135	55135.50C	134.90577	cs135
60	Neodymium	Nd	Nd-143	60143.50C	142.909779	nd143
		Nd	Nd-145	60145.50C	144.912538	nd145
62	Samarium	Sm	Sm-147	62147.50C	146.914867	sm147
		Sm	Sm-149	62149.50C	148.91718	sm149
		Sm	Sm-150	62150.50C	149.917276	sm150
		Sm	Sm-151	62151.50C	150.919919	sm151
		Sm	Sm-152	62152.50C	151.919756	sm152
63	Europium	Eu	Eu-151	63151.55C	150.919838	eu151
		Eu	Eu-153	63153.55C	152.921242	eu153
		Eu	Eu-154	63154.50C	153.923053	eu154
64	Gadolinium	Gd	nat.	64000.35C	157.25	
		Gd	Gd-155	64155.50C	154.922664	gd155
		Gd	Gd-157	64157.50C	156.924025	gd157
72	Hafnium	Hf	nat.	72000.50C	178.49	
92	Uranium	U	U-233	92233.50C	233.039522	u233
		U	U-234	92234.50C	234.040904	u234
		U	U-235	92235.50C	235.043915	u235
		U	U-236	92236.50C	236.045637	u236
		U	U-238	92238.50C	238.05077	u238
93	Neptunium	Np	Np-237	93237.55C	237.048056	np237
94	Plutonium	Pu	Pu-238	94238.50C	238.049511	pu238
		Pu	Pu-239	94239.55C	239.052146	pu239
		Pu	Pu-240	94240.50C	240.053882	pu240
		Pu	Pu-241	94241.50C	241.056737	pu241
		Pu	Pu-242	94242.50C	242.058725	pu242
		Pu	Pu-243	94243.35C	243.061972	pu243
95	Americium	Am	Am-241	95241.50C	241.056714	am241
		Am	Am-242m	95242.50C	242.059502	am242m
		Am	Am-243	95243.50C	243.061367	am243
96	Curium	Cm	Cm-243	96243.35C	243.06137	cm243
		Cm	Cm-245	96245.35C	245.065371	cm245
		Cm	Cm-248	96248.35C	248.0722	cm248

Number Density = grams/assembly / Assembly Volume * Avagadro's Number / Atomic Weight
* (Density Correction to 96% TD) * (Isotopic Correction Factor)

For Time Effects Cases, the Isotopic Correction Factor is set to 1.0.

Time Effects Curve
BURNUP: PWR 20 GWd/MT
ENRICHMENT: 3.00%
DECAY TIME: 5 YEARS

PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
DECAY TIME: 5 YEARS
Volume 51575.24 pwr 3.0% 20 GW

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.050%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.31E+02	0.045%	1	98.90628	43099.50C	2.8116E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	7.38E+01	0.014%	1	146.9149	62147.50C	6.0472E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	5.97E+00	0.001%	1	150.9199	62151.50C	4.7620E-07
eu151	2.50E-01	0.000%	1	150.9198	63151.55C	1.9942E-08
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	1.69E+00	0.000%	1	154.9227	64155.50C	1.3132E-07
u233	1.20E-03	0.000%	1	233.0395	92233.50C	6.1989E-11
u234	8.17E+01	0.016%	1	234.0409	92234.50C	4.2024E-06
u235	6.30E+03	1.217%	1	235.0439	92235.50C	3.2267E-04
u236	1.41E+03	0.272%	1	236.0456	92236.50C	7.1910E-05
u238	4.42E+05	85.383%	1	238.0508	92238.50C	2.2352E-02
np237	1.29E+02	0.025%	1	237.0481	93237.55C	6.5512E-06
pu238	2.93E+01	0.006%	1	238.0495	94238.50C	1.4817E-06
pu239	2.63E+03	0.508%	1	239.0521	94239.55C	1.3244E-04
pu240	6.72E+02	0.130%	1	240.0539	94240.50C	3.3700E-05
pu241	3.18E+02	0.061%	1	241.0567	94241.50C	1.5881E-05
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	1.03E+02	0.020%	1	241.0567	95241.50C	5.1438E-06
am242m	4.21E-01	0.000%	1	242.0595	95242.50C	2.0938E-08
am243	1.01E+01	0.002%	1	243.0614	95243.50C	5.0023E-07
total	517670.442	100.00%			Total	7.005698E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29
Effective density = 10.03719

Time Effects Curve
BURNUP: PWR 20 GWd/MT
ENRICHMENT: 3.00%
DECAY TIME: 10 YEARS

PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
DECAY TIME: 10 YEARS
Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.31E+02	0.045%	1	98.90628	43099.50C	2.8116E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.54E+01	0.016%	1	146.9149	62147.50C	6.9977E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	5.74E+00	0.001%	1	150.9199	62151.50C	4.5786E-07
eu151	4.75E-01	0.000%	1	150.9198	63151.55C	3.7889E-08
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	2.47E+00	0.000%	1	154.9227	64155.50C	1.9193E-07

u233	1.40E-03	0.000%	1	233.0395	92233.50C	7.2321E-11
u234	8.28E+01	0.016%	1	234.0409	92234.50C	4.2590E-06
u235	6.30E+03	1.217%	1	235.0439	92235.50C	3.2267E-04
u236	1.41E+03	0.272%	1	236.0456	92236.50C	7.1910E-05
u238	4.42E+05	85.380%	1	238.0508	92238.50C	2.2352E-02
np237	1.30E+02	0.025%	1	237.0481	93237.55C	6.6019E-06
pu238	2.81E+01	0.005%	1	238.0495	94238.50C	1.4210E-06
pu239	2.63E+03	0.508%	1	239.0521	94239.55C	1.3244E-04
pu240	6.72E+02	0.130%	1	240.0539	94240.50C	3.3700E-05
pu241	2.50E+02	0.048%	1	241.0567	94241.50C	1.2485E-05
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	1.71E+02	0.033%	1	241.0567	95241.50C	8.5397E-06
am242m	4.11E-01	0.000%	1	242.0595	95242.50C	2.0440E-08
am243	1.01E+01	0.002%	1	243.0614	95243.50C	5.0023E-07
total	517683.707	100.00%			Total	7.005804E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03745

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 20 YEARS
DECAY TIME: 20 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.31E+02	0.045%	1	98.90628	43099.50C	2.8116E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.94E+01	0.017%	1	146.9149	62147.50C	7.3255E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	5.32E+00	0.001%	1	150.9199	62151.50C	4.2436E-07
eu151	9.01E-01	0.000%	1	150.9198	63151.55C	7.1869E-08
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.02E+00	0.001%	1	154.9227	64155.50C	2.3467E-07
u233	1.81E-03	0.000%	1	233.0395	92233.50C	9.3501E-11
u234	8.49E+01	0.016%	1	234.0409	92234.50C	4.3670E-06
u235	6.30E+03	1.217%	1	235.0439	92235.50C	3.2267E-04
u236	1.41E+03	0.272%	1	236.0456	92236.50C	7.1910E-05
u238	4.42E+05	85.380%	1	238.0508	92238.50C	2.2352E-02
np237	1.33E+02	0.026%	1	237.0481	93237.55C	6.7543E-06
pu238	2.60E+01	0.005%	1	238.0495	94238.50C	1.3148E-06
pu239	2.63E+03	0.508%	1	239.0521	94239.55C	1.3244E-04
pu240	6.71E+02	0.130%	1	240.0539	94240.50C	3.3650E-05
pu241	1.54E+02	0.030%	1	241.0567	94241.50C	7.6907E-06
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	2.63E+02	0.051%	1	241.0567	95241.50C	1.3134E-05
am242m	3.91E-01	0.000%	1	242.0595	95242.50C	1.9446E-08
am243	1.01E+01	0.002%	1	243.0614	95243.50C	5.0023E-07
total	517686.244	100.00%			Total	7.005831E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.0375

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 50 YEARS

DECAY TIME: 50 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.31E+02	0.045%	1	98.90628	43099.50C	2.8116E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	4.22E+00	0.001%	1	150.9199	62151.50C	3.3661E-07
eu151	2.00E+00	0.000%	1	150.9198	63151.55C	1.5953E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	3.16E-03	0.000%	1	233.0395	92233.50C	1.6324E-10
u234	9.03E+01	0.017%	1	234.0409	92234.50C	4.6447E-06
u235	6.30E+03	1.217%	1	235.0439	92235.50C	3.2267E-04
u236	1.42E+03	0.274%	1	236.0456	92236.50C	7.2420E-05
u238	4.42E+05	85.378%	1	238.0508	92238.50C	2.2352E-02
np237	1.49E+02	0.029%	1	237.0481	93237.55C	7.5669E-06
pu238	2.06E+01	0.004%	1	238.0495	94238.50C	1.0418E-06
pu239	2.63E+03	0.508%	1	239.0521	94239.55C	1.3244E-04
pu240	6.70E+02	0.129%	1	240.0539	94240.50C	3.3599E-05
pu241	3.62E+01	0.007%	1	241.0567	94241.50C	1.8078E-06
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	3.65E+02	0.071%	1	241.0567	95241.50C	1.8228E-05
am242m	3.38E-01	0.000%	1	242.0595	95242.50C	1.6810E-08
am243	1.00E+01	0.002%	1	243.0614	95243.50C	4.9528E-07
total	517695.751	100.00%			Total	7.005883E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29
Effective density = 10.03768

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 100 YEARS
DECAY TIME: 100 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.30E+02	0.044%	1	98.90628	43099.50C	2.7994E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	2.87E+00	0.001%	1	150.9199	62151.50C	2.2893E-07
eu151	3.35E+00	0.001%	1	150.9198	63151.55C	2.6722E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	5.76E-03	0.000%	1	233.0395	92233.50C	2.9755E-10
u234	9.69E+01	0.019%	1	234.0409	92234.50C	4.9842E-06
u235	6.31E+03	1.219%	1	235.0439	92235.50C	3.2318E-04

u236	1.42E+03	0.274%	1	236.0456	92236.50C	7.2420E-05
u238	4.42E+05	85.379%	1	238.0508	92238.50C	2.2352E-02
np237	1.78E+02	0.034%	1	237.0481	93237.55C	9.0396E-06
pu238	1.39E+01	0.003%	1	238.0495	94238.50C	7.0293E-07
pu239	2.62E+03	0.506%	1	239.0521	94239.55C	1.3194E-04
pu240	6.66E+02	0.129%	1	240.0539	94240.50C	3.3399E-05
pu241	3.23E+00	0.001%	1	241.0567	94241.50C	1.6131E-07
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	3.68E+02	0.071%	1	241.0567	95241.50C	1.8378E-05
am242m	2.64E-01	0.000%	1	242.0595	95242.50C	1.3129E-08
am243	9.99E+00	0.002%	1	243.0614	95243.50C	4.9478E-07
total	517689.6	100.00%			Total	7.005849E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03756

Time Effects Curve

BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 200 YEARS
DECAY TIME: 200 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.30E+02	0.044%	1	98.90628	43099.50C	2.7994E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	1.33E+00	0.000%	1	150.9199	62151.50C	1.0609E-07
eu151	4.89E+00	0.001%	1	150.9198	63151.55C	3.9006E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	1.23E-02	0.000%	1	233.0395	92233.50C	6.3539E-10
u234	1.04E+02	0.020%	1	234.0409	92234.50C	5.3494E-06
u235	6.31E+03	1.219%	1	235.0439	92235.50C	3.2318E-04
u236	1.43E+03	0.276%	1	236.0456	92236.50C	7.2930E-05
u238	4.42E+05	85.379%	1	238.0508	92238.50C	2.2352E-02
np237	2.32E+02	0.045%	1	237.0481	93237.55C	1.1782E-05
pu238	6.36E+00	0.001%	1	238.0495	94238.50C	3.2163E-07
pu239	2.62E+03	0.506%	1	239.0521	94239.55C	1.3194E-04
pu240	6.59E+02	0.127%	1	240.0539	94240.50C	3.3048E-05
pu241	2.58E-02	0.000%	1	241.0567	94241.50C	1.2884E-09
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	3.16E+02	0.061%	1	241.0567	95241.50C	1.5781E-05
am242m	1.62E-01	0.000%	1	242.0595	95242.50C	8.0567E-09
am243	9.90E+00	0.002%	1	243.0614	95243.50C	4.9033E-07
total	517690.77	100.00%			Total	7.005861E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03758

Time Effects Curve

BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 300 YEARS
DECAY TIME: 300 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density

O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.30E+02	0.044%	1	98.90628	43099.50C	2.7994E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	6.15E-01	0.000%	1	150.9199	62151.50C	4.9056E-08
eu151	5.60E+00	0.001%	1	150.9198	63151.55C	4.4669E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	2.04E-02	0.000%	1	233.0395	92233.50C	1.0538E-09
u234	1.08E+02	0.021%	1	234.0409	92234.50C	5.5552E-06
u235	6.32E+03	1.221%	1	235.0439	92235.50C	3.2369E-04
u236	1.43E+03	0.276%	1	236.0456	92236.50C	7.2930E-05
u238	4.42E+05	85.380%	1	238.0508	92238.50C	2.2352E-02
np237	2.78E+02	0.054%	1	237.0481	93237.55C	1.4118E-05
pu238	2.92E+00	0.001%	1	238.0495	94238.50C	1.4767E-07
pu239	2.61E+03	0.504%	1	239.0521	94239.55C	1.3144E-04
pu240	6.52E+02	0.126%	1	240.0539	94240.50C	3.2697E-05
pu241	2.80E-04	0.000%	1	241.0567	94241.50C	1.3983E-11
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	2.69E+02	0.052%	1	241.0567	95241.50C	1.3434E-05
am242m	9.88E-02	0.000%	1	242.0595	95242.50C	4.9136E-09
am243	9.80E+00	0.002%	1	243.0614	95243.50C	4.8537E-07
total	517683.144	100.00%			Total	7.005827E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03744

Time Effects Curve

BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM

ENRICHMENT: 3.00% DECAY TIME: 400 YEARS

DECAY TIME: 400 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.30E+02	0.044%	1	98.90628	43099.50C	2.7994E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	2.85E-01	0.000%	1	150.9199	62151.50C	2.2733E-08
eu151	5.93E+00	0.001%	1	150.9198	63151.55C	4.7301E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	2.99E-02	0.000%	1	233.0395	92233.50C	1.5446E-09
u234	1.09E+02	0.021%	1	234.0409	92234.50C	5.6066E-06
u235	6.33E+03	1.223%	1	235.0439	92235.50C	3.2421E-04
u236	1.44E+03	0.278%	1	236.0456	92236.50C	7.3440E-05
u238	4.42E+05	85.380%	1	238.0508	92238.50C	2.2352E-02
np237	3.17E+02	0.061%	1	237.0481	93237.55C	1.6099E-05

pu238	1.35E+00	0.000%	1	238.0495	94238.50C	6.8270E-08
pu239	2.60E+03	0.502%	1	239.0521	94239.55C	1.3093E-04
pu240	6.46E+02	0.125%	1	240.0539	94240.50C	3.2396E-05
pu241	7.54E-05	0.000%	1	241.0567	94241.50C	3.7655E-12
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	2.30E+02	0.044%	1	241.0567	95241.50C	1.1486E-05
am242m	6.05E-02	0.000%	1	242.0595	95242.50C	3.0088E-09
am243	9.71E+00	0.002%	1	243.0614	95243.50C	4.8092E-07
total	517686.455	100.00%			Total	7.005849E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.0375

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 500 YEARS
DECAY TIME: 500 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.30E+02	0.044%	1	98.90628	43099.50C	2.7994E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	1.32E-01	0.000%	1	150.9199	62151.50C	1.0529E-08
eu151	6.08E+00	0.001%	1	150.9198	63151.55C	4.8498E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	4.06E-02	0.000%	1	233.0395	92233.50C	2.0973E-09
u234	1.10E+02	0.021%	1	234.0409	92234.50C	5.6580E-06
u235	6.34E+03	1.225%	1	235.0439	92235.50C	3.2472E-04
u236	1.45E+03	0.280%	1	236.0456	92236.50C	7.3950E-05
u238	4.42E+05	85.379%	1	238.0508	92238.50C	2.2352E-02
np237	3.51E+02	0.068%	1	237.0481	93237.55C	1.7825E-05
pu238	6.24E-01	0.000%	1	238.0495	94238.50C	3.1556E-08
pu239	2.59E+03	0.500%	1	239.0521	94239.55C	1.3043E-04
pu240	6.39E+02	0.123%	1	240.0539	94240.50C	3.2045E-05
pu241	7.32E-05	0.000%	1	241.0567	94241.50C	3.6556E-12
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	1.96E+02	0.038%	1	241.0567	95241.50C	9.7882E-06
am242m	3.70E-02	0.000%	1	242.0595	95242.50C	1.8401E-09
am243	9.62E+00	0.002%	1	243.0614	95243.50C	4.7646E-07
total	517689.624	100.00%			Total	7.005870E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03756

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 1000 YEARS
DECAY TIME: 1000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.049%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.30E+02	0.044%	1	98.90628	43099.50C	2.7994E-05

ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	2.80E-03	0.000%	1	150.9199	62151.50C	2.2335E-10
eu151	6.21E+00	0.001%	1	150.9198	63151.55C	4.9535E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	1.06E-01	0.000%	1	233.0395	92233.50C	5.4757E-09
u234	1.11E+02	0.021%	1	234.0409	92234.50C	5.7095E-06
u235	6.37E+03	1.230%	1	235.0439	92235.50C	3.2625E-04
u236	1.48E+03	0.286%	1	236.0456	92236.50C	7.5480E-05
u238	4.42E+05	85.380%	1	238.0508	92238.50C	2.2352E-02
np237	4.57E+02	0.088%	1	237.0481	93237.55C	2.3208E-05
pu238	1.53E-02	0.000%	1	238.0495	94238.50C	7.7373E-10
pu239	2.56E+03	0.495%	1	239.0521	94239.55C	1.2892E-04
pu240	6.06E+02	0.117%	1	240.0539	94240.50C	3.0390E-05
pu241	7.03E-05	0.000%	1	241.0567	94241.50C	3.5108E-12
pu242	7.07E+01	0.014%	1	242.0587	94242.50C	3.5161E-06
am241	8.77E+01	0.017%	1	241.0567	95241.50C	4.3797E-06
am242m	3.17E-03	0.000%	1	242.0595	95242.50C	1.5765E-10
am243	9.18E+00	0.002%	1	243.0614	95243.50C	4.5467E-07
total	517684.207	100.00%			Total	7.005857E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03746

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 4000 YEARS
DECAY TIME: 4000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.050%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.28E+02	0.044%	1	98.90628	43099.50C	2.7751E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	2.58E-13	0.000%	1	150.9199	62151.50C	2.0580E-20
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	6.03E-01	0.000%	1	233.0395	92233.50C	3.1150E-08
u234	1.10E+02	0.021%	1	234.0409	92234.50C	5.6580E-06
u235	6.58E+03	1.271%	1	235.0439	92235.50C	3.3701E-04
u236	1.64E+03	0.317%	1	236.0456	92236.50C	8.3640E-05
u238	4.42E+05	85.382%	1	238.0508	92238.50C	2.2352E-02
np237	5.42E+02	0.105%	1	237.0481	93237.55C	2.7525E-05
pu238	1.67E-09	0.000%	1	238.0495	94238.50C	8.4453E-17
pu239	2.35E+03	0.454%	1	239.0521	94239.55C	1.1834E-04
pu240	4.41E+02	0.085%	1	240.0539	94240.50C	2.2115E-05

pu241	5.50E-05	0.000%	1	241.0567	94241.50C	2.7467E-12
pu242	7.03E+01	0.014%	1	242.0587	94242.50C	3.4962E-06
am241	7.18E-01	0.000%	1	241.0567	95241.50C	3.5857E-08
am242m	1.25E-09	0.000%	1	242.0595	95242.50C	6.2166E-17
am243	6.92E+00	0.001%	1	243.0614	95243.50C	3.4273E-07
total	517672.051	100.00%			Total	7.005821E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03722

Time Effects Curve

BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 8000 YEARS
DECAY TIME: 8000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.050%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.25E+02	0.043%	1	98.90628	43099.50C	2.7386E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	1.07E-26	0.000%	1	150.9199	62151.50C	8.5350E-34
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	1.28E+00	0.000%	1	233.0395	92233.50C	6.6122E-08
u234	1.09E+02	0.021%	1	234.0409	92234.50C	5.6066E-06
u235	6.83E+03	1.319%	1	235.0439	92235.50C	3.4981E-04
u236	1.79E+03	0.346%	1	236.0456	92236.50C	9.1290E-05
u238	4.42E+05	85.384%	1	238.0508	92238.50C	2.2352E-02
np237	5.42E+02	0.105%	1	237.0481	93237.55C	2.7525E-05
pu238	4.83E-18	0.000%	1	238.0495	94238.50C	2.4426E-25
pu239	2.10E+03	0.406%	1	239.0521	94239.55C	1.0575E-04
pu240	2.89E+02	0.056%	1	240.0539	94240.50C	1.4493E-05
pu241	3.97E-05	0.000%	1	241.0567	94241.50C	1.9826E-12
pu242	6.98E+01	0.013%	1	242.0587	94242.50C	3.4714E-06
am241	2.43E-03	0.000%	1	241.0567	95241.50C	1.2135E-10
am242m	3.60E-18	0.000%	1	242.0595	95242.50C	1.7904E-25
am243	4.75E+00	0.001%	1	243.0614	95243.50C	2.3526E-07
total	517683.342	100.00%			Total	7.005790E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03705

Time Effects Curve

BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 10000 YEARS
DECAY TIME: 10000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.050%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.23E+02	0.043%	1	98.90628	43099.50C	2.7142E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06

nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	2.19E-33	0.000%	1	150.9199	62151.50C	1.7469E-40
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	1.61E+00	0.000%	1	233.0395	92233.50C	8.3169E-08
u234	1.08E+02	0.021%	1	234.0409	92234.50C	5.5552E-06
u235	6.95E+03	1.343%	1	235.0439	92235.50C	3.5596E-04
u236	1.84E+03	0.355%	1	236.0456	92236.50C	9.3840E-05
u238	4.42E+05	85.385%	1	238.0508	92238.50C	2.2352E-02
np237	5.41E+02	0.105%	1	237.0481	93237.55C	2.7474E-05
pu238	2.60E-22	0.000%	1	238.0495	94238.50C	1.3148E-29
pu239	1.98E+03	0.382%	1	239.0521	94239.55C	9.9710E-05
pu240	2.34E+02	0.045%	1	240.0539	94240.50C	1.1735E-05
pu241	3.37E-05	0.000%	1	241.0567	94241.50C	1.6830E-12
pu242	6.96E+01	0.013%	1	242.0587	94242.50C	3.4614E-06
am241	1.11E-03	0.000%	1	241.0567	95241.50C	5.5433E-11
am242m	1.93E-22	0.000%	1	242.0595	95242.50C	9.5984E-30
am243	3.94E+00	0.001%	1	243.0614	95243.50C	1.9514E-07
total	517653.661	100.00%			Total	7.005741E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03686

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 14000 YEARS
DECAY TIME: 14000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.050%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.20E+02	0.042%	1	98.90628	43099.50C	2.6777E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	2.26E+00	0.000%	1	233.0395	92233.50C	1.1675E-07
u234	1.07E+02	0.021%	1	234.0409	92234.50C	5.5037E-06
u235	7.16E+03	1.383%	1	235.0439	92235.50C	3.6672E-04
u236	1.92E+03	0.371%	1	236.0456	92236.50C	9.7920E-05
u238	4.42E+05	85.386%	1	238.0508	92238.50C	2.2352E-02
np237	5.41E+02	0.105%	1	237.0481	93237.55C	2.7474E-05
pu238	7.49E-31	0.000%	1	238.0495	94238.50C	3.7877E-38
pu239	1.77E+03	0.342%	1	239.0521	94239.55C	8.9135E-05
pu240	1.53E+02	0.030%	1	240.0539	94240.50C	7.6727E-06
pu241	2.43E-05	0.000%	1	241.0567	94241.50C	1.2135E-12
pu242	6.91E+01	0.013%	1	242.0587	94242.50C	3.4365E-06
am241	7.66E-04	0.000%	1	241.0567	95241.50C	3.8254E-11

am242m	5.57E-31	0.000%	1	242.0595	95242.50C	2.7701E-38
am243	2.70E+00	0.001%	1	243.0614	95243.50C	1.3373E-07
total	517647.571	100.00%			Total	7.005714E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03675

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 18000 YEARS
DECAY TIME: 18000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.050%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.17E+02	0.042%	1	98.90628	43099.50C	2.6412E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	2.91E+00	0.001%	1	233.0395	92233.50C	1.5032E-07
u234	1.07E+02	0.021%	1	234.0409	92234.50C	5.5037E-06
u235	7.35E+03	1.420%	1	235.0439	92235.50C	3.7645E-04
u236	1.98E+03	0.383%	1	236.0456	92236.50C	1.0098E-04
u238	4.42E+05	85.387%	1	238.0508	92238.50C	2.2352E-02
np237	5.40E+02	0.104%	1	237.0481	93237.55C	2.7423E-05
pu238	2.16E-39	0.000%	1	238.0495	94238.50C	1.0923E-46
pu239	1.57E+03	0.303%	1	239.0521	94239.55C	7.9063E-05
pu240	1.01E+02	0.020%	1	240.0539	94240.50C	5.0650E-06
pu241	1.76E-05	0.000%	1	241.0567	94241.50C	8.7894E-13
pu242	6.85E+01	0.013%	1	242.0587	94242.50C	3.4067E-06
am241	5.52E-04	0.000%	1	241.0567	95241.50C	2.7567E-11
am242m	1.61E-39	0.000%	1	242.0595	95242.50C	8.0070E-47
am243	1.86E+00	0.000%	1	243.0614	95243.50C	9.2122E-08
total	517640.781	100.00%			Total	7.005680E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03661

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 22000 YEARS
DECAY TIME: 22000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.051%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.14E+02	0.041%	1	98.90628	43099.50C	2.6047E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06

sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	3.54E+00	0.001%	1	233.0395	92233.50C	1.8287E-07
u234	1.06E+02	0.020%	1	234.0409	92234.50C	5.4523E-06
u235	7.52E+03	1.453%	1	235.0439	92235.50C	3.8515E-04
u236	2.01E+03	0.388%	1	236.0456	92236.50C	1.0251E-04
u238	4.42E+05	85.389%	1	238.0508	92238.50C	2.2352E-02
np237	5.39E+02	0.104%	1	237.0481	93237.55C	2.7373E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	1.40E+03	0.270%	1	239.0521	94239.55C	7.0502E-05
pu240	6.59E+01	0.013%	1	240.0539	94240.50C	3.3048E-06
pu241	1.27E-05	0.000%	1	241.0567	94241.50C	6.3423E-13
pu242	6.80E+01	0.013%	1	242.0587	94242.50C	3.3818E-06
am241	3.99E-04	0.000%	1	241.0567	95241.50C	1.9926E-11
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	1.27E+00	0.000%	1	243.0614	95243.50C	6.2900E-08
total	517630.22	100.00%			Total	7.005623E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03641

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 26000 YEARS
DECAY TIME: 26000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.051%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.12E+02	0.041%	1	98.90628	43099.50C	2.5803E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	4.16E+00	0.001%	1	233.0395	92233.50C	2.1490E-07
u234	1.05E+02	0.020%	1	234.0409	92234.50C	5.4009E-06
u235	7.67E+03	1.482%	1	235.0439	92235.50C	3.9284E-04
u236	2.03E+03	0.392%	1	236.0456	92236.50C	1.0353E-04
u238	4.42E+05	85.390%	1	238.0508	92238.50C	2.2352E-02
np237	5.39E+02	0.104%	1	237.0481	93237.55C	2.7373E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	1.25E+03	0.241%	1	239.0521	94239.55C	6.2948E-05
pu240	4.32E+01	0.008%	1	240.0539	94240.50C	2.1664E-06
pu241	9.14E-06	0.000%	1	241.0567	94241.50C	4.5645E-13
pu242	6.75E+01	0.013%	1	242.0587	94242.50C	3.3570E-06
am241	2.88E-04	0.000%	1	241.0567	95241.50C	1.4383E-11
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	8.74E-01	0.000%	1	243.0614	95243.50C	4.3287E-08
total	517624.244	100.00%			Total	7.005593E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29
Effective density = 10.03629

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 30000 YEARS
DECAY TIME: 30000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.051%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.09E+02	0.040%	1	98.90628	43099.50C	2.5438E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	4.77E+00	0.001%	1	233.0395	92233.50C	2.4641E-07
u234	1.04E+02	0.020%	1	234.0409	92234.50C	5.3494E-06
u235	7.80E+03	1.507%	1	235.0439	92235.50C	3.9949E-04
u236	2.05E+03	0.396%	1	236.0456	92236.50C	1.0455E-04
u238	4.42E+05	85.390%	1	238.0508	92238.50C	2.2352E-02
np237	5.38E+02	0.104%	1	237.0481	93237.55C	2.7322E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	1.12E+03	0.216%	1	239.0521	94239.55C	5.6401E-05
pu240	2.83E+01	0.005%	1	240.0539	94240.50C	1.4192E-06
pu241	6.60E-06	0.000%	1	241.0567	94241.50C	3.2960E-13
pu242	6.70E+01	0.013%	1	242.0587	94242.50C	3.3321E-06
am241	2.08E-04	0.000%	1	241.0567	95241.50C	1.0387E-11
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	6.00E-01	0.000%	1	243.0614	95243.50C	2.9717E-08
total	517624.18	100.00%			Total	7.005584E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29
Effective density = 10.03629

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 36000 YEARS
DECAY TIME: 36000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.051%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	2.05E+02	0.040%	1	98.90628	43099.50C	2.4951E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00

eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	5.66E+00	0.001%	1	233.0395	92233.50C	2.9238E-07
u234	1.02E+02	0.020%	1	234.0409	92234.50C	5.2465E-06
u235	7.97E+03	1.540%	1	235.0439	92235.50C	4.0820E-04
u236	2.06E+03	0.398%	1	236.0456	92236.50C	1.0506E-04
u238	4.42E+05	85.394%	1	238.0508	92238.50C	2.2352E-02
np237	5.37E+02	0.104%	1	237.0481	93237.55C	2.7271E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	9.39E+02	0.181%	1	239.0521	94239.55C	4.7287E-05
pu240	1.50E+01	0.003%	1	240.0539	94240.50C	7.5223E-07
pu241	4.04E-06	0.000%	1	241.0567	94241.50C	2.0176E-13
pu242	6.63E+01	0.013%	1	242.0587	94242.50C	3.2973E-06
am241	1.28E-04	0.000%	1	241.0567	95241.50C	6.3923E-12
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	3.41E-01	0.000%	1	243.0614	95243.50C	1.6889E-08
total	517602.811	100.00%			Total	7.005463E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03588

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 45000 YEARS
DECAY TIME: 45000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.051%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	1.99E+02	0.038%	1	98.90628	43099.50C	2.4221E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	6.95E+00	0.001%	1	233.0395	92233.50C	3.5902E-07
u234	1.00E+02	0.019%	1	234.0409	92234.50C	5.1437E-06
u235	8.18E+03	1.580%	1	235.0439	92235.50C	4.1896E-04
u236	2.07E+03	0.400%	1	236.0456	92236.50C	1.0557E-04
u238	4.42E+05	85.396%	1	238.0508	92238.50C	2.2352E-02
np237	5.35E+02	0.103%	1	237.0481	93237.55C	2.7170E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	7.25E+02	0.140%	1	239.0521	94239.55C	3.6510E-05
pu240	5.81E+00	0.001%	1	240.0539	94240.50C	2.9136E-07
pu241	1.94E-06	0.000%	1	241.0567	94241.50C	9.6883E-14
pu242	6.52E+01	0.013%	1	242.0587	94242.50C	3.2426E-06
am241	5.86E-05	0.000%	1	241.0567	95241.50C	2.9265E-12
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	1.46E-01	0.000%	1	243.0614	95243.50C	7.2311E-09
total	517589.616	100.00%			Total	7.005373E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03562

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 60000 YEARS
DECAY TIME: 60000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.052%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	1.89E+02	0.037%	1	98.90628	43099.50C	2.3004E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	8.98E+00	0.002%	1	233.0395	92233.50C	4.6389E-07
u234	9.73E+01	0.019%	1	234.0409	92234.50C	5.0048E-06
u235	8.43E+03	1.629%	1	235.0439	92235.50C	4.3176E-04
u236	2.07E+03	0.400%	1	236.0456	92236.50C	1.0557E-04
u238	4.42E+05	85.400%	1	238.0508	92238.50C	2.2352E-02
np237	5.33E+02	0.103%	1	237.0481	93237.55C	2.7068E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	4.71E+02	0.091%	1	239.0521	94239.55C	2.3719E-05
pu240	1.19E+00	0.000%	1	240.0539	94240.50C	5.9677E-08
pu241	5.71E-07	0.000%	1	241.0567	94241.50C	2.8516E-14
pu242	6.34E+01	0.012%	1	242.0587	94242.50C	3.1531E-06
am241	1.72E-05	0.000%	1	241.0567	95241.50C	8.5896E-13
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	3.57E-02	0.000%	1	243.0614	95243.50C	1.7681E-09
total	517566.416	100.00%			Total	7.005206E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29
Effective density = 10.03517

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 100000 YEARS
DECAY TIME: 100000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.053%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	1.66E+02	0.032%	1	98.90628	43099.50C	2.0205E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06

gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	1.37E+01	0.003%	1	233.0395	92233.50C	7.0771E-07
u234	8.94E+01	0.017%	1	234.0409	92234.50C	4.5984E-06
u235	8.75E+03	1.691%	1	235.0439	92235.50C	4.4815E-04
u236	2.07E+03	0.400%	1	236.0456	92236.50C	1.0557E-04
u238	4.42E+05	85.406%	1	238.0508	92238.50C	2.2352E-02
np237	5.26E+02	0.102%	1	237.0481	93237.55C	2.6713E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	1.49E+02	0.029%	1	239.0521	94239.55C	7.5034E-06
pu240	1.74E-02	0.000%	1	240.0539	94240.50C	8.7258E-10
pu241	2.19E-08	0.000%	1	241.0567	94241.50C	1.0937E-15
pu242	5.89E+01	0.011%	1	242.0587	94242.50C	2.9293E-06
am241	6.59E-07	0.000%	1	241.0567	95241.50C	3.2910E-14
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	8.30E-04	0.000%	1	243.0614	95243.50C	4.1108E-11
total	517525.528	100.00%			Total	7.004864E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03438

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 250000 YEARS
DECAY TIME: 250000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.056%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	1.01E+02	0.020%	1	98.90628	43099.50C	1.2293E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	2.51E+01	0.005%	1	233.0395	92233.50C	1.2966E-06
u234	6.68E+01	0.013%	1	234.0409	92234.50C	3.4360E-06
u235	8.89E+03	1.718%	1	235.0439	92235.50C	4.5532E-04
u236	2.06E+03	0.398%	1	236.0456	92236.50C	1.0506E-04
u238	4.42E+05	85.428%	1	238.0508	92238.50C	2.2352E-02
np237	5.01E+02	0.097%	1	237.0481	93237.55C	2.5443E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	2.00E+00	0.000%	1	239.0521	94239.55C	1.0072E-07
pu240	2.34E-09	0.000%	1	240.0539	94240.50C	1.1735E-16
pu241	1.06E-13	0.000%	1	241.0567	94241.50C	5.2936E-21
pu242	4.46E+01	0.009%	1	242.0587	94242.50C	2.2181E-06
am241	3.20E-12	0.000%	1	241.0567	95241.50C	1.5981E-19
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	1.52E-08	0.000%	1	243.0614	95243.50C	7.5282E-16
total	517393.01	100.00%			Total	7.003743E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03181

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM

ENRICHMENT: 3.00% DECAY TIME: 500000 YEARS
DECAY TIME: 500000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.059%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	4.46E+01	0.009%	1	98.90628	43099.50C	5.4285E-06
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	3.16E+01	0.006%	1	233.0395	92233.50C	1.6324E-06
u234	4.51E+01	0.009%	1	234.0409	92234.50C	2.3198E-06
u235	8.89E+03	1.719%	1	235.0439	92235.50C	4.5532E-04
u236	2.05E+03	0.396%	1	236.0456	92236.50C	1.0455E-04
u238	4.42E+05	85.451%	1	238.0508	92238.50C	2.2352E-02
np237	4.62E+02	0.089%	1	237.0481	93237.55C	2.3462E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	1.51E-03	0.000%	1	239.0521	94239.55C	7.6041E-11
pu240	7.61E-11	0.000%	1	240.0539	94240.50C	3.8163E-18
pu241	1.48E-22	0.000%	1	241.0567	94241.50C	7.3911E-30
pu242	2.80E+01	0.005%	1	242.0587	94242.50C	1.3925E-06
am241	4.70E-21	0.000%	1	241.0567	95241.50C	2.3472E-28
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	1.44E-08	0.000%	1	243.0614	95243.50C	7.1320E-16
total	517253.812	100.00%			Total	7.002636E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29
Effective density = 10.02911

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 999999 YEARS
DECAY TIME: 999999 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.063%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	8.64E+00	0.002%	1	98.90628	43099.50C	1.0516E-06
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	3.05E+01	0.006%	1	233.0395	92233.50C	1.5756E-06
u234	2.91E+01	0.006%	1	234.0409	92234.50C	1.4968E-06

u235	8.89E+03	1.719%	1	235.0439	92235.50C	4.5532E-04
u236	2.01E+03	0.389%	1	236.0456	92236.50C	1.0251E-04
u238	4.42E+05	85.481%	1	238.0508	92238.50C	2.2352E-02
np237	3.93E+02	0.076%	1	237.0481	93237.55C	1.9958E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	4.61E-08	0.000%	1	239.0521	94239.55C	2.3215E-15
pu240	1.03E-10	0.000%	1	240.0539	94240.50C	5.1653E-18
pu241	0.00E+00	0.000%	1	241.0567	94241.50C	0.0000E+00
pu242	1.11E+01	0.002%	1	242.0587	94242.50C	5.5204E-07
am241	9.14E-39	0.000%	1	241.0567	95241.50C	4.5645E-46
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	1.41E-08	0.000%	1	243.0614	95243.50C	6.9834E-16
total	517074.85	100.00%			Total	7.001472E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.02564

Time Effects Curve

BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 70000 YEARS
DECAY TIME: 70000 YEARS Volume 51575.24 pwr 3.0% 20 GWd/MT

ISOTOPE	GRAMS/Ass	%		Aw	MCNP ID	Number Density
O 16	62377.29	12.052%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584	42095.50C	2.8413E-05
tc 99	1.83E+02	0.035%	1	98.90628	43099.50C	2.2274E-05
ru101	2.18E+02	0.042%	1	100.9056	44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055	45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048	47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098	60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125	60145.50C	1.6864E-05
sm147	8.97E+01	0.017%	1	146.9149	62147.50C	7.3501E-06
sm149	1.42E+00	0.000%	1	148.9172	62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173	62150.50C	6.4561E-06
sm151	0.00E+00	0.000%	1	150.9199	62151.50C	0.0000E+00
eu151	6.22E+00	0.001%	1	150.9198	63151.55C	4.9615E-07
sm152	3.74E+01	0.007%	1	151.9198	62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212	63153.55C	2.1255E-06
gd155	3.18E+00	0.001%	1	154.9227	64155.50C	2.4710E-07
u233	1.03E+01	0.002%	1	233.0395	92233.50C	5.3208E-07
u234	9.52E+01	0.018%	1	234.0409	92234.50C	4.8968E-06
u235	8.55E+03	1.652%	1	235.0439	92235.50C	4.3791E-04
u236	2.07E+03	0.400%	1	236.0456	92236.50C	1.0557E-04
u238	4.42E+05	85.401%	1	238.0508	92238.50C	2.2352E-02
np237	5.31E+02	0.103%	1	237.0481	93237.55C	2.6966E-05
pu238	0.00E+00	0.000%	1	238.0495	94238.50C	0.0000E+00
pu239	3.54E+02	0.068%	1	239.0521	94239.55C	1.7827E-05
pu240	4.14E-01	0.000%	1	240.0539	94240.50C	2.0761E-08
pu241	2.53E-07	0.000%	1	241.0567	94241.50C	1.2635E-14
pu242	6.22E+01	0.012%	1	242.0587	94242.50C	3.0934E-06
am241	7.62E-06	0.000%	1	241.0567	95241.50C	3.8054E-13
am242m	0.00E+00	0.000%	1	242.0595	95242.50C	0.0000E+00
am243	1.39E-02	0.000%	1	243.0614	95243.50C	6.8844E-10
total	517558.638	100.00%			Total	7.005135E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
= 62377.29

Effective density = 10.03502

Time Effects Curve
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 1 YEARS
DECAY TIME: 1 YEARS Volume 51575.24 pwr 3.0% 20 G

ISOTOPE	GRAMS/As	%		Aw		MCNP ID	MCNP ID Density
O 16	62377.29	12.050%	1	15.99492		8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	1	94.90584		42095.50C	2.8413E-05
tc 99	2.31E+02	0.045%	1	98.90628		43099.50C	2.8116E-05
ru101	2.18E+02	0.042%	1	100.9056		44101.50C	2.6008E-05
rh103	1.44E+02	0.028%	1	102.9055		45103.50C	1.6846E-05
ag109	2.19E+01	0.004%	1	108.9048		47109.50C	2.4208E-06
nd143	2.69E+02	0.052%	1	142.9098		60143.50C	2.2660E-05
nd145	2.03E+02	0.039%	1	144.9125		60145.50C	1.6864E-05
sm147	4.40E+01	0.009%	1	146.9149		62147.50C	3.6054E-06
sm149	1.42E+00	0.000%	1	148.9172		62149.50C	1.1479E-07
sm150	8.04E+01	0.016%	1	149.9173		62150.50C	6.4561E-06
sm151	6.15E+00	0.001%	1	150.9199		62151.50C	4.9056E-07
eu151	6.30E-02	0.000%	1	150.9198		63151.55C	5.0253E-09
sm152	3.74E+01	0.007%	1	151.9198		62152.50C	2.9636E-06
eu153	2.70E+01	0.005%	1	152.9212		63153.55C	2.1255E-06
gd155	4.83E-01	0.000%	1	154.9227		64155.50C	3.7532E-08
u233	1.02E-03	0.000%	1	233.0395		92233.50C	5.2691E-11
u234	8.08E+01	0.016%	1	234.0409		92234.50C	4.1561E-06
u235	6.30E+03	1.217%	1	235.0439		92235.50C	3.2267E-04
u236	1.41E+03	0.272%	1	236.0456		92236.50C	7.1910E-05
u238	4.42E+05	85.388%	1	238.0508		92238.50C	2.2352E-02
np237	1.28E+02	0.025%	1	237.0481		93237.55C	6.5004E-06
pu238	2.96E+01	0.006%	1	238.0495		94238.50C	1.4969E-06
pu239	2.63E+03	0.508%	1	239.0521		94239.55C	1.3244E-04
pu240	6.72E+02	0.130%	1	240.0539		94240.50C	3.3700E-05
pu241	3.86E+02	0.075%	1	241.0567		94241.50C	1.9277E-05
pu242	7.08E+01	0.014%	1	242.0587		94242.50C	3.5211E-06
am241	3.61E+01	0.007%	1	241.0567		95241.50C	1.8028E-06
am242m	4.30E-01	0.000%	1	242.0595		95242.50C	2.1385E-08
am243	1.01E+01	0.002%	1	243.0614		95243.50C	5.0023E-07
total	517638.94	100.00%				Total	7.005442E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
62377.29
Effective density = 10.03658

Best Estimate fbuc
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 5 YEARS
DECAY TIME: 5 YEARS Volume 51575.24 pwr 3.0% 20 G

ISOTOPE	GRAMS/	%	% best f	Aw	MCNP ID	Number Density
O 16	62377.29	12.050%	1	15.99492	8016.50C	4.6947E-02
mo 95	2.24E+02	0.043%	0.641	94.90584	42095.50C	1.8213E-05
tc 99	2.31E+02	0.045%	0.641	98.90628	43099.50C	1.8022E-05
ru101	2.18E+02	0.042%	0.641	100.9056	44101.50C	1.6671E-05
rh103	1.44E+02	0.028%	0.641	102.9055	45103.50C	1.0798E-05
ag109	2.19E+01	0.004%	0.641	108.9048	47109.50C	1.5517E-06
nd143	2.69E+02	0.052%	0.97314	142.9098	60143.50C	2.2051E-05
nd145	2.03E+02	0.039%	0.99166	144.9125	60145.50C	1.6723E-05
sm147	7.38E+01	0.014%	0.931	146.9149	62147.50C	5.6300E-06
sm149	1.42E+00	0.000%	0.58	148.9172	62149.50C	6.6579E-08
sm150	8.04E+01	0.016%	0.885	149.9173	62150.50C	5.7136E-06
sm151	5.97E+00	0.001%	0.689	150.9199	62151.50C	3.2810E-07
eu151	2.50E-01	0.000%	0.689	150.9198	63151.55C	1.3740E-08
sm152	3.74E+01	0.007%	0.817	151.9198	62152.50C	2.4213E-06
eu153	2.70E+01	0.005%	0.91258	152.9212	63153.55C	1.9397E-06
gd155	1.69E+00	0.000%	0.3475	154.9227	64155.50C	4.5634E-08
u233	1.20E-03	0.000%	1.515	233.0395	92233.50C	9.3914E-11
u234	8.17E+01	0.016%	0.634	234.0409	92234.50C	2.6643E-06
u235	6.30E+03	1.217%	1.108	235.0439	92235.50C	3.5752E-04
u236	1.41E+03	0.272%	0.959	236.0456	92236.50C	6.8962E-05
u238	4.42E+05	85.383%	0.993	238.0508	92238.50C	2.2196E-02
np237	1.29E+02	0.025%	0.66	237.0481	93237.55C	4.3238E-06
pu238	2.93E+01	0.006%	0.843	238.0495	94238.50C	1.2491E-06
pu239	2.63E+03	0.508%	1.026	239.0521	94239.55C	1.3589E-04
pu240	6.72E+02	0.130%	1	240.0539	94240.50C	3.3700E-05
pu241	3.18E+02	0.061%	1.012	241.0567	94241.50C	1.6071E-05
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	1.03E+02	0.020%	0.71582	241.0567	95241.50C	3.6820E-06
am242m	4.21E-01	0.000%	1	242.0595	95242.50C	2.0938E-08
am243	1.01E+01	0.002%	1	243.0614	95243.50C	5.0023E-07
total	517670.4	100.00%			Total	6.989112E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
62377.29
Effective density = 10.03719

Vienna Actinide Only Burnup Credit fbucs Vienna Actinide Only Burnup Credit fbucs
BURNUP: PWR 20 GWd/MT PWR B&W 15x15, 3.00% , Burnup 20 GWd/MTHM
ENRICHMENT: 3.00% DECAY TIME: 5 YEARS
DECAY TIME: 5 YEARS Volume 51575.24 pwr 3.0% 20 G

ISOTOPE	GRAMS/	%	% best f	Aw	MCNP ID	Number Density
O 16	62377.29	12.050%	1	15.99492	8016.50C	4.6947E-02
u234	8.17E+01	0.016%	0.509	234.0409	92234.50C	2.1390E-06
u235	6.30E+03	1.217%	1.115	235.0439	92235.50C	3.5978E-04
u236	1.41E+03	0.272%	0.955	236.0456	92236.50C	6.8674E-05
u238	4.42E+05	85.383%	0.99	238.0508	92238.50C	2.2129E-02
pu238	2.93E+01	0.006%	0.829	238.0495	94238.50C	1.2283E-06
pu239	2.63E+03	0.508%	1.033	239.0521	94239.55C	1.3681E-04
pu240	6.72E+02	0.130%	1	240.0539	94240.50C	3.3700E-05
pu241	3.18E+02	0.061%	1.016	241.0567	94241.50C	1.6135E-05
pu242	7.08E+01	0.014%	1	242.0587	94242.50C	3.5211E-06
am241	1.03E+02	0.020%	0.583	241.0567	95241.50C	2.9988E-06
total	515992.1	99.68%			Total	6.970076E-02

oxygen mass/assembly = 464000 g UO / (1-11.8503E-2) * 11.8503E-2 fraction of O in UO2
62377.29
Effective density = 10.00465

```
=sas2h    parm='halt09,skipcellwt,skipshipdata'
SAS2H: Babcock Wilcox 15x15, 3.00wt%, 20gwd/mtu burn High Temp
27burnuplib    latticecell
'
'  mixtures of fuel-pin-unit-cell:
'   den=mass UO2/ Volume assembly = 526377.3 g/5.157524E4
uo2 1 den=10.2060 1 975 92235 3.00 92234 0.0240 92236 0.0138 92238 96.9622 end
kr-83     1 0 1-20 975 end
kr-85     1 0 1-20 975 end
sr-90     1 0 1-20 975 end
 y-89     1 0 1-20 975 end
mo-95     1 0 1-20 975 end
zr-93     1 0 1-20 975 end
zr-94     1 0 1-20 975 end
zr-95     1 0 1-20 975 end
nb-94     1 0 1-20 975 end
tc-99     1 0 1-20 975 end
rh-103    1 0 1-20 975 end
rh-105    1 0 1-20 975 end
ru-101    1 0 1-20 975 end
ru-106    1 0 1-20 975 end
pd-105    1 0 1-20 975 end
pd-108    1 0 1-20 975 end
ag-109    1 0 1-20 975 end
sb-124    1 0 1-20 975 end
xe-131    1 0 1-20 975 end
xe-132    1 0 1-20 975 end
xe-135    1 0 1-20 975 end
xe-136    1 0 1-20 975 end
cs-134    1 0 1-20 975 end
cs-135    1 0 1-20 975 end
cs-137    1 0 1-20 975 end
ba-136    1 0 1-20 975 end
la-139    1 0 1-20 975 end
pr-141    1 0 1-20 975 end
pr-143    1 0 1-20 975 end
ce-144    1 0 1-20 975 end
nd-143    1 0 1-20 975 end
nd-145    1 0 1-20 975 end
pm-147    1 0 1-20 975 end
pm-148    1 0 1-20 975 end
nd-147    1 0 1-20 975 end
sm-147    1 0 1-20 975 end
sm-149    1 0 1-20 975 end
sm-150    1 0 1-20 975 end
sm-151    1 0 1-20 975 end
sm-152    1 0 1-20 975 end
gd-155    1 0 1-20 975 end
eu-153    1 0 1-20 975 end
eu-154    1 0 1-20 975 end
eu-155    1 0 1-20 975 end
zircalloy 2   1.0  650 end
h2o       3 den=0.6272 1 607.6 end
arbm-bormod 0.6272 1 1 0 0 5000 100 3 552.6e-6 607.6 end
'
' 1050 ppm boron
' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
end comp
'
' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
'
'  fuel-pin-cell geometry:
'
squarepitch  1.44272  0.936244 1 3 1.0922 2 0.95758 0 end
'
' - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
'
'
'  assembly and cycle parameters:
'
```

```
npin/assm=208 fuelngth=360.172 ncycles=9 nlib/cyc=1
printlevel=5 inplevel=2 numztotal=4  end
3 0.63246 2 0.67310 3 0.814 500 2.961
power=7.25 burn=160 down=0
power=7.25 burn=160 down=0
power=7.25 burn=160 down=0
power=7.25 burn=160 down=0
power=7.25 burn=160 down=0
power=7.25 burn=160 down=0
power=7.25 burn=160 down=0
power=7.25 burn=160 down=0
power=4.976-5 burn=1. down=0. bfrac=0. h2ofrac=1.594 temkcyc=373 end
   end
end
```

```
=origens
0$$  a8 26 a11 71 e
1$$ 1  1t
 b&w 15x15, 3.0%/20 Decay
3$$ 21 0 1 e
'   3$$ 21 0 1  a33  -88
2t
35$$ 0  t
'  54$$ a8 1 e
'   56$$ 0 7 a5 1 a13 -1 a15 3 0 4 e   5t
56$$ 0 7 a13 -1 a15 3 0 4 e   5t
Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay
per B&W assembly, 0.409 mthm for grams
60**  0 1 90 365.25 730.5 1826.25  3652.5
'  61** f1-20
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
'   56$$ 0 -6 a10 1  e  t
56$$ 0 10 a10 7 a14 5 a17 4 e  57** 10  e  5t
60**  15 20 30 50 100 150 200 250 300 400
'  61** f1-20
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 400  e  5t
60**  500 1+3 2+3 4+3 6+3 8+3 1+4 1.2+4 1.4+4 1.5+4
'    61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 1.5+4  e  5t
60**  1.6+4 1.7+4 1.8+4 1.9+4 2.0+4 2.1+4 2.2+4 2.3+4 2.4+4 2.5+4
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 2.5+4  e  5t
60**  3.5+4 4.5+4 5+4 5.5+4 6+4 6.5+4 7+4 1+5 2+5 2.5+5
'    61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 3 a10 10 a14 5 a17 4 e  57** 2.5+5  e  5t
60**  3+5 5+5 999999
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
'   56$$ 0 -10 a10 1 e  t
56$$ f0  t
end
```

Decay Only *** Summary of Activity output from S3020ucfo1.out dated 3/12/96

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 4

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	1.20E-15	1.20E-15	1.20E-15	1.21E-15	1.39E-15	1.85E-15	2.70E-15	7.71E-15	2.82E-14
tl207	5.12E-07	5.12E-07	5.12E-07	5.13E-07	6.08E-07	9.53E-07	1.34E-06	2.50E-06	4.37E-06
tl208	3.10E-04	3.10E-04	3.10E-04	3.17E-04	3.91E-04	6.77E-04	1.10E-03	2.28E-03	3.34E-03
tl209	8.55E-10	8.55E-10	8.55E-10	8.68E-10	1.79E-10	1.66E-10	1.84E-10	2.44E-10	3.60E-10
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	4.13E-08	4.13E-08	4.13E-08	3.94E-08	8.52E-09	7.88E-09	8.77E-09	1.16E-08	1.71E-08
pb210	9.27E-10	9.27E-10	9.27E-10	9.29E-10	1.06E-09	1.40E-09	2.05E-09	5.84E-09	2.13E-08
pb211	5.13E-07	5.13E-07	5.13E-07	5.15E-07	6.10E-07	9.56E-07	1.35E-06	2.51E-06	4.38E-06
pb212	8.62E-04	8.62E-04	8.62E-04	8.62E-04	1.09E-03	1.88E-03	3.07E-03	6.33E-03	9.29E-03
pb214	1.20E-08	1.20E-08	1.20E-08	1.20E-08	1.34E-08	1.85E-08	2.71E-08	6.48E-08	1.68E-07
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	9.11E-10	9.11E-10	9.11E-10	9.13E-10	1.06E-09	1.40E-09	2.05E-09	5.84E-09	2.13E-08
bi211	5.13E-07	5.13E-07	5.13E-07	5.15E-07	6.10E-07	9.56E-07	1.35E-06	2.51E-06	4.38E-06
bi212	8.62E-04	8.62E-04	8.62E-04	8.81E-04	1.09E-03	1.88E-03	3.07E-03	6.33E-03	9.29E-03
bi213	4.07E-08	4.07E-08	4.07E-08	4.13E-08	8.52E-09	7.88E-09	8.77E-09	1.16E-08	1.71E-08
bi214	1.20E-08	1.20E-08	1.20E-08	1.20E-08	1.34E-08	1.85E-08	2.71E-08	6.48E-08	1.68E-07
po210	5.83E-10	5.83E-10	5.83E-10	5.85E-10	7.29E-10	1.11E-09	1.67E-09	4.95E-09	2.13E-08
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	1.41E-09	1.41E-09	1.41E-09	1.42E-09	1.68E-09	2.63E-09	3.71E-09	6.89E-09	1.20E-08
po212	5.52E-04	5.52E-04	5.52E-04	5.64E-04	6.97E-04	1.21E-03	1.96E-03	4.06E-03	5.95E-03
po213	3.99E-08	3.99E-08	3.99E-08	4.05E-08	8.34E-09	7.72E-09	8.58E-09	1.14E-08	1.68E-08
po214	2.82E-08	2.82E-08	2.82E-08	2.76E-08	1.42E-08	1.85E-08	2.71E-08	6.48E-08	1.68E-07
po215	5.14E-07	5.14E-07	5.14E-07	5.15E-07	6.10E-07	9.56E-07	1.35E-06	2.51E-06	4.38E-06
po216	8.62E-04	8.62E-04	8.62E-04	8.62E-04	1.09E-03	1.88E-03	3.07E-03	6.33E-03	9.29E-03
po218	1.20E-08	1.20E-08	1.20E-08	1.20E-08	1.34E-08	1.85E-08	2.71E-08	6.48E-08	1.68E-07
at217	4.15E-08	4.15E-08	4.15E-08	4.13E-08	8.52E-09	7.88E-09	8.77E-09	1.16E-08	1.71E-08
rn218	1.62E-08	1.62E-08	1.62E-08	1.57E-08	8.07E-10	8.38E-14	4.33E-19	.00E+00	.00E+00
rn219	5.14E-07	5.14E-07	5.14E-07	5.15E-07	6.10E-07	9.56E-07	1.35E-06	2.51E-06	4.38E-06
rn220	8.62E-04	8.62E-04	8.62E-04	8.62E-04	1.09E-03	1.88E-03	3.07E-03	6.33E-03	9.29E-03
rn222	1.19E-08	1.19E-08	1.19E-08	1.19E-08	1.34E-08	1.85E-08	2.71E-08	6.48E-08	1.68E-07
fr221	4.15E-08	4.15E-08	4.15E-08	4.13E-08	8.52E-09	7.88E-09	8.77E-09	1.16E-08	1.71E-08
fr223	7.71E-09	7.71E-09	7.71E-09	7.73E-09	9.06E-09	1.32E-08	1.85E-08	3.45E-08	6.03E-08
ra222	1.62E-08	1.62E-08	1.62E-08	1.57E-08	8.07E-10	8.38E-14	4.33E-19	.00E+00	.00E+00
ra223	5.14E-07	5.14E-07	5.14E-07	5.15E-07	6.10E-07	9.56E-07	1.35E-06	2.51E-06	4.38E-06
ra224	8.62E-04	8.62E-04	8.62E-04	8.62E-04	1.09E-03	1.88E-03	3.07E-03	6.33E-03	9.29E-03
ra225	3.96E-08	3.96E-08	3.96E-08	3.81E-08	7.68E-09	7.88E-09	8.77E-09	1.16E-08	1.71E-08
ra226	1.20E-08	1.20E-08	1.20E-08	1.20E-08	1.34E-08	1.85E-08	2.71E-08	6.48E-08	1.68E-07
ra228	1.30E-12	1.30E-12	1.30E-12	1.30E-12	1.54E-12	2.46E-12	4.00E-12	1.05E-11	2.58E-11
ac225	4.15E-08	4.15E-08	4.15E-08	4.13E-08	8.52E-09	7.88E-09	8.77E-09	1.16E-08	1.71E-08
ac227	5.59E-07	5.59E-07	5.59E-07	5.60E-07	6.56E-07	9.54E-07	1.35E-06	2.50E-06	4.37E-06
ac228	1.29E-12	1.29E-12	1.29E-12	1.30E-12	1.54E-12	2.46E-12	4.00E-12	1.05E-11	2.58E-11
th226	1.62E-08	1.62E-08	1.62E-08	1.57E-08	8.07E-10	8.38E-14	4.33E-19	.00E+00	.00E+00
th227	5.23E-07	5.23E-07	5.23E-07	5.24E-07	6.19E-07	9.42E-07	1.33E-06	2.47E-06	4.32E-06
th228	8.61E-04	8.61E-04	8.61E-04	8.63E-04	1.08E-03	1.88E-03	3.06E-03	6.33E-03	9.28E-03
th229	7.04E-09	7.04E-09	7.04E-09	7.04E-09	7.24E-09	7.88E-09	8.77E-09	1.16E-08	1.71E-08
th230	1.29E-05	1.29E-05	1.29E-05	1.29E-05	1.40E-05	1.75E-05	2.21E-05	3.61E-05	5.96E-05
th231	1.90E-01	1.90E-01	1.90E-01	1.06E-01	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02

1

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
th232	9.24E-12	9.24E-12	9.24E-12	9.26E-12	1.04E-11	1.38E-11	1.83E-11	3.18E-11	5.44E-11
th233	2.00E-08	2.00E-08	2.00E-08	7.27E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	1.30E-05	1.30E-05	1.30E-05	1.30E-05	1.31E-05	1.33E-05	1.36E-05	1.45E-05	1.59E-05
pa232	6.01E-02	6.01E-02	6.01E-02	3.54E-02	1.26E-22	.00E+00	.00E+00	.00E+00	.00E+00
pa233	8.71E-02	8.71E-02	8.71E-02	8.72E-02	9.01E-02	9.05E-02	9.05E-02	9.08E-02	9.15E-02
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	2.45E-04	2.45E-04	2.45E-04	1.98E-04	1.93E-04	1.94E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.62E-08	1.62E-08	1.62E-08	1.57E-08	8.07E-10	8.37E-14	4.33E-19	.00E+00	.00E+00
u231	1.32E-06	1.32E-06	1.32E-06	1.12E-06	4.71E-13	.00E+00	.00E+00	.00E+00	.00E+00
u232	3.23E-03	3.23E-03	3.23E-03	3.24E-03	3.71E-03	5.01E-03	6.38E-03	8.86E-03	1.02E-02
u233	9.38E-06	9.38E-06	9.38E-06	9.39E-06	9.48E-06	9.82E-06	1.03E-05	1.15E-05	1.35E-05
u234	5.01E-01	5.01E-01	5.01E-01	5.01E-01	5.01E-01	5.02E-01	5.04E-01	5.08E-01	5.15E-01
u235	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02
u236	9.14E-02	9.14E-02	9.14E-02	9.14E-02	9.14E-02	9.14E-02	9.14E-02	9.15E-02	9.15E-02
u237	1.34E+05	1.34E+05	1.34E+05	1.21E+05	1.40E+01	9.54E-01	9.09E-01	7.87E-01	6.18E-01
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	2.99E+01	2.99E+01	2.99E+01	1.01E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	1.85E-17	1.85E-17	1.85E-17	1.91E-17	3.27E-17	7.43E-17	1.30E-16	2.95E-16	5.72E-16
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	4.48E-03	4.48E-03	4.48E-03	4.47E-03	3.83E-03	2.36E-03	1.25E-03	1.83E-04	7.52E-06
np236m	8.00E-01	8.00E-01	8.00E-01	3.82E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.85E-06	4.85E-06	4.85E-06	4.85E-06	4.85E-06	4.88E-06	4.88E-06	4.88E-06	4.88E-06
np237	8.93E-02	8.93E-02	8.93E-02	8.94E-02	9.04E-02	9.05E-02	9.05E-02	9.08E-02	9.15E-02
np238	3.13E+04	3.13E+04	3.13E+04	2.26E+04	2.03E-02	2.03E-02	2.02E-02	1.99E-02	1.94E-02
np239	3.27E+06	3.27E+06	3.27E+06	2.43E+06	2.01E+00	2.01E+00	2.01E+00	2.01E+00	2.01E+00
np240m	1.91E-17	1.91E-17	1.91E-17	1.91E-17	3.27E-17	7.43E-17	1.30E-16	2.95E-16	5.72E-16
np240	2.46E-02	2.46E-02	2.46E-02	2.45E-09	3.92E-20	8.92E-20	1.56E-19	3.55E-19	6.86E-19
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	2.05E-01	2.05E-01	2.05E-01	2.05E-01	1.93E-01	1.62E-01	1.27E-01	6.21E-02	1.88E-02
pu237	1.34E-01	1.34E-01	1.34E-01	1.32E-01	3.36E-02	4.92E-04	1.81E-06	9.03E-14	6.11E-26
pu238	4.75E+02	4.75E+02	4.75E+02	4.76E+02	4.90E+02	5.08E+02	5.11E+02	5.01E+02	4.82E+02
pu239	1.62E+02	1.62E+02	1.62E+02	1.63E+02	1.63E+02	1.63E+02	1.63E+02	1.63E+02	1.63E+02
pu240	1.53E+02	1.53E+02	1.53E+02	1.53E+02	1.53E+02	1.53E+02	1.53E+02	1.53E+02	1.53E+02
pu241	4.19E+04	4.19E+04	4.19E+04	4.19E+04	4.14E+04	3.99E+04	3.80E+04	3.29E+04	2.58E+04
pu242	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01
pu243	9.15E+02	9.15E+02	9.15E+02	3.19E+01	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
pu244	1.91E-17	1.91E-17	1.91E-17	1.92E-17	3.27E-17	7.44E-17	1.30E-16	2.96E-16	5.73E-16
pu245	1.90E-13	1.90E-13	1.90E-13	3.89E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	1.51E-16	1.51E-16	1.51E-16	1.46E-16	6.15E-17	6.12E-17	6.12E-17	6.12E-17	6.12E-17
am239	8.26E-05	8.26E-05	8.26E-05	2.04E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	2.45E-02	2.45E-02	2.45E-02	1.76E-02	4.08E-15	.00E+00	.00E+00	.00E+00	.00E+00
am241	5.87E+01	5.87E+01	5.87E+01	5.89E+01	7.51E+01	1.24E+02	1.86E+02	3.55E+02	5.85E+02
am242m	4.53E+00	4.53E+00	4.53E+00	4.53E+00	4.52E+00	4.50E+00	4.48E+00	4.42E+00	4.31E+00
am242	5.65E+03	5.65E+03	5.65E+03	2.00E+03	4.50E+00	4.48E+00	4.46E+00	4.40E+00	4.29E+00
am243	2.01E+00	2.01E+00	2.01E+00	2.01E+00	2.01E+00	2.01E+00	2.01E+00	2.01E+00	2.01E+00
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	9.14E+02	9.14E+02	9.14E+02	1.76E+02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	3.72E-10	3.72E-10	3.72E-10	3.71E-10	3.06E-10	1.68E-10	7.63E-11	7.11E-12	1.36E-13
am246	1.51E-16	1.51E-16	1.51E-16	1.46E-16	6.15E-17	6.12E-17	6.12E-17	6.12E-17	6.12E-17
cm241	1.00E-05	1.00E-05	1.00E-05	9.81E-06	1.50E-06	4.46E-09	1.98E-12	1.74E-22	.00E+00

1

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d

cm242	8.61E+03	8.61E+03	8.61E+03	8.58E+03	5.89E+03	1.83E+03	3.89E+02	7.29E+00	3.55E+00
cm243	3.11E+00	3.11E+00	3.11E+00	3.11E+00	3.09E+00	3.04E+00	2.96E+00	2.78E+00	2.44E+00
cm244	1.23E+02	1.23E+02	1.23E+02	1.23E+02	1.22E+02	1.18E+02	1.14E+02	1.01E+02	8.38E+01
cm245	7.87E-03	7.87E-03	7.87E-03	7.87E-03	7.87E-03	7.87E-03	7.87E-03	7.87E-03	7.87E-03
cm246	9.21E-04	9.21E-04	9.21E-04	9.21E-04	9.21E-04	9.21E-04	9.21E-04	9.21E-04	9.20E-04
cm247	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
cm248	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09
cm249	1.00E-09	1.00E-09	1.00E-09	1.81E-11	5.68E-13	1.27E-17	8.51E-24	.00E+00	.00E+00
cm250	2.45E-16	2.45E-16	2.45E-16	2.45E-16	2.45E-16	2.45E-16	2.45E-16	2.45E-16	2.45E-16
cm251	2.24E-20	2.24E-20	2.24E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	2.56E-05	2.56E-05	2.56E-05	2.56E-05	2.11E-05	1.16E-05	5.26E-06	4.90E-07	9.39E-09
bk250	1.25E-07	1.25E-07	1.25E-07	7.14E-10	5.29E-12	2.68E-12	1.06E-12	6.73E-14	7.16E-16
bk251	4.36E-14	4.36E-14	4.36E-14	4.28E-14	8.79E-15	6.60E-17	1.00E-19	3.49E-28	.00E+00
cf249	1.18E-08	1.18E-08	1.18E-08	1.20E-08	2.32E-08	4.68E-08	6.25E-08	7.40E-08	7.45E-08
cf250	1.90E-07	1.90E-07	1.90E-07	1.90E-07	1.88E-07	1.80E-07	1.71E-07	1.46E-07	1.12E-07
cf251	1.35E-09	1.35E-09	1.35E-09	1.35E-09	1.35E-09	1.35E-09	1.35E-09	1.35E-09	1.34E-09
cf252	1.35E-07	1.35E-07	1.35E-07	1.35E-07	1.27E-07	1.04E-07	8.01E-08	3.65E-08	9.84E-09
cf253	6.06E-09	6.06E-09	6.06E-09	5.83E-09	1.83E-10	4.07E-15	2.74E-21	.00E+00	.00E+00
cf254	7.31E-13	7.31E-13	7.31E-13	7.23E-13	2.61E-13	1.11E-14	1.70E-16	5.99E-22	4.79E-31
cf255	1.57E-18	1.57E-18	1.57E-18	2.39E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	4.86E-09	4.86E-09	4.86E-09	4.89E-09	9.33E-10	1.66E-13	8.05E-19	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	6.63E-12	6.63E-12	6.63E-12	6.61E-12	5.29E-12	2.65E-12	1.06E-12	6.72E-14	6.81E-16
es255	4.35E-14	4.35E-14	4.35E-14	4.27E-14	8.79E-15	6.59E-17	1.00E-19	3.48E-28	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	3.49E+06	3.49E+06	3.49E+06	2.63E+06	4.83E+04	4.28E+04	3.95E+04	3.42E+04	2.73E+04

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 24

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHM for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
h 3	1.31E+02	1.31E+02	1.31E+02	1.31E+02	1.29E+02	1.24E+02	1.17E+02	9.91E+01	7.48E+01
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07
c 14	3.33E-05	3.33E-05	3.33E-05	3.33E-05	3.33E-05	3.33E-05	3.33E-05	3.33E-05	3.33E-05
ni 66	3.70E-04	3.70E-04	3.70E-04	2.73E-04	4.58E-16	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	3.70E-04	3.70E-04	3.70E-04	2.73E-04	4.59E-16	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	4.59E-05	4.59E-05	4.59E-05	3.51E-05	1.40E-15	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	5.92E-05	5.92E-05	5.92E-05	1.77E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	5.51E-05	5.51E-05	5.51E-05	1.65E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	6.03E-11	6.03E-11	6.03E-11	1.83E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	7.31E-08	7.31E-08	7.31E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	6.82E-04	6.82E-04	6.82E-04	1.02E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	1.21E-07	1.21E-07	1.21E-07	1.14E-07	5.17E-10	2.93E-17	7.11E-27	.00E+00	.00E+00
ge 71m	4.43E-13	4.43E-13	4.43E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	1.03E-07	1.03E-07	1.03E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	5.96E-06	5.96E-06	5.96E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	1.70E-05	1.70E-05	1.70E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	2.24E+00	2.24E+00	2.24E+00	1.56E+00	2.32E-14	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	2.79E+00	2.79E+00	2.79E+00	2.11E+00	3.34E-14	.00E+00	.00E+00	.00E+00	.00E+00

ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	5.65E-08	5.65E-08	5.65E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	6.07E-06	6.07E-06	6.07E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	3.54E-05	3.54E-05	3.54E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	6.17E-05	6.17E-05	6.17E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	2.98E-01	2.98E-01	2.98E-01	9.74E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	2.94E-01	2.94E-01	2.94E-01	9.61E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	1.12E-08	1.12E-08	1.12E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	3.98E-06	3.98E-06	3.98E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	4.44E-05	4.44E-05	4.44E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	1.52E-04	1.52E-04	1.52E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	4.76E-05	4.76E-05	4.76E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	2.28E-09	2.28E-09	2.28E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	1.77E-06	1.77E-06	1.77E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	5.62E-05	5.62E-05	5.62E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	3.52E-04	3.52E-04	3.52E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	4.31E-04	4.31E-04	4.31E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	8.11E-04	8.11E-04	8.11E-04	4.78E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	2.34E-05	2.34E-05	2.34E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	7.07E-07	7.07E-07	7.07E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	4.54E-05	4.54E-05	4.54E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 25

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtihm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
zn 76	7.74E-04	7.74E-04	7.74E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	1.16E-03	1.16E-03	1.16E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	1.38E+00	1.38E+00	1.38E+00	7.32E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	1.67E-07	1.67E-07	1.67E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	2.69E-05	2.69E-05	2.69E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	9.49E-04	9.49E-04	9.49E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	2.42E-03	2.42E-03	2.42E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	3.13E+01	3.13E+01	3.13E+01	7.19E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	2.48E-03	2.48E-03	2.48E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	2.99E+02	2.99E+02	2.99E+02	2.00E+02	5.62E-15	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	9.56E-01	9.56E-01	9.56E-01	6.40E-01	1.80E-17	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	3.48E-08	3.48E-08	3.48E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	1.08E-05	1.08E-05	1.08E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	1.21E-03	1.21E-03	1.21E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	5.41E-03	5.41E-03	5.41E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	2.50E-02	2.50E-02	2.50E-02	2.97E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	2.39E-01	2.39E-01	2.39E-01	7.87E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	2.69E-06	2.69E-06	2.69E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	5.81E-04	5.81E-04	5.81E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	5.40E-03	5.40E-03	5.40E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	1.59E-02	1.59E-02	1.59E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	1.72E-02	1.72E-02	1.72E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01
se 79m	1.71E-02	1.71E-02	1.71E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	6.07E-09	6.07E-09	6.07E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	4.70E-08	4.70E-08	4.70E-08	2.92E-08	1.28E-26	.00E+00	.00E+00	.00E+00	.00E+00

cu 80	3.13E-07	3.13E-07	3.13E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	2.20E-04	2.20E-04	2.20E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	4.35E-03	4.35E-03	4.35E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	3.90E-02	3.90E-02	3.90E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	4.54E-02	4.54E-02	4.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	8.13E-04	8.13E-04	8.13E-04	1.89E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	7.59E-04	7.59E-04	7.59E-04	1.76E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 81	3.17E-08	3.17E-08	3.17E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	5.00E-05	5.00E-05	5.00E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	2.75E-03	2.75E-03	2.75E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	4.12E-02	4.12E-02	4.12E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	6.56E-02	6.56E-02	6.56E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	6.91E-02	6.91E-02	6.91E-02	1.97E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	4.97E-03	4.97E-03	4.97E-03	1.34E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08
kr 81m	7.32E-09	7.32E-09	7.32E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	1.12E-05	1.12E-05	1.12E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	1.74E-03	1.74E-03	1.74E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
ge 82	3.95E-02	3.95E-02	3.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	6.45E-02	6.45E-02	6.45E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	2.50E-02	2.50E-02	2.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	2.69E+02	2.69E+02	2.69E+02	1.68E+02	1.03E-16	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	2.42E-03	2.42E-03	2.42E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	5.72E-07	5.72E-07	5.72E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	2.07E-04	2.07E-04	2.07E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	1.76E-02	1.76E-02	1.76E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	1.03E-01	1.03E-01	1.03E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	7.80E-02	7.80E-02	7.80E-02	2.85E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	8.25E-02	8.25E-02	8.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	2.58E+01	2.58E+01	2.58E+01	2.52E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	9.83E+01	9.83E+01	9.83E+01	1.17E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	1.68E-03	1.68E-03	1.68E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	1.16E-02	1.16E-02	1.16E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	7.56E-02	7.56E-02	7.56E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	3.00E-01	3.00E-01	3.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	3.08E-01	3.08E-01	3.08E-01	7.98E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	8.25E-03	8.25E-03	8.25E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	3.30E-06	3.30E-06	3.30E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	2.00E-03	2.00E-03	2.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	4.37E-02	4.37E-02	4.37E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	1.42E-01	1.42E-01	1.42E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	1.24E-01	1.24E-01	1.24E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	3.43E-01	3.43E-01	3.43E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	2.61E+03	2.61E+03	2.61E+03	2.61E+03	2.57E+03	2.45E+03	2.29E+03	1.89E+03	1.37E+03
kr 85m	1.24E+03	1.24E+03	1.24E+03	3.02E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	4.26E-04	4.26E-04	4.26E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	2.45E-02	2.45E-02	2.45E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

se 86	3.39E-01	3.39E-01	3.39E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	4.18E-01	4.18E-01	4.18E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	7.95E-02	7.95E-02	7.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	2.10E+02	2.10E+02	2.10E+02	2.02E+02	7.37E+00	2.63E-04	3.31E-10	6.59E-28	.00E+00
rb 86m	1.21E-04	1.21E-04	1.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	3.56E-03	3.56E-03	3.56E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	1.43E-02	1.43E-02	1.43E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	1.99E-01	1.99E-01	1.99E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	5.45E-01	5.45E-01	5.45E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	9.03E-01	9.03E-01	9.03E-01	1.90E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	1.90E-03	1.90E-03	1.90E-03	5.13E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	6.29E-06	6.29E-06	6.29E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	6.31E-03	6.31E-03	6.31E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	1.07E-01	1.07E-01	1.07E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 27

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
br 88	5.28E-01	5.28E-01	5.28E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	3.99E+02	3.99E+02	3.99E+02	1.14E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	4.46E+02	4.46E+02	4.46E+02	1.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	1.15E-04	1.15E-04	1.15E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	3.76E-02	3.76E-02	3.76E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	3.67E-01	3.67E-01	3.67E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	1.19E+00	1.19E+00	1.19E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	1.29E+00	1.29E+00	1.29E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	1.90E+05	1.90E+05	1.90E+05	1.87E+05	5.52E+04	1.27E+03	8.48E+00	2.53E-06	3.38E-17
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	1.76E+01	1.76E+01	1.76E+01	1.74E+01	5.14E+00	1.18E-01	7.88E-04	2.36E-10	3.15E-21
as 90	1.11E-06	1.11E-06	1.11E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	8.32E-03	8.32E-03	8.32E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	1.99E-01	1.99E-01	1.99E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	1.28E+00	1.28E+00	1.28E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	1.18E+00	1.18E+00	1.18E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	3.74E-01	3.74E-01	3.74E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	2.29E+04	2.29E+04	2.29E+04	2.29E+04	2.28E+04	2.24E+04	2.18E+04	2.03E+04	1.79E+04
y 90	2.33E+04	2.33E+04	2.33E+04	2.32E+04	2.28E+04	2.24E+04	2.19E+04	2.03E+04	1.79E+04
y 90m	2.17E-03	2.17E-03	2.17E-03	1.18E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	8.43E-04	8.43E-04	8.43E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	6.56E-02	6.56E-02	6.56E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	8.77E-01	8.77E-01	8.77E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.56E+00	1.56E+00	1.56E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	4.26E+04	4.26E+04	4.26E+04	7.41E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	2.47E+05	2.47E+05	2.47E+05	2.44E+05	8.52E+04	3.27E+03	4.31E+01	9.93E-05	3.99E-14
y 91m	2.70E+04	2.70E+04	2.70E+04	4.71E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.54E-09	1.54E-09	1.54E-09	1.54E-09	1.54E-09	1.54E-09	1.54E-09	1.53E-09	1.53E-09
se 92	6.98E-05	6.98E-05	6.98E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	1.12E-02	1.12E-02	1.12E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	4.67E-01	4.67E-01	4.67E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	1.38E+00	1.38E+00	1.38E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	5.60E+02	5.60E+02	5.60E+02	1.21E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

y 92	8.23E+03	8.23E+03	8.23E+03	8.75E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12
se 93	5.26E-07	5.26E-07	5.26E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	3.09E-03	3.09E-03	3.09E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	1.60E-01	1.60E-01	1.60E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	1.14E+00	1.14E+00	1.14E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	2.00E+00	2.00E+00	2.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	3.85E+04	3.85E+04	3.85E+04	7.42E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93m	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.97E-02	3.99E-02	5.29E-02	8.87E-02	1.39E-01
br 94	1.61E-04	1.61E-04	1.61E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	7.33E-02	7.33E-02	7.33E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	5.88E-01	5.88E-01	5.88E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 28

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sr 94	1.99E+00	1.99E+00	1.99E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	2.15E+00	2.15E+00	2.15E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	2.34E-05	2.34E-05	2.34E-05	2.34E-05	2.34E-05	2.34E-05	2.34E-05	2.34E-05	2.34E-05
rb 94m	7.24E-07	7.24E-07	7.24E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	1.82E-06	1.82E-06	1.82E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	6.91E-03	6.91E-03	6.91E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	2.85E-01	2.85E-01	2.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	1.78E+00	1.78E+00	1.78E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	2.23E+00	2.23E+00	2.23E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	3.30E+05	3.30E+05	3.30E+05	3.27E+05	1.25E+05	6.33E+03	1.21E+02	8.54E-04	2.21E-12
rb 95	3.35E+05	3.35E+05	3.35E+05	3.35E+05	2.09E+05	1.37E+04	2.76E+02	1.88E-03	4.85E-12
rb 95m	3.83E+03	3.83E+03	3.83E+03	3.80E+03	1.47E+03	7.45E+01	1.43E+00	1.00E-05	2.59E-14
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	4.06E-07	4.06E-07	4.06E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	1.20E-03	1.20E-03	1.20E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	7.10E-02	7.10E-02	7.10E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	1.30E+00	1.30E+00	1.30E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	2.15E+00	2.15E+00	2.15E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	1.77E+02	1.77E+02	1.77E+02	8.70E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	1.62E-05	1.62E-05	1.62E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	1.95E-02	1.95E-02	1.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	6.59E-01	6.59E-01	6.59E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	1.76E+00	1.76E+00	1.76E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	1.19E+05	1.19E+05	1.19E+05	4.44E+04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	1.28E+05	1.28E+05	1.28E+05	4.46E+04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97m	1.13E+05	1.13E+05	1.13E+05	4.21E+04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	5.78E-06	5.78E-06	5.78E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	1.96E-03	1.96E-03	1.96E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	2.70E-01	2.70E-01	2.70E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	1.31E+00	1.31E+00	1.31E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	2.32E+00	2.32E+00	2.32E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	2.33E+00	2.33E+00	2.33E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98m	1.82E-02	1.82E-02	1.82E-02	6.44E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06
rb 99	5.79E-05	5.79E-05	5.79E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr 99	1.05E-01	1.05E-01	1.05E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	8.23E-01	8.23E-01	8.23E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	2.27E+00	2.27E+00	2.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	1.47E+00	1.47E+00	1.47E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	1.01E+00	1.01E+00	1.01E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	2.84E+05	2.84E+05	2.84E+05	2.21E+05	3.92E-05	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.93E+00	3.93E+00	3.93E+00	3.94E+00	3.95E+00	3.95E+00	3.95E+00	3.95E+00	3.95E+00
tc 99m	2.73E+05	2.73E+05	2.73E+05	2.13E+05	3.79E-05	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	1.77E-05	1.77E-05	1.77E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	1.37E-02	1.37E-02	1.37E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	2.62E-01	2.62E-01	2.62E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 29

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
zr100	2.24E+00	2.24E+00	2.24E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	2.43E+00	2.43E+00	2.43E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	1.95E-01	1.95E-01	1.95E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc100	3.88E-01	3.88E-01	3.88E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	1.43E-07	1.43E-07	1.43E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	2.06E-03	2.06E-03	2.06E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	1.32E-01	1.32E-01	1.32E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	1.29E+00	1.29E+00	1.29E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	2.16E+00	2.16E+00	2.16E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	2.27E+00	2.27E+00	2.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	2.28E+00	2.28E+00	2.28E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	3.50E-04	3.50E-04	3.50E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	6.14E-02	6.14E-02	6.14E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	8.93E-01	8.93E-01	8.93E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	1.82E+00	1.82E+00	1.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	2.14E+00	2.14E+00	2.14E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	2.14E+00	2.14E+00	2.14E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	2.19E-03	2.19E-03	2.19E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	2.62E-01	2.62E-01	2.62E-01	2.62E-01	2.47E-01	2.07E-01	1.63E-01	7.94E-02	2.40E-02
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	2.83E-06	2.83E-06	2.83E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	1.83E-02	1.83E-02	1.83E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	3.27E-01	3.27E-01	3.27E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	1.33E+00	1.33E+00	1.33E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	2.05E+00	2.05E+00	2.05E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	2.09E+00	2.09E+00	2.09E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	2.97E+05	2.97E+05	2.97E+05	2.92E+05	6.06E+04	4.70E+02	7.44E-01	2.95E-09	2.93E-23
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	2.96E+05	2.96E+05	2.96E+05	2.91E+05	6.05E+04	4.69E+02	7.42E-01	2.94E-09	2.92E-23
sr104	8.91E-07	8.91E-07	8.91E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	5.07E-04	5.07E-04	5.07E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	9.55E-02	9.55E-02	9.55E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	5.99E-01	5.99E-01	5.99E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	1.59E+00	1.59E+00	1.59E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	1.67E+00	1.67E+00	1.67E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	8.34E-01	8.34E-01	8.34E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	6.09E-02	6.09E-02	6.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

y105	6.30E-06	6.30E-06	6.30E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	2.78E-02	2.78E-02	2.78E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	2.38E-01	2.38E-01	2.38E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	1.15E+00	1.15E+00	1.15E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	1.37E+00	1.37E+00	1.37E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	4.88E+03	4.88E+03	4.88E+03	1.15E+02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	1.40E+05	1.40E+05	1.40E+05	8.81E+04	5.77E-14	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	1.39E+03	1.39E+03	1.39E+03	3.28E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 30

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
y106	1.13E-07	1.13E-07	1.13E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	1.28E-03	1.28E-03	1.28E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	4.44E-02	4.44E-02	4.44E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	6.21E-01	6.21E-01	6.21E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	9.49E-01	9.49E-01	9.49E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	1.12E+05	1.12E+05	1.12E+05	1.11E+05	9.43E+04	5.64E+04	2.86E+04	3.70E+03	1.23E+02
rh106	1.12E+05	1.12E+05	1.12E+05	1.11E+05	9.43E+04	5.64E+04	2.86E+04	3.70E+03	1.23E+02
rh106m	7.06E-01	7.06E-01	7.06E-01	3.27E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	1.37E-12	1.37E-12	1.37E-12	1.19E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	1.03E-09	1.03E-09	1.03E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	1.26E-05	1.26E-05	1.26E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	7.84E-03	7.84E-03	7.84E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	2.46E-01	2.46E-01	2.46E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	6.38E-01	6.38E-01	6.38E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	7.72E-01	7.72E-01	7.72E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	7.74E-01	7.74E-01	7.74E-01	1.00E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02
pd107m	2.22E-03	2.22E-03	2.22E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	5.09E-07	5.09E-07	5.09E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	2.41E-04	2.41E-04	2.41E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	3.49E-02	3.49E-02	3.49E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	2.14E-01	2.14E-01	2.14E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	4.87E-01	4.87E-01	4.87E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	4.95E-01	4.95E-01	4.95E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	8.11E-03	8.11E-03	8.11E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	9.67E-05	9.67E-05	9.67E-05	9.56E-05	9.54E-05	9.50E-05	9.45E-05	9.30E-05	9.05E-05
ag108m	1.10E-03	1.10E-03	1.10E-03	1.10E-03	1.10E-03	1.09E-03	1.09E-03	1.07E-03	1.04E-03
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	3.65E-10	3.65E-10	3.65E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	9.56E-06	9.56E-06	9.56E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	3.65E-03	3.65E-03	3.65E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	7.18E-02	7.18E-02	7.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	3.33E-01	3.33E-01	3.33E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	3.88E-01	3.88E-01	3.88E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	1.94E-01	1.94E-01	1.94E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	1.86E+04	1.86E+04	1.86E+04	5.51E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	1.86E-03	1.86E-03	1.86E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	1.86E+04	1.86E+04	1.86E+04	5.52E+03	7.43E-05	4.92E-05	2.85E-05	5.51E-06	3.57E-07
cd109	8.51E-05	8.51E-05	8.51E-05	8.49E-05	7.43E-05	4.92E-05	2.85E-05	5.51E-06	3.57E-07
nb110	3.81E-07	3.81E-07	3.81E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	3.80E-04	3.80E-04	3.80E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	1.09E-02	1.09E-02	1.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ru110	1.03E-01	1.03E-01	1.03E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	1.80E-02	1.80E-02	1.80E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	1.21E-01	1.21E-01	1.21E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	6.83E+00	6.83E+00	6.83E+00	6.67E+00	5.21E+00	2.43E+00	8.81E-01	4.21E-02	2.65E-04
ag110m	4.92E+02	4.92E+02	4.92E+02	4.91E+02	3.83E+02	1.79E+02	6.48E+01	3.10E+00	1.95E-02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 31

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb111	2.67E-09	2.67E-09	2.67E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	3.33E-05	3.33E-05	3.33E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	2.08E-03	2.08E-03	2.08E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	3.38E-02	3.38E-02	3.38E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	6.76E-02	6.76E-02	6.76E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	1.83E+01	1.83E+01	1.83E+01	8.84E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	2.32E+01	2.32E+01	2.32E+01	1.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	9.60E+03	9.60E+03	9.60E+03	8.75E+03	2.22E+00	1.68E-11	2.92E-26	.00E+00	.00E+00
ag111m	2.27E+01	2.27E+01	2.27E+01	1.10E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	5.75E-05	5.75E-05	5.75E-05	6.92E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb112	9.13E-11	9.13E-11	9.13E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	4.31E-06	4.31E-06	4.31E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	3.36E-04	3.36E-04	3.36E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	1.12E-02	1.12E-02	1.12E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	2.71E-02	2.71E-02	2.71E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	2.22E+03	2.22E+03	2.22E+03	1.01E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	2.60E+03	2.60E+03	2.60E+03	1.18E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	8.04E-08	8.04E-08	8.04E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	7.67E-05	7.67E-05	7.67E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	3.50E-03	3.50E-03	3.50E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	1.29E-02	1.29E-02	1.29E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	1.94E-02	1.94E-02	1.94E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	1.24E+02	1.24E+02	1.24E+02	5.62E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	3.78E-03	3.78E-03	3.78E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14
cd113m	6.30E+00	6.30E+00	6.30E+00	6.30E+00	6.22E+00	5.99E+00	5.71E+00	4.92E+00	3.85E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	1.50E-10	1.50E-10	1.50E-10	6.61E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	4.01E-08	4.01E-08	4.01E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	1.16E-05	1.16E-05	1.16E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	1.26E-03	1.26E-03	1.26E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	6.58E-03	6.58E-03	6.58E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	1.54E-02	1.54E-02	1.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	1.60E-02	1.60E-02	1.60E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	2.06E-01	2.06E-01	2.06E-01	2.03E-01	5.83E-02	1.24E-03	7.44E-06	1.62E-12	1.28E-23
in114m	2.15E-01	2.15E-01	2.15E-01	2.12E-01	6.09E-02	1.29E-03	7.78E-06	1.69E-12	1.34E-23
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	1.75E-10	1.75E-10	1.75E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	3.93E-07	3.93E-07	3.93E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	2.85E-04	2.85E-04	2.85E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	2.69E-03	2.69E-03	2.69E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	9.34E-03	9.34E-03	9.34E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	7.40E-03	7.40E-03	7.40E-03	1.62E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	3.10E-03	3.10E-03	3.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	1.11E+03	1.11E+03	1.11E+03	8.15E+02	7.69E-10	.00E+00	.00E+00	.00E+00	.00E+00

cd115m	6.73E+01	6.73E+01	6.73E+01	6.63E+01	1.66E+01	2.30E-01	7.89E-04	3.16E-11	1.49E-23
in115	3.20E-12	3.20E-12	3.20E-12	3.21E-12	3.23E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12
in115m	1.21E+03	1.21E+03	1.21E+03	8.89E+02	1.84E-03	2.55E-05	8.71E-08	3.50E-15	1.64E-27

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 32

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	1.65E-07	1.65E-07	1.65E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	9.28E-05	9.28E-05	9.28E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	1.34E-03	1.34E-03	1.34E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	1.03E-02	1.03E-02	1.03E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	1.18E-02	1.18E-02	1.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	1.49E-03	1.49E-03	1.49E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	1.65E-03	1.65E-03	1.65E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	6.20E-03	6.20E-03	6.20E-03	6.13E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	2.02E-09	2.02E-09	2.02E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	1.46E-05	1.46E-05	1.46E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	5.21E-04	5.21E-04	5.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	6.95E-03	6.95E-03	6.95E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	6.17E-03	6.17E-03	6.17E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	6.17E-03	6.17E-03	6.17E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	1.99E+00	1.99E+00	1.99E+00	2.50E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	2.55E+00	2.55E+00	2.55E+00	1.81E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	8.25E+00	8.25E+00	8.25E+00	2.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	7.32E+00	7.32E+00	7.32E+00	1.24E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	7.76E+00	7.76E+00	7.76E+00	7.37E+00	7.90E-02	6.38E-08	5.25E-16	.00E+00	.00E+00
tc118	5.98E-11	5.98E-11	5.98E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	2.36E-06	2.36E-06	2.36E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	1.24E-04	1.24E-04	1.24E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	3.32E-03	3.32E-03	3.32E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	5.72E-03	5.72E-03	5.72E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	4.06E-03	4.06E-03	4.06E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	1.00E-02	1.00E-02	1.00E-02	2.42E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	1.00E-02	1.00E-02	1.00E-02	2.42E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	1.30E-05	1.30E-05	1.30E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	3.02E-07	3.02E-07	3.02E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	4.28E-05	4.28E-05	4.28E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	1.69E-03	1.69E-03	1.69E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	6.48E-03	6.48E-03	6.48E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	7.00E-03	7.00E-03	7.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	3.37E-03	3.37E-03	3.37E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	4.39E-03	4.39E-03	4.39E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	6.34E-03	6.34E-03	6.34E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	8.56E+00	8.56E+00	8.56E+00	8.54E+00	6.92E+00	3.61E+00	1.52E+00	1.14E-01	1.52E-03
ru120	3.84E-08	3.84E-08	3.84E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	9.89E-06	9.89E-06	9.89E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	9.45E-04	9.45E-04	9.45E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	4.36E-03	4.36E-03	4.36E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	9.80E-03	9.80E-03	9.80E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	9.97E-03	9.97E-03	9.97E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	1.76E-04	1.76E-04	1.76E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	2.72E-06	2.72E-06	2.72E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 33

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
pd121	3.95E-04	3.95E-04	3.95E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	3.12E-03	3.12E-03	3.12E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	9.79E-03	9.79E-03	9.79E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	9.46E-04	9.46E-04	9.46E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	9.98E-03	9.98E-03	9.98E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	8.45E+02	8.45E+02	8.45E+02	4.57E+02	4.47E-01	4.43E-01	4.38E-01	4.21E-01	3.96E-01
sn121m	5.78E-01	5.78E-01	5.78E-01	5.78E-01	5.77E-01	5.71E-01	5.64E-01	5.43E-01	5.10E-01
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	3.00E-07	3.00E-07	3.00E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	1.30E-04	1.30E-04	1.30E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	1.61E-03	1.61E-03	1.61E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	1.05E-02	1.05E-02	1.05E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	1.17E-02	1.17E-02	1.17E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	1.21E-03	1.21E-03	1.21E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	1.02E+02	1.02E+02	1.02E+02	7.87E+01	9.42E-09	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	9.05E-05	9.05E-05	9.05E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	2.55E-08	2.55E-08	2.55E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	2.26E-05	2.26E-05	2.26E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	6.40E-04	6.40E-04	6.40E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	6.74E-03	6.74E-03	6.74E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	8.66E-03	8.66E-03	8.66E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	2.36E-03	2.36E-03	2.36E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	1.29E+02	1.29E+02	1.29E+02	1.28E+02	7.94E+01	1.81E+01	2.55E+00	7.14E-03	3.96E-07
sn123m	1.13E-02	1.13E-02	1.13E-02	1.75E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	7.02E-14	7.02E-14	7.02E-14	7.03E-14	7.67E-14	8.44E-14	8.61E-14	8.63E-14	8.63E-14
te123m	6.10E-01	6.10E-01	6.10E-01	6.07E-01	3.62E-01	7.36E-02	8.87E-03	1.56E-05	3.96E-10
pd124	1.22E-05	1.22E-05	1.22E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	4.91E-04	4.91E-04	4.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	1.04E-02	1.04E-02	1.04E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	1.95E-02	1.95E-02	1.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	9.48E+01	9.48E+01	9.48E+01	9.37E+01	3.36E+01	1.41E+00	2.11E-02	6.98E-08	5.14E-17
sb124m	1.66E-05	1.66E-05	1.66E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	2.93E-06	2.93E-06	2.93E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	2.21E-04	2.21E-04	2.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	6.43E-03	6.43E-03	6.43E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	1.11E-02	1.11E-02	1.11E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	8.50E-03	8.50E-03	8.50E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	8.84E+02	8.84E+02	8.84E+02	8.22E+02	1.37E+00	3.47E-09	1.36E-20	.00E+00	.00E+00
sn125m	2.01E-02	2.01E-02	2.01E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	1.94E+03	1.94E+03	1.94E+03	1.94E+03	1.83E+03	1.51E+03	1.17E+03	5.46E+02	1.54E+02
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	4.19E+02	4.19E+02	4.19E+02	4.20E+02	4.27E+02	3.68E+02	2.86E+02	1.33E+02	3.75E+01
pd126	6.66E-07	6.66E-07	6.66E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	9.69E-05	9.69E-05	9.69E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	7.50E-03	7.50E-03	7.50E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	2.60E-02	2.60E-02	2.60E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 34

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sb126	6.04E+01	6.04E+01	6.04E+01	5.71E+01	4.13E-01	1.94E-02	1.94E-02	1.94E-02	1.94E-02
sb126m	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	5.37E-05	5.37E-05	5.37E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	5.71E-03	5.71E-03	5.71E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	2.32E-02	2.32E-02	2.32E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	2.32E-02	2.32E-02	2.32E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	2.48E+00	2.48E+00	2.48E+00	9.01E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	6.18E-02	6.18E-02	6.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	1.40E+04	1.40E+04	1.40E+04	1.17E+04	1.29E-03	3.84E-25	.00E+00	.00E+00	.00E+00
te127	1.53E+04	1.53E+04	1.53E+04	1.34E+04	1.58E+03	2.75E+02	2.70E+01	2.54E-02	2.30E-07
te127m	2.78E+03	2.78E+03	2.78E+03	2.77E+03	1.62E+03	2.81E+02	2.75E+01	2.59E-02	2.35E-07
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	4.03E-03	4.03E-03	4.03E-03	3.95E-03	7.26E-04	3.84E-06	3.66E-09	3.18E-18	.00E+00
ag128	2.58E-05	2.58E-05	2.58E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	5.32E-03	5.32E-03	5.32E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	4.16E-02	4.16E-02	4.16E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	1.90E-01	1.90E-01	1.90E-01	8.80E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	4.82E+02	4.82E+02	4.82E+02	7.60E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	2.02E-01	2.02E-01	2.02E-01	1.07E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	7.94E-03	7.94E-03	7.94E-03	3.54E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	2.65E-03	2.65E-03	2.65E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	4.79E-02	4.79E-02	4.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	1.67E-01	1.67E-01	1.67E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	1.63E-01	1.63E-01	1.63E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	1.45E+03	1.45E+03	1.45E+03	3.31E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	9.20E+03	9.20E+03	9.20E+03	7.47E+03	1.18E+03	4.06E+00	2.16E-03	3.29E-13	1.43E-29
te129m	1.18E+04	1.18E+04	1.18E+04	1.16E+04	1.85E+03	6.32E+00	3.37E-03	5.14E-13	2.23E-29
i129	8.75E-03	8.75E-03	8.75E-03	8.75E-03	8.81E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	2.18E+00	2.18E+00	2.18E+00	2.02E+00	1.96E-03	9.36E-13	4.01E-25	.00E+00	.00E+00
cd130	9.79E-04	9.79E-04	9.79E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	3.47E-02	3.47E-02	3.47E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	4.51E-01	4.51E-01	4.51E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	1.44E-01	1.44E-01	1.44E-01	1.53E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	6.04E-01	6.04E-01	6.04E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	6.69E+02	6.69E+02	6.69E+02	1.74E+02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	9.20E-03	9.20E-03	9.20E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	1.52E-04	1.52E-04	1.52E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	1.50E-02	1.50E-02	1.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	3.83E-01	3.83E-01	3.83E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	1.06E+00	1.06E+00	1.06E+00	1.52E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	5.02E+03	5.02E+03	5.02E+03	2.88E+03	1.06E-18	.00E+00	.00E+00	.00E+00	.00E+00
te131m	2.23E+04	2.23E+04	2.23E+04	1.28E+04	4.72E-18	.00E+00	.00E+00	.00E+00	.00E+00
i131	1.82E+05	1.82E+05	1.82E+05	1.68E+05	7.93E+01	3.93E-09	8.31E-23	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	2.14E+03	2.14E+03	2.14E+03	2.12E+03	3.17E+01	3.64E-06	2.09E-15	.00E+00	.00E+00

1

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
cd132	1.85E-05	1.85E-05	1.85E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

in132	4.01E-03	4.01E-03	4.01E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	3.09E-01	3.09E-01	3.09E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	6.30E-01	6.30E-01	6.30E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	6.08E-01	6.08E-01	6.08E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	2.27E+05	2.27E+05	2.27E+05	1.84E+05	1.10E-03	.00E+00	.00E+00	.00E+00	.00E+00
i132	2.34E+05	2.34E+05	2.34E+05	1.89E+05	1.13E-03	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	5.49E+00	5.49E+00	5.49E+00	4.93E+00	3.61E-04	5.88E-17	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	1.28E-04	1.28E-04	1.28E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	8.44E-02	8.44E-02	8.44E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	8.69E-01	8.69E-01	8.69E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	1.50E+00	1.50E+00	1.50E+00	4.20E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	1.24E+00	1.24E+00	1.24E+00	1.86E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	1.86E+05	1.86E+05	1.86E+05	8.36E+04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	2.11E-01	2.11E-01	2.11E-01	1.90E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	3.78E+05	3.78E+05	3.78E+05	3.48E+05	2.88E+00	4.53E-16	.00E+00	.00E+00	.00E+00
xe133m	1.14E+04	1.14E+04	1.14E+04	9.29E+03	6.33E-09	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	6.44E-06	6.44E-06	6.44E-06	6.44E-06	6.34E-06	6.03E-06	5.65E-06	4.63E-06	3.33E-06
in134	2.14E-05	2.14E-05	2.14E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	1.43E-02	1.43E-02	1.43E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	1.59E-01	1.59E-01	1.59E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	1.16E-01	1.16E-01	1.16E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	2.44E+00	2.44E+00	2.44E+00	1.04E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	3.08E+00	3.08E+00	3.08E+00	7.16E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	2.67E-01	2.67E-01	2.67E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	5.57E-02	5.57E-02	5.57E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	2.69E+04	2.69E+04	2.69E+04	2.69E+04	2.48E+04	1.93E+04	1.38E+04	5.02E+03	9.34E+02
cs134m	1.76E+01	1.76E+01	1.76E+01	5.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	1.23E-03	1.23E-03	1.23E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	7.30E-02	7.30E-02	7.30E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	1.31E+00	1.31E+00	1.31E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	3.04E+04	3.04E+04	3.04E+04	2.42E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	1.13E+05	1.13E+05	1.13E+05	2.47E+04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	4.97E+03	4.97E+03	4.97E+03	3.95E+02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01
cs135m	1.87E-02	1.87E-02	1.87E-02	1.24E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	1.46E+01	1.46E+01	1.46E+01	8.18E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	1.08E-04	1.08E-04	1.08E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	1.15E-02	1.15E-02	1.15E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	5.86E-01	5.86E-01	5.86E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	1.20E+00	1.20E+00	1.20E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	5.86E-01	5.86E-01	5.86E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	9.29E+03	9.29E+03	9.29E+03	8.81E+03	8.11E+01	4.10E-05	1.81E-13	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	1.04E+03	1.04E+03	1.04E+03	9.87E+02	9.09E+00	4.59E-06	2.03E-14	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 36

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHM for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sb137	1.11E-02	1.11E-02	1.11E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	1.98E-01	1.98E-01	1.98E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	1.28E+00	1.28E+00	1.28E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	2.51E+00	2.51E+00	2.51E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cs137	3.01E+04	3.01E+04	3.01E+04	3.01E+04	2.99E+04	2.94E+04	2.87E+04	2.68E+04	2.39E+04
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	2.84E+04	2.84E+04	2.84E+04	2.84E+04	2.83E+04	2.78E+04	2.71E+04	2.53E+04	2.26E+04
sb138	1.59E-04	1.59E-04	1.59E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	4.82E-02	4.82E-02	4.82E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	6.48E-01	6.48E-01	6.48E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	2.35E+00	2.35E+00	2.35E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	2.55E+00	2.55E+00	2.55E+00	1.52E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	1.08E-01	1.08E-01	1.08E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11
sb139	1.21E-05	1.21E-05	1.21E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	7.63E-03	7.63E-03	7.63E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	3.15E-01	3.15E-01	3.15E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	1.75E+00	1.75E+00	1.75E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	2.38E+00	2.38E+00	2.38E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	5.47E+00	5.47E+00	5.47E+00	4.37E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	2.12E-02	2.12E-02	2.12E-02	2.11E-02	1.34E-02	3.36E-03	5.34E-04	2.14E-06	2.17E-10
pr139	2.51E-05	2.51E-05	2.51E-05	5.78E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	1.12E-03	1.12E-03	1.12E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	8.03E-02	8.03E-02	8.03E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	1.21E+00	1.21E+00	1.21E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	2.13E+00	2.13E+00	2.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	3.36E+05	3.36E+05	3.36E+05	3.18E+05	2.52E+03	8.05E-04	1.93E-12	.00E+00	.00E+00
la140	3.59E+05	3.59E+05	3.59E+05	3.48E+05	2.91E+03	9.27E-04	2.22E-12	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	2.61E-05	2.61E-05	2.61E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	1.34E-05	1.34E-05	1.34E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	1.08E-02	1.08E-02	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	4.67E-01	4.67E-01	4.67E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	1.63E+00	1.63E+00	1.63E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	2.22E+00	2.22E+00	2.22E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	5.07E+03	5.07E+03	5.07E+03	7.28E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	3.21E+05	3.21E+05	3.21E+05	3.15E+05	4.71E+04	1.33E+02	5.50E-02	3.90E-12	4.74E-29
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	6.27E-06	6.27E-06	6.27E-06	7.84E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	5.27E-06	5.27E-06	5.27E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	2.91E-03	2.91E-03	2.91E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	1.85E-01	1.85E-01	1.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	9.41E-01	9.41E-01	9.41E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	2.11E+00	2.11E+00	2.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	8.45E+00	8.45E+00	8.45E+00	1.52E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06
pr142	2.96E+03	2.96E+03	2.96E+03	1.24E+03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	3.48E-05	3.48E-05	3.48E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 37

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
xe143	2.78E-02	2.78E-02	2.78E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	4.77E-01	4.77E-01	4.77E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	1.80E+00	1.80E+00	1.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	2.08E+00	2.08E+00	2.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	1.85E+05	1.85E+05	1.85E+05	1.12E+05	3.66E-15	.00E+00	.00E+00	.00E+00	.00E+00
pr143	2.92E+05	2.92E+05	2.92E+05	2.85E+05	3.15E+03	2.45E-03	1.92E-11	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

i144	1.40E-06	1.40E-06	1.40E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	5.96E-03	5.96E-03	5.96E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	1.39E-01	1.39E-01	1.39E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	1.40E+00	1.40E+00	1.40E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	1.84E+00	1.84E+00	1.84E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	2.72E+05	2.72E+05	2.72E+05	2.72E+05	2.19E+05	1.12E+05	4.61E+04	3.21E+03	3.77E+01
pr144	2.72E+05	2.72E+05	2.72E+05	2.72E+05	2.19E+05	1.12E+05	4.61E+04	3.21E+03	3.77E+01
pr144m	3.81E+03	3.81E+03	3.81E+03	3.80E+03	3.06E+03	1.57E+03	6.45E+02	4.49E+01	5.28E-01
nd144	3.05E-10	3.05E-10	3.05E-10	3.05E-10	3.25E-10	3.64E-10	3.89E-10	4.06E-10	4.06E-10
i145	4.38E-08	4.38E-08	4.38E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	6.02E-04	6.02E-04	6.02E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	3.42E-02	3.42E-02	3.42E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	6.22E-01	6.22E-01	6.22E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	1.27E+00	1.27E+00	1.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	1.42E+00	1.42E+00	1.42E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	1.30E+04	1.30E+04	1.30E+04	8.04E+02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	1.10E-02	1.10E-02	1.10E-02	1.11E-02	1.31E-02	1.73E-02	1.98E-02	2.00E-02	1.67E-02
sm145	2.46E-01	2.46E-01	2.46E-01	2.46E-01	2.05E-01	1.17E-01	5.55E-02	5.95E-03	1.44E-04
xe146	5.41E-05	5.41E-05	5.41E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	7.53E-03	7.53E-03	7.53E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	3.22E-01	3.22E-01	3.22E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	8.26E-01	8.26E-01	8.26E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	1.13E+00	1.13E+00	1.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	1.14E+00	1.14E+00	1.14E+00	2.90E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	8.29E-01	8.29E-01	8.29E-01	8.29E-01	8.04E-01	7.32E-01	6.45E-01	4.43E-01	2.37E-01
sm146	4.64E-08	4.64E-08	4.64E-08	4.64E-08	4.68E-08	4.81E-08	4.97E-08	5.34E-08	5.71E-08
xe147	1.70E-07	1.70E-07	1.70E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	1.69E-04	1.69E-04	1.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	5.40E-02	5.40E-02	5.40E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	3.55E-01	3.55E-01	3.55E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	8.50E-01	8.50E-01	8.50E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	8.96E-01	8.96E-01	8.96E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	1.23E+05	1.23E+05	1.23E+05	1.15E+05	4.19E+02	1.19E-05	1.16E-15	.00E+00	.00E+00
pm147	5.37E+04	5.37E+04	5.37E+04	5.37E+04	5.16E+04	4.23E+04	3.25E+04	1.47E+04	3.92E+03
sm147	6.95E-07	6.95E-07	6.95E-07	6.96E-07	7.81E-07	1.01E-06	1.25E-06	1.69E-06	1.96E-06
cs148	3.09E-05	3.09E-05	3.09E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	1.07E-02	1.07E-02	1.07E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	1.12E-01	1.12E-01	1.12E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	5.99E-01	5.99E-01	5.99E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	6.93E-01	6.93E-01	6.93E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	2.58E+04	2.58E+04	2.58E+04	2.28E+04	9.38E+01	9.22E-01	2.00E-03	2.06E-11	1.00E-24
pm148m	8.01E+03	8.01E+03	8.01E+03	7.88E+03	1.77E+03	1.74E+01	3.79E-02	3.90E-10	1.90E-23

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 38

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sm148	8.66E-12	8.66E-12	8.66E-12	8.67E-12	8.80E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12
cs149	2.54E-07	2.54E-07	2.54E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	1.20E-03	1.20E-03	1.20E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	3.21E-02	3.21E-02	3.21E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	3.09E-01	3.09E-01	3.09E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	4.78E-01	4.78E-01	4.78E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	5.38E+00	5.38E+00	5.38E+00	3.49E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	7.39E+04	7.39E+04	7.39E+04	5.41E+04	4.17E-08	.00E+00	.00E+00	.00E+00	.00E+00
sm149	2.96E-13	2.96E-13	2.96E-13	3.09E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13
eu149	3.54E-07	3.54E-07	3.54E-07	3.51E-07	1.81E-07	2.33E-08	1.53E-09	4.38E-13	5.41E-19

cs150	3.25E-08	3.25E-08	3.25E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	1.08E-04	1.08E-04	1.08E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	5.38E-03	5.38E-03	5.38E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	1.38E-01	1.38E-01	1.38E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	2.95E-01	2.95E-01	2.95E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	9.33E-01	9.33E-01	9.33E-01	1.88E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	1.43E-05	1.43E-05	1.43E-05	1.43E-05	1.42E-05	1.40E-05	1.37E-05	1.29E-05	1.18E-05
ba151	1.09E-06	1.09E-06	1.09E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	9.13E-04	9.13E-04	9.13E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	3.94E-02	3.94E-02	3.94E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	1.53E-01	1.53E-01	1.53E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	2.57E-01	2.57E-01	2.57E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	2.12E+04	2.12E+04	2.12E+04	1.18E+04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	1.62E+02	1.62E+02	1.62E+02	1.63E+02	1.63E+02	1.62E+02	1.61E+02	1.57E+02	1.51E+02
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	5.82E-09	5.82E-09	5.82E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	1.24E-05	1.24E-05	1.24E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	4.48E-03	4.48E-03	4.48E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	4.94E-02	4.94E-02	4.94E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	1.71E-01	1.71E-01	1.71E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	1.78E-01	1.78E-01	1.78E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	6.29E-03	6.29E-03	6.29E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	4.68E+00	4.68E+00	4.68E+00	4.68E+00	4.62E+00	4.45E+00	4.22E+00	3.61E+00	2.78E+00
eu152m	9.33E+00	9.33E+00	9.33E+00	1.56E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	5.34E-13	5.34E-13	5.34E-13	5.35E-13	5.37E-13	5.43E-13	5.50E-13	5.71E-13	6.00E-13
la153	7.27E-06	7.27E-06	7.27E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	1.84E-03	1.84E-03	1.84E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	2.12E-02	2.12E-02	2.12E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	9.74E-02	9.74E-02	9.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	1.18E-01	1.18E-01	1.18E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	4.57E+04	4.57E+04	4.57E+04	3.19E+04	4.07E-10	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	2.51E+00	2.51E+00	2.51E+00	2.51E+00	1.94E+00	8.81E-01	3.09E-01	1.33E-02	7.05E-05
la154	1.90E-07	1.90E-07	1.90E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	1.88E-04	1.88E-04	1.88E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	4.02E-03	4.02E-03	4.02E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	4.77E-02	4.77E-02	4.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	6.03E-02	6.03E-02	6.03E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	1.26E-02	1.26E-02	1.26E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 39

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtihm for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	1.97E+03	1.97E+03	1.97E+03	1.97E+03	1.95E+03	1.82E+03	1.68E+03	1.32E+03	8.81E+02
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	9.35E-10	9.35E-10	9.35E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	1.62E-05	1.62E-05	1.62E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	8.82E-04	8.82E-04	8.82E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	1.64E-02	1.64E-02	1.64E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	3.78E-02	3.78E-02	3.78E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	4.59E-02	4.59E-02	4.59E-02	1.73E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	1.54E+03	1.54E+03	1.54E+03	1.54E+03	1.48E+03	1.33E+03	1.14E+03	7.34E+02	3.50E+02
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	1.26E-06	1.26E-06	1.26E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pr156	1.26E-04	1.26E-04	1.26E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	5.76E-03	5.76E-03	5.76E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	1.88E-02	1.88E-02	1.88E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	7.18E+02	7.18E+02	7.18E+02	1.22E+02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	1.66E+04	1.66E+04	1.66E+04	1.59E+04	2.73E+02	9.55E-04	5.49E-11	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	5.99E-08	5.99E-08	5.99E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	1.90E-05	1.90E-05	1.90E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	1.42E-03	1.42E-03	1.42E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	8.27E-03	8.27E-03	8.27E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	1.78E-02	1.78E-02	1.78E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	1.03E+03	1.03E+03	1.03E+03	3.43E+02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	9.90E-07	9.90E-07	9.90E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	2.36E-04	2.36E-04	2.36E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	2.17E-03	2.17E-03	2.17E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	9.07E-03	9.07E-03	9.07E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	1.02E-02	1.02E-02	1.02E-02	4.12E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	4.03E-08	4.03E-08	4.03E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	2.09E-05	2.09E-05	2.09E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	4.86E-04	4.86E-04	4.86E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	3.64E-03	3.64E-03	3.64E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	5.11E-03	5.11E-03	5.11E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	3.61E+02	3.61E+02	3.61E+02	1.47E+02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	1.23E-06	1.23E-06	1.23E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	5.38E-05	5.38E-05	5.38E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	1.07E-03	1.07E-03	1.07E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	2.06E-03	2.06E-03	2.06E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	9.97E+01	9.97E+01	9.97E+01	9.87E+01	4.21E+01	3.01E+00	9.06E-02	2.48E-06	6.19E-14
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	4.71E-08	4.71E-08	4.71E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	6.09E-06	6.09E-06	6.09E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	2.26E-04	2.26E-04	2.26E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	7.86E-04	7.86E-04	7.86E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	1.10E-03	1.10E-03	1.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	1.53E+02	1.53E+02	1.53E+02	1.39E+02	1.82E-02	1.79E-14	2.08E-30	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 40

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHM for grams

	charge	discharge	.0 d	1.0 d	90.0 d	365.3 d	730.5 d	1826.3 d	3652.5 d
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	3.20E-07	3.20E-07	3.20E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	3.26E-05	3.26E-05	3.26E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	1.98E-04	1.98E-04	1.98E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	4.70E-04	4.70E-04	4.70E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	4.79E-04	4.79E-04	4.79E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	7.51E-04	7.51E-04	7.51E-04	4.32E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	2.54E-06	2.54E-06	2.54E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	3.88E-05	3.88E-05	3.88E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	1.66E-04	1.66E-04	1.66E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	1.91E-04	1.91E-04	1.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	1.66E-07	1.66E-07	1.66E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	4.55E-06	4.55E-06	4.55E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

gd164	4.92E-05	4.92E-05	4.92E-05	5.01E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	6.90E-05	6.90E-05	6.90E-05	5.82E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	7.46E-09	7.46E-09	7.46E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	4.90E-07	4.90E-07	4.90E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	1.06E-05	1.06E-05	1.06E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	2.36E-05	2.36E-05	2.36E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	2.05E-02	2.05E-02	2.05E-02	1.65E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	1.31E-04	1.31E-04	1.31E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	4.93E-01	4.93E-01	4.93E-01	4.02E-01	5.31E-09	.00E+00	.00E+00	.00E+00	.00E+00
ho166	2.53E+00	2.53E+00	2.53E+00	1.56E+00	7.91E-09	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	4.27E-05	4.27E-05	4.27E-05	4.27E-05	4.27E-05	4.27E-05	4.27E-05	4.26E-05	4.25E-05
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	1.29E-10	1.29E-10	1.29E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	9.37E-04	9.37E-04	9.37E-04	8.71E-04	1.23E-06	1.89E-15	3.79E-27	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	5.77E-06	5.77E-06	5.77E-06	5.74E-06	3.55E-06	8.06E-07	1.12E-07	3.06E-10	1.62E-14
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	1.53E-04	1.53E-04	1.53E-04	1.67E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	7.42E-04	7.42E-04	7.42E-04	7.42E-04	6.79E-04	5.17E-04	3.61E-04	1.22E-04	2.01E-05
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	6.25E-04	6.25E-04	6.25E-04	4.46E-04	4.05E-17	.00E+00	.00E+00	.00E+00	.00E+00
tm172	8.76E-04	8.76E-04	8.76E-04	7.98E-04	1.82E-13	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	7.20E+06	7.20E+06	7.20E+06	6.07E+06	1.48E+06	5.36E+05	3.03E+05	1.31E+05	9.05E+04

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 44

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	2.82E-14	7.02E-14	1.41E-13	3.88E-13	1.43E-12	8.23E-12	2.20E-11	4.34E-11	7.26E-11	1.10E-10	2.07E-10
tl207	4.37E-06	6.17E-06	7.92E-06	1.13E-05	1.77E-05	3.26E-05	4.70E-05	6.14E-05	7.57E-05	9.01E-05	1.19E-04
tl208	3.34E-03	3.63E-03	3.80E-03	3.32E-03	2.73E-03	1.66E-03	1.01E-03	6.15E-04	3.74E-04	2.28E-04	8.46E-05
tl209	3.60E-10	4.93E-10	6.45E-10	1.01E-09	1.96E-09	5.89E-09	1.23E-08	2.16E-08	3.42E-08	5.03E-08	9.43E-08
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	1.71E-08	2.35E-08	3.07E-08	4.79E-08	9.36E-08	2.80E-07	5.86E-07	1.03E-06	1.63E-06	2.39E-06	4.49E-06
pb210	2.13E-08	5.32E-08	1.06E-07	2.94E-07	1.09E-06	6.23E-06	1.67E-05	3.29E-05	5.50E-05	8.30E-05	1.57E-04
pb211	4.38E-06	6.19E-06	7.95E-06	1.13E-05	1.77E-05	3.26E-05	4.72E-05	6.16E-05	7.59E-05	9.03E-05	1.19E-04
pb212	9.29E-03	1.01E-02	1.00E-02	9.24E-03	7.60E-03	4.62E-03	2.81E-03	1.71E-03	1.04E-03	6.34E-04	2.35E-04
pb214	1.68E-07	3.22E-07	5.28E-07	1.10E-06	2.87E-06	1.12E-05	2.52E-05	4.52E-05	7.11E-05	1.03E-04	1.84E-04
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	2.13E-08	5.32E-08	1.06E-07	2.94E-07	1.09E-06	6.23E-06	1.67E-05	3.29E-05	5.50E-05	8.30E-05	1.57E-04
bi211	4.38E-06	6.19E-06	7.95E-06	1.13E-05	1.77E-05	3.26E-05	4.72E-05	6.16E-05	7.59E-05	9.03E-05	1.19E-04
bi212	9.29E-03	1.01E-02	1.00E-02	9.24E-03	7.60E-03	4.62E-03	2.81E-03	1.71E-03	1.04E-03	6.34E-04	2.35E-04
bi213	1.71E-08	2.35E-08	3.07E-08	4.79E-08	9.36E-08	2.80E-07	5.86E-07	1.03E-06	1.63E-06	2.39E-06	4.49E-06
bi214	1.68E-07	3.22E-07	5.28E-07	1.10E-06	2.87E-06	1.12E-05	2.52E-05	4.52E-05	7.11E-05	1.03E-04	1.84E-04
po210	2.13E-08	5.32E-08	1.07E-07	2.94E-07	1.09E-06	6.23E-06	1.67E-05	3.29E-05	5.50E-05	8.30E-05	1.57E-04

pa211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa211	1.20E-08	1.70E-08	2.18E-08	3.11E-08	4.87E-08	8.98E-08	1.30E-07	1.69E-07	2.09E-07	2.48E-07	3.27E-07
pa212	5.95E-03	6.46E-03	6.42E-03	5.92E-03	4.87E-03	2.96E-03	1.80E-03	1.10E-03	6.67E-04	4.06E-04	1.51E-04
pa213	1.68E-08	2.30E-08	3.01E-08	4.69E-08	9.16E-08	2.74E-07	5.74E-07	1.01E-06	1.59E-06	2.34E-06	4.40E-06
pa214	1.68E-07	3.22E-07	5.28E-07	1.10E-06	2.87E-06	1.12E-05	2.52E-05	4.52E-05	7.11E-05	1.03E-04	1.84E-04
pa215	4.38E-06	6.19E-06	7.95E-06	1.13E-05	1.77E-05	3.26E-05	4.72E-05	6.16E-05	7.59E-05	9.03E-05	1.19E-04
pa216	9.29E-03	1.01E-02	1.00E-02	9.24E-03	7.60E-03	4.62E-03	2.81E-03	1.71E-03	1.04E-03	6.34E-04	2.35E-04
pa218	1.68E-07	3.23E-07	5.28E-07	1.10E-06	2.87E-06	1.12E-05	2.53E-05	4.52E-05	7.11E-05	1.03E-04	1.84E-04
at217	1.71E-08	2.35E-08	3.07E-08	4.79E-08	9.36E-08	2.80E-07	5.86E-07	1.08E-06	1.63E-06	2.39E-06	4.49E-06
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	4.38E-06	6.19E-06	7.95E-06	1.13E-05	1.77E-05	3.26E-05	4.72E-05	6.16E-05	7.59E-05	9.03E-05	1.19E-04
rn220	9.29E-03	1.01E-02	1.00E-02	9.24E-03	7.60E-03	4.62E-03	2.81E-03	1.71E-03	1.04E-03	6.34E-04	2.35E-04
rn222	1.68E-07	3.23E-07	5.28E-07	1.10E-06	2.87E-06	1.12E-05	2.53E-05	4.52E-05	7.11E-05	1.03E-04	1.84E-04
fr221	1.71E-08	2.35E-08	3.07E-08	4.79E-08	9.36E-08	2.80E-07	5.86E-07	1.08E-06	1.63E-06	2.39E-06	4.49E-06
fr223	6.03E-08	8.53E-08	1.09E-07	1.56E-07	2.44E-07	4.50E-07	6.50E-07	8.49E-07	1.05E-06	1.25E-06	1.64E-06
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	4.38E-06	6.19E-06	7.95E-06	1.13E-05	1.77E-05	3.26E-05	4.72E-05	6.16E-05	7.59E-05	9.03E-05	1.19E-04
ra224	9.29E-03	1.01E-02	1.00E-02	9.24E-03	7.60E-03	4.62E-03	2.81E-03	1.71E-03	1.04E-03	6.34E-04	2.35E-04
ra225	1.71E-08	2.35E-08	3.07E-08	4.79E-08	9.36E-08	2.80E-07	5.86E-07	1.08E-06	1.63E-06	2.39E-06	4.49E-06
ra226	1.68E-07	3.23E-07	5.28E-07	1.10E-06	2.87E-06	1.12E-05	2.53E-05	4.52E-05	7.11E-05	1.03E-04	1.84E-04
ra228	2.58E-11	4.43E-11	6.47E-11	1.08E-10	1.98E-10	4.24E-10	6.51E-10	8.78E-10	1.11E-09	1.33E-09	1.83E-09
ac225	1.71E-08	2.35E-08	3.07E-08	4.79E-08	9.36E-08	2.80E-07	5.86E-07	1.08E-06	1.63E-06	2.39E-06	4.49E-06
ac227	4.37E-06	6.18E-06	7.93E-06	1.13E-05	1.77E-05	3.26E-05	4.71E-05	6.15E-05	7.59E-05	9.03E-05	1.19E-04
ac228	2.58E-11	4.43E-11	6.47E-11	1.08E-10	1.98E-10	4.24E-10	6.51E-10	8.78E-10	1.11E-09	1.33E-09	1.83E-09
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	4.32E-06	6.10E-06	7.84E-06	1.12E-05	1.75E-05	3.22E-05	4.65E-05	6.07E-05	7.49E-05	8.91E-05	1.17E-04
th228	9.28E-03	1.01E-02	1.00E-02	9.24E-03	7.60E-03	4.62E-03	2.81E-03	1.71E-03	1.04E-03	6.34E-04	2.35E-04
th229	1.71E-08	2.35E-08	3.07E-08	4.79E-08	9.36E-08	2.80E-07	5.86E-07	1.08E-06	1.63E-06	2.39E-06	4.49E-06
th230	5.96E-05	8.34E-05	1.08E-04	1.57E-04	2.58E-04	5.26E-04	8.10E-04	1.10E-03	1.40E-03	1.71E-03	2.33E-03
th231	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.37E-02	1.37E-02	1.37E-02	1.37E-02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 45

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
th232	5.44E-11	7.69E-11	9.95E-11	1.45E-10	2.35E-10	4.61E-10	6.88E-10	9.16E-10	1.14E-09	1.37E-09	1.83E-09
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	1.59E-05	1.74E-05	1.88E-05	2.17E-05	2.74E-05	4.18E-05	5.62E-05	7.06E-05	8.49E-05	9.93E-05	1.28E-04
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	9.15E-02	9.26E-02	9.40E-02	9.72E-02	1.05E-01	1.26E-01	1.45E-01	1.64E-01	1.81E-01	1.96E-01	2.24E-01
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.02E-02	1.02E-02	9.87E-03	9.00E-03	7.38E-03	4.49E-03	2.73E-03	1.66E-03	1.01E-03	6.17E-04	2.29E-04
u233	1.35E-05	1.55E-05	1.75E-05	2.17E-05	3.04E-05	5.55E-05	8.50E-05	1.19E-04	1.56E-04	1.97E-04	2.89E-04
u234	5.15E-01	5.22E-01	5.28E-01	5.40E-01	5.62E-01	6.03E-01	6.30E-01	6.49E-01	6.62E-01	6.70E-01	6.80E-01
u235	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.36E-02	1.37E-02	1.37E-02	1.37E-02	1.37E-02
u236	9.15E-02	9.15E-02	9.15E-02	9.16E-02	9.17E-02	9.19E-02	9.21E-02	9.23E-02	9.26E-02	9.28E-02	9.32E-02
u237	6.18E-01	4.85E-01	3.81E-01	2.35E-01	8.95E-02	7.99E-03	7.14E-04	6.39E-05	5.88E-06	6.92E-07	1.86E-07
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	5.72E-16	8.48E-16	1.12E-15	1.68E-15	2.78E-15	5.55E-15	8.31E-15	1.11E-14	1.38E-14	1.66E-14	2.21E-14
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	7.52E-06	3.08E-07	1.26E-08	2.11E-11	5.94E-17	7.99E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.88E-06	4.88E-06	4.88E-06	4.88E-06	4.88E-06	4.88E-06	4.88E-06	4.88E-06	4.88E-06	4.88E-06	4.87E-06
np237	9.15E-02	9.26E-02	9.40E-02	9.72E-02	1.05E-01	1.26E-01	1.45E-01	1.64E-01	1.81E-01	1.96E-01	2.24E-01

np238	1.94E-02	1.89E-02	1.85E-02	1.76E-02	1.59E-02	1.25E-02	9.74E-03	7.62E-03	5.96E-03	4.66E-03	2.85E-03
np239	2.01E+00	2.01E+00	2.01E+00	2.01E+00	2.00E+00	2.00E+00	1.99E+00	1.98E+00	1.97E+00	1.96E+00	1.94E+00
np240m	5.72E-16	8.48E-16	1.12E-15	1.68E-15	2.78E-15	5.55E-15	8.31E-15	1.11E-14	1.38E-14	1.66E-14	2.21E-14
np240	6.86E-19	1.02E-18	1.35E-18	2.01E-18	3.34E-18	6.66E-18	9.97E-18	1.33E-17	1.66E-17	1.99E-17	2.66E-17
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.88E-02	5.69E-03	1.72E-03	1.58E-04	1.76E-06	4.35E-07	4.34E-07	4.34E-07	4.34E-07	4.34E-07	4.34E-07
pu237	6.11E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	4.82E+02	4.64E+02	4.46E+02	4.12E+02	3.52E+02	2.38E+02	1.61E+02	1.09E+02	7.38E+01	5.00E+01	2.31E+01
pu239	1.63E+02	1.63E+02	1.63E+02	1.63E+02	1.63E+02	1.63E+02	1.63E+02	1.62E+02	1.62E+02	1.62E+02	1.62E+02
pu240	1.53E+02	1.52E+02	1.52E+02	1.52E+02	1.52E+02	1.51E+02	1.51E+02	1.50E+02	1.49E+02	1.48E+02	1.47E+02
pu241	2.58E+04	2.08E+04	1.59E+04	9.83E+03	3.74E+03	3.34E+02	2.98E+01	2.67E+00	2.46E-01	2.85E-02	7.80E-03
pu242	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01	2.80E-01
pu243	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
pu244	5.73E-16	8.49E-16	1.13E-15	1.68E-15	2.79E-15	5.55E-15	8.32E-15	1.11E-14	1.39E-14	1.66E-14	2.22E-14
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	6.12E-17	6.12E-17	6.12E-17	6.12E-17	6.11E-17	6.10E-17	6.09E-17	6.07E-17	6.06E-17	6.05E-17	6.03E-17
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	5.85E+02	7.64E+02	9.01E+02	1.09E+03	1.25E+03	1.26E+03	1.17E+03	1.08E+03	1.00E+03	9.24E+02	7.87E+02
am242m	4.31E+00	4.20E+00	4.10E+00	3.91E+00	3.54E+00	2.77E+00	2.16E+00	1.69E+00	1.32E+00	1.04E+00	6.33E-01
am242	4.29E+00	4.19E+00	4.08E+00	3.89E+00	3.52E+00	2.76E+00	2.16E+00	1.69E+00	1.32E+00	1.03E+00	6.31E-01
am243	2.01E+00	2.01E+00	2.01E+00	2.01E+00	2.00E+00	2.00E+00	1.99E+00	1.98E+00	1.97E+00	1.96E+00	1.94E+00
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	1.36E-13	2.61E-15	4.99E-17	1.83E-20	2.46E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	6.12E-17	6.12E-17	6.12E-17	6.12E-17	6.11E-17	6.10E-17	6.09E-17	6.07E-17	6.06E-17	6.05E-17	6.03E-17
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 46

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
cm242	3.55E+00	3.46E+00	3.38E+00	3.22E+00	2.91E+00	2.28E+00	1.78E+00	1.39E+00	1.09E+00	8.53E-01	5.21E-01
cm243	2.44E+00	2.16E+00	1.91E+00	1.50E+00	9.22E-01	2.73E-01	8.10E-02	2.40E-02	7.12E-03	2.11E-03	1.85E-04
cm244	8.38E+01	6.92E+01	5.71E+01	3.89E+01	1.81E+01	2.67E+00	3.93E-01	5.79E-02	8.54E-03	1.26E-03	2.73E-05
cm245	7.87E-03	7.86E-03	7.86E-03	7.85E-03	7.84E-03	7.81E-03	7.78E-03	7.74E-03	7.71E-03	7.68E-03	7.62E-03
cm246	9.20E-04	9.19E-04	9.19E-04	9.17E-04	9.15E-04	9.08E-04	9.01E-04	8.95E-04	8.88E-04	8.82E-04	8.69E-04
cm247	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
cm248	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09	6.96E-09
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	2.45E-16	2.45E-16	2.45E-16	2.45E-16	2.44E-16	2.44E-16	2.43E-16	2.43E-16	2.42E-16	2.42E-16	2.41E-16
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	9.39E-09	1.80E-10	3.44E-12	1.26E-15	1.69E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	7.16E-16	4.12E-17	3.43E-17	3.42E-17	3.42E-17	3.42E-17	3.41E-17	3.40E-17	3.39E-17	3.39E-17	3.37E-17
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	7.45E-08	7.38E-08	7.31E-08	7.16E-08	6.89E-08	6.24E-08	5.65E-08	5.12E-08	4.64E-08	4.20E-08	3.45E-08
cf250	1.12E-07	8.59E-08	6.59E-08	3.88E-08	1.34E-08	9.49E-10	6.71E-11	4.74E-12	3.35E-13	2.37E-14	1.52E-16
cf251	1.34E-09	1.34E-09	1.33E-09	1.32E-09	1.30E-09	1.25E-09	1.21E-09	1.16E-09	1.12E-09	1.07E-09	9.94E-10
cf252	9.84E-09	2.65E-09	7.16E-10	5.21E-11	2.75E-13	5.61E-19	1.14E-24	2.33E-30	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	4.79E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	6.81E-16	6.90E-18	7.00E-20	7.18E-24	6.85E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	2.73E+04	2.19E+04	1.77E+04	1.17E+04	5.69E+03	2.16E+03	1.69E+03	1.52E+03	1.40E+03	1.29E+03	1.13E+03

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 64

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
h 3	7.48E+01	5.65E+01	4.27E+01	2.43E+01	7.90E+00	4.75E-01	2.86E-02	1.72E-03	1.03E-04	6.21E-06	2.25E-08
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07	8.26E-07
c 14	3.33E-05	3.32E-05	3.32E-05	3.32E-05	3.31E-05	3.29E-05	3.27E-05	3.25E-05	3.23E-05	3.21E-05	3.17E-05
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 65

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.92E-01	1.91E-01	1.91E-01	1.91E-01
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08	1.48E-08
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 66

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHM for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	1.37E+03	9.90E+02	7.17E+02	3.75E+02	1.09E+02	4.06E+00	1.60E-01	6.31E-03	2.49E-04	9.82E-06	1.53E-08
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 67

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	3.38E-17	4.51E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	3.15E-21	4.56E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	1.79E+04	1.59E+04	1.40E+04	1.10E+04	6.70E+03	1.96E+03	5.71E+02	1.67E+02	4.86E+01	1.42E+01	1.21E+00
y 90	1.79E+04	1.59E+04	1.40E+04	1.10E+04	6.70E+03	1.96E+03	5.71E+02	1.67E+02	4.86E+01	1.42E+01	1.21E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	3.99E-14	1.60E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.53E-09	1.52E-09	1.51E-09	1.50E-09	1.47E-09	1.39E-09	1.32E-09	1.26E-09	1.20E-09	1.14E-09	1.03E-09
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93m	1.39E-01	1.80E-01	2.12E-01	2.60E-01	3.11E-01	3.45E-01	3.48E-01	3.49E-01	3.49E-01	3.49E-01	3.49E-01
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 68

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	2.34E-05	2.34E-05	2.34E-05	2.34E-05	2.34E-05	2.33E-05	2.33E-05	2.32E-05	2.32E-05	2.32E-05	2.31E-05
rb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	2.21E-12	5.69E-21	1.47E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	4.86E-12	1.25E-20	3.23E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	2.59E-14	6.69E-23	1.60E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.95E+00	3.95E+00	3.95E+00	3.94E+00	3.94E+00	3.94E+00	3.94E+00	3.94E+00	3.94E+00	3.94E+00	3.94E+00
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 69

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	2.40E-02	7.28E-03	2.20E-03	2.02E-04	1.69E-06	1.09E-11	7.04E-17	4.54E-22	2.93E-27	2.28E-32	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	2.93E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	2.92E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 70

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	1.23E+02	4.07E+00	1.35E-01	1.48E-04	1.79E-10	2.89E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	1.23E+02	4.07E+00	1.35E-01	1.48E-04	1.79E-10	2.89E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	9.05E-05	8.80E-05	8.57E-05	8.11E-05	7.27E-05	5.54E-05	4.21E-05	3.21E-05	2.44E-05	1.85E-05	1.08E-05
ag108m	1.04E-03	1.01E-03	9.85E-04	9.32E-04	8.36E-04	6.36E-04	4.84E-04	3.69E-04	2.81E-04	2.14E-04	1.24E-04
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	3.57E-07	2.31E-08	1.50E-09	6.30E-12	1.11E-16	1.45E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	3.57E-07	2.31E-08	1.50E-09	6.30E-12	1.11E-16	1.45E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	2.65E-04	1.67E-06	1.05E-08	4.15E-13	6.51E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	1.95E-02	1.23E-04	7.72E-07	3.05E-11	4.79E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 71

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14
cd113m	3.85E+00	3.01E+00	2.36E+00	1.44E+00	5.39E-01	4.61E-02	3.95E-03	3.38E-04	2.90E-05	2.48E-06	1.82E-08
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	1.28E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	1.34E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	1.49E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12
in115m	1.64E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 72

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	1.52E-03	2.02E-05	2.68E-07	4.75E-11	1.49E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 73

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	3.96E-01	3.72E-01	3.49E-01	3.08E-01	2.39E-01	1.27E-01	6.78E-02	3.61E-02	1.92E-02	1.02E-02	2.90E-03
sn121m	5.10E-01	4.79E-01	4.49E-01	3.96E-01	3.08E-01	1.64E-01	8.74E-02	4.65E-02	2.48E-02	1.32E-02	3.74E-03
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	3.96E-07	2.19E-11	1.21E-15	3.73E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14
te123m	3.96E-10	1.01E-14	2.57E-19	1.67E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	5.14E-17	3.78E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	1.54E+02	4.31E+01	1.21E+01	9.56E-01	5.96E-03	1.82E-08	5.59E-14	1.71E-19	5.24E-25	1.60E-30	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	3.75E+01	1.05E+01	2.96E+00	2.34E-01	1.45E-03	4.45E-09	1.36E-14	4.18E-20	1.28E-25	3.88E-31	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.38E-01	1.38E-01	1.38E-01

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 74

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sb126	1.94E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02
sb126m	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.39E-01	1.38E-01	1.38E-01	1.38E-01
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	2.30E-07	2.08E-12	1.88E-17	1.54E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	2.35E-07	2.12E-12	1.92E-17	1.57E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	1.43E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	2.23E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 75

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	3.33E-06	2.40E-06	1.73E-06	8.93E-07	2.39E-07	8.86E-09	3.29E-10	1.22E-11	4.52E-13	1.68E-14	2.31E-17
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	9.34E+02	1.74E+02	3.24E+01	1.12E+00	1.35E-03	6.78E-11	3.39E-18	1.70E-25	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 76

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	2.39E+04	2.13E+04	1.90E+04	1.50E+04	9.48E+03	2.99E+03	9.40E+02	2.96E+02	9.33E+01	2.94E+01	2.91E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	2.26E+04	2.01E+04	1.79E+04	1.42E+04	8.95E+03	2.82E+03	8.88E+02	2.80E+02	8.81E+01	2.77E+01	2.75E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	2.17E-10	2.19E-14	2.22E-18	2.27E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	4.74E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 77

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	3.77E+01	4.44E-01	5.22E-03	7.22E-07	1.38E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	3.77E+01	4.44E-01	5.22E-03	7.22E-07	1.38E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	5.28E-01	6.21E-03	7.31E-05	1.01E-08	1.94E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	1.67E-02	1.37E-02	1.13E-02	7.63E-03	3.48E-03	4.92E-04	6.94E-05	9.80E-06	1.38E-06	1.95E-07	3.89E-09
sm145	1.44E-04	3.47E-06	8.39E-08	4.90E-11	1.67E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	2.37E-01	1.26E-01	6.76E-02	1.93E-02	1.57E-03	2.98E-06	5.65E-09	1.07E-11	2.03E-14	3.85E-17	1.38E-22
sm146	5.71E-08	5.91E-08	6.02E-08	6.11E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08

xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	3.92E+03	1.05E+03	2.79E+02	1.99E+01	1.01E-01	1.84E-07	3.37E-13	6.17E-19	1.13E-24	2.05E-30	.00E+00
sm147	1.96E-06	2.03E-06	2.05E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	1.00E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	1.90E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 78

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sm148	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13
eu149	5.41E-19	6.68E-25	8.21E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	1.18E-05	1.07E-05	9.69E-06	7.98E-06	5.42E-06	2.06E-06	7.82E-07	2.97E-07	1.13E-07	4.29E-08	6.18E-09
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	1.51E+02	1.45E+02	1.40E+02	1.30E+02	1.11E+02	7.55E+01	5.14E+01	3.50E+01	2.38E+01	1.62E+01	7.49E+00
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	2.78E+00	2.15E+00	1.65E+00	9.84E-01	3.48E-01	2.58E-02	1.92E-03	1.42E-04	1.06E-05	7.84E-07	4.32E-09
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	6.00E-13	6.22E-13	6.39E-13	6.62E-13	6.84E-13	6.95E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13

la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	7.05E-05	3.74E-07	1.98E-09	5.55E-14	4.36E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 79

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtihm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	8.81E+02	5.88E+02	3.93E+02	1.75E+02	3.49E+01	6.18E-01	1.09E-02	1.93E-04	3.42E-06	6.05E-08	1.89E-11
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	3.50E+02	1.67E+02	7.96E+01	1.81E+01	9.36E-01	5.69E-04	3.46E-07	2.10E-10	1.28E-13	7.77E-17	2.87E-23
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	6.19E-14	1.54E-21	3.83E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B BBW 15x15, 3.00wt%, 20gwd/mtu decay fission products page 80

0 nuclide radioactivity, curies

basis =per BBW assembly, 0.409 mthm for grams

	initial	15.0 yr	20.0 yr	30.0 yr	50.0 yr	100.0 yr	150.0 yr	200.0 yr	250.0 yr	300.0 yr	400.0 yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	4.25E-05	4.24E-05	4.22E-05	4.20E-05	4.15E-05	4.03E-05	3.92E-05	3.81E-05	3.70E-05	3.59E-05	3.39E-05
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	1.62E-14	8.61E-19	4.56E-23	1.37E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	2.01E-05	3.30E-06	5.44E-07	1.47E-08	1.08E-11	1.56E-19	2.26E-27	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	9.05E+04	7.63E+04	6.66E+04	5.19E+04	3.21E+04	9.80E+03	3.03E+03	9.49E+02	3.08E+02	1.07E+02	2.09E+01	

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 84

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	2.07E-10	3.35E-10	1.48E-09	5.34E-09	1.70E-08	3.12E-08	4.62E-08	6.13E-08	7.63E-08	9.11E-08	9.83E-08
tl207	1.19E-04	1.47E-04	2.99E-04	5.82E-04	1.14E-03	1.69E-03	2.22E-03	2.75E-03	3.26E-03	3.76E-03	4.01E-03
tl208	8.46E-05	3.14E-05	3.74E-07	1.58E-07	1.60E-07	1.62E-07	1.64E-07	1.66E-07	1.69E-07	1.71E-07	1.73E-07
tl209	9.43E-08	1.56E-07	7.77E-07	3.86E-06	1.75E-05	4.01E-05	7.00E-05	1.06E-04	1.47E-04	1.92E-04	2.16E-04
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	4.49E-06	7.42E-06	3.70E-05	1.84E-04	8.35E-04	1.91E-03	3.33E-03	5.05E-03	7.00E-03	9.15E-03	1.03E-02
pb210	1.57E-04	2.54E-04	1.12E-03	4.05E-03	1.29E-02	2.36E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
pb211	1.19E-04	1.48E-04	3.00E-04	5.84E-04	1.14E-03	1.69E-03	2.23E-03	2.75E-03	3.27E-03	3.77E-03	4.02E-03
pb212	2.35E-04	8.74E-05	1.04E-06	4.39E-07	4.44E-07	4.50E-07	4.56E-07	4.63E-07	4.70E-07	4.77E-07	4.81E-07
pb214	1.84E-04	2.89E-04	1.12E-03	4.05E-03	1.29E-02	2.36E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.57E-04	2.54E-04	1.12E-03	4.05E-03	1.29E-02	2.36E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
bi211	1.19E-04	1.48E-04	3.00E-04	5.84E-04	1.14E-03	1.69E-03	2.23E-03	2.75E-03	3.27E-03	3.77E-03	4.02E-03
bi212	2.35E-04	8.74E-05	1.04E-06	4.39E-07	4.44E-07	4.50E-07	4.56E-07	4.63E-07	4.70E-07	4.77E-07	4.81E-07
bi213	4.49E-06	7.42E-06	3.70E-05	1.84E-04	8.35E-04	1.91E-03	3.33E-03	5.05E-03	7.00E-03	9.15E-03	1.03E-02
bi214	1.84E-04	2.89E-04	1.12E-03	4.05E-03	1.29E-02	2.36E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
po210	1.57E-04	2.54E-04	1.12E-03	4.05E-03	1.29E-02	2.36E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	3.27E-07	4.06E-07	8.24E-07	1.61E-06	3.14E-06	4.65E-06	6.13E-06	7.57E-06	8.99E-06	1.04E-05	1.10E-05
po212	1.51E-04	5.60E-05	6.67E-07	2.81E-07	2.84E-07	2.88E-07	2.92E-07	2.96E-07	3.01E-07	3.05E-07	3.08E-07
po213	4.40E-06	7.27E-06	3.62E-05	1.80E-04	8.18E-04	1.87E-03	3.26E-03	4.94E-03	6.85E-03	8.96E-03	1.01E-02
po214	1.84E-04	2.89E-04	1.12E-03	4.05E-03	1.29E-02	2.36E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
po215	1.19E-04	1.48E-04	3.00E-04	5.84E-04	1.14E-03	1.69E-03	2.23E-03	2.75E-03	3.27E-03	3.77E-03	4.02E-03
po216	2.35E-04	8.74E-05	1.04E-06	4.39E-07	4.44E-07	4.50E-07	4.56E-07	4.63E-07	4.70E-07	4.77E-07	4.81E-07
po218	1.84E-04	2.89E-04	1.12E-03	4.05E-03	1.29E-02	2.37E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
at217	4.49E-06	7.42E-06	3.70E-05	1.84E-04	8.35E-04	1.91E-03	3.33E-03	5.05E-03	7.00E-03	9.15E-03	1.03E-02
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	1.19E-04	1.48E-04	3.00E-04	5.84E-04	1.14E-03	1.69E-03	2.23E-03	2.75E-03	3.27E-03	3.77E-03	4.02E-03
rn220	2.35E-04	8.74E-05	1.04E-06	4.39E-07	4.44E-07	4.50E-07	4.56E-07	4.63E-07	4.70E-07	4.77E-07	4.81E-07
rn222	1.84E-04	2.89E-04	1.12E-03	4.05E-03	1.29E-02	2.37E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
fr221	4.49E-06	7.42E-06	3.70E-05	1.84E-04	8.35E-04	1.91E-03	3.33E-03	5.05E-03	7.00E-03	9.15E-03	1.03E-02
fr223	1.64E-06	2.04E-06	4.14E-06	8.06E-06	1.58E-05	2.33E-05	3.08E-05	3.80E-05	4.51E-05	5.20E-05	5.54E-05
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	1.19E-04	1.48E-04	3.00E-04	5.84E-04	1.14E-03	1.69E-03	2.23E-03	2.75E-03	3.27E-03	3.77E-03	4.02E-03
ra224	2.35E-04	8.74E-05	1.04E-06	4.39E-07	4.44E-07	4.50E-07	4.56E-07	4.63E-07	4.70E-07	4.77E-07	4.81E-07
ra225	4.49E-06	7.42E-06	3.70E-05	1.84E-04	8.35E-04	1.91E-03	3.33E-03	5.05E-03	7.00E-03	9.15E-03	1.03E-02
ra226	1.84E-04	2.89E-04	1.12E-03	4.05E-03	1.29E-02	2.37E-02	3.50E-02	4.65E-02	5.78E-02	6.90E-02	7.45E-02
ra228	1.83E-09	2.29E-09	4.63E-09	9.45E-09	1.96E-08	3.04E-08	4.16E-08	5.32E-08	6.51E-08	7.73E-08	8.35E-08
ac225	4.49E-06	7.42E-06	3.70E-05	1.84E-04	8.35E-04	1.91E-03	3.33E-03	5.05E-03	7.00E-03	9.15E-03	1.03E-02
ac227	1.19E-04	1.48E-04	3.00E-04	5.84E-04	1.14E-03	1.69E-03	2.23E-03	2.75E-03	3.27E-03	3.77E-03	4.02E-03
ac228	1.83E-09	2.29E-09	4.63E-09	9.45E-09	1.96E-08	3.04E-08	4.16E-08	5.32E-08	6.51E-08	7.73E-08	8.35E-08
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	1.17E-04	1.46E-04	2.96E-04	5.76E-04	1.13E-03	1.67E-03	2.20E-03	2.72E-03	3.22E-03	3.72E-03	3.96E-03
th228	2.35E-04	8.74E-05	1.04E-06	4.39E-07	4.44E-07	4.50E-07	4.56E-07	4.63E-07	4.70E-07	4.77E-07	4.81E-07
th229	4.49E-06	7.42E-06	3.70E-05	1.84E-04	8.35E-04	1.91E-03	3.33E-03	5.05E-03	7.00E-03	9.15E-03	1.03E-02

th230	2.33E-03	2.96E-03	6.09E-03	1.23E-02	2.46E-02	3.66E-02	4.83E-02	5.97E-02	7.09E-02	8.18E-02	8.71E-02
th231	1.37E-02	1.37E-02	1.38E-02	1.39E-02	1.42E-02	1.45E-02	1.48E-02	1.50E-02	1.53E-02	1.55E-02	1.56E-02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 85

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
th232	1.83E-09	2.29E-09	4.63E-09	9.45E-09	1.96E-08	3.04E-08	4.16E-08	5.32E-08	6.51E-08	7.73E-08	8.35E-08
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	1.28E-04	1.57E-04	3.00E-04	5.84E-04	1.14E-03	1.69E-03	2.23E-03	2.75E-03	3.27E-03	3.77E-03	4.01E-03
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	2.24E-01	2.47E-01	3.22E-01	3.71E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.81E-01	3.81E-01
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	2.29E-04	8.50E-05	1.02E-06	4.30E-07	4.24E-07	4.19E-07	4.14E-07	4.09E-07	4.04E-07	4.00E-07	3.97E-07
u233	2.89E-04	3.91E-04	1.02E-03	2.55E-03	5.81E-03	9.08E-03	1.23E-02	1.55E-02	1.87E-02	2.18E-02	2.34E-02
u234	6.80E-01	6.84E-01	6.88E-01	6.86E-01	6.83E-01	6.80E-01	6.77E-01	6.74E-01	6.71E-01	6.68E-01	6.67E-01
u235	1.37E-02	1.37E-02	1.38E-02	1.39E-02	1.42E-02	1.45E-02	1.48E-02	1.50E-02	1.53E-02	1.55E-02	1.56E-02
u236	9.32E-02	9.36E-02	9.57E-02	9.96E-02	1.06E-01	1.12E-01	1.16E-01	1.19E-01	1.22E-01	1.24E-01	1.25E-01
u237	1.86E-07	1.81E-07	1.74E-07	1.60E-07	1.36E-07	1.16E-07	9.81E-08	8.34E-08	7.08E-08	6.02E-08	5.54E-08
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	2.21E-14	2.76E-14	5.53E-14	1.10E-13	2.20E-13	3.30E-13	4.39E-13	5.47E-13	6.55E-13	7.63E-13	8.17E-13
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.87E-06	4.87E-06	4.86E-06	4.83E-06	4.77E-06	4.71E-06	4.66E-06	4.60E-06	4.54E-06	4.49E-06	4.46E-06
np237	2.24E-01	2.47E-01	3.22E-01	3.71E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.81E-01	3.81E-01
np238	2.85E-03	1.74E-03	1.49E-04	1.09E-06	5.88E-11	3.16E-15	1.70E-19	9.11E-24	4.89E-28	2.28E-32	.00E+00
np239	1.94E+00	1.92E+00	1.83E+00	1.67E+00	1.38E+00	1.15E+00	9.49E-01	7.85E-01	6.52E-01	5.40E-01	4.91E-01
np240m	2.21E-14	2.76E-14	5.53E-14	1.10E-13	2.20E-13	3.30E-13	4.39E-13	5.47E-13	6.55E-13	7.63E-13	8.17E-13
np240	2.66E-17	3.32E-17	6.63E-17	1.32E-16	2.64E-16	3.96E-16	5.26E-16	6.57E-16	7.85E-16	9.16E-16	9.80E-16
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	4.34E-07	4.33E-07	4.32E-07	4.30E-07	4.24E-07	4.19E-07	4.14E-07	4.09E-07	4.04E-07	4.00E-07	3.97E-07
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	2.31E+01	1.07E+01	2.62E-01	2.98E-04	2.87E-08	1.54E-12	8.28E-17	4.45E-21	2.39E-25	1.28E-29	4.56E-32
pu239	1.62E+02	1.61E+02	1.59E+02	1.54E+02	1.46E+02	1.38E+02	1.30E+02	1.23E+02	1.16E+02	1.10E+02	1.06E+02
pu240	1.47E+02	1.45E+02	1.38E+02	1.24E+02	1.00E+02	8.11E+01	6.57E+01	5.32E+01	4.31E+01	3.49E+01	3.14E+01
pu241	7.80E-03	7.57E-03	7.27E-03	6.70E-03	5.69E-03	4.83E-03	4.11E-03	3.49E-03	2.96E-03	2.52E-03	2.32E-03
pu242	2.80E-01	2.80E-01	2.80E-01	2.79E-01	2.78E-01	2.77E-01	2.76E-01	2.75E-01	2.74E-01	2.73E-01	2.73E-01
pu243	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
pu244	2.22E-14	2.77E-14	5.53E-14	1.11E-13	2.21E-13	3.30E-13	4.39E-13	5.48E-13	6.56E-13	7.64E-13	8.18E-13
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	6.03E-17	6.00E-17	5.88E-17	5.65E-17	5.22E-17	4.82E-17	4.45E-17	4.11E-17	3.80E-17	3.51E-17	3.37E-17
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	7.87E+02	6.71E+02	3.01E+02	6.06E+01	2.46E+00	1.05E-01	8.33E-03	3.80E-03	3.10E-03	2.63E-03	2.42E-03
am242m	6.33E-01	3.87E-01	3.32E-02	2.43E-04	1.31E-08	7.01E-13	3.77E-17	2.02E-21	1.09E-25	5.84E-30	4.56E-32
am242	6.31E-01	3.86E-01	3.30E-02	2.42E-04	1.30E-08	6.98E-13	3.75E-17	2.01E-21	1.08E-25	5.82E-30	4.56E-32
am243	1.94E+00	1.92E+00	1.83E+00	1.67E+00	1.38E+00	1.15E+00	9.49E-01	7.86E-01	6.52E-01	5.40E-01	4.91E-01
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	6.03E-17	6.00E-17	5.88E-17	5.65E-17	5.22E-17	4.82E-17	4.45E-17	4.11E-17	3.80E-17	3.51E-17	3.37E-17
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 86

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtihm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
cm242	5.21E-01	3.19E-01	2.73E-02	2.00E-04	1.08E-08	5.79E-13	3.11E-17	1.67E-21	8.98E-26	4.81E-30	4.56E-32
cm243	1.85E-04	1.63E-05	8.51E-11	2.33E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	2.73E-05	5.93E-07	2.86E-15	6.85E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	7.62E-03	7.56E-03	7.26E-03	6.69E-03	5.68E-03	4.83E-03	4.10E-03	3.48E-03	2.96E-03	2.51E-03	2.32E-03
cm246	8.69E-04	8.56E-04	7.96E-04	6.87E-04	5.13E-04	3.83E-04	2.85E-04	2.13E-04	1.59E-04	1.18E-04	1.02E-04
cm247	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
cm248	6.96E-09	6.96E-09	6.95E-09	6.94E-09	6.91E-09	6.88E-09	6.85E-09	6.82E-09	6.80E-09	6.77E-09	6.75E-09
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	2.41E-16	2.40E-16	2.35E-16	2.26E-16	2.09E-16	1.93E-16	1.78E-16	1.64E-16	1.52E-16	1.40E-16	1.35E-16
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	3.37E-17	3.36E-17	3.29E-17	3.17E-17	2.92E-17	2.70E-17	2.49E-17	2.30E-17	2.13E-17	1.96E-17	1.89E-17
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	3.45E-08	2.83E-08	1.05E-08	1.44E-09	2.79E-11	5.33E-13	1.02E-14	1.95E-16	3.74E-18	7.16E-20	9.91E-21
cf250	1.52E-16	3.42E-17	3.29E-17	3.17E-17	2.92E-17	2.70E-17	2.49E-17	2.30E-17	2.13E-17	1.96E-17	1.89E-17
cf251	9.94E-10	9.20E-10	6.26E-10	2.89E-10	6.17E-11	1.32E-11	2.82E-12	6.01E-13	1.28E-13	2.74E-14	1.27E-14
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	1.13E+03	9.95E+02	6.04E+02	3.44E+02	2.54E+02	2.24E+02	2.00E+02	1.80E+02	1.63E+02	1.49E+02	1.42E+02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 104

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtihm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
h 3	2.25E-08	8.13E-11	5.03E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.26E-07	8.26E-07	8.25E-07	8.25E-07	8.24E-07	8.24E-07	8.23E-07	8.22E-07	8.21E-07	8.21E-07	8.20E-07
c 14	3.17E-05	3.13E-05	2.95E-05	2.61E-05	2.05E-05	1.61E-05	1.27E-05	9.93E-06	7.80E-06	6.12E-06	5.42E-06
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 105

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.91E-01	1.90E-01	1.88E-01	1.84E-01	1.77E-01	1.70E-01	1.63E-01	1.56E-01	1.50E-01	1.43E-01	1.40E-01

se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	1.48E-08	1.47E-08	1.47E-08	1.47E-08	1.46E-08	1.45E-08	1.44E-08	1.43E-08	1.42E-08	1.41E-08	1.41E-08
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	1.53E-08	2.37E-11	2.16E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 107

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	1.21E+00	1.03E-01	4.63E-07	9.34E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	1.21E+00	1.03E-01	4.63E-07	9.34E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.03E-09	9.26E-10	5.56E-10	2.01E-10	2.61E-11	3.40E-12	4.43E-13	5.77E-14	7.51E-15	9.78E-16	3.53E-16
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 92	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.48E-01	3.48E-01	3.48E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01
nb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 93m	3.49E-01	3.49E-01	3.49E-01	3.49E-01	3.48E-01	3.48E-01	3.48E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B 88W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 108

0 nuclide radioactivity, curies

basis =per 88W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 94	2.31E-05	2.30E-05	2.26E-05	2.19E-05	2.04E-05	1.91E-05	1.78E-05	1.66E-05	1.55E-05	1.45E-05	1.40E-05
nb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

rb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.94E+00	3.94E+00	3.93E+00	3.92E+00	3.89E+00	3.87E+00	3.84E+00	3.82E+00	3.79E+00	3.77E+00	3.76E+00
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 109

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 110

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	1.08E-05	6.24E-06	4.07E-07	1.74E-09	3.15E-14	5.73E-19	1.04E-23	1.89E-28	.00E+00	.00E+00	.00E+00
ag108m	1.24E-04	7.17E-05	4.68E-06	2.00E-08	3.62E-13	6.58E-18	1.20E-22	2.17E-27	4.56E-32	.00E+00	.00E+00
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 111

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14
cd113m	1.82E-08	1.33E-10	2.82E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 112

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 113

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	2.90E-03	8.24E-04	1.51E-06	5.05E-12	5.77E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	3.74E-03	1.06E-03	1.95E-06	6.56E-12	7.44E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn126	1.38E-01	1.38E-01	1.38E-01	1.37E-01	1.35E-01	1.33E-01	1.31E-01	1.29E-01	1.28E-01	1.26E-01	1.25E-01

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 114

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sb126	1.94E-02	1.94E-02	1.93E-02	1.92E-02	1.89E-02	1.86E-02	1.84E-02	1.81E-02	1.79E-02	1.76E-02	1.75E-02
sb126m	1.38E-01	1.38E-01	1.38E-01	1.37E-01	1.35E-01	1.33E-01	1.31E-01	1.29E-01	1.28E-01	1.26E-01	1.25E-01
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.81E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	2.31E-17	3.17E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01	2.03E-01	2.03E-01	2.03E-01	2.03E-01
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr

sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	2.91E+00	2.89E-01	2.77E-06	2.56E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	2.75E+00	2.73E-01	2.62E-06	2.41E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 117

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	3.85E-09	7.74E-11	2.43E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	1.38E-22	4.97E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 118

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sm148	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	6.18E-09	8.92E-10	5.58E-14	2.18E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	7.49E+00	3.47E+00	7.37E-02	3.33E-05	6.79E-12	1.38E-18	2.82E-25	6.85E-32	.00E+00	.00E+00	.00E+00
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	4.32E-09	2.38E-11	1.21E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 119

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	1.85E-11	5.93E-15	2.28E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

eu155	2.87E-23	1.06E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B BBW 15x15, 3.00wt%, 20gwd/mtu decay fission products page 120

0 nuclide radioactivity, curies

basis =per BBW assembly, 0.409 mtHM for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	3.39E-05	3.20E-05	2.40E-05	1.35E-05	4.24E-06	1.33E-06	4.20E-07	1.32E-07	4.17E-08	1.31E-08	7.37E-09
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	2.09E+01	9.60E+00	5.43E+00	5.33E+00	5.30E+00	5.26E+00	5.22E+00	5.18E+00	5.15E+00	5.11E+00	5.10E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 124

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	9.83E-08	1.05E-07	1.13E-07	1.20E-07	1.27E-07	1.33E-07	1.40E-07	1.47E-07	1.53E-07	1.60E-07	1.66E-07
tl207	4.01E-03	4.25E-03	4.49E-03	4.73E-03	4.96E-03	5.19E-03	5.42E-03	5.64E-03	5.87E-03	6.09E-03	6.30E-03
tl208	1.73E-07	1.74E-07	1.76E-07	1.77E-07	1.78E-07	1.80E-07	1.81E-07	1.83E-07	1.84E-07	1.86E-07	1.87E-07
tl209	2.16E-04	2.41E-04	2.66E-04	2.92E-04	3.18E-04	3.45E-04	3.72E-04	4.00E-04	4.28E-04	4.56E-04	4.85E-04
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	1.03E-02	1.15E-02	1.27E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.04E-02	2.17E-02	2.31E-02
pb210	7.45E-02	7.99E-02	8.53E-02	9.08E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
pb211	4.02E-03	4.26E-03	4.50E-03	4.74E-03	4.97E-03	5.20E-03	5.43E-03	5.66E-03	5.88E-03	6.10E-03	6.32E-03
pb212	4.81E-07	4.84E-07	4.88E-07	4.92E-07	4.96E-07	5.00E-07	5.04E-07	5.08E-07	5.13E-07	5.17E-07	5.21E-07
pb214	7.45E-02	7.99E-02	8.53E-02	9.08E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

bi210	7.45E-02	7.99E-02	8.53E-02	9.06E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
bi211	4.02E-03	4.26E-03	4.50E-03	4.74E-03	4.97E-03	5.20E-03	5.43E-03	5.66E-03	5.88E-03	6.10E-03	6.32E-03
bi212	4.81E-07	4.84E-07	4.88E-07	4.92E-07	4.96E-07	5.00E-07	5.04E-07	5.08E-07	5.13E-07	5.17E-07	5.21E-07
bi213	1.03E-02	1.15E-02	1.27E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.04E-02	2.17E-02	2.31E-02
bi214	7.45E-02	7.99E-02	8.53E-02	9.06E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po210	7.45E-02	7.99E-02	8.53E-02	9.06E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	1.10E-05	1.17E-05	1.24E-05	1.30E-05	1.37E-05	1.43E-05	1.49E-05	1.56E-05	1.62E-05	1.68E-05	1.74E-05
po212	3.08E-07	3.10E-07	3.13E-07	3.15E-07	3.18E-07	3.20E-07	3.23E-07	3.26E-07	3.28E-07	3.31E-07	3.34E-07
po213	1.01E-02	1.12E-02	1.24E-02	1.36E-02	1.48E-02	1.61E-02	1.74E-02	1.86E-02	1.99E-02	2.13E-02	2.26E-02
po214	7.45E-02	7.99E-02	8.53E-02	9.06E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po215	4.02E-03	4.26E-03	4.50E-03	4.74E-03	4.97E-03	5.20E-03	5.43E-03	5.66E-03	5.88E-03	6.10E-03	6.32E-03
po216	4.81E-07	4.84E-07	4.88E-07	4.92E-07	4.96E-07	5.00E-07	5.04E-07	5.08E-07	5.13E-07	5.17E-07	5.21E-07
po218	7.45E-02	8.00E-02	8.53E-02	9.06E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
at217	1.03E-02	1.15E-02	1.27E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.04E-02	2.17E-02	2.31E-02
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	4.02E-03	4.26E-03	4.50E-03	4.74E-03	4.97E-03	5.20E-03	5.43E-03	5.66E-03	5.88E-03	6.10E-03	6.32E-03
rn220	4.81E-07	4.84E-07	4.88E-07	4.92E-07	4.96E-07	5.00E-07	5.04E-07	5.08E-07	5.13E-07	5.17E-07	5.21E-07
rn222	7.45E-02	8.00E-02	8.53E-02	9.06E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
fr221	1.03E-02	1.15E-02	1.27E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.04E-02	2.17E-02	2.31E-02
fr223	5.54E-05	5.88E-05	6.21E-05	6.54E-05	6.86E-05	7.18E-05	7.50E-05	7.81E-05	8.12E-05	8.42E-05	8.72E-05
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	4.02E-03	4.26E-03	4.50E-03	4.74E-03	4.97E-03	5.20E-03	5.43E-03	5.66E-03	5.88E-03	6.10E-03	6.32E-03
ra224	4.81E-07	4.84E-07	4.88E-07	4.92E-07	4.96E-07	5.00E-07	5.04E-07	5.08E-07	5.13E-07	5.17E-07	5.21E-07
ra225	1.03E-02	1.15E-02	1.27E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.04E-02	2.17E-02	2.31E-02
ra226	7.45E-02	8.00E-02	8.53E-02	9.06E-02	9.59E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
ra228	8.35E-08	8.97E-08	9.59E-08	1.02E-07	1.09E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.47E-07
ac225	1.03E-02	1.15E-02	1.27E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.04E-02	2.17E-02	2.31E-02
ac227	4.02E-03	4.26E-03	4.50E-03	4.74E-03	4.97E-03	5.20E-03	5.43E-03	5.66E-03	5.88E-03	6.10E-03	6.32E-03
ac228	8.35E-08	8.97E-08	9.59E-08	1.02E-07	1.09E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.47E-07
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	3.96E-03	4.20E-03	4.44E-03	4.67E-03	4.90E-03	5.13E-03	5.36E-03	5.58E-03	5.80E-03	6.02E-03	6.23E-03
th228	4.81E-07	4.84E-07	4.88E-07	4.92E-07	4.96E-07	5.00E-07	5.04E-07	5.08E-07	5.13E-07	5.17E-07	5.21E-07
th229	1.03E-02	1.15E-02	1.27E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.04E-02	2.17E-02	2.31E-02
th230	8.71E-02	9.24E-02	9.77E-02	1.03E-01	1.08E-01	1.13E-01	1.18E-01	1.23E-01	1.28E-01	1.33E-01	1.37E-01
th231	1.56E-02	1.57E-02	1.58E-02	1.59E-02	1.60E-02	1.61E-02	1.62E-02	1.63E-02	1.63E-02	1.64E-02	1.65E-02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 125

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr	yr
th232	8.35E-08	8.97E-08	9.59E-08	1.02E-07	1.09E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.47E-07	
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	
pa231	4.01E-03	4.26E-03	4.50E-03	4.74E-03	4.97E-03	5.20E-03	5.43E-03	5.66E-03	5.88E-03	6.10E-03	6.32E-03	
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pa233	3.81E-01	3.81E-01	3.81E-01	3.81E-01	3.81E-01	3.81E-01	3.80E-01	3.80E-01	3.80E-01	3.80E-01	3.80E-01	
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
u232	3.97E-07	3.95E-07	3.92E-07	3.90E-07	3.88E-07	3.85E-07	3.83E-07	3.81E-07	3.79E-07	3.76E-07	3.74E-07	
u233	2.34E-02	2.50E-02	2.66E-02	2.80E-02	2.96E-02	3.11E-02	3.26E-02	3.41E-02	3.56E-02	3.71E-02	3.86E-02	
u234	6.67E-01	6.65E-01	6.64E-01	6.62E-01	6.61E-01	6.60E-01	6.58E-01	6.57E-01	6.55E-01	6.54E-01	6.52E-01	
u235	1.56E-02	1.57E-02	1.58E-02	1.59E-02	1.60E-02	1.61E-02	1.62E-02	1.63E-02	1.63E-02	1.64E-02	1.65E-02	
u236	1.25E-01	1.26E-01	1.27E-01	1.28E-01	1.28E-01	1.29E-01	1.30E-01	1.30E-01	1.30E-01	1.31E-01	1.31E-01	
u237	5.54E-08	5.11E-08	4.71E-08	4.34E-08	4.00E-08	3.69E-08	3.40E-08	3.13E-08	2.89E-08	2.66E-08	2.45E-08	
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	

u240	8.17E-13	8.70E-13	9.24E-13	9.77E-13	1.03E-12	1.08E-12	1.14E-12	1.19E-12	1.24E-12	1.29E-12	1.35E-12
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.46E-06	4.44E-06	4.41E-06	4.38E-06	4.36E-06	4.33E-06	4.30E-06	4.28E-06	4.25E-06	4.23E-06	4.20E-06
np237	3.81E-01	3.81E-01	3.81E-01	3.81E-01	3.81E-01	3.81E-01	3.80E-01	3.80E-01	3.80E-01	3.80E-01	3.80E-01
np238	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np239	4.91E-01	4.47E-01	4.07E-01	3.71E-01	3.37E-01	3.07E-01	2.79E-01	2.54E-01	2.32E-01	2.11E-01	1.92E-01
np240m	8.17E-13	8.70E-13	9.24E-13	9.77E-13	1.03E-12	1.08E-12	1.14E-12	1.19E-12	1.24E-12	1.29E-12	1.35E-12
np240	9.80E-16	1.04E-15	1.11E-15	1.17E-15	1.24E-15	1.30E-15	1.36E-15	1.43E-15	1.49E-15	1.55E-15	1.62E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	3.97E-07	3.95E-07	3.92E-07	3.90E-07	3.88E-07	3.85E-07	3.83E-07	3.81E-07	3.78E-07	3.76E-07	3.74E-07
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	4.56E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu239	1.06E+02	1.03E+02	1.01E+02	9.77E+01	9.50E+01	9.23E+01	8.97E+01	8.71E+01	8.47E+01	8.23E+01	8.00E+01
pu240	3.14E+01	2.82E+01	2.54E+01	2.28E+01	2.06E+01	1.85E+01	1.66E+01	1.50E+01	1.35E+01	1.21E+01	1.09E+01
pu241	2.32E-03	2.14E-03	1.97E-03	1.82E-03	1.67E-03	1.54E-03	1.42E-03	1.31E-03	1.21E-03	1.11E-03	1.03E-03
pu242	2.73E-01	2.72E-01	2.72E-01	2.71E-01	2.71E-01	2.70E-01	2.70E-01	2.69E-01	2.69E-01	2.68E-01	2.68E-01
pu243	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
pu244	8.18E-13	8.71E-13	9.25E-13	9.78E-13	1.03E-12	1.08E-12	1.14E-12	1.19E-12	1.24E-12	1.30E-12	1.35E-12
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	3.37E-17	3.24E-17	3.11E-17	2.99E-17	2.87E-17	2.76E-17	2.65E-17	2.55E-17	2.45E-17	2.35E-17	2.26E-17
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	2.42E-03	2.23E-03	2.05E-03	1.89E-03	1.74E-03	1.61E-03	1.48E-03	1.36E-03	1.26E-03	1.16E-03	1.07E-03
am242m	4.56E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am242	4.56E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am243	4.91E-01	4.47E-01	4.07E-01	3.71E-01	3.37E-01	3.07E-01	2.79E-01	2.54E-01	2.32E-01	2.11E-01	1.92E-01
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	3.37E-17	3.24E-17	3.11E-17	2.99E-17	2.87E-17	2.76E-17	2.65E-17	2.55E-17	2.45E-17	2.35E-17	2.26E-17
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 126

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cm242	4.56E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm243	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	2.32E-03	2.13E-03	1.97E-03	1.81E-03	1.67E-03	1.54E-03	1.42E-03	1.31E-03	1.21E-03	1.11E-03	1.02E-03
cm246	1.02E-04	8.84E-05	7.63E-05	6.59E-05	5.69E-05	4.92E-05	4.25E-05	3.67E-05	3.17E-05	2.74E-05	2.36E-05
cm247	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
cm248	6.75E-09	6.74E-09	6.73E-09	6.71E-09	6.70E-09	6.69E-09	6.67E-09	6.66E-09	6.65E-09	6.63E-09	6.62E-09
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	1.35E-16	1.29E-16	1.24E-16	1.20E-16	1.15E-16	1.10E-16	1.06E-16	1.02E-16	9.80E-17	9.41E-17	9.05E-17
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	1.89E-17	1.81E-17	1.74E-17	1.67E-17	1.61E-17	1.55E-17	1.49E-17	1.43E-17	1.37E-17	1.32E-17	1.27E-17
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	9.91E-21	1.37E-21	1.90E-22	2.62E-23	3.63E-24	5.02E-25	6.95E-26	9.61E-27	1.33E-27	1.84E-28	2.55E-29
cf250	1.85E-17	1.81E-17	1.74E-17	1.67E-17	1.61E-17	1.55E-17	1.49E-17	1.43E-17	1.37E-17	1.32E-17	1.27E-17
cf251	1.27E-14	5.86E-15	2.71E-15	1.25E-15	5.78E-16	2.67E-16	1.23E-16	5.71E-17	2.64E-17	1.22E-17	5.63E-18
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	1.42E+02	1.36E+02	1.30E+02	1.25E+02	1.20E+02	1.15E+02	1.10E+02	1.06E+02	1.02E+02	9.86E+01	9.51E+01

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 144

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
h 3	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.20E-07	8.20E-07	8.20E-07	8.19E-07	8.19E-07	8.19E-07	8.18E-07	8.18E-07	8.18E-07	8.17E-07	8.17E-07
c 14	5.42E-06	4.81E-06	4.26E-06	3.77E-06	3.34E-06	2.96E-06	2.62E-06	2.33E-06	2.06E-06	1.83E-06	1.62E-06
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 145

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.40E-01	1.37E-01	1.35E-01	1.32E-01	1.29E-01	1.26E-01	1.24E-01	1.21E-01	1.19E-01	1.16E-01	1.14E-01
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	1.41E-08	1.40E-08	1.40E-08	1.39E-08	1.39E-08	1.38E-08	1.38E-08	1.38E-08	1.37E-08	1.37E-08	1.36E-08
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 146

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 147

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	3.53E-16	1.27E-16	4.59E-17	1.66E-17	5.98E-18	2.16E-18	7.78E-19	2.81E-19	1.01E-19	3.66E-20	1.32E-20
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12	3.65E-12
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.47E-01	3.46E-01	3.46E-01	3.46E-01	3.46E-01	3.46E-01	3.46E-01	3.46E-01	3.45E-01	3.45E-01	3.45E-01
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93m	3.47E-01	3.46E-01	3.46E-01	3.46E-01	3.46E-01	3.46E-01	3.46E-01	3.46E-01	3.45E-01	3.45E-01	3.45E-01
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0

nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	1.40E-05	1.36E-05	1.31E-05	1.27E-05	1.22E-05	1.18E-05	1.14E-05	1.10E-05	1.07E-05	1.03E-05	9.97E-06
rb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.76E+00	3.74E+00	3.73E+00	3.72E+00	3.71E+00	3.69E+00	3.68E+00	3.67E+00	3.66E+00	3.65E+00	3.63E+00
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 149

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtihm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 150

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 151

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14
cd113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 152

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 153

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	1.25E-01	1.24E-01	1.23E-01	1.22E-01	1.22E-01	1.21E-01	1.20E-01	1.19E-01	1.18E-01	1.17E-01	1.17E-01

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 154

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb126	1.75E-02	1.74E-02	1.73E-02	1.71E-02	1.70E-02	1.69E-02	1.68E-02	1.67E-02	1.66E-02	1.64E-02	1.63E-02
sb126m	1.25E-01	1.24E-01	1.23E-01	1.22E-01	1.22E-01	1.21E-01	1.20E-01	1.19E-01	1.18E-01	1.17E-01	1.17E-01
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 155

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mthm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.03E-01	2.03E-01	2.03E-01	2.03E-01	2.03E-01	2.03E-01	2.03E-01	2.03E-01	2.03E-01	2.03E-01	2.03E-01
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 156

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtihm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 157

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 158

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtrm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm148	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13	6.96E-13
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 159

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 160

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mthm for grams

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	7.37E-09	4.14E-09	2.32E-09	1.30E-09	7.31E-10	4.10E-10	2.30E-10	1.29E-10	7.25E-11	4.07E-11	2.28E-11
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	5.10E+00	5.08E+00	5.06E+00	5.04E+00	5.03E+00	5.01E+00	4.99E+00	4.98E+00	4.96E+00	4.94E+00	4.93E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 164

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mthm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	1.66E-07	2.27E-07	2.81E-07	3.05E-07	3.28E-07	3.50E-07	3.70E-07	3.89E-07	4.90E-07	5.91E-07	5.90E-07
tl207	6.30E-03	8.31E-03	1.00E-02	1.08E-02	1.15E-02	1.22E-02	1.28E-02	1.34E-02	1.59E-02	1.87E-02	1.90E-02
tl208	1.87E-07	2.03E-07	2.19E-07	2.27E-07	2.36E-07	2.44E-07	2.53E-07	2.62E-07	3.16E-07	5.14E-07	6.21E-07
tl209	4.85E-04	7.78E-04	1.07E-03	1.22E-03	1.36E-03	1.50E-03	1.64E-03	1.77E-03	2.52E-03	4.59E-03	4.96E-03
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	2.31E-02	3.71E-02	5.11E-02	5.80E-02	6.49E-02	7.15E-02	7.81E-02	8.45E-02	1.20E-01	2.19E-01	2.36E-01
pb210	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.48E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01
pb211	6.32E-03	8.33E-03	1.01E-02	1.09E-02	1.16E-02	1.22E-02	1.28E-02	1.34E-02	1.59E-02	1.88E-02	1.91E-02
pb212	5.21E-07	5.64E-07	6.10E-07	6.33E-07	6.56E-07	6.80E-07	7.04E-07	7.28E-07	8.80E-07	1.43E-06	1.73E-06
pb214	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.49E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.48E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01
bi211	6.32E-03	8.33E-03	1.01E-02	1.09E-02	1.16E-02	1.22E-02	1.28E-02	1.34E-02	1.59E-02	1.88E-02	1.91E-02
bi212	5.21E-07	5.64E-07	6.10E-07	6.33E-07	6.56E-07	6.80E-07	7.04E-07	7.28E-07	8.80E-07	1.43E-06	1.73E-06
bi213	2.31E-02	3.71E-02	5.11E-02	5.80E-02	6.49E-02	7.15E-02	7.81E-02	8.45E-02	1.20E-01	2.19E-01	2.36E-01
bi214	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.49E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01
po210	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.48E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	1.74E-05	2.29E-05	2.77E-05	2.98E-05	3.18E-05	3.36E-05	3.53E-05	3.69E-05	4.38E-05	5.17E-05	5.25E-05
po212	3.34E-07	3.62E-07	3.91E-07	4.05E-07	4.20E-07	4.36E-07	4.51E-07	4.67E-07	5.63E-07	9.17E-07	1.11E-06
po213	2.26E-02	3.63E-02	5.01E-02	5.68E-02	6.35E-02	7.00E-02	7.64E-02	8.27E-02	1.17E-01	2.14E-01	2.31E-01
po214	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.48E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01
po215	6.32E-03	8.33E-03	1.01E-02	1.09E-02	1.16E-02	1.22E-02	1.28E-02	1.34E-02	1.59E-02	1.88E-02	1.91E-02
po216	5.21E-07	5.64E-07	6.10E-07	6.33E-07	6.56E-07	6.80E-07	7.04E-07	7.28E-07	8.80E-07	1.43E-06	1.73E-06
po218	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.49E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01
at217	2.31E-02	3.71E-02	5.11E-02	5.81E-02	6.49E-02	7.15E-02	7.81E-02	8.45E-02	1.20E-01	2.19E-01	2.36E-01
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	6.32E-03	8.33E-03	1.01E-02	1.09E-02	1.16E-02	1.22E-02	1.28E-02	1.34E-02	1.59E-02	1.88E-02	1.91E-02
rn220	5.21E-07	5.64E-07	6.10E-07	6.33E-07	6.56E-07	6.80E-07	7.04E-07	7.28E-07	8.80E-07	1.43E-06	1.73E-06
rn222	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.49E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01
fr221	2.31E-02	3.71E-02	5.11E-02	5.81E-02	6.49E-02	7.15E-02	7.81E-02	8.45E-02	1.20E-01	2.19E-01	2.36E-01
fr223	8.72E-05	1.15E-04	1.39E-04	1.50E-04	1.60E-04	1.69E-04	1.77E-04	1.85E-04	2.20E-04	2.59E-04	2.63E-04
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	6.32E-03	8.33E-03	1.01E-02	1.09E-02	1.16E-02	1.22E-02	1.28E-02	1.34E-02	1.59E-02	1.88E-02	1.91E-02
ra224	5.21E-07	5.64E-07	6.10E-07	6.33E-07	6.56E-07	6.80E-07	7.04E-07	7.28E-07	8.80E-07	1.43E-06	1.73E-06
ra225	2.31E-02	3.71E-02	5.11E-02	5.81E-02	6.49E-02	7.15E-02	7.81E-02	8.45E-02	1.20E-01	2.19E-01	2.36E-01
ra226	1.26E-01	1.72E-01	2.13E-01	2.31E-01	2.49E-01	2.66E-01	2.80E-01	2.94E-01	3.71E-01	4.48E-01	4.47E-01

ra228	1.47E-07	2.12E-07	2.78E-07	3.11E-07	3.44E-07	3.77E-07	4.10E-07	4.43E-07	6.42E-07	1.30E-06	1.63E-06
ac225	2.31E-02	3.71E-02	5.11E-02	5.81E-02	6.49E-02	7.15E-02	7.81E-02	8.45E-02	1.20E-01	2.19E-01	2.36E-01
ac227	6.32E-03	8.33E-03	1.01E-02	1.09E-02	1.16E-02	1.22E-02	1.28E-02	1.34E-02	1.59E-02	1.88E-02	1.91E-02
ac228	1.47E-07	2.12E-07	2.78E-07	3.11E-07	3.44E-07	3.77E-07	4.10E-07	4.43E-07	6.42E-07	1.30E-06	1.63E-06
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	6.23E-03	8.22E-03	9.93E-03	1.07E-02	1.14E-02	1.21E-02	1.27E-02	1.32E-02	1.57E-02	1.85E-02	1.88E-02
th228	5.21E-07	5.64E-07	6.10E-07	6.33E-07	6.56E-07	6.80E-07	7.04E-07	7.28E-07	8.80E-07	1.43E-06	1.73E-06
th229	2.31E-02	3.71E-02	5.11E-02	5.81E-02	6.49E-02	7.15E-02	7.81E-02	8.45E-02	1.20E-01	2.19E-01	2.36E-01
th230	1.37E-01	1.82E-01	2.22E-01	2.39E-01	2.56E-01	2.72E-01	2.87E-01	3.01E-01	3.67E-01	4.45E-01	4.41E-01
th231	1.65E-02	1.72E-02	1.77E-02	1.79E-02	1.81E-02	1.82E-02	1.84E-02	1.85E-02	1.89E-02	1.92E-02	1.92E-02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 165

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtrm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
th232	1.47E-07	2.12E-07	2.78E-07	3.11E-07	3.44E-07	3.77E-07	4.10E-07	4.43E-07	6.42E-07	1.30E-06	1.63E-06
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	6.32E-03	8.33E-03	1.01E-02	1.08E-02	1.16E-02	1.22E-02	1.28E-02	1.34E-02	1.59E-02	1.88E-02	1.91E-02
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	3.80E-01	3.79E-01	3.78E-01	3.77E-01	3.76E-01	3.76E-01	3.75E-01	3.74E-01	3.71E-01	3.59E-01	3.53E-01
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	3.74E-07	3.52E-07	3.31E-07	3.22E-07	3.12E-07	3.03E-07	2.94E-07	2.85E-07	2.38E-07	1.30E-07	9.63E-08
u233	3.86E-02	5.31E-02	6.70E-02	7.37E-02	8.02E-02	8.66E-02	9.28E-02	9.89E-02	1.32E-01	2.14E-01	2.42E-01
u234	6.52E-01	6.38E-01	6.25E-01	6.18E-01	6.12E-01	6.05E-01	5.99E-01	5.92E-01	5.56E-01	4.56E-01	4.16E-01
u235	1.65E-02	1.72E-02	1.77E-02	1.79E-02	1.81E-02	1.82E-02	1.84E-02	1.85E-02	1.89E-02	1.92E-02	1.92E-02
u236	1.31E-01	1.33E-01	1.34E-01	1.34E-01	1.34E-01	1.34E-01	1.34E-01	1.34E-01	1.34E-01	1.34E-01	1.33E-01
u237	2.45E-08	1.08E-08	4.80E-09	3.19E-09	2.12E-09	1.41E-09	9.39E-10	6.25E-10	5.41E-11	1.55E-14	2.63E-16
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	1.35E-12	1.87E-12	2.38E-12	2.63E-12	2.88E-12	3.12E-12	3.36E-12	3.61E-12	5.00E-12	9.07E-12	1.08E-11
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.20E-06	3.96E-06	3.72E-06	3.61E-06	3.51E-06	3.40E-06	3.30E-06	3.20E-06	2.67E-06	1.46E-06	1.08E-06
np237	3.80E-01	3.79E-01	3.78E-01	3.77E-01	3.76E-01	3.76E-01	3.75E-01	3.74E-01	3.71E-01	3.59E-01	3.53E-01
np238	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np239	1.92E-01	7.49E-02	2.92E-02	1.83E-02	1.14E-02	7.13E-03	4.46E-03	2.79E-03	1.66E-04	1.66E-08	3.08E-09
np240m	1.35E-12	1.87E-12	2.38E-12	2.63E-12	2.88E-12	3.12E-12	3.36E-12	3.61E-12	5.00E-12	9.07E-12	1.08E-11
np240	1.62E-15	2.24E-15	2.85E-15	3.15E-15	3.45E-15	3.75E-15	4.04E-15	4.33E-15	6.00E-15	1.09E-14	1.30E-14
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	3.74E-07	3.52E-07	3.31E-07	3.22E-07	3.12E-07	3.03E-07	2.94E-07	2.85E-07	2.38E-07	1.30E-07	9.63E-08
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu239	8.00E+01	6.00E+01	4.50E+01	3.90E+01	3.38E+01	2.93E+01	2.53E+01	2.19E+01	9.26E+00	5.22E-01	1.24E-01
pu240	1.09E+01	3.79E+00	1.32E+00	7.78E-01	4.59E-01	2.70E-01	1.59E-01	9.40E-02	3.95E-03	1.02E-07	5.30E-10
pu241	1.03E-03	4.54E-04	2.01E-04	1.34E-04	8.88E-05	5.91E-05	3.93E-05	2.61E-05	2.26E-06	6.49E-10	1.10E-11
pu242	2.68E-01	2.63E-01	2.58E-01	2.56E-01	2.53E-01	2.51E-01	2.49E-01	2.46E-01	2.33E-01	1.93E-01	1.76E-01
pu243	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.92E-09	2.91E-09	2.90E-09
pu244	1.35E-12	1.87E-12	2.38E-12	2.63E-12	2.88E-12	3.13E-12	3.37E-12	3.61E-12	5.01E-12	9.08E-12	1.08E-11
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	2.26E-17	1.52E-17	1.02E-17	8.35E-18	6.84E-18	5.61E-18	4.60E-18	3.77E-18	1.14E-18	2.12E-20	2.89E-21
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	1.07E-03	4.54E-04	2.01E-04	1.34E-04	8.89E-05	5.91E-05	3.93E-05	2.61E-05	2.26E-06	6.84E-10	1.10E-11
am242m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

am242	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am243	1.92E-01	7.49E-02	2.92E-02	1.83E-02	1.14E-02	7.13E-03	4.46E-03	2.79E-03	1.66E-04	1.66E-08	3.03E-09
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	2.26E-17	1.52E-17	1.02E-17	8.35E-18	6.84E-18	5.61E-18	4.60E-18	3.77E-18	1.14E-18	2.12E-20	2.89E-21
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 166

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHM for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
cm242	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm243	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	1.02E-03	4.53E-04	2.00E-04	1.33E-04	8.87E-05	5.90E-05	3.92E-05	2.61E-05	2.26E-06	6.48E-10	1.10E-11
cm246	2.36E-05	5.46E-06	1.26E-06	6.06E-07	2.91E-07	1.40E-07	6.73E-08	3.24E-08	3.99E-10	1.73E-16	1.18E-19
cm247	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.92E-09	2.91E-09	2.90E-09
cm248	6.62E-09	6.48E-09	6.35E-09	6.29E-09	6.23E-09	6.16E-09	6.10E-09	6.04E-09	5.68E-09	4.63E-09	4.18E-09
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	9.05E-17	6.07E-17	4.08E-17	3.34E-17	2.74E-17	2.24E-17	1.84E-17	1.51E-17	4.56E-18	8.48E-20	1.16E-20
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	1.27E-17	8.50E-18	5.71E-18	4.68E-18	3.83E-18	3.14E-18	2.57E-18	2.11E-18	6.38E-19	1.19E-20	1.62E-21
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	2.55E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf250	1.27E-17	8.50E-18	5.71E-18	4.68E-18	3.83E-18	3.14E-18	2.57E-18	2.11E-18	6.38E-19	1.19E-20	1.62E-21
cf251	5.63E-18	2.50E-21	1.11E-24	2.34E-26	4.94E-28	1.04E-29	2.28E-31	.00E+00	.00E+00	.00E+00	.00E+00
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	9.51E+01	6.84E+01	5.14E+01	4.50E+01	3.97E+01	3.52E+01	3.14E+01	2.81E+01	1.64E+01	9.12E+00	8.81E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 184

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHM for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
h 3	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.17E-07	8.13E-07	8.10E-07	8.08E-07	8.06E-07	8.05E-07	8.03E-07	8.01E-07	7.91E-07	7.57E-07	7.41E-07
c 14	1.62E-06	4.82E-07	1.44E-07	7.85E-08	4.29E-08	2.34E-08	1.28E-08	6.98E-09	1.85E-10	1.03E-15	2.43E-18
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 185

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHM for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.14E-01	9.22E-02	7.47E-02	6.73E-02	6.06E-02	5.45E-02	4.91E-02	4.42E-02	2.35E-02	2.88E-03	1.01E-03
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	1.36E-08	1.32E-08	1.28E-08	1.26E-08	1.23E-08	1.22E-08	1.20E-08	1.18E-08	1.07E-08	7.70E-09	6.55E-09
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B 88W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 186

0 nuclide radioactivity, curies
basis =per 88W assembly, 0.409 mtm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06	6.21E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 187

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.32E-20	4.94E-25	1.85E-29	1.14E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	3.65E-12	3.64E-12	3.64E-12	3.64E-12	3.64E-12	3.64E-12	3.64E-12	3.64E-12	3.64E-12	3.63E-12	3.63E-12
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.45E-01	3.43E-01	3.42E-01	3.41E-01	3.40E-01	3.40E-01	3.39E-01	3.38E-01	3.34E-01	3.19E-01	3.12E-01
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93m	3.45E-01	3.43E-01	3.42E-01	3.41E-01	3.40E-01	3.40E-01	3.39E-01	3.38E-01	3.34E-01	3.19E-01	3.12E-01
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 188

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	9.97E-06	7.08E-06	5.03E-06	4.24E-06	3.58E-06	3.02E-06	2.54E-06	2.14E-06	7.70E-07	2.53E-08	4.59E-09
rb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.17E-06	1.17E-06	1.17E-06	1.17E-06	1.15E-06	1.14E-06
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.63E+00	3.52E+00	3.40E+00	3.35E+00	3.29E+00	3.24E+00	3.19E+00	3.14E+00	2.84E+00	2.05E+00	1.74E+00
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 189

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B 88W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 190

0 nuclide radioactivity, curies

basis =per 88W assembly, 0.409 mthm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.63E-02	2.62E-02	2.62E-02	2.62E-02	2.62E-02	2.62E-02	2.61E-02	2.61E-02	2.60E-02	2.58E-02	2.56E-02
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 191

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14	1.56E-14
cd113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay — fission products — page 192

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mthm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 193

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14	8.63E-14
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	1.17E-01	1.09E-01	1.02E-01	9.81E-02	9.47E-02	9.15E-02	8.84E-02	8.54E-02	6.95E-02	3.47E-02	2.45E-02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 194

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtihm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sb126	1.63E-02	1.52E-02	1.42E-02	1.37E-02	1.33E-02	1.28E-02	1.24E-02	1.20E-02	9.71E-03	4.85E-03	3.43E-03
sb126m	1.17E-01	1.09E-01	1.02E-01	9.81E-02	9.47E-02	9.15E-02	8.84E-02	8.54E-02	6.95E-02	3.47E-02	2.45E-02
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	8.81E-03	8.81E-03	8.80E-03	8.80E-03	8.80E-03	8.80E-03	8.80E-03	8.79E-03	8.78E-03	8.74E-03	8.72E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 195

0 nuclide radioactivity, curies

basis =per B&W assembly, 0.409 mtHM for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.03E-01	2.02E-01	2.01E-01	2.01E-01	2.01E-01	2.00E-01	2.00E-01	2.00E-01	1.98E-01	1.92E-01	1.85E-01
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 196

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11	5.39E-11
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06	7.76E-06
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtihm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10	4.06E-10
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.14E-08	6.13E-08
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06	2.06E-06
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
sm148	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12	8.82E-12
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13	3.41E-13
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	6.98E-13	6.98E-13	6.98E-13	6.98E-13	6.98E-13	6.98E-13	6.98E-13	6.98E-13	6.98E-13	6.98E-13	6.98E-13
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

0

nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHm for grams
initial 35000. yr 45000. yr 50000. yr 55000. yr 60000. yr 65000. yr 70000. yr 100000. yr 200000. yr 250000. yr

sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 200

0 nuclide radioactivity, curies
basis =per B&W assembly, 0.409 mtHM for grams

	initial	35000. yr	45000. yr	50000. yr	55000. yr	60000. yr	65000. yr	70000. yr	100000. yr	200000. yr	250000. yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	2.28E-11	7.08E-14	2.19E-16	1.22E-17	6.80E-19	3.79E-20	2.11E-21	1.17E-22	3.49E-30	.00E+00	.00E+00
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.95E+00	4.77E+00	4.62E+00	4.54E+00	4.47E+00	4.40E+00	4.34E+00	4.27E+00	3.91E+00	2.99E+00	2.64E+00

1

```
=origens
0$$  a8 26 a11 71 e
1$$ 1  1t
 b&w 15x15, 3.0%/20 Decay
3$$ 21 0 1  e
'   3$$ 21 0 1  a33  -88
2t
35$$ 0  t
'  54$$ a8 1 e
'   56$$ 0 7 a5 1 a13 -1 a15 3 0 4 e   5t
56$$ 0 7 a13 -1 a15 3 0 4 e   5t
Part C 10000 year criticality at 2.182 kw/package
B&W 15x15, 3.00wt%, 20gwd/mtu /per assembly basis
60**  0 1 90 365.25 730.5 1826.25  3652.5
'  61** f1-20
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
'   56$$ 0 -6 a10 1  e  t
56$$ 0 10 a10 7 a14 5 a17 4 e  57** 10  e  5t
60**  15 20 30 50 100 150 200 250 300 400
'  61** f1-20
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 400  e  5t
60**  500 1+3 2+3 4+3 6+3 8+3 1+4 1.2+4 1.4+4 1.5+4
'   61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 10 10 0 a10 10 a14 5 a17 4 1 e  57** 1.5+4  e  5t
58**  1.039-4 1.039-4 1.039-4 1.039-4 1.039-4 1.039-4 1.039-4 1.039-4
      1.039-4 1.039-4
60**  1.6+4 1.7+4 1.8+4 1.9+4 2.0+4 2.1+4 2.2+4 2.3+4 2.4+4 2.5+4
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
66$$  0 0 0 0 2 0 0 0 2  e
6t
56$$ 0 10  a10 10 a14 5 a17 4 1 e  57** 2.5+4  e  5t
60**  2.503+4 2.6+4 3.5+4 4.5+4 6.5+4 8.5+4 9.5+4 1.05+5 1.15+5 1.25+5
'   61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 4 a10 10 a14 5 a17 4 e  57** 1.25+5  e  5t
60**  2.5+5 5+5 7.5+5 999999
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
'   56$$ 0 -10 a10 1 e  t
56$$ f0  t
end
```

```
=origens
0$$  a8 26 a11 71 e
1$$ 1  1t
 b&w 15x15, 3.0%/20 Decay
3$$ 21 0 1  e
'   3$$ 21 0 1  a33  -88
2t
35$$ 0  t
'  54$$ a8 1 e
'   56$$ 0 7 a5 1 a13 -1 a15 3 0 4 e   5t
56$$ 0 7 a13 -1 a15 3 0 4 e   5t
Part D 1000 year criticality at 2.182 kw/package
B&W 15x15, 3.00wt%, 20gwd/mtu /per assembly basis
60**  0 1 90 365.25 730.5 1826.25  3652.5
'  61** f1-20
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
'   56$$ 0 -6 a10 1  e  t
56$$ 0 10 a10 7 a14 5 a17 4 e  57** 10  e  5t
60**  15 20 30 50 100 150 200 250 300 400
'  61** f1-20
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0.0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 400  e  5t
60**  500 1+3 2+3 4+3 6+3 8+3 1+4 1.2+4 1.4+4 1.5+4
'    61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 1 1 0 a10 10 a14 5 a17 4 1 e  57** 1.5+4  e  5t
58**  1.039-4
60**  1.6+4
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
66$$  0 0 0 0 2 0 0 0 2  e
6t
56$$ 0 10 a10 1 a14 5 a17 4 1 e  57** 1.6+4  e  5t
60**  1.6030+4 1.7+4 1.8+4 1.9+4 2.0+4 2.1+4 2.2+4 2.3+4 2.4+4 2.5+4
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
66$$  0 0 0 0 2 0 0 0 2  e
6t
56$$ 0 10  a10 10 a14 5 a17 4 1 e  57** 2.5+4  e  5t
60**  3.5+4 4.5+4 5.5+4 6.5+4 7.5+4 8.5+4 9.5+4 1.05+5 1.15+5 1.25+5
'    61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 4 a10 10 a14 5 a17 4 e  57** 1.25+5  e  5t
60**  2.5+5 5+5 7.5+5 999999
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
'   56$$ 0 -10 a10 1 e  t
56$$ f0  t
end
```

```
=origens
0$$  a8 26 a11 71 e
1$$ 1  1t
 b&w 15x15, 3.0%/20 Decay
3$$ 21 0 1  e
'   3$$ 21 0 1  a33  -88
2t
35$$ 0  t
'  54$$ a8 1 e
'   56$$ 0 7 a5 1 a13 -1 a15 3 0 4 e   5t
56$$ 0 7 a13 -1 a15 3 0 4 e   5t
Part E 5000 year criticality at 2.182 kw/package
B&W 15x15, 3.00wt%, 20gwd/mtu /per assembly basis
60**  0 1 90 365.25 730.5 1826.25  3652.5
'  61** f1-20
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
'   56$$ 0 -6 a10 1  e  t
56$$ 0 10 a10 7 a14 5 a17 4 e  57** 10  e  5t
60**  15 20 30 50 100 150 200 250 300 400
'  61** f1-20
'  65$$ a4 1 2z 1 2z 1 5z 1 2z 1
'   a25 1 2z 1 2z 1 5z 1 2z 1
'   a46 1 2z 1 2z 1 5z 1 2z 1 e
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 10 a10 10 a14 5 a17 4 e  57** 400  e  5t
60**  500 1+3 2+3 4+3 6+3 8+3 1+4 1.2+4 1.4+4 1.5+4
'    61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 5 5 0 a10 10 a14 5 a17 4 1 e  57** 1.5+4  e  5t
58**  1.039-4 1.039-4 1.039-4 1.039-4 1.039-4
60**  1.6+4 1.7+4 1.8+4 1.9+4 2.0+4
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
66$$  0 0 0 0 2 0 0 0 2  e
6t
56$$ 0 6 a10 5 a14 5 a17 4 1 e  57** 2.0+4  e  5t
60**  2.0030+4 2.1+4 2.2+4 2.3+4 2.4+4 2.5+4
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
66$$  0 0 0 0 2 0 0 0 2  e
6t
56$$ 0 10  a10 6 a14 5 a17 4 1 e  57** 2.5+4  e  5t
60**  3.5+4 4.5+4 5.5+4 6.5+4 7.5+4 8.5+4 9.5+4 1.05+5 1.15+5 1.25+5
'    61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
56$$ 0 4 a10 10 a14 5 a17 4 e  57** 1.25+5  e  5t
60**  2.5+5 5+5 7.5+5 999999
'  61** f1-20
65$$ a25 1 0 0 1 0 0 0 a46 1 0 0 1 0 0 0 e
6t
'   56$$ 0 -10 a10 1 e  t
56$$ f0  t
end
```

Part D 1000 year criticality at 2.182 kw/package actinides page 145
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec
0
nuclide radioactivity, curies
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	1.05E-07	1.06E-07	1.12E-07	1.19E-07	1.26E-07	1.33E-07	1.40E-07	1.47E-07	1.54E-07	1.60E-07	1.67E-07
tl207	4.93E-03	4.93E-03	5.15E-03	5.37E-03	5.59E-03	5.81E-03	6.02E-03	6.23E-03	6.44E-03	6.65E-03	6.85E-03
tl208	2.30E-04	1.77E-04	1.94E-07	1.84E-07	1.85E-07	1.87E-07	1.88E-07	1.89E-07	1.91E-07	1.92E-07	1.94E-07
tl209	2.40E-04	2.41E-04	2.65E-04	2.91E-04	3.17E-04	3.44E-04	3.71E-04	3.99E-04	4.27E-04	4.55E-04	4.84E-04
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	1.14E-02	1.15E-02	1.26E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.03E-02	2.17E-02	2.30E-02
pb210	7.99E-02	7.99E-02	8.52E-02	9.05E-02	9.57E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
pb211	4.94E-03	4.94E-03	5.16E-03	5.39E-03	5.61E-03	5.82E-03	6.04E-03	6.25E-03	6.46E-03	6.67E-03	6.87E-03
pb212	6.41E-04	4.91E-04	5.40E-07	5.11E-07	5.15E-07	5.19E-07	5.23E-07	5.27E-07	5.31E-07	5.35E-07	5.40E-07
pb214	7.99E-02	8.00E-02	8.52E-02	9.05E-02	9.58E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	7.99E-02	7.99E-02	8.52E-02	9.05E-02	9.57E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
bi211	4.94E-03	4.94E-03	5.16E-03	5.39E-03	5.61E-03	5.82E-03	6.04E-03	6.25E-03	6.46E-03	6.67E-03	6.87E-03
bi212	6.41E-04	4.91E-04	5.40E-07	5.11E-07	5.15E-07	5.19E-07	5.23E-07	5.27E-07	5.31E-07	5.35E-07	5.40E-07
bi213	1.14E-02	1.15E-02	1.26E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.03E-02	2.17E-02	2.30E-02
bi214	7.99E-02	8.00E-02	8.52E-02	9.05E-02	9.58E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po210	7.99E-02	7.99E-02	8.52E-02	9.05E-02	9.57E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	1.36E-05	1.36E-05	1.42E-05	1.48E-05	1.54E-05	1.60E-05	1.66E-05	1.72E-05	1.78E-05	1.83E-05	1.89E-05
po212	4.11E-04	3.15E-04	3.46E-07	3.28E-07	3.30E-07	3.33E-07	3.35E-07	3.38E-07	3.40E-07	3.43E-07	3.46E-07
po213	1.12E-02	1.12E-02	1.24E-02	1.36E-02	1.48E-02	1.60E-02	1.73E-02	1.86E-02	1.99E-02	2.12E-02	2.26E-02
po214	7.99E-02	8.00E-02	8.52E-02	9.05E-02	9.57E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po215	4.94E-03	4.94E-03	5.16E-03	5.39E-03	5.61E-03	5.82E-03	6.04E-03	6.25E-03	6.46E-03	6.67E-03	6.87E-03
po216	6.41E-04	4.91E-04	5.40E-07	5.11E-07	5.15E-07	5.19E-07	5.23E-07	5.27E-07	5.31E-07	5.35E-07	5.40E-07
po218	7.99E-02	8.01E-02	8.52E-02	9.05E-02	9.58E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
at217	1.14E-02	1.15E-02	1.26E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.03E-02	2.17E-02	2.30E-02
rn218	5.04E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	4.94E-03	4.94E-03	5.16E-03	5.39E-03	5.61E-03	5.82E-03	6.04E-03	6.25E-03	6.46E-03	6.67E-03	6.87E-03
rn220	6.41E-04	4.91E-04	5.40E-07	5.11E-07	5.15E-07	5.19E-07	5.23E-07	5.27E-07	5.31E-07	5.35E-07	5.40E-07
rn222	7.99E-02	8.01E-02	8.52E-02	9.05E-02	9.58E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
fr221	1.14E-02	1.15E-02	1.26E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.03E-02	2.17E-02	2.30E-02
fr223	6.82E-05	6.88E-05	7.13E-05	7.43E-05	7.74E-05	8.04E-05	8.33E-05	8.63E-05	8.91E-05	9.20E-05	9.48E-05
ra222	5.04E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	4.94E-03	4.94E-03	5.16E-03	5.39E-03	5.61E-03	5.82E-03	6.04E-03	6.25E-03	6.46E-03	6.67E-03	6.87E-03
ra224	6.41E-04	4.91E-04	5.40E-07	5.11E-07	5.15E-07	5.19E-07	5.23E-07	5.27E-07	5.31E-07	5.35E-07	5.40E-07
ra225	1.14E-02	1.15E-02	1.26E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.03E-02	2.17E-02	2.30E-02
ra226	7.99E-02	8.01E-02	8.52E-02	9.05E-02	9.58E-02	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
ra228	8.97E-08	8.98E-08	9.59E-08	1.02E-07	1.09E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.47E-07
ac225	1.14E-02	1.15E-02	1.26E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.03E-02	2.17E-02	2.30E-02
ac227	4.94E-03	4.94E-03	5.16E-03	5.39E-03	5.61E-03	5.82E-03	6.04E-03	6.25E-03	6.46E-03	6.67E-03	6.87E-03
ac228	8.97E-08	8.98E-08	9.59E-08	1.02E-07	1.09E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.47E-07
th226	5.04E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	4.87E-03	4.88E-03	5.09E-03	5.31E-03	5.53E-03	5.74E-03	5.96E-03	6.16E-03	6.37E-03	6.57E-03	6.78E-03
th228	6.41E-04	4.91E-04	5.40E-07	5.11E-07	5.15E-07	5.19E-07	5.23E-07	5.27E-07	5.31E-07	5.35E-07	5.40E-07
th229	1.14E-02	1.15E-02	1.26E-02	1.39E-02	1.51E-02	1.64E-02	1.77E-02	1.90E-02	2.03E-02	2.17E-02	2.30E-02
th230	9.22E-02	9.23E-02	9.75E-02	1.03E-01	1.08E-01	1.13E-01	1.18E-01	1.23E-01	1.28E-01	1.33E-01	1.38E-01
th231	4.96E-02	1.56E-02	1.57E-02	1.58E-02	1.59E-02	1.60E-02	1.61E-02	1.62E-02	1.63E-02	1.64E-02	1.64E-02

1

Part D 1000 year criticality at 2.182 kw/package actinides page 146
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16000.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
th232	8.97E-08	8.98E-08	9.59E-08	1.02E-07	1.09E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.47E-07
th233	4.06E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	4.94E-03	4.94E-03	5.16E-03	5.38E-03	5.60E-03	5.82E-03	6.03E-03	6.25E-03	6.46E-03	6.66E-03	6.87E-03
pa232	5.90E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.81E-01	3.81E-01	3.81E-01	3.81E-01
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	5.04E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	1.29E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	6.41E-04	4.78E-04	4.43E-07	4.09E-07	4.07E-07	4.04E-07	4.02E-07	3.99E-07	3.97E-07	3.95E-07	3.92E-07
u233	2.48E-02	2.49E-02	2.64E-02	2.79E-02	2.95E-02	3.10E-02	3.25E-02	3.40E-02	3.56E-02	3.71E-02	3.85E-02
u234	6.71E-01	6.72E-01	6.71E-01	6.70E-01	6.68E-01	6.67E-01	6.65E-01	6.64E-01	6.62E-01	6.61E-01	6.59E-01
u235	1.56E-02	1.56E-02	1.57E-02	1.58E-02	1.59E-02	1.60E-02	1.61E-02	1.62E-02	1.63E-02	1.64E-02	1.64E-02
u236	1.27E-01	1.27E-01	1.27E-01	1.28E-01	1.29E-01	1.29E-01	1.30E-01	1.30E-01	1.31E-01	1.31E-01	1.32E-01
u237	2.86E+00	1.83E-05	4.64E-08	4.28E-08	3.94E-08	3.63E-08	3.35E-08	3.09E-08	2.84E-08	2.62E-08	2.42E-08
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	6.56E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	8.71E-13	8.73E-13	9.27E-13	9.82E-13	1.04E-12	1.09E-12	1.15E-12	1.20E-12	1.26E-12	1.31E-12	1.37E-12
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	5.34E-07	2.52E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	1.08E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.65E-06	4.65E-06	4.63E-06	4.60E-06	4.57E-06	4.54E-06	4.52E-06	4.49E-06	4.46E-06	4.43E-06	4.41E-06
np237	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.82E-01	3.81E-01	3.81E-01	3.81E-01	3.81E-01
np238	2.88E+00	7.72E-06	6.56E-08	4.81E-10	3.52E-12	2.58E-14	1.89E-16	1.39E-18	1.02E-20	7.45E-23	5.46E-25
np239	6.60E+01	4.78E-01	4.36E-01	3.97E-01	3.61E-01	3.29E-01	2.99E-01	2.72E-01	2.48E-01	2.26E-01	2.05E-01
np240m	8.71E-13	8.73E-13	9.27E-13	9.82E-13	1.04E-12	1.09E-12	1.15E-12	1.20E-12	1.26E-12	1.31E-12	1.37E-12
np240	1.01E-06	1.05E-15	1.11E-15	1.18E-15	1.25E-15	1.31E-15	1.38E-15	1.44E-15	1.51E-15	1.57E-15	1.64E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	5.00E-05	4.53E-07	4.12E-07	4.09E-07	4.07E-07	4.04E-07	4.02E-07	3.99E-07	3.97E-07	3.95E-07	3.92E-07
pu237	6.29E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	2.89E+00	2.28E+00	1.08E-03	4.88E-07	8.28E-10	5.06E-12	3.67E-14	2.69E-16	1.97E-18	1.44E-20	1.06E-22
pu239	1.04E+02	1.04E+02	1.01E+02	9.83E+01	9.56E+01	9.29E+01	9.02E+01	8.77E+01	8.52E+01	8.28E+01	8.05E+01
pu240	2.94E+01	2.93E+01	2.65E+01	2.38E+01	2.14E+01	1.93E+01	1.73E+01	1.56E+01	1.40E+01	1.26E+01	1.14E+01
pu241	3.24E+00	7.63E-01	1.94E-03	1.79E-03	1.66E-03	1.52E-03	1.40E-03	1.29E-03	1.19E-03	1.10E-03	1.01E-03
pu242	2.71E-01	2.71E-01	2.71E-01	2.70E-01	2.70E-01	2.69E-01	2.69E-01	2.68E-01	2.68E-01	2.67E-01	2.67E-01
pu243	3.71E-01	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
pu244	8.72E-13	8.74E-13	9.28E-13	9.83E-13	1.04E-12	1.09E-12	1.15E-12	1.20E-12	1.26E-12	1.31E-12	1.37E-12
pu245	7.69E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	3.24E-17	3.23E-17	3.11E-17	2.99E-17	2.87E-17	2.76E-17	2.65E-17	2.55E-17	2.45E-17	2.35E-17	2.26E-17
am239	2.10E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	2.10E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	2.59E+00	2.55E+00	5.45E-01	1.11E-01	2.37E-02	6.02E-03	2.35E-03	1.52E-03	1.27E-03	1.15E-03	1.05E-03
am242m	1.99E-03	1.72E-03	1.46E-05	1.07E-07	7.83E-10	5.74E-12	4.20E-14	3.08E-16	2.26E-18	1.65E-20	1.21E-22
am242	1.36E-02	1.71E-03	1.45E-05	1.06E-07	7.79E-10	5.71E-12	4.18E-14	3.07E-16	2.25E-18	1.65E-20	1.21E-22
am243	4.79E-01	4.78E-01	4.36E-01	3.97E-01	3.61E-01	3.29E-01	2.99E-01	2.72E-01	2.48E-01	2.26E-01	2.05E-01
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.70E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	7.97E-13	1.41E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	3.24E-17	3.23E-17	3.11E-17	2.99E-17	2.87E-17	2.76E-17	2.65E-17	2.55E-17	2.45E-17	2.35E-17	2.26E-17
cm241	2.31E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cm242	1.13E-02	1.41E-03	1.20E-05	8.79E-08	6.44E-10	4.72E-12	3.46E-14	2.54E-16	1.86E-18	1.36E-20	9.99E-23
cm243	4.32E-09	2.08E-09	1.18E-19	3.24E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	1.70E-02	5.37E-03	3.95E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	2.10E-03	2.10E-03	1.94E-03	1.79E-03	1.65E-03	1.52E-03	1.40E-03	1.29E-03	1.19E-03	1.09E-03	1.01E-03
cm246	9.65E-05	9.61E-05	8.34E-05	7.20E-05	6.22E-05	5.37E-05	4.64E-05	4.01E-05	3.46E-05	2.99E-05	2.58E-05
cm247	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09	2.93E-09
cm248	7.00E-09	7.00E-09	6.99E-09	6.97E-09	6.96E-09	6.95E-09	6.93E-09	6.92E-09	6.90E-09	6.89E-09	6.87E-09
cm249	1.97E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	1.29E-16	1.29E-16	1.24E-16	1.20E-16	1.15E-16	1.10E-16	1.06E-16	1.02E-16	9.80E-17	9.41E-17	9.05E-17
cm251	3.10E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	1.97E-09	9.70E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	2.74E-14	1.81E-17	1.74E-17	1.67E-17	1.61E-17	1.55E-17	1.49E-17	1.43E-17	1.37E-17	1.32E-17	1.27E-17
bk251	3.10E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	1.66E-09	1.57E-09	2.31E-10	3.20E-11	4.42E-12	6.12E-13	8.46E-14	1.17E-14	1.62E-15	2.24E-16	3.10E-17
cf250	1.84E-12	3.75E-13	1.74E-17	1.67E-17	1.61E-17	1.55E-17	1.49E-17	1.43E-17	1.37E-17	1.32E-17	1.27E-17
cf251	6.15E-15	6.01E-15	2.84E-15	1.31E-15	6.07E-16	2.80E-16	1.30E-16	5.99E-17	2.77E-17	1.28E-17	5.91E-18
cf252	1.50E-16	5.79E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	1.37E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	5.70E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	1.37E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	1.82E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	2.84E+02	1.43E+02	1.32E+02	1.26E+02	1.21E+02	1.16E+02	1.12E+02	1.08E+02	1.03E+02	9.97E+01	9.61E+01

1

Part D 1000 year criticality at 2.182 kw/package fission products page 165

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
h 3	1.06E-02	1.95E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.23E-07	8.23E-07	8.23E-07	8.23E-07	8.22E-07	8.22E-07	8.22E-07	8.21E-07	8.21E-07	8.21E-07	8.20E-07
c 14	4.95E-06	4.91E-06	4.37E-06	3.87E-06	3.43E-06	3.04E-06	2.69E-06	2.39E-06	2.11E-06	1.87E-06	1.66E-06
ni 66	6.18E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	6.21E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	7.90E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	2.71E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	2.20E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	1.01E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	1.29E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	5.51E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	1.46E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	7.28E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	2.01E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	1.16E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	3.20E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zn 72	4.10E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	4.11E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	1.20E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	1.31E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	7.32E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	1.25E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	1.27E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	1.25E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	2.48E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	9.13E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	9.75E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	3.23E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	9.96E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	5.05E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	4.15E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	1.30E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	7.93E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	9.56E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	9.62E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	5.11E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	1.65E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	1.09E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 166

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
zn 76	1.84E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	2.70E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	3.72E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	3.67E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	6.31E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	2.24E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	5.51E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	2.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	5.65E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	6.57E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	2.16E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	7.29E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	2.36E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	2.74E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	1.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	1.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	1.98E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	5.93E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	1.38E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	1.30E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	3.49E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	3.78E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.38E-01	1.38E-01	1.35E-01	1.33E-01	1.30E-01	1.27E-01	1.24E-01	1.22E-01	1.19E-01	1.17E-01	1.14E-01
se 79m	3.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	1.06E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	5.21E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	6.60E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	4.82E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	9.60E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	9.00E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	1.03E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	9.41E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	2.34E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 81	6.62E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	1.08E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	6.19E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	9.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	1.47E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	1.55E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	1.44E-08	1.44E-08	1.44E-08	1.43E-08	1.43E-08	1.43E-08	1.42E-08	1.42E-08	1.41E-08	1.41E-08	1.40E-08	
kr 81m	1.06E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	2.58E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	4.42E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 167

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
ge 82	9.38E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	1.52E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	5.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	5.89E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	4.95E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	1.19E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	4.48E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	4.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	2.44E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	1.79E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	1.95E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	3.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	3.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	4.80E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	2.68E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	1.78E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	7.11E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	7.30E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	1.88E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	7.03E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	4.57E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	1.06E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	3.43E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	3.02E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	8.26E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	1.81E-01	2.60E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

kr 85m	8.27E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	9.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	6.12E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	8.36E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	1.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	3.95E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	3.12E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	1.02E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	3.83E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	4.96E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	1.33E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	1.67E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	1.15E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	1.64E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	1.76E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	2.60E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 168
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
br 88	1.31E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	2.34E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	2.40E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	2.52E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	9.23E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	8.99E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	2.96E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	3.16E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	3.18E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	2.97E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	2.34E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	2.00E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	4.77E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	3.19E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	2.93E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	8.91E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	3.84E+00	1.83E+00	7.74E-11	1.56E-21	2.28E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	3.84E+00	1.83E+00	7.74E-11	1.56E-21	2.28E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	7.00E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	1.92E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	1.65E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	2.19E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	3.78E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	4.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	4.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	2.33E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	7.72E-11	7.49E-11	2.79E-11	1.01E-11	3.63E-12	1.31E-12	4.72E-13	1.70E-13	6.15E-14	2.22E-14	8.00E-15

se 92	1.53E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	2.72E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	1.16E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	3.30E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	4.17E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	4.21E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	7.92E-12	7.92E-12	7.92E-12	7.92E-12	7.92E-12	7.92E-12	7.92E-12	7.92E-12	7.92E-12	7.92E-12	7.92E-12	7.92E-12
se 93	1.09E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	5.46E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	3.91E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	2.64E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	4.59E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	3.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.48E-01	3.48E-01	3.48E-01	3.48E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01	3.46E-01
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93m	3.48E-01	3.48E-01	3.48E-01	3.48E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01	3.47E-01	3.46E-01
br 94	3.38E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	1.74E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	1.34E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 169

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.88E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sr 94	4.50E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	4.85E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	1.91E-05	1.91E-05	1.85E-05	1.78E-05	1.72E-05	1.67E-05	1.61E-05	1.56E-05	1.50E-05	1.45E-05	1.40E-05
rb 94m	1.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	3.73E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	1.41E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	6.40E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	4.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	4.96E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	5.04E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	5.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	5.59E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	8.37E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	2.55E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	1.61E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	2.93E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	4.73E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	1.28E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	3.31E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	4.81E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	1.49E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	3.85E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	4.68E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	4.71E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	4.45E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	1.18E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	3.97E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	5.91E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	2.85E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zr 98	4.91E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	4.94E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	3.36E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.19E-06
nb 99	1.17E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	2.53E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	1.81E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	4.77E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	3.09E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	2.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	5.26E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.76E+00	3.76E+00	3.75E+00	3.73E+00	3.72E+00	3.71E+00	3.70E+00	3.68E+00	3.67E+00	3.66E+00	3.65E+00	
tc 99m	4.63E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	3.54E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	2.75E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	5.28E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 170
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr	
zr100	4.78E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nb100	5.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nb100m	3.50E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tc100	8.03E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nb101	2.91E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
sr101	4.41E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
y101	3.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
zr101	2.67E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nb101	4.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
mo101	4.66E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tc101	4.66E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
sr102	8.17E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
y102	1.57E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
zr102	1.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nb102	3.66E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
mo102	4.23E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tc102	4.24E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tc102m	3.97E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
rh102	1.34E-05	1.03E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
sr103	5.67E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
y103	4.80E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
zr103	6.53E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
nb103	2.53E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
mo103	3.81E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
tc103	3.89E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
ru103	3.91E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
rh103m	3.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
sr104	1.78E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
y104	9.40E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
zr104	1.76E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	

rh104	1.04E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	2.76E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	2.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	2.06E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	1.50E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y105	1.19E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	6.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	4.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	1.88E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	2.22E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	2.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	2.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	6.39E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 171

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
y106	2.12E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	2.06E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	5.85E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	9.07E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	1.39E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	1.55E+00	2.06E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	1.55E+00	2.06E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	6.94E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	1.71E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	1.93E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	2.02E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	9.37E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	3.21E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	8.65E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	1.07E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	1.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.64E-02	2.64E-02	2.64E-02	2.64E-02	2.64E-02	2.64E-02	2.64E-02	2.64E-02	2.64E-02	2.64E-02	2.64E-02
pd107m	7.93E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	8.35E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	2.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	3.66E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	2.54E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	6.41E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	6.54E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	1.26E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	1.84E-04	1.64E-07	8.22E-10	3.50E-12	1.49E-14	6.37E-17	2.71E-19	1.16E-21	4.93E-24	2.10E-26	8.93E-29
ag108m	2.22E-06	1.88E-06	9.45E-09	4.03E-11	1.72E-13	7.32E-16	3.12E-18	1.33E-20	5.66E-23	2.41E-25	1.03E-27
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	6.74E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	1.17E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	3.86E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	8.58E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	4.56E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	5.43E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	2.71E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pd109	6.28E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	3.41E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	6.28E-01	5.68E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	7.67E-09	5.68E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb110	5.34E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	4.26E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	1.11E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	1.29E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	2.68E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	1.56E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	2.93E-01	9.75E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	1.16E-02	7.17E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 172
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb111	4.86E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	4.59E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	2.24E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	4.12E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	9.05E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	9.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	5.20E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	9.85E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	9.81E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	1.30E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb112	1.82E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	7.54E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	4.47E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	1.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	3.86E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	4.89E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	4.90E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	1.57E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	1.23E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	5.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	1.91E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	2.94E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	2.87E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	5.77E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14
cd113m	6.66E-04	1.52E-04	2.98E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	3.31E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	8.05E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	2.10E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	2.14E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	2.55E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	2.65E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	7.17E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	5.40E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	3.61E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	7.82E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	5.30E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	4.67E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	1.62E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	1.28E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	5.36E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	1.81E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	8.43E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12
in115m	1.81E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 173

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	3.36E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	1.87E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	2.59E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	1.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	2.21E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	2.64E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	3.48E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	1.31E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	4.15E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	2.93E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	9.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	1.27E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	1.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	1.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	1.91E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	4.33E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	1.42E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	1.75E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	1.09E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	1.23E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	4.78E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	2.36E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	6.07E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	1.05E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	7.47E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	1.83E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	1.83E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	2.19E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	6.33E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	9.18E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	3.63E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	1.29E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	1.32E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	5.98E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	7.77E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	1.19E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn119m	1.47E-04	8.13E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	7.90E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	1.98E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	1.86E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	8.22E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	1.81E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	1.84E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	3.04E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	5.54E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 174

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
pd121	7.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	6.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	1.83E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	1.67E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	1.86E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	2.01E-02	1.15E-04	5.63E-10	1.90E-15	6.38E-21	2.15E-26	6.85E-32	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	2.15E-04	1.48E-04	7.25E-10	2.44E-15	8.23E-21	2.77E-26	9.13E-32	.00E+00	.00E+00	.00E+00	.00E+00
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	6.13E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	2.62E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	3.11E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	1.97E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	2.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	2.13E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	1.89E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	1.89E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	5.22E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	4.57E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	1.23E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	1.26E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	1.58E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	4.32E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	1.83E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	2.11E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14
te123m	1.19E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	2.51E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	9.84E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	2.02E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	3.66E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	1.50E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	3.19E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	6.15E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	4.73E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	1.31E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	2.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	1.57E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	1.19E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	3.71E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb125	4.91E-02	2.42E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	1.13E-02	5.91E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	1.36E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	1.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	1.45E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	4.69E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	1.25E-01	1.25E-01	1.24E-01	1.23E-01	1.22E-01	1.21E-01	1.21E-01	1.20E-01	1.19E-01	1.18E-01	1.17E-01	

1

Part D 1000 year criticality at 2.182 kw/package fission products page 175
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb126	1.80E-02	1.75E-02	1.73E-02	1.72E-02	1.71E-02	1.70E-02	1.69E-02	1.68E-02	1.66E-02	1.65E-02	1.64E-02
sb126m	1.26E-01	1.25E-01	1.24E-01	1.23E-01	1.22E-01	1.21E-01	1.21E-01	1.20E-01	1.19E-01	1.18E-01	1.17E-01
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	1.04E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	4.23E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	4.23E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	8.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	1.12E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	2.06E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	2.05E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	3.60E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	6.49E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	5.29E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	1.10E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	8.62E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	3.74E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	3.73E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	3.93E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	1.70E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	5.45E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	9.90E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	3.25E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	3.43E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	8.51E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	8.06E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	1.62E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	8.85E-03	8.85E-03	8.85E-03	8.85E-03	8.85E-03	8.85E-03	8.85E-03	8.85E-03	8.85E-03	8.85E-03	8.85E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	3.70E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	2.06E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	7.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	9.54E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	2.83E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	1.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	4.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	2.17E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	3.14E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	3.21E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	7.97E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb131	2.23E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	2.35E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	5.06E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	2.76E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	3.02E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 176

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd132	3.84E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	8.71E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	6.38E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	1.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	1.30E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	3.98E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	4.04E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	8.96E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	2.61E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	1.78E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	1.89E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	3.18E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	2.62E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	5.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	4.18E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	5.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	1.79E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	5.23E-10	7.25E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	4.35E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	2.91E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	3.53E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	2.40E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	5.33E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	6.50E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	4.97E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	1.04E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	1.06E+00	4.43E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	8.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	2.50E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	1.52E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	2.75E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	5.47E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	5.91E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	1.15E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.05E-01	2.05E-01	2.05E-01	2.05E-01	2.05E-01	2.05E-01	2.05E-01	2.04E-01	2.04E-01	2.04E-01	2.04E-01
cs135m	1.75E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	1.27E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	2.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	2.35E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	1.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	2.58E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	1.23E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	1.41E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	1.58E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 177

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb137	3.02E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	4.23E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	2.70E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	5.24E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	5.50E+00	2.75E+00	5.07E-10	4.67E-20	4.31E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	5.19E+00	2.60E+00	4.78E-10	4.41E-20	4.06E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	3.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	9.84E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	1.35E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	5.05E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	5.42E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	2.04E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11
sb139	2.47E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	1.57E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	7.21E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	3.86E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	5.10E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	5.22E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	3.18E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	1.64E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	2.38E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	1.70E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	2.73E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	4.59E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	5.17E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	5.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	5.70E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	2.75E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	2.21E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	1.04E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	3.53E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	4.78E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	4.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	4.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	7.33E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	9.99E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	5.19E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	4.04E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	2.06E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	4.57E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	4.71E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06
pr142	1.18E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

rd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	7.16E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 178

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
xe143	5.88E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	1.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	3.98E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	4.56E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	4.59E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	4.59E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	2.87E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	1.24E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	3.01E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	3.17E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	4.07E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	4.15E+00	1.10E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	4.15E+00	1.10E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	5.83E-02	1.54E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10
i145	9.05E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	1.21E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	7.07E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	1.38E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	2.78E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	3.09E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	3.09E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	1.98E-05	6.38E-06	2.03E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	1.93E-05	3.83E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	1.11E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	1.70E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	7.42E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	1.83E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	2.42E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	2.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	3.96E-07	9.20E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08
xe147	3.52E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	3.44E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	1.12E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	7.56E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	1.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	1.89E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	1.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	1.90E+00	6.95E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06
cs148	6.28E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	2.19E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	2.33E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	1.26E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	1.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	2.13E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	2.20E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 179

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm148	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12
cs149	5.21E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	2.42E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	6.49E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	6.41E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	9.63E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13
eu149	1.66E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	6.66E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	2.19E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	1.04E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	2.72E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	5.73E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	3.29E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	2.04E-06	1.14E-06	7.96E-15	3.12E-23	1.14E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	2.22E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	1.76E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	7.44E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	2.88E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	4.83E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	4.89E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	7.92E-01	6.29E-01	3.58E-04	1.62E-07	7.30E-11	3.30E-14	1.49E-17	6.72E-21	3.03E-24	1.37E-27	6.16E-31
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	4.72E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	1.44E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	7.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	8.58E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	3.11E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	3.22E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	1.10E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	6.61E-01	1.39E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	3.59E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	3.53E-12	3.53E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12
la153	1.45E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	3.48E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	3.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	1.73E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	2.09E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	9.44E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	4.73E-04	1.04E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	3.77E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	3.51E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	6.47E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	7.82E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	9.93E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	2.11E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	4.64E-01	4.12E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	1.91E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	3.10E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	1.43E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	2.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	5.97E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	7.38E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	7.40E-02	8.70E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	2.42E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	1.92E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	8.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	2.71E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	4.32E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	4.37E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	1.17E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	3.06E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	1.85E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	1.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	2.48E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	2.60E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	1.64E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	3.12E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	2.49E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	1.19E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	1.37E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	7.06E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	2.86E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	4.95E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	4.32E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	6.49E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	8.25E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	1.88E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	5.44E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	1.22E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	2.64E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	1.78E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	7.81E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	6.55E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	2.32E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	9.68E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	1.46E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	1.47E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part D 1000 year criticality at 2.182 kw/package fission products page 181
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	4.41E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	3.80E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	2.57E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	6.66E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	6.80E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	1.41E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	2.92E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	4.81E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	2.34E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	2.74E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	2.16E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	5.48E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	6.94E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	1.01E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	1.13E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	5.93E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	1.48E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	3.49E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	4.18E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	3.16E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	6.35E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	5.97E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	4.00E-07	3.93E-07	2.25E-07	1.26E-07	7.07E-08	3.97E-08	2.23E-08	1.25E-08	7.02E-09	3.94E-09	2.21E-09
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	2.09E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	1.09E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	6.89E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	1.48E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	1.51E-08	3.00E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	8.74E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	9.20E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	5.29E+02	1.49E+01	5.08E+00	5.06E+00	5.05E+00	5.03E+00	5.01E+00	5.00E+00	4.98E+00	4.96E+00	4.95E+00

1

Part D 1000 year criticality at 2.182 kw/package actinides page 185

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	1.67E-07	2.28E-07	2.82E-07	3.30E-07	3.72E-07	4.09E-07	4.42E-07	4.70E-07	4.94E-07	5.15E-07	5.32E-07
tl207	6.85E-03	8.74E-03	1.04E-02	1.18E-02	1.30E-02	1.40E-02	1.49E-02	1.56E-02	1.63E-02	1.68E-02	1.72E-02

tl208	1.94E-07	2.09E-07	2.25E-07	2.42E-07	2.59E-07	2.76E-07	2.94E-07	3.12E-07	3.30E-07	3.49E-07	3.68E-07
tl209	4.84E-04	7.77E-04	1.07E-03	1.36E-03	1.64E-03	1.91E-03	2.16E-03	2.40E-03	2.64E-03	2.86E-03	3.07E-03
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	2.30E-02	3.70E-02	5.11E-02	6.49E-02	7.81E-02	9.08E-02	1.03E-01	1.14E-01	1.26E-01	1.36E-01	1.46E-01
pb210	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
pb211	6.87E-03	8.77E-03	1.04E-02	1.18E-02	1.31E-02	1.41E-02	1.50E-02	1.57E-02	1.63E-02	1.68E-02	1.72E-02
pb212	5.40E-07	5.82E-07	6.27E-07	6.73E-07	7.20E-07	7.68E-07	8.18E-07	8.68E-07	9.19E-07	9.72E-07	1.02E-06
pb214	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
bi211	6.87E-03	8.77E-03	1.04E-02	1.18E-02	1.31E-02	1.41E-02	1.50E-02	1.57E-02	1.63E-02	1.68E-02	1.72E-02
bi212	5.40E-07	5.82E-07	6.27E-07	6.73E-07	7.20E-07	7.68E-07	8.18E-07	8.68E-07	9.19E-07	9.72E-07	1.02E-06
bi213	2.30E-02	3.70E-02	5.11E-02	6.49E-02	7.81E-02	9.08E-02	1.03E-01	1.14E-01	1.26E-01	1.36E-01	1.46E-01
bi214	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
po210	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	1.89E-05	2.41E-05	2.86E-05	3.26E-05	3.59E-05	3.87E-05	4.11E-05	4.31E-05	4.48E-05	4.62E-05	4.74E-05
po212	3.46E-07	3.73E-07	4.01E-07	4.31E-07	4.61E-07	4.92E-07	5.24E-07	5.56E-07	5.89E-07	6.22E-07	6.56E-07
po213	2.26E-02	3.62E-02	5.00E-02	6.35E-02	7.66E-02	8.89E-02	1.01E-01	1.12E-01	1.23E-01	1.33E-01	1.43E-01
po214	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
po215	6.87E-03	8.77E-03	1.04E-02	1.18E-02	1.31E-02	1.41E-02	1.50E-02	1.57E-02	1.63E-02	1.68E-02	1.72E-02
po216	5.40E-07	5.82E-07	6.27E-07	6.73E-07	7.20E-07	7.68E-07	8.18E-07	8.68E-07	9.19E-07	9.72E-07	1.02E-06
po218	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
at217	2.30E-02	3.70E-02	5.11E-02	6.49E-02	7.81E-02	9.08E-02	1.03E-01	1.15E-01	1.26E-01	1.36E-01	1.46E-01
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	6.87E-03	8.77E-03	1.04E-02	1.18E-02	1.31E-02	1.41E-02	1.50E-02	1.57E-02	1.63E-02	1.68E-02	1.72E-02
rn220	5.40E-07	5.82E-07	6.27E-07	6.73E-07	7.20E-07	7.68E-07	8.18E-07	8.68E-07	9.19E-07	9.72E-07	1.02E-06
rn222	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
fr221	2.30E-02	3.70E-02	5.11E-02	6.49E-02	7.81E-02	9.08E-02	1.03E-01	1.15E-01	1.26E-01	1.36E-01	1.46E-01
fr223	9.48E-05	1.21E-04	1.44E-04	1.63E-04	1.80E-04	1.94E-04	2.06E-04	2.16E-04	2.25E-04	2.32E-04	2.38E-04
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	6.87E-03	8.77E-03	1.04E-02	1.18E-02	1.31E-02	1.41E-02	1.50E-02	1.57E-02	1.63E-02	1.68E-02	1.72E-02
ra224	5.40E-07	5.82E-07	6.27E-07	6.73E-07	7.20E-07	7.68E-07	8.18E-07	8.68E-07	9.19E-07	9.72E-07	1.02E-06
ra225	2.30E-02	3.70E-02	5.11E-02	6.49E-02	7.81E-02	9.08E-02	1.03E-01	1.15E-01	1.26E-01	1.36E-01	1.46E-01
ra226	1.26E-01	1.73E-01	2.14E-01	2.50E-01	2.82E-01	3.10E-01	3.35E-01	3.56E-01	3.74E-01	3.90E-01	4.03E-01
ra228	1.47E-07	2.13E-07	2.79E-07	3.45E-07	4.12E-07	4.78E-07	5.44E-07	6.11E-07	6.77E-07	7.44E-07	8.10E-07
ac225	2.30E-02	3.70E-02	5.11E-02	6.49E-02	7.81E-02	9.08E-02	1.03E-01	1.15E-01	1.26E-01	1.36E-01	1.46E-01
ac227	6.87E-03	8.77E-03	1.04E-02	1.18E-02	1.31E-02	1.41E-02	1.50E-02	1.57E-02	1.63E-02	1.68E-02	1.72E-02
ac228	1.47E-07	2.13E-07	2.79E-07	3.45E-07	4.12E-07	4.78E-07	5.44E-07	6.11E-07	6.77E-07	7.44E-07	8.10E-07
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	6.78E-03	8.65E-03	1.03E-02	1.17E-02	1.29E-02	1.39E-02	1.47E-02	1.55E-02	1.61E-02	1.66E-02	1.70E-02
th228	5.40E-07	5.82E-07	6.27E-07	6.73E-07	7.20E-07	7.68E-07	8.18E-07	8.68E-07	9.19E-07	9.72E-07	1.02E-06
th229	2.30E-02	3.70E-02	5.11E-02	6.49E-02	7.81E-02	9.08E-02	1.03E-01	1.15E-01	1.26E-01	1.36E-01	1.46E-01
th230	1.38E-01	1.83E-01	2.23E-01	2.58E-01	2.89E-01	3.16E-01	3.40E-01	3.61E-01	3.78E-01	3.93E-01	4.06E-01
th231	1.64E-02	1.71E-02	1.76E-02	1.80E-02	1.83E-02	1.85E-02	1.87E-02	1.88E-02	1.89E-02	1.90E-02	1.90E-02

1

Part D 1000 year criticality at 2.182 kw/package actinides page 186
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
th232	1.47E-07	2.13E-07	2.79E-07	3.45E-07	4.12E-07	4.78E-07	5.44E-07	6.11E-07	6.77E-07	7.44E-07	8.10E-07
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	6.87E-03	8.78E-03	1.04E-02	1.18E-02	1.30E-02	1.41E-02	1.49E-02	1.57E-02	1.63E-02	1.68E-02	1.72E-02
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pa233	3.81E-01	3.80E-01	3.79E-01	3.77E-01	3.76E-01	3.75E-01	3.74E-01	3.72E-01	3.71E-01	3.70E-01	3.69E-01
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	3.92E-07	3.69E-07	3.48E-07	3.27E-07	3.08E-07	2.90E-07	2.73E-07	2.57E-07	2.42E-07	2.28E-07	2.15E-07
u233	3.85E-02	5.31E-02	6.70E-02	8.03E-02	9.29E-02	1.05E-01	1.16E-01	1.27E-01	1.38E-01	1.48E-01	1.57E-01
u234	6.59E-01	6.45E-01	6.31E-01	6.18E-01	6.05E-01	5.92E-01	5.80E-01	5.68E-01	5.56E-01	5.45E-01	5.34E-01
u235	1.64E-02	1.71E-02	1.76E-02	1.80E-02	1.83E-02	1.85E-02	1.87E-02	1.88E-02	1.89E-02	1.90E-02	1.90E-02
u236	1.32E-01	1.34E-01	1.34E-01	1.35E-01	1.35E-01	1.35E-01	1.35E-01	1.35E-01	1.35E-01	1.34E-01	1.34E-01
u237	2.42E-08	1.07E-08	4.73E-09	2.09E-09	9.25E-10	4.09E-10	1.81E-10	8.01E-11	3.54E-11	1.57E-11	6.93E-12
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	1.37E-12	1.91E-12	2.44E-12	2.95E-12	3.46E-12	3.96E-12	4.45E-12	4.93E-12	5.39E-12	5.85E-12	6.30E-12
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.41E-06	4.15E-06	3.91E-06	3.68E-06	3.46E-06	3.26E-06	3.07E-06	2.89E-06	2.72E-06	2.56E-06	2.41E-06
np237	3.81E-01	3.80E-01	3.79E-01	3.77E-01	3.76E-01	3.75E-01	3.74E-01	3.72E-01	3.71E-01	3.70E-01	3.69E-01
np238	5.46E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np239	2.05E-01	8.02E-02	3.13E-02	1.22E-02	4.78E-03	1.86E-03	7.28E-04	2.84E-04	1.11E-04	4.33E-05	1.69E-05
np240m	1.37E-12	1.91E-12	2.44E-12	2.95E-12	3.46E-12	3.96E-12	4.45E-12	4.93E-12	5.39E-12	5.85E-12	6.30E-12
np240	1.64E-15	2.29E-15	2.92E-15	3.55E-15	4.16E-15	4.75E-15	5.34E-15	5.91E-15	6.47E-15	7.02E-15	7.56E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	3.92E-07	3.69E-07	3.48E-07	3.27E-07	3.08E-07	2.90E-07	2.73E-07	2.57E-07	2.42E-07	2.28E-07	2.15E-07
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	1.06E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu239	8.05E+01	6.04E+01	4.53E+01	3.40E+01	2.55E+01	1.91E+01	1.43E+01	1.08E+01	8.07E+00	6.06E+00	4.54E+00
pu240	1.14E+01	3.95E+00	1.37E+00	4.78E-01	1.66E-01	5.78E-02	2.01E-02	6.99E-03	2.43E-03	8.45E-04	2.94E-04
pu241	1.01E-03	4.47E-04	1.98E-04	8.75E-05	3.87E-05	1.71E-05	7.57E-06	3.35E-06	1.48E-06	6.55E-07	2.90E-07
pu242	2.67E-01	2.62E-01	2.57E-01	2.53E-01	2.48E-01	2.43E-01	2.39E-01	2.34E-01	2.30E-01	2.26E-01	2.22E-01
pu243	2.93E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.91E-09	2.91E-09
pu244	1.37E-12	1.91E-12	2.44E-12	2.96E-12	3.47E-12	3.96E-12	4.45E-12	4.93E-12	5.40E-12	5.85E-12	6.31E-12
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	2.26E-17	1.52E-17	1.02E-17	6.84E-18	4.60E-18	3.09E-18	2.07E-18	1.39E-18	9.34E-19	6.27E-19	4.21E-19
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	1.05E-03	4.47E-04	1.98E-04	8.75E-05	3.87E-05	1.71E-05	7.57E-06	3.35E-06	1.48E-06	6.55E-07	2.90E-07
am242m	1.21E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am242	1.21E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am243	2.05E-01	8.02E-02	3.13E-02	1.22E-02	4.78E-03	1.86E-03	7.28E-04	2.84E-04	1.11E-04	4.33E-05	1.69E-05
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	2.26E-17	1.52E-17	1.02E-17	6.84E-18	4.60E-18	3.09E-18	2.07E-18	1.39E-18	9.34E-19	6.27E-19	4.21E-19
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package actinides page 187

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0

nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cm242	9.99E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm243	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	1.01E-03	4.46E-04	1.97E-04	8.73E-05	3.86E-05	1.71E-05	7.56E-06	3.34E-06	1.48E-06	6.54E-07	2.89E-07
cm246	2.58E-05	5.96E-06	1.38E-06	3.18E-07	7.35E-08	1.70E-08	3.92E-09	9.07E-10	2.09E-10	4.84E-11	1.12E-11
cm247	2.93E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.92E-09	2.91E-09	2.91E-09
cm248	6.87E-09	6.74E-09	6.60E-09	6.47E-09	6.34E-09	6.21E-09	6.08E-09	5.96E-09	5.84E-09	5.72E-09	5.61E-09

cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	9.05E-17	6.07E-17	4.08E-17	2.74E-17	1.84E-17	1.23E-17	8.29E-18	5.56E-18	3.73E-18	2.51E-18	1.68E-18
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	1.27E-17	8.50E-18	5.71E-18	3.83E-18	2.57E-18	1.73E-18	1.16E-18	7.79E-19	5.23E-19	3.51E-19	2.36E-19
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	3.10E-17	7.97E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf250	1.27E-17	8.50E-18	5.71E-18	3.83E-18	2.57E-18	1.73E-18	1.16E-18	7.79E-19	5.23E-19	3.51E-19	2.36E-19
cf251	5.91E-18	2.63E-21	1.17E-24	5.18E-28	2.28E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	9.61E+01	6.90E+01	5.17E+01	4.00E+01	3.16E+01	2.55E+01	2.10E+01	1.77E+01	1.53E+01	1.35E+01	1.22E+01

1

Part D 1000 year criticality at 2.182 kw/package fission products page 205

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
h 3	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.20E-07	8.17E-07	8.13E-07	8.10E-07	8.06E-07	8.03E-07	7.99E-07	7.96E-07	7.92E-07	7.89E-07	7.85E-07
c 14	1.66E-06	4.95E-07	1.48E-07	4.40E-08	1.31E-08	3.92E-09	1.17E-09	3.48E-10	1.04E-10	3.10E-11	9.23E-12
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.14E-01	9.27E-02	7.52E-02	6.09E-02	4.94E-02	4.00E-02	3.24E-02	2.63E-02	2.13E-02	1.73E-02	1.40E-02
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	1.40E-08	1.36E-08	1.31E-08	1.27E-08	1.23E-08	1.19E-08	1.15E-08	1.12E-08	1.08E-08	1.05E-08	1.01E-08
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 207
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06	6.23E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 208
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	8.00E-15	2.99E-19	1.12E-23	4.19E-28	2.28E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nb 92	7.92E-12	7.91E-12	7.91E-12	7.91E-12	7.91E-12	7.91E-12	7.91E-12	7.91E-12	7.90E-12	7.90E-12	7.90E-12
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.46E-01	3.45E-01	3.43E-01	3.42E-01	3.40E-01	3.39E-01	3.37E-01	3.36E-01	3.34E-01	3.33E-01	3.31E-01
nb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 93m	3.46E-01	3.45E-01	3.43E-01	3.42E-01	3.40E-01	3.39E-01	3.37E-01	3.36E-01	3.34E-01	3.33E-01	3.31E-01
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 209

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 94	1.40E-05	9.98E-06	7.09E-06	5.04E-06	3.58E-06	2.55E-06	1.81E-06	1.29E-06	9.14E-07	6.50E-07	4.62E-07
nb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.19E-06	1.19E-06	1.19E-06	1.19E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.18E-06	1.17E-06	1.17E-06
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.66E+00	3.53E+00	3.42E+00	3.31E+00	3.20E+00	3.10E+00	3.00E+00	2.90E+00	2.81E+00	2.72E+00	2.63E+00
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 210

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products * page 211
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.64E-02	2.63E-02	2.63E-02	2.63E-02	2.63E-02	2.62E-02	2.62E-02	2.62E-02	2.61E-02	2.61E-02	2.61E-02
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	8.95E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	1.03E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 212

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14	1.42E-14
cd113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12	3.24E-12
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 213
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 214

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14	8.71E-14
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn126	1.17E-01	1.09E-01	1.02E-01	9.52E-02	8.88E-02	8.29E-02	7.73E-02	7.22E-02	6.73E-02	6.28E-02	5.86E-02

1

Part D 1000 year criticality at 2.182 kw/package fission products page 215
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sb126	1.64E-02	1.53E-02	1.43E-02	1.33E-02	1.24E-02	1.16E-02	1.08E-02	1.01E-02	9.43E-03	8.79E-03	8.21E-03
sb126m	1.17E-01	1.09E-01	1.02E-01	9.52E-02	8.88E-02	8.29E-02	7.73E-02	7.22E-02	6.73E-02	6.28E-02	5.86E-02
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	8.85E-03	8.84E-03	8.84E-03	8.84E-03	8.83E-03	8.83E-03	8.82E-03	8.82E-03	8.82E-03	8.81E-03	8.81E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 216
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec
0
nuclide radioactivity, curies
basis =BW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.04E-01	2.04E-01	2.03E-01	2.02E-01	2.02E-01	2.01E-01	2.01E-01	2.00E-01	1.99E-01	1.99E-01	1.98E-01
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 217
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec

0

nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11	5.41E-11
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06	7.79E-06
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 218
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0

nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10	4.08E-10
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.29E-08	6.28E-08	6.28E-08	6.28E-08	6.28E-08	6.28E-08
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06	2.07E-06
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 219
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sm148	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12	8.87E-12

cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13	2.83E-13
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	6.16E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12	3.56E-12
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 220

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 221

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	2.21E-09	6.85E-12	2.12E-14	6.58E-17	2.04E-19	6.32E-22	1.96E-24	6.07E-27	1.88E-29	6.85E-32	.00E+00
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.95E+00	4.79E+00	4.64E+00	4.49E+00	4.36E+00	4.23E+00	4.10E+00	3.99E+00	3.87E+00	3.77E+00	3.66E+00

****

Part E 5000 year criticality at 2.182 kw/package actinides page 145
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	1.33E-07	1.33E-07	1.39E-07	1.46E-07	1.53E-07	1.60E-07	1.67E-07
tl207	8.82E-03	8.83E-03	8.97E-03	9.11E-03	9.26E-03	9.40E-03	9.54E-03
tl208	4.07E-04	3.11E-04	2.36E-07	2.17E-07	2.19E-07	2.20E-07	2.21E-07
tl209	3.42E-04	3.43E-04	3.69E-04	3.96E-04	4.23E-04	4.51E-04	4.79E-04
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pb209	1.63E-02	1.63E-02	1.76E-02	1.89E-02	2.02E-02	2.15E-02	2.28E-02
pb210	1.00E-01	1.00E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
pb211	8.85E-03	8.85E-03	8.99E-03	9.14E-03	9.28E-03	9.43E-03	9.57E-03
pb212	1.13E-03	8.67E-04	6.58E-07	6.05E-07	6.08E-07	6.12E-07	6.16E-07
pb214	1.00E-01	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.00E-01	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
bi211	8.85E-03	8.85E-03	8.99E-03	9.14E-03	9.28E-03	9.43E-03	9.57E-03
bi212	1.13E-03	8.67E-04	6.58E-07	6.05E-07	6.08E-07	6.12E-07	6.16E-07
bi213	1.63E-02	1.63E-02	1.76E-02	1.89E-02	2.02E-02	2.15E-02	2.28E-02
bi214	1.00E-01	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po210	1.00E-01	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	2.43E-05	2.44E-05	2.47E-05	2.51E-05	2.55E-05	2.59E-05	2.63E-05
po212	7.26E-04	5.55E-04	4.22E-07	3.87E-07	3.90E-07	3.92E-07	3.95E-07
po213	1.60E-02	1.60E-02	1.72E-02	1.85E-02	1.97E-02	2.10E-02	2.23E-02
po214	1.00E-01	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
po215	8.85E-03	8.85E-03	8.99E-03	9.14E-03	9.28E-03	9.43E-03	9.57E-03
po216	1.13E-03	8.67E-04	6.58E-07	6.05E-07	6.08E-07	6.12E-07	6.16E-07
po218	1.00E-01	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
at217	1.63E-02	1.63E-02	1.76E-02	1.89E-02	2.02E-02	2.15E-02	2.28E-02
rn218	9.09E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	8.85E-03	8.85E-03	8.99E-03	9.14E-03	9.28E-03	9.43E-03	9.57E-03
rn220	1.13E-03	8.67E-04	6.58E-07	6.05E-07	6.08E-07	6.12E-07	6.16E-07
rn222	1.00E-01	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
fr221	1.63E-02	1.63E-02	1.76E-02	1.89E-02	2.02E-02	2.15E-02	2.28E-02
fr223	1.22E-04	1.22E-04	1.24E-04	1.26E-04	1.28E-04	1.30E-04	1.32E-04
ra222	9.09E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	8.85E-03	8.85E-03	8.99E-03	9.14E-03	9.28E-03	9.43E-03	9.57E-03
ra224	1.13E-03	8.67E-04	6.58E-07	6.05E-07	6.08E-07	6.12E-07	6.16E-07
ra225	1.63E-02	1.63E-02	1.76E-02	1.89E-02	2.02E-02	2.15E-02	2.28E-02
ra226	1.00E-01	1.01E-01	1.06E-01	1.11E-01	1.16E-01	1.21E-01	1.26E-01
ra228	1.15E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.48E-07
ac225	1.63E-02	1.63E-02	1.76E-02	1.89E-02	2.02E-02	2.15E-02	2.28E-02
ac227	8.85E-03	8.85E-03	8.99E-03	9.14E-03	9.28E-03	9.43E-03	9.57E-03
ac228	1.15E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.48E-07
th226	9.09E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	8.73E-03	8.73E-03	8.87E-03	9.01E-03	9.16E-03	9.30E-03	9.44E-03
th228	1.13E-03	8.67E-04	6.58E-07	6.05E-07	6.08E-07	6.12E-07	6.16E-07
th229	1.63E-02	1.63E-02	1.76E-02	1.89E-02	2.02E-02	2.15E-02	2.28E-02
th230	1.12E-01	1.12E-01	1.17E-01	1.23E-01	1.28E-01	1.33E-01	1.38E-01
th231	5.80E-02	1.58E-02	1.59E-02	1.60E-02	1.60E-02	1.61E-02	1.62E-02

1

Part E 5000 year criticality at 2.182 kw/package actinides page 146
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
th232	1.15E-07	1.15E-07	1.21E-07	1.28E-07	1.34E-07	1.41E-07	1.48E-07
th233	5.33E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	8.84E-03	8.85E-03	8.99E-03	9.13E-03	9.28E-03	9.42E-03	9.56E-03
pa232	1.08E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	3.85E-01	3.85E-01	3.85E-01	3.85E-01	3.85E-01	3.85E-01	3.85E-01
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	9.09E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

u231	1.62E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.13E-03	8.43E-04	5.35E-07	4.77E-07	4.74E-07	4.71E-07	4.68E-07
u233	3.05E-02	3.06E-02	3.21E-02	3.36E-02	3.51E-02	3.66E-02	3.81E-02
u234	6.95E-01	6.95E-01	6.94E-01	6.92E-01	6.91E-01	6.89E-01	6.88E-01
u235	1.58E-02	1.58E-02	1.59E-02	1.60E-02	1.60E-02	1.61E-02	1.62E-02
u236	1.31E-01	1.31E-01	1.31E-01	1.32E-01	1.33E-01	1.33E-01	1.33E-01
u237	3.01E+00	1.48E-05	3.15E-08	2.90E-08	2.67E-08	2.46E-08	2.27E-08
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	6.70E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	1.11E-12	1.11E-12	1.17E-12	1.24E-12	1.30E-12	1.36E-12	1.42E-12
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	5.50E-07	2.60E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	1.06E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	5.42E-06	5.42E-06	5.39E-06	5.36E-06	5.33E-06	5.29E-06	5.26E-06
np237	3.85E-01	3.85E-01	3.85E-01	3.85E-01	3.85E-01	3.85E-01	3.85E-01
np238	2.97E+00	9.25E-06	7.85E-08	5.76E-10	4.22E-12	3.09E-14	2.27E-16
np239	6.74E+01	4.39E-01	4.01E-01	3.65E-01	3.32E-01	3.02E-01	2.75E-01
np240m	1.11E-12	1.11E-12	1.17E-12	1.24E-12	1.30E-12	1.36E-12	1.42E-12
np240	1.06E-06	1.33E-15	1.41E-15	1.48E-15	1.56E-15	1.63E-15	1.71E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	5.16E-05	5.22E-07	4.80E-07	4.77E-07	4.74E-07	4.71E-07	4.68E-07
pu237	5.91E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	2.98E+00	2.35E+00	1.12E-03	5.19E-07	9.68E-10	6.05E-12	4.39E-14
pu239	9.56E+01	9.56E+01	9.29E+01	9.03E+01	8.78E+01	8.53E+01	8.29E+01
pu240	2.33E+01	2.32E+01	2.10E+01	1.89E+01	1.70E+01	1.53E+01	1.37E+01
pu241	2.63E+00	6.18E-01	1.32E-03	1.21E-03	1.12E-03	1.03E-03	9.50E-04
pu242	2.67E-01	2.67E-01	2.66E-01	2.66E-01	2.65E-01	2.65E-01	2.64E-01
pu243	3.73E-01	2.90E-09	2.90E-09	2.90E-09	2.90E-09	2.90E-09	2.90E-09
pu244	1.11E-12	1.11E-12	1.17E-12	1.24E-12	1.30E-12	1.36E-12	1.43E-12
pu245	1.00E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	2.76E-17	2.76E-17	2.65E-17	2.55E-17	2.45E-17	2.35E-17	2.26E-17
am239	2.21E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	2.21E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	2.67E+00	2.61E+00	5.56E-01	1.13E-01	2.37E-02	5.60E-03	1.90E-03
am242m	2.38E-03	2.05E-03	1.75E-05	1.28E-07	9.37E-10	6.87E-12	5.04E-14
am242	1.46E-02	2.05E-03	1.74E-05	1.27E-07	9.33E-10	6.84E-12	5.01E-14
am243	4.41E-01	4.39E-01	4.01E-01	3.65E-01	3.32E-01	3.02E-01	2.75E-01
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.59E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	1.03E-12	1.64E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	2.76E-17	2.76E-17	2.65E-17	2.55E-17	2.45E-17	2.35E-17	2.26E-17
cm241	2.59E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package actinides page 147
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cm242	1.21E-02	1.69E-03	1.44E-05	1.05E-07	7.72E-10	5.66E-12	4.15E-14
cm243	4.74E-09	2.28E-09	1.30E-19	3.54E-30	.00E+00	.00E+00	.00E+00
cm244	1.59E-02	5.05E-03	3.71E-19	.00E+00	.00E+00	.00E+00	.00E+00
cm245	1.43E-03	1.42E-03	1.31E-03	1.21E-03	1.12E-03	1.03E-03	9.48E-04
cm246	7.45E-05	7.42E-05	6.44E-05	5.56E-05	4.80E-05	4.15E-05	3.58E-05
cm247	2.90E-09	2.90E-09	2.90E-09	2.90E-09	2.90E-09	2.90E-09	2.90E-09
cm248	7.99E-09	7.99E-09	7.98E-09	7.96E-09	7.94E-09	7.93E-09	7.91E-09
cm249	2.30E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	1.10E-16	1.10E-16	1.06E-16	1.02E-16	9.80E-17	9.41E-17	9.05E-17
cm251	2.70E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	2.30E-09	1.13E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	3.26E-14	1.54E-17	1.49E-17	1.43E-17	1.37E-17	1.32E-17	1.27E-17

bk251	2.71E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	2.24E-09	2.11E-09	3.10E-10	4.29E-11	5.94E-12	8.22E-13	1.14E-13
cf250	2.53E-12	5.14E-13	1.49E-17	1.43E-17	1.37E-17	1.32E-17	1.27E-17
cf251	2.17E-15	2.12E-15	1.00E-15	4.64E-16	2.14E-16	9.91E-17	4.58E-17
cf252	5.42E-17	2.09E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	5.05E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	2.28E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	5.03E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	6.85E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	2.72E+02	1.29E+02	1.19E+02	1.14E+02	1.09E+02	1.05E+02	1.01E+02

1

Part E 5000 year criticality at 2.182 kw/package fission products page 165
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
h 3	1.05E-02	1.95E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.35E-07	8.35E-07	8.35E-07	8.35E-07	8.34E-07	8.34E-07	8.34E-07
c 14	3.47E-06	3.46E-06	3.07E-06	2.72E-06	2.41E-06	2.14E-06	1.89E-06
ni 66	5.95E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	5.98E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	7.69E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	2.58E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	2.09E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	9.52E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	1.23E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	5.28E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	1.37E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	6.85E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	2.01E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	1.14E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	3.12E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	3.98E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	3.99E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	1.22E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	1.32E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	7.26E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	1.23E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	1.25E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	1.23E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	2.53E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	9.25E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cu 74	9.75E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	3.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	9.86E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	5.16E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	4.23E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	1.32E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	7.94E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	9.55E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	9.61E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	5.10E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	1.69E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	1.11E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 166

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
zn 76	1.86E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	2.72E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	3.86E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	3.76E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	6.43E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	2.26E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	5.54E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	2.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	5.67E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	6.59E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	2.17E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	7.45E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	2.41E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	2.77E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	1.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	1.94E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	1.97E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	6.07E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	1.41E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	1.32E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	3.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	3.78E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.30E-01	1.30E-01	1.27E-01	1.25E-01	1.22E-01	1.20E-01	1.17E-01
se 79m	3.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	1.01E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	2.53E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	6.74E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	4.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	9.67E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	9.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	1.03E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	1.16E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	2.87E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cu 81	6.76E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	1.10E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	6.29E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	9.63E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	1.48E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	1.55E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	1.07E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	2.24E-08	2.24E-08	2.23E-08	2.23E-08	2.22E-08	2.21E-08	2.20E-08
kr 81m	5.32E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	2.65E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	4.54E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 167
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
ge 82	9.55E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	1.54E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	5.82E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	6.02E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	5.11E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	1.21E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	4.58E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	4.14E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	2.48E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	1.80E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	1.98E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	3.90E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	3.90E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	4.95E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	2.75E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	1.82E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	7.21E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	7.40E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	1.88E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	7.19E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	4.68E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	1.09E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	3.49E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	3.07E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	8.38E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	1.83E-01	2.63E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	8.39E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	9.95E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	6.27E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	8.53E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	1.04E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	1.87E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	4.08E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	3.24E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	1.05E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

as 87	3.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	5.07E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	1.35E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	1.70E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	1.21E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	1.69E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	1.82E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	2.67E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 168

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=1.897&E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88# 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
br 88	1.34E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	2.38E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	2.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	2.58E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	9.46E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	9.17E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	3.01E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	3.21E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	3.23E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	3.02E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	2.35E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	2.05E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	4.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	3.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	2.99E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	9.01E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	3.90E+00	1.86E+00	7.87E-11	1.59E-21	2.28E-32	.00E+00	.00E+00
y 90	3.91E+00	1.86E+00	7.87E-11	1.59E-21	2.28E-32	.00E+00	.00E+00
y 90m	7.27E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	1.97E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	1.69E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	2.24E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	3.85E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	4.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	4.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	2.37E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.48E-10	1.43E-10	5.33E-11	1.92E-11	6.94E-12	2.50E-12	9.03E-13
se 92	1.57E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	2.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	1.18E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	3.36E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	4.22E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	4.26E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11
se 93	1.11E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	5.43E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	4.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	2.67E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr 93	4.63E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	3.14E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.53E-01	3.53E-01	3.53E-01	3.52E-01	3.52E-01	3.52E-01	3.52E-01
nb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 93m	3.53E-01	3.53E-01	3.53E-01	3.52E-01	3.52E-01	3.52E-01	3.52E-01
br 94	3.46E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	1.79E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	1.36E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 169

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sr 94	4.54E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	4.88E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 94	4.15E-05	4.14E-05	4.01E-05	3.87E-05	3.74E-05	3.62E-05	3.49E-05
nb 94m	2.16E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	3.82E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	1.44E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	6.50E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	4.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	4.99E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	5.07E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	5.06E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	5.63E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	8.56E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	2.61E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	1.64E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	2.96E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	4.76E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	1.22E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	3.38E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	4.94E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	1.52E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	3.88E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	4.70E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	4.72E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	4.46E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	1.20E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	4.06E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	6.02E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	2.87E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	4.91E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	4.95E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	3.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.23E-06	1.23E-06	1.23E-06	1.23E-06	1.23E-06	1.23E-06	1.23E-06
nb 99	1.20E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	2.59E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	1.83E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	4.78E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	3.09E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	2.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	5.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tc 99	3.77E+00	3.77E+00	3.75E+00	3.74E+00	3.73E+00	3.72E+00	3.71E+00
tc 99m	4.64E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	3.62E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	2.81E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	5.32E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 170

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
zr100	4.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	5.14E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	3.39E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc100	8.22E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	2.98E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	4.52E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	3.06E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	2.68E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	4.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	4.65E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	4.65E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	8.38E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	1.61E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	1.93E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	3.65E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	4.21E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	4.22E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	3.82E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	1.39E-05	1.07E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	5.79E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	4.94E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	6.60E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	2.51E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	3.76E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	3.83E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	3.85E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	3.84E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	1.81E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	9.59E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	1.78E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	1.03E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	2.70E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	2.84E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	2.12E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	1.55E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y105	1.21E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	6.66E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	3.97E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	1.84E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	2.16E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ru105	2.18E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	2.18E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	6.20E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 171

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =68w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
y106	2.16E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	2.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	5.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	8.82E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	1.34E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	1.49E+00	1.98E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	1.49E+00	1.98E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	6.55E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	2.18E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	1.97E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	2.06E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	9.33E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	3.12E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	8.25E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.68E-02	2.68E-02	2.68E-02	2.68E-02	2.68E-02	2.68E-02	2.68E-02
pd107m	8.24E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	8.52E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	2.71E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	3.60E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	2.43E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	6.08E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	6.20E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	1.19E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	2.35E-04	1.70E-07	8.54E-10	3.64E-12	1.55E-14	6.61E-17	2.82E-19
ag108m	2.30E-06	1.96E-06	9.82E-09	4.18E-11	1.78E-13	7.60E-16	3.24E-18
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	6.88E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	1.19E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	3.81E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	8.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	4.31E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	5.13E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	2.56E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	6.01E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	3.37E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	6.01E-01	1.74E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	2.35E-08	1.74E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	5.44E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	4.30E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	1.23E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	2.53E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	1.49E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ag110	3.03E-01	1.01E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	1.20E-02	7.41E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 172
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb111	4.97E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	4.67E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	2.21E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	3.96E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	8.63E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	9.32E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	4.92E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	9.40E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	9.36E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	1.39E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb112	1.86E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	7.70E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	4.50E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	1.47E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	3.72E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	4.70E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	4.71E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	1.60E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	1.25E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	5.13E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	1.88E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	2.87E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	2.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	5.62E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14
cd113m	6.61E-04	1.51E-04	2.98E-25	.00E+00	.00E+00	.00E+00	.00E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	3.11E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	8.22E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	2.15E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	2.16E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	1.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	2.48E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	2.58E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	7.45E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	5.61E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	3.69E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	7.99E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	5.39E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	4.66E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	1.59E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	1.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	5.24E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	1.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	8.30E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12
in115m	1.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 173

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	3.43E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	1.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	2.60E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	1.92E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	2.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	2.54E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	3.56E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	1.34E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	4.24E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	2.99E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	9.97E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	1.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	1.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	1.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	1.86E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	4.19E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	1.38E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	1.70E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	1.11E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	1.26E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	4.88E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	2.40E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	6.05E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	1.04E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	7.35E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	1.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	1.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	2.08E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	6.46E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	9.35E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	3.66E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	1.27E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	1.30E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	5.83E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	7.58E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	1.17E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	1.48E-04	8.19E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	8.07E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	2.02E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	1.89E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	8.18E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	1.78E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	1.80E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	2.90E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	5.66E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897BE+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
pd121	8.05E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	6.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	1.80E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	1.60E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	1.83E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	1.97E-02	1.10E-04	5.40E-10	1.82E-15	6.13E-21	2.06E-26	6.85E-32
sn121m	2.07E-04	1.42E-04	6.96E-10	2.34E-15	7.90E-21	2.66E-26	9.13E-32
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	6.26E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	2.67E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	3.11E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	1.94E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	2.14E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	2.04E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	1.96E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	1.96E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	5.34E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	4.67E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	1.25E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	1.24E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	1.55E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	4.24E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	1.81E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	2.07E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14
te123m	1.26E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	2.56E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	9.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	1.99E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	3.58E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	1.56E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	3.20E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	6.28E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	4.79E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	1.29E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	2.04E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	1.52E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	1.17E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	3.60E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	4.78E-02	2.36E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	1.10E-02	5.76E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	1.39E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	1.99E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	1.44E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	4.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	1.24E-01	1.24E-01	1.23E-01	1.22E-01	1.21E-01	1.20E-01	1.20E-01

1
Part E 5000 year criticality at 2.182 kw/package fission products page 175
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897BE+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb126	1.79E-02	1.73E-02	1.72E-02	1.71E-02	1.70E-02	1.69E-02	1.67E-02
sb126m	1.25E-01	1.24E-01	1.23E-01	1.22E-01	1.21E-01	1.20E-01	1.20E-01
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	1.06E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	4.15E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	4.15E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	7.98E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	1.09E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	2.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	1.99E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	3.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	6.90E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	5.40E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	1.13E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	8.69E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	3.70E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	3.62E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	3.88E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	1.76E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	5.57E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	9.99E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	3.22E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	3.43E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	8.40E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	7.96E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	1.60E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	8.99E-03	8.99E-03	8.99E-03	8.99E-03	8.99E-03	8.99E-03	8.99E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	3.93E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	2.11E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	7.98E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	9.59E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	2.77E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	1.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	4.23E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	2.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	3.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	3.28E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	8.05E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	2.23E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	2.35E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	4.94E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	2.74E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	3.01E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 176

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr

cd132	3.93E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	8.90E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	6.44E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	1.26E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	1.32E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	3.97E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	4.03E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	9.28E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	2.67E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	1.82E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	1.91E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	3.20E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	2.63E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	5.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	4.13E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	5.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	1.79E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	4.94E-10	6.84E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	4.45E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	2.98E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	3.60E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	2.44E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	5.38E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	6.52E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	4.84E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	1.01E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	1.10E+00	4.60E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	8.38E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	2.55E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	1.54E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	2.77E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	5.47E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	5.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	1.14E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.12E-01	2.12E-01	2.12E-01	2.11E-01	2.11E-01	2.11E-01	2.11E-01
cs135m	1.85E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	1.34E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	2.26E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	2.40E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	1.29E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	2.61E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	1.24E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	1.47E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	1.64E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 177
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb137	3.11E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	4.31E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

i137	2.72E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	5.24E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	5.50E+00	2.75E+00	5.07E-10	4.67E-20	4.31E-30	.00E+00	.00E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	5.19E+00	2.59E+00	4.78E-10	4.41E-20	4.06E-30	.00E+00	.00E+00
sb138	3.28E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	1.01E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	1.36E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	5.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	5.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	2.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11
sb139	2.53E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	1.61E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	7.34E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	3.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	5.12E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	5.24E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	3.18E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	1.70E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	2.44E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	1.73E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	2.77E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	4.62E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	5.19E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	5.29E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	5.91E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	2.81E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	2.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	1.06E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	3.56E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	4.77E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	4.81E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	4.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	7.58E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	1.02E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	5.33E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	4.11E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	2.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	4.59E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	4.73E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06
pr142	1.22E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	7.32E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 178
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec
0
nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
xe143	6.01E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	1.10E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	4.01E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	4.58E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ce143	4.62E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	4.62E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	2.95E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	1.27E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	3.06E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	3.22E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	4.10E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	4.19E+00	1.11E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	4.19E+00	1.11E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	5.88E-02	1.55E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10
i145	9.24E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	1.23E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	7.20E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	1.41E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	2.81E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	3.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	3.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	2.04E-05	6.63E-06	2.11E-22	.00E+00	.00E+00	.00E+00	.00E+00
sm145	2.00E-05	3.98E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	1.14E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	1.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	7.58E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	1.85E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	2.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	2.45E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	4.11E-07	9.55E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	6.88E-08	6.88E-08	6.88E-08	6.88E-08	6.88E-08	6.88E-08	6.88E-08
xe147	3.59E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	3.52E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	1.15E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	7.66E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	1.81E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	1.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	1.91E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	1.91E+00	6.98E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06
cs148	6.42E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	2.24E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	2.37E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	1.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	1.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	2.16E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	2.20E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 179
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm148	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12
cs149	5.32E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	2.47E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	6.61E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	6.46E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	9.63E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nd149	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.89E-13	1.89E-13	1.89E-13	1.89E-13	1.89E-13	1.89E-13	1.89E-13
eu149	1.62E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	6.80E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	2.23E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	1.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	2.75E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	5.72E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	3.11E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	1.99E-06	1.12E-06	7.80E-15	3.05E-23	1.14E-31	.00E+00	.00E+00
ba151	2.26E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	1.79E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	7.55E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	2.88E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	4.78E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	4.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	8.00E-01	6.35E-01	3.61E-04	1.63E-07	7.36E-11	3.33E-14	1.50E-17
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	4.85E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	1.47E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	7.09E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	8.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	3.07E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	3.18E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	1.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	6.47E-01	1.36E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	3.51E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11
la153	1.48E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	3.55E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	3.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	1.72E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	2.07E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	9.61E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	2.02E-03	4.46E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	3.85E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	3.58E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	6.52E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	7.72E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	9.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	2.02E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 180

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	4.84E-01	4.30E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	1.98E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	3.16E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	1.45E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	2.52E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	5.82E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sm155	7.19E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	7.21E-02	8.47E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	2.47E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	1.95E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	7.96E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	2.63E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	4.16E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	4.20E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	1.19E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	3.12E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	1.85E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	1.03E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	2.38E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	2.49E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	1.67E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	3.16E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	2.43E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	1.14E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	1.31E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	7.21E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	2.90E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	4.86E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	4.14E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	6.18E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	8.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	1.92E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	5.40E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	1.18E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	2.51E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	1.84E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	7.98E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	6.59E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	2.25E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	9.20E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	1.38E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	1.39E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2,182 kw/package fission products page 181
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	4.47E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	3.73E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	2.44E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	6.29E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	6.42E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	1.33E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	2.89E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	4.57E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

gd163	2.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	2.59E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	2.17E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	5.24E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	6.55E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	9.48E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	1.14E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	5.75E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	1.40E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	3.29E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	4.32E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	3.27E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	5.96E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	6.32E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	8.91E-07	8.75E-07	5.00E-07	2.81E-07	1.57E-07	8.84E-08	4.96E-08
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	1.96E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	1.03E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	6.47E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	1.39E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	1.42E-08	2.82E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	8.22E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	8.66E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	5.31E+02	1.50E+01	5.10E+00	5.08E+00	5.06E+00	5.05E+00	5.03E+00

1

Part E 5000 year criticality at 2.182 kw/package actinides page 185
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec
0
nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	1.67E-07	2.31E-07	2.88E-07	3.39E-07	3.83E-07	4.22E-07	4.56E-07	4.86E-07	5.11E-07	5.33E-07	5.52E-07
tl207	9.54E-03	1.09E-02	1.21E-02	1.31E-02	1.41E-02	1.49E-02	1.55E-02	1.61E-02	1.66E-02	1.70E-02	1.74E-02
tl208	2.21E-07	2.35E-07	2.50E-07	2.66E-07	2.82E-07	2.99E-07	3.16E-07	3.33E-07	3.51E-07	3.69E-07	3.88E-07
tl209	4.79E-04	7.72E-04	1.07E-03	1.36E-03	1.64E-03	1.91E-03	2.17E-03	2.42E-03	2.65E-03	2.87E-03	3.09E-03
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	2.28E-02	3.68E-02	5.09E-02	6.48E-02	7.82E-02	9.10E-02	1.03E-01	1.15E-01	1.26E-01	1.37E-01	1.47E-01
pb210	1.26E-01	1.75E-01	2.18E-01	2.57E-01	2.90E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01
pb211	9.57E-03	1.09E-02	1.21E-02	1.32E-02	1.41E-02	1.49E-02	1.56E-02	1.62E-02	1.66E-02	1.71E-02	1.74E-02
pb212	6.16E-07	6.55E-07	6.97E-07	7.40E-07	7.85E-07	8.31E-07	8.78E-07	9.27E-07	9.76E-07	1.03E-06	1.08E-06
pb214	1.26E-01	1.75E-01	2.18E-01	2.57E-01	2.90E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.26E-01	1.75E-01	2.18E-01	2.57E-01	2.90E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01	
bi211	9.57E-03	1.09E-02	1.21E-02	1.32E-02	1.41E-02	1.49E-02	1.56E-02	1.62E-02	1.66E-02	1.71E-02	1.74E-02	
bi212	6.16E-07	6.55E-07	6.97E-07	7.40E-07	7.85E-07	8.31E-07	8.78E-07	9.27E-07	9.76E-07	1.03E-06	1.08E-06	
bi213	2.28E-02	3.68E-02	5.09E-02	6.48E-02	7.82E-02	9.10E-02	1.03E-01	1.15E-01	1.26E-01	1.37E-01	1.47E-01	
bi214	1.26E-01	1.75E-01	2.18E-01	2.57E-01	2.90E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01	
po210	1.26E-01	1.75E-01	2.18E-01	2.57E-01	2.90E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01	
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	2.63E-05	3.00E-05	3.33E-05	3.62E-05	3.88E-05	4.10E-05	4.28E-05	4.44E-05	4.58E-05	4.69E-05	4.79E-05	
po212	3.95E-07	4.20E-07	4.46E-07	4.74E-07	5.03E-07	5.32E-07	5.63E-07	5.94E-07	6.25E-07	6.58E-07	6.91E-07	
po213	2.23E-02	3.60E-02	4.99E-02	6.35E-02	7.66E-02	8.91E-02	1.01E-01	1.13E-01	1.24E-01	1.34E-01	1.44E-01	
po214	1.26E-01	1.75E-01	2.18E-01	2.57E-01	2.90E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01	
po215	9.57E-03	1.09E-02	1.21E-02	1.32E-02	1.41E-02	1.49E-02	1.56E-02	1.62E-02	1.66E-02	1.71E-02	1.74E-02	
po216	6.16E-07	6.55E-07	6.97E-07	7.40E-07	7.85E-07	8.31E-07	8.78E-07	9.27E-07	9.76E-07	1.03E-06	1.08E-06	
po218	1.26E-01	1.75E-01	2.19E-01	2.57E-01	2.91E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01	
at217	2.28E-02	3.68E-02	5.09E-02	6.48E-02	7.82E-02	9.11E-02	1.03E-01	1.15E-01	1.26E-01	1.37E-01	1.47E-01	
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
rn219	9.57E-03	1.09E-02	1.21E-02	1.32E-02	1.41E-02	1.49E-02	1.56E-02	1.62E-02	1.66E-02	1.71E-02	1.74E-02	
rn220	6.16E-07	6.55E-07	6.97E-07	7.40E-07	7.85E-07	8.31E-07	8.78E-07	9.27E-07	9.76E-07	1.03E-06	1.08E-06	
rn222	1.26E-01	1.75E-01	2.19E-01	2.57E-01	2.91E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01	
fr221	2.28E-02	3.68E-02	5.09E-02	6.48E-02	7.82E-02	9.11E-02	1.03E-01	1.15E-01	1.26E-01	1.37E-01	1.47E-01	
fr223	1.32E-04	1.51E-04	1.67E-04	1.82E-04	1.95E-04	2.06E-04	2.15E-04	2.23E-04	2.30E-04	2.35E-04	2.40E-04	
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
ra223	9.57E-03	1.09E-02	1.21E-02	1.32E-02	1.41E-02	1.49E-02	1.56E-02	1.62E-02	1.66E-02	1.71E-02	1.74E-02	
ra224	6.16E-07	6.55E-07	6.97E-07	7.40E-07	7.85E-07	8.31E-07	8.78E-07	9.27E-07	9.76E-07	1.03E-06	1.08E-06	
ra225	2.28E-02	3.68E-02	5.09E-02	6.48E-02	7.82E-02	9.11E-02	1.03E-01	1.15E-01	1.26E-01	1.37E-01	1.47E-01	
ra226	1.26E-01	1.75E-01	2.19E-01	2.57E-01	2.91E-01	3.20E-01	3.46E-01	3.68E-01	3.87E-01	4.04E-01	4.18E-01	
ra228	1.48E-07	2.14E-07	2.82E-07	3.49E-07	4.17E-07	4.84E-07	5.52E-07	6.20E-07	6.87E-07	7.55E-07	8.22E-07	
ac225	2.28E-02	3.68E-02	5.09E-02	6.48E-02	7.82E-02	9.11E-02	1.03E-01	1.15E-01	1.26E-01	1.37E-01	1.47E-01	
ac227	9.57E-03	1.09E-02	1.21E-02	1.32E-02	1.41E-02	1.49E-02	1.56E-02	1.62E-02	1.66E-02	1.71E-02	1.74E-02	
ac228	1.48E-07	2.14E-07	2.82E-07	3.49E-07	4.17E-07	4.84E-07	5.52E-07	6.20E-07	6.87E-07	7.55E-07	8.22E-07	
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	
th227	9.44E-03	1.08E-02	1.19E-02	1.30E-02	1.39E-02	1.47E-02	1.54E-02	1.59E-02	1.64E-02	1.68E-02	1.72E-02	
th228	6.16E-07	6.55E-07	6.97E-07	7.40E-07	7.85E-07	8.31E-07	8.78E-07	9.27E-07	9.76E-07	1.03E-06	1.08E-06	
th229	2.28E-02	3.68E-02	5.09E-02	6.48E-02	7.82E-02	9.11E-02	1.03E-01	1.15E-01	1.26E-01	1.37E-01	1.47E-01	
th230	1.38E-01	1.86E-01	2.28E-01	2.65E-01	2.98E-01	3.26E-01	3.51E-01	3.73E-01	3.92E-01	4.08E-01	4.21E-01	
th231	1.62E-02	1.69E-02	1.75E-02	1.79E-02	1.81E-02	1.84E-02	1.85E-02	1.87E-02	1.88E-02	1.88E-02	1.89E-02	

1

Part E 5000 year criticality at 2.182 kw/package actinides page 186
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
th232	1.48E-07	2.14E-07	2.82E-07	3.49E-07	4.17E-07	4.84E-07	5.52E-07	6.20E-07	6.87E-07	7.55E-07	8.22E-07
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	9.56E-03	1.09E-02	1.21E-02	1.32E-02	1.41E-02	1.49E-02	1.56E-02	1.61E-02	1.66E-02	1.71E-02	1.74E-02
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	3.85E-01	3.83E-01	3.82E-01	3.81E-01	3.80E-01	3.79E-01	3.77E-01	3.76E-01	3.75E-01	3.74E-01	3.72E-01
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	4.68E-07	4.41E-07	4.15E-07	3.91E-07	3.68E-07	3.46E-07	3.26E-07	3.07E-07	2.89E-07	2.72E-07	2.56E-07
u233	3.81E-02	5.29E-02	6.69E-02	8.04E-02	9.31E-02	1.05E-01	1.17E-01	1.28E-01	1.39E-01	1.49E-01	1.58E-01
u234	6.88E-01	6.73E-01	6.58E-01	6.44E-01	6.30E-01	6.17E-01	6.04E-01	5.91E-01	5.79E-01	5.67E-01	5.55E-01
u235	1.62E-02	1.69E-02	1.75E-02	1.79E-02	1.81E-02	1.84E-02	1.85E-02	1.87E-02	1.88E-02	1.88E-02	1.89E-02
u236	1.33E-01	1.36E-01	1.37E-01	1.37E-01	1.37E-01	1.37E-01	1.37E-01	1.37E-01	1.37E-01	1.37E-01	1.37E-01

u237	2.27E-08	1.00E-08	4.44E-09	1.97E-09	8.69E-10	3.85E-10	1.70E-10	7.52E-11	3.33E-11	1.47E-11	6.51E-12
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	1.42E-12	2.05E-12	2.66E-12	3.25E-12	3.84E-12	4.41E-12	4.97E-12	5.52E-12	6.06E-12	6.59E-12	7.10E-12
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	5.26E-06	4.95E-06	4.66E-06	4.39E-06	4.13E-06	3.89E-06	3.66E-06	3.45E-06	3.25E-06	3.06E-06	2.88E-06
np237	3.85E-01	3.83E-01	3.82E-01	3.81E-01	3.80E-01	3.79E-01	3.77E-01	3.76E-01	3.75E-01	3.74E-01	3.72E-01
np238	2.27E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np239	2.75E-01	1.08E-01	4.20E-02	1.64E-02	6.40E-03	2.50E-03	9.75E-04	3.81E-04	1.49E-04	5.81E-05	2.27E-05
np240m	1.42E-12	2.05E-12	2.66E-12	3.25E-12	3.84E-12	4.41E-12	4.97E-12	5.52E-12	6.06E-12	6.59E-12	7.10E-12
np240	1.71E-15	2.46E-15	3.19E-15	3.90E-15	4.60E-15	5.29E-15	5.96E-15	6.62E-15	7.27E-15	7.90E-15	8.52E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	4.68E-07	4.41E-07	4.15E-07	3.91E-07	3.68E-07	3.46E-07	3.26E-07	3.07E-07	2.89E-07	2.72E-07	2.56E-07
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	4.39E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu239	8.29E+01	6.22E+01	4.67E+01	3.50E+01	2.63E+01	1.97E+01	1.48E+01	1.11E+01	8.32E+00	6.24E+00	4.68E+00
pu240	1.37E+01	4.78E+00	1.66E+00	5.78E-01	2.01E-01	6.99E-02	2.43E-02	8.45E-03	2.94E-03	1.02E-03	3.55E-04
pu241	9.50E-04	4.20E-04	1.86E-04	8.22E-05	3.64E-05	1.61E-05	7.12E-06	3.15E-06	1.39E-06	6.16E-07	2.72E-07
pu242	2.64E-01	2.59E-01	2.55E-01	2.50E-01	2.45E-01	2.41E-01	2.36E-01	2.32E-01	2.28E-01	2.24E-01	2.19E-01
pu243	2.90E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.88E-09	2.88E-09
pu244	1.43E-12	2.05E-12	2.66E-12	3.26E-12	3.84E-12	4.41E-12	4.98E-12	5.53E-12	6.07E-12	6.59E-12	7.11E-12
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	2.26E-17	1.52E-17	1.02E-17	6.84E-18	4.60E-18	3.09E-18	2.07E-18	1.39E-18	9.34E-19	6.27E-19	4.21E-19
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	1.90E-03	4.20E-04	1.86E-04	8.22E-05	3.64E-05	1.61E-05	7.12E-06	3.15E-06	1.39E-06	6.16E-07	2.72E-07
am242m	5.04E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am242	5.01E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am243	2.75E-01	1.08E-01	4.20E-02	1.64E-02	6.40E-03	2.50E-03	9.75E-04	3.81E-04	1.49E-04	5.81E-05	2.27E-05
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	2.26E-17	1.52E-17	1.02E-17	6.84E-18	4.60E-18	3.09E-18	2.07E-18	1.39E-18	9.34E-19	6.27E-19	4.21E-19
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package actinides page 187

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cm242	4.15E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm243	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	9.48E-04	4.20E-04	1.86E-04	8.21E-05	3.63E-05	1.61E-05	7.11E-06	3.14E-06	1.39E-06	6.15E-07	2.72E-07
cm246	3.58E-05	8.28E-06	1.91E-06	4.42E-07	1.02E-07	2.36E-08	5.45E-09	1.26E-09	2.91E-10	6.72E-11	1.55E-11
cm247	2.90E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.89E-09	2.88E-09	2.88E-09
cm248	7.91E-09	7.75E-09	7.60E-09	7.44E-09	7.29E-09	7.15E-09	7.00E-09	6.86E-09	6.72E-09	6.59E-09	6.45E-09
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	9.05E-17	6.07E-17	4.08E-17	2.74E-17	1.84E-17	1.23E-17	8.25E-18	5.56E-18	3.73E-18	2.51E-18	1.68E-18
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	1.27E-17	8.50E-18	5.71E-18	3.83E-18	2.57E-18	1.73E-18	1.16E-18	7.79E-19	5.23E-19	3.51E-19	2.36E-19
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	1.14E-13	2.92E-22	7.53E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf250	1.27E-17	8.50E-18	5.71E-18	3.83E-18	2.57E-18	1.73E-18	1.16E-18	7.79E-19	5.23E-19	3.51E-19	2.36E-19
cf251	4.58E-17	2.03E-20	9.04E-24	4.01E-27	1.78E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	1.01E+02	7.17E+01	5.35E+01	4.12E+01	3.25E+01	2.62E+01	2.16E+01	1.82E+01	1.57E+01	1.38E+01	1.25E+01

1

Part E 5000 year criticality at 2.182 kw/package fission products page 205

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=1.897&E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
h 3	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.34E-07	8.30E-07	8.26E-07	8.23E-07	8.19E-07	8.16E-07	8.12E-07	8.09E-07	8.05E-07	8.02E-07	7.98E-07
c 14	1.89E-06	5.65E-07	1.68E-07	5.02E-08	1.50E-08	4.47E-09	1.33E-09	3.97E-10	1.18E-10	3.53E-11	1.05E-11
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 206

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.17E-01	9.50E-02	7.70E-02	6.24E-02	5.06E-02	4.10E-02	3.32E-02	2.69E-02	2.18E-02	1.77E-02	1.43E-02
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 81	2.20E-08	2.13E-08	2.07E-08	2.00E-08	1.94E-08	1.87E-08	1.81E-08	1.76E-08	1.70E-08	1.64E-08	1.59E-08
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 207

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06	6.33E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 208

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	9.03E-13	3.38E-17	1.26E-21	4.73E-26	1.76E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11	2.80E-11
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.52E-01	3.50E-01	3.49E-01	3.47E-01	3.46E-01	3.44E-01	3.42E-01	3.41E-01	3.39E-01	3.38E-01	3.36E-01
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93m	3.52E-01	3.50E-01	3.49E-01	3.47E-01	3.46E-01	3.44E-01	3.42E-01	3.41E-01	3.39E-01	3.38E-01	3.36E-01
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 209

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897BE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	3.49E-05	2.48E-05	1.77E-05	1.25E-05	8.92E-06	6.34E-06	4.50E-06	3.20E-06	2.28E-06	1.62E-06	1.15E-06
rb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.23E-06	1.23E-06	1.23E-06	1.22E-06	1.22E-06	1.22E-06	1.22E-06	1.22E-06	1.21E-06	1.21E-06	1.21E-06
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.71E+00	3.59E+00	3.47E+00	3.36E+00	3.25E+00	3.14E+00	3.04E+00	2.94E+00	2.85E+00	2.76E+00	2.67E+00
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 210

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =8kW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.68E-02	2.68E-02	2.67E-02	2.67E-02	2.67E-02	2.67E-02	2.66E-02	2.66E-02	2.66E-02	2.66E-02	2.66E-02
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	2.82E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	3.24E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part E 5000 year criticality at 2.182 kw/package fission products page 212
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14	1.08E-14
cd113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 213

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr

sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 214

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	6.85E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	9.13E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14	9.02E-14
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	1.20E-01	1.12E-01	1.04E-01	9.71E-02	9.06E-02	8.46E-02	7.89E-02	7.36E-02	6.87E-02	6.41E-02	5.98E-02

1

Part E 5000 year criticality at 2.182 kw/package fission products page 215

decay, following reactor irradiation identified by: power= 1.059E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sb126	1.67E-02	1.56E-02	1.46E-02	1.36E-02	1.27E-02	1.18E-02	1.10E-02	1.03E-02	9.62E-03	8.97E-03	8.37E-03
sb126m	1.20E-01	1.12E-01	1.04E-01	9.71E-02	9.06E-02	8.46E-02	7.89E-02	7.36E-02	6.87E-02	6.41E-02	5.98E-02
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	8.99E-03	8.99E-03	8.98E-03	8.98E-03	8.98E-03	8.97E-03	8.97E-03	8.96E-03	8.96E-03	8.96E-03	8.95E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 216
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.11E-01	2.11E-01	2.10E-01	2.09E-01	2.09E-01	2.08E-01	2.08E-01	2.07E-01	2.06E-01	2.06E-01	2.05E-01
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 217

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =BBW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11	5.51E-11
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06	7.92E-06
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 218

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10	4.16E-10
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	6.88E-08	6.88E-08	6.88E-08	6.88E-08	6.87E-08	6.87E-08	6.87E-08	6.87E-08	6.87E-08	6.87E-08	6.87E-08
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06	2.10E-06
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 219

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sm148	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12	9.08E-12
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.85E-13	1.85E-13	1.85E-13	1.85E-13	1.85E-13	1.85E-13	1.85E-13	1.85E-13	1.85E-13	1.85E-13	1.85E-13
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	1.50E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11	1.48E-11
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 220

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897E+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =8&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial 35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 221

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.897GE+02mwd, flux= 2.90E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	35000. yr	45000. yr	55000. yr	65000. yr	75000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	4.96E-08	1.54E-10	4.76E-13	1.48E-15	4.58E-18	1.42E-20	4.39E-23	1.36E-25	4.22E-28	1.30E-30	.00E+00
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	5.03E+00	4.87E+00	4.71E+00	4.57E+00	4.43E+00	4.30E+00	4.17E+00	4.05E+00	3.94E+00	3.83E+00	3.72E+00

1

****

Part C 10000 year criticality at 2.182 kw/package actinides page 145
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+02mwd, flux= 2.93E+09n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
he 4	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tl206	1.66E-07	1.66E-07	1.72E-07	2.33E-07	2.94E-07	4.11E-07	4.89E-07	5.05E-07	5.33E-07	5.56E-07	5.76E-07
tl207	1.42E-02	1.42E-02	1.42E-02	1.46E-02	1.50E-02	1.59E-02	1.67E-02	1.70E-02	1.73E-02	1.75E-02	1.77E-02
tl208	6.57E-04	5.02E-04	2.92E-07	2.70E-07	2.83E-07	3.12E-07	3.44E-07	3.60E-07	3.77E-07	3.95E-07	4.13E-07
tl209	4.76E-04	4.77E-04	5.03E-04	7.62E-04	1.06E-03	1.64E-03	2.17E-03	2.42E-03	2.66E-03	2.88E-03	3.10E-03
pb206	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb207	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pb209	2.27E-02	2.27E-02	2.40E-02	3.63E-02	5.05E-02	7.80E-02	1.03E-01	1.15E-01	1.27E-01	1.37E-01	1.48E-01
pb210	1.25E-01	1.25E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.70E-01	3.83E-01	4.03E-01	4.21E-01	4.36E-01
pb211	1.42E-02	1.42E-02	1.42E-02	1.46E-02	1.50E-02	1.59E-02	1.67E-02	1.70E-02	1.73E-02	1.76E-02	1.78E-02
pb212	1.83E-03	1.40E-03	8.11E-07	7.51E-07	7.88E-07	8.69E-07	9.57E-07	1.00E-06	1.05E-06	1.10E-06	1.15E-06
pb214	1.25E-01	1.26E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.70E-01	3.83E-01	4.04E-01	4.21E-01	4.36E-01
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.25E-01	1.25E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.70E-01	3.83E-01	4.03E-01	4.21E-01	4.36E-01

bi211	1.42E-02	1.42E-02	1.42E-02	1.46E-02	1.50E-02	1.59E-02	1.67E-02	1.70E-02	1.73E-02	1.76E-02	1.78E-02
bi212	1.83E-03	1.40E-03	8.11E-07	7.51E-07	7.88E-07	8.69E-07	9.57E-07	1.00E-06	1.05E-06	1.10E-06	1.15E-06
bi213	2.27E-02	2.27E-02	2.40E-02	3.63E-02	5.05E-02	7.80E-02	1.03E-01	1.15E-01	1.27E-01	1.37E-01	1.48E-01
bi214	1.25E-01	1.26E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.70E-01	3.83E-01	4.04E-01	4.21E-01	4.36E-01
po210	1.25E-01	1.25E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.70E-01	3.83E-01	4.03E-01	4.21E-01	4.36E-01
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	3.90E-05	3.90E-05	3.91E-05	4.01E-05	4.14E-05	4.38E-05	4.59E-05	4.68E-05	4.78E-05	4.83E-05	4.89E-05
po212	1.17E-03	8.95E-04	5.20E-07	4.81E-07	5.05E-07	5.57E-07	6.13E-07	6.42E-07	6.73E-07	7.04E-07	7.36E-07
po213	2.22E-02	2.22E-02	2.35E-02	3.55E-02	4.94E-02	7.64E-02	1.01E-01	1.13E-01	1.24E-01	1.34E-01	1.44E-01
po214	1.25E-01	1.26E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.70E-01	3.83E-01	4.03E-01	4.21E-01	4.36E-01
po215	1.42E-02	1.42E-02	1.42E-02	1.46E-02	1.50E-02	1.59E-02	1.67E-02	1.70E-02	1.73E-02	1.76E-02	1.78E-02
po216	1.83E-03	1.40E-03	8.11E-07	7.51E-07	7.88E-07	8.69E-07	9.57E-07	1.00E-06	1.05E-06	1.10E-06	1.15E-06
po218	1.25E-01	1.26E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.71E-01	3.83E-01	4.04E-01	4.21E-01	4.36E-01
at217	2.27E-02	2.27E-02	2.40E-02	3.63E-02	5.05E-02	7.80E-02	1.03E-01	1.15E-01	1.27E-01	1.37E-01	1.48E-01
rn218	1.50E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	1.42E-02	1.42E-02	1.42E-02	1.46E-02	1.50E-02	1.59E-02	1.67E-02	1.70E-02	1.73E-02	1.76E-02	1.78E-02
rn220	1.83E-03	1.40E-03	8.11E-07	7.51E-07	7.88E-07	8.69E-07	9.57E-07	1.00E-06	1.05E-06	1.10E-06	1.15E-06
rn222	1.25E-01	1.26E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.71E-01	3.83E-01	4.04E-01	4.21E-01	4.36E-01
fr221	2.27E-02	2.27E-02	2.40E-02	3.63E-02	5.05E-02	7.80E-02	1.03E-01	1.15E-01	1.27E-01	1.37E-01	1.48E-01
fr223	1.96E-04	1.96E-04	1.96E-04	2.01E-04	2.08E-04	2.20E-04	2.31E-04	2.35E-04	2.39E-04	2.42E-04	2.45E-04
ra222	1.50E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	1.42E-02	1.42E-02	1.42E-02	1.46E-02	1.50E-02	1.59E-02	1.67E-02	1.70E-02	1.73E-02	1.76E-02	1.78E-02
ra224	1.83E-03	1.40E-03	8.11E-07	7.51E-07	7.88E-07	8.69E-07	9.57E-07	1.00E-06	1.05E-06	1.10E-06	1.15E-06
ra225	2.27E-02	2.27E-02	2.40E-02	3.63E-02	5.05E-02	7.80E-02	1.03E-01	1.15E-01	1.27E-01	1.37E-01	1.48E-01
ra226	1.25E-01	1.26E-01	1.30E-01	1.76E-01	2.23E-01	3.12E-01	3.71E-01	3.83E-01	4.04E-01	4.21E-01	4.36E-01
ra228	1.48E-07	1.48E-07	1.54E-07	2.15E-07	2.84E-07	4.22E-07	5.61E-07	6.30E-07	6.99E-07	7.68E-07	8.37E-07
ac225	2.27E-02	2.27E-02	2.40E-02	3.63E-02	5.05E-02	7.80E-02	1.03E-01	1.15E-01	1.27E-01	1.37E-01	1.48E-01
ac227	1.42E-02	1.42E-02	1.42E-02	1.46E-02	1.50E-02	1.59E-02	1.67E-02	1.70E-02	1.73E-02	1.76E-02	1.78E-02
ac228	1.48E-07	1.48E-07	1.54E-07	2.15E-07	2.84E-07	4.22E-07	5.61E-07	6.30E-07	6.99E-07	7.68E-07	8.37E-07
th226	1.50E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	1.40E-02	1.40E-02	1.40E-02	1.44E-02	1.48E-02	1.57E-02	1.65E-02	1.68E-02	1.71E-02	1.73E-02	1.75E-02
th228	1.83E-03	1.40E-03	8.11E-07	7.51E-07	7.88E-07	8.69E-07	9.57E-07	1.00E-06	1.05E-06	1.10E-06	1.15E-06
th229	2.27E-02	2.27E-02	2.40E-02	3.63E-02	5.05E-02	7.80E-02	1.03E-01	1.15E-01	1.27E-01	1.37E-01	1.48E-01
th230	1.37E-01	1.37E-01	1.42E-01	1.88E-01	2.33E-01	3.08E-01	3.65E-01	3.88E-01	4.08E-01	4.25E-01	4.39E-01
th231	6.86E-02	1.59E-02	1.60E-02	1.66E-02	1.72E-02	1.79E-02	1.83E-02	1.85E-02	1.86E-02	1.86E-02	1.87E-02

1

Part C 10000 year criticality at 2.182 kw/package actinides page 146
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
th232	1.48E-07	1.48E-07	1.54E-07	2.15E-07	2.84E-07	4.22E-07	5.61E-07	6.30E-07	6.99E-07	7.68E-07	8.37E-07
th233	7.00E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa231	1.42E-02	1.42E-02	1.42E-02	1.46E-02	1.50E-02	1.59E-02	1.67E-02	1.70E-02	1.73E-02	1.76E-02	1.78E-02
pa232	1.77E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	3.86E-01	3.88E-01	3.88E-01	3.87E-01	3.86E-01	3.84E-01	3.81E-01	3.80E-01	3.79E-01	3.77E-01	3.76E-01
pa234m	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
pa234	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.50E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	2.04E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.83E-03	1.36E-03	6.55E-07	5.36E-07	5.04E-07	4.47E-07	3.96E-07	3.73E-07	3.51E-07	3.31E-07	3.11E-07
u233	3.74E-02	3.74E-02	3.89E-02	5.23E-02	6.66E-02	9.31E-02	1.17E-01	1.28E-01	1.39E-01	1.49E-01	1.59E-01
u234	7.24E-01	7.24E-01	7.23E-01	7.09E-01	6.93E-01	6.63E-01	6.35E-01	6.22E-01	6.09E-01	5.96E-01	5.83E-01
u235	1.59E-02	1.59E-02	1.60E-02	1.66E-02	1.72E-02	1.79E-02	1.83E-02	1.85E-02	1.86E-02	1.86E-02	1.87E-02
u236	1.35E-01	1.35E-01	1.36E-01	1.39E-01	1.40E-01	1.40E-01	1.40E-01	1.40E-01	1.40E-01	1.40E-01	1.40E-01
u237	3.16E+00	1.19E-05	1.95E-08	9.28E-09	4.10E-09	8.08E-10	1.57E-10	6.95E-11	3.08E-11	1.36E-11	6.02E-12
u238	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01	1.49E-01
u239	6.85E+01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

u240	1.45E-12	1.45E-12	1.52E-12	2.18E-12	2.89E-12	4.26E-12	5.59E-12	6.23E-12	6.86E-12	7.47E-12	8.07E-12
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	5.68E-07	2.68E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	1.10E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	6.39E-06	6.39E-06	6.35E-06	6.00E-06	5.67E-06	5.02E-06	4.45E-06	4.19E-06	3.95E-06	3.72E-06	3.50E-06
np237	3.88E-01	3.88E-01	3.88E-01	3.87E-01	3.86E-01	3.84E-01	3.81E-01	3.80E-01	3.79E-01	3.77E-01	3.76E-01
np238	3.07E+00	7.57E-06	6.43E-08	3.92E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np239	6.90E+01	4.05E-01	3.73E-01	1.60E-01	6.25E-02	9.52E-03	1.45E-03	5.67E-04	2.21E-04	8.64E-05	3.37E-05
np240m	1.45E-12	1.45E-12	1.52E-12	2.18E-12	2.89E-12	4.26E-12	5.59E-12	6.23E-12	6.86E-12	7.47E-12	8.07E-12
np240	1.10E-06	1.74E-15	1.83E-15	2.61E-15	3.46E-15	5.12E-15	6.70E-15	7.47E-15	8.23E-15	8.97E-15	9.69E-15
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	5.33E-05	6.10E-07	5.65E-07	5.36E-07	5.04E-07	4.47E-07	3.96E-07	3.73E-07	3.51E-07	3.31E-07	3.11E-07
pu237	5.50E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	3.08E+00	2.43E+00	1.15E-03	1.92E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu239	8.69E+01	8.68E+01	8.44E+01	6.52E+01	4.90E+01	2.76E+01	1.55E+01	1.16E+01	8.73E+00	6.55E+00	4.91E+00
pu240	1.84E+01	1.83E+01	1.65E+01	6.39E+00	2.22E+00	2.69E-01	3.25E-02	1.13E-02	3.93E-03	1.37E-03	4.75E-04
pu241	2.12E+00	4.98E-01	8.09E-04	3.88E-04	1.72E-04	3.36E-05	6.58E-06	2.91E-06	1.29E-06	5.69E-07	2.52E-07
pu242	2.61E-01	2.61E-01	2.60E-01	2.56E-01	2.51E-01	2.42E-01	2.33E-01	2.29E-01	2.25E-01	2.21E-01	2.17E-01
pu243	3.73E-01	2.85E-09	2.85E-09	2.84E-09	2.84E-09	2.84E-09	2.84E-09	2.84E-09	2.84E-09	2.83E-09	2.83E-09
pu244	1.45E-12	1.44E-12	1.53E-12	2.18E-12	2.89E-12	4.27E-12	5.59E-12	6.24E-12	6.86E-12	7.48E-12	8.08E-12
pu245	1.34E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	2.26E-17	2.26E-17	2.17E-17	1.52E-17	1.02E-17	4.59E-18	2.07E-18	1.39E-18	9.34E-19	6.27E-19	4.21E-19
am239	1.81E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	1.81E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	2.14E+00	2.09E+00	4.44E-01	3.88E-04	1.72E-04	3.36E-05	6.58E-06	2.91E-06	1.29E-06	5.69E-07	2.52E-07
am242m	1.95E-03	1.68E-03	1.43E-05	8.72E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am242	1.20E-02	1.67E-03	1.42E-05	8.68E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am243	4.10E-01	4.09E-01	3.73E-01	1.60E-01	6.25E-02	9.52E-03	1.45E-03	5.67E-04	2.21E-04	8.64E-05	3.37E-05
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.52E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	1.38E-12	1.94E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	2.26E-17	2.26E-17	2.17E-17	1.52E-17	1.02E-17	4.59E-18	2.07E-18	1.39E-18	9.34E-19	6.27E-19	4.21E-19
cm241	2.23E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package actinides page 147
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cm242	9.92E-03	1.38E-03	1.18E-05	7.20E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm243	3.98E-09	1.92E-09	1.09E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	1.52E-02	4.81E-03	3.53E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	8.76E-04	8.74E-04	8.08E-04	3.88E-04	1.71E-04	3.35E-05	6.56E-06	2.90E-06	1.28E-06	5.68E-07	2.51E-07
cm246	5.18E-05	5.16E-05	4.47E-05	1.20E-05	2.76E-06	1.48E-07	7.88E-09	1.82E-09	4.20E-10	9.71E-11	2.24E-11
cm247	2.85E-09	2.85E-09	2.85E-09	2.84E-09	2.84E-09	2.84E-09	2.84E-09	2.84E-09	2.84E-09	2.83E-09	2.83E-09
cm248	9.23E-09	9.23E-09	9.21E-09	9.04E-09	8.86E-09	8.51E-09	8.17E-09	8.00E-09	7.84E-09	7.68E-09	7.53E-09
cm249	2.72E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	9.05E-17	9.03E-17	8.69E-17	6.07E-17	4.08E-17	1.84E-17	8.28E-18	5.56E-18	3.73E-18	2.51E-18	1.68E-18
cm251	2.27E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	2.72E-09	1.34E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	3.95E-14	1.26E-17	1.22E-17	8.50E-18	5.71E-18	2.57E-18	1.16E-18	7.79E-19	5.23E-19	3.51E-19	2.36E-19
bk251	2.27E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	2.65E-09	2.50E-09	3.68E-10	6.83E-18	1.76E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf250	3.07E-12	6.26E-13	1.22E-17	8.50E-18	5.71E-18	2.57E-18	1.16E-18	7.79E-19	5.23E-19	3.51E-19	2.36E-19
cf251	2.51E-15	2.46E-15	1.16E-15	1.12E-18	4.96E-22	9.80E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf252	6.43E-17	2.48E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	6.13E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	2.74E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	6.11E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	8.51E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	2.61E+02	1.15E+02	1.06E+02	7.66E+01	5.65E+01	3.41E+01	2.26E+01	1.89E+01	1.63E+01	1.44E+01	1.30E+01

1

Part C 10000 year criticality at 2.182 kw/package fission products page 165
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
h 3	1.05E-02	1.94E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 7	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 9	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
be 10	8.50E-07	8.50E-07	8.50E-07	8.47E-07	8.43E-07	8.36E-07	8.29E-07	8.25E-07	8.21E-07	8.18E-07	8.14E-07
c 14	2.40E-06	2.39E-06	2.13E-06	7.16E-07	2.14E-07	1.90E-08	1.69E-09	5.04E-10	1.50E-10	4.48E-11	1.34E-11
ni 66	5.71E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	5.73E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 67	7.46E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 68	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69	2.44E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	1.98E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 70	8.93E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71	1.18E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	5.02E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71	1.28E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	6.40E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	2.00E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	1.12E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	3.08E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	3.86E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	3.87E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 73	1.24E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	1.32E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	7.19E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	1.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	1.23E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73m	1.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	2.59E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	9.38E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	9.75E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	3.19E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	9.74E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 75	5.29E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	4.32E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	1.33E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	7.98E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	9.54E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	9.59E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ge	75m	5.08E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as	75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni	76	1.73E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu	76	1.13E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 166
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =68W 15x15, 3.00wt%, 20gwd/mtu /per assem

		initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
zn	76	1.88E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga	76	2.74E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge	76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as	76	4.03E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se	76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni	77	3.85E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu	77	6.55E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn	77	2.29E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga	77	5.56E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge	77	2.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge	77m	5.70E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as	77	6.61E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se	77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se	77m	2.18E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni	78	7.63E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu	78	2.46E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn	78	2.81E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga	78	1.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge	78	1.93E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as	78	1.95E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se	78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu	79	6.22E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn	79	1.44E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga	79	1.35E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge	79	3.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as	79	3.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se	79	1.21E-01	1.21E-01	1.18E-01	9.80E-02	7.94E-02	5.22E-02	3.43E-02	2.78E-02	2.25E-02	1.82E-02	1.48E-02
se	79m	3.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br	79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br	79m	9.63E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr	79	5.72E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu	80	6.90E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn	80	5.01E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga	80	9.74E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge	80	9.12E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as	80	1.03E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se	80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br	80	1.42E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br	80m	3.52E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr	80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu	81	6.92E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn	81	1.13E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga	81	6.35E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge	81	9.73E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as	81	1.48E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se	81	1.56E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se	81m	1.07E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br	81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr	81	4.99E-08	4.99E-08	4.98E-08	4.83E-08	4.68E-08	4.38E-08	4.11E-08	3.98E-08	3.85E-08	3.73E-08	3.61E-08
kr	81m	1.21E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zn 82	2.72E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 82	4.66E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 167

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+02mwd, flux= 2.93E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
ge 82	9.73E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	1.56E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	5.86E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82	6.19E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	5.31E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 83	1.24E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	4.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	4.22E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	2.52E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	1.82E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	2.01E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	3.94E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83m	3.94E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	5.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	2.82E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	1.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	7.32E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	7.51E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	1.89E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 85	7.37E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	4.80E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	1.11E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	3.55E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	3.12E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	8.50E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	1.86E-01	2.67E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	8.51E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 86	1.02E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	6.43E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	8.70E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	1.06E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	1.89E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86	4.25E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	3.39E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 87	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	4.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	5.18E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	1.38E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	1.73E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	6.46E-06	6.46E-06	6.46E-06	6.46E-06	6.46E-06	6.46E-06	6.46E-06	6.46E-06	6.46E-06	6.46E-06	6.46E-06
sr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 87m	1.30E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	1.74E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	1.87E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	2.73E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part C 10000 year criticality at 2.182 kw/package fission products page 168
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795ZE+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
br 88	1.37E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	2.42E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	2.48E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 89	2.65E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	9.71E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	9.36E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	3.07E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	3.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	3.29E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89m	3.07E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	2.45E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	2.10E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	4.94E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	3.32E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	3.05E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	9.11E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	3.97E+00	1.90E+00	8.00E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	3.98E+00	1.90E+00	8.01E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	7.58E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	2.02E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	1.74E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	2.29E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	3.91E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	4.15E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	4.15E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	2.40E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.90E-10	1.86E-10	6.86E-11	7.12E-15	2.66E-19	3.72E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 92	1.61E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	2.86E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	1.21E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	3.41E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	4.28E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	4.31E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	6.03E-11	6.03E-11	6.03E-11	6.02E-11	6.02E-11	6.02E-11	6.02E-11	6.02E-11	6.02E-11	6.01E-11	6.01E-11
se 93	1.14E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	5.40E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	4.10E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	2.71E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	4.68E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	3.17E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	3.59E-01	3.59E-01	3.59E-01	3.57E-01	3.56E-01	3.52E-01	3.49E-01	3.48E-01	3.46E-01	3.45E-01	3.43E-01
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93m	3.59E-01	3.59E-01	3.59E-01	3.57E-01	3.56E-01	3.52E-01	3.49E-01	3.48E-01	3.46E-01	3.45E-01	3.43E-01
br 94	3.54E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	1.83E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	1.38E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part C 10000 year criticality at 2.182 kw/package fission products page 169

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25000. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sr 94	4.58E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	4.92E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 94	7.39E-05	7.38E-05	7.14E-05	5.25E-05	3.73E-05	1.88E-05	9.52E-06	6.77E-06	4.81E-06	3.42E-06	2.43E-06
nb 94m	2.77E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	3.91E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	1.48E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	6.60E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	4.10E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	5.03E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	5.10E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	5.09E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	5.66E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 96	8.77E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	2.67E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	1.68E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	3.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	4.79E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 96	1.17E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 97	3.46E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	5.07E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	1.54E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	3.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	4.71E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	4.73E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	4.47E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 98	1.23E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	4.15E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	6.14E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	2.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	4.92E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	4.95E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	3.14E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 98	1.28E-06	1.28E-06	1.28E-06	1.28E-06	1.28E-06	1.27E-06	1.27E-06	1.27E-06	1.26E-06	1.26E-06	1.26E-06
nb 99	1.23E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	2.66E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	1.86E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	4.79E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	3.10E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	2.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	5.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	3.78E+00	3.78E+00	3.77E+00	3.66E+00	3.54E+00	3.31E+00	3.10E+00	3.00E+00	2.91E+00	2.81E+00	2.72E+00
tc 99m	4.64E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	3.70E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	2.86E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	5.37E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
zr100	4.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100	5.15E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb100m	3.26E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc100	8.44E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb101	3.05E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	4.63E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	3.13E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	2.69E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb101	4.44E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	4.64E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	4.65E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr102	8.61E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	1.66E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	1.95E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb102	3.65E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	4.19E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	4.19E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	3.66E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh102	1.44E-05	1.10E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	5.93E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	5.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	6.67E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb103	2.50E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	3.69E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	3.77E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	3.79E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103m	3.78E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	1.86E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	9.79E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	1.81E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb104	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	2.64E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	2.77E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104	2.20E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	1.61E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y105	1.24E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	6.83E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb105	3.95E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	1.78E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	2.08E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	2.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	2.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	6.00E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 171

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+02mwd, flux= 2.93E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

initial 25030. yr 26000. yr 35000. yr 45000. yr 65000. yr 85000. yr 95000. yr 105000. yr 115000. yr 125000. yr

y106	2.21E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	2.14E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb106	5.73E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	8.56E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	1.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	1.42E+00	1.89E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	1.42E+00	1.89E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	6.14E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag106	2.80E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	2.02E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	2.11E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb107	9.29E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	3.03E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	7.82E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	9.66E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	9.69E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	2.73E-02	2.73E-02	2.73E-02	2.73E-02	2.72E-02	2.72E-02	2.71E-02	2.71E-02	2.71E-02	2.70E-02	2.70E-02
pd107m	8.61E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr108	8.71E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb108	2.74E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	3.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	2.31E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	5.73E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	5.84E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	1.11E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108	3.01E-04	1.76E-07	8.85E-10	4.11E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	2.39E-06	2.03E-06	1.02E-08	4.72E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr109	7.04E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb109	1.20E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	3.75E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	7.75E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	4.04E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	4.80E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	2.40E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	5.72E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	3.34E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109m	5.73E-01	3.68E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	4.98E-08	3.68E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb110	5.55E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	4.34E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	1.04E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	1.17E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	2.37E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	1.41E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110	3.14E-01	1.05E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	1.24E-02	7.68E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 172
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cd110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb111	5.08E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

mo111	4.75E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	2.18E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	3.80E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	8.18E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	8.84E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	4.62E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	8.91E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	8.87E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111m	1.50E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb112	1.91E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	7.87E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	4.53E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	1.44E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	3.58E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	4.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	4.51E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo113	1.64E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	1.27E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	5.15E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	1.85E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	2.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	2.72E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	5.46E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	9.09E-15	9.09E-15	9.09E-15	9.09E-15	9.09E-15	9.09E-15	9.09E-15	9.09E-15	9.09E-15	9.09E-15	9.09E-15
cd113m	6.56E-04	1.50E-04	2.93E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113m	2.89E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	8.42E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	2.19E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	2.18E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	1.05E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	2.41E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	2.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114	7.78E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	5.86E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo115	3.77E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	8.18E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	5.49E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	4.66E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	1.56E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	1.23E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	5.10E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	1.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	8.15E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12	3.25E-12
in115m	1.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 173
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =68W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sn115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc116	3.51E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	1.95E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	2.61E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pd116	1.89E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	2.14E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	2.43E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116	3.65E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	1.37E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc117	4.34E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	3.05E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	1.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	1.23E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	1.03E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	1.03E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	1.80E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	4.03E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	1.33E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	1.64E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117m	1.14E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	1.29E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	4.99E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	2.44E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	6.03E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	1.02E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	7.23E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	1.75E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	1.75E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	1.95E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru119	6.61E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	9.55E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	3.68E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	1.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	1.27E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	5.67E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	7.38E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	1.15E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119m	1.49E-04	8.28E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	8.26E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	2.06E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	1.91E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	8.12E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	1.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	1.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	2.75E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh121	5.79E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 174

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795E+02mwd, flux= 2.93E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00w%, 20gwd/mtu /per assem

	initial	25000. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
pd121	8.20E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	6.00E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	1.77E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	1.53E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	1.80E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	1.94E-02	1.05E-04	5.16E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn121m	1.97E-04	1.35E-04	6.65E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh122	6.40E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	2.73E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	3.11E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	1.90E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	2.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	1.95E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122	2.05E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	2.05E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh123	5.44E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	4.77E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	1.26E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	1.23E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	1.51E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	4.14E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	1.78E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	2.03E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te123	9.43E-14	9.43E-14	9.43E-14	9.43E-14	9.43E-14	9.43E-14	9.43E-14	9.43E-14	9.43E-14	9.43E-14	9.43E-14
te123m	1.35E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	2.62E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	9.99E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	1.97E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	3.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124	1.62E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	3.22E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd125	6.43E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	4.85E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	1.28E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	1.99E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	1.48E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	1.14E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	3.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	4.65E-02	2.29E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125m	1.07E-02	5.59E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	1.42E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	1.96E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	1.43E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	4.38E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	1.23E-01	1.22E-01	1.22E-01	1.14E-01	1.07E-01	9.28E-02	8.08E-02	7.54E-02	7.04E-02	6.56E-02	6.13E-02

1

Part C 10000 year criticality at 2.182 kw/package fission products page 175
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795ZE+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00w%, 20gwd/mtu /per assem

	initial	25000. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sb126	1.77E-02	1.71E-02	1.70E-02	1.60E-02	1.49E-02	1.30E-02	1.13E-02	1.06E-02	9.85E-03	9.19E-03	8.58E-03
sb126m	1.23E-01	1.22E-01	1.22E-01	1.14E-01	1.07E-01	9.28E-02	8.08E-02	7.54E-02	7.04E-02	6.56E-02	6.13E-02
te126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag127	1.08E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	1.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	4.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	4.06E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn127	7.68E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	1.06E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	1.93E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	1.93E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	3.39E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe127	7.41E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	5.53E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	1.15E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	8.76E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	3.65E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	3.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	3.83E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i128	1.84E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd129	5.69E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	1.01E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	3.18E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	3.42E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	8.29E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	7.85E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	1.58E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	9.17E-03	9.17E-03	9.17E-03	9.17E-03	9.16E-03	9.15E-03	9.14E-03	9.14E-03	9.14E-03	9.13E-03	9.13E-03	9.13E-03
xe129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe129m	4.22E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	2.16E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	8.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	9.64E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	2.71E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	1.27E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130	4.40E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	2.34E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd131	3.28E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	3.35E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	8.13E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	2.23E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	2.35E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	4.82E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	2.73E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131m	2.99E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 176

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795E+02mwd, flux= 2.93E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cd132	4.02E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	9.11E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	6.50E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	1.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	1.33E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	3.96E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	4.01E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs132	9.67E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

in133	2.73E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	1.86E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	1.94E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	3.21E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	2.64E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	5.80E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	4.07E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	5.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	1.78E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba133	4.62E-10	6.40E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	4.55E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	3.05E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	3.68E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	2.48E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	5.43E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	6.53E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	4.69E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134m	9.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	1.15E+00	4.79E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	8.73E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn135	2.61E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	1.57E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	2.79E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	5.47E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	5.89E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	1.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	2.20E-01	2.20E-01	2.20E-01	2.19E-01	2.19E-01	2.17E-01	2.16E-01	2.15E-01	2.15E-01	2.14E-01	2.13E-01
cs135m	1.98E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135m	1.44E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	2.32E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	2.46E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	1.31E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	2.63E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	1.24E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs136	1.53E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136m	1.71E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 177

decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795E+02mwd, flux= 2.93E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gcd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sb137	3.21E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	4.40E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	2.74E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	5.25E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	5.49E+00	2.75E+00	5.06E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137m	5.19E+00	2.59E+00	4.78E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	3.36E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	1.03E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	1.37E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	5.10E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	5.45E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cs138m	1.95E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la138	5.62E-11	5.62E-11	5.62E-11	5.62E-11	5.62E-11	5.62E-11	5.62E-11	5.62E-11	5.62E-11	5.62E-11	5.62E-11
sb139	2.59E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	1.65E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	7.49E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	3.94E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	5.15E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	5.26E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce139	3.18E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	1.77E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	2.50E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	1.77E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	2.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	4.65E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	5.21E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	5.31E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr140	6.17E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	2.87E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	2.30E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	1.07E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	3.58E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	4.79E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	4.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	4.83E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd141	7.87E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	1.05E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	5.47E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	4.20E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	2.11E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	4.61E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	4.75E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	8.07E-06	8.07E-06	8.07E-06	8.07E-06	8.07E-06	8.07E-06	8.07E-06	8.07E-06	8.07E-06	8.07E-06	8.07E-06
pr142	1.28E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i143	7.49E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 178

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec

0 nuclide radioactivity, curies

basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
xe143	6.15E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	1.12E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	4.05E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	4.61E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	4.65E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	4.65E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i144	3.00E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	1.30E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	3.12E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	3.26E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	4.14E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	4.22E+00	1.12E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	4.22E+00	1.12E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pr144m	5.92E-02	1.57E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10
i145	9.46E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	1.26E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	7.34E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	1.43E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	2.83E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	3.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	3.13E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm145	2.13E-05	6.93E-06	2.20E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	2.09E-05	4.16E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	1.16E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	1.79E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	7.76E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	1.88E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	2.45E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	2.46E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm146	4.28E-07	9.96E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	7.64E-08	7.64E-08	7.64E-08	7.64E-08	7.64E-08	7.64E-08	7.64E-08	7.64E-08	7.64E-08	7.64E-08	7.64E-08
xe147	3.68E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	3.60E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	1.17E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	7.76E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	1.82E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	1.90E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	1.92E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	1.92E+00	7.00E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	2.14E-06	2.14E-06	2.14E-06	2.14E-06	2.14E-06	2.14E-06	2.14E-06	2.14E-06	2.14E-06	2.14E-06	2.14E-06
cs148	6.57E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	2.29E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	2.41E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	1.28E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	1.45E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148	2.19E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	2.20E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 179
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =BW 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sm148	9.34E-12	9.34E-12	9.34E-12	9.34E-12	9.34E-12	9.34E-12	9.34E-12	9.34E-12	9.34E-12	9.34E-12	9.34E-12
cs149	5.45E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	2.53E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	6.74E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	6.52E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	9.63E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	1.02E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.67E-13	1.67E-13	1.67E-13	1.67E-13	1.67E-13	1.67E-13	1.67E-13	1.67E-13	1.67E-13	1.67E-13	1.67E-13
eu149	1.58E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	6.96E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	2.29E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	2.78E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	5.71E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pm150	2.91E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu150	1.95E-06	1.09E-06	7.62E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	2.32E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	1.83E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	7.66E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	2.87E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	4.74E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	4.80E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	8.06E-01	6.40E-01	3.64E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba152	4.98E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	1.50E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	7.17E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	8.50E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	3.08E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	3.13E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	1.08E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152	6.32E-01	1.33E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	3.43E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	2.85E-11	2.85E-11	2.85E-11	2.85E-11	2.85E-11	2.85E-11	2.85E-11	2.85E-11	2.85E-11	2.85E-11	2.85E-11	2.85E-11
la153	1.51E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	3.62E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	3.80E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	1.70E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	2.04E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	9.80E-01	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd153	3.99E-03	8.80E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	3.94E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	3.66E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	6.57E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	7.60E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	9.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	1.93E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 180
decay, following reactor irradiation identified by: power= 1.089E-04mw, burnup=3.795E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88w 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu154	5.08E-01	4.52E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la155	2.00E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	3.24E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	1.47E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	2.49E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	5.66E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	6.98E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	7.00E-02	8.23E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce156	2.53E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	1.99E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	7.91E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	2.54E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	3.98E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	4.03E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

gd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce157	1.22E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	3.18E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	1.86E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	1.00E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	2.27E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	2.38E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr158	1.71E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	3.20E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	2.37E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	1.09E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	1.25E-02	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr159	7.38E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	2.96E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	4.78E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	3.95E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	5.86E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	7.74E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd160	1.96E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	5.36E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	1.12E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	2.37E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb160	1.92E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd161	8.15E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	6.64E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	2.17E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	8.67E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	1.30E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	1.31E-03	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 181
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.795ZE+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide radioactivity, curies
basis =88W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
dy161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm162	4.54E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	3.66E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	2.31E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	5.89E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	6.01E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	1.24E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm163	2.87E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	4.32E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	2.07E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	2.42E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm164	2.18E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	4.98E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	6.13E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	8.85E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm165	1.16E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

eu165	5.56E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	1.32E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	3.08E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	4.49E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	3.40E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy166	5.55E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	6.77E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	1.00E-06	9.87E-07	5.64E-07	3.11E-09	9.65E-12	9.27E-17	8.90E-22	2.76E-24	8.55E-27	2.65E-29	9.13E-32
er166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er167m	1.83E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	9.55E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170	6.01E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er171	1.30E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	1.32E-08	2.62E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er172	7.67E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	8.08E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	5.33E+02	1.51E+01	5.12E+00	4.97E+00	4.81E+00	4.52E+00	4.26E+00	4.14E+00	4.02E+00	3.91E+00	3.80E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 81

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
he 4	4.81E+00	5.62E+00	8.60E+00	1.20E+01	1.64E+01	2.01E+01	2.33E+01	2.62E+01	2.89E+01	3.13E+01	3.24E+01
tl206	9.52E-19	1.54E-18	6.83E-18	2.46E-17	7.84E-17	1.44E-16	2.13E-16	2.82E-16	3.51E-16	4.19E-16	4.52E-16
tl207	6.23E-13	7.73E-13	1.57E-12	3.06E-12	5.99E-12	8.86E-12	1.17E-11	1.44E-11	1.71E-11	1.97E-11	2.10E-11
tl208	2.85E-13	1.06E-13	1.26E-15	5.33E-16	5.39E-16	5.46E-16	5.53E-16	5.61E-16	5.70E-16	5.79E-16	5.83E-16
tl209	2.31E-16	3.81E-16	1.90E-15	9.43E-15	4.29E-14	9.80E-14	1.71E-13	2.59E-13	3.59E-13	4.70E-13	5.28E-13
pb206	7.74E-06	1.59E-05	1.44E-04	1.12E-03	7.68E-03	2.22E-02	4.57E-02	7.83E-02	1.20E-01	1.71E-01	2.00E-01
pb207	9.84E-06	1.52E-05	6.00E-05	2.35E-04	9.26E-04	2.06E-03	3.63E-03	5.63E-03	8.04E-03	1.09E-02	1.24E-02
pb208	4.69E-04	4.75E-04	4.79E-04	4.79E-04	4.80E-04	4.80E-04	4.80E-04	4.81E-04	4.81E-04	4.81E-04	4.82E-04
pb209	9.74E-13	1.61E-12	8.02E-12	3.98E-11	1.81E-10	4.14E-10	7.23E-10	1.09E-09	1.52E-09	1.98E-09	2.23E-09
pb210	2.05E-06	3.32E-06	1.47E-05	5.30E-05	1.69E-04	3.10E-04	4.58E-04	6.08E-04	7.57E-04	9.03E-04	9.75E-04
pb211	4.82E-12	5.98E-12	1.21E-11	2.36E-11	4.63E-11	6.85E-11	9.03E-11	1.12E-10	1.32E-10	1.53E-10	1.63E-10
pb212	1.69E-10	6.29E-11	7.49E-13	3.16E-13	3.19E-13	3.24E-13	3.28E-13	3.33E-13	3.38E-13	3.43E-13	3.46E-13
pb214	5.62E-12	8.80E-12	3.43E-11	1.23E-10	3.94E-10	7.21E-10	1.07E-09	1.42E-09	1.76E-09	2.10E-09	2.27E-09
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	2.33E-07	4.71E-07	4.52E-06	4.51E-05	4.27E-04	1.51E-03	3.61E-03	6.99E-03	1.19E-02	1.84E-02	2.23E-02
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.26E-09	2.04E-09	9.06E-09	3.26E-08	1.04E-07	1.91E-07	2.82E-07	3.74E-07	4.66E-07	5.56E-07	6.00E-07
bi211	2.86E-13	3.55E-13	7.20E-13	1.40E-12	2.74E-12	4.06E-12	5.35E-12	6.61E-12	7.84E-12	9.05E-12	9.64E-12
bi212	1.61E-11	5.97E-12	7.10E-14	3.00E-14	3.03E-14	3.07E-14	3.11E-14	3.16E-14	3.20E-14	3.25E-14	3.28E-14
bi213	2.32E-13	3.83E-13	1.91E-12	9.48E-12	4.31E-11	9.85E-11	1.72E-10	2.61E-10	3.61E-10	4.72E-10	5.31E-10
bi214	4.17E-12	6.53E-12	2.55E-11	9.16E-11	2.92E-10	5.35E-10	7.93E-10	1.05E-09	1.31E-09	1.56E-09	1.69E-09
po210	3.49E-08	5.65E-08	2.50E-07	9.01E-07	2.87E-06	5.26E-06	7.79E-06	1.03E-05	1.29E-05	1.54E-05	1.66E-05
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	3.16E-18	3.92E-18	7.95E-18	1.55E-17	3.03E-17	4.49E-17	5.91E-17	7.31E-17	8.67E-17	1.00E-16	1.07E-16
po212	8.44E-22	3.14E-22	3.73E-24	1.57E-24	1.59E-24	1.61E-24	1.63E-24	1.66E-24	1.68E-24	1.71E-24	1.72E-24
po213	3.49E-22	5.76E-22	2.87E-21	1.43E-20	6.48E-20	1.48E-19	2.59E-19	3.92E-19	5.43E-19	7.10E-19	7.98E-19
po214	5.74E-19	8.99E-19	3.50E-18	1.26E-17	4.02E-17	7.37E-17	1.09E-16	1.45E-16	1.80E-16	2.15E-16	2.32E-16
po215	4.04E-18	5.01E-18	1.02E-17	1.98E-17	3.88E-17	5.74E-17	7.56E-17	9.34E-17	1.11E-16	1.28E-16	1.36E-16
po216	6.53E-16	2.43E-16	2.89E-18	1.22E-18	1.23E-18	1.25E-18	1.27E-18	1.28E-18	1.30E-18	1.32E-18	1.33E-18
po218	6.62E-13	1.04E-12	4.04E-12	1.45E-11	4.64E-11	8.50E-11	1.26E-10	1.67E-10	2.08E-10	2.48E-10	2.68E-10
at217	2.79E-18	4.61E-18	2.30E-17	1.14E-16	5.19E-16	1.19E-15	2.07E-15	3.14E-15	4.35E-15	5.68E-15	6.39E-15
rn218	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	9.14E-15	1.13E-14	2.30E-14	4.49E-14	8.79E-14	1.30E-13	1.71E-13	2.12E-13	2.51E-13	2.90E-13	3.09E-13
rn220	2.55E-13	9.48E-14	1.13E-15	4.76E-16	4.81E-16	4.87E-16	4.94E-16	5.01E-16	5.09E-16	5.17E-16	5.21E-16
rn222	1.20E-09	1.88E-09	7.31E-09	2.63E-08	8.39E-08	1.54E-07	2.28E-07	3.02E-07	3.76E-07	4.49E-07	4.84E-07
fr221	2.59E-14	4.27E-14	2.13E-13	1.06E-12	4.81E-12	1.10E-11	1.92E-11	2.91E-11	4.03E-11	5.27E-11	5.92E-11
fr223	4.24E-14	5.27E-14	1.07E-13	2.08E-13	4.08E-13	6.03E-13	7.95E-13	9.82E-13	1.17E-12	1.34E-12	1.43E-12
ra222	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	2.32E-09	2.88E-09	5.85E-09	1.14E-08	2.23E-08	3.30E-08	4.35E-08	5.38E-08	6.38E-08	7.36E-08	7.84E-08
ra224	1.48E-09	5.49E-10	6.53E-12	2.76E-12	2.79E-12	2.82E-12	2.86E-12	2.90E-12	2.95E-12	2.99E-12	3.02E-12
ra225	1.15E-10	1.89E-10	9.43E-10	4.68E-09	2.13E-08	4.87E-08	8.50E-08	1.29E-07	1.79E-07	2.33E-07	2.62E-07
ra226	1.86E-04	2.92E-04	1.14E-03	4.09E-03	1.31E-02	2.39E-02	3.54E-02	4.70E-02	5.85E-02	6.98E-02	7.53E-02
ra228	6.71E-12	8.40E-12	1.70E-11	3.46E-11	7.19E-11	1.11E-10	1.52E-10	1.95E-10	2.39E-10	2.83E-10	3.06E-10
ac225	7.74E-11	1.28E-10	6.37E-10	3.16E-09	1.44E-08	3.29E-08	5.74E-08	8.70E-08	1.21E-07	1.58E-07	1.77E-07
ac227	1.64E-06	2.04E-06	4.14E-06	8.07E-06	1.58E-05	2.34E-05	3.08E-05	3.81E-05	4.52E-05	5.21E-05	5.55E-05
ac228	8.19E-16	1.03E-15	2.07E-15	4.23E-15	8.77E-15	1.36E-14	1.86E-14	2.38E-14	2.91E-14	3.46E-14	3.73E-14
th226	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	3.82E-09	4.74E-09	9.61E-09	1.87E-08	3.67E-08	5.43E-08	7.15E-08	8.83E-08	1.05E-07	1.21E-07	1.29E-07
th228	2.87E-07	1.07E-07	1.27E-09	5.35E-10	5.42E-10	5.48E-10	5.56E-10	5.64E-10	5.73E-10	5.82E-10	5.86E-10
th229	2.27E-05	3.75E-05	1.87E-04	9.27E-04	4.21E-03	9.63E-03	1.68E-02	2.55E-02	3.53E-02	4.62E-02	5.19E-02
th230	1.13E-01	1.43E-01	2.95E-01	5.98E-01	1.19E+00	1.77E+00	2.34E+00	2.89E+00	3.44E+00	3.96E+00	4.22E+00
th231	2.57E-08	2.58E-08	2.59E-08	2.62E-08	2.68E-08	2.73E-08	2.78E-08	2.82E-08	2.87E-08	2.91E-08	2.93E-08

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 82

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
th232	1.67E-02	2.09E-02	4.22E-02	8.61E-02	1.79E-01	2.77E-01	3.79E-01	4.85E-01	5.94E-01	7.04E-01	7.61E-01
th233	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	2.71E-03	3.32E-03	6.34E-03	1.23E-02	2.42E-02	3.58E-02	4.71E-02	5.83E-02	6.91E-02	7.97E-02	8.49E-02
pa232	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	1.08E-05	1.19E-05	1.55E-05	1.78E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05
pa234m	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10
pa234	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	1.04E-05	3.85E-06	4.62E-08	1.95E-08	1.92E-08	1.90E-08	1.88E-08	1.85E-08	1.83E-08	1.81E-08	1.80E-08
u233	2.99E-02	4.06E-02	1.06E-01	2.64E-01	6.03E-01	9.41E-01	1.28E+00	1.61E+00	1.94E+00	2.26E+00	2.43E+00
u234	1.09E+02	1.10E+02	1.11E+02	1.10E+02	1.10E+02	1.09E+02	1.09E+02	1.08E+02	1.08E+02	1.07E+02	1.07E+02
u235	6.33E+03	6.34E+03	6.37E+03	6.44E+03	6.58E+03	6.71E+03	6.83E+03	6.95E+03	7.06E+03	7.16E+03	7.21E+03
u236	1.44E+03	1.45E+03	1.48E+03	1.54E+03	1.64E+03	1.72E+03	1.79E+03	1.84E+03	1.89E+03	1.92E+03	1.94E+03
u237	2.28E-12	2.22E-12	2.13E-12	1.96E-12	1.67E-12	1.41E-12	1.20E-12	1.02E-12	8.67E-13	7.37E-13	6.79E-13
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	2.39E-20	2.98E-20	5.96E-20	1.19E-19	2.38E-19	3.56E-19	4.74E-19	5.91E-19	7.07E-19	8.24E-19	8.82E-19
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	3.70E-04	3.70E-04	3.68E-04	3.66E-04	3.62E-04	3.58E-04	3.53E-04	3.49E-04	3.45E-04	3.41E-04	3.39E-04
np237	3.17E+02	3.51E+02	4.57E+02	5.25E+02	5.42E+02	5.42E+02	5.42E+02	5.41E+02	5.41E+02	5.41E+02	5.41E+02
np238	1.10E-08	6.72E-09	5.76E-10	4.22E-12	2.27E-16	1.22E-20	6.54E-25	3.51E-29	1.89E-33	8.80E-38	.00E+00
np239	8.36E-06	8.28E-06	7.90E-06	7.19E-06	5.96E-06	4.94E-06	4.09E-06	3.39E-06	2.81E-06	2.33E-06	2.12E-06
np240m	2.04E-22	2.55E-22	5.09E-22	1.02E-21	2.03E-21	3.04E-21	4.04E-21	5.04E-21	6.04E-21	7.03E-21	7.52E-21
np240	2.10E-24	2.62E-24	5.24E-24	1.05E-23	2.09E-23	3.12E-23	4.16E-23	5.19E-23	6.21E-23	7.23E-23	7.74E-23
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	8.30E-10	8.30E-10	8.27E-10	8.22E-10	8.12E-10	8.02E-10	7.93E-10	7.83E-10	7.74E-10	7.65E-10	7.60E-10
pu237	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	1.35E+00	6.23E-01	1.53E-02	1.74E-05	1.67E-09	8.99E-14	4.83E-18	2.60E-22	1.39E-26	7.49E-31	2.94E-33
pu239	2.60E+03	2.59E+03	2.56E+03	2.49E+03	2.35E+03	2.22E+03	2.10E+03	1.98E+03	1.87E+03	1.77E+03	1.72E+03
pu240	6.46E+02	6.39E+02	6.06E+02	5.45E+02	4.41E+02	3.57E+02	2.89E+02	2.34E+02	1.90E+02	1.53E+02	1.38E+02
pu241	7.54E-05	7.32E-05	7.03E-05	6.48E-05	5.50E-05	4.67E-05	3.97E-05	3.37E-05	2.86E-05	2.43E-05	2.24E-05
pu242	7.08E+01	7.08E+01	7.07E+01	7.06E+01	7.03E+01	7.01E+01	6.98E+01	6.96E+01	6.93E+01	6.91E+01	6.89E+01
pu243	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15	1.13E-15
pu244	1.21E-09	1.51E-09	3.02E-09	6.03E-09	1.20E-08	1.80E-08	2.40E-08	2.99E-08	3.58E-08	4.17E-08	4.46E-08
pu245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	1.23E-21	1.23E-21	1.20E-21	1.15E-21	1.07E-21	9.84E-22	9.09E-22	8.39E-22	7.75E-22	7.16E-22	6.88E-22
am239	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	2.30E+02	1.96E+02	8.77E+01	1.77E+01	7.18E-01	3.05E-02	2.43E-03	1.11E-03	9.03E-04	7.66E-04	7.04E-04
am242m	6.04E-02	3.70E-02	3.16E-03	2.32E-05	1.25E-09	6.69E-14	3.59E-18	1.93E-22	1.04E-26	5.57E-31	4.08E-33
am242	7.80E-07	4.77E-07	4.08E-08	2.99E-10	1.61E-14	8.63E-19	4.64E-23	2.49E-27	1.34E-31	7.19E-36	5.64E-38
am243	9.71E+00	9.62E+00	9.18E+00	8.36E+00	6.92E+00	5.74E+00	4.75E+00	3.94E+00	3.26E+00	2.70E+00	2.46E+00
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	3.07E-24	3.06E-24	3.00E-24	2.88E-24	2.66E-24	2.46E-24	2.27E-24	2.10E-24	1.94E-24	1.79E-24	1.72E-24
cm241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay actinides page 83

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
cm242	1.57E-04	9.63E-05	8.24E-06	6.04E-08	3.26E-12	1.75E-16	9.39E-21	5.05E-25	2.71E-29	1.46E-33	1.38E-35
cm243	3.59E-06	3.15E-07	1.65E-12	4.50E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

cm244	3.37E-07	7.32E-09	3.54E-17	8.24E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	4.44E-02	4.40E-02	4.22E-02	3.89E-02	3.31E-02	2.81E-02	2.39E-02	2.03E-02	1.72E-02	1.46E-02	1.35E-02
cm246	2.83E-03	2.79E-03	2.59E-03	2.24E-03	1.67E-03	1.24E-03	9.29E-04	6.93E-04	5.17E-04	3.85E-04	3.33E-04
cm247	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05	3.24E-05
cm248	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.63E-06	1.62E-06	1.62E-06	1.61E-06	1.60E-06	1.60E-06	1.59E-06
cm249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	2.93E-15	2.92E-15	2.86E-15	2.75E-15	2.54E-15	2.35E-15	2.17E-15	2.00E-15	1.85E-15	1.71E-15	1.64E-15
cm251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	8.66E-24	8.62E-24	8.45E-24	8.12E-24	7.50E-24	6.92E-24	6.39E-24	5.90E-24	5.45E-24	5.03E-24	4.84E-24
bk251	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	8.41E-09	6.90E-09	2.57E-09	3.55E-10	6.80E-12	1.30E-13	2.49E-15	4.77E-17	9.13E-19	1.75E-20	2.42E-21
cf250	1.39E-18	3.13E-19	3.01E-19	2.90E-19	2.67E-19	2.47E-19	2.28E-19	2.10E-19	1.94E-19	1.79E-19	1.72E-19
cf251	6.27E-10	5.80E-10	3.94E-10	1.82E-10	3.89E-11	8.31E-12	1.77E-12	3.79E-13	8.10E-14	1.73E-14	7.99E-15
cf252	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 87

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
h 3	2.32E-12	8.40E-15	5.20E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05	7.49E-05
li 7	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06	2.88E-06
be 9	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06	5.54E-06
be 10	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.69E-05	3.68E-05	3.68E-05	3.68E-05	3.67E-05	3.67E-05	3.67E-05
c 14	7.12E-06	7.03E-06	6.62E-06	5.86E-06	4.60E-06	3.61E-06	2.84E-06	2.23E-06	1.75E-06	1.37E-06	1.22E-06
ni 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07	1.75E-07
cu 67	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08
zn 68	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09	2.07E-09
zn 69	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08	7.63E-08
zn 70	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06	2.03E-06
ga 70	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09	2.79E-09
zn 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05	2.00E-05
ge 71	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03	1.30E-03

co 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03	4.09E-03
ge 73m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03
co 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02
ni 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 88

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
zn 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01	1.02E-01
as 76	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04	6.31E-04
ni 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01	2.33E-01
se 77m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01	7.25E-01
cu 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	1.39E+00	1.39E+00	1.37E+00	1.34E+00	1.29E+00	1.24E+00	1.18E+00	1.14E+00	1.09E+00	1.04E+00	1.02E+00
se 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 79	1.18E-02	1.47E-02	2.92E-02	5.77E-02	1.13E-01	1.66E-01	2.17E-01	2.66E-01	3.13E-01	3.57E-01	3.79E-01
br 79m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zn 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00	3.93E+00
br 80	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05	1.50E-05
cu 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00	5.85E+00
kr 81	7.12E-07	7.11E-07	7.10E-07	7.08E-07	7.03E-07	6.99E-07	6.94E-07	6.90E-07	6.85E-07	6.81E-07	6.79E-07
kr 81m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 89

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
ge 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00	9.54E+00
br 82	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01	1.22E-01
zn 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01	1.35E+01
kr 83m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01	3.28E+01
ga 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	3.89E-11	6.05E-14	5.49E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01	3.46E+01
ge 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

br 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01	5.55E+01
rb 86	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02	6.45E-02
ge 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01	7.25E+01
sr 87	3.07E-04	3.07E-04	3.07E-04	3.08E-04	3.11E-04	3.13E-04	3.15E-04	3.17E-04	3.19E-04	3.21E-04	3.22E-04
sr 87m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 90

0 nuclide concentrations, grams

basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
br 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02
as 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
y 89m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	8.57E-03	7.30E-04	3.28E-09	6.62E-20	2.70E-41	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	2.23E-06	1.90E-07	8.52E-13	1.72E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02	1.70E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02	1.79E+02
nb 91	1.77E-10	1.60E-10	9.63E-11	3.47E-11	4.52E-12	5.89E-13	7.67E-14	9.98E-15	1.30E-15	1.69E-16	6.10E-17
se 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zr 92	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02	1.89E+02
nb 92	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08	3.28E-08
se 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
nb 93	2.38E-02	3.01E-02	6.15E-02	1.24E-01	2.50E-01	3.76E-01	5.01E-01	6.26E-01	7.51E-01	8.77E-01	9.39E-01
nb 93m	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.45E-03	1.45E-03
br 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 91

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sr 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02
nb 94	1.23E-04	1.23E-04	1.21E-04	1.17E-04	1.09E-04	1.02E-04	9.50E-05	8.88E-05	8.29E-05	7.74E-05	7.48E-05
nb 94m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02
br 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02
nb 96	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00	6.56E+00
kr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02	2.17E+02
kr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
tc 98	1.37E-03	1.37E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03	1.36E-03
rb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

y 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.30E+02	2.30E+02	2.30E+02	2.29E+02	2.28E+02	2.26E+02	2.25E+02	2.23E+02	2.22E+02	2.20E+02	2.19E+02
tc 99m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	3.12E-01	3.87E-01	7.65E-01	1.52E+00	3.02E+00	4.51E+00	5.99E+00	7.46E+00	8.92E+00	1.04E+01	1.11E+01
rb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 92

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
zr100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02	2.63E+02
tc100	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01	1.89E+01
rb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02
sr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02	2.10E+02
rh102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02
rh103m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rh104	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01	4.10E+01
y105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zr105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 93

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
y106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01	7.94E+01
ag106	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.12E+01	5.11E+01	5.11E+01	5.11E+01	5.11E+01	5.11E+01
pd107m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	2.19E-03	2.74E-03	5.47E-03	1.09E-02	2.18E-02	3.28E-02	4.37E-02	5.46E-02	6.55E-02	7.64E-02	8.18E-02
zr108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01	3.25E+01
ag108	1.47E-14	8.49E-15	5.54E-16	2.36E-18	4.29E-23	7.79E-28	1.42E-32	2.57E-37	.00E+00	.00E+00	.00E+00
ag108m	4.75E-06	2.75E-06	1.80E-07	7.65E-10	1.39E-14	2.52E-19	4.59E-24	8.33E-29	1.51E-33	2.75E-38	1.17E-40
cd108	4.66E-05	4.67E-05	4.69E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05	4.70E-05
zr109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01
ag109m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

rh110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.65E+00	9.65E+00	9.65E+00	9.65E+00	9.65E+00	9.65E+00	9.65E+00	9.65E+00	9.65E+00	9.65E+00	9.65E+00
ag110	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 94

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
cd110	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00	5.76E+00
nb111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00	5.04E+00
cd111m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00	2.64E+00
mo113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02
cd113m	8.09E-11	5.93E-13	1.25E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02	3.00E-02
in113m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00	2.93E+00
in114	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05	7.51E-05
mo115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

in115	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01
in115m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 95

0

nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sn115	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02	4.57E-02
tc116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
in116	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01	4.77E-01
tc117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn117m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01	9.73E-01
ru119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00
sn119m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00
rh121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 96

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
pd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	3.03E-09	8.60E-10	1.58E-12	5.32E-18	6.03E-29	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	6.96E-05	1.98E-05	3.62E-08	1.22E-13	1.38E-24	1.57E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00
rh122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
sb122	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	4.69E-02	4.69E-02	4.69E-02	4.69E-02	4.69E-02	4.69E-02	4.69E-02	4.69E-02	4.69E-02	4.69E-02	4.69E-02
rh123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00	1.23E+00
te123	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04	3.68E-04
te123m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00	2.20E+00
sb124	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02	3.98E-02
pd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00
te125m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	4.87E+00	4.87E+00	4.85E+00	4.82E+00	4.75E+00	4.69E+00	4.62E+00	4.56E+00	4.50E+00	4.43E+00	4.40E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 97

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sb126	2.32E-07	2.31E-07	2.31E-07	2.29E-07	2.26E-07	2.23E-07	2.20E-07	2.17E-07	2.14E-07	2.11E-07	2.09E-07
sb126m	1.76E-09	1.76E-09	1.75E-09	1.74E-09	1.72E-09	1.69E-09	1.67E-09	1.65E-09	1.62E-09	1.60E-09	1.59E-09
te126	9.19E-02	9.53E-02	1.12E-01	1.46E-01	2.12E-01	2.77E-01	3.42E-01	4.06E-01	4.68E-01	5.30E-01	5.61E-01
xe126	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09	1.22E-09
ag127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01
xe127	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01	2.43E+01
i128	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01	3.97E-01
cd129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01	4.99E+01
xe129	2.08E-03	2.30E-03	3.41E-03	5.61E-03	1.00E-02	1.44E-02	1.88E-02	2.33E-02	2.77E-02	3.21E-02	3.43E-02
xe129m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02	1.01E+02
i130	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00	1.16E+00
cd131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe131m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 98

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
cd132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02	2.84E+02
cs132	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05	4.90E-05
in133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02	3.41E+02
ba133	9.02E-20	1.24E-22	6.10E-37	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02	4.27E+02
xe134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01
sn135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.76E+02	1.76E+02	
cs135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	5.95E-02	6.49E-02	9.16E-02	1.45E-01	2.52E-01	3.58E-01	4.65E-01	5.71E-01	6.78E-01	7.84E-01	8.37E-01
ba135m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02	5.61E+02
cs136	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00	4.78E+00
ba136m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 99

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sb137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	3.35E-02	3.32E-03	3.19E-08	2.94E-18	2.50E-38	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ba137	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02	3.60E+02
ba137m	5.11E-09	5.07E-10	4.87E-15	4.49E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02	3.65E+02
la138	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03	2.18E-03
sb139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ce139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02
pr140	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02	3.21E+02
nd141	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02	3.23E+02
pr142	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00	3.24E+00
i143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 100

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
xe143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02
i144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

xe144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02
i145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02	2.03E+02
pm145	2.79E-11	5.55E-13	1.74E-21	1.71E-38	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02
pm146	3.12E-25	1.12E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03	2.58E-03
xe147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01	8.97E+01
cs148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
pm148	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 101

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sm148	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01	2.89E+01
cs149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00	1.42E+00
eu149	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ba150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01	4.85E+01
pm150	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01	8.04E+01
eu150	9.29E-11	1.34E-11	8.38E-16	3.28E-24	5.02E-41	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	2.85E-01	1.32E-01	2.80E-03	1.26E-06	2.58E-13	5.26E-20	1.07E-26	2.19E-33	4.46E-40	.00E+00	.00E+00
eu151	5.93E+00	6.08E+00	6.21E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00	6.22E+00
ba152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01	3.74E+01
eu152	2.45E-11	1.35E-13	6.85E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02	3.19E-02
la153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01	2.70E+01
gd153	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 102

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
sm154	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00	9.08E+00
eu154	7.01E-14	2.19E-17	6.59E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00	7.93E+00
la155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	5.82E-26	2.15E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00	3.18E+00
ce156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nd156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00	9.32E+00
ce157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02	3.11E-02
pr158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00	3.25E+00
pr159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01	5.03E-01
nd160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01	2.25E-01
tb160	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02
nd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part B B&W 15x15, 3.00wt%, 20gwd/mtu decay fission products page 103

0 nuclide concentrations, grams
basis =per B&W assembly, 0.409 mthm for grams

	initial	500.0 yr	1000.0 yr	2000.0 yr	4000.0 yr	6000.0 yr	8000.0 yr	10000.0 yr	12000.0 yr	14000.0 yr	15000.0 yr
dy161	8.27E-02	8.27E-02	8.27E-02	8.27E-02	8.27E-02	8.27E-02	8.27E-02	8.27E-02	8.27E-02	8.27E-02	8.27E-02
pm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02	5.62E-02
sm163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02	3.66E-02
sm164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tb164	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02	1.00E-02
sm165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03	9.50E-03
dy166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	1.89E-05	1.78E-05	1.34E-05	7.50E-06	2.36E-06	7.44E-07	2.34E-07	7.38E-08	2.32E-08	7.32E-09	4.11E-09
er166	1.55E-03	1.56E-03	1.56E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03	1.57E-03
er167	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05	2.44E-05
er167m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05	2.01E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07	7.41E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07	7.89E-07
tm170	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09	4.62E-09
er171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06	1.05E-06
er172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07	6.73E-07
total	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03	9.58E+03

1

Part D 1000 year criticality at 2.182 kw/package actinides page 142
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
he 4	3.35E+01	3.35E+01	3.45E+01	3.55E+01	3.65E+01	3.74E+01	3.83E+01	3.91E+01	3.99E+01	4.07E+01	4.14E+01
tl206	4.85E-16	4.85E-16	5.17E-16	5.49E-16	5.81E-16	6.13E-16	6.44E-16	6.75E-16	7.06E-16	7.37E-16	7.67E-16
tl207	2.59E-11	2.59E-11	2.70E-11	2.82E-11	2.94E-11	3.05E-11	3.16E-11	3.27E-11	3.38E-11	3.49E-11	3.60E-11
tl208	7.78E-13	5.96E-13	6.55E-16	6.21E-16	6.25E-16	6.30E-16	6.35E-16	6.40E-16	6.45E-16	6.50E-16	6.55E-16
tl209	5.88E-13	5.89E-13	6.49E-13	7.12E-13	7.76E-13	8.41E-13	9.08E-13	9.75E-13	1.04E-12	1.11E-12	1.18E-12
pb206	2.31E-01	2.32E-01	2.64E-01	2.99E-01	3.37E-01	3.76E-01	4.18E-01	4.61E-01	5.07E-01	5.55E-01	6.04E-01
pb207	1.42E-02	1.43E-02	1.62E-02	1.84E-02	2.06E-02	2.28E-02	2.52E-02	2.77E-02	3.02E-02	3.29E-02	3.56E-02
pb208	6.93E-04	7.00E-04	7.20E-04	7.21E-04	7.21E-04	7.21E-04	7.21E-04	7.22E-04	7.22E-04	7.22E-04	7.22E-04
pb209	2.48E-09	2.49E-09	2.74E-09	3.01E-09	3.28E-09	3.55E-09	3.83E-09	4.12E-09	4.41E-09	4.70E-09	4.99E-09
pb210	1.05E-03	1.05E-03	1.12E-03	1.18E-03	1.25E-03	1.32E-03	1.39E-03	1.46E-03	1.52E-03	1.59E-03	1.65E-03
pb211	2.00E-10	2.00E-10	2.09E-10	2.18E-10	2.27E-10	2.36E-10	2.45E-10	2.53E-10	2.62E-10	2.70E-10	2.78E-10
pb212	4.61E-10	3.53E-10	3.88E-13	3.68E-13	3.71E-13	3.74E-13	3.76E-13	3.79E-13	3.82E-13	3.85E-13	3.88E-13
pb214	2.44E-09	2.44E-09	2.60E-09	2.76E-09	2.92E-09	3.08E-09	3.24E-09	3.39E-09	3.55E-09	3.70E-09	3.85E-09
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	2.67E-02	2.69E-02	3.16E-02	3.70E-02	4.28E-02	4.92E-02	5.61E-02	6.35E-02	7.15E-02	8.00E-02	8.91E-02
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	6.44E-07	6.44E-07	6.86E-07	7.29E-07	7.71E-07	8.14E-07	8.55E-07	8.97E-07	9.37E-07	9.78E-07	1.02E-06
bi211	1.19E-11	1.19E-11	1.24E-11	1.29E-11	1.35E-11	1.40E-11	1.45E-11	1.50E-11	1.55E-11	1.60E-11	1.65E-11
bi212	4.38E-11	3.35E-11	3.68E-14	3.49E-14	3.52E-14	3.54E-14	3.57E-14	3.60E-14	3.63E-14	3.65E-14	3.68E-14
bi213	5.91E-10	5.93E-10	6.52E-10	7.16E-10	7.80E-10	8.46E-10	9.13E-10	9.81E-10	1.05E-09	1.12E-09	1.19E-09
bi214	1.81E-09	1.81E-09	1.93E-09	2.05E-09	2.17E-09	2.29E-09	2.40E-09	2.52E-09	2.63E-09	2.75E-09	2.86E-09
po210	1.78E-05	1.78E-05	1.90E-05	2.01E-05	2.13E-05	2.25E-05	2.36E-05	2.48E-05	2.59E-05	2.70E-05	2.81E-05
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	1.31E-16	1.31E-16	1.37E-16	1.43E-16	1.49E-16	1.55E-16	1.60E-16	1.66E-16	1.71E-16	1.77E-16	1.82E-16
po212	2.30E-21	1.76E-21	1.94E-24	1.83E-24	1.85E-24	1.86E-24	1.88E-24	1.89E-24	1.91E-24	1.92E-24	1.93E-24
po213	8.88E-19	8.91E-19	9.81E-19	1.08E-18	1.17E-18	1.27E-18	1.37E-18	1.47E-18	1.58E-18	1.68E-18	1.79E-18
po214	2.49E-16	2.49E-16	2.65E-16	2.82E-16	2.98E-16	3.15E-16	3.31E-16	3.47E-16	3.62E-16	3.78E-16	3.93E-16
po215	1.67E-16	1.68E-16	1.75E-16	1.83E-16	1.90E-16	1.97E-16	2.05E-16	2.12E-16	2.19E-16	2.26E-16	2.33E-16
po216	1.78E-15	1.36E-15	1.50E-18	1.42E-18	1.43E-18	1.44E-18	1.45E-18	1.46E-18	1.47E-18	1.49E-18	1.50E-18
po218	2.87E-10	2.88E-10	3.06E-10	3.25E-10	3.44E-10	3.63E-10	3.81E-10	4.00E-10	4.18E-10	4.36E-10	4.54E-10
at217	7.11E-15	7.13E-15	7.85E-15	8.61E-15	9.39E-15	1.02E-14	1.10E-14	1.18E-14	1.26E-14	1.35E-14	1.43E-14
rn218	3.40E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	3.80E-13	3.80E-13	3.97E-13	4.14E-13	4.31E-13	4.48E-13	4.64E-13	4.80E-13	4.96E-13	5.12E-13	5.28E-13
rn220	6.95E-13	5.32E-13	5.85E-16	5.54E-16	5.59E-16	5.63E-16	5.67E-16	5.71E-16	5.76E-16	5.80E-16	5.85E-16
rn222	5.19E-07	5.20E-07	5.54E-07	5.88E-07	6.22E-07	6.56E-07	6.90E-07	7.23E-07	7.56E-07	7.89E-07	8.21E-07
fr221	6.59E-11	6.61E-11	7.28E-11	7.98E-11	8.70E-11	9.44E-11	1.02E-10	1.09E-10	1.17E-10	1.25E-10	1.33E-10
fr223	1.76E-12	1.76E-12	1.84E-12	1.92E-12	2.00E-12	2.08E-12	2.15E-12	2.23E-12	2.30E-12	2.38E-12	2.45E-12
ra222	3.76E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	9.64E-08	9.65E-08	1.01E-07	1.05E-07	1.09E-07	1.14E-07	1.18E-07	1.22E-07	1.26E-07	1.30E-07	1.34E-07
ra224	4.02E-09	3.08E-09	3.39E-12	3.21E-12	3.23E-12	3.26E-12	3.28E-12	3.31E-12	3.33E-12	3.36E-12	3.39E-12
ra225	2.92E-07	2.93E-07	3.22E-07	3.54E-07	3.85E-07	4.18E-07	4.51E-07	4.84E-07	5.18E-07	5.53E-07	5.87E-07
ra226	8.08E-02	8.09E-02	8.61E-02	9.15E-02	9.68E-02	1.02E-01	1.07E-01	1.13E-01	1.18E-01	1.23E-01	1.28E-01
ra228	3.29E-10	3.29E-10	3.52E-10	3.75E-10	3.98E-10	4.21E-10	4.45E-10	4.68E-10	4.92E-10	5.16E-10	5.39E-10
ac225	1.97E-07	1.98E-07	2.18E-07	2.39E-07	2.60E-07	2.82E-07	3.05E-07	3.27E-07	3.50E-07	3.73E-07	3.97E-07
ac227	6.83E-05	6.83E-05	7.14E-05	7.44E-05	7.75E-05	8.05E-05	8.34E-05	8.64E-05	8.93E-05	9.21E-05	9.49E-05
ac228	4.01E-14	4.02E-14	4.29E-14	4.57E-14	4.86E-14	5.14E-14	5.43E-14	5.71E-14	6.00E-14	6.29E-14	6.58E-14
th226	1.87E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	1.58E-07	1.59E-07	1.66E-07	1.73E-07	1.80E-07	1.87E-07	1.94E-07	2.00E-07	2.07E-07	2.14E-07	2.20E-07
th228	7.82E-07	5.99E-07	6.58E-10	6.24E-10	6.28E-10	6.33E-10	6.38E-10	6.43E-10	6.48E-10	6.53E-10	6.58E-10
th229	5.78E-02	5.79E-02	6.38E-02	7.00E-02	7.63E-02	8.27E-02	8.92E-02	9.59E-02	1.03E-01	1.09E-01	1.16E-01
th230	4.47E+00	4.48E+00	4.73E+00	4.98E+00	5.23E+00	5.48E+00	5.72E+00	5.97E+00	6.21E+00	6.44E+00	6.68E+00
th231	9.32E-08	2.94E-08	2.96E-08	2.98E-08	2.99E-08	3.01E-08	3.03E-08	3.05E-08	3.06E-08	3.08E-08	3.09E-08

1

Part D 1000 year criticality at 2.182 kw/package actinides page 143
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
th232	8.17E-01	8.19E-01	8.74E-01	9.32E-01	9.90E-01	1.05E+00	1.11E+00	1.16E+00	1.22E+00	1.28E+00	1.34E+00
th233	1.12E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	1.04E-01	1.05E-01	1.09E-01	1.14E-01	1.19E-01	1.23E-01	1.28E-01	1.32E-01	1.37E-01	1.41E-01	1.45E-01
pa232	1.37E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05	1.84E-05
pa234m	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10	2.17E-10
pa234	9.68E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	1.84E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	9.58E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	2.90E-05	2.16E-05	2.01E-08	1.85E-08	1.84E-08	1.83E-08	1.82E-08	1.81E-08	1.80E-08	1.79E-08	1.78E-08
u233	2.58E+00	2.58E+00	2.74E+00	2.90E+00	3.06E+00	3.22E+00	3.37E+00	3.53E+00	3.69E+00	3.84E+00	4.00E+00
u234	1.08E+02	1.08E+02	1.08E+02	1.08E+02	1.07E+02	1.07E+02	1.07E+02	1.07E+02	1.06E+02	1.06E+02	1.06E+02
u235	7.23E+03	7.23E+03	7.27E+03	7.32E+03	7.36E+03	7.41E+03	7.45E+03	7.49E+03	7.53E+03	7.57E+03	7.60E+03
u236	1.96E+03	1.96E+03	1.97E+03	1.98E+03	1.99E+03	2.00E+03	2.01E+03	2.02E+03	2.02E+03	2.03E+03	2.03E+03
u237	3.51E-05	2.24E-10	5.68E-13	5.24E-13	4.83E-13	4.45E-13	4.10E-13	3.78E-13	3.48E-13	3.21E-13	2.96E-13
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	1.95E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	9.41E-19	9.42E-19	1.00E-18	1.06E-18	1.12E-18	1.18E-18	1.24E-18	1.30E-18	1.36E-18	1.42E-18	1.48E-18
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	3.81E-10	1.80E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	1.75E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	3.53E-04	3.53E-04	3.51E-04	3.49E-04	3.47E-04	3.45E-04	3.43E-04	3.41E-04	3.39E-04	3.37E-04	3.34E-04
np237	5.41E+02	5.41E+02	5.42E+02	5.41E+02	5.41E+02	5.41E+02	5.41E+02	5.41E+02	5.41E+02	5.40E+02	5.40E+02
np238	1.11E-05	2.98E-11	2.53E-13	1.85E-15	1.36E-17	9.96E-20	7.30E-22	5.35E-24	3.92E-26	2.87E-28	2.11E-30
np239	2.85E-04	2.06E-06	1.88E-06	1.71E-06	1.56E-06	1.42E-06	1.29E-06	1.17E-06	1.07E-06	9.73E-07	8.86E-07
np240m	8.03E-21	8.04E-21	8.54E-21	9.05E-21	9.56E-21	1.01E-20	1.06E-20	1.11E-20	1.16E-20	1.21E-20	1.26E-20
np240	7.99E-14	8.27E-23	8.78E-23	9.31E-23	9.83E-23	1.04E-22	1.09E-22	1.14E-22	1.19E-22	1.24E-22	1.30E-22
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	9.57E-08	8.66E-10	7.88E-10	7.83E-10	7.78E-10	7.74E-10	7.69E-10	7.64E-10	7.60E-10	7.55E-10	7.51E-10
pu237	5.15E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	1.69E-01	1.33E-01	6.31E-05	2.85E-08	4.84E-11	2.95E-13	2.14E-15	1.57E-17	1.15E-19	8.42E-22	6.17E-24
pu239	1.68E+03	1.68E+03	1.63E+03	1.58E+03	1.54E+03	1.50E+03	1.45E+03	1.41E+03	1.37E+03	1.33E+03	1.30E+03
pu240	1.30E+02	1.29E+02	1.17E+02	1.05E+02	9.43E+01	8.49E+01	7.64E+01	6.87E+01	6.18E+01	5.56E+01	5.01E+01
pu241	3.14E-02	7.38E-03	1.88E-05	1.73E-05	1.59E-05	1.47E-05	1.35E-05	1.25E-05	1.15E-05	1.06E-05	9.77E-06
pu242	6.86E+01	6.86E+01	6.85E+01	6.84E+01	6.82E+01	6.81E+01	6.80E+01	6.79E+01	6.77E+01	6.76E+01	6.75E+01
pu243	1.43E-07	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15	1.12E-15
pu244	4.76E-08	4.77E-08	5.07E-08	5.37E-08	5.67E-08	5.97E-08	6.27E-08	6.57E-08	6.87E-08	7.17E-08	7.47E-08
pu245	6.31E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	6.61E-22	6.60E-22	6.35E-22	6.10E-22	5.86E-22	5.63E-22	5.41E-22	5.20E-22	5.00E-22	4.80E-22	4.62E-22
am239	1.90E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	8.18E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	7.54E-01	7.42E-01	1.59E-01	3.24E-02	6.92E-03	1.75E-03	6.85E-04	4.44E-04	3.71E-04	3.35E-04	3.07E-04
am242m	1.90E-04	1.64E-04	1.39E-06	1.02E-08	7.47E-11	5.47E-13	4.01E-15	2.94E-17	2.15E-19	1.58E-21	1.16E-23
am242	1.68E-08	2.11E-09	1.79E-11	1.31E-13	9.63E-16	7.06E-18	5.17E-20	3.79E-22	2.78E-24	2.04E-26	1.49E-28
am243	2.40E+00	2.39E+00	2.18E+00	1.99E+00	1.81E+00	1.65E+00	1.50E+00	1.36E+00	1.24E+00	1.13E+00	1.03E+00
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.33E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	1.28E-19	2.25E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	1.65E-24	1.65E-24	1.59E-24	1.52E-24	1.46E-24	1.41E-24	1.35E-24	1.30E-24	1.25E-24	1.20E-24	1.15E-24
cm241	1.40E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1 Part D 1000 year criticality at 2.182 kw/package actinides page 144
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cm242	3.40E-06	4.26E-07	3.62E-09	2.65E-11	1.95E-13	1.43E-15	1.04E-17	7.66E-20	5.61E-22	4.11E-24	3.01E-26
cm243	8.37E-11	4.03E-11	2.29E-21	6.25E-32	1.70E-42	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	2.09E-04	6.64E-05	4.88E-21	1.14E-37	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	1.22E-02	1.22E-02	1.13E-02	1.04E-02	9.58E-03	8.83E-03	8.14E-03	7.50E-03	6.91E-03	6.37E-03	5.87E-03
cm246	3.14E-04	3.13E-04	2.71E-04	2.34E-04	2.02E-04	1.75E-04	1.51E-04	1.30E-04	1.13E-04	9.73E-05	8.40E-05
cm247	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05	3.23E-05
cm248	1.65E-06	1.65E-06	1.65E-06	1.64E-06	1.64E-06	1.64E-06	1.63E-06	1.63E-06	1.63E-06	1.62E-06	1.62E-06
cm249	1.67E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	1.57E-15	1.57E-15	1.51E-15	1.45E-15	1.40E-15	1.34E-15	1.29E-15	1.24E-15	1.19E-15	1.14E-15	1.10E-15
cm251	6.95E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	1.20E-12	5.92E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	7.02E-21	4.64E-24	4.47E-24	4.29E-24	4.13E-24	3.96E-24	3.81E-24	3.66E-24	3.52E-24	3.38E-24	3.25E-24
bk251	2.36E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	4.06E-10	3.84E-10	5.64E-11	7.80E-12	1.08E-12	1.49E-13	2.07E-14	2.86E-15	3.95E-16	5.47E-17	7.57E-18
cf250	1.68E-14	3.43E-15	1.59E-19	1.53E-19	1.47E-19	1.41E-19	1.36E-19	1.30E-19	1.25E-19	1.21E-19	1.16E-19
cf251	3.87E-15	3.78E-15	1.79E-15	8.27E-16	3.82E-16	1.77E-16	8.16E-17	3.77E-17	1.74E-17	8.06E-18	3.72E-18
cf252	2.80E-19	1.08E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	4.73E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	6.71E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	5.42E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	9.75E-33	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

se 88	3.05E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 151
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
br 88	1.69E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	1.87E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	1.99E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02
as 89	2.41E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	2.98E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	3.10E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	4.44E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	2.27E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	1.10E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02
y 89m	3.76E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	1.70E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	6.80E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	7.30E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	8.21E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	3.58E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	1.83E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	2.72E-02	1.30E-02	5.48E-13	1.11E-23	2.23E-34	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	7.07E-06	3.37E-06	1.42E-16	2.87E-27	4.20E-38	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	6.41E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	1.71E+02	1.71E+02	1.71E+02	1.71E+02	1.71E+02	1.71E+02	1.71E+02	1.71E+02	1.71E+02	1.71E+02	1.71E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	4.18E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

br 91	7.97E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	1.51E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.78E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	1.11E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	1.64E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	5.61E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.80E+02	1.80E+02	1.80E+02	1.80E+02	1.80E+02	1.80E+02	1.80E+02	1.80E+02	1.80E+02	1.80E+02	1.80E+02
nb 91	1.34E-11	1.30E-11	4.82E-12	1.74E-12	6.28E-13	2.26E-13	8.17E-14	2.95E-14	1.06E-14	3.84E-15	1.38E-15
se 92	2.10E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	8.08E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	1.74E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	1.21E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	3.32E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	4.37E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.90E+02	1.90E+02	1.90E+02	1.90E+02	1.90E+02	1.90E+02	1.90E+02	1.90E+02	1.90E+02	1.90E+02	1.90E+02
nb 92	7.12E-08	7.12E-08	7.12E-08	7.12E-08	7.12E-08	7.12E-08	7.12E-08	7.12E-08	7.12E-08	7.12E-08	7.12E-08
se 93	8.65E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	7.93E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	4.15E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	1.24E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	1.68E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	9.32E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
nb 93	1.00E+00	1.00E+00	1.06E+00	1.13E+00	1.19E+00	1.25E+00	1.31E+00	1.38E+00	1.44E+00	1.50E+00	1.56E+00
nb 93m	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.46E-03	1.45E-03	1.45E-03	1.45E-03	1.45E-03
br 94	3.12E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	3.05E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	3.01E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 152

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec

0 nuclide concentrations, grams

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sr 94	2.82E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	4.53E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02	2.24E+02
nb 94	1.02E-04	1.02E-04	9.85E-05	9.51E-05	9.20E-05	8.89E-05	8.59E-05	8.30E-05	8.02E-05	7.75E-05	7.49E-05
nb 94m	5.29E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	3.36E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	9.25E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	2.07E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	8.49E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	2.63E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	2.34E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	1.28E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	1.47E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.25E+02	2.25E+02	2.25E+02	2.25E+02	2.25E+02	2.25E+02	2.25E+02	2.25E+02	2.25E+02	2.25E+02	2.25E+02
br 96	6.32E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	6.35E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	2.72E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	2.64E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	2.37E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
nb 96	9.12E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	6.63E+00	6.63E+00	6.63E+00	6.63E+00	6.63E+00	6.63E+00	6.63E+00	6.63E+00	6.63E+00	6.63E+00	6.63E+00
kr 97	2.84E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	7.10E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	5.39E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	1.16E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zr 97	2.45E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	1.75E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	2.29E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02	2.18E+02
kr 98	1.64E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	3.93E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	3.34E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	1.58E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	1.31E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	1.23E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	8.97E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.34E+02	2.34E+02	2.34E+02	2.34E+02	2.34E+02	2.34E+02	2.34E+02	2.34E+02	2.34E+02	2.34E+02	2.34E+02
tc 98	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03	1.37E-03
rb 99	6.07E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	6.01E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	2.33E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	8.79E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	4.06E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	2.89E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	1.10E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.20E+02	2.20E+02	2.19E+02	2.18E+02	2.17E+02	2.17E+02	2.16E+02	2.15E+02	2.15E+02	2.14E+02	2.13E+02
tc 99m	8.79E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	1.18E+01	1.18E+01	1.25E+01	1.32E+01	1.40E+01	1.47E+01	1.54E+01	1.61E+01	1.68E+01	1.75E+01	1.82E+01
rb100	3.09E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	4.92E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	3.44E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 153
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
zr100	3.01E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	6.82E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	9.24E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.65E+02	2.65E+02	2.65E+02	2.65E+02	2.65E+02	2.65E+02	2.65E+02	2.65E+02	2.65E+02	2.65E+02	2.65E+02
tc100	1.12E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.91E+01	1.91E+01	1.91E+01	1.91E+01	1.91E+01	1.91E+01	1.91E+01	1.91E+01	1.91E+01	1.91E+01	1.91E+01
rb101	2.45E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	7.67E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	1.34E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	4.77E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	2.82E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	3.65E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	3.55E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02
sr102	2.12E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	1.28E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	4.99E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	4.29E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	2.59E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	2.02E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	9.36E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02
rh102	1.11E-08	8.55E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	6.19E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	1.14E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	7.75E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	3.46E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

mo103	2.35E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	1.92E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	1.21E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02	1.44E+02
rh103m	1.20E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	2.67E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	1.11E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	4.17E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	4.59E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	1.53E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	2.93E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02	1.39E+02
rh104	8.02E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	3.61E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.14E+01	4.14E+01	4.14E+01	4.14E+01	4.14E+01	4.14E+01	4.14E+01	4.14E+01	4.14E+01	4.14E+01	4.14E+01
y105	1.62E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	2.98E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	1.10E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	6.24E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	9.43E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	3.35E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	2.67E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	2.68E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02

1

Part D 1000 year criticality at 2.182 kw/package fission products page 154
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
y106	1.78E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	1.76E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	5.50E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	7.15E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	4.71E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	4.67E-04	6.20E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	4.33E-10	5.76E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	5.08E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	7.98E+01	7.98E+01	7.98E+01	7.98E+01	7.98E+01	7.98E+01	7.98E+01	7.98E+01	7.98E+01	7.98E+01	7.98E+01
ag106	2.31E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	1.69E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	4.66E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	6.80E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	1.07E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	1.74E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	2.29E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	1.33E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.13E+01	5.13E+01	5.13E+01	5.13E+01	5.13E+01	5.13E+01	5.13E+01	5.13E+01	5.13E+01	5.13E+01	5.13E+01
pd107m	1.60E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	8.73E-02	8.74E-02	9.27E-02	9.82E-02	1.04E-01	1.09E-01	1.15E-01	1.20E-01	1.26E-01	1.31E-01	1.36E-01
zr108	3.02E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	6.23E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	5.26E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	1.26E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	1.67E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	1.05E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	4.36E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	3.27E+01	3.27E+01	3.27E+01	3.27E+01	3.27E+01	3.27E+01	3.27E+01	3.27E+01	3.27E+01	3.27E+01	3.27E+01
ag108	2.51E-13	2.23E-16	1.12E-18	4.77E-21	2.03E-23	8.66E-26	3.69E-28	1.57E-30	6.71E-33	2.86E-35	1.22E-37
ag108m	8.51E-08	7.22E-08	3.63E-10	1.55E-12	6.59E-15	2.81E-17	1.20E-19	5.10E-22	2.17E-24	9.26E-27	3.95E-29

cd108	8.33E-05	8.33E-05	8.33E-05	8.33E-05	8.33E-05	8.33E-05	8.33E-05	8.33E-05	8.33E-05	8.33E-05	8.33E-05
zr109	8.46E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	3.57E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	5.25E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	1.16E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	1.54E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	4.19E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	1.31E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	2.99E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	9.26E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01	2.19E+01
ag109m	2.40E-10	2.17E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	2.96E-12	2.19E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	6.75E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	1.15E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	9.02E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	1.89E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	8.26E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	4.34E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.69E+00	9.69E+00	9.69E+00	9.69E+00	9.69E+00	9.69E+00	9.69E+00	9.69E+00	9.69E+00	9.69E+00	9.69E+00
ag110	7.02E-11	2.34E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	2.43E-06	1.51E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 155
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd110	5.82E+00	5.82E+00	5.82E+00	5.82E+00	5.82E+00	5.82E+00	5.82E+00	5.82E+00	5.82E+00	5.82E+00	5.82E+00
nb111	8.22E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	2.11E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	4.36E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	6.48E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	9.79E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	1.35E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	1.01E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	6.24E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	6.25E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.07E+00	5.07E+00	5.07E+00	5.07E+00	5.07E+00	5.07E+00	5.07E+00	5.07E+00	5.07E+00	5.07E+00	5.07E+00
cd111m	3.73E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	1.57E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	7.30E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	1.91E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	5.36E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	5.74E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	3.68E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	5.50E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.65E+00	2.65E+00	2.65E+00	2.65E+00	2.65E+00	2.65E+00	2.65E+00	2.65E+00	2.65E+00	2.65E+00	2.65E+00
mo113	3.58E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	8.01E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	1.53E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	1.72E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	2.74E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	5.55E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	3.97E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	4.17E-02	4.17E-02	4.17E-02	4.17E-02	4.17E-02	4.17E-02	4.17E-02	4.17E-02	4.17E-02	4.17E-02	4.17E-02
cd113m	2.97E-06	6.79E-07	1.33E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	3.01E-02	3.01E-02	3.01E-02	3.01E-02	3.01E-02	3.01E-02	3.01E-02	3.01E-02	3.01E-02	3.01E-02	3.01E-02
in113m	1.98E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	3.06E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tc114	4.30E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	1.76E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	1.85E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	3.78E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	1.23E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	2.95E+00	2.95E+00	2.95E+00	2.95E+00	2.95E+00	2.95E+00	2.95E+00	2.95E+00	2.95E+00	2.95E+00	2.95E+00
in114	5.20E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	2.33E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	9.08E-05	9.08E-05	9.08E-05	9.08E-05	9.08E-05	9.08E-05	9.08E-05	9.08E-05	9.08E-05	9.08E-05	9.08E-05
mo115	4.63E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	2.16E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	4.74E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	3.96E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	6.26E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	1.56E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	9.83E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	3.54E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	3.31E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01	4.59E-01
in115m	2.97E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 156
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sn115	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02	4.58E-02
tc116	3.98E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	3.27E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	2.53E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	2.54E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	3.66E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	2.82E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
in116	5.04E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	4.37E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.81E-01	4.81E-01	4.81E-01	4.81E-01	4.81E-01	4.81E-01	4.81E-01	4.81E-01	4.81E-01	4.81E-01	4.81E-01
tc117	6.53E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	1.04E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	1.25E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	6.60E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	8.25E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	6.05E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	1.78E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	5.44E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	3.88E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	1.27E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00	1.19E+00
sn117m	1.33E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	1.05E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	3.31E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	7.79E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	1.97E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	4.14E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	1.56E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	5.77E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	9.57E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	6.12E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.77E-01	9.77E-01	9.77E-01	9.77E-01	9.77E-01	9.77E-01	9.77E-01	9.77E-01	9.77E-01	9.77E-01	9.77E-01
ru119	1.30E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te124	4.01E-02	4.01E-02	4.01E-02	4.01E-02	4.01E-02	4.01E-02	4.01E-02	4.01E-02	4.01E-02	4.01E-02	4.01E-02
pd125	1.13E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	1.75E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	2.24E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	5.40E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	2.12E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	1.10E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	2.34E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	4.69E-05	2.31E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	2.69E+00	2.69E+00	2.69E+00	2.69E+00	2.69E+00	2.69E+00	2.69E+00	2.69E+00	2.69E+00	2.69E+00	2.69E+00
te125m	6.28E-07	3.28E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	3.82E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	2.98E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	8.17E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	7.60E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	4.40E+00	4.40E+00	4.37E+00	4.34E+00	4.31E+00	4.28E+00	4.25E+00	4.22E+00	4.19E+00	4.16E+00	4.13E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 158
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb126	2.16E-07	2.09E-07	2.07E-07	2.06E-07	2.05E-07	2.03E-07	2.02E-07	2.00E-07	1.99E-07	1.98E-07	1.96E-07
sb126m	1.60E-09	1.59E-09	1.58E-09	1.57E-09	1.56E-09	1.54E-09	1.53E-09	1.52E-09	1.51E-09	1.50E-09	1.49E-09
te126	5.92E-01	5.93E-01	6.22E-01	6.52E-01	6.82E-01	7.12E-01	7.42E-01	7.71E-01	8.00E-01	8.29E-01	8.58E-01
xe126	1.23E-09	1.23E-09	1.23E-09	1.23E-09	1.23E-09	1.23E-09	1.23E-09	1.23E-09	1.23E-09	1.23E-09	1.23E-09
ag127	2.05E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	6.93E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	5.47E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	1.79E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	7.02E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	3.11E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	7.69E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	7.76E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	3.82E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01
xe127	2.30E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	5.65E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	1.32E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	8.80E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	1.50E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	1.37E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	2.78E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.45E+01	2.45E+01	2.45E+01	2.45E+01	2.45E+01	2.45E+01	2.45E+01	2.45E+01	2.45E+01	2.45E+01	2.45E+01
i128	2.88E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	4.01E-01	4.01E-01	4.01E-01	4.01E-01	4.01E-01	4.01E-01	4.01E-01	4.01E-01	4.01E-01	4.01E-01	4.01E-01
cd129	1.86E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	6.67E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	4.81E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	1.58E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	1.54E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	3.85E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	5.39E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	5.01E+01	5.01E+01	5.01E+01	5.01E+01	5.01E+01	5.01E+01	5.01E+01	5.01E+01	5.01E+01	5.01E+01	5.01E+01
xe129	3.65E-02	3.65E-02	3.87E-02	4.09E-02	4.31E-02	4.53E-02	4.75E-02	4.98E-02	5.20E-02	5.42E-02	5.64E-02
xe129m	3.25E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	1.13E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	2.86E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	2.45E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	7.72E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb130m	5.53E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02	1.02E+02
i130	2.10E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	1.35E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.17E+00	1.17E+00	1.17E+00	1.17E+00	1.17E+00	1.17E+00	1.17E+00	1.17E+00	1.17E+00	1.17E+00	1.17E+00
cd131	3.87E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	1.01E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	3.61E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	3.56E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	4.10E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	6.34E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	2.22E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02	1.38E+02
xe131m	3.60E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 159
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd132	6.10E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	1.89E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	2.98E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	3.74E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	2.56E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	1.31E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	3.89E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.86E+02	2.86E+02	2.86E+02	2.86E+02	2.86E+02	2.86E+02	2.86E+02	2.86E+02	2.86E+02	2.86E+02	2.86E+02
cs132	5.86E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	4.94E-05	4.94E-05	4.94E-05	4.94E-05	4.94E-05	4.94E-05	4.94E-05	4.94E-05	4.94E-05	4.94E-05	4.94E-05
in133	3.43E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	3.02E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	3.33E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	2.81E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	1.03E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	5.11E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	4.43E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	3.11E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	4.00E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02	3.42E+02
ba133	2.05E-12	2.84E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	4.16E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	3.60E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	3.56E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	2.97E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	1.59E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	2.44E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	1.31E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.29E+02	4.29E+02	4.29E+02	4.29E+02	4.29E+02	4.29E+02	4.29E+02	4.29E+02	4.29E+02	4.29E+02	4.29E+02
xe134m	3.58E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	8.22E-04	3.43E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	1.01E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	3.00E+01	3.00E+01	3.00E+01	3.00E+01	3.00E+01	3.00E+01	3.00E+01	3.00E+01	3.00E+01	3.00E+01	3.00E+01
sn135	1.25E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	3.10E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	6.24E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	1.55E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	2.33E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	1.26E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.78E+02	1.78E+02	1.78E+02	1.78E+02	1.78E+02	1.78E+02	1.78E+02	1.78E+02	1.77E+02	1.77E+02	1.77E+02

cs135m	6.65E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	8.93E-01	8.94E-01	9.46E-01	1.00E+00	1.05E+00	1.11E+00	1.16E+00	1.21E+00	1.27E+00	1.32E+00	1.37E+00
ba135m	1.56E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	1.91E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	2.32E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	2.67E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	2.59E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	6.98E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.63E+02	5.63E+02	5.63E+02	5.63E+02	5.63E+02	5.63E+02	5.63E+02	5.63E+02	5.63E+02	5.63E+02	5.63E+02
cs136	1.94E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	4.82E+00	4.82E+00	4.82E+00	4.82E+00	4.82E+00	4.82E+00	4.82E+00	4.82E+00	4.82E+00	4.82E+00	4.82E+00
ba136m	5.88E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 160
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb137	1.75E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	1.80E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	8.03E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	1.46E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	6.32E-02	3.16E-02	5.82E-12	5.37E-22	4.95E-32	4.61E-42	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	3.62E+02	3.62E+02	3.62E+02	3.62E+02	3.62E+02	3.62E+02	3.62E+02	3.62E+02	3.62E+02	3.62E+02	3.62E+02
ba137m	9.65E-09	4.82E-09	8.89E-19	8.20E-29	7.55E-39	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	6.81E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	1.69E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	1.07E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	5.22E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	1.28E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	4.36E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.66E+02	3.66E+02	3.66E+02	3.66E+02	3.66E+02	3.66E+02	3.66E+02	3.66E+02	3.66E+02	3.66E+02	3.66E+02
la138	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03	2.19E-03
sb139	6.64E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	1.12E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	2.04E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	1.89E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	3.50E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	3.26E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.48E+02	3.48E+02	3.48E+02	3.48E+02	3.48E+02	3.48E+02	3.48E+02	3.48E+02	3.48E+02	3.48E+02	3.48E+02
ce139	4.66E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	3.20E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	2.64E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	1.81E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	4.61E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	2.63E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	7.07E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	9.48E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.68E+02	3.68E+02	3.68E+02	3.68E+02	3.68E+02	3.68E+02	3.68E+02	3.68E+02	3.68E+02	3.68E+02	3.68E+02
pr140	1.44E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	9.35E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	1.27E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	2.24E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	1.10E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	6.52E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	8.45E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	1.68E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.22E+02	3.22E+02	3.22E+02	3.22E+02	3.22E+02	3.22E+02	3.22E+02	3.22E+02	3.22E+02	3.22E+02	3.22E+02
nd141	8.21E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	7.42E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

i142	1.31E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	6.19E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	4.40E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	3.65E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	3.24E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.25E+02	3.25E+02	3.25E+02	3.25E+02	3.25E+02	3.25E+02	3.25E+02	3.25E+02	3.25E+02	3.25E+02	3.25E+02
pr142	1.02E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00
i143	3.64E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 161
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
xe143	7.15E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	2.43E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	7.31E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	4.90E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	6.91E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	6.82E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.70E+02	2.70E+02	2.70E+02	2.70E+02	2.70E+02	2.70E+02	2.70E+02	2.70E+02	2.70E+02	2.70E+02	2.70E+02
i144	5.34E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	1.74E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	3.92E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	4.61E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	2.12E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	1.30E-03	3.46E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	5.50E-08	1.46E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	3.21E-10	8.50E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.44E+02	3.44E+02	3.44E+02	3.44E+02	3.44E+02	3.44E+02	3.44E+02	3.44E+02	3.44E+02	3.44E+02	3.44E+02
i145	2.25E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	1.39E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	5.39E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	7.66E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	8.87E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	7.17E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	8.56E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.04E+02	2.04E+02	2.04E+02	2.04E+02	2.04E+02	2.04E+02	2.04E+02	2.04E+02	2.04E+02	2.04E+02	2.04E+02
pm145	1.41E-07	4.58E-08	1.46E-24	1.42E-41	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	7.27E-09	1.45E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	8.09E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	7.54E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	2.11E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	1.48E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	2.54E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	4.57E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.88E+02	1.88E+02	1.88E+02	1.88E+02	1.88E+02	1.88E+02	1.88E+02	1.88E+02	1.88E+02	1.88E+02	1.88E+02
pm146	8.93E-10	2.08E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03
xe147	9.12E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	2.45E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	1.02E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	4.33E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	1.32E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	2.01E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	2.35E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	2.05E-03	7.50E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	9.01E+01	9.01E+01	9.01E+01	9.01E+01	9.01E+01	9.01E+01	9.01E+01	9.01E+01	9.01E+01	9.01E+01	9.01E+01

cs148	1.69E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	1.74E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	3.21E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	9.27E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	2.57E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
pm148	1.30E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	1.03E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 162
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm148	2.91E+01	2.91E+01	2.91E+01	2.91E+01	2.91E+01	2.91E+01	2.91E+01	2.91E+01	2.91E+01	2.91E+01	2.91E+01
cs149	1.68E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	2.22E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	2.06E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	4.40E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	1.72E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	8.38E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	2.58E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	1.18E+00	1.18E+00	1.18E+00	1.18E+00	1.18E+00	1.18E+00	1.18E+00	1.18E+00	1.18E+00	1.18E+00	1.18E+00
eu149	1.76E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	1.10E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	2.80E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	8.38E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	1.45E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	4.71E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.87E+01	4.87E+01	4.87E+01	4.87E+01	4.87E+01	4.87E+01	4.87E+01	4.87E+01	4.87E+01	4.87E+01	4.87E+01
pm150	4.22E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.08E+01	8.08E+01	8.08E+01	8.08E+01	8.08E+01	8.08E+01	8.08E+01	8.08E+01	8.08E+01	8.08E+01	8.08E+01
eu150	3.06E-08	1.71E-08	1.20E-16	4.68E-25	1.83E-33	7.15E-42	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	9.87E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	1.69E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	1.02E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	7.28E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	4.82E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	6.69E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	3.01E-02	2.39E-02	1.36E-05	6.14E-09	2.77E-12	1.25E-15	5.65E-19	2.55E-22	1.15E-25	5.21E-29	2.35E-32
eu151	6.12E+00	6.12E+00	6.15E+00	6.15E+00	6.15E+00	6.15E+00	6.15E+00	6.15E+00	6.15E+00	6.15E+00	6.15E+00
ba152	2.67E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	5.52E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	7.23E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	7.83E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	2.87E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	1.07E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	6.68E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.75E+01	3.75E+01	3.75E+01	3.75E+01	3.75E+01	3.75E+01	3.75E+01	3.75E+01	3.75E+01	3.75E+01	3.75E+01
eu152	3.74E-03	7.86E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	1.62E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	1.62E-01	1.63E-01	1.63E-01	1.63E-01	1.63E-01	1.63E-01	1.63E-01	1.63E-01	1.63E-01	1.63E-01	1.63E-01
la153	6.39E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	6.92E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	2.28E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	1.59E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	9.19E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	2.13E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.71E+01	2.71E+01	2.71E+01	2.71E+01	2.71E+01	2.71E+01	2.71E+01	2.71E+01	2.71E+01	2.71E+01	2.71E+01
gd153	1.34E-07	2.95E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

la154	7.68E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	9.64E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	9.37E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	4.27E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	1.40E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	4.62E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 163
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm154	9.12E+00	9.12E+00	9.12E+00	9.12E+00	9.12E+00	9.12E+00	9.12E+00	9.12E+00	9.12E+00	9.12E+00	9.12E+00
eu154	1.72E-03	1.53E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	8.06E+00	8.06E+00	8.06E+00	8.06E+00	8.06E+00	8.06E+00	8.06E+00	8.06E+00	8.06E+00	8.06E+00	8.06E+00
la155	4.05E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	2.24E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	2.20E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	6.35E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	3.94E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	1.36E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	1.50E-04	1.76E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	2.73E+00	2.73E+00	2.73E+00	2.73E+00	2.73E+00	2.73E+00	2.73E+00	2.73E+00	2.73E+00	2.73E+00	2.73E+00
ce156	1.99E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	1.01E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	2.17E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	4.90E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	2.02E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	7.92E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	9.80E+00	9.80E+00	9.80E+00	9.80E+00	9.80E+00	9.80E+00	9.80E+00	9.80E+00	9.80E+00	9.80E+00	9.80E+00
ce157	3.48E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	1.62E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	6.37E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	9.06E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	1.67E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	1.98E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	2.36E-02	2.36E-02	2.36E-02	2.36E-02	2.36E-02	2.36E-02	2.36E-02	2.36E-02	2.36E-02	2.36E-02	2.36E-02
pr158	3.87E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	1.18E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	1.32E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	5.51E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	5.29E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00	3.27E+00
pr159	1.80E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	2.58E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	2.09E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	9.87E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	9.93E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	7.76E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.05E-01	5.05E-01	5.05E-01	5.05E-01	5.05E-01	5.05E-01	5.05E-01	5.05E-01	5.05E-01	5.05E-01	5.05E-01
nd160	2.10E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	5.62E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	1.26E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	1.64E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.26E-01	2.26E-01	2.26E-01	2.26E-01	2.26E-01	2.26E-01	2.26E-01	2.26E-01	2.26E-01	2.26E-01	2.26E-01
tb160	1.57E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	3.97E-02	3.97E-02	3.97E-02	3.97E-02	3.97E-02	3.97E-02	3.97E-02	3.97E-02	3.97E-02	3.97E-02	3.97E-02
nd161	3.47E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	7.38E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sm161	1.58E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	5.81E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	4.56E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	1.25E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part D 1000 year criticality at 2.182 kw/package fission products page 164
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+01mwd, flux= 2.86E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	16030.0 yr	17000.0 yr	18000.0 yr	19000.0 yr	20000.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
dy161	8.28E-02	8.28E-02	8.28E-02	8.28E-02	8.28E-02	8.28E-02	8.28E-02	8.28E-02	8.28E-02	8.28E-02	8.28E-02
pm162	2.05E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	2.87E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	5.99E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	4.82E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	4.54E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	1.63E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.65E-02	5.65E-02	5.65E-02	5.65E-02	5.65E-02	5.65E-02	5.65E-02	5.65E-02	5.65E-02	5.65E-02	5.65E-02
sm163	5.34E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	5.28E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	3.14E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	4.64E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.68E-02	3.68E-02	3.68E-02	3.68E-02	3.68E-02	3.68E-02	3.68E-02	3.68E-02	3.68E-02	3.68E-02	3.68E-02
sm164	4.34E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	1.22E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	1.31E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	2.63E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02
sm165	7.48E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	1.17E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	9.17E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	6.47E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	5.13E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	3.49E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	9.61E-03	9.61E-03	9.61E-03	9.61E-03	9.61E-03	9.61E-03	9.61E-03	9.61E-03	9.61E-03	9.61E-03	9.61E-03
dy166	2.74E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	8.47E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	2.23E-07	2.19E-07	1.25E-07	7.02E-08	3.94E-08	2.21E-08	1.24E-08	6.96E-09	3.91E-09	2.19E-09	1.23E-09
er166	1.59E-03	1.59E-03	1.59E-03	1.59E-03	1.59E-03	1.59E-03	1.59E-03	1.59E-03	1.59E-03	1.59E-03	1.59E-03
er167	2.48E-05	2.48E-05	2.48E-05	2.48E-05	2.48E-05	2.48E-05	2.48E-05	2.48E-05	2.48E-05	2.48E-05	2.48E-05
er167m	7.05E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	1.33E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	7.45E-07	7.45E-07	7.45E-07	7.45E-07	7.45E-07	7.45E-07	7.45E-07	7.45E-07	7.45E-07	7.45E-07	7.45E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	7.93E-07	7.93E-07	7.93E-07	7.93E-07	7.93E-07	7.93E-07	7.93E-07	7.93E-07	7.93E-07	7.93E-07	7.93E-07
tm170	1.15E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	4.64E-09	4.64E-09	4.64E-09	4.64E-09	4.64E-09	4.64E-09	4.64E-09	4.64E-09	4.64E-09	4.64E-09	4.64E-09
er171	6.07E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	1.39E-11	2.75E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	1.06E-06	1.06E-06	1.06E-06	1.06E-06	1.06E-06	1.06E-06	1.06E-06	1.06E-06	1.06E-06	1.06E-06	1.06E-06
er172	2.36E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	3.21E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	6.76E-07	6.76E-07	6.76E-07	6.76E-07	6.76E-07	6.76E-07	6.76E-07	6.76E-07	6.76E-07	6.76E-07	6.76E-07
total	9.62E+03	9.62E+03	9.62E+03	9.62E+03	9.62E+03	9.62E+03	9.62E+03	9.62E+03	9.62E+03	9.62E+03	9.62E+03

1

Part E 5000 year criticality at 2.182 kw/package actinides page 142
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
he 4	3.77E+01	3.77E+01	3.86E+01	3.95E+01	4.03E+01	4.12E+01	4.19E+01
tl206	6.10E-16	6.10E-16	6.41E-16	6.72E-16	7.04E-16	7.35E-16	7.67E-16
tl207	4.63E-11	4.64E-11	4.71E-11	4.78E-11	4.86E-11	4.93E-11	5.01E-11
tl208	1.37E-12	1.05E-12	7.98E-16	7.34E-16	7.38E-16	7.43E-16	7.47E-16
tl209	8.37E-13	8.39E-13	9.02E-13	9.68E-13	1.03E-12	1.10E-12	1.17E-12
pb206	3.76E-01	3.77E-01	4.17E-01	4.60E-01	5.06E-01	5.54E-01	6.03E-01
pb207	2.52E-02	2.53E-02	2.88E-02	3.24E-02	3.61E-02	3.99E-02	4.37E-02
pb208	2.11E-03	2.12E-03	2.16E-03	2.16E-03	2.16E-03	2.16E-03	2.16E-03
pb209	3.54E-09	3.54E-09	3.81E-09	4.09E-09	4.37E-09	4.66E-09	4.95E-09
pb210	1.32E-03	1.32E-03	1.38E-03	1.45E-03	1.52E-03	1.59E-03	1.65E-03
pb211	3.58E-10	3.59E-10	3.64E-10	3.70E-10	3.76E-10	3.82E-10	3.87E-10
pb212	8.15E-10	6.23E-10	4.73E-13	4.35E-13	4.38E-13	4.40E-13	4.43E-13
pb214	3.06E-09	3.07E-09	3.22E-09	3.38E-09	3.53E-09	3.69E-09	3.85E-09
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	4.92E-02	4.94E-02	5.60E-02	6.34E-02	7.13E-02	7.97E-02	8.87E-02
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	8.09E-07	8.10E-07	8.51E-07	8.92E-07	9.34E-07	9.76E-07	1.02E-06
bi211	2.12E-11	2.13E-11	2.16E-11	2.19E-11	2.23E-11	2.26E-11	2.30E-11
bi212	7.73E-11	5.91E-11	4.49E-14	4.13E-14	4.15E-14	4.18E-14	4.20E-14
bi213	8.42E-10	8.44E-10	9.07E-10	9.73E-10	1.04E-09	1.11E-09	1.18E-09
bi214	2.27E-09	2.28E-09	2.39E-09	2.51E-09	2.62E-09	2.74E-09	2.86E-09
po210	2.24E-05	2.24E-05	2.35E-05	2.46E-05	2.58E-05	2.69E-05	2.81E-05
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	2.35E-16	2.35E-16	2.39E-16	2.42E-16	2.46E-16	2.50E-16	2.54E-16
po212	4.06E-21	3.11E-21	2.36E-24	2.17E-24	2.18E-24	2.20E-24	2.21E-24
po213	1.27E-18	1.27E-18	1.36E-18	1.46E-18	1.56E-18	1.67E-18	1.77E-18
po214	3.13E-16	3.13E-16	3.29E-16	3.45E-16	3.61E-16	3.77E-16	3.93E-16
po215	3.00E-16	3.00E-16	3.05E-16	3.10E-16	3.15E-16	3.20E-16	3.24E-16
po216	3.14E-15	2.40E-15	1.83E-18	1.68E-18	1.69E-18	1.70E-18	1.71E-18
po218	3.61E-10	3.62E-10	3.79E-10	3.98E-10	4.17E-10	4.35E-10	4.54E-10
at217	1.01E-14	1.02E-14	1.09E-14	1.17E-14	1.25E-14	1.33E-14	1.42E-14
rn218	6.15E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	6.80E-13	6.80E-13	6.91E-13	7.02E-13	7.13E-13	7.24E-13	7.35E-13
rn220	1.23E-12	9.39E-13	7.13E-16	6.55E-16	6.59E-16	6.63E-16	6.68E-16
rn222	6.53E-07	6.54E-07	6.86E-07	7.20E-07	7.54E-07	7.87E-07	8.21E-07
fr221	9.39E-11	9.41E-11	1.01E-10	1.09E-10	1.16E-10	1.24E-10	1.31E-10
fr223	3.16E-12	3.16E-12	3.21E-12	3.26E-12	3.31E-12	3.36E-12	3.41E-12
ra222	6.80E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	1.73E-07	1.73E-07	1.76E-07	1.78E-07	1.81E-07	1.84E-07	1.87E-07
ra224	7.11E-09	5.44E-09	4.13E-12	3.80E-12	3.82E-12	3.84E-12	3.87E-12
ra225	4.16E-07	4.17E-07	4.48E-07	4.81E-07	5.14E-07	5.48E-07	5.82E-07
ra226	1.02E-01	1.02E-01	1.07E-01	1.12E-01	1.17E-01	1.22E-01	1.28E-01
ra228	4.21E-10	4.22E-10	4.45E-10	4.69E-10	4.93E-10	5.17E-10	5.41E-10
ac225	2.81E-07	2.82E-07	3.03E-07	3.25E-07	3.47E-07	3.70E-07	3.93E-07
ac227	1.22E-04	1.22E-04	1.24E-04	1.26E-04	1.28E-04	1.30E-04	1.32E-04
ac228	5.14E-14	5.15E-14	5.43E-14	5.72E-14	6.01E-14	6.31E-14	6.60E-14
th226	3.38E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	2.84E-07	2.84E-07	2.88E-07	2.93E-07	2.98E-07	3.02E-07	3.07E-07
th228	1.38E-06	1.06E-06	8.02E-10	7.38E-10	7.42E-10	7.47E-10	7.51E-10
th229	8.23E-02	8.25E-02	8.87E-02	9.51E-02	1.02E-01	1.08E-01	1.15E-01
th230	5.44E+00	5.44E+00	5.69E+00	5.95E+00	6.20E+00	6.45E+00	6.70E+00
th231	1.09E-07	2.97E-08	2.98E-08	3.00E-08	3.02E-08	3.03E-08	3.05E-08

1

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
th232	1.05E+00	1.05E+00	1.11E+00	1.17E+00	1.23E+00	1.29E+00	1.35E+00
th233	1.47E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	1.87E-01	1.87E-01	1.90E-01	1.93E-01	1.96E-01	1.99E-01	2.02E-01
pa232	2.51E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	1.86E-05	1.85E-05	1.85E-05	1.85E-05	1.85E-05	1.85E-05	1.85E-05
pa234m	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10
pa234	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	3.33E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	1.20E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	5.13E-05	3.82E-05	2.42E-08	2.16E-08	2.15E-08	2.13E-08	2.12E-08
u233	3.16E+00	3.17E+00	3.32E+00	3.48E+00	3.64E+00	3.80E+00	3.96E+00
u234	1.12E+02	1.12E+02	1.12E+02	1.11E+02	1.11E+02	1.11E+02	1.11E+02
u235	7.29E+03	7.29E+03	7.34E+03	7.38E+03	7.42E+03	7.46E+03	7.50E+03
u236	2.02E+03	2.02E+03	2.03E+03	2.04E+03	2.05E+03	2.06E+03	2.06E+03
u237	3.68E-05	1.81E-10	3.85E-13	3.55E-13	3.27E-13	3.02E-13	2.78E-13
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	2.00E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	1.20E-18	1.20E-18	1.27E-18	1.33E-18	1.40E-18	1.47E-18	1.54E-18
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	3.92E-10	1.85E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	1.80E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.11E-04	4.11E-04	4.09E-04	4.07E-04	4.04E-04	4.02E-04	3.99E-04
np237	5.46E+02	5.46E+02	5.46E+02	5.46E+02	5.46E+02	5.46E+02	5.46E+02
np238	1.15E-05	3.57E-11	3.03E-13	2.22E-15	1.63E-17	1.19E-19	8.74E-22
np239	2.91E-04	1.89E-06	1.73E-06	1.57E-06	1.43E-06	1.30E-06	1.19E-06
np240m	1.02E-20	1.02E-20	1.08E-20	1.14E-20	1.20E-20	1.25E-20	1.31E-20
np240	8.33E-14	1.05E-22	1.11E-22	1.17E-22	1.23E-22	1.29E-22	1.35E-22
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	9.87E-08	9.99E-10	9.18E-10	9.12E-10	9.07E-10	9.02E-10	8.96E-10
pu237	4.84E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	1.74E-01	1.37E-01	6.52E-05	3.03E-08	5.65E-11	3.53E-13	2.56E-15
pu239	1.54E+03	1.54E+03	1.50E+03	1.46E+03	1.41E+03	1.37E+03	1.34E+03
pu240	1.03E+02	1.02E+02	9.24E+01	8.31E+01	7.48E+01	6.73E+01	6.05E+01
pu241	2.54E-02	5.97E-03	1.27E-05	1.17E-05	1.08E-05	9.97E-06	9.18E-06
pu242	6.74E+01	6.74E+01	6.73E+01	6.72E+01	6.70E+01	6.69E+01	6.68E+01
pu243	1.43E-07	1.11E-15	1.11E-15	1.11E-15	1.11E-15	1.11E-15	1.11E-15
pu244	6.06E-08	6.07E-08	6.41E-08	6.76E-08	7.10E-08	7.44E-08	7.79E-08
pu245	8.21E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	5.63E-22	5.63E-22	5.41E-22	5.20E-22	5.00E-22	4.80E-22	4.62E-22
am239	2.00E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	8.61E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	7.77E-01	7.59E-01	1.62E-01	3.29E-02	6.89E-03	1.63E-03	5.54E-04
am242m	2.27E-04	1.96E-04	1.67E-06	1.22E-08	8.94E-11	6.56E-13	4.80E-15
am242	1.81E-08	2.53E-09	2.15E-11	1.57E-13	1.15E-15	8.46E-18	6.20E-20
am243	2.21E+00	2.20E+00	2.01E+00	1.83E+00	1.66E+00	1.51E+00	1.38E+00
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.25E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	1.66E-19	2.63E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	1.41E-24	1.41E-24	1.35E-24	1.30E-24	1.25E-24	1.20E-24	1.15E-24
cm241	1.57E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part E 5000 year criticality at 2.182 kw/package actinides page 144
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cm242	3.65E-06	5.11E-07	4.34E-09	3.18E-11	2.33E-13	1.71E-15	1.25E-17
cm243	9.17E-11	4.42E-11	2.51E-21	6.86E-32	2.04E-42	.00E+00	.00E+00
cm244	1.97E-04	6.24E-05	4.59E-21	1.07E-37	.00E+00	.00E+00	.00E+00
cm245	8.30E-03	8.28E-03	7.65E-03	7.05E-03	6.50E-03	5.99E-03	5.52E-03
cm246	2.43E-04	2.41E-04	2.09E-04	1.81E-04	1.56E-04	1.35E-04	1.17E-04
cm247	3.20E-05	3.20E-05	3.20E-05	3.20E-05	3.20E-05	3.20E-05	3.20E-05
cm248	1.88E-06	1.88E-06	1.88E-06	1.88E-06	1.87E-06	1.87E-06	1.87E-06
cm249	1.95E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	1.34E-15	1.34E-15	1.29E-15	1.24E-15	1.19E-15	1.14E-15	1.10E-15
cm251	6.06E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	1.40E-12	6.90E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	8.37E-21	3.96E-24	3.81E-24	3.66E-24	3.52E-24	3.38E-24	3.25E-24
bk251	2.06E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	5.46E-10	5.16E-10	7.57E-11	1.05E-11	1.45E-12	2.01E-13	2.78E-14
cf250	2.31E-14	4.72E-15	1.36E-19	1.30E-19	1.25E-19	1.21E-19	1.16E-19
cf251	1.37E-15	1.34E-15	6.33E-16	2.92E-16	1.35E-16	6.24E-17	2.88E-17
cf252	1.01E-19	3.89E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	1.74E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	2.68E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	2.00E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	3.67E-33	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part E 5000 year criticality at 2.182 kw/package fission products page 148
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0

nuclide concentrations, grams

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
h 3	1.09E-06	2.01E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
li 6	7.54E-05	7.54E-05	7.54E-05	7.54E-05	7.54E-05	7.54E-05	7.54E-05
li 7	2.93E-06	2.93E-06	2.93E-06	2.93E-06	2.93E-06	2.93E-06	2.93E-06
be 9	5.65E-06	5.65E-06	5.65E-06	5.65E-06	5.65E-06	5.65E-06	5.65E-06
be 10	3.74E-05	3.74E-05	3.74E-05	3.73E-05	3.73E-05	3.73E-05	3.73E-05
c 14	7.78E-07	7.75E-07	6.89E-07	6.11E-07	5.41E-07	4.79E-07	4.25E-07
ni 66	6.84E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 66	1.07E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 66	1.79E-07	1.79E-07	1.79E-07	1.79E-07	1.79E-07	1.79E-07	1.79E-07
cu 67	1.02E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 67	2.37E-08	2.37E-08	2.37E-08	2.37E-08	2.37E-08	2.37E-08	2.37E-08
zn 68	2.12E-09	2.12E-09	2.12E-09	2.12E-09	2.12E-09	2.12E-09	2.12E-09
zn 69	5.33E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 69m	6.33E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 69	7.81E-08	7.81E-08	7.81E-08	7.81E-08	7.81E-08	7.81E-08	7.81E-08
zn 70	2.08E-06	2.08E-06	2.08E-06	2.08E-06	2.08E-06	2.08E-06	2.08E-06
ga 70	7.49E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 70	2.85E-09	2.85E-09	2.85E-09	2.85E-09	2.85E-09	2.85E-09	2.85E-09
zn 71	1.14E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 71m	4.73E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 71	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05
ge 71	8.52E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 71m	8.80E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 72	1.58E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 72	2.79E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 72	1.29E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zn 72	4.25E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 72	1.29E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 72	1.33E-03	1.33E-03	1.33E-03	1.33E-03	1.33E-03	1.33E-03	1.33E-03
co 73	1.02E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 73	4.18E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 73	2.40E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 73	1.87E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 73	1.41E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 73	4.18E-03	4.18E-03	4.18E-03	4.18E-03	4.18E-03	4.18E-03	4.18E-03
ge 73m	3.98E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
co 74	1.53E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 74	5.46E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 74	4.14E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 74	2.02E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 74	3.15E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 74	3.56E-03	3.56E-03	3.56E-03	3.56E-03	3.56E-03	3.56E-03	3.56E-03
co 75	2.80E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 75	6.51E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 75	8.12E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 75	5.38E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 75	7.99E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75	3.17E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 75m	1.62E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 75	3.40E-02	3.40E-02	3.40E-02	3.40E-02	3.40E-02	3.40E-02	3.40E-02
ni 76	3.46E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 76	1.95E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part E 5000 year criticality at 2.182 kw/package fission products page 149
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
zn 76	7.02E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 76	5.96E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 76	1.04E-01	1.04E-01	1.04E-01	1.04E-01	1.04E-01	1.04E-01	1.04E-01
as 76	2.46E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 76	6.57E-04	6.57E-04	6.57E-04	6.57E-04	6.57E-04	6.57E-04	6.57E-04
ni 77	2.65E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 77	1.34E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 77	3.21E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 77	4.99E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77	5.82E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 77m	2.05E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 77	6.28E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 77	2.38E-01	2.38E-01	2.38E-01	2.38E-01	2.38E-01	2.38E-01	2.38E-01
se 77m	2.58E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ni 78	6.79E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 78	1.96E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 78	2.81E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 78	4.16E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 78	7.09E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 78	7.40E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 78	7.40E-01	7.40E-01	7.40E-01	7.40E-01	7.40E-01	7.40E-01	7.40E-01
cu 79	5.74E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 79	9.85E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 79	2.78E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 79	4.67E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 79	1.43E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 79	9.48E-01	9.48E-01	9.29E-01	9.09E-01	8.90E-01	8.72E-01	8.54E-01
se 79m	6.15E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

br 79	4.82E-01	4.82E-01	5.01E-01	5.21E-01	5.40E-01	5.58E-01	5.76E-01
br 79m	3.45E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 79	2.23E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cu 80	4.30E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 80	1.88E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 80	1.14E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 80	1.89E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 80	1.11E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 80	4.01E+00	4.01E+00	4.01E+00	4.01E+00	4.01E+00	4.01E+00	4.01E+00
br 80	8.70E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 80m	3.24E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 80	7.43E-04	7.43E-04	7.43E-04	7.43E-04	7.43E-04	7.43E-04	7.43E-04
cu 81	3.60E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 81	9.70E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 81	5.55E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 81	5.25E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 81	3.53E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81	1.23E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 81m	2.65E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 81	5.97E+00	5.97E+00	5.97E+00	5.97E+00	5.97E+00	5.97E+00	5.97E+00
kr 81	1.08E-06	1.08E-06	1.08E-06	1.07E-06	1.07E-06	1.07E-06	1.06E-06
kr 81m	4.97E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zn 82	2.44E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 82	1.98E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 150
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
ge 82	3.19E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82	2.13E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 82m	5.75E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 82	9.73E+00	9.73E+00	9.73E+00	9.73E+00	9.73E+00	9.73E+00	9.73E+00
br 82	5.56E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 82m	1.37E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 82	1.27E-01	1.27E-01	1.27E-01	1.27E-01	1.27E-01	1.27E-01	1.27E-01
zn 83	7.47E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 83	1.04E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 83	5.78E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 83	2.44E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83	1.77E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 83m	1.02E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 83	2.48E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 83	1.37E+01	1.37E+01	1.37E+01	1.37E+01	1.37E+01	1.37E+01	1.37E+01
kr 83m	1.89E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ga 84	3.62E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 84	2.45E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 84	7.43E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 84	1.03E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84	1.05E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 84m	5.05E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 84	3.35E+01	3.35E+01	3.35E+01	3.35E+01	3.35E+01	3.35E+01	3.35E+01
ga 85	4.71E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 85	8.81E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 85	1.66E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85	8.33E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 85m	4.40E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 85	1.09E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 85	4.66E-04	6.70E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

kr 85m	1.02E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 85	3.53E+01	3.53E+01	3.53E+01	3.53E+01	3.53E+01	3.53E+01	3.53E+01
ge 86	1.87E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 86	4.30E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 86	9.94E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86	4.36E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 86m	7.84E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 86	5.67E+01	5.67E+01	5.67E+01	5.67E+01	5.67E+01	5.67E+01	5.67E+01
rb 86	5.00E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 86m	1.51E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 86	6.79E-02	6.79E-02	6.79E-02	6.79E-02	6.79E-02	6.79E-02	6.79E-02
ge 87	1.08E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 87	9.13E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 87	2.19E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 87	5.80E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 87	6.00E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 87	7.39E+01	7.39E+01	7.39E+01	7.39E+01	7.39E+01	7.39E+01	7.39E+01
sr 87	3.40E-04	3.40E-04	3.41E-04	3.42E-04	3.43E-04	3.44E-04	3.46E-04
sr 87m	9.46E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ge 88	1.70E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 88	1.91E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 88	3.12E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 151
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
br 88	1.72E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	1.90E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	2.03E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02
as 89	2.47E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	3.06E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	3.16E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	4.52E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	2.31E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	1.11E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02
y 89m	3.83E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	1.74E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	6.97E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	7.43E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	8.38E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	3.65E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	1.85E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	2.76E-02	1.32E-02	5.57E-13	1.12E-23	2.27E-34	.00E+00	.00E+00
y 90	7.19E-06	3.43E-06	1.45E-16	2.92E-27	4.20E-38	.00E+00	.00E+00
y 90m	6.65E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02	1.74E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	4.29E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	8.18E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	1.55E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.81E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	1.13E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	1.66E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	5.70E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.83E+02	1.83E+02	1.83E+02	1.83E+02	1.83E+02	1.83E+02	1.83E+02
nb 91	2.56E-11	2.48E-11	9.22E-12	3.33E-12	1.20E-12	4.33E-13	1.56E-13

se 92	2.15E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	8.29E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 92	1.78E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	1.23E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	3.36E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	4.42E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.93E+02	1.93E+02	1.93E+02	1.93E+02	1.93E+02	1.93E+02	1.93E+02
nb 92	2.52E-07	2.52E-07	2.52E-07	2.52E-07	2.52E-07	2.52E-07	2.52E-07
se 93	8.84E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	7.89E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	4.25E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	1.25E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	1.70E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	9.41E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02
nb 93	1.25E+00	1.26E+00	1.32E+00	1.38E+00	1.44E+00	1.51E+00	1.57E+00
nb 93m	1.48E-03	1.48E-03	1.48E-03	1.48E-03	1.48E-03	1.48E-03	1.48E-03
br 94	3.19E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	3.12E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	3.06E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 152
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sr 94	2.84E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	4.56E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.28E+02	2.28E+02	2.28E+02	2.28E+02	2.28E+02	2.28E+02	2.28E+02
nb 94	2.21E-04	2.21E-04	2.14E-04	2.07E-04	2.00E-04	1.93E-04	1.86E-04
nb 94m	6.76E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	3.43E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	9.46E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	2.10E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	8.57E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	2.65E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	2.36E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	1.29E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	1.48E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.29E+02	2.29E+02	2.29E+02	2.29E+02	2.29E+02	2.29E+02	2.29E+02
br 96	6.47E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	6.50E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	2.78E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	2.67E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	2.39E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.36E+02	2.36E+02	2.36E+02	2.36E+02	2.36E+02	2.36E+02	2.36E+02
nb 96	8.75E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	6.91E+00	6.91E+00	6.91E+00	6.91E+00	6.91E+00	6.91E+00	6.91E+00
kr 97	2.90E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	7.29E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	5.48E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	1.17E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	2.46E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	1.76E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	2.30E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.22E+02	2.22E+02	2.22E+02	2.22E+02	2.22E+02	2.22E+02	2.22E+02
kr 98	1.67E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	4.01E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	3.40E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	1.60E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

zr 98	1.31E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	1.23E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98m	8.70E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.38E+02	2.38E+02	2.38E+02	2.38E+02	2.38E+02	2.38E+02	2.38E+02
tc 98	1.42E-03	1.42E-03	1.42E-03	1.42E-03	1.42E-03	1.42E-03	1.42E-03
rb 99	6.20E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	6.16E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	2.37E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	8.81E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	4.07E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	2.88E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	1.10E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.20E+02	2.20E+02	2.19E+02	2.19E+02	2.18E+02	2.17E+02	2.17E+02
tc 99m	8.80E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	1.47E+01	1.47E+01	1.54E+01	1.61E+01	1.68E+01	1.76E+01	1.83E+01
rb100	3.15E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	5.02E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	3.47E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 153
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
zr100	3.02E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	6.83E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	8.94E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02	2.69E+02
tc100	1.15E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	1.97E+01	1.97E+01	1.97E+01	1.97E+01	1.97E+01	1.97E+01	1.97E+01
rb101	2.50E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	7.85E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	1.37E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	4.80E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	2.82E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	3.65E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	3.55E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02	2.23E+02
sr102	2.17E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	1.31E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	5.05E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	4.29E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	2.58E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	2.01E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	9.02E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.14E+02	2.14E+02	2.14E+02	2.14E+02	2.14E+02	2.14E+02	2.14E+02
rh102	1.15E-08	8.82E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	6.32E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	1.17E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	7.83E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	3.44E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	2.31E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	1.90E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	1.19E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02
rh103m	1.18E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	2.72E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	1.13E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	4.22E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nb104	4.56E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	1.49E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc104	2.87E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02
rh104	8.28E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	3.72E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.31E+01	4.31E+01	4.31E+01	4.31E+01	4.31E+01	4.31E+01	4.31E+01
y105	1.66E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	3.05E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	1.09E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	6.08E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	9.15E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	3.25E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	2.59E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	2.60E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02	1.04E+02

1

Part E 5000 year criticality at 2.182 kw/package fission products page 154
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
y106	1.82E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	1.79E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	5.44E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	6.96E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	4.54E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	4.48E-04	5.96E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	4.16E-10	5.53E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	4.80E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	8.11E+01	8.11E+01	8.11E+01	8.11E+01	8.11E+01	8.11E+01	8.11E+01
ag106	2.95E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	1.72E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	4.75E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	6.78E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	1.04E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	1.66E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	2.18E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	1.26E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.21E+01	5.21E+01	5.21E+01	5.21E+01	5.21E+01	5.21E+01	5.21E+01
pd107m	1.66E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	1.09E-01	1.09E-01	1.15E-01	1.20E-01	1.26E-01	1.31E-01	1.37E-01
zr108	3.08E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	6.29E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	5.17E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	1.20E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	1.59E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	9.97E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	4.10E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	3.32E+01	3.32E+01	3.32E+01	3.32E+01	3.32E+01	3.32E+01	3.32E+01
ag108	3.20E-13	2.31E-16	1.16E-18	4.95E-21	2.11E-23	9.00E-26	3.83E-28
ag108m	8.83E-08	7.50E-08	3.76E-10	1.60E-12	6.84E-15	2.91E-17	1.24E-19
cd108	2.54E-04	2.54E-04	2.54E-04	2.54E-04	2.54E-04	2.54E-04	2.54E-04
zr109	8.64E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	3.62E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	5.18E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	1.11E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	1.46E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	3.96E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	1.24E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

pd109	2.86E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	9.17E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag109	2.22E+01	2.22E+01	2.22E+01	2.22E+01	2.22E+01	2.22E+01	2.22E+01
ag109m	2.30E-10	6.66E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	9.09E-12	6.72E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	6.88E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	1.16E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	8.74E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	1.81E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	7.79E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	4.13E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	9.84E+00	9.84E+00	9.84E+00	9.84E+00	9.84E+00	9.84E+00	9.84E+00
ag110	7.25E-11	2.42E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	2.51E-06	1.56E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 155
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd110	6.08E+00	6.08E+00	6.08E+00	6.08E+00	6.08E+00	6.08E+00	6.08E+00
nb111	8.39E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	2.14E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	4.31E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	6.24E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	9.34E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	1.29E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	9.58E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	5.95E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	5.96E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.15E+00	5.15E+00	5.15E+00	5.15E+00	5.15E+00	5.15E+00	5.15E+00
cd111m	3.98E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	1.60E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	7.45E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	1.93E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	5.26E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	5.54E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	3.54E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	5.29E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.70E+00	2.70E+00	2.70E+00	2.70E+00	2.70E+00	2.70E+00	2.70E+00
mo113	3.66E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	8.16E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	1.54E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	1.70E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	2.67E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	5.41E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	3.87E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	3.18E-02	3.18E-02	3.18E-02	3.18E-02	3.18E-02	3.18E-02	3.18E-02
cd113m	2.95E-06	6.74E-07	1.32E-27	.00E+00	.00E+00	.00E+00	.00E+00
in113	3.06E-02	3.06E-02	3.06E-02	3.06E-02	3.06E-02	3.06E-02	3.06E-02
in113m	1.86E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	3.13E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	4.39E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	1.77E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	1.82E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	3.68E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	1.20E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00	3.00E+00
in114	5.41E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	2.43E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sn114	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04
mo115	4.73E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc115	2.20E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	4.82E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	3.95E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	6.15E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	1.53E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	9.60E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	3.48E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	3.26E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	4.60E-01	4.60E-01	4.60E-01	4.60E-01	4.60E-01	4.60E-01	4.60E-01
in115m	2.92E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part E 5000 year criticality at 2.182 kw/package fission products page 156
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sn115	4.66E-02	4.66E-02	4.66E-02	4.66E-02	4.66E-02	4.66E-02	4.66E-02
tc116	4.07E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	3.34E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	2.54E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	2.51E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	3.60E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	2.71E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.34E+00	1.34E+00	1.34E+00	1.34E+00	1.34E+00	1.34E+00	1.34E+00
in116	5.16E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	4.47E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	4.96E-01	4.96E-01	4.96E-01	4.96E-01	4.96E-01	4.96E-01	4.96E-01
tc117	6.67E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	1.06E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	1.26E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	6.49E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	8.01E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	5.88E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	1.73E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	5.25E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	3.76E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	1.23E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.21E+00	1.21E+00	1.21E+00	1.21E+00	1.21E+00	1.21E+00	1.21E+00
sn117m	1.35E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	1.08E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	3.38E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	7.91E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	1.96E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	4.07E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	1.54E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	5.65E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	9.37E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	5.80E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	9.94E-01	9.94E-01	9.94E-01	9.94E-01	9.94E-01	9.94E-01	9.94E-01
ru119	1.33E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	4.59E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	6.78E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	2.82E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	2.20E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	8.12E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	1.15E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	1.33E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.06E+00	1.06E+00	1.06E+00	1.06E+00	1.06E+00	1.06E+00	1.06E+00

sn119m	3.95E-08	2.19E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	3.00E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh120	3.70E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	7.83E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	1.02E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	9.59E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	5.91E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	1.42E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00	1.03E+00
rh121	1.51E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 157
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
pd121	5.55E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	5.14E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	2.61E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	3.97E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	4.58E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	2.06E-08	1.15E-10	5.64E-16	1.90E-21	6.40E-27	2.16E-32	7.15E-38
sn121m	3.85E-06	2.64E-06	1.30E-11	4.36E-17	1.47E-22	4.95E-28	1.67E-33
sb121	1.07E+00	1.07E+00	1.07E+00	1.07E+00	1.07E+00	1.07E+00	1.07E+00
rh122	7.25E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	4.08E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	1.61E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	1.10E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	3.47E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	2.27E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.34E+00	1.34E+00	1.34E+00	1.34E+00	1.34E+00	1.34E+00	1.34E+00
sb122	4.95E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	5.36E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	4.90E-02	4.90E-02	4.90E-02	4.90E-02	4.90E-02	4.90E-02	4.90E-02
rh123	7.81E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	1.53E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	5.29E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	1.21E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	1.01E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	2.21E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	2.20E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	5.43E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.26E+00	1.26E+00	1.26E+00	1.26E+00	1.26E+00	1.26E+00	1.26E+00
te123	3.85E-04	3.85E-04	3.85E-04	3.85E-04	3.85E-04	3.85E-04	3.85E-04
te123m	1.42E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	1.45E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	2.72E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	1.97E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	1.25E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.25E+00	2.25E+00	2.25E+00	2.25E+00	2.25E+00	2.25E+00	2.25E+00
sb124	8.89E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	3.27E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	4.16E-02	4.16E-02	4.16E-02	4.16E-02	4.16E-02	4.16E-02	4.16E-02
pd125	1.16E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	1.77E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	2.22E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	5.27E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	2.06E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	1.08E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	2.28E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb125	4.57E-05	2.25E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	2.74E+00	2.74E+00	2.74E+00	2.74E+00	2.74E+00	2.74E+00	2.74E+00
te125m	6.11E-07	3.20E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	3.91E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	3.02E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	8.12E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	7.36E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	4.36E+00	4.36E+00	4.33E+00	4.30E+00	4.27E+00	4.24E+00	4.21E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 158
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb126	2.14E-07	2.07E-07	2.06E-07	2.04E-07	2.03E-07	2.02E-07	2.00E-07
sb126m	1.58E-09	1.58E-09	1.56E-09	1.55E-09	1.54E-09	1.53E-09	1.52E-09
te126	7.15E-01	7.16E-01	7.45E-01	7.75E-01	8.05E-01	8.34E-01	8.64E-01
xe126	1.29E-09	1.29E-09	1.29E-09	1.29E-09	1.29E-09	1.29E-09	1.29E-09
ag127	2.09E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	6.96E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	5.37E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	1.75E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	6.79E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	3.03E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	7.47E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	7.54E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	3.71E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.14E+01	1.14E+01	1.14E+01	1.14E+01	1.14E+01	1.14E+01	1.14E+01
xe127	2.44E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	5.78E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	1.34E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	8.87E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	1.49E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	1.33E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	2.75E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.49E+01	2.49E+01	2.49E+01	2.49E+01	2.49E+01	2.49E+01	2.49E+01
i128	2.99E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	4.16E-01	4.16E-01	4.16E-01	4.16E-01	4.16E-01	4.16E-01	4.16E-01
cd129	1.90E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	6.74E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	4.76E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	1.57E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	1.52E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	3.80E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	5.31E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	5.09E+01	5.09E+01	5.09E+01	5.09E+01	5.09E+01	5.09E+01	5.09E+01
xe129	4.54E-02	4.55E-02	4.76E-02	4.99E-02	5.21E-02	5.44E-02	5.66E-02
xe129m	3.45E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	1.16E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	2.92E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	2.47E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	7.57E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	5.53E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02	1.03E+02
i130	2.17E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	1.40E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.22E+00	1.22E+00	1.22E+00	1.22E+00	1.22E+00	1.22E+00	1.22E+00
cd131	3.95E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	1.03E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	3.64E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

sb131	3.57E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	4.09E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131m	6.20E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	2.21E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02	1.40E+02
xe131m	3.59E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 159
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
cd132	6.24E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	1.94E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	3.01E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	3.72E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	2.58E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	1.31E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	3.87E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.91E+02	2.91E+02	2.91E+02	2.91E+02	2.91E+02	2.91E+02	2.91E+02
cs132	6.08E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	5.12E-05	5.12E-05	5.12E-05	5.12E-05	5.12E-05	5.12E-05	5.12E-05
in133	3.51E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	3.08E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	3.38E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	2.83E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	1.03E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	5.12E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	4.38E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	3.11E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	3.99E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02	3.47E+02
ba133	1.93E-12	2.68E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	4.25E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	3.68E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	3.63E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	3.02E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	1.60E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	2.44E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	1.27E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.36E+02	4.36E+02	4.36E+02	4.36E+02	4.36E+02	4.36E+02	4.36E+02
xe134m	3.47E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	8.52E-04	3.55E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	1.04E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	3.11E+01	3.11E+01	3.11E+01	3.11E+01	3.11E+01	3.11E+01	3.11E+01
sn135	1.28E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	3.16E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	6.29E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	1.55E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	2.32E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	1.25E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.84E+02	1.84E+02	1.84E+02	1.84E+02	1.84E+02	1.83E+02	1.83E+02
cs135m	7.05E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	1.12E+00	1.12E+00	1.17E+00	1.23E+00	1.28E+00	1.34E+00	1.39E+00
ba135m	1.66E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	1.96E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	2.37E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	2.72E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	2.62E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	6.98E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

xe136	5.69E+02	5.69E+02	5.69E+02	5.69E+02	5.69E+02	5.69E+02	5.69E+02
cs136	2.01E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba136	4.97E+00	4.97E+00	4.97E+00	4.97E+00	4.97E+00	4.97E+00	4.97E+00
ba136m	6.10E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 160
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sb137	1.81E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	1.83E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	8.08E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	1.46E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	6.32E-02	3.16E-02	5.82E-12	5.37E-22	4.94E-32	4.61E-42	.00E+00
ba137	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02	3.67E+02
ba137m	9.65E-09	4.82E-09	8.89E-19	8.19E-29	7.55E-39	.00E+00	.00E+00
sb138	6.96E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	1.72E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	1.08E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	5.24E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	1.28E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	4.26E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.72E+02	3.72E+02	3.72E+02	3.72E+02	3.72E+02	3.72E+02	3.72E+02
la138	2.23E-03	2.23E-03	2.23E-03	2.23E-03	2.23E-03	2.23E-03	2.23E-03
sb139	6.78E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	1.15E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	2.08E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	1.91E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	3.51E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	3.28E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.54E+02	3.54E+02	3.54E+02	3.54E+02	3.54E+02	3.54E+02	3.54E+02
ce139	4.65E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	3.32E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	2.70E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	1.84E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	4.68E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	3.65E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	7.10E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	9.51E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.74E+02	3.74E+02	3.74E+02	3.74E+02	3.74E+02	3.74E+02	3.74E+02
pr140	1.49E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	9.56E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	1.30E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	2.28E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	1.11E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	6.54E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	8.48E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	1.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.28E+02	3.28E+02	3.28E+02	3.28E+02	3.28E+02	3.28E+02	3.28E+02
nd141	8.48E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	7.59E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	1.34E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	6.31E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	4.45E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	3.67E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	3.25E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.30E+02	3.30E+02	3.30E+02	3.30E+02	3.30E+02	3.30E+02	3.30E+02
pr142	1.06E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nd142	3.40E+00	3.40E+00	3.40E+00	3.40E+00	3.40E+00	3.40E+00	3.40E+00
i143	3.72E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part E 5000 year criticality at 2.182 kw/package fission products page 161
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
xe143	7.31E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	2.47E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	7.37E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	4.93E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	6.95E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	6.86E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.73E+02	2.73E+02	2.73E+02	2.73E+02	2.73E+02	2.73E+02	2.73E+02
i144	5.46E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	1.78E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	3.99E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	4.68E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	2.14E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	1.32E-03	3.49E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	5.54E-08	1.47E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	3.24E-10	8.56E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.50E+02	3.50E+02	3.50E+02	3.50E+02	3.50E+02	3.50E+02	3.50E+02
i145	2.30E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	1.42E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	5.49E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	7.78E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	8.94E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	7.22E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	8.61E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.07E+02	2.07E+02	2.07E+02	2.07E+02	2.07E+02	2.07E+02	2.07E+02
pm145	1.46E-07	4.76E-08	1.51E-24	1.48E-41	.00E+00	.00E+00	.00E+00
sm145	7.55E-09	1.50E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	8.27E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	7.72E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	2.16E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	1.50E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	2.56E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	4.60E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.91E+02	1.91E+02	1.91E+02	1.91E+02	1.91E+02	1.91E+02	1.91E+02
pm146	9.27E-10	2.16E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	2.89E-03	2.89E-03	2.89E-03	2.89E-03	2.89E-03	2.89E-03	2.89E-03
xe147	9.31E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	2.50E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	1.05E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	4.39E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	1.33E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	2.02E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	2.36E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	2.06E-03	7.52E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	9.16E+01	9.16E+01	9.16E+01	9.16E+01	9.16E+01	9.16E+01	9.16E+01
cs148	1.73E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	1.78E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	3.26E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	9.32E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	2.58E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.05E+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02
pm148	1.31E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	1.03E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part E 5000 year criticality at 2.182 kw/package fission products page 162
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm148	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01	2.98E+01
cs149	1.72E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	2.27E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	2.10E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	4.44E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	1.72E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	8.38E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	2.58E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	7.88E-01	7.88E-01	7.88E-01	7.88E-01	7.88E-01	7.88E-01	7.88E-01
eu149	1.72E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	1.12E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	2.86E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	8.55E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	1.46E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	4.71E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	4.94E+01	4.94E+01	4.94E+01	4.94E+01	4.94E+01	4.94E+01	4.94E+01
pm150	3.98E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.21E+01	8.21E+01	8.21E+01	8.21E+01	8.21E+01	8.21E+01	8.21E+01
eu150	3.00E-08	1.68E-08	1.17E-16	4.58E-25	1.79E-33	6.94E-42	.00E+00
ba151	1.01E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	1.73E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	1.03E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	7.27E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	4.78E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	6.63E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	3.04E-02	2.41E-02	1.37E-05	6.20E-09	2.80E-12	1.26E-15	5.71E-19
eu151	5.87E+00	5.87E+00	5.90E+00	5.90E+00	5.90E+00	5.90E+00	5.90E+00
ba152	2.75E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	5.64E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	7.31E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	7.80E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	2.83E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	1.05E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	6.47E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.77E+01	3.77E+01	3.77E+01	3.77E+01	3.77E+01	3.77E+01	3.77E+01
eu152	3.67E-03	7.70E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	1.59E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	6.80E-01	6.80E-01	6.81E-01	6.81E-01	6.81E-01	6.81E-01	6.81E-01
la153	6.53E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	7.06E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	2.29E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	1.57E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	9.07E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	2.17E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.77E+01	2.77E+01	2.77E+01	2.77E+01	2.77E+01	2.77E+01	2.77E+01
gd153	5.73E-07	1.26E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	7.85E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	9.84E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	9.44E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	4.21E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	1.37E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	4.44E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
sm154	9.26E+00	9.26E+00	9.26E+00	9.26E+00	9.26E+00	9.26E+00	9.26E+00
eu154	1.79E-03	1.59E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	8.60E+00	8.60E+00	8.60E+00	8.60E+00	8.60E+00	8.60E+00	8.60E+00
la155	4.14E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	2.29E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	2.24E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	6.29E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	3.84E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	1.32E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	1.46E-04	1.72E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	1.51E+00	1.51E+00	1.51E+00	1.51E+00	1.51E+00	1.51E+00	1.51E+00
ce156	2.04E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	1.02E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	2.16E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	4.76E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	1.94E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	7.62E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01	1.12E+01
ce157	3.56E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	1.65E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	6.40E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	8.80E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	1.60E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	1.89E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	1.63E-02	1.63E-02	1.63E-02	1.63E-02	1.63E-02	1.63E-02	1.63E-02
pr158	3.95E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	1.19E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	1.29E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	5.28E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	5.06E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.34E+00	3.34E+00	3.34E+00	3.34E+00	3.34E+00	3.34E+00	3.34E+00
pr159	1.83E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	2.63E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	2.05E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	9.46E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	9.46E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	7.53E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.13E-01	5.13E-01	5.13E-01	5.13E-01	5.13E-01	5.13E-01	5.13E-01
nd160	2.15E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	5.58E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	1.21E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	1.56E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.29E-01	2.29E-01	2.29E-01	2.29E-01	2.29E-01	2.29E-01	2.29E-01
tb160	1.63E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	4.13E-02	4.13E-02	4.13E-02	4.13E-02	4.13E-02	4.13E-02	4.13E-02
nd161	3.54E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	7.43E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	1.53E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	5.52E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	4.32E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	1.18E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part E 5000 year criticality at 2.182 kw/package fission products page 164
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=1.8976E+02mwd, flux= 2.90E+08n/cm**2-sec
0 nuclide concentrations, grams

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	20030.0 yr	21000.0 yr	22000.0 yr	23000.0 yr	24000.0 yr	25000.0 yr
dy161	8.35E-02	8.35E-02	8.35E-02	8.35E-02	8.35E-02	8.35E-02	8.35E-02
pm162	2.08E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	2.82E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	5.70E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	4.55E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	4.29E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	1.53E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.77E-02	5.77E-02	5.77E-02	5.77E-02	5.77E-02	5.77E-02	5.77E-02
sm163	5.30E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	5.02E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	2.96E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	4.37E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.79E-02	3.79E-02	3.79E-02	3.79E-02	3.79E-02	3.79E-02	3.79E-02
sm164	4.37E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	1.17E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	1.24E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	2.48E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.03E-02	1.03E-02	1.03E-02	1.03E-02	1.03E-02	1.03E-02	1.03E-02
sm165	7.58E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	1.14E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	8.68E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	6.10E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	5.31E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	3.60E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02	1.01E-02
dy166	2.58E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	8.97E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	4.96E-07	4.88E-07	2.78E-07	1.56E-07	8.77E-08	4.92E-08	2.76E-08
er166	1.67E-03	1.67E-03	1.67E-03	1.67E-03	1.67E-03	1.67E-03	1.67E-03
er167	2.63E-05	2.63E-05	2.63E-05	2.63E-05	2.63E-05	2.63E-05	2.63E-05
er167m	6.62E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.21E-05	2.21E-05	2.21E-05	2.21E-05	2.21E-05	2.21E-05	2.21E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	1.25E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	7.59E-07	7.59E-07	7.59E-07	7.59E-07	7.59E-07	7.59E-07	7.59E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	8.07E-07	8.07E-07	8.07E-07	8.07E-07	8.07E-07	8.07E-07	8.07E-07
tm170	1.08E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	4.73E-09	4.73E-09	4.73E-09	4.73E-09	4.73E-09	4.73E-09	4.73E-09
er171	5.71E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	1.30E-11	2.59E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	1.08E-06	1.08E-06	1.08E-06	1.08E-06	1.08E-06	1.08E-06	1.08E-06
er172	2.22E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	3.02E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	6.88E-07	6.88E-07	6.88E-07	6.88E-07	6.88E-07	6.88E-07	6.88E-07
total	9.78E+03	9.78E+03	9.78E+03	9.78E+03	9.78E+03	9.78E+03	9.78E+03

1

Part C 10000 year criticality at 2.182 kw/package actinides page 142
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
he 4	4.23E+01	4.24E+01	4.32E+01	4.93E+01	5.43E+01	6.08E+01	6.47E+01	6.61E+01	6.73E+01	6.82E+01	6.91E+01
tl206	7.61E-16	7.62E-16	7.92E-16	1.07E-15	1.35E-15	1.89E-15	2.25E-15	2.32E-15	2.45E-15	2.56E-15	2.65E-15

tl207	7.43E-11	7.43E-11	7.45E-11	7.64E-11	7.87E-11	8.34E-11	8.75E-11	8.92E-11	9.07E-11	9.20E-11	9.31E-11
tl208	2.22E-12	1.70E-12	9.85E-16	9.11E-16	9.57E-16	1.05E-15	1.16E-15	1.22E-15	1.27E-15	1.33E-15	1.39E-15
tl209	1.16E-12	1.17E-12	1.23E-12	1.86E-12	2.59E-12	4.00E-12	5.31E-12	5.92E-12	6.50E-12	7.05E-12	7.58E-12
pb206	6.02E-01	6.04E-01	6.54E-01	1.21E+00	2.01E+00	4.15E+00	6.84E+00	8.34E+00	9.91E+00	1.16E+01	1.33E+01
pb207	4.82E-02	4.84E-02	5.39E-02	1.06E-01	1.65E-01	2.90E-01	4.21E-01	4.88E-01	5.57E-01	6.27E-01	6.98E-01
pb208	5.07E-03	5.09E-03	5.15E-03	5.15E-03	5.16E-03	5.16E-03	5.17E-03	5.17E-03	5.18E-03	5.18E-03	5.19E-03
pb209	4.91E-09	4.92E-09	5.20E-09	7.87E-09	1.09E-08	1.69E-08	2.24E-08	2.50E-08	2.74E-08	2.98E-08	3.20E-08
pb210	1.64E-03	1.64E-03	1.71E-03	2.31E-03	2.92E-03	4.08E-03	4.85E-03	5.01E-03	5.28E-03	5.51E-03	5.71E-03
pb211	5.75E-10	5.75E-10	5.76E-10	5.91E-10	6.09E-10	6.45E-10	6.77E-10	6.90E-10	7.01E-10	7.11E-10	7.20E-10
pb212	1.31E-09	1.01E-09	5.84E-13	5.40E-13	5.67E-13	6.25E-13	6.88E-13	7.21E-13	7.56E-13	7.90E-13	8.26E-13
pb214	3.82E-09	3.83E-09	3.98E-09	5.38E-09	6.79E-09	9.51E-09	1.13E-08	1.17E-08	1.23E-08	1.28E-08	1.33E-08
bi208	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi209	8.86E-02	8.89E-02	9.80E-02	2.08E-01	3.83E-01	9.05E-01	1.64E+00	2.08E+00	2.57E+00	3.11E+00	3.69E+00
bi210m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bi210	1.01E-06	1.01E-06	1.05E-06	1.42E-06	1.79E-06	2.51E-06	2.98E-06	3.09E-06	3.25E-06	3.39E-06	3.51E-06
bi211	3.41E-11	3.41E-11	3.42E-11	3.50E-11	3.61E-11	3.82E-11	4.01E-11	4.09E-11	4.16E-11	4.22E-11	4.27E-11
bi212	1.25E-10	9.53E-11	5.54E-14	5.12E-14	5.38E-14	5.93E-14	6.53E-14	6.84E-14	7.17E-14	7.50E-14	7.84E-14
bi213	1.17E-09	1.17E-09	1.24E-09	1.87E-09	2.60E-09	4.03E-09	5.34E-09	5.95E-09	6.53E-09	7.09E-09	7.62E-09
bi214	2.84E-09	2.84E-09	2.95E-09	3.99E-09	5.04E-09	7.06E-09	8.39E-09	8.67E-09	9.14E-09	9.54E-09	9.88E-09
po210	2.79E-05	2.79E-05	2.90E-05	3.92E-05	4.96E-05	6.94E-05	8.24E-05	8.52E-05	8.98E-05	9.37E-05	9.71E-05
po211m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
po211	3.76E-16	3.77E-16	3.77E-16	3.87E-16	3.99E-16	4.23E-16	4.43E-16	4.52E-16	4.60E-16	4.66E-16	4.72E-16
po212	6.55E-21	5.01E-21	2.91E-24	2.69E-24	2.83E-24	3.12E-24	3.43E-24	3.60E-24	3.77E-24	3.94E-24	4.12E-24
po213	1.76E-18	1.76E-18	1.86E-18	2.82E-18	3.92E-18	6.05E-18	8.02E-18	8.94E-18	9.82E-18	1.07E-17	1.15E-17
po214	3.91E-16	3.91E-16	4.06E-16	5.49E-16	6.94E-16	9.71E-16	1.15E-15	1.19E-15	1.26E-15	1.31E-15	1.36E-15
po215	4.81E-16	4.81E-16	4.82E-16	4.95E-16	5.10E-16	5.40E-16	5.67E-16	5.78E-16	5.87E-16	5.96E-16	6.03E-16
po216	5.07E-15	3.88E-15	2.25E-18	2.08E-18	2.19E-18	2.41E-18	2.66E-18	2.78E-18	2.91E-18	3.05E-18	3.19E-18
po218	4.51E-10	4.51E-10	4.69E-10	6.34E-10	8.01E-10	1.12E-09	1.33E-09	1.38E-09	1.45E-09	1.51E-09	1.57E-09
at217	1.41E-14	1.41E-14	1.49E-14	2.25E-14	3.13E-14	4.84E-14	6.42E-14	7.16E-14	7.86E-14	8.53E-14	9.17E-14
rn218	1.02E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rn219	1.09E-12	1.09E-12	1.09E-12	1.12E-12	1.16E-12	1.22E-12	1.28E-12	1.31E-12	1.33E-12	1.35E-12	1.37E-12
rn220	1.98E-12	1.51E-12	8.79E-16	8.14E-16	8.54E-16	9.42E-16	1.04E-15	1.09E-15	1.14E-15	1.19E-15	1.24E-15
rn222	8.15E-07	8.16E-07	8.48E-07	1.15E-06	1.45E-06	2.03E-06	2.41E-06	2.49E-06	2.62E-06	2.74E-06	2.84E-06
fr221	1.30E-10	1.31E-10	1.38E-10	2.09E-10	2.91E-10	4.49E-10	5.95E-10	6.64E-10	7.29E-10	7.91E-10	8.50E-10
fr223	5.06E-12	5.06E-12	5.07E-12	5.20E-12	5.36E-12	5.68E-12	5.96E-12	6.08E-12	6.18E-12	6.27E-12	6.34E-12
ra222	1.12E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ra223	2.77E-07	2.77E-07	2.78E-07	2.85E-07	2.94E-07	3.11E-07	3.26E-07	3.33E-07	3.38E-07	3.43E-07	3.47E-07
ra224	1.15E-08	8.77E-09	5.09E-12	4.71E-12	4.95E-12	5.46E-12	6.01E-12	6.29E-12	6.59E-12	6.90E-12	7.21E-12
ra225	5.78E-07	5.79E-07	6.11E-07	9.26E-07	1.29E-06	1.99E-06	2.64E-06	2.94E-06	3.23E-06	3.50E-06	3.76E-06
ra226	1.27E-01	1.27E-01	1.32E-01	1.78E-01	2.25E-01	3.15E-01	3.75E-01	3.87E-01	4.08E-01	4.26E-01	4.41E-01
ra228	5.41E-10	5.42E-10	5.66E-10	7.89E-10	1.04E-09	1.55E-09	2.05E-09	2.31E-09	2.56E-09	2.81E-09	3.07E-09
ac225	3.90E-07	3.91E-07	4.13E-07	6.25E-07	8.69E-07	1.34E-06	1.78E-06	1.99E-06	2.18E-06	2.37E-06	2.54E-06
ac227	1.96E-04	1.96E-04	1.97E-04	2.02E-04	2.08E-04	2.20E-04	2.31E-04	2.35E-04	2.39E-04	2.43E-04	2.46E-04
ac228	6.60E-14	6.61E-14	6.90E-14	9.63E-14	1.27E-13	1.89E-13	2.51E-13	2.82E-13	3.13E-13	3.44E-13	3.74E-13
th226	5.57E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th227	4.55E-07	4.55E-07	4.56E-07	4.68E-07	4.82E-07	5.11E-07	5.36E-07	5.46E-07	5.64E-07	5.70E-07	
th228	2.23E-06	1.70E-06	9.90E-10	9.16E-10	9.61E-10	1.06E-09	1.17E-09	1.22E-09	1.28E-09	1.34E-09	1.40E-09
th229	1.14E-01	1.15E-01	1.21E-01	1.83E-01	2.55E-01	3.94E-01	5.22E-01	5.82E-01	6.39E-01	6.93E-01	7.45E-01
th230	6.63E+00	6.64E+00	6.90E+00	9.10E+00	1.13E+01	1.49E+01	1.77E+01	1.88E+01	1.98E+01	2.06E+01	2.13E+01
th231	1.29E-07	2.99E-08	3.00E-08	3.13E-08	3.23E-08	3.37E-08	3.45E-08	3.47E-08	3.49E-08	3.51E-08	3.52E-08

1

Part C 10000 year criticality at 2.182 kw/package actinides page 143
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
th232	1.35E+00	1.35E+00	1.41E+00	1.96E+00	2.59E+00	3.85E+00	5.11E+00	5.74E+00	6.37E+00	7.00E+00	7.63E+00
th233	1.93E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
th234	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06	6.42E-06
pa231	3.00E-01	3.00E-01	3.01E-01	3.09E-01	3.18E-01	3.37E-01	3.53E-01	3.60E-01	3.66E-01	3.72E-01	3.76E-01

pa232	4.12E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pa233	1.87E-05	1.87E-05	1.87E-05	1.87E-05	1.86E-05	1.85E-05	1.84E-05	1.83E-05	1.82E-05	1.82E-05	1.81E-05
pa234m	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10	2.16E-10
pa234	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11	9.67E-11
pa235	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u230	5.50E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u231	1.51E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u232	8.28E-05	6.15E-05	2.96E-08	2.43E-08	2.28E-08	2.02E-08	1.79E-08	1.69E-08	1.59E-08	1.50E-08	1.41E-08
u233	3.88E+00	3.88E+00	4.03E+00	5.42E+00	6.90E+00	9.66E+00	1.22E+01	1.33E+01	1.44E+01	1.55E+01	1.65E+01
u234	1.16E+02	1.16E+02	1.16E+02	1.14E+02	1.11E+02	1.07E+02	1.02E+02	9.99E+01	9.78E+01	9.58E+01	9.38E+01
u235	7.35E+03	7.35E+03	7.39E+03	7.69E+03	7.95E+03	8.29E+03	8.48E+03	8.54E+03	8.59E+03	8.62E+03	8.65E+03
u236	2.09E+03	2.09E+03	2.10E+03	2.14E+03	2.16E+03	2.17E+03	2.17E+03	2.17E+03	2.17E+03	2.16E+03	2.16E+03
u237	3.87E-05	1.46E-10	2.37E-13	1.14E-13	5.03E-14	9.84E-15	1.92E-15	8.51E-16	3.77E-16	1.67E-16	7.37E-17
u238	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05	4.42E+05
u239	2.04E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
u240	1.57E-18	1.57E-18	1.65E-18	2.35E-18	3.12E-18	4.60E-18	6.03E-18	6.72E-18	7.40E-18	8.06E-18	8.71E-18
u241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np235	4.05E-10	1.91E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236m	1.86E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np236	4.85E-04	4.85E-04	4.82E-04	4.57E-04	4.30E-04	3.81E-04	3.38E-04	3.18E-04	2.99E-04	2.82E-04	2.65E-04
np237	5.50E+02	5.50E+02	5.51E+02	5.49E+02	5.47E+02	5.44E+02	5.40E+02	5.39E+02	5.37E+02	5.35E+02	5.33E+02
np238	1.18E-05	2.92E-11	2.48E-13	1.51E-32	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
np239	2.97E-04	1.76E-06	1.61E-06	6.89E-07	2.69E-07	4.10E-08	6.25E-09	2.44E-09	9.53E-10	3.72E-10	1.45E-10
np240m	1.34E-20	1.34E-20	1.40E-20	2.00E-20	2.66E-20	3.93E-20	5.15E-20	5.74E-20	6.32E-20	6.88E-20	7.44E-20
np240	8.72E-14	1.38E-22	1.44E-22	2.06E-22	2.74E-22	4.04E-22	5.29E-22	5.90E-22	6.50E-22	7.08E-22	7.65E-22
np241	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu236	1.02E-07	1.17E-09	1.08E-09	1.03E-09	9.65E-10	8.55E-10	7.58E-10	7.14E-10	6.72E-10	6.33E-10	5.96E-10
pu237	4.51E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu238	1.80E-01	1.42E-01	6.71E-05	1.12E-25	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu239	1.40E+03	1.40E+03	1.36E+03	1.05E+03	7.89E+02	4.44E+02	2.50E+02	1.87E+02	1.41E+02	1.05E+02	7.91E+01
pu240	8.09E+01	8.07E+01	7.28E+01	2.81E+01	9.79E+00	1.18E+00	1.43E-01	4.98E-02	1.73E-02	6.02E-03	2.09E-03
pu241	2.05E-02	4.82E-03	7.82E-06	3.75E-06	1.66E-06	3.25E-07	6.36E-08	2.81E-08	1.24E-08	5.50E-09	2.43E-09
pu242	6.59E+01	6.59E+01	6.58E+01	6.47E+01	6.35E+01	6.12E+01	5.90E+01	5.79E+01	5.68E+01	5.58E+01	5.48E+01
pu243	1.43E-07	1.09E-15	1.09E-15	1.09E-15	1.09E-15	1.09E-15	1.09E-15	1.09E-15	1.09E-15	1.09E-15	1.09E-15
pu244	7.93E-08	7.94E-08	8.33E-08	1.19E-07	1.58E-07	2.33E-07	3.05E-07	3.40E-07	3.75E-07	4.08E-07	4.41E-07
pu245	1.10E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pu246	4.62E-22	4.61E-22	4.44E-22	3.10E-22	2.08E-22	9.38E-23	4.23E-23	2.84E-23	1.91E-23	1.28E-23	8.59E-24
am239	1.64E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am240	7.06E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am241	6.23E-01	6.09E-01	1.30E-01	1.13E-04	5.01E-05	9.79E-06	1.92E-06	8.48E-07	3.75E-07	1.66E-07	7.34E-08
am242m	1.86E-04	1.61E-04	1.36E-06	8.32E-26	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am242	1.48E-08	2.07E-09	1.76E-11	1.07E-30	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am243	2.05E+00	2.05E+00	1.87E+00	8.01E-01	3.13E-01	4.77E-02	7.27E-03	2.84E-03	1.11E-03	4.33E-04	1.69E-04
am244m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am244	1.19E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am245	2.21E-19	3.11E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
am246	1.15E-24	1.15E-24	1.11E-24	7.74E-25	5.20E-25	2.34E-25	1.06E-25	7.09E-26	4.76E-26	3.20E-26	2.15E-26
cm241	1.35E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package actinides page 144
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cm242	3.00E-06	4.18E-07	3.55E-09	2.17E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm243	7.71E-11	3.72E-11	2.11E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm244	1.87E-04	5.94E-05	4.36E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm245	5.10E-03	5.09E-03	4.70E-03	2.26E-03	9.98E-04	1.95E-04	3.82E-05	1.69E-05	7.48E-06	3.31E-06	1.46E-06
cm246	1.69E-04	1.68E-04	1.46E-04	3.89E-05	9.00E-06	4.80E-07	2.56E-08	5.92E-09	1.37E-09	3.16E-10	7.30E-11
cm247	3.14E-05	3.14E-05	3.14E-05	3.14E-05	3.14E-05	3.14E-05	3.14E-05	3.13E-05	3.13E-05	3.13E-05	3.13E-05

cm248	2.18E-06	2.18E-06	2.17E-06	2.13E-06	2.09E-06	2.01E-06	1.93E-06	1.89E-06	1.85E-06	1.81E-06	1.77E-06
cm249	2.31E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cm250	1.10E-15	1.10E-15	1.06E-15	7.39E-16	4.96E-16	2.24E-16	1.01E-16	6.77E-17	4.54E-17	3.05E-17	2.05E-17
cm251	5.08E-28	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk249	1.66E-12	8.16E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
bk250	1.01E-20	3.24E-24	3.12E-24	2.18E-24	1.46E-24	6.60E-25	2.98E-25	2.00E-25	1.34E-25	9.00E-26	6.05E-26
bk251	1.73E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf249	6.47E-10	6.11E-10	8.97E-11	1.67E-18	4.28E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf250	2.81E-14	5.72E-15	1.11E-19	7.77E-20	5.22E-20	2.35E-20	1.06E-20	7.12E-21	4.78E-21	3.21E-21	2.15E-21
cf251	1.59E-15	1.55E-15	7.32E-16	7.04E-19	3.13E-22	6.17E-29	1.22E-35	5.42E-39	2.46E-42	.00E+00	.00E+00
cf252	1.20E-19	4.61E-23	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf253	2.11E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf254	3.22E-35	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cf255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es253	2.42E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es254	4.56E-33	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
es255	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
s250	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
total	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05	4.54E+05

1

Part C 10000 year criticality at 2.182 kw/package fission products page 151
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
br 88	1.76E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 88	1.93E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 88	2.06E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 88	1.08E+02	1.08E+02	1.08E+02	1.08E+02	1.08E+02	1.08E+02	1.08E+02	1.08E+02	1.08E+02	1.08E+02	1.08E+02
as 89	2.53E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 89	3.14E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 89	3.22E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 89	4.61E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 89	2.35E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 89	1.13E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 89	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02
y 89m	3.89E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
as 90	1.78E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 90	7.16E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 90	7.57E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 90	8.54E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90	3.72E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 90m	1.88E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 90	2.81E-02	1.34E-02	5.67E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90	7.32E-06	3.49E-06	1.47E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 90m	6.94E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 90	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02	1.77E+02
zr 90m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
se 91	4.40E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 91	8.40E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 91	1.58E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 91	1.84E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 91	1.15E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91	1.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 91m	5.78E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 91	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02	1.87E+02
nb 91	3.29E-11	3.19E-11	1.19E-11	1.23E-15	4.61E-20	6.44E-29	9.01E-38	3.32E-42	.00E+00	.00E+00	.00E+00
se 92	2.20E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 92	8.51E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

kr 92	1.82E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 92	1.25E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 92	3.40E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 92	4.48E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 92	1.97E+02	1.97E+02	1.97E+02	1.97E+02	1.97E+02	1.97E+02	1.97E+02	1.97E+02	1.97E+02	1.97E+02	1.97E+02
nb 92	5.42E-07	5.42E-07	5.42E-07	5.42E-07	5.42E-07	5.42E-07	5.42E-07	5.41E-07	5.41E-07	5.41E-07	5.41E-07
se 93	9.05E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 93	7.85E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 93	4.36E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 93	1.27E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 93	1.72E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 93	9.50E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 93	1.43E+02	1.43E+02	1.43E+02	1.42E+02	1.41E+02	1.40E+02	1.39E+02	1.38E+02	1.38E+02	1.37E+02	1.36E+02
nb 93	1.57E+00	1.58E+00	1.64E+00	2.22E+00	2.86E+00	4.14E+00	5.40E+00	6.03E+00	6.66E+00	7.28E+00	7.90E+00
nb 93m	1.51E-03	1.51E-03	1.50E-03	1.50E-03	1.49E-03	1.48E-03	1.46E-03	1.46E-03	1.45E-03	1.45E-03	1.44E-03
br 94	3.27E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 94	3.20E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 94	3.10E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 152
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sr 94	2.87E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 94	4.60E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 94	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02	2.32E+02
nb 94	3.94E-04	3.94E-04	3.81E-04	2.80E-04	1.99E-04	1.01E-04	5.08E-05	3.61E-05	2.57E-05	1.82E-05	1.30E-05
nb 94m	8.67E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
br 95	3.51E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 95	9.69E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 95	2.13E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 95	8.65E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 95	2.67E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 95	2.37E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95	1.30E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 95m	1.49E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 95	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02	2.33E+02
br 96	6.62E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
kr 96	6.66E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 96	2.84E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 96	2.71E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 96	2.40E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 96	2.41E+02	2.41E+02	2.41E+02	2.41E+02	2.41E+02	2.41E+02	2.41E+02	2.41E+02	2.41E+02	2.41E+02	2.41E+02
nb 96	8.36E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 96	7.28E+00	7.28E+00	7.28E+00	7.28E+00	7.28E+00	7.28E+00	7.28E+00	7.28E+00	7.28E+00	7.28E+00	7.28E+00
kr 97	2.97E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 97	7.49E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 97	5.57E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 97	1.17E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 97	2.46E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97	1.76E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 97m	2.30E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 97	2.26E+02	2.26E+02	2.26E+02	2.26E+02	2.26E+02	2.26E+02	2.26E+02	2.26E+02	2.26E+02	2.26E+02	2.26E+02
kr 98	1.71E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rb 98	4.10E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 98	3.46E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 98	1.61E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 98	1.31E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 98	1.23E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

nb 98m	8.40E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 98	2.43E+02	2.43E+02	2.43E+02	2.43E+02	2.43E+02	2.43E+02	2.43E+02	2.43E+02	2.43E+02	2.43E+02	2.43E+02
tc 98	1.47E-03	1.47E-03	1.47E-03	1.47E-03	1.47E-03	1.46E-03	1.46E-03	1.46E-03	1.45E-03	1.45E-03	1.45E-03
rb 99	6.35E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr 99	6.32E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y 99	2.40E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr 99	8.83E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99	4.08E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb 99m	2.88E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo 99	1.10E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc 99	2.21E+02	2.21E+02	2.20E+02	2.14E+02	2.07E+02	1.94E+02	1.81E+02	1.75E+02	1.70E+02	1.64E+02	1.59E+02
tc 99m	8.81E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru 99	1.83E+01	1.83E+01	1.90E+01	2.54E+01	3.23E+01	4.54E+01	5.78E+01	6.36E+01	6.93E+01	7.48E+01	8.01E+01
rb100	3.23E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr100	5.13E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y100	3.50E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 153
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
zr100	3.03E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100	6.84E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb100m	8.62E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo100	2.74E+02	2.74E+02	2.74E+02	2.74E+02	2.74E+02	2.74E+02	2.74E+02	2.74E+02	2.74E+02	2.74E+02	2.74E+02
tc100	1.18E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru100	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01
rb101	2.56E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr101	8.04E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y101	1.40E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr101	4.82E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb101	2.82E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo101	3.64E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc101	3.54E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru101	2.27E+02	2.27E+02	2.27E+02	2.27E+02	2.27E+02	2.27E+02	2.27E+02	2.27E+02	2.27E+02	2.27E+02	2.27E+02
sr102	2.23E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y102	1.35E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr102	5.11E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb102	4.29E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo102	2.57E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102	2.00E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc102m	8.64E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru102	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02	2.19E+02
rh102	1.19E-08	9.13E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd102	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr103	6.47E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y103	1.21E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr103	7.92E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb103	3.42E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo103	2.28E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc103	1.86E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru103	1.17E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh103	1.47E+02	1.47E+02	1.47E+02	1.47E+02	1.47E+02	1.47E+02	1.47E+02	1.47E+02	1.47E+02	1.47E+02	1.47E+02
rh103m	1.16E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sr104	2.79E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y104	1.16E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr104	4.28E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb104	4.52E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo104	1.46E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tc104	2.80E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru104	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02	1.45E+02
rh104	8.57E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh104m	3.85E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd104	4.53E+01	4.53E+01	4.53E+01	4.53E+01	4.53E+01	4.53E+01	4.53E+01	4.53E+01	4.53E+01	4.53E+01	4.53E+01
y105	1.70E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr105	3.13E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb105	1.08E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo105	5.91E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc105	8.84E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru105	3.14E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105	2.50E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh105m	2.51E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd105	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02

1

Part C 10000 year criticality at 2.182 kw/package fission products page 154
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
y106	1.86E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr106	1.82E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb106	5.38E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo106	6.76E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc106	4.35E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru106	4.28E-04	5.70E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106	3.98E-10	5.29E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh106m	4.50E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd106	8.28E+01	8.28E+01	8.28E+01	8.28E+01	8.28E+01	8.28E+01	8.28E+01	8.28E+01	8.28E+01	8.28E+01	8.28E+01
ag106	3.79E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
y107	1.76E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
zr107	4.85E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb107	6.75E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo107	1.00E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc107	1.57E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru107	2.06E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh107	1.20E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd107	5.31E+01	5.31E+01	5.31E+01	5.30E+01	5.30E+01	5.29E+01	5.27E+01	5.27E+01	5.26E+01	5.26E+01	5.25E+01
pd107m	1.74E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag107	1.37E-01	1.37E-01	1.43E-01	1.94E-01	2.50E-01	3.63E-01	4.76E-01	5.32E-01	5.88E-01	6.44E-01	7.00E-01
zr108	3.15E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb108	6.36E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo108	5.08E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc108	1.14E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru108	1.50E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108	9.39E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh108m	3.82E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd108	3.38E+01	3.38E+01	3.38E+01	3.38E+01	3.38E+01	3.38E+01	3.38E+01	3.38E+01	3.38E+01	3.38E+01	3.38E+01
ag108	4.10E-13	2.40E-16	1.20E-18	5.59E-40	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag108m	9.16E-08	7.77E-08	3.90E-10	1.81E-31	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd108	5.27E-04	5.27E-04	5.27E-04	5.27E-04	5.27E-04	5.27E-04	5.27E-04	5.27E-04	5.27E-04	5.27E-04	5.27E-04
zr109	8.84E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb109	3.67E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo109	5.10E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc109	1.05E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru109	1.37E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109	3.71E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh109m	1.16E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109	2.73E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd109m	9.08E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ag109	2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01	2.25E+01
ag109m	2.19E-10	1.41E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd109	1.92E-11	1.42E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb110	7.03E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo110	1.17E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc110	8.45E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru110	1.71E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110	7.29E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh110m	3.91E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd110	1.00E+01	1.00E+01	1.00E+01	1.00E+01	1.00E+01	1.00E+01	1.00E+01	1.00E+01	1.00E+01	1.00E+01	1.00E+01
ag110	7.52E-11	2.51E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag110m	2.61E-06	1.62E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 155

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec

0

nuclide concentrations, grams

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cd110	6.42E+00	6.42E+00	6.42E+00	6.42E+00	6.42E+00	6.42E+00	6.42E+00	6.42E+00	6.42E+00	6.42E+00	6.42E+00
nb111	8.59E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo111	2.18E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc111	4.25E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru111	5.98E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh111	8.85E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111	1.22E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd111m	9.00E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111	5.64E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag111m	5.65E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd111	5.25E+00	5.25E+00	5.25E+00	5.25E+00	5.25E+00	5.25E+00	5.25E+00	5.25E+00	5.25E+00	5.25E+00	5.25E+00
cd111m	4.30E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nb112	1.64E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo112	7.61E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc112	1.94E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru112	5.15E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh112	5.33E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd112	3.39E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag112	5.06E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd112	2.75E+00	2.75E+00	2.75E+00	2.75E+00	2.75E+00	2.75E+00	2.75E+00	2.75E+00	2.75E+00	2.75E+00	2.75E+00
mo113	3.75E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc113	8.32E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru113	1.55E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh113	1.66E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd113	2.60E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113	5.26E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag113m	3.75E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd113	2.67E-02	2.67E-02	2.67E-02	2.67E-02	2.67E-02	2.67E-02	2.67E-02	2.67E-02	2.67E-02	2.67E-02	2.67E-02
cd113m	2.92E-06	6.69E-07	1.31E-27	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in113	3.13E-02	3.13E-02	3.13E-02	3.13E-02	3.13E-02	3.13E-02	3.13E-02	3.13E-02	3.13E-02	3.13E-02	3.13E-02
in113m	1.73E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
mo114	3.20E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc114	4.48E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru114	1.79E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh114	1.79E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd114	3.58E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag114	1.16E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd114	3.07E+00	3.07E+00	3.07E+00	3.07E+00	3.07E+00	3.07E+00	3.07E+00	3.07E+00	3.07E+00	3.07E+00	3.07E+00
in114	5.65E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in114m	2.53E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn114	2.39E-04	2.39E-04	2.39E-04	2.39E-04	2.39E-04	2.39E-04	2.39E-04	2.39E-04	2.39E-04	2.39E-04	2.39E-04
mo115	4.84E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

tc115	2.25E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru115	4.91E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh115	3.95E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd115	6.03E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115	1.50E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag115m	9.36E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115	3.40E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd115m	3.20E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in115	4.61E-01	4.61E-01	4.61E-01	4.61E-01	4.61E-01	4.61E-01	4.61E-01	4.61E-01	4.61E-01	4.61E-01	4.61E-01
in115m	2.86E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 156
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0
nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sn115	4.75E-02	4.75E-02	4.75E-02	4.75E-02	4.75E-02	4.75E-02	4.75E-02	4.75E-02	4.75E-02	4.75E-02	4.75E-02
tc116	4.16E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru116	3.41E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh116	2.55E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd116	2.47E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116	3.53E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag116m	2.59E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd116	1.36E+00	1.36E+00	1.36E+00	1.36E+00	1.36E+00	1.36E+00	1.36E+00	1.36E+00	1.36E+00	1.36E+00	1.36E+00
in116	5.29E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in116m	4.58E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn116	5.16E-01	5.16E-01	5.16E-01	5.16E-01	5.16E-01	5.16E-01	5.16E-01	5.16E-01	5.16E-01	5.16E-01	5.16E-01
tc117	6.82E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru117	1.08E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh117	1.27E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd117	6.37E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117	7.75E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag117m	5.69E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117	1.67E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd117m	5.05E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117	3.63E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in117m	1.19E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn117	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00	1.24E+00
sn117m	1.39E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tc118	1.10E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru118	3.46E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh118	8.04E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd118	1.95E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118	4.00E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag118m	1.51E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd118	5.53E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118	9.16E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in118m	5.45E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn118	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00	1.01E+00
ru119	1.36E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
rh119	4.68E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd119	6.83E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag119	2.78E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119	2.16E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd119m	7.90E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119	1.12E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in119m	1.31E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn119	1.08E+00	1.08E+00	1.08E+00	1.08E+00	1.08E+00	1.08E+00	1.08E+00	1.08E+00	1.08E+00	1.08E+00	1.08E+00
sn119m	3.99E-08	2.21E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ru120	3.07E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

rh120	3.79E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd120	7.95E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag120	1.01E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd120	9.39E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120	5.79E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in120m	1.35E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn120	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00	1.05E+00
rh121	1.55E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 157

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec

0

nuclide concentrations, grams

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
pd121	5.66E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag121	5.14E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd121	2.56E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121	3.80E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in121m	4.50E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121	2.02E-08	1.10E-10	5.39E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn121m	3.67E-06	2.52E-06	1.24E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb121	1.09E+00	1.09E+00	1.09E+00	1.09E+00	1.09E+00	1.09E+00	1.09E+00	1.09E+00	1.09E+00	1.09E+00	1.09E+00
rh122	7.42E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd122	4.16E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag122	1.61E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd122	1.08E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122	3.39E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in122m	2.17E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn122	1.37E+00	1.37E+00	1.37E+00	1.37E+00	1.37E+00	1.37E+00	1.37E+00	1.37E+00	1.37E+00	1.37E+00	1.37E+00
sb122	5.16E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb122m	5.59E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te122	5.13E-02	5.13E-02	5.13E-02	5.13E-02	5.13E-02	5.13E-02	5.13E-02	5.13E-02	5.13E-02	5.13E-02	5.13E-02
rh123	7.99E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd123	1.56E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag123	5.34E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd123	1.19E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123	9.84E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in123m	2.16E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123	2.16E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn123m	5.32E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb123	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00
te123	4.02E-04	4.02E-04	4.02E-04	4.02E-04	4.02E-04	4.02E-04	4.02E-04	4.02E-04	4.02E-04	4.02E-04	4.02E-04
te123m	1.52E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd124	1.48E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag124	2.74E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd124	1.95E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in124	1.22E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn124	2.30E+00	2.30E+00	2.30E+00	2.30E+00	2.30E+00	2.30E+00	2.30E+00	2.30E+00	2.30E+00	2.30E+00	2.30E+00
sb124	9.26E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb124m	3.29E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te124	4.36E-02	4.36E-02	4.36E-02	4.36E-02	4.36E-02	4.36E-02	4.36E-02	4.36E-02	4.36E-02	4.36E-02	4.36E-02
pd125	1.18E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag125	1.79E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd125	2.19E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125	5.13E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in125m	1.99E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125	1.05E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn125m	2.21E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb125	4.43E-05	2.18E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te125	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00	2.80E+00

te125m	5.94E-07	3.10E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pd126	4.00E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag126	3.06E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd126	8.07E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in126	7.10E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn126	4.32E+00	4.32E+00	4.29E+00	4.03E+00	3.76E+00	3.27E+00	2.85E+00	2.66E+00	2.48E+00	2.31E+00	2.16E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 158
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sb126	2.11E-07	2.05E-07	2.04E-07	1.91E-07	1.79E-07	1.55E-07	1.35E-07	1.26E-07	1.18E-07	1.10E-07	1.03E-07
sb126m	1.57E-09	1.56E-09	1.55E-09	1.45E-09	1.36E-09	1.18E-09	1.03E-09	9.60E-10	8.95E-10	8.35E-10	7.80E-10
te126	8.68E-01	8.69E-01	8.98E-01	1.16E+00	1.43E+00	1.91E+00	2.34E+00	2.53E+00	2.70E+00	2.87E+00	3.03E+00
xe126	1.38E-09	1.38E-09	1.38E-09	1.38E-09	1.38E-09	1.38E-09	1.38E-09	1.38E-09	1.38E-09	1.38E-09	1.38E-09
ag127	2.13E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd127	6.99E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127	5.25E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in127m	1.72E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127	6.53E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn127m	2.95E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb127	7.23E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127	7.30E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te127m	3.59E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i127	1.16E+01	1.16E+01	1.16E+01	1.16E+01	1.16E+01	1.16E+01	1.16E+01	1.16E+01	1.16E+01	1.16E+01	1.16E+01
xe127	2.62E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ag128	5.91E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd128	1.37E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in128	8.94E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn128	1.47E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128	1.29E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb128m	2.71E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te128	2.54E+01	2.54E+01	2.54E+01	2.54E+01	2.54E+01	2.54E+01	2.54E+01	2.54E+01	2.54E+01	2.54E+01	2.54E+01
i128	3.12E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe128	4.37E-01	4.37E-01	4.37E-01	4.37E-01	4.37E-01	4.37E-01	4.37E-01	4.37E-01	4.37E-01	4.37E-01	4.37E-01
cd129	1.94E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in129	6.81E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129	4.72E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn129m	1.57E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb129	1.50E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129	3.75E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te129m	5.23E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i129	5.19E+01	5.19E+01	5.19E+01	5.19E+01	5.19E+01	5.18E+01	5.18E+01	5.18E+01	5.17E+01	5.17E+01	5.17E+01
xe129	5.67E-02	5.68E-02	5.90E-02	7.96E-02	1.03E-01	1.48E-01	1.94E-01	2.17E-01	2.40E-01	2.63E-01	2.85E-01
xe129m	3.71E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cd130	1.19E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in130	2.98E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn130	2.48E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130	7.40E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb130m	5.54E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te130	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02	1.06E+02
i130	2.26E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i130m	1.46E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe130	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00
cd131	4.05E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in131	1.05E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn131	3.68E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb131	3.58E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te131	4.08E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

te131m	6.04E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i131	2.20E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe131	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02	1.42E+02
xe131m	3.57E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 159

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec

0

nuclide concentrations, grams

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
cd132	6.38E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in132	1.98E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn132	3.04E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132	3.69E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb132m	2.61E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te132	1.30E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i132	3.86E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe132	2.98E+02	2.98E+02	2.98E+02	2.98E+02	2.98E+02	2.98E+02	2.98E+02	2.98E+02	2.98E+02	2.98E+02	2.98E+02
cs132	6.33E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba132	5.34E-05	5.34E-05	5.34E-05	5.34E-05	5.34E-05	5.34E-05	5.34E-05	5.34E-05	5.34E-05	5.34E-05	5.34E-05
in133	3.59E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn133	3.15E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb133	3.42E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133	2.84E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te133m	1.03E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133	5.12E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i133m	4.32E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133	3.11E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe133m	3.97E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs133	3.53E+02	3.53E+02	3.53E+02	3.53E+02	3.53E+02	3.53E+02	3.53E+02	3.53E+02	3.53E+02	3.53E+02	3.53E+02
ba133	1.81E-12	2.51E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
in134	4.35E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn134	3.76E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134	3.71E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb134m	3.06E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te134	1.62E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134	2.45E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i134m	1.23E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe134	4.45E+02	4.45E+02	4.45E+02	4.45E+02	4.45E+02	4.45E+02	4.45E+02	4.45E+02	4.45E+02	4.45E+02	4.45E+02
xe134m	3.35E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134	8.87E-04	3.70E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs134m	1.09E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba134	3.26E+01	3.26E+01	3.26E+01	3.26E+01	3.26E+01	3.26E+01	3.26E+01	3.26E+01	3.26E+01	3.26E+01	3.26E+01
sn135	1.31E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb135	3.22E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te135	6.34E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i135	1.55E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135	2.32E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe135m	1.24E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs135	1.91E+02	1.91E+02	1.91E+02	1.90E+02	1.90E+02	1.89E+02	1.88E+02	1.87E+02	1.86E+02	1.86E+02	1.85E+02
cs135m	7.51E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba135	1.41E+00	1.41E+00	1.47E+00	1.99E+00	2.56E+00	3.70E+00	4.83E+00	5.40E+00	5.96E+00	6.52E+00	7.08E+00
ba135m	1.78E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sn136	2.00E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb136	2.43E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te136	2.77E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136	2.65E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i136m	6.99E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe136	5.76E+02	5.76E+02	5.76E+02	5.76E+02	5.76E+02	5.76E+02	5.76E+02	5.76E+02	5.76E+02	5.76E+02	5.76E+02
cs136	2.10E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

ba136	5.17E+00	5.17E+00	5.17E+00	5.17E+00	5.17E+00	5.17E+00	5.17E+00	5.17E+00	5.17E+00	5.17E+00	5.17E+00
ba136m	6.37E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 160
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sb137	1.86E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te137	1.87E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i137	8.14E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe137	1.46E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs137	6.31E-02	3.16E-02	5.82E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba137	3.75E+02	3.75E+02	3.75E+02	3.75E+02	3.75E+02	3.75E+02	3.75E+02	3.75E+02	3.75E+02	3.75E+02	3.75E+02
ba137m	9.64E-09	4.82E-09	8.88E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sb138	7.12E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te138	1.76E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i138	1.09E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe138	5.27E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138	1.29E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs138m	4.15E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba138	3.80E+02	3.80E+02	3.80E+02	3.80E+02	3.80E+02	3.80E+02	3.80E+02	3.80E+02	3.80E+02	3.80E+02	3.80E+02
la138	2.28E-03	2.28E-03	2.28E-03	2.28E-03	2.28E-03	2.28E-03	2.28E-03	2.28E-03	2.28E-03	2.28E-03	2.28E-03
sb139	6.94E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te139	1.18E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i139	2.12E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe139	1.93E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs139	3.52E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba139	3.29E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la139	3.61E+02	3.61E+02	3.61E+02	3.61E+02	3.61E+02	3.61E+02	3.61E+02	3.61E+02	3.61E+02	3.61E+02	3.61E+02
ce139	4.65E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr139	3.47E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te140	2.77E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i140	1.88E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe140	4.76E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs140	3.67E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba140	7.12E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la140	9.55E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce140	3.81E+02	3.81E+02	3.81E+02	3.81E+02	3.81E+02	3.81E+02	3.81E+02	3.81E+02	3.81E+02	3.81E+02	3.81E+02
pr140	1.56E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te141	9.78E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i141	1.32E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe141	2.32E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs141	1.12E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba141	6.56E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la141	8.50E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce141	1.69E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr141	3.34E+02	3.34E+02	3.34E+02	3.34E+02	3.34E+02	3.34E+02	3.34E+02	3.34E+02	3.34E+02	3.34E+02	3.34E+02
nd141	8.81E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
te142	7.77E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
i142	1.38E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe142	6.44E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs142	4.51E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba142	3.69E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la142	3.27E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce142	3.36E+02	3.36E+02	3.36E+02	3.36E+02	3.36E+02	3.36E+02	3.36E+02	3.36E+02	3.36E+02	3.36E+02	3.36E+02
pr142	1.11E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr142m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd142	3.57E+00	3.57E+00	3.57E+00	3.57E+00	3.57E+00	3.57E+00	3.57E+00	3.57E+00	3.57E+00	3.57E+00	3.57E+00
i143	3.81E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part C 10000 year criticality at 2.182 kw/package fission products page 161
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
xe143	7.48E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs143	2.51E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba143	7.44E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la143	4.96E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce143	7.00E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr143	6.90E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd143	2.77E+02	2.77E+02	2.77E+02	2.77E+02	2.77E+02	2.77E+02	2.77E+02	2.77E+02	2.77E+02	2.77E+02	2.77E+02
i144	5.59E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe144	1.83E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs144	4.06E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba144	4.74E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la144	2.16E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce144	1.33E-03	3.51E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144	5.58E-08	1.48E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr144m	3.26E-10	8.63E-22	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd144	3.59E+02	3.59E+02	3.59E+02	3.59E+02	3.59E+02	3.59E+02	3.59E+02	3.59E+02	3.59E+02	3.59E+02	3.59E+02
i145	2.35E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe145	1.46E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs145	5.60E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba145	7.91E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la145	9.02E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce145	7.26E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr145	8.67E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd145	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02	2.11E+02
pm145	1.53E-07	4.97E-08	1.58E-24	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm145	7.89E-09	1.57E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
xe146	8.47E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs146	7.92E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba146	2.21E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la146	1.52E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce146	2.57E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr146	4.62E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd146	1.95E+02	1.95E+02	1.95E+02	1.95E+02	1.95E+02	1.95E+02	1.95E+02	1.95E+02	1.95E+02	1.95E+02	1.95E+02
pm146	9.66E-10	2.25E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm146	3.21E-03	3.21E-03	3.21E-03	3.21E-03	3.21E-03	3.21E-03	3.21E-03	3.21E-03	3.21E-03	3.21E-03	3.21E-03
xe147	9.53E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs147	2.56E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba147	1.07E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la147	4.45E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce147	1.34E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr147	2.02E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd147	2.37E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm147	2.07E-03	7.55E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm147	9.34E+01	9.34E+01	9.34E+01	9.34E+01	9.34E+01	9.34E+01	9.34E+01	9.34E+01	9.34E+01	9.34E+01	9.34E+01
cs148	1.77E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba148	1.82E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la148	3.31E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce148	9.38E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr148	2.58E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd148	1.07E+02	1.07E+02	1.07E+02	1.07E+02	1.07E+02	1.07E+02	1.07E+02	1.07E+02	1.07E+02	1.07E+02	1.07E+02
pm148	1.33E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm148m	1.03E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sm148	3.06E+01	3.06E+01	3.06E+01	3.06E+01	3.06E+01	3.06E+01	3.06E+01	3.06E+01	3.06E+01	3.06E+01	3.06E+01
cs149	1.76E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba149	2.32E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la149	2.14E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce149	4.48E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr149	1.72E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd149	8.37E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm149	2.58E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm149	6.96E-01	6.96E-01	6.96E-01	6.96E-01	6.96E-01	6.96E-01	6.96E-01	6.96E-01	6.96E-01	6.96E-01	6.96E-01
eu149	1.68E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
cs150	1.15E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba150	2.92E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la150	8.72E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce150	1.48E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr150	4.70E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd150	5.04E+01	5.04E+01	5.04E+01	5.04E+01	5.04E+01	5.04E+01	5.04E+01	5.04E+01	5.04E+01	5.04E+01	5.04E+01
pm150	3.73E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm150	8.32E+01	8.32E+01	8.32E+01	8.32E+01	8.32E+01	8.32E+01	8.32E+01	8.32E+01	8.32E+01	8.32E+01	8.32E+01
eu150	2.92E-08	1.64E-08	1.14E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ba151	1.03E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la151	1.77E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce151	1.05E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr151	7.26E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd151	4.73E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm151	6.56E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm151	3.06E-02	2.43E-02	1.38E-05	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu151	5.60E+00	5.60E+00	5.63E+00	5.63E+00	5.63E+00	5.63E+00	5.63E+00	5.63E+00	5.63E+00	5.63E+00	5.63E+00
ba152	2.82E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la152	5.76E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce152	7.40E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr152	7.76E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd152	2.79E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152	1.04E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm152m	6.24E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm152	3.79E+01	3.79E+01	3.79E+01	3.79E+01	3.79E+01	3.79E+01	3.79E+01	3.79E+01	3.79E+01	3.79E+01	3.79E+01
eu152	3.58E-03	7.52E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu152m	1.55E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd152	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00	1.31E+00
la153	6.68E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce153	7.22E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr153	2.31E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd153	1.56E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm153	8.94E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm153	2.21E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu153	2.84E+01	2.84E+01	2.84E+01	2.84E+01	2.84E+01	2.84E+01	2.84E+01	2.84E+01	2.84E+01	2.84E+01	2.84E+01
gd153	1.13E-06	2.49E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
la154	8.03E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce154	1.01E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr154	9.51E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd154	4.15E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154	1.34E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm154m	4.24E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1
Part C 10000 year criticality at 2.182 kw/package fission products page 163
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams

basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

	initial	25030. yr	26000. yr	35000. yr	45000. yr	65000. yr	85000. yr	95000. yr	105000. yr	115000. yr	125000. yr
sm154	9.44E+00	9.44E+00	9.44E+00	9.44E+00	9.44E+00	9.44E+00	9.44E+00	9.44E+00	9.44E+00	9.44E+00	9.44E+00
eu154	1.88E-03	1.67E-04	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd154	9.29E+00	9.30E+00	9.30E+00	9.30E+00	9.30E+00	9.30E+00	9.30E+00	9.30E+00	9.30E+00	9.30E+00	9.30E+00
la155	4.23E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ce155	2.35E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr155	2.27E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd155	6.24E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm155	3.73E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm155	1.28E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu155	1.42E-04	1.67E-06	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd155	7.60E-01	7.60E-01	7.60E-01	7.60E-01	7.60E-01	7.60E-01	7.60E-01	7.60E-01	7.60E-01	7.60E-01	7.60E-01
ce156	2.08E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr156	1.04E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd156	2.14E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm156	4.60E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm156	1.86E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu156	7.30E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd156	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01	1.21E+01
ce157	3.64E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pr157	1.68E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd157	6.43E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm157	8.53E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm157	1.53E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu157	1.81E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd157	1.55E-02	1.55E-02	1.55E-02	1.55E-02	1.55E-02	1.55E-02	1.55E-02	1.55E-02	1.55E-02	1.55E-02	1.55E-02
pr158	4.04E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd158	1.21E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm158	1.26E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm158	5.03E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu158	4.81E-10	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd158	3.41E+00	3.41E+00	3.41E+00	3.41E+00	3.41E+00	3.41E+00	3.41E+00	3.41E+00	3.41E+00	3.41E+00	3.41E+00
pr159	1.88E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
nd159	2.67E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm159	2.02E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm159	9.01E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu159	8.96E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd159	7.28E-09	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb159	5.22E-01	5.22E-01	5.22E-01	5.22E-01	5.22E-01	5.22E-01	5.22E-01	5.22E-01	5.22E-01	5.22E-01	5.22E-01
nd160	2.19E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm160	5.54E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm160	1.16E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu160	1.48E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd160	2.34E-01	2.34E-01	2.34E-01	2.34E-01	2.34E-01	2.34E-01	2.34E-01	2.34E-01	2.34E-01	2.34E-01	2.34E-01
tb160	1.70E-07	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy160	4.34E-02	4.34E-02	4.34E-02	4.34E-02	4.34E-02	4.34E-02	4.34E-02	4.34E-02	4.34E-02	4.34E-02	4.34E-02
nd161	3.62E-19	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
pm161	7.48E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm161	1.48E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu161	5.20E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd161	4.07E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb161	1.11E-08	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00

1

Part C 10000 year criticality at 2.182 kw/package fission products page 164
decay, following reactor irradiation identified by: power= 1.039E-04mw, burnup=3.7952E+02mwd, flux= 2.93E+08n/cm**2-sec
0 nuclide concentrations, grams
basis =B&W 15x15, 3.00wt%, 20gwd/mtu /per assem

initial 25030. yr 26000. yr 35000. yr 45000. yr 65000. yr 85000. yr 95000. yr 105000. yr 115000. yr 125000. yr

dy161	8.43E-02	8.43E-02	8.43E-02	8.43E-02	8.43E-02	8.43E-02	8.43E-02	8.43E-02	8.43E-02	8.43E-02	8.43E-02
pm162	2.11E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
sm162	2.76E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu162	5.38E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd162	4.26E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162	4.02E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb162m	1.42E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy162	5.92E-02	5.92E-02	5.92E-02	5.92E-02	5.92E-02	5.92E-02	5.92E-02	5.92E-02	5.92E-02	5.92E-02	5.92E-02
sm163	5.25E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu163	4.75E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd163	2.77E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163	4.09E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb163m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy163	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02	3.93E-02
sm164	4.39E-18	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu164	1.11E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd164	1.16E-12	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb164	2.31E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy164	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02
sm165	7.70E-20	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
eu165	1.10E-17	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
gd165	8.15E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tb165	5.70E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165	5.52E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
dy165m	3.75E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho165	1.07E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02
dy166	2.40E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166	9.61E-11	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
ho166m	5.59E-07	5.50E-07	3.14E-07	1.73E-09	5.37E-12	5.16E-17	4.96E-22	1.54E-24	4.76E-27	1.48E-29	4.58E-32
er166	1.77E-03	1.77E-03	1.77E-03	1.77E-03	1.77E-03	1.77E-03	1.77E-03	1.77E-03	1.77E-03	1.77E-03	1.77E-03
er167	2.83E-05	2.83E-05	2.83E-05	2.83E-05	2.83E-05	2.83E-05	2.83E-05	2.83E-05	2.83E-05	2.83E-05	2.83E-05
er167m	6.16E-21	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er168	2.43E-05	2.43E-05	2.43E-05	2.43E-05	2.43E-05	2.43E-05	2.43E-05	2.43E-05	2.43E-05	2.43E-05	2.43E-05
yb168	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er169	1.16E-13	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm169	7.75E-07	7.75E-07	7.75E-07	7.75E-07	7.75E-07	7.75E-07	7.75E-07	7.75E-07	7.75E-07	7.75E-07	7.75E-07
yb169	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
er170	8.24E-07	8.24E-07	8.24E-07	8.24E-07	8.24E-07	8.24E-07	8.24E-07	8.24E-07	8.24E-07	8.24E-07	8.24E-07
tm170	1.01E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm170m	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb170	4.84E-09	4.84E-09	4.84E-09	4.84E-09	4.84E-09	4.84E-09	4.84E-09	4.84E-09	4.84E-09	4.84E-09	4.84E-09
er171	5.31E-15	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm171	1.22E-11	2.41E-16	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb171	1.10E-06	1.10E-06	1.10E-06	1.10E-06	1.10E-06	1.10E-06	1.10E-06	1.10E-06	1.10E-06	1.10E-06	1.10E-06
er172	2.07E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
tm172	2.82E-14	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00	.00E+00
yb172	7.02E-07	7.02E-07	7.02E-07	7.02E-07	7.02E-07	7.02E-07	7.02E-07	7.02E-07	7.02E-07	7.02E-07	7.02E-07
total	9.97E+03	9.97E+03	9.97E+03	9.97E+03	9.97E+03	9.97E+03	9.97E+03	9.97E+03	9.97E+03	9.97E+03	9.97E+03

1

1broad group parameters

grp	upper energy	mid energy	velocity	fiss spec
1	2.0000E+07	2.6656E+06	1.9708E+09	7.2287E-01
2	9.0000E+05	1.5177E+05	1.0210E+07	2.7713E-01
3	4.0000E-01	1.2448E-01	3.6380E+05	1.2042E-10
4	1.0000E-05			

1 1200 d, second part of sas2h pass to make library

0cell averaged fluxes

0zone	grp. 1	grp. 2	grp. 3
1	3.92924E-01	1.13410E+00	2.09377E-01
2	3.98193E-01	1.13511E+00	2.00378E-01
3	4.01162E-01	1.13526E+00	1.96343E-01
4	4.18364E-01	1.13645E+00	1.67443E-01
5	4.16670E-01	1.13631E+00	1.70246E-01