

Final Report on the Arizona Phase of SciDAC award DE-FC02-06ER41452 at the University of Arizona

A. Burrows¹

1. INTRODUCTION

This document serves as the final report for the Arizona phase (DE-FC02-06ER41452) of my SciDAC award (entitled "SciDAC Computational Astrophysics Consortium" (CAC), overall PI Stan Woosley at UCSC). It includes a statement on personnel funded, science accomplished at Arizona, collaborations inaugurated and pursued, leverage provided by the SciDAC award, and publications generated. Should you require any further information, please don't hesitate to inquire of Adam Burrows (PI) at burrows@astro.princeton.edu. The project is now entering its second phase, now at Princeton University under award number DE-FG02-08ER41544, but has closed out as of March 14, 2008 at Arizona.

2. PERSONNEL

- University of Arizona - The co-PI's were Burrows and Hubeny. The postdoc supported by SciDAC was Dessart. Burrows moved to Princeton University this January 2008 and has moved the Arizona effort with him. Postdoc Dessart joined him in Princeton near the start of the grant year (March 15, 2008) and it is expected that Hubeny will join him later in 2008. Funds to support Hubeny in this SciDAC project will come from startup monies provided to Burrows by Princeton. An additional postdoc, Ott, was being paid by JINA to work on projects of interest to the CAC, in particular general relativistic hydrodynamics and r-process nucleosynthesis. During the last grant year, the SciDAC award at Arizona supported half-time visualization specialist Fisher, who received such support under SciDAC through March 14, 2008. After that he was supported through June 2008 under an NSF award to Burrows that remained at Arizona, and will terminate June 30, 2008. After that at Princeton, the Burrows SciDAC projects will receive visualization support through the PICSciE computer cluster initiative there and through his startup funds. Graduate student Murphy was supported under SciDAC through March 14, 2008, after which he received support from the same

¹Department of Astrophysical Sciences, Princeton University, Princeton, NJ 08544; burrows@astro.princeton.edu; formerly at the University of Arizona

NSF award mentioned above. He finishing his Ph. D. thesis (which is mostly to develop and employ the BETHE-hydro code under SciDAC) on June 16, 2008. Recruitment is in progress for another SciDAC postdoc, to be funded by Princeton. Work at Arizona focused on core-collapse supernovae and radiation transport and will be continued at Princeton the next three years.

3. SCIENCE

3.1. At the University of Arizona

Team members at the University of Arizona worked chiefly on radiation transport and models for core collapse supernovae, and have recently published papers on MHD jets from core collapse.

Burrows, Dessart, and Ott (along with collaborator Eli Livne of Hebrew University) have recently published state-of-the-art models of MHD-driven explosions of the rapidly rotating cores of massive stars. The code used is an updated version of VULCAN/2D that includes magnetic fields and magnetic torques. In the context of rapidly rotating Chandrasekhar cores, they have determined the jet powers, detailed driving mechanisms, critical rotation rates for MHD domination, spindown rates, and degree of collimation. The relative roles of Poynting and hydrodynamic fluxes were studied and the possible connection with hypernova explosions was explored. Moreover, the protoneutron star stage before black hole formation in the collapsar model of GRBs was investigated and the possibility that a baryon-loaded jet phase may always proceed the collapsar phase was investigated. They also studied MHD-driven explosions after the accretion-induced collapse of white dwarfs in binaries.

Hubeny and Burrows published an extensive paper on the BETHE-transport scheme. Developed under SciDAC, BETHE-transport is a multi-D, multi-group, multi-angle, velocity-dependent radiation transport code. The BETHE-hydro code has been developed by Burrows and graduate student Murphy (whose Ph.D. thesis this is) and is an ALE code with an unstructured mesh. The coupling between the transport and hydro variants to create BETHE is now underway and should be completed in the next six-eight months. The result will be the only fully multi-D, multi-angle, multi-group supernova code in existence and can be used for both neutrinos and photons.

Burrows and Hubeny have begun their collaboration with Bell at LBNL and Howell and Singer at LLNL to develop a 3D multi-group flux-limited diffusion rad/hydro code, CASTRO. One application of this code will be to further their multi-D study of core-collapse supernovae and to create an all-purpose 3D radiation/hydro capability for general astrophys-

ical simulation.

Burrows, Ott, Dessart, Livne, and Murphy are continuing their investigation of the acoustic mechanism they have seen in their long-term supernova simulations, in particular the progenitor dependence and the r-process nucleosynthesis. With K. Otsuki, they have calculated the r-process yields of these explosions and a paper is in progress.

Ott and Burrows are using the S_n multi-angle variant of VULCAN/2D to compare the neutrino heating rates and net gain behind the stalled shock using this more precise approach to what the multi-group, flux-limited diffusion (MGFLD) approach gives. This is the only multi-D (2D), multi-angle, multi-group exploration of the neutrino radiation field and emissions ever undertaken, except for an earlier paper by Livne et al. (2004) which covered only 22 milliseconds of evolution. This work covers hundreds of milliseconds of evolution. All the rest of the published work in the field has been flux-limited or ray-by-ray (multiple 1D calculations).

Murphy interacted with David Keyes of TOPS to develop a robust Poisson solver for unstructured meshes that is now used in BETHE-hydro. Christian Ott partnered with PERI to optimize their 3D general-relativistic collapse hydro code, Cactus/Carpet/Whisky ("CCW"), and Burrows and Fisher partnered with Janet Jacobsen of the VisIt visualization group at LBNL under Wes Bethel to support and expand our visualization efforts.

Using the supernova spectral code, CMFGEN, Dessart has modeled numerous Type IIP and IIn supernovae and calibrated their use as distance standards. Recently, Dessart has incorporated time-dependent level populations and ionization into CMFGEN and has used the updated code to compare with measured supernova spectra, obtaining unprecedentedly good fits. He, Hillier (Pittsburgh), and Burrows will soon generate theoretical Type Ia spectra in support of the overall Type Ia cosmological effort and spectral code comparison protocol planned under the SciDAC/CAC. Along with Burrows, Dessart is developing a general supernova light curve simulation capability to be applied to the analysis of supernova data obtained over the last 5 years and anticipated in the next.

4. COLLABORATIONS AND INTERACTIONS

4.1. With SciDAC Centers

The Arizona team also interacted with TOPS to develop a robust Poisson solver for unstructured meshes to be used in BETHE, and is starting to partner with PERI to optimize their 3D general-relativistic collapse hydro code, Cactus/Carpet/Whisky ("CCW"). It

is partnered with the VisIt visualization group at LBNL under Wes Bethel (with Cristina Siegerist collaborating with Arizona's Don Fisher) to support and expand Arizona's visualization efforts. The Arizona team collaborated with APDEC PI John Bell (LBNL), Louis Howell (LLNL), and Mike Singer (LLNL) to create the 3D CASTRO AMR radhydro code, in particular its transport module.

5. LEVERAGE AND COMPUTER TIME AWARDS

- Team members at Arizona (now at Princeton) have leveraged SciDAC funds with complementary NSF funds, in particular from the PFC JINA and through a direct individual-investigator grant to PI Burrows. In addition, the Arizona team obtained a computer allocation on NASA's Columbia machine to perform supernova simulations of relevance to their SciDAC efforts. Finally, Burrows negotiated a startup package from Princeton University that provides computer clusters and visualization expertise in support of his SciDAC projects and a one-to-one match of SciDAC funds transferred to Princeton.

6. PUBLICATIONS

6.1. Adam Burrows, PI and Collaborators

Burrows, A., Livne, E., Dessart, L., Ott, C. D. and Murphy, J., "A New Mechanism for Core-Collapse Supernova Explosions," *Astrophys. J.*, **640**, 878, (2006).

Burrows, A., Livne, E., Dessart, L., Ott, C. D., and Murphy, J., "Features of the Acoustic Mechanism of Core-Collapse Supernova Explosions," *Astrophys. J.*, **655**, 416, (2007).

Burrows, A., Dessart, L., Livne, E., Ott, C.D., and Murphy, J., "Simulations of Magnetically-Driven Supernova and Hypernova Explosions in the Context of Rapid Rotation," *Astrophys. J.*, **664**, 416, (2007).

Burrows, A., Dessart, L., Livne, E., and Ott, C. D., "Multi-Dimensional Explorations in Supernova Theory", published in the refereed "Centennial Festschrift for Hans Bethe," Physics Reports (Elsevier: Holland), ed. G.E. Brown, E. van den Heuvel, and V. Kalogera, (2006) (astro-ph/0612460).

Burrows, A., Dessart, L., Livne, E., and Ott, C. D., "New ideas in the theory of core-

collapse supernova explosions", to be published in the refereed proceedings of the International Symposium on Nuclear Astrophysics - Nuclei in the Cosmos - IX, held in CERN, Geneva, Switzerland, 25-30 June (Proceedings of Science: PoS, SISSA, Trieste), eds. A. Mengoni and M. Lindroos, (2006).

Burrows, A., Dessart, L., Livne, E., and Ott, E., "Surprises in the Theory of Core-Collapse Supernova Explosions," published in the Proceedings of the International Astronomy Meeting "The Multicoloured Landscape of Compact Objects and their Explosive Origins (First Week: Gamma-ray Bursts, Magnetars, and Supernovae)," ed. L. Burderi et al., held in Cefalù, Sicily (Italy), June 11 - 24, 2006.

Burrows, A., Dessart, L., and Livne, E., "The Multi-Dimensional Character and Mechanisms of Core-Collapse Supernovae," in the proceedings of the conference "SUPERNOVA 1987A: 20 YEARS AFTER: Supernovae and Gamma-Ray Bursters," (AIP Proceedings Series), held in Aspen, CO, February 19-23, 2007.

Dessart, L., Burrows, A., Ott, C. D., and Livne, E., "Multi-Dimensional Radiation/Hydrodynamic Simulations of Protoneutron Star Convection," *Astrophys. J.*, **645**, 534, (2006)

Dessart, L., Burrows, A., Ott, C.D., and Livne, E., "Magnetically-Driven Explosions of Rapidly-Rotating White Dwarfs Following Accretion-Induced Collapse," *Astrophys. J.*, **669**, 585, (2007).

Dessart, L., Burrows,A., Ott, C. D., Livne, E., Yoon, S.-Y., and Langer, N., "Multi-Dimensional Simulations of the Accretion-Induced Collapse of White Dwarfs to Neutron Stars," *Astrophys. J.*, **644**, 1063, (2006).

Dessart, L. and Hillier, J., "Quantitative spectroscopic analysis of and distance to SN1999em," *Astronomy and Astrophysics*, **447**, 691, (2006).

Dessart, L. and Hillier, J., "Time-dependence Effects in Photospheric-Phase Type II Supernova Spectra," American Institute of Physics Conference Series, **924**, 441, (2007) and accepted to *MNRAS*, arXiv:0710.0784, (2007).

Dessart, L. et al., "Using Quantitative Spectroscopic Analysis to Determine the Properties and Distances of Type II-Plateau Supernovae: SNe 2005cs and 2006bp," accepted to *MNRAS*, arXiv:0711.1815, (2007).

Dessart, L., Burrows, A., Ott, C. D., and Livne, E., "Multi-Dimensional Simulations of the Accretion-Induced Collapse of White Dwarfs to Neutron Stars", published in the Proceedings of the International Astronomy Meeting "The Multicolored Landscape of Compact Objects and their Explosive Origins (First Week: Gamma-ray Bursts, Magnetars, and

Supernovae)," ed. Amedeo Tornambé, held in Cefalù, Sicily (Italy), June 11 - 24, 2006.

Dessart, L., Burrows, A., Livne, E., Ott, C.D., "The Protoneutron Star Phase of the Collapsar Model and the Route to Long-Soft Gamma-ray Bursts and Hypernovae," submitted to *Astrophys. J.*, October 30, 2007 (arXiv:0710.5789).

Hubeny, I., and Burrows, A., "A New Algorithm for 2-D Transport for Astrophysical Simulations: I. General Formulation and Tests for the 1-D Spherical Case," *Astrophys. J.*, **659**, 1458, (2007) (BETHE-transport).

Livne, E., Dessart, L., Burrows, A., and Meakin, C. A., "A Two-Dimensional Magnetohydrodynamics Scheme for General Unstructured Grids", *Astrophys. J. Suppl.*, **170**, 187, (2007).

Murphy, J. and Burrows, A., "BETHE-hydro: A New Algorithm for Simulating the Supernova Mechanism," in the proceedings of the conference "SUPERNOVA 1987A: 20 YEARS AFTER: Supernovae and Gamma-Ray Bursters," (AIP Proceedings Series), held in Aspen, CO, February 19-23, 2007.

Ott, C.D., Burrows, A., Thompson, T., Livne, E., and Walder, R., "The Spin Periods and Rotational Profiles of Neutron Stars at Birth," *Astrophys. J. Suppl.*, **164**, 130, (2006).

Ott, C.D., Burrows, A., Dessart, L., and Livne, E., "A New Mechanism for the Gravitational Wave Signatures of Core-Collapse Supernovae," *Phys. Rev. Letters*, **96**, 201102, (2006)

Summerscales, T., Burrows, A., Finn, L.S., and Ott, C.D., "Maximum Entropy for Gravitational Wave Data Analysis: Inferring the Physical Parameters of Core-Collapse Supernovae," *Astrophys. J.*, **678**, 1142, (2008) (<http://arxiv.org/abs/0704.2157>).

Murphy, J.M. and Burrows, A., "BETHE-Hydro: An Arbitrary Lagrangian-Eulerian Multi-dimensional Hydrodynamics Code for Astrophysical Simulations," accepted to *Astrophys. J. Suppl.*, 2008 (arXiv:0805.3356).

Ott, C.D., Burrows, A., Dessart, L., and Livne, E., "2D Multi-Angle, Multi-Group Neutrino Radiation-Hydrodynamic Simulations of Postbounce Supernova Cores," submitted to *Astrophys. J.*, 2008.

Murphy, J.M. and Burrows, A., "Criteria for Core-Collapse Supernova Explosions by the Neutrino Mechanism," submitted to *Astrophys. J.*, 2008 (arXiv:0805.3345).