



CONFIRMATORY SURVEY REPORT FOR AREA B1S/B2S

CHEVRON MINING
WASHINGTON REMEDIATION PROJECT,
WASHINGTON, PENNSYLVANIA

W. C. Adams

Prepared for the
Office of Federal and State Materials and
Environmental Management Programs
U.S. Nuclear Regulatory Commission

 **ORISE**

Oak Ridge Institute for Science and Education

Approved for public release; further dissemination unlimited.

The Oak Ridge Institute for Science and Education (ORISE) is a U.S. Department of Energy facility focusing on scientific initiatives to research health risks from occupational hazards, assess environmental cleanup, respond to radiation medical emergencies, support national security and emergency preparedness, and educate the next generation of scientists. ORISE is managed by Oak Ridge Associated Universities. Established in 1946, ORAU is a consortium of 96 colleges and universities.

NOTICES

The opinions expressed herein do not necessarily reflect the opinions of the sponsoring institutions of Oak Ridge Associated Universities.

This report was prepared as an account of work sponsored by the United States Government. Neither the United States Government nor the U.S. Department of Energy, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement or recommendation, or favor by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

**CONFIRMATORY SURVEY REPORT FOR AREA B1S/B2S,
CHEVRON MINING WASHINGTON REMEDIATION PROJECT
WASHINGTON, PENNSYLVANIA**

Prepared by
W. C. Adams

Oak Ridge Institute for Science and Education
Oak Ridge, Tennessee 37831-0017


Prepared for the
Office of Federal and State Materials and Environmental Management Programs
U.S. Nuclear Regulatory Commission

NOVEMBER 2007

This report is based on work performed under an Interagency Agreement (NRC Fin. No. J-5403) between the U.S. Nuclear Regulatory Commission and the U.S. Department of Energy. The Oak Ridge Institute for Science and Education performs complementary work under a contract with the U.S. Department of Energy.

CONFIRMATORY SURVEY REPORT FOR AREA B1S/B2S,
CHEVRON MINING WASHINGTON REMEDIATION PROJECT
WASHINGTON, PENNSYLVANIA


Prepared by:



Date: 11/20/2007

W. C. Adams, Project Leader
Independent Environmental Assessment and Verification

Reviewed by:



Date: 11/20/07

S. J. Roberts, Survey Projects Manager
Independent Environmental Assessment and Verification


Reviewed by:



Date: 11/20/07

R. D. Condra, Laboratory Manager
Independent Environmental Assessment and Verification

Reviewed by:



Date: 11/20/07

A. T. Payne, Quality Manager
Independent Environmental Assessment and Verification

**CONFIRMATORY SURVEY REPORT FOR AREA B1S/B2S,
CHEVRON MINING WASHINGTON REMEDIATION PROJECT
WASHINGTON, PENNSYLVANIA**

INTRODUCTION

The U.S. Nuclear Regulatory Commission (NRC) requested the Oak Ridge Institute for Science and Education (ORISE) interface with Pennsylvania Department of Environmental Protection (PADEP) personnel in a joint effort to perform confirmatory radiological surveys of the Chevron Mining Washington Remediation Project (CMWRP) facility in Washington, Pennsylvania (Figure 1). The ORISE confirmatory radiological surveys consisted of gamma scans, soil sampling and the review of available final status survey (FSS) data. PADEP personnel will continue to submit soil samples that they collect to ORISE for analyses. PADEP sample results will be provided to the NRC and PADEP in a separate report so that decisions regarding the radiological status of the surveyed areas can be determined.

ORISE performed radiological surveys during the period of October 2 and 3, 2007. The area available for ORISE radiological survey activities included Area B1S/B2S. The CMWRP final status survey (FSS) scan results for these areas were reviewed prior to ORISE survey activities; CMWRP's site contractor, Malcolm Pirnie (MP), was in the process of collecting the FSS soil samples during ORISE confirmatory survey activities. Figure 2 depicts the CMWRP Areas A through D; ORISE surveys performed during this trip were limited to portions of Area B.

PROCEDURES

Confirmatory surveys conducted by ORISE, in Area B1S/B2S, were performed in accordance with a site-specific survey plan that was submitted to and approved by the NRC (ORISE 2006). The site-specific survey plan follows the guidance provided in the ORISE Survey Procedures and Quality Program Manuals (ORISE 2007a and 2007b).

SURFACE SCANS

Area B1S/B2S

Gamma surface scans were performed on approximately 75% of accessible land areas within Area B1S/B2S using sodium iodide (NaI) scintillation detectors coupled to ratemeters with audible indicators. Due to the elevated gamma radiation levels associated with a soil pile and another adjacent area that had yet to be remediated, the eastern section of these areas were not surveyed by ORISE.

SOIL SAMPLING

Background Soil Samples

Background surface (0 to 0.5 ft) soil samples were collected at six judgmental locations in the immediate vicinity of the CMWRP facility during a previous survey (ORISE 2007c). Background samples were collected since the soil concentration limits for the site are intended to be applied after correcting for natural background radioactivity in soil (MP 2005).

Area B1S/B2S

ORISE collected 20 judgmental soil samples from Area B1S/B2S based on elevated gamma radiation levels determined by the surface scan results (Figure 3). In order to directly compare soil sample concentrations with MWRP guidelines, ORISE collected a two-foot core sample from each sampling location as specified in the approved technical basis document (TBD) for sampling lifts (MP 2005).

SAMPLE ANALYSIS AND DATA INTERPRETATION

Radiological data and sample media were returned to the ORISE laboratory in Oak Ridge, TN for analysis and interpretation. Radioanalyses were performed in accordance with the ORISE Laboratory Procedures Manual (ORISE 2007d). The soil samples were analyzed by gamma spectroscopy for the primary radionuclides-of-concern [ROC (i.e., Ra-226, thorium and uranium)]. However, spectra were also reviewed for other identifiable total absorption peaks. The soil sample radionuclide concentrations were reported in units of picocuries per gram (pCi/g).

FINDINGS AND RESULTS

SURFACE SCANS

Gamma surface scans identified multiple locations of elevated direct gamma radiation on the excavated soil surface in Area B1S/B2S. Additional investigations determined that the majority of the elevated gamma radiation locations detected were due to slag materials that remained within the excavation. MP personnel removed several pieces of slag and disposed of them as radiological waste.

SOIL SAMPLING

Background Soil Samples

Background surface soil concentration ranges and average concentrations are listed in the table below.

Range (and Average) of Radionuclide Concentrations in Background Soil Samples (pCi/g)		
Ra-226	Total Thorium	Total Uranium
0.74 to 1.04 (0.89)	1.33 to 3.05 (2.57)	1.96 to 4.3 (3.0)

A complete listing of the background soil sample radionuclide concentrations is provided in Table 1 of the ORISE report issued on August 30, 2007 (ORISE 2007d).

Area B1S/B2S

ORISE collected soil samples from eight judgmental sample locations where elevated radiation levels were detected during field scanning. The radionuclide concentration ranges (backgrounds subtracted) for these judgmental samples were as follows:

Range of Radionuclide Concentrations in Judgmental Soil Samples from Area B1S/B2S (pCi/g)^a		
Ra-226	Total Thorium	Total Uranium
-0.17 to 1.95	-0.22 to 89.4	-1.3 to 9.5

^aAverage backgrounds subtracted.

ORISE also collected four samples from adjacent grid blocks in the same soil sampling layer to determine grid block averaging at three locations (twelve total judgmental samples) within the surveyed areas. The radionuclide concentration ranges (backgrounds subtracted) for the three grid blocks (twelve total judgmental samples) were as follows:

Range of Radionuclide Concentrations in Judgmental Grid Block Soil Samples from Area B1S/B2S (pCi/g)^a		
Ra-226	Total Thorium	Total Uranium
-0.05 to 5.65	-0.22 to 207	-0.9 to 24.6

^aAverage backgrounds subtracted.

A complete listing of the Area B1S/B2S soil sample radionuclide concentrations is provided in Table 1.

SUBSURFACE SOIL GUIDELINES COMPARISON

Table 4-2 of MP's TBD, containing the subsurface soil guidelines, is presented as Table 2 in this report (MP 2005). The confirmatory soil sample results from Area B1S/B2S indicated that two judgmental soil samples exceeded the average guideline level of 53.0 and 73.8 pCi/g total thorium at the 8 to 10 and 12 to 14 foot layers (locations 73 and 63, respectively). Sample 73 also exceeded the maximum in layer criteria of 69.2 pCi/g at the 8 to 10 foot layer. The other judgmental sample (sample 63) and the grid block average samples were well below the applicable soil averaging limits.

SUMMARY

During the period of October 2 and 3, 2007, the Oak Ridge Institute for Science and Education (ORISE) performed confirmatory radiological survey activities which included gamma surface scans within Area B1S/B2S and the collection of soil samples from these areas.

Gamma surface scans identified multiple locations of elevated direct gamma radiation within Area B1S/B2S. Additional investigation of these locations indicated that the majority of the elevated radiation levels were attributable to slag material that remained within the Area B1S/B2S excavation. Several pieces of slag material were removed by CMWRP personnel and ORISE collected soil samples from several of these locations. The soil sample results from these locations indicated residual radium, thorium and uranium concentrations above background levels; at two locations, the total thorium concentrations exceeded the site-specific subsurface averaging criteria. ORISE also collected four samples from adjacent grid blocks for a grid block averaging determination at three locations within the surveyed area. These results were well below the site criteria.

FIGURES




FIGURE 1: Location of Chevron Mining Washington Remediation Project –
Washington, Pennsylvania




FIGURE 2: Chevron Mining Washington Remediation Project – Plot Plan




FIGURE 3: Area B1S/B2S – Soil Sampling Locations

TABLES

TABLE 1

**RADIONUCLIDE CONCENTRATIONS IN SOIL SAMPLES COLLECTED BY ORISE
FROM AREA B1S/B2S
CHEVRON MINING WASHINGTON REMEDIATION PROJECT
WASHINGTON, PENNSYLVANIA**

ORISE Sample ID	Sample Depth (ft) ^a	Radionuclide Concentrations in Soil Samples (pCi/g)						
		Ra-226	Th-228	Th-232	Total Thorium ^b	U-235	U-238	Total Uranium ^c
Background Samples^d								
<i>BKG Average</i>	<i>0 to 0.5</i>	<i>0.89 ± 0.26^e</i>	<i>1.26 ± 0.26</i>	<i>1.31 ± 0.57</i>	<i>2.57 ± 0.62</i>	<i>0.10 ± 0.37</i>	<i>1.5 ± 1.8</i>	<i>3.0 ± 3.6</i>
Area B1S/B2S Judgmental Soil Samples^{fg}								
1706S0063	12 to 14	1.95 ± 0.50	43.7 ± 2.6	45.7 ± 3.8	89.4 ± 4.6	-0.21 ± 0.57	4.8 ± 3.4	9.5 ± 6.8
1706S0064	10 to 12	-0.17 ± 0.28	0.33 ± 0.28	0.44 ± 0.60	0.77 ± 0.66	-0.03 ± 0.38	-0.4 ± 1.9	-0.8 ± 3.7
1706S0069	10 to 12	0.33 ± 0.32	3.53 ± 0.40	3.89 ± 0.77	7.42 ± 0.86	-0.05 ± 0.41	1.9 ± 2.2	3.8 ± 4.4
1706S0070	10 to 12	-0.06 ± 0.29	-0.04 ± 0.28	-0.18 ± 0.61	-0.22 ± 0.66	-0.02 ± 0.38	-0.7 ± 1.9	-1.3 ± 3.8
1706S0071	8 to 10	0.03 ± 0.32	2.07 ± 0.34	2.24 ± 0.70	4.31 ± 0.77	-0.08 ± 0.40	-0.5 ± 2.1	-1.0 ± 4.1
1706S0072	6 to 8	0.18 ± 0.28	0.23 ± 0.28	0.32 ± 0.61	0.55 ± 0.67	0.06 ± 0.39	0.1 ± 1.9	0.3 ± 3.8
1706S0073	8 to 10	1.27 ± 0.42	35.0 ± 2.0	35.9 ± 3.1	70.9 ± 3.7	-0.27 ± 0.54	4.0 ± 2.8	7.8 ± 5.5
1706S0078	8 to 10	0.35 ± 0.35	9.89 ± 0.71	10.2 ± 1.2	20.0 ± 1.4	0.12 ± 0.45	1.1 ± 2.4	2.4 ± 4.8

TABLE 1 (continued)

**RADIONUCLIDE CONCENTRATIONS IN SOIL SAMPLES COLLECTED BY ORISE
FROM AREA B1S/B2S
CHEVRON MINING WASHINGTON REMEDIATION PROJECT
WASHINGTON, PENNSYLVANIA**

ORISE Sample ID	Sample Depth (ft) ^a	Radionuclide Concentrations in Soil Samples (pCi/g)						
		Ra-226	Th-228	Th-232	Total Thorium ^b	U-235	U-238	Total Uranium ^c
Area B1S/B2S Judgmental Grid Block Samples^{f,g}								
1706S0059	10 to 12	0.29 ± 0.34	7.11 ± 0.56	7.47 ± 0.99	14.6 ± 1.1	-0.11 ± 0.43	1.6 ± 2.4	3.2 ± 4.8
1706S0060	10 to 12	-0.05 ± 0.28	0.34 ± 0.28	0.46 ± 0.61	0.80 ± 0.67	-0.05 ± 0.39	0.3 ± 2.0	0.6 ± 3.9
1706S0061	10 to 12	0.01 ± 0.29	-0.08 ± 0.28	-0.04 ± 0.60	-0.12 ± 0.66	-0.01 ± 0.38	0.0 ± 1.9	0.1 ± 3.8
1706S0062	10 to 12	0.21 ± 0.30	4.54 ± 0.44	4.31 ± 0.79	8.85 ± 0.90	-0.04 ± 0.41	0.5 ± 2.1	1.1 ± 4.2
<i>Grid Average^b</i>	<i>10 to 12</i>	<i>0.12 ± 0.61</i>	<i>2.98 ± 0.82</i>	<i>3.1 ± 1.5</i>	<i>6.0 ± 1.7</i>	<i>-0.05 ± 0.80</i>	<i>0.6 ± 4.2</i>	<i>1.3 ± 8.4</i>
1706S0065	10 to 12	0.08 ± 0.30	2.72 ± 0.35	2.80 ± 0.70	5.52 ± 0.78	-0.15 ± 0.39	0.5 ± 2.0	1.0 ± 3.9
1706S0066	12 to 14	1.57 ± 0.41	15.09 ± 0.98	14.7 ± 1.5	29.8 ± 1.8	0.05 ± 0.46	3.0 ± 2.3	6.2 ± 4.6
1706S0067	10 to 12	-0.05 ± 0.27	-0.14 ± 0.27	-0.03 ± 0.59	-0.17 ± 0.65	-0.06 ± 0.39	-0.4 ± 1.9	-0.9 ± 3.7
1706S0068	10 to 12	0.37 ± 0.28	-0.13 ± 0.27	-0.09 ± 0.60	-0.22 ± 0.65	0.00 ± 0.39	0.8 ± 1.9	1.6 ± 3.8
<i>Grid Average^b</i>	<i>10 to 12</i>	<i>0.49 ± 0.64</i>	<i>4.4 ± 1.1</i>	<i>4.3 ± 1.9</i>	<i>8.7 ± 2.2</i>	<i>-0.04 ± 0.81</i>	<i>1.0 ± 4.1</i>	<i>2.0 ± 8.0</i>

TABLE 1 (continued)

**RADIONUCLIDE CONCENTRATIONS IN SOIL SAMPLES COLLECTED BY ORISE
FROM AREA B1S/B2S
CHEVRON MINING WASHINGTON REMEDIATION PROJECT
WASHINGTON, PENNSYLVANIA**

ORISE Sample ID	Sample Depth (ft) ^a	Radionuclide Concentrations in Soil Samples (pCi/g)						
		Ra-226	Th-228	Th-232	Total Thorium ^b	U-235	U-238	Total Uranium ^c
Area B1S/B2S Judgmental Grid Block Samples^{f,g}-continued								
1706S0074	8 to 10	5.65 ± 0.71	104.3 ± 6.0	101.1 ± 8.1	207 ± 10	-0.29 ± 0.86	12.4 ± 4.3	24.6 ± 8.6
1706S0075	8 to 10	0.69 ± 0.35	11.06 ± 0.77	11.7 ± 1.2	22.7 ± 1.4	-0.14 ± 0.45	0.8 ± 2.5	1.6 ± 5.0
1706S0076	8 to 10	0.14 ± 0.29	0.01 ± 0.28	0.11 ± 0.60	0.12 ± 0.66	-0.07 ± 0.38	0.4 ± 1.9	0.8 ± 3.8
1706S0077	8 to 10	0.08 ± 0.28	0.26 ± 0.28	0.29 ± 0.61	0.55 ± 0.66	0.10 ± 0.42	-0.0 ± 1.9	0.1 ± 3.9
<i>Grid Average^b</i>	<i>8 to 10</i>	<i>1.64 ± 0.89</i>	<i>28.9 ± 6.1</i>	<i>28.3 ± 8.3</i>	<i>58 ± 10</i>	<i>-0.1 ± 1.1</i>	<i>3.4 ± 5.7</i>	<i>7 ± 11</i>

^aSample depths provided by Chevron Mining personnel.

^bTotal thorium calculated by adding Th-228 to Th-232 concentrations.

^cTotal uranium calculated by doubling the U-238 concentration and adding the U-235 concentration.

^dBackground sample results previously submitted in ORISE letter report dated on August 30, 2007.

^eUncertainties represent the 95% confidence level based on total propagated uncertainties.

^fRefer to Figure 3.

^gAverage background concentrations for each radionuclide were subtracted from the site soil samples.

^hGrid layer average determined by averaging the individual soil sample locations from the adjacent grid block square pattern.

ⁱZero values due to rounding.

TABLE 2

**SITE-SPECIFIC SUBSURFACE SOIL AVERAGING LIMITS
CHEVRON MINING WASHINGTON REMEDIATION PROJECT
WASHINGTON, PENNSYLVANIA**

**TABLE 4-2
Site-Specific Subsurface Soil Averaging Limits - Molycorp's Washington, PA
Site**

Layer #	Layer	# of Quadrants	Volume (ft3)	Uranium (238 + 234)	Average, pCi/g	Thorium (232 + 228)	Ra (226)
1	0 to 2 feet Layer				Average		
	4 Samples from Layer Area	4	2153	18.7	14.2	7.4	
	Maximum in Layer	1	538	25.4	17.8	9.4	
2	0 to 4 feet Layer						
	2 Vertical Quadrants	2	1076	21.8	15.7	8.2	
	4 Samples from Layer Area	4	2153	30.9	25.7	13.2	
	8 Samples from Surface to this Layer	8	4306	15.5	12.9	6.6	
	Maximum in Layer	1	538	43.6	31.5	16.5	
3	0 to 6 feet Layer						
	3 Vertical Quadrants	3	1615	20.1	14.9	7.8	
	4 Samples from Layer Area	4	2153	40.0	35.7	18.1	
	12 Samples from Surface to this Layer	12	6458	13.3	11.9	6.0	
	Maximum in Layer	1	538	60.2	44.7	23.3	
4	0 to 8 feet Layer						
	4 Vertical Quadrants	4	2153	18.7	14.2	7.4	
	4 Samples from Layer Area	4	2153	47.2	44.8	22.5	
	16 Samples from Surface to this Layer	16	8611	11.8	11.2	5.6	
	Maximum in Layer	1	538	74.8	56.9	29.6	
5	0 to 10 feet Layer						
	5 Vertical Quadrants	5	2691	17.8	13.8	7.2	
	4 Samples from Layer Area	4	2153	53.3	53.0	26.4	
	20 Samples from Surface to this Layer	20	10764	10.7	10.6	5.3	
	Maximum in Layer	1	538	88.8	69.2	35.9	
6	0 to 12 feet Layer						
	6 Vertical Quadrants	6	3229	16.9	13.5	7.0	
	4 Samples from Layer Area	4	2153	63.8	63.4	31.6	
	24 Samples from Surface to this Layer	24	12917	10.6	10.6	5.3	
	Maximum in Layer	1	538	101.5	80.9	41.8	
7	0 to 14 feet Layer						
	7 Vertical Quadrants	7	3767	16.2	13.2	6.8	
	4 Samples from Layer Area	4	2153	74.2	73.8	36.8	
	28 Samples from Surface to this Layer	28	15069	10.6	10.5	5.3	
	Maximum in Layer	1	538	113.1	92.1	47.7	
8	Each Layer deeper than 14 feet						
	Maximum In Layer	1	538	129.2	105.2	54.6	
	<u>Assumptions</u>						
	Area:	100	m2		1076	ft2	
	Quadrants:	25	m2		269	ft2	
	Thickness:	NA			2	ft	
	Area Volume:	NA			2153	ft3	
	Quadrant Volume:	NA			538	ft3	

REFERENCES

Malcolm Pirnie, Inc. (MP). Draft—Technical Basis Document on Classifying Areas, Release Criteria and Final Status Surveys. Sewickley, Pennsylvania; February 4, 2005.

Oak Ridge Institute for Science and Education (ORISE). In-Process/Confirmatory Survey Plan the Molycorp Washington Remediation Project, Washington, Pennsylvania (Docket No. 040-08778, TAC No. L52062; RFTA No. 06-007). Oak Ridge, Tennessee; November 21, 2006.

Oak Ridge Institute for Science and Education. Survey Procedures Manual for the Independent Environmental Assessment and Verification Program. Oak Ridge, Tennessee; August 3, 2007a.

Oak Ridge Institute for Science and Education. Quality Program Manual for the Independent Environmental Assessment and Verification Program. Oak Ridge, Tennessee; March 1, 2007b.

Oak Ridge Institute for Science and Education. Revision—Radiological Survey Results for Areas A1 North, A5A, A6, A1 South and A1A at the Molycorp Washington Remediation Project, Washington, Pennsylvania (Docket No. 040-08778, TAC No. L52062; RFTA No. 06-007). Oak Ridge, Tennessee; August 30, 2007c.

Oak Ridge Institute for Science and Education. Laboratory Procedures Manual for the Environmental Survey and Site Assessment Program. Oak Ridge, Tennessee; June 15, 2007d.