


## River Corridor Closure Contract

# Waste Management Information System (WMIS) User Guide

December 2008

**Washington Closure Hanford**

Prepared for the U.S. Department of Energy, Richland Operations Office  
Office of Assistant Manager for River Corridor



**TRADEMARK DISCLAIMER**

---

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

---

This report has been reproduced from the best available copy.


Printed in the United States of America

**LIMITED DISCLOSURE APPROVAL PAGE**

**Title:** Waste Management Information System (WMIS) User Guide

**Author Name:** R. E. Broz

**Approval:** R. T. Hynes, Program Sponsor, Waste Services Manager

  
\_\_\_\_\_  
Signature

12/29/08  
\_\_\_\_\_  
Date

*Further dissemination authorized to U.S. Government agencies and their contractors;  
other requests shall be approved by the originating facility or higher DOE  
programmatic authority.*



**River Corridor  
Closure Contract** 

---

# **Waste Management Information System (WMIS) User Guide**

**December 2008**

**Author:**

**R. E. Broz**

**Washington Closure Hanford**

Prepared for the U.S. Department of Energy, Richland Operations Office  
Office of Assistant Manager for River Corridor





## TABLE OF CONTENTS

1.0	INTRODUCTION.....	1-1
1.1	SCOPE .....	1-1
1.2	SYSTEM DESCRIPTION .....	1-1
1.3	SYSTEM USER ADMINISTRATION .....	1-2
1.4	MODULE INTERRELATIONS AND PROCESS FLOW .....	1-3
1.4.1	Administration Module (WMIS100) .....	1-4
1.4.2	Designation Module (WMIS400).....	1-4
1.4.3	Storage Module (WMIS500) .....	1-4
1.4.4	PDA Storage Module (WMIS600).....	1-5
1.4.5	Transportation/ERDF Module (WMIS790).....	1-5
1.4.6	Container Management Module (WMIS800) .....	1-5
1.4.7	Reporting Module (WMIS900) .....	1-5
1.5	SOFTWARE QUALITY ASSURANCE .....	1-5
1.6	TRAINING .....	1-6
2.0	DEFINITIONS .....	2-1
3.0	WMIS110 – ADMINISTRATION MODULE .....	3-1
3.1	WMIS110 COMPANY DATA ADMINISTRATION .....	3-1
3.2	WMIS120 USER DATA ADMINISTRATION .....	3-4
3.3	WMIS130 FACILITY DATA ADMINISTRATION.....	3-7
3.4	WMIS140 PIN SELECTION DATA ADMINISTRATION.....	3-10
3.5	WMIS150 STATUS CODE DATA ADMINISTRATION.....	3-13
3.6	WMIS160 PROFILE DATA ADMINISTRATION.....	3-16
3.7	WMIS170 LIST STATIC LOOK-UP TABLES .....	3-19
3.8	WMIS180 ERDF TRUCK INVENTORY.....	3-20
3.9	WMIS190 LABEL FUNCTION ADMINISTRATION .....	3-23
3.10	WMIS200 WASTE COMPONENTS ADMINISTRATION .....	3-26
3.11	WMIS210 WMIS ERDF CONTAINER MAINTENANCE LOV ADMINISTRATION.....	3-29
3.12	WMIS220 WMIS ERDF ORIGINS .....	3-32

---

**Table of Contents**

---

4.0	WMIS400 – DESIGNATION MODULE .....	4-1
4.1	WMIS400 DESIGNATION SEARCH .....	4-1
4.2	WMIS410 DESIGNATION BASICS.....	4-5
4.3	WMIS420 TSCA DATA .....	4-8
4.4	WMIS430 DESIGNATION CONSTITUENTS .....	4-9
4.5	WMIS440 DESIGNATION ISOTOPES.....	4-11
4.6	WMIS450 DANGEROUS WASTE AND LAND DISPOSAL RESTRICTION (LDR) DATA.....	4-14
5.0	WMIS500 – STORAGE MODULE .....	5-1
5.1	WMIS500 STORAGE CONTAINER SEARCH .....	5-1
5.2	WMIS505 COPY/REPACK/COMBINE .....	5-4
5.3	WMIS510 PIN REQUEST .....	5-11
5.4	WMIS515 CONTAINER INVENTORY.....	5-15
5.5	WMIS520 CONTAINER BASICS .....	5-16
5.6	WMIS525 CONTAINER BASICS RAD DATA .....	5-17
5.7	WMIS530 CONTAINER PACKAGE SUMMARY.....	5-19
5.8	WMIS540 PHYSICAL COMPONENTS DETAIL.....	5-21
5.9	WMIS550 PACKAGING COMPONENTS.....	5-24
5.10	WMIS560 CONSTITUENTS.....	5-25
5.11	WMIS570 ISOTOPES .....	5-27
5.12	WMIS575 CONTAINER HISTORY.....	5-29
6.0	WMIS 600 – PDA OPERATIONS MODULE .....	6-1
6.1	WMIS600 DOWNLOAD DATA .....	6-1
6.2	WMIS610 CONTAINER SEARCH.....	6-1
6.3	WMIS615 – COPY/REPACK/COMBINE .....	6-1
6.4	WMIS620 CONTAINER BASICS .....	6-2
6.5	WMIS625 RAD DATA .....	6-2
6.6	WMIS630 CONTAINER/PACKAGE SUMMARY.....	6-2

---

---

**Table of Contents**

6.7	WMIS640 PHYSICAL COMPONENTS .....	6-2
6.8	WMIS650 PACKAGING COMPONENTS.....	6-3
6.9	WMIS675 CONTAINER HISTORY.....	6-4
6.10	WMIS680 INVENTORY.....	6-4
6.11	WMIS685 ERDF DISPOSAL.....	6-4
6.12	WMIS686 ERDF SCALE .....	6-5
6.13	WMIS690 UPLOAD DATA .....	6-5
7.0	WMIS700 – TRANSPORTATION MODULE .....	7-1
7.1	OBJECTIVES .....	7-1
7.2	SCOPE .....	7-1
7.2.1	Shipment Management Form .....	7-2
7.3	PROVIDE TRANSPORTATION REPORTS.....	7-2
7.3.1	Onsite Waste Tracking Form .....	7-2
7.3.2	Uniform Hazardous Waste Manifest .....	7-2
7.3.3	Uniform Hazardous Waste Manifest Summary Attachment Document .....	7-2
7.4	WMIS790-0 SHIPMENT SEARCH.....	7-3
7.5	WMIS 790-2 ERDF SHIPMENT .....	7-4
7.6	ERDF TEMPLATE SEARCH.....	7-5
7.7	CREATE ERDF TEMPLATE .....	7-6
7.8	ERDF TEMPLATE.....	7-7
7.9	OVERVIEW .....	7-12
7.10	WMIS800 PURCHASE ORDER SEARCH.....	7-13
7.11	WMIS810 PURCHASE ORDER INPUT .....	7-15
7.12	WMIS820 CONTAINER RECEIPT .....	7-16
7.13	WMIS820 CONTAINER RECEIPT DETAIL .....	7-17
7.14	CONTAINER INVENTORY .....	7-17

---

**Table of Contents**

8.0	WMIS900 – REPORTING MODULE.....	8-1
8.1	WMIS900 – REPORT PARAMETER VALUES .....	8-1
8.2	WMIS910 – CONTAINER LISTING.....	8-2
8.3	WMIS920 – STANDING WASTE INVENTORY .....	8-2
8.4	WMIS930 –CONTAINER LISTING DETAILED .....	8-2
8.5	WMIS930 –PRINT CONTAINER LABELS .....	8-2
8.6	WMIS930 –WASTE CONTAINER CONTENTS REPORT .....	8-3
8.7	WMIS930 –LAND DISPOSAL NOTIFICATION AND CERTIFICATION.....	8-3
8.8	WMIS930 –ERDF REPORTS.....	8-3
9.0	REFERENCES.....	9-1

**APPENDIX**

A	WASTE MANAGEMENT ON-LINE FORMS .....	A-i
---	--------------------------------------	-----

**FIGURES**

1-1.	WMIS System Design. ....	1-3
1-2.	PDA Electronic Data Flow.....	1-5

**TABLES**

1-1.	WMIS Modules and Targeted Audience .....	1-2
1-2.	WMIS Security User Roles.....	1-2
4-1.	Basic Designation Screen Fields .....	4-6
9-1.	Available WMIS Reports .....	8-3

---

## Table of Contents

---

### WMIS SCREEN SHOTS

3-1.	Administration – Companies .....	3-1
3-2.	Administration – Add Company.....	3-2
3-3.	Administration – Edit Company.....	3-3
3-4.	Administration – Users .....	3-4
3-5.	Administration – Add User .....	3-5
3-6.	Administration – Edit User.....	3-6
3-7.	Administration – Facilities .....	3-7
3-8.	Administration – Add Facility .....	3-8
3-9.	Administration – Edit Facility .....	3-9
3-10.	Administration – PIN Selection Data .....	3-10
3-11.	Administration – Add PIN Selection Data.....	3-11
3-12.	Administration – Edit PIN Selection .....	3-12
3-13.	Administration – Status Code Data .....	3-13
3-14.	Administration – Add Status Code Data.....	3-14
3-15.	Administration – Edit Status Code Data.....	3-15
3-16.	Administration – Profile Data.....	3-16
3-17.	Administration – Add Profile Data. ....	3-17
3-18.	Administration – Profile Data Administration Edit.....	3-18
3-19.	Administration – Static Lookup Lists .....	3-19
3-20.	Administration – ERDF Truck Inventory.....	3-20
3-21.	Administration – Add ERDF Truck .....	3-21
3-22.	Administration – Edit ERDF Truck .....	3-22
3-23.	Administration – Label Printers .....	3-23
3-24.	Administration – Add Label Printer.....	3-24
3-25.	Administration – Edit Label Printer.....	3-25
3-26.	Administration – WMIS Waste Components .....	3-26
3-27.	Administration – Add WMIS Component.....	3-27
3-28.	Administration – Edit Waste Component. ....	3-28
3-29.	Administration – Container Maintenance LOV .....	3-29
3-30.	Administration – Add Container Readiness Check List Item.....	3-30
3-31.	Administration – Edit Container Maintenance Items .....	3-31
3-32.	Administration – WMIS ERDF Origins. ....	3-32
3-33.	Administration – Add WMIS ERDF Origin.....	3-33
3-34.	Administration – Edit WMIS ERDF Origin .....	3-34
4-1.	Designation – Search.....	4-1
4-2.	Sample Search Results.....	4-2
4-3.	Designation – Create New .....	4-4
4-4.	Designation – Basics.....	4-5
4-5.	Designation – TSCA Data .....	4-8
4-6.	Designation – Constituents. ....	4-9
4-7.	Designation – Add Designation Constituents Search .....	4-10
4-8.	Designation – Isotopes.....	4-11
4-9.	Designation – Add Designation Isotopes Search.....	4-12
4-10.	Designation – Dangerous Waste & LDR .....	4-14
5-1.	Storage – Container Search.....	5-1
5-2.	Example of Search Results.....	5-3
5-3.	Storage – Container Copy Repack Combine .....	5-4
5-4.	Example of Search Results.....	5-5

---

## Table of Contents

---

5-5.	Container Copy Function .....	5-6
5-6.	Container Repackage Function.....	5-7
5-7.	Container Combine Function .....	5-8
5-8.	Cope Repack Combine Destination Screen.....	5-10
5-9.	Storage – PIN Request .....	5-12
5-10.	Example of Search Results.....	5-13
5-11.	Storage – Container Inventory .....	5-15
5-12.	Example of Search Results.....	5-15
5-13.	Storage – Container Basics .....	5-16
5-14.	Storage – Container Basics Rad.....	5-17
5-15.	Storage – Container Package/Summary.....	5-19
5-16.	Storage – Physical Components Detail.....	5-21
5-17.	Storage – Packaging Components. ....	5-24
5-18.	Storage – Constituents.....	5-25
5-19.	Storage – Isotopes .....	5-27
5-20.	Storage – Container History .....	5-29
7-1.	Transportation/ERDF – Shipment Search.....	7-3
7-2.	Transportation/ERDF – ERDF Shipment .....	7-4
7-3.	Transportation/ERDF – ERDF Template Search .....	7-5
7-4.	Transportation/ERDF – Create ERDF Template.....	7-6
7-5.	Transportation/ERDF – Template Create Shipments .....	7-7
7-6.	Transportation/ERDF – Edit Template Constituents .....	7-8
7-7.	Transportation/ERDF – Edit Template Isotopes .....	7-9
7-8.	Transportation/ERDF – Edit Template Items .....	7-10
7-9.	Transportation/ERDF – Copy Template .....	7-11
8-1.	Purchase Order – Search .....	7-13
8-2.	Purchase Order Entry (Add).....	7-14
8-3.	Purchase Order – Information Entry .....	7-15
8-4.	Purchase Order – Container Inventory. ....	7-16
9-1.	Report – Report Values.....	8-1
9-2.	Reports – Print Container Labels .....	8-2
9-3.	Reports – ERDF Reports .....	8-3

## REVISION HISTORY

Revision	Date	Reason for revision	Revision initiator
1	02/5/08	Incorporation of software quality assurance requirements and incorporation of new WMIS release 2.1.3 and 2.1.4.	1
2	12/23/08	Incorporation of WMIS release 2.1.6 changes and computer security requirements	R. Broz



## ACRONYMS

CAS	Chemical Abstract Service
CFR	Code of Federal Regulations
CIN	Container Identification Number
DOT	Department of Transportation
DW	Dangerous Waste
EPA	U.S. Environmental Protection Agency
ERDF	Environmental Restoration Disposal Facility
FVR	Field Verification Requirements
HEIS	Hanford Environmental Information Systems
HW	Hazardous Waste
LDR	Land Disposal Restriction
MSDS	Material Safety Data Sheet
MT	Maintenance
OWTF	Onsite Waste Tracking Form
PCB	Polychlorinated Biphenyls
PDA	Personal Digital Assistant
PE	Project Engineer
PIN	Package Identification Number
PIP	Process Improvement Project
RCC	River Corridor Closure
RDC	Records and Document Control
RFID	Radio Frequency Identification
RMIS	Records Management Information System
SA	System Administrator
SDD	Software Design Description
SWITS	Solid Waste Information Tracking System
TSD	Treatment, Storage, and Disposal
TSCA	<i>Toxic Substances Control Act of 1976</i>
WAC	Washington Administrative Code
WCF	Waste Certification Form
WCH	Washington Closure Hanford
WCH LAN	Local Area Network
WDS	Waste Designation Specialist
WIDS	Waste Information Data System
WIS	Waste Inventory Sheet
WITS	Waste Information Tracking Specialist
WMIS	Waste Management Information System
WTS	Waste Transportation Specialist



## 1.0 INTRODUCTION

The design and development of WMIS incorporates the automation of waste management processes and data collection, with the generation and routing of waste-related forms into an integrated and retrievable format. This guide describes methods to effectively use the Waste Management Information System (WMIS).

The WMIS web-based user interface allows access to the system from any Local Area Network (WCH LAN) workstation by multiple, concurrent users. This system provides a versatile method for waste management personnel to enter and capture data through a web site.

All WMIS data loads will occur in an accurate, timely manner. In the unlikely event that WMIS is offline, or otherwise unavailable, personnel are directed to use the methodology found in the WMT-1 procedures. Upload of any resultant data to WMIS will occur as soon as practicable by the responsible parties.

Access control specifications are identified in the WCH-114, *Cyber Security Program Plan*. This includes local area network users who are required to employ password protected screen savers when leaving their computers and also, user access to the system is the responsibility of the program sponsor.

At the time of this writing, the WMIS is designated as a level "B" use, due to the functionality regarding the Environmental Restoration Disposal Facility (ERDF) Field Verification Requirement (FVR). The FVR provides a limit on the radionuclide concentrations received at the ERDF over a 24-hour period. If the limit is exceeded, waste with appropriately low concentrations needs to be accepted to offset the higher concentrations.

The safety function that WMIS performs occurs when a shipper creates an On-Site Waste Transfer Form (OWTF) to ship waste to the ERDF. The WMIS will compare the radionuclide concentrations against the FVR limits. If any radionuclide concentration is exceeded, the shipper is warned and the OWTF description is changed with a FVR limit warning.

### 1.1 SCOPE

This guide provides information on work processes, step-by-step instructions on data entry and retrieval, and general system usage to WMIS users.

### 1.2 SYSTEM DESCRIPTION

WMIS allows users to initiate, track, and close waste packages. The modular design supports integration and utilization of data through the various stages of waste management. The phases of the waste management work process include generation, designation, packaging, container management, procurement, storage, treatment, transportation, and disposal. Detailed descriptions of the modules are in Section 1.4, Module Interrelations and Process Flow, of this guide.

**Table 1-1. WMIS Modules and Targeted Audience. (2 Pages)**

WMIS Module	Targeted Audience (Users)
Administration	SA
Designation	PE
	WDS
	WSL
Storage	WDS
	WITS
	WTS
	WSL
Transportation/ERDF	ERDF Users
	WITS
	WTS
	WSL
Purchase Orders	MT
	WITS
Reporting	All users

### 1.3 SYSTEM USER ADMINISTRATION

The WMIS application is available to all users of the WCH Local Area Network (WCH LAN), and to users on all other networks with access to WCH LAN and current WMIS access privileges and passwords. The WMIS System Administrator (SA) interfaces with Information Systems and Technology as the point-of-contact and administers the system as follows:

- Define security user roles and restrict data available to users and user groups down to the individual data-element level.
- Authorize and activate user's access to WMIS. This may include assignment of multiple user groups.
- Access the system across the network to perform routine functions (e.g., monitoring logs, performing backups and restores, and restarting the system), as necessary.

**Table 1-2. WMIS Security User Roles. (2 Pages)**

Defined WMIS User Roles	Access to WMIS Tools and Functions
ERDF User	The ERDF USER has the capability to edit any form in the Transportation/ERDF Module.
MT – Maintenance	The Role doesn't provide any edit capabilities in WMIS, but is used to Filter the list of Users for the PDAs. This is used to both Disposal and Container Maintenance.

**Table 1-2. WMIS Security User Roles. (2 Pages)**


Defined WMIS User Roles	Access to WMIS Tools and Functions
PE – Project Engineer	Can approve and change the status of designations.
System Administrator (WMIS)	Has access to edit all forms under the Administration Module.
WDS – Waste Designation Specialist	Edit any form in the Designation Module. In the storage module this role can change the Packaging Components, remove a constituent from a profile for a waste container using the Constituents tab, and assign a designation to a waste container that has a status of closed.
WSL – Waste Services Lead	Same as WDS. Additionally can approve designations and change the active status of a designation. This role has the same access as WTS, plus the ability to change a waste container's status to closed.
WTS – Waste Transportation Specialist	This role has access to the Storage Module. Any field pertaining to filling the can is editable. In the Transportation/ERDF module this role can create ERDF shipments and change the estimated weights for an OWTF.
WITS – Waste Information Tracking Specialist	Same as WSL, but also has the ability to ship the waste container.

#### **1.4 MODULE INTERRELATIONS AND PROCESS FLOW**

Figure 1-1 provides a high-level illustration of the functionality that is contained within WMIS. The system design is available in the WMIS Software Design Description (SDD) (BHI 2004a).

**Figure 1-1. WMIS System Design**

## Introduction



### 1.4.1 Administration Module (WMIS100)

The Administration Module contains the processes that the SA uses for the everyday functioning of the system. Validation table input screens, user table screens, and the security functionality are in this module.

### 1.4.2 Designation Module (WMIS400)

The Designation Module collects and analyzes the results of the characterization process and relates it to the specific waste placed in containers. A WMIS Import Tool is in place to retrieve data from the Waste Designation spreadsheet to create a new or revise an existing designation in WMIS. This module is limited to input of the final designation information from hard copy, which allows for the elimination of duplicate data entry steps among the different waste functions.

### 1.4.3 Storage Module (WMIS500)

The Storage Module involves the receiving of containers and the actual placement of waste within them. This process captures inventory of contents, a full description of the container, and other pertinent data. This module captures the information contained in the hard copy data forms which gather information for the containers.


## Introduction

---

### 1.4.4 PDA Storage Module (WMIS600)

The Personal Digital Assistant (PDA) Storage Module allows remote collection of field information and inventory tracking by use of bar codes applied to ERDF cans. Figure 1-2 illustrates the data flow.

**Figure 1-2. PDA Electronic Data Flow**



### 1.4.5 Transportation/ERDF Module (WMIS790)

The Transportation/ERDF Module includes the support of on-site shipments of waste in relation to the ERDF, as well as the shipments of containerized drums to ERDF. This module consists of some innovative methods of tracking shipments with radio-frequency identification (RFID) tagging capabilities.

### 1.4.6 Container Management Module (WMIS800)

The Container Management Module allows for more detailed assignment and tracking of containers by the primary identification number (Container Identification Number [CIN]) including those containers purchased by the RCC contractor or other Hanford contractors. The module tracks the containers from Request to Disposal, allows re-use of containers multiple times, and one-time use and disposal.

### 1.4.7 Reporting Module (WMIS900)

All pre-defined reports are within this module. Pre-defined reports consist of several formatted layouts of information, with a search screen that lets the user select and narrow the search grid.

## 1.5 SOFTWARE QUALITY ASSURANCE

WMIS has been evaluated as Level B software from a software quality perspective per the requirements of DOE Order 414.1C (Quality Assurance), WCH-186 [*Washington Closure Hanford Information Technology System Configuration Management Plan (SCMP)*/July 2007], and WCH-192 (*Washington Closure Hanford Software quality Assurance Program Plan*). The requirements for

## **Introduction**

software quality assurance are document in WCH-213 [*Waste Management Information System (WMIS) Software Project Management Plan (SPMP)*].

### **1.6 TRAINING**

Prior to being granted access to WMIS (aside from read-only access), each user shall be trained on WMIS operations. This training is a required reading of WCH-138, “Waste Management Information Services (WMIS) User Guide” and SWTD-0011, “Waste Management Information System Training” and shall be documented prior to initial use.

## 2.0 DEFINITIONS

**Container:** May include, but is not limited to, drums, boxes, bulk trailers, tankers, plastic wrap, banded units and bags. Does not include tanks, waste piles or other storage/treatment units. An ERDF can is an example of a roll-off box style container. Every container has a unique number associated with it, which shall remain the same for the life of the container.

**Container Identification Number (CIN):** A unique identifier assigned to a waste container at the time of acquisition/use for container tracking purposes. It is the primary tracking number when referenced with a package identification number (PIN). The following are three ways to identify the CIN on a container. First, each CIN on ERDF cans consists of a hardened, environmentally-resistant ABS plastic, embedded RFID. Second, a barcode is affixed to the container, for scanning purposes to retrieve the CIN. Third, the CIN number is in English format as a failsafe for options one and two. A CIN number may appear multiple times in the WMIS database in relation to a re-usable container.

**Dangerous Waste:** Solid waste designated as dangerous, extremely hazardous or mixed waste. Washington Administrative Code (WAC) 173-303.

**Dangerous Waste Constituents:** Constituents listed in WAC 173-303-9905 and other constituents that have caused a waste to be a dangerous waste under WAC 173-303.

**Dose-Equivalent Curie:** A method of normalizing the ratio of various radionuclides within a profile to plutonium-239 for use in establishing that an operations program remains within approved safety basis at certain Hanford Site waste management units. The basis for normalization is on the relative committed effective dose equivalent from inhalation of each radionuclide to that of plutonium-239 using the conversion factors from Federal Guidance Report No. 11, "Limiting Values of Radionuclide Intake and Air Concentration and Dose Conversion Factors for Inhalation, Submersion, and Ingestion".

**Environmental Restoration Disposal Facility:** A CERCLA landfill located within the Hanford Reservation where approximately 95% of all Hanford site waste will ultimately be disposed.

**Fissile Material:** Consists of nuclides which sustain a chain reaction through thermal (slow) neutron-induced fission. For the Hanford Site criticality safety program, uranium-233, uranium-235, plutonium-239, and plutonium-241 are the primary nuclides of interest. In addition, plutonium-238 is considered fissile material for transportation under 49 CFR 173.

**Fissionable Materials:** Substances which contain nuclides capable of sustaining a nuclear fission chain reaction (regardless of neutron energy). Such material could be fissionable only by nature of its form, configuration, or environment. This includes, but is not limited to, uranium-233, uranium-235, plutonium-238, plutonium-239, plutonium-240, plutonium-241, neptunium-237, americium-241, and curium-244.

**Hazardous waste:** Solid waste designated by 40 CFR 261 and regulated as a hazardous and/or mixed waste by the EPA.

**Lab Pack:** A packaging method where more than one inner containers of waste are packaged into an outer drum as specified in 49 CFR 173.12(b).

## Definitions

---

**Land Disposal Restrictions:** The restrictions and requirements for land disposal of hazardous or dangerous waste as specified in 40 CFR 268 and WAC 173-303-140. (Refer to definitions for RCRA Land Disposal Restrictions and Washington State Land Disposal Restrictions.)

**Low-Level Mixed Waste:** Waste that meets both the definition of low-level and hazardous/dangerous waste.

**Low-Level Waste:** Non-high-level radioactive waste, spent nuclear fuel, transuranic waste, byproduct material (as defined in Section 11e.(2) of the *Atomic Energy Act of 1954*, as amended), or naturally occurring radioactive material. (DOE M 435.1-1)

**Manifest Record:** EPA required form detailing the contents of a shipment for over-the-road purposes.

**Mixed Waste:** A dangerous, hazardous, or acutely hazardous waste that contains both a non-radioactive hazardous component and, as defined by 10 CFR 20.1003, source, special nuclear, or by-product material subject to the *Atomic Energy Act of 1954* (42 U.S.C. 2011 et seq.). (WAC 173-303-040)

**Mobile Radionuclides:** Radionuclides that tend to migrate readily through Hanford soil and pose the highest risk of impact to groundwater resources: tritium (hydrogen-3), carbon-14, chlorine-36, selenium-79, molybdenum-93, technetium-99, iodine-129, rhenium-187, uranium (all isotopes), and neptunium-237.

**Onsite Waste Tracking Form:** The standard form containing all of the information, both isotopes and chemical constituents, of a particular ERDF can. This form must be attached to the ERDF can in storage or located inside the driver's compartment of the hauling truck in transport.

**Package Identification Number (PIN):** The WTS assigns the PIN, a unique number, on all waste packages for tracking. The PIN identifies the source facility and the year initial tracking of the waste began. The PIN belongs to the waste inside the container, and identifies the waste, not the container. (Cradle to Grave). If transfer of the waste to another container occurs, the PIN goes with the waste. In the event of destruction or disposal of the container, with the waste inside, the CIN/PIN record shows as "D" (Disposed) in the WMIS database. When the container is simply emptied, the database record for that CIN/PIN combination shows disposed, but the container is available for re-use, and appears in the WMIS database as many times as it is re-used, with different PINs for each use.

**Plutonium-Equivalent Curie (PE-Ci):** A method of normalizing the radio toxicity in transuranic waste to plutonium-239 for use in establishing the approved safety limits at the Waste Isolation Pilot Plant (WIPP) located near Carlsbad, New Mexico. The basis of normalization is the relative committed effective dose equivalent from inhalation of a radionuclide to that of plutonium-239 using the conversion factors from DOE/EH-0071, "Internal Dose Conversion Factors for Calculation of Dose to the Public", as described in Appendix B of DOE/WIPP-02-3122.

**Plutonium-239 Fissile Gram Equivalent (FGE):** A method of normalizing fissile and fissionable isotopes to plutonium-239 for use in establishing criticality safety limits for the Hanford Site Solid Waste Program. This is consistent with the method found in the safety

## Definitions

---

analysis reports for the TRUPACT-II and 72-B casks for plutonium-239, uranium-233, and uranium-235 and in ANSI/ANS 8.15 for other fissile, fissionable, and special actinide elements.

**Polychlorinated biphenyl or PCB:** Any chemical substance that is limited to the biphenyl molecule that has been chlorinated to varying degrees or any combination of substances that contains such substance (40 CFR 761.3).

**Process Knowledge:** Knowledge the generator applies to a solid waste to determine if it is a dangerous or mixed waste in light of the materials or the processes used, when demonstration of such knowledge is sufficient for determining whether a solid waste is designated properly. Process knowledge includes information on waste obtained from existing published or documented waste analysis data or studies conducted on mixed waste from processes similar to that, which generated the waste. Process knowledge for mixed waste also could include information obtained from surrogate material.

**Profile:** A product of the characterization process by which all radiological isotopes and chemical constituents are identified for a waste stream.

**Percent of Profile:** Adjustment factor applied to a profile in order to compensate for variations in concentrations of radiological isotopes and chemical constituents within a given waste stream.

**Radio Frequency Identification (RFID):** A plastic tag, which emits a unique identification number in order to track a container remotely.

**Radioactive Waste:** Any garbage, refuse, sludge, and other discarded material, including solid, liquid, semisolid, or contained gaseous material that must be managed for its radioactive content.

**RCRA land disposal restrictions or RCRA LDR:** The requirements and restrictions for land disposal of hazardous waste codified in 40 CFR 268.

**Requirement:** A condition or capability that must be met by a system (or system component) to satisfy a contract, standard, or specification. The set of all requirements forms the basis for subsequent development of the system or system component.

**Software Design Description (SDD):** A document that represents the software product. The SDD is used as a medium for communicating software design information, and may be thought of as a blueprint or model of the system.

**Specific Activity:** The radiological activity (disintegrations per unit of time) of a radionuclide per unit mass of that nuclide. The specific activity of a material in which the radionuclide is essentially uniformly distributed is the radiological activity per unit mass of the material.

**System Change Request (SCR):** A document that identifies a proposed change to a system. A system change request may ask for the preparation of a new function or modify an existing function.

---

## Definitions

---

**System Configuration Management:** A set of management disciplines, within the context of the system engineering process, which identifies and documents the functional and physical characteristics of a product and controls changes to those characteristics.

**System Test Plan:** The document that is used for the formal testing acceptance of all revisions to a system.

**Template:** A system of screens whereby a user can save various models of shipment information and quickly create new shipments based on parameters set in the template.

**Test Environment:** An environment for the formal testing and verification of software changes is maintained and controlled by the developer. Software is moved to this area by the developer after it has been judged ready for formal testing. Access to this environment is restricted to the developers and the user representatives responsible for acceptance buy-off.

**Toxic:** Having the properties to cause or significantly contribute to death, injury, or illness of humans or wildlife. (WAC 173-303-040)

**Toxic Substances Control Act (TSCA):** PCB waste or TSCA PCB waste. Any PCB-containing waste that is regulated under the TSCA requirements codified in 40 CFR 761.

**Transuranic Mixed Waste, Or TRU-Mixed Waste:** Waste that meets both the definitions of transuranic waste and hazardous/dangerous waste.

**Transuranic Waste:** Transuranic waste is radioactive waste containing more than 100 nanocuries (3700 becquerels) of alpha-emitting transuranic isotopes per gram of waste, with half-lives greater than 20 years, except for: (1) high-level radioactive waste; (2) waste that the Secretary of Energy has determined, with the concurrence of the Administrator of the Environmental Protection Agency, does not need the degree of isolation required by the 40 CFR Part 191 disposal regulations; or (3) waste that the Nuclear Regulatory Commission has approved for disposal on a case-by-case basis in accordance with 10 CFR 61 (DOE M 435.1-1).

**Waste Stream:** A waste or group of wastes from a process or a facility with similar physical, chemical, or radiological properties. (DOE M 435.1-1)

### 3.0 WMIS110 – ADMINISTRATION MODULE

The Administration Module contains validation table input screens, user table screens, and security functionality. The SA is responsible for user security roles and maintenance of the system validation tables.

#### 3.1 WMIS110 COMPANY DATA ADMINISTRATION

Screen 3-1. Administration – Companies

Company ID	Company Name	Group	PHMC Charge Code	PHMC COA	Action
BABSR	BABCOCK SERVICES, INC.	RCCC	X	X	Edit Delete
BHI	BECHTEL HANFORD, INC.	ERC	120916	EF00	Edit Delete
CAST	CAST TRANSPORT	CAST	X	X	Edit Delete
CHG	CH2M HILL, INC - HANFORD GROUP	CHG	XC0609	Y000	Edit Delete
DOE	DEPARTMENT OF ENERGY RICHLAND	DOE			Edit Delete
DTK	DURATEK	RCCC	X	X	Edit Delete
FH	FLUOR HANFORD, INC.	PHMC	X	X	Edit Delete

**NOTE:** The screens presented in this document revision are still valid for software version 2.1.6. The Transportation section may still refer to ILSI as the transporter. The transporter contractor is now Washington Closure Hanford.

- Select "Add" to add new company, see Screen 3-2.
- Select "Edit" to edit existing company, see Screen 3-3.

Add Company

Screen 3-2. Administration – Add Company

The screenshot shows the WMIS Administration interface for managing companies. The main window is titled 'COMPANIES' and lists several companies with their details and edit/delete buttons. The companies listed are:

Company ID	Company Name	Group	PHMC Charge Code	PHMC COA	Action
BABSR	BABCOCK SERVICES, INC.	RCCC	X	X	Edit Delete
BHI	BECHTEL HANFORD, INC.	ERC	120916	EF00	Edit Delete
CAST	CAST TRANSPORT	CAST	X	X	Edit Delete
CHG	CH2M HILL, INC - HANFORD GROUP	CHG	XC0609	Y000	Edit Delete
DOE	DEPARTMENT OF ENERGY RICHLAND	DOE			Edit Delete
DTK	DURATEK	RCCC	X	X	Edit Delete
FH	FLUOR HANFORD, INC.	PHMC	X	X	Edit Delete

The left sidebar lists other administration modules: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The top right corner features the WCH logo. The footer indicates the system is Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4.

- Enter data to create new company.
- Mark the checkbox to activate the company, or leave blank to leave the company inactive in WMIS.
- Press "Save."
- Press "Reset" to reset field values to <NULL>.

**Edit Company****Screen 3-3. Administration – Edit Company**

The screenshot shows the 'Administration' module of the WMIS system. On the left, a vertical menu lists various administrative functions: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The 'Companies' option is selected. The main right panel is titled 'EDIT COMPANY' and contains the following fields: Name (Babcock Services, Inc.), Group ID (RCCC), Charge Code (X), COA (X), and Active? (checked with a checked checkbox). At the top right of the panel are 'Save' and 'Reset' buttons. The top of the window displays the WMIS logo and the text 'Waste Management Information System' and 'Administration'. The bottom of the window shows the footer text 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Edit the company information as needed.
- Mark the checkbox to activate the company, or leave blank to leave the company inactive in WMIS.
- Press "Save."
- Press "Reset" to reset field values to the pre-existing values.

**Delete Company**

- This function is not in use.

## WMIS110 – Administration Module

### 3.2 WMIS120 USER DATA ADMINISTRATION

The user table lists any users who have additional rights other than read-only.

**Screen 3-4. Administration – Users**

Waste Management Information System

**Administration**

**USERS**

USERS		Print	Emails	Add
Name: (LAND) BURTON, JULIE A	HID: 8554949	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▼"/>
Name: ANDERSON, JUDITH R	HID: 0100128	<input type="button" value="Edit"/>	<input type="button" value="Enable"/>	<input type="button" value="▲"/>
Name: ANDRUS, CHRIS D	HID: 5254967	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: ATKINS, JAMES R	HID: 5649586	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: ATWOOD, JULIE M	HID: 0000281	<input type="button" value="Edit"/>	<input type="button" value="Enable"/>	<input type="button" value="▲"/>
Name: AYALA, LUPE	HID: 0092517	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: BAKER, DEAN F	HID: 0041104	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: BAZZELL, KEVIN D	HID: 0078390	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: BECK, SANDRA L	HID: 0080410	<input type="button" value="Edit"/>	<input type="button" value="Enable"/>	<input type="button" value="▲"/>
Name: BENNETT, DAVE	HID: 0000000	<input type="button" value="Edit"/>	<input type="button" value="Enable"/>	<input type="button" value="▲"/>
Name: BERRY, W (KEN) K	HID: 0098274	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: BIDSTRUP, ROBERT H	HID: 0092537	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: BOECKER, DON L	HID: 0102474	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: BORDEN, GREGORY J	HID: 0109485	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▲"/>
Name: BRIGHAM, JUSTIN	HID: 8823175	<input type="button" value="Edit"/>	<input type="button" value="Enable"/>	<input type="button" value="▲"/>
Name: BROWER, NANCY E	HID: 1181038	<input type="button" value="Edit"/>	<input type="button" value="Disable"/>	<input type="button" value="▼"/>

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- Select "Add" to add new WMIS user, see Screen 3-5.
- Select "Edit" to edit user security role permissions, see Screen 3-6.
- Select "Enable/Disable" to activate or deactivate user permissions in WMIS.

Add User

Screen 3-5. Administration – Add User

The screenshot shows the 'Administration' module of the Waste Management Information System (WMIS). The main title is 'Administration' and the sub-section is 'ADD USER'. The interface includes fields for 'Login Name', 'Name' (split into 'Last', 'First', and 'MI'), 'Company' (set to 'BABS'), 'HID', 'Address' (set to 'CAST'), and 'Phone'. On the right, there is a large list of 'Roles' with checkboxes. The checked roles are: AUTOMATION, FIELD, PROJECT, SYSTEM ADMINISTRATOR (WMIS), SAMPLE MANAGEMENT, WASTE DESIGNATION SPECIALIST, WASTE DESIGNATION SPECIALIST SUPERVISOR, WASTE INFORMATION TRACKING SPECIALIST, WASTE TRANSPORTATION SPECIALIST, WASTE TRANSPORTATION SPECIALIST SUPERVISOR, ERDF USER, and MAINTENANCE. The bottom of the screen displays the footer: 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Enter new user information:
  - Login Name: WCH LAN User Name (BUN) (i.e., IMSmithe)
  - Name: Last/First/MI (i.e., Smithers/Ivan/M)
  - Company: Select appropriate company from drop-down (Company table)
  - HID: Hanford identification number (i.e., 0990999, no leading "h")
  - Address: Bldg/Area/MSIN (i.e., MO607/600 Area/T2-04)
  - Phone: Cell or Office number (i.e., 509.555.0009).
- Press "Save."
- Press "Reset" to reset field values to <NULL> Edit User.

Edit User

Screen 3-6. Administration – Edit User

Waste Management Information System

**Administration**

**EDIT USER - 0000281**

Save      Reset

Companies

**Users**

Facilities

PIN Data

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

Label Printers

Edit VMIS Components

Container Maintenance LOV

ERDF Origins

**Roles**

- AUTOMATION TECHNOLOGY
- FIELD SUPPORT
- PROJECT ENGINEER
- SYSTEM ADMINISTRATOR (WMIS)
- SAMPLE MANAGEMENT
- WASTE DESIGNATION SPECIALIST
- WASTE DESIGNATION SPECIALIST SUPERVISOR
- WASTE INFORMATION TRACKING SPECIALIST
- WASTE TRANSPORTATION SPECIALIST
- WASTE TRANSPORTATION SPECIALIST SUPERVISOR
- ERDF USER
- MAINTENANCE

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- Edit WMIS user information and modify security role permissions as needed.
- Press "Save."
- Press "Reset" to reset field values to the pre-existing values.

## 3.3 WMIS130 FACILITY DATA ADMINISTRATION

Screen 3-7. Administration – Facilities

Waste Management Information System

**Administration**

**FACILITIES**

AREA 100

Facility	Name	Edit
116-B-4	116-B-4	Edit
116-DR-1	116-DR-1 TRENCH	Edit
116-DR-2	116-DR-2 TRENCH	Edit
116B6A	116B6A	Edit
116C2A	116C2A	Edit
116C5	116C5	Edit
116D1A	116D1A	Edit
116D1B	116D1B	Edit
116D7	116D7	Edit
116DR12	116DR12	Edit
116DR9	116DR9	Edit
116F14	116F14	Edit
116F1A	116F1A	Edit
116F2	116F2	Edit

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- Select "Add" to add new facility, see Screen 3-8.
- Select "Edit" to edit existing facility, see Screen 3-9.

Add Facility

Screen 3-8. Administration – Add Facility



The screenshot shows the 'Administration' module of the Waste Management Information System (WMIS). The left sidebar has a 'Facilities' link selected. The main window is titled 'ADD FACILITY' and contains fields for 'FACILITY' (empty), 'AREA' (100), 'NAME' (empty), and 'Generating Project' (empty). There are 'Save' and 'Reset' buttons at the top right. The WCH logo is in the top right corner of the main window. The footer of the screen displays the text 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Enter data to create new facility.
- Press "Save."
- Press "Reset" to reset field values to <NULL>.

Edit Facility

Screen 3-9. Administration – Edit Facility

Waste Management Information System

**Administration**

**EDIT FACILITY - 116-B-4**

Save    Reset

AREA: 100    NAME: 116-B-4

Generating Project: [redacted]

Companies

Users

**Facilities**

PIN Data

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

Label Printers

Edit WMIS Components

Container Maintenance LOV

ERDF Origins

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4


- Edit the facility information as needed.
- Press "Save."
- Press "Reset" to reset field values to the pre-existing values.

## WMIS110 – Administration Module

### 3.4 WMIS140 PIN SELECTION DATA ADMINISTRATION

This look-up table contains the information a user needs to make a proper PIN assignment. The table provides the look-up data for the WMIS user when requesting PIN Numbers in the Storage Module.

**Screen 3-10. Administration – PIN Selection Data**



The screenshot shows the WMIS Administration interface. The main window is titled "PIN SELECTION DATA ADMINISTRATION". The left sidebar has a "PIN Data" section selected, showing options like Companies, Users, Facilities, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The main content area displays a table with the following data:

Prefix	Year	Description	Last#	Disabled?	Actions
100A-	07-	OHC/FH - 100 AREA INCLUDING 100N	0027	Yes	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
100A-	08-	OHC/FH - 100 AREA INCLUDING 100N	0001	No	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
100B-	06-	B REACTOR AND ANCILLARY FACILITIES	1287	Yes	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
100B-	07-	B REACTOR AND ANCILLARY FACILITIES	0917	Yes	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
100B-	08-	B REACTOR AND ANCILLARY FACILITIES	0000	No	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
100B-	03-	B REACTOR AND ANCILLARY FACILITIES	0014	Yes	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
100C-	06-	C REACTOR AND ANCILLARY FACILITIES	0327	Yes	<input type="button" value="Edit"/> <input type="button" value="Delete"/>

At the bottom of the screen, a footer bar reads: Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- Select "Add" to add new PIN prefix, see Screen 3-11.
- Select "Edit" to edit existing PIN prefix, see Screen 3-12.
- Select "Delete" to delete PIN prefix.

Add PIN Selection Data

Screen 3-11. Administration – Add PIN Selection Data

The screenshot shows the 'ADD PIN SELECTION DATA' form within the WMIS110 Administration module. The form fields are as follows:

- Prefix: [Empty]
- Year: 08
- Description: B Reactor and ancillary facilities
- Last# Used: 0
- Disabled?:
- ERDF Dispatch Area: [Dropdown menu]

The left sidebar contains a vertical list of administrative links: Companies, Users, Facilities, PII Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The top right corner features the WCH logo. The bottom of the screen displays the footer text: Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4.

- Enter new PIN information.
  - Prefix: Source site/area of waste generation (i.e., 100B)
  - Year: Auto-filled by system calendar
  - Description: Site/area description (i.e., B Reactor and ancillary facilities)
  - Last# Used: Set to "0" when entering new PIN prefixes, updates automatically as PINs are requested.
  - Disabled?: Set to disabled when project associated with a specific PIN is completed/terminated.
- Press "Save."
- Press "Reset" to reset field values to <NULL>.

Edit PIN Selection

Screen 3-12. Administration – Edit PIN Selection

Waste Management Information System

**Administration**

**EDIT PIN SELECTION**

Prefix: 100A - Year: 07 -

Description: OHC/FH - 100 AREA INCLUDING 100N

Last# Used: 0027      Disabled?:

ERDF Dispatch Area:

Companies

Users

Facilities

**PII Data**

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

Label Printers

Edit WMIS Components

Container Maintenance LOV

ERDF Origins

Save      Reset

Washington Closure Hanford LLC | Waste Management Information System | WMISvWeb v2.1.4

- Edit WMIS PIN selection information as needed.
- Press "Save."
- Press "Disabled?" to activate or deactivate PIN Selection Data in WMIS.
- Press "Reset" to reset field values to the pre-existing values.

Delete PIN

- Press "Delete" to delete PIN selection information in WMIS.

## 3.5 WMIS150 STATUS CODE DATA ADMINISTRATION

Screen 3-13. Administration – Status Code Data

The screenshot shows the 'STATUS CODE DATA ADMINISTRATION' screen. The left sidebar has a 'Status Codes' section selected. The main table lists the following status codes:


Code	Description	Disabled?	Action
N	NEW - INVENTORY / EMPTY	No	Edit
P	PARTIAL PKG -- NOT COMPLETE	No	Edit
C	CLOSED - PACKAGE COMPLETE	No	Edit
BHI	READY FOR BHI REVIEW	No	Edit
SRR	SHIPMENT REVIEW REQUESTED	No	Edit
A	ACCEPTED / APPROVED TO SHIP	No	Edit
H	HOLD - DESIGNATION BEING REVISED	No	Edit
S	SHIPPED	No	Edit
D	DISPOSITION COMPLETE	No	Edit
COM	COMBINED	No	Edit
REP	REPACKAGED	No	Edit
V	VOID	No	Edit

At the bottom of the screen, it says 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

### Add Status Code Data

This screen is used to add new status code data to the look-up table. All fields shown are required for input.

**Screen 3-14. Administration – Add Status Code Data**



The screenshot shows the WMIS110 Administration interface. The main window is titled "ADD STATUS CODE DATA". It contains three input fields: "Status Code" (with a placeholder box), "Description" (with a placeholder box), and "Disabled?" (with a checked checkbox). At the top right of the main window are "Save" and "Reset" buttons. The sidebar on the left is titled "Administration" and contains a list of menu items: Companies, Users, Facilities, PIN Data, and a "Status Codes" section which includes Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The "Status Codes" section is currently selected. The top of the screen features the "Waste Management Information System" logo and the "Administration" title. The bottom of the screen displays the footer text "Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4".

- Enter new status code data.
- Press "Save."
- Press "Disabled?" to activate or deactivate Status Code Data in WMIS.
- Press "Reset" to reset field values to <NULL>.

Edit Status Code Data

Screen 3-15. Administration – Edit Status Code Data

The screenshot shows the 'Administration' module of the WMIS system. The main window is titled 'EDIT STATUS CODE DATA'. It contains three input fields: 'Status Code' with the value 'N', 'Description' with the value 'NEW - INVENTORY / EMPTY', and 'Disabled?' with an unchecked checkbox. The left sidebar has a 'Companies' section and a 'Status Codes' section containing links for Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The top right corner features the WCH logo for Washington Closure Hanford. The bottom of the screen displays the footer text: 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Edit status code data as needed.
  - Status Code: Single letter designator of waste package status.
  - Description: Description of status code.
  - Disabled?: Disable status code if no longer in use.
- Press "Save."
- Press "Reset" to reset field values to be reset the pre-existing values.

### 3.6 WMIS160 PROFILE DATA ADMINISTRATION

The profile table has a record for each PHMC profile that waste is generated under. All ERDF profiles are captured in the Designation module.

Screen 3-16. Administration – Profile Data


The screenshot shows a Microsoft Internet Explorer window for the WMIS Administration system. The title bar reads "WMIS Administration - Microsoft Internet Explorer". The menu bar includes File, Edit, View, Favorites, Tools, and Help. The toolbar includes Back, Forward, Stop, Refresh, Home, Search, Favorites, and Print. The address bar shows the URL "http://wchwebstage.erc.rl.gov/WMIS/default.asp?Page=150". The main content area is titled "Waste Management Information System Administration". A sidebar on the left lists various administration modules: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data (which is selected and highlighted in blue), Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The "Profile Data" section is titled "PROFILE DATA ADMINISTRATION" and contains a table with the following data:

Profile	Revision	Approval Date	Edit	Delete
BHIX-100-0003	0	7/27/2001	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-120-0002	0	9/21/2000	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-120-0003	0	7/27/2001	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-200-0001	0	8/5/1999	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-204-0001	0	9/22/1999	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-20K-0001	1	3/7/2001	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-220-0001	0	6/20/2002	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-220-0002	0	6/27/2002	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-250-0001	0	2/6/2002	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-250-0002	0	4/23/2002	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-250-0003	0	4/23/2002	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-400-0001	0	2/22/1999	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-401-0001	0	2/22/1999	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
BHIX-402-0001	0	2/22/1999	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>

At the bottom of the page, a footer bar reads "Washington Closure Hanford LLC | Waste Management Information System | WMISvWeb v2.1.4".

Add Profile Data

Screen 3-17. Administration – Add Profile Data



The screenshot shows the 'Administration' module of the WMIS110 system. The main title 'Administration' is at the top right, and the 'Waste Management Information System' logo is at the top center. On the left, a vertical menu lists 'Companies', 'Users', 'Facilities', 'PIN Data', 'Status Codes', 'Profile Data' (which is selected), 'Static Look-ups', 'ERDF Truck Inventory', 'Label Printers', 'Edit WMIS Components', 'Container Maintenance LOV', and 'ERDF Origins'. The 'Profile Data' section contains the following fields:

- Profile: [Text Box]
- Revision: [Text Box]
- Approval Date: [Text Box] with a calendar icon
- Name: [Text Box]
- Comments: [Text Box]
- Company: [Text Box]
- Company Type: [Text Box] with a 'Chemical Screen' label
- Con of Approval: [Text Box]
- Expiration Date: [Text Box] with a calendar icon
- Rate: [Text Box]
- Person: [Text Box]
- WSRD#: [Text Box] with a 'Reporting' label

At the bottom, a footer bar reads 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Enter new PHMC profile information.
- Press "Save."
- Press "Reset" to reset field values to <NULL>.

Profile Data Administration Edit

Screen 3-18. Administration – Profile Data Administration Edit

Waste Management Information System

**Administration**

**PROFILE DATA ADMINISTRATION EDIT**

Profile: BHIX-100-0003 Revision: 0 Approval Date: 07/27/2001

Name: SOLID LOW LEVEL WASTE

Comments: TEST

Company:

Company Type: GEN Chemical Screen

Con of Approval: 1) VERIFICATION FOR NON-CONTAINERIZED/NON-STANDARD WASTE CONAINERS MUST BE PERFORMED PRIOR TO FINAL PACKAGING. CONTACT VERIFICATION SERVICES GROUP PRIOR

Expiration Date: 07/26/2002 Rate: 100

Person:

WSRD#: 100 - DIRECT DISPOSABLE LOW-LEVEL WASTE Reporting

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- Edit the existing profile as needed.
- Press "Save."
- Press "Reset" to reset field values to be reset the pre-existing values.


Delete Profile Data

- Press "Delete" to delete an existing profile in WMIS.

### 3.7 WMIS170 LIST STATIC LOOK-UP TABLES

Static look-up tables for miscellaneous information (i.e., isotopes, DOT class, physical state, etc.) are on this screen. No insert or update functionality has currently been included.

**Screen 3-19. Administration – Static Lookup Lists**



#### Search Static Lookup List

- Select appropriate list from the static lookup list to search as needed.
- The search filter function allows for refinement of the search parameters to optimize functionality. The syntax for the search pattern allows for truncated parameters.
- Press "Search." The screen will display all records that meet the query's criteria.
- To clear the search filter information, press "Clear."

## 3.8 WMIS180 ERDF TRUCK INVENTORY

Screen 3-20. Administration – ERDF Truck Inventory


Truck Number	Tare Weight	Rounded Tare Weight	Label	Edit	Delete
7	42360	42360	Label	Edit	Delete
8	42320	42320	Label	Edit	Delete
9	42320	42320	Label	Edit	Delete
10	42360	42360	Label	Edit	Delete
11	42280	42280	Label	Edit	Delete
12	42400	42400	Label	Edit	Delete
13	42400	42400	Label	Edit	Delete
14	42160	42160	Label	Edit	Delete
15	42400	42400	Label	Edit	Delete
16	42288	42288	Label	Edit	Delete
17	42440	42440	Label	Edit	Delete
18	42600	42600	Label	Edit	Delete
19	42260	42260	Label	Edit	Delete
20	42320	42320	Label	Edit	Delete

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

Button	Screen Shot	Description
Print Trucks	Screen 3-20	
Add	Screen 3-21	Add new ERDF profiles
Label		
Edit	Screen 3-23	Edit existing ERDF profiles
Delete		Delete ERDF profiles

**PRINT TRUCKS** function- Reserved for future development

## Screen 3-21. Administration – Add ERDF Truck



The screenshot shows the WMIS Administration interface. The left sidebar contains links for Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, and ERDF Truck Inventory. The ERDF Truck Inventory link is highlighted. The main content area is titled 'ADD ERDF TRUCK' and includes fields for 'Truck Number' (highlighted in red), 'Tare Weight', 'Rounded Tare Weight', and 'RF Tag ID #'. There are 'Save' and 'Reset' buttons at the top right of the form. The bottom of the screen displays the footer: 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- **Save.** To add new ERDF truck information, enter the appropriate information in the required fields. Press the Save button.
- **Reset.** Press the reset button if the data is incorrect, which resets fields to <Null> values. Edit ERDF Truck.

## Screen 3-22. Administration – Edit ERDF Truck

Waste Management Information System

Administration

Administration

EDIT ERDF TRUCK

Save      Reset

Truck Number: 7

Tare Weight: 42360      Rounded Tare Weight: 42360      RF Tag ID #: 449089

Companies

Users

Facilities

PIN Data

Status Codes

Profile Data

Static Look-ups

**ERDF Truck Inventory**

Label Printers

Edit WMIS Components

Container Maintenance LOV


ERDF Origins

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4


- **Save.** Edit existing ERDF trucks as needed. When changes are complete, Press the Save button.
- **Reset.** Press the reset button if the data entered into the required fields is incorrect and needs to be reset the pre-existing values.

## 3.9 WMIS190 LABEL FUNCTION ADMINISTRATION

Screen 3-23. Administration – Label Printers



## Screen 3-24. Administration – Add Label Printer



The screenshot shows the 'Administration' module of the Waste Management Information System (WMIS). The main title 'Administration' is at the top right, with the 'WCH' logo (Washington Closure Hanford) to its right. On the left, a vertical navigation menu lists various administrative functions: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, and Label Printers. Under 'Label Printers', three options are listed: Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The central panel is titled 'ADD LABEL PRINTER' and contains four input fields: 'Printer Name' (a text input field), 'Server IP' (a text input field), 'Small Labels' (a checkbox), and 'Description' (a large text area with scroll bars). At the top right of this panel are 'Save' and 'Reset' buttons. At the bottom of the screen, a footer bar displays the text 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

Waste Management Information System

**Administration**

WCH

Companies

Users

Facilities

PIN Data

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

**Label Printers**

Edit WMIS Components

Container Maintenance LOV

ERDF Origins

**ADD LABEL PRINTER**

Printer Name:

Server IP:


Small Labels:

Description:

Save Reset

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

## Screen 3-25. Administration – Edit Label Printer



The screenshot shows the 'Administration' module of the WMIS system. The left sidebar lists various administrative options: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, and Label Printers. Under 'Label Printers', there are three sub-options: Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The main content area is titled 'EDIT LABEL PRINTER'. It contains the following fields: 'Printer Name' (set to 'SMALL LABELS'), 'Server IP' (set to '172.17.28.10'), 'Small Labels' (with a checked checkbox), and 'Description' (set to 'TESTER'). At the top right of the content area are 'Save' and 'Reset' buttons. The top right corner of the screen features the WCI logo (Washington Closure Hanford).

Waste Management Information System

Administration

WCI

Companies

Users

Facilities

PIN Data

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

Label Printers

Edit WMIS Components

Container Maintenance LOV

ERDF Origins

Printer Name: SMALL LABELS

Server IP: 172.17.28.10

Small Labels:

Description: TESTER

Save Reset

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

## 3.10 WMIS200 WASTE COMPONENTS ADMINISTRATION

Screen 3-26. Administration – WMIS Waste Components



The screenshot shows the WMIS Waste Components administration screen. The top navigation bar includes a logo for 'Washington Closure Hanford' and the text 'Waste Management Information System Administration'. A sidebar on the left lists various administration modules: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, and two buttons for 'Edit WMIS Components' and 'Container Maintenance LOV'. The main content area is titled 'WMIS Waste Components' and contains a table with the following data:

	CAS:	Description:	Actions
1	10045-97-3	CESIUM-137	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
2	10098-97-2	STRONTIUM-90	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
3	1066-44-0	BROMOTRIMETHYLSTANNANE	<input type="button" value="Edit"/> <input type="button" value="Delete"/>
4	1193-18-6	3-METHYL, 2-CYCLOHEXEN-1-ONE	<input type="button" value="Edit"/> IN USE
5	123-79-5	DIOCTYL ADIPATE	<input type="button" value="Edit"/> IN USE
6	124-19-6	NONANAL	<input type="button" value="Edit"/> IN USE
7	125005-87-0	DIUTAN GUM	<input type="button" value="Edit"/> IN USE
8	127062-51-5	13-HEXYLOXYACYCLOTRIDEC-10-EN-2 $\omega$	<input type="button" value="Edit"/> IN USE
9	1330-86-5	DIISOCTYL ADIPATE	<input type="button" value="Edit"/> IN USE
10	136777-61-2	M+P-XYLENE	<input type="button" value="Edit"/> IN USE

At the bottom of the screen, a footer bar displays the text 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Select "Add" to add new company, see Screen 3-27.
- Select "Edit" to edit existing company, see Screen 3-28.

Add WMIS Component

Screen 3-27. Administration – Add WMIS Component

The screenshot shows the 'Administration' module of the WMIS system. The main title is 'Administration' and the sub-section is 'ADD WMIS COMPONENT'. The left sidebar lists various components: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, and Label Printers. Below this is a section titled 'Edit WMIS Components' containing 'Container Maintenance LOV' and 'ERDF Origins'. The main form has two text input fields: 'CAS:' and 'DESCR:', both of which are currently empty. At the bottom right of the form are 'Save' and 'Reset' buttons. The footer of the page displays the text 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Enter data to create new WMIS component.
- Press "Save."
- Press "Reset" to reset field values to <NULL>.

Edit WMIS Waste Component

Screen 3-28. Administration – Edit Waste Component

Waste Management Information System

**Administration**

**EDIT WMIS WASTE COMPONENT**

CAS: 10045-97-3

DESCR: CESIUM-137

Save Cancel

Administration

Companies

Users

Facilities

PIN Data

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

Label Printers

**Edit WMIS Components**

Container Maintenance LOV

ERDF Origins

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- Edit the waste component information as needed.
- Press "Save."

## 3.11 WMIS210 WMIS ERDF CONTAINER MAINTENANCE LOV ADMINISTRATION

Screen 3-29. Administration – Container Maintenance LOV

Waste Management Information System

**Administration**

Administration

**WMIS ERDF CONTAINER MAINTENANCE LOV**

**Maintenance Items:**

BUNGEE	Edit
WHEELS	Edit
CRACKS	Edit
ROLLER	Edit
LABELING	Edit
SIDEWINDERS	Edit
BOLTS/NUTS	Edit
SEAL	Edit
DOOR	Edit
HINGE	Edit
LATCHES	Edit
TARP	Edit
WIRE RAILS	Edit
HOLE	Edit
ANNUAL INSPECTION	Edit

Add

Companies

Users

Facilities

PIN Data

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

Label Printers

Edit WMIS Components

**Container Maintenance LOV**

ERDF Origins

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- Select "Add" to add new maintenance items, see Screen 3-30.
- Select "Edit" to edit existing maintenance items, see Screen 3-31.

Add Container Readiness Check List Item

Screen 3-30. Administration – Add Container Readiness Check List Item

The screenshot shows the WMIS Administration interface. At the top, there is a header with the text "Waste Management Information System" and "Administration". On the right side of the header is the WCH logo (Washington Closure Hanford). Below the header, there is a navigation menu on the left side with the following items: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV (which is highlighted in a dark grey box), and ERDF Origins. The main content area is titled "ADD CONTAINER READINESS CHECK LIST ITEM". It contains a single input field labeled "Description:" with a placeholder text box. At the top right of this area are "Save" and "Reset" buttons. At the bottom of the screen, there is a footer with the text "Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4".

- Enter data to create new container readiness check list item.
- Press "Save."
- Press "Reset" to reset field values to <NULL>.

Edit Container Maintenance Items

Screen 3-31. Administration – Edit Container Maintenance Items

Waste Management Information System

Administration

Administration

EDIT CONTAINER MAINTENANCE ITEMS

Save Cancel

LIST ITEMS FOR: J BUNGEE

Back

LEVEL REQUIRED:

SCREEN LABEL:

Description: HOOKS

Description: REPAIR

Description: REPLACE

Add

Companies

Users

Facilities

PIN Data

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

Label Printers

Edit WMIS Components

Container Maintenance LOV

ERDF Origins

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- Edit the container maintenance items information as needed.
- Press "Save."

## 3.12 WMIS220 WMIS ERDF ORIGINS

**Caution: ERDF Origins shall not be added, removed, or revised unless specifically authorized by the WMIS Subject Matter Expert**

Screen 3-32. Administration – WMIS ERDF Origins

The screenshot shows the WMIS Administration interface with the title 'WMIS ERDF ORIGINS'. On the left, a vertical menu lists: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The 'ERDF Origins' item is highlighted. The main panel displays a list of origins with columns for 'Origin' and 'Miles'. Each entry has 'Edit' and 'Delete' buttons. The entries are:

Origin	Miles	Edit	Delete
(B RX) HAZARD MITIGATION	0	Edit	Delete
100-B-14	0	Edit	Delete
100-B-17	0	Edit	Delete
100-B-18	0	Edit	Delete
100-B-19	0	Edit	Delete
100-B-21	0	Edit	Delete
100-B-22	0	Edit	Delete
100-B-23	0	Edit	Delete
100-B-27	0	Edit	Delete
100-C-7	12.6	Edit	Delete

At the bottom of the main panel, there is a footer bar with the text 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Select "Add" to add new origins, see Screen 3-33.
- Select "Edit" to edit existing origins, see Screen 3-34.

**Add WMIS ERDF Origin****Screen 3-33. Administration – Add WMIS ERDF Origin**

The screenshot shows the WMIS Administration interface. The top navigation bar includes a logo for 'Washington Closure Hanford' and the text 'Waste Management Information System' and 'Administration'. A left sidebar menu lists various administration options: Companies, Users, Facilities, PIN Data, Status Codes, Profile Data, Static Look-ups, ERDF Truck Inventory, Label Printers, Edit WMIS Components, Container Maintenance LOV, and ERDF Origins. The 'ERDF Origins' option is highlighted. The main content area is titled 'ADD WMIS ERDF ORIGIN' and contains two input fields: 'ORIGIN:' and 'MILES:', both of which are currently empty. Below these fields are 'Save' and 'Reset' buttons. At the bottom of the screen, a footer bar displays the text 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Enter data to create a new origin.
- Press "Save."

Edit WMIS ERDF Origin

Screen 3-34. Administration – Edit WMIS ERDF Origin

Waste Management Information System

**Administration**

**EDIT WMIS ERDF ORIGIN**

ORIGIN: (B RX) HAZARD MITIGATION

MILES: 0

Save Cancel

Companies

Users

Facilities

PIN Data

Status Codes

Profile Data

Static Look-ups

ERDF Truck Inventory

Label Printers

Edit WMIS Components

Container Maintenance LOV

**ERDF Origins**

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4


- Edit the origin information as needed.
- Press "Save."

## 4.0 WMIS400 – DESIGNATION MODULE

The Designation Module contains the capability to create new designations, various search engines, constituent and isotope lookup tables, TSCA data screens, and dangerous waste and LDR screens. Users with WMIS security role permissions to this module have access to a wide variety of functions within this module.

### 4.1 WMIS400 DESIGNATION SEARCH

Screen 4-1. Designation – Search



The screenshot shows the 'DESIGNATION SEARCH' interface. At the top, there is a header with the text 'Waste Management Information System' and 'Designation'. Below the header is a toolbar with 'Search', 'Clear', and 'New' buttons. The main search area contains the following fields: 'Designation' (text input), 'Revision' (text input), 'Status' (dropdown menu), 'Title' (text input with scroll bars), 'Author' (dropdown menu), 'From Date' (text input with calendar icon), 'To Date' (text input with calendar icon), and 'Area/Project' (dropdown menu). At the bottom of the search area, it says 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

Designation: Waste profile (WP prefix), waste designation (WD prefix), or global designation (GD prefix) unique number. Waste profiles use a project/location-identifiable description for numbering with ending numbers for different waste streams at same project/location. Waste and global designations use the CCN as assigned by RDC.

Revision: Current revision.

Status: Draft, Approved, Revised

Title: Description of source location and waste stream.

Author: WDS

From Date/To Date: Allows search of designations within time frame.

Button	Screen Shot	Description
Search	Screen 4-2	Search existing designations
Clear	Screen 4-1	Clear search parameters
New	Screen 4-3	Create new designation

### Designation Search

The Designation Search menu allows the user to query WMIS for designations to view or update. The results of the search appear in a list and the user can select a record for detailed viewing.

**Screen 4-2. Sample Search Results**

Waste Management Information System  
**Designation**

**DESIGNATION SEARCH**

Designation:  Revision:  Status:

Title:

Author:

From Date:  To Date:

Area/Project:

**Designation Search Results**

Designation#Rev	Status	Author	Date
1BCR001 / Rev 0	APPROVED	JACKSON, RANDY W	2/22/2007
Title: 100-B CHROMIUM CONTAMINATED SOIL 100-B-27			
618BG001 / Rev 0	DRAFT		
Title:			
:EFJDM / Rev 0	DRAFT		
Title:			
COPYWP100KDD001 / Rev 0	APPROVED	CHRISTENSEN, KATHLEEN R B	11/28/2007
Title: 100K AREAS BUILDINGS DEMOLITION DEBRIS			
GD0559868 / Rev 0	APPROVED	LIPINSKI, RICHARD S	4/7/2005
Title: ECOFIBRE			
GD0561591 / Rev 0	APPROVED	LIPINSKI, RICHARD S	1/31/2005
Title: STORM-KLEAR LIQUI-FLOC GLOBAL DESIGNATION (CHITIN)			
GD0564602 / Rev 0	APPROVED	LIPINSKI, RICHARD S	4/27/2005
Title: USED RUST DOCTOR RUST CONVERTER AND COPOLYMER METAL PRIMER 10%			
GD0564604 / Rev 0	APPROVED	LIPINSKI, RICHARD S	5/3/2005
Title: USED POLYMERIC BARRIER SYSTEM			
GD0592949 / Rev 0	APPROVED	LIPINSKI, RICHARD S	3/10/2005
Title: FOSTER 32-60 GLOBAL DESIGNATION			
GD121118 / Rev 0	APPROVED	LIPINSKI, RICHARD S	5/25/2005
Title: SILICA GEL			
GD121118 / Rev 1	DRAFT	LIPINSKI, RICHARD S	

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

**Defining Search Parameters**

- Enter any combination of the following fields to build the search query (more fields narrow the search, fewer fields broaden the search).
  - Designation number (truncate this field to maximize search)
  - Revision number
  - Title
  - Status
  - Author.
- Date fields are also available as search parameters. A pop-up calendar or manual entry of the date(s) is available.
  - From date
  - To date.
- Press the "Search" button at the top of the screen when search parameters are complete. Designations meeting the query criteria appear below the search parameters.

**Designation, Not Shown**

Press Clear to reset to <NULL>.

Refine search parameters.

**Designation, Shown**


Press designation link to view.

### Create New Designation

The Create New Designation menu allows the user (WDS role authorization) to create a new designation in WMIS.

- Press "New" button in the top right of the screen (see Screen 4-1). The Create New Designation screen appears.

**Screen 4-3. Designation – Create New**



The screenshot shows the 'Create New Designation' dialog box from the WMIS system. The dialog is titled 'CREATE NEW DESIGNATION' and contains fields for 'New Designation Number' (set to 0) and 'Rev' (set to 0). There are 'Create' and 'Cancel' buttons at the top right. The dialog is overlaid on a main interface with a blue sidebar labeled 'Search' and a header 'Designation'.

- Enter the new designation number and revision number (enter revision as 0 if new designation.). Use appropriate prefix for designation type; WP for waste profiles, WD for waste designations, and GD for global designations.
- Press "Create" – WMIS creates a new designation and opens the Designation Basics Screen (see Screen 4-4). Follow the steps in the following Section 4.1 for entering basic information.

## 4.2 WMIS410 DESIGNATION BASICS

The Designation Basics screen allows the user to view and input the basic fields that define the general characteristics of the designation. Alternatively, a WMIS Import Tool is in place to retrieve this data to create a new or revise an existing designation in WMIS.

**Screen 4-4. Designation – Basics**

The screenshot displays the 'DESIGNATION BASICS' screen of the Waste Management Information System (WMIS). The main title 'Designation' is at the top right, with the WMIS logo and 'WCH Washington Closure Hanford' in the top right corner. The left sidebar has a blue background and lists 'Search', 'Basics' (which is selected and highlighted in grey), 'TSCA Data', 'Constituents', 'Isotopes', 'Dangerous Waste/LDR', and 'ERDF Origins'. The main content area has a grey background and contains the following fields:

- DESIGNATION BASICS** buttons: Save, Reset, Revise, Copy.
- Designation:** 1BCR001, **Revision:** 0, **Status:** APPROVED, **InActivate** button.
- Title:** 100-B CHROMIUM CONTAMINATED SOIL  
100-B-27
- Author:** JACKSON, RANDY W, **Print Designation Report** button.
- Date:** 02/22/2007
- Physical Information** section:
  - Dangerous:** checked, **TSCA:** unchecked, **Density (kg/m<sup>3</sup>):** 1600
  - RAD Code:** NON-RADIOACTIVE, **NRC Class:** NA
  - Reactivity Code:** NOT REACTIVE, **Treatment:** STABILIZE
  - pH:** NA, **Select List:** dropdown
  - Company:** WASHINGTON CLOSURE
  - Physical State:** SOLID, **Area/Project:** dropdown
  - Document Number:** 100 BC/100 BC BGRS
  - Flashpoint (C):** NA, **Select List:** dropdown, **Fahrenheit:** (Convert)
  - Destination:** ERDF
- Comments:** 99% SOIL, 1% OTHER (PAPER, PLASTIC, RUBBER, CLOTH, PPE)

At the bottom, it says 'Verified and Approved By: CASBON, MIKE A 4/4/2007 6:04:53 AM'. The footer at the bottom of the screen reads 'Washington Closure Hanford LLC | Waste Management Information System | WMISvWeb v2.1.4'.

**Table 4-1. Basic Designation Screen Fields.**

Field	Entry	Description	Req
Designation	DEFAULT	Designation Number	Y
Revision	DEFAULT	Revision Number	Y
Status	DEFAULT	Auto fill "R" = Revised. "A" = Approved. "D" = Draft. On Insert, "D"	Y
Title	USER	Designation Title	Y
Author	USER	Pick List from User table.	Y
Date	USER	Date of Designation	Y
Dangerous	USER	"Y," "N" Checkbox.	Y
TSCA	USER	"Y," "N" Checkbox.	Y
RAD Code	USER	"LLW," "TRU," "USG," "NON"	Y
NRC Class	USER	A, B, C, >C, N/A	Y
Reactivity Code	USER	Pick List	Y
pH	USER	User entry	Y
Physical State	USER	"G," "GL," "GLS," "GS," "L," "LS," "M," "S"	Y
Document Number	USER	DocsOpen Number	Y
Flash Point (Celsius)	USER	If Celsius is entered, calculate and display Fahrenheit = (Celsius * 1.8) + 32.	Y
Flash Point (Fahrenheit)	USER	If Fahrenheit is entered, calculate and display Celsius = (Fahrenheit - 32) / 1.8.	Y
Destination	USER	Pick List, Disposal Destination	Y
Comments	USER	User entry	Optional
None	DEFAULT	System Date	
Verified By	USER	Auto fill, inputs name of person logged on to computer.	
Verified Date	DEFAULT	System Date/Auto fill. Sets Designation Status to approved (A). If there is a previous revision for this Designation, sets that record's status to revised (R).	

**Input Basic Designation Information**

The WDS creates a new or modifies an existing Waste Designation spreadsheet to characterize waste. Transfer of data into WMIS occurs either by the WMIS Import Tool or manually from the hardcopy. Please refer to Table 4-1 for detailed field requirements.

**Check Data**

- Press the "Check Data" button to verify that all required fields are complete.

**Reset Designation Criteria**

- Press the "Reset" button to clear all fields.

**Create Revision to Existing Designation**

- Press the "Revise" button to create a new revision of an approved designation.
- Status of the new revision is automatically set to "D" (Draft).
- User must enter new Revision Number.
- Once the revision is approved, the status changes automatically to "A" (Approved), and the previous revision is denoted as "R" (Revised).

**Copy Existing Designation to a New Designation**

At times designations will have similar characteristics or are from adjacent areas. In these cases, to avoid duplication of effort the user may choose to copy the designation and manually modify the individual fields as necessary.

- Press the "Copy" button to copy the existing designation/revision records.
- Status of the new designation is automatically set to "D" (Draft).
- User must enter the new Designation Number and Revision Number.
- User revises fields as necessary.

**Print Designation Report**

- Press the "Print Designation Report" button to create the designation report.


**Verify and Change Status to Approved.**

Upon acceptance of waste profiles, Project Engineer to press the "Verify and Change Status to Approved" button. Within three business days of receipt of approved waste and global designations, the WITS will press the "Verify and Change Status to Approved" button. Once the "Verify and Change Status to Approved" button is pressed, designation record status will

change to "A" (Approved). The system fills in the name, date, and time for the person who is logged in.

#### 4.3 WMIS420 TSCA DATA

**Screen 4-5. Designation – TSCA Data**



Waste Management Information System

**Designation**

**TSCA DATA**

Designation: 1BCR001 Revision: 0

Title: 100-B CHROMIUM CONTAMINATED SOIL 100-B-27

TSCA Type: (dropdown)

Source Concentration: (dropdown) ppm

PCB Description: (dropdown)

Save Reset

WCH Washington Closure Hanford

Search Basics TSCA Data Constituents Isotopes Dangerous Waste/LDR ERDF Origins

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

#### Enter TSCA Data

- Drop-down lists are available for the following data items:
  - TSCA Type
  - Source Concentration
  - PCB Description.

#### Reset TSCA Data

- Press the "Reset" button to clear all fields.

#### 4.4 WMIS430 DESIGNATION CONSTITUENTS

The Designation Constituents Screen allows the user to input the individual chemical constituents that make up the waste for the designation. Alternatively, a WMIS Import Tool is in place to retrieve this data to create a new or revise an existing designation in WMIS.

**Screen 4-6. Designation – Constituents**

Waste Management Information System  
**Designation**

**DESIGNATION CONSTITUENTS**

Designation: 1BCR001 Revision: 0

Title: 100-B CHROMIUM CONTAMINATED SOIL 100-B-27

Sort By: DEFAULT

GCN/CAS#	Constituent Description	Concentration	Units	UHC	RPT	SLV
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE (DOP)	0.046	PPM	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
120-12-7	ANTHRACENE	0.022	PPM	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
129-00-0	PYRENE	0.11	PPM	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
205-99-2	BENZ(E)ACEPHENANTHRYLENE	0.028	PPM	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
206-44-0	FLUORANTHENE	0.11	PPM	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
207-08-9	BENZO (K) FLUORANTHENE	0.028	PPM	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

#### Manually Add Chemical Constituents

- Press the "Add" button in the top right corner of the screen.
- The Constituent Search screen appears.

## Screen 4-7. Designation – Add Designation Constituents Search

The screenshot shows the 'ADD DESIGNATION CONSTITUENTS' dialog box. At the top, it displays 'Designation: 1BCR001' and 'Revision: 1'. Below that is the 'Title: 100-B CHROMIUM CONTAMINATED SOIL 100-B-27'. A 'Search Filter' input field and a 'Search' button are located below the title. The main area is titled 'Available Constituents (Maximum 250 records displayed)' and lists 10 entries, each with a checkbox and a name:

Constituent ID	Constituent Name
100-00-5	1-CHLORO-4-NITRO-BENZENE
100-01-6	P-NITROANILINE
100-02-7	P-NITROPHENOL
100-09-4	4-METHOXYBENZOIC ACID
100-10-7	P-(DIMETHYLAMINO)BENZALDEHYDE
100-17-4	4-NITROANISOLE
100-21-0	TEREPHTHALIC ACID
100-22-1	TETRAMETHYL-P-PHENYLENEDIAMINE
100-25-4	P-DINITROBENZENE
100-35-6	2-CHLOROTRIETHYLAMINE

At the bottom of the dialog box, there are 'Add' and 'Cancel' buttons. The footer of the screen displays 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

Enter a few characters of the constituent's name or the CAS number in the Search Filter.

- Press "Search" button.
- User must check the box next to the constituent to select (multiple constituents can be added concurrently).
- Once constituents are selected, press the "Add" button.
- User is returned to Screen 4-6. Designation – Constituents.
- After adding the constituents, press the "Save" button top right hand corner of Screen 4-6.

OR

- To end the search without adding constituents and return to Screen 4-6.
- Press "Cancel" button.

#### Delete a Chemical Constituent

- Press in the check boxes that appear to the left of each designation constituent to delete. Press on the "Delete" button, then the "Save" button.


### Reset Constituent Data

- Press the "Reset" button to clear all fields.

## 4.5 WMIS440 DESIGNATION ISOTOPES

The Designation Isotopes Screen allows the user to input the individual isotopes and activity concentrations that make up the designation.

**Screen 4-8. Designation – Isotopes**



The screenshot shows the WMIS440 Designation Isotopes screen. The top navigation bar includes a dropdown menu set to 'Designation', the 'Waste Management Information System' logo, and the 'Designation' title. On the left, a vertical menu bar lists 'Search', 'Basics', 'TSCA Data', 'Constituents', 'Isotopes' (which is selected and highlighted in blue), 'Dangerous Waste/LDR', and 'ERDF Origins'. The main content area is titled 'DESIGNATION ISOTOPES' and contains fields for 'Designation: COPYWP100KDD001', 'Revision: 0', and 'Title: 100K AREAS BUILDINGS DEMOLITION DEBRIS'. Below this is a table listing isotopes with their activity concentrations. The table has two columns: 'Isotope Name' and 'Activity Concentration (pCi/g) (Ci/m³)'. The isotopes listed are Cs-137, Eu-155, K-40, Ra-226, Ra-228, Th-228, Th-230, Th-232, U-232, U-234, and U-235. The activity concentrations are: Cs-137 (1.38E+00, 2.21E-06), Eu-155 (2.38E+01, 3.81E-05), K-40 (1.16E+01, 1.86E-05), Ra-226 (3.02E+03, 4.83E-03), Ra-228 (2.12E+02, 3.39E-04), Th-228 (2.82E+02, 4.51E-04), Th-230 (4.95E+00, 7.92E-06), Th-232 (2.12E+02, 3.39E-04), U-232 (1.97E-02, 3.15E-08), U-234 (1.58E+01, 2.53E-05), and U-235 (1.87E+02, 2.99E-04).

Isotope Name	Activity Concentration (pCi/g) (Ci/m³)
Cs-137	1.38E+00 2.21E-06
Eu-155	2.38E+01 3.81E-05
K-40	1.16E+01 1.86E-05
Ra-226	3.02E+03 4.83E-03
Ra-228	2.12E+02 3.39E-04
Th-228	2.82E+02 4.51E-04
Th-230	4.95E+00 7.92E-06
Th-232	2.12E+02 3.39E-04
U-232	1.97E-02 3.15E-08
U-234	1.58E+01 2.53E-05
U-235	1.87E+02 2.99E-04

### Add an Isotope

- Press the "Add" button in the top right corner of the screen.

The Isotope Search screen appears.

## Screen 4-9. Designation – Add Designation Isotopes Search

The screenshot shows the WMIS400 – Designation Module interface. The main window is titled 'ADD DESIGNATION ISOTOPES' with 'Designation' in the background. The 'Designation' screen displays the following information:

**Designation:** 1BCR001    **Revision:** 1  
**Title:** 100-B CHROMIUM CONTAMINATED SOIL 100-B-27

Below this is a search filter section with a text input field, a 'Search' button, and a 'Remove Filter' button.

The main content is a table titled 'Isotope Name' with three columns:

Isotope Name	Isotope Name	Isotope Name
<input type="checkbox"/> Ac-227	<input type="checkbox"/> Ge-68	<input type="checkbox"/> Sb-126
<input type="checkbox"/> Ac-228	<input type="checkbox"/> H-2	<input type="checkbox"/> Sb-126m
<input type="checkbox"/> Ag-108	<input type="checkbox"/> H-3	<input type="checkbox"/> Sc-44
<input type="checkbox"/> Ag-108m	<input type="checkbox"/> Hf-175	<input type="checkbox"/> Sc-46
<input type="checkbox"/> Ag-109m	<input type="checkbox"/> Hf-181	<input type="checkbox"/> Sc-47
<input type="checkbox"/> Ag-110	<input type="checkbox"/> Hg-203	<input type="checkbox"/> Se-75
<input type="checkbox"/> Ag-110m	<input type="checkbox"/> I-123	<input type="checkbox"/> Se-79
<input type="checkbox"/> Al-28	<input type="checkbox"/> I-125	<input type="checkbox"/> Si-28m
<input type="checkbox"/> Am-241	<input type="checkbox"/> I-129	<input type="checkbox"/> Si-31
<input type="checkbox"/> Am-242m	<input type="checkbox"/> I-131	<input type="checkbox"/> Si-32

At the bottom of the window, it says 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Enter a few characters of the isotope's name in the Search Filter.
- Press the search button.
- Alternatively, user can scroll through the list and select the isotope by checking the box.
- The capability to add multiple isotopes concurrently is available.
- Once isotopes are selected, press the "Add" button.
- Press "Clear" to clear Search Filter.
- Press the "Cancel" button to end the search without adding isotopes and return to the Isotopes screen.

**Delete an Isotope**

- Press in the check boxes that appear to the left of each isotope to delete. Press on the "Delete" button, then the "Save" button.

**Reset Isotope Data**

- Press the "Reset" button to clear all fields.

#### 4.6 WMIS450 DANGEROUS WASTE AND LAND DISPOSAL RESTRICTION (LDR) DATA

Enter all applicable dangerous waste codes and any applicable LDR information into WMIS in this screen.

**Screen 4-100. Designation – Dangerous Waste & LDR**

The screenshot shows the WMIS450 Dangerous Waste and Land Disposal Restriction (LDR) data entry screen. The main window title is "Designation". The "DANGERous WASTE & LDR" panel displays the following information:

- Designation:** 1BCR001
- Revision:** 1
- Title:** 100-B CHROMIUM CONTAMINATED SOIL 100-B-27

Below these fields are several dropdown menus and checkboxes:

- UHC Applicable:** REGULATED QUANTITY OF UHC IS ABSENT
- UHC Determined:** ANALYSIS
- DW / EHW:** DANGEROUS WASTE
- Debris:** NO
- Wastewater:** NO
- Treatment Residue:** NO

At the bottom of the main panel, there is a table titled "DW# Description" with one entry:

DW#	Description
D007	CHROMIUM

Associated with this entry are checkboxes for "LDR" and "A - CHROMIUM CHARACTERISTIC".

At the bottom of the screen, a footer bar reads: "Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4".

#### Add a DW Number

- Enter a few characters of the DW number in the Search Filter.
- Press the search button.
- Add multiple DW numbers concurrently in this screen.

- Once DW numbers are selected, press the "Add" button.
- Press Save after DW's are added.
- Press "Clear" to clear Search Filter.

**Delete DW Number**


- Press the "Delete" button, to delete information.

**Reset DW Number Data**

- Press the "Reset" button to clear all fields.

**Save DW Number Data**

- Press the "Save" button to save DW Number data.

**Screen 4-11. Designation – ERDF Origins**




## 5.0 WMIS500 – STORAGE MODULE

### 5.1 WMIS500 STORAGE CONTAINER SEARCH

The Storage Module Search screen allows the user to enter a known CIN or PIN number to query the database for that record's information for viewing or update.

Screen 5-1. Storage – Container Search



The screenshot displays the 'Storage Container Search' interface of the WMIS500 system. The top navigation bar includes the 'Waste Management Information System' logo, a 'Storage' dropdown menu, and the 'Storage' module name. On the left, a vertical sidebar lists 'Search', 'PIN Request', and 'Container Inventory' as options. The main search area is titled 'STORAGE CONTAINER SEARCH' and contains the following fields:

- Container ID # (CIN): [Text Box]
- Package ID # (PIN): [Text Box]
- Activity / Material Desc: [Text Box]
- Source Facility: [Text Box] with a 'Change' button
- Package Status: [Text Box] with a dropdown arrow and an 'Include ERDF' checkbox
- Project: [Text Box]
- Handling COA: [Text Box]
- Disposal COA: [Text Box]
- POC ID: [Text Box]

At the bottom of the search area, there are 'Search' and 'Clear' buttons. The footer of the screen includes the text 'Washington Closure Hanford LLC | Waste Management Information System | WMISvWeb v2.1.4'.

**Storage Container Search**

- Enter any combination of the following fields to build the search query.

**NOTE:** More fields narrow the search and fewer fields broaden the search.

Container ID # (CIN)	Package ID # (PIN)
Activity/Material Desc	Source Facility
Container Status	Include ERDF(cans/shipments)
Project	Handling COA
Disposal COA	POC ID

- Select the "Search" button at the top of the screen, when the search parameters are complete. Containers meeting the query criteria appear below the search parameters (under "Storage Container Search Results" heading).

**Container, Not Shown**

Select the Clear to reset to <NULL>.

**Container, Shown**

Double-click on PIN # link to view container information.

Refine search parameters.

## Screen 5-2. Example of Search Results

Waste Management Information System

**Storage**

**STORAGE CONTAINER SEARCH**

Container ID # (CIN):  Package ID # (PIN):

Activity / Material Desc:

Source Facility:  Change

Package Status:  Include ERDF

Project:

Handling COA:  Disposal COA:

POC ID:

Print Labels:

**STORAGE CONTAINER SEARCH RESULTS** 1352 results returned

PIN	CIN	Status	Description
<a href="#">VOID-07-0013</a>	0004007	P	TEST - COMBINE FUNCTION: DESTINATION CONTAINER
<a href="#">VOID-07-0012</a>	0012713	P	TESTING - COPY FULL CONTAINER TO ANOTHER CIN PRINT LABELS TEST OF PIN REQUEST FUNCTION
<a href="#">VOID-07-0011</a>	0007587	COM	TEST - COMBINE FUNCTION: SOURCE CONTAINER 2 TESTING
<a href="#">VOID-07-0010</a>	0007574	REP	TESTING - REPACKAGE FUNCTION
<a href="#">VOID-07-0010</a>	0016883	P	TESTING - REPACKAGE FUNCTION
<a href="#">VOID-07-0009</a>	0003736	BHI	TESTING - COPY FULL CONTAINER TO ANOTHER CIN PRINT LABELS TEST OF PIN REQUEST FUNCTION
<a href="#">VOID-07-0008</a>	0003658	COM	TEST - COMBINE FUNCTION: SOURCE CONTAINER 1 PRINT LABELS TEST OF PIN REQUEST FUNCTION
<a href="#">VOID-07-0005</a>	0021391	V	THE 100BC SUBCONTRACTOR USED DRUM NUMBER 0021391 TO PLACE CONCRETE IN FOR SHIELDING. BASICALLY, IT IS USED AS A PIECE OF EQUIPMENT, NOT WASTE.
<a href="#">VOID-07-0004</a>	0039189	V	THIS DRUM WAS NOT USED FOR PACKAGING WASTE. IT WILL BE USED FOR

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- When the user selects a link to a container, the main Container screen for the selected container appears, showing all the basic information for that container.

**Clear Function**

Strike the "Clear" button to clear all fields.

## 5.2 WMIS505 COPY/REPACK/COMBINE

This screen is accessible upon retrieval of an available container. The term "Available" container means a container that has previously been identified with a CIN. This function copies, repacks, or combines an existing container into an "Available" container from inventory.

### Container Copy-Repack-Combine

Screen 5-3. Storage – Container Copy Repack Combine

The screenshot shows the WMIS505 Container Copy-Repack-Combine screen. The top navigation bar includes the Waste Management Information System logo, a Storage dropdown, and a WCH (Washington Closure Hanford) logo. The left sidebar contains a vertical list of functions: Search, Copy-Repack-Combine (which is selected and highlighted in blue), PIN Request, Container Inventory, Container Basics, Container Basics Rad, Container / Package Summary, Physical Components Detail, Packaging Components, Constituents, Isotopes, Container History, Container Overpack Function, and Container LabPack Function. The main work area is titled "CONTAINER COPY-REPACK-COMBINE". It displays the following data:  
Container ID # (CIN): 0004007 | Package ID # (PIN): VOID-07-0013  
Activity / Material Desc: TEST - COMBINE FUNCTION: DESTINATION CONTAINER  
Container Status: PARTIAL PKG -- NOT COMPLETE  
(1) COPY The Above Container Into The Following Container:  
CIN: [input field] | Search button  
Include All Related: Packaging Component Records:  Physical Component Records:   
Hazardous Constituent Records:  Isotope Records:   
(2) REPACKAGE The Above Container Into A Different Container:  
CIN: [input field] | Search button  
(3) COMBINE Contents Of The Below Container(s) Into The Above Container:  
CIN: [input field] | PIN: [input field] | Search button  
At the bottom of the screen, a footer bar reads: Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

### Copy into the Following Container.

## Screen 5-4. Example of Search Results

The screenshot shows the WMIS500 Storage Container Search interface. The main window is titled 'Storage' and contains a 'CONTAINER COPY-REPACK-COMBINE' dialog box. The dialog box has fields for 'Container ID #' (0004007), 'Package ID #' (VOID-07-0013), and 'Activity / Material Desc.' (TEST - COMBINE FUNCTION: DESTINATION CONTAINER). The 'Container Status' is listed as 'PARTIAL PKG - NOT COMPLETE'. Below these fields is a table listing available containers:

CIN	Type	Size
000001	AA	UNKNOWN
0000657	CM	9*5*5
0000671	CM	9*5*5
0001768	DM	30 GALLON
0001769	DM	30 GALLON
0001771	DM	30 GALLON
0001778	DM	30 GALLON
0001801	DM	30 GALLON
0001810	DM	30 GALLON
0001811	DM	30 GALLON

At the bottom of the dialog box, it says 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4'.

- Selection of this option creates a copy of the container shown at the top of the Screen into another available container, or otherwise known as the "Destination" container.

### Input

**CIN:** Select the "Search" button to designate the "Destination" container. A list of available containers displays.


- When the user selects the "Copy" button, The Copy-Repack-Combine procedure is executed, and performs all of the following updates.

All further updates to the Destination Container need to occur in the Container Basics screen.

- The container information is already present on the "Container Basics" screen for the container being copied. This option of the copy function inserts the same information as the container being copied (except POD ID).
- Search for the CIN number of the container to copy into (needs to be an existing "Available" container).

- Select the check box beside "Packaging Component Records" to copy the same packaging items that are in the container being copied to the new container.
- Select the check box beside "Physical Component Records" to copy the same physical component items that are in the container being copied in the new container.
- Select the check box beside "Hazardous Constituent Records" to copy the same chemical constituent items that are in the container being copied in the new container.
- Select the check box beside "Isotope Records" to copy the same isotopes that are in the container being copied in the new container.
- The Screen requests the user to select a PIN for the new container. Select the desired prefix.
- Strike the "Copy" button once the desired information has been selected.
- The Screen redirects the user to the Container Basics Screen of the new PIN number of the container that has been created.

**Screen 5-5. Container Copy Function**



### Container Repackage Function

The existing container's contents may be emptied out and placed into another container. This means that the original Items and all the Components for those Items need to be transferred to another container within the database. The top portion of the Screen shows the container selected to repackage, or the "Source" container.

#### Input

**CIN:** The "Destination" container is selected by pressing on the Search button, and a list of available containers from the Container\_Inventory table is displayed.

When the user strikes the "Repack" button, the Copy-Repack-Combine procedure is executed, and cycles through the following updates.

All further updates to the Destination Container need to be done in the Container Basics screen.

The container repackaging is used to transfer the contents, full or partial, from one container to another. This function provides the ability to change the container's CIN and PIN data.

#### Screen 5-6. Container Repackage Function

The screenshot shows the 'CONTAINER COPY-REPAC-K-COMBINE' dialog box. The 'Copy-Repac-Combine' function is selected in the sidebar. The dialog box contains the following fields and sections:

- Container ID # (CIN):** [Text Box]   **Package ID # (PIN):** [Text Box] (600A-08-0012)
- Activity / Material Desc:** [Text Box] (PARENT RECORD: 600A-08-0010, 600A-08-0011)
- Container Status:** [Text Box] (NEW - INVENTORY / EMPTY)
- (1) COPY The Above Container Into The Following Container:**  
CIN: [Text Box]   **Search** button  
Include All Related: Packaging Component Records:  Physical Component Records:   
Hazardous Constituent Records:  Isotope Records:
- (2) REPACKAGE The Above Container Into A Different Container:**  
CIN: [Text Box]   **Search** button
- (3) COMBINE Contents Of The Below Container(s) Into The Above Container:**  
CIN: [Text Box]   PIN: [Text Box]   **Search** button

At the bottom of the screen, the footer reads: Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

### Re-Package Container

After inputting the basic information of the source container and the CIN of the new container, strike on the "Re-Package" button to complete the re-packaging.


### Reset Container

Strike on the "Reset" button to clear all fields.

### Combine Container

A container combining operation involves emptying the entire contents of one or more containers into a different container. The emptied containers remain available for re-use. The "Destination" container, which most likely contains waste of its own, may receive waste from one or more "Source" containers.

**Screen 5-7. Container Combine Function**



Waste Management Information System

**Storage**

**CONTAINER COPY-REPACK-COMBINE**

Container ID # (CIN): 0001777      Package ID # (PIN): 100A-08-0001

Activity / Material Desc: EMPTY

Container Status: NEW - INVENTORY / EMPTY

0026095      K100-05-7774

Cancel

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.3

Search

**Copy-Repack-Combine**

PIN Request

Container Inventory

Container Basics

Container Basics Rad

Container / Package Summary

Physical Components Detail

Packaging Components

Constituents

Isotopes

Container History

Container Overpack Function

Container LabPack Function

**Search for "Destination" Container**

- Enter at least a portion of the CIN or the PIN number for the container to be emptied into the container shown at the top of the screen. The container at the top of the screen is the "Destination" container.
- Strike on the "Search" button, and then strike on the specific container intended to combine. This is the "Source" container.
- Strike on the "Combine" tab located on the right side of the screen.
- The "Destination" container information appears in the Container Basics screen, showing the record now with the additional components from the "Source" container.
- The emptied containers show a history record indicating the combine action. "Combined Into..." message appears in the General Comments field.
- The destination container has a "Combined From..." message in its General Comments field, and has more fields such as row items and packaging components than were present before performing the combine function.

**Combine Containers**

The Container at the top of the Screen is the "Destination" Container. Transfer to this container of the contents of other containers selected with the search function.

**Input**

**CIN:** Strike the "Search" button, select the "Source" container, and display a list of all partially filled containers.

Strike the "Combine" button. The CIN and/or PIN numbers build the query to identify the container's records and data elements to update the Destination container.

## Screen 5-8. Copy Repack Combine Destination Screen

Waste Management Information System

**Storage**

**CONTAINER COPY-REPACK-COMBINE**

Container ID # (CIN): 0024310      Package ID # (PIN): 100B-05-1488

Activity / Material Desc: INVENTORY FOR 100 B/C

Container Status: NEW - INVENTORY / EMPTY

(1) COPY The Above Container Into The Following Container:

CIN:

Include All Related: Packaging Component Records:  Physical Component Records:   
Hazardous Constituent Records:  Isotope Records:

(2) REPACKAGE The Above Container Into A Different Container:

CIN:

(3) COMBINE Contents Of The Below Container(s) Into The Above Container:

CIN:  PIN:

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.3

Storage

WCH Washington Closure Hanford

Search

Copy-Repack-Combine

PIN Request

Container Inventory

Container Basics

Container Basics Rad

Container / Package Summary

Physical Components Detail

Packaging Components

Constituents

Isotopes

Container History

Container Overpack Function

Container LabPack Function

### **5.3 WMIS510 PIN REQUEST**

The PIN Request Screen allows the user to assign a number to their waste in the correct format. This routine allows the user to select an "available" container from inventory, assign the correct prefix, and insert a new record into the database containing the requested PIN. The selection Screen displays a drop down to obtain the proper number scheme. The user selects the prefix, selects available containers, and the system returns the requested numbers on the screen. The user also has the capability to enter common data elements for all the PIN numbers requested. If the user enters any of the common data, all the containers contain that same data.

The PIN Request Screen allows the user to assign a Package Identification Number to their waste in the correct format. The PIN assignment typically occurs when the Waste Transportation Specialists are picking the containers that are ready to use. This Screen allows the user to input some common data elements that are applicable to the project. Changes or additions to the common data reflect in all the selected containers getting a new PIN number contains the same data.


The user can search and display the available containers in inventory that are available for issue and use for waste storage/disposal. The user selects the desired available containers by checking the box next to the CIN number. The user then checks the "Assign PINS" button and a PIN is assigned.

The PIN belongs to the waste inside the container, and identifies the waste, not the container. (Cradle to Grave). If the waste transfers into another container, the PIN goes with the waste. The CIN/PIN record shows as "D" (Disposed) in the WMIS database when the destruction or disposal of the container, with the waste inside, occurs. When the container is simply emptied, the database record for that CIN/PIN combination shows disposed, but the container is available for re-use, and appears in the WMIS database as many times as it is re-used, with different PINs for each use.

#### **Search for Available Containers**

The user can select the available containers that can be used by entering Purchase Order, Size desired, or known Storage Location. A list displays the available containers. The user selects those required containers by checking the box next to the listed container.

## Screen 5-9. Storage – PIN Request



Waste Management Information System

**Storage**

**PACKAGE IDENTIFICATION NUMBER (PIN) REQUEST**

Prefix: Description:

These Containers Will All Have The Following Data Applied To Them, If Entered:

Description Of Activity/Material:

Source Facility:  Change

Package Status: N NEWLY ASSIGNED NUMBER

Project:

Handling COA:   Disposal COA:

Source Company: WASHINGTON CLOSURE HANFORD, LLC

POC ID: NOLAN, L (MIKE) M

Storage Facility:  Change

Storage Detail:

Generator Comments:

Search For Available Containers By: Purchase Order #

ERDF Containers:  Size Description:

CIN:  Search

CIN	PIN	Type	Size Description	DOT	Tare Weight	Volume

Assign PINs  Save as Cont  Print Labels

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.3

Assign PINs

- Select the desired containers.
- Strike "Assign PINs."

## Screen 5-10. Example of Search Results

STORAGE CONTAINER SEARCH RESULTS			
1261 results returned			
PIN	CIN	Status	Description
VOID-07-0005	0021391	V	THE 100BC SUBCONTRACTOR USED DRUM NUMBER 0021391 TO PLACE CONCRETE IN FOR SHIELDING. BASICALLY, IT IS USED AS A PIECE OF EQUIPMENT, NOT WASTE.
VOID-07-0004	0039189	V	THIS DRUM WAS NOT USED FOR PACKAGING WASTE. IT WILL BE USED FOR OTHER PURPOSES ON THE PROJECT
VOID-07-0003	0039187	V	THIS DRUM WAS NOT USED FOR PACKAGING WASTE. IT WAS USED FOR OTHER PURPOSES ON THE PROJECT
VOID-07-0002	0039181	V	THIS DRUM WAS NOT USED FOR PACKAGING WASTE. IT WAS USED FOR OTHER PURPOSES ON THE PROJECT.
VOID-07-0001	0039180	V	THIS DRUM WAS NOT USED FOR PACKAGING WASTE. IT WAS USED FOR OTHER PURPOSES ON THE PROJECT.
K100-05-8532	K100-05-8437	V	2 LEAD CASKS
K100-05-7775	0026257	N	HYDRAULIC OIL GENERATED FROM DOORS AT 183KW (VAULT)
K100-05-7774	0026095	N	HYDRAULIC OIL GENERATED FROM DOORS AT 183KW (VAULT)

Print PIN Labels

Reserved for future development.

Request PIN

- Select a prefix for the PIN numbers.

The user must complete the following sections to complete PIN request: Prefix, Source Facility, Source Company, and POC ID.

**NOTE:** The user can enter any additional desired information on the container records in the rest of the fields shown on the screen. However, the user should realize the entered information appears on every PIN requested. This can save time if the information is the same for all the requested containers, but can cause problems if the data entered does not apply to all the requested numbers.

- Enter requested information.
- Strike the "Search" button beside the Storage Detail field in the Search for Available Containers By box, and the available containers in inventory appear.
- Place check marks beside the desired containers.
- Strike "Assign PINS" button.
- The screen displays the containers with the new PINs.

**Save As Containers**

Strike the "Save As Cont" button.

**Print Container Labels**

Reserved for future development.

**View Container Data**

Select by double-clicking any of the assigned PIN/CIN numbers, and the Container Basics Screen appears for that PIN/CIN record.

## WMIS500 – Storage Container Search

### 5.4 WMIS515 CONTAINER INVENTORY

This screen allows the user to enter search criteria and display containers available for issue and use for waste storage/disposal. Search criteria allows for the "%" functionality.

**Screen 5-11. Storage – Container Inventory**

Waste Management Information System **Storage**

**CONTAINER INVENTORY BY SELECTION**

Purchase Order #  ERDF Containers:

Size Description:

Storage Detail:

CIN	P.O. #	Type	Tare	Storage					
CIN	P.O. #	Cd	Size Description	DOT	Style	Weight	Volume	Facility	Detail

Container Basics

Container Basics Rad

Container / Package Summary

Physical Components Detail

Packaging Components

Constituents

Isotopes

Container History

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

**Screen 5-12. Example of Search Results**

Waste Management Information System **Storage**

**CONTAINER INVENTORY BY SELECTION**

Purchase Order #  ERDF Containers:

Size Description:

Storage Detail:

CIN	P.O. #	Type	Tare	Storage					
CIN	P.O. #	Cd	Size Description	DOT	Style	Weight	Volume	Facility	Detail
000001	000001	AA	UNKNOWN			0	0		
0000657	PHMC-	CM	9'5"5	7AA	N/A	1134	6.37	324	KRBC
0000671	PHMC-	CM	9'5"5	7AA	N/A	1134	6.37	324	KRBC
0001768	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001769	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001771	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001777	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001778	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001801	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001810	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001811	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001812	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN
0001813	PHMC-	DM	30 GALLON	1A1	DESIGN	14.1	0.1136	300-	PAN

Container Basics

Container Basics Rad

Container / Package Summary

Physical Components Detail

Packaging Components

Constituents

Isotopes

Container History

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

## 5.5 WMIS520 CONTAINER BASICS

The Waste Management Certification Form (WCF) and the Waste Inventory Sheet (WIS) identify the waste, shipper, facility waste originated from, type of waste, and other information describing the waste. The CIN is the identifier for the container being packaged. In addition, a PIN is assigned and used as the waste tracking number.

### Container Basics

This screen provides the user with information needed to make data input decisions.

**Screen 5-13. Storage – Container Basics**

Waste Management Information System

**Storage**

**CONTAINER BASICS**

Save    Reset    Print    Label

Package ID (PIN): 100K-06-0003    Container ID (CIN):

Activity / Material Desc: GLASS BOTTLES WITH UNKNOWNS (ANOMALY)

Source Facility: 118K1 / 100 / 100K BURIAL GROUND

Package Status: VOID

Project: FIELD REMEDIATION CLOSURE

Handling COA: R118K1Y000    Disposal COA:

CERCLA     RCRA    Subpart CC

Packaging/Accumulation Date:    Date Due:

Source Company: WCH    POC ID: STOCKER, DARRELL E

Current Facility: 118K1 / 100 / 100K BURIAL GROUND    Change

**CONTAINER DESCRIPTION**

Container Spec:

Type: METAL DRUMS, BARRELS, KEG

Size: 5 GALLON    Int. Volume (m³): 0.0189

DOT Spec: 1A2    Container Status: E - EMPTY

Labpacked

Destination:

Routine:

Designation/Rev:

Waste Stream Code:

Generator:

Comments:

**REVIEW AND APPROVALS**

Certification: I certify that, to the best of my knowledge, the information entered and all attached documentation is a true and accurate description of the waste. I further certify that the waste meets the requirements of HNF-EP-0063, current revision, and the applicable Waste Specification Record. All relevant information regarding the known or suspected hazards of the waste has been disclosed.

WTS:    Date:


Supervisor:    Date:

Verified By:    Date:

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

## 5.6 WMIS525 CONTAINER BASICS RAD DATA

Screen 5-14. Storage – Container Basics Rad



The screenshot shows the 'CONTAINER BASICS RAD' data entry screen. The main form includes fields for Package ID (PIN) and Container ID (CIN), Waste Profile#, WSRD#, Secondary Waste Type Code, Container Shielding, Venting, Dose Rates (mR/h), Handling Code, Survey#, and Survey Date. A sidebar on the left lists various container-related tabs: Search, Container Inventory, Container Basics, Container Basics Rad, Container / Package Summary, Physical Components Detail, Packaging Components, Constituents, Isotopes, and Container History. The 'Container Basics Rad' tab is currently selected. The top right corner features the WCH logo (Washington Closure Hanford) and the word 'Storage'.

### Enter Container Basics Rad Data

- All fields shown on the Screen are updateable by most users up to the point where the container obtains a "Closed" status.
- Some fields have drop down boxes to define valid values for the field. There are pop-up calendars for all the date fields for ease of entry.

### Print Container Listing Report

- Strike "Print" at the top right corner of the screen to print a Container Listing Report.
- The report displays on the screen.
- Strike the printer icon to print.
- Strike the Container Basics tab to return to the Container Basics screen.

**Print Container Label**

Reserved for future development.

**Enter WTS Signature**

- Entry of WTS name changes Package Status to "Closed", indicating no more items are to be included in the container (no more items to be added to Physical Components Detail tab). The WTS is certifying that the contents of the container match what is indicated on the Container Basics Screen and all other screens showing weights, physical components, packaging components, etc.
- Enter date package closed.
- Pressing Save, without entering a date, automatically populates with system date.

**Enter Supervisor Signature**

- The supervisor enters a status of "Ready for WCH Review."

**NOTE:** The entering of a supervisor name indicates the supervisor is certifying that the contents of the container match what shows on the Container Basics screen and all other screens and the supervisor concurs with the WTS as to the contents of the container.

Enter date of entry.

Pressing Save, without entering a date, automatically populates with system date.

**Enter Designation Number**

- The WDS (or WITS as necessary) assigns the designation to be associated with this container, usually after the container closure and supervisor approval.
- Strike the "Change" button next to the designation number field.
- The Designation Search screen appears, with the status set to "Approved" already filled in. Only approved designations are with containers.
- Strike the "Search" button for a list of all approved designations.
- Select the desired designation and double-click on the bold number/rev.
- The Container Basics Screen re-appears with the assigned designation number.
- Strike "Save."
- Strike the Constituents tab and the Isotopes tab to confirm that all the components of the designation are correct.

**Enter Verification Signature**

The WTS reviews all the information for the container, and enters their name in the Verified By input box at the bottom of the screen. Entry of name in "Verified By" field changes "Package Status" to .....

**5.7 WMIS530 CONTAINER PACKAGE SUMMARY**

The Container/Package Summary Screen allows the user to view a summary of the individual contents of a waste package. Related Chemical or Isotope records are not available until the Designation Number and Revision have been associated with this Container.

**Screen 5-15. Storage – Container Package/Summary**

The screenshot shows the WMIS530 Container Package Summary screen. The main title is "CONTAINER/PACKAGE SUMMARY". The package ID (PIN) is 100K-06-0003 and the container ID (CIN) is not specified. The screen displays the following weight calculations:

Tare Weight(kg):	2.500000	+	Packaging Weight(kg):	.000000	+
Estimated Net Weight(kg):	.000000	=	Estimated Gross Weight(kg):	.000000	
Actual Net Weight(kg):	.000000		Actual Gross Weight(kg):	.000000	Estimated <input type="checkbox"/>

Content Description Est. Weight (kg) Adj. Weight (kg) Net Weight %

No Records Available

<b>TOTALS</b>	.00	.00
---------------	-----	-----

Below the table, the sidebar on the left lists the following functions:

- Search
- Container Inventory
- Container Basics
- Container Basics Rad
- Container / Package Summary** (highlighted in blue)
- Physical Components Detail
- Packaging Components
- Constituents
- Isotopes
- Container History

At the bottom of the screen, the footer reads: Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

Input or modify container's actual weight on this screen as the Actual Gross Weight (kg). This is the final, weighed weight of the container. Entry of the Actual Gross Weight triggers calculation of the Actual Waste Weight, and the individual chemical constituent's weights.

The Container/Package Summary screen allows the user to view a summary roll-up of the individual component items that are in the container. Adjustment of the weight fields occurs here to reflect the final scaled weight of the container.

#### **Enter Container Tare Weight**

- In the box opposite the Tare Weight label, enter the empty (tare) weight of the container and strike "save." The Estimated Gross Weight increases by any amount entered in the Tare Weight.
- Tare Weight field is populated from Purchase Order module. Each purchase order line item identifies the tare (and volume) for each CIN linked to that line item. Tare weight is not updateable by the user.

#### **Enter Container Actual Gross Weight**

- In the box opposite the Actual Gross Weight label, enter the final, weighed weight of the container.
- Strike the "Save" button.

**NOTE:** Adjustments occur after pressing the "Save" button.

- The adjusted weights for the components vary up and down, depending on the value entered in the Actual Gross Weight.
- If the actual weight is more than the estimated weight, the adjustments increase the component weight.
- If it is less, the adjustments decrease the component weight.
- If the project has access to equipment to weigh the final package, enter the actual gross weight and strike "Save." If the project does not have means to weigh the final package, strike the Estimated check box below Actual Gross Weight value. The Estimated Gross Weight value will be entered for Actual Gross Weight. Strike "Save."
- For those packages having the actual gross weight, note some adjustments to component weight values after pressing "save." The adjusted weights for the components vary up and down, depending on the value entered in the Actual Gross Weight. If the actual weight is more than the estimated weight, the adjustments increase the component weight. If it is less, the adjustments decrease the component weight.

## 5.8 WMIS540 PHYSICAL COMPONENTS DETAIL

The Physical Components Detail screen allows the user to view or input the individual physical component row items that make up the contents of the waste package. This is the automated version of the hard-copy WIS.

**Screen 5-16. Storage – Physical Components Detail**

Waste Management Information System

**Storage**

**PHYSICAL COMPONENTS DETAIL**

Row#	Description	Est. Weight (kg)	Net Weight%
1	METAL TUBE WITH SOIL AND UNKNOWN LIQUID <b>Person:</b> 0109285 - WARE, NANCY W <b>Date Added:</b> 01/30/2007	15.88	0
	<b>GCN#</b>	<b>Est. Weight (kg)</b>	<b>Row Weight%</b>
	GCN3899 <b>Description:</b> LIQUIDS, UNSPECIFIED	0.1588	1
	GCNMETAL <b>Description:</b> METAL (NONHAZARDOUS)	14.1332	89
	GCNSOIL <b>Description:</b> SOIL/ROCK/GRAVEL	1.588	10

Total Estimated Waste Weight: 15.88 0

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

### Add Row Item

- Strike the "Add Row" button at the top of the screen. The "Physical Components Detail – Add Row" Screen appears.

- The user name appears in the "person" text box, and the current date displays in the "Date Added" text box. Both fields are updateable.
- Enter a description of the item and the estimated weight for the row item.
- Strike the "Add" button at the top of the screen. The "Add Physical Components" Screen appears.

### **Add Physical Components within a Row Item**

- In the "Search Filter" text box, enter text to search on and strike on the "Search" button to the right of the text box.
- The search results display under "Available Components."
- Under "Available Components", strike the applicable check box(es). Search and check multiple components as necessary.
- Verify all Components have been selected.
- Strike on the "Add" button at the top of the screen.
- The "Physical Components Detail – Edit" Screen re-displays with the row item component(s) selected listed below the row item description.
- Enter either the "Est. Weight" or the "Row Weight %" for each of the row item components.
- The total "Est. Weight" for all row items components must be equal to the "Row Est. Weight" in the row above it. In addition, the total "Row Weight %" for each row must equal 100%.
- Should either of the above conditions fail, the totals will highlight in pink.
  - Repeat the previous Input step, correcting the component values until the totals equal 100% and are no longer highlighted.
- Strike on the "Save" button at the top of the screen.
- Strike on the "Physical Components Detail" button at the tab at the left side of the screen.
- The list of selected components is below the row description. The "Total Estimated Waste Weight" at the bottom of the screen provides the sum for all rows.

### **Delete a Physical Component within a Row Item**

- Strike on the "Physical Component Detail" tab and strike on the "Edit Row" button on the right side of the screen to select a row.
- The "Physical Components Detail – Edit" screen displays.

- Select the row component and Strike on the "Delete" button.
- A comment box appears for an explanation of the disposition of the item (i.e., Material placed in wrong container, removed from PIN#1, placed in PIN#2 on 05.01.05).
- Enter an explanation and strike "OK."
- The screen no longer displays the deleted row component.
- At the top of the screen, the pink highlighted row totals are now incorrect. These totals are now incorrect.
- Edit either the Row Item Est. Weight or the Row Item Weight % so that the totals add up to 100% at the top of the screen are correct.
- Strike "Save."
- The "Physical Components Detail Edit" screen displays. Verify the row component is gone and totals are correct.

**Delete an Entire Row Item, Including All Components**

- At the "Physical Component Detail" screen, strike on the "Delete Row" button on the right side of the screen associated with the row to be deleted.
- A comment box appears for an explanation of the disposition of the item (i.e., Material placed in wrong container, removed from PIN#1, placed in PIN#2 on 05.01.05).
- Enter an explanation and strike "OK."
- The screen no longer displays the deleted row.

## 5.9 WMIS550 PACKAGING COMPONENTS

For updates to the container's packaging components, select the "Packaging Components" tab to display the packaging records that are present for this container.

Screen 5-17. Storage – Packaging Components

The screenshot shows the WMIS500 Storage Container Search application. The main window title is "Storage". The left sidebar has a "Packaging Components" section highlighted. The main content area is titled "PACKAGING COMPONENTS" and shows a table with two columns: "Description" and "Weight (kg)". One row is selected, showing "90 MIL LINER" and "6". At the bottom, the "Packaging Weight Total" is displayed as "6". The application is running on a Windows operating system.

Description	Weight (kg)
90 MIL LINER	6

Packaging Weight Total: 6

### Add Packaging Component

- Pressing the "Add" button redirects the user to a search Screen. Selection of packaging components occurs here. After checking the box(s) next to the packaging component(s), strike the "Add" button to insert the component(s). After adding a component, enter the weight.
- Strike the "Save" button.

### Delete Packaging Component

- Checking the box next to the component and then pressing on the "delete" button deletes the component.
- A comment box appears for an explanation of why this component is being deleted.
- Strike the "Save" button.

## 5.10 WMIS560 CONSTITUENTS

The Container Constituents screen allows the user to view the individual constituents for the chemical constituent's items within the container. Related constituent records are unavailable until the designation number and revision have been associated with this container.

The Delete capability is available for ERDF Destination Disposal Only.

**Screen 5-18. Storage – Constituents**

GCN/CAS#	Constituent Description	Concentration Units	Weight%	Weight(kg)	UHC	SLV
1031-07-8	ENDOSULFAN SULFATE	PPM	0.043	0.00004	<input type="checkbox"/>	<input type="checkbox"/>
106-44-5	P-CRESOL	PPM	48	0.0048	<input type="checkbox"/>	<input type="checkbox"/>
106-47-8	P-CHLOROANILINE	PPM	1.5	0.00015	<input type="checkbox"/>	<input type="checkbox"/>
108-39-4	M-CRESOL	PPM	59	0.0059	<input type="checkbox"/>	<input type="checkbox"/>
11096-82-5	POLYCHLORINATED BIPHENYL (AROCLOR 1260)	PPM	1.1	0.00011	<input type="checkbox"/>	<input type="checkbox"/>
11097-69-1	POLYCHLORINATED BIPHENYL (AROCLOR 1254)	PPM	49	0.0049	<input type="checkbox"/>	<input type="checkbox"/>
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE (DOP)	PPM	32	0.0032	<input type="checkbox"/>	<input type="checkbox"/>

Total Weight (%): 1025.97372      Total Weight: 1205.51912

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

**Enter Constituents**

The user cannot enter any new constituents from the container constituents' screen. Additions and modifications of constituents occur in the Designation module.

**Delete Constituents**

- Checking the box next to the constituent and then pressing on the "delete" button deletes the constituent.
- The delete capability is only available for ERDF destined packages.

## 5.11 WMIS570 ISOTOPES

Isotope records associated with the designation number and revision entered on the Container Basics Screen display on this screen. Calculations occur based on the designation activity value entered on the associated Designation module's Isotopes screen.

**Screen 5-19. Storage – Isotopes**



Waste Management Information System

**Storage**

WCH  
Washington Closure Hanford

Search
Calculate
Save

Package ID (PIN): 100B-05-0004 Container ID (CIN): 0022416

Name	Activity	Grams	TRU	FGE	DECi	PECi	Thermal	Mobile	Cat
Am-241	0.00E+00	C							
C-14I	0.00E+00	C							
Co-60	0.00E+00	C							
Cs-137	0.00E+00	C							
Eu-152	0.00E+00	C							
Eu-154	0.00E+00	C							
H-3	0.00E+00	C							
Ni-63	0.00E+00	C							
Pu-238	0.00E+00	C							
Pu-239	0.00E+00	C							
Pu-240	0.00E+00	C							
Pu-241	0.00E+00	C							
Pu-242	0.00E+00	C							
Ra-226	0.00E+00	C							

Container History
CALCULATION SUMMARY

LLW/TRU:	LLW	TRU Activity (nCi/g):	0.00E+00
Thermal Power:	0.00E+00	DE-Ci:	0.00E+00
PE-Ci:	0.00E+00	FGE (exc. U-235):	0.00E+00
U-235 FGE:	0.00E+00	Uranium Enrichment:	0.00
FGE (total):	0.00E+00	Grams Uranium	0.00E+00
NRC Class:	A	Waste Category:	0.00E+00
Cat.1 Sum of Fractions:	0.00E+00	Cat.3 Sum of Fractions:	0.00E+00
ISB NonCombustible:	MEETS LIMIT	ISB NonCombustible Sum of Fractions:	0.00E+00
ISB Combustible:	MEETS LIMIT	ISB Combustible Sum of Fractions:	0.00E+00
Rad Calc Weight:	0.00E+00	Rad Calc Volume:	0.00E+00

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

**Calculate Button Functionality**

Pressing the "Calculate" button gets the totals for all isotopes and updates the Calculation Summary table.

**Enter Rad Calc Volume Field**

If the value in the Rad Calc Volume field changes strike the "Calculate" button to recalculate and save the modified value.

**Delete Functionality**

Pressing on the "Delete" button next to an isotope deletes that particular isotope. This functionality is only available for ERDF destination disposal.

## 5.12 WMIS575 CONTAINER HISTORY

The Container History screen allows the user to view the history of the container, which includes the location history, repackaging, and status changes. The history records for the container displays in a descending order by date.

**Screen 5-20. Storage – Container History**

Waste Management Information System

**Storage**

**CONTAINER HISTORY**

Print

Package ID (PIN): 100B-05-0004 Container ID (CIN): 0022416

12 total history records found.  
(Page 1 of 1)

Action Date	Action
9/25/2006 12:58:55 PM	STATUS
5/17/2005 2:19:44 PM	STATUS
5/17/2005 2:19:31 PM	STATUS
5/5/2005 10:29:30 AM	STATUS
5/5/2005 10:29:22 AM	STATUS
5/5/2005 10:29:00 AM	STATUS
5/5/2005 8:45:08 AM	STATUS
5/5/2005 8:44:51 AM	STATUS
5/4/2005 12:52:39 PM	STATUS
5/4/2005 12:47:24 PM	STATUS
3/30/2005 8:41:04 AM	POC CHANGE
3/30/2005 8:41:04 AM	NEW RECORD

Search

Container Inventory

Container Basics

Container Basics Rad

Container / Package Summary

Physical Components Detail

Packaging Components

Constituents

Isotopes

Container History

WCH Washington Closure Hanford

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

### Action Date

Pressing the date and time of a particular line item displays some basic information about the container and reason for a change in status.

### Print Function

Strike the print button at the top of the screen to print the summary screen.



## 6.0 WMIS 600 – PDA OPERATIONS MODULE

The PDA Operations Module utilizes Windows CE based Personal Digital Assistants (PDAs) which allows the field personnel to collect or view a subset of the WMIS information.

This module addresses three areas of data collection.

1. The input and recording of physical items, in each container, this includes physical components and packaging materials.
2. The second is the tracking of the physical inventory of containers and their current location, and the associated location history.
3. Recording ERDF waste disposal activities.

With future availability of wireless networking, the PDA may communicate directly with the web server. WMIS allows barcode input for containers.

### 6.1 WMIS600 DOWNLOAD DATA

#### Download Data Search

- The screen displays fields available to build query parameters of container records. The more fields entered, the fewer results are displayed, allowing the user to narrow the number of records to be viewed.
- The records will display on the screen.
- Strike the download button. This downloads the container records to the Dolphin.

### 6.2 WMIS610 CONTAINER SEARCH

#### Container Search

- The screen displays fields available to build query parameters of container records. The more fields entered, the fewer results are displayed, allowing the user to narrow the number of records to be viewed.
- Strike on a record to view that container's information.

### 6.3 WMIS615 – COPY/REPACk/COMBINE

#### Copy/Rpack/Combine

- First, use the container search function to identify the source container.

- Strike WMIS at the top of the screen.
- Strike Copy-Repack-Combine.
- Choose copy, repack, or combine from the drop down menu.
- Strike "Search" and pick the destination container.
- Lastly, strike the appropriate copy/repack/combine button at the top of the screen to complete the process.

#### **6.4 WMIS620 CONTAINER BASICS**

##### **Container Basics Screen**

- Enter the appropriate information.
- Strike the "Save" button.

#### **6.5 WMIS625 RAD DATA**

##### **Rad Data Screen**

- Enter the appropriate radiological information.
- Strike the "Save" button.

#### **6.6 WMIS630 CONTAINER/PACKAGE SUMMARY**

##### **Summary Screen**

The Summary screen allows the user to enter the tare weight and the actual gross weight. The Summary screen also displays the net and packaging weights, and the physical components.

#### **6.7 WMIS640 PHYSICAL COMPONENTS**

##### **Adding Physical Components**

- Strike the "Add" button.
- Input the row description and estimated weight.
- Strike the "Save" button.

**Adding/Editing Components within a Row**

- Select row to edit.
- Strike the "Edit" button.
- Strike "Add" button.
- From the next screen, the user can search for the physical component(s) to be added.
- Strike the "Save" button.
- Enter either the weights or percentages of the items.

**NOTE:** Total percentage must equal 100%.

- Strike the "Save" button.

**Deleting Physical Components**

- To delete an entire row, highlight the row and then strike "Delete."
- To delete a component within a row, highlight the row, and then strike "Edit." Strike the "x" to delete the item(s).

**NOTE:** User must adjust weight or percent so that the total percent equals 100%.

**6.8 WMIS650 PACKAGING COMPONENTS****Adding Packaging Components**

- Strike the "Add" button.
- From the next screen, the user can search for the packaging component(s) to be added.
- Strike the "Save" button.
- After adding the packaging, enter the weight of each packaging component in kilograms.
- Strike the "Save" button.

**Deleting Packaging Components**

- Strike the checkbox next to the component.
- Strike the "Delete" button.

## 6.9 WMIS675 CONTAINER HISTORY

### Container History Screen


- The History screen displays any changes and dates of change to the container record.
- Strike an individual record for detail changes.

## 6.10 WMIS680 INVENTORY

## 6.11 WMIS685 ERDF DISPOSAL

The ERDF Disposal screen allows the user to scan the container and Onsite Waste Tracking Form (OWTF) barcodes, and then input the ERDF coordinates upon waste disposal.

### ERDF Disposal



WMIS685 ERDF 1 4:02 ok

WMIS685 ERDF 1 3:57 ok

Location for Dump Site

Coordinates:

N: 46.53 111

W: 119.60 111

Lift: 35

Scan OWTF

SCANCODE:

Auto  
Manual  
None  
Auto

1/8/2008

Disposal Date

Auto 1/8/2008

Quit Save Util

Calendar icon

- Scan the container and OWTF barcodes.
- Input the ERDF coordinates upon waste disposal.
- Strike the "Save" button.
- The screen to the right would normally be selected for dump ramp operations, automatically selecting the disposal date.

- If waste at ERDF is placed in its final disposal location awaiting treatment, disposal coordinates are recorded; however, "NONE" is selected as the disposal date. When treatment is completed, the OWTF is scanned and disposal date recorded.
- If the waste is not placed in its final disposal location (e.g., stockpiled awaiting treatment), neither disposal coordinates, nor disposal date are recorded.

## **6.12 WMIS686 ERDF SCALE**

The ERDF Scale screen allows the user to scan the container and truck barcodes, then input the weight (in kilograms) when a truck crosses the scale.

### **ERDF Scale**

- Scan the container and truck barcodes.
- Input the weight (in kilograms) when a truck crosses the scale.
- Strike the "Save" button.

## **6.13 WMIS690 UPLOAD DATA**

Additions, changes or deletions of data on the Dolphin need to be transferred to the WMIS database.

### **Upload Data**

- Dock the unit.
- Strike the "Start Upload."



## 7.0 WMIS700 – TRANSPORTATION MODULE

### 7.1 OBJECTIVES

The Transportation Module incorporates the data from other WMIS modules to reduce cycle time and occurrence of errors, eliminate duplication, and improve efficiency throughout the transportation functions. The targeted users of this module are the specialized staff on the Hanford Site, such as WTS, WDS, and field/project engineers working in conjunction with the ERDF.

### 7.2 SCOPE

The scope of this document is to define the requirements that constitute the Transportation module, focusing primarily on the ERDF. These requirements address the following processes and improvements:

- Acquisition, archiving, management, and storage of shipment data for all ERDF shipments
- Automated process of generating the Onsite Waste Tracking Forms (WCH-EE-286) for the movement of waste from a generator (i.e., dig site or facility) to the ERDF
- An extensible template-based storage system in which to handle both large volumes of shipped containers per day, as well as highly complex mixtures per load
- Improved data flow from the Designation module of all isotope and chemical constituent data to their appropriate waste profiles and waste designations
- Reduce errors and potential problems (i.e., illegible writing and duplication errors) during the excavation and hauling of waste
- Better tracking of the waste from "cradle to grave"
- An up-to-date and stable system that accurately tracks ERDF containers
- Reduce data entry errors, weighing errors, and to streamline the process so as to remove any foreseeable bottlenecks
- Allow simultaneous access to any number of authorized users to the new system
- Integrate RFID tags on all containers and trucks to track the waste shipments from the time loaded until the point of disposal
- Replace the aging and non-supported Ingress database system, which currently holds all of the ERDF shipping records, bringing it under the WCH umbrella of standardized systems

### **7.2.1 Shipment Management Form**

An actual shipment provides the basis for generation of a management form. This form provides the key criteria of the shipment manifest number, weight of the shipment, the date of the shipment, the container type, and the CIN. By relationship with the data, the RFID of the container links to the WCH CIN. The user has the ability to print a shipping document and manifest summary from this screen.

## **7.3 PROVIDE TRANSPORTATION REPORTS**

### **7.3.1 Onsite Waste Tracking Form**

Form WCH-EE-286, Attachment A, Onsite Waste Tracking Form, contains a variety of information that must be attached to every shipment processed. The form is placed in the document pouch and attached to the ERDF container. When the transporter loads the container for shipment, the document pouch is placed in the cab of the transport vehicle.

### **7.3.2 Uniform Hazardous Waste Manifest**

Form EPA 8700-22, Uniform Hazardous Waste Manifest: Create this form when necessary for shipment finalization.


### **7.3.3 Uniform Hazardous Waste Manifest Summary Attachment Document**

Form EPA 8700-22A, Attachment Summary, contains a line item summary of the contents of a particular shipment in accordance with U.S. Environmental Protection Agency guidelines. Key fields include item line number, package identification, DOT (U.S. Department of Transportation) specification, size, date, storage category and PCB (polychlorinated biphenyl) removal date.

## 7.4 WMIS790-0 SHIPMENT SEARCH

From the main WMIS page, pick "Transportation/ERDF" from the drop-down menu. Templates are used to create OWTFs.

**Screen 7-1. Transportation/ERDF – Shipment Search**



The screenshot shows the 'ERDF SHIPMENT SEARCH' interface. On the left, a vertical sidebar has buttons for 'Shipment Search' (which is selected and highlighted in blue), 'Template Search', 'Dump Trucks', and 'ERDF Dispatch'. The main search area has fields for 'Designation' and 'Revision', both with text boxes. Below that is a field for 'Template Name' with a text box. Under 'Created Date', there are 'From' and 'To' date pickers and a checked checkbox for 'Multi-Container Only'. Under 'Received Date', there are 'From' and 'To' date pickers and a checked checkbox for 'Include Disposed'. At the bottom, there is a 'PIN' field and an 'Author' dropdown menu. At the top right of the search area are 'Search' and 'Clear' buttons. The top of the page has a header 'Waste Management Information System' and a 'Transportation' title. The top right also features the 'WCH' logo and the text 'Washington Closure Hanford'.

### Search Function

- The fields available on the screen can be used to search for ERDF shipment records. The more fields entered, the fewer results are displayed, allowing the user to narrow the number of records to be viewed.
- Enter date range must be entered.
- Strike the "Search" button.
- A results table displays.
- From here, the user can highlight any record to view the shipment record and print an OWTF. The user also has the ability to check any, or all, of the shipment records to print OWTFs.

## 7.5 WMIS 790-2 ERDF SHIPMENT

Screen 7-2. Transportation/ERDF – ERDF Shipment

Waste Management Information System **Transportation**

**ERDF SHIPMENT**

Shipment PIN#: K100-05-4373 Profile/Designation#: WP116K2001 / REV 3

Truck#: CAN#

Actual Gross Weight(kg): Actual Net Weight(kg):

Estimated Gross Weight(kg): 36287 Estimated Net Weight(kg): 17236

Date Filled: Date Received:

Date Disposed: Coordinates: N

Disposal Acceptance: W

Waste Vol. (m³): 10.8 Billing Code: ERG:

Source Facility: 100-KR-1 Point of Origin: 116-K-2 MLT

US DOT Description: NONE

Transporter Name: R.C.I.

Dose Rate: 0.5 mREM at 30 CM NRC Class:

Contact Name: D AGOSTINO, MARK R A

Description

Soil 50/50 Debris

Bold

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

### Shipment Form

The shipment form screen is used to display and/or input the pertinent details required to create an OWTF from an ERDF Template. After entering the appropriate information, strike the "Save" button.


### Print Function

- Strike the "Print" button. Screen displays the OWTF.
- Review OWTF, if correct.
- Strike the "Print" button to print.

## 7.6 ERDF TEMPLATE SEARCH

The Template Search screen is used to search for previously created ERDF shipment templates.

**Screen 7-3. Transportation/ERDF – ERDF Template Search**



The screenshot shows the WMIS800 – Purchase Order Module interface. The main title is "Transportation/ERDF". The left sidebar has buttons for "Shipment Search", "Template Search" (which is selected and highlighted in blue), "Dump Trucks", and "ERDF Dispatch". The main content area is titled "ERDF TEMPLATE SEARCH" and contains fields for "Designation", "Revision", "Name" (a large text input area), "Author", "From Date", and "To Date". There are "Search" and "Clear" buttons at the top right of the search form. The bottom of the screen displays the footer: "Washington Closure Hanford LLC | Waste Management Information System | WMISvWeb v2.1.4".

### Search Function

- The fields available on the Screen can be used to search for ERDF templates. The more fields entered, the fewer results are displayed, allowing the user to narrow the number of records to be viewed.
- After pressing the search button, a results table displays. From here, the user can highlight any record to view the ERDF template.

## 7.7 CREATE ERDF TEMPLATE

The Create ERDF Template Screen is used for the creation of new ERDF shipment templates.

**Screen 7-4. Transportation/ERDF – Create ERDF Template**

The screenshot shows the 'CREATE ERDF TEMPLATE' dialog box. The 'Template Name:' field is empty. The 'Profile/Designation#:' field is empty, with a 'Select' button next to it. The 'Hazardous % of Profile:' and 'Rad % of Profile:' fields are empty. The 'Estimated Net Weight(kg):' and 'Estimated Gross Weight(kg):' fields are empty. The 'Estimated Waste Volume(m^3):' field is empty. The 'Dose Rate:' field contains 'mREM' and the 'at' field contains 'M'. The 'Emergency Response Guide #' field is empty. The 'Source Facility:' field is empty, with a 'Change' button next to it. The 'Billing Code:' field is empty, and the 'Emergency Phone:' dropdown is empty. The 'DOT Description:' dropdown is empty. The 'DOT Shipping Labels' dropdown is empty. The 'LDR Treatment Required' checkbox is unchecked. The 'Is Shipment(s) D4?' checkbox is unchecked. The 'Exclusive Use Shipment?' checkbox is unchecked. The 'Transporter Name:' dropdown contains 'ILSI'. The 'RAD Survey Required?' checkbox is unchecked. The 'PIN Prefix:' dropdown is empty. The 'Items' and 'Additional Description' table has three rows. The first row has checkboxes for 'Bold', 'Soil', '50/50', and 'Debris'. The second and third rows are empty. The footer of the dialog box says 'Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.3'.

### Create ERDF Template Form

- The fields Template Name, Profile/Designation #, Hazardous % of Profile, and Rad % of Profile must all be entered before pressing "OK" to create a new template.
- If you are inputting specific values for individual constituents or isotopes then strike OK and proceed to the respective EDIT TAB as discussed below and input values.

## 7.8 ERDF TEMPLATE

The template form is used to display and modify ERDF based templates. The user is presented with an input that allows for changing the overall "percent of profile" for the template. There are buttons that allow the user to adjust the template by the entered percent; as well as save the template. There are also four active tabs, "Edit Constituents," "Edit Isotopes," "Edit Items," and "Copy Template," that take the user to screens where individual (static or percentage) values may be entered for each chemical constituent, radiological isotope, or item descriptions. If any static values have been entered for constituents or isotopes, then the "adjust" button on the main ERDF template screen is disabled.

**Screen 7-5. Transportation/ERDF – Template Create Shipments**


The screenshot shows the 'CREATE SHIPMENTS' dialog box. The 'Template Name' is '4 HEPA FILTERS'. The 'Profile/Designation#' is 'WP306001 / REV 0'. The 'Estimated Net Weight(kg)' is '908'. The 'Hazardous % of Profile' is '1'. The 'Estimated Gross Weight(kg)' is '4538'. The 'Rad % of Profile' is '100'. The 'Estimated Waste Volume(m^3)' is '5.66'. The 'Dose Rate' is '0.5' mREM at '1' CM. The 'Emergency Response Guide #' is blank. The 'Dangerous Waste Codes' list is empty. The 'Source Facility' is '306' and the 'Point of Origin' is '306E'. The 'Billing Code' is 'R300XXJ452'. The 'DOT Description' is 'RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY, (LSA-II), 7, UN3321'. The 'DOT Shipping Labels' dropdown is empty. The 'TI' dropdown is empty. The 'LDR Treatment Required' checkbox is unchecked. The 'Is Shipment(s) D4?' checkbox is checked. The 'Exclusive Use Shipment?' checkbox is checked. The 'Transporter Name' is 'ILSI'. The 'RAD Survey Required?' checkbox is unchecked. The 'No. of Shipments' dropdown is empty. The 'PIN Prefix' dropdown is empty. The 'Date Filled' dropdown is empty. The 'Container Description' is 'BULK METAL BOX'. The 'Is uranium content unirradiated natural uranium or depleted uranium?' dropdown is set to 'NO'. A 'Create Shipment(s)' button is at the bottom.

### Template Form

- After entering the appropriate information, in all active tabs, strike the "Create Shipment" button. This creates a shipment paper based on the current template.

Edit Constituents

Screen 7-6. Transportation/ERDF – Edit Template Constituents



Waste Management Information System

**Transportation**

Transportation / ERDF

**Edit Template Constituents**

GCN/CAS#	Constituent Description	(Enter % or actual value to change)
7439-92-1	LEAD	
Concentration:	11.7	Units: PPM
		New Concentration: 11.7

Save Cancel

Shipment Search

Template Search

Dump Trucks

ERDF Dispatch

Create Shipments

Edit Template

**Edit Constituents**

Edit Isotopes

Edit Items

Copy Template


Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- The "Edit Constituents" screen shows the original concentrations and units of measurement. The user can then enter a new concentration value or the percent of the concentration. Strike the "Save" button when done.
- The "Save" Function will save the inputted values to the Template for future use.

### Edit Isotopes

- The "Edit Isotopes" screen shows the original activity concentrations. The user can then enter a new activity concentration value or the percent of the concentration. Strike the "Save" button when done.
- The "Save" Function will save the inputted values to the Template for future use.

#### Screen 7-7. Transportation/ERDF – Edit Template Isotopes



Waste Management Information System

**Transportation**

Transportation / ERDF

**Edit Template Isotopes** (original value - ov)

Isotope Name	Activity Concentration (pCi/g)	Isotope Name	Activity Concentration (pCi/g)
Am-241	(ov): 2.06E+04 (HCBC Limit): 1.56E+03 (Enter % or act. value to change): 2.05E+04	Pu-239	(ov): 2.80E+04 (HCBC Limit): 6.22E+03 (Enter % or act. value to change): 2.80E+04
Am-242m	(ov): 6.25E+02 (HCBC Limit): 1.00E+03 (Enter % or act. value to change): 0.00E+00	Pu-240	(ov): 1.49E+04 (HCBC Limit): 6.22E+03 (Enter % or act. value to change): 1.48E+04
Am-243	(ov): 1.14E+03 (HCBC Limit): 1.00E+03 (Enter % or act. value to change): 0.00E+00	Pu-241	(ov): 4.82E+05 (HCBC Limit): 6.06E+04 (Enter % or act. value to change): 4.81E+05
Cm-243	(ov): 3.33E+02 (HCBC Limit): 1.00E+03 (Enter % or act. value to change): 0.00E+00	Pu-242	(ov): 6.62E+01 (HCBC Limit): 1.00E+03 (Enter % or act. value to change): 0.00E+00

The HCBC Limit will have a yellow background if the HCBC limit is exceeded for that Isotope. This will NOT take into account the isotope and its active metal.


Save    Reset

Shipment Search  
Template Search  
Dump Trucks  
ERDF Dispatch  
Create Shipments  
Edit Template  
Edit Constituents  
**Edit Isotopes**  
Edit Items  
Copy Template

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

Edit Items

## Screen 7-8. Transportation/ERDF – Edit Template Items



Waste Management Information System

**Transportation**

Transportation / ERDF

**Edit Template Items**

Items	Additional Description	Bold
100K-05-0268	EXCEEDS HCBC LIMITS, DO NOT UNLOAD WITHOUT WASTE ACCEPTANCE MANAGER'S APPROVAL. WSRP 0105K-RP-W0001, REV. 0 (SARP #HNF-2760)	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	Soil <input checked="" type="checkbox"/> 50/50      Debris	

Save      Reset

Shipment Search

Template Search

Dump Trucks

ERDF Dispatch

Create Shipments

Edit Template

Edit Constituents

Edit Isotopes

**Edit Items**

Copy Template

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

- The "Edit Items" screen shows the items and additional descriptions. The user can check on the items check box(es) and add the additional description(s). The user can also check the "Bold" checkbox to highlight that description on the OWTF. There is also estimated volume percentages checkboxes, for an even further description. Strike the "Save" button when done.
- The "Save" Function will save the inputted values to the Template for future use.

**NOTE:** Once an OWTF is generated the user may edit the items section of the OWTF by clicking the individual PIN # as described in Section 5.16. This action will not alter the original template.

**Copy Template****Screen 7-9. Transportation/ERDF – Copy Template**

The screenshot shows the WMIS800 Purchase Order Module interface. At the top, there is a header with the text "Waste Management Information System" and "Transportation" in large letters. To the right of the header is the WCH logo (Washington Closure Hanford). Below the header is a navigation bar with a dropdown menu set to "Transportation / ERDF". On the left side, there is a vertical menu bar with the following options: Shipment Search, Template Search, Dump Trucks, ERDF Dispatch, Create Shipments, Edit Template, Edit Constituents, Edit Isotopes, Edit Items, and Copy Template. The "Copy Template" option is highlighted with a blue background. The main content area is titled "COPY TEMPLATE". It contains two text input fields: "Template Name:" with the value "IXM005 MN REV 10-10" and "New Template Name:" which is currently empty. To the right of the "New Template Name:" field is a "Create Copy" button. At the bottom of the screen, there is a footer bar with the text "Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4".

The Copy Template Screen allows the user to copy the active template. The active template name is already shown, all the user has to do is create a new template name and strike "Create Copy."

**WMIS800 – Purchase Order MODULE****7.9 OVERVIEW**

The RCC contractor obtains containers used for waste operations in several ways. Purchase from the Prime Hanford Management Contractor, fabricated onsite, or purchased through the RCC contractor's own purchasing program.

The CIN is a permanent identifier, which does not change for the life of the container. Existing CIN numbers are only on the containers purchased through the other Hanford contractors. For all others, CIN assignment is done through WMIS and bar code labels can be printed which show the readable CIN number as well as a bar code. The labels allow the PDA/Dolphin portable devices to quickly identify the container markings in the field.

The PIN belongs to the waste that is placed inside the container and identifies the waste from cradle-to-grave. If the waste is moved into another container, the PIN goes with the waste, which now has a different CIN for the new container. The PIN is not assigned until the waste is being prepared for disposal.

When the container, with the waste inside, is destroyed or disposed of the CIN/PIN record is shown as disposed. When the container is simply emptied, the database record for that CIN/PIN combination indicates disposed. However, the container is available for re-use and appears in the WMIS database as many times as it is re-used, with different PINs for each use. This Purchase Order Module consists of the processes necessary to track all containers obtained by the RCC.

## 7.10 WMIS800 PURCHASE ORDER SEARCH

The Purchase Order Search Screen allows the user to view the container purchase orders. The user can bring up the purchase orders and view information such as the status and location of the containers ordered.

**Screen 7-10. Purchase Order – Search**

The screenshot displays the WMIS800 Purchase Order Search screen. At the top, a banner features a photograph of two workers in white protective suits and hard hats, the text "Waste Management Information System", and the WCH logo. A dropdown menu is open, showing "Purchase Order". The main area is titled "PURCHASE ORDER SEARCH" and contains the following fields: "Purchase Order #:" with a dropdown arrow, "Has Been Received:" with a checkbox, "Description:" with a large text input area, "Author:" with a dropdown arrow, and "From Date:" and "To Date:" with date pickers. On the left, a vertical sidebar titled "Search" contains buttons for "Purchase Order Entry", "Container Inventory", and "Container Maintenance", with "Container Maintenance" currently selected. The footer of the screen reads "Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4".

### Search for Existing Purchase Orders

Existing purchase orders may be viewed by entering some criteria and pressing "Search."

**Insert New Purchase Orders****Screen 7-11. Purchase Order Entry (Add)**

Waste Management Information System

Purchase Order

**PURCHASE ORDER ENTRY (ADD)**

Purchase Order #:  P.O. Date:

Purchase Order Description:

Search

**Purchase Order Entry**

Container Inventory

Container Maintenance

Submit

Clear

WCH

Washington Closure Hanford

Washington Closure Hanford LLC | Waste Management Information System | WMISvWeb v2.1.4

To enter a new purchase order, strike the "New" button in the upper right portion of the screen.

## 7.11 WMIS810 PURCHASE ORDER INPUT

This Screen is used to insert new Purchase Order items.

**Screen 7-12. Purchase Order – Information Entry**

The screenshot shows the WMIS800 Purchase Order Module. The main window title is "Purchase Order". The "PURCHASE ORDER INFORMATION" section includes fields for Purchase Order # (G-0007), P.O. Date (1/1/2005), and Rcvd. Date. The "Purchase Order Description" field contains "IP-1 CONTAINERS, SIDE-HINGE MODEL.". The "Add Purchase Order Items" section has fields for Item #, Qty, Type, Size Description, DOT, Tare Wgt, and Volume. The "Associated Purchase Order Line Items" table lists 10 rows of data, each with a "Delete Row" button. The table columns are Item #, Qty, Type, Size Descr, DOT, Tare Wgt, and Volume. The data in the table is as follows:

Item #	Qty	Type	Size Descr	DOT	Tare Wgt	Volume
1	80	CM	20*8*5	MB	6540	22
2	20	CM	20*8*5	MB	6540	22
3	1	CM	30 YARD	MB	0	0
4	40	CM	UNKNOWN	7AA	6560	22
5	1	CM	UNKNOWN	MB	6540	22
6	6	CM	UNKNOWN	MB	6540	22
7	9	CM	UNKNOWN	7AA	6540	22
8	10	CM	20*8*5	7AA	6540	22
9	20	CM	20*8*5	7AA	6540	22
10	40	CM	20*8*5	7AA	6540	22

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

## 7.12 WMIS820 CONTAINER RECEIPT

The receipt of containers, ordered on WCH purchase orders, or those containers which have been ordered from the PHMC contractor and are received with pre-assigned CINs, are entered on this screen. CINs can be assigned to all the WCH containers received, and labels printed.

**Screen 7-13. Purchase Order – Container Inventory**

The screenshot shows the WMIS800 – Purchase Order Module interface. The main window is titled "CONTAINER RECEIPT - SUMMARY". It displays a list of containers for a purchase order. The list includes columns for Item#, Qty, Type, DOT, Tare Wgt, and Volume. Each row in the list also includes columns for CIN#, Misc. Information, Storage Facility, and Detail Location. An "Edit Info" button is located in the header of the list. The left sidebar has buttons for Search, Purchase Order Entry, Container Inventory, and Container Maintenance. The top right corner features the WCH logo. The bottom of the screen displays the footer: "Washington Closure Hanford LLC | Waste Management Information System | WMIS/Web v2.1.4".

Item#	Qty	Type	DOT	Tare Wgt	Volume
1	80	CM	MB	6540	22

Style: TOP HINGE   Manufacturer:  
Size Description: 20\*8\*5

CIN#	Misc. Information	Storage Facility	Detail Location
900		ERDF	ERDF-CSA
901		ERDF	ERDF-CSA
902		ERDF	ERDF-CSA
903		ERDF	ERDF-CSA
904		ERDF	ERDF-CSA
905		ERDF	ERDF-CSA
906		ERDF	ERDF-CSA
907		ERDF	ERDF-CSA

### Container Receipt Summary

This screen shows a detailed summary of the purchase order. This summary shows all the containers within each row item. Displaying CIN numbers, storage facility, detailed location, misc. information, and if the container is available. To change this information, strike the "Edit Info" button.

### **7.13 WMIS820 CONTAINER RECEIPT DETAIL**

The Container Receipt Detail Screen allows the user to view and update the individual items on a particular purchase order.

#### **Assign CINs**

- For those containers that have been purchased by WCH from off-site sources, or those fabricated on site, CINs can be assigned by pressing the "Assign CIN" button.
- If containers have come with pre-assigned numbers, manually enter those numbers in the CIN field for the container, and bypass using this option.
- Storage locations can be entered for all containers by entering the values and pressing the "Copy to All Records" button.

#### **Print CINs**

Reserved for future development.

#### **Save As Inventory**

Once CIN numbers have been assigned, strike this button, and the containers are inserted into the database. The storage location entered is assigned to all the containers, while the Miscellaneous Information is assigned only to those containers where entered.

### **7.14 CONTAINER INVENTORY**

#### **Inventory Search**

The user can search by purchase order number, size description, storage detail, and/or ERDF containers. Strike the "Search" button to execute the search.

#### **Print Function**

Strike the "Print" button to print an inventory report.



## 8.0 WMIS900 – REPORTING MODULE

The Reporting Module contains all pre-defined reports. Pre-defined reports consist of several formatted layouts of information, with a search screen that lets the user select and narrow the search grid.

### 8.1 WMIS900 – REPORT PARAMETER VALUES

This page provides data elements the user is requesting to any of the reports able to be executed in the system. In the reporting section the user-inputted data elements create a query, which is then passed to the different reports selected. The parameter input is formatted to be similar to the Container Input screen, although not as many fields are available for selection purposes. Users have the option to save queries that are generated on this Screen and also to load previously saved queries.

**Screen 8-1. Report – Report Values**

The screenshot shows the 'Report Parameter Values' screen of the WMIS900 system. On the left, a vertical menu lists report categories: Container Listing, Standing Waste Inventory, Container Listing Detailed, Print Container Labels, Waste Container Contents Report, Land Disposal Notification and Certification, and ERDF Reports. The main area is titled 'Report Parameter Values' and contains the following fields:

- Query Name: MN
- Saved Queries: MN
- Container ID# (CIN): [input field]
- Package ID# (PIN): [input field]
- Generating Facility: [input field]
- Container Status: [input field]
- Location Facility: [input field]
- Current Location: [input field]
- Date Packaged: From: [input field] To: [input field]
- Date Due: From: [input field] To: [input field]
- Last Updated: From: [input field] To: [input field]
- CERCLA ? [checkbox]
- TSCA ? [checkbox]
- DW ? [checkbox]
- RAD Code: [input field]
- Designation #/Rev: [input field]
- POC Id: [input field]
- Container Type: [input field]
- Container Size: [input field]
- Sec. Waste Type Code: [input field]
- Labpacked ? [checkbox]
- Project: [input field]

At the bottom of the screen, a footer bar reads: Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

To generate pre-defined reports identify desired parameters on Report Parameter Values screen. Enter Query Name; enter parameters; and select "Save". Then select report tab to generate desired pre-defined report.

## **8.2 WMIS910 – CONTAINER LISTING**

The WCH Container Listing Report is a report of a container's content, displaying all information related to a container. It needs to be able to be ran and printed by the users on demand. The user has the ability to enter certain parameters from their workstation and select only the data needed for their report – for example, by facility, area, waste pad, date, etc.

## **8.3 WMIS920 – STANDING WASTE INVENTORY**

The WCH Standing Waste Inventory/Aging report needs to be able to be ran and printed by the users on demand. The user has the ability to enter certain parameters from their workstation and select only the data needed for their report – for example, by facility, area, waste pad, date, etc.

## **8.4 WMIS930 –CONTAINER LISTING DETAILED**

## **8.5 WMIS930 –PRINT CONTAINER LABELS**

**Screen 8-2. Reports – Print Container Labels**

Waste Management Information System

Report

Print Container Labels

Report Parameters

Container Listing

Standing Waste Inventory

Container Listing Detailed

Print Container Labels

Waste Container Contents Report

Land Disposal Notification and Certification

ERDF Reports

Preview

From PIN      To PIN

Prefix      Sequence      Prefix      Sequence

100A-08-      100A-08-

Number of labels needed for each PIN: 1

Printer: LABEL PRINTER

WCH

Washington Closure Hanford

Washington Closure Hanford LLC | Waste Management Information System | WMISWeb v2.1.4

## 8.6 WMIS930 –WASTE CONTAINER CONTENTS REPORT

## 8.7 WMIS930 –LAND DISPOSAL NOTIFICATION AND CERTIFICATION

## 8.8 WMIS930 –ERDF REPORTS

Screen 8-3. Reports – ERDF Reports




Table 8-1. Available WMIS Reports.

Report Title	Description
Container Listing	Provides a report with all the major data fields for a single container. Report may be run for a single package id or for all containers on a shipment
Waste Acceptance Receipt	Provides information to the receiving TSD prior to shipment. May be printed by package id or shipment number. **NOTE: to print this report for a shipment, the Shipment Auto Build (U210) process must be completed first**
Waste Profiles	Lists information about a profile or group of profiles. This report may be run by profile number or by company. The profile number allows wildcards (such as 222S%).



## 9.0 REFERENCES

BHI-01722, *Waste Management Information System Software Design Description (SDD)*, Bechtel Hanford, Inc., Richland, Washington.

DOE Order 414.1C (Quality Assurance)

SWTD-0011, 2008, "Waste Management Information System Training," Washington Closure Hanford, Richland, Washington.

WCH-114, 2008, *Cyber Security Program Plan*, Washington Closure Hanford, Richland, Washington.

WCH-186 [*Washington Closure Hanford Information Technology System Configuration Management Plan (SCMP)/July 2007*]

WCH-192 (*Washington Closure Hanford Software Quality Assurance Program Plan*).

WCH-213 [*Waste Management Information System (WMIS) Software Project Management Plan (SPMP)*].

## References

---

**APPENDIX A**  
**WASTE MANAGEMENT ON-LINE FORMS**



## APPENDIX A

### WASTE MANAGEMENT ON-LINE FORMS

WMIS forms are identical to forms in use thereby eliminating the need to duplicate the data in the SWITS interface. Validation and editing routines to confirm entries and eliminate current manual verification activities further enhances the automation of this process.

#### **WCH-EE-243, RCC Waste Management Certification Form**

The Waste Management Certification Form identifies the container, shipper, the originating facility, type of waste, and other information for the container.

#### **WCH-EE-238, RCC Waste Inventory Sheet**

The RCC Waste Inventory Sheet (WIS) provides basic waste inventory information necessary for the generator to properly designate, characterize, and manage waste.

#### **Routing and Electronic Signature Capability**

WMIS provides the capability of routing the form for signatures.

## **Appendix A – Waste Management On-Line Forms**

## DISTRIBUTION

### Washington Closure Hanford

J. F. Armatrout	T2-03
R. H. Bidstrup	X2-07
D. L. Boecker	T2-03
G. J. Borden	N3-20
N. E. Brower	L6-06
R. E. Broz	N3-20
K. R. Christensen	N3-20
M. D. Clark	N3-20
M. H. Conilogue	N3-20
P. A. Drago	X9-10
D. A. Duranceau	T2-05
J. J. Ehlis	X0-18
R. G. Gana	L6-06
P. W. Garvie	T2-03
T. M. Greager	X9-08
E. M. Harding	X9-08
R. T. Hynes	N3-20
F. O. Lamb	T2-05
M. E. Lewis	L6-06
R. S. Lipinski	X2-07
R. B. McPherson	H4-24
C. M. Miller	L6-06
B. A. Nielsen	N3-20
M. G. Peloquin	T2-03
M. A. Sams	L1-12
R. J. Vallem	L6-06
Document Control	H4-11

