NUREG–0540
Vol. 17, No. 6

Title List of Documents Made Publicly Available

June 1–30, 1995

U.S. Nuclear Regulatory Commission

Office of Administration

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555–0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402–9328
3. The National Technical Information Service, Springfield, VA 22161–0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North,11545 Rockville Pike, Rockville, MD 20852–2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018–3308.

A year's subscription of this report consists of 12 monthly issues.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

NUREG–0540
Vol. 17, No. 6

Title List of Documents Made Publicly Available

June 1–30, 1995

Date Published: August 1995

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555–0001

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

CONTENTS

Preface v
Arrangement of Items by Docket Number ix
Alphabetic Arrangement of Docket Items by Facility Name xv
Docketed Items 1
Low-Level Radwaste Disposal Sites — Docket 27 1
Domestic Licensing of Source Material — Docket 40 1
Domestic Licensing of Production and Utilization Facilities — Docket 50 9
Standardized Nuclear Power Plant Design — Docket 52 138
Domestic Licensing of Special Nuclear Material — Docket 70 141
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 147
Licensing of Independent Spent Fuel Storage — Docket 72 152
Nondocketed Items 155
10 CFR — Commission Meeting Records 155
ACNW — Advisory Committee on Nuclear Waste 155
ACRS — Advisory Committee on Reactor Safeguards 155
ADVCM — NRC Advisory Committee 156
COMMISSION — NRC Commissioners 156
CONTRACT — NRC Contracts and Modifications 157
GEN TECH IS — Generic Technical Issues 159
I&E — Inspection and Enforcement 160
MISC — Public Document Room Miscellaneous 161
NUREG — NUREG Reports and Related Correspondence 161
ORG — Correspondence with Other Organizations 164
PR — Proposed Rule 166
PRESS — Press Releases 170
PRM — Petition for Rulemaking 170
PROJ — Projects-Predocket Licensing 170
PT21 — Noncompliance Reports and Related Correspondence 172
QA999 — Quality Assurance Inspections 172
REGGD — Regulatory Guides 172
REVIEW GRP — NRC Research Review Groups 173
SECY — Position Papers Before the Commission 174
SPEECHES — Speeches 174
STATE PROG — State Programs 174
TOPREP — Vendor Reports and Related Correspondence 180
WASTE MGT — Nuclear Waste Management 183
XPORTLIC — Export and Import Licenses 187
Personal Author Index 189
Corporate Source Index 205
Report Number Index 221
Cross Reference of Enclosures to Principal Documents 223
Appendix A — Definitions of Docket 50 Categories A-1
Appendix B — Definitions of Nondocketed Categories B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

A. Application/construction stage documents and correspondence
B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
C. Utility Environmental Reports (ER), amendments, and correspondence
D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
E. NRC Safety Evaluation Reports (SER), supplements and correspondence
F. Security, medical, emergency, and fire-protection plans
G. Legal and adjudicatory correspondence
H. General correspondence
I. Financial information
J. Insurance and indemnity information
K. Utility Final Safety Analysis Reports (FSAR) and amendments
L. Limited work authorizations (LWA) and related correspondence
M. Antitrust reviews and antitrust correspondence
N. Antitrust hearing transcripts, testimony, and briefings
O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
P. Operating license stage documents and correspondence
Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

R. Periodic operating reports and related correspondence
S. Reportable occurrences, PNOs, PNSs, and related correspondence
T. Transcripts, testimony, and briefings on non-antitrust matters
U. Congressional/executive correspondence
V. Licensing of operators and related correspondence
W. Decommissioning stage documents and correspondence
X. Onsite storage of low-level waste
Y. Independent spent fuel storage installations

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the entries in the list are

(1) P. Operating license stage documents & correspondence

(2) (3)
8907070172 Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

(4) (5) (6)
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 89/06/27

(7) (8) (9) (10) (11) (12) (13)
CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181–50442:182

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records

ACRS—Advisory Committee on Reactor Safeguards

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioners

CONTRACT—NRC Contracts and Modifications

FOIA—Freedom of Information Act Requests and Releases

GEN TECH IS—Generic Technical Issues

IE—Inspection and Enforcement Issuances

MISC—Public Document Room Miscellaneous

NUREG—NRC-Issued Formal Reports and Related Correspondence

ORG—Organizational File

PR—Proposed Rules

PRM—Petitions for Rulemaking

PROJ—Projects

PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports

REVIEW GRP—Research Review Groups

RM—Rulemakings

SECY—Staff Position Papers Before the Commission

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Correspondence

WASH—AEC-Issued Formal Reports and Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Documents

XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

(1) NUREG—NRC-Issued Formal Reports and Related Correspondence

(2) (3) (4)
8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

(5) (6)
OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

(7) (8) (9) (10) (11)
FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

(12) (13) (14) (15)
51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract of financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20013–7082

   To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202–512–2249.

2. The address for NTIS is

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

   To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487–4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is

   2120 L Street, NW.
   Washington, DC 20555

   The mailing address is

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL–6
   Washington, DC 20555

   Telefacsimile

   202/634–3343

   Telephone

   202/634–3273

   To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27		
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1
DOCKET	UNKNOWN	1
Domestic Licensing of Source Material - Docket 40		
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	1
40-0501	ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	1
40-0534	GENERAL ELECTRIC CO., CLEVELAND, OH	1
40-0672	NUCLEAR METALS, INC., CONCORD, MA	2
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	2
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	2
40-2377	KAISER ALUMINUM SPECIALTY PRODUCTS	2
40-2384	RMI CO., ASHTABULA, OH	2
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	2
40-3453	ATLAS CORP., DENVER, CO	2
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	3
40-6500	ENERGY, DEPT. OF, CANONSBURG, PA	3
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	3
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	3
40-6940	CABOT CORP., BOYERTOWN, PA	3
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	3
40-7397	FOOTE MINERAL CO., EXTON, PA	3
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	4
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	4
40-7982	HONEYWELL, INC., HOPKINS, MN	4
40-8027	SEQUOYAH FUELS CORP., GORE, OK	4
40-8084	RIO ALGOM MINING CORP., MOAB, UT	4
40-8501	GULF CHEMICAL & METALLURGICAL CO., TEXAS CITY, TX	5
40-8502	TOTAL MINERALS CORP., CASPER, WY	5
40-8527	ARMY, DEPT. OF, HERLONG, CA	5
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	5
40-8610	STEPAN CHEMICAL CO., MAYWOOD, NJ	5
40-8681	UMETCO MINERALS CORP., BLANDING, UT	5
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	6
40-8724	CHEMETRON CORP., PROVIDENCE, RI	6
40-8767	ARMY, DEPT. OF, ROCK ISLAND, IL	6
40-8786	URANIUM RESOURCES, INC., DALLAS, TX	6
40-8794	MOLYCORP, INC., LOS ANGELES, CA	6
40-8814	ARMY, DEPT. OF, YUMA, AZ	6
40-8833	MANLABS, INC., CAMBRIDGE, MA	6
40-8838	ARMY, DEPT. OF, MADISON, IN	6
40-8857	POWER RESOURCES, INC., GLENROCK, WY	6
40-8866	NUCLEAR METALS, INC., CONCORD, MA	7
40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	7
40-8903	HOMESTAKE MINING CO., GRANTS, NM	7
40-8905	QUIVIRA MINING CO., GRANTS, NM	7
40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	7
40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	7
40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	7
40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	8
40-8968	HYDRO RESOURCES, INC., DALLAS, TX	8
40-8971	U.S. ENERGY CORP., RIVERTON, WY	8
40-8981	PATHFINDER MINES CORP., MILLS, WY	8
40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	8
40-9022	HARTLEY & HARTLEY LANDFILL	9
40-9024	ENERGY FUELS NUCLEAR	9
40-9027	CABOT CORP. READING & REVERE	9
Domestic Licensing of Production and Utilization Facilities - Docket 50		
50-2	FORD NUCLEAR REACTOR	9
50-3	INDIAN POINT STATION, UNIT 1	9
50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	10
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	10
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	10
50-29	YANKEE-ROWE NUCLEAR POWER STATION	10
50-47	ARMY MATERIALS RESEARCH REACTOR	11

Docket	Name	Page
50-59	TEXAS A&M UNIV. RESEARCH REACTOR	11
50-83	UNIV. OF FLORIDA TRAINING REACTOR	11
50-116	IOWA STATE UNIV. RESEARCH REACTOR	11
50-123	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	11
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	11
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	11
50-139	UNIV. OF WASHINGTON RESEARCH REACTOR	11
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	11
50-150	OHIO STATE UNIV. RESEARCH REACTOR	12
50-155	BIG ROCK POINT NUCLEAR PLANT	12
50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	13
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	13
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	13
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	14
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	14
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	14
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	14
50-213	HADDAM NECK PLANT	14
50-219	OYSTER CREEK NUCLEAR POWER PLANT	16
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	17
50-225	RPI CRITICAL EXPERIMENT	17
50-228	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	17
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	18
50-243	OREGON STATE UNIV. RESEARCH REACTOR	19
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	19
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	20
50-247	INDIAN POINT STATION, UNIT 2	21
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	22
50-250	TURKEY POINT PLANT, UNIT 3	24
50-251	TURKEY POINT PLANT, UNIT 4	25
50-254	QUAD-CITIES STATION, UNIT 1	25
50-255	PALISADES NUCLEAR PLANT	27
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	28
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	30
50-261	H.B. ROBINSON PLANT, UNIT 2	31
50-263	MONTICELLO NUCLEAR GENERATING PLANT	32
50-264	DOW CHEMICAL CO.	32
50-265	QUAD-CITIES STATION, UNIT 2	32
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	34
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	34
50-269	OCONEE NUCLEAR STATION, UNIT 1	35
50-270	OCONEE NUCLEAR STATION, UNIT 2	36
50-271	VERMONT YANKEE NUCLEAR POWER STATION	37
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	37
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	39
50-276	AGN-201	40
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	41
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	42
50-280	SURRY POWER STATION, UNIT 1	43
50-281	SURRY POWER STATION, UNIT 2	44
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	45
50-284	IDAHO STATE UNIV. RESEARCH REACTOR	46
50-285	FORT CALHOUN STATION, UNIT 1	46
50-286	INDIAN POINT STATION, UNIT 3	47
50-287	OCONEE NUCLEAR STATION, UNIT 3	48
50-288	REED COLLEGE RESEARCH REACTOR	49
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	49
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	50
50-295	ZION NUCLEAR POWER STATION, UNIT 1	51
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	53
50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	54
50-298	COOPER NUCLEAR STATION	54
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	55
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	56
50-304	ZION NUCLEAR POWER STATION, UNIT 2	57
50-305	KEWAUNEE NUCLEAR POWER PLANT	59

Docket	Name	Page
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	59
50-309	MAINE YANKEE ATOMIC POWER PLANT	60
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	61
50-312	RANCHO SECO NUCLEAR GENERATING STATION	63
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	64
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	65
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	66
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	68
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	68
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	69
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	70
50-322	SHOREHAM NUCLEAR POWER STATION	71
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	71
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	72
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	73
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	75
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	76
50-329	MIDLAND PLANT, UNIT 1	78
50-330	MIDLAND PLANT, UNIT 2	78
50-331	DUANE ARNOLD ENERGY CENTER	78
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	79
50-334	BEAVER VALLEY POWER STATION, UNIT 1	80
50-335	ST. LUCIE PLANT, UNIT 1	80
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	81
50-338	NORTH ANNA POWER STATION, UNIT 1	84
50-339	NORTH ANNA POWER STATION, UNIT 2	84
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	85
50-344	TROJAN NUCLEAR PLANT	85
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	86
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	87
50-352	LIMERICK GENERATING STATION, UNIT 1	88
50-353	LIMERICK GENERATING STATION, UNIT 2	89
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	90
50-355	HOPE CREEK NUCLEAR STATION, UNIT 2	91
50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	91
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	91
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	92
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	93
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	95
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	95
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	97
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	97
50-373	LASALLE COUNTY STATION, UNIT 1	98
50-374	LASALLE COUNTY STATION, UNIT 2	99
50-382	WATERFORD GENERATING STATION, UNIT 3	100
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	101
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	102
50-389	ST. LUCIE PLANT, UNIT 2	104
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	105
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	107
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	108
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	109
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	110
50-409	LA CROSSE BOILING WATER REACTOR	111
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	111
50-412	BEAVER VALLEY POWER STATION, UNIT 2	112
50-413	CATAWBA NUCLEAR STATION, UNIT 1	113
50-414	CATAWBA NUCLEAR STATION, UNIT 2	113
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	114
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	115
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	115
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	117
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	118
STN-50-437	FLOATING NUCLEAR PLANT	120

Docket	Name	Page
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	120
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	120
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	120
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	121
50-443	SEABROOK NUCLEAR STATION, UNIT 1	121
50-444	SEABROOK NUCLEAR STATION, UNIT 2	122
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	122
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	123
STN-50-454	BYRON STATION, UNIT 1	124
STN-50-455	BYRON STATION, UNIT 2	125
STN-50-456	BRAIDWOOD STATION, UNIT 1	126
STN-50-457	BRAIDWOOD STATION, UNIT 2	127
50-458	RIVER BEND STATION, UNIT 1	128
50-459	RIVER BEND STATION, UNIT 2	130
50-461	CLINTON POWER STATION, UNIT 1	130
STN-50-482	WOLF CREEK GENERATING STATION	130
STN-50-483	CALLAWAY PLANT, UNIT 1	131
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	132
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	133
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	134
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	135
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	136
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	137
50-602	UNIV. OF TEXAS RESEARCH REACTOR	138
50-606	ARKANSAS TECH UNIV., UNIT 1	138
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	138
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	139
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	139
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	140
DOCKET	UNKNOWN	141

Docket	Name	Page
Domestic Licensing of Special Nuclear Material - Docket 70		
70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	141
70-0025	ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA	141
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	141
70-0033	TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	142
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	142
70-0133	CLEVITE CORP., CLEVELAND, OH	142
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	142
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	142
70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	142
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	143
70-0820	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	143
70-0903	UNITED NUCLEAR CORP., ELMSFORD, NY	143
70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	143
70-1068	FLORIDA, UNIV. OF, GAINESVILLE, FL	143
70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	143
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	143
70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	143
70-1201	B&W FUEL CO., LYNCHBURG, VA	144
70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	144
70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	144
70-1308	GENERAL ELECTRIC CO., SAN JOSE, CA	144
70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	144
70-2910	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	144
70-2928	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	144
70-3061	IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY	144
70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	145
70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	145
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	145
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	146

Docket	Name	Page
DOCKET	UNKNOWN	147
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
71-0096	EG&G FLORIDA, INC.	147
71-0185	FBF, INC.	147
71-0226	NEW YORK, STATE UNIV. OF	147
71-0250	TRANSNUCLEAR, INC.	147
71-0297	E. LEWIS COOK & ASSOCIATES	147
71-0368	BRANCH RADIOGRAPHIC LABORATORIES, INC.	148
71-0377	INDIANA MICHIGAN POWER CO.	148
71-0516	LONG ISLAND LIGHTING CO.	148
71-0542	MATTINGLY TESTING SERVICES, INC.	148
71-0593	TRI STATE INSPECTION & CONSULTANTS	148
71-0627	CONSOLIDATED NDE, INC.	148
71-0637	WESTERN STRESS, INC.	148
71-0642	RTS TECHNOLOGY, INC.	148
71-0678	PACTEC, INC.	148
71-0696	GEORGIA POWER CO.	148
71-0701	NDT SPECIALISTS, INC.	148
71-0703	NORDION INTERNATIONAL, INC.	148
71-0770	RUST REMEDIAL SERVICES	148
71-0793	CHESTNUT HILL COLLEGE	148
71-0794	EMORY & HENRY COLLEGE	148
71-0795	BUCKNELL UNIVERSITY	148
71-0798	CASE WESTERN RESERVE UNIVERSITY	148
71-0799	HOWARD UNIVERSITY	148
71-0800	DEPT OF THE AIR FORCE	149
71-0804	SIERRA NUCLEAR CORP.	149
71-0818	ENTEC CONSULTANTS, INC.	149
71-3023	AECL-CRL U.S. DEPT. OF TRANSPORTATION	149
71-4909	MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	149
71-5149	MODEL: 814A, BABCOCK & WILCOX CO.	149
71-5320	MODEL: ARTG, NAVY, DEPT. OF	149
71-5957	MODEL: BMI-1, CINTICHEM, INC.	149
71-6058	MODEL: B-3, CINTICHEM, INC.	149
71-6553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	149
71-6717	MODEL: 6717-B, AMERSHAM CORP.	149
71-9006	MODEL: AI 500 SU, AMERSHAM CORP.	149
71-9007	MODEL: AI 520, AMERSHAM CORP.	149
71-9029	MODEL: 676 & 676E, AMERSHAM CORP.	149
71-9032	MODEL: 650, AMERSHAM CORP.	149
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	150
71-9034	MODEL: TRIGA-1, GENERAL ATOMICS	150
71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	150
71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	150
71-9037	MODEL: TRIGA-2, GENERAL ATOMICS	150
71-9039	MODEL: 715, AMERSHAM CORP.	150
71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	150
71-9099	MODEL: ATR, ENERGY, DEPT. OF	150
71-9127	MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	150
71-9132	MODEL: T-3, ENERGY, DEPT. OF	150
71-9135	MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	151
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	151
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	151
71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	151
71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	151
71-9203	MODEL: DHTF, B&W FUEL CO.	151
71-9218	MODEL: TRUPACT-II, ENERGY, DEPT. OF	151
71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	151
71-9226	MODEL: GA-4, GENERAL ATOMICS	151
71-9227	MODEL: GA-9, GENERAL ATOMICS	151
71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	151
71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	151
71-9245	MODEL: RTS-420, RTS TECHNOLOGY, INC.	152
71-9251	MODEL: BW-2901, B&W FUEL CO.	152
71-9259	MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	152
71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	152
71-9788	MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF	152
Licensing of Independent Spent Fuel Storage - Docket 72		
72-0005	ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	152
72-0006	BRUNSWICK ISFSI, 50-324 & 50-325	152
72-0007	ISFSI PALISADES GEN LIC/VSC-24, 50-255	152
72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	153
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	153

Docket	Name	Page
72-0011	RANCHO SECO ISFSI, 50-312	153
72-0013	ISFSI ARKANSAS NUCLEAR GEN LIC/ VSC-24, 50-313 & 50-368	153
72-0014	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	153
72-0015	ISFSI OYSTER CREEK GEN LIC/ NUHOMS, 50-219	153
72-0016	VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	153
72-0017	TROJAN ISFSI, 50-344	153
72-0018	PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	153
72-1004	MODEL: STANDARDIZED NUHOMS SYSTEM	153
72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	153
72-1008	MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	154
72-1009	DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE	154

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27		
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1
Domestic Licensing of Source Material - Docket 40		
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	2
ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA	40-0501	1
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	3
ARMY, DEPT. OF, HERLONG, CA	40-8527	5
ARMY, DEPT. OF, MADISON, IN	40-8838	6
ARMY, DEPT. OF, ROCK ISLAND, IL	40-8767	6
ARMY, DEPT. OF, YUMA, AZ	40-8814	6
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	7
ATLAS CORP., DENVER, CO	40-3453	2
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	4
CABOT CORP. READING & REVERE	40-9027	9
CABOT CORP., BOYERTOWN, PA	40-6940	3
CHEMETRON CORP., PROVIDENCE, RI	40-8724	6
ENERGY FUELS NUCLEAR	40-9024	9
ENERGY, DEPT. OF, CANONSBURG, PA	40-6500	3
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	8
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	4
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	7
FOOTE MINERAL CO., EXTON, PA	40-7397	3
GENERAL ELECTRIC CO., CLEVELAND, OH	40-0534	1
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	1
GULF CHEMICAL & METALLURGICAL CO., TEXAS CITY, TX	40-8501	5
HARTLEY & HARTLEY LANDFILL	40-9022	9
HOMESTAKE MINING CO., GRANTS, NM	40-8903	7
HONEYWELL, INC., HOPKINS, MN	40-7982	4
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	8
KAISER ALUMINUM SPECIALTY PRODUCTS	40-2377	2
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	5
MANLABS, INC., CAMBRIDGE, MA	40-8833	6
MOLYCORP, INC., LOS ANGELES, CA	40-8794	6
NUCLEAR METALS, INC., CONCORD, MA	40-8866	7
NUCLEAR METALS, INC., CONCORD, MA	40-0672	2
PATHFINDER MINES CORP., MILLS, WY	40-8981	8
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	2
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	3
PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	3
PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	6
POWER RESOURCES, INC., GLENROCK, WY	40-8857	6
QUIVIRA MINING CO., GRANTS, NM	40-8905	7
RIO ALGOM MINING CORP., MOAB, UT	40-8084	4
RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	8
RMI CO., ASHTABULA, OH	40-2384	2
SEQUOYAH FUELS CORP., GORE, OK	40-8027	4
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	7
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	3
STEPAN CHEMICAL CO., MAYWOOD, NJ	40-8610	5
TOTAL MINERALS CORP., CASPER, WY	40-8502	5
U.S. ENERGY CORP., RIVERTON, WY	40-8971	8
UMETCO MINERALS CORP., BLANDING, UT	40-8681	5
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	7
URANIUM RESOURCES, INC., DALLAS, TX	40-8786	6
WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	2
Domestic Licensing of Production and Utilization Facilities - Docket 50		
AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	17
AGN-201	50-276	40
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	117
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	118
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	64
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	95
ARKANSAS TECH UNIV., UNIT 1	50-606	138
ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	13
ARMY MATERIALS RESEARCH REACTOR	50-47	11
BEAVER VALLEY POWER STATION, UNIT 1	50-334	80
BEAVER VALLEY POWER STATION, UNIT 2	50-412	112
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	120
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	120
BIG ROCK POINT NUCLEAR PLANT	50-155	12
BRAIDWOOD STATION, UNIT 1	STN-50-456	126
BRAIDWOOD STATION, UNIT 2	STN-50-457	127

Name	Docket	Page
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	28
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	30
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	53
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	73
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	72
BYRON STATION, UNIT 1	STN-50-454	124
BYRON STATION, UNIT 2	STN-50-455	125
CALLAWAY PLANT, UNIT 1	STN-50-483	131
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	68
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	68
CATAWBA NUCLEAR STATION, UNIT 1	50-413	113
CATAWBA NUCLEAR STATION, UNIT 2	50-414	113
CLINTON POWER STATION, UNIT 1	50-461	130
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	122
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	123
COOPER NUCLEAR STATION	50-298	54
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	56
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	86
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	39
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	71
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	65
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	66
DOW CHEMICAL CO.	50-264	32
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	10
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	18
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	22
DUANE ARNOLD ENERGY CENTER	50-331	78
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	70
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	95
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	85
FLOATING NUCLEAR PLANT	STN-50-437	120
FORD NUCLEAR REACTOR	50-2	9
FORT CALHOUN STATION, UNIT 1	50-285	46
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	34
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	13
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	114
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	115
H.B. ROBINSON PLANT, UNIT 2	50-261	31
HADDAM NECK PLANT	50-213	14
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	90
HOPE CREEK NUCLEAR STATION, UNIT 2	50-355	91
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	11
IDAHO STATE UNIV. RESEARCH REACTOR	50-284	46
INDIAN POINT STATION, UNIT 1	50-3	9
INDIAN POINT STATION, UNIT 2	50-247	21
INDIAN POINT STATION, UNIT 3	50-286	47
IOWA STATE UNIV. RESEARCH REACTOR	50-116	11
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	79
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	87
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	93
KANSAS STATE UNIV. RESEARCH REACTOR	50-188	14
KEWAUNEE NUCLEAR POWER PLANT	50-305	59
LA CROSSE BOILING WATER REACTOR	50-409	111
LASALLE COUNTY STATION, UNIT 1	50-373	98
LASALLE COUNTY STATION, UNIT 2	50-374	99
LIMERICK GENERATING STATION, UNIT 1	50-352	88
LIMERICK GENERATING STATION, UNIT 2	50-353	89
MAINE YANKEE ATOMIC POWER PLANT	50-309	60
MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	10
MIDLAND PLANT, UNIT 1	50-329	78
MIDLAND PLANT, UNIT 2	50-330	78
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	20
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	81
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	115
MONTICELLO NUCLEAR GENERATING PLANT	50-263	32
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	17
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	111
NORTH ANNA POWER STATION, UNIT 1	50-338	84
NORTH ANNA POWER STATION, UNIT 2	50-339	84
NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	54
OCONEE NUCLEAR STATION, UNIT 1	50-269	35

Name	Docket	Page
OCONEE NUCLEAR STATION, UNIT 2	50-270	36
OCONEE NUCLEAR STATION, UNIT 3	50-287	48
OHIO STATE UNIV. RESEARCH REACTOR	50-150	12
OREGON STATE UNIV. RESEARCH REACTOR	50-243	19
OYSTER CREEK NUCLEAR POWER PLANT	50-219	16
PALISADES NUCLEAR PLANT	50-255	27
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	135
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	136
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	137
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	14
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	41
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	42
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	10
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	120
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	121
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	50
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	34
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	55
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	45
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	59
QUAD-CITIES STATION, UNIT 1	50-254	25
QUAD-CITIES STATION, UNIT 2	50-265	32
RANCHO SECO NUCLEAR GENERATING STATION	50-312	63
REED COLLEGE RESEARCH REACTOR	50-288	49
RIVER BEND STATION, UNIT 1	50-458	128
RIVER BEND STATION, UNIT 2	50-459	130
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	19
RPI CRITICAL EXPERIMENT	50-225	17
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	37
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	61
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	14
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	91
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	92
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	11
SEABROOK NUCLEAR STATION, UNIT 1	50-443	121
SEABROOK NUCLEAR STATION, UNIT 2	50-444	122
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	75
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	76
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	110
SHOREHAM NUCLEAR POWER STATION	50-322	71
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	132
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	133
ST. LUCIE PLANT, UNIT 1	50-335	80
ST. LUCIE PLANT, UNIT 2	50-389	104
SURRY POWER STATION, UNIT 1	50-280	43
SURRY POWER STATION, UNIT 2	50-281	44
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	101
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	102
TEXAS A&M UNIV. RESEARCH REACTOR	50-59	11
TEXAS A&M UNIV. RESEARCH REACTOR	50-128	11
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	49
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	69
TROJAN NUCLEAR PLANT	50-344	85
TURKEY POINT PLANT, UNIT 3	50-250	24
TURKEY POINT PLANT, UNIT 4	50-251	25
UNIV. OF FLORIDA TRAINING REACTOR	50-83	11
UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	91
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	14
UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	50-123	11
UNIV. OF TEXAS RESEARCH REACTOR	50-602	138
UNIV. OF WASHINGTON RESEARCH REACTOR	50-139	11
UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	13
VERMONT YANKEE NUCLEAR POWER STATION	50-271	37
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	108
WATERFORD GENERATING STATION, UNIT 3	50-382	100
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	105
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	107
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	97
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	97
WOLF CREEK GENERATING STATION	STN-50-482	130
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	109
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	134
YANKEE-ROWE NUCLEAR POWER STATION	50-29	10

Name	Docket	Page
ZION NUCLEAR POWER STATION, UNIT 1	50-295	51
ZION NUCLEAR POWER STATION, UNIT 2	50-304	57
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	139
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	138
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	140
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	139
Domestic Licensing of Special Nuclear Material - Docket 70		
B&W FUEL CO., LYNCHBURG, VA	70-1201	144
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	142
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	141
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	142
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	141
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	143
CLEVITE CORP., CLEVELAND, OH	70-0133	142
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	142
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	143
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	144
FLORIDA, UNIV. OF, GAINESVILLE, FL	70-1068	143
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	143
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1308	144
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	143
IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY	70-3061	144
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	145
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	145
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	142
ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA	70-0025	141
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	144
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2928	144
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	70-2910	144
TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	70-0033	142
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	144
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	145
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	146
UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	70-0820	143
UNITED NUCLEAR CORP., ELMSFORD, NY	70-0903	143
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	143
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
AECL-CRL U.S. DEPT. OF TRANSPORTATION	71-3023	149
BRANCH RADIOGRAPHIC LABORATORIES, INC.	71-0368	148
BUCKNELL UNIVERSITY	71-0795	148
CASE WESTERN RESERVE UNIVERSITY	71-0798	148
CHESTNUT HILL COLLEGE	71-0793	148
CONSOLIDATED NDE, INC.	71-0627	148
DEPT OF THE AIR FORCE	71-0800	149
E. LEWIS COOK & ASSOCIATES	71-0297	147
EG&G FLORIDA, INC.	71-0096	147
EMORY & HENRY COLLEGE	71-0794	148
ENTEC CONSULTANTS, INC.	71-0818	149
FBF, INC.	71-0185	147
GEORGIA POWER CO.	71-0696	148
HOWARD UNIVERSITY	71-0799	148
INDIANA MICHIGAN POWER CO.	71-0377	148
LONG ISLAND LIGHTING CO.	71-0516	148
MATTINGLY TESTING SERVICES, INC.	71-0542	148
MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.	71-9127	150
MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	151
MODEL: 650, AMERSHAM CORP.	71-9032	149
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	150
MODEL: 6717-B, AMERSHAM CORP.	71-6717	149
MODEL: 676 & 676E, AMERSHAM CORP.	71-9029	149
MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	150
MODEL: 715, AMERSHAM CORP.	71-9039	150
MODEL: 814A, BABCOCK & WILCOX CO.	71-5149	149
MODEL: AI 500 SU, AMERSHAM CORP.	71-9006	149
MODEL: AI 520, AMERSHAM CORP.	71-9007	149
MODEL: ARTG, NAVY, DEPT. OF	71-5320	149
MODEL: ATR, ENERGY, DEPT. OF	71-9099	150
MODEL: B-3, CINTICHEM, INC.	71-6058	149
MODEL: BMI-1, CINTICHEM, INC.	71-5957	149
MODEL: BW-2901, B&W FUEL CO.	71-9251	152
MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	150

Name	Docket	Page
MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,	71-9135	151
MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	151
MODEL: DHTF, B&W FUEL CO.	71-9203	151
MODEL: GA-4, GENERAL ATOMICS	71-9226	151
MODEL: GA-9, GENERAL ATOMICS	71-9227	151
MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	71-4909	149
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	151
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	151
MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	151
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	151
MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	149
MODEL: RTS-420, RTS TECHNOLOGY, INC.	71-9245	152
MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF	71-9788	152
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	150
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	152
MODEL: T-3, ENERGY, DEPT. OF	71-9132	150
MODEL: TRIGA-1, GENERAL ATOMICS	71-9034	150
MODEL: TRIGA-2, GENERAL ATOMICS	71-9037	150
MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	71-9259	152
MODEL: TRUPACT-II, ENERGY, DEPT. OF	71-9218	151
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	151
NDT SPECIALISTS, INC.	71-0701	148
NEW YORK, STATE UNIV. OF	71-0226	147
NORDION INTERNATIONAL, INC.	71-0703	148
PACTEC, INC.	71-0678	148
RTS TECHNOLOGY, INC.	71-0642	148
RUST REMEDIAL SERVICES	71-0770	148
SIERRA NUCLEAR CORP.	71-0804	149
TRANSNUCLEAR, INC.	71-0250	147
TRI STATE INSPECTION & CONSULTANTS	71-0593	148
WESTERN STRESS, INC.	71-0637	148
Licensing of Independent Spent Fuel Storage - Docket 72		
BRUNSWICK ISFSI, 50-324 & 50-325	72-0006	152
CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	153
DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE	72-1009	154
ISFSI ARKANSAS NUCLEAR GEN LIC/VSC-24, 50-313 & 50-368	72-0013	153
ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	72-0014	153
ISFSI OYSTER CREEK GEN LIC/NUHOMS, 50-219	72-0015	153
ISFSI PALISADES GEN LIC/VSC-24, 50-255	72-0007	152
ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	72-0005	152
MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL	72-1008	154
MODEL: STANDARDIZED NUHOMS SYSTEM	72-1004	153
MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	153
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	153
PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	72-0018	153
RANCHO SECO ISFSI, 50-312	72-0011	153
TROJAN ISFSI, 50-344	72-0017	153
VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	153
UNKNOWN	DOCKET	1
UNKNOWN	DOCKET	147
UNKNOWN	DOCKET	141

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9506120134 Provides comments to 950327 submittal re annual special nuclear matl disposal summary.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/14. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 84279:320-84279:321.

DOCKET DOCKET UNKNOWN

9506200315 Discusses 950419 meeting w/M Kurth re former licensed use of radioactive matl at Ann Arbor,MI involving receipt,storage & use of Uranium & Thorium.License data & contamination BTP encl.
MCCORMICK-BARGE Region 3 (Post 820201). 95/05/10. HESS,M.G. Dana Corp. 12pp. 84348:080-84348:223.

-9506200319 Insp rept of License SMB-389 on 620515.Noncompliance noted. Major areas inspected:reinsp of initial insp on 620515 involving use of source matl,labelling,survey & records & waste disposal.
KLAR Atomic Energy Commission (Pre 750119). 62/08/13. 15pp. 84348:092-84348:135.

-9506200328 Confirms completion of EA w/licensee re insp conducted on 620515 & informs that all radioactive matls in possession by licensee per License SMB-389 has been disposed of & license will be cancelled.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 63/03/04. Atomic Energy Commission (Pre 750119). 2pp. 84348:136-84348:140.

-9506200333 "Procedures for UF6 Handling."
ARENDT,J.W., POWELL,E.W., SAYLOR,H.F. Affiliation Not Assigned. 95/05/10. 17pp. 84348:141-84348:171.

-9506200337 Discusses insp of Licenses C-4069,C-4090 & C-4812 on 600302.No items of noncompliance noted for Licenses C-4069 & C-4090.Noncompliance noted for License C-4812 re storage of licensed matls.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 60/07/15. OHLGREN,H.A. Affiliation Not Assigned. 1p. 84348:172-84348:199.

-9506200344 License C-5221 for American Metal Products Co authorizing possession of and title to,at Ann Arbor Labs,1,000 lbs of source matl for research purposes.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 95/05/10. 1p. 84348:200-84348:223.

9506140089 Forwards insp rept 40-5590/95-01 on 950425.No radiation levels above background or radioactive contamination identified.Concludes that site suitable for unrestricted use.
KINNEMAN,J.D. Region 1 (Post 820201). 95/05/17. BARBER,D. Affiliation Not Assigned. 3pp. 84267:300-84267:306.

-9506140096 Insp rept 40-5590/95-01 on 950425.No radiation levels above background detected & no indications of radioactive contamination identified.Major areas inspected:survey at Kolb Electric,4147 Hayward Avenue,Baltimore,MD.
HOLMES,S.W., KINNEMAN,J.D. Region 1 (Post 820201). 95/05/17. 4pp. 84267:303-84267:306.

9506140110 Confirms 950517 telcon re plans for meeting on 950606 to discuss 950417 ltr & plans to characterize & remediate U contamination at facility.
KINNEMAN,J.D. Region 1 (Post 820201). 95/05/25. TOWE,R. Tenneco, Inc. 3pp. 84267:353-84267:359.

-9506140112 Notification of significant licensee meeting 95-54 w/util on 950606 to discuss characterization & remediation of property to meet current NRC guidelines for unrestricted use.
LUSHER,J.H. Region 1 (Post 820201). 95/05/25. Region 1 (Post 820201). 4pp. 84267:356-84267:359.

9506140064 Forwards IR 40-6283/95-01 on stated dates.No violations noted.Site suitable for unrestricted use.
KINNEMAN,J.D. Region 1 (Post 820201). 95/05/26. NEWTON,S. . 2pp. 84267:237-84267:243.

-9506140073 IR 40-6283/95-01 on stated dates.No violations noted. Major areas inspected:no radiation levels above background were detected & no indications of radioactive contamination were found.
HOLMES,S.W., KINNEMAN,J.D. Region 1 (Post 820201). 95/05/25. 4pp. 84267:240-84267:243.

9506120061 Informs of meeting 95-54 in King of Prussia,PA on 950606 re characterization & remediation of property to meet current NRC guidelines for unrestricted use.
LUSHER,J.H., KINNEMAN,J.D. Region 1 (Post 820201). 95/06/12. Region 1 (Post 820201). 2pp. 84221:198-84221:199.

9506280287 Forwards insp rept 04-6814/95-01 on 950505.No violations noted.
KINNEMAN,J.D. Region 1 (Post 820201). 95/06/15. ROWE,J. Affiliation Not Assigned. 3pp. 84442:295-84442:301.

-9506280300 Insp rept 40-6814/95-01 on 950505.No violations noted. Major areas inspected:scoping survey of residual U contamination of Colonial Metals Co facility in Columbia, PA.
LUSHER,J.H., KINNEMAN,J.D. Region 1 (Post 820201). 95/06/07. 4pp. 84442:298-84442:301.

9506280376 Forwards insp rept 40-6905/95-01 on 950425.No violations noted.
KINNEMAN,J.D. Region 1 (Post 820201). 95/06/15. ROSENSTIEL,K. EG&G, Inc. 3pp. 84442:327-84442:333.

-9506280392 Insp rept 40-6905/95-01 on 950425.No violations noted. Major areas inspected:insp & radiation survey at licensee facility in Beltsville,MD.
HOLMES,S.W., KINNEMAN,J.D. Region 1 (Post 820201). 95/06/08. 4pp. 84442:330-84442:333.

9506280494 Forwards insp rept 40-3581/95-01 on 950424.No violations noted.
KINNEMAN,J.D. Region 1 (Post 820201). 95/06/16. CROUCH,A. Affiliation Not Assigned. 3pp. 84443:062-84443:068.

-9506280502 Insp rept 40-3581/95-01 on 950424.No violations noted.Major areas inspected:insp & radiation survey at licensee facilities in Baltimore,MD.
HOLMES,S.W., KINNEMAN,J.D. Region 1 (Post 820201). 95/06/08. 4pp. 84443:065-84443:068.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9506020154 Forwards revised study, "Seismotectonic Stability East Gas Hills Site WY," reflecting NRC verbal comments.
GIECK,T.E. UMETCO Minerals Corp. 95/05/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HAQUE,M. NRC - No Detailed Affiliation Given. 1p. 84223:001-84223:039.

-9506020160 "Seismotectonic Stability East Gas Hills Site WY."
GIBBONS,J.F. Affiliation Not Assigned. 95/05/22. 34pp. 84223:002-84223:039.

9506210216 Confirms that State of Wyoming still holds bond 861822 for $12,113,000 referred to in 870916 ltr to NRC.
LYONS,P.J. UMETCO Minerals Corp. 95/06/09. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 5pp. 84407:139-84407:143.

9506280267 Forwards FR notice announcing receipt of application from UMETCO Minerals Corp to amend license condition 59 of matl license SUA-648.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/14. MEYER,D.L. Office of Administration, Director (Post 940714). 1p. 84477:356-84477:359.

-9506280289 Notice of receipt of application from UMETCO Mineral Corp to amend license condition 59 of matl license SUA-648.
THOMA,J.O. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/14. 3pp. 84477:357-84477:359.

DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

9505150184 Lists observations as result of review & discussion of radiochemical analysis of sample taken from well MW-11 at Curtis Bay Depot site.
ULICAY,W.D. Affiliation Not Assigned. 95/04/19. WELLS,P. Affiliation Not Assigned. 3pp. 83977:300-83977:302.

9506130103 Informs of progress on Anne Arundel County,MD Ordinance Road Demolition Site Contract 2514-G.
OCARROLL,M.T. Maryland, State of. 95/05/22. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 2pp. 84300:356-84300:357.

9506150010 Forwards ltr to K Reilly from P Wells,Project Manager at Curtis Bay.Ltr informs of project current status.
REILLY,K. Defense, Dept. of, Defense Logistics Agency. 95/05/30. ORLANDO,N. NRC - No Detailed Affiliation Given. 3pp. 84340:324-84340:326.

9506150025 Confirms discussions & agreements made during 950522 meeting at Cintichem re proposed bedrock decontamination.
YOUNGBERG,B. New York, State of. 95/05/31. MCGOVERN,J.J. Cintichem, Inc. 4pp. 84350:353-84350:356.

9506150042 Forwards RUST response to NRC 950516 ltr re demolition activities at Curtis Bay.
REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/06/01. ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84340:266-84340:268.

9506150147 Responds to 950502 ltr re Final Status Survey Plan for remediation of former Defense Logistics Agency property in Curtis Bay,MD.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/07. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 5pp. 84352:325-84352:329.

9506280242 Responds to 950608 verbal request to revise manner in which Defense Logistics Agency (DLA) intend to perform final status survey for former DLA property in Curtis Bay,MD.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/20. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 8pp. 84478:177-84478:184.

DOCKET 40-0501 ALUMINUM CO. OF AMERICA, ALCOA CENTER, PA

9506130296 Transmits final survey data for open land area in northeast corner of ALCOA property.
ADAMS,T.G. . 95/06/02. JOHNSON,T. NRC - No Detailed Affiliation Given. 6pp. 84302:343-84302:348.

DOCKET 40-0534 GENERAL ELECTRIC CO., CLEVELAND, OH

9506010218 Forwards comments on chemical product plant decommissioning plan.
MCCORMICK-BARGE Region 3 (Post 820201). 95/05/24. ZIELINSKI,A. General Electric Co. 3pp. 84108:024-84108:036.

2 DOCKETED ITEMS

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9506010538 Forwards results of review of new info contained in "Results of Field Investigation Phase II - Comprehensive Site Assessment Rept," prepared by GZA for Nuclear Metals,Inc in response to TAR of 950328.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/24. JOYNER,J.H. Region 1 (Post 820201). 9pp. 84184:228-84184:236.

9506210034 Forwards insp repts 40-0672/95-01 & 40-8866/95-01 on 950306-10 & forwards notice of violation.
KINNEMAN,J.D. Region 1 (Post 820201). 95/06/15. QUINN,R. Nuclear Metals, Inc. 4pp. 84357:120-84357:148.

--9506210045 Notice of violation from insp on 950306-10.Violation noted: licensee did not analyze urine bioassay samples for workers that had worked in restricted areas where depleted uranium grinding operation were performed.
* Region 1 (Post 820201). 95/06/15. 2pp. 84357:124-84357:125.

--9506210051 Insp repts 40-0672/95-01 & 40-8866/95-01 on 950306-10. Violation noted.Major areas inspected:organization & staffing,training,emergency response,safety committee & radiation protection practices.
MILLER,M. Region 1 (Post 820201). 95/06/14. 23pp. 84357:126-84357:148.

9506280101 Summarizes 950512 meeting in King of Prussia,PA w/listed individuals to discuss licensee response to NRC 950405 ltr. Control:117006 & 113010.
KINNEMAN,J.D. Region 1 (Post 820201). 95/06/15. QUINN,R.E. Nuclear Metals, Inc. 4pp. 84441:278-84441:281.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9506070554 Expresses appreciation for suggestion & timely review re elimination of soil portion of soil/rock matrix layer.
PASHA,M.A. Western Nuclear, Inc. 95/05/04. JOHNSON,T. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84210:356-84210:357.

9506150375 Forwards input for insp at Western Nuclear,Inc Split Rock Mill on 950516 & 17.Understands that encl will be included in Region IV formal insp rept.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/09. CAIN,C.L. Region 4 (Post 820201). 5pp. 84340:335-84340:339.

9506230066 Forwards insp repts 40-1162/95-01 & 40-1162/95-02 on 950516- 18.No violations or deviations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/06/20. BAKER,S.J. Western Nuclear, Inc. 4pp. 84474:276-84474:292.

--9506230069 Insp rept 40-1162/95-01 on 950516-18.No violations noted. Major areas inspected:site status,mgt & organization controls,radiation protection,operations review,emergency preparedness,environ protection & radwaste mgt.
CAIN,C.L. Region 4 (Post 820201). 95/06/19. 10pp. 84474:280-84474:289.

--9506230073 Insp rept 40-1162/95-02 on 950516-17.No violations noted. Major areas inspected:reclamation of areas 3A & 3B,including review of const records.
NATARAJA,M. Region 4 (Post 820201). 95/06/07. 3pp. 84474:290-84474:292.

9506290009 Forwards photographs recently taken at former Western Nuclear-Split mill during insp conducted on 950516-18.W/o encl.
CAIN,C.L. Region 4 (Post 820201). 95/06/23. BAKER,S.J. Western Nuclear, Inc. 2pp. 84454:169-84454:170.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9506070192 Application for amend to license SUA-672.Amend would incorporate windblown tailings & related contamination survey program.Survey program encl.W/one oversize drawing.
HARDGROVE,T.W. Pathfinder Mines Corp. 95/05/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84266:302-84266:318.

--9506070206 Revised "Lucky McMine Tailings Reclamation Plan,Vol I." W/ one oversize drawing.
PLAYTON,S.J., MICHEL,T.G., HOFFMAN,G.L. Hydro-Engineering. 95/05/22. 15pp. 84266:304-84266:318.

9506070251 Responds to 950504 ltr re project manager assignments & designated licensee contact for each site.Requests mod to contact list.
NUGENT,E.L. Pathfinder Mines Corp. 95/05/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84218:121-84218:122.

9506090302 Forwards TER re Pathfinder Lucky Mc Mill monitoring amend request & offers technical objection to only proposed deletion of Condition 37.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84273:357-84273:361.

9506150383 Forwards questions & comments re Pathfinder Lucky Mc reclamation plan.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84340:340-84340:344.

9506300161 Recommends that licensee proposed amend request to amend license condition 34 to allow company personnel to perform technical evaluation be denied.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84523:303-84523:305.

DOCKET 40-2377 KAISER ALUMINUM SPECIALTY PRODUCTS

9506010205 Discusses fencing at facility in Tulsa,OK,informing of no indication of radiological hazard present at site.
TURTIL,R.H. Division of Waste Management (NMSS 940403). 95/05/18. HOLMES,B.A. National Refractories & Minerals Corp. (formerly Kaiser Aluminum & Chemical Corp. 2pp. 84184:001-84184:002.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9502100295 Summary of 950130 meeting w/Region III staff & RB Uleck in Ashtabula,OH to provide Senator Glenn & Representative LaTourette info on DOE funding levels,RMI capabilities & performance.
ULECK,R.B. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/02/06. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 13pp. 84447:270-84447:328.

--9506220341 Opening statement of JW Henderson for RMI Titanium Co at 950130 roundtable discussion re RMI decommissioning project, Ashtabula,OH.
HENDERSON,J.W. RMI Co. 95/01/30. 46pp. 84447:283-84447:328.

9506090071 Requests technical assistance in review of RMI Titanium Co decommissioning plan & site characterization rept.Draft NRC review plan encl.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/01. AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 5pp. 84249:337-84249:341.

9506280179 Forwards amend 7 to license SMB-602 & categorical exclusion, per 10CFR51.22(c)(11).Amend allows change in RSOs.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/06. MARSH,E.P. RMI Co. 6pp. 84477:301-84477:313.

--9506280183 Amend 7 to license SMB-602 for RMI Titanium Co,allowing change in RSOs.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/06. 4pp. 84477:307-84477:310.

--9506280198 Informs that in accordance w/10CFR51.22(c)(11),EA or EIS not warranted for amend request,allowing change in RSOs from E Saito & F Van Loocke to GD Gammon & RL Fine.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/06. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84477:311-84477:313.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9506060019 PNO-III-95-026:on 950524,leak of 2,000 pounds of iodine pentafluoride occurred.Licensee activated plant emergency plan for responding to chemical releases.
FRANCE,G.M., SHEAR,G.L. Region 3 (Post 820201). 95/05/24. 1p. 84165:045-84165:045.

9506120110 Responds to NRC 950503 ltr re violations noted in insp rept 40-3392/95-01.Corrective actions:operating procedure re proper valving lineup on UF6 cylinder fill manifold has been modified to indicate proper valving sequence.
KOSMIDER,M.D. Allied-Signal Corp. 95/05/31. Region 3 (Post 820201). 4pp. 84275:332-84275:335.

9506160542 Informs of changes in plant notification commitment to Illinois Dept of Nuclear Safety.
KOSMIDER,M.D. Allied-Signal Corp. 95/06/07. PEPPER,A. Affiliation Not Assigned. 1p. 84366:317-84366:317.

9506190400 Ack receipt of 950531 ltr informing NRC of steps taken to correct violations noted in insp rept 40-3392/95-01 on 950510.
SHEAR,G.L. Region 3 (Post 820201). 95/06/09. KOSMIDER,M. Allied-Signal Corp. 1p. 84343:209-84343:209.

9506150264 Forwards renewed license SUB-526 & SER.License renewed for 10-yr term,expiring 050630.
PIERSON,R.C. Licensing Branch. 95/06/13. KOSMIDER,M.D. Allied-Signal Corp. 1p. 84340:145-84340:177.

--9506150265 Renewed license SUB-526 for AlliedSignal,Inc,renewing license for 10-yr term,expiring 050630.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/13. 2pp. 84340:146-84340:147.

--9506150266 SER supporting renewal of license SUB-526.
* Office of Nuclear Material Safety & Safeguards. 95/06/30. 30pp. 84340:148-84340:177.

9506150296 Trip rept of 950531 visit to Metropolis,IL to familiarize Pierson w/licensee operations,discuss status of licensee ongoing activities prior to license renewal & observe location of UF6 & IF5 release event.
LAMASTRA,M.A. Licensing Branch. 95/06/13. PIERSON,R.C. Licensing Branch. 1p. 84340:309-84340:309.

9506280001 Forwards insp rept 40-3392/95-02 on 950531.No violations noted.
SHEAR,G.L. Region 3 (Post 820201). 95/06/15. KOSMIDER,M. Allied-Signal Corp. 2pp. 84441:006-84441:015.

--9506280002 Insp rept 40-3392/95-02 on 950531.No violations observed. Major areas inspected:circumstances surrounding unplanned off-site release of hazardous matl,iodine pentafluoride/ pentafluoroiodine & effect upon licensed activities.
FRANCE,G.M., SHEAR,G.L. Region 3 (Post 820201). 95/06/15. 7pp. 84441:008-84441:015.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9506220194 Forwards Rev 0 to "Nuclear Project QA Manual for Geologic &/ or Geotechnical Investigations," as requested.
WONG,I.G. Woodward-Clyde Consultants, Inc. 95/06/15. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 1p. 84422:001-84422:266.

--9506220195 Rev 0 to "Nuclear Project QA Manual for Geologic &/or Geotechnical Investigations."
* Woodward-Clyde Consultants, Inc. 91/05/29. 265pp. 84422:002-84422:266.

9506020223 Requests to be included on addressees list for all correspondence re Atlas Mill.
SIGEL,G. Jenner & Block. 95/05/24. HOLONICH,J.J., GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84180:360-84180:360.

9506010118 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp rept 40-3453/93-02.
COLLINS,S.J. Region 4 (Post 820201). 95/05/26. BLUBAUGH,R.E. Atlas Corp. 3pp. 84108:002-84108:007.

9506090295 Forwards evaluation of Atlas Corp 950321 responses to NRC 941104 RAI on aspects of radon barrier design in revised reclamation plan for U mill tailings disposal cell at Moab, UT.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 84272:100-84272:108.

9506090079 Advises that recipient name has been added to cc: list for NRC correspondence re Atlas Corp U mill in Moab,UT.
FLIEGEL,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/01. SIGEL,G. Jenner & Block. 1p. 84249:336-84249:336.

9506290099 Package consisting of faxed analytical rept.
* Affiliation Not Assigned. 95/06/14. 54pp. 84496:301-84496:354.

9506300077 Forwards examples of soil data & unit descriptions.
OLIG,S. Woodward-Clyde Consultants, Inc. 95/06/16. JUSTUS,P. NRC - No Detailed Affiliation Given. 3pp. 84527:179-84527:181.

9506280237 Forwards responses to DOI comments on preliminary draft EIS re reclamation of U mill tailings at Atlas site,Moab,UT.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/19. TAYLOR,W.R. Interior, Dept. of. 30pp. 84478:266-84478:295.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9506020197 Provides American Nuclear Corp reclamation performance bond status as of 950430.
HILL,D. Wyoming, State of. 95/05/11. Wyoming, State of. 1p. 84181:341-84181:341.

9506020493 Forwards 1995 annual rept for license SUA-667,including info required by license conditions 13 & 27.
SALISBURY,W.C. American Nuclear Corp. 95/05/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 52pp. 84180:306-84180:357.

9506050024 Responds to 950412 ltr to Hemmer re State options relative to licensing issue & securing of DOE funds for reclamation of American Nuclear Gas Hills project.
CHANCELLOR,R.A. Wyoming, State of. 95/05/22. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84237:319-84237:319.

DOCKET 40-6500 ENERGY, DEPT. OF, CANONSBURG, PA

8701270204 Forwards "Canonsburg U Mill Tailings Site Remedial Action Completion Rept" & final audit rept,for review,comment & concurrence.Remaining as-built drawings on hold pending receipt of aerial survey.
THEMELIS,J.G. Energy, Dept. of. 86/06/11. KNAPP,M. NRC - No Detailed Affiliation Given. 2pp. 84446:001-84447:269.

--9506230096 "Final Audit Rept," Apr 1986.
* Pennsylvania, Commonwealth of. 86/06/11. 19pp. 84446:003-84446:355.

--9506230103 Volume 2, "Canonsburg U Mill Tailings Site Remedial Action Completion Rept."
* MK-Ferguson Co. 86/06/11. 186pp. 84447:001-84447:185.

--9506230110 App C, "Subcontract Documents Can Phase II Final Rev."
* MK-Ferguson Co. 86/06/11. 81pp. 84447:186-84447:269.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9506070251 Responds to 950504 ltr re project manager assignments & designated licensee contact for each site.Requests mod to contact list.
NUGENT,E.L. Pathfinder Mines Corp. 95/05/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84218:121-84218:122.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9506280486 Notifies that NRC amends license condition 47.C of source matl license number SUA-551 that allows licensee to continue current corrective action program of groundwater pumpback & evaporation.
HOLONICH,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/12. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 4pp. 84476:337-84476:348.

--9506280499 Amend 46 to license SUA-551 for Petrotomics Co,allowing licensee to continue current corrective action program of groundwater pumpback & evaporation w/addition of vacuum application to tailings wells to increase rate of tailings.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/12. 8pp. 84476:341-84476:348.

9506190295 Forwards rept, "Review of Corrective Action in Upper Wind River Sand at Petrotomics' Tailings Area," in accordance w/ requirements of license condition 47D.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 95/06/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84373:263-84374:009.

--9506190299 "Review of Corrective Action in Upper Wind River Sand at Petrotomics' Tailings Area."
* Petrotomics Co. (formerly Getty/Petrotomics Co.). 95/06/30. 109pp. 84373:264-84374:009.

9506280596 Forwards insp rept 40-6659/95-01 on 950605-07.No violations or deviations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/06/23. PFAFF,S.J. Petrotomics Co. (formerly Getty/Petrotomics Co.). 3pp. 84452:115-84452:124.

--9506280602 Insp rept 40-6659/95-01 on 950605 & 07,No violations noted. Major areas inspected:licensee mill tailings monitoring program including management & organization control.
CAIN,C.L. Region 4 (Post 820201). 95/06/16. 7pp. 84452:119-84452:124.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9506120257 Provides status rept re progress in evaluating alternatives & developing decommissioning cost estimate,as agreed at 950406 meeting w/NRC in Rockville,MD.
CAMPITELLI,A.T. Cabot Corp. 95/05/24. KLASKY,M. Licensing Branch. 5pp. 84275:356-84275:360.

9506090496 Requests that 940714 request for change in designated radiation safety officer at Cabot Performance Matls be considered withdrawn.
GANNON,W.C. Cabot Corp. 95/06/01. KLASKY,M. Licensing Branch. 1p. 84268:356-84268:356.

9506280082 Forwards enforcement conference rept 40-6940/95-02 on 950525.
HEHL,C.W. Region 1 (Post 820201). 95/06/14. LINDELL,J.S. Cabot Corp. 3pp. 84441:201-84441:217.

--9506280094 Enforcement conference rept 40-6940/95-02 on 950525.Areas discussed:violations identified from insp on 950201-07 & licensee actions taken in response to CAL of 950209.
ARREDONDO,S., LANZISERA,P., SHANBAKY,M.N. Region 1 (Post 820201). 95/06/08. 14pp. 84441:204-84441:217.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9506020032 Notification of 950524 meeting w/Shieldalloy Metallurgical Corp in Rockville,MD to discuss NRC comments re Shieldalloy submitted document, "Radiological Impacts From Use of CANAL."
* NRC - No Detailed Affiliation Given. 95/05/23. NRC - No Detailed Affiliation Given. 1p. 84196:263-84196:263.

9506190162 "Notice of Proposed Order Authorizing NUNC PRO TUNC Retention of Segal Co as Actuarial Consultant to Official Committee of Unsecured Creditors of Metallurg,Inc & Shieldalloy Metallurgical Corp."
HANDELSMAN,L.M. Affiliation Not Assigned. 95/05/30. 27pp. 84370:328-84370:354.

9506090058 Responds to Spall 950508 ltr requesting an update re developments of decommissioning plans for Shieldalloy Metallurgical Corp facility located near Newfield,NJ.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/31. MARSHALL,E. Newfield, NJ. 2pp. 84249:251-84249:253.

--9506090061 Requests update on status re decommissioning of Shieldalloy Metallurgical Corp facility located in Borough of Newfield be provided to Mayor of Newfield & Council.
SPALL,G.R. Affiliation Not Assigned. 95/05/08. Office of the Secretary of the Commission. 1p. 84249:253-84249:253.

9506150128 Summarizes 950524 meeting w/Shieldalloy re application to export CANAL slag from Newfield,NJ facility & to discuss NRC 950511 memo on subject.
COMFORT,G.C. Licensing Branch. 95/06/05. PIERSON,R.C. Licensing Branch. 5pp. 84340:273-84340:277.

9506190187 Requests permission to accelerate quarterly monitoring requirement for licensee Newfield facility.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/06/07. COMFORT,G. NRC - No Detailed Affiliation Given. 2pp. 84385:348-84385:349.

9506210144 Submits specific info needed before final action can be taken on request for renewal of license SMB-743.
COMFORT,G.C. Licensing Branch. 95/06/15. EVES,C.S. Shieldalloy Metallurgical Corp. 6pp. 84409:355-84409:360.

9506210166 Informs that 950511 memo found conclusions of "Radiological Impacts From use of CANAL - Slag Fluidizer in Steel Production," to be acceptable.
COMFORT,G. Licensing Branch. 95/06/16. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 84407:278-84407:279.

DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA

9506190319 Submits discussion & comments on Phase II work plan submitted by Cypress Foote.
BAUMAN,S. Affiliation Not Assigned. 95/04/12. Region 3 (Post 820201). 6pp. 84386:331-84386:336.

9506070548 Forwards data obtained from analyses conducted by Oak Ridge Inst for Science & Education in 1987 & 1989 & info from "Decontamination & Decommissioning Plan for Shieldalloy Cambridge,OH Plant," prepared by ERT in Nov 1987.W/o encls.
MCCORMICK-BARGE Region 3 (Post 820201). 95/05/31. KELLY,P.T. S. Cohen & Associates, Inc. 1p. 84219:247-84219:247.

9506290347 Confirms 950619 telcon w/R Glinski requesting extension for submitting dose response rept.
LEE,P.E. Cyprus Coal Co. (subs. of Cyprus Minerals Co.). 95/06/19. Document Control Branch (Document Control Desk). 1p. 84483:280-84483:280.

9506300014 Discusses issues raised in 950412 ltr & telcon w/NRC,re Phase II Work Plan.
PEDERSON,C.D. Region 3 (Post 820201). 95/06/23. BAUMAN,S. Affiliation Not Assigned. 2pp. 84470:115-84470:135.

--**9506300020** Ack receipt of Phase II Work Plan & submits comments on plan.
BAUMAN,S. Affiliation Not Assigned. 95/06/23. Region 3 (Post 820201). 19pp. 84470:117-84470:135.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9506020022 Forwards list of addl survey info needs & collection of unresolved NRC comments in response to licensee 930708 application & revs requesting release of licensee northwest property area.
DATTA,A. Licensing Branch. 95/05/25. HUNTER,J.J. Fansteel, Inc. 8pp. 84196:264-84196:271.

9506190189 Ack receipt of 950525 ltr re Northwest property release. Informs that licensee will respond to ltr by mid-October.
HUNTER,J.J. Fansteel, Inc. 95/06/07. DATTA,A. Licensing Branch. 1p. 84385:347-84385:347.

9506190183 Requests meeting w/NRC to discuss decommissioning funding plan.
HUNTER,J.J. Fansteel, Inc. 95/06/12. DATTA,A. Licensing Branch. 3pp. 84385:350-84385:352.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9506150049 Requests direction from NRC re how to finalize issue of small area of residual soil contamination within Acrylonitrile Plant 2.Suggestions for NRC consideration listed.
VITKUS,T.J. Oak Ridge Associated Universities. 95/05/16. NALLUSWAMI Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84340:269-84340:272.

9506090102 Summarizes 950522 discussion w/WM Rupert of BP Chemicals,Inc re recent revised submittals from licensee.
NALLUSWAMI,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/31. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84249:344-84249:345.

9506150058 Ack receipt of NRC 950522 comments on BP Chemicals RFI workplan & responds to NRC comments.
RUPERT,W.M. BP Chemicals International. 95/06/08. NALLUSWAMI,S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84352:344-84352:347.

DOCKET 40-7982 HONEYWELL, INC., HOPKINS, MN

9506070658 Ack receipt of 950509 ltr & payment in stated amount for civil penalty proposed by NRC in 950420 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/05. MONTAG,T. Honeywell, Inc. 2pp. 84210:336-84210:337.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9506010002 Ack receipt of NRC 950512 ltr to Sequoyah Fuels Corp re insp rept 40-8027/95-01.Author requests correction to mailing address as listed.
AXELRAD,M. Morgan, Lewis & Bockius. 95/05/22. COLLINS,S.J. Region 4 (Post 820201). 1p. 84172:317-84172:317.

9506070226 Sequoyah Fuels Corp answer to Intervenor motion for leave to amend statement of concerns.* Licensee opposes Intervenors Native Americans for Clean Environ & Cherokee Nation motion,due to untimeliness.W/Certificate of Svc.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. #295 16744. 95/05/23. Atomic Safety & Licensing Board Panel. 12pp. 84176:328-84176:339.

9506210087 Informs that EPA has performed technical review of Final Class 1 Injection Well Data Evaluation Rept dtd 950404 for licensee in Gore,OK.
TIDMORE,G.L. Environmental Protection Agency. 95/05/23. MUNSON,S. Sequoyah Fuels Corp. 5pp. 84410:273-84410:277.

9506070131 Submits documents re facility insp rept 40-8027/95-01 & ltrs from J Ellis & S Collins,to suppl hearing file.
HOM,S.R. Office of the General Counsel (Post 860701). #295 16741. 95/05/24. GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 23pp. 84176:158-84176:180.

9506190225 Ack receipt of 950509 ltr re issue concerning proposed MOU between NRC & EPA for remedial action at Sequoyah Fuels Corp site located near Gore,OK.
TIDMORE,G.L. Environmental Protection Agency. 95/05/24. HUGHES,L. Native Americans for a Clean Environment. 2pp. 84385:340-84385:341.

9506070149 Responds to 950517 order re status rept concerning review of Sequoyah Fuels Corp organizational changes license amend application & expected date of hearing.
HOM,S.R. Office of the General Counsel (Post 860701). #295 16746. 95/05/25. GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 1p. 84176:284-84176:284.

9506050107 Transcript of 950531 pre-hearing conference in Rockville,MD in matter of Sequoyah Fuels Corp & General Atomics (Gore,OK site decontamination & decommissioning funding).Pp 246-294.
* Atomic Safety & Licensing Board Panel. 95/05/31. 50pp. 84183:231-84183:281.

9506130307 Submits NRC comments on site characterization plan.
ELLIS,J. Sequoyah Fuels Corp. 95/06/02. GREEVES,J.T. Division of Waste Management (NMSS 940403). 2pp. 84289:358-84289:359.

9506160073 Native Americans for Clean Environ & Cherokee Nation motion for leave to reply to Sequoyah Fuels Corp answer to intervenors motion for leave to amend statement of concern.* W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16772. 95/06/02. Atomic Safety & Licensing Board Panel. 2pp. 84421:001-84421:017.

--**9506230249** Native Americans for Clean Environ & Cherokee Nation reply to Sequoyah Fuels Corp answer to intervenors motion for leave to amend statement of concerns.* Intervenors addl concerns should be admitted.W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 95/06/02. Atomic Safety & Licensing Board Panel. 15pp. 84421:003-84421:017.

9506160119 Order.*Informs that time within which Commission may rule on staff petition for review of ASLB Memorandum & Order, LBP-95-05,dtd 950418 extended until 950630.W/Certificate of Svc.Served on 950602.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16773. 95/06/02. Office of the General Counsel (Post 860701). 3PP. 84312:096-84312:098.

9506160081 General Atomics motion for summary disposition to strike language from 951015 order & to limit in proceeding.* Summary disposition granted on behalf of General Atomics. W/Certificate Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #295 16781. 95/06/06. Atomic Safety & Licensing Board Panel. 15pp. 84312:056-84312:070.

9506210126 Sequoyah Fuels Corp answer to intervenors motion for leave to reply.* Informs that intervenors seek to reply to licensee 950523 answer to intervenors previous motion for leave to amend statement of concerns.W/Certificate of Svc.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Affiliation Not Assigned. #295 16807. 95/06/07. Atomic Safety & Licensing Board Panel. 5pp. 84359:159-84359:163.

9506210169 Memorandum & order (motion to amend statement of areas of concerns).* Relevancy of petitioners addl areas of concern should be addressed by parties in written presentations. W/Certificate of Svc.Served on 950609.
GLEASON,G.P. Atomic Safety & Licensing Board Panel. #295 16800. 95/06/09. Native Americans for a Clean Environment. 5pp. 84359:195-84359:199.

9506210139 NRC Staff answer to General Atomics motion for summary disposition,to strike language from 931015 order & to limit issues in proceedings.* General Atomics motion should be denied.W/Certificate of Svc.
HOM,S.R., MARCO,C. Office of the General Counsel (Post 860701). #295 16810. 95/06/12. Atomic Safety & Licensing Board Panel. 9pp. 84359:173-84359:181.

9506210160 Native Americans for Clean Environ & Cherokee Nation opposition to General Atomics motion for summary disposition,to strike language from 931015 order & to limit issues in proceeding.* W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16812. 95/06/12. Atomic Safety & Licensing Board Panel. 14pp. 84358:336-84358:349.

9506210233 Memorandum & order (motion to amend statement of areas of concerns).Motion granted.W/Certificate of Svc.Served on 950616.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #295 16820. 95/06/16. Office of the General Counsel (Post 860701). 5pp. 84359:315-84359:319.

9506290060 Motion for approval of stipulated filing schedule.* Informs that intervenors agreed upon listed schedule for filing of testimony.W/Certificate of Svc.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16841. 95/06/22. Atomic Safety & Licensing Board Panel. 2pp. 84455:254-84455:255.

9506290264 Motion for approval of stipulated filing schedule.* Intervenors,Native Americans for Clean Environ & Cherokee Nation w/licensee concur & seek approval of schedule for filing.W/Certificate of Svc.Served on 950623.
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Cherokee Nation. CURRAN,D. Sequoyah Fuels Corp. #295 16846. 95/06/22. Atomic Safety & Licensing Board Panel. 3pp. 84455:300-84455:302.

9506290256 Discusses SR Hom 950729 ltr re response of General Atomics to NRC staff first request for production of documents & submits explanation for mechanics of production currently occurring.W/Certificate of Svc.Related correspondence.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Affiliation Not Assigned. #295 16848. 95/06/23. HOM,S.R. Office of the General Counsel (Post 860701). 5pp. 84455:295-84455:299.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9506010024 Forwards insp rept 40-8084/95-01 on 950425-26.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/04/26. FERDINAND,B. Rio Algom Mining Corp. 4pp. 84107:037-84107:058.

--**9506010031** Insp rept 40-8084/95-01 on 950425-26.No violations noted. Major areas inspected:mgt & organization controls,radiation protection,radwaste mgt,operations review,emergency preparedness & environ protection.
CAIN,C.L. Region 4 (Post 820201). 95/05/23. 18pp. 84107:041-84107:058.

9506080444 Forwards Rio Algom's 950403 follow-up submittal,including associated maps for faciity proposed settlement monitoring program.
FERDINAND,B. Rio Algom Mining Corp. 95/05/26. HOOKS,K. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84266:344-84266:351.

9506050036 Informs that insp rept 40-8084/95-01 issued on 950526,but erroneously dtd 950426.
CAIN,C.L. Region 4 (Post 820201). 95/05/30. FERDINAND,B. Rio Algom Mining Corp. 3pp. 84150:067-84150:069.

9506050082 Informs that licensee will be submitting annual groundwater corrective action plan rept for Lisbon facility no later than 950701.
FERDINAND,B. Rio Algom Mining Corp. 95/05/30. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84237:318-84237:318.

9506090217 Forwards amend 50 to license SUA-1119,relocating settlement monuments.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/02. FERDINAND,B. Rio Algom Mining Corp. 2pp. 84249:254-84249:269.

--**9506090221** Amend 50 to license SUA-1119 for Rio Algom Mining Corp, relocating settlement monuments.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/02. 14pp. 84249:256-84249:269.

9506210151 Forwards annual Corrective Action Plan review for Lisbon facility re groundwater results for period of June 1994 through May 1995.
FOSSEY,F.G. Rio Algom Mining Corp. 95/06/12. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 56pp. 84407:301-84407:356.

9506280701 Submits info re review of const rept for lower evaporation cell Rio Algom Lisbon facility.
BEL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84537:219-84537:220.

9506280714 Forwards copy of Rio Algom insp rept.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/12. CAIN,C.L. Region 4 (Post 820201). 2pp. 84537:221-84537:225.

--**9506280744** Insp rept 40-8084/95-01 on 950425-26.No violations noted. Major areas inspected:evaporation ponds & environs & const records.
NATARAJA,M. Engineering & Geosciences Branch (NMSS 940403). 95/06/12. 3pp. 84537:223-84537:225.

9506210250 Forwards 1995 annual surety as an amend to license SUA-1119. Listed documents encl.
FERDINAND,B. Rio Algom Mining Corp. 95/06/15. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 84413:197-84413:280.

--**9506210254** Provides support to licensee use of financial test to demonstrate financial assurance.Current cost estimate for reclamation,decommissioning & long-term surveillance/control of facility listed.
PARRETT,M.S. Rio Algom Mining Corp. 95/05/30. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84413:198-84413:199.

--**9506210257** Advises NRC that author has performed audit of licensee consolidated financial statements for year ending 941231. Auditor opinion included in encl licensee Annual Rept.W/ schedule of reconciling items attached.
* Coopers & Lybrand. 95/06/01. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84413:200-84413:202.

--**9506210261** Identifies Rio Algom Ltd as guarantor to NRC on behalf of Rio Algom Mining Corp.Recitals listed.
PERRY,K.J., MACAULAY,C.A., BUSH,J.A. Rio Algom Mining Corp. 95/06/08. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84413:203-84413:280.

DOCKET 40-8501 GULF CHEMICAL & METALLURGICAL CO., TEXAS CITY, TX

9506280734 Forwards 1995,first quarter discharge monitoring repts for NPDES Permit WY0033642,Discharge Points 001 & 002 & NPDES Permit WY002880,Discharge Points 001,002 & 003.No discharges occurred during reporting period for listed points.
VASELIN,J. COGEMA, Inc. 95/04/28. TAYLOR,J. Wyoming, State of. 1p. 84494:266-84494:271.

--**9506280745** NPDES discharge monitoring rept for Mar 1995.
WICHERS,D.L. COGEMA, Inc. 95/03/31. 5pp. 84494:267-84494:271.

DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9506280726 Submits suppl info re decommissioning of Willow Creek R&D ponds.
WICHERS,D.L. COGEMA, Inc. 95/03/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p.

9506300090 Submits first quarter update for 1995 of all monitor wells on excursion status per condition #29 of license SUA-1341.
VASELIN,J. COGEMA, Inc. 95/04/04. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84523:306-84523:310.

9506290097 Provides authorization to COGEMA for commencement of lixiviant injection in Unit 5 Wellfield at Christensen Ranch,in response to 950228 request.
MOONEY,G. Wyoming, State of. 95/04/18. WICHERS,D.L. COGEMA, Inc. 4pp. 84537:264-84537:268.

9506280750 Forwards annual surety update for 1995 Irigaray & Christensen Ranch activities.
WICHERS,D.L. COGEMA, Inc. 95/04/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 35pp. 84475:249-84475:290.

9506010548 Requests support in review of COGEMA submittal, "Aquifer Restoration & Wellfield Decommissioning Plan" for COGEMA Irigaray Production Units 4 through 9,submitted in form of license amend to license condition 38.A of license SUA-1341.
HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/22. AUSTIN,J. Performance Assessment & Hydrology Branch (NMSS 940403). 3pp. 84184:237-84184:239.

9506290158 Forwards Huntingdon Engineering & Environ,Inc 950512 ltr providing plans & tech specs for remediation of Christensen Ranch permeate pond & COGEMA 95.519 request to discharge reverse osmosis permeate.W/one oversize drawing.
WICHERS,D.L. COGEMA, Inc. 95/05/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 34pp. 84536:014-84536:048.

9506280255 Forwards amend 39 to license SUA-1341 & TER.Amend accepts proposed annual surety update & allows coinciding reporting dates of Aug 18 for submittal of future annual surety estimates to NRC & state of WY.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/15. WICHERS,D.L. COGEMA, Inc. 11pp. 84477:328-84477:350.

--**9506280264** Amend 39 to license SUA-1341 for COGEMA Mining,Inc,accepting proposed annual surety update & allowing coinciding reporting dates of Aug 18 for submittal of future annual surety estimates to NRC & state of WY.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/15. 12pp. 84477:339-84477:350.

9506290110 Application for amend to license SUA-1341,changing name of disposal well listed as Federal Holler Draw 7-B to COGEMA DW 1.
WICHERS,D.L. COGEMA, Inc. 95/06/21. 53pp. 84498:253-84498:313.

--**9506290117** "Radiological Health Risk Evaluation for Ra-226 in Disposal Well Injectate."
* Malapai Resources Co. 89/02/02. 6pp. 84498:308-84498:313.

DOCKET 40-8527 ARMY, DEPT. OF, HERLONG, CA

9506010035 Safety insp on 950517-18 of license SUC-1274.Insp findings: two non-cited violations noted.Steps taken to correct violations noted during last insp verified.
* Walnut Creek Field Ofc, R4 (Post 940404). * Agriculture, Dept. of. 95/05/18. 2pp. 84107:089-84107:090.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9506210040 Forwards insp rept 40-8584/95-01 on 950425-26.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/06/16. PAULSON,O. Kennecott Uranium Co. (formerly Minerals Exploration Co.). 4pp. 84357:159-84357:170.

--**9506210047** Insp rept 40-8584/95-01 on 950425-26.No violations noted. Major areas inspected:U mill shutdown operations & tailings reclamation at Sweetwater Mill including mgt organization & controls,radwaste mgt & radiation protection.
CAIN,C.L. Region 4 (Post 820201). 95/06/14. 8pp. 84357:163-84357:170.

DOCKET 40-8610 STEPAN CHEMICAL CO., MAYWOOD, NJ

9506280409 Ack receipt of 950428 ltr informing NRC of steps taken to correct violations noted in insp rept 04-8610/95-01.
SHANBAKY,M.M. Region 1 (Post 820201). 95/06/15. O'BRIEN,J.G. Stepan Co. (formerly Stepan Chemical Co.). 1p. 84442:337-84442:339.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9506020074 Provides addl info re proposed dump amend request,per telcons.
SPARLING,D.K., SCHIERMAN,S.L. Energy Fuels Nuclear, Inc. 95/05/23. ABRAMS,C. NRC - No Detailed Affiliation Given. 4pp. 84182:294-84182:297.

9506070132 Norman Begay motion to discontinue proceedings.* Lists info in support of motion.W/Certificate of Svc.
BATTLE,W.C. Affiliation Not Assigned. BATTLE,W.C. Affiliation Not Assigned. #295 16751. 95/05/23. Atomic Safety & Licensing Board Panel. 13pp. 84176:181-84176:193.

9506210168 Motion for extension of time to respond to N Begay Motion to discontinue proceedings.* W/Certificate of Svc.Served on 950608.Granted for licensing Board on 950607.
* Energy Fuels Nuclear, Inc. #295 16792. 95/06/01. Atomic Safety & Licensing Board Panel. 3pp. 84359:192-84359:194.

9506090075 Advises that NRC has reviewed application & matl in accordance w/ 10CFR2.790 & has determined that info sought to be withheld contains proprietary commercial &/or financial info.Info will be withheld per 10CFR2.790(b)(5).
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/02. ROBERTS,H. Energy Fuels Nuclear, Inc. 2pp. 84249:334-84249:335.

9506210174 Ack receipt of N Begay Motion to discontinue proceedings filed on 950523 & licensese Motion for extension of time to respond to N Begay Motion to discontinue proceedings filed on 950630.Staff does not oppose licensee motion as stated.
TURK,S.E. Office of the General Counsel (Post 860701). #295 16791. 95/06/07. GLEASON,J.P. Atomic Safety & Licensing Board Panel. 1p. 84359:205-84359:205.

9506140276 Application for amend to license SUA-1358,removing license condition 24(B),which requires quarterly monitoring of environ radon using TLD chips.
SPARLING,D.K., SCHIERMAN,S.L. Energy Fuels Nuclear, Inc. 95/06/08. 2pp. 84339:052-84339:053.

9506290074 Forwards three copies of NRC recently submitted motion for extension of time to respond to N Begay motion to discontinue processings.
HOBBS,L.L. Holme, Roberts & Owens. #295 16844. 95/06/12. Docketing & Services Branch. 1p. 84455:263-84455:266.

--**9506290087** Motion for extension of time to respond to N Begay motion to discontinue processing.* Applicant counsel requests that presiding officer extend deadline for applicant response to N Begay motion to & including 950630.W/Certificate of Svc.
IPSEN,H.W. Holme, Roberts & Owens. 95/06/01. Atomic Safety & Licensing Board Panel. 3pp. 84455:264-84455:266.

9506280230 Forwards amend 39 to license SUA-1358,reflecting rev of surety for White Mesa U Mill site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/20. ROBERTS,H. Energy Fuels Nuclear, Inc. 3pp. 84478:185-84478:199.

--**9506280232** Amend 39 to license SUA-1358 for Energy Fuels Nuclear,Inc, reflecting rev of surety.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/20. 12pp. 84478:188-84478:199.

9506290450 Forwards revised reclamation & decommissioning estimate,as promised in H Roberts 950515 ltr.W/one oversize drawing.
VAN HORN,R.A. Energy Fuels Nuclear, Inc. 95/06/23. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 69pp. 84536:049-84536:119.

9506300267 Expresses appreciation for 950620 ltr confirming acceptance of revised surety estimate.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 95/06/23. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 84524:345-84524:346.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9506300298 Forwards latest "ALARA & QA Audit of Radiation Safety & Environ Monitoring Programs at Plateau Resources Ltd, Shootaring Canyon U Mill,Ticaboo,UT," on behalf of K Webber, US Energy/Crested Corp.Audit conducted on 950523.
SAVIGNAC,N. Savignac, N. 95/06/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84525:229-84525:237.

--9506300299 "ALARA & QA Audit of Radiation Safety & Environ Monitoring Programs at Plateau Resources Ltd,Shootaring Canyon U Mill Ticaboo,UT."
SAVIGNAC,N. Savignac, N. 95/05/23. 8pp. 84525:230-84525:237.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9506010145 Responds to NRC 950208 ltr re licensee followup activities on Fryer Property.
KOH,B. Chemetron Corp. 95/05/04. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84172:328-84172:329.

9506020131 Responds to NRC comments on "Radiological Survey & Sampling Rept of Residential,Public & Commercial Properties in Vicinity of Harvard Avenue," provided by NRC 950124 ltr.
KOH,B. Chemetron Corp. 95/05/04. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84182:220-84182:223.

9506010476 Requests that NRC separately review & approve proposed Harvard Avenue remediation. "Site Remediation Plan...Harvard ...& Bert...Sites," Rev 1 table of contents,designating portions of plan applicable to Harvard Avenue encl.
KOH,B. Chemetron Corp. 95/05/18. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84184:195-84184:203.

9506010216 Trip rept of 950510 visit to McHean-Hohco bldgs in Cuyahoga Heights,OH to discuss status of Chemetron remediation plan review.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/24. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84173:357-84173:360.

9506140052 Requests that comments re Environ Survey & Site Assessment Program of Oak Ridge Inst for Science & Education be reviewed.
ADAMS,W.C. Oak Ridge Associated Universities. 95/05/24. JOHNSON,T. Division of Waste Management (NMSS 940403). 10pp. 84338:199-84338:208.

9506090098 Provides brief summaries of ENGB evaluation of Chemetron 950428 responses to State of OH EPA comments re site remediation.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/31. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84249:319-84249:320.

9506120172 Ack receipt of 950504 ltr re NRC comments on Fryer property remediation,Harvard Avenue vicinity surveys & confirmatory surveys of McGean-Rohco buildings.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/01. SARGENT,D.R. Chemetron Corp. 3pp. 84279:358-84279:360.

9506130296 Transmits final survey data for open land area in northeast corner of ALCOA property.
ADAMS,T.G. . 95/06/02. JOHNSON,T. NRC - No Detailed Affiliation Given. 6pp. 84302:343-84302:348.

9506280309 Informs of recent NRC actions pertinent to 890106 petition under 10CFR2.206,to compel Chemetron Corp to immediately commence decontamination of Harvard Avenue site & impose sanction on Chemetron.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/06/09. ROMER,K.R. McGean-Rohco, Inc. (formerly McGean Chemical Co., Inc.). 4pp. 84478:356-84478:359.

9506230104 Forwards insp rept 40-8724/95-01 on 950509-12 re requested confirmatory survey of McGean-Rohco buildings 10A,10B,10G & ALCOA facility.
MCCORMICK-BARGE Region 3 (Post 820201). 95/06/16. SARGENT,D.R. Chemetron Corp. 3pp. 84470:341-84470:349.

--9506230107 Insp rept 40-8724/95-01 on 950509-12.Confirmatory survey results of building 10A,10B & 10G indicated that residual radioactive matl on surfaces less than NRC unrestricted use criteria.Same results indicated for ALCOA facility.
LAMBERT,K.J., MCCORMICK-BARGE Region 3 (Post 820201). 95/06/16. 6pp. 84470:344-84470:349.

DOCKET 40-8767 ARMY, DEPT. OF, ROCK ISLAND, IL

9506070388 Responds to 950313 ltr,informing NRC of intent to transfer radiologically contaminated equipment to Scientific Ecology Group,Inc & to survey & release equipment storage area for unrestricted use.Informs that NRC has no objections.
MADERA,J.R. Region 3 (Post 820201). 95/04/05. BUCKROP,G. Army, Dept. of. 1p. 84210:282-84210:284.

--9506070389 Informs of intent to transfer radiologically contaminated equipment to Scientific Ecology Group,Inc & to survey & release equipment storage area for unrestricted use.
LEACH,G.S. Army, Dept. of. 95/03/13. Region 3 (Post 820201). 2pp. 84210:283-84210:284.

9506290169 Forwards summary of 950516 meeting w/licensee re status of Lake City Army Ammunition Plant decommissioning activities.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/15. MCNAMARA,L.W. Army, Dept. of. 32pp. 84498:314-84498:345.

DOCKET 40-8786 URANIUM RESOURCES, INC., DALLAS, TX

9506120349 Advises that next meeting sponsored jointly by NRC & Natl Mining Assoc will be held at NRC in Arlington,TX on 950725. W/draft agenda encl.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/22. FERDINAND,B. Quivira Mining Co. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). CROUCH,D. Sunohio. 6pp. 84272:348-84272:353.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9506020003 Forwards Vols 1 & 2 of "Suppl Site Characterization Rept of York,PA Facility."
DANKMYER,B.K. Molycorp, Inc. 95/05/24. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84265:001-84266:031.

--9506020005 Vols 1 & 2 of "Site Characterization Rept of York,PA Facility."
* Foster Wheeler Corp. 95/05/31. 400pp. 84265:002-84266:031.

DOCKET 40-8814 ARMY, DEPT. OF, YUMA, AZ

9506280776 Submits response to Region IV 941004 TAR re acceptability of removing license condition 13,determine any deficiencies in environ monitoring program & review environ data repts for 1992 & 1993.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/15. WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 4pp. 84537:228-84537:231.

DOCKET 40-8833 MANLABS, INC., CAMBRIDGE, MA

9506010020 Forwards insp rept 40-8833/95-01 on 950504.Ten apparent violations being considered for escalated enforcement action.
HEHL,C.W. Region 1 (Post 820201). 95/05/23. ESSELMAN,T. ManLabs, Inc. 3pp. 84107:027-84107:035.

--9506010022 Insp rept 40-8833/95-01 on 950504.Ten violations noted. Major areas inspected:licensee internal audits,training & instruction of employees,radiation protection procedures, receipt & transfer & transportation.
DOLCE,K., SHANBAKY,M.M. Region 1 (Post 820201). 95/05/19. 6pp. 84107:030-84107:035.

9506280653 Forwards enforcement conference rept 40-8833/95-02 on 950601 re violations noted during insp performed on 950504.
SHANBAKY,M.M. Region 1 (Post 820201). 95/06/20. ESSELMAN,T.C. ManLabs, Inc. 2pp. 84452:300-84452:316.

--9506280664 Enforcement conference rept 40-8833/95-02 on 950601.Major areas discussed:apparent violations noted during 950504 insp.
DOLCE,K., SHANBAKY,M.M. Region 1 (Post 820201). 95/06/19. 15pp. 84452:302-84452:316.

DOCKET 40-8838 ARMY, DEPT. OF, MADISON, IN

9505050341 Informs that licensee plan to provide comprehensive response to NRC 950315 ltr w/supporting documentation by 950715.Addl info re isotopic concentrations of U-234 & U-238 in depleted U listed.
WEEKLY,T.M. Army, Dept. of. 95/04/27. EID,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84361:001-84362:142.

--9505150024 "Environ Survey of B-3 & Ford Farm Ranges."
* Battelle Memorial Institute, Pacific Northwest Laboratory. PNL-2976. 93/08/31. NRC - No Detailed Affiliation Given. 75pp. 84361:004-84361:083.

--9505150025 "Review of Environ Quality Aspects of TECOM DU Program at Jefferson Proving Gound,Indiana."
ABBOTT,D., GATES,T., HALE,A. Monsanto Research Corp. 84/12/31. 353pp. 84361:084-84362:065.

--9505150030 "Review of Radiological Environ Monitoring Data at US Army Jefferson Proving Ground in Madison,IN." W/two oversize figures.
ABBOTT,D.T. EG&G, Inc. 88/07/31. 76pp. 84362:066-84362:142.

9505150015 Forwards copy of transcripts of Jefferson Proving Ground Restoration Advisory Board meeting held on 950411.
GREWE,R., CLOUD,P. Army, Dept. of. 95/04/24. Army, Dept. of. 55pp. 84351:001-84351:055.

9505150021 Transcript of 950426 public meeting on scope of EIS in Madison,IN.Pp 1-47.
* Commissioners (Post 750119). 95/04/26. 47pp. 84351:056-84351:111.

9506140142 Provides info supporting NRC confirmatory survey of Jefferson Proving Ground & as result of 950523 telcon.
WEEKLY,T.M. Army, Dept. of. 95/05/25. EID,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84338:337-84338:340.

9506060004 Comment on EIS scoping for decommissioning of Jefferson Proving Ground as noticed on 950410.Fund believes that EIS must consider continuing active Army control.
RUPERT,C. Affiliation Not Assigned. 95/05/29. NRC - No Detailed Affiliation Given. 2pp. 84165:011-84165:012.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9506140093 Responds to NRC 950510 ltr re violations noted in insp rept 40-8857/95-01 on 950404-06.Corrective actions:licensee plans to instruct all Highland U Project personnel on contents of revised SOP 6.20.
KEARNEY,W.F. Power Resources Corp. 95/06/05. Document Control Branch (Document Control Desk). 2pp. 84339:008-84339:014.

--9506140099 Submits index change sheet that licensee has produced in response to NRC NOV for insp 40-8857/95-01.
KEARNEY,W.F. Power Resources Corp. 95/06/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84339:010-84339:014.

9506150370 Forwards TER,offering no objection to 10CFR20.2002 amend request for land application of wastewater from Highland U Project in Satellite 1 Irrigation Area 1B.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/06/06. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84340:178-84340:210.

--9506150372 Forwards dose assessment of Power Resources,Inc proposed alternate disposal option for wastewater.
FEDERLINE,M.V. Performance Assessment & Hydrology Branch (NMSS 940403). 95/06/07. HAWKINS,E.F. Region 4 (Post 820201). 30pp. 84340:181-84340:210.

9506160521 Application for amend to license SUA-1511 for purpose of constructing & operating Satellite 3 to be located at Highland U project.
KEARNEY,W.F. Power Resources Corp. 95/06/08. 8pp. 84364:348-84364:355.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9506210034 Forwards insp repts 40-0672/95-01 & 40-8866/95-01 on 950306-10 & forwards notice of violation.
KINNEMAN,J.D. Region 1 (Post 820201). 95/06/15. QUINN,R. Nuclear Metals, Inc. 4pp. 84357:120-84357:148.

--9506210051 Insp repts 40-0672/95-01 & 40-8866/95-01 on 950306-10. Violation noted.Major areas inspected:organization & staffing,training,emergency response,safety committee & radiation protection practices.
MILLER,M. Region 1 (Post 820201). 95/06/14. 23pp. 84357:126-84357:148.

9506280101 Summarizes 950512 meeting in King of Prussia,PA w/listed individuals to discuss licensee response to NRC 950405 ltr. Control:117006 & 113010.
KINNEMAN,J.D. Region 1 (Post 820201). 95/06/15. QUINN,R.E. Nuclear Metals, Inc. 4pp. 84441:278-84441:281.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9506120225 Forwards Figure 3-1 that illustrates two small areas within carbonate tailings pile that have not been addressed in reclamation plans & require license amend.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/06/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84284:353-84284:355.

9506210140 Forwards 1995 "Annual ALARA Audit Rept." Occupational radiation exposures at Bluewater U Mill continues to be very low.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/06/02. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 1p. 84413:039-84413:049.

--9506210145 "Annual ALARA Audit Rept."
SANCHEZ,C.E., BAKER,K.R. Atlantic Richfield Co. (ARCO). 95/05/30. 11pp. 84413:040-84413:049.

9506090230 Forwards amend 27 to license SUA-1470,incorporating revs to radiation protection & environ monitoring programs.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/05. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 4pp. 84249:270-84249:280.

--9506090234 Amend 27 to license SUA-1470 for Atlantic Richfield Co, incorporating revs to radiation protection & environ monitoring programs.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/05. 7pp. 84249:274-84249:280.

9506280169 Informs that since NRC has no jurisdiction over disposal of PCBs,licensee will have to either obtain approval from EPA or State of NM or both before NRC can approve 950525 amend request.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/12. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 1p. 84477:300-84477:300.

9506280787 Forwards technical evaluation,concluding that design of south toe bench acceptable & technical evaluation recommending rev to license to reflect change in radon barrier thickness of carbonate tailings pile.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 13pp. 84537:232-84537:244.

9506280636 Offers listed addl info or design changes associated w/LAR re disposal of special byproduct waste & other debris in Disposal Area 1 & reclamation of north & south landfills,in response to points raised by K Hooks & E Brummett of NRC.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/06/16. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 2pp. 84516:358-84516:359.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9506290295 Forwards "Final Radon Barrier Design For Large Tailings Pile Homestake Mining Co Of CA."
CRAFT,F.R. Homestake Mining Co. 95/06/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84500:001-84500:322.

--9506290298 "Final Radon Barrier Design For Large Tailings Pile Homestake Mining Co Of CA."
* Homestake Mining Co. 95/06/30. 321pp. 84500:002-84500:322.

9506290291 Discusses info re construction of lined evaporation pond number 2 on 950613.
CRAFT,F.R. Homestake Mining Co. 95/06/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84483:279-84483:279.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9506210237 Forwards 1995 annual surety as an amend to license SUA-1473. Listed documents encl.
FERDINAND,B. Quivira Mining Co. 95/06/15. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 84598:084-84598:165.

--9506210239 Provides support to licensee use of financial test to demonstrate financial assurance.Current cost estimate for reclamation,decommissioning & long-term surveillance/control of facility listed.
PARRETT,M.S. Rio Algom Mining Corp. 95/05/30. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84598:092-84598:093.

--9506210243 Advises NRC that author has performed audit of licensee consolidated financial statements for year ending 941231. Auditor opinion included in encl licensee Annual Rept.W/ schedule of reconciling items attached.
* Coopers & Lybrand. 95/06/01. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84598:094-84598:096.

--9506210246 Identifies Rio Algom Ltd as guarantor to NRC on behalf of Quivira Mining Co.Recitals listed.
PERRY,K.J., MACAULAY,C.A., BUSH,J.A. Rio Algom Mining Corp. 95/06/08. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84598:097-84598:165.

9506220205 Forwards riprap scoring tests conducted on initial run of 1 inch D50 erosion protection matl for use at Ambrosia Lake site.
FERDINAND,B. Quivira Mining Co. 95/06/16. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 38pp. 84436:168-84436:205.

9506300069 Forwards technical evaluation recommending that licensee 950616 request to use riprap at Ambrosia Lake site be granted.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84522:347-84522:348.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9506120336 Forwards 1993 2nd half ground water monitoring rept,as requested.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 95/06/02. HOOKS,K. NRC - No Detailed Affiliation Given. 1p. 84335:014-84335:120.

--9506120344 Forwards "Semiannual Ground Water Monitoring Rept Jul-Dec 1993." Notifies that Zone 3 Well 501-B went dry during third/fourth quarters of 1993.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 94/02/17. HALL,R. Uranium Recovery Field Ofc, R4. 2pp. 84335:015-84335:016.

--9506120348 "Semiannual Ground Water Monitoring Rept Jul-Dec 1993."
* United Nuclear Corp. (subs. of UNC, Inc.). 93/12/31. 103pp. 84335:017-84335:120.

9506120382 Forwards comments to NRC rept from 950117 Church Rock site visit.Site map showing fencing in place at site also encl, per request.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 95/06/01. HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 15pp. 84279:322-84279:336.

9506140013 Provides comments on trilinear diagrams & chemical distribution maps from Jacobs prepared for EPA re United Nuclear Church Rock site 5-year review rept.
TRUJILLO,D.M. New Mexico, State of. 95/06/01. GHOSE,S. Environmental Protection Agency. 2pp. 84339:028-84339:029.

9506300094 Expresses regrets re perception of lack of attention to licensing issues by NRC & lack of coordination between NRC & EPA.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/14. VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 3pp. 84522:357-84522:359.

9506280748 Submits review of financial surety for Church Rock site.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84537:226-84537:227.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9506050077 Forwards underground injection control permit NE0122611 which has been modified & issued by State of NE to Crow Butte Resources,Inc.
RICE,P.W. Nebraska, State of. 95/05/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 27pp. 84183:203-84183:229.

9506210091 Fulfills requirements of license condition 46 which requires CBR to submit rept within two months of excursion confirmation.
KNODE,R. . 95/06/13. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 11pp. 84410:278-84410:288.

9506300179 Responds to NRC ltr re violations noted in insp rept for license SUA-1534.Corrective actions:assured that spare badges will be obtained on quarterly basis.
COLLINGS,S.P. Ferret Exploration Co. of Nebraska, Inc. 95/06/20. Document Control Branch (Document Control Desk). 2pp. 84523:359-84523:360.

9506300301 Advises that NE Dept of Environ Quality reviewed notice of intent to operate in conjunction w/completion of const of proposed Class I injection well & approves Class I injection well for operation.Final Class I injection permit encl.
WOOD,R. Nebraska, State of. 95/06/20. COLLINGS,S. Affiliation Not Assigned. 18pp. 84525:265-84525:282.

9506300066 Forwards TER concluding that 1994 annual pond insp for Crow Butte Resources,Inc (CBR) in-situ leach facility satisfies license conditions 25 & 53.Requests that in subsequent annual evaluations that CBR provide plan-view map.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84522:343-84522:346.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9506010097 Forwards "Work Plan For Remedial Investigation & Feasibility Study At Shieldalloy Metallurgical Corp Site In Cambridge, OH."
SHIELDS,W.J. Affiliation Not Assigned. 95/05/19. BLAIR,B.J. Ohio, State of. 2pp. 84158:001-84160:148.

--**9506010110** "Work Plan For Remedial Investigation & Feasibility Study At Shieldalloy Metallurgical Corp Site In Cambridge,OH."
* Affiliation Not Assigned. 95/05/19. 874pp. 84158:003-84160:148.

9506010030 Provides addl response to comments 7,8 & 14 in NRC 950301 comments on work plan for phase II investigation re Cambridge Info Project.
TORRINI,R.E. Woodward-Clyde Consultants, Inc. 95/05/05. MCCORMICK-BARGE Region 3 (Post 820201). 3pp. 84149:357-84149:359.

9506150033 Advises that OH EPA has completed review of listed documents & provides comments.
BLAIR,B.J. Ohio, State of. 95/05/05. EVES,C.S. Shieldalloy Metallurgical Corp. LEE,P. Affiliation Not Assigned. 3pp. 84340:263-84340:265.

9506190162 "Notice of Proposed Order Authorizing NUNC PRO TUNC Retention of Segal Co as Actuarial Consultant to Official Committee of Unsecured Creditors of Metallurg,Inc & Shieldalloy Metallurgical Corp."
HANDELSMAN,L.M. Affiliation Not Assigned. 95/05/30. 27pp. 84370:328-84370:354.

9506090241 Responds to undated ltr forwarded by FAX transmission to NRC Region III on 950425,including organization concerns re characterization of slag at Shieldalloy Metallurgical Corp facility in Cambridge,OH.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/31. BAUMAN,S. Affiliation Not Assigned. 2pp. 84263:357-84263:358.

9506120081 Forwards comments on revised rept re slag characterization & distribution at Cambridge site for OH EPA consideration.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/31. BLAIR,B. Ohio, State of. 4pp. 84275:336-84275:340.

9506190414 Transmits summary of air monitoring data acquired during intrusive drilling of west slag pile at Shieldalloy Metallurgical Corp Cambridge,OH plant.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/06/01. GLINSKI,R.L. Region 3 (Post 820201). 3pp. 84386:345-84386:347.

9506280106 Forwards review of preliminary draft feasibility study for Shieldalloy Metallurgical Corp site in Cambridge,OH.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/08. BLAIR,B. Environmental Protection Agency. 6pp. 84478:342-84478:347.

9506280173 Forwards NRC comments on preliminary draft feasibility study received on 950421 & RAI to support development of EIS for decommissioning of facility.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/08. EVES,C.S. Shieldalloy Metallurgical Corp. 7pp. 84477:291-84477:297.

9506210177 Transmits for review & use "Source Term Development-East & West Piles,Shieldalloy Metallurgical Corp in Cambridge,OH."
KELLY,B.A. Affiliation Not Assigned. 95/06/10. NELSON,R.A. Office of Nuclear Material Safety & Safeguards. 1p. 84415:235-84415:304.

--**9506210180** "Source Term Development East & West Slag Piles Shieldalloy Metallurgical Corp in Cambridge,OH."
* Affiliation Not Assigned. 94014/G-101. 95/06/10. 61pp. 84415:236-84415:304.

9506210266 "Preliminary Results of Shieldalloy Metallurgical Corp Site RI/FS in Cambridge,OH."
* Shieldalloy Metallurgical Corp. 95/06/13. 126pp. 84417:070-84417:195.

9506280205 Forwards NRC review of remedial investigation/feasibility study work plan for facility,including resubmittal of NRC comments to earlier rev to plan submitted on 950501.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/14. BLAIR,B. Ohio, State of. 6pp. 84478:234-84478:239.

DOCKET 40-8964 RIO ALGOM MINING CORP., OKLAHOMA CITY, OK

9506190006 Forwards Rio Algom Mining Corp Annual Mining & Reclamation Rept,covering period from 940401-950331.W/two oversize drawings.
FERDINAND,B. Rio Algom Mining Corp. 95/06/07. CHANCELLOR,R. Wyoming, State of. 2pp. 84451:208-84451:249.

--**9506190009** "Rio Algom Mining Corp Smith Ranch Facility Annual Rept," dtd Jun 1995.
* Rio Algom Mining Corp. 95/06/30. 42pp. 84451:210-84451:249.

9506210205 Forwards 1995 annual surety as an amend to license SUA-1548. Listed documents encl.
FERDINAND,B. Rio Algom Mining Corp. 95/06/15. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 84413:118-84413:196.

--**9506210211** Provides support to licensee use of financial test to demonstrate financial assurance.Current cost estimate for reclamation,decommissioning & long-term surveillance/control of facility listed.
PARRETT,M.S. Rio Algom Mining Corp. 95/05/30. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84413:126-84413:127.

--**9506210219** Advises NRC that author has performed audit of licensee consolidated financial statements for year ending 941231. Auditor opinion included in encl licensee Annual Rept.W/ schedule of reconciling items attached.
* Coopers & Lybrand. 95/06/01. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84413:128-84413:130.

--**9506210225** Identifies Rio Algom Ltd as guarantor to NRC on behalf of Rio Algom Mining Corp.Recitals listed.
PERRY,K.J., MACAULAY,C.A., BUSH,J.A. Rio Algom Mining Corp. 95/06/08. HOLONICH,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84413:131-84413:134.

--**9506210226** "Rio Algom 1994 Annual Rept."
* Rio Algom Mining Corp. 94/12/31. 58pp. 84413:135-84413:196.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9506150315 Transmits summarized public comments on NUREG-1508 "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project in Crownpoint,NM."
PARK,J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/12. SAULSBURY,J.W. Oak Ridge Associated Universities. 60pp. 84339:092-84339:151.

DOCKET 40-8971 U.S. ENERGY CORP., RIVERTON, WY

9506050153 Provides results from soil samples taken at primary pond re license SUA-1524 GMIX decommissioning.
WEBBER,K. U.S. Energy Corp. 95/05/24. PARK,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84209:332-84209:335.

9506190302 Submits info re GMIX decommissioning,per 950607 telcon re criteria & analysis for clean up of final pond (Roberts #2) & primary pond (Roberts #3).
WEBBER,K. U.S. Energy Corp. 95/06/08. PARKER,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 84380:339-84380:345.

DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY

9506090297 Forwards TER concluding that evaporation pond design for Pathfinder Mining Co proposed North Butte in-situ leach site acceptable.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 84272:109-84272:117.

9506280382 Concludes that proposed evaporation pond design acceptable.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/13. WICHERS,D.L. Pathfinder Mines Corp. 8pp. 84478:162-84478:176.

--**9506280395** Amend 15 to license SUA-1540 for Pathfinder Mines Corp, accepting proposed evaporation pond design.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/13. 9pp. 84478:168-84478:176.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9506160264 Notifies NRC per license condition 12.2 that background concentration for arsenic for GW-57 exceeded for Jan 1995 sampling event.
HELLSTROM,G.W. Envirocare of Utah, Inc. 95/05/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84365:349-84365:350.

9506160341 Submits clarification of background concentrations radiologic parameters.Summary page for GW-26 & GW-27,typical of radiologic results for all wells encl.
HELLSTROM,G.W. Envirocare of Utah, Inc. 95/05/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84378:155-84378:159.

9506160260 Application for amend to license SMC-1559,in accordance w/ license condition 9.12,annual review of surety to increase surety amount to $3,151,989.
HELLSTROM,G.W. Envirocare of Utah, Inc. 95/05/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 25pp. 84366:019-84366:043.

9506160258 Requests copy of computer software program RADON so that licensee can perform radon barrier evaluations on 11e.(2) disposal cell using same program used by NRC in NRC review of licensee work.
HELLSTROM,G.W. Envirocare of Utah, Inc. 95/05/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84365:358-84365:358.

9506160330 Supplement to 950324 application for amend to license SMC-1559,correcting radon barrier thickness & evaluation of occupational & environ radiological impacts of requested cell redesign.
HELLSTROM,G.W. Envirocare of Utah, Inc. 95/05/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84366:092-84366:095.

9506090087 Ack receipt of 950504 ltr notifying NRC of Envirocare of UT, Inc wish to withdraw 940113 request that NRC institute proceeding to mod,suspend or revoke Umetco source matl license.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/30. MORTENSEN,S. Envirocare of Utah, Inc. 2pp. 84249:342-84249:343.

9506160346 Requests that NRC amend background concentration for GW-57 compliance well to 0.032 mg/1 arsenic.Potentiometric map of freshwater equivalent head for Oct 1994,w/Table S-1 values for arsenic hand written on map encl.
HELLSTROM,G.W. Envirocare of Utah, Inc. 95/06/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 84378:160-84378:166.

9506150390 Concludes that geotechnical engineering & radon flux aspects of licensee 950324 amend request re drainage ditch redesign & filter zone redesign do not materially affect approved design.Technical evaluation of subj amend request encl.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/08. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 84340:345-84340:350.

9506150158 Fowards TER informing of approval of request to abandon POC wells GW-36,GW-37 & GW-38 provided licensee follows State of UT procedures for permanent abandonment of wells.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/06/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84350:357-84350:359.

9506300204 Forwards revised page E-5,Attachment E-3 & oversize drawings 9420-4,9420-5,9420-6 & 9420-7,supplementing 950324 request for license amend.Revs address concerns raised by NRC in 950613 telcon w/licensee.W/four oversize drawings.
HELLSTROM,G.W. Envirocare of Utah, Inc. 95/06/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 11pp. 84587:252-84587:262.

9506300062 Concludes that licensee 950324 amend request,as supplemented by 950614 addl info,to modify design of disposal cell to construct single larger rectangular disposal cell & to change location of drainage ditch acceptable.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84522:341-84522:342.

9506300057 Forwards amend 4 to license SMC-1559,changing from semiannual effluent & environ monitoring reporting requirements to annual submittal & submission date for annual rept from Mar 1st to Mar 31st.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/28. JUDD,C.A. Envirocare of Utah, Inc. 2pp. 84525:344-84525:356.

--9506300059 Amend 4 to license SMC-1559 for Envirocare of UT,Inc, changing from semiannual effluent & environ monitoring reporting requirements to annual submittal & submission date for annual rept from Mar 1st to Mar 31st.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/28. 11pp. 84525:346-84525:356.

DOCKET 40-9022 HARTLEY & HARTLEY LANDFILL

9506210163 Offers no objections to draft NRC EA on waste mgt license, except that State of MI believes some radiological data in last paragraph on page 4 needs clarification.
MINNAAR,D.W. Michigan, State of. 95/06/01. PARROTT,J. NRC - No Detailed Affiliation Given. 1p. 84598:083-84598:083.

9506300310 Forwards license SUC-1565 for SCA Services,Inc & SER re contaminated matl at SCA site.License authorizes possession of contaminated soil,sludge,sediment,trash,bldg rubble, structures & other contaminated matl.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/14. KERN,T. Affiliation Not Assigned. 6pp. 84525:311-84525:343.

--9506300311 License SUC-1565 for SCA Services,Inc.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/14. 5pp. 84525:317-84525:321.

--9506300312 SER authorizing issuance of license SUC-1565 to SCA Service, Inc.W/ undated/unsigned environ assessment.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/14. 22pp. 84525:322-84525:343.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9506010039 Forwards insp rept 40-9024/95-01 on 950427.No violation noted.
COLLINS,S.J. Region 4 (Post 820201). 95/04/25. WETZ,T.V. Energy Fuels Nuclear, Inc. 4pp. 84107:093-84107:101.

--9506010045 Insp rept 40-9024/95-01 on 950427.No violations noted.Major areas inspected:licensee activities including,mgt, organization controls & radiation protection.
CAIN,C.L. Region 4 (Post 820201). 95/05/22. 5pp. 84107:097-84107:101.

9506160369 Requests two-month suspension of licensing activities being performed by NRC & NRC contractors re license for Reno Creek ISL project,as follow-up to meeting w/NRC on 950519 & discussion w/JJ Holonich on 950523.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 95/05/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84366:115-84366:115.

9506190021 Requests two-month suspension of licensing activites being performed by NRC & contractors re source matl license for Reno Creek ISL project.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 95/05/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84385:334-84385:334.

9506160453 Summarizes 950517 meeting w/NRC in Rockville,MD,as part of administrative review of license review fees charged to Reno Creek ISL project.Summary of issues EFN discussed w/EFN notes below related issue encl.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 95/05/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 84366:157-84366:162.

9506300271 Expresses appreciation for 950519 meeting discussing administrative review of NRC source matl license review fees charged to Reno Creek ISL mining project.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 95/05/26. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 84524:347-84524:349.

9506050028 Informs that insp rept 40-9024/95-01 issued on 950526,had been erroneously dated.Date on rept should be 950426.
CAIN,C.L. Region 4 (Post 820201). 95/05/30. WETZ,T.V. Energy Fuels Nuclear, Inc. 3pp. 84150:038-84150:040.

9506150355 Submits continuation of discussion re disputed invoices for Reno Creek ISL Project license application review.
ROBERTS,H.R. Nuclear Fuel Services, Inc. 95/06/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 5pp. 84340:330-84340:334.

9506290402 Provides info re disputed debts re Reno Creek,WY In-Situ Leach Mining license application review.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/06/23. RABIDEAU,P. Division of Accounting & Finance (Post 890205). 3pp. 84537:310-84537:312.

DOCKET 40-9027 CABOT CORP. READING & REVERE

9506140138 Forwards responses to NRC comments in 950428 ltr & revised "Final Decommissioning Project Rept for Main Processing Bldg & Surrounding Area,Reading,PA."
CAMPITELLI,A.T. Cabot Corp. 95/06/02. HOGG,R.C. Licensing Branch. 7pp. 84338:275-84338:307.

--9506140139 Revised "Final Decommissioning Project Rept for Main Processing Bldg & Surrounding Area,Reading,PA."
CRAIG,K., REISENWEAVER,D. Nuclear Energy Services, Inc. 82A8617 R00. 95/05/31. 22pp. 84338:282-84338:307.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

9506200469 Advises that changes in rev 13 to plant research reactor emergency plan involving updating of telephone numbers in several apps,acceptable.
MICHAELS,T.S. . 95/05/30. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. 84379:247-84379:249.

V. Operator Examinations

9506140259 Forwards reactor operator/senior operator license certificates to listed individuals at Univ of MI.W/o encls.
BOGER,B.A. . 95/05/26. FLEMING,R.F. Michigan, Univ. of, Medical School, Ann Arbor, MI. 1p. 84313:003-84313:003.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506010267 Forwards revised EPIPs & emergency plan.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84184:129-84184:151.

--9506010271 Revised EPIPs,including Rev 5 to IP-1003 & Rev 6 to IP-1039.
* Consolidated Edison Co. of New York, Inc. 95/05/01. 15pp. 84184:130-84184:138.

--9506010279 Revs to emergency plan,including Westinghouse,INPO & DOE ltrs of agreement.
* Consolidated Edison Co. of New York, Inc. 95/04/29. 7pp. 84184:139-84184:151.

9506140017 Revised EPIPs,including rev 7 to IP-1017,rev 5 to IP-1031, rev 7 to IP-1027,rev 5 to IP-1009,rev 5 to IP-1014,revised Form 15 & revised page 1 of 3 to App D.W/950602 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/02. 44pp. 84338:075-84338:118.

9506300022 Revised EPIPs,including Rev 5 to IP-1009,Rev 5 to IP-1014 & Rev 7 to IP-1017,page 5 of 5.W/950616 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/16. 13pp. 84525:283-84525:295.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9506230324 Forwards results of operator initial exam conducted during wk of 950522 at Pennsylvania State Univ.W/o encl.
RICHARDS,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. SHIRLEY,D.A. Pennsylvania State Univ., University Park, PA. 1p. 84422:357-84422:357.

V. Operator Examinations

9506130356 Forwards results of operator initial exam conducted at Pennsylvania State Univ on 950523-24.W/o encl.
RICHARDS,S.A. . 95/06/09. SHIRLEY,D.A. Pennsylvania State Univ., University Park, PA. 1p. 84299:355-84299:355.

9506230324 Forwards results of operator initial exam conducted during wk of 950522 at Pennsylvania State Univ.W/o encl.
RICHARDS,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. SHIRLEY,D.A. Pennsylvania State Univ., University Park, PA. 1p. 84422:357-84422:357.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R., SCOTT,D. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506140024 Rev 3 to EPIP 0135-01, "Stores Director IP," deleting rev 2 & revised EPIP Index.
* Commonwealth Edison Co. 95/05/26. 19pp. 84338:180-84338:198.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

Q. Inspection reports, IE Bulletins & correspondence

9506050049 Forwards insp repts 50-010/95-05,50-237/95-05 & 50-249/95-05 on 950307-0424.No violations noted.Informs of weak on-line maint policy.Requests update of corrective actions associated w/violations 50-237/94-02 & 50-249/94-02.
HILAND,P.L. Region 3 (Post 820201). 95/05/22. JOYCE,T. Commonwealth Edison Co. 3pp. 84150:084-84150:102.

--9506050055 Insp repts 50-010/95-05,50-237/95-05 & 50-249/95-05 on 950307-0424.No violations or deviations noted.Major areas inspected:operations,maint & surveillance,engineering & technical support,plant support & safety assessment.
HILAND,P.L. Region 3 (Post 820201). 95/05/22. 16pp. 84150:087-84150:102.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506220146 Responds to violations noted in insp repts 50-220/95-10 & 50-410/95-10.Corrective actions:work was stopped & associated radiation work permit put on hold to place work in radiologically safe condition.
DAHLBERG,K.M. Niagara Mohawk Power Corp. 95/06/15. Document Control Branch (Document Control Desk). 4pp. 84436:262-84436:265.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200042 Monthly operating repts for May 1995 for Dresden Nuclear Power Station Units 1,2 & 3.W/950614 ltr.
SYKES,K.W., HOLLAND,P.G. Commonwealth Edison Co. 95/05/31. 19pp. 84404:268-84404:286.

W. Decommissioning Stage Documents & Correspondence

9506130034 Advises that any changes to UFSAR necessitated by approval & implementation of TSUP will be incorporated into UFSAR.
PIET,P.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84297:358-84297:359.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

V. Operator Examinations

9506230132 Requests reference material listed & accommodations to conduct written exams scheduled for wk of 950904.RO & SRO license applications should be submitted at least 30 days before first exam date.
MENDIOLA,A.J. . 95/06/08. BERNARD,J. Massachusetts Institute of Technology, Cambridge, MA. 10pp. 84421:164-84421:173.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

H. General correspondence

9506190023 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
GRANT,J.M. Yankee Atomic Electric Co. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:026-84320:027.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506210280 Forwards "Updated FSAR Yankee Nuclear Power Station Rowe, MA." FSAR has been conformed to decommissioning plan using process described in 10CFR50.71(e).
THAYER,J.K. Yankee Atomic Electric Co. 95/06/14. Document Control Branch (Document Control Desk). FAIRTILE,M.B. . 17pp. 84428:001-84429:146.

--9506210285 "Updated FSAR for Yankee Nuclear Power Station Rowe,MA," Vols 1 & 2.
* Yankee Atomic Electric Co. 95/06/30. 493pp. 84428:018-84429:146.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

W. Decommissioning Stage Documents & Correspondence

9506300101 Notification of 950718 meeting w/util in Rockville,MD to discuss plans to use Yankee Models generically.
ORR,F.R. . 95/06/19. JONES,R.C. . 2pp. 84493:326-84493:327.

DOCKET 50-47 ARMY MATERIALS RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9506050092 Provides notice of mod in position of Reactor Administrator at Univ of UT TRIGA Research Reactor.
GEHMLICH,D.K. Utah, Univ. of, Salt Lake City, UT. 95/05/11. MENDONCA,M. NRC - No Detailed Affiliation Given. 1p. 84237:317-84237:317.

DOCKET 50-59 TEXAS A&M UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9506220145 Forwards rept to NRC on determination of EALs & air monitoring sys alarm setpoints at TX A&M Univ Nuclear Science Ctr (NSC).Rept justifies NSC revised emergency plan.
O'KELLY,S. Texas A&M Univ., College Station, TX. 95/06/14. MICHAELS,T.S. . 5pp. 84436:332-84436:336.

P. Operating license stage documents & correspondence

9506230078 Responds to 950605 ltr re zoning of areas in research reactors & explains ease of implementation of 10CFR20.1601, 20.1602 & 20.1902 requirements.
POSTON,J.W. Texas A&M Univ., College Station, TX. 95/06/14. WEISS,S.H. . 2pp. 84470:358-84470:359.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

V. Operator Examinations

9506070343 Forwards revised plan re operator requalification & recertification program for Jul 1995 through June 1997.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84218:243-84218:259.

--9506070358 "Operator Requalification & Recertification Training Program Plan of Univ of FL Training Reactor," for Jul 1995 through June 1997.
* Florida, Univ. of, Gainesville, FL. 95/05/31. 16pp. 84218:244-84218:259.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

H. General correspondence

9506160565 Provides notification of change of RSO.Effective 950608, KC Kerns added to staff & will be serving as RSO for Iowa State Univ.Resume of Kerns encl.
ADAMS,J.T. Iowa State Univ., Ames, IA. 95/06/12. Document Control Branch (Document Control Desk). 4pp. 84367:289-84367:292.

V. Operator Examinations

9506130445 Forwards "Requalification Program for Licensed Operators of UTR-10 Facility" for NRC approval per 10CFR50.59.
ADAMS,J.T. Iowa State Univ., Ames, IA. 95/05/31. . 1p. 84296:352-84296:356.

--9506130447 "Requalification Program for Licensed Operators of UTR-10 Facility."
* Iowa State Univ., Ames, IA. 95/05/26. 4pp. 84296:353-84296:356.

DOCKET 50-123 UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA

Q. Inspection reports, IE Bulletins & correspondence

9506190380 Forwards insp rept 50-123/95-01 on 950515-19.No violations noted.
MCCORMICK Region 3 (Post 820201). 95/06/12. BOLON,A.E. Missouri, Univ. of, Rolla, MO. 1p. 84343:130-84343:135.

--9506190394 Insp rept 50-123/95-01 on 950515-19.No violations noted. Major areas inspected:organization logs & records;review & audit functions;requalification training;procedures; surveillance;experiments & fuel handling activities.
REIDRINGER,T., MCCORMICK Region 3 (Post 820201). 95/06/12. 5pp. 84343:131-84343:135.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

V. Operator Examinations

9506140264 Forwards reactor operator license certificate to listed individual at TX A&M Univ.W/o encl.
BOGER,B.A. . 95/05/30. HALL,K.R. Texas A&M Univ., College Station, TX. 1p. 84311:269-84311:269.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9506020296 Notification of 950606 meeting w/util in Rockville,MD to discuss currently proposed & prospective license amend requests & ongoing site activities.
YATES,C.Y. . 95/05/25. WEISS,S.H. . 4pp. 84146:090-84146:093.

9506140418 Forwards amend 28 to license DPR-7 & safety evaluation. Amend revises TS section VII.C. "Plant Staff" by decreasing min staff requirements for shift operating organization from five to two persons.
YATES,C.Y. . 95/05/31. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 84313:004-84313:015.

--9506140420 Amend 28 to license DPR-7,revising TS section VII.C "Plant Staff" by decreasing min staff requirements for shift operating organization from five to two persons.
WEISS,S.H. . 95/05/31. 6pp. 84313:007-84313:013.

--9506140421 Safety evaluation supporting amend 28 to license DPR-7.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84313:014-84313:015.

9506280378 Requests NRC to designate util license amend request 94-02, dtd 941123,as cost beneficial licensing action.
RUEGER,G.M. Pacific Gas & Electric Co. 95/06/19. Document Control Branch (Document Control Desk). 1p. 84476:358-84476:358.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-139 UNIV. OF WASHINGTON RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9506230003 Advises NRC that Univ planned decommissioning program now suspended indefinitely until funding obtained.
BOWEN,J.R. Washington, Univ. of, Seattle, WA. 95/06/12. MICHAELS,T.S. . 1p. 84465:344-84465:344.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9506140400 Notification of 950608 meeting w/licensee in Rockville,MD to discuss proposed changes to TS organizational structure for Saxton Nuclear Experimental Facility.
ADAMS,A. . 95/05/31. WEISS,S.H. . 4pp. 84313:107-84313:110.

9506060141 Forwards request for amend to DPR-4 TSs (TS change request 56).
HILDENBRAND,J. Saxton Nuclear Experimental Corp. 95/06/02. Document Control Branch (Document Control Desk). 1p. 84197:319-84197:332.

--9506060157 Application for amend to license DPR-4,proposing changes to App A of TSs.
HILDENBRAND,J. Saxton Nuclear Experimental Corp. 95/06/02. 11pp. 84197:320-84197:330.

--9506060165 Proposed tech specs,reflecting proposed changes to TS App A per TS change request 56.
* Saxton Nuclear Experimental Corp. 95/06/02. 2pp. 84197:331-84197:332.

Q. Inspection reports, IE Bulletins & correspondence

9506280688 Forwards insp rept 50-146/95-01 on 950601-02.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/16. HILDEBRAND,J.E. Saxton Nuclear Experimental Corp. 4pp. 84452:346-84452:354.

--**9506280694** Insp rept 50-146/95-01 on 950601-02.No violations noted. Major areas inspected:circumstances surrounding accidental cutting of containment vessel shell.
DRAGOUN,T., ULLRICH,E. Region 1 (Post 820201). 95/06/12. 5pp. 84452:350-84452:354.

S. Reportable occurrences, LERs & related correspondence

9506140061 RO:on 950525,ground water entered containment at rate of approx one gpm until approx 1300 hs when temporary plug was installed stopping in-leakage.
HILDEBRAND,J.E. General Public Utilities Corp. - GPU Service Corp. 95/06/08. Document Control Branch (Document Control Desk). 4pp. 84339:015-84339:018.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR

P. Operating license stage documents & correspondence

9506220016 Requests that shipping window extending from 950530-0603 be assigned for licensee category II shipment as per 950503 telcon.
DAVIS,M.J. Ohio State Univ., Columbus, OH. 95/05/03. BENNINGTON,G. NRC - No Detailed Affiliation Given. 2pp. 84375:029-84375:030.

9506220036 Submits advance notification of listed category III matl,per requirements of 49CFR173.22(C),10CFR73.67(E)(1)(i) & 10CFR73.72(A)(3).
DAVIS,M.J. Ohio State Univ., Columbus, OH. 95/05/19. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:174-84375:175.

9506220066 Submits advance notification of shipment of Category II matl from Ohio State Univ to Westinghouse Savannah River Co to meet requirements of 49CFR173.22(C),10CFR73.67(E)(1)(i) & 10CFR73.72(A)(3).
DAVIS,M.J. Ohio State Univ., Columbus, OH. 95/05/19. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84375:190-84375:191.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9506060023 Page 2 to Rev 166 to Vol 9A, "Table of Contents/Effective Pages."
* Consumers Power Co. 95/04/18. 2pp. 84210:269-84210:270.

9506140285 Forwards response to security concern noted in NRC 950508 ltr. "Rept of Independent Investigation of Security Concern at Big Rock Point Nuclear Plant" also encl.
DONNELLY,P.M. Consumers Power Co. 95/06/06. Document Control Branch (Document Control Desk). 7pp. 84338:001-84338:040.

--**9506140287** "Rept of Independent Investigation of Security Concern at Big Rock Point Nuclear Plant."
STALEY,P.L. Consumers Power Co. 95/06/06. 33pp. 84338:008-84338:040.

9506210165 Forwards corrections to rev 13 of Suitability,Training & Qualification Plan.Encl withheld.
DONNELLY,P.M. Consumers Power Co. 95/06/15. Document Control Branch (Document Control Desk). 1p. 84472:001-84472:001.

9506190320 Provides notice that scenario for plant emergency exercise has been developed & being transmitted to NRC Chief, Emergency Preparedness Section,Region III for review & comment.
PENROD,K. Consumers Power Co. 95/06/16. Document Control Branch (Document Control Desk). 2pp. 84404:240-84404:241.

H. General correspondence

9506230192 Responds to 950525 ltr that requested 60 day extension to public comment period for plant decommissioning plan.
DUDLEY,R.F. . 95/06/08. SAGADY,A. American Lung Association. 3pp. 84421:174-84421:176.

9506230206 Responds to 950530 ltr to I Selin requesting 60 day extension to public comment period closing on 950609,on plant decommissioning plan.
DUDLEY,R.F. . 95/06/08. SCHALLER,D. Don't Waste Michigan. 3pp. 84421:177-84421:181.

--**9506230207** Requests extension of comment period for 60 addl days re decommissioning plan.
WINNELL,M. Don't Waste Michigan. 95/06/08. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84421:180-84421:181.

9506280505 Responds to 950612 ltr requesting 90 day extension to public comment period closing on 950609 for plant decommissioning plan.
DUDLEY,R.F. . 95/06/14. LLOYD,B. Affiliation Not Assigned. 6pp. 84453:263-84453:268.

9506280524 Responds to 950611 ltr which requested 60 day extension to public comment period closing on 950609.W/transcript of 950511 public meeting.Recipient name placed on special decommissioning distribution list.W/o transcript.
DUDLEY,R.F. . 95/06/15. HAFFNER,K. Affiliation Not Assigned. 3pp. 84472:277-84472:279.

9506280683 Responds to 950605 request for 60-day extension of comment period closing on 950609 for comments on decommissioning plan.Comments will be considered if submitted by 950809.
DUDLEY,R.F. . 95/06/16. SKAVRONECK,S., CULHANE,P. Lake Michigan Federation. 3pp. 84469:348-84469:350.

9506280698 Responds to 950612 request for 60-day extension of comment period on decommissioning plan.Comments will be considered if submitted by 950809.
DUDLEY,R.F. . 95/06/16. CAMPBELL,J.W. Michigan, State of. 3pp. 84469:286-84469:288.

9506280700 Responds to 950605 request for 60-day extension of comment period closing on 950609 for comments on decommissioning plan.Comments will be considered if submitted by 950809.
DUDLEY,R.F. . 95/06/16. MISSELDINE,C. Michigan Environmental Council. 3pp. 84460:305-84460:307.

9506280753 Informs that comments re plant decommissioning plan will be considered for review if submitted by 950809,allowing for 60 day extension period for submission of comments beyond comment period that ended 950609.
DUDLEY,R.F. . 95/06/16. OLSON,M. . 3pp. 84472:280-84472:282.

9506290338 Responds to 950529 ltr requesting 90-day extension to public comment period on 950609 for plant decommissioning plan.NRC can allow 60-day extension for submitting comment until 950809.
DUDLEY,R.F. . 95/06/16. CAREY,C. Affiliation Not Assigned. 3pp. 84474:086-84474:088.

9506300239 Responds to 950613 request for 2-month extension to public comment period on plant decommissioning plan.Comments submitted by 950809 will be considered.
DUDLEY,R.F. . 95/06/19. KOCK,I. Canada. 3pp. 84488:328-84488:330.

P. Operating license stage documents & correspondence

9506140237 Submits rev to current commitments re GLs 87-02 & 88-20, Suppl 4 concerning resolution of USI A-46 & IPE for external events,respectively.Intent of GLs 87-02 & 88-20 met through past actions.
DONNELLY,P.M. Consumers Power Co. 95/05/19. Document Control Branch (Document Control Desk). 5pp. 84338:352-84338:356.

9506020302 Summary of 950511 meeting in Charlevoix,MI to discuss preliminary NRC questions on decommissioning plant.List of attendess & meeting agenda encl.
DUDLEY,R.F. . 95/05/24. . 5pp. 84165:275-84165:280.

9506130020 Responds to NRC 950505 RAI re plant 930304 amend request. Info reflects administrative/editorial changes.
DONNELLY,P.M. Consumers Power Co. 95/05/31. Document Control Branch (Document Control Desk). 7pp. 84297:349-84297:357.

--**9506130022** Proposed tech specs reflecting administrative/editorial changes.
* Consumers Power Co. 95/05/31. 2pp. 84297:356-84297:357.

9506230209 Forwards environ rept & decommissioning plan for plant for NRC approval.W/o encl.
WEISS,S.H. . 95/06/08. Interior, Dept. of. 3pp. 84422:292-84422:294.

9506230371 Submits request for addl info on plant decommissioning plan & environmental rept.Response requested by 950714."Request for Addl Info on Plant Decommissioning Plan" encl.
DUDLEY,R.F. . 95/06/08. DONNELLY,P.M. Consumers Power Co. 11pp. 84429:328-84429:338.

9506140385 Forwards Rev 15 to CPC-2A, "QA Program Description for Operational Nuclear Power Plants."
FENECH,R.A. Consumers Power Co. 95/06/09. Document Control Branch (Document Control Desk). 4pp. 84337:254-84337:349.

--**9506140389** Rev 15 to "QA Program Description for Operational Nuclear Power Plants."
JOOS,D.W., FENECH,R.A., NICHOLSON,R.J. Consumers Power Co. 95/03/03. 92pp. 84337:258-84337:349.

9506280448 Requests for exemption from minimum certification amount required under 10CFR50.75(c) for decommissioning funding assurance for plant.
WEISS,S.H. . 95/06/12. DONNELLY,P.M. Consumers Power Co. 4pp. 84449:352-84449:355.

9506300193 Discusses info re oath or affirmation signature authority for NRC correspondence.
WITHROW,G.C. Consumers Power Co. 95/06/22. Document Control Branch (Document Control Desk). 1p. 84524:335-84524:335.

Q. Inspection reports, IE Bulletins & correspondence

9506150047 EN-95-034:on 950524,notice of violations & proposed imposition of civil penalty in amount of $50,000 will be issued to licensee.Action based on violations that resulted in extended period of degradation of water path to ECCS.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/19. 1p. 84288:108-84288:108.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506200356 Remits payment of civil penalty imposed by NOV dtd 950524 from insp rept 50-155/95-06.
DONNELLY,P.M. Consumers Power Co. 95/06/16. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 84404:344-84404:344.

9506300025 Responds to NRC 950524 ltr re violations noted in insp rept 50-155/95-06 & proposed imposition of civil penalty. Corrective actions:all SROs & mgt trained on Quality List Chapters 3,4 & 6 & FHSR.
DONNELLY,P.M. Commonwealth Edison Co. 95/06/22. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 16pp. 84521:302-84521:317.

R. Periodic operating reports & related correspondence

9506130087 Monthly operating rept for May 1995 for Big Rock Point Nuclear Plant.W/ 950601 ltr.
JOHNSTON,J.R., DONNELLY,P.M. Consumers Power Co. 95/05/31. 6pp. 84288:345-84288:350.

T. Hearing transcripts on non-antitrust matters

9506210281 Forwards transcript of 950511 public meeting at Charlevoix Township Hall.
DUDLEY,R.F. . 95/05/30. DONNELLY,P.M. Consumers Power Co. 3pp. 84383:047-84383:123.

--9506210287 Transcript of 950511 public meeting in Charlevoix,MI re proposed big rock point decommissioning plan.
* NRC - No Detailed Affiliation Given. 95/05/11. 73pp. 84383:050-84383:123.

V. Operator Examinations

9506300025 Responds to NRC 950524 ltr re violations noted in insp rept 50-155/95-06 & proposed imposition of civil penalty. Corrective actions:all SROs & mgt trained on Quality List Chapters 3,4 & 6 & FHSR.
DONNELLY,P.M. Commonwealth Edison Co. 95/06/22. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 16pp. 84521:302-84521:317.

DOCKET 50-156 UNIV. OF WISCONSIN RESEARCH REACTOR

V. Operator Examinations

9506230273 Forwards results of operator initial exam conducted on 950522-24.W/o encl.
RICHARDS,S.A. . 95/06/09. CASHWELL,R.J. Wisconsin, Univ. of, Madison, WI. 1p. 84422:356-84422:356.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9506150210 Forwards insp rept 50-160/95-02 on 950503,08 & 12.Violation noted.Insp rept withheld from public disclosure per 10CFR2.790(d) & 10CFR73.21.
COLLINS,D.M. Region 2 (Post 820201). 95/06/01. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 4pp. 84364:144-84364:148.

9506210221 Request of Georgians Against Nuclear Energy for protective Order.* Requests cooperation of parties in developing protective Order for Georgians Against Nuclear Energy to examine security plans as stated.W/Certificate of Svc.
CARROLL,G. Georgians Against Nuclear Energy. #295 16788. 95/06/05. Atomic Safety & Licensing Board Panel. 3pp. 84359:289-84359:291.

G. Adjudicatory correspondence

9506070247 NRC Staff answer in support of Georgia Inst of Technology request to stay Discovery.* NRC staff submits that stay of Discovery on GANE security contention warranted in proceeding.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #295 16743. 95/05/25. Commissioners (Post 750119). 12pp. 84178:343-84178:355.

9506070188 Georgians Against Nuclear Energy Response to NRC & Georgia Tech Appeals on Atomic Safety & Licensing Board Prehearing Conference Order of 950426.* Urges NRC to percieve urgency of matter.W/Certificate of Svc.
CARROLL,G. Georgians Against Nuclear Energy. #295 16752. 95/05/26. Commissioners (Post 750119). 5pp. 84176:340-84176:344.

9506160104 NRC Staff first set of interrogatories & request for production of documents to Georgians Against Nuclear Energy.* W/Certificate of Svc.Related correspondence.
TURK,S.E. Office of the General Counsel (Post 860701). #295 16780. 95/06/05. Georgians Against Nuclear Energy. 20pp. 84312:074-84312:092.

9506210208 Georgians Against Nuclear Energy Discovery from NRC & Georgia Tech through interrogatory,production of documents & request to enter & inspect.* Submits documentation for addl info.W/Certificate of Svc.Related correspondence.
CARROLL,G. Georgians Against Nuclear Energy. #295 16790. 95/06/05. Georgia Institute of Technology, Atlanta, GA. 17pp. 84359:257-84359:273.

9506210212 Forwards notices of appearance for listed individuals in intervention of Georgians Against Nuclear Energy in proceeding involving licensee.W/Certificate of Svc.
CARROLL,G. Georgians Against Nuclear Energy. #295 16789. 95/06/05. 6pp. 84359:280-84359:285.

9506210221 Request of Georgians Against Nuclear Energy for protective Order.* Requests cooperation of parties in developing protective Order for Georgians Against Nuclear Energy to examine security plans as stated.W/Certificate of Svc.
CARROLL,G. Georgians Against Nuclear Energy. #295 16788. 95/06/05. Atomic Safety & Licensing Board Panel. 3pp. 84359:289-84359:291.

9506210210 Order issuing housekeeping stay.* Informs that short housekeeping stay of discovery on Georgians Against Nuclear Energy security contention,granted for listed reasons.W/ Certificate of Svc.Served on 950609.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16799. 95/06/09. Georgia Institute of Technology, Atlanta, GA. 6pp. 84359:274-84359:279.

9506210176 Responds to 950609 ltr from Commission re "Order Issuing Housekeeping Stay." W/Certificate of Svc.Served on 950614.
JULIAN,E.L. Docketing & Services Branch. #295 16814. 95/06/14. Docketing & Services Branch. 2pp. 84359:206-84359:207.

9506280008 Georgians Against Nuclear Energy response to Commission order for housekeeping stay.* W/Certificate of Svc.
CARROLL,G. Georgians Against Nuclear Energy. #295 16833. 95/06/20. Commissioners (Post 750119). 5pp. 84444:168-84444:172.

9506280024 Forwards 950616 ltr from MM Mendonca to RA Karam transmitting, "Order Modifying Facility Operating License R-97." Order authorizes conversion of GTRR from use of HEU to LEU in accordance w/10CFR50.64.
TURK,S.E. Office of the General Counsel (Post 860701). #295 16837. 95/06/20. BECHHOEFER,C., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. 4pp. 84509:247-84509:275.

--9507030015 Order modifying Facility Operating License R-97.* Orders that facility be modified by adding License Condition 2.B(4) & 2.C(4) on 13th day after date of publication of subj order.
MIRAGLIA,F.M. Office of Nuclear Reactor Regulation (Post 941001). 95/06/16. Georgia Institute of Technology, Atlanta, GA. 25pp. 84509:251-84509:275.

9506280003 NRC staff response to Commission order issuing housekeeping stay,dtd 950609.* Staff submits that Commission should retain stay in effect pending review & disposition of pending appeals.
TURK,S.E. Office of the General Counsel (Post 860701). #295 16834. 95/06/21. Commissioners (Post 750119). 11pp. 84444:146-84444:167.

--9506280005 Affidavit of MM Mendonca.* Affidavit responds to question two in Commission, "Order Issuing Housekeeping Stay," dtd 950609.W/Certificate of Svc.
MENDONCA,M.M. Georgia Institute of Technology, Atlanta, GA. #295 16834. 95/06/21. 11pp. 84444:157-84444:167.

9506280393 Georgia Institute of Technology response to Commissioner's order issuing housekeeping stay.* W/Certificate of Svc.
GUILDAY,P. Georgia Institute of Technology, Atlanta, GA. GUILDAY,P. Georgia, State of. #295 16836. 95/06/21. Commissioners (Post 750119). 11pp. 84444:296-84444:327.

9506280772 Notice of appearance.* Undersigned attorney enters appearance in proceeding re renewal of license R-97. W/Certificate of Svc.
DUNN,D.R., GUILDAY,P. Georgia, State of. #295 16835. 95/06/21. 4pp. 84453:032-84453:035.

H. General correspondence

9506200432 Responds to 950419 ltr to President Clinton in which concerns expressed re potential accidents or terrorist attack at Georgia Institute of Technology research reactor in Atlanta.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/05. BLOCKEY-O'BRIEN Affiliation Not Assigned. 6pp. 84378:353-84378:358.

Q. Inspection reports, IE Bulletins & correspondence

9506150210 Forwards insp rept 50-160/95-02 on 950503,08 & 12.Violation noted.Insp rept withheld from public disclosure per 10CFR2.790(d) & 10CFR73.21.
COLLINS,D.M. Region 2 (Post 820201). 95/06/01. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 4pp. 84364:144-84364:148.

--9506150214 Notice of violation from insp on 950503,08 & 12.Violation noted:for listed inventory periods,licensee failed to submit matl status repts within 30 days & procedure 3600, "SNM Inventory," Rev 2 incomplete.
* Region 2 (Post 820201). 95/06/01. 1p. 84364:148-84364:148.

9506280298 Responds to NRC ltr re violations noted in insp rept 50-160/95-02.Corrective actions:work orders for special nuclear matl inventory have been revised & Procedure 3600 will be revised to require matl status rept.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 95/06/19. Document Control Branch (Document Control Desk). 3pp. 84477:352-84477:354.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

P. Operating license stage documents & correspondence

9506230173 Requests assistance in providing some foreign vistors w/understanding of reseach reactor facilities & regulation in US.
MENDONCA,M.M. . 95/06/08. KEARSLEY,E. Armed Forces Radiobiological Research Institute. 3pp. 84415:015-84415:017.

V. Operator Examinations

9506210364 Forwards senior operator license certificates to listed licensed individuals at Armed Forces Radiobiology Research Institute.
BOGER,B.A. . 95/06/05. BUMGARNER,R.L. Armed Forces Radiobiological Research Institute. 1p. 84380:135-84380:135.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9506070047 Trip rept of 950201-02 & 950303-04 visit to plant re audit of USI A-46/ IPEEE in-progress seismic walkdown activities.
MCBREARTY,M. . 95/05/25. WESSMAN,R.H. . 8pp. 84206:265-84206:272.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

F. Security, medical, emergency & fire protection plans

9506160022 Forwards envelope which contains SAFEGUARDS INFO re radioactive spent fuel shipments from Univ of MO Research Reactor.SAFEGUARDS INFO & other info supplied to comply w/10CFR73.37(f)(i)(ii)(iii).W/o encl.
HULTSCH,R.A. Missouri, Univ. of, Columbia, MO. 95/06/07. BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84312:005-84312:006.

P. Operating license stage documents & correspondence

9506140097 Ack receipt of 950425 ltr in response to 950327 ltr re questionable activities re alcohol influenced behavior & Health Physic practices that occurred at Univ of MO.Requests supporting documentation be kept for min of one year.
MCCORMICK-BARGE Region 3 (Post 820201). 95/06/07. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 1p. 84267:316-84267:316.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR

V. Operator Examinations

9506230254 Informs that written & operating exams scheduled for wk of 950911,per telcon between B Ryan & W Eresian.Requests set of ref matls be furnished at least 60 days before test & submission of license application 30 days prior to test.
ERESIAN,W.J. . 95/06/13. FAW,R.E. Kansas State Univ., Manhattan, KS. 11pp. 84422:295-84422:305.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506080358 Revised EPIPs,including rev 2 to temporary change notice 2-1 S023-VIII-30,rev 6 to EPIP-S0123-VIII-0.201,rev 6 to temporary change notice 6-1 S0123-VIII-0.301 & rev 3 to EPIP-S0123-VIII-30.6.W/950531 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/31. 109pp. 84227:001-84227:109.

9506130156 Forwards Rev 14 to NRC approved August 1983 "Safeguards Contigency Plan at San Onofre Nuclear Generating Station, Units 1,2 & 3." Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84337:148-84337:148.

I. Financial information

9506020321 Forwards annual repts for SCEcorp for CY94,San Diego Gas & Electric Co for CY94 & City of Anaheim for FY ending June 1994.City of Riverside annual rept for FY ending June 1994 not published as of 950530.
MARSH,W.C. Southern California Edison Co. 95/05/30. Document Control Branch (Document Control Desk). 1p. 84225:001-84225:149.

--9506020323 "SCEcorp 1994 Annual Rept."
BRYSON,J.E. Southern California Edison Co. 94/12/31. 48pp. 84225:002-84225:052.

--9506020326 "San Diego Gas & Electric 1994 Annual Rept."
PAGE,T.A., BAUM,S.L., FELSINGER,D.E. San Diego Gas & Electric Co. 94/12/31. 44pp. 84225:053-84225:096.

--9506020331 "City of Anaheim Public Utilities Dept Annual Rept for FY Ending 940630."
AGHJAYAN,E.K. Anaheim, CA. 94/06/30. 50pp. 84225:097-84225:149.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140039 Forwards insp repts 50-206/95-04,50-361/95-04 & 50-362/95-04 & notice of violation.Violation of NRC concern because it includes two examples of inadequate procedures which resulted in improper sys alignments.
BEACH,A.B. Region 4 (Post 820201). 95/06/07. RAY,H.B. Southern California Edison Co. 6pp. 84274:304-84275:020.

--9506140045 Notice of violation from insp on 950312-0422.Violation noted:as of 950422,licensee procedures in two cases had been inappropriate for listed cirumstances.
* Region 4 (Post 820201). 95/06/07. 2pp. 84274:310-84274:311.

--9506140048 Insp repts 50-206/95-04,50-361/95-04 & 50-362/95-04 on 950312-0422.Violations noted.Major areas inspected:onsite followup of events,operational safety verification,maint & surveillance observations & engineering & plant support.
WONG,H.J. Region 4 (Post 820201). 95/05/25. 31pp. 84274:312-84275:020.

9506140081 Ack receipt of 950518 ltr informing NRC of steps taken to correct violations noted in insp repts 50-206/95-05, 50-361/95-05 & 50-362/95-05 on 950421.
COLLINS,S.J. Region 4 (Post 820201). 95/06/09. RAY,H.B. Southern California Edison Co. 4pp. 84267:272-84267:277.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506080612 "NPDES Discharge Elimination Sys Discharge Monitoring Repts for SONGS Units 1 & 2." W/950601 ltr.
MARSH,W.C. Southern California Edison Co. 95/02/28. 7pp. 84279:220-84279:226.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

9506070702 Rev 42 to EPIP 1.5-2, "Notification & Communication."
BUCH,W.H. Connecticut Yankee Atomic Power Co. 95/05/27. 35pp. 84238:217-84238:251.

9506120047 Forwards insp rept 50-213/95-13 on 950515-19.No safety concerns or violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/31. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84221:185-84221:192.

--9506120059 Insp rept 50-213/95-13 on 950515-19.No safety concerns or violations noted.Major areas inspected:REMP & meteorological monitoring program including,mgt controls,QAA,QC of analytical measurements & implementation of ODCM.
JANG,J.C., ULLRICH,E. Region 1 (Post 820201). 95/05/26. 5pp. 84221:188-84221:192.

9506070378 Revised EPIPs,including Rev 43 to EPIP 1.5-2,Rev 17 to EPIP 1.5-7,Rev 14 to EPIP 1.5-9,Rev 15 to EPIP 1.5-10,Rev 10 to EPIP 1.5-19,Rev 18 to EPIP 1.5-21,Rev 0 to EPIP 1.5-21A, Rev 0 to EPIP 1.5-21B & Rev 14 to EPIP 1.5-22.
BUCH,W.H. Connecticut Yankee Atomic Power Co. 95/06/01. 798pp. 84211:001-84213:070.

9506120027 Forwards insp rept 50-213/95-10 on 950404-0508.Failure to perform ECCS surveillance identified as condition prohibited by TS.In recognition of good followup,no violation will be issued.
DURR,J.P. Region 1 (Post 820201). 95/06/01. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84221:126-84221:149.

--**9506120030** Insp rept 50-213/95-10 on 950404-0508.No violations noted. Major areas inspected:plant operations,maint,engineering & technical support & 1995 emergency preparedness exercise.
NICHOLSON,L.E. Region 1 (Post 820201). 95/05/26. 21pp. 84221:129-84221:149.

9506140019 Rev 43 to EPIP 1.5-2. "Notification & Communication."
* Connecticut Yankee Atomic Power Co. 95/06/01. 34pp. 84338:119-84338:152.

9506220078 Rev 29 to "Emergency Plan,Haddam Neck Plant."
* Connecticut Yankee Atomic Power Co. 95/06/30. 161pp. 84420:080-84420:240.

9506220086 Forwards Rev 29 to Haddam Neck Plant Emergency Plan & Rev 17 to Millstone Nuclear Power Station Emergency Plan.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/13. Document Control Branch (Document Control Desk). 387pp. 84438:007-84439:029.

9506280680 Forwards insp rept 50-213/95-09 on 940410-14.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/06/19. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84453:001-84453:019.

--**9506280691** Insp rept 50-213/95-09 on 950410-14.No violations noted. Major areas inspected:selected verification of procedure implementation & evaluation of technical adequacy of procedures,programs & assuring consistency w/TSs.
HARRISON,L.M., RULAND,W.H. Region 1 (Post 820201). 95/06/19. 16pp. 84453:004-84453:019.

G. Adjudicatory correspondence

9506140336 Responds to 940303 petition under 10CFR2.206 re receipt insp activites by plants.Petition alleges that adequate training,skilled personnel & necessary tools not available to perform adequate receipt insps.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. GAVENSKY,R. Affiliation Not Assigned. 6pp. 84311:042-84311:166.

--**9506140343** Notice of issuance of Director's Decision under 10CFR2.206 petition re receipt insp activites at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:048-84311:049.

--**9506140359** Director's Decision DD-95-11 petition under 10CFR2.206 re receipt insp activities at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. Northeast Utilities. 16pp. 84311:050-84311:166.

H. General correspondence

9506150006 Responds to facsimile received on 950515 re ltr from Northeast Util.Advises that ltr dtd 950315 has not yet been placed in PDR.
ROSANO,R. Ofc of Enforcement (Post 870413). 95/05/15. ROSS,A.J. Affiliation Not Assigned. 1p. 84288:013-84288:013.

9506090043 Comment opposing draft NUREG/BR-0199, "Responsiveness to Public."
OPEKA,J.F. Northeast Utilities Service Co. 95/05/30. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84207:101-84207:103.

9506190007 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
OPEKA,J.F. Northeast Utilities. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:010-84320:011.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506290131 Forwards rev 8 to updated FSAR & description of change addressing interim on-site storage of low-level radwaste.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/07. Document Control Branch (Document Control Desk). 11pp. 84499:001-84499:271.

--**9506290133** Rev 8 to updated FSAR for Haddam Neck Plant.
* Connecticut Yankee Atomic Power Co. 95/05/31. 261pp. 84499:011-84499:271.

P. Operating license stage documents & correspondence

9506080392 Summary of 950502 meeting w/RE Busch,JF Opeka & RM Kacich re status of activities at Millstone,Haddam Neck & Seabrook facilities.
MCWHORTER,R. Commissioners (Post 750119). 95/05/22. Commissioners (Post 750119). 1p. 84381:156-84381:156.

9506020205 Informs that proprietary version of "Engineering Evaluation of Burst/Plugged Tube(s) at Connecticut Yankee,March 1995," will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of Atomic Energy Act of 1954.
WANG,A.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/23. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84165:239-84165:242.

9506080476 Requests NRC review of previous submittals as cost beneficial licensing actions.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 95/05/26. Document Control Branch (Document Control Desk). 4pp. 84227:194-84227:197.

9506090194 Forwards RAI in order to complete review of info re four safety-related tanks at plant in response to USI A-46 program.
WANG,A.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/30. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 84222:154-84222:158.

9506130138 Application for amends to licenses DPR-61,DPR-21,DPR-65 & NPF-49.Amends would modify size of PORC & clarify composition of Site Operations Review Committee.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/06. Document Control Branch (Document Control Desk). 10pp. 84303:269-84303:304.

--**9506130142** Proposed tech specs re mod of size of PORC & clarification of Site Operations Review Committee.
* Connecticut Yankee Atomic Power Co. * Northeast Nuclear Energy Co. * Northeast Utilities Service Co. 95/06/06. 26pp. 84303:279-84303:304.

9506130089 Transmits annual rept of changes to QA program proposed Rev 18 to util QA program TR.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 95/06/08. Document Control Branch (Document Control Desk). 2pp..3. 84337:010-84337:137.

--**9506130095** "Annual Reporting of Changes to QA Program Proposed Rev 18 to Northeast Utilities QA Program TR."
* Northeast Nuclear Energy Co. 95/06/08. 125pp. 84337:012-84337:137.

9506200262 Forwards info in support of closure of Haddam Neck DCRDR.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/13. Document Control Branch (Document Control Desk). 13pp. 84406:121-84406:133.

9506280126 Forwards supplemental safety evaluation re reassessment of DCRDR.
WANG,A. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/23. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 4pp. 84478:254-84478:263.

--**9506280131** Safety evaluation re reassessment of DCRDR.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 6pp. 84478:258-84478:263.

Q. Inspection reports, IE Bulletins & correspondence

9506160447 Forwards "1995 Refueling Outage SG Tube Insp Rept."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/05/24. Document Control Branch (Document Control Desk). 1p. 84371:272-84372:058.

--**9506160449** "1995 Refueling Outage SG Tube Insp Rept."
PRITCHARD,R.W. Connecticut Yankee Atomic Power Co. 95/06/07. 150pp. 84371:273-84372:058.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120047 Forwards insp rept 50-213/95-13 on 950515-19.No safety concerns or violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/31. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84221:185-84221:192.

--**9506120059** Insp rept 50-213/95-13 on 950515-19.No safety concerns or violations noted.Major areas inspected:REMP & meteorological monitoring program including,mgt controls,QAA,QC of analytical measurements & implementation of ODCM.
JANG,J.C., ULLRICH,E. Region 1 (Post 820201). 95/05/26. 5pp. 84221:188-84221:192.

9506140336 Responds to 940303 petition under 10CFR2.206 re receipt insp activites by plants.Petition alleges that adequate training,skilled personnel & necessary tools not available to perform adequate receipt insps.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. GAVENSKY,R. Affiliation Not Assigned. 6pp. 84311:042-84311:166.

--**9506140343** Notice of issuance of Director's Decision under 10CFR2.206 petition re receipt insp activites at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:048-84311:049.

--**9506140359** Director's Decision DD-95-11 petition under 10CFR2.206 re receipt insp activities at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. Northeast Utilities. 16pp. 84311:050-84311:166.

9506120027 Forwards insp rept 50-213/95-10 on 950404-0508.Failure to perform ECCS surveillance identified as condition prohibited by TS.In recognition of good followup,no violation will be issued.
DURR,J.P. Region 1 (Post 820201). 95/06/01. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84221:126-84221:149.

--**9506120030** Insp rept 50-213/95-10 on 950404-0508.No violations noted. Major areas inspected:plant operations,maint,engineering & technical support & 1995 emergency preparedness exercise.
NICHOLSON,L.E. Region 1 (Post 820201). 95/05/26. 21pp. 84221:129-84221:149.

9506140055 Requests permission to use an alternative to ASME Boiler & PV Code,Section XI Edition & Addenda of each plant ISI program.Util seeks approval to use provisions of Code Case N-508-1.
SCACE,S.E. Connecticut Yankee Atomic Power Co. SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities Service Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84339:005-84339:007.

9506140066 Requests NRC Staff approval to use an alternative to ASME Code Section XI.Util seeks permission to utilize Code Case N-524 re plants ISI program.
SCACE,S.E. Connecticut Yankee Atomic Power Co. SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities Service Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84339:032-84339:034.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140104 Ack receipt of 950503 ltr informing NRC of steps taken to correct violations noted in insp rept 50-213/95-02 on 950329.
DURR,J.P. Region 1 (Post 820201). 95/06/07. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 84267:320-84267:334.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280375 Describes proactive steps being taken by util re insp of SG tubes,including assessment of plus-point coil design developed for inspecting SG tubes utilized at plant during recently completed Cycle 18 refueling outage.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/06/16. SHERON,B.W. . 3pp. 84475:234-84475:236.

9506280069 Forwards insp rept 50-213/95-15 on 950605-09.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/19. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84441:146-84441:154.

--9506280073 Insp rept 50-213/95-15 on 950605-09.No violations noted. Major areas inspected:radiation protection plan during normal plant operations,including radiological worker practices & control of radiological work.
FURIA,J., BORES,R. Region 1 (Post 820201). 95/06/05. 6pp. 84441:149-84441:154.

9506280680 Forwards insp rept 50-213/95-09 on 940410-14.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/06/19. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84453:001-84453:019.

--9506280691 Insp rept 50-213/95-09 on 950410-14.No violations noted. Major areas inspected:selected verification of procedure implementation & evaluation of technical adequacy of procedures,programs & assuring consistency w/TSs.
HARRISON,L.M., RULAND,W.H. Region 1 (Post 820201). 95/06/19. 16pp. 84453:004-84453:019.

R. Periodic operating reports & related correspondence

9506190306 Forwards monthly operating rept for May 1995 & revised operating rept for Apr 1995.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/06/13. Document Control Branch (Document Control Desk). 1p. 84380:351-84380:357.

--9506190307 Monthly operating rept for May 1995 for Haddam Neck Plant.
EMMONS,K.W., RYLEY,E. Connecticut Yankee Atomic Power Co. 95/05/31. 4pp. 84380:352-84380:355.

--9506190309 Revised monthly operating rept for April 1995 for Connecticut Yankee.
EMMONS,K.W., RYLEY,M. Connecticut Yankee Atomic Power Co. 95/04/30. 2pp. 84380:356-84380:357.

S. Reportable occurrences, LERs & related correspondence

9506280600 Forwards preliminary accident sequence precursor analysis of operational condition discovered on 940216 & 19 & reported in LERs 94-004,-005,-007 & -013,for review & comment. Comments due within 30 days of ltr receipt.
WANG,A.B. Project Directorate I-4 (PD1-4) (Post 941001). 95/06/15. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 30pp. 84460:207-84460:236.

9506280704 PNO-1-95-023:on 950121,IBEW Union 455 established informational picket on Haddam Neck plant access road. Picket was removed & workers returned to site.NRC Region I has implemented necessary strike coverage procedures.
NICHOLSON,L. Region 1 (Post 820201). 95/06/21. 2pp. 84452:359-84452:360.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9506020206 Requests that licensee responds to encl followup request for addl info re GL 92-08, "Thermo-Lag Fire Barriers," in response to util 950331 ltr.Response requested within 45 days of ltr receipt.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/24. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 7pp. 84146:044-84146:050.

H. General correspondence

9506140306 Forwards Structural Integrity of Oyster Creek Nuclear Generating Station Reactor Vessel & Internal Components,per 950428 ltr to D Rathbun.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/01. LOBIONDO,F.A. House of Rep. 5pp. 84311:275-84311:279.

9506140306 Forwards Structural Integrity of Oyster Creek Nuclear Generating Station Reactor Vessel & Internal Components,per 950428 ltr to D Rathbun.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/01. LOBIONDO,F.A. House of Rep. 8pp. 84352:243-84352:252.

--9506190354 Forwards 950129 ltr from F LaBiondo,expressing concern re dangers associated w/cracked shroud,metal fatigue & core plate of plant,for review & response.
LOBIONDO,F.A. House of Rep. 95/04/28. RATHBUN,D. Office of Congressional Affairs (Post 911117). 2pp. 84352:251-84352:252.

9506060042 Comment opposing proposed change in State Cooperative Agreements Program concerning NRC intention to reduce scope of work.Believes that NRC should maintain environ monitoring program & find other ways to reduce duplicative svcs.
LIPOTI,J. New Jersey, State of. 95/06/02. Docketing & Services Branch. 4pp. 84165:047-84165:050.

9506200312 Responds to 950426 ltr addressed to RL Bangart,transmitting questions raised by NC Sieling re potential environ effects from operation of nearby plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/05. BRADLEY,B. Senate. 5pp. 84379:216-84379:232.

P. Operating license stage documents & correspondence

9506020206 Requests that licensee responds to encl followup request for addl info re GL 92-08, "Thermo-Lag Fire Barriers," in response to util 950331 ltr.Response requested within 45 days of ltr receipt.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/24. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 7pp. 84146:044-84146:050.

9506020212 Forwards safety evaluation supporting util 941228 submittal of static seismic analysis method in design of plant core shroud repair components.Licensee fulfulled commitment in regard to design of subj repair & open item now closed.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/25. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 84146:051-84146:058.

--9506020218 Safety evaluation re dynamic seismic analysis of core shroud repair components.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/25. 4pp. 84146:055-84146:058.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506060406 Forwards results of review of findings noted in insp rept 50-219/95-02 as well as actions being taken to address noted concerns re maint scheduling,preventive maint,performance findings & matl condition & housekeeping.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/05/25. Document Control Branch (Document Control Desk). 8pp. 84197:258-84197:265.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506140014 Notifies of receipt of 950308 info indicating that licensee maint foreman told employee not to talk to NRC about concern re work effectiveness & job preplanning.
COOPER,R.W. Region 1 (Post 820201). 95/06/06. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 84267:048-84267:050.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140251 Forwards augmented ISI program & proposed hot rolled XM-19 matl test program,as requested by NRC 941125 safety evaluation re plant core shroud repair.
KEATEN,R.W. General Public Utilities Corp. - GPU Service Corp. 95/06/07. Document Control Branch (Document Control Desk). 4pp. 84339:046-84339:049.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160516 Monthly operating rept for May 1995 for Oyster Creek Nuclear Generating Station.W/950608 ltr.
CARROLL,C., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/05/31. 7pp. 84366:235-84366:241.

S. Reportable occurrences, LERs & related correspondence

9506190332 LER 95-002-00:on 941106,core alteration was unsupervised due to personnel error in decision making.Reviewed & revised error-free refueling plan & related refueling procedures. W/950613 ltr.
HENRIKSEN,R.A., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/06/13. 5pp. 84388:349-84388:353.

9506290091 LER 95-003-00:on 950531,discovered that six month drywell airlock leak rate test conducted after due date.Caused by inappropriate application of 25% surveillance interval extension.Surveillance task revised.W/950621 ltr.
BUDAJ,M., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/06/21. 4pp. 84508:202-84508:205.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506020091 Advises that Storage & Transport Systems Branch has assigned Docket 72-15 to Oyster Creek Nuclear Generating Station for tracking dry SF storage activities at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/25. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 84182:302-84182:303.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506140059 Forwards safeguards insp repts 50-220/95-14 & 50-410/95-14 on 950522-26.No safety concerns or violations of regulatory requirements were observed.
JOYNER,J.H. Region 1 (Post 820201). 95/06/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84267:226-84267:233.

--**9506140078** Insp repts 50-220/95-14 & 50-410/95-14 on 950522-26.No safety concerns or violations of regulatory requirements were observed.Major areas inspected:audits,effectiveness of mgt controls & security program plan.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/06/07. 5pp. 84267:229-84267:233.

9506200100 Forwards 950531 memo from VM Cochran which transmits FEMA Region II Post Exercise Assessment for 930713 exercise.
JOYNER,J.H. Region 1 (Post 820201). 95/06/09. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84345:182-84345:292.

--**9506200112** Forwards final version of Post Exercise Assessment for plant held during wk of 930712-16.
COCHRAN,V.M. Federal Emergency Management Agency. 95/05/31. LUSHER,J. NRC - No Detailed Affiliation Given. 1p. 84345:185-84345:185.

--**9506200122** "Post Exercise Assessment."
* Federal Emergency Management Agency. 95/04/28. 108pp. 84345:186-84345:292.

H. General correspondence

9506190328 Informs of recent organization change in plant strategic business unit.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84404:244-84404:244.

P. Operating license stage documents & correspondence

9506060213 Forwards plant response to NRC 950504 RAI re util proposed license amend to revise TSs 2.1.2 & 3.6.2/4.6.2 & associated bases.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/05/31. Document Control Branch (Document Control Desk). 4pp. 84210:248-84210:251.

9506130036 Ack receipt of 950508 submittal of 10CFR50.54 requesting change to QA program for plant Units 1 & 2.
MODES,M.C. Region 1 (Post 820201). 95/06/05. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 84242:128-84242:130.

9506130390 Forwards response to NRC RAI re Nine Mile Point Unit 1 detailed control room design review.W/two oversize drawings.
TERRY,C.D. Niagara Mohawk Power Corp. 95/06/05. Document Control Branch (Document Control Desk). 10pp. 84350:143-84350:152.

9506280622 Forwards SE approving 940711 proposed changes to EALs to incorporate guidance in NUMARC/NESP-007,rev 2, "Methodology for Development of EALs."
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/15. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 84460:290-84460:301.

--**9506280628** SER approving 940711 proposed changes to EALs to incorporate guidance in NUMARC/NESP-007,rev 2, "Methodology for Development of EALs."
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/15. 4pp. 84460:294-84460:297.

--**9506280633** SER approving 940711 proposed changes to EALs to incorporate guidance in NUMARC/NESP-007,rev 2, "Methodology for Development of EALs."
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/15. 4pp. 84460:298-84460:301.

9506290047 Requests clarification of intent & basis for license amend proposal re instrument calibration frequency & fuel cladding integrity limits & addl info.
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/15. SYLVIA,B.R. Niagara Mohawk Power Corp. 6pp. 84473:236-84473:241.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070488 Forwards insp repts 50-220/95-03 & 50-410/95-03 on 950312- 0422 & NOV.
COWGILL,C.J. Region 1 (Post 820201). 95/05/25. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84210:305-84210:321.

--**9506070496** Notice of violation from insp on 950312-0422.Violation noted:on 950407,following transfer of power board 11 from reserve power source to normal source,post transfer check of voltages associated w/control circuits was not performed.
* Region 1 (Post 820201). 95/05/25. 2pp. 84210:308-84210:309.

--**9506070509** Insp repts 50-220/95-03 & 50-410/95-03 on 950312-0422. Violations noted.Major areas inspected:plant operations, maint,engineering,plant support & safety assessment/quality verification.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/05/24. 12pp. 84210:310-84210:321.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140030 Forwards insp repts 50-220/95-13 & 50-410/95-13 during wks of 950424 & 0508.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/06/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 84267:107-84267:115.

--**9506140044** Insp repts 50-220/95-13 & 50-410/95-13 on 950424-28 & 950508-12.No violations noted.Major areas inspected:maint programs.
WILLIAMS,J.H., MEYER,G.W. Region 1 (Post 820201). 95/06/07. 7pp. 84267:109-84267:115.

9506140059 Forwards safeguards insp repts 50-220/95-14 & 50-410/95-14 on 950522-26.No safety concerns or violations of regulatory requirements were observed.
JOYNER,J.H. Region 1 (Post 820201). 95/06/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84267:226-84267:233.

--**9506140078** Insp repts 50-220/95-14 & 50-410/95-14 on 950522-26.No safety concerns or violations of regulatory requirements were observed.Major areas inspected:audits,effectiveness of mgt controls & security program plan.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/06/07. 5pp. 84267:229-84267:233.

9506220146 Responds to violations noted in insp repts 50-220/95-10 & 50-410/95-10.Corrective actions:work was stopped & associated radiation work permit put on hold to place work in radiologically safe condition.
DAHLBERG,K.M. Niagara Mohawk Power Corp. 95/06/15. Document Control Branch (Document Control Desk). 4pp. 84436:262-84436:265.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200095 Monthly operating rept for May 1995 for Nine Mile Point Nuclear Station Unit 1.W/950609 ltr.
COLEMAN,D.E., ABBOTT,R.B. Niagara Mohawk Power Corp. 95/05/31. 5pp. 84405:203-84405:207.

S. Reportable occurrences, LERs & related correspondence

9506010461 Part 21 rept re deficient Wyle Lab Rept 17655-ARY-1.1,used to establish svc life of various Agastat GP series relays. Subj Agastat GP relays replaced & PM/ surveillance testing activities established,strengthened,enhanced or rewritten.
* Niagara Mohawk Power Corp. 95/05/26. NRC - No Detailed Affiliation Given. 10pp. 84198:215-84198:224.

9506220331 LER 95-003-00:on 950516,discovered that three I&C SPs not performed in compliance w/frequency in TS SRs due to cognitive personnel error.Missed surveillances performed & affected I&C procedures will be revised.W/950615 ltr.
ALDRICH,J.C., ABBOTT,R.B. Niagara Mohawk Power Corp. 95/06/15. 6pp. 84438:001-84438:006.

DOCKET 50-225 RPI CRITICAL EXPERIMENT

V. Operator Examinations

9506220306 Forwards SRO license certificates for BS Knight & WA Lemke.
BOGER,B.A. . 95/06/07. HARRIS,D.R. Reed College, Portland, OR. 1p. 84404:075-84404:075.

DOCKET 50-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

P. Operating license stage documents & correspondence

9506230223 Requests voluntary responses to enable NRC staff to assess need for addl clarification of regulatory framework re control of access to radiation in beams at non-power reactors.
WEISS,S.H. . 95/06/05. HUBER,G.B. Aerotest Operations, Inc. 7pp. 84460:195-84460:206.

--**9506280784** Discusses 950407 memo re alternatives for dealing w/issue of neutron radiation beams at non-power reactors.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/10. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 84460:202-84460:206.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R., SCOTT,D. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506140024 Rev 3 to EPIP 0135-01, "Stores Director IP," deleting rev 2 & revised EPIP Index.
* Commonwealth Edison Co. 95/05/26. 19pp. 84338:180-84338:198.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506220076 Requests addl info re util emergency plan & required timely augmentation of ER organization to relieve CR & technical support ctr of offsite ER functions.
DICK,G.F. . 95/06/02. FARRAR,D.L. Commonwealth Edison Co. 6pp. 84404:177-84404:182.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

G. Adjudicatory correspondence

9506160083 Memorandum & Order.* Grants util Motion for Leave to file Americus Curiae to extent that permission seeked to file answer to NRC staff petition.W/Certificate of Svc.Served on 950601.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16771. 95/06/01. 3pp. 84312:071-84312:073.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506020133 Forwards nonproprietary & proprietary design documents for Dresden Station core shroud repair.Proprietary design documents withheld from public disclosure per 10CFR2.790(b).
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/24. Document Control Branch (Document Control Desk). 16pp. 84196:117-84196:241.

--9506020142 Rev 2 to Design Spec 25A5688, "Shroud Stabilizer Hardware."
TROVATO,J.L. General Electric Co. 95/05/11. 12pp. 84196:133-84196:145.

--9506020145 Rev 1 to Code Design Spec 25A5689, "Reactor Pressure Vessel."
TROVATO,J.L. General Electric Co. 95/05/11. 9pp. 84196:146-84196:154.

--9506020147 Rev 2 to Fabrication Spec 25A5690, "Fabrication of Shroud Stabilizer."
TROVATO,J.L. General Electric Co. 95/03/29. 13pp. 84196:155-84196:167.

--9506020150 Rev 1 to Installation Spec 25A5698, "Shroud Stabilizer."
TROVATO,J.L. General Electric Co. 95/04/13. 10pp. 84196:168-84196:177.

--9506020155 Nonproprietary version of Rev 1 to GENE-771-81-1194, "Comm Ed Dresden Nuclear Power Station Units 2 & 3 Shroud & Shroud Repair Hardware Analysis Vol II:Shroud."
SHAHRIVAR,F. General Electric Co. GENE-771-81-1194V2R1. 95/05/12. 28pp. 84196:178-84196:205.

--9506020159 Rev 2 to Stress Rept 25A5691, "Pressure Vessel."
TROVATO,J.L. General Electric Co. 25A5691 R02. 95/05/12. 18pp. 84196:206-84196:223.

--9506020165 Rev 1 to "Dresden Units 2 & 3 Top Ring Plate & Star Truss Stress Analysis."
HOWER,S. General Electric Co. GENE-771-95-0195 R01. 95/05/11. 18pp. 84196:224-84196:241.

9506050023 Confirms discussion between staff members to have 950531 meeting at Region III ofc to discuss results of licensee investigation into uncontrolled containment items found outside of radiologically posted areas & outage ALARA plans.
HILAND,P.L. Region 3 (Post 820201). 95/05/24. JOYCE,T. Commonwealth Edison Co. 2pp. 84150:028-84150:029.

9506130034 Advises that any changes to UFSAR necessitated by approval & implementation of TSUP will be incorporated into UFSAR.
PIET,P.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84297:358-84297:359.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506130218 Forwards computer runs associated w/info provided in Encl 9 of util 950524 ltr re core shroud repair.Encl withheld per 10CFR2.790(b).
SCHRAGE,J.L. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 7pp. 84297:334-84297:340.

9506230286 Forwards amends 133,127,154 & 150 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation.Amends integrate addl info such as equipment operability requirements during shutdown conditions.
STANG,J.F. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 5pp. 84429:276-84429:311.

--9506230293 Amends 133,127,154 & 150 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,integrating addl info such as equipment operability requirements during shutdown conditions.
STANG,J.F. . 95/06/08. 22pp. 84429:281-84429:302.

--9506230298 Safety evaluation supporting amends 133,127,154 & 150 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 9pp. 84429:303-84429:311.

9506200429 Forwards amends 134,128,155 & 151 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & SE.Amends re proposed upgrade of sections 2.0,3/4.11 & 3/4.12 of Dresden & Quad Cities TS.
STANG,J.F. . 95/06/13. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84375:246-84375:333.

--9506200445 Amends 134,128,155 & 151 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,re proposed upgrade of sections 2.0,3/4.11 & 3/4.12 of Dresden & Quad Cities TS.
STANG,J.F., PULSIFER,R.M. . 95/06/13. Commonwealth Edison Co. 63pp. 84375:281-84375:311.

--9506200451 Safety evaluation supporting amends 134,128,155 & 151 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 22pp. 84375:312-84375:333.

9506280605 Forwards amends 135,129,156 & 152 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively.Amends upgrade TS section 5.0, "Design Features," per TS upgrade program,in response to util 931215 application.
STANG,J.F. . 95/06/14. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84460:237-84460:276.

--9506280607 Amends 135,129,156 & 152 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,upgrading TS section 5.0, "Design Features," per TS upgrade program.
STANG,J.F. . 95/06/14. 26pp. 84460:241-84460:266.

--9506280611 Safety evaluation supporting amends 135,129,156 & 152 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 10pp. 84460:267-84460:276.

9506290276 Forwards response to NRC 950222 RAI re Comm Ed TS upgrade program Section 3/4.8, "Plant Sys." Mark-up of tech specs & Chapter 12 of Dresden & Quad-Cities ODCM also encl.ODCM provided to identify relocation of TS to ODCM,per GL 89-01.
PIET,P.L. Commonwealth Edison Co. 95/06/16. Document Control Branch (Document Control Desk). 38pp. 84520:001-84520:305.

--9506290281 Proposed tech specs consisting of cross-ref between current TS requirements against TS requirements proposed in TS upgrade program pages submitted in Comm Ed 930910 ltr.
* Commonwealth Edison Co. 95/06/16. 128pp. 84520:039-84520:166.

--9506290284 Rev 1.1 to Chapter 12, "Radioactive Effluent Technical Stds" of Dresden ODCM.
* Commonwealth Edison Co. 94/07/31. 66pp. 84520:167-84520:305.

Q. Inspection reports, IE Bulletins & correspondence

9506050049 Forwards insp repts 50-010/95-05,50-237/95-05 & 50-249/95-05 on 950307-0424.No violations noted.Informs of weak on-line maint policy.Requests update of corrective actions associated w/violations 50-237/94-02 & 50-249/94-02.
HILAND,P.L. Region 3 (Post 820201). 95/05/22. JOYCE,T. Commonwealth Edison Co. 3pp. 84150:084-84150:102.

--9506050055 Insp repts 50-010/95-05,50-237/95-05 & 50-249/95-05 on 950307-0424.No violations or deviations noted.Major areas inspected:operations,maint & surveillance,engineering & technical support,plant support & safety assessment.
HILAND,P.L. Region 3 (Post 820201). 95/05/22. 16pp. 84150:087-84150:102.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506150023 EN-95-036:notifies staff intends to exercise enforcement discretion per section VII.B.6 of enforcement policy & not issue NOV for potential severity level III violation.Ltr will be issued on 950602.State of IL will be notified.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/26. 1p. 84288:019-84288:019.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506070008 Forwards status of actions to address SALP 13 weaknesses.
JOYCE,T.P. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 15pp. 84239:289-84239:303.

9506210044 Discusses insp repts 50-237/95-05 & 50-249/95-05 on 950307-0424.Violations noted.
MARTIN,J.B. Region 3 (Post 820201). 95/06/02. WALLACE,M.J. Commonwealth Edison Co. 4pp. 84357:179-84357:182.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210035 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. JOYCE,T. Commonwealth Edison Co. 3pp. 84357:149-84357:152.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290262 Responds to NRC ltr requesting update on corrective actions associated w/violations noted in insp repts 50-237/94-04 & 50-249/94-04.Plant in process of implementing Maintenance Rule per 10CFR50.65.
JOYCE,T.P. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84498:128-84498:130.

R. Periodic operating reports & related correspondence

9506200042 Monthly operating repts for May 1995 for Dresden Nuclear Power Station Units 1,2 & 3.W/950614 ltr.
SYKES,K.W., HOLLAND,P.G. Commonwealth Edison Co. 95/05/31. 19pp. 84404:268-84404:286.

S. Reportable occurrences, LERs & related correspondence

9506130265 LER 95-012-01:on 950411,significant weakness of administrative control of radioactive matl was identified due to radioactive matl being found outside protected area. Controlled matl & performed detailed surveys.W/950605 ltr.
QUEALY,P.D., JOYCE,T.P. Commonwealth Edison Co. 95/05/25. 5pp. 84312:270-84312:274.

9506120194 LER 93-020-01:on 930912,fuel design limiting ratio for centerline melt thermal limit violated during xenon transient.Caused by informal control of planned reactivity changes.Reactivity guideline form created.W/950526 ltr.
SCHMIDT,R., JOYCE,T.P. Commonwealth Edison Co. 95/05/26. 7pp. 84280:038-84280:044.

9506080061 LER 95-014-00:on 950504,RWL ECCS initiation indicating switch calibration,level switch contact tripped outside of TS limits.Cause due to TS/procedural limits being too restrictive.Switch recalibrated.W/950601 ltr.
CARROLL,B., JOYCE,T.P. Commonwealth Edison Co. 95/06/01. 7pp. 84222:014-84222:020.

9506140417 Forwards Rev 3 to LER 92-045,deleting commitment to implement new trip setting at condensate return side based on actual process temps & identifying procedures changed to specify valve opening/closing sequence.
JOYCE,T.P. Commonwealth Edison Co. 95/06/06. Document Control Branch (Document Control Desk). 1p. 84350:076-84350:083.

--9506140422 LER 92-045-03:on 921217,isolation condenser Group V isolation occurred due to spurious flow spike.Procedural changes made identifying specific isolation condenser isolation valve opening/closing sequence.
COOPER,G. Commonwealth Edison Co. 95/05/30. 7pp. 84350:077-84350:083.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9506010321 Informs that changes to Oregon State Univ TRIGA Reactor Emergency Response Plan maintains compliance w/10CFR50, App E & acceptable.
ADAMS,A. . 95/05/23. DODD,B. Oregon State Univ., Corvallis, OR. 3pp. 84145:350-84145:352.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506210099 Forwards 950605 ltr transmitting FEMA Region II post exercise assessment for 931117 exercise.One deficiency identified but it was remediated prior to termination of exercise.
JOYNER,J.H. Region 1 (Post 820201). 95/06/15. MERCREDY,R.C. Rochester Gas & Electric Corp. 2pp. 84360:001-84360:087.

--9506210104 Forwards final Post Exercise Assessment for Ginna Nuclear Power Station Exercise that was held 931114-20.
ONEILL,S.D. Federal Emergency Management Agency. 95/06/05. SILK,D. Region 1 (Post 820201). 1p. 84360:003-84360:003.

--9506210110 "Post Exercise Assessment for 931117,Exercise of New York State Radiological Emergency Preparedness Plan."
* Federal Emergency Management Agency. 95/03/10. 77pp. 84360:004-84360:087.

9506230393 Rev 20 to EPIP 3-6, "Corporate Notifications." W/950619 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 95/06/19. JOHNSON,A. Project Directorate I-1 (PD1-1) (Post 941001). 35pp. 84457:268-84457:302.

P. Operating license stage documents & correspondence

9506020119 Informs that util plan to implement reduced-scope seismic evaluation in accordance w/methodology in NUREG-1407 for Ginna Station to complete commitments to GL 88-20,Suppl 4 & GL 87-02,Suppl 1.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/05/22. JOHNSON,A.R. Project Directorate I-3 (PD1-3) (Post 941001). 2pp. 84182:218-84182:219.

9506080198 Forwards application for amend to license DPR-18,revising TSs in entirety by converting to improved TSs.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/05/26. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 6pp. 84250:001-84259:227.

--9506080200 Application for amend to license DPR-18,revising TSs in entirety to convert to improved TSs.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/05/26. 2pp. 84250:007-84250:008.

--9506080208 "RE Ginna Nuclear Power Plant TS Improvement Program Submittal," Vols I-VIII.
* Rochester Gas & Electric Corp. 95/05/31. 3,495pp. 84250:009-84259:227.

9506220184 Summary of 950516 meeting w/util in Rockville,MD to discuss PTS assessment of Ginna reactor vessel documented in SECY-95-119.List of attendees,meeting agenda,NRC & RG&E discussion matl encl.
JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/05. Project Directorate I-1 (PD1-1) (Post 941001). 20pp. 84402:312-84402:331.

9506200364 Responds to listed issues discussed during 950517 telcon between NRC & RG&E re reactor coolant activity TS amend submitted by RG&E 940523 ltr.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/06/15. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 84404:345-84404:346.

9506280671 Informs that SBLOCA analysis redone w/larger peaking factors to support conversion to eighteen month fuel cycle scheduled to begin at Spring 1996 startup.Encl rept summarizing SBLOCA evaluation will be used to update Section 15.6.4.1 of UFSAR.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/06/19. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 29pp. 84480:001-84480:029.

9506280692 Informs that since 921105 submittal of ECCS evaluation including effects of upper plenum injection,ECCS evaluation updated to include larger peaking factors.Rept summarizing ECCS evaluation encl.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/06/19. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 73pp. 84480:144-84480:217.

9506300265 Forwards proprietary WCAP-14333, "Probabilistic Risk Analysis Of RPS & ESFAS Test Times & Completion Times," & non-proprietary WCAP-14334, "Probabilistic Risk Analysis Of RPS & ESFAS Test Times & Completion Times."
MECREDY,R.C. Rochester Gas & Electric Corp. 95/06/20. JOHNSON,A. Project Directorate I-1 (PD1-1) (Post 941001). 3pp. 84525:043-84525:178.

--9506300268 Requests that WCAP-14333, "Probabilistic Risk Assessment Of RPS & ESFAS Test Times & Completion Times," be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/09. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 9pp. 84525:046-84525:054.

--9506300278 Non-Proprietary "Probabilistic Risk Analysis Of RPS & ESFAS Test Times & Completion Times."
ANDRACHEK,J.D., ANDRE,G.R., HAESSLER,R.L. Westinghouse Electric Corp. WCAP-14334-NP. 95/05/31. 124pp. 84525:055-84525:178.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506120455 Forwards insp rept 50-244/95-08 on 950312-0506.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 95/06/05. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 84282:271-84282:291.

--9506120461 Insp rept 50-244/95-08 on 950312-0506.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & safety assessment/quality verification.
LAZARUS,W.J. Region 1 (Post 820201). 95/06/02. 18pp. 84282:274-84282:291.

9506140120 Forwards insp rept 50-244/95-11 on 950501-03.Non-cited violation noted.Util evaluation of root cause leading to defective sleeve welds in SG acceptable.
MODES,M.C. Region 1 (Post 820201). 95/06/05. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 84268:044-84268:055.

--9506140124 Insp rept 50-244/95-11 on 950501-03.Non-cited violation noted.Major areas inspected:inservice insp program,eddy current exam program for SG tubes & assessment of licensee evaluation of defective sleeve welds.
PATNAIK,P., MODES,M. Region 1 (Post 820201). 95/06/05. 9pp. 84268:047-84268:055.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280550 Forwards MOV insp rept 50-244/95-06 on 950327-31 & 0419-20. Insp found that util making satisfactory progress to complete MOV program by 950628.
KELLY,E.M. Region 1 (Post 820201). 95/06/16. MECREDY,R.C. Rochester Gas & Electric Corp. 2pp. 84451:255-84451:272.

--9506280555 Insp rept 50-244/95-06 on 950327-31,0419-20 & 0501.No violations noted.Major areas inspected:verification of program implementation,design basis reviews,MOV sizing & switch setting.
PRIVIDY,L., KELLY,E.M. Region 1 (Post 820201). 95/06/09. 14pp. 84451:257-84451:272.

R. Periodic operating reports & related correspondence

9506200025 Monthly operating rept for May 1995 for Ginna NPP.W/950606 ltr.
WALDEN,J.V., WIDAY,J.A. Rochester Gas & Electric Corp. 95/05/31. 5pp. 84405:020-84405:024.

S. Reportable occurrences, LERs & related correspondence

9506200302 Initial part 21 rept re air-operated butterfly valve mfg by Fisher Controls Co.Actuator lever altered.
WIDAY,J.A. Rochester Gas & Electric Corp. 95/06/16. NRC - No Detailed Affiliation Given. 3pp. 84406:200-84406:202.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

9506150008 Revised EPIPs,including rev 4 to Form 4400-1,rev 3 to Form 4400-2,rev 3 to Form 4400-3,rev 1 to EPOP 4413,rev 3 to EPOP 4424,rev 2 to EPOP 4426,rev 2 to Form 4426-1,rev 2 to Form 4426-2,rev 2 to Form 4430-1 & rev 2 to Form 4430-2.
* Northeast Nuclear Energy Co. 95/05/30. 259pp. 84353:020-84353:278.

9506140008 Revised EPIPs,including rev 3 to EPIP 4400,rev 1 to EPIP 4404 & revised Table of Contents.
* Northeast Nuclear Energy Co. 95/06/01. 105pp. 84337:149-84337:253.

9506220086 Forwards Rev 29 to Haddam Neck Plant Emergency Plan & Rev 17 to Millstone Nuclear Power Station Emergency Plan.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/13. Document Control Branch (Document Control Desk). 387pp. 84438:007-84439:029.

9506220003 Rev 17 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 95/06/30. 158pp. 84437:197-84437:354.

G. Adjudicatory correspondence

9506140336 Responds to 940303 petition under 10CFR2.206 re receipt insp activites by plants.Petition alleges that adequate training,skilled personnel & necessary tools not available to perform adequate receipt insps.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. GAVENSKY,R. Affiliation Not Assigned. 6pp. 84311:042-84311:166.

--9506140343 Notice of issuance of Director's Decision under 10CFR2.206 petition re receipt insp activites at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:048-84311:049.

--9506140359 Director's Decision DD-95-11 petition under 10CFR2.206 re receipt insp activities at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. Northeast Utilities. 16pp. 84311:050-84311:166.

H. General correspondence

9506150006 Responds to facsimile received on 950515 re ltr from Northeast Util.Advises that ltr dtd 950315 has not yet been placed in PDR.
ROSANO,R. Ofc of Enforcement (Post 870413). 95/05/15. ROSS,A.J. Affiliation Not Assigned. 1p. 84288:013-84288:013.

9506090043 Comment opposing draft NUREG/BR-0199, "Responsiveness to Public."
OPEKA,J.F. Northeast Utilities Service Co. 95/05/30. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84207:101-84207:103.

P. Operating license stage documents & correspondence

9506130300 Expresses appreciation for prompt follow-up re conversation on Connecticut Yankee SW issue.
KACICH,R.M. Northeast Nuclear Energy Co. 95/05/15. Region 1 (Post 820201). 1p 84299:356-84299:356.

9506150436 Requests 30 day extension w/regard to NRC releasing Northeast Utilities documents dtd 950315,that AJ Ross & R Rosano had correspondence about over past few months & in earlier ltr sent on 950515,in order to confer w/attorney.
ROSS,A.J. Affiliation Not Assigned. 95/05/15. ROSANO,R. NRC - No Detailed Affiliation Given. 1p. 84347:001-84347:001.

9506080392 Summary of 950502 meeting w/RE Busch,JF Opeka & RM Kacich re status of activities at Millstone,Haddam Neck & Seabrook facilities.
MCWHORTER,R. Commissioners (Post 750119). 95/05/22. Commissioners (Post 750119). 1p. 84381:156-84381:156.

9506050104 Advises that all CONI Procedures will be canceled effective 950601.
RODGERS,R.C. Northeast Nuclear Energy Co. RODGERS,R.C. Northeast Utilities Service Co. 95/05/23. Northeast Nuclear Energy Co. 1p. 84237:316-84237:316.

9506080191 Application for amend to license DPR-21.Amend would permit individual w/ o SRO license to hold Operations Manager position.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/24. Document Control Branch (Document Control Desk). 9pp. 84240:230-84240:243.

--9506080195 Proposed tech specs re Operations Manager requirements.
* Northeast Nuclear Energy Co. 95/05/24. 5pp. 84240:239-84240:243.

9506060358 Application for amend to license DPR-21,adding LCOs,SRs & bases for loss of normal power instrumentation sys.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/26. Document Control Branch (Document Control Desk). 12pp. 84196:312-84196:343.

--9506060363 Proposed tech specs,adding LCOs,SRs & bases for loss of normal power instrumentation sys.
* Northeast Nuclear Energy Co. 95/05/26. 20pp. 84196:324-84196:343.

9506150063 Forwards amend 82 to license DPR-21 & safety evaluation. Amend revises TS to increase as-found setpoint tolerance of SRVs from plus or minus 1% to plus or minus 3%.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/31. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84329:294-84329:310.

--9506150066 Amend 82 to license DPR-21,revising TS to increase as-found setpoint tolerance of SRVs from plus or minus 1% to plus or minus 3%.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/31. 9pp. 84329:297-84329:305.

--9506150072 Safety evaluation supporting amend 82 to license DPR-21.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 5pp. 84329:306-84329:310.

9506090188 Submits follow up to telcon w/D Rosano on 950523 re 10CFR2.206 petition filed by A Ross.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/06/05. KACICH,R.M. Northeast Nuclear Energy Co. 2pp. 84249:309-84249:310.

9506130138 Application for amends to licenses DPR-61,DPR-21,DPR-65 & NPF-49.Amends would modify size of PORC & clarify composition of Site Operations Review Committee.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/06. Document Control Branch (Document Control Desk). 10pp. 84303:269-84303:304.

--9506130142 Proposed tech specs re mod of size of PORC & clarification of Site Operations Review Committee.
* Connecticut Yankee Atomic Power Co. * Northeast Nuclear Energy Co. * Northeast Utilities Service Co. 95/06/06. 26pp. 84303:279-84303:304.

9506140050 Forwards documentation describing details of activities at plant & requests written response to NRC concern in 30 days. W/o encl.
COOPER,R.W. Region 1 (Post 820201). 95/06/07. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84267:206-84267:208.

9506130089 Transmits annual rept of changes to QA program proposed Rev 18 to util QA program TR.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 95/06/08. Document Control Branch (Document Control Desk). 2pp..3. 84337:010-84337:137.

--9506130095 "Annual Reporting of Changes to QA Program Proposed Rev 18 to Northeast Utilities QA Program TR."
* Northeast Nuclear Energy Co. 95/06/08. 125pp. 84337:012-84337:137.

9506200065 Forwards details of concerns re activities at plant for review & followup.Advises that encl to ltr should be controlled & distribution limited per 10CFR2.790(a).W/o encl.
COOPER,R.W. Region 1 (Post 820201). 95/06/09. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84350:031-84350:034.

9506280711 Informs that util request for relief from Code repair requirements for leak in moderate energy Class 3 pipe at plant,Unit 1,granted per 10CFR50.55a(g)(6)(i) & consistent w/GL 90-05.SER encl.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/12. OPEKA,J.F., OPKEA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84469:258-84469:262.

--9506280716 SER granting relief from Code requirements until next scheduled outage exceeding 30 days,per 10CFR50.55a(g)(6)(i) & consistent w/guidance in GL 90-05.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 2pp. 84469:261-84469:262.

9506200468 Application for amend to license DPR-21,revising definition of core alteration in TS,consistent w/NUREG-1433.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/06/15. Document Control Branch (Document Control Desk). 6pp. 84407:106-84407:129.

--9506200471 Proposed tech specs,replacing definition of alteration of reactor core.
* Northeast Nuclear Energy Co. 95/06/15. 18pp. 84407:112-84407:129.

9506280051 Notification of 950706 meeting w/util in Rockville,MD re svc water & emergency svc water issues.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/15. MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 2pp. 84448:067-84448:070.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506140336 Responds to 940303 petition under 10CFR2.206 re receipt insp activites by plants.Petition alleges that adequate training,skilled personnel & necessary tools not available to perform adequate receipt insps.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. GAVENSKY,R. Affiliation Not Assigned. 6pp. 84311:042-84311:166.

--9506140343 Notice of issuance of Director's Decision under 10CFR2.206 petition re receipt insp activites at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:048-84311:049.

--9506140359 Director's Decision DD-95-11 petition under 10CFR2.206 re receipt insp activities at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. Northeast Utilities. 16pp. 84311:050-84311:166.

9506120466 Forwards insp repts 50-245/95-19,50-336/95-19 & 50-423/95-19 on 950508-12.Violation noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/02. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84279:337-84279:354.

--9506120471 Notice of violation from insp on 950508-12.Violation noted: radiation survey meter,contaminated w/loose surface contamination of approx 1,400 disintegrations per minute per 100 centimeters squared found in non-contaminated area.
* Region 1 (Post 820201). 95/06/06. 1p. 84279:340-84279:340.

--9506120472 Insp repts 50-245/95-19,50-336/95-19 & 50-423/95-19 on 950508-12.Violation noted.Major areas inspected:radiological controls for Millstone Unit 3 refueling outage,including action on previous insp findings,organization & staffing.
NIMITZ,R.L. Region 1 (Post 820201). 95/05/31. 14pp. 84279:341-84279:354.

9506140055 Requests permission to use an alternative to ASME Boiler & PV Code,Section XI Edition & Addenda of each plant ISI program.Util seeks approval to use provisions of Code Case N-508-1.
SCACE,S.E. Connecticut Yankee Atomic Power Co. SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities Service Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84339:005-84339:007.

9506140066 Requests NRC Staff approval to use an alternative to ASME Code Section XI.Util seeks permission to utilize Code Case N-524 re plants ISI program.
SCACE,S.E. Connecticut Yankee Atomic Power Co. SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities Service Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84339:032-84339:034.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506140029 Forwards insp rept 50-245/95-18 on 950417-0505.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/06/05. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84267:094-84267:106.

--9506140043 Insp rept 50-245/95-18 on 950417-0505.No violations noted. Major areas inspected:bldg foundation,containment drywell sand cushion drainage & containment penetrations.
CARRASCO,J.E., MODES,M. Region 1 (Post 820201). 95/06/05. Northeast Nuclear Energy Co. 10pp. 84267:097-84267:106.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140063 Refers to 950419 SOL Decision & Order in J Delcore vs WJ Barney & NNECO case (89-ERA-38).SOL found in Delcore favor in case.
MARATIN,T. Region 1 (Post 820201). 95/06/07. . 2pp. 84267:234-84267:236.

9506140121 Discusses Secretary of Labor Decision & Order dtd 950419 re util & DOL case 89-ERA-38 concerning alleged discrimination of J Delcore during offer for monetary settlement.
MARTIN,T.T. Region 1 (Post 820201). 95/06/07. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84268:056-84268:059.

9506190474 Responds to NRC 950428 ltr re violation noted in insp repts 50-245/95-14 & 50-336/95-14.C/A:examining physician made aware of reporting requirements of 10CFR55.25 & licensed operators reminded of individual responsibilities.
OPEKA,J.F., MILLER,D.B. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/12. Document Control Branch (Document Control Desk). 6pp. 84374:346-84374:351.

9506200271 Responds to NRC 950426 ltr re violations noted in insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321. Corrective actions:all operators have been qualified for SCBA use & required number & spare bottles verified.
OPEKA,J.F., MILLER,D.B. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/12. Document Control Branch (Document Control Desk). 24pp. 84406:141-84406:164.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280004 Informs that licensee did not provide corrective actions to preclude recurrence of violation for failure to verify closed position on unit 3 charging sys valve in response to insp repts 50-245/94-35,50-336/94-34 & 50-423/94-31.
DURR,J.P. Project Directorate I-4 (PD1-4) (Post 941001). 95/06/20. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84441:016-84441:026.

--9506280007 Responds to safety insp 50-245/94-35,50-336/94-34 & 50-423/94-31 on 941116-1231 re two violations identified.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/02/21. Project Directorate I-4 (PD1-4) (Post 941001). 8pp. 84441:019-84441:026.

9506300030 Forwards insp repts 50-245/95-09,50-336/95-09 & 50-423/95-09 on 950410-21.No violations noted.
KELLY,E.M. Region 1 (Post 820201). 95/06/23. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84470:142-84470:159.

--9506300033 Insp repts 50-245/95-09,50-336/95-09 & 50-423/95-09 on 950410-21.No violations noted.Major areas inspected: procurement program including parts,component & matls dedication & unit 2 sys components downgrading programs.
FINKEL,A., BEAULIEU,D., NAIDU,K.R. Region 1 (Post 820201). 95/06/20. 16pp. 84470:144-84470:159.

R. Periodic operating reports & related correspondence

9506120325 Forwards Rev 8 to updated FSAR & addendum to "Millstone Nuclear Power Station Units 1,2 & 3 Annual Rept Jan-Dec 1994.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84290:001-84296:108.

--9506120331 Addendum to "Millstone Nuclear Power Station Units 1,2 & 3 Annual Rept."
* Northeast Nuclear Energy Co. 94/12/31. 2pp. 84290:003-84290:004.

9506210067 Monthly operating repts for May 1995 for Millstone Nuclear Power Station Units 1,2 & 3.W/950614 ltr.
NEWBURGH,G., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/31. 17pp. 84419:126-84419:142.

S. Reportable occurrences, LERs & related correspondence

9506200321 LER 95-006-00:on 950517,determined that section of skimmer surge tank piping not designed for seismic loads due to failure to recognize significance of non-seismic design of surge tank piping.Reviewed SFP make-up sys.W/950613 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/06/13. 4pp. 84404:028-84404:031.

9506280425 LER 95-009-00:on 950524,determined that portions of SFP cooling piping actually designed for max temp less than currently being operated with.Caused by failure to reconcile design temp changes.Review will be made.W/950622 ltr.
HARRIS,D.N., MILLER,D.B., FACTORA,R.J. Northeast Nuclear Energy Co. 95/06/22. 4pp. 84472:219-84472:222.

V. Operator Examinations

9506190474 Responds to NRC 950428 ltr re violation noted in insp repts 50-245/95-14 & 50-336/95-14.C/A:examining physician made aware of reporting requirements of 10CFR55.25 & licensed operators reminded of individual responsibilities.
OPEKA,J.F., MILLER,D.B. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/12. Document Control Branch (Document Control Desk). 6pp. 84374:346-84374:351.

9506280677 Informs of operator licensing exam scheduled for wk of 951023.Util should furnish encl ref matls identified in attachment 2 by 950731.
MEYER,G.W. Region 1 (Post 820201). 95/06/21. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84452:335-84452:337.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506010267 Forwards revised EPIPs & emergency plan.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84184:129-84184:151.

--9506010271 Revised EPIPs,including Rev 5 to IP-1003 & Rev 6 to IP-1039.
* Consolidated Edison Co. of New York, Inc. 95/05/01. 15pp. 84184:130-84184:138.

--9506010279 Revs to emergency plan,including Westinghouse,INPO & DOE ltrs of agreement.
* Consolidated Edison Co. of New York, Inc. 95/04/29. 7pp. 84184:139-84184:151.

9506140017 Revised EPIPs,including rev 7 to IP-1017,rev 5 to IP-1031, rev 7 to IP-1027,rev 5 to IP-1009,rev 5 to IP-1014,revised Form 15 & revised page 1 of 3 to App D.W/950602 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/02. 44pp. 84338:075-84338:118.

9506210071 Forwards insp rept 50-247/95-14 on 950522-25.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/13. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84357:308-84357:319.

--9506210083 Insp rept 50-247/95-14 on 950522-25.No violations noted. Major areas inspected:EP program,changes to emergency plan & procedures,emergency facilities,equipment,supplies, organization & mgt control,training & independent audits.
SILK,D., KEIMIG,R.R. Region 1 (Post 820201). 95/06/13. 9pp. 84357:311-84357:319.

9506300022 Revised EPIPs,including Rev 5 to IP-1009,Rev 5 to IP-1014 & Rev 7 to IP-1017,page 5 of 5.W/950616 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/16. 13pp. 84525:283-84525:295.

9506300118 Forwards response to NRC Insp Rept 50-247/95-09.Response withheld.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/19. Document Control Branch (Document Control Desk). 2pp. 84521:300-84521:301.

P. Operating license stage documents & correspondence

9506080060 Forwards amend 183 to license DPR-26 & SE.Amend revises TS 3.1.F & 4.13 re repair of SG tubes.
WILLIAMS,F.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/19. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 84222:063-84222:083.

--9506080070 Amend 183 to license DPR-26,revising TS 3.1.F & 4.13 re repair of SG tubes.
WILLIAMS,F.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/19. 2pp. 84222:067-84222:072.

--9506080087 Safety evaluation supporting amend 183 to license DPR-26.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 6pp. 84222:073-84222:083.

9506200268 Notifies licensee of 950626-30 & 950710-14 safety insp to be conducted by NRC personnel to assess engineering & technical support organizations & CA program.
RULAND,W.H. Region 1 (Post 820201). 95/06/09. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 84350:039-84350:042.

9506290080 Forwards "Steam Generator Examination 1995 Refueling Outage."
QUINN,S.E. Commonwealth Edison Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84483:018-84483:033.

--9506290083 "Steam Generator Examination 1995 Refueling Outage."
* Commonwealth Edison Co. 95/06/30. 15pp. 84483:019-84483:033.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506090227 Forwards response to NRC 950428 ltr re violations noted in insp rept 50-247/95-05 on 950212-0325.Corrective actions: repaired pump damage & revised temporary operating instructions 157.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/30. Document Control Branch (Document Control Desk). 3pp. 84249:350-84249:352.

9506090233 Forwards response to NRC 950428 ltr re violations noted in insp rept 50-247/95-07 on 950320-24.Corrective actions: administered new "specific" exams to subject NDE level III.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/30. Document Control Branch (Document Control Desk). 4pp. 84249:315-84249:318.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140054 Ack receipt of 950530 ltr informing NRC of steps taken to correct violations noted in insp rept 50-247/95-07 on 950320-0324.
MODES,M.C. Region 1 (Post 820201). 95/06/07. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84267:209-84267:215.

--9506140071 Responds to NRC 950428 ltr re violations noted in insp rept 50-247/95-07 on 950320-24.Corrective actions:administered new "specific" exams containing required number of questions in four applicable test methods to NDE level III individual.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/30. Region 1 (Post 820201). 4pp. 84267:212-84267:215.

9506210090 Forwards insp rept 50-247/95-08 on 950326-0506 & NOV. Inadequate control of equipment status & failure to provide appropriate protection during work & testing.CST also damaged.
COWGILL,C.J. Region 1 (Post 820201). 95/06/12. QUINN,S. Consolidated Edison Co. of New York, Inc. 3pp. 84577:031-84577:054.

--9507100268 Notice of violation from insp on 950326-0506.Violations noted:inadequate control of equipment status,failure to provide appropriate protection work & testing & breached locked high radiation area boudaries found blocked open.
* Region 1 (Post 820201). 95/06/12. 2pp. 84577:034-84577:035.

--9506210102 Insp rept 50-247/95-08 on 950326-0506.Violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/06/08. 18pp. 84577:037-84577:054.

9506210071 Forwards insp rept 50-247/95-14 on 950522-25.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/13. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84357:308-84357:319.

--9506210083 Insp rept 50-247/95-14 on 950522-25.No violations noted. Major areas inspected:EP program,changes to emergency plan & procedures,emergency facilities,equipment,supplies, organization & mgt control,training & independent audits.
SILK,D., KEIMIG,R.R. Region 1 (Post 820201). 95/06/13. 9pp. 84357:311-84357:319.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280623 Ack receipt of 950530 ltr informing NRC of steps taken to correct violations noted in insp rept 50-247/95-05.
COWGILL,C.J. Region 1 (Post 820201). 95/06/19. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 84452:263-84452:269.

9506300118 Forwards response to NRC Insp Rept 50-247/95-09.Response withheld.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/19. Document Control Branch (Document Control Desk). 2pp. 84521:300-84521:301.

R. Periodic operating reports & related correspondence

9506290388 Monthly operating rept for May 1995 for Indian Point Unit 2. W/950615 ltr.
REED,A., QUINN,S.E. Commonwealth Edison Co. 95/05/31. 6pp. 84496:355-84496:360.

S. Reportable occurrences, LERs & related correspondence

9506200028 LER 95-012-00:on 950504,CCW pump automatically started because CCW sys pressure dropped below setpoint of pressure switch in pump runout protection circuit.Performed investigation.W/950605 ltr.
MAYLATH,J.J., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/05. 5pp. 84404:001-84404:005.

9506290183 LER 95-013-00:on 950510,test was inadequate & caused non- conservative OPDT temp trip setpoint constant.Revised procedure to utilize smaller step function when setting K5. W/950609 ltr.
GINSBERG,A.P., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/09. 7pp. 84508:216-84508:222.

9506290215 LER 95-014-00:on 950518,svc water leak detected inside containment.Caused by defective coating of metals at weld resulting in galvanic interaction.Insp of svc water connections performed.W/950619 ltr.
FRANCESCHI,P., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/19. 4pp. 84508:236-84508:239.

V. Operator Examinations

9506220040 Forwards license applications,NRC Form-398 & certification of medical exam,NRC Form-396 for renewal of listed operator licenses.W/o encls.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/06/14. MARTIN,T.T. Region 1 (Post 820201). 2pp. 84436:274-84436:275.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R., SCOTT,D. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506140024 Rev 3 to EPIP 0135-01, "Stores Director IP," deleting rev 2 & revised EPIP index.
* Commonwealth Edison Co. 95/05/26. 19pp. 84338:180-84338:198.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

G. Adjudicatory correspondence

9506160083 Memorandum & Order.* Grants util Motion for Leave to file Americus Curiae to extent that permission seeked to file answer to NRC staff petition.W/Certificate of Svc.Served on 950601.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16771. 95/06/01. 3pp. 84312:071-84312:073.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

9506190007 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
OPEKA,J.F. Northeast Utilities. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:010-84320:011.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506020133 Forwards nonproprietary & proprietary design documents for Dresden Station core shroud repair.Proprietary design documents withheld from public disclosure per 10CFR2.790(b).
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/24. Document Control Branch (Document Control Desk). 16pp. 84196:117-84196:241.

--9506020142 Rev 2 to Design Spec 25A5688, "Shroud Stabilizer Hardware."
TROVATO,J.L. General Electric Co. 95/05/11. 12pp. 84196:133-84196:145.

--9506020145 Rev 1 to Code Design Spec 25A5689, "Reactor Pressure Vessel."
TROVATO,J.L. General Electric Co. 95/05/11. 9pp. 84196:146-84196:154.

--9506020147 Rev 2 to Fabrication Spec 25A5690, "Fabrication of Shroud Stabilizer."
TROVATO,J.L. General Electric Co. 95/03/29. 13pp. 84196:155-84196:167.

--9506020150 Rev 1 to Installation Spec 25A5698, "Shroud Stabilizer."
TROVATO,J.L. General Electric Co. 95/04/13. 10pp. 84196:168-84196:177.

--9506020155 Nonproprietary version of Rev 1 to GENE-771-81-1194, "Comm Ed Dresden Nuclear Power Station Units 2 & 3 Shroud & Shroud Repair Hardware Analysis Vol II:Shroud."
SHAHRIVAR,F. General Electric Co. GENE-771-81-1194V2R1. 95/05/12. 28pp. 84196:178-84196:205.

--9506020159 Rev 2 to Stress Rept 25A5691, "Pressure Vessel."
TROVATO,J.L. General Electric Co. 25A5691 R02. 95/05/12. 18pp. 84196:206-84196:223.

--9506020165 Rev 1 to "Dresden Units 2 & 3 Top Ring Plate & Star Truss Stress Analysis."
HOWER,S. General Electric Co. GENE-771-95-0195 R01. 95/05/11. 18pp. 84196:224-84196:241.

9506050023 Confirms discussion between staff members to have 950531 meeting at Region III ofc to discuss results of licensee investigation into uncontrolled containment items found outside of radiologically posted areas & outage ALARA plans.
HILAND,P.L. Region 3 (Post 820201). 95/05/24. JOYCE,T. Commonwealth Edison Co. 2pp. 84150:028-84150:029.

9506130034 Advises that any changes to UFSAR necessitated by approval & implementation of TSUP will be incorporated into UFSAR.
PIET,P.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84297:358-84297:359.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506130218 Forwards computer runs associated w/info provided in Encl 9 of util 950524 ltr re core shroud repair.Encl withheld per 10CFR2.790(b).
SCHRAGE,J.L. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 7pp. 84297:334-84297:340.

9506230286 Forwards amends 133,127,154 & 150 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation.Amends integrate addl info such as equipment operability requirements during shutdown conditions.
STANG,J.F. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 5pp. 84429:276-84429:311.

--9506230293 Amends 133,127,154 & 150 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,integrating addl info such as equipment operability requirements during shutdown conditions.
STANG,J.F. . 95/06/08. 22pp. 84429:281-84429:302.

--9506230298 Safety evaluation supporting amends 133,127,154 & 150 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 9pp. 84429:303-84429:311.

9506200429 Forwards amends 134,128,155 & 151 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & SE.Amends re proposed upgrade of sections 2.0,3/4.11 & 3/4.12 of Dresden & Quad Cities TS.
STANG,J.F. . 95/06/13. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84375:246-84375:333.

--9506200445 Amends 134,128,155 & 151 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,re proposed upgrade of sections 2.0,3/4.11 & 3/4.12 of Dresden & Quad Cities TS.
STANG,J.F., PULSIFER,R.M. . 95/06/13. Commonwealth Edison Co. 63pp. 84375:281-84375:311.

--9506200451 Safety evaluation supporting amends 134,128,155 & 151 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 22pp. 84375:312-84375:333.

9506280605 Forwards amends 135,129,156 & 152 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively.Amends upgrade TS section 5.0, "Design Features," per TS upgrade program,in response to util 931215 application.
STANG,J.F. . 95/06/14. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84460:237-84460:276.

--9506280607 Amends 135,129,156 & 152 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,upgrading TS section 5.0, "Design Features," per TS upgrade program.
STANG,J.F. . 95/06/14. 26pp. 84460:241-84460:266.

--9506280611 Safety evaluation supporting amends 135,129,156 & 152 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 10pp. 84460:267-84460:276.

9506290276 Forwards response to NRC 950222 RAI re Comm Ed TS upgrade program Section 3/4.8, "Plant Sys." Mark-up of tech specs & Chapter 12 of Dresden & Quad-Cities ODCM also encl.ODCM provided to identify relocation of TS to ODCM,per GL 89-01.
PIET,P.L. Commonwealth Edison Co. 95/06/16. Document Control Branch (Document Control Desk). 38pp. 84520:001-84520:305.

--9506290281 Proposed tech specs consisting of cross-ref between current TS requirements against TS requirements proposed in TS upgrade program pages submitted in Comm Ed 930910 ltr.
* Commonwealth Edison Co. 95/06/16. 128pp. 84520:039-84520:166.

--9506290284 Rev 1.1 to Chapter 12, "Radioactive Effluent Technical Stds" of Dresden ODCM.
* Commonwealth Edison Co. 94/07/31. 66pp. 84520:167-84520:305.

Q. Inspection reports, IE Bulletins & correspondence

9506050049 Forwards insp repts 50-010/95-05,50-237/95-05 & 50-249/95-05 on 950307-0424.No violations noted.Informs of weak on-line maint policy.Requests update of corrective actions associated w/violations 50-237/94-02 & 50-249/94-02.
HILAND,P.L. Region 3 (Post 820201). 95/05/22. JOYCE,T. Commonwealth Edison Co. 3pp. 84150:084-84150:102.

--9506050055 Insp repts 50-010/95-05,50-237/95-05 & 50-249/95-05 on 950307-0424.No violations or deviations noted.Major areas inspected:operations,maint & surveillance,engineering & technical support,plant support & safety assessment.
HILAND,P.L. Region 3 (Post 820201). 95/05/22. 16pp. 84150:087-84150:102.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506150023 EN-95-036:notifies staff intends to exercise enforcement discretion per section VII.B.6 of enforcement policy & not issue NOV for potential severity level III violation.Ltr will be issued on 950602.State of IL will be notified.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/26. 1p. 84288:019-84288:019.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506070008 Forwards status of actions to address SALP 13 weaknesses.
JOYCE,T.P. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 15pp. 84239:289-84239:303.

9506210044 Discusses insp repts 50-237/95-05 & 50-249/95-05 on 950307-0424.Violations noted.
MARTIN,J.B. Region 3 (Post 820201). 95/06/02. WALLACE,M.J. Commonwealth Edison Co. 4pp. 84357:179-84357:182.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210035 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. JOYCE,T. Commonwealth Edison Co. 3pp. 84357:149-84357:152.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290262 Responds to NRC ltr requesting update on corrective actions associated w/violations noted in insp repts 50-237/94-04 & 50-249/94-04.Plant in process of implementing Maintenance Rule per 10CFR50.65.
JOYCE,T.P. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84498:128-84498:130.

R. Periodic operating reports & related correspondence

9506200042 Monthly operating repts for May 1995 for Dresden Nuclear Power Station Units 1,2 & 3.W/950614 ltr.
SYKES,K.W., HOLLAND,P.G. Commonwealth Edison Co. 95/05/31. 19pp. 84404:268-84404:286.

S. Reportable occurrences, LERs & related correspondence

9506010134 LER 94-008-01:on 940311,time delay relay tripped at 32.29 seconds while other failed to time out.Caused by incomplete corrective actions from previous event.Both relays replaced. W/950525 ltr.
LEFFLER,T., JOYCE,T.P. Commonwealth Edison Co. 95/05/25. 5pp. 84173:103-84173:108.

9506140425 Forwards Rev 3 to LER 93-003,deleting commitment to implement new trip setting at condensate return side based on actual process temps & identifying procedures changed to specify valve opening/closing sequence.
JOYCE,T.P. Commonwealth Edison Co. 95/06/06. Document Control Branch (Document Control Desk). 1p. 84350:084-84350:090.

--9506140427 LER 93-003-03:on 930117,isolation condenser Group V isolation occurred due to spurious flow spikes.Procedural changes made identifying specific isolation condenser isolation valve opening/closing sequence.
COOPER,G. Commonwealth Edison Co. 95/05/30. 6pp. 84350:085-84350:090.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9506050290 Informs that responses to requests for addl info on 940919 & 941226 re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/19. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 84173:341-84173:345.

9506200168 Informs of Region II intent to evaluate plant protection strategy modified as result of Operational Safeguards Response Evaluation Program.Evaluation planned for 950620-21.
COLLINS,D.M. Region 2 (Post 820201). 95/06/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84347:231-84347:234.

9506220032 Rev 3 to EPIP 1302, "PTN/PSL Core Damage Assessment."
GOLDBERG,R.A., BOHLKE,W.H. Florida Power & Light Co. 95/06/16. 130pp. 84419:145-84419:274.

P. Operating license stage documents & correspondence

9505120124 Application for amends to licenses DPR-13 & DPR-41 to revise plant TS 2.1.1 safety limit-reactor core,2.2 limiting safety sys settings-reactor trip sys instrumentation setpoints & 3/4.2.5 power distribution limits-DMB parameters.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/05. 4pp. 84086:001-84086:087.

--9505120136 Informs that proprietary info for which withholding being requested in WCAP-13719,Rev 1, "Westinghouse Revised Thermal Design Procedure Instruments Uncertainty Methodology for Plant," rept further identified in Affidavit CAW-95-779.
LIPARULO,N.J. Westinghouse Electric Corp. 95/01/27. RUSSELL,W.T. Document Control Branch (Document Control Desk). 31pp. 84086:004-84086:035.

--9505260377 Proposed tech specs re implementation of revised thermal design procedure & SG water level low-low setpoint.
* Florida Power & Light Co. 95/05/05. 18pp. 84086:036-84086:053.

--9505120144 "Westinghouse Nonproprietary Class 3 W Revised Thermal Design Procedure Instrument Uncertainty Methodology," for plant.
CIOCCA,C.F. Westinghouse Electric Corp. WCAP-13718 R01. 95/01/31. 36pp. 84086:054-84086:087.

9506050290 Informs that responses to requests for addl info on 940919 & 941226 re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/19. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 84173:341-84173:345.

9506020383 Informs that "Westinghouse Revised Thermal Design Procedure Instruments Uncertainty Methodolgy for Turkey Points Units 3 & 4," marked as proprietary will be withheld from public disclosure,per 10CFR2.790(b)(5).
CROTEAU,R.P. . 95/05/23. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84165:299-84165:302.

9506130284 Submits PRA update per 910625 response to GL 88-20.
PLUNKETT,T.F. Florida Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 1p. 84298:360-84298:360.

9506130290 Forwards rept of increase in peak clad temp of 146 F for SBLOCA analysis,as identified in Westinghouse 950519 ltr to FPL.
PLUNKETT,T.F. Florida Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 4pp. 84303:356-84303:359.

9506160171 Forwards annual update of topical QA rept (TQAR),including summary of changes to TQAR since 950630,marked up version of TQAR showing changes since last annual submittal & current TQAR including revs issued through rev 41 dtd 941123.
GEIGER,J.E. Florida Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 36pp. 84372:059-84372:231.

--9506160176 Rev 41 to "Topical QA Rept."
* Florida Power & Light Co. 94/11/23. 136pp. 84372:096-84372:231.

9506230215 Forwards amends 174 & 168 to licenses DPR-31 & DPR-41, respectively & safety evaluation.Amends change TS re implementation of util nuclear physics methodology for calculations of COLR parameters.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/09. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84413:305-84413:321.

--9506230219 Amends 174 & 168 to licenses DPR-31 & DPR-41,respectively, changing TS re implementation of util nuclear physics methodology for calculations of COLR parameters.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/09. 7pp. 84413:308-84413:314.

--9506230221 Safety evaluation supporting amends 174 & 168 to licenses DPR-31 & DPR-41,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. 7pp. 84413:315-84413:321.

9506230259 Forwards SE authorizing licensee request for relief.Relief request nine involves alternative scheduling of exams & ten involves removal of insulation from bolted connections on borated sys for insp.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/09. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84422:341-84422:351.

--9506230271 Safety evaluation accepting licensee requests for relief. Relief request nine involves alternative scheduling of exams & request ten involves removal of insulation from bolted connections on borated sys for insp.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. 8pp. 84422:344-84422:351.

9506190218 Submits verification of seismic adequacy of mechanical & electrical equipment in operating reactors.
BOHLKE,W.H. Florida Power & Light Co. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84385:345-84385:346.

9506280362 Approves third 10-yr ISI request for relief 4 for licenses DPR-31 & DPR-41,dtd 930909,re ISI of snubbers at plant,per 10CFR50.55a(a)(3)(i).Forwards SE supporting approved request.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/13. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 84448:268-84448:272.

--9506280371 Safety evaluation supporting approval of request for relief 4 for licenses DPR-31 & DPR-41.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 3pp. 84448:270-84448:272.

9506290252 Provides rev to 950330 request for amends to licenses DPR-31 & DPR-41 re TS SR 4.8.1.1.2.g.7.
GOLDBERG,J.H. Florida Power & Light Co. 95/06/19. Document Control Branch (Document Control Desk). 7pp. 84498:083-84498:092.

--9506290253 Proposed tech specs re TS SR 4.8.1.1.2.g.7.
* Florida Power & Light Co. 95/06/19. 3pp. 84498:090-84498:092.

9506300133 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes." GL issued on 950418 to notify licensees of recent SG tube insp findings at MYAPS & safety significance of findings.
BOHLKE,W.H. Florida Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 8pp. 84523:293-84523:300.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200038 Forwards info received by Region II staff from concerned individual re Allegation RII-95-A-0037 & requests util review & appropriate action to resolve matter.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/08. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84347:349-84347:351.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160514 Monthly operating repts for May 1995 for Turkey Point Units 3 & 4.W/ 950612 ltr.
KNORR,J.E., PLUNKETT,T.F. Florida Power & Light Co. 95/05/31. 9pp. 84366:226-84366:234.

S. Reportable occurrences, LERs & related correspondence

9506280252 Forwards preliminary ASP analysis of operation event occuring at plant on 941103,LER 94-005.Requests review & comment on technical adequacy of preliminary ASP analysis within 30 days of receipt of ltr.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/12. GOLDBERG,J.H. Florida Power & Light Co. 13pp. 84448:130-84448:142.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9506050290 Informs that responses to requests for addl info of 940919 & 941226 re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/19. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 84173:341-84173:345.

9506200168 Informs of Region II intent to evaluate plant protection strategy modified as result of Operational Safeguards Response Evaluation Program.Evaluation planned for 950620-21.
COLLINS,D.M. Region 2 (Post 820201). 95/06/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84347:231-84347:234.

9506220032 Rev 3 to EPIP 1302, "PTN/PSL Core Damage Assessment."
GOLDBERG,R.A., BOHLKE,W.H. Florida Power & Light Co. 95/06/16. 130pp. 84419:145-84419:274.

P. Operating license stage documents & correspondence

9505120124 Application for amends to licenses DPR-13 & DPR-41 to revise plant TS 2.1.1 safety limit-reactor core,2.2 limiting safety sys settings-reactor trip sys instrumentation setpoints & 3/4.2.5 power distribution limits-DMB parameters.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/05. 4pp. 84086:001-84086:087.

--9505120136 Informs that proprietary info for which withholding being requested in WCAP-13719,Rev 1, "Westinghouse Revised Thermal Design Procedure Instruments Uncertainty Methodology for Plant," rept further identified in Affidavit CAW-95-779.
LIPARULO,N.J. Westinghouse Electric Corp. 95/01/27. RUSSELL,W.T. Document Control Branch (Document Control Desk). 31pp. 84086:004-84086:035.

--9505260377 Proposed tech specs re implementation of revised thermal design procedure & SG water level low-low setpoint.
* Florida Power & Light Co. 95/05/05. 18pp. 84086:036-84086:053.

--9505120144 "Westinghouse Nonproprietary Class 3 W Revised Thermal Design Procedure Instrument Uncertainty Methodology," for plant.
CIOCCA,C.F. Westinghouse Electric Corp. WCAP-13718 R01. 95/01/31. 36pp. 84086:054-84086:087.

9506050290 Informs that responses to requests for addl info on 940919 & 941226 re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/19. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 84173:341-84173:345.

9506020383 Informs that "Westinghouse Revised Thermal Design Procedure Instruments Uncertainty Methodolgy for Turkey Points Units 3 & 4," marked as proprietary will be withheld from public disclosure,per 10CFR2.790(b)(5).
CROTEAU,R.P. . 95/05/23. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84165:299-84165:302.

9506130284 Submits PRA update per 910625 response to GL 88-20.
PLUNKETT,T.F. Florida Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 1p. 84298:360-84298:360.

9506130290 Forwards rept of increase in peak clad temp of 146 F for SBLOCA analysis,as identified in Westinghouse 950519 ltr to FPL.
PLUNKETT,T.F. Florida Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 4pp. 84303:356-84303:359.

9506160171 Forwards annual update of topical QA rept (TQAR),including summary of changes to TQAR since 950630,marked up version of TQAR showing changes since last annual submittal & current TQAR including revs issued through rev 41 dtd 941123.
GEIGER,J.E. Florida Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 36pp. 84372:059-84372:231.

--9506160176 Rev 41 to "Topical QA Rept."
* Florida Power & Light Co. 94/11/23. 136pp. 84372:096-84372:231.

9506230215 Forwards amends 174 & 168 to licenses DPR-31 & DPR-41, respectively & safety evaluation.Amends change TS re implementation of util nuclear physics methodology for calculations of COLR parameters.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/09. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84413:305-84413:321.

--9506230219 Amends 174 & 168 to licenses DPR-31 & DPR-41,respectively, changing TS re implementation of util nuclear physics methodology for calculations of COLR parameters.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/09. 7pp. 84413:308-84413:314.

--9506230221 Safety evaluation supporting amends 174 & 168 to licenses DPR-31 & DPR-41,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. 7pp. 84413:315-84413:321.

9506230259 Forwards SE authorizing licensee request for relief.Relief request nine involves alternative scheduling of exams & ten involves removal of insulation from bolted connections on borated sys for insp.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/09. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84422:341-84422:351.

--9506230271 Safety evaluation accepting licensee requests for relief. Relief request nine involves alternative scheduling of exams & request ten involves removal of insulation from bolted connections on borated sys for insp.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. 8pp. 84422:344-84422:351.

9506190218 Submits verification of seismic adequacy of mechanical & electrical equipment in operating reactors.
BOHLKE,W.H. Florida Power & Light Co. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84385:345-84385:346.

9506280362 Approves third 10-yr ISI request for relief 4 for licenses DPR-31 & DPR-41,dtd 930909,re ISI of snubbers at plant,per 10CFR50.55a(a)(3)(i).Forwards SE supporting approved request.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/13. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 84448:268-84448:272.

--9506280371 Safety evaluation supporting approval of request for relief 4 for licenses DPR-31 & DPR-41.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 3pp. 84448:270-84448:272.

9506290252 Provides rev to 950330 request for amends to licenses DPR-31 & DPR-41 re TS SR 4.8.1.1.2.g.7.
GOLDBERG,J.H. Florida Power & Light Co. 95/06/19. Document Control Branch (Document Control Desk). 7pp. 84498:083-84498:092.

--9506290253 Proposed tech specs re TS SR 4.8.1.1.2.g.7.
* Florida Power & Light Co. 95/06/19. 3pp. 84498:090-84498:092.

9506300133 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes." GL issued on 950418 to notify licensees of recent SG tube insp findings at MYAPS & safety significance of findings.
BOHLKE,W.H. Florida Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 8pp. 84523:293-84523:300.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200038 Forwards info received by Region II staff from concerned individual re Allegation RII-95-A-0037 & requests util review & appropriate action to resolve matter.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/08. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84347:349-84347:351.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160514 Monthly operating repts for May 1995 for Turkey Point Units 3 & 4.W/ 950612 ltr.
KNORR,J.E., PLUNKETT,T.F. Florida Power & Light Co. 95/05/31. 9pp. 84366:226-84366:234.

S. Reportable occurrences, LERs & related correspondence

9506280252 Forwards preliminary ASP analysis of operation event occuring at plant on 941103,LER 94-005.Requests review & comment on technical adequacy of preliminary ASP analysis within 30 days of receipt of ltr.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/12. GOLDBERG,J.H. Florida Power & Light Co. 13pp. 84448:130-84448:142.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010050 Revised EPIPs,including rev 15 to QEP 720-0 & rev 9 to QEP 720-S1.
* Commonwealth Edison Co. 95/05/23. 32pp. 84154:313-84154:344.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506200257 Revised procedures,including Rev 31 to QEP 600-0,Rev 13 to QEP 600-S1,Rev 12 to QEP 600-S2,Rev 12 to QEP 600-S4,Rev 8 to QEP 600-S5 & Rev 9 to QEP 600-S7.
* Commonwealth Edison Co. 95/06/13. 29pp. 84406:092-84406:120.

9506290199 Forwards three copies of Rev 37 of plant security plan.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 1p. 84520:360-84520:360.

9506290204 Requests exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage" for plant.Hand geometry biometric sys encl.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 1p. 84520:359-84520:359.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506010332 Forwards proprietary & nonproprietary versions of addl info re proposed Quad Cities Station core shroud repair,requested during 950516 telcon.Proprietary info withheld.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/24. Document Control Branch (Document Control Desk). 15pp. 84172:268-84172:282.

9506090341 Forwards amends 153 & 149 to licenses DPR-29 & DPR-30, respectively & SE.Amends change TS by revising low pressure value at which HPCI & RCIC sys can be tested to 150 psig.
PULSIFER,R.M. . 95/05/30. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84222:125-84222:143.

--9506090347 Amends 153 & 149 to licenses DPR-29 & DPR-30,respectively, changing TS by revising low pressure value at which HPCI & RCIC sys can be tested to 150 psig.
PULSIFER,R.M. . 95/05/30. 15pp. 84222:127-84222:141.

--9506090359 Safety evaluation supporting amends 153 & 149 to licenses DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 2pp. 84222:142-84222:143.

9506130034 Advises that any changes to UFSAR necessitated by approval & implementation of TSUP will be incorporated into UFSAR.
PIET,P.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84297:358-84297:359.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506230286 Forwards amends 133,127,154 & 150 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation.Amends integrate addl info such as equipment operability requirements during shutdown conditions.
STANG,J.F. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 5pp. 84429:276-84429:311.

--9506230293 Amends 133,127,154 & 150 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,integrating addl info such as equipment operability requirements during shutdown conditions.
STANG,J.F. . 95/06/08. 22pp. 84429:281-84429:302.

--9506230298 Safety evaluation supporting amends 133,127,154 & 150 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 9pp. 84429:303-84429:311.

9506200429 Forwards amends 134,128,155 & 151 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & SE.Amends re proposed upgrade of sections 2.0,3/4.11 & 3/4.12 of Dresden & Quad Cities TS.
STANG,J.F. . 95/06/13. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84375:246-84375:333.

--9506200445 Amends 134,128,155 & 151 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,re proposed upgrade of sections 2.0,3/4.11 & 3/4.12 of Dresden & Quad Cities TS.
STANG,J.F., PULSIFER,R.M. . 95/06/13. Commonwealth Edison Co. 63pp. 84375:281-84375:311.

--9506200451 Safety evaluation supporting amends 134,128,155 & 151 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 22pp. 84375:312-84375:333.

9506280605 Forwards amends 135,129,156 & 152 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively.Amends upgrade TS section 5.0, "Design Features," per TS upgrade program,in response to util 931215 application.
STANG,J.F. . 95/06/14. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84460:237-84460:276.

--9506280607 Amends 135,129,156 & 152 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,upgrading TS section 5.0, "Design Features," per TS upgrade program.
STANG,J.F. . 95/06/14. 26pp. 84460:241-84460:266.

--9506280611 Safety evaluation supporting amends 135,129,156 & 152 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 10pp. 84460:267-84460:276.

9506230243 Ack receipt of recently received info re activities at plant.Details of matter encl for review & followup.Details withheld from public disclosure per 10CFR2.790(a).
AXELSON,W.L. Region 3 (Post 820201). 95/06/15. KRAFT,E. Commonwealth Edison Co. 2pp. 84465:350-84465:351.

9506290276 Forwards response to NRC 950222 RAI re Comm Ed TS upgrade program Section 3/4.8, "Plant Sys." Mark-up of tech specs & Chapter 12 of Dresden & Quad-Cities ODCM also encl.ODCM provided to identify relocation of TS to ODCM,per GL 89-01.
PIET,P.L. Commonwealth Edison Co. 95/06/16. Document Control Branch (Document Control Desk). 38pp. 84520:001-84520:305.

--9506290281 Proposed tech specs consisting of cross-ref between current TS requirements against TS requirements proposed in TS upgrade program pages submitted in Comm Ed 930910 ltr.
* Commonwealth Edison Co. 95/06/16. 128pp. 84520:039-84520:166.

9506300209 Forwards SE accepting transfer of control of 25% plant due to stated merger.
PULSIFER,R.M. . 95/06/20. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84488:336-84488:340.

--9506300214 Safety evaluation accepting transfer of control of 25% of plant due to stated merger.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/20. 3pp. 84488:338-84488:340.

Q. Inspection reports, IE Bulletins & correspondence

9506050029 Forwards insp repts 50-254/95-03 & 50-265/95-03 on 950311- 950421.No violations noted.NRC concerned that availability of important plant equipment such as HPCI pumps,emergency diesel generators & RHRSW pumps has been reduced.
HILAND,P.L. Region 3 (Post 820201). 95/05/23. KRAFT,E. Commonwealth Edison Co. 2pp. 84150:041-84150:058.

--9506050033 Insp repts 50-254/95-03 & 50-265/95-03 on 950311-0421.No violations noted.Major areas inspected:maint,engineering & technical support,plant support & issue resolution.
HILAND,P. Region 3 (Post 820201). 95/05/22. 16pp. 84150:043-84150:058.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210012 Ack receipt of 950515 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/94-29 & 50-265/94-29.
HILAND,P.L. Region 3 (Post 820201). 95/06/08. KRAFT,E. Commonwealth Edison Co. 2pp. 84357:071-84357:072.

9506210017 Ack receipt of 950515 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/95-02 & 50-265/95-02.
HILAND,P.L. Region 3 (Post 820201). 95/06/08. KRAFT,E. Commonwealth Edison Co. 2pp. 84357:103-84357:104.

9506220326 Forwards safety evaluation accepting util 940823 & 950116 submittals re response to GL 94-03 concerning insp plan for core shroud & general design plans for repair of core shrouds.
PULSIFER,R.M. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84403:334-84403:358.

--9506220327 Safety evaluation accepting util 940823 & 950116 submittals re GL 94-03 concerning insp plan for core shroud & general design plans for repair of core shrouds.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 22pp. 84403:337-84403:358.

9506210141 Forwards synopsis from investigation performed by NRC OI re deliberate external radiation exposure of female contract laborer plant.
PEDERSON,C.D. Region 3 (Post 820201). 95/06/14. KRAFT,E. Commonwealth Edison Co. 3pp. 84360:194-84360:196.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506150259 Monthly operating repts for May 1995 for Quad Cities Nuclear Station Units 1 & 2.W/950609 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 95/05/31. 20pp. 84339:331-84339:350.

9506220148 Forwards listing of facility & procedures changes,tests & experiment requiring safety evaluations completed during month of Apr 1995 for Quad-Cities Station Units 1 & 2.
PEARCE,L.W. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 34pp. 84436:127-84436:160.

S. Reportable occurrences, LERs & related correspondence

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9506050084 Forwards insp rept 50-255/95-04 on 950222-0412 & notice of violation.Violation of concern because of inadequate control of combustible matl in stairwell,failure to test some fire extinguishers & failure to rept physical altercation.
KROPP,W. Region 3 (Post 820201). 95/05/19. PALMISANO,T. Consumers Power Co. 6pp. 84150:137-84150:174.

--9506050090 Notice of violation from insp on 950222-0412.Violations noted:bottom of stairwell leading to safeguards rooms being used as storage area for various maint activities & failure to test some fire extinguishers.
* Region 3 (Post 820201). 95/05/19. 3pp. 84150:143-84150:145.

--9506050097 Insp rept 50-255/95-04 on 950222-0412.Violations noted.Major areas inspected:CR habitability,ESFS,onsite event followup, fuel loading of multi-assembly sealed basket,audits of fire protection,security self assessment,AFS & maint activities.
KROPP,W.J. Region 3 (Post 820201). 95/05/19. 29pp. 84150:146-84150:174.

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

9506190178 Rev 65 to Index, "Emergency Operations Facility Procedures Index."
* Consumers Power Co. 95/06/07. 2pp. 84386:356-84386:357.

9506190216 Rev 2 to EPIP Site Emergency Section 9, "Recovery."
WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/06/08. 6pp. 84404:233-84404:239.

9506190220 Rev 7 to EPIP EI-6.1, "Release Rate Determination From Stack Gas Monitors."
WYMER,S.L., BROTT,N.K., GROGAN,M.L. Consumers Power Co. 95/06/08. 8pp. 84387:352-84387:360.

9506190267 Editorial changes to App I,Rev 0, "NUREG-0654 Crossreference."
WYMER,S.L. Consumers Power Co. 95/06/09. 7pp. 84386:348-84386:354.

9506210063 Ack receipt of 950524 ltr in response to Region III ltr requesting info re members of contract security force & NRC request for review of personnel activities & adherence to security measures.Investigation found to be acceptable.
CREED,J.R. Region 3 (Post 820201). 95/06/14. PALMISANO,T. Consumers Power Co. 2pp. 84357:320-84357:334.

--9506210073 Forwards util review of security activities at plant per Region III request.Investigation concluded that three concerns listed by NRC validated.
PALMISANO,T.J. Consumers Power Co. 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84357:322-84357:323.

--9506210080 "Security Investigation Rept."
* Consumers Power Co. 95/05/23. 11pp. 84357:324-84357:334.

9506290076 Responds to NRC ltr re violations noted in insp rept 50-255/95-04.Corrective actions:all scaffolding matl removed from stairwell at time of insp.Review of other area also performed.
HAAS,K.M. Consumers Power Co. 95/06/19. Document Control Branch (Document Control Desk). 10pp. 84506:344-84506:353.

9506290377 Advises that 950523 rev 33 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/06/22. HAAS,K.M. Consumers Power Co. 2pp. 84494:350-84494:351.

9506300145 Informs that plant cancelled plans for envisioned mods to intrusion detection sys based upon significant improvement in reliability of portion of sys targeted for mods,per insp rept 50-255/95-04.
HAAS,K.M. Consumers Power Co. 95/06/26. Document Control Branch (Document Control Desk). 2pp. 84523:301-84523:302.

9506290064 Procedure EOF App B, "INPO Emergency Response Assistance Agreement," dtd 950426.
* Consumers Power Co. 95/06/29. 2pp. 84521:181-84521:182.

H. General correspondence

9506190051 Comment re draft NUREG/BR-0199, "Responsiveness to Public." Expresses concern on dry cask storage w/exemption given to VSC-24 cask & procedures for unloading & transport at plant.
SHILLINGLAW,F. Affiliation Not Assigned. 95/06/13. HOYLE Office of the Secretary of the Commission. 8pp. 84320:045-84320:052.

P. Operating license stage documents & correspondence

9506080556 Forwards amend 166 to license DPR-20 & safety evaluation. Amend revises TS 5.3.1a to account for changes being made to plant FSAR section 4.2.
KENNEDY,J.L. . 95/05/22. HAAS,K.M. Consumers Power Co. 4pp. 84222:086-84222:097.

--9506080562 Amend 166 to license DPR-20,revising TS 5.3.1a to account for changes being made to plant FSAR Section 4.2.
KENNEDY,J.L. . 95/05/22. 4pp. 84222:090-84222:093.

--9506080566 Safety evaluation supporting amend 166 to license DPR-20.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 4pp. 84222:094-84222:097.

9506140281 Forwards EA & FONSI re 950317 application for exemption. Proposed exemption would be one-time interval exemption for Type A test from May 1995 refueling outage to 1997 refueling outage.
KENNEDY,J.L. . 95/05/31. HAAS,K.M. Consumers Power Co. 2pp. 84313:059-84313:064.

--9506140286 Environ assessment & finding of no significant impact re issuance of exemption from license DPR-20.Proposed exemption would be one-time interval exemption for Type A test from May 1995 refueling outage to 1997 refueling outage.
KENNEDY,J.L. . 95/05/31. 4pp. 84313:061-84313:064.

9506130408 Forwards addl info to support continued operation for repaired pressurizer instrument nozzle,in response to NRC RAI during 950525 telcon.
HAAS,K.M. Consumers Power Co. 95/06/07. Document Control Branch (Document Control Desk). 7pp. 84297:320-84297:326.

9506230280 Forwards amend 167 to license DPR-20 & safety evaluation. Amend revises TS Section 3.1.7 to allow installed primary & secondary safety valve settings to be within 3% tolerance of nominal settings.
KENNEDY,J.L. . 95/06/08. HAAS,K.M. Consumers Power Co. 3pp. 84415:023-84415:037.

--9506230283 Amend 167 to license DPR-20,revising TS Section 3.1.7 to allow installed primary & secondary safety valve settings to be within 3% tolerance of nominal settings.
KENNEDY,J.L. . 95/06/08. 7pp. 84415:026-84415:032.

--9506230287 Safety evaluation supporting amend 167 to license DPR-20.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 5pp. 84415:033-84415:037.

9506140385 Forwards Rev 15 to CPC-2A, "QA Program Description for Operational Nuclear Power Plants."
FENECH,R.A. Consumers Power Co. 95/06/09. Document Control Branch (Document Control Desk). 4pp. 84337:254-84337:349.

--9506140389 Rev 15 to "QA Program Description for Operational Nuclear Power Plants."
JOOS,D.W., FENECH,R.A., NICHOLSON,R.J. Consumers Power Co. 95/03/03. 92pp. 84337:258-84337:349.

9506280751 Discusses 950420 request for changes to facilities MOV program established in responses to GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance." Schedule acceptable.
GAMBERONI,M. . 95/06/12. HAAS,K.M. Consumers Power Co. 3pp. 84458:359-84458:361.

9506230250 Forwards amend 168 to license DPR-20 & SE.Amend revises TS to add high thermal performance departure from nucleate boiling correlation to safety limit 2.1.
GAMBERONI,M. . 95/06/13. HASS,K.M. Consumers Power Co. 3pp. 84413:334-84413:343.

--9506230258 Amend 168 to license DPR-20,revises TS to add high thermal performance departure from nucleate boiling correlation to safety limit 2.1.
GAMBERONI,M. . 95/06/13. 5pp. 84413:337-84413:341.

--9506230261 Safety evaluation supporting amend 168 to license DPR-20.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 2pp. 84413:342-84413:343.

9506280490 Forwards exemption from requirements of app J to 10CFR50 re delay of next required type A leak rate test,per request of 950317.
KENNEDY,J.L. . 95/06/14. HAAS,K.M. Consumers Power Co. 4pp. 84448:344-84448:353.

–9506280498 Exemption from requirements of app J to 10CFR50 re delay of next required type A lake rate test until 1997 refueling outage granted.
* . 95/06/14. Consumers Power Co. 6pp. 84448:348-84448:353.

9506280141 Discusses project plan for addressing Alloy 600 issues, including revised insp scope.Listing of UT & PT insps that will not be performed during 1995 refueling outage encl.
HAAS,K.M. Consumers Power Co. 95/06/15. Document Control Branch (Document Control Desk). 4pp. 84478:320-84478:323.

9506280531 Withdraws C-E proprietary designation in Table 2-14 of May 1992 CPC rept, "Projected RT PTS for...RV Beltline Matls" & forwards Table 2-14 in nonproprietary format,in response to recent NRC verbal request.
HAAS,K.M. Consumers Power Co. 95/06/15. Document Control Branch (Document Control Desk). 5pp. 84492:356-84492:360.

9506280355 Advises NRC that reload batch "P" fuel being loaded during 1995 refueling outage for use during Cycle 12.
HAAS,K.M. Consumers Power Co. 95/06/16. Document Control Branch (Document Control Desk). 2pp. 84476:359-84476:360.

9506280527 Summary of 950618 meeting w/util re plant reactor vessel annealing.List of attendees,handouts,slides & schedule of upcoming meeting encl.
GAMBERONI,M. . 95/06/18. . 42pp. 84471:291-84471:332.

9506280359 Forwards info re plant-specific licensing actions,in response to NRC 950404 request.
HAAS,K.M. Consumers Power Co. 95/06/19. Document Control Branch (Document Control Desk). 6pp. 84478:348-84478:353.

Q. Inspection reports, IE Bulletins & correspondence

9506050084 Forwards insp rept 50-255/95-04 on 950222-0412 & notice of violation.Violation of concern because of inadequate control of combustible matl in stairwell,failure to test some fire extinguishers & failure to rept physical altercation.
KROPP,W. Region 3 (Post 820201). 95/05/19. PALMISANO,T. Consumers Power Co. 6pp. 84150:137-84150:174.

–9506050090 Notice of violation from insp on 950222-0412.Violations noted:bottom of stairwell leading to safeguards rooms being used as storage area for various maint activities & failure to test some fire extinguishers.
* Region 3 (Post 820201). 95/05/19. 3pp. 84150:143-84150:145.

–9506050097 Insp rept 50-255/95-04 on 950222-0412.Violations noted.Major areas inspected:CR habitability,ESFS,onsite event followup, fuel loading of multi-assembly sealed basket,audits of fire protection,security self assessment,AFS & maint activities.
KROPP,W.J. Region 3 (Post 820201). 95/05/19. 29pp. 84150:146-84150:174.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506130378 Submits addl info to support 950405 response to NRC 950306 ltr re violation noted in insp rept 50-255/95-02 re failure to follow procedures for independent verification of installation steps for temporary mod.
HAAS,K.M. Consumers Power Co. 95/06/07. Document Control Branch (Document Control Desk). 3pp. 84296:357-84296:359.

9506210022 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.
AXELSON,W.L. Region 3 (Post 820201). 95/06/08. FENENCH,R.A. Consumers Power Co. 4pp. 84357:109-84357:112.

9506280141 Discusses project plan for addressing Alloy 600 issues, including revised insp scope.Listing of UT & PT insps that will not be performed during 1995 refueling outage encl.
HAAS,K.M. Consumers Power Co. 95/06/15. Document Control Branch (Document Control Desk). 4pp. 84478:320-84478:323.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290076 Responds to NRC ltr re violations noted in insp rept 50-255/95-04.Corrective actions:all scaffolding matl removed from stairwell at time of insp.Review of other area also performed.
HAAS,K.M. Consumers Power Co. 95/06/19. Document Control Branch (Document Control Desk). 10pp. 84506:344-84506:353.

9506300145 Informs that plant cancelled plans for envisioned mods to intrusion detection sys based upon significant improvement in reliability of portion of sys targeted for mods,per insp rept 50-255/95-04.
HAAS,K.M. Consumers Power Co. 95/06/26. Document Control Branch (Document Control Desk). 2pp. 84523:301-84523:302.

R. Periodic operating reports & related correspondence

9506130207 Monthly operating rept for May 1995 for Palisades Nuclear Power Plant.W/ 950602 ltr.
BERLES,B.W., WILLIAMS,A.L. Consumers Power Co. 95/05/31. 4pp. 84288:357-84288:361.

S. Reportable occurrences, LERs & related correspondence

9506010121 Forwards Rev 2 to LER 93-007 re degradation of boraflex neutron absorber in surveillance coupons.
HAAS,K.M. Consumers Power Co. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84173:089-84173:102.

–9506010126 LER 93-007-02:on 930817,dark debris cloud observed in SFP around edges of boraflex surveillance coupon.Caused by flow induced deterioration of full length coupons due to inadequate holding canister.Neutron attenuation tests done.
GIRE,P.J. Consumers Power Co. 95/05/23. 12pp. 84173:091-84173:102.

9506290192 Forwards LER 95-003 re main FW pump transient resulting in RT.
HAAS,K.M. Consumers Power Co. 95/06/21. Document Control Branch (Document Control Desk). 1p. 84508:223-84508:227.

–9506290196 LER 95-003-00:on 950522,main FW pump transient resulted in RT.Evaluated MFP governor control setpoint of 5250 RPM & relationship to overspeed trip setpoint.
HOBE,M. Consumers Power Co. 95/06/21. 4pp. 84508:224-84508:227.

V. Operator Examinations

9506190371 Informs of written & operating exams scheduled for wk of 951002.Requests license applications & waiver requests at least 30 days before first exam date.
RING,M.A. Region 3 (Post 820201). 95/06/12. PALMISANO,T. Consumers Power Co. 3pp. 84343:011-84343:013.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506050194 Discusses telcon w/B Vincent re cost of dry fuel storage at plant.
KENNEDY,J. . 95/05/24. CARPENTER,C. . 1p. 84173:191-84173:191.

9506290149 Submits questions re VSC-24 cask.
SHILLINGLAW,F. Affiliation Not Assigned. 95/05/24. HANNON NRC - No Detailed Affiliation Given. 7pp. 84499:326-84499:332.

9506120268 Forwards Rev 1 to Permanent Maint Procedure FHS-M-34, "Unloading Multi-Assembly Sealed Basket (MSB)." Plans to use Rev 1 of FHS-M-34 in Oct 1995 to unload MSB CMSB-4.
HAAS,K.M. Consumers Power Co. 95/06/02. Document Control Branch (Document Control Desk). 4pp. 84273:001-84273:267.

–9506120287 Rev 1 to Permanent Maint Procedure FHS-M-34, "Unloading Multi-Assembly Sealed Basket."
BROSCHAK,J.P., ZERNICK,E.A., SMITH,K. Consumers Power Co. 95/06/02. 94pp. 84273:005-84273:098.

–9506120292 Rev 0 to "Evaluation of Multi-Assembly Sealed Basket (MSB) Unloading Process."
LIM,C.S. Consumers Power Co. EA-SC-93-083-04 R00. 95/06/01. 64pp. 84273:099-84273:162.

–9506120296 Rev 1 to "Fuel Temp Calculations for MSB-4 Using ANSYS Program."
MAHENDRANALHAR Consumers Power Co. EA-SC-93-083-05 R01. 95/02/27. 76pp. 84273:163-84273:238.

–9506120304 Rev 0 to "Reflooding/Cooling of MSB."
LIM,C.S. Consumers Power Co. EA-SC-93-083-17 R00. 95/05/31. 23pp. 84273:239-84273:261.

–9506120309 Rev 0 to "Calculation for Max Pressure Allowable Under ASME Code for Unloading Multi-Assembly Sealed Basket."
MACLEAN,S.R., WONG,J.C. Consumers Power Co. EA-SC-93-083-018 R00. 95/05/22. 6pp. 84273:262-84273:267.

9506190154 Requests that NRC concur w/util interpretation of Section 1.2.13 of COC 1007 for plant VSC-24 spent fuel storage cask.
HAAS,K.M. Consumers Power Co. 95/06/12. Document Control Branch (Document Control Desk). 11pp. 84367:339-84367:349.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506010042 Forwards insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84107:104-84107:108.

–9506010054 Partially withheld insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12 (ref 10CFR73.21).No violations noted.Major areas inspected:alarm station,intrusion detection sys & assessment aids.
THOMPSON,D. Region 2 (Post 820201). 95/05/22. 1p. 84107:108-84107:108.

9506020134 Rev 5 to CECC-EPIP-19, "Post Acceptance Core Damage Assessment." W/950525 ltr.
POGUE,J.E., CARIER,P.P. Tennessee Valley Authority. 95/05/25. 22pp. 84182:248-84182:269.

9506070333 Rev 14 to EPIP-10, "Medical Emergency Procedure," & revised Index.W/ 950526 ltr.
SALAS,P. Tennessee Valley Authority. 95/05/26. 20pp. 84219:204-84219:223.

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K., KITTS,R.J., CARIER,P.P. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

9506190068 Forwards revs to Browns Ferry Physical Security/Contingency Plan (PSP/ CP) & instructions for updating NRC copies 6 through 11.Encls withheld.
SALAS,P. Tennessee Valley Authority. 95/06/08. Document Control Branch (Document Control Desk). 3pp. 84386:303-84386:305.

9506210197 Forwards changes to Browns Ferry Nuclear Plant Units 1,2 & 3 Update of Security Personnel Training & Qualification Plan, Rev 21.Encl withheld.
SALAS,P. Tennessee Valley Authority. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84472:002-84472:003.

9506290386 Forwards amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively & safety evaluation.Amends remove frequencies specified in TS for performing audits & delete requirement to perform radiological EP & security plan.
WILLIAMS,J.F. . 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84474:041-84474:067.

--9506290390 Amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68, respectively,removing frequencies specified in TS for performing audits & deleting requirement to perform radiological EP & physical security plan.
HEBDON,F.J. . 95/06/19. 21pp. 84474:043-84474:063.

--9506290393 Safety evaluation supporting amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84474:064-84474:067.

9506290206 Forwards response to NRC 950301 RAI re TVA 941019 submittal of rev to App A of radiological emergency plan,replacing current EALs w/EALs developed from NUMARC methodology. Revised App A of radiological emergency plan encl.
SALAS,P. Tennessee Valley Authority. 95/06/20. Document Control Branch (Document Control Desk). 45pp. 84497:001-84498:037.

--9506290210 Revised App A to radiological emergency plan.
* Tennessee Valley Authority. 95/06/20. 134pp. 84497:045-84497:178.

--9506290214 EPIP-1, "Emergency Classification Procedure."
* Tennessee Valley Authority. 95/06/20. 219pp. 84497:179-84498:037.

P. Operating license stage documents & correspondence

9506130044 Application for amends to licenses DPR-33,DPR-52 & DPR-68, clarifying definition of operability for RHRSW sys standby coolant supply capability & revising instrument numbers in Tables 3.2.F & 4.2.F for instruments upgraded.
SALAS,P. Tennessee Valley Authority. 95/06/02. Document Control Branch (Document Control Desk). 16pp. 84288:316-84288:344.

--9506130048 Proposed tech specs,clarifying definition of operability for RHRSW sys standby coolant supply capability & revising instrument numbers in TS Tables 3.2.F & 4.2.F for several instruments that have been upgraded.
* Tennessee Valley Authority. 95/06/02. 12pp. 84288:333-84288:344.

9506160280 Application for amends to licenses DPR-33,DPR-52 & DPR-68, revising TS to be consistent w/planned replacement of current power range monitoring portion of existing NMS,per GL 94-02.Proprietary GE rept NEDC-32433P encl.Rept withheld.
SALAS,P. Tennessee Valley Authority. 95/06/02. Document Control Branch (Document Control Desk). 55pp. 84365:003-84365:348.

--9506160293 Proposed tech specs supporting planned replacement of current power range monitoring portion of existing NMS w/GE digital nuclear measurement analysis & control power range neutron monitor retrofit design.
* Tennessee Valley Authority. 95/06/02. 289pp. 84365:060-84365:348.

9506200057 Confirms 950608 telcon re meeting scheduled for 950719 in Atlanta,GA on methods to be used to implement util Problem Identification & CAP for all util facilities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84350:005-84350:010.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

9506230391 Application for amends to licenses DPR-33,DPR-52 & DPR-68, revising TS to allow TIP sys to be considered operable w/ less than five TIP machines operable.
SALAS,P. Tennessee Valley Authority. 95/06/16. Document Control Branch (Document Control Desk). 12pp. 84457:303-84457:334.

--9506230392 Proposed tech specs,allowing traversing in-core probe sys to be considered operable w/less than five traversing in-core probe machines operable.
* Tennessee Valley Authority. 95/06/16. 20pp. 84457:315-84457:334.

9506290386 Forwards amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively & safety evaluation.Amends remove frequencies specified in TS for performing audits & delete requirement to perform radiological EP & security plan.
WILLIAMS,J.F. . 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84474:041-84474:067.

--9506290390 Amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68, respectively,removing frequencies specified in TS for performing audits & deleting requirement to perform radiological EP & physical security plan.
HEBDON,F.J. . 95/06/19. 21pp. 84474:043-84474:063.

--9506290393 Safety evaluation supporting amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84474:064-84474:067.

Q. Inspection reports, IE Bulletins & correspondence

9506010042 Forwards insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84107:104-84107:108.

--9506010054 Partially withheld insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12 (ref 10CFR73.21).No violations noted.Major areas inspected:alarm station,intrusion detection sys & assessment aids.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/05/22. 1p. 84107:108-84107:108.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506190397 Forwards insp repts 50-259/95-29,50-260/95-29 & 50-296/95-29 on 950515-19.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/31. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84343:194-84343:206.

--9506190401 Insp repts 50-259/95-29,50-260/95-29 & 50-296/95-29 on 950515-19.No violations noted.Major areas inspected:maint of I&C sys.
SALGADO,N.L., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/31. 10pp. 84343:197-84343:206.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200307 Confirms 950530 telcon re arrangements for NRC enforcement conference scheduled for 950612 in Atlanta,GA.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/05. MCCABE,L. Affiliation Not Assigned. 38pp. 84347:166-84347:203.

9506200076 Forwards insp repts 50-259/95-26,50-260/95-26 & 50-296/95-26 on 950416-05813 & notice of vioaltion.
LESSER,M.S. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84346:082-84346:107.

--9506200120 Notice of violation from insp on 950416-0513.Violation noted:written procedures not implemented in that reactor bldg crane not secure when tornado watch in effect.
* Region 2 (Post 820201). 95/06/06. 1p. 84346:086-84346:086.

--9506200123 Insp repts 50-259/95-26,50-260/95-26 & 50-296/95-26 on 950416-0513.Violations noted.Major areas inspected: operations,surveillance testing,maint activities & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/06/06. 21pp. 84346:087-84346:107.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190444 Forwards insp repts 50-259/95-27,50-260/95-27 & 50-296/95-27 on 950508-12.
CASTO,C.A. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84344:130-84344:143.

--9506190447 Insp repts 50-259/95-27,50-260/95-27 & 50-296/95-27 on 950508-12.No violations noted.Major areas inspected:design changes,plant mods,engineering & technical support activities.
WHITENER,H.L., WISEMAN,G., SHYMLOCK,M. Region 2 (Post 820201). 95/06/08. 8pp. 84344:133-84344:143.

9506280219 Forwards insp rept 50-259/95-25,50-260/95-25 & 50/296/95-25 on 950515-19.No violations or deviations noted.
CASTO,C.A. Region 3 (Post 820201). 95/06/15. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:217-84442:227.

--9506280233 Insp repts 50-259/95-25,50-260/95-25 & 50-296/95-25 on 950515-19.No violations noted.Major areas inspected: electrical issues associated w/restart of unit 3.TOL program reviewed to determine if concerns identified for unit 3.
RUDISAIL,S., SHYMLOCK,M. Region 2 (Post 820201). 95/06/14. 8pp. 84442:220-84442:227.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280046 Confirms 950717-21 insp of plant.Purpose of insp to evaluate plant for compliance w/Sections III.G,III.J & III.L of App R to 10CFR50.
CASTO,C.A. Region 2 (Post 820201). 95/06/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84441:126-84441:129.

9506290127 Responds to NRC 950505 ltr re violations noted in insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15.Corrective actions: issued problem evaluation rept.
MACHON,R.D. Tennessee Valley Authority. 95/06/20. Document Control Branch (Document Control Desk). 10pp. 84498:348-84498:357.

R. Periodic operating reports & related correspondence

9506200088 Monthly operating repts for May 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/950615 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/05/31. 13pp. 84405:185-84405:197.

V. Operator Examinations

9506130120 Notifies of termination of operator license for HD Crumpton.
MACHON,R.D. Tennessee Valley Authority. 95/06/06. Region 2 (Post 820201). 2pp. 84337:138-84337:139.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506010042 Forwards insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84107:104-84107:108.

--9506010054 Partially withheld insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12 (ref 10CFR73.21).No violations noted.Major areas inspected:alarm station,intrusion detection sys & assessment aids.
THOMPSON,D. Region 2 (Post 820201). 95/05/22. 1p. 84107:108-84107:108.

9506020134 Rev 5 to CECC-EPIP-19, "Post Acceptance Core Damage Assessment." W/950525 ltr.
POGUE,J.E., CARIER,P.P. Tennessee Valley Authority. 95/05/25. 22pp. 84182:248-84182:269.

9506070333 Rev 14 to EPIP-10, "Medical Emergency Procedure," & revised Index.W/ 950526 ltr.
SALAS,P. Tennessee Valley Authority. 95/05/26. 20pp. 84219:204-84219:223.

9506200101 Discusses 950511 meeting w/util at plant Training & Visitors Ctr Athens,AL re results of SALP rept for period of 930919-950318.
JOHNSON,J.R. Region 2 (Post 820201). 95/05/30. KINGSLEY,O.D. Tennessee Valley Authority. 16pp. 84346:108-84346:132.

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K., KITTS,R.J., CARIER,P.P. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

9506190068 Forwards revs to Browns Ferry Physical Security/Contingency Plan (PSP/CP) & instructions for updating NRC copies 6 through 11.Encls withheld.
SALAS,P. Tennessee Valley Authority. 95/06/08. Document Control Branch (Document Control Desk). 3pp. 84386:303-84386:305.

9506210197 Forwards changes to Browns Ferry Nuclear Plant Units 1,2 & 3 Update of Security Personnel Training & Qualification Plan, Rev 21.Encl withheld.
SALAS,P. Tennessee Valley Authority. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84472:002-84472:003.

9506290386 Forwards amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively & safety evaluation.Amends remove frequencies specified in TS for performing audits & delete requirement to perform radiological EP & security plan.
WILLIAMS,J.F. . 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84474:041-84474:067.

--9506290390 Amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68, respectively,removing frequencies specified in TS for performing audits & deleting requirement to perform radiological EP & physical security plan.
HEBDON,F.J. . 95/06/19. 21pp. 84474:043-84474:063.

--9506290393 Safety evaluation supporting amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84474:064-84474:067.

9506290206 Forwards response to NRC 950301 RAI re TVA 941019 submittal of rev to App A of radiological emergency plan,replacing current EALs w/EALs developed from NUMARC methodology. Revised App A of radiological emergency plan encl.
SALAS,P. Tennessee Valley Authority. 95/06/20. Document Control Branch (Document Control Desk). 45pp. 84497:001-84498:037.

--9506290210 Revised App A to radiological emergency plan.
* Tennessee Valley Authority. 95/06/20. 134pp. 84497:045-84497:178.

--9506290214 EPIP-1, "Emergency Classification Procedure."
* Tennessee Valley Authority. 95/06/20. 219pp. 84497:179-84498:037.

P. Operating license stage documents & correspondence

9506130044 Application for amends to licenses DPR-33,DPR-52 & DPR-68, clarifying definition of operability for RHRSW sys standby coolant supply capability & revising instrument numbers in Tables 3.2.F & 4.2.F for instruments upgraded.
SALAS,P. Tennessee Valley Authority. 95/06/02. Document Control Branch (Document Control Desk). 16pp. 84288:316-84288:344.

--9506130048 Proposed tech specs,clarifying definition of operability for RHRSW sys standby coolant supply capability & revising instrument numbers in TS Tables 3.2.F & 4.2.F for several instruments that have been upgraded.
* Tennessee Valley Authority. 95/06/02. 12pp. 84288:333-84288:344.

9506160280 Application for amends to licenses DPR-33,DPR-52 & DPR-68, revising TS to be consistent w/planned replacement of current power range monitoring portion of existing NMS,per GL 94-02.Proprietary GE rept NEDC-32433P encl.Rept withheld.
SALAS,P. Tennessee Valley Authority. 95/06/02. Document Control Branch (Document Control Desk). 55pp. 84365:003-84365:348.

--9506160293 Proposed tech specs supporting planned replacement of current power range monitoring portion of existing NMS w/GE digital nuclear measurement analysis & control power range neutron monitor retrofit design.
* Tennessee Valley Authority. 95/06/02. 289pp. 84365:060-84365:348.

9506200057 Confirms 950608 telcon re meeting scheduled for 950719 in Atlanta,GA on methods to be used to implement util Problem Identification & CAP for all util facilities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84350:005-84350:010.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

9506230391 Application for amends to licenses DPR-33,DPR-52 & DPR-68, revising TS to allow TIP sys to be considered operable w/ less than five TIP machines operable.
SALAS,P. Tennessee Valley Authority. 95/06/16. Document Control Branch (Document Control Desk). 12pp. 84457:303-84457:334.

--9506230392 Proposed tech specs,allowing traversing in-core probe sys to be considered operable w/less than five traversing in-core probe machines operable.
* Tennessee Valley Authority. 95/06/16. 20pp. 84457:315-84457:334.

9506290386 Forwards amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively & safety evaluation.Amends remove frequencies specified in TS for performing audits & delete requirement to perform radiological EP & security plan.
WILLIAMS,J.F. . 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84474:041-84474:067.

--9506290390 Amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68, respectively,removing frequencies specified in TS for performing audits & deleting requirement to perform radiological EP & physical security plan.
HEBDON,F.J. . 95/06/19. 21pp. 84474:043-84474:063.

--9506290393 Safety evaluation supporting amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84474:064-84474:067.

Q. Inspection reports, IE Bulletins & correspondence

9506010042 Forwards insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84107:104-84107:108.

--9506010054 Partially withheld insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12 (ref 10CFR73.21).No violations noted.Major areas inspected:alarm station,intrusion detection sys & assessment aids.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/05/22. 1p. 84107:108-84107:108.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506200101 Discusses 950511 meeting w/util at plant Training & Visitors Ctr Athens,AL re results of SALP rept for period of 930919-950318.
JOHNSON,J.R. Region 2 (Post 820201). 95/05/30. KINGSLEY,O.D. Tennessee Valley Authority. 16pp. 84346:108-84346:132.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506190397 Forwards insp repts 50-259/95-29,50-260/95-29 & 50-296/95-29 on 950515-19.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/31. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84343:194-84343:206.

--9506190401 Insp repts 50-259/95-29,50-260/95-29 & 50-296/95-29 on 950515-19.No violations noted.Major areas inspected:maint of I&C sys.
SALGADO,N.L., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/31. 10pp. 84343:197-84343:206.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200076 Forwards insp repts 50-259/95-26,50-260/95-26 & 50-296/95-26 on 950416-05813 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84346:082-84346:107.

--9506200123 Insp repts 50-259/95-26,50-260/95-26 & 50-296/95-26 on 950416-0513.Violations noted.Major areas inspected: operations,surveillance testing,maint activities & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/06/06. 21pp. 84346:087-84346:107.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190444 Forwards insp repts 50-259/95-27,50-260/95-27 & 50-296/95-27 on 950508-12.
CASTO,C.A. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84344:130-84344:143.

–9506190447 Insp repts 50-259/95-27,50-260/95-27 & 50-296/95-27 on 950508-12.No violations noted.Major areas inspected:design changes,plant mods,engineering & technical support activities.
WHITENER,H.L., WISEMAN,G., SHYMLOCK,M. Region 2 (Post 820201). 95/06/08. 8pp. 84344:133-84344:143.

9506280219 Forwards insp rept 50-259/95-25,50-260/95-25 & 50/296/95-25 on 950515-19.No violations or deviations noted.
CASTO,C.A. Region 3 (Post 820201). 95/06/15. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:217-84442:227.

–9506280233 Insp repts 50-259/95-25,50-260/95-25 & 50-296/95-25 on 950515-19.No violations noted.Major areas inspected: electrical issues associated w/restart of unit 3.TOL program reviewed to determine if concerns identified for unit 3.
RUDISAIL,S., SHYMLOCK,M. Region 2 (Post 820201). 95/06/14. 8pp. 84442:220-84442:227.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280046 Confirms 950717-21 insp of plant.Purpose of insp to evaluate plant for compliance w/Sections III.G,III.J & III.L of App R to 10CFR50.
CASTO,C.A. Region 2 (Post 820201). 95/06/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84441:126-84441:129.

9506290127 Responds to NRC 950505 ltr re violations noted in insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15.Corrective actions: issued problem evaluation rept.
MACHON,R.D. Tennessee Valley Authority. 95/06/20. Document Control Branch (Document Control Desk). 10pp. 84498:348-84498:357.

R. Periodic operating reports & related correspondence

9506200088 Monthly operating repts for May 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/950615 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/05/31. 13pp. 84405:185-84405:197.

V. Operator Examinations

9506130120 Notifies of termination of operator license for HD Crumpton.
MACHON,R.D. Tennessee Valley Authority. 95/06/06. Region 2 (Post 820201). 2pp. 84337:138-84337:139.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506010347 Provides response to RAI re request for exception to location of Technical Support Ctr in protected area submitted 950224.
KRICH,R.M. Carolina Power & Light Co. 95/05/24. Document Control Branch (Document Control Desk). 7pp. 84172:308-84172:316.

9506060061 Forwards revised emergency plan & procedures for plant Unit 2.
KRICH,R.M. Carolina Power & Light Co. 95/06/01. Document Control Branch (Document Control Desk). 4pp. 84197:266-84197:318.

–9506060073 Rev 30 to HB Robinson Unit 2, "Plant Operating Manual,Vol 1, Part 2,Plant Program Procedure PLP-007,Robinson Emergency Plan."
KRICH,R.M. Carolina Power & Light Co. 95/05/30. 24pp. 84197:270-84197:293.

–9506060079 Rev 13 to EPIP, "Emergency Work Permits & Exposure Control."
* Carolina Power & Light Co. 95/05/03. 25pp. 84197:294-84197:318.

9506290194 Responds to NRC 950519 ltr re violations noted in insp rept 50-261/95-12.Corrective actions:safeguards info immediately relocated to controls area of CR complex & review of need for safeguards info matl in CR conducted.
HINNANT,C.S. Carolina Power & Light Co. 95/06/18. Document Control Branch (Document Control Desk). 4pp. 84499:352-84499:355.

H. General correspondence

9506190024 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
ROGAN,R.E. Carolina Power & Light Co. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:028-84320:028.

P. Operating license stage documents & correspondence

9506090464 Forwards Amend 165 to License DPR-23 & safety evaluation. Amend changes TS to remove Section 4.3 from plant TS since primary sys testing already performed per ASME B&PV Code.
MOZAFARI,B.L. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/30. HINNANT,C.S. Carolina Power & Light Co. 4pp. 84266:116-84266:127.

–9506090469 Amend 165 to License DPR-23,re changes to TS to remove Section 4.3 from plant TS since primary sys testing following opening already performed per ASME B&PV Code.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/30. 4pp. 84266:119-84266:122.

–9506090472 Safety evaluation supporting Amend 165 to License DPR-23.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 4pp. 84266:123-84266:127.

9506070110 Transmits change to basis of TS Section 4.8 re surveillance testing of steam driven AF pump after periods of reactor being in cold shutdown.
KRICH,R.M. Carolina Power & Light Co. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84219:336-84219:338.

–9506070113 Proposed tech specs re change to Basis of TS Section 4.8 concerning surveillance testing of steam driven AF pump after periods of reactor being in cold shutdown.
* Carolina Power & Light Co. 95/06/01. 1p. 84219:338-84219:338.

9506070116 Forwards Rev 0 to "HB Robinson Unit 2,Cycle 17 COLR."
KRICH,R.M. Carolina Power & Light Co. 95/06/01. Document Control Branch (Document Control Desk). 1p. 84219:225-84219:236.

–9506070120 Rev 0 to "HB Robinson Unit 2,Cycle 17 COLR."
* Carolina Power & Light Co. 95/06/01. 11pp. 84219:226-84219:236.

9506140123 Application for amend to license DPR-23.Amend would clarify definition of operability for charging pumps.
KRICH,R.M. Carolina Power & Light Co. 95/06/03. Document Control Branch (Document Control Desk). 12pp. 84338:232-84338:247.

–9506140125 Proposed tech specs re clarification of definition re operability for charging pumps.
* Carolina Power & Light Co. 95/06/03. 4pp. 84338:244-84338:247.

9506190391 Confirms 950609 telcon between RM Krich & DM Verrelli re mgt meeting scheduled for 950620 in Atlanta,GA to discuss outage issues during recent plant refueling.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/09. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84343:189-84343:191.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506190271 Ltr contract NRC-03-93-026,definitizing task order 70,to "Follow-up to Svc Water Sys Operational Performance Insp (SWSOPI) - HB Robinson."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2062-5. 95/05/25. LOFY,R.A. PARAMETER, Inc. 6pp. 84349:343-84349:348.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506080653 Requests NRC concurrence for one time change to conditions specified in approval for Relief Request 13 of third ten-yr ISI program plan to allow replacement of C RCP gasket w/o further disassembly of pump casing internals.
KRICH,R.M. Carolina Power & Light Co. 95/06/06. Document Control Branch (Document Control Desk). 5pp. 84227:267-84227:271.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506280643 Informs that util 950606 request for one-time exemption from performing insps of reactor coolant pump internal surfaces granted per 10CFR55a(a)(3)(ii).SER encl.
BUCKLEY,B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/09. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84455:353-84455:359.

–9506280647 Safety evaluation granting util one-time exception from performing inspections of pump internal surfaces,per 10CFR50.55a(a)(3)(ii).
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/05. 4pp. 84455:356-84455:359.

9506200299 Discusses insp rept 50-261/95-14 on 950423-0513 & forwards notice of violation.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/12. HINNANT,C.S. Carolina Power & Light Co. 4pp. 84347:146-84347:165.

–9506200303 Notice of violation from insp on 950423-0513.Violation noted:contracted refueling technician failed to follow procedure FHP-001.
* Region 2 (Post 820201). 95/06/12. 2pp. 84347:150-84347:151.

–9506200304 Insp rept 50-261/95-14 on 950423-0513.Violations noted. Major areas inspected:plant operations,maintenance activities,engineering efforts,plant support functions & review activities during non-regular work hours.
ORDERS,W.T., OGLE,C.R., VERRELLI,D.M. Region 2 (Post 820201). 95/06/12. 12pp. 84347:152-84347:165.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280033 Forwards insp rept 50-261/95-13 on 950417-21 & 0515-19 & notice of violation.
CASTO,C.A. Region 2 (Post 820201). 95/06/16. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84441:084-84441:106.

--9506280036 Notice of violation from insp on 950517.Violation noted: licensee failed to establish adequate work instructions requiring direct or indirect visual insp of C RCP studs after removal of boric acid residue & corrosion products.
* Region 2 (Post 820201). 95/06/16. 1p. 84441:087-84441:087.

--9506280042 Insp rept 50-261/95-13 on 950417-21.Violations noted.Major areas inspected:ISI flow accelerated corrosion & 'C' RCP main flang stud degradation.
KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 95/06/13. 19pp. 84441:088-84441:106.

9506290194 Responds to NRC 950519 ltr re violations noted in insp rept 50-261/95-12.Corrective actions:safeguards info immediately relocated to controls area of CR complex & review of need for safeguards info matl in CR conducted.
HINNANT,C.S. Carolina Power & Light Co. 95/06/18. Document Control Branch (Document Control Desk). 4pp. 84499:352-84499:355.

9506290202 Responds to NRC 950519 ltr re violations noted in insp rept 50-261/95-12.Corrective actions:test terminated & leakage stopped & an event review team formed & conducted investigation of cause & effects on sys operability.
HINNANT,C.S. Carolina Power & Light Co. 95/06/19. Document Control Branch (Document Control Desk). 7pp. 84500:342-84500:348.

R. Periodic operating reports & related correspondence

9506160557 Monthly operating rept for May 1995 for HB Robinson Steam Electric Plant,Unit 2.W/950608 ltr.
SCARBOROUGH,J., KRICH,R.M. Carolina Power & Light Co. 95/05/31. 4pp. 84367:257-84367:260.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

H. General correspondence

9506190005 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
ANDERSON,R.O. Northern States Power Co. 95/06/06. Docketing & Services Branch. 1p. 84320:009-84320:009.

P. Operating license stage documents & correspondence

9506010260 Forwards purple binder spine & cover inserts for plant IST manual.
ANDERSON,R.O. Northern States Power Co. 95/05/22. Document Control Branch (Document Control Desk). 4pp. 84172:298-84172:299.

9506220082 Forwards proposed change to Rev 18 of operational QA plan. Proposed change would modify listing of plant chemical & vol control sys positive displacement charging pumps & motors.
ANDERSON,R.O. Northern States Power Co. 95/06/14. Document Control Branch (Document Control Desk). 25pp. 84415:337-84415:360.

9506290434 Forwards plant spent fuel pool storage assessment conducted on 950327-31.Risks of either sustained loss of coolant event or significant loss of spent fuel coolant inventory event were low.
KIM,T.J. . 95/06/14. ANDERSON,R.O. Northern States Power Co. 16pp. 84473:214-84473:229.

9506230006 Forwards Rev 19 of Operational QA Plan for Monticello & Prairie Island Nuclear Generating Stations.
ANDERSON,R.O. Northern States Power Co. 95/06/15. Document Control Branch (Document Control Desk). 1p. 84465:051-84465:142.

--9506230009 Rev 19 to "Operational QA Plan."
AMUNDSON,T.E., WATZL,E.L. Northern States Power Co. 95/05/19. 87pp. 84465:053-84465:142.

9506300043 Forwards application for amend to license DPR-22,revising TS to support implementation of BWR thermal hydraulic stability solution,per 940909 response to GL 94-02.GE proprietary rept GENE-637-043-0295 also encl.GE rept withheld per 10CFR2.790.
HILL,W.J. Northern States Power Co. 95/06/22. Document Control Branch (Document Control Desk). 4pp. 84524:210-84524:243.

--9506300045 Application for amend to license DPR-22,revising TS to support implementation of BWR thermal hydraulic stability solution.
HILL,W.J. Northern States Power Co. 95/06/22. 12pp. 84524:214-84524:225.

--9506300047 Proposed tech specs supporting implementation of BWR thermal hydraulic stability solution.
* Northern States Power Co. 95/06/22. 18pp. 84524:226-84524:243.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506090019 Forwards insp rept 50-263/95-05 on 950329-0509.Noncited violations identified.
PHILLIPS,M.P. Region 3 (Post 820201). 95/05/25. WATZL,E. Northern States Power Co. 4pp. 84207:012-84207:029.

--9506090027 Insp rept 50-263/95-05 on 950329-0509.Noncited violations identified.Major areas inspected:operations,maint,plant support activities & engineering.
PHILLIPS,M.P. Region 3 (Post 820201). 95/05/25. 14pp. 84207:016-84207:029.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200053 Monthly operating rept for May 1995 for Monticello Nuclear Generating Station.W/950613 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 95/05/31. 6pp. 84405:127-84405:132.

S. Reportable occurrences, LERs & related correspondence

9506010003 PNO-III-95-022:on 950516,licensed RO tested positive for alcohol during random FFD test.RO relieved of duties & denied site access.Region III will review test results for possible enforcement action.
BELANGER,J., CALDWELL,J. Region 3 (Post 820201). 95/05/17. 1p. 84107:001-84107:001.

9506190329 LER 94-011-01:on 940929,inoperable SRV resulted in violation of plant TS.Replaced topworks assemblies for SRV "D" & "H" during 1994 refueling outage.
PARKER,T., HILL,W.J. Northern States Power Co. 95/06/07. 7pp. 84388:342-84388:348.

9506280558 LER 95-005-00:on 950518,two main RB supply fans tripped. Caused by electrical disturbance on 345 kV power lines connected to plant substation.Ventilation configuration changed.W/950615 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 95/06/15. 7pp. 84472:285-84472:291.

9506280568 LER 95-004-00:on 950518,an electrical assembly tripped,de- energizing "B" RPS bus.Caused by aging of electrolytic capacitor.Capacitor replaced.W/950615 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 95/06/15. 5pp. 84472:292-84472:296.

9506290062 LER 93-008-01:on 930731,RPS trip occurred.Caused by reduction in reactor FW flow due to ground fault relay trip of main condensate pump.Motor replaced during 1994 refueling outage.W/950615 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 95/06/15. 6pp. 84508:196-84508:201.

DOCKET 50-264 DOW CHEMICAL CO.

P. Operating license stage documents & correspondence

9506220314 Forwards "Request for Addl Info" re request to amend FOL R-108 & requests response within 30 days of ltr date.
ADAMS,A. . 95/06/07. BUTTS,S. Dow Chemical Co. 4pp. 84404:084-84404:087.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010050 Revised EPIPs,including rev 15 to QEP 720-0 & rev 9 to QEP 720-S1.
* Commonwealth Edison Co. 95/05/23. 32pp. 84154:313-84154:344.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506200257 Revised procedures,including Rev 31 to QEP 600-0,Rev 13 to QEP 600-S1,Rev 12 to QEP 600-S2,Rev 12 to QEP 600-S4,Rev 8 to QEP 600-S5 & Rev 9 to QEP 600-S7.
* Commonwealth Edison Co. 95/06/13. 29pp. 84406:092-84406:120.

9506290199 Forwards three copies of Rev 37 of plant security plan.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 1p. 84520:360-84520:360.

9506290204 Requests exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage" for plant.Hand geometry biometric sys encl.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 1p. 84520:359-84520:359.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506010332 Forwards proprietary & nonproprietary versions of addl info re proposed Quad Cities Station core shroud repair,requested during 950516 telcon.Proprietary info withheld.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/24. Document Control Branch (Document Control Desk). 15pp. 84172:268-84172:282.

9506090341 Forwards amends 153 & 149 to licenses DPR-29 & DPR-30, respectively & SE.Amends change TS by revising low pressure value at which HPCI & RCIC sys can be tested to 150 psig.
PULSIFER,R.M. . 95/05/30. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84222:125-84222:143.

--9506090347 Amends 153 & 149 to licenses DPR-29 & DPR-30,respectively, changing TS by revising low pressure value at which HPCI & RCIC sys can be tested to 150 psig.
PULSIFER,R.M. . 95/05/30. 15pp. 84222:127-84222:141.

--9506090359 Safety evaluation supporting amends 153 & 149 to licenses DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 2pp. 84222:142-84222:143.

9506130034 Advises that any changes to UFSAR necessitated by approval & implementation of TSUP will be incorporated into UFSAR.
PIET,P.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84297:358-84297:359.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506070697 Provides final results of Quad Cities Nuclear Station Unit 2 core shroud exams,per GL 94-03.
SCHRAGE,J.L. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 4pp. 84218:272-84218:275.

9506070700 Forwards addl info re proposed core shroud repair,in response to NRC 950525 telcon RAI w/respect to Suppl A to Rev 4 to GENE-771-68-1094.
SCHRAGE,J.L. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84210:358-84210:360.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506230286 Forwards amends 133,127,154 & 150 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & safety evaluation.Amends integrate addl info such as equipment operability requirements during shutdown conditions.
STANG,J.F. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 5pp. 84429:276-84429:311.

--9506230293 Amends 133,127,154 & 150 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,integrating addl info such as equipment operability requirements during shutdown conditions.
STANG,J.F. . 95/06/08. 22pp. 84429:281-84429:302.

--9506230298 Safety evaluation supporting amends 133,127,154 & 150 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 9pp. 84429:303-84429:311.

9506200429 Forwards amends 134,128,155 & 151 to licenses DPR-19,DPR-25, DPR-29 & DPR-30 & SE.Amends re proposed upgrade of sections 2.0,3/4.11 & 3/4.12 of Dresden & Quad Cities TS.
STANG,J.F. . 95/06/13. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84375:246-84375:333.

--9506200445 Amends 134,128,155 & 151 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,re proposed upgrade of sections 2.0,3/4.11 & 3/4.12 of Dresden & Quad Cities TS.
STANG,J.F. . 95/06/13. Commonwealth Edison Co. 63pp. 84375:281-84375:311.

--9506200451 Safety evaluation supporting amends 134,128,155 & 151 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 22pp. 84375:312-84375:333.

9506280605 Forwards amends 135,129,156 & 152 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively.Amends upgrade TS section 5.0, "Design Features," per TS upgrade program,in response to util 931215 application.
STANG,J.F. . 95/06/14. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84460:237-84460:276.

--9506280607 Amends 135,129,156 & 152 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,upgrading TS section 5.0, "Design Features," per TS upgrade program.
STANG,J.F. . 95/06/14. 26pp. 84460:241-84460:266.

--9506280611 Safety evaluation supporting amends 135,129,156 & 152 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 10pp. 84460:267-84460:276.

9506230243 Ack receipt of recently received info re activities at plant.Details of matter encl for review & followup.Details withheld from public disclosure per 10CFR2.790(a).
AXELSON,W.L. Region 3 (Post 820201). 95/06/15. KRAFT,E. Commonwealth Edison Co. 2pp. 84465:350-84465:351.

9506290276 Forwards response to NRC 950222 RAI re Comm Ed TS upgrade program Section 3/4.8, "Plant Sys." Mark-up of tech specs & Chapter 12 of Dresden & Quad-Cities ODCM also encl.ODCM provided to identify relocation of TS to ODCM,per GL 89-01.
PIET,P.L. Commonwealth Edison Co. 95/06/16. Document Control Branch (Document Control Desk). 38pp. 84520:001-84520:305.

--9506290281 Proposed tech specs consisting of cross-ref between current TS requirements against TS requirements proposed in TS upgrade program pages submitted in Comm Ed 930910 ltr.
* Commonwealth Edison Co. 95/06/16. 128pp. 84520:039-84520:166.

9506300209 Forwards SE accepting transfer of control of 25% plant due to stated merger.
PULSIFER,R.M. . 95/06/20. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84488:336-84488:340.

--9506300214 Safety evaluation accepting transfer of control of 25% of plant due to stated merger.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/20. 3pp. 84488:338-84488:340.

Q. Inspection reports, IE Bulletins & correspondence

9506050029 Forwards insp repts 50-254/95-03 & 50-265/95-03 on 950311- 950421.No violations noted.NRC concerned that availability of important plant equipment such as HPCI pumps,emergency diesel generators & RHRSW pumps has been reduced.
HILAND,P.L. Region 3 (Post 820201). 95/05/23. KRAFT,E. Commonwealth Edison Co. 2pp. 84150:041-84150:058.

--9506050033 Insp repts 50-254/95-03 & 50-265/95-03 on 950311-0421.No violations noted.Major areas inspected:maint,engineering & technical support,plant support & issue resolution.
HILAND,P. Region 3 (Post 820201). 95/05/22. 16pp. 84150:043-84150:058.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210012 Ack receipt of 950515 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/94-29 & 50-265/94-29.
HILAND,P.L. Region 3 (Post 820201). 95/06/08. KRAFT,E. Commonwealth Edison Co. 2pp. 84357:071-84357:072.

9506210017 Ack receipt of 950515 ltr informing NRC of steps taken to correct violations noted in insp repts 50-254/95-02 & 50-265/95-02.
HILAND,P.L. Region 3 (Post 820201). 95/06/08. KRAFT,E. Commonwealth Edison Co. 2pp. 84357:103-84357:104.

9506220326 Forwards safety evaluation accepting util 940823 & 950116 submittals re response to GL 94-03 concerning insp plan for core shroud & general design plans for repair of core shrouds.
PULSIFER,R.M. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84403:334-84403:358.

--9506220327 Safety evaluation accepting util 940823 & 950116 submittals re GL 94-03 concerning insp plan for core shroud & general design plans for repair of core shrouds.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 22pp. 84403:337-84403:358.

9506210141 Forwards synopsis from investigation performed by NRC OI re deliberate external radiation exposure of female contract laborer plant.
PEDERSON,C.D. Region 3 (Post 820201). 95/06/14. KRAFT,E. Commonwealth Edison Co. 3pp. 84360:194-84360:196.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506150259 Monthly operating repts for May 1995 for Quad Cities Nuclear Station Units 1 & 2.W/950609 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 95/05/31. 20pp. 84339:331-84339:350.

9506220148 Forwards listing of facility & procedures changes,tests & experiment requiring safety evaluations completed during month of Apr 1995 for Quad-Cities Station Units 1 & 2.
PEARCE,L.W. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 34pp. 84436:127-84436:160.

S. Reportable occurrences, LERs & related correspondence

9506080146 LER 95-002-00:on 950505,non-licensed equipment operator opened Bus 24 potential transformer fuses drawer causing listed actions.Caused by poor work practices.Proper plant configuration reestablished.W/950522 ltr.
CHRISSOTIMOS,N., PEARCE,L.W. Commonwealth Edison Co. 95/05/22. 6pp. 84222:025-84222:030.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506020245 Forwards missing page to description,submitted to NRC on 950221 of proposed vehicle control measures for plant.Encl withheld per 10CFR1,50,70 & 73.
LINK,B. Wisconsin Electric Power Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84221:244-84221:244.

9506120124 Provides security plan revs for PBNPSP C-2.0 & PBNPSP Figure "I." Encl withheld.
MAXFIELD,G..J. Wisconsin Electric Power Co. 95/06/02. Document Control Branch (Document Control Desk). 1p. 84266:359-84266:359.

H. General correspondence

9506190051 Comment re draft NUREG/BR-0199, "Responsiveness to Public." Expresses concern on dry cask storage w/exemption given to VSC-24 cask & procedures for unloading & transport at plant.
SHILLINGLAW,F. Affiliation Not Assigned. 95/06/13. HOYLE Office of the Secretary of the Commission. 8pp. 84320:045-84320:052.

P. Operating license stage documents & correspondence

9506010076 Forwards suppl TS page reflecting addl ref to Semiannual Monitoring Rept.
LINK,B. Wisconsin Electric Power Co. 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84154:357-84154:359.

--9506010081 Proposed tech spec page reflecting ref to Semiannual Monitoring Rept.
* Wisconsin Electric Power Co. 95/05/24. 1p. 84154:359-84154:359.

9506080615 Submits Addendum 2 to TS Change Request 176,consisting of encl marked-up TS page reflecting change to "Annual" monitoring rept.
LINK,B. Wisconsin Electric Power Co. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84240:352-84240:354.

--9506080619 Proposed TS page 15.7.7-2,reflecting change to "Annual" monitoring rept.
* Wisconsin Electric Power Co. 95/06/01. 1p. 84240:354-84240:354.

9506280317 Forwards revised SBO evaluation for installation of addl EDGs at PBNP,per discussions w/NRC in Dec 1994.
KRIESER,G.M. Wisconsin Electric Power Co. 95/06/14. Document Control Branch (Document Control Desk). 18pp. 84479:342-84479:359.

9506300287 Application for amend to licenses DPR-24 & DPR-27,consisting of change request 164,modifying TS 15.3.0, "General Considerations," to incorporate requirements similar to NUREG-1431.
LINK,B. Wisconsin Electric Power Co. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84522:329-84522:340.

--9506300292 Proposed tech specs,consisting of change request 164, modifying TS 15.3.0, "General Considerations," to incorporate requirements similar to NUREG-1431.
* Wisconsin Electric Power Co. 95/06/23. 10pp. 84522:331-84522:340.

9506300126 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
LINK,B. Wisconsin Electric Power Co. 95/06/26. Document Control Branch (Document Control Desk). 9pp. 84523:279-84523:287.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200152 Forwards semiannual insp plan for plant for purposes of assessing licensee performance & developing facility insp plans.Requests feedback on subj plan.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. LINK,R. Wisconsin Electric Power Co. 5pp. 84347:251-84347:255.

9506200275 Forwards insp repts 50-266/95-04 & 50-301/95-04 & notice of violation.
FARBER,M.J. Region 3 (Post 820201). 95/06/13. LINK,R. Wisconsin Electric Power Co. 2pp. 84578:175-84578:209.

--*9507100370* *Notice of violation from insp on 950311-0505.Violation noted:unit 2 A06* was inoperable from 941026 to 950328 due to improperly set loss of voltage relays.
* Region 3 (Post 820201). 95/06/13. 1p. 84578:177-84578:177.

--9506200279 Insp repts 50-266/95-04 & 50-301/95-04 on 950311-0505.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FARBER,M.J. Region 3 (Post 820201). 95/06/13. 32pp. 84578:178-84578:209.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200012 Monthly operating repts for May 1995 for Point Beach Nuclear Plant Units 1 & 2.W/950607 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 95/05/31. 9pp. 84404:351-84404:359.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506020072 Advises that Storage & Transport Systems Branch has assigned Docket 72-5 for Point Beach Nuclear Plant to track dry SF storage at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/26. LINK,R.E. Wisconsin Electric Power Co. 2pp. 84182:292-84182:293.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

J. Insurance & indemnity information

9506300114 Forwards exemption from requirements of 10CFR50.54(w). Exemption eliminates requirements for licensee to continue to maintain onsite property insurance.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/07. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 84510:237-84510:252.

--9506300120 Exemption from requirements of 10CFR50.54(w) to maintain onsite property damage insurance.
GREEVES,J.T. Division of Waste Management (Pre 870413). 95/06/07. Public Service Co. of Colorado. 7pp. 84510:241-84510:247.

--9506300122 Safety evaluation supporting exemption from 10CFR50.54(w).
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/07. 4pp. 84510:248-84510:252.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506220027 Forwards summary of enforcement conference conducted on 950601 re activities authorized by NRC license DPR-34 for Ft Vrain.List of attendees & slides encl.
COLLINS,S.J. Region 4 (Post 820201). 95/06/16. CRAWFORD,A.C. Public Service Co. of Colorado. 68pp. 84375:036-84375:112.

R. Periodic operating reports & related correspondence

9506200166 Transmits quarterly 10CFR50.59 rept of changes,tests & experiments affecting decommissioning of plant.
FISHER,M.J. Public Service Co. of Colorado. 95/06/08. Document Control Branch (Document Control Desk). 8pp. 84405:314-84405:321.

W. Decommissioning Stage Documents & Correspondence

9506010139 Informs that Environ Survey & Site Assessment Program of ORISE has reviewed subject rept & offers attached comments for consideration.
ABELQUIST,E.W. Oak Ridge Associated Universities. 95/03/13. FAUVER,D. Division of Waste Management (NMSS 940403). 3pp. 84184:126-84184:128.

9506080382 Ltr contract NRC-02-90-009,mod 1,task order 32,extending expiration date from 950430 to 950531,to "TA in Review of Fort St Vrain Repowering Natural Gas Analysis."
MACE,M. Division of Contracts (Post 940714). 95/05/03. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 84381:155-84381:155.

9506020175 Forwards draft rept, "Confirmatory Survey for Repower Area FSV Platteviill,CO" conducted during period of 950320-22.
ABELQUIST,E.W. Oak Ridge Associated Universities. 95/05/16. FAUVER,D. Division of Waste Management (NMSS 940403). 1p. 84181:247-84181:290.

-9506020184 Draft rept, "Confirmatory Survey for Repower Area FSV Platteville,CO."
ABELQUIST,E.W. Oak Ridge Associated Universities. FIN A-9076. 95/05/16. Division of Waste Management (NMSS 940403). 43pp. 84181:248-84181:290.

9506010250 Submits proposed mods to criteria to be used for initial classification & for investigation/reclassification of surface & structure survey units.Criteria will be applied during final radiological survey at FSV.
FISHER,M.J. Public Service Co. of Colorado. 95/05/23. WEBER,M.F. Decommissioning & Regulatory Issues Branch (Post 901230). 13pp. 84172:285-84172:297.

9506070005 Forwards response to NRC comments re final survey rept for repower area.
FISHER,M.J. Public Service Co. of Colorado. 95/05/30. WEBER,M.F. Office of Nuclear Reactor Regulation (Post 941001). 20pp. 84239:269-84239:288.

9506210277 Forwards proposed amend to FSV NPDES Permit,Wastewater Discharge Permit CO-0001121,to support decommissioning & repowering activities,including addition of new water QC equipment & other changes which impact water usage.
FISHER,M.J. Public Service Co. of Colorado. 95/06/15. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 59pp. 84412:225-84412:284.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506190367 Forwards public version of revised EPIPs,including Rev 95-03 to cover sheet & table of contents,Change 13 to CP/1/A/2002/04C & CP/2/A/2002/04C,Change 10 to CP/3/A/2002/04C & Chemistry Manual 5.1.W/950606 memo.
HAMPTON,J.W. Duke Power Co. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84381:224-84381:333.

-9506190385 Public version of revised EPIPs,including Rev 95-03 to cover sheet & table of contents,Change 13 to CP/1/A/2202/04C & CP/2/A/2002/04C,Change 10 to CP/3/A/2002/04C & Chemistry Manual 5.1.
FOSTER,W.W. Duke Power Co. 95/05/22. 119pp. 84381:226-84381:333.

9506090290 Provides addl info supporting review of proposed mod to plant emergency power sys.
HAMPTON,J.W. Duke Power Co. 95/05/31. Document Control Branch (Document Control Desk). 4pp. 84249:321-84249:324.

9506200314 Advises that rev 95-01 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/06/02. HAMPTON,J.W. Duke Power Co. 3pp. 84349:269-84349:271.

9506150185 Rev 95-04,Vol B of plant EPIPs Manual,dtd Jun 1995.W/950608 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 95/06/08. 12pp. 84340:291-84340:302.

9506150253 Responds to NRC 950512 ltr re violations noted in insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04.Corrective actions: info marked as safeguards info removed from Computer Aided Drawing server & appropriate notifications made.
HAMPTON,J.W. Duke Power Co. 95/06/08. Document Control Branch (Document Control Desk). 5pp. 84352:339-84352:343.

P. Operating license stage documents & correspondence

9506190381 Summarizies 950501 meeting w/util re plant safety-related designation clarification project.Informs that NRR will review licensing basis as modified by util responses to GL 83-28.
GIBSON,A.F. Region 2 (Post 820201). 95/06/01. HAMPTON,J.W. Duke Power Co. 25pp. 84343:136-84343:160.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506200365 Forwards descriptions of exemptions no longer in effect for ONS.
HAMPTON,J.W. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 5pp. 84406:221-84406:225.

9506280522 Discusses audit rept of Oconee USI A-46/IPEEE in progress seismic walkdown wk of 950417 to observe & assess effectiveness of progress for identifying seismic concerns w/shutdown electrical & mechanical equipment.
WIENS,L.A. . 95/06/15. HAMPTON,J.W. Duke Power Co. 12pp. 84453:282-84453:293.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506060422 Requests extension of completion date for issuance of flow diagram on ACB air sys to match mod of associated logic,per Insp Repts 50-269/94-21,50-270/94-21 & 50-287/94-21.
HAMPTON,J.W. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84209:275-84209:276.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506060428 Responds to 950405 ltr from AF Gibson to JW Hampton re status of loss of lake analysis.
HAMPTON,J.W. Duke Power Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84209:277-84209:278.

9506190411 Forwards insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations identified.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. HAMPTON,J.W. Duke Power Co. 2pp. 84344:103-84344:111.

-9506190418 Insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations noted.Major areas inspected:licensed operator requalification program during period 950515-19.
HOPPER,G.T., PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. 7pp. 84344:105-84344:111.

9506190434 Ack receipt of 950518 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/95-03, 50-270/95-03 & 50-287/95-03.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/01. HAMPTON,J.W. Duke Power Co. 3pp. 84344:114-84344:116.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150253 Responds to NRC 950512 ltr re violations noted in insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04.Corrective actions: info marked as safeguards info removed from Computer Aided Drawing server & appropriate notifications made.
HAMPTON,J.W. Duke Power Co. 95/06/08. Document Control Branch (Document Control Desk). 5pp. 84352:339-84352:343.

9506200218 Forwards third ten yr ISI interval Request for Relief 93-08 supplemental info,including B&W ltr dtd 950608 providing description of rev to B&W TR BAW-2228, "Fracture Mechanics Assessment of Postulated Outer Surfaces,Semi-Elliptical...."
HAMPTON,J.W. Duke Power Co. 95/06/12. Document Control Branch (Document Control Desk). 11pp. 84404:328-84404:338.

9506200198 Informs that implementation of mod for automatic FW isolation following MSLB delayed until EOC 16 for ONS Unit 3,in lieu of commitment made in 930819 supplemental response to IE Bulletin 80-04.
HAMPTON,J.W. Duke Power Co. 95/06/14. Document Control Branch (Document Control Desk). 6pp. 84404:320-84404:325.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506230135 Ack receipt of 950608 response to violations noted in insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04.
COLLINS,D.M. Region 2 (Post 820201). 95/06/20. HAMPTON,J.W. Duke Power Co. 3pp. 84472:349-84472:351.

9506290283 Forwards response to NRC 950524 ltr re violations noted in insp repts 50-269/95-06,50-270/95-06 & 50-287/95-06. Corrective actions:approved Rev 4 of OSC-6003,which reduced maximum operating limit for Keowee Hydro unit.
HAMPTON,J.W. Duke Power Co. 95/06/23. Document Control Branch (Document Control Desk). 3pp. 84498:131-84498:133.

R. Periodic operating reports & related correspondence

9506210182 Forwards monthly operating rept for Oconee Nuclear Station for month of May 1995 and revision 1 of monthly refueling info request for Oconee 1 & 2 for month of April 1995.
WEBER,R.L. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84407:258-84407:277.

--9506210189 Monthly operating repts for May 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Consumers Power Co. 95/05/31. 14pp. 84407:260-84407:274.

--9506210228 Rev 1 to monthly refueling info request for Oconee 1 & 2 for month of April 1995.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 3pp. 84407:275-84407:277.

S. Reportable occurrences, LERs & related correspondence

9506080206 LER 95-004-00:on 950426,Unit 1 brought from 100% full power to hot standby for testing CR trip insertion times.Cause due to data obtained from CR trip times on Unit 2 & equipment failure.Installed mod thermal barriers.W/950525 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 95/05/25. 6pp. 84222:038-84222:043.

V. Operator Examinations

9506190411 Forwards insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations identified.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. HAMPTON,J.W. Duke Power Co. 2pp. 84344:103-84344:111.

--9506190418 Insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations noted.Major areas inspected:licensed operator requalification program during period 950515-19.
HOPPER,G.T. Region 2 (Post 820201). 95/05/31. 7pp. 84344:105-84344:111.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506190367 Forwards public version of revised EPIPs,including Rev 95-03 to cover sheet & table of contents,Change 13 to CP/1/A/2002/04C & CP/2/A/2002/04C,Change 10 to CP/3/A/2002/04C & Chemistry Manual 5.1.W/950606 memo.
HAMPTON,J.W. Duke Power Co. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84381:224-84381:333.

--9506190385 Public version of revised EPIPs,including Rev 95-03 to cover sheet & table of contents,Change 13 to CP/1/A/2202/04C & CP/2/A/2002/04C,Change 10 to CP/3/A/2002/04C & Chemistry Manual 5.1.
FOSTER,W.W. Duke Power Co. 95/05/22. 119pp. 84381:226-84381:333.

9506090290 Provides addl info supporting review of proposed mod to plant emergency power sys.
HAMPTON,J.W. Duke Power Co. 95/05/31. Document Control Branch (Document Control Desk). 4pp. 84249:321-84249:324.

9506200314 Advises that rev 95-01 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/06/02. HAMPTON,J.W. Duke Power Co. 3pp. 84349:269-84349:271.

9506150185 Rev 95-04,Vol B of plant EPIPs Manual,dtd Jun 1995.W/950608 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 95/06/08. 12pp. 84340:291-84340:302.

9506150253 Responds to NRC 950512 ltr re violations noted in insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04.Corrective actions: info marked as safeguards info removed from Computer Aided Drawing server & appropriate notifications made.
HAMPTON,J.W. Duke Power Co. 95/06/08. Document Control Branch (Document Control Desk). 5pp. 84352:339-84352:343.

P. Operating license stage documents & correspondence

9506190381 Summarizies 950501 meeting w/util re plant safety-related designation clarification project.Informs that NRR will review licensing basis as modified by util responses to GL 83-28.
GIBSON,A.F. Region 2 (Post 820201). 95/06/01. HAMPTON,J.W. Duke Power Co. 25pp. 84343:136-84343:160.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506200365 Forwards descriptions of exemptions no longer in effect for ONS.
HAMPTON,J.W. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 5pp. 84406:221-84406:225.

9506280522 Discusses audit rept of Oconee USI A-46/IPEEE in progress seismic walkdown wk of 950417 to observe & assess effectiveness of progress for identifying seismic concerns w/shutdown electrical & mechanical equipment.
WIENS,L.A. . 95/06/15. HAMPTON,J.W. Duke Power Co. 12pp. 84453:282-84453:293.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Ga Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11p 84132:034-84132:044.

9506060422 Requests extension of completion date for issuance of flow diagram c ACB air sys to match mod of associated logic,per Insp Repts 50-269/94-21,50-27(94-21 & 50-287/94-21.
HAMPTON,J.W. Duke Power Co. 95/05/30. Document Control Branch (Docume Control Desk). 2pp. 84209:275-84209:276.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to I adequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:04 84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institut "Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:00 84173:014.

9506060428 Responds to 950405 ltr from AF Gibson to JW Hampton re status of los of lake analysis.
HAMPTON,J.W. Duke Power Co. 95/05/31. Document Control Branch (Docume Control Desk). 2pp. 84209:277-84209:278.

9506190411 Forwards insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 c 950515-19.No violations identified.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. HAMPTON,J.W. Duke Power C 2pp. 84344:103-84344:111.

--9506190418 Insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.N violations noted.Major areas inspected:licensed operator requalification progra during period 950515-19.
HOPPER,G.T., PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. 7pp. 84344:10 84344:111.

9506190434 Ack receipt of 950518 ltr informing NRC of steps taken to correct violatior noted in insp repts 50-269/95-03, 50-270/95-03 & 50-287/95-03.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/01. HAMPTON,J.W. Duke Power C 3pp. 84344:114-84344:116.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fu Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12p 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities f Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11p 84198:269-84198:279.

9506150253 Responds to NRC 950512 ltr re violations noted in insp repts 50-269/9 04,50-270/95-04 & 50-287/95-04.Corrective actions: info marked as safeguards in removed from Computer Aided Drawing server & appropriate notifications made.
HAMPTON,J.W. Duke Power Co. 95/06/08. Document Control Branch (Docume Control Desk). 5pp. 84352:339-84352:343.

9506200218 Forwards third ten yr ISI interval Request for Relief 93-08 supplement info,including B&W ltr dtd 950608 providing description of rev to B&W TR BAW-222 "Fracture Mechanics Assessment of Postulated Outer Surfaces,Semi-Elliptical...."
HAMPTON,J.W. Duke Power Co. 95/06/12. Document Control Branch (Docume Control Desk). 11pp. 84404:328-84404:338.

9506200198 Informs that implementation of mod for automatic FW isolation followir MSLB delayed until EOC 16 for ONS Unit 3,in lieu of commitment made in 93081 supplemental response to IE Bulletin 80-04.
HAMPTON,J.W. Duke Power Co. 95/06/14. Document Control Branch (Docume Control Desk). 6pp. 84404:320-84404:325.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pump Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:00 84381:008.

9506230135 Ack receipt of 950608 response to violations noted in insp repts 50-26 95-04,50-270/95-04 & 50-287/95-04.
COLLINS,D.M. Region 2 (Post 820201). 95/06/20. HAMPTON,J.W. Duke Power C 3pp. 84472:349-84472:351.

9506290283 Forwards response to NRC 950524 ltr re violations noted in insp repts 5 269/95-06,50-270/95-06 & 50-287/95-06. Corrective actions:approved Rev 4 of OS 6003,which reduced maximum operating limit for Keowee Hydro unit.
HAMPTON,J.W. Duke Power Co. 95/06/23. Document Control Branch (Docume Control Desk). 3pp. 84498:131-84498:133.

R. Periodic operating reports & related correspondence

9506210182 Forwards monthly operating rept for Oconee Nuclear Station for month May 1995 and revision 1 of monthly refueling info request for Oconee 1 & 2 for mor of April 1995.
WEBER,R.L. Duke Power Co. 95/06/15. Document Control Branch (Document Cc trol Desk). 2pp. 84407:258-84407:277.

--9506210189 Monthly operating repts for May 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Consumers Power Co. 95/05/31. 14pp. 84407:260-84407:274.

--9506210228 Rev 1 to monthly refueling info request for Oconee 1 & 2 for month April 1995.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 3pp. 84407:275-84407:277.

V. Operator Examinations

9506190411 Forwards insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations identified.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. HAMPTON,J.W. Duke Power Co. 2pp. 84344:103-84344:111.

--9506190418 Insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations noted.Major areas inspected:licensed operator requalification program during period 950515-19.
HOPPER,G.T. Region 2 (Post 820201). 95/05/31. 7pp. 84344:105-84344:111.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9506210136 Forwards insp rept 50-271/95-07 on 950508-12.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/12. REID,D.A. Vermont Yankee Nuclear Power Corp. 5pp. 84360:178-84360:193.

--9506210147 Insp rept 50-271/95-07 on 950508-12.No violations noted. Major areas inspected:emergency preparedness program changes,emergency facilities,equipment & supplies & emergency response organization training.
LAUGHLIN,J., KEIMIG,R. Region 1 (Post 820201). 95/06/12. 11pp. 84360:182-84360:193.

9506160562 Forwards objectives for 1995 full-participation biennial emergency exercise scheduled for 950913.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/06/13. Document Control Branch (Document Control Desk). 6pp. 84367:276-84367:281.

9506200244 Provides summary of self-assessment of util verification & validation process of EOPs,as discussed in NRC 950407 ltr re insp rept 50-271/95-05.
REID,D.A. Vermont Yankee Nuclear Power Corp. 95/06/16. Document Control Branch (Document Control Desk). 2pp. 84405:359-84405:360.

P. Operating license stage documents & correspondence

9506230375 Forwards SE re relief requests & action item responses for third interval pump & valve inservice testing program.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/12. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84436:067-84436:084.

--9506230377 Safety evaluation re inservice testing program relief requests.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 15pp. 84436:070-84436:084.

9506280123 Notification of 950623 meeting w/officials of VYNPC in Bolton,MA re status of NRC review of open licensing issues related to VYNP.
DORMAN,D.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/15. MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 4pp. 84448:078-84448:081.

9506280379 Forwards amend 145 to license DPR-28 & SE.Amend removes NMS & control rod position instrumentation from plant TS for post-accident monitoring & incorporates unrelated administrative changes.
DORMAN,D.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/20. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84471:273-84471:286.

--9506280391 Amend 145 to license DPR-28,removing NMS & control rod position instrumentation from plant TS for post-accident monitoring & incorporating unrelated administrative changes.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/20. 8pp. 84471:276-84471:283.

--9506280420 Safety evaluation supporting amend 145 to license DPR-28.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/20. 3pp. 84471:284-84471:286.

9506290254 Submits justification to extend completion date for GL 89-10 MOV program from May 1995,following Spring 1995 refueling outage to 951201.Info to support revised completion date encl.
PELLETIER,J.P. Vermont Yankee Nuclear Power Corp. 95/06/22. Document Control Branch (Document Control Desk). 35pp. 84498:093-84498:127.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120064 Forwards insp rept 50-271/95-02 on 950117-20.No violations noted.Util engineering & technical support program continues to maintain adequate resources & mgt emphasis to provide effective plant support.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/31. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84221:200-84221:210.

--9506120075 Insp rept 50-271/95-02 on 950117-20.No violations noted. Major areas inspected:engineering activities,especially effectiveness of engineering organization to perform engineering functions & to provide technical support.
CHAUDHARY,S., MODES,M.C. Region 1 (Post 820201). 95/05/26. 8pp. 84221:203-84221:210.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210136 Forwards insp rept 50-271/95-07 on 950508-12.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/12. REID,D.A. Vermont Yankee Nuclear Power Corp. 5pp. 84360:178-84360:193.

--9506210147 Insp rept 50-271/95-07 on 950508-12.No violations noted. Major areas inspected:emergency preparedness program changes,emergency facilities,equipment & supplies & emergency response organization training.
LAUGHLIN,J., KEIMIG,R. Region 1 (Post 820201). 95/06/12. 11pp. 84360:182-84360:193.

9506290147 Forwards safety evaluation re third 10-yr interval insp program plan & associated requests for relief for plant. Requests for relief B-1 & B-2 granted.Alternatives contained in requests for relief B-3,B-4 & P-2 authorized.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/14. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84473:253-84473:287.

--9506290162 Safety evaluation granting requests for relief B-1 & B-2 per 10CFR50.55a(a)(3)(i) & alternatives contained in requests for relief B-3,B-4 & P-2 per 10CFR50.55a(a)(3)(ii).
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 3pp. 84473:256-84473:258.

--9506290167 "Technical Evaluation Rept on Third 10-yr Interval Inservice Insp Program Plan."
BROWN,B.W., FEIGE,E.J., HALL,K.W. Idaho National Engineering Laboratory. INEL-95/0053. 95/04/30. . 30pp. 84473:259-84473:287.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506200244 Provides summary of self-assessment of util verification & validation process of EOPs,as discussed in NRC 950407 ltr re insp rept 50-271/95-05.
REID,D.A. Vermont Yankee Nuclear Power Corp. 95/06/16. Document Control Branch (Document Control Desk). 2pp. 84405:359-84405:360.

R. Periodic operating reports & related correspondence

9506160556 Monthly operating rept for May 1995 for Vermont Yankee. W/950610 ltr.
WALLIN,G.A., REID,D.A. Vermont Yankee Nuclear Power Corp. 95/05/31. 6pp. 84367:251-84367:256.

S. Reportable occurrences, LERs & related correspondence

9506070276 LER 95-008-00:on 950502,primary containment isolation sys actuation on high steam line flow during reactor startup occurred due to inadequate procedure branching.Resolved procedural discrepancies.W/950601 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/06/01. 5pp. 84238:140-84238:144.

9506070282 LER 95-006-00:on 950502,RCIC sys was inoperable w/isolation valve in closed position due to tripped supply breaker as result of low instantaneous trip setting.Implemented set point change to increase trip value.W/950601 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/06/01. 5pp. 84238:145-84238:149.

9506140134 LER 94-004-01:on 940410,reactor scram occurred from TCV fast closure scram signal due to high level in moisture separator "C".Caused by inadequate preventive maintenance.Level instruments/controllers replaced & calibrated.W/950606 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/06/06. 7pp. 84350:059-84350:065.

9506140431 LER 94-018-01:on 941216 & 20,identified two penetration seals that did not satisfy applicable acceptance criteria for operable seals.Caused by human error.Procedure OP 0046, "Installation of...Seals..." will be reviewed.W/950607 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/06/07. 7pp. 84350:091-84350:097.

9506210159 LER 95-006-01:on 950502,RCIC-16 outboard valves emergency feeder breaker tripped during alt shutdown surveillance testing.Caused by instantaneous trip setting being too low. Set point change initiated to increase setting.W/950615 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/06/15. 5pp. 84429:180-84429:184.

9506210164 LER 95-001-01:on 941230,identified that required TS surveillance had not been performed prior to performing maintenance.Caused by inadequate procedure requirements. Interim policy established.W/950616 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/06/16. 6pp. 84429:185-84429:190.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506010488 Forwards amends 167 & 149 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends remove from TS sections that entitled, "Seismic Instrumentation" & "Meteorological Instrumentation."
OLSHAN,L.N. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84145:330-84145:347.

--**9506010494** Amends 167 & 149 to licenses DPR-70 & DPR-75,respectively, removing from TS sections that entitled "Seismic Instrumentation" & "Meteorological Instrumentation" & relocate info & testing requirements to Salem UFSAR.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/22. 10pp. 84145:333-84145:343.

--**9506010497** Safety evaluation supporting amends 167 & 149 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84145:344-84145:347.

9506010111 Forwards insp repts 50-272/95-07 & 50-311/95-07 on 950323-0506,notice of deviation & NOV.
COOPER,R.W. Region 1 (Post 820201). 95/05/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84107:312-84107:344.

--**9506010130** Insp repts 50-272/95-07 & 50-311/95-07 on 950323-0506. Violation & deviation noted.Major areas inspected:security, operations,radiological controls & maint.
WHITE,J.R. Region 1 (Post 820201). 95/05/23. 24pp. 84107:321-84107:344.

9506280591 Forwards details of info for review & disposition re fitness for duty concerns at plant.Requests results of review within 60 days of ltr date.W/o encl.
COOPER,R.W. Region 1 (Post 820201). 95/06/19. FERLAND,J.E. Public Service Electric & Gas Co. of New Jersey. 3pp. 84452:052-84452:054.

H. General correspondence

9506140230 Notifies of 950526 internet mail from P Blanch to Commissioner,S Jackson,addressing plant ATWS event of 1983 & manner in which NRC bringing to close,safety concerns re MOVs.
ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/26. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 84288:109-84288:112.

--**9506140231** Expresses concerns w/manner in which NRC fails to fulfil obligation to provide protection to public & continued issues of NRC handling of "whistleblower" issues.
BLANCH,P.M. Affiliation Not Assigned. 95/05/26. JACKSON,S. Commissioners (Post 750119). 2pp. 84288:111-84288:112.

9506060042 Comment opposing proposed change in State Cooperative Agreements Program concerning NRC intention to reduce scope of work.Believes that NRC should maintain environ monitoring program & find other ways to reduce duplicative svcs.
LIPOTI,J. New Jersey, State of. 95/06/02. Docketing & Services Branch. 4pp. 84165:047-84165:050.

I. Financial information

9506300026 Forwards Public Svc Enterprise Group Inc,Delmarva Power, PECO Energy & Atlantic Energy Annual Repts 1994.
FRYLING,R. Public Service Electric & Gas Co. of New Jersey. 95/06/23. Document Control Branch (Document Control Desk). 1p. 84594:107-84594:351.

P. Operating license stage documents & correspondence

9506070244 Advises that State of NJ Dept of Environ Protection,Bureau of Nuclear Engineering has reviewed 940218 application for amend & has no comments.
TOSCH,K.W. New Jersey, State of. 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84238:306-84238:307.

9506010488 Forwards amends 167 & 149 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends remove from TS sections that entitled, "Seismic Instrumentation" & "Meteorological Instrumentation."
OLSHAN,L.N. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84145:330-84145:347.

--**9506010494** Amends 167 & 149 to licenses DPR-70 & DPR-75,respectively, removing from TS sections that entitled "Seismic Instrumentation" & "Meteorological Instrumentation" & relocate info & testing requirements to Salem UFSAR.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/22. 10pp. 84145:333-84145:343.

--**9506010497** Safety evaluation supporting amends 167 & 149 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84145:344-84145:347.

9506010492 Forwards "Safe Shutdown Equipment List Rept," "Relay Evaluation Rept Volumes 1 & 2," & "Seismic Evaluation Rept," for Salem Generating Station Units 1 & 2, in response to GL 87-02/USI A-46.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/05/22. Document Control Branch (Document Control Desk). 5pp. 84151:001-84154:255.

--**9506010498** "Safe Shutdown Equipment List Rept" for Salem Generating Station Units 1 & 2.
* Public Service Electric & Gas Co. of New Jersey. 0014-00078-R001 R02. 95/05/19. 200pp. 84151:006-84151:282.

--**9506010507** "Relay Evaluation Rept," Volumes 1 & 2, for Salem Generating Station Units 1 & 2.
* Public Service Electric & Gas Co. of New Jersey. 0014-00078-R002 R00. 95/04/25. 800pp. 84151:283-84154:067.

--**9506010514** "Seismic Evaluation Rept," for Salem Generating Station
* Public Service Electric & Gas Co. of New Jersey. SGS-SEIS.RPT R00. 95/04/20. 200pp. 84154:068-84154:255.

9506020215 Requests temporary code relief in accordance w/10CFR50.55 to permit continued station operation in accordance GL 90-05.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/24. Document Control Branch (Document Control Desk). 7pp. 84180:253-84180:305.

--**9506050119** Interim change IR-1 to Rev 5 to "SW Intake Piping."
* Public Service Electric & Gas Co. of New Jersey. 267749 R05. 95/04/27. 47pp. 84180:260-84180:305.

9506150332 Forwards table of results of tracer dye studies conducted to determine pump flow rates for circulating water sys.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/30. CAPORALE,G. New Jersey, State of. 3pp. 84339:357-84339:359.

9506210088 Discusses 950321 meeting w/util to discuss NRC concerns w/performance problems at plant in order to assure util directors of need for timely improvement.
MARTIN,T.T. Region 1 (Post 820201). 95/06/05. FERLAND,E.J. Public Service Electric & Gas Co. of New Jersey. 3pp. 84360:115-84360:117.

9506300238 Forwards amends 168 & 150 to licenses DPR-70 & DPR-75, respectively & SE.Amends revise administrative controls section of TS to reflect organizational changes & resultant mgt changes.
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/06/06. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84510:309-84510:332.

--**9506300244** Amends 168 & 150 to licenses DPR-70 & DPR-75,respectively. Amends revise administrative controls section of TS to reflect organizational changes & resultant mgt changes.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/06. 19pp. 84510:312-84510:330.

--**9506300247** Safety evaluation supporting amends 168 & 150 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/06. 2pp. 84510:331-84510:332.

9506190440 Discusses 950516 shutdown of plant due to 12 & 13 switchgear room supply fans being inoperable.Response to CAI 1-95-009 re shutdown should not include personal privacy,proprietary or safeguard info.
MARTIN,T.T. Region 1 (Post 820201). 95/06/09. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 5pp. 84344:118-84344:122.

9506200210 Advises that license change request 94-45 has been determined to have positive impact on plant safety.
TOSCH,K.W. New Jersey, State of. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84404:326-84404:327.

9506200300 Offers no comment on license change request 94-35,submitted by PSE&G 950502 ltr,proposing to modify tables 3.3-3 & 4.3-2 of TS to allow change to manual surveillance frequency of AFW pumps from monthly to staggered-quarterly.
TOSCH,K.W. New Jersey, State of. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84404:342-84404:343.

9506290350 Forwards amends 169 & 151 to licenses DPR-70 & DPR-75, respectively & SE.Amends revise Reactivity Control System TS LCO for boration flow paths & charging pumps.
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/06/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84491:253-84491:279.

--**9506290361** Amends 169 & 151 to licenses DPR-70 & DPR-75,respectively, revising Reactivity Control System TS LCO for boration flow paths & charging pumps.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/12. 21pp. 84491:256-84491:276.

--**9506290373** Safety evaluation supporting amends 169 & 151 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 3pp. 84491:277-84491:279.

9506210143 Advises that util current drawer I will be changed to drawer 0509,effective 950612.Ltr from Hancocks Bridge post ofc encl.
VENUTO,K. Public Service Electric & Gas Co. of New Jersey. 95/06/13. Public Service Electric & Gas Co. of New Jersey. 2pp. 84407:357-84407:358.

9506220061 Requests NRC to change mailing lists by removing TS Curham & adding PM Goelz.
HOUCK,M.M. Atlantic Energy, Inc. 95/06/14. HUNGER,G.A. NRC - No Detailed Affiliation Given. 1p. 84420:338-84420:338.

9506210084 Discusses 940805 complaint from employee alleging that because of safety concerns raised while performing duties at plant,poor performance appraisal in May 1994 was received.
COOPER,R.W. Region 1 (Post 820201). 95/06/15. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84360:111-84360:114.

Q. Inspection reports, IE Bulletins & correspondence

9506010111 Forwards insp repts 50-272/95-07 & 50-311/95-07 on 950323-0506,notice of deviation & NOV.
COOPER,R.W. Region 1 (Post 820201). 95/05/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84107:312-84107:344.

--**9506010119** Notice of violation from insp on 950323-0506.Violation noted:util blocked actuation of both 2R1A & 2R1B on high radiation in CR air conditioning ventilation intake duct rendering isolation dampers incapable of isolating.
* Region 1 (Post 820201). 95/05/24. 3pp. 84107:316-84107:318.

--**9506010124** Notice of deviation from insp on 950323-0506.Deviation noted:at least two EDG output breakers simultaneously closed on 950505 to support concurrent testing of 1A & 1C EDGs.
* Region 1 (Post 820201). 95/05/24. 2pp. 84107:319-84107:320.

--**9506010130** Insp repts 50-272/95-07 & 50-311/95-07 on 950323-0506. Violation & deviation noted.Major areas inspected:security, operations,radiological controls & maint.
WHITE,J.R. Region 1 (Post 820201). 95/05/23. 24pp. 84107:321-84107:344.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070600 Forwards insp repts 50-272/95-11 & 50-311/95-11 on 950511- 12.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/05/30. Public Service Electric & Gas Co. of New Jersey. 2pp. 84228:240-84228:250.

--9506070609 Insp repts 50-272/95-11 & 50-311/95-11 on 950511-12.No violations noted.Major areas inspected:reviewed status of previously identified open items & to determine adequacy of licensee corrective actions to resolve issues.
CHEUNG,L., RULAND,W.H. Region 1 (Post 820201). 95/05/25. 9pp. 84228:242-84228:250.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120025 Rev 1 to notification of licensee meeting 95-42 w/util on 950623 in Region I ofc to discuss violation of 10CFR50,App B re inadequate measures (procedure or instruction) to ensure that mod of pressurizer SRV loop seals properly implemented.
WHITE,J.R. Region 1 (Post 820201). 95/05/31. Region 1 (Post 820201). 2pp. 84221:124-84221:125.

9506120511 Forwards safety insp repts 50-272/95-08 & 50-311/95-08 on 950410-19 of licensed operator requalification training program.Weaknesses noted.
MEYER,G.W. Region 1 (Post 820201). 95/06/02. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 3pp. 84272:336-84272:347.

--9506120513 Insp repts 50-272/95-08 & 50-311/95-08 on 950410-19. Weaknesses noted.Major areas inspected:licensed operator requalification training program.
BISSETT,P., MEYER,G.W. Region 1 (Post 820201). 95/05/31. 9pp. 84272:339-84272:347.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190455 Forwards SIT insp repts 50-272/95-80 & 50-311/95-80 on 950426-0512.No violations noted.SIT found that managers & supervisors did not integrate activities,issues & priorities.
SHANKMAN,S.F. Region 1 (Post 820201). 95/06/09. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 84344:001-84344:038.

--9506190462 Insp repts 50-272/95-80 & 50-311/95-80 on 950426-0512.No violations noted.Major areas inspected:problem identification,root cause analysis,work control, configuration control & work arounds.
ESELGROTH,P.W., SHANKMAN,S.F. Region 1 (Post 820201). 95/06/08. 27pp. 84344:006-84344:038.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280616 Submits results of investigation re alleged discrimination at Salem Nuclear Generating Station.Response requested within 30 days.
COOPER,R.W. Region 2 (Post 820201). 95/06/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 84452:252-84452:255.

9506280644 Forwards insp rept 50-272/95-06 & 50-311/95-06 on 950313-17 & 0327-31.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/06/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 84452:292-84452:299.

--9506280657 Insp repts 50-272/95-06 & 50-311/95-06 on 950313-17 & 950327-31.No violations noted:Major areas inspected:to determine if util programmatic controls over design, installation,mod & maint of pipe supports satisfactory.
CHAUDHARY,S.K., MODES,M.C. Region 1 (Post 820201). 95/06/19. 6pp. 84452:293-84452:299.

R. Periodic operating reports & related correspondence

9506010036 "NPDES Discharge Monitoring Rept," for Apr 1995.W/950517 ltr.
ALLEN,R.M., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/04/30. CAPORALE,G. New Jersey, State of. 19pp. 84161:314-84161:332.

9506080215 Forwards revised NPDES discharge monitoring repts for Salem Generating Station for Sept 1994.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/30. CAPORALE,G. New Jersey, State of. 5pp. 84240:244-84240:262.

--9506080224 Revised NPDES discharge monitoring repts for Salem Generating Station for Sept 1994.
QUINN,R.F., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/30. 14pp. 84240:249-84240:262.

9506200068 Monthly operating rept for May 1995 for Salem Unit 1.W/ 950614 ltr.
PHILLIPS,R., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/31. 10pp. 84405:153-84405:162.

9506230388 Forwards corrected page for Discharge 485 in Apr 1995 discharge monitoring rept for Salem Generating Station, reflecting effluent gross value for acute toxicity testing (LC-50).
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/16. CAPORALE,G. New Jersey, State of. 2pp. 84457:340-84457:343.

--9506230389 Corrected page for Discharge 485 in Apr 1995 discharge monitoring rept for Salem Generating Station.
* Public Service Electric & Gas Co. of New Jersey. 95/04/30. 2pp. 84457:342-84457:343.

9506280225 Forwards NPDES discharge monitoring repts for Salem Generating Station for month of May 1995.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/20. CAPORALE,G. New Jersey, State of. 5pp. 84478:200-84478:218.

--9506280235 NPDES Discharge Monitoring Repts for Salem Generating Station for month of May 1995.
ALLEN,R.M., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/31. 14pp. 84478:205-84478:218.

S. Reportable occurrences, LERs & related correspondence

9506090150 LER 95-007-00:on 950505,EDGs 1A,1B & 1C simultaneously paralleled to electrical grid,resulting in potential for common mode failure of all three EDGs.Caused by Mgt/QA deficiency.Procedures revised.W/950602 ltr.
PASTVA,M.J., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/02. 7pp. 84247:330-84247:337.

9506200134 PNO-1-95-018:on 950607,unit 2 operators commenced TS 3.0.3 required shutdown from 100% power due to declaration of two inoperable RHR trains.Protective relay actuation caused loss of one source of power to vital 4KV buses.
WHITE,J.R. Region 1 (Post 820201). 95/06/09. 3pp. 84347:267-84347:269.

V. Operator Examinations

9506120511 Forwards safety insp repts 50-272/95-08 & 50-311/95-08 on 950410-19 of licensed operator requalification training program.Weaknesses noted.
MEYER,G.W. Region 1 (Post 820201). 95/06/02. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 3pp. 84272:336-84272:347.

--9506120513 Insp repts 50-272/95-08 & 50-311/95-08 on 950410-19. Weaknesses noted.Major areas inspected:licensed operator requalification training program.
BISSETT,P., MEYER,G.W. Region 1 (Post 820201). 95/05/31. 9pp. 84272:339-84272:347.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290088 Revised EPIPs,including rev 13A to EP RB-15:A,rev 11A to EP RB-15:B,rev 10 to EP RB-15:C,rev 5A to EP RB-15:D,rev 6A to EP RB-15:E,rev 1A to EP RB-15:J,rev 1A to EP RB-15:K & rev 1A to EP RB-15:L,W/950620 ltr.
ANGUS,M.J. Pacific Gas & Electric Co. 95/06/20. 73pp. 84498:178-84498:250.

P. Operating license stage documents & correspondence

9506190322 Forwards SE addressing deviations from RG 1.97,rev 3 for plant.Deviations were for instrumentation that monitors meteorological variables,containment pressure,accumulator isolation valve,pressurizer level & RCS hot & cold leg temp.
PETERSON,S.R. . 94/02/04. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 84360:297-84360:301.

--9506190327 Safety evaluation discussing resolution of deviations from RG 1.97,previously identified in ltr dtd 930217.
* Office of Nuclear Reactor Regulation (Post 941001). 94/02/04. 3pp. 84360:299-84360:301.

9506190285 Forwards amends 98 & 97 to licenses DPR-80 & DPR-82 & SE. Amends relocate TSs 3/4.4.2.1,3/4.4.7,3/4.4.9.2,3/4.4.10 & 3/4.4.11 in accordance w/Commission Final Policy Statement for relocation of current TS not meeting screening criteria.
MILLER,M.A. . 95/03/09. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 84360:254-84360:286.

--9506190291 Amends 98 & 97 to licenses DPR-80 & DPR-82,respectively, relocating TSs 3/4.4.2.1,3/4.4.7,3/4.4.9.2,3/4.4.10 & 3/4.4.11 per Commission Final Policy Statement for relocation of current TS not meeting any screening criteria.
MILLER,M.A. . 95/03/09. 25pp. 84360:257-84360:281.

--9506190293 Safety evaluation supporting amends 98 & 97 to licenses DPR-80 & DPR-82,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/03/09. 5pp. 84360:282-84360:286.

9506020055 Comment oppposing reduction in scope of work involved to States re environ monitoring at plant.Sampling & related lab analyses generate body of data ensuring public of long term safety to environ.
HENDRIX,R.E. San Luis Obispo County, CA. 95/05/12. Docketing & Services Branch. 1p. 84132:019-84132:019.

9506010101 Forwards revised analyses repts that will correct discrepancies in Attachments D,E & F of license amend request 95-01, "Increase in Max Fuel Enrichment Limit for New & SFP Racks."
RUEGER,G.M., WARNER,C.J. Pacific Gas & Electric Co. 95/05/22. Document Control Branch (Document Control Desk). 3pp. 84154:256-84154:312.

--9506010109 "Criticality SE of Diablo Canyon New Fuel Vault w/Fuel of 5% Enrichment,Rev 1."
TURNER,S.E. Affiliation Not Assigned. 95/04/30. 13pp. 84154:259-84154:271.

--9506010114 "Criticality SE of Region 1 of Diablo Canyon SF Storage Racks w/Fuel of 5.0% Enrichment,Rev 2."
TURNER,S.E. Affiliation Not Assigned. 95/04/30. 19pp. 84154:272-84154:290.

--**9506010115** "Criticality SE of Region 2 of Diablo Canyon SF Storage Racks w/Fuel of 5.0% Enrichment,Rev 2."
TURNER,S.E. Affiliation Not Assigned. 95/04/30. 22pp. 84154:291-84154:312.

9506080405 Summary of 950503 meeting w/G Rueger,L Womak & M Angus re status of activities at Diablo Canyon facility.
MCWHORTER,R. Commissioners (Post 750119). 95/05/23. Commissioners (Post 750119). 1p. 84381:157-84381:157.

9506090439 Forwards Amends 102 & 101 to Licenses DPR-80 & DPR-82 & SE. Amends revise TS to change certain SRs of combined TS for plant consistent w/recommendations in GL 93-05 "Line Item TS Improvements to Reduce SRs for Testing During Power...."
MILLER,M.A. . 95/05/26. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 84266:084-84266:115.

--**9506090446** Amends 102 & 101 to Licenses DPR-80 & DPR-82,respectively, re changes to TS to revise certain SRs of combined TS for plant consistent w/recommendations in GL 93-05 "Line Item TS Improvements to Reduce SRs for Testing During Power...."
MILLER,M.A. . 95/05/26. 25pp. 84266:087-84266:112.

--**9506090450** *Safety evaluation supporting Amends 102 & 101 to Licenses DPR-80 &* DPR-82,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 3pp. 84266:113-84266:115.

9506200470 Forwards Environmental Assessment re application for amend dtd 950206.EA addresses portion of amend application that would allow storage of fuel w/enrichments up to & including 5.0 weight % U-235.
MILLER,A. . 95/06/01. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 84378:345-84378:352.

--**9506200472** Environ assessment & finding of no significant impact re issuance of amend to licenses DPR-80 & DPR-82.
BATEMAN,W.H. . 95/06/01. 4pp. 84378:349-84378:352.

9506230055 Forwards amends 103 & 102 to licenses DPR-80 & DPR-82 & safety evaluation.Amends clarify TS issued in license amends 84/83 associated w/Eagle 21 reactor protection sys mod.
MILLER,M.A. . 95/06/02. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 84414:003-84414:075.

--**9506230061** Amends 103 & 102 to licenses DPR-80 & DPR-82,respectively, clarifing TS issued in license amends 84/83 associated w/ Eagle 21 reactor protection sys mod.
MILLER,M.A. . 95/06/02. 65pp. 84414:007-84414:071.

--**9506230063** Safety evaluation supporting amends 103 & 102 to licenses DPR-80 & DPR-82,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/02. 3pp. 84414:072-84414:075.

9506290193 Forwards amends 104 & 103 to licenses DPR-80 & DPR-82, respectively & SE.Amends allow storage of fuel up to & including 5.0 weight percent U-235,clarify substitution of fuel rods & allow use of ZIRLO fuel cladding.
MILLER,M.A. . 95/06/07. Pacific Gas & Electric Co. 3pp. 84487:309-84487:341.

--**9506290208** Amends 104 & 103 to licenses DPR-80 & DPR-82,respectively, allowing storage of fuel up to and including 5.0 weight percent U-235,clarifying substitution of fuel rods w/filler rods & allowing use of ZIRLO fuel cladding.
MILLER,M.A. . 95/06/07. 18pp. 84487:312-84487:329.

--**9506290213** Safety evaluation supporting amends 104 & 103 to licenses DPR-80 & DPR-82,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/07. 12pp. 84487:330-84487:341.

9506280385 Responds to request of 950418,approving use of alternative rules of ASME section XI code case N-498-1,applicable to licenses DPR-80 & DPR-82,for 10-yr hydrostatic testing on class 3 sys,per 10CFR50.55a(a)(3)(ii).Conclusions in SE.
BATEMAN,W.H. . 95/06/12. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 84448:290-84448:298.

--**9506280397** Safety evaluation supporting approval of use of alternative rules of ASME section XI code case N-498-1 for licenses DPR-80 & DPR-82.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 5pp. 84448:294-84448:298.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070010 Responds to NRC 950428 ltr re violations noted in insp repts 50-275/95-06 & 50-323/95-06.Corrective actions:operator responsible received coaching & counseling on self verification.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/30. Document Control Branch (Document Control Desk). 6pp. 84239:304-84239:309.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 *Combustility Evaluation Methodology Plant Screening Guide.*'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities fo Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp 84198:269-84198:279.

9506280754 Forwards SE re alternative to required hydrostatic pressure test.Util use o Code Case N-416-1 w/proposed addl surface exam & exception to VT-2 exam re quirements authorized.
BATEMAN,W.H. . 95/06/13. RUEGER,G.M. Pacific Gas & Electric Co. 2pp 84469:351-84469:358.

--**9506280762** Safety evaluation re ISI request for relief.Licensee proposed alternative tc use Code Case N-461-1 authorized.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 6pp. 84469:353 84469:358.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001 84381:008.

9506280565 Forwards insp repts 50-275/95-08 & 50-323/95-08 & notice of violation BEACH,A.B. Region 4 (Post 820201). 95/06/21. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 84452:055-84452:084.

--**9506280575** Notice of violation from insp on 950402-0513.Violation noted:licensee preplanning,written procedures & documented instructions for installation of scaffolding & tenting in plant EDG exhaust plenums not appropriate to circumstances.
* Region 4 (Post 820201). 95/06/21. 2pp. 84452:061-84452:062.

--**9506280588** Insp repts 50-275/95-08 & 50-323/95-08 on 950402-0513.No violations noted.Major areas inspected:operational safety verifications,plant maint & surveillance observations.
CHAMBERLAIN,D. Region 4 (Post 820201). 95/06/21. 22pp. 84452:063-84452:084

9506280629 Forwards insp repts 50-275/95-04 & 50-323/95-04 & notice of deviation GWYNN,T.P. Region 4 (Post 820201). 95/06/21. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 84452:270-84452:286.

--**9506280638** Notice of deviation from insp on 950522-25.Deviation noted: plant senior control operator position being filled by individual holding NRC OL instead of described senior OL.
* Region 4 (Post 820201). 95/06/21. 1p. 84452:276-84452:276.

--**9506280649** Insp repts 50-275/95-04 & 50-323/95-04 on 950522-25. Deviations noted.Major areas inspected:qualifications of applicants for OL & licensed operator re*qualification program.*
PELLET,J.L. Region 4 (Post 820201). 95/06/20. 10pp. 84452:277-84452:286.

R. Periodic operating reports & related correspondence

9506210125 Monthly operating repts for May 1995 for Diablo Canyon Units 1 & 2.W/ 950609 ltr.
EUBANK,T., STIPICEVICH,J., FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/05/31. 17pp. 84410:318-84410:334.

9506280624 Forwards "10CFR50.59 Rept of Facility Changes,Procedure Changes,Tests & *Experiments 930503-941028." Reporting interval same for Diablo Canyon Nuclear* Power Plant,Units 1 & 2 FSAR update,Rev 10.
RUEGER,G.M. Pacific Gas & Electric Co. 95/06/16. Document Control Branch (Document Control Desk). 1p. 84479:293-84479:341.

--**9506280632** "10CFR50.59 Rept of Facility Changes,Procedures Changes, Tests & Experiments 930503-941028."
* Pacific Gas & Electric Co. 94/10/28. 47pp. 84479:294-84479:341.

S. Reportable occurrences, LERs & related correspondence

9506190273 Requests enforcement discretion re compliance w/TSs 3/4.3.1, "Reactor Trip Sys Instrumentation," & 3/4.3.2, "Engineered Safety Features Actuation Sys Instrumentation."
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/02/02. CALLAN,L.J. Region 4 (Post 820201). 11pp. 84360:302-84360:312.

V. Operator Examinations

9506280629 Forwards insp repts 50-275/95-04 & 50-323/95-04 & notice of deviation GWYNN,T.P. Region 4 (Post 820201). 95/06/21. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 84452:270-84452:286.

--**9506280638** Notice of deviation from insp on 950522-25.Deviation noted: plant senior control operator position being filled by individual holding NRC OL instead of described senior OL.
* Region 4 (Post 820201). 95/06/21. 1p. 84452:276-84452:276.

--**9506280649** Insp repts 50-275/95-04 & 50-323/95-04 on 950522-25. Deviations noted.Major areas inspected:qualifications of applicants for OL & licensed operator re qualification program.
PELLET,J.L. Region 4 (Post 820201). 95/06/20. 10pp. 84452:277-84452:286.

DOCKET 50-276 AGN-201

H. General correspondence

9506020235 Requests that 2.206 petition be granted.
O'BRIEN,P.B. Affiliation Not Assigned. 95/05/18. TAYLOR,J. NRC - No Detailed Affiliation Given. 1p. 84209:254-84209:262.

–**9506050340** Requests that 2.206 petition on Georgia Tech Reactor be granted.
O'BRIEN,P.B. Affiliation Not Assigned. 95/05/18. TAYLOR,J. NRC - No Detailed Affiliation Given. 8pp. 84209:255-84209:262.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506140331 Forwards request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84313:096-84313:101.

9506160437 Rev 9 to common "Nuclear Emergency Plan" for PBAPS Units 2 & 3 & LGS Units 1 & 2.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/09. 114pp. 84368:163-84368:277.

9506200185 Rev 6 to emergency response procedure ERP-205, "Emergency Preparedness Coordinator/TSC." W/950613 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/13. 8pp. 84405:350-84405:357.

P. Operating license stage documents & correspondence

9506020229 Forwards clarifications on util exceptions to ASTM stds for fuel oil testing,in response to concern expressed during 950419 meeting to address questions re improved TS Section 3.8,in ref to 940929 submittal of TS Change Request 93-16.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/24. Document Control Branch (Document Control Desk). 5pp. 84181:352-84181:356.

9506010106 Provides response to RAI re ITS Section 3.4, "RCS."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/25. Document Control Branch (Document Control Desk). 6pp. 84175:351-84175:356.

9506070047 Trip rept of 950201-02 & 950303-04 visit to plant re audit of USI A-46/IPEEE in-progress seismic walkdown activities.
MCBREARTY,M. . 95/05/25. WESSMAN,R.H. . 8pp. 84206:265-84206:272.

9506020479 Forwards addl info supporting relocation of Chapters 2.0, Sections 3.1,3.2,3.4,3.9,3.10 & Chapter 5.0,per 940929 submittal of TS Change Request 93-16 re conversion to improved TS.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/26. Document Control Branch (Document Control Desk). 22pp. 84181:291-84181:340.

–**9506020483** Proposed tech specs supporting relocations of Chapter 2.0, Sections 3.1,3.2,3.4,3.5,3.9,3.10 & Chapter 5.0.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/26. 28pp. 84181:313-84181:340.

9506020503 Suppls 950330 submittal of License Change Request 95-05, adding footnote to TS Section 4.7.D.1.b.(1) to exempt HPCI MOV MO-2-23-015 from quarterly stroke testing requirements, per 950519 telcon RAI.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/26. Document Control Branch (Document Control Desk). 4pp. 84181:344-84181:347.

9506090261 Forwards amends 202 & 205 to licenses DPR-44 & DPR-56 & safety evaluation.Amends correct administrative errors in section 4.11.A of TS.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84266:144-84266:157.

–**9506090267** Amends 202 & 205 to licenses DPR-44 & DPR-56,respectively, correcting administrative errors in section 4.11.A of TS.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. 8pp. 84266:147-84266:154.

–**9506090272** Safety evaluation supporting amends 202 & 205 to licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 3pp. 84266:155-84266:157.

9506140331 Forwards request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84313:096-84313:101.

9506140269 Summary of 950419 & 20 meeting w/util in Delta,PA re licensee application to adopt improved TS.List of attendees & licensee meeting handout,encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/31. Project Directorate I-2 (PD1-2) Post 941001). 41pp. 84306:310-84306:350.

9506140291 Summary of 950522 meeting w/util in Rockville,MD re review of licensee application to adopt improved TS.
GILLES,N.V. . 95/05/31. . 31pp. 84313:065-84313:095.

9506300096 Forwards notice of consideration of issuance of amends to FOL & opportunity for hearing.Amends revise TS LCO for util EDGs.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/31. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84510:253-84510:261.

–**9506300102** Notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends revise TS LCO for util EDGs.
STALZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/31. 5pp. 84510:257-84510:261.

9506120190 Submits info re license change request 94-07,suppl 1 concerning rev to frequency of calibr for LPRM signals from every 6 wks to 2000 megawatt days per std ton.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/02. Document Control Branch (Document Control Desk). 7pp. 84287:340-84287:346.

9506120184 Submits notification in writing that amends 201/204 implemented.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/05. Document Control Branch (Document Control Desk). 2pp. 84280:351-84280:352.

9506160347 Discusses suppl 10 to change request 93-16 re conversion to improved TS.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/07. Document Control Branch (Document Control Desk). 31pp. 84368:278-84368:362.

–**9506160348** Proposed tech specs,consisting of suppl 10 to change request 93-16 re conversion to improved TS.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/07. 53pp. 84368:309-84368:362.

9506190442 Notifies that util implemented Amends 202/205 re main control room HEPA filter efficiencies,as requested in NRC 950530 ltr.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84385:330-84385:331.

9506280786 Summary of 950531 meeting w/PECO in Rockville,MD re licensing actions for Limerick Generating Stations & Peach Bottom Atomic Power Station.List of attendees & presentation matl encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. Project Directorate I-2 (PD1-2) Post 941001). 11pp. 84460:279-84460:289.

9506290227 Discusses trip rept audit of USI A-46/IPEEE in-progress seismic walkdown activities at plant/to observe & assess util effectiveness in identifying seismic concerns w/safe shutdown electrical & mechanical equipment.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/15. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 10pp. 84474:001-84474:010.

9506300170 Discusses licensee response re request to include RPS response time testing requirements in improved TS.Finds response not acceptable.Basis for decision provided in encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 84511:252-84511:258.

9506290409 Forwards amends 207 & 209 to licenses DPR-44 & DPR-56 & safety evaluation.Amends reduce local leak rate test hold time specified in TS tables 3.7.2 through 3.7.4 from one h to 20 minutes.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84491:344-84491:357.

–**9506290416** Amends 207 & 209 to licenses DPR-44 & DPR-56,respectively, reducing local leak rate test hold time specified in TS tables 3.7.2 through 3.7.4 from one h to 20 minutes.
STOLZ,J.F Project Directorate I-2 (PD1-2) Post 941001). 95/06/19. 8pp. 84491:347-84491:354.

–**9506290418** Safety evaluation supporting amends 207 & 209 to licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 3pp. 84491:355-84491:357.

Q. Inspection reports, IE Bulletins & correspondence

9506070386 Submits executive plant performance review (EPPR) results for EPPR performed for PBAPS on 950504.Planned NRC insps for next 12 months,950508-960503 for PBAPS identified in encl.
COOPER,R.W. Region 1 (Post 820201). 95/05/24. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 84210:277-84210:281.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070054 Forwards insp repts 50-277/95-08 & 50-278/95-08 on 950319- 0422 & notice of violation.Informs that operators responded well to two issues involving control rods & to unit 3 reactor scram caused by loss of condenser vacuum.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/25. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84176:131-84176:152.

–**9506070065** Notice of violation from insp on 950319-0422.Violations noted:failure to properly follow abnormal operating procedure AO 57B.13-2, "125/250 VDC 2B & D Station Battery Ground Investigation."
* Region 1 (Post 820201). 95/05/25. 1p. 84176:134-84176:134.

–**9506070070** Insp repts 50-277/95-08 & 50-278/95-08 on 950319-0422. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & technical support & plant support.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/24. 18pp. 84176:135-84176:152.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190469 Forwards insp repts 50-277/95-13 & 50-278/95-13.No safety concerns or violations of regulatory requirements were observed.
JOYNER,J.H. Region 1 (Post 820201). 95/06/08. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84344:173-84344:182.

--**9506190472** Insp repts 50-277/95-13 & 50-278/95-13 on 950522-26.No safety concerns or violations noted.Major areas inspected: mgt controls,quality assurance audits,effluent controls, calibr of radiation monitoring sys & implementation of ODCM.
PELUSO,L.A., ULLRICH,E. Region 1 (Post 820201). 95/06/08. 6pp. 84344:176-84344:182.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280559 Forwards insp repts 50-277/95-12 & 50-278/95-12.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/16. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84451:300-84451:317.

--**9506280571** Insp repts 50-277/95-12 & 50-278/95-12 on 950509-30.No violations noted.Major areas inspected:internal & external exposure controls programs & corrective actions taken re previous findings in radiological controls area.
ECKERT,L., BORES,R. Region 1 (Post 820201). 95/06/09. 15pp. 84451:303-84451:317.

9506300174 Forwards response to violations noted in Insp Repts 50-277/95-08 & 50-278/95-08.Corrective actions:performance enhancement program issue initiated 950320,to determine causal factors of event.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/23. Document Control Branch (Document Control Desk). 5pp. 84524:314-84524:318.

R. Periodic operating reports & related correspondence

9506190298 Monthly operating repts for May 1995 for Peach Bottom Units 2 & 3.W/ 950608 ltr.
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/31. 14pp. 84374:311-84374:324.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506140331 Forwards request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84313:096-84313:101.

9506160437 Rev 9 to common "Nuclear Emergency Plan" for PBAPS Units 2 & 3 & LGS Units 1 & 2.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/09. 114pp. 84368:163-84368:277.

9506200185 Rev 6 to emergency response procedure ERP-205, "Emergency Preparedness Coordinator/TSC." W/950613 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/13. 8pp. 84405:350-84405:357.

P. Operating license stage documents & correspondence

9506020229 Forwards clarifications on util exceptions to ASTM stds for fuel oil testing,in response to concern expressed during 950419 meeting to address questions re improved TS Section 3.8,in ref to 940929 submittal of TS Change Request 93-16.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/24. Document Control Branch (Document Control Desk). 5pp. 84181:352-84181:356.

9506010106 Provides response to RAI re ITS Section 3.4, "RCS."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/25. Document Control Branch (Document Control Desk). 6pp. 84175:351-84175:356.

9506070047 Trip rept of 950201-02 & 950303-04 visit to plant re audit of USI A-46/ IPEEE in-progress seismic walkdown activities.
MCBREARTY,M. . 95/05/25. WESSMAN,R.H. . 8pp. 84206:265-84206:272.

9506020479 Forwards addl info supporting relocation of Chapters 2.0, Sections 3.1,3.2,3.4,3.9,3.10 & Chapter 5.0,per 940929 submittal of TS Change Request 93-16 re conversion to improved TS.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/26. Document Control Branch (Document Control Desk). 22pp. 84181:291-84181:340.

--**9506020483** Proposed tech specs supporting relocations of Chapter 2.0, Sections 3.1,3.2,3.4,3.5,3.9,3.10 & Chapter 5.0.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/26. 28pp. 84181:313-84181:340.

9506090261 Forwards amends 202 & 205 to licenses DPR-44 & DPR-56 & safety evaluation.Amends correct administrative errors in section 4.11.A of TS.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84266:144-84266:157.

--**9506090267** Amends 202 & 205 to licenses DPR-44 & DPR-56,respectively, correcting administrative errors in section 4.11.A of TS.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. 8pp. 84266:147-84266:154.

--**9506090272** Safety evaluation supporting amends 202 & 205 to licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 3pp. 84266:155-84266:157.

9506140331 Forwards request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84313:096-84313:101.

9506140269 Summary of 950419 & 20 meeting w/util in Delta,PA re licensee application to adopt improved TS.List of attendees & licensee meeting handout,encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/31. Project Directorate I-2 (PD1-2) Post 941001). 41pp. 84306:310-84306:350.

9506140291 Summary of 950522 meeting w/util in Rockville,MD re review of licensee application to adopt improved TS.
GILLES,N.V. . 95/05/31. . 31pp. 84313:065-84313:095.

9506300096 Forwards notice of consideration of issuance of amends to FOL & opportunity for hearing.Amends revise TS LCO for util EDGs.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/31. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84510:253-84510:261.

--**9506300102** Notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends revise TS LCO for util EDGs.
STALZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/31. 5pp. 84510:257-84510:261.

9506120190 Submits info re license change request 94-07,suppl 1 concerning rev to frequency of calibr for LPRM signals from every 6 wks to 2000 megawatt days per std ton.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/02. Document Control Branch (Document Control Desk). 7pp. 84287:340-84287:346.

9506120184 Submits notification in writing that amends 201/204 implemented.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/05. Document Control Branch (Document Control Desk). 2pp. 84280:351-84280:352.

9506160347 Discusses suppl 10 to change request 93-16 re conversion to improved TS.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/07. Document Control Branch (Document Control Desk). 31pp. 84368:278-84368:362.

--**9506160348** Proposed tech specs,consisting of suppl 10 to change request 93-16 re conversion to improved TS.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/07. 53pp. 84368:309-84368:362.

9506190442 Notifies that util implemented Amends 202/205 re main control room HEPA filter efficiencies,as requested in NRC 950530 ltr.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84385:330-84385:331.

9506280786 Summary of 950531 meeting w/PECO in Rockville,MD re licensing actions for Limerick Generating Stations & Peach Bottom Atomic Power Station.List of attendees & presentation matl encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. Project Directorate I-2 (PD1-2) Post 941001). 11pp. 84460:279-84460:289.

9506290227 Discusses trip rept audit of USI A-46/IPEEE in-progress seismic walkdown activities at plant/to observe & assess util effectiveness in identifying seismic concerns w/safe shutdown electrical & mechanical equipment.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/15. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 10pp. 84474:001-84474:010.

9506230386 Forwards core shroud insp plan for PBAPS,Unit 3,per Reporting Requirement 2 of GL 94-03, "IGSCC of Core Shrouds in BWRs."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/16. Document Control Branch (Document Control Desk). 5pp. 84457:344-84457:348.

9506300170 Discusses licensee response re request to include RPS response time testing requirements in improved TS.Finds response not acceptable.Basis for decision provided in encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 84511:252-84511:258.

9506290409 Forwards amends 207 & 209 to licenses DPR-44 & DPR-56 & safety evaluation.Amends reduce local leak rate test hold time specified in TS tables 3.7.2 through 3.7.4 from one h to 20 minutes.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84491:344-84491:357.

--**9506290416** Amends 207 & 209 to licenses DPR-44 & DPR-56,respectively, reducing local leak rate test hold time specified in TS tables 3.7.2 through 3.7.4 from one h to 20 minutes.
STOLZ,J.F Project Directorate I-2 (PD1-2) Post 941001). 95/06/19. 8pp. 84491:347-84491:354.

--**9506290418** Safety evaluation supporting amends 207 & 209 to licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 3pp. 84491:355-84491:357.

Q. Inspection reports, IE Bulletins & correspondence

9506070386 Submits executive plant performance review (EPPR) results for EPPR performed for PBAPS on 950504.Planned NRC insps for next 12 months,950508-960503 for PBAPS identified in encl.
COOPER,R.W. Region 1 (Post 820201). 95/05/24. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 84210:277-84210:281.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070054 Forwards insp repts 50-277/95-08 & 50-278/95-08 on 950319- 0422 & notice of violation.Informs that operators responded well to two issues involving control rods & to unit 3 reactor scram caused by loss of condenser vacuum.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/25. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84176:131-84176:152.

--**9506070070** Insp repts 50-277/95-08 & 50-278/95-08 on 950319-0422. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & technical support & plant support.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/24. 18pp. 84176:135-84176:152.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190469 Forwards insp repts 50-277/95-13 & 50-278/95-13.No safety concerns or violations of regulatory requirements were observed.
JOYNER,J.H. Region 1 (Post 820201). 95/06/08. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84344:173-84344:182.

-9506190472 Insp repts 50-277/95-13 & 50-278/95-13 on 950522-26.No safety concerns or violations noted.Major areas inspected: mgt controls,quality assurance audits,effluent controls, calibr of radiation monitoring sys & implementation of ODCM.
PELUSO,L.A., ULLRICH,E. Region 1 (Post 820201). 95/06/08. 6pp. 84344:176-84344:182.

9506200251 Provides clarification re util intent to perform volumetric analysis on crack indication found during Fall 1993 refueling outage (3R09) in 172.5 degree azimuth core spray downcomer of PBAPS Unit 3,per IEB 80-13.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84406:025-84406:026.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506230386 Forwards core shroud insp plan for PBAPS,Unit 3,per Reporting Requirement 2 of GL 94-03, "IGSCC of Core Shrouds in BWRs."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/16. Document Control Branch (Document Control Desk). 5pp. 84457:344-84457:348.

9506280559 Forwards insp repts 50-277/95-12 & 50-278/95-12.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/16. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84451:300-84451:317.

-9506280571 Insp repts 50-277/95-12 & 50-278/95-12 on 950509-30.No violations noted.Major areas inspected:internal & external exposure controls programs & corrective actions taken re previous findings in radiological controls area.
ECKERT,L., BORES,R. Region 1 (Post 820201). 95/06/09. 15pp. 84451:303-84451:317.

9506300174 Forwards response to violations noted in Insp Repts 50-277/95-08 & 50-278/95-08.Corrective actions:performance enhancement program issue initiated 950320,to determine causal factors of event.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/23. Document Control Branch (Document Control Desk). 5pp. 84524:314-84524:318.

R. Periodic operating reports & related correspondence

9506190298 Monthly operating repts for May 1995 for Peach Bottom Units 2 & 3.W/ 950608 ltr.
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/31. 14pp. 84374:311-84374:324.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506190368 Advises that rev 38 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E & acceptable.
BARR,K.P. Region 2 (Post 820201). 95/06/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84343:007-84343:009.

9506160430 Informs that pages 10.7.2 & 10.7.3 of App 10.7 of emergency plan rev 37 will be revised as shown in encl,consistent w/ agreement reached on 950426 & confirmed on 950428.Changes will be reflected in next rev of emergency plan.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/09. Document Control Branch (Document Control Desk). 5pp. 84366:152-84366:156.

9506200170 Forwards final rept dtd 950526 from FEMA discussing findings of joint exercise of offsite radiological emergency response plans.
BARR,K.P. Region 2 (Post 820201). 95/06/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84345:001-84345:181.

-9506200176 Forwards FEMA final rept for 931208 joint exercise of offsite radiological emergency response plans for plant.One deficiency & 31 ARCAs identified.
ESSIG,T.H. . 95/06/02. BARR,K.P. Region 2 (Post 820201). 2pp. 84345:004-84345:005.

-9506200188 Forwards final rept for 931208,full-participation plume exposure pathway joint exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/05/26. SPESSARD,L. . 2pp. 84345:006-84345:007.

-9506200196 "FEMA Final Rept for 931208,Joint Exercise of Offsite Radiological Emergency Response Plans."
* Federal Emergency Management Agency. 95/05/26. 174pp. 84345:008-84345:181.

J. Insurance & indemnity information

9506060501 Forwards certified endorsements of ANI/MAELU Nuclear Liability Insurance Policies for Surry & North Anna Power Stations.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/06/01. Office of Nuclear Reactor Regulation (Post 941001). 9pp. 84209:310-84209:318.

P. Operating license stage documents & correspondence

9506010485 THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN SURRY.
PILCH,M.M., ALLEN,M.D. Sandia National Laboratories. SPENCER,B.W. Argonne National Laboratory. FIN J-6027. NUREG/CR-6109. 95/05/31. Division of Systems Technology (Post 941217). 275pp. 84121:302-84122:212.

9506220089 EVALUATION OF POTENTIAL SEVERE ACCIDENTS DURING LOW POWER AND SHUTDOWN OPERATIONS AT SURRY, UNIT 1.Evaluation Of Severe Accident Risk During Mid-Loop Operations.Main Report.
JO,J., LIN,C.C., NEYMOTIN,L. Brookhaven National Laboratory. FIN L-1680. NUREG/CR-6144 V06 P1. 95/05/31. Division of Systems Technology (Post 941217). 145pp. 84394:192-84394:336.

9506190389 Informs of meeting scheduled for 950710 in Atlanta,GA to discuss CRDS issues & planned C/A.
LANDIS,K.D. Region 2 (Post 820201). 95/06/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84343:186-84343:188.

9506120335 Requests exemption from certain requirements of 10CFR50.60 in form of change to TS,incorporating revised pressure/temp limits & LTOPS setpoint that will be valid to end-of- license.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 30pp. 84282:194-84282:240.

-9506120339 Proposed tech specs,incorporating revised pressure/temp limits & associated LTOPS setpoint that will be valid to end-of-license.
* Virginia Power (Virginia Electric & Power Co.). 95/06/08. 17pp. 84282:224-84282:240.

9506130151 Provides addl info re SG tube plugging margin & SG tube U-bend insp scope frequency,per NRC request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 4pp. 84301:357-84301:360.

9506280319 Forwards EA in consideration of issuance of amends to licenses DPR-32 & DPR-37.Proposed amends would increase rated core power of 2,441 to 2,546 MWt,an increase of approx 4.3%.
BUCKLEY,B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/14. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84448:193-84448:198.

-9506280328 Environ assessment & finding of no significant impact re issuance of amends to licenses DPR-32 & DPR-37.
* Project Directorate II-1 (PD2-1) (Post 941001). 95/06/14. 4pp. 84448:195-84448:198.

9506300226 Forwards EA & finding of no significant impact providing one-time interval extension for type A test (containment integrated leak rate test) from Oct refueling outage to Feb 1997 outage.
BUCKLEY,B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84488:349-84488:354.

-9506300230 Environ assessment & finding of no significant impact providing one-time interval extension for type A test (containment integrated leak rate test) from Oct refueling outage to Feb 1997 outage.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/19. 4pp. 84488:351-84488:354.

9506280144 Confirms telcon between M Bowling & G Belisle on 950615, concerning meeting request for 950809 to discuss Control Rod Drive Sys issues & planned corrective actions.
LANDIS,K.D. Region 2 (Post 820201). 95/06/20. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84442:075-84442:077.

Q. Inspection reports, IE Bulletins & correspondence

9506200142 Forwards insp repts 50-280/95-07 & 50-281/95-07 on 950402-29.No violations or deviations identified.
LANDIS,K.D. Region 2 (Post 820201). 95/05/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 6pp. 84346:177-84346:194.

-9506200154 Insp repts 50-280/95-07 & 50-281/95-07 on 950402-29.No violations noted.Major areas inspected:plant status, operational safety verification,maint & engineering insps, plant support & licensee event rept follow-up.
BRANCH,M.W., BELISLE,G.A. Region 2 (Post 820201). 95/05/24. 12pp. 84346:183-84346:194.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506230217 Forwards SE granting relief requests for third interval ISI program,per 941011 request.Proposed alternative should be imposed.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/08. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84415:019-84415:022.

--9506230226 Safety evaluation granting third interval inservice insp program relief requests from ASME code section XI for plant, unit 1 & 2.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 2pp. 84415:021-84415:022.

9506190438 Ack receipt of 950515 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/95-06 & 50-281/95-06.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 84344:123-84344:129.

9506220193 Responds to NRC 950518 ltr re violations noted in insp repts 50-280/95-06 & 50-281/95-06.Corrective actions:mechanical Heise gauges not compensated for temp removed from M&TE program & transmitter calibr procedure revised.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/15. Document Control Branch (Document Control Desk). 7pp. 84436:161-84436:167.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210207 Monthly operating repts for May 1995 for Surry Power Station Units 1 & 2.W/950612 ltr.
MASON,D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/05/31. 18pp. 84407:144-84407:161.

S. Reportable occurrences, LERs & related correspondence

9506280026 PNO-II-95-035:on 950614,emergency sirens failed to activate. Licensee evaluating cause of failure.As compensatory measure,util prepared to initiate route altering in event of real emergency.
BARR,K.P. Region 2 (Post 820201). 95/06/15. 1p. 84441:075-84441:075.

9506280190 LER 95-004-00:on 950523,identified that electrical periodic test had not been completely performed during Mar 1995. Caused by cognitive error.Individuals involved counseled.W/ 950619 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 95/06/19. 6pp. 84472:192-84472:197.

V. Operator Examinations

9506060330 Discusses manning for simulator training/requalification exams.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84210:265-84210:266.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506190368 Advises that rev 38 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E & acceptable.
BARR,K.P. Region 2 (Post 820201). 95/06/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84343:007-84343:009.

9506160430 Informs that pages 10.7.2 & 10.7.3 of App 10.7 of emergency plan rev 37 will be revised as shown in encl,consistent w/ agreement reached on 950426 & confirmed on 950428.Changes will be reflected in next rev of emergency plan.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/09. Document Control Branch (Document Control Desk). 5pp. 84366:152-84366:156.

9506200170 Forwards final rept dtd 950526 from FEMA discussing findings of joint exercise of offsite radiological emergency response plans.
BARR,K.P. Region 2 (Post 820201). 95/06/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84345:001-84345:181.

--9506200176 Forwards FEMA final rept for 931208 joint exercise of offsite radiological emergency response plans for plant.One deficiency & 31 ARCAs identified.
ESSIG,T.H. . 95/06/02. BARR,K.P. Region 2 (Post 820201). 2pp. 84345:004-84345:005.

--9506200188 Forwards final rept for 931208,full-participation plume exposure pathway joint exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/05/26. SPESSARD,L. . 2pp. 84345:006-84345:007.

--9506200196 "FEMA Final Rept for 931208,Joint Exercise of Offsite Radiological Emergency Response Plans."
* Federal Emergency Management Agency. 95/05/26. 174pp. 84345:008-84345:181.

J. Insurance & indemnity information

9506060501 Forwards certified endorsements of ANI/MAELU Nuclear Liability Insurance Policies for Surry & North Anna Power Stations.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/06/01. Office of Nuclear Reactor Regulation (Post 941001). 9pp. 84209:310-84209:318.

P. Operating license stage documents & correspondence

9506010485 THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN SURRY.
PILCH,M.M., ALLEN,M.D. Sandia National Laboratories. SPENCER,B.W. Argonne National Laboratory. FIN J-6027. NUREG/CR-6109. 95/05/31. Division of Systems Technology (Post 941217). 275pp. 84121:302-84122:212.

9506090116 Forwards Rev 0 to "COLR Surry 2 Cycle 13 Pattern UG."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/06/01. Document Control Branch (Document Control Desk). 1p. 84268:306-84268:312.

--9506090119 Rev 0 to "COLR Surry 2 Cycle 13 Pattern UG."
* Virginia Power (Virginia Electric & Power Co.). 95/02/28. 6pp. 84268:307-84268:312.

9506190389 Informs of meeting scheduled for 950710 in Atlanta,GA to discuss CRDS issues & planned C/A.
LANDIS,K.D. Region 2 (Post 820201). 95/06/07. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84343:186-84343:188.

9506120335 Requests exemption from certain requirements of 10CFR50.60 in form of change to TS,incorporating revised pressure/temp limits & LTOPS setpoint that will be valid to end-of- license.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 30pp. 84282:194-84282:240.

--9506120339 Proposed tech specs,incorporating revised pressure/temp limits & associated LTOPS setpoint that will be valid to end-of-license.
* Virginia Power (Virginia Electric & Power Co.). 95/06/08. 17pp. 84282:224-84282:240.

9506130151 Provides addl info re SG tube plugging margin & SG tube U-bend insp scope frequency,per NRC request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 4pp. 84301:357-84301:360.

9506280319 Forwards EA in consideration of issuance of amends to licenses DPR-32 & DPR-37.Proposed amends would increase rated core power of 2,441 to 2,546 MWt,an increase of approx 4.3%.
BUCKLEY,B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/14. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84448:193-84448:198.

--9506280328 Environ assessment & finding of no significant impact re issuance of amends to licenses DPR-32 & DPR-37.
* Project Directorate II-1 (PD2-1) (Post 941001). 95/06/14. 4pp. 84448:195-84448:198.

9506280144 *Confirms telcon between M Bowling & G Belisle on 950615, concerning* meeting request for 950809 to discuss Control Rod Drive Sys issues & planned corrective actions.
LANDIS,K.D. Region 2 (Post 820201). 95/06/20. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84442:075-84442:077.

Q. Inspection reports, IE Bulletins & correspondence

9506200142 Forwards insp repts 50-280/95-07 & 50-281/95-07 on 950402-29.No violations or deviations identified.
LANDIS,K.D. Region 2 (Post 820201). 95/05/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 6pp. 84346:177-84346:194.

--9506200154 Insp repts 50-280/95-07 & 50-281/95-07 on 950402-29.No violations noted.Major areas inspected:plant status, operational safety verification,maint & engineering insps, plant support & licensee event rept follow-up.
BRANCH,M.W., BELISLE,G.A. Region 2 (Post 820201). 95/05/24. 12pp. 84346:183-84346:194.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506120313 Forwards ISI summary rept for 1995 refueling outage.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/06/07. Document Control Branch (Document Control Desk). 1p. 84334:170-84335:013.

--**9506120438** "Surry Unit 2 NIS-1 ISI Summary Rept for June 1995."
* Virginia Power (Virginia Electric & Power Co.). 95/06/07. 206pp. 84334:172-84335:013.

9506230217 Forwards SE granting relief requests for third interval ISI program,per 941011 request.Proposed alternative should be imposed.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/08. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84415:019-84415:022.

--**9506230226** Safety evaluation granting third interval inservice insp program relief requests from ASME code section XI for plant, unit 1 & 2.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 2pp. 84415:021-84415:022.

9506190438 Ack receipt of 950515 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/95-06 & 50-281/95-06.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/09. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 84344:123-84344:129.

9506220193 Responds to NRC 950518 ltr re violations noted in insp repts 50-280/95-06 & 50-281/95-06.Corrective actions:mechanical Heise gauges not compensated for temp removed from M&TE program & transmitter calibr procedure revised.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/15. Document Control Branch (Document Control Desk). 7pp. 84436:161-84436:167.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210207 Monthly operating repts for May 1995 for Surry Power Station Units 1 & 2.W/950612 ltr.
MASON,D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/05/31. 18pp. 84407:144-84407:161.

S. Reportable occurrences, LERs & related correspondence

9506140103 LER 95-004-00:on 950511,rod control sys urgent failure annunciator alarmed in CR.Caused by installation of damaged stationary gripper coil regulation circuit card.Manual reactor trip initiated & card replaced.W/950601 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 95/06/01. 9pp. 84350:050-84350:058.

9506280026 PNO-II-95-035:on 950614,emergency sirens failed to activate. Licensee evaluating cause of failure.As compensatory measure,util prepared to initiate route altering in event of real emergency.
BARR,K.P. Region 2 (Post 820201). 95/06/15. 1p. 84441:075-84441:075.

9506280202 LER 95-005-00:on 950521,manual reactor trip initiated.Cause due to loose solder connection on circuit card which caused CRs to drop into core.Unit placed in safe shutdown.W/950620 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 95/06/20. 8pp. 84472:198-84472:205.

V. Operator Examinations

9506060330 Discusses manning for simulator training/requalification exams.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84210:265-84210:266.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506020222 Informs that 950210,0306 & 0421 util revisions to station ISFSI security,safeguards contingency & guard force training qualification plans,acceptable IAW regulations per 10CFR72.
WETZEL,B.A. . 95/05/22. ANDERSON,R.O. Northern States Power Co. 2pp. 84165:337-84165:338.

9506090063 Forwards exam rept 50-282/OL-95-01 for exam administered during wk of 950515.All candidates passed exams.
RING,M.A. Region 3 (Post 820201). 95/06/02. WATZL,E. Northern States Power Co. 2pp. 84207:248-84207:347.

--**9506090070** Exam rept 50-282/OL-95-01 for exam administered during wk of 950515.All candidates passed exams.Major areas tested: systematic approach to training program & training, operations,security & radiation protection issues.
SHEPARD,D. Region 3 (Post 820201). 95/06/02. 97pp. 84207:250-84207:347.

9506130001 Ack receipt of 950323 ltr requesting exemption for plants from demonstrating backup EOF during 1995 utility emergency preparedness exercise.
CREED,J.R. Region 3 (Post 820201). 95/06/05. OFFERDAHL,M. Northern States Power Co. 2pp. 84242:001-84242:004.

--**9506130006** Requests exemption for plants from demonstrating backup during 1995 utility only emergency preparedness exercise.
OFFERDAHL,M.R. Northern States Power Co. 95/03/23. CREED,J.R. Region 3 (Post 820201). 2pp. 84242:003-84242:004.

9506300029 Revised EPIPs,including rev 2 to EPIP-F8-1,rev 2 to EPIP-F8-2 & EPIP-F8-9.W/950619 ltr.
ANDERSON,R.O. Northern States Power Co. 95/06/06. 70pp. 84524:244-84524:313.

9506300041 Forwards rev 33 to security plan.Plan withheld ref 10CFR73.21.
ANDERSON,R.O. Northern States Power Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84518:359-84518:359.

9506300044 Forwards rev 13 to training & qualification plan.Encl withheld ref 10CFR73.21.
ANDERSON,R.O. Northern States Power Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84518:360-84518:360.

9506300206 Discusses response to NRC-conducted operational safeguards response evaluation for plant.
WETZEL,B.A. . 95/06/18. ANDERSON,R.O. Northern States Power Co. 3pp. 84493:328-84493:330.

9506290436 Revised EPIPs,including Rev 10 to F3-9,Rev 7 to F3-13.3,Rev 7 to F3-13.6,Rev 13 to F3-16,Rev 14 to F3-20 & Rev 22 to F3-2.W/950619 ltr.
ANDERSON,R.O. Northern States Power Co. 95/06/19. 149pp. 84483:034-84483:182.

H. General correspondence

9506190005 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
ANDERSON,R.O. Northern States Power Co. 95/06/06. Docketing & Services Branch. 1p. 84320:009-84320:009.

9506300197 Forwards response to questions re loading of fuel into casks at plant.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/06/20. MORSE,J. Affiliation Not Assigned. 5pp. 84510:275-84510:281.

P. Operating license stage documents & correspondence

9506220082 Forwards proposed change to Rev 18 of operational QA plan. Proposed change would modify listing of plant chemical & vol control sys positive displacement charging pumps & motors.
ANDERSON,R.O. Northern States Power Co. 95/06/14. Document Control Branch (Document Control Desk). 25pp. 84415:337-84415:360.

9506230006 Forwards Rev 19 of Operational QA Plan for Monticello & Prairie Island Nuclear Generating Stations.
ANDERSON,R.O. Northern States Power Co. 95/06/15. Document Control Branch (Document Control Desk). 1p. 84465:051-84465:142.

--**9506230009** Rev 19 to "Operational QA Plan."
AMUNDSON,T.E., WATZL,E.L. Northern States Power Co. 95/05/19. 87pp. 84465:053-84465:142.

9506280363 Requests for approval of alternative to ASME Code requirements for repair of minor leakage at locations H8 & F8.
ANDERSON,R.O. Northern States Power Co. 95/06/21. Document Control Branch (Document Control Desk). 14pp. 84492:342-84492:355.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506090063 Forwards exam rept 50-282/OL-95-01 for exam administered during wk of 950515.All candidates passed exams.
RING,M.A. Region 3 (Post 820201). 95/06/02. WATZL,E. Northern States Power Co. 2pp. 84207:248-84207:347.

--**9506090070** Exam rept 50-282/OL-95-01 for exam administered during wk of 950515.All candidates passed exams.Major areas tested: systematic approach to training program & training, operations,security & radiation protection issues.
SHEPARD,D. Region 3 (Post 820201). 95/06/02. 97pp. 84207:250-84207:347.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210014 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.
AXELSON,W.L. Region 3 (Post 820201). 95/06/08. WATZL,E. Northern States Power Co. 3pp. 84357:092-84357:094.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290429 Forwards SG plugged & F* tube summary,Prairie Island Unit 2 SGs Category C-3 tube insp special rept & F* tube rept,in accordance w/TS 4.12.E.1.Info will be expanded upon in ISI rept for Unit 2.
ANDERSON,R.O. Northern States Power Co. 95/06/23. Document Control Branch (Document Control Desk). 27pp. 84483:281-84483:307.

R. Periodic operating reports & related correspondence

9506050282 Forwards "First Quarter 1995 & April 1995 Environmental Radiation Data Rept," for State Of MN.
BALL,J.A. Minnesota, State of. 95/05/17. Affiliation Not Assigned. 1p. 84183:058-84183:076.

--9506050289 "First Quarter & April 1995 Environmental Radiation Data Rept."
* Minnesota, State of. 95/04/30. 16pp. 84183:059-84183:076.

9506200027 Monthly operating repts for May 1995 for Prairie Island Nuclear Generating Station Units 1 & 2.W/950606 ltr.
DUGSTAD,D., ANDERSON,R.O. Northern States Power Co. 95/05/31. 9pp. 84405:025-84405:033.

S. Reportable occurrences, LERs & related correspondence

9506120218 LER 95-006-00:on 950505,identified that various cross-tie options re CCS trains could result in single failure & make both trains inoperable.Caused by lack of clear guidance in USAR & TSs re CCS.Procedures revised.W/950601 ltr.
HUNSTAD,A.A., ANDERSON,R.O. Northern States Power Co. 95/06/01. 4pp. 84280:060-84280:063.

9506200051 Special rep:on 950515,121 motor driven fire pump was taken out of svc due to failed transformer in pump control circuitry.
ANDERSON,R.O. Northern States Power Co. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84404:301-84404:302.

V. Operator Examinations

9506070681 Forwards individual exam results for initial license exam administered on May 1995.Encls withheld (ref 10CFR2.790).
RING,M.A. Region 3 (Post 820201). 95/06/01. WALKER,W.P. Northern States Power Co. 2pp. 84210:342-84210:343.

9506090063 Forwards exam rept 50-282/OL-95-01 for exam administered during wk of 950515.All candidates passed exams.
RING,M.A. Region 3 (Post 820201). 95/06/02. WATZL,E. Northern States Power Co. 2pp. 84207:248-84207:347.

--9506090070 Exam rept 50-282/OL-95-01 for exam administered during wk of 950515.All candidates passed exams.Major areas tested: systematic approach to training program & training, operations,security & radiation protection issues.
SHEPARD,D. Region 3 (Post 820201). 95/06/02. 97pp. 84207:250-84207:347.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506200231 Responds to ltr re nuclear waste storage at Prairie Island.
SANDA,K. Minnesota, State of. 95/05/16. CARVER,D. Minnesota, State of. 2pp. 84410:359-84410:360.

9506020139 Clarifies that statement in SE addressing testing & acceptability of TN-40 storage cask which had been forwarded in 950511 memo.
ADENSAM,E.G. . 95/05/19. GREENMAN,E.G. Region 3 (Post 820201). 1p. 84165:336-84165:336.

9506020232 Summary of 950428 meeting in Red Wing,MN re NRC insp findings re dry cask storage activities at plant.
WETZEL,B.A. . 95/05/19. . 5pp. 84165:328-84165:332.

9506020222 Informs that 950210,0306 & 0421 util revisions to station ISFSI security,safeguards contingency & guard force training qualification plans,acceptable IAW regulations per 10CFR72.
WETZEL,B.A. . 95/05/22. ANDERSON,R.O. Northern States Power Co. 2pp. 84165:337-84165:338.

9506010515 Responds to 950509 ltr,discussing meetings on 950427 & 28 & concerns re issue raised at meetings on retrievability of spent fuel storage casks.Ltr to NRC from NSP dtd 950503 & ltr to NSP from NRC dtd 950505 encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/26. WHITE,B., CHILDS,A., CHILDS,M. Affiliation Not Assigned. 1p. 84184:204-84184:211.

--9506010526 Discusses meetings w/NRC on 950427 & 28 re whether rods that will be placed in casks can be retrieved & placed in storage pool should emergency situation arise.
WHITE,B., CHILDS,A., CHILDS,M. Affiliation Not Assigned. 95/05/09. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84184:210-84184:211.

9506060120 Requests approved transcript of 950605 meeting in Rockville,MD re ISFSI that Northern States Power Co plans to build in Florence Township,MN.
WURST,J.S. Affiliation Not Assigned. 95/06/01. SCHNEIDER,J.F. Office of Nuclear Material Safety & Safeguards. 2pp. 84210:246-84210:247.

9506280474 Responds to technical assistance requests re plant dry cask storage activities.Forwards SE concluding that addl load testing,beyond 150%,not required & SA concluding that composite storage cask acceptable w/o addl hydrostatic test.
WETZEL,B.A. . 95/06/12. ANDERSON,R.O. Northern States Power Co. 2pp. 84448:336-84448:343.

--9506280482 Safety evaluation supporting finding that addl load testing, beyond currently performed 150% load testing of trunnions on each cask,not required.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 6pp. 84448:338-84448:343.

9506300100 Informs that discussed postcards will be filed in NRC Central File under Docket 72-18 & cross-ref under WM for Yucca Mountain & Praire Island.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/06/21. GREEN,T. Office of Information Resources Management (Post 890205). 1p. 84523:332-84523:332.

DOCKET 50-284 IDAHO STATE UNIV. RESEARCH REACTOR

V. Operator Examinations

9506020359 Requests response to request for addl info re proposed rev to operator requalification program for license R-110 for Idaho State Univ reactor,submitted on 940519.
MENDONCA,M.M. . 95/05/25. CLOVIS,D. Idaho State Univ., Pocatello, ID. 2pp. 84165:303-84165:305.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506060385 Documents rev to commitment made in 940520 response to NOV cited in insp rept 50-285/94-10,including staffing of addl security officers to assist w/physical searches of hand- carried items.
PATTERSON,T.L. Omaha Public Power District. 95/05/25. Document Control Branch (Document Control Desk). 3pp. 84209:266-84209:268.

9506080033 Revised EPIP Index,page 1,issued on 950510,reflecting deletion of EPIP-TSC-2,Rev 0.W/950526 ltr.
PATTERSON,T.L. Omaha Public Power District. 95/05/26. 4pp. 84247:298-84247:301.

9506220025 Revised EPIPs,including rev 7a to FC-EPF-14,rev 1a to FC-EPF-15,rev 2a to FC-EPF-16,rev 2a to FC-EPF-17,revised page 1 to FC-EPF Forms Index,revised pages 1 & 2 to RERP Index & rev 8 to RERP-Section L.W/950614 ltr.
PATTERSON,T.L. Omaha Public Power District. 95/06/14. 68pp. 84420:269-84420:337.

H. General correspondence

9506090020 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
PATTERSON,T.L. Omaha Public Power District. 95/05/22. Docketing & Services Branch. 1p. 84207:030-84207:030.

9506090026 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
PATTERSON,T.L. Omaha Public Power District. 95/05/25. Docketing & Services Branch. 1p. 84207:043-84207:043.

P. Operating license stage documents & correspondence

9506010531 Forwards annual rept for 1994 LOCA/ECCS Models.Attachment 1 re small breal LOCA & attachment 2 re large break LOCA.
PATTERSON,T.L. Omaha Public Power District. 95/05/18. Document Control Branch (Document Control Desk). 14pp. 84184:214-84184:227.

9506050127 Forwards amend to license DPR-40,requesting change to provide addl restrictions on operation of CCW sys heat exchangers to ensure CCW sys temps maintained within analyzed design basis.
GATES,W.G. Omaha Public Power District. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84183:282-84183:302.

--9506050131 Application for amend to license DPR-40 to provide addl restrictions on operation of CCW sys heat exchangers.
GATES,W.G. Omaha Public Power District. 95/05/31. 2pp. 84183:284-84183:285.

--9506050132 Proposed tech specs,requesting amend to provide addl restrictions on operation of CCW sys heat exchangers.
* Omaha Public Power District. 95/05/31. 17pp. 84183:286-84183:302.

9506190231 Informs of monitoring long term load capacity factor for FCS on cycle-by-cycle basis to ensure that current fluence/PTS & other fluence dependent analyses remain valid.
PATTERSON,T.L. Omaha Public Power District. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84385:338-84385:339.

9506280796 Forwards response to anomalies noted in SER for third 10-yr interval IST program for FCS,IST selection philosophy & Rev 2 to "ISI Program Plan for 1993-2003 Interval."
PATTERSON,T.L. Omaha Public Power District. 95/06/21. Document Control Branch (Document Control Desk). 34pp. 84475:032-84475:233.

--9506280797 Rev 2 to "ISI Program Plan for 1993-2003 Interval."
* Omaha Public Power District. 95/06/15. 168pp. 84475:066-84475:233.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506060385 Documents rev to commitment made in 940520 response to NOV cited in insp rept 50-285/94-10,including staffing of addl security officers to assist w/physical searches of hand- carried items.
PATTERSON,T.L. Omaha Public Power District. 95/05/25. Document Control Branch (Document Control Desk). 3pp. 84209:266-84209:268.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506090056 Informs that NRC to inspect plant operator requalification program during wk of 951016 & will be ref in insp rept 50-285/95-10.Util should prepare for & conduct requalification exam per NRC approved program.
GWYNN,T.P. Region 4 (Post 820201). 95/06/05. PATTERSON,T.L. Omaha Public Power District. 4pp. 84207:232-84207:235.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200058 Discusses results of Semiannual Plant Performance Review for operating power reactors in Region IV.Lists insps that Region IV plan to perform during months leading up to next scheduled review in Oct 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. PATTERSON,T.L. Omaha Public Power District. 4pp. 84350:011-84350:014.

9506200263 Responds to NRC 950416 ltr re violation noted in insp rept 50-285/95-04 on 950226-0408.Corrective actions:Operating Procedure OP-11, "Reactor Core Refueling" revised & licensed operators instructed on importance of proper communications.
PATTERSON,T.L. Omaha Public Power District. 95/06/15. Document Control Branch (Document Control Desk). 7pp. 84406:134-84406:140.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506220001 Forwards insp rept 50-285/95-08 on 950515-19.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/06/16. PATTERSON,T.L. Omaha Public Power District. 3pp. 84375:001-84375:020.

--9506220002 Insp rept 50-285/95-08 on 950515-19.No violations noted. Major areas inspected:organization & mgt controls,training, QA & safety-related air cleaning ventilation sys.
MURRAY,B. Region 4 (Post 820201). 95/06/12. 15pp. 84375:005-84375:020.

9506280796 Forwards response to anomalies noted in SER for third 10-yr interval IST program for FCS,IST selection philosophy & Rev 2 to "ISI Program Plan for 1993-2003 Interval."
PATTERSON,T.L. Omaha Public Power District. 95/06/21. Document Control Branch (Document Control Desk). 34pp. 84475:032-84475:233.

--9506280797 Rev 2 to "ISI Program Plan for 1993-2003 Interval."
* Omaha Public Power District. 95/06/15. 168pp. 84475:066-84475:233.

9506300002 Notifies that insp rept 50-285/95-11 has been scheduled at licensee facility for periods of 950807-11 & 21-25. Insp objective will be to evaluate effectiveness of engineering activities.
GWYNN,T.P. Region 4 (Post 820201). 95/06/26. PATTERSON,T.L. Omaha Public Power District. 5pp. 84470:063-84470:067.

9506300015 Ack receipt of util 950512 ltr in response to most recent NRC insp of ISI processes & program as ref in insp rept 50-285/95-05.Request re NRC mgt overview & insp summaries inappropriately characterizes issue.Pages to insp rept encl.
GWYNN,T.P. Region 4 (Post 820201). 95/06/26. PATTERSON,T.L. Omaha Public Power District. 4pp. 84470:136-84470:141.

--9506300016 Replacement pages 2 & 11 to insp rept 50-285/95-05.
* Region 4 (Post 820201). 95/06/26. 2pp. 84470:140-84470:141.

R. Periodic operating reports & related correspondence

9506210142 Forwards monthly operating rept for May 1995 for Fort Calhoun Station & revised repts for Feb-Apr 1995.
PATTERSON,T.L. Omaha Public Power District. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84413:013-84413:025.

--9506210329 Monthly operating rept for May 1995 for Fort Calhoun Station.
LIPPY,D.L. Omaha Public Power District. 95/05/31. 8pp. 84413:015-84413:022.

--9506210335 Revised unit shutdown & power reductions for Feb 1995.
LIPPY,D.L. Omaha Public Power District. 95/02/28. 1p. 84413:023-84413:023.

--9506210339 Revised unit shutdowns & power reductions for Mar 1995.
LIPPY,D.L. Omaha Public Power District. 95/03/31. 1p. 84413:024-84413:024.

--9506210342 Revised unit shutdowns & power reductions for Apr 1995.
LIPPY,D.L. Omaha Public Power District. 95/04/30. 1p. 84413:025-84413:025.

9506280061 Forwards "Fort Calhoun Station Performance Indicators May 1995."
PATTERSON,T.L. Omaha Public Power District. 95/06/20. Document Control Branch (Document Control Desk). 1p. 84477:072-84477:170.

--9506280065 "Fort Calhoun Station Performance Indicators May 1995."
* Omaha Public Power District. 95/05/31. 98pp. 84477:073-84477:170.

S. Reportable occurrences, LERs & related correspondence

9506160335 Forwards LER 95-003 re manual reactor trips due to water leakage into RCP lube oil.
GATES,W.G. Omaha Public Power District. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84362:193-84362:198.

--9506160342 LER 95-003-00:on 950511,manual reactor trips occurred due to water leakage into RCP lube oil.Performed ECT on 100% of tubes of four RCP motor upper oil reservoir lube oil coolers & performed pressure test.
GESCHWENDER,J. Omaha Public Power District. 95/06/12. 5pp. 84362:194-84362:198.

9506220107 Special rept:on 950605,monitors RM-062 & RM-063 removed from svc to allow installation of mod MR-FC-84-155C & engineering change notice 94-567 on RM-062,RM-063 expected to be operable by 950630.
PATTERSON,T.L. Omaha Public Power District. 95/06/19. Document Control Branch (Document Control Desk). 2pp. 84436:340-84436:341.

V. Operator Examinations

9506090056 Informs that NRC to inspect plant operator requalification program during wk of 951016 & will be ref in insp rept 50-285/95-10.Util should prepare for & conduct requalification exam per NRC approved program.
GWYNN,T.P. Region 4 (Post 820201). 95/06/05. PATTERSON,T.L. Omaha Public Power District. 4pp. 84207:232-84207:235.

9506200263 Responds to NRC 950416 ltr re violation noted in insp rept 50-285/95-04 on 950226-0408.Corrective actions:Operating Procedure OP-11, "Reactor Core Refueling" revised & licensed operators instructed on importance of proper communications.
PATTERSON,T.L. Omaha Public Power District. 95/06/15. Document Control Branch (Document Control Desk). 7pp. 84406:134-84406:140.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506220134 Forwards improved & corrected EALs,including Rev 0 to EALs Vol II, "Initiating Conditions & EALs" & Rev 0 to "Indian Point 3 EAL Technical Basis" rept.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/15. Document Control Branch (Document Control Desk). 6pp. 84437:001-84437:196.

--9506220139 Rev 0 to EALs Vol II, "Initiating Conditions & EALs."
* Power Authority of the State of New York (New York Power Authority). 95/06/15. 29pp. 84437:007-84437:035.

--9506220141 Rev 0 to "Indian Point 3 EAL Technical Basis."
* Power Authority of the State of New York (New York Power Authority). 95/06/15. 158pp. 84437:036-84437:196.

H. General correspondence

9506090354 Responds to Rockland County Conservation Assoc 950502 ltr to NRC Chairman I Selin re resolution for permanent closure of plant based on reasons stated.Explains that NRC does not have jurisdiction over economic viability of NPPs.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. HEDGES,B. Rockland County, NY. 9pp. 84228:275-84228:285.

J. Insurance & indemnity information

9506010013 Provides certified cash flow for 1994-95 which provides guarantee of payment of deferred premiums.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/05/25. Document Control Branch (Document Control Desk). 3pp. 84172:321-84172:323.

P. Operating license stage documents & correspondence

9506090078 Ltr contract NRC-04-91-069,mod 2 to task order 35,extending period of performance of task order from 950915-1231,to "IPE Reviews,Internal Events re Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:188-84381:189.

9506130210 Forwards proposed change to SPDES Permit NY0004472, requesting permission,via chemical use permit,to add ethanolamine for chemistry control of secondary side of plant.
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/06/02. Document Control Branch (Document Control Desk). 50pp. 84306:051-84306:101.

9506200159 Application for amend to license DPR-64,revising TS 3.6-3 of Indian Point 3 to delete containment internal pressure values & to correct typographical errors.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84404:314-84404:319.

--9506200165 Proposed tech specs deleting containment internal pressure & correcting typographical errors.
* Power Authority of the State of New York (New York Power Authority). 95/06/15. 4pp. 84404:316-84404:319.

9506280569 Discusses 930227 shutdown to correct deficiencies associated w/anticipated transient w/o scram mitigation sys actuation circuitry.Based on NRC staff conclusion,sufficient progress has been made to support safe plant restart & operations.
MARTIN,T.T. Region 1 (Post 820201). 95/06/19. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 84452:085-84452:113.

--9506280679 Discusses Feb 1993 voluntary shutdown in response to indications of programmatic weaknesses re readiness to restart plant.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/12. Document Control Branch (Document Control Desk). 23pp. 84452:090-84452:113.

9506280311 Requests one time schedular exemption from requirements of 10CFR50.71(e)(4) for submittal of periodic update to facility FSAR.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/20. Document Control Branch (Document Control Desk). 7pp. 84494:340-84494:346.

9506290190 Forwards addl info requested by NRC re plant 950419 IPE submittal.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/20. Document Control Branch (Document Control Desk). 97pp. 84521:001-84521:097.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070020 Forwards insp rept 50-286/95-80 on 950403-21.No violations noted.Inspector identified six issues,five were focused on quality of plant documentation re quality of plant procedures,drawings & posted info to assist plant operators.
COOPER,R.W. Region 1 (Post 820201). 95/05/25. HILL,L. Power Authority of the State of New York (New York Power Authority). 4pp. 84176:001-84176:130.

--9506070026 Insp rept 50-286/95-80 on 940403-21.No violations noted. Major areas inspected:mgt program,independent oversight, self-assessment,operations,maint & surveillance,engineering & technical support.
TRAPP,J.M. Region 1 (Post 820201). 95/05/22. 126pp. 84176:005-84176:130.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506160274 Forwards response to NRC ltr re violations noted in insp rept 50-286/95-04.Corrective actions:opened tie breakers on 950410 prior to exceeding cold shutdown.
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/06/10. Document Control Branch (Document Control Desk). 5pp. 84365:351-84365:356.

9506210114 Forwards Revision & Status Update 5 of Indian Point 3 Restart Action Plan.
COOPER,R.W. Region 1 (Post 820201). 95/06/14. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 84359:324-84359:352.

--9506210200 Forwards revised Restart Action Plan based upon on-going insp activities at Indian Point 3 & NYPA Assessment Panel.
COWGILL,C.J. Region 1 (Post 820201). 95/06/01. COOPER,R.W. Region 1 (Post 820201). VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 26pp. 84359:327-84359:352.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200056 Monthly operating rept for May 1995 for Indian Point 3 NPP. W/950612 ltr.
ORLANDO,T., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/05/31. 6pp. 84405:133-84405:138.

S. Reportable occurrences, LERs & related correspondence

9506020431 LER 95-009-00:on 950429,inadvertent ESF actuation occurred due to invalid low-low pressurizer pressure safety injection signal.Performance of shutdown surveillance tests suspended & shutdown surveillance tests being revised.W/950526 ltr.
MANZIONE,S., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/05/26. 7pp. 84198:251-84198:257.

9506020444 LER 95-010-00:on 950428,discovered relay inoperable due to wrong model number,placing plant in condition prohibited by TS.Relay replaced & surveillance tests reviewed & revised as necessary.W/950526 ltr.
LABRUZZO,L., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/05/26. 7pp. 84198:258-84198:264.

9506090146 Forwards clarification to commitment IPN-94-032-02 made in 940316 ltr to NRC re LER 94-002-00.
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/05/26. Document Control Branch (Document Control Desk). 4pp. 84268:324-84268:327.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506190367 Forwards public version of revised EPIPs,including Rev 95-03 to cover sheet & table of contents,Change 13 to CP/1/A/2002/04C & CP/2/A/2002/04C,Change 10 to CP/3/A/2002/04C & Chemistry Manual 5.1.W/950606 memo.
HAMPTON,J.W. Duke Power Co. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84381:224-84381:333.

--9506190385 Public version of revised EPIPs,including Rev 95-03 to cover sheet & table of contents,Change 13 to CP/1/A/2202/04C & CP/2/A/2002/04C,Change 10 to CP/3/A/2002/04C & Chemistry Manual 5.1.
FOSTER,W.W. Duke Power Co. 95/05/22. 119pp. 84381:226-84381:333.

9506090290 Provides addl info supporting review of proposed mod to plant emergency power sys.
HAMPTON,J.W. Duke Power Co. 95/05/31. Document Control Branch (Document Control Desk). 4pp. 84249:321-84249:324.

9506200314 Advises that rev 95-01 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/06/02. HAMPTON,J.W. Duke Power Co. 3pp. 84349:269-84349:271.

9506150185 Rev 95-04,Vol B of plant EPIPs Manual,dtd Jun 1995.W/950608 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 95/06/08. 12pp. 84340:291-84340:302.

9506150253 Responds to NRC 950512 ltr re violations noted in insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04.Corrective actions: info marked as safeguards info removed from Computer Aided Drawing server & appropriate notifications made.
HAMPTON,J.W. Duke Power Co. 95/06/08. Document Control Branch (Document Control Desk). 5pp. 84352:339-84352:343.

P. Operating license stage documents & correspondence

9506190381 Summarizies 950501 meeting w/util re plant safety-related designation clarification project.Informs that NRR will review licensing basis as modified by util responses to GL 83-28.
GIBSON,A.F. Region 2 (Post 820201). 95/06/01. HAMPTON,J.W. Duke Power Co. 25pp. 84343:136-84343:160.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506200365 Forwards descriptions of exemptions no longer in effect for ONS.
HAMPTON,J.W. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 5pp. 84406:221-84406:225.

9506280522 Discusses audit rept of Oconee USI A-46/IPEEE in progress seismic walkdown wk of 950417 to observe & assess effectiveness of progress for identifying seismic concerns w/shutdown electrical & mechanical equipment.
WIENS,L.A. . 95/06/15. HAMPTON,J.W. Duke Power Co. 12pp. 84453:282-84453:293.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506060422 Requests extension of completion date for issuance of flow diagram on ACB air sys to match mod of associated logic,per Insp Repts 50-269/94-21,50-270/94-21 & 50-287/94-21.
HAMPTON,J.W. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84209:275-84209:276.

9506080548 Forwards safety evaluation accepting util request for relief 94-05 from ASME code requirements to perform ultrasonic exams of 90% or more of threads in reactor vessel flange at plant during second 10-yr ISI interval.
BERKOW,H.N. . 95/05/30. HAMPTON,J.W. Duke Power Co. 4pp. 84213:203-84213:210.

--9506080555 Safety evaluation accepting util request for relief 94-05 from ASME code requirements to perform ultrasonic exams of 90% or more of threads in reactor vessel flange at plant during second 10-yr ISI interval.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 4pp. 84213:207-84213:210.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506060428 Responds to 950405 ltr from AF Gibson to JW Hampton re status of loss of lake analysis.
HAMPTON,J.W. Duke Power Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84209:277-84209:278.

9506190411 Forwards insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations identified.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. HAMPTON,J.W. Duke Power Co. 2pp. 84344:103-84344:111.

--**9506190418** Insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations noted.Major areas inspected:licensed operator requalification program during period 950515-19.
HOPPER,G.T., PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. 7pp. 84344:105-84344:111.

9506190434 Ack receipt of 950518 ltr informing NRC of steps taken to correct violations noted in insp repts 50-269/95-03, 50-270/95-03 & 50-287/95-03.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/01. HAMPTON,J.W. Duke Power Co. 3pp. 84344:114-84344:116.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150253 Responds to NRC 950512 ltr re violations noted in insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04.Corrective actions: info marked as safeguards info removed from Computer Aided Drawing server & appropriate notifications made.
HAMPTON,J.W. Duke Power Co. 95/06/08. Document Control Branch (Document Control Desk). 5pp. 84352:339-84352:343.

9506200218 Forwards third ten yr ISI interval Request for Relief 93-08 supplemental info,including B&W ltr dtd 950608 providing description of rev to B&W TR BAW-2228, "Fracture Mechanics Assessment of Postulated Outer Surfaces,Semi-Elliptical...."
HAMPTON,J.W. Duke Power Co. 95/06/12. Document Control Branch (Document Control Desk). 11pp. 84404:328-84404:338.

9506200198 Informs that implementation of mod for automatic FW isolation following MSLB delayed until EOC 16 for ONS Unit 3,in lieu of commitment made in 930819 supplemental response to IE Bulletin 80-04.
HAMPTON,J.W. Duke Power Co. 95/06/14. Document Control Branch (Document Control Desk). 6pp. 84404:320-84404:325.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506230135 Ack receipt of 950608 response to violations noted in insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04.
COLLINS,D.M. Region 2 (Post 820201). 95/06/20. HAMPTON,J.W. Duke Power Co. 3pp. 84472:349-84472:351.

9506290283 Forwards response to NRC 950524 ltr re violations noted in insp repts 50-269/95-06,50-270/95-06 & 50-287/95-06. Corrective actions:approved Rev 4 of OSC-6003,which reduced maximum operating limit for Keowee Hydro unit.
HAMPTON,J.W. Duke Power Co. 95/06/23. Document Control Branch (Document Control Desk). 3pp. 84498:131-84498:133.

R. Periodic operating reports & related correspondence

9506210182 Forwards monthly operating rept for Oconee Nuclear Station for month of May 1995 and revision 1 of monthly refueling info request for Oconee 1 & 2 for month of April 1995.
WEBER,R.L. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84407:258-84407:277.

--**9506210189** Monthly operating repts for May 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Consumers Power Co. 95/05/31. 14pp. 84407:260-84407:274.

S. Reportable occurrences, LERs & related correspondence

9506200281 PNO-II-95-034:on 950612,transportation offsite of potentially contaminated individual.Individual became ill while performing outage-related work activities in unit e. State of South Carolina has been notified.
CARROLL,R. Region 2 (Post 820201). 95/06/12. 1p. 84349:258-84349:258.

V. Operator Examinations

9506190411 Forwards insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations identified.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. HAMPTON,J.W. Duke Power Co. 2pp. 84344:103-84344:111.

--**9506190418** Insp repts 50-269/95-07,50-270/95-07 & 50-287/95-07 on 950515-19.No violations noted.Major areas inspected:licensed operator requalification program during period 950515-19.
HOPPER,G.T. Region 2 (Post 820201). 95/05/31. 7pp. 84344:105-84344:111.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9506190369 Forwards rev to "Reed Reactor Facility Emergency Plan" & EIP,in response to NRC comments on rev licensee submitted last yr.
FRANTZ,S.G. Reed College, Portland, OR. 95/06/06. MENDONCA,M. NRC - No Detailed Affiliation Given. 2pp. 84374:196-84374:240.

--**9506190372** Rev to "Reed Reactor Facility Emergency Plan."
* Reed College, Portland, OR. 95/05/31. 31pp. 84374:198-84374:228.

--**9506190378** Revised EIPs.
* Reed College, Portland, OR. 95/05/31. 12pp. 84374:229-84374:240.

Q. Inspection reports, IE Bulletins & correspondence

9506230335 Forwards exam rept 50-288/OL-95-02 during wk of 950501.
RICHARDS,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/05/18.
KOBLIK,S.S. Reed College, Portland, OR. 4pp. 84436:085-84436:126.

--**9506230343** Exam rept 50-288/OL-95-02 on 950501-02.Exam results: two candidates passed & one failed.
DOYLE,P., MENDIOLA,A.J. Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. 34pp. 84436:089-84436:126.

V. Operator Examinations

9506230335 Forwards exam rept 50-288/OL-95-02 during wk of 950501.
RICHARDS,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/05/18.
KOBLIK,S.S. Reed College, Portland, OR. 4pp. 84436:085-84436:126.

--**9506230343** Exam rept 50-288/OL-95-02 on 950501-02.Exam results: two candidates passed & one failed.
DOYLE,P., MENDIOLA,A.J. Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. 34pp. 84436:089-84436:126.

9506220303 Forwards RO license certificates for PH Bennett & YJ Huang & SRO license certificate for CS Ghormley.W/o encl.
BOGER,B.A. . 95/06/07. KOBLIK,S.S. Reed College, Portland, OR. 1p. 84404:074-84404:074.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506020196 Advises that util 941205 & 950329 responses to NRC 940919 & 941229 requests for addl info unacceptable.Specific areas where NRC found responses to be inadequate discussed in encl.Response requested within 45 days of ltr receipt.
HERNAN,R.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/25.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 7pp. 84146:037-84146:043.

9506120431 Forwards emergency preparedness exercise insp rept 50-289/95-05 on 950411-13.Exercise weakness & unresolved item noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/02. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84282:088-84282:103.

--**9506120439** Insp rept 50-289/95-05 on 950411-13.Exercise weakness & unresolved item noted.Major areas inspected:performance of licensee on-site response during full-participation emergency preparedness exercise on 950412.
MAIER,W.A., KEIMIG,R.R. Region 1 (Post 820201). 95/06/02. 13pp. 84282:091-84282:103.

9506300107 Rev 17 to EPIP-TMI-.06, "Addl Assistance & Notification."
* General Public Utilities Corp. - GPU Service Corp. 95/06/21. 29pp. 84521:318-84521:346.

P. Operating license stage documents & correspondence

9506060093 Forwards proprietary rept 42105-R-002, "TMI-1 USI A-46 Seismic Evaluation Rept," documenting results of safe shut- down equipment identification,screening verification & walkdown & relay evaluation,per GL 87-02.Rept withheld.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84196:357-84196:359.

9506020196 Advises that util 941205 & 950329 responses to NRC 940919 & 941229 requests for addl info unacceptable.Specific areas where NRC found responses to be inadequate discussed in encl.Response requested within 45 days of ltr receipt.
HERNAN,R.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/25.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 7pp. 84146:037-84146:043.

9506070198 Forwards TS Change Request 251 to license DPR-50,revising TS 5.3.1.1 to describe use of advanced clad assemblies.B&W Fuel Co proprietary TR BAW-2133P describing advanced cladding demonstration program also encl.Proprietary TR withheld.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84274:231-84274:248.

--**9506070204** TS Change Request 251 to DPR-50,revising TS 5.3.1.1 to describe use of advanced clad assemblies.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/01. 5pp. 84274:233-84274:237.

--**9506070208** Proposed TS 5.3.1.1,describing use of advanced clad assemblies.
* General Public Utilities Corp. - GPU Service Corp. 95/06/01. 11pp. 84274:238-84274:248.

9506080003 TS change request 223 to license DPR-50,deleting remaining portions of RETS & relocating TSs per guidance in GL 89-01 & NUREG-1430.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/01. Document Control Branch (Document Control Desk). 12pp. 84240:001-84240:214.

--**9506080004** Proposed tech specs,deleting RETS & relocating TSs per guidance in GL 89-01 & NUREG-1430.
* General Public Utilities Corp. - GPU Service Corp. 95/06/01. 10pp. 84240:013-84240:022.

--**9506080005** Rev 11 to 6610-PLN-4200.01, "ODCM."
* General Public Utilities Corp. - GPU Service Corp. 95/03/24. 192pp. 84240:023-84240:214.

9506280722 Informs that util request for relief from requirement to hydrostatically test two sections of Main Steam Sys piping between valves MS-V2A & MS-V2B & turbine for turbine driven EFP,authorized,per 10CFR50.55a(a)(3)(ii).SER encl.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/12. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84469:263-84469:269.

--9506280725 SER accepting authorizing alternative for hydrostatic testing contained in licensee proposal,per 10CFR50.55a(a)(ii).
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 4pp. 84469:266-84469:269.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506280503 Advises that Topical Rept BWA-2133P, "Mark-BN Advanced Claddings Fuel Rod Evaluation" & "Evaluation of M4 & M5 Claddings Alloys for TMI-1," contains proprietary info & will be withheld from public disclosure,ref 10CFR2.790.
HERNAN,R.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/15. BROUGHTON,T.G. Georgia Power Co. 4pp. 84453:259-84453:262.

9506280207 Forwards generic response to GL 95-03, "Circumferential Cracking of SG Tubes."
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/20. Document Control Branch (Document Control Desk). 3pp. 84478:219-84478:233.

9506300068 Forwards TS Change Request 227 to License DPR-50,revising replacement pages in package & remove outdated pages,in response to NRC request for addl info.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84519:291-84519:307.

--9506300071 TS Change Request 227 to License DPR-50,replacing pages for App A.Certificate of Svc encl.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/22. 6pp. 84519:293-84519:298.

--9506300074 Proposed tech specs revising replacement pages in package & remove outdated pages,in response to NRC request for addl info.
* General Public Utilities Corp. - GPU Service Corp. 95/06/22. 7pp. 84519:299-84519:307.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120431 Forwards emergency preparedness exercise insp rept 50-289/95-05 on 950411-13.Exercise weakness & unresolved item noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/02. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84282:088-84282:103.

--9506120439 Insp rept 50-289/95-05 on 950411-13.Exercise weakness & unresolved item noted.Major areas inspected:performance of licensee on-site response during full-participation emergency preparedness exercise on 950412.
MAIER,W.A., KEIMIG,R.R. Region 1 (Post 820201). 95/06/02. 13pp. 84282:091-84282:103.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280104 Forwards insp rept 50-289/95-06 on 950404-0529.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/06/16. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 2pp. 84441:282-84441:307.

--9506280111 Insp rept 50-289/95-06 on 950404-0529.No violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
ROGGE,J.F. Region 1 (Post 820201). 95/06/16. 24pp. 84441:284-84441:307.

R. Periodic operating reports & related correspondence

9506160555 Monthly operating rept for May 1995 for Three Mile Island Nuclear Station.W/950612 ltr.
HEYSEK,W.G., BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/05/31. 7pp. 84366:349-84366:355.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506190464 Forwards insp rept 50-293/95-12 on 950515-18.No safety concerns or violations of regulatory requirements were observed.Mgt controls,security sys testing & maint,security training & qualification found to be as described in plan.
JOYNER,J.H. Region 1 (Post 820201). 95/06/08. BOULETTE,E.T. Boston Edison Co. 3pp. 84344:159-84344:167.

--9506190467 Insp rept 50-293/95-12 on 950515-18.No safety concerns or violations of regulatory requirements were observed.Major arear inspected:effectiveness of mgt controls,security program plans & testing.
KING,E.B., SMITH,G.C. Region 1 (Post 820201). 95/06/07. 5pp. 84344:163-84344:167.

9506280343 Requests exemption from 10CFR73.55(d)(5) requirements for physical protection against radiological sabotage.
BOULETTE,E.T. Boston Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 4pp. 84480:255-84480:258.

P. Operating license stage documents & correspondence

9506080551 Informs that BECO plans to submit analysis for Pilgrim RV being prepared by external engineering svcs vendor on or before 941031,in response to NRC 940511 telcon request that BECO provide docketed date for submitting subj analysis.
BOULETTE,E.T. Boston Edison Co. 94/05/12. HODGES,M.W. Region 1 (Post 820201). 1p. 84247:278-84247:279.

9506060209 Forwards "GE Responses to NRC Questions for...Shroud Repair" & proprietary Suppl A to Rev 2 to "Shroud Mechanical Repair Program...Suppl A to Shroud Repair Hardware Stress Analysis." Shroud repair hardware stress analysis withheld.
BOULETTE,E.T. Boston Edison Co. 95/03/21. Document Control Branch (Document Control Desk). 1p. 84238:001-84238:039.

--9506060212 Rev 2 to "GE Responses to NRC Questions for Pilgrim Shroud Repair."
HODSON,G.L., CHARNLEY,J.E., LUKAS,J.W. General Electric Co. DRF B11-00617-19 R02. 95/03/31. 38pp. 84238:002-84238:039.

9506020161 Requests approval to add corrosion inhibitor Tolytriazole to reactor bldg & turbine bldg closed CWS,station heating & EDG CWS.
BOULETTE,E.T. Boston Edison Co. 95/05/22. MCSWEENEY,E.K. Environmental Protection Agency. 8pp. 84182:308-84182:315.

9506120503 Forwards amend 163 to license DPR-35 & SE.Amend revises suppression chamber water level operating range.
EATON,R.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/01. BOULETTE,E.T. Boston Edison Co. 3pp. 84266:266-84266:277.

--9506120507 Amend 163 to license DPR-35 revising suppression chamber water level operating range.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/01. 6pp. 84266:269-84266:274.

--9506120510 Safety evaluation supporting amend 163 to license DPR-35.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 3pp. 84266:275-84266:277.

9506280206 Forwards amend 164 to license DPR-35 & SE.Amend revises reactor high water level trip level setting for Group 1 isolation.
EATON,R.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/15. BOULETTE,E.T. Boston Edison Co. 3pp. 84448:115-84448:124.

--9506280215 Amend 164 to license DPR-35,revises reactor high water level trip level setting for Group 1 isolation.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/15. 3pp. 84448:119-84448:121.

--9506280221 Safety evaluation supporting amend 164 to license DPR-35.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/15. 3pp. 84448:122-84448:124.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070381 Submits Pilgrim executive plant performance review (EPPR) results from EPPR performed on 950404.Schedule & basis for NRC insps of facility planned for next yr encl.
COOPER,R.W. Region 1 (Post 820201). 95/05/30. BOULETTE,E.T. Boston Edison Co. 6pp. 84210:271-84210:276.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140098 Informs of requalification program insp to take place on 950821,per telcon 950606.Requests submission of operating tests,schedule & requalification program description to NRC by 950807.
MEYER,G.W. Region 1 (Post 820201). 95/06/07. BOULETTE,E.T. Boston Edison Co. 3pp. 84267:317-84267:319.

9506190464 Forwards insp rept 50-293/95-12 on 950515-18.No safety concerns or violations of regulatory requirements were observed.Mgt controls,security sys testing & maint,security training & qualification found to be as described in plan.
JOYNER,J.H. Region 1 (Post 820201). 95/06/08. BOULETTE,E.T. Boston Edison Co. 3pp. 84344:159-84344:167.

--9506190467 Insp rept 50-293/95-12 on 950515-18.No safety concerns or violations of regulatory requirements were observed.Major arear inspected:effectiveness of mgt controls,security program plans & testing.
KING,E.B., SMITH,G.C. Region 1 (Post 820201). 95/06/07. 5pp. 84344:163-84344:167.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280610 Forwards insp rept 50-293/95-09 on 950404-0516 & notice of violation.
LINVILLE,J. Region 1 (Post 820201). 95/06/21. BOULETTE,E.T. Boston Edison Co. 4pp. 84452:188-84452:251.

--9506280612 Notice of violation from insp on 950404-0516.Violation noted:licensee did not possess records showing location & transfer of six nuclear detectors.
* Region 1 (Post 820201). 95/06/21. 1p. 84452:192-84452:192.

--9506280615 Insp repts 50-293/95-09 on 950404-0516.No violations noted. Major areas inspected:plant operations,maint & surveillance, engineering,plant support & safety assessment & quality verification.
CONTE,R. Region 1 (Post 820201). 95/06/19. 59pp. 84452:193-84452:251.

R. Periodic operating reports & related correspondence

9506160461 Monthly operating rept for May 1995 for Pilgrim Nuclear Power Station.W/ 950609 ltr.
MUNRO,W., OLIVIER,L.J. Boston Edison Co. 95/05/31. 7pp. 84366:168-84366:174.

9506290079 NPDES discharge monitoring rept for Pilgrim Nuclear Power Station for May 1995.W/950620 ltr.
SULLIVAN,T.A., ROTHERT,W.C. Boston Edison Co. 95/05/31. 10pp. 84498:168-84498:177.

9506280337 Advises of no changes to QA program description during period Jul 1994 - June 1995.
BOULETTE,E.T. Boston Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 1p. 84516:357-84516:357.

V. Operator Examinations

9506140098 Informs of requalification program insp to take place on 950821,per telcon 950606.Requests submission of operating tests,schedule & requalification program description to NRC by 950807.
MEYER,G.W. Region 1 (Post 820201). 95/06/07. BOULETTE,E.T. Boston Edison Co. 3pp. 84267:317-84267:319.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506070354 Permanent Change Request A-95-0745 to Rev 1 to EPIP 550-1, "Monthly Radiological Emergency Equipment Tests & Checks." W/EPIP index.
* Commonwealth Edison Co. 95/05/30. 12pp. 84218:260-84218:271.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506190261 Revised EPIPs,including rev 6 to EPIP 190-2,rev 1 to EPIP 460-1 & revised EPIP Index.
* Commonwealth Edison Co. 95/06/09. 34pp. 84374:241-84374:275.

9506290063 Responds to 941128 ltr of referral from RK Rutherford & plant security forces via DOE,denying petition opposing new security plan for response team members, reducing number of guards,per encl Director's Decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. SIMON,P. Senate. 2pp. 84487:191-84487:213.

--9506290085 Responds to petition filed 941103 per 10CFR2.206,denying request for reassessment & withdrawal of new response team security plan & justification re reduction of armed guards & defense of plant,per Director's Decision (DD-95-09).
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. RUTHERFORD,R.K. Affiliation Not Assigned. 3pp. 84487:193-84487:195.

--9506090349 Director's Decision 95-09 re RK Rutherford request that NRC rethink & withdraw approval of 941007 revs to plant security plan.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 18pp. 84487:196-84487:213.

9506290135 Responds to 941201 ltr of referral from RK Rutherford & plant security forces via DOE,denying petition opposing new security plan for response team members,reducing number of guards,per encl Director's Decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. JOHNSTON,J.B. Senate. 23pp. 84487:243-84487:265.

G. Adjudicatory correspondence

9506230119 Forwards corrected page 12,section E to Director's Decision in response to petition filed on 941103.
SHIRAKI,C.Y. . 95/06/08. RUTHERFORD,R.K. Affiliation Not Assigned. 4pp. 84414:322-84414:326.

--9506230128 Corrected page 12,section E of Director's Decision indicating word "evaluates" being added to form complete sentence.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 1p. 84414:326-84414:326.

9506290063 Responds to 941128 ltr of referral from RK Rutherford & plant security forces via DOE,denying petition opposing new security plan for response team members, reducing number of guards,per encl Director's Decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. SIMON,P. Senate. 2pp. 84487:191-84487:213.

--9506290085 Responds to petition filed 941103 per 10CFR2.206,denying request for reassessment & withdrawal of new response team security plan & justification re reduction of armed guards & defense of plant,per Director's Decision (DD-95-09).
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. RUTHERFORD,R.K. Affiliation Not Assigned. 3pp. 84487:193-84487:195.

--9506090349 Director's Decision 95-09 re RK Rutherford request that NRC rethink & withdraw approval of 941007 revs to plant security plan.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 18pp. 84487:196-84487:213.

9506290135 Responds to 941201 ltr of referral from RK Rutherford & plant security forces via DOE,denying petition opposing new security plan for response team members,reducing number of guards,per encl Director's Decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. JOHNSTON,J.B. Senate. 23pp. 84487:243-84487:265.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506290144 Revised update to FSAR for Zion Nuclear Power Station Units 1 & 2.W/ 950621 ltr.
SIMPKIN,T.W. Commonwealth Edison Co. 95/07/31. 331pp. 84482:051-84483:017.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506010034 Forwards details of info re overtime activities at plant for licensee review & followup.Requests that results of review disposition of subj matter be submitted to Region III within 45 days of dtd ltr.W/o encl (ref 10CFR2.790(a)).
AXELSON,W.L. Region 3 (Post 820201). 95/05/23. TUETKEN,R. Commonwealth Edison Co. 3pp. 84107:086-84107:088.

9506010387 Requests addl info to complete evaluation for license amend requesting rev of secondary undervoltage setpoint for station.
SHIRAKI,C.Y. . 95/05/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84145:353-84145:355.

9506020336 Forwards RAI re license amend requesting rev of TS to allow limited number of SG tubes to remain in svc w/roll transition indications at plant.
SHIRAKI,C.Y. . 95/05/25. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84165:309-84165:311.

9506060151 Application for amends to licenses DPR-39 & DPR-48,revising TS 4.3.1.B,to incorporate new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 13pp. 84200:123-84200:275.

--9506060156 Proposed tech spec 4.3.1.B,incorporating new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
* Commonwealth Edison Co. 95/05/31. 16pp. 84200:136-84200:154.

--9506060171 Requests that WCAP-14211, "F* & L* Tube Plugging Criteria For Tubes w/Degradation In Tubesheet Roll Expansion Region Of Zion Units 1 & 2 SG," be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 94/10/27. RUSSELL,W.T. Document Control Branch (Document Control Desk). 16pp. 84200:155-84200:170.

--9506060181 "F* & L* Tube Plugging Criteria For Tubes w/Degradation In Tubesheet Roll Expansion Region of Zion Nuclear Generating Station Units 1 & 2 SGs."
* Westinghouse Electric Corp. WCAP-14212. 94/10/31. 108pp. 84200:171-84200:275.

9506140320 Forwards amends 163 & 151 to licenses DPR-39 & DPR-48 & safety evaluation.Amends add footnotes in limiting condition for operations 3.15.2.A of TS to allow one-time extension of AOT for inoperable reserve offsite power source.
SHIRAKI,C.Y. . 95/05/31. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84310:337-84310:352.

–9506140327 Amends 163 & 151 to licenses DPR-39 & DPR-48,respectively, adding footnotes in limiting condition for operation 3.15.2.A of TS to allow one-time extension of AOT for inoperable reserve offsite power source.
SHIRAKI,C.Y. . 95/05/31. 7pp. 84310:340-84310:346.

–9506140330 Safety evaluation supporting amends 163 & 151 to licenses DPR-39 & DPR-48,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 6pp. 84310:347-84310:352.

9506090001 Forwards calculations performed to ensure sufficient voltage available for safety-related equipment to perform design function as suppl to 950308 application for amends to licenses DPR-39 & DPR-48.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/01. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84283:001-84284:013.

–9506090002 "Summary of Design Basis for Degraded Voltage TS Change," rev 3.
CANDRA,R.J., MEIER,W.E., PETERSON,J.S. Commonwealth Edison Co. 94/09/09. 15pp. 84283:003-84283:016.

–9506090003 "Second Level Undervoltage Relay Setpoint."
LEICHT,J. Commonwealth Edison Co. 22S-B-024E-010 R00. 94/09/08. 43pp. 84283:017-84283:059.

–9506090004 "Evaluation of Terminal Motor Voltage for Selected Unit 1 Motors."
* Commonwealth Edison Co. 22S-1-024E-012 R00. 94/08/31. 20pp. 84283:060-84283:079.

–9506090005 "Evaluation of Terminal Motor Voltage for Selected Unit 1 Motors."
* Commonwealth Edison Co. 22S-2-024E-013 R00. 94/08/31. 21pp. 84283:080-84283:100.

–9506090006 "120 Volt AC Control Circuit Max Allowable Cable Length."
* Sargent & Lundy, Inc. 8986-15-01 R01. 92/05/26. 40pp. 84283:101-84283:141.

–9506090007 "Contactor Relay Coil Voltage During Starting Calculation."
* Sargent & Lundy, Inc. 8986-15-05 R02. 94/09/09. 139pp. 84283:142-84283:281.

–9506090009 "Evaluation of Voltage Drop on 120 Volt Distribution Circuits."
* Sargent & Lundy, Inc. 8986-15-08 R02. 94/08/31. 96pp. 84283:282-84284:013.

9506130227 *Highlights Comm Ed progress re corporate oversight enhancements.*
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506070302 Forwards response to NRC 950525 RAI to support NRC review of Comm Ed 950517 amend request to leave tubes in svc until Sept 1995 refueling outage,including GDC 19 CR dose calculations & "CR Habitability Rept Zion Nuclear Station."
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/02. Office of Nuclear Reactor Regulation (Post 941001). 71pp. 84218:141-84218:242.

–9506070340 "Allowable SG Tube Leakage."
LAHTI,G.P. Sargent & Lundy, Inc. ZI-EXT-1186. 95/05/12. 3pp. 84218:212-84218:214.

–9506070345 "Control Room Dose Due to Multiple SG Tube Leakage."
LAHTI,G.P. Sargent & Lundy, Inc. ZI-EXT-1188-1. 95/06/01. 3pp. 84218:215-84218:242.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506280703 Forwards environ assessment & finding of no significant impact re 941223 application to increase allowable enrichment of new fuel stored in new fuel storage vault.
SHIRAKI,C.Y. . 95/06/08. FARRAR,D.L. *Commonwealth Edison Co. 2pp. 84455:326-84455:332.*

–9506280708 Environ assessment & finding of no significant impact re 941223 application to increase allowable enrichment of new fuel stored in new fuel storage vault.
CAPRA,R.A. . 95/06/08. 4pp. 84455:329-84455:332.

9506230288 Requests addl info re license amend request for revision of TS to allow limited number of SG tubes to remain in svc w/roll transition indications at plant,Unit 1.
SHIRAKI,C.Y. . 95/06/13. FARRAR,D.L. Commonwealth Edison Co. 5pp. 84421:239-84421:243.

9506200135 Dockets request from util license amend & NRR Notice of Enforcement Discretion from plant TS 4.15.1B.3 re testing requirements for EDGs.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/14. Office of Nuclear Reactor Regulation (Post 941001). 33pp. 84405:273-84405:307.

–9506200147 Proposed tech specs,requesting amend for NRR Enforcement Discretion from plant TS 4.15.1.B.3 re testing requirements for EDGs.
* Commonwealth Edison Co. 95/06/14. 2pp. 84405:306-84405:307.

9506290038 Responds to request of 950614,granting enforcement discretion re compliance w/plant TS 4.15.1.B.3,from 950613, until util can submit & staff can review & disposition exigent TS amend request.
CAPRA,R.A. . 95/06/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84487:187-84487:190.

9506290381 Informs that on 950613,notice of enforcement discretion verbally granted to licensee for plant re compliance w/ actions in TS 4.15.1.B.3.Zion Station Onsite Review Committee NOED request documentation encl.
SHIRAKI,C.Y. . 95/06/19. CAPRA,R.A. . 18pp. 84474:068-84474:085.

9506280299 Forwards response to SER open items re IST program.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/22. Office of Nuclear Reactor Regulation (Post 941001). 66pp. 84494:272-84494:339.

9506280308 Forwards rev 0 to Calculation 22S-0-110M-044, "Actual Heat Load Generation in SFP for Fuel Cycle 1 to 13 Resulting in HX Tube Plugging Limits," in response to RAI.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/22. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 84480:259-84480:270.

–9506280314 "Actual Heat Load Generation in SFP for Fuel Cycle 1 to 13 Resulting in *HX Tube Plugging Limits.*"
* Commonwealth Edison Co. 22S-0-110M-044 R00. 95/06/20. 9pp. 84480:262-84480:270.

9506280576 Forwards amends 164 & 152 to licenses DPR-39 & DPR-48.Amends revise TS by increasing allowable U-235 enrichment of fuel to be stored in new fuel storage vault.SER encl.
SHIRAKI,C.Y. . 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84471:333-84471:347.

–9506280587 Amends 164 & 152 to licenses DPR-39 & DPR-48,respectively, revises TS by increasing allowable U-235 enrichment of fuel to be stored in new storage vault.
SHIRAKI,C.Y. . 95/06/22. 9pp. 84471:335-84471:343.

–9506280592 Safety evaluation supporting amends 164 & 152 to licenses DPR-39 & DPR-48,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 4pp. 84471:344-84471:347.

9506300270 Forwards notice of consideration of issuance of amend to licenses DPR-39 & DPR-48.Notice relates to CECO 950614 application re proposed rev to TS to allow hot restart sequence loading test of EDGs to be performed.
SHIRAKI,C.Y. . 95/06/23. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84493:296-84493:307.

–9506300289 Notice of consideration of issuance of amend to licenses DPR-39 & DPR-48 & proposed NSHC determination & opportunity for hearing.Amend allows hot restart sequence loading test of EDG performed independent of 24-hour endurance test.
SHIRAKI,C.Y. . 95/06/23. 10pp. 84493:298-84493:307.

9506300305 Forwards correction to issuance of amends 163 & 151 to licenses DPR-39 & DPR-48,respectively & SE.TS erroneously reflected only one amend & SE contained error in introduction.
SHIRAKI,C.Y. . 95/06/26. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84510:193-84510:197.

–9506300308 Corrected TS pages 264 & 264a to amends 163 & 151 to licenses DPR-39 & DPR-48,respectively.
* . 95/06/26. 2pp. 84510:195-84510:196.

–9507030018 Corected page of safety evaluation supporting amends 163 & 151 to licenses DPR-39 & DPR-48,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 1p. 84510:197-84510:197.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506080657 Responds to NRC 950505 ltr re violations noted in insp repts 50-295/95-06 & 50-304/95-06.Corrective actions:valve 2MOV-SI8807B closed by NSO & transfer of water from RCS to RWST isolated.
TUETKEN,R.P. Commonwealth Edison Co. 95/06/05. Document Control Branch (Document Control Desk). 10pp. 84227:272-84227:282.

9506200345 Ack receipt of 950503 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/95-07 & 50-304/95-07.
CANIANO,R.J. Region 3 (Post 820201). 95/06/06. TUETKEN,R. Commonwealth Edison Co. 2pp. 84349:303-84349:313.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506130021 Ack receipt of 950503 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/95-03 & 50-304/95-03.
MILLER,L.F. Region 3 (Post 820201). 95/06/07. TUETKEN,R. Commonwealth Edison Co. 2pp. 84242:037-84242:038.

9506160008 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. TUETKEN,R. Commonwealth Edison Co. 4pp. 84312:001-84312:004.

9506230131 Forwards safety evaluation accepting util 950420 submittal, requesting approval to use guidance provided in ASME boiler & pressure vessel code,section XI,1989 Edition,through 1990 addenda for weld repairs on SG at plants.
CAPRA,R.A. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84414:344-84414:350.

--9506230138 Safety evaluation accepting util 950420 submittal,requesting approval to use guidance provided in ASME boiler & pressure vessel code,section XI,1989 Edition,through 1990 addenda for weld repairs on SG at plants.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 4pp. 84414:347-84414:350.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506220127 Forwards response to request for addl info re SG tube insps.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/16. Office of Nuclear Reactor Regulation (Post 941001). 13pp. 84415:305-84415:336.

--9506220133 "Post-Accident Radioiodine Coolant Concentration & Allowable SG Leak Rate."
LAHTI,G.P., KAHN,R. Sargent & Lundy, Inc. ZI-EXT-1196. 95/06/15. 16pp. 84415:318-84415:336.

9506230054 Forwards insp repts 50-295/95-04 & 50-304/95-04 on 950501- 26.No violations noted.
JORDAN,M.J. Region 3 (Post 820201). 95/06/19. TUETKEN,R.P. Commonwealth Edison Co. 2pp. 84474:301-84474:308.

--9506230057 Insp repts 50-295/95-04 & 50-304/95-04 on 950501-26.No violations noted.Major areas inspected:svc water sys self- assessment.
JORDAN,M.J. Region 3 (Post 820201). 95/06/19. 6pp. 84474:303-84474:308.

R. Periodic operating reports & related correspondence

9506210053 Monthly operating repts for May 1995 for Zion Station Units 1 & 2.W/ 950614 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/05/31. 13pp. 84409:313-84409:325.

S. Reportable occurrences, LERs & related correspondence

9506050306 LER 95-005-00:on 950503,de-energized fuel bldg overhead crane radiation monitor during fuel moved in spent fuel pool.Caused by defective procedure.Revised FHI requiring visual verification.W/950601 ltr.
ROWE,G., SCHWARTZ,G.K. Commonwealth Edison Co. 95/06/01. 6pp. 84198:304-84198:309.

9506190238 Forwards LER 95-005 re SG tube wall degradation surveillance acceptance criteria.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84388:317-84388:324.

--9506190249 LER 95-005-00:on 950516,SG tube wall degraded surveillance acceptance criteria noted due to mgt deficiency.Received enforcement discretion w/subsequent submittal of license amend request.
COOK,T.M. Commonwealth Edison Co. 95/06/14. 7pp. 84388:318-84388:324.

9506190252 Forwards LER 95-004 re deenergized fuel bldg overhead crane radiation monitor during fuel moves in spent fuel pool.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84388:325-84388:330.

--9506190289 LER 95-004-00:on 950503,de-energized fuel bldg overhead crane radiation monitor during fuel move in spent fuel pool due to defective procedure.Controlled all known FBOC keys by operating dept.
ROWE,G. Commonwealth Edison Co. 95/06/01. 5pp. 84388:326-84388:330.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506010042 Forwards insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84107:104-84107:108.

--9506010054 Partially withheld insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12 (ref 10CFR73.21).No violations noted.Major areas inspected:alarm station,intrusion detection sys & assessment aids.
THOMPSON,D. Region 2 (Post 820201). 95/05/22. 1p. 84107:108-84107:108.

9506020134 Rev 5 to CECC-EPIP-19, "Post Acceptance Core Damage Assessment." W/950525 ltr.
POGUE,J.E., CARIER,P.P. Tennessee Valley Authority. 95/05/25. 22pp. 84182:248-84182:269.

9506070333 Rev 14 to EPIP-10, "Medical Emergency Procedure," & revised Index.W/ 950526 ltr.
SALAS,P. Tennessee Valley Authority. 95/05/26. 20pp. 84219:204-84219:223.

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K., KITTS,R.J., CARIER,P.P. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

9506190068 Forwards revs to Browns Ferry Physical Security/Contingency Plan (PSP/CP) & instructions for updating NRC copies 6 through 11.Encls withheld.
SALAS,P. Tennessee Valley Authority. 95/06/08. Document Control Branch (Document Control Desk). 3pp. 84386:303-84386:305.

9506210197 Forwards changes to Browns Ferry Nuclear Plant Units 1,2 & 3 Update of Security Personnel Training & Qualification Plan, Rev 21.Encl withheld.
SALAS,P. Tennessee Valley Authority. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84472:002-84472:003.

9506290386 Forwards amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively & safety evaluation.Amends remove frequencies specified in TS for performing audits & delete requirement to perform radiological EP & security plan.
WILLIAMS,J.F. . 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84474:041-84474:067.

--9506290390 Amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68, respectively,removing frequencies specified in TS for performing audits & deleting requirement to perform radiological EP & physical security plan.
HEBDON,F.J. . 95/06/19. 21pp. 84474:043-84474:063.

--9506290393 Safety evaluation supporting amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84474:064-84474:067.

9506290206 Forwards response to NRC 950301 RAI re TVA 941019 submittal of rev to App A of radiological emergency plan,replacing current EALs w/EALs developed from NUMARC methodology. Revised App A of radiological emergency plan encl.
SALAS,P. Tennessee Valley Authority. 95/06/20. Document Control Branch (Document Control Desk). 45pp. 84497:001-84498:037.

--9506290210 Revised App A to radiological emergency plan.
* Tennessee Valley Authority. 95/06/20. 134pp. 84497:045-84497:178.

--9506290214 EPIP-1, "Emergency Classification Procedure."
* Tennessee Valley Authority. 95/06/20. 219pp. 84497:179-84498:037.

P. Operating license stage documents & correspondence

9506130044 Application for amends to licenses DPR-33,DPR-52 & DPR-68, clarifying definition of operability for RHRSW sys standby coolant supply capability & revising instrument numbers in Tables 3.2.F & 4.2.F for instruments upgraded.
SALAS,P. Tennessee Valley Authority. 95/06/02. Document Control Branch (Document Control Desk). 16pp. 84288:316-84288:344.

--9506130048 Proposed tech specs,clarifying definition of operability for RHRSW sys standby coolant supply capability & revising instrument numbers in TS Tables 3.2.F & 4.2.F for several instruments that have been upgraded.
* Tennessee Valley Authority. 95/06/02. 12pp. 84288:333-84288:344.

9506160280 Application for amends to licenses DPR-33,DPR-52 & DPR-68, revising TS to be consistent w/planned replacement of current power range monitoring portion of existing NMS,per GL 94-02.Proprietary GE rept NEDC-32433P encl.Rept withheld.
SALAS,P. Tennessee Valley Authority. 95/06/02. Document Control Branch (Document Control Desk). 55pp. 84365:003-84365:348.

--9506160293 Proposed tech specs supporting planned replacement of current power range monitoring portion of existing NMS w/GE digital nuclear measurement analysis & control power range neutron monitor retrofit design.
* Tennessee Valley Authority. 95/06/02. 289pp. 84365:060-84365:348.

9506190374 Informs of 950525 meeting w/util re status & schedule for plant restart activities.Attendees list encl.
LESSER,M.S. Region 2 (Post 820201). 95/06/08. KINGSLEY,O.D. Tennessee Valley Authority. 49pp. 84343:078-84343:127.

9506200057 Confirms 950608 telcon re meeting scheduled for 950719 in Atlanta,GA on methods to be used to implement util Problem Identification & CAP for all util facilities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84350:005-84350:010.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

9506230391 Application for amends to licenses DPR-33,DPR-52 & DPR-68, revising TS to allow TIP sys to be considered operable w/ less than five TIP machines operable.
SALAS,P. Tennessee Valley Authority. 95/06/16. Document Control Branch (Document Control Desk). 12pp. 84457:303-84457:334.

--9506230392 Proposed tech specs,allowing traversing in-core probe sys to be considered operable w/less than five traversing in-core probe machines operable.
* Tennessee Valley Authority. 95/06/16. 20pp. 84457:315-84457:334.

9506290386 Forwards amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively & safety evaluation.Amends remove frequencies specified in TS for performing audits & delete requirement to perform radiological EP & security plan.
WILLIAMS,J.F. . 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84474:041-84474:067.

--9506290390 Amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68, respectively,removing frequencies specified in TS for performing audits & deleting requirement to perform radiological EP & physical security plan.
HEBDON,F.J. . 95/06/19. 21pp. 84474:043-84474:063.

--9506290393 Safety evaluation supporting amends 221,236 & 195 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 4pp. 84474:064-84474:067.

Q. Inspection reports, IE Bulletins & correspondence

9506010042 Forwards insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84107:104-84107:108.

--9506010054 Partially withheld insp repts 50-259/95-28,50-260/95-28 & 50-296/95-28 on 950508-12 (ref 10CFR73.21).No violations noted.Major areas inspected:alarm station,intrusion detection sys & assessment aids.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/05/22. 1p. 84107:108-84107:108.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506190397 Forwards insp repts 50-259/95-29,50-260/95-29 & 50-296/95-29 on 950515-19.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/31. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84343:194-84343:206.

--9506190401 Insp repts 50-259/95-29,50-260/95-29 & 50-296/95-29 on 950515-19.No violations noted.Major areas inspected:maint of I&C sys.
SALGADO,N.L., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/31. 10pp. 84343:197-84343:206.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200076 Forwards insp repts 50-259/95-26,50-260/95-26 & 50-296/95-26 on 950416-05813 & notice of vioaltion.
LESSER,M.S. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84346:082-84346:107.

--9506200120 Notice of violation from insp on 950416-0513.Violation noted:written procedures not implemented in that reactor bldg crane not secure when tornado watch in effect.
* Region 2 (Post 820201). 95/06/06. 1p. 84346:086-84346:086.

--9506200123 Insp repts 50-259/95-26,50-260/95-26 & 50-296/95-26 on 950416-0513.Violations noted.Major areas inspected: operations,surveillance testing,maint activities & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/06/06. 21pp. 84346:087-84346:107.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190444 Forwards insp repts 50-259/95-27,50-260/95-27 & 50-296/95-27 on 950508-12.
CASTO,C.A. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84344:130-84344:143.

--9506190447 Insp repts 50-259/95-27,50-260/95-27 & 50-296/95-27 on 950508-12.No violations noted.Major areas inspected:design changes,plant mods,engineering & technical support activities.
WHITENER,H.L., WISEMAN,G., SHYMLOCK,M. Region 2 (Post 820201). 95/06/08. 8pp. 84344:133-84344:143.

9506280219 Forwards insp rept 50-259/95-25,50-260/95-25 & 50/296/95-25 on 950515-19.No violations or deviations noted.
CASTO,C.A. Region 3 (Post 820201). 95/06/15. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:217-84442:227.

--9506280233 Insp repts 50-259/95-25,50-260/95-25 & 50-296/95-25 on 950515-19.No violations noted.Major areas inspected: electrical issues associated w/restart of unit 3.TOL program reviewed to determine if concerns identified for unit 3.
RUDISAIL,S., SHYMLOCK,M. Region 2 (Post 820201). 95/06/14. 8pp. 84442:220-84442:227.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280046 Confirms 950717-21 insp of plant.Purpose of insp to evaluate plant for compliance w/Sections III.G,III.J & III.L of App R to 10CFR50.
CASTO,C.A. Region 2 (Post 820201). 95/06/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84441:126-84441:129.

9506290127 Responds to NRC 950505 ltr re violations noted in insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15.Corrective actions: issued problem evaluation rept.
MACHON,R.D. Tennessee Valley Authority. 95/06/20. Document Control Branch (Document Control Desk). 10pp. 84498:348-84498:357.

R. Periodic operating reports & related correspondence

9506200088 Monthly operating repts for May 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/950615 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/05/31. 13pp. 84405:185-84405:197.

S. Reportable occurrences, LERs & related correspondence

9506280107 PNO-II-95-036:on 950615,plant lost offsite power to two of four 416OV shutdown boards.Caused by cropduster plant hitting 161 KV line power.Power restored to start bus 37 minutes after incident.
LESSER,M. Region 2 (Post 820201). 95/06/16. 1p. 84441:313-84441:313.

V. Operator Examinations

9506130120 Notifies of termination of operator license for HD Crumpton.
MACHON,R.D. Tennessee Valley Authority. 95/06/06. Region 2 (Post 820201). 2pp. 84337:138-84337:139.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

P. Operating license stage documents & correspondence

9506020250 Informs that 950501 ltr requesting addl 90 days to respond to 950209 request for addl info,granted.
ADAMS,A. . 95/05/25. PEREZ,P.B. North Carolina State Univ., Raleigh, NC. 3pp. 84165:236-84165:238.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9506140408 Advises that util 930416 response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers" acceptable & actions complete.
HALL,J.R. . 95/05/30. HORN,G.R. Nebraska Public Power District. 3pp. 84313:025-84313:027.

9506150192 Revised EPIPs,including rev 23 to procedure 5.7.6 & rev 16 to procedure 5.7.22.W/950605 ltr.
HORN,G.R. Nebraska Public Power District. 95/06/05. 35pp. 84352:281-84352:315.

9506280324 Rev 30 to "Emergency Plan for Cooper Nuclear Station." W/ 950623 ltr.
HORN,G.R. Nebraska Public Power District. 95/06/23. 215pp. 84519:076-84519:290.

I. Financial information

9506220316 Forwards independent audit rept of Decommissioning Trust Fund,including financial statements for yrs ended 941231 & 1993.
MUELLER,J.H. Nebraska Public Power District. 95/06/16. Document Control Branch (Document Control Desk). 10pp. 84436:229-84436:237.

J. Insurance & indemnity information

9506140247 Forwards Endorsement 115 to NELIA Policy NF-0200.
HORN,G.R. Nebraska Public Power District. 95/06/08. Document Control Branch (Document Control Desk). 3pp. 84339:035-84339:037.

P. Operating license stage documents & correspondence

9506140408 Advises that util 930416 response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers" acceptable & actions complete.
HALL,J.R. . 95/05/30. HORN,G.R. Nebraska Public Power District. 3pp. 84313:025-84313:027.

9506160096 Forwards amend 169 to license DPR-46 & SE.Amend revises TS to establish periodic operability testing of reactor vessel overfill protection sys.
HALL,J.R. . 95/06/08. HORN,G.R. Nebraska Public Power District. 2pp. 84349:325-84349:338.

--9506160099 Amend 169 to license DPR-46,revises TS to establish periodic operability testing of reactor vessel overfill protection sys.
HALL,J.R . 95/06/08. 8pp. 84349:328-84349:335.

--9506160103 Safety evaluation supporting amend 169 to license DPR-46.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 3pp. 84349:336-84349:338.

9506210038 Informs that changes to util 10CFR50.54(a) submittal dtd 950410 incorporating changes in QA Program description acceptable for plant.
GWYNN,T.P. Region 4 (Post 820201). 95/06/12. HORN,G.R. Nebraska Public Power District. 4pp. 84357:155-84357:158.

9506290396 Advises that info provided in 950426 ltr in response to NRC 950320 ltr re non-proprietary table provided by CE containing relevant plant-specific data for plant reactor pressure vessel axial welds acceptable.
HALL,J.R. . 95/06/13. HORN,G.R. Nebraska Public Power District. 3pp. 84473:163-84473:165.

9506290232 Advises that 940426 application for amend being withdrawn & NRC staff review of TAC M91345 closed.
HALL,J.R. . 95/06/14. HORN,G.R. Nebraska Public Power District. 3pp. 84487:351-84487:353.

9506220079 Application for amend to license DPR-46.Amend would extend surveillance intervals for logic sys functional testing for ECCS.
HORN,G.R. Nebraska Public Power District. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:276-84436:303.

--9506220080 Proposed tech specs re extension of surveillance intervals for logic sys functional testing for ECCS.
* Nebraska Public Power District. 95/06/15. 19pp. 84436:285-84436:303.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506060001 Ack receipt of 950515 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/95-03 on 950405.
BEACH,A.B. Region 4 (Post 820201). 95/06/01. HORN,G.R. Nebraska Public Power District. 3pp. 84165:001-84165:010.

9506140403 Ack receipt of 940418 response dtd 940418 to NRC Bulletin 93-02,suppl 1, "Debris Plugging of Emergency Core Cooling Suction Strainers." Response adequately addressed planned actions to assure operability of ECCS.
HALL,J.R. . 95/06/01. HORN,G.R. Nebraska Public Power District. 3pp. 84313:028-84313:030.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200049 Lists insps that Region IV plan to perform during months leading up to next scheduled semiannual plant performance review.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. HORN,G.R. Nebraska Public Power District. 5pp. 84349:355-84349:359.

9506200362 Responds to violation noted in insp rept 50-298/95-04 on 950206-0325.Corrective actions:expectations re threshold for initiation of condition repts will be communicated to CNS personnel on or before 950630.
MUELLER,J.H. Nebraska Public Power District. 95/06/15. Document Control Branch (Document Control Desk). 4pp. 84406:217-84406:220.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280604 Forwards insp rept 50-298/94-31 on 941205-950325.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 95/06/21. HORN,G.R. Nebraska Public Power District. 5pp. 84452:151-84452:187.

--9506280606 Insp rept 50-298/94-31 on 941205-950325.No violations noted. Major areas inspected:operational experience review effectiveness,adequacy of testing,configuration control, electrical distribution & control room envelop.
HARRELL,P.H. Region 4 (Post 820201). 95/06/20. 32pp. 84452:156-84452:187.

R. Periodic operating reports & related correspondence

9506130259 Monthly operating rept for May 1995 for Cooper Nuclear Station.W/950610 ltr.
BALLINGER,P.L., HERRON,J.T. Nebraska Public Power District. 95/05/31. 5pp. 84298:351-84298:355.

S. Reportable occurrences, LERs & related correspondence

9506230046 LER 95-011-00:on 950509,three fire detectors in DG rooms did not give trouble alarm when removed from bases.Caused by neglected removal of mfg jumpers.Jumpers removed & zone retested satisfactorily.W/950608 ltr.
ALFORD,A., HERRON,J.T. Nebraska Public Power District. 95/06/08. 5pp. 84457:250-84457:254.

9506290107 LER 95-013-00:on 950523,determined that plant procedural requirements inconsistent w/assumptions & commitments made to NRC on 910930.Caused by programmatic deficiency.Rev to procedure 5.2.5.1 made.W/950622 ltr.
DIETERICH,R.A., HERRON,J.T. Nebraska Public Power District. 95/06/22. 5pp. 84508:206-84508:210.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506020245 Forwards missing page to description,submitted to NRC on 950221 of proposed vehicle control measures for plant.Encl withheld per 10CFR1,50,70 & 73.
LINK,B. Wisconsin Electric Power Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84221:244-84221:244.

9506120124 Provides security plan revs for PBNPSP C-2.0 & PBNPSP Figure "I." Encl withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/06/02. Document Control Branch (Document Control Desk). 1p. 84266:359-84266:359.

H. General correspondence

9506190051 Comment re draft NUREG/BR-0199, "Responsiveness to Public." Expresses concern on dry cask storage w/exemption given to VSC-24 cask & procedures for unloading & transport at plant.
SHILLINGLAW,F. Affiliation Not Assigned. 95/06/13. HOYLE Office of the Secretary of the Commission. 8pp. 84320:045-84320:052.

P. Operating license stage documents & correspondence

9506010076 Forwards suppl TS page reflecting addl ref to Semiannual Monitoring Rept.
LINK,B. Wisconsin Electric Power Co. 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84154:357-84154:359.

--9506010081 Proposed tech spec page reflecting ref to Semiannual Monitoring Rept.
* Wisconsin Electric Power Co. 95/05/24. 1p. 84154:359-84154:359.

9506080615 Submits Addendum 2 to TS Change Request 176,consisting of encl marked-up TS page reflecting change to "Annual" monitoring rept.
LINK,B. Wisconsin Electric Power Co. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84240:352-84240:354.

--9506080619 Proposed TS page 15.7.7-2,reflecting change to "Annual" monitoring rept.
* Wisconsin Electric Power Co. 95/06/01. 1p. 84240:354-84240:354.

9506280317 Forwards revised SBO evaluation for installation of addl EDGs at PBNP,per discussions w/NRC in Dec 1994.
KRIESER,G.M. Wisconsin Electric Power Co. 95/06/14. Document Control Branch (Document Control Desk). 18pp. 84479:342-84479:359.

9506290255 Summary of 950606 meeting w/util in Rockville,MD re steam generator replacement,scheduled for Fall 1996.List of attendees & meeting handouts encl.
HANSEN,A.G. . 95/06/15. . 21pp. 84473:193-84473:213.

9506300287 Application for amend to licenses DPR-24 & DPR-27,consisting of change request 164,modifying TS 15.3.0, "General Considerations," to incorporate requirements similar to NUREG-1431.
LINK,B. Wisconsin Electric Power Co. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84522:329-84522:340.

--9506300292 Proposed tech specs,consisting of change request 164, modifying TS 15.3.0, "General Considerations," to incorporate requirements similar to NUREG-1431.
* Wisconsin Electric Power Co. 95/06/23. 10pp. 84522:331-84522:340.

9506300126 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
LINK,B. Wisconsin Electric Power Co. 95/06/26. Document Control Branch (Document Control Desk). 9pp. 84523:279-84523:287.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200152 Forwards semiannual insp plan for plant for purposes of assessing licensee performance & developing facility insp plans.Requests feedback on subj plan.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. LINK,R. Wisconsin Electric Power Co. 5pp. 84347:251-84347:255.

9506280737 Advises that relief RR-2-19 for pressurizer & SG denied due to long period between & insufficient technical justification for deferral of exam SE & TER encl.
MARCUS,G.H. . 95/06/12. LINK,R.E. Wisconsin Electric Power Co. 3pp. 84455:316-84455:325.

--9506280740 SE re third ten-yr interval inservice insp interval relief request (RR-2-19) for plant,Unit 2.Relief request denied.
* . 95/06/12. 7pp. 84455:319-84455:325.

9506200275 Forwards insp repts 50-266/95-04 & 50-301/95-04 & notice of violation.
FARBER,M.J. Region 3 (Post 820201). 95/06/13. LINK,R. Wisconsin Electric Power Co. 2pp. 84578:175-84578:209.

--9507100370 Notice of violation from insp on 950311-0505.Violation noted:unit 2 A06 was inoperable from 941026 to 950328 due to improperly set loss of voltage relays.
* Region 3 (Post 820201). 95/06/13. 1p. 84578:177-84578:177.

--9506200279 Insp repts 50-266/95-04 & 50-301/95-04 on 950311-0505.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FARBER,M.J. Region 3 (Post 820201). 95/06/13. 32pp. 84578:178-84578:209.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200012 Monthly operating repts for May 1995 for Point Beach Nuclear Plant Units 1 & 2.W/950607 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 95/05/31. 9pp. 84404:351-84404:359.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506020072 Advises that Storage & Transport Systems Branch has assigned Docket 72-5 for Point Beach Nuclear Plant to track dry SF storage at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/26. LINK,R.E. Wisconsin Electric Power Co. 2pp. 84182:292-84182:293.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9506050030 Rev 83 to REP Index, "Radiological Emergency Planning Dept Procedure."
* Florida Power Corp. 95/05/24. 2pp. 84209:319-84209:320.

9506070007 Rev 29 to EPIP EM-102, "Activation,Operation & Staffing of TSC & OSC."
* Florida Power Corp. 95/05/26. 26pp. 84238:310-84238:334.

9506080039 Forwards Rev 6-7 to plant physical security plan.Encl withheld per 10CFR73.21.
BEARD,P.M. Florida Power Corp. 95/05/30. Document Control Branch (Document Control Desk). 1p. 84266:352-84266:352.

9506060433 Informs of receipt of 950413 ltr which provides assessment & acceptance of response to Crystal River Unit 3 operational safeguards response evaluation rept.
BEARD,P.M. Florida Power Corp. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84209:279-84209:280.

9506190427 Refers to 950524 meeting w/util in Atlanta,GA to discuss requalification program,reactivation of operator licenses & status of EOP upgrade.List of attendees encl.
GIBSON,A.F. Region 2 (Post 820201). 95/06/02. BEARD,P.M. Florida Power Corp. 3pp. 84344:192-84344:194.

9506190011 Requests verification that documents received agree w/listed info on memo.Encl withheld.
* Florida Power Corp. 95/06/05. Document Control Branch (Document Control Desk). 1p. 84386:309-84386:309.

9506160554 Rev 19 to Annunciator Response AR-303, "ESC Annunciator Response."
* Florida Power Corp. 95/06/07. 89pp. 84364:258-84364:347.

9506190253 Revised EPIPs,including rev 3 to EOP-07 & rev 4 to EOP-08.
* Florida Power Corp. 95/06/09. 91pp. 84373:001-84373:091.

9506210191 Rev 13 to EPIP AR-401, "PSA F Annunciator Response."
* Florida Power Corp. 95/06/14. 190pp. 84412:001-84412:190.

9506280551 Revised EPIPs,including Rev 20 to EM-205 & Rev 10 to EM-218.
STEPHENSON,J.D. Florida Power Corp. 95/06/21. 18pp. 84478:324-84478:341.

9506280800 Submits request for exemption from 10CFR73.55(d)(5) for use of hand geometry devices.Physical security plan will be revised to allow licensee employees & contractors to take badges offsite.
BEARD,P.M. Florida Power Corp. 95/06/22. Document Control Branch (Document Control Desk). 6pp. 84475:243-84475:248.

P. Operating license stage documents & correspondence

9506060269 Provides summary of some corrective actions util has or will be taking re control complex habitability envelope design basis maintenance.
BOLDT,G.L. Florida Power Corp. 95/05/26. Document Control Branch (Document Control Desk). 3pp. 84210:259-84210:264.

–9506060274 Proposed tech specs re control complex habitability envelope design basis maintenance.
* Florida Power Corp. 95/05/26. 3pp. 84210:262-84210:264.

9506070175 TS Change Request (TSCRN) 203,Rev 0 to License DPR-72, proposing alternate methodology for dispositioning small vol OTSG tube eddy current indications.Proprietary technical rept supporting TSCRN 203 encl.Proprietary rept withheld.
BOLDT,G.L. Florida Power Corp. 95/05/31. Document Control Branch (Document Control Desk). 14pp. 84266:319-84266:338.

–9506070183 Proposed tech specs 5.6.2.10 & 5.7.2.c,supporting alternate methodology for dispositioning small vol OTSG tube eddy current indications.
* Florida Power Corp. 95/05/31. 6pp. 84266:333-84266:338.

9506130133 Application for amend to license DPR-72,revising TSs to allow continuous operation for up to 24 month period.
BOLDT,G.L. Florida Power Corp. 95/05/31. Document Control Branch (Document Control Desk). 31pp. 84336:001-84337:009.

–9506130135 Proposed tech specs,allowing continuous operation for up to 24 month period.
* Florida Power Corp. 95/05/31. 27pp. 84336:032-84336:058.

–9506130137 "EFIC - Main Steam Instrumentation Loop String Accuracy & Setpoints."
* Florida Power Corp. 1-92-0008 R01. 95/06/01. 157pp. 84336:059-84336:216.

–9506130141 "RC Pressure (Wide Range) Loop Accuracy,RC-158-PT & RC-159-PT."
COUVILLON,P.E. Florida Power Corp. 1-88-0020 R07. 95/04/13. 117pp. 84336:217-84337:009.

9506190382 Confirms 950606 telcon re meeting requested by NRC scheduled for 950718 in Atlanta,GA concerning status of util progress on CAP.
LANDIS,K.D. Region 2 (Post 820201). 95/06/07. BEARD,P.M. Florida Power Corp. 3pp. 84343:161-84343:163.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506280543 Forwards response to GL-95-03, "Circumferential Cracking of SG Tubes," per 10CFR50.54(f).
BOLDT,G.L. Florida Power Corp. 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84479:214-84479:228.

9506280800 Submits request for exemption from 10CFR73.55(d)(5) for use of hand geometry devices.Physical security plan will be revised to allow licensee employees & contractors to take badges offsite.
BEARD,P.M. Florida Power Corp. 95/06/22. Document Control Branch (Document Control Desk). 6pp. 84475:243-84475:248.

Q. Inspection reports, IE Bulletins & correspondence

9506010007 Provides suppl response to addl examples of previous violations re untimely 10CFR50.72 & 10CFR50.73 repts to NRC.
BOLDT,G.L. Florida Power Corp. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84172:319-84172:320.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506070239 Forwards "OTSG Tube ISI Refuel Outage 9 12 month Rept" & "Exam of Crystal River-3 Pulled SG Tubes Final Rept."
BOLDT,G.L. Florida Power Corp. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84218:001-84218:120.

–9506070245 "OTSG Tube ISI Refuel Outage 9 12 Month Rept."
* Florida Power Corp. 95/06/30. 51pp. 84218:003-84218:053.

–9506070290 "Exam of Crystal River-3 Pulled SG Tubes Final Rept."
* Babcock & Wilcox Co. * Electric Power Research Institute. * Florida Power Corp. 95/05/31. 67pp. 84218:054-84218:120.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200230 Advises util of results of review of recent performance at facility to determine if present planned insp effort should be revised.
LANDIS,L.D. Region 2 (Post 820201). 95/06/05. BEARD,P.M. Florida Power Corp. 4pp. 84347:026-84347:029.

9506190450 Ack receipt of 950523 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/95-08 on 950426.
LANDIS,K.D. Region 2 (Post 820201). 95/06/06. BEARD,P.M. Florida Power Corp. 3pp. 84343:358-84343:360.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200174 Forwards insp rept 50-302/95-09 on 950404-0513.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/06/07. BEARD,P.M. Florida Power Corp. 3pp. 84346:239-84346:276.

–9506200179 Insp rept 50-302/95-09 on 950409-0513.No violations noted. Major areas inspected:plant operations,surveillance & maint observations.
BUTCHER,R., LANDIS,K. Region 2 (Post 820201). 95/06/07. 29pp. 84346:242-84346:276.

9506280028 Expresses appreciation for 950320 ltr responding to insp followup items re GL-89-10, "Safety Related Motor-Operated Valve Testing & Surveillance." Explanations & proposed actions for listed IFIs acceptable subj to verification.
CASTO,C.A. Region 2 (Post 820201). 95/06/14. BEARD,P.M. Florida Power Corp. 2pp. 84441:077-84441:078.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210070 Monthly operating rept for May 1995 for Crystal River Unit 3.W/950612 ltr.
DAO,T.V., BOLDT,G.L. Florida Power Corp. 95/05/31. 5pp. 84410:254-84410:258.

S. Reportable occurrences, LERs & related correspondence

9506070041 LER 95-004-01:on 950321,local alarm initiated on CR-3 control complex habitability envelope door indicating door ajar.Caused by personnel error.Door closed & repairs to door initiated.W/950526 ltr.
FRIJOUF,J.A., BOLDT,G.L. Florida Power Corp. 95/05/26. 6pp. 84238:058-84238:063.

9506070046 Forwards LER 94-006-03 & discusses expanded corrective action plan.
BOLDT,G.L. Florida Power Corp. 95/05/26. Document Control Branch (Document Control Desk). 1p. 84238:098-84238:116.

--9506070069 LER 94-006-03:on 950118,determined that potential existed for CR-3 to have operated outside plant improved TSs re RPS setpoints.Caused by personnel error.Procedure changes initiated & setpoints recalibrated.
FRIJOUF,J.A. Florida Power Corp. 95/05/26. 18pp. 84238:099-84238:116.

9506200094 PNO-II-95-032:on 950604,tropical storm Allison upgraded to hurricane.No flooding experienced.State of Florida,Alabama & Georgia have activated Emergency Operations Ctr.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84347:317-84347:317.

9506200290 PNO-II-95-032A:on 950605,site exprienced max wind gusts of 25 mph & four inches of rainfall.Caused by Hurricane Allison.Resident Inspectors have observed licensee acting at each site.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84349:254-84349:254.

9506210155 LER 95-008-00:on 950519,personnel concluded that not all of oil leakage from RCP motors being collected by lube oil collection sys.Cause has not been positively determined.An RB entry will be made to conduct investigation.W/950616 ltr.
FRIJOUF,J.A., BOLDT,G.L. Florida Power Corp. 95/06/16. 6pp. 84429:191-84429:196.

V. Operator Examinations

9506190427 Refers to 950524 meeting w/util in Atlanta,GA to discuss requalification program,reactivation of operator licenses & status of EOP upgrade.List of attendees encl.
GIBSON,A.F. Region 2 (Post 820201). 95/06/02. BEARD,P.M. Florida Power Corp. 3pp. 84344:192-84344:194.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506070354 Permanent Change Request A-95-0745 to Rev 1 to EPIP 550-1, "Monthly Radiological Emergency Equipment Tests & Checks." W/EPIP index.
* Commonwealth Edison Co. 95/05/30. 12pp. 84218:260-84218:271.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506190261 Revised EPIPs,including rev 6 to EPIP 190-2,rev 1 to EPIP 460-1 & revised EPIP Index.
* Commonwealth Edison Co. 95/06/09. 34pp. 84374:241-84374:275.

9506290063 Responds to 941128 ltr of referral from RK Rutherford & plant security forces via DOE,denying petition opposing new security plan for response team members, reducing number of guards,per encl Director's Decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. SIMON,P. Senate. 2pp. 84487:191-84487:213.

--9506290085 Responds to petition filed 941103 per 10CFR2.206,denying request for reassessment & withdrawal of new response team security plan & justification re reduction of armed guards & defense of plant,per Director's Decision (DD-95-09).
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. RUTHERFORD,R.K. Affiliation Not Assigned. 3pp. 84487:193-84487:195.

--9506090349 Director's Decision 95-09 re RK Rutherford request that NRC rethink & withdraw approval of 941007 revs to plant security plan.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 18pp. 84487:196-84487:213.

9506290135 Responds to 941201 ltr of referral from RK Rutherford & plant security forces via DOE,denying petition opposing new security plan for response team members,reducing number of guards,per encl Director's Decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. JOHNSTON,J.B. Senate. 23pp. 84487:243-84487:265.

G. Adjudicatory correspondence

9506290063 Responds to 941128 ltr of referral from RK Rutherford & plant security forces via DOE,denying petition opposing new security plan for response team members, reducing number of guards,per encl Director's Decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. SIMON,P. Senate. 2pp. 84487:191-84487:213.

--9506290085 Responds to petition filed 941103 per 10CFR2.206,denying request for reassessment & withdrawal of new response team security plan & justification re reduction of armed guards & defense of plant,per Director's Decision (DD-95-09).
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. RUTHERFORD,R.K. Affiliation Not Assigned. 3pp. 84487:193-84487:195.

--9506090349 Director's Decision 95-09 re RK Rutherford request that NRC rethink & withdraw approval of 941007 revs to plant security plan.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 18pp. 84487:196-84487:213.

9506290135 Responds to 941201 ltr of referral from RK Rutherford & plant security forces via DOE,denying petition opposing new security plan for response team members,reducing number of guards,per encl Director's Decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/14. JOHNSTON,J.B. Senate. 23pp. 84487:243-84487:265.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506290144 Revised update to FSAR for Zion Nuclear Power Station Units 1 & 2.W/ 950621 ltr.
SIMPKIN,T.W. Commonwealth Edison Co. 95/07/31. 331pp. 84482:051-84483:017.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506010387 Requests addl info to complete evaluation for license amend requesting rev of secondary undervoltage setpoint for station.
SHIRAKI,C.Y. . 95/05/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84145:353-84145:355.

9506060151 Application for amends to licenses DPR-39 & DPR-48,revising TS 4.3.1.B,to incorporate new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 13pp. 84200:123-84200:275.

--9506060156 Proposed tech spec 4.3.1.B,incorporating new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
* Commonwealth Edison Co. 95/05/31. 18pp. 84200:136-84200:154.

--9506060171 Requests that WCAP-14211, "F* & L* Tube Plugging Criteria For Tubes w/Degradation In Tubesheet Roll Expansion Region Of Zion Units 1 & 2 SG," be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 94/10/27. RUSSELL,W.T. Document Control Branch (Document Control Desk). 16pp. 84200:155-84200:170.

--9506060181 "F* & L* Tube Plugging Criteria For Tubes w/Degradation In Tubesheet Roll Expansion Region of Zion Nuclear Generating Station Units 1 & 2 SGs."
* Westinghouse Electric Corp. WCAP-14212. 94/10/31. 108pp. 84200:171-84200:275.

9506140320 Forwards amends 163 & 151 to licenses DPR-39 & DPR-48 & safety evaluation.Amends add footnotes in limiting condition for operations 3.15.2.A of TS to allow one-time extension of AOT for inoperable reserve offsite power source.
SHIRAKI,C.Y. . 95/05/31. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84310:337-84310:352.

--9506140327 Amends 163 & 151 to licenses DPR-39 & DPR-48,respectively, adding footnotes in limiting condition for operation 3.15.2.A of TS to allow one-time extension of AOT for inoperable reserve offsite power source.
SHIRAKI,C.Y. . 95/05/31. 7pp. 84310:340-84310:346.

--9506140330 Safety evaluation supporting amends 163 & 151 to licenses DPR-39 & DPR-48,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 6pp. 84310:347-84310:352.

9506090001 Forwards calculations performed to ensure sufficient voltage available for safety-related equipment to perform design function as suppl to 950308 application for amends to licenses DPR-39 & DPR-48.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/01. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84283:001-84284:013.

--9506090002 "Summary of Design Basis for Degraded Voltage TS Change," rev 3.
CANDRA,R.J., MEIER,W.E., PETERSON,J.S. Commonwealth Edison Co. 94/09/09. 15pp. 84283:003-84283:016.

--9506090003 "Second Level Undervoltage Relay Setpoint."
LEICHT,J. Commonwealth Edison Co. 22S-B-024E-010 R00. 94/09/08. 43pp. 84283:017-84283:059.

--9506090005 "Evaluation of Terminal Motor Voltage for Selected Unit 1 Motors."
* Commonwealth Edison Co. 22S-2-024E-013 R00. 94/08/31. 21pp. 84283:080-84283:100.

--9506090006 "120 Volt AC Control Circuit Max Allowable Cable Length."
* Sargent & Lundy, Inc. 8986-15-01 R01. 92/05/26. 40pp. 84283:101-84283:141.

--9506090007 "Contactor Relay Coil Voltage During Starting Calculation."
* Sargent & Lundy, Inc. 8986-15-05 R02. 94/09/09. 139pp. 84283:142-84283:281.

--**9506090009** "Evaluation of Voltage Drop on 120 Volt Distribution Circuits."
* Sargent & Lundy, Inc. 8986-15-08 R02. 94/08/31. 96pp. 84283:282-84284:013.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506070302 Forwards response to NRC 950525 RAI to support NRC review of Comm Ed 950517 amend request to leave tubes in svc until Sept 1995 refueling outage,including GDC 19 CR dose calculations & "CR Habitability Rept Zion Nuclear Station."
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/02. Office of Nuclear Reactor Regulation (Post 941001). 71pp. 84218:141-84218:242.

--**9506070340** "Allowable SG Tube Leakage."
LAHTI,G.P. Sargent & Lundy, Inc. ZI-EXT-1186. 95/05/12. 3pp. 84218:212-84218:214.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506280703 Forwards environ assessment & finding of no significant impact re 941223 application to increase allowable enrichment of new fuel stored in new fuel storage vault.
SHIRAKI,C.Y. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84455:326-84455:332.

--**9506280708** Environ assessment & finding of no significant impact re 941223 application to increase allowable enrichment of new fuel stored in new fuel storage vault.
CAPRA,R.A. . 95/06/08. 4pp. 84455:329-84455:332.

9506200135 Dockets request from util license amend & NRR Notice of Enforcement Discretion from plant TS 4.15.1B.3 re testing requirements for EDGs.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/14. Office of Nuclear Reactor Regulation (Post 941001). 33pp. 84405:273-84405:307.

--**9506200147** Proposed tech specs,requesting amend for NRR Enforcement Discretion from plant TS 4.15.1.B.3 re testing requirements for EDGs.
* Commonwealth Edison Co. 95/06/14. 2pp. 84405:306-84405:307.

9506290038 Responds to request of 950614,granting enforcement discretion re compliance w/plant TS 4.15.1.B.3,from 950613, until util can submit & staff can review & disposition exigent TS amend request.
CAPRA,R.A. . 95/06/15. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84487:187-84487:190.

9506290381 Informs that on 950613,notice of enforcement discretion verbally granted to licensee for plant re compliance w/ actions in TS 4.15.1.B.3.Zion Station Onsite Review Committee NOED request documentation encl.
SHIRAKI,C.Y. . 95/06/19. CAPRA,R.A. . 18pp. 84474:068-84474:085.

9506280299 Forwards response to SER open items re IST program.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/22. Office of Nuclear Reactor Regulation (Post 941001). 66pp. 84494:272-84494:339.

9506280308 Forwards rev 0 to Calculation 22S-0-110M-044, "Actual Heat Load Generation in SFP for Fuel Cycle 1 to 13 Resulting in HX Tube Plugging Limits," in response to RAI.
SIMPKIN,T.W. Commonwealth Edison Co. 95/06/22. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 84480:259-84480:270.

--**9506280314** "Actual Heat Load Generation in SFP for Fuel Cycle 1 to 13 Resulting in HX Tube Plugging Limits."
* Commonwealth Edison Co. 22S-0-110M-044 R00. 95/06/20. 9pp. 84480:262-84480:270.

9506280576 Forwards amends 164 & 152 to licenses DPR-39 & DPR-48.Amends revise TS by increasing allowable U-235 enrichment of fuel to be stored in new fuel storage vault.SER encl.
SHIRAKI,C.Y. . 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84471:333-84471:347.

--**9506280587** Amends 164 & 152 to licenses DPR-39 & DPR-48,respectively, revises TS by increasing allowable U-235 enrichment of fuel to be stored in new storage vault.
SHIRAKI,C.Y. . 95/06/22. 9pp. 84471:335-84471:343.

--**9506280592** Safety evaluation supporting amends 164 & 152 to licenses DPR-39 & DPR-48,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 4pp. 84471:344-84471:347.

9506300270 Forwards notice of consideration of issuance of amend to licenses DPR-39 & DPR-48.Notice relates to CECO 950614 application re proposed rev to TS to allow hot restart sequence loading test of EDGs to be performed.
SHIRAKI,C.Y. . 95/06/23. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84493:296-84493:307.

--**9506300289** Notice of consideration of issuance of amend to licenses DPR-39 & DPR-48 & proposed NSHC determination & opportunity for hearing.Amend allows hot restart sequence loading test of EDG performed independent of 24-hour endurance test.
SHIRAKI,C.Y. . 95/06/23. 10pp. 84493:298-84493:307.

9506300305 Forwards correction to issuance of amends 163 & 151 to licenses DPR-39 & DPR-48,respectively & SE.TS erroneously reflected only one amend & SE contained error in introduction.
SHIRAKI,C.Y. . 95/06/26. FARRAR,D.L. Commonwealth Edison Co. 2pp. 84510:193-84510:197.

--**9506300308** Corrected TS pages 264 & 264a to amends 163 & 151 to licenses DPR-39 & DPR-48,respectively.
* . 95/06/26. 2pp. 84510:195-84510:196.

--**9507030018** Corected page of safety evaluation supporting amends 163 & 151 to licenses DPR-39 & DPR-48,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 1p. 84510:197-84510:197.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506080657 Responds to NRC 950505 ltr re violations noted in insp repts 50-295/95-06 & 50-304/95-06.Corrective actions:valve 2MOV-SI8807B closed by NSO & transfer of water from RCS to RWST isolated.
TUETKEN,R.P. Commonwealth Edison Co. 95/06/05. Document Control Branch (Document Control Desk). 10pp. 84227:272-84227:282.

9506200345 Ack receipt of 950503 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/95-07 & 50-304/95-07.
CANIANO,R.J. Region 3 (Post 820201). 95/06/06. TUETKEN,R. Commonwealth Edison Co. 2pp. 84349:303-84349:313.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506130021 Ack receipt of 950503 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/95-03 & 50-304/95-03.
MILLER,L.F. Region 3 (Post 820201). 95/06/07. TUETKEN,R. Commonwealth Edison Co. 2pp. 84242:037-84242:038.

9506160008 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. TUETKEN,R. Commonwealth Edison Co. 4pp. 84312:001-84312:004.

9506230131 Forwards safety evaluation accepting util 950420 submittal, requesting approval to use guidance provided in ASME boiler & pressure vessel code,section XI,1989 Edition,through 1990 addenda for weld repairs on SG at plants.
CAPRA,R.A. . 95/06/08. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84414:344-84414:350.

--**9506230138** Safety evaluation accepting util 950420 submittal,requesting approval to use guidance provided in ASME boiler & pressure vessel code,section XI,1989 Edition,through 1990 addenda for weld repairs on SG at plants.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 4pp. 84414:347-84414:350.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506230054 Forwards insp repts 50-295/95-04 & 50-304/95-04 on 950501- 26.No violations noted.
JORDAN,M.J. Region 3 (Post 820201). 95/06/19. TUETKEN,R.P. Commonwealth Edison Co. 2pp. 84474:301-84474:308.

--**9506230057** Insp repts 50-295/95-04 & 50-304/95-04 on 950501-26.No violations noted.Major areas inspected:svc water sys self- assessment.
JORDAN,M.J. Region 3 (Post 820201). 95/06/19. 6pp. 84474:303-84474:308.

R. Periodic operating reports & related correspondence

9506210053 Monthly operating repts for May 1995 for Zion Station Units 1 & 2.W/ 950614 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/05/31. 13pp. 84409:313-84409:325.

S. Reportable occurrences, LERs & related correspondence

9506050299 LER 95-003-00:on 950503,failed to submit EDG special rept within thirty day time limit due to mgt deficiency.Revised root cause analysis program significance level matrix to identify EDG failure.W/950601 ltr.
EGGER,D.R., SCHWARTZ,G.K. Commonwealth Edison Co. 95/06/01. 4pp. 84198:300-84198:303.

9506130312 LER 88-007-01:on 881008,negative flux rate reactor trip from dropped control rod occurred due to procedural deficiency in rod control sys urgent alarm annunciator response.Analyzed all failed components.W/950609 ltr.
PARKER,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/06/09. 6pp. 84312:299-84312:304.

9506190094 Special rept 304-123-95-003SR:on 950524,2B EDG was declared inoperable & determined wrong compressor was worked on.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/06/13. Document Control Branch (Document Control Desk). 3pp. 84370:355-84370:357.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

9506070105 Forwards Rev 7 of Kewaunee NPP Security Manual.Encl withheld.
MARCHI,M.L. Wisconsin Public Service Corp. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84221:357-84221:358.

9506120402 Forwards Rev E to Table EPMP 9.5-7, "Reactor Coolant Flow Loop A," Rev E to Table EPMP 9.5-8, "Reactor Coolant Flow Loop B" & index from ERDS data point library procedure EPMP 9.5, "Control of ERDS Hardware & Software."
MARCHI,M.L. Wisconsin Public Service Corp. 95/06/02. Document Control Branch (Document Control Desk). 4pp. 84275:349-84275:352.

9506290342 Advises that 950530 rev 7 to security manual consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/06/22. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. 84494:356-84494:359.

J. Insurance & indemnity information

9506080626 Forwards Endorsement 119 to NELIA Policy NF-0204 & Endorsement 102 to MAELU Policy MF-0071.
MARCHI,M.L. Wisconsin Public Service Corp. 95/05/31. Document Control Branch (Document Control Desk). 3pp. 84240:355-84240:357.

P. Operating license stage documents & correspondence

9506090249 Forwards SE approving licensee 950510 ltr re relief request RR-G-1,Rev 1,for relief from certain sys pressure test requirements of Section XI of ASME Boiler & Pressure Vessel Code,1989 edition.
MARCUS,G.H. . 95/05/12. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 84248:355-84248:360.

--9506090254 Safety evaluation approving licensee relief request for relief from certain sys pressure test requirements of section XI of ASME Boiler & Pressure Vessel Code,1989 Edition.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 3pp. 84248:358-84248:360.

9506070164 Requests that NRC review relief request re resolution of inservice testing program safety evaluation anomalies.
MARCHI,M.L. Wisconsin Public Service Corp. 95/06/02. Document Control Branch (Document Control Desk). 14pp. 84219:339-84219:352.

9506120239 Forwards "Kewaunee Nuclear Power Plant Reload Safety Evaluation Cycle 21."
MARCHI,M.L. Wisconsin Public Service Corp. 95/06/06. Document Control Branch (Document Control Desk). 1p. 84307:245-84307:313.

--9506120245 "Kewaunee Nuclear Power Plant Reload Safety Evaluation Cycle 21."
MOTT,L., WANNER,D.J. Wisconsin Public Service Corp. 95/05/11. 68pp. 84307:246-84307:313.

9506190313 Informs of mod & surveilllance test performed during recently completed Spring 1995 refueling outage.
STEINHARDT,C.R. Wisconsin Public Service Corp. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84386:359-84386:360.

9506200132 Forwards description of changes made to plant Operational QA Program.Rev 16 to QA Program encl.
MARCHI,M.L. Wisconsin Public Service Corp. 95/06/12. Document Control Branch (Document Control Desk). 13pp. 84405:228-84405:272.

--9506200138 Rev 16 to "Kewaunee NPP Operational QA Program Description."
* Wisconsin Public Service Corp. 95/06/12. 32pp. 84405:241-84405:272.

9506190460 Notifies of completion of design-basis capability verification of safety-related MOVs,in accordance w/ reporting requirements of GL 89-10,Suppl 6 & GL 89-10.
STEINHARDT,C.R. Wisconsin Public Service Corp. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84385:332-84385:333.

9506290314 Summary of 950531 meeting between chairman & WPSC re future outlook for plant.
PARKER,M.E. Commissioners (Post 750119). 95/06/19. Commissioners (Post 750119). 1p. 84491:280-84491:280.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200145 Forwards semiannual insp plan for plant for purposes of assessing licensee performance & developing facility insp plans.Requests feedback on subj plan.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. 84347:240-84347:243.

9506210153 Forwards insp rept 50-305/95-06 on 950522-26.No violations noted.
JACOBSON,J.M. Region 3 (Post 820201). 95/06/15. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 84360:197-84360:208.

--9506210156 Insp rept 50-305/95-06 on 950522-26.No violations noted. Major areas inspected:licensee response to GL 89-10, "Safety-Related MOV Testing & Surveillance," & licensee self-assessment.
BURGESS,S.D., GUZMAN,J.G., PEGG,W.D. Region 3 (Post 820201). 95/06/15. 10pp. 84360:199-84360:208.

9506230251 Forwards safety insp rept 50-305/95-05 on 950407-0526.No violations noted.
FARBER,M.J. Region 3 (Post 820201). 95/06/15. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 84465:284-84465:306.

--9506230256 Insp rept 50-305/95-05 on 950407-0526.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & corrective actions on previous findings.
FARBER,M.J. Region 3 (Post 820201). 95/06/15. 21pp. 84465:286-84465:306.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506280676 Monthly operating rept for May 1995 for KNPP.W/950612 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 95/05/31. 6pp. 84475:301-84475:306.

S. Reportable occurrences, LERs & related correspondence

9506070203 LER 95-001-00:on 950501,intergranular attack & intergranular stress corrosion cracking of tubes in both SGs resulted in Category C-3.Plugged all tubes classified as defective. W/950531 ltr.
ROZELL,D.L., MARCHI,M.L. Wisconsin Public Service Corp. 95/05/31. 13pp. 84238:072-84238:084.

9506200116 LER 95-003-00:on 950516,failed to adequately assess consequences during recovery from switch misposition resulted in turbine/RT.Reminded NCO of importance of self checking.W/950614 ltr.
DRESSEN,J.D., MARCHI,M.L. Wisconsin Public Service Corp. 95/06/14. 8pp. 84404:012-84404:019.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506020222 Informs that 950210,0306 & 0421 util revisions to station ISFSI security,safeguards contingency & guard force training qualification plans,acceptable IAW regulations per 10CFR72.
WETZEL,B.A. . 95/05/22. ANDERSON,R.O. Northern States Power Co. 2pp. 84165:337-84165:338.

9506130001 Ack receipt of 950323 ltr requesting exemption for plants from demonstrating backup EOF during 1995 utility emergency preparedness exercise.
CREED,J.R. Region 3 (Post 820201). 95/06/05. OFFERDAHL,M. Northern States Power Co. 2pp. 84242:001-84242:004.

--9506130006 Requests exemption for plants from demonstrating backup during 1995 utility only emergency preparedness exercise.
OFFERDAHL,M.R. Northern States Power Co. 95/03/23. CREED,J.R. Region 3 (Post 820201). 2pp. 84242:003-84242:004.

9506300029 Revised EPIPs,including rev 2 to EPIP-F8-1,rev 2 to EPIP-F8-2 & EPIP-F8-9.W/950619 ltr.
ANDERSON,R.O. Northern States Power Co. 95/06/06. 70pp. 84524:244-84524:313.

9506300041 Forwards rev 33 to security plan.Plan withheld ref 10CFR73.21.
ANDERSON,R.O. Northern States Power Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84518:359-84518:359.

9506300044 Forwards rev 13 to training & qualification plan.Encl withheld ref 10CFR73.21.
ANDERSON,R.O. Northern States Power Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84518:360-84518:360.

9506300206 Discusses response to NRC-conducted operational safeguards response evaluation for plant.
WETZEL,B.A. . 95/06/18. ANDERSON,R.O. Northern States Power Co. 3pp. 84493:328-84493:330.

9506290436 Revised EPIPs,including Rev 10 to F3-9,Rev 7 to F3-13.3,Rev 7 to F3-13.6,Rev 13 to F3-16,Rev 14 to F3-20 & Rev 22 to F3-2.W/950619 ltr.
ANDERSON,R.O. Northern States Power Co. 95/06/19. 149pp. 84483:034-84483:182.

H. General correspondence

9506190005 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
ANDERSON,R.O. Northern States Power Co. 95/06/06. Docketing & Services Branch. 1p. 84320:009-84320:009.

9506300197 Forwards response to questions re loading of fuel into casks at plant.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/06/20. MORSE,J. Affiliation Not Assigned. 5pp. 84510:275-84510:281.

P. Operating license stage documents & correspondence

9506200246 Forwards Rev 0 to "Prairie Island Nuclear Generating Plant COLR Unit 2 Cycle 17."
ANDERSON,R.O. Northern States Power Co. 95/06/13. Document Control Branch (Document Control Desk). 1p. 84406:008-84406:024.

–9506200253 Rev 0 to "Prairie Island Nuclear Generating Plant COLR Unit 2-Cycle 17."
* Northern States Power Co. 95/06/13. 16pp. 84406:009-84406:024.

9506220082 Forwards proposed change to Rev 18 of operational QA plan. Proposed change would modify listing of plant chemical & vol control sys positive displacement charging pumps & motors.
ANDERSON,R.O. Northern States Power Co. 95/06/14. Document Control Branch (Document Control Desk). 25pp. 84415:337-84415:360.

9506230006 Forwards Rev 19 of Operational QA Plan for Monticello & Prairie Island Nuclear Generating Stations.
ANDERSON,R.O. Northern States Power Co. 95/06/15. Document Control Branch (Document Control Desk). 1p. 84465:051-84465:142.

–9506230009 Rev 19 to "Operational QA Plan."
AMUNDSON,T.E., WATZL,E.L. Northern States Power Co. 95/05/19. 87pp. 84465:053-84465:142.

9506280363 Requests for approval of alternative to ASME Code requirements for repair of minor leakage at locations H8 & F8.
ANDERSON,R.O. Northern States Power Co. 95/06/21. Document Control Branch (Document Control Desk). 14pp. 84492:342-84492:355.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506140303 Forwards request for addl info on plant third 10-yr interval inservice insp program plan & associated requests for relief.
KENNEDY,J.L. . 95/05/30. ANDERSON,R.O. Northern States Power Co. 5pp. 84311:270-84311:274.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210014 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.
AXELSON,W.L. Region 3 (Post 820201). 95/06/08. WATZL,E. Northern States Power Co. 3pp. 84357:092-84357:094.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290429 Forwards SG plugged & F* tube summary,Prairie Island Unit 2 SGs Category C-3 tube insp special rept & F* tube rept,in accordance w/TS 4.12.E.1.Info will be expanded upon in ISI rept for Unit 2.
ANDERSON,R.O. Northern States Power Co. 95/06/23. Document Control Branch (Document Control Desk). 27pp. 84483:281-84483:307.

R. Periodic operating reports & related correspondence

9506050282 Forwards "First Quarter 1995 & April 1995 Environmental Radiation Data Rept," for State Of MN.
BALL,J.A. Minnesota, State of. 95/05/17. Affiliation Not Assigned. 1p. 84183:058-84183:076.

–9506050289 "First Quarter & April 1995 Environmental Radiation Data Rept."
* Minnesota, State of. 95/04/30. 16pp. 84183:059-84183:076.

9506200027 Monthly operating repts for May 1995 for Prairie Island Nuclear Generating Station Units 1 & 2.W/950606 ltr.
DUGSTAD,D., ANDERSON,R.O. Northern States Power Co. 95/05/31. 9pp. 84405:025-84405:033.

S. Reportable occurrences, LERs & related correspondence

9506140307 LER 95-001-00:on 950512,two MSSVs found to lift outside of TS tolerance.LAR submitted to allow as-found valve setpoint tolerances of +/- 3%.W/ 950606 ltr.
HUNSTAD,A.A., ANDERSON,R.O. Northern States Power Co. 95/06/06. 4pp. 84350:072-84350:075.

9506200051 Special rept:on 950515,121 motor driven fire pump was taken out of svc due to failed transformer in pump control circuitry.
ANDERSON,R.O. Northern States Power Co. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84404:301-84404:302.

V. Operator Examinations

9506070681 Forwards individual exam results for initial license exam administered on May 1995.Encls withheld (ref 10CFR2.790).
RING,M.A. Region 3 (Post 820201). 95/06/01. WALKER,W.P. Northern States Power Co. 2pp. 84210:342-84210:343.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506200231 Responds to ltr re nuclear waste storage at Prairie Island.
SANDA,K. Minnesota, State of. 95/05/16. CARVER,D. Minnesota, State of. 2pp. 84410:359-84410:360.

9506020139 Clarifies that statement in SE addressing testing & acceptability of TN-40 storage cask which had been forwarded in 950511 memo.
ADENSAM,E.G. . 95/05/19. GREENMAN,E.G. Region 3 (Post 820201). 1p. 84165:336-84165:336.

9506020232 Summary of 950428 meeting in Red Wing,MN re NRC insp findings re dry cask storage activities at plant.
WETZEL,B.A. . 95/05/19. . 5pp. 84165:328-84165:332.

9506020222 Informs that 950210,0306 & 0421 util revisions to station ISFSI security,safeguards contingency & guard force training qualification plans,acceptable IAW regulations per 10CFR72.
WETZEL,B.A. . 95/05/22. ANDERSON,R.O. Northern States Power Co. 2pp. 84165:337-84165:338.

9506010515 Responds to 950509 ltr,discussing meetings on 950427 & 28 & concerns re issue raised at meetings on retrievability of spent fuel storage casks.Ltr to NRC from NSP dtd 950503 & ltr to NSP from NRC dtd 950505 encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/26. WHITE,B., CHILDS,A., CHILDS,M. Affiliation Not Assigned. 1p. 84184:204-84184:211.

–9506010526 Discusses meetings w/NRC on 950427 & 28 re whether rods that will be placed in casks can be retrieved & placed in storage pool should emergency situation arise.
WHITE,B., CHILDS,A., CHILDS,M. Affiliation Not Assigned. 95/05/09. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84184:210-84184:211.

9506060120 Requests approved transcript of 950605 meeting in Rockville,MD re ISFSI that Northern States Power Co plans to build in Florence Township,MN.
WURST,J.S. Affiliation Not Assigned. 95/06/01. SCHNEIDER,J.F. Office of Nuclear Material Safety & Safeguards. 2pp. 84210:246-84210:247.

9506280474 Responds to technical assistance requests re plant dry cask storage activities.Forwards SE concluding that addl load testing,beyond 150%,not required & SA concluding that composite storage cask acceptable w/o addl hydrostatic test.
WETZEL,B.A. . 95/06/12. ANDERSON,R.O. Northern States Power Co. 2pp. 84448:336-84448:343.

–9506280482 Safety evaluation supporting finding that addl load testing, beyond currently performed 150% load testing of trunnions on each cask,not required.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 6pp. 84448:338-84448:343.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9506070678 Rev 4 to EPIP 2-50-9,Attachment D, "EOF Activation Checklist."
* Maine Yankee Atomic Power Co. 95/05/26. 2pp. 84210:340-84210:341.

9506080319 Rev 5 to EPIP 2-50-15, "Off-Site Radiological Monitoring."
* Maine Yankee Atomic Power Co. 95/05/30. 15pp. 84240:322-84240:336.

9506130079 Advises that Rev 20 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/05/30. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84300:350-84300:352.

9506210138 Rev 2 to EPIP 2-50-24, "Emergency Plan Training."
* Maine Yankee Atomic Power Co. 95/06/13. 12pp. 84413:001-84413:012.

9506280685 Ack receipt of 950505 ltr informing NRC of steps taken to correct violations noted in insp rept 50-309/95-02.
LINVILLE,J.C. Region 1 (Post 820201). 95/06/21. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 2pp. 84452:341-84452:345.

H. General correspondence

9506160549 Advises that decision re repairing cracked tubes at Maine Yankee should be addressed prior to final decision by public hearing.
GATES,O. Affiliation Not Assigned. 95/05/12. TROTTIER,E. Project Directorate I-3 (PD1-3) (Post 941001). 1p. 84366:320-84366:320.

9506160545 Shares concerns re MYAP plant in Wiscasset,ME.Informs that plant has shutdown because of broken steam generating unit.
DAVIS,R. Affiliation Not Assigned. 95/05/22. TROTTIER,E. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84366:318-84366:319.

P. Operating license stage documents & correspondence

9506010038 Notification of significant licensee meeting 95-53 w/util on 950601 to present plans to conduct SG repairs.
LAZARUS,W.J. Region 1 (Post 820201). 95/05/24. Region 1 (Post 820201). 2pp. 84107:091-84107:092.

9506130109 Provides copies of documents associated w/SG sleeving program at plant.
GEBERT,J.R. Maine Yankee Atomic Power Co. 95/05/31. WIGGINS,J.T. Region 1 (Post 820201). 1p. 84297:348-84297:348.

9506140380 Forwards summary of calculation re estimate of min time from LOCA initiation to start of recirculation,in ref to util 950307 submittal of Proposed TS Change 189 concerning emergency core cooling & containment spray sys.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/06/07. Document Control Branch (Document Control Desk). 3pp. 84338:327-84338:329.

9506290404 Forwards request for addl info re generic RETRAN analysis methodology.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/19. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 5pp. 84474:036-84474:040.

9506280055 Requests relief from min Charpy upper-shelf energy requirement of 50 ft-lb specified in 10CFR50,App G. CE NPSD-993, "Evaluation of Low Upper Shelf Energy for Reactor Vessel Beltline Weld & Base Metal...," encl.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/06/22. Document Control Branch (Document Control Desk). 8pp. 84494:083-84494:265.

--9506280059 "Evaluation of Low Upper Shelf Energy for Reactor Vessel Beltline Weld & Base Metal Matls for C-E NSSS Reactor Pressure Vessels," final rept.
STEWART,C.D. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). STEWART,C.D. ASEA Brown Boveri, Inc. CE NPSD-993. 95/05/31. 175pp. 84494:091-84494:265.

Q. Inspection reports, IE Bulletins & correspondence

9506010025 Forwards insp rept 50-309/95-07 on 950312-0415.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 95/05/24. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84107:059-84107:076.

--9506010026 Insp rept 50-309/95-07 on 950312-0415.No violations noted. Major areas inspected:plant activities,operations,maint, engineering & overall plant support.
LAZARUS,W.J. Region 1 (Post 820201). 95/05/22. 15pp. 84107:062-84107:076.

9506010053 Forwards insp rept 50-309/95-04 on 950303-24.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/05/24. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84107:124-84107:144.

--9506010056 Insp rept 50-309/95-04 on 950303-24.No violations noted. Major areas inspected:plant design changes,plant unusual occurrence repts & emergent plant issues,temporary mods, engineering mgt oversight & engineering initiatives.
SCHOLL,L., BHATIA,R., RULAND,W.H. Region 1 (Post 820201). 95/05/24. 18pp. 84107:127-84107:144.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120448 Discusses insp rept 50-309/95-06 on 950322-24,28-31 as well as exit discussion on 950411 by telephone & forwards notice of violation.
MARTIN,T.T. Region 1 (Post 820201). 95/06/01. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 5pp. 84275:341-84275:348.

--9506120452 Notice of violation from insp on 950322-24 & 28-31. Violations noted:licensee did not make or cause to be made surveys that may be necessary for licensee to comply w/ regulations in Part 20 as listed.
* Region 1 (Post 820201). 95/06/01. 3pp. 84275:346-84275:348.

9506140324 Summary of 950511 meeting in Rockville,MD re SG operating & insp history.List of attendees & licensee handouts encl.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/01. Project Directorate I-3 (PD1-3) (Post 941001). 71pp. 84311:167-84311:167.

9506120515 Forwards insp rept 50-309/95-09 on stated date.Weaknesses noted.
LINVILLE,J. Region 1 (Post 820201). 95/06/02. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84282:241-84282:258.

--9506120516 Insp rept 50-309/95-09 on stated date.Weaknesses noted.Major areas inspected:programs that ensure availability & reliability of plant sys that protect health & safety of public.
LAZARUS,W.J. Region 1 (Post 820201). 95/06/02. 15pp. 84282:244-84282:258.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280685 Ack receipt of 950505 ltr informing NRC of steps taken to correct violations noted in insp rept 50-309/95-02.
LINVILLE,J.C. Region 1 (Post 820201). 95/06/21. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 2pp. 84452:341-84452:345.

R. Periodic operating reports & related correspondence

9506210157 Monthly operating rept for May 1995 for MYAP. W/950612 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. 95/05/31. 10pp. 84407:280-84407:290.

S. Reportable occurrences, LERs & related correspondence

9506120212 LER 95-008-00:on 950502,determined that two MOVs in HPSI sys susceptible to pressure locking phenomena.Postulated cause due to ambient temp increase & subsequent valve bonnet pressure increase.Precautionary mod planned.W/950531 ltr.
STOWERS,G.N., HEBERT,J.R. Maine Yankee Atomic Power Co. 95/05/31. 4pp. 84280:056-84280:059.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506010488 Forwards amends 167 & 149 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends remove from TS sections that entitled, "Seismic Instrumentation" & "Meteorological Instrumentation."
OLSHAN,L.N. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84145:330-84145:347.

--9506010494 Amends 167 & 149 to licenses DPR-70 & DPR-75,respectively, removing from TS sections that entitled "Seismic Instrumentation" & "Meteorological Instrumentation" & relocate info & testing requirements to Salem UFSAR.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/22. 10pp. 84145:333-84145:343.

--9506010497 Safety evaluation supporting amends 167 & 149 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84145:344-84145:347.

9506010111 Forwards insp repts 50-272/95-07 & 50-311/95-07 on 950323-0506,notice of deviation & NOV.
COOPER,R.W. Region 1 (Post 820201). 95/05/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84107:312-84107:344.

--9506010130 Insp repts 50-272/95-07 & 50-311/95-07 on 950323-0506. Violation & deviation noted.Major areas inspected:security, operations,radiological controls & maint.
WHITE,J.R. Region 1 (Post 820201). 95/05/23. 24pp. 84107:321-84107:344.

9506280591 Forwards details of info for review & disposition re fitness for duty concerns at plant.Requests results of review within 60 days of ltr date.W/o encl.
COOPER,R.W. Region 1 (Post 820201). 95/06/19. FERLAND,J.E. Public Service Electric & Gas Co. of New Jersey. 3pp. 84452:052-84452:054.

H. General correspondence

9506140230 Notifies of 950526 internet mail from P Blanch to Commissioner,S Jackson,addressing plant ATWS event of 1983 & manner in which NRC bringing to close,safety concerns re MOVs.
ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/26. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 84288:109-84288:112.

9506060042 Comment opposing proposed change in State Cooperative Agreements Program concerning NRC intention to reduce scope of work.Believes that NRC should maintain environ monitoring program & find other ways to reduce duplicative svcs.
LIPOTI,J. New Jersey, State of. 95/06/02. Docketing & Services Branch. 4pp. 84165:047-84165:050.

I. Financial information

9506300026 Forwards Public Svc Enterprise Group Inc,Delmarva Power, PECO Energy & Atlantic Energy Annual Repts 1994.
FRYLING,R. Public Service Electric & Gas Co. of New Jersey. 95/06/23. Document Control Branch (Document Control Desk). 1p. 84594:107-84594:351.

P. Operating license stage documents & correspondence

9506010488 Forwards amends 167 & 149 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends remove from TS sections that entitled, "Seismic Instrumentation" & "Meteorological Instrumentation."
OLSHAN,L.N. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84145:330-84145:347.

--9506010494 Amends 167 & 149 to licenses DPR-70 & DPR-75,respectively, removing from TS sections that entitled "Seismic Instrumentation" & "Meteorological Instrumentation" & relocate info & testing requirements to Salem UFSAR.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/22. 10pp. 84145:333-84145:343.

--**9506010497** Safety evaluation supporting amends 167 & 149 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84145:344-84145:347.

9506010492 Forwards "Safe Shutdown Equipment List Rept," "Relay Evaluation Rept Volumes 1 & 2," & "Seismic Evaluation Rept," for Salem Generating Station Units 1 & 2, in response to GL 87-02/USI A-46.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/05/22. Document Control Branch (Document Control Desk). 5pp. 84151:001-84154:255.

--**9506010498** "Safe Shutdown Equipment List Rept" for Salem Generating Station Units 1 & 2.
* Public Service Electric & Gas Co. of New Jersey. 0014-00078-R001 R02. 95/05/19. 200pp. 84151:006-84151:282.

--**9506010507** "Relay Evaluation Rept," Volumes 1 & 2, for Salem Generating Station Units 1 & 2.
* Public Service Electric & Gas Co. of New Jersey. 0014-00078-R002 R00. 95/04/25. 800pp. 84151:283-84154:067.

--**9506010514** "Seismic Evaluation Rept," for Salem Generating Station
* Public Service Electric & Gas Co. of New Jersey. SGS-SEIS.RPT R00. 95/04/20. 200pp. 84154:068-84154:255.

9506150332 Forwards table of results of tracer dye studies conducted to determine pump flow rates for circulating water sys.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/30. CAPORALE,G. New Jersey, State of. 3pp. 84339:357-84339:359.

9506210088 Discusses 950321 meeting w/util to discuss NRC concerns w/performance problems at plant in order to assure util directors of need for timely improvement.
MARTIN,T.T. Region 1 (Post 820201). 95/06/05. FERLAND,E.J. Public Service Electric & Gas Co. of New Jersey. 3pp. 84360:115-84360:117.

9506300238 Forwards amends 168 & 150 to licenses DPR-70 & DPR-75, respectively & SE.Amends revise administrative controls section of TS to reflect organizational changes & resultant mgt changes.
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/06/06. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84510:309-84510:332.

--**9506300244** Amends 168 & 150 to licenses DPR-70 & DPR-75,respectively. Amends revise administrative controls section of TS to reflect organizational changes & resultant mgt changes.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/06. 19pp. 84510:312-84510:330.

--**9506300247** Safety evaluation supporting amends 168 & 150 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/06. 2pp. 84510:331-84510:332.

9506190440 Discusses 950516 shutdown of plant due to 12 & 13 switchgear room supply fans being inoperable.Response to CAI 1-95-009 re shutdown should not include personal privacy,proprietary or safeguard info.
MARTIN,T.T. Region 1 (Post 820201). 95/06/09. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 5pp. 84344:118-84344:122.

9506200210 Advises that license change request 94-45 has been determined to have positive impact on plant safety.
TOSCH,K.W. New Jersey, State of. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84404:326-84404:327.

9506200300 Offers no comment on license change request 94-35,submitted by PSE&G 950502 ltr,proposing to modify tables 3.3-3 & 4.3-2 of TS to allow change to manual surveillance frequency of AFW pumps from monthly to staggered-quarterly.
TOSCH,K.W. New Jersey, State of. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84404:342-84404:343.

9506290350 Forwards amends 169 & 151 to licenses DPR-70 & DPR-75, respectively & SE.Amends revise Reactivity Control System TS LCO for boration flow paths & charging pumps.
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/06/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84491:253-84491:279.

--**9506290361** Amends 169 & 151 to licenses DPR-70 & DPR-75,respectively, revising Reactivity Control System TS LCO for boration flow paths & charging pumps.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/12. 21pp. 84491:256-84491:276.

--**9506290373** Safety evaluation supporting amends 169 & 151 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 3pp. 84491:277-84491:279.

9506210143 Advises that util current drawer I will be changed to drawer 0509,effective 950612.Ltr from Hancocks Bridge post ofc encl.
VENUTO,K. Public Service Electric & Gas Co. of New Jersey. 95/06/13. Public Service Electric & Gas Co. of New Jersey. 2pp. 84407:357-84407:358.

9506220061 Requests NRC to change mailing lists by removing TS Curham & adding PM Goelz.
HOUCK,M.M. Atlantic Energy, Inc. 95/06/14. HUNGER,G.A. NRC - No Detailed Affiliation Given. 1p. 84420:338-84420:338.

Q. Inspection reports, IE Bulletins & correspondence

9506010111 Forwards insp repts 50-272/95-07 & 50-311/95-07 on 950323-0506,notice of deviation & NOV.
COOPER,R.W. Region 1 (Post 820201). 95/05/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84107:312-84107:344.

--**9506010119** Notice of violation from insp on 950323-0506.Violation noted:util blocked actuation of both 2R1A & 2R1B on high radiation in CR air conditioning ventilation intake duct rendering isolation dampers incapable of isolating.
* Region 1 (Post 820201). 95/05/24. 3pp. 84107:316-84107:318.

--**9506010130** Insp repts 50-272/95-07 & 50-311/95-07 on 950323-0506. Violation & deviation noted.Major areas inspected:security, operations,radiological controls & maint.
WHITE,J.R. Region 1 (Post 820201). 95/05/23. 24pp. 84107:321-84107:344.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070600 Forwards insp repts 50-272/95-11 & 50-311/95-11 on 950511- 12.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/05/30. Public Service Electric & Gas Co. of New Jersey. 2pp. 84228:240-84228:250.

--**9506070609** Insp repts 50-272/95-11 & 50-311/95-11 on 950511-12.No violations noted.Major areas inspected:reviewed status of previously identified open items & to determine adequacy of licensee corrective actions to resolve issues.
CHEUNG,L., RULAND,W.H. Region 1 (Post 820201). 95/05/25. 9pp. 84228:242-84228:250.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120025 Rev 1 to notification of licensee meeting 95-42 w/util on 950623 in Region I ofc to discuss violation of 10CFR50,App B re inadequate measures (procedure or instruction) to ensure that mod of pressurizer SRV loop seals properly implemented.
WHITE,J.R. Region 1 (Post 820201). 95/05/31. Region 1 (Post 820201). 2pp. 84221:124-84221:125.

9506120511 Forwards safety insp repts 50-272/95-08 & 50-311/95-08 on 950410-19 of licensed operator requalification training program.Weaknesses noted.
MEYER,G.W. Region 1 (Post 820201). 95/06/02. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 3pp. 84272:336-84272:347.

--**9506120513** Insp repts 50-272/95-08 & 50-311/95-08 on 950410-19. Weaknesses noted.Major areas inspected:licensed operator requalification training program.
BISSETT,P., MEYER,G.W. Region 1 (Post 820201). 95/05/31. 9pp. 84272:339-84272:347.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506160182 Forwards Rev 1A to Vol A of "Salem Generating Station Unit 2 Second 10-Yr Insp Interval ISI Program Plan."
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/06/07. Document Control Branch (Document Control Desk). 16pp. 84364:149-84364:257.

--**9506160189** Rev 1A to Vol A of "Salem Generating Station Unit 2 Second 10-Yr Insp Interval ISI Program Plan."
LAKE,L.F., NICHOLS,J.A. Public Service Electric & Gas Co. of New Jersey. 95/05/11. 93pp. 84364:165-84364:257.

9506190455 Forwards SIT insp repts 50-272/95-80 & 50-311/95-80 on 950426-0512.No violations noted.SIT found that managers & supervisors did not integrate activities,issues & priorities.
SHANKMAN,S.F. Region 1 (Post 820201). 95/06/09. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 84344:001-84344:038.

--**9506190462** Insp repts 50-272/95-80 & 50-311/95-80 on 950426-0512.No violations noted.Major areas inspected:problem identification,root cause analysis,work control, configuration control & work arounds.
ESELGROTH,P.W., SHANKMAN,S.F. Region 1 (Post 820201). 95/06/08. 27pp. 84344:006-84344:038.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280616 Submits results of investigation re alleged discrimination at Salem Nuclear Generating Station.Response requested within 30 days.
COOPER,R.W. Region 2 (Post 820201). 95/06/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 84452:252-84452:255.

9506280644 Forwards insp rept 50-272/95-06 & 50-311/95-06 on 950313-17 & 0327-31.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/06/21. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 84452:292-84452:299.

--**9506280657** Insp repts 50-272/95-06 & 50-311/95-06 on 950313-17 & 950327-31.No violations noted:Major areas inspected:to determine if util programmatic controls over design, installation,mod & maint of pipe supports satisfactory.
CHAUDHARY,S.K., MODES,M.C. Region 1 (Post 820201). 95/06/19. 6pp. 84452:293-84452:299.

R. Periodic operating reports & related correspondence

9506010036 "NPDES Discharge Monitoring Rept," for Apr 1995.W/950517 ltr.
ALLEN,R.M., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/04/30. CAPORALE,G. New Jersey, State of. 19pp. 84161:314-84161:332.

9506080215 Forwards revised NPDES discharge monitoring repts for Salem Generating Station for Sept 1994.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/30. CAPORALE,G. New Jersey, State of. 5pp. 84240:244-84240:262.

--9506080224 Revised NPDES discharge monitoring repts for Salem Generating Station for Sept 1994.
QUINN,R.F., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/30. 14pp. 84240:249-84240:262.

9506200072 Monthly operating rept for May 1995 for Salem Unit 2.W/ 950614 ltr.
PHILLIPS,R., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/31. 7pp. 84405:163-84405:169.

9506230388 Forwards corrected page for Discharge 485 in Apr 1995 discharge monitoring rept for Salem Generating Station, reflecting effluent gross value for acute toxicity testing (LC-50).
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/16. CAPORALE,G. New Jersey, State of. 2pp. 84457:340-84457:343.

--9506230389 Corrected page for Discharge 485 in Apr 1995 discharge monitoring rept for Salem Generating Station.
* Public Service Electric & Gas Co. of New Jersey. 95/04/30. 2pp. 84457:342-84457:343.

9506280225 Forwards NPDES discharge monitoring repts for Salem Generating Station for month of May 1995.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/20. CAPORALE,G. New Jersey, State of. 5pp. 84478:200-84478:218.

--9506280235 NPDES Discharge Monitoring Repts for Salem Generating Station for month of May 1995.
ALLEN,R.M., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/31. 14pp. 84478:205-84478:218.

S. Reportable occurrences, LERs & related correspondence

9506200134 PNO-1-95-018:on 950607,unit 2 operators commenced TS 3.0.3 required shutdown from 100% power due to declaration of two inoperable RHR trains.Protective relay actuation caused loss of one source of power to vital 4KV buses.
WHITE,J.R. Region 1 (Post 820201). 95/06/09. 3pp. 84347:267-84347:269.

V. Operator Examinations

9506120511 Forwards safety insp repts 50-272/95-08 & 50-311/95-08 on 950410-19 of licensed operator requalification training program.Weaknesses noted.
MEYER,G.W. Region 1 (Post 820201). 95/06/02. ELIASON,L. Public Service Electric & Gas Co. of New Jersey. 3pp. 84272:336-84272:347.

--9506120513 Insp repts 50-272/95-08 & 50-311/95-08 on 950410-19. Weaknesses noted.Major areas inspected:licensed operator requalification training program.
BISSETT,P. Region 1 (Post 820201). 95/05/31. 9pp. 84272:339-84272:347.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9506120003 Forwards insp rept 50-312/95-02 on 950522-25 & notice of violation.
COLLINS,S.J. Region 4 (Post 820201). 95/06/06. SHETLER,J.R. Sacramento Municipal Utility District. 6pp. 84221:010-84221:020.

--9506120005 Notice of violation from insp on 950522-25.Violation noted: inspector determined that physical exams administered by physican to armed security officers did not include evaluation of glaucoma.
* Region 4 (Post 820201). 95/06/06. 2pp. 84221:016-84221:017.

--9506120009 Partially withheld insp rept 50-312/95-02 on 950522-25 (ref 10CFR73.21).Violations noted.Major areas inspected: physical security program including security program audits, testing & maint & security training & qualification.
MURRAY,B. Region 4 (Post 820201). 95/06/06. 3pp. 84221:018-84221:020.

9506210119 Advises that w/exception of two listed items,rev 6 to plant emergency plan acceptable,per 950424 ltr.Word "should" in section 8.5.1 of plan re quarterly Communications Sys Test will be changed back to "shall."
SCARANO,R.A. Region 4 (Post 820201). 95/06/14. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 84360:167-84360:171.

I. Financial information

9506200435 "1994 Annual Rept for SMUD." W/950614 ltr.
SCHORI,J., REDEKER,S. Sacramento Municipal Utility District. 94/12/31. 35pp. 84415:201-84415:234.

J. Insurance & indemnity information

9506230390 Forwards Endorsements 124 & 125 to NELIA Policy NF-0212 & Endorsements 111 & 112 to MAELU Policy 0075.
DELEZENSKI,J. Sacramento Municipal Utility District. 95/06/13. Document Control Branch (Document Control Desk). 5pp. 84457:335-84457:339.

Q. Inspection reports, IE Bulletins & correspondence

9506010225 Discusses info re Rancho Seco Nuclear Generating Station ISFSI Insp & Trojan Nuclear Power Station Site Tour on 950412-20.
RADDATZ,M.G. NRC - No Detailed Affiliation Given. 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84172:283-84172:284.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506120003 Forwards insp rept 50-312/95-02 on 950522-25 & notice of violation.
COLLINS,S.J. Region 4 (Post 820201). 95/06/06. SHETLER,J.R. Sacramento Municipal Utility District. 6pp. 84221:010-84221:020.

--9506120005 Notice of violation from insp on 950522-25.Violation noted: inspector determined that physical exams administered by physican to armed security officers did not include evaluation of glaucoma.
* Region 4 (Post 820201). 95/06/06. 2pp. 84221:016-84221:017.

--9506120009 Partially withheld insp rept 50-312/95-02 on 950522-25 (ref 10CFR73.21).Violations noted.Major areas inspected: physical security program including security program audits, testing & maint & security training & qualification.
MURRAY,B. Region 4 (Post 820201). 95/06/06. 3pp. 84221:018-84221:020.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506070176 Submits plant annual rept re decommissioning progress & status.Rept covers period of 940507-950506.
REDEKER,S.J. Sacramento Municipal Utility District. 95/05/22. Document Control Branch (Document Control Desk). 8pp. 84239:132-84239:139.

W. Decommissioning Stage Documents & Correspondence

9506290445 Proposed License Amend 190,changing permanently defueled TS (PDTS) D6.5.3d qualified reviewer qualification requirements for reviews required per PDTS D6.5.3a,b & c & PDTS D6.9.6b ER reporting requirement submittal timing.
REDEKER,S.J. Sacramento Municipal Utility District. 95/06/20. WEISS,S. Document Control Branch (Document Control Desk). 3pp. 84483:183-84483:192.

--9506290447 Proposed permanently defueled TS,changing qualified reviewer qualification requirements & environ repts reporting requirement.
* Sacramento Municipal Utility District. 95/06/20. 7pp. 84483:186-84483:192.

9506300186 Proposed license amend 191 to license DPR-54,changing permanently defueled TS D3/4.3, "Fuel Storage Bldg Load Handling Limits" to facilitate off-load of spent fuel assemblies to Rancho Seco ISFSI.
REDEKER,S.J. Sacramento Municipal Utility District. 95/06/20. WEISS,S. Document Control Branch (Document Control Desk). 3pp. 84525:238-84525:247.

--9506300199 Proposed permanently defueled TS D3/4.3, "Fuel Storage Bldg Load Handling Limits."
* Sacramento Municipal Utility District. 95/06/20. 7pp. 84525:241-84525:247.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506010225 Discusses info re Rancho Seco Nuclear Generating Station ISFSI Insp & Trojan Nuclear Power Station Site Tour on 950412-20.
RADDATZ,M.G. NRC - No Detailed Affiliation Given. 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84172:283-84172:284.

9506020009 Forwards response to remaining question from NRC 950314 RAI re plant ISFSI SAR.
REDEKER,S. Sacramento Municipal Utility District. 95/05/24. Office of Nuclear Material Safety & Safeguards. 5pp. 84182:275-84182:279.

9506160219 Informs that responses to RAI re SMUD license application evaluated.List of questions followed by comments indicating whether received response acceptable,being evaluated or requires further clarification encl.W/o encl.
STOKLEY,J.R. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-02-90-009. 95/06/13. RADDATZ,M. NRC - No Detailed Affiliation Given. 1p. 84385:291-84385:291.

9506300186 Proposed license amend 191 to license DPR-54,changing permanently defueled TS D3/4.3, "Fuel Storage Bldg Load Handling Limits" to facilitate off-load of spent fuel assemblies to Rancho Seco ISFSI.
REDEKER,S.J. Sacramento Municipal Utility District. 95/06/20. WEISS,S. Document Control Branch (Document Control Desk). 3pp. 84525:238-84525:247.

--9506300199 Proposed permanently defueled TS D3/4.3, "Fuel Storage Bldg Load Handling Limits."
* Sacramento Municipal Utility District. 95/06/20. 7pp. 84525:241-84525:247.

9506300095 Provides list of drawings & documents that VECTRA requested be withheld from public disclosure per 10CFR2.790.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/21. SHETLER,J.R. Sacramento Municipal Utility District. 4pp. 84523:328-84523:331.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9506220012 Rev 28 to EPIP 1903.023, "Personnel Emergency."
* Entergy Operations, Inc. 94/11/28. 3pp. 84419:322-84419:324.

9506220019 Rev 14 to EPIP 1903.033, "Protective Action Guidelines for Rescue/Repair & Damage Control Team."
* Entergy Operations, Inc. 94/11/28. 6pp. 84419:336-84419:341.

9506220021 Rev 11 to EPIP 1905.001, "Emergency Radiological Controls."
* Entergy Operations, Inc. 94/11/28. 7pp. 84419:342-84419:348.

9506220018 Rev 14 to EPIP 1903.062, "Communications Sys Operating Procedure."
* Entergy Operations, Inc. 94/12/16. 11pp. 84419:325-84419:335.

9506220011 Rev 27 to EPIP 1903.061, "Communication Equipment Tests."
* Entergy Operations, Inc. 95/03/16. 4pp. 84419:318-84419:321.

9506220009 Rev 31 to EPIP 1903.060, "Emergency Supplies & Equipment."
COTTON,S.R. Entergy Operations, Inc. 95/05/16. 25pp. 84419:293-84419:317.

9506070371 Rev 20 to procedure/work plan 1903.011, "Emergency Response/ Notifications."
* Entergy Operations, Inc. 95/05/25. 86pp. 84219:250-84219:335.

9506130365 Advises that 950331 rev 32 industrial security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS,S.J. Region 4 (Post 820201). 95/06/09. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84296:293-84296:297.

9506130282 Page 14 of Rev 20 to procedure/work plan 1903.011, "Emergency Response/Notifications."
* Entergy Operations, Inc. 95/06/13. 2pp. 84289:349-84289:350.

H. General correspondence

9506190034 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
* Entergy Operations, Inc. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:035-84320:036.

P. Operating license stage documents & correspondence

9506190133 Application for amend to license DPR-51,revising TS to permit spent fuel shipping casks to be moved using auxiliary bldg crane.Evaluation of worst case hypothetical 9 inch drop of 100 ton cask encl.
YELVERTON,J.W. Entergy Operations, Inc. 94/03/03. Document Control Branch (Document Control Desk). 9pp. 84374:010-84374:078.

--9506190138 Proposed tech specs to use auxiliary bldg crane to move spent fuel shipping casks.
* Entergy Operations, Inc. 94/03/03. 6pp. 84374:019-84374:024.

--9506190144 "100 Ton Cask Drop Analysis for Concrete Floor Above ANO-1 Control Room."
DIB,T. Entergy Operations, Inc. 91-E-0094-03 R00. 92/01/20. 54pp. 84374:025-84374:078.

9506020275 Forwards amend 181 to license DPR-51 & safety evaluation. Amend revises value of plant reactor building volume as listed in TSs.
KALMAN,G. . 95/05/22. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84165:287-84165:295.

--9506020283 Amend 181 to license DPR-51,revising value of plant reactor building volume as listed in TSs.
KALMAN,G. . 95/05/22. 4pp. 84165:290-84165:293.

--9506020289 Safety evaluation supporting amend 181 to license DPR-51.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 2pp. 84165:294-84165:295.

9506010147 Forwards revised relief requests 22 & 23 for ANO-1 IST program.Requests provide justifications for non-intrusively testing affected valves on once per refueling cycle frequency.
MIMS,D.C. Entergy Operations, Inc. 95/05/25. Document Control Branch (Document Control Desk). 6pp. 84154:345-84154:350.

9506220207 Advises of encl affidavit supporting W request that ref rept WCAP-13698,Rev 2,be withheld per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 12pp. 84436:206-84436:216.

9506130270 Submits suppl to TS change request re SW flow rate to reactor bldg emergency cooling sys.
YELVERTON,J.W. Entergy Operations, Inc. 95/06/07. Document Control Branch (Document Control Desk). 8pp. 84302:349-84302:360.

--9506130271 Proposed tech specs,verifying adequate SW flow to each train of reactor bldg emergency cooling.
* Entergy Operations, Inc. 95/06/07. 3pp. 84302:357-84302:360.

9506210094 Forwards rept re errors/changes in plant ECCS for 1994.
MIMS,D.C. Entergy Operations, Inc. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84410:289-84410:307.

--9506210101 Suppl 6 to topical rept CENPD-279, "Annual Rept on ABB CE ECCS Performance Evaluation Models,Final Rept,CEOG Task 865," dtd Feb 1995.
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CENPD-279 S06. 95/02/28. 16pp. 84410:292-84410:307.

9506290160 Forwards amend 182 to license DPR-51 & safety evaluation. Amend processed as exigent amend following issuance of NOED by 950517 ltr & authorizes licensee to continue operating reactor.
KALMAN,G. . 95/06/09. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84487:298-84487:308.

--9506290165 Amend 182 to license DPR-51,authorizing licensee to continue operating reactor at power while svc water flow to reactor bldg emergency coolers less than TS surveillance criteria.
KALMAN,G. . 95/06/09. 4pp. 84487:301-84487:304.

--9506290170 Safety evaluation supporting amend 182 to license DPR-51.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. 4pp. 84487:305-84487:308.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506280805 Notifies that pending rulemaking,NRC has completed work on util 931021 request that proposed alternatives to ISI/IST requirements be prioritized as CBLA.
KALMAN,G. . 95/06/14. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84458:354-84458:357.

9506230374 Submits 10CFR50.46 rept of ECCS analysis code error.
MIMS,D.C. Entergy Operations, Inc. 95/06/16. Document Control Branch (Document Control Desk). 3pp. 84465:341-84465:343.

9506230378 Forwards revised proposed QA Manual Operations page change, including amended wording re audit finding follow-up commitment change requested by 941216 ltr,per telcons w/NRC.
MIMS,D.C. Entergy Operations, Inc. 95/06/16. Document Control Branch (Document Control Desk). 3pp. 84457:357-84457:359.

9506300225 Informs of util intent to convert plant TS to improved std TS,per NUREG-1430 & NUREG-1432.Util expect to begin ANO Unit 1 submittal in June 1995,followed by submittal in 3rd quarter of 1996,for implementation in 2nd quarter of 1997.
YELVERTON,J.W. Entergy Operations, Inc. 95/06/21. Document Control Branch (Document Control Desk). 2pp. 84524:336-84524:337.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506070171 Forwards relief request 95-001 providing detailed justification of basis for relief & proposed alternative exams of weld during second 10-year interval.Util requests that submittal be reviewed as cost beneficial action.
MIMS,D.C. Entergy Operations, Inc. 95/05/31. Document Control Branch (Document Control Desk). 5pp. 84239:313-84239:317.

9506060489 Responds to violation noted in insp rept 50-313/95-03 on 950219-0401.Corrective actions:Condition Rept (CR-1-95-272) initiated & limited design change package (LCP 95-5003) developed to properly anchor RBC units & installed in 1R12.
MIMS,D.C. Entergy Operations, Inc. 95/06/02. Document Control Branch (Document Control Desk). 5pp. 84209:305-84209:309.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140074 Forwards corrected page to insp repts 50-313/95-11 & 50-368/95-11 on 950331.
GWYNN,T.P. Region 4 (Post 820201). 95/06/09. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84267:262-84267:266.

--9506140114 Corrected page 9 of Section 2.5.2 to insp repts 50-313/95-11 & 50-368/95-11 on 950331.
* Region 4 (Post 820201). 95/06/09. 1p. 84267:266-84267:266.

9506200060 Lists insps that Region IV plan to perform during months leading up to next scheduled semiannual plant performance review.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84350:018-84350:021.

9506280805 Notifies that pending rulemaking,NRC has completed work on util 931021 request that proposed alternatives to ISI/IST requirements be prioritized as CBLA.
KALMAN,G. . 95/06/14. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84458:354-84458:357.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506210010 Forwards followup insp repts 50-313/95-20 & 50-368/95-20 on 950522-26.No violations observed.
GWYNN,T.P. Region 4 (Post 820201). 95/06/16. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84357:057-84357:070.

--9506210023 Followup insp repts 50-313/95-20 & 50-368/95-20 on 950609. No violations noted.Steps taken to correct previously identified violations.Major areas inspected:plant operations,engineering,maint,plant support & mgt overview.
POWERS,D.A. Region 4 (Post 820201). 95/06/09. 10pp. 84357:061-84357:070.

9506230044 Forwards insp repts 50-313/95-04 & 50-368/95-04 on 950402- 0513 & notice of deviation.
BEACH,A.B. Region 4 (Post 820201). 95/06/20. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84475:001-84475:021.

--9506230047 Notice of deviation from insp on 950402-0513.Deviation noted:smoke detectors 2XSH-8741A & 8741B failed to initiate signal to close control room dampers & deenergize supply & recirculation fans after smoke entered CR ventilation.
* Region 4 (Post 820201). 95/06/20. 1p. 84475:006-84475:006.

--9506230049 Insp repts 50-313/95-04 & 50-368/95-04 on 950402-0513. Deviations noted.Major areas inspected:review of events, operational safety verification,maint & surveillance observations,onsite engineering & plant support.
HARRELL,P. Region 4 (Post 820201). 95/06/08. 15pp. 84475:007-84475:021.

9506290048 Forwards enforcement conference repts 50-313/95-16 & 50-368/95-16 on 950615.
SCARANO,R.A. Region 4 (Post 820201). 95/06/20. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84499:281-84499:325.

--9506290050 Enforcement conference repts 50-313/95-16 & 50-368/95-16 on 950615 to discuss apparent violation identified in NRC insp repts 50-313/95-16 & 50-368/95-16.
* Region 4 (Post 820201). 95/06/20. 41pp. 84499:285-84499:325.

9506290021 Forwards summary of enforcement conference held on 950615 to discuss apparent violations identified in NRC insp repts 50-313/95-12 & 50-368/95-12.List of attendees & briefing matl encl.
BEACH,A.B. Region 4 (Post 820201). 95/06/23. YELVERTON,J.W. Entergy Operations, Inc. 78pp. 84454:184-84454:260.

9506300008 Forwards insp repts 50-313/95-22 & 50-368/95-22 on 950525-27 & 950616.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84470:097-84470:107.

--9506300009 Insp repts 50-313/95-22 & 50-368/95-22 on 950525-27 & 0616. No violations noted.Major areas inspected:Unit 1 MSSVs concerning 10CFR21 generated by Dresser Industries.
COLLINS,E.E. Region 4 (Post 820201). 95/06/22. 7pp. 84470:101-84470:107.

R. Periodic operating reports & related correspondence

9506210129 Monthly operating rept for May 1995 for ANO 1.W/950615 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 95/05/31. 7pp. 84410:335-84410:342.

S. Reportable occurrences, LERs & related correspondence

9506010142 LER 95-006-00:on 950423,TS required daily battery surveillance test had not been performed.Caused by personnel error.Survey surveillance checks by operations crew added as method of assuring completion.W/950524 ltr.
MILLER,K.J., MIMS,D.C. Entergy Operations, Inc. 95/05/24. 6pp. 84173:109-84173:114.

9506140236 LER 95-007-00:on 950331,failed to complete required TS surveillance logs as result of inadequate communication during turnover of logtaking responsibilities.Disciplinary action administered to individuals involved.W/950609 ltr.
CANTWELL,D., MIMS,D.C. Entergy Operations, Inc. 95/06/09. 6pp. 84350:066-84350:071.

9506200346 LER 95-008-00:on 950514,cooling fan associated w/green train of RB emergency cooling sys tripped due to failure of drive end thrust bearing of fan motor.New motor ordered for subj fan & will be installed upon receipt.W/950613 ltr.
SCHEIDE,R.H., MIMS,D.C. Entergy Operations, Inc. 95/06/13. 6pp. 84404:037-84404:042.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506020085 Advises that Storage & Transport Systems Branch has assigned Docket 72-13 to ANO for tracking dry SF storage activities at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/25. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 84182:300-84182:301.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506280552 Rev 14 to emergency plan.
MIHALIK,D.R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/15. 198pp. 84518:037-84518:234.

9506120021 Forwards insp repts 50-315/95-07 & 50-316/95-07.No violations noted.One exercise weakness needing corrective actions identified.
CREED,J.R. Region 3 (Post 820201). 95/05/30. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 84221:109-84221:119.

--9506120026 Insp repts 50-315/95-07 & 50-316/95-07 on 950508-12.No violations noted.Major areas inspected:EP exercise.
FOSTER,J., JICKLING,J. Region 3 (Post 820201). 95/05/30. 6pp. 84221:112-84221:119.

9506280318 Forwards addl info on earlier ltr re fire alarm sys reflash commitment to be entered into NUDOCS,including PUBLIC.
JAMESON,C. NRC - No Detailed Affiliation Given. 95/06/07. HOOVER,D.J. NRC - No Detailed Affiliation Given. 24pp. 84448:168-84448:192.

9506280666 Informs that staff does not object to withdrawal of commitment to install fire alarm sys reflash capability, per 900221 util request.SER encl.
HICKMAN,J.B. . 95/06/08. FITZPATRICK,E. Illinois Power Co. FITZPATRICK,E. American Electric Power Service Corp. 2pp. 84469:289-84469:293.

--9506280673 SER accepting licensee decision to withdraw commitment to install detection sys reflash capability in control room.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 3pp. 84469:291-84469:293.

9506280645 License amend request to licenses DPR-58 & DPR-74,to remove requirements for fire protection systems from licenses & guidance in GL 86-10,GL 88-12 & GL 93-07.
FITZPATRICK,E. Indiana Michigan Power Co. 95/06/20. Document Control Branch (Document Control Desk). 9pp. 84478:001-84478:096.

--9506280709 Proposed tech specs removing fire protection systems from licenses.
* Indiana Michigan Power Co. 95/06/20. 88pp. 84478:010-84478:096.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

P. Operating license stage documents & correspondence

9506020189 Informs that rev 3, "Westinghouse Series 44 & 51 SG Sleeving Rept,Laser Welded Sleeves," marked as proprietary will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(B) of Atomic Energy Act.
HICKMAN,J.B. . 95/05/17. FITZPATRICK,E. Illinois Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 84165:243-84165:245.

9506060413 Application for amends to licenses DPR-58 & DPR-74,modifying TS 5.3.1 to allow fuel reconstitution,per GL 90-02,Suppl 1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. Document Control Branch (Document Control Desk). 6pp. 84197:245-84197:257.

--9506060418 Proposed TS 5.3.1,allowing fuel reconstitution.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. 7pp. 84197:251-84197:257.

9506060434 Application for amends to licenses DPR-58 & DPR-74,modifying TS Table 4.3-2 to change main steam line isolation valve manual actuation sys surveillance frequency from monthly to quarterly.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. Document Control Branch (Document Control Desk). 7pp. 84197:228-84197:244.

--9506060440 Proposed tech specs Table 4.3-2,changing main steam line isolation valve manual actuation sys surveillance frequency from monthly to quarterly.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. 10pp. 84197:235-84197:244.

9506060449 Application for amends to licenses DPR-58 & DPR-74,modifying tech specs 3/4.3.1 (Reactor Trip Sys Instrumentation) & 3/4.3.2 (ESFAS Instrumentation) & bases to relocate tables of response time limits to UFSAR,per GL 93-08.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/26. Document Control Branch (Document Control Desk). 6pp. 84197:173-84197:222.

--9506060454 Proposed tech specs,reflecting relocation of tables of instrument response time limits to UFSAR.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/26. 44pp. 84197:179-84197:222.

9506130049 Application for amends to licenses DPR-58 & DPR-74.Amends would support operation of Unit 1 at SG tube plugging levels up to 30%,make one Unit 1 TS more nearly like corresponding Unit 2 TS & maintain consistency of Unit 2 criteria.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/26. Document Control Branch (Document Control Desk). 16pp. 84314:001-84315:320.

--9506130053 Proposed tech specs re analyses supported increases in Unit 1 SG tube plugging limit & maintenance of consistency of Unit 2 acceptance criteria.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/26. 668pp. 84314:017-84315:320.

9506080122 Forwards proposed TSs reflecting addl change to proposed amends dtd 931112 & 941118,re component cyclic or transient limits.
FITZPATRICK,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/30. Document Control Branch (Document Control Desk). 3pp. 84247:252-84247:260.

--9506080134 Proposed tech specs reflecting addl administrative change to proposed amends,dtd 931112 & 941118.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/30. 6pp. 84247:255-84247:260.

9506150233 Forwards proprietary WCAP-13187, "DC Cook Unit 1 SG Tube Plugging Criteria for Indications at Tube Support Plates." Proprietary rept WCAP-13187 withheld.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84364:001-84364:011.

9506280666 Informs that staff does not object to withdrawal of commitment to install fire alarm sys reflash capability, per 900221 util request.SER encl.
HICKMAN,J.B. . 95/06/08. FITZPATRICK,E. Illinois Power Co. FITZPATRICK,E. American Electric Power Service Corp. 2pp. 84469:289-84469:293.

--9506280673 SER accepting licensee decision to withdraw commitment to install detection sys reflash capability in control room.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 3pp. 84469:291-84469:293.

9506290439 Forwards environ assessment & finding of no significant impact re 950317 application for exemption for one-time interval for Type A test from Sept 1995 refueling outage to 1997 refueling outage.
HICKMAN,J.B. . 95/06/14. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 2pp. 84473:230-84473:235.

--9506290441 Environ assessment & finding of no significant impact re 950317 application for one-time exemption for Type A test from Sept 1995 refueling outage to 1997 refueling outage. EIS unwarranted.
HICKMAN,J.B. . 95/06/14. 4pp. 84473:232-84473:235.

9506200465 Application for amends to licenses DPR-58 & DPR-74,revising TS 4.8.1.1.2.e.7 to reduce duration of surveillance testing for EDGs during refueling operations from 24 h to 8 h.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/15. Document Control Branch (Document Control Desk). 6pp. 84407:072-84407:105.

--9506200466 Proposed TS 4.8.1.1.2.e.7,reducing duration of surveillance testing for EDGs during refueling operation from 24 h to 8 h.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/15. 6pp. 84407:078-84407:083.

--9506200467 "Cook Nuclear Plant EDG Load-Run Performance & Reliability During Short & Long Duration Test Periods" TER.
* American Electric Power Co., Inc. 95/06/15. 26pp. 84407:084-84407:105.

9506280645 License amend request to licenses DPR-58 & DPR-74,to remove requirements for fire protection systems from licenses & guidance in GL 86-10,GL 88-12 & GL 93-07.
FITZPATRICK,E. Indiana Michigan Power Co. 95/06/20. Document Control Branch (Document Control Desk). 9pp. 84478:001-84478:096.

--9506280709 Proposed tech specs removing fire protection systems from licenses.
* Indiana Michigan Power Co. 95/06/20. 88pp. 84478:010-84478:096.

9506300207 Forwards amends 195 & 181 to licenses DPR-58 & DPR-74, respectively & SE.Amends modify containment ventilation system TS & associated Bases to allow limited purge operation in modes 1,2,3 & 4.
HICKMAN,J.B. . 95/06/23. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 2pp. 84493:308-84493:323.

--9506300213 Amends 195 & 181 to licenses DPR-58 & DPR-74,respectively, modifying containment ventilation system TS & associated Bases to allow limited purge operation in Modes 1,2,3 & 4.
HICKMAN,J.B. . 95/06/23. 9pp. 84493:311-84493:320.

--9506300218 Safety evaluation supporting amends 195 & 181 to licenses DPR-58 & DPR-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 3pp. 84493:321-84493:323.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050011 Ack receipt of 950505 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/95-05 & 50-316/95-05.
AXELSON,W.L. Region 3 (Post 820201). 95/05/25. FITZPATRICK,E. Indiana Michigan Power Co. 1p. 84150:009-84150:009.

9506120021 Forwards insp repts 50-315/95-07 & 50-316/95-07.No violations noted.One exercise weakness needing corrective actions identified.
CREED,J.R. Region 3 (Post 820201). 95/05/30. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 84221:109-84221:119.

--9506120026 Insp repts 50-315/95-07 & 50-316/95-07 on 950508-12.No violations noted.Major areas inspected:EP exercise.
FOSTER,J., JICKLING,J. Region 3 (Post 820201). 95/05/30. 6pp. 84221:112-84221:119.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506130305 Requests relief from requirements of ASME Section XI Code for pre-svc & first insp interval in-svc volumetric exam of RCS branch connection welds.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/05. Document Control Branch (Document Control Desk). 8pp. 84303:342-84303:349.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210066 Forwards semi-annual plant performance review insp plan schedule thru 951031 for plant.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 84360:092-84360:094.

9506210056 Forwards insp repts 50-315/95-06 & 50-316/95-06.No violations noted.
KROPP,W.J. Region 3 (Post 820201). 95/06/08. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 84357:335-84357:357.

--9506210061 Insp repts 50-315/95-06 & 50-316/95-06 on 950321-0508.No violations noted.Major areas inspected:actions on previous insp findings,operational safety verification,onsite event follow-up,current matl condition & housekeeping.
KROPP,W.J. Region 3 (Post 820201). 95/06/08. 19pp. 84357:339-84357:357.

9506190473 Informs of change to previous commitment made in response to NOV from insp repts 50-315/78-27 & 50-316/78-31 re blocking alarms.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/12. Document Control Branch (Document Control Desk). 3pp. 84386:337-84386:339.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506300032 Discusses results of administrative proceeding conducted by Dept of Labor which involved complaint of employee discrimination filed by applicant for employment w/Hydro Nuclear Svcs.
SPESSARD,R.L. . 95/06/28. Hydro Nuclear Services, Inc. (subs. of Westinghouse Electric Corp.). 4pp. 84470:160-84470:164.

--9506300040 Notice of violation based on results of investigation & administrative hearings re DOL Case 89-ERA-022.Violation noted:Hydro Nuclear Svcs requested technician sign form which would waive rights under ERA.
* . 95/06/28. 1p. 84470:164-84470:164.

R. Periodic operating reports & related correspondence

9506130215 Monthly operating rept for May 1995 for DC Cook Nuclear Plant Unit 1.W/ 950605 ltr.
JANISSE,D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/31. 6pp. 84289:341-84289:346.

S. Reportable occurrences, LERs & related correspondence

9506070017 LER 94-015-01:on 941230,high vibration noted on outboard motor bearing,along w/smell of smoke.Caused by worn outboard motor sleeve bearing.Motor returned to mfg for insp & repair.W/950531 ltr.
WEBER,G.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/31. 6pp. 84238:085-84238:090.

V. Operator Examinations

9506010382 Forwards schedular exemption re conduct of operational portion of annual operator requalification exam for plant in Jan-Feb 1994.Informs that exemption granted.
BLOUGH,A.R. . 94/02/15. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 84161:262-84161:270.

--9506010395 Exemption from administering operating portion of annual operator requalification exam in Jan-Feb 1994 due to installation of mods in control room.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 94/02/15. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 84161:265-84161:267.

--9506010432 Environ assessment & finding of no significant impact re issuance exemption from requirement of 10CFR55.59(a)(1) to plant.
BLOUGH,A.R. Project Directorate III-1. 94/02/08. 3pp. 84161:268-84161:270.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506280552 Rev 14 to emergency plan.
MIHALIK,D.R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/15. 198pp. 84518:037-84518:234.

9506120021 Forwards insp repts 50-315/95-07 & 50-316/95-07.No violations noted.One exercise weakness needing corrective actions identified.
CREED,J.R. Region 3 (Post 820201). 95/05/30. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 84221:109-84221:119.

--9506120026 Insp repts 50-315/95-07 & 50-316/95-07 on 950508-12.No violations noted.Major areas inspected:EP exercise.
FOSTER,J. Region 3 (Post 820201). 95/05/30. 6pp. 84221:112-84221:119.

9506280318 Forwards addl info on earlier ltr re fire alarm sys reflash commitment to be entered into NUDOCS,including PUBLIC.
JAMESON,C. NRC - No Detailed Affiliation Given. 95/06/07. HOOVER,D.J. NRC - No Detailed Affiliation Given. 24pp. 84448:168-84448:192.

9506280666 Informs that staff does not object to withdrawal of commitment to install fire alarm sys reflash capability, per 900221 util request.SER encl.
HICKMAN,J.B. . 95/06/08. FITZPATRICK,E. Illinois Power Co. 2pp. 84469:289-84469:293.

--9506280673 SER accepting licensee decision to withdraw commitment to install detection sys reflash capability in control room.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 3pp. 84469:291-84469:293.

9506280645 License amend request to licenses DPR-58 & DPR-74,to remove requirements for fire protection systems from licenses & guidance in GL 86-10,GL 88-12 & GL 93-07.
FITZPATRICK,E. Indiana Michigan Power Co. 95/06/20. Document Control Branch (Document Control Desk). 9pp. 84478:001-84478:096.

--9506280709 Proposed tech specs removing fire protection systems from licenses.
* Indiana Michigan Power Co. 95/06/20. 88pp. 84478:010-84478:096.

P. Operating license stage documents & correspondence

9506060413 Application for amends to licenses DPR-58 & DPR-74,modifying TS 5.3.1 to allow fuel reconstitution,per GL 90-02,Suppl 1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. Document Control Branch (Document Control Desk). 6pp. 84197:245-84197:257.

--9506060418 Proposed TS 5.3.1,allowing fuel reconstitution.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. 7pp. 84197:251-84197:257.

9506060434 Application for amends to licenses DPR-58 & DPR-74,modifying TS Table 4.3-2 to change main steam line isolation valve manual actuation sys surveillance frequency from monthly to quarterly.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. Document Control Branch (Document Control Desk). 7pp. 84197:228-84197:244.

--9506060440 Proposed tech specs Table 4.3-2,changing main steam line isolation valve manual actuation sys surveillance frequency from monthly to quarterly.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. 10pp. 84197:235-84197:244.

9506060449 Application for amends to licenses DPR-58 & DPR-74,modifying tech specs 3/4.3.1 (Reactor Trip Sys Instrumentation) & 3/4.3.2 (ESFAS Instrumentation) & bases to relocate tables of response time limits to UFSAR,per GL 93-08.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/26. Document Control Branch (Document Control Desk). 6pp. 84197:173-84197:222.

--9506060454 Proposed tech specs,reflecting relocation of tables of instrument response time limits to UFSAR.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/26. 44pp. 84197:179-84197:222.

9506130049 Application for amends to licenses DPR-58 & DPR-74.Amends would support operation of Unit 1 at SG tube plugging levels up to 30%,make one Unit 1 TS more nearly like corresponding Unit 2 TS & maintain consistency of Unit 2 criteria.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/26. Document Control Branch (Document Control Desk). 16pp. 84314:001-84315:320.

--9506130053 Proposed tech specs re analyses supported increases in Unit 1 SG tube plugging limit & maintenance of consistency of Unit 2 acceptance criteria.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/26. 668pp. 84314:017-84315:320.

9506080122 Forwards proposed TSs reflecting addl change to proposed amends dtd 931112 & 941118,re component cyclic or transient limits.
FITZPATRICK,J. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/30. Document Control Branch (Document Control Desk). 3pp. 84247:252-84247:260.

--9506080134 Proposed tech specs reflecting addl administrative change to proposed amends,dtd 931112 & 941118.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/30. 6pp. 84247:255-84247:260.

9506280666 Informs that staff does not object to withdrawal of commitment to install fire alarm sys reflash capability, per 900221 util request.SER encl.
HICKMAN,J.B. . 95/06/08. FITZPATRICK,E. Illinois Power Co. FITZPATRICK,E. American Electric Power Service Corp. 2pp. 84469:289-84469:293.

--9506280673 SER accepting licensee decision to withdraw commitment to install detection sys reflash capability in control room.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 3pp. 84469:291-84469:293.

9506200465 Application for amends to licenses DPR-58 & DPR-74,revising TS 4.8.1.1.2.e.7 to reduce duration of surveillance testing for EDGs during refueling operations from 24 h to 8 h.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/15. Document Control Branch (Document Control Desk). 6pp. 84407:072-84407:105.

--9506200466 Proposed TS 4.8.1.1.2.e.7,reducing duration of surveillance testing for EDGs during refueling operation from 24 h to 8 h.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/15. 6pp. 84407:078-84407:083.

--9506200467 "Cook Nuclear Plant EDG Load-Run Performance & Reliability During Short & Long Duration Test Periods" TER.
* American Electric Power Co., Inc. 95/06/15. 26pp. 84407:084-84407:105.

9506280645 License amend request to licenses DPR-58 & DPR-74,to remove requirements for fire protection systems from licenses & guidance in GL 86-10,GL 88-12 & GL 93-07.
FITZPATRICK,E. Indiana Michigan Power Co. 95/06/20. Document Control Branch (Document Control Desk). 9pp. 84478:001-84478:096.

--9506280709 Proposed tech specs removing fire protection systems from licenses.
* Indiana Michigan Power Co. 95/06/20. 88pp. 84478:010-84478:096.

9506300207 Forwards amends 195 & 181 to licenses DPR-58 & DPR-74, respectively & SE.Amends modify containment ventilation system TS & associated Bases to allow limited purge operation in modes 1,2,3 & 4.
HICKMAN,J.B. . 95/06/23. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 2pp. 84493:308-84493:323.

--9506300213 Amends 195 & 181 to licenses DPR-58 & DPR-74,respectively, modifying containment ventilation system TS & associated Bases to allow limited purge operation in Modes 1,2,3 & 4.
HICKMAN,J.B. . 95/06/23. 9pp. 84493:311-84493:320.

--9506300218 Safety evaluation supporting amends 195 & 181 to licenses DPR-58 & DPR-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/23. 3pp. 84493:321-84493:323.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050011 Ack receipt of 950505 ltr informing NRC of steps taken to correct violations noted in insp repts 50-315/95-05 & 50-316/95-05.
AXELSON,W.L. Region 3 (Post 820201). 95/05/25. FITZPATRICK,E. Indiana Michigan Power Co. 1p. 84150:009-84150:009.

9506120021 Forwards insp repts 50-315/95-07 & 50-316/95-07.No violations noted.One exercise weakness needing corrective actions identified.
CREED,J.R. Region 3 (Post 820201). 95/05/30. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 84221:109-84221:119.

--9506120026 Insp repts 50-315/95-07 & 50-316/95-07 on 950508-12.No violations noted.Major areas inspected:EP exercise.
FOSTER,J., JICKLING,J. Region 3 (Post 820201). 95/05/30. 6pp. 84221:112-84221:119.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506130305 Requests relief from requirements of ASME Section XI Code for pre-svc & first insp interval in-svc volumetric exam of RCS branch connection welds.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/05. Document Control Branch (Document Control Desk). 8pp. 84303:342-84303:349.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210056 Forwards insp repts 50-315/95-06 & 50-316/95-06.No violations noted.
KROPP,W.J. Region 3 (Post 820201). 95/06/08. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 84357:335-84357:357.

--9506210061 Insp repts 50-315/95-06 & 50-316/95-06 on 950321-0508.No violations noted.Major areas inspected:actions on previous insp findings,operational safety verification,onsite event follow-up,current matl condition & housekeeping.
KROPP,W.J. Region 3 (Post 820201). 95/06/08. 19pp. 84357:339-84357:357.

9506190473 Informs of change to previous commitment made in response to NOV from insp repts 50-315/78-27 & 50-316/78-31 re blocking alarms.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/12. Document Control Branch (Document Control Desk). 3pp. 84386:337-84386:339.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506300032 Discusses results of administrative proceeding conducted by Dept of Labor which involved complaint of employee discrimination filed by applicant for employment w/Hydro Nuclear Svcs.
SPESSARD,R.L. . 95/06/28. Hydro Nuclear Services, Inc. (subs. of Westinghouse Electric Corp.). 4pp. 84470:160-84470:164.

--9506300040 Notice of violation based on results of investigation & administrative hearings re DOL Case 89-ERA-022.Violation noted:Hydro Nuclear Svcs requested technician sign form which would waive rights under ERA.
* . 95/06/28. 1p. 84470:164-84470:164.

R. Periodic operating reports & related correspondence

9506130253 Monthly operating rept for May 1995 for DC Cook Nuclear Power Plant.W/ 950605 ltr.
JANISSE,J.D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/31. 5pp. 84297:286-84297:290.

V. Operator Examinations

9506010382 Forwards schedular exemption re conduct of operational portion of annual operator requalification exam for plant in Jan-Feb 1994.Informs that exemption granted.
BLOUGH,A.R. . 94/02/15. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 84161:262-84161:270.

--9506010395 Exemption from administering operating portion of annual operator requalification exam in Jan-Feb 1994 due to installation of mods in control room.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 94/02/15. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 84161:265-84161:267.

--9506010432 Environ assessment & finding of no significant impact re issuance exemption from requirement of 10CFR55.59(a)(1) to plant.
BLOUGH,A.R. Project Directorate III-1. 94/02/08. 3pp. 84161:268-84161:270.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

H. General correspondence

9506290320 Responds to 950424 ltr,providing constituent 950414 ltr, enclosing 950411 & 12 ltrs from Campaign for Workers Rights containing concerns re radiation safety at CCNPP & concerns re employees of contractors being discharged.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/11. MIKULSKI,B.A. Senate. 1p. 84537:300-84537:309.

--9506290330 Requests NRC review & response to encl ltr from constituent MJ Dorsey,enclosing whistleblower complaints against Bartlett Nuclear,Inc,hired by BG&E to perform maint work at CCNPP.
MIKULSKI,B.A. Senate. 95/04/24. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 5pp. 84537:301-84537:305.

--9506290339 Expresses concerns re possible violations of Energy Reorganization Act,42 USC 5851 & other statues by Bartlett Nuclear,Inc &/or Insulation Specialties,Inc,after employees raised concerns re radiation safety at CCNPP.
OZINGA,B. Building & Construction Trades Council. 95/04/11. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84537:306-84537:309.

P. Operating license stage documents & correspondence

9506090073 Ltr contract NRC-04-91-069,mod 2,task order 34,extending period of performance of task order from 950517-1231,to "IPE Reviews Internal Events re Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:186-84381:187.

9506080464 Application for amends to licenses DPR-53 & DPR-69,proposing TS re pressurizer safety valves lift tolerance.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/02. Document Control Branch (Document Control Desk). 6pp. 84247:269-84247:277.

--9506080466 Proposed tech specs re pressurizer safety valves lift tolerance.
* Baltimore Gas & Electric Co. 95/06/02. 3pp. 84247:275-84247:277.

9506090157 Application for amends to licenses DPR-53 & DPR-69.Amends would revise TSs to extend certain 18-month frequency surveillances to refueling interval.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/06. Document Control Branch (Document Control Desk). 29pp. 84272:118-84272:179.

--9506090159 Proposed tech specs reflecting extension of certain 18-month frequency surveillances to refueling interval.
* Baltimore Gas & Electric Co. 95/06/06. 33pp. 84272:147-84272:179.

9506120115 Informs that CR Thyroid Dose Analysis expected to be submitted by 960731.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/07. Document Control Branch (Document Control Desk). 1p. 84275:331-84275:331.

9506160251 Application for amends to licenses DPR-53 & DPR-69, implementing changes to radiological effluent TS per GL 89-01.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/09. Document Control Branch (Document Control Desk). 9pp. 84369:001-84370:090.

--9506160255 Proposed tech specs,implementing changes to radiological effluent TS per GL 89-01.
* Baltimore Gas & Electric Co. 95/06/09. 443pp. 84369:010-84370:090.

9506230295 Requests addl info re evaluation of isolation provisions for Svc Water Sys for plant,Units 1 & 2.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/13. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 84429:339-84429:342.

Q. Inspection reports, IE Bulletins & correspondence

9506010074 Forwards insp repts 50-317/95-02 & 50-318/95-02 on 950212- 0401 & notice of violation.
COWGILL,C.J. Region 1 (Post 820201). 95/05/24. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 84107:221-84107:256.

--9506010080 Notice of violation from insp on 950212-0401.Violation noted:75 lb of temporary lead shielding was placed above Unit 2 component cooling water process radiation monitor w/o prior performance of engineering evaluation.
* Region 1 (Post 820201). 95/05/24. 1p. 84107:224-84107:224.

--9506010083 Insp repts 50-317/95-02 & 50-318/95-02 on 950212-0401.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/05/19. 32pp. 84107:225-84107:256.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustiility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120007 Forwards insp repts 50-317/95-03 & 50-318/95-03 on 950402- 0513.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 95/05/31. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 84221:023-84221:054.

--9506120010 Insp repts 50-317/95-03 & 50-318/95-03 on 950402-0513.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/05/24. 27pp. 84221:026-84221:054.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280758 Comments on NRC IN 95-009, "Use of Inappropriate Guidelines & Criteria for Nuclear Piping & Pipe Support Evaluation & Design." IN establishes NRC position re use of analytical methods other than methods contained in GL 91-18.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/20. Document Control Branch (Document Control Desk). 2pp. 84518:240-84518:241.

9506280782 Responds to NRC 950524 ltr re violation noted in insp repts 50-317/95-02 & 50-318/95-02.C/A:refresher training conducted for all radiation safety technicians on temporary shielding requirements & temporary alterations.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/20. Document Control Branch (Document Control Desk). 3pp. 84518:237-84518:239.

R. Periodic operating reports & related correspondence

9506200031 Monthly operating repts for May 1995 for Calvert Cliffs NPP Units 1 & 2.W/ 950615 ltr.
OLSEN,H.O., CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/31. 11pp. 84405:034-84405:044.

S. Reportable occurrences, LERs & related correspondence

9506090294 Special rept:on 950403,hydrogen analyzer inoperable due to maint on EDG 21.Following maint hydrogen analyzer returned to svc.
CRUSE,C.H. Baltimore Gas & Electric Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84249:325-84249:326.

9506090166 Responds to NRC request for review & comment on ref document subject reported in LER 94-001-01 for Unit 2.Util responses encl.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/05. Document Control Branch (Document Control Desk). 4pp. 84268:357-84268:360.

9506230052 LER 95-007-01:on 940719,Unit 1 tripped from 100% power as result of RPS actuation.Caused by low SG water levels due to level shrink.Actions initiated to facilitate safe Unit restart.W/950616 ltr.
SLY,C.D., CRUSE,C.H. Baltimore Gas & Electric Co. 95/06/16. 13pp. 84457:255-84457:267.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506050189 Forwards util response to NRC 950329 RAI re liquefied natural gas hazards analysis submitted to NRC on 930607.
DENTON,R.E. Baltimore Gas & Electric Co. 95/05/31. Document Control Branch (Document Control Desk). 28pp. 84183:303-84183:330.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

H. General correspondence

9506290320 Responds to 950424 ltr,providing constituent 950414 ltr, enclosing 950411 & 12 ltrs from Campaign for Workers Rights containing concerns re radiation safety at CCNPP & concerns re employees of contractors being discharged.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/11. MIKULSKI,B.A. Senate. 1p. 84537:300-84537:309.

--9506290330 Requests NRC review & response to encl ltr from constituent MJ Dorsey,enclosing whistleblower complaints against Bartlett Nuclear,Inc,hired by BG&E to perform maint work at CCNPP.
MIKULSKI,B.A. Senate. 95/04/24. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 5pp. 84537:301-84537:305.

--9506290339 Expresses concerns re possible violations of Energy Reorganization Act,42 USC 5851 & other statues by Bartlett Nuclear,Inc &/or Insulation Specialties,Inc,after employees raised concerns re radiation safety at CCNPP.
OZINGA,B. Building & Construction Trades Council. 95/04/11. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84537:306-84537:309.

P. Operating license stage documents & correspondence

9506090073 Ltr contract NRC-04-91-069,mod 2,task order 34,extending period of performance of task order from 950517-1231,to "IPE Reviews Internal Events re Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:186-84381:187.

9506010429 Forwards "Core Operating Limits Rept For Unit 2,Cycle 11," Rev 1,for Calvert Cliffs Nuclear Power Plant.
DENTON,R.E. Baltimore Gas & Electric Co. 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84184:173-84184:194.

--9506010457 "Core Operating Limits Rept for Unit 2,Cycle 11," rev 1 for Calvert Cliffs Nuclear Power Plant.
* Baltimore Gas & Electric Co. 95/05/24. 20pp. 84184:175-84184:194.

9506080464 Application for amends to licenses DPR-53 & DPR-69,proposing TS re pressurizer safety valves lift tolerance.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/02. Document Control Branch (Document Control Desk). 6pp. 84247:269-84247:277.

--9506080466 Proposed tech specs re pressurizer safety valves lift tolerance.
* Baltimore Gas & Electric Co. 95/06/02. 3pp. 84247:275-84247:277.

9506090157 Application for amends to licenses DPR-53 & DPR-69.Amends would revise TSs to extend certain 18-month frequency surveillances to refueling interval.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/06. Document Control Branch (Document Control Desk). 29pp. 84272:118-84272:179.

--9506090159 Proposed tech specs reflecting extension of certain 18-month frequency surveillances to refueling interval.
* Baltimore Gas & Electric Co. 95/06/06. 33pp. 84272:147-84272:179.

9506120115 Informs that CR Thyroid Dose Analysis expected to be submitted by 960731.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/07. Document Control Branch (Document Control Desk). 1p. 84275:331-84275:331.

9506160251 Application for amends to licenses DPR-53 & DPR-69, implementing changes to radiological effluent TS per GL 89-01.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/09. Document Control Branch (Document Control Desk). 9pp. 84369:001-84370:090.

--9506160255 Proposed tech specs,implementing changes to radiological effluent TS per GL 89-01.
* Baltimore Gas & Electric Co. 95/06/09. 443pp. 84369:010-84370:090.

9506230295 Requests addl info re evaluation of isolation provisions for Svc Water Sys for plant,Units 1 & 2.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/13. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 84429:339-84429:342.

Q. Inspection reports, IE Bulletins & correspondence

9506010074 Forwards insp repts 50-317/95-02 & 50-318/95-02 on 950212- 0401 & notice of violation.
COWGILL,C.J. Region 1 (Post 820201). 95/05/24. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 84107:221-84107:256.

--9506010080 Notice of violation from insp on 950212-0401.Violation noted:75 lb of temporary lead shielding was placed above Unit 2 component cooling water process radiation monitor w/o prior performance of engineering evaluation.
* Region 1 (Post 820201). 95/05/24. 1p. 84107:224-84107:224.

--9506010083 Insp repts 50-317/95-02 & 50-318/95-02 on 950212-0401.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/05/19. 32pp. 84107:225-84107:256.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120007 Forwards insp repts 50-317/95-03 & 50-318/95-03 on 950402- 0513.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 95/05/31. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 84221:023-84221:054.

--9506120010 Insp repts 50-317/95-03 & 50-318/95-03 on 950402-0513.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/05/24. 27pp. 84221:026-84221:054.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506160381 Provides CCNPP Unit 2 SG tube insp results.
CRUSE,C.H. Baltimore Gas & Electric Co. 95/06/14. Document Control Branch (Document Control Desk). 6pp. 84366:121-84366:126.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280758 Comments on NRC IN 95-009, "Use of Inappropriate Guidelines & Criteria for Nuclear Piping & Pipe Support Evaluation & Design." IN establishes NRC position re use of analytical methods other than methods contained in GL 91-18.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/20. Document Control Branch (Document Control Desk). 2pp. 84518:240-84518:241.

9506280782 Responds to NRC 950524 ltr re violation noted in insp repts 50-317/95-02 & 50-318/95-02.C/A:refresher training conducted for all radiation safety technicians on temporary shielding requirements & temporary alterations.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/20. Document Control Branch (Document Control Desk). 3pp. 84518:237-84518:239.

R. Periodic operating reports & related correspondence

9506200031 Monthly operating repts for May 1995 for Calvert Cliffs NPP Units 1 & 2.W/ 950615 ltr.
OLSEN,H.O., CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/31. 11pp. 84405:034-84405:044.

S. Reportable occurrences, LERs & related correspondence

9506050100 LER 95-002-01:on 950113,Unit 2 trip occurred due to SG low levels after SGIS actuation.Placed restrictions on electrical walkdowns,retermination of transmitter wires & changes to surveillance procedures.W/950531 ltr.
MILBRADT,M.D., CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/31. 8pp. 84198:280-84198:287.

9506090294 Special rept:on 950403,hydrogen analyzer inoperable due to maint on EDG 21.Following maint hydrogen analyzer returned to svc.
CRUSE,C.H. Baltimore Gas & Electric Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84249:325-84249:326.

9506090166 Responds to NRC request for review & comment on ref document subject reported in LER 94-001-01 for Unit 2.Util responses encl.
DENTON,R.E. Baltimore Gas & Electric Co. 95/06/05. Document Control Branch (Document Control Desk). 4pp. 84268:357-84268:360.

9506300111 LER 95-005-00:on 950524,facility manually tripped due ground fault in MCC.Area around MCC 208 quarantined,action taken to strengthen expectations & work practices & maint orders issued to inspect,repair,clean & test MCC 208.W/ 950623 ltr.
GRADLE,R.C., CRUSE,C.H. Baltimore Gas & Electric Co. 95/06/23. 8pp. 84509:276-84509:283.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506050189 Forwards util response to NRC 950329 RAI re liquefied natural gas hazards analysis submitted to NRC on 930607.
DENTON,R.E. Baltimore Gas & Electric Co. 95/05/31. Document Control Branch (Document Control Desk). 28pp. 84183:303-84183:330.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506300107 Rev 17 to EPIP-TMI-.06, "Addl Assistance & Notification."
* General Public Utilities Corp. - GPU Service Corp. 95/06/21. 29pp. 84521:318-84521:346.

P. Operating license stage documents & correspondence

9506070256 Informs of completion of special auxiliary & fuel handling bldg ventilation study.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/06/01. Document Control Branch (Document Control Desk). 3pp. 84218:123-84218:125.

9506300190 Forwards amend 49 to license DPR-73 & SE.Amend extends license DPR-73 until 140419.
THONUS,L.H. . 95/06/21. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84510:153-84510:163.

--9506300198 Amend 49 to license DPR-73,extending license DPR-73 until 140319.
GRIMES,B.K. . 95/06/21. 2pp. 84510:156-84510:157.

--9506300201 Safety evaluation supporting amend 49 to license DPR-73.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/21. 3pp. 84510:158-84510:160.

--**9506300203** Environ assessment & finding of no significant impact re extending expiration date of license from 091109 to 140419.
WEISS,S.H. . 95/06/15. 3pp. 84510:161-84510:163.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506120383 Forwards rev 13C to FSAR & rev 10C to Fire Hazards Analysis & Fire Protection Program.
BECKHAM,J.T. Georgia Power Co. 95/05/15. Document Control Branch (Document Control Desk). 4pp. 84281:001-84282:052.

--**9506120393** Rev 10C to Fire Hazards Analysis & Fire Protection Plan.
* Georgia Power Co. 95/05/31. 134pp. 84281:283-84282:052.

9506200309 Advises that rev 14 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/06/02. BESKHAM,J.T. Georgia Power Co. 3pp. 84349:264-84349:266.

9506280325 Informs of 950726 meeting w/util mgt to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/06/09. WIDENER,R.E. Affiliation Not Assigned. 4pp. 84442:306-84442:309.

9506280341 Informs of 950726 meeting w/util mgt to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/06/09. CHENEY,J.M. Affiliation Not Assigned. 4pp. 84442:319-84442:322.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506120383 Forwards rev 13C to FSAR & rev 10C to Fire Hazards Analysis & Fire Protection Program.
BECKHAM,J.T. Georgia Power Co. 95/05/15. Document Control Branch (Document Control Desk). 4pp. 84281:001-84282:052.

--**9506120389** Rev 13C to FSAR for El Hatch Nuclear Plant.
* Georgia Power Co. 95/05/31. 278pp. 84281:005-84281:282.

--**9506120393** Rev 10C to Fire Hazards Analysis & Fire Protection Plan.
* Georgia Power Co. 95/05/31. 134pp. 84281:283-84282:052.

P. Operating license stage documents & correspondence

9506080006 Forwards "USI A-46 Summary Rept El Hatch Nuclear Plant Unit 1" & "USI A-46...El Hatch Nuclear Plant Unit 2," in response to suppl 1 to GL 87-02.
BECKHAM,J.T. Georgia Power Co. 95/05/30. Document Control Branch (Document Control Desk). 3pp. 84276:001-84279:219.

--**9506080008** "USI A-46 Summary Rept El Hatch Nuclear Plant Unit 1."
* Georgia Power Co. 95/05/30. 640pp. 84276:005-84277:280.

--**9506080011** "USI A-46 Summary Rept El Hatch Nuclear Plant Unit 2."
* Georgia Power Co. 95/05/30. 667pp. 84277:281-84279:219.

9506140075 Application for amends to licenses DPR-57 & NPF-5.Amends would revise secondary containment draw down & maintain vacuum surveillance requirement acceptance criteria.
BECKHAM,J.T. Georgia Power Co. 95/06/06. Document Control Branch (Document Control Desk). 6pp. 84338:209-84338:231.

--**9506140079** Proposed tech specs re secondary containment draw down & vacuum surveillance requirement acceptance criteria.
* Georgia Power Co. 95/06/06. 17pp. 84338:215-84338:231.

9506190035 Comment supporting NEI comments on proposed rule 10CFR73 re changes to NPP security requirements associated w/ containment access control.
BECKHAM,J.T. Georgia Power Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84320:037-84320:038.

9506210367 Forwards request for addl info re core shroud mod for plant,Unit 1.
JABBOUR,K.N. . 95/06/06. BECKHAM,J.T. Georgia Power Co. 4pp. 84379:349-84379:352.

9506280614 Forwards SE approving util 950328 request to use ASME Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
BERKOW,H.N. . 95/06/15. BECKHAM,J.T. Georgia Power Co. 3pp. 84455:345-84455:352.

--**9506280619** SE approving util 950328 request to use ASME Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/15. 5pp. 84455:348-84455:352.

9506230327 Forwards response to second RAI receieved on 950518 re power uprate amend request dtd 950113.Revised TS pages also encl.
BECKHAM,J.T. Georgia Power Co. 95/06/20. Document Control Branch (Document Control Desk). 43pp. 84465:143-84465:282.

--**9506230336** Proposed tech specs for power uprate.
* Georgia Power Co. 95/06/20. 97pp. 84465:186-84465:282.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506200071 Forwards insp repts 50-321/95-10 & 50-366/95-10 on 950501-05.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/02. BECKHAM,J.T. Georgia Power Co. 3pp. 84349:196-84349:214.

--**9506200082** Insp repts 50-321/95-10 & 50-366/95-10 on 950501-05.No violations noted.Major areas inspected:audits & appraisals, ALARA program changes,worker awareness & involvement,ALARA goals & objectives & ALARA results.
LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 95/06/02. 16pp. 84349:199-84349:214.

9506200099 Forwards insp repts 50-321/95-11 & 50-366/95-11 on 950501-05.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/02. BECKHAM,J.T. Georgia Power Co. 3pp. 84349:136-84349:150.

--**9506200105** Insp repts 50-321/95-11 & 50-366/95-11 on 950501-05.No violations noted.Major areas inspected:radioactive effluent controls,radiological environmental monitoring & radioactive effluent monitoring instrumentation.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/06/02. 12pp. 84349:139-84349:150.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506280325 Informs of 950726 meeting w/util mgt to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/06/09. WIDENER,R.E. Affiliation Not Assigned. 4pp. 84442:306-84442:309.

9506280341 Informs of 950726 meeting w/util mgt to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/06/09. CHENEY,J.M. Affiliation Not Assigned. 4pp. 84442:319-84442:322.

9506200067 Forwards response to NRC 950519 ltr re violations noted in insp repts 50-321/95-09 & 50-366/95-09.Corrective actions: made appropriate personnel aware of requirement to notify NRC Region II of impending exercise dates.
BECKHAM,J.T. Georgia Power Co. 95/06/12. Document Control Branch (Document Control Desk). 4pp. 84405:149-84405:152.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210055 Monthly operating repts for May 1995 for El Hatch Nuclear Plant Units 1 & 2.W/950612 ltr.
TIDWELL,T.W., BECKHAM,J.T. Georgia Power Co. 95/05/31. 14pp. 84409:326-84409:339.

S. Reportable occurrences, LERs & related correspondence

9506200290 PNO-II-95-032A:on 950605,site exprienced max wind gusts of 25 mph & four inches of rainfall.Caused by Hurricane Allison.Resident Inspectors have observed licensee acting at each site.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84349:254-84349:254.

9506200070 Forwards LER 95-003 re trip of reactor protection sys bus power supply results in actuations of ESFs.
BECKHAM,J.T. Georgia Power Co. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84404:006-84404:011.

--9506200077 LER 95-003-00:on 950515,trip of reactor protection sys bus power supply resulted in actuation of engineered safety features.Calibr protective relays in affected panel.
TIPPS,S.B. Georgia Power Co. 95/06/12. 5pp. 84404:007-84404:011.

9506290096 Special rept:on 950516,fire doors blocked open in controlled manner to provide addl cooling for plant RPS motor-generator set rooms.Cause due to controlled actions of appropriate personnel.Doors restored to operable status.
BECKHAM,J.T. Georgia Power Co. 95/06/21. Document Control Branch (Document Control Desk). 4pp. 84498:137-84498:140.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

W. Decommissioning Stage Documents & Correspondence

9506150322 Provides detailed description of Shoreham decommissioning costs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/02. DE PLANQUE Commissioners (Post 750119). 14pp. 84340:310-84340:323.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290088 Revised EPIPs,including rev 13A to EP RB-15:A,rev 11A to EP RB-15:B,rev 10 to EP RB-15:C,rev 5A to EP RB-15:D,rev 6A to EP RB-15:E,rev 1A to EP RB-15:J,rev 1A to EP RB-15:K & rev 1A to EP RB-15:L.W/950620 ltr.
ANGUS,M.J. Pacific Gas & Electric Co. 95/06/20. 73pp. 84498:178-84498:250.

P. Operating license stage documents & correspondence

9506190322 Forwards SE addressing deviations from RG 1.97,rev 3 for plant.Deviations were for instrumentation that monitors meteorological variables,containment pressure,accumulator isolation valve,pressurizer level & RCS hot & cold leg temp.
PETERSON,S.R. . 94/02/04. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 84360:297-84360:301.

--9506190327 Safety evaluation discussing resolution of deviations from RG 1.97,previously identified in ltr dtd 930217.
* Office of Nuclear Reactor Regulation (Post 941001). 94/02/04. 3pp. 84360:299-84360:301.

9506190285 Forwards amends 98 & 97 to licenses DPR-80 & DPR-82 & SE. Amends relocate TSs 3/4.4.2.1,3/4.4.7,3/4.4.9.2,3/4.4.10 & 3/4.4.11 in accordance w/Commission Final Policy Statement for relocation of current TS not meeting screening criteria.
MILLER,M.A. . 95/03/09. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 84360:254-84360:286.

--9506190291 Amends 98 & 97 to licenses DPR-80 & DPR-82,respectively, relocating TSs 3/4.4.2.1,3/4.4.7,3/4.4.9.2,3/4.4.10 & 3/4.4.11 per Commission Final Policy Statement for relocation of current TS not meeting any screening criteria.
MILLER,M.A. . 95/03/09. 25pp. 84360:257-84360:281.

--9506190293 Safety evaluation supporting amends 98 & 97 to licenses DPR-80 & DPR-82,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/03/09. 5pp. 84360:282-84360:286.

9506020055 Comment oppposing reduction in scope of work involved to States re environ monitoring at plant.Sampling & related lab analyses generate body of data ensuring public of long term safety to environ.
HENDRIX,R.E. San Luis Obispo County, CA. 95/05/12. Docketing & Services Branch. 1p. 84132:019-84132:019.

9506010101 Forwards revised analyses repts that will correct discrepancies in Attachments D,E & F of license amend request 95-01, "Increase in Max Fuel Enrichment Limit for New & SFP Racks."
RUEGER,G.M., WARNER,C.J. Pacific Gas & Electric Co. 95/05/22. Document Control Branch (Document Control Desk). 3pp. 84154:256-84154:312.

--9506010109 "Criticality SE of Diablo Canyon New Fuel Vault w/Fuel of 5% Enrichment,Rev 1."
TURNER,S.E. Affiliation Not Assigned. 95/04/30. 13pp. 84154:259-84154:271.

--9506010114 "Criticality SE of Region 1 of Diablo Canyon SF Storage Racks w/Fuel of 5.0% Enrichment,Rev 2."
TURNER,S.E. Affiliation Not Assigned. 95/04/30. 19pp. 84154:272-84154:290.

--9506010115 "Criticality SE of Region 2 of Diablo Canyon SF Storage Racks w/Fuel of 5.0% Enrichment,Rev 2."
TURNER,S.E. Affiliation Not Assigned. 95/04/30. 22pp. 84154:291-84154:312.

9506080405 Summary of 950503 meeting w/G Rueger,L Womak & M Angus re status of activities at Diablo Canyon facility.
MCWHORTER,R. Commissioners (Post 750119). 95/05/23. Commissioners (Post 750119). 1p. 84381:157-84381:157.

9506090439 Forwards Amends 102 & 101 to Licenses DPR-80 & DPR-82 & SE. Amends revise TS to change certain SRs of combined TS for plant consistent w/recommendations in GL 93-05 "Line Item TS Improvements to Reduce SRs for Testing During Power...."
MILLER,M.A. . 95/05/26. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 84266:084-84266:115.

--9506090446 Amends 102 & 101 to Licenses DPR-80 & DPR-82,respectively, re changes to TS to revise certain SRs of combined TS for plant consistent w/recommendations in GL 93-05 "Line Item TS Improvements to Reduce SRs for Testing During Power...."
MILLER,M.A. . 95/05/26. 25pp. 84266:087-84266:112.

--9506090450 Safety evaluation supporting Amends 102 & 101 to Licenses DPR-80 & DPR-82,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 3pp. 84266:113-84266:115.

9506200470 Forwards Environmental Assessment re application for amend dtd 950206.EA addresses portion of amend application that would allow storage of fuel w/enrichments up to & including 5.0 weight % U-235.
MILLER,A. . 95/06/01. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 84378:345-84378:352.

--9506200472 Environ assessment & finding of no significant impact re issuance of amend to licenses DPR-80 & DPR-82.
BATEMAN,W.H. . 95/06/01. 4pp. 84378:349-84378:352.

9506230055 Forwards amends 103 & 102 to licenses DPR-80 & DPR-82 & safety evaluation.Amends clarify TS issued in license amends 84/83 associated w/Eagle 21 reactor protection sys mod.
MILLER,M.A. . 95/06/02. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 84414:003-84414:075.

--9506230061 Amends 103 & 102 to licenses DPR-80 & DPR-82,respectively, clarifing TS issued in license amends 84/83 associated w/ Eagle 21 reactor protection sys mod.
MILLER,M.A. . 95/06/02. 65pp. 84414:007-84414:071.

--9506230063 Safety evaluation supporting amends 103 & 102 to licenses DPR-80 & DPR-82,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/02. 3pp. 84414:072-84414:075.

9506290193 Forwards amends 104 & 103 to licenses DPR-80 & DPR-82, respectively & SE.Amends allow storage of fuel up to & including 5.0 weight percent U-235,clarify substitution of fuel rods & allow use of ZIRLO fuel cladding.
MILLER,M.A. . 95/06/07. Pacific Gas & Electric Co. 3pp. 84487:309-84487:341.

--9506290208 Amends 104 & 103 to licenses DPR-80 & DPR-82,respectively, allowing storage of fuel up to and including 5.0 weight percent U-235,clarifying substitution of fuel rods w/filler rods & allowing use of ZIRLO fuel cladding.
MILLER,M.A. . 95/06/07. 18pp. 84487:312-84487:329.

--9506290213 Safety evaluation supporting amends 104 & 103 to licenses DPR-80 & DPR-82,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/07. 12pp. 84487:330-84487:341.

9506280385 Responds to request of 950418,approving use of alternative rules of ASME section XI code case N-498-1,applicable to licenses DPR-80 & DPR-82,for 10-yr hydrostatic testing on class 3 sys,per 10CFR50.55a(a)(3)(ii).Conclusions in SE.
BATEMAN,W.H. . 95/06/12. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 84448:290-84448:298.

--9506280397 Safety evaluation supporting approval of use of alternative rules of ASME section XI code case N-498-1 for licenses DPR-80 & DPR-82.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/12. 5pp. 84448:294-84448:298.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070010 Responds to NRC 950428 ltr re violations noted in insp repts 50-275/95-06 & 50-323/95-06.Corrective actions:operator responsible received coaching & counseling on self verification.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/30. Document Control Branch (Document Control Desk). 6pp. 84239:304-84239:309.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506280754 Forwards SE re alternative to required hydrostatic pressure test.Util use of Code Case N-416-1 w/proposed addl surface exam & exception to VT-2 exam requirements authorized.
BATEMAN,W.H. . 95/06/13. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 84469:351-84469:358.

--9506280762 Safety evaluation re ISI request for relief.Licensee proposed alternative to use Code Case N-461-1 authorized.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 6pp. 84469:353-84469:358.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280565 Forwards insp repts 50-275/95-08 & 50-323/95-08 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 95/06/21. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 84452:055-84452:084.

--9506280575 Notice of violation from insp on 950402-0513.Violation noted:licensee preplanning,written procedures & documented instructions for installation of scaffolding & tenting in plant EDG exhaust plenums not appropriate to circumstances.
* Region 4 (Post 820201). 95/06/21. 2pp. 84452:061-84452:062.

--9506280588 Insp repts 50-275/95-08 & 50-323/95-08 on 950402-0513.No violations noted.Major areas inspected:operational safety verifications,plant maint & surveillance observations.
CHAMBERLAIN,D. Region 4 (Post 820201). 95/06/21. 22pp. 84452:063-84452:084.

9506280629 Forwards insp repts 50-275/95-04 & 50-323/95-04 & notice of deviation.
GWYNN,T.P. Region 4 (Post 820201). 95/06/21. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 84452:270-84452:286.

--9506280638 Notice of deviation from insp on 950522-25.Deviation noted: plant senior control operator position being filled by individual holding NRC OL instead of described senior OL.
* Region 4 (Post 820201). 95/06/21. 1p. 84452:276-84452:276.

--9506280649 Insp repts 50-275/95-04 & 50-323/95-04 on 950522-25. Deviations noted.Major areas inspected:qualifications of applicants for OL & licensed operator requalification program.
PELLET,J.L. Region 4 (Post 820201). 95/06/20. 10pp. 84452:277-84452:286.

R. Periodic operating reports & related correspondence

9506210125 Monthly operating repts for May 1995 for Diablo Canyon Units 1 & 2.W/ 950609 ltr.
EUBANK,T., STIPICEVICH,J., FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/05/31. 17pp. 84410:318-84410:334.

9506280624 Forwards "10CFR50.59 Rept of Facility Changes,Procedure Changes,Tests & Experiments 930503-941028." Reporting interval same for Diablo Canyon Nuclear Power Plant,Units 1 & 2 FSAR update,Rev 10.
RUEGER,G.M. Pacific Gas & Electric Co. 95/06/16. Document Control Branch (Document Control Desk). 1p. 84479:293-84479:341.

--9506280632 "10CFR50.59 Rept of Facility Changes,Procedures Changes, Tests & Experiments 930503-941028."
* Pacific Gas & Electric Co. 94/10/28. 47pp. 84479:294-84479:341.

S. Reportable occurrences, LERs & related correspondence

9506190273 Requests enforcement discretion re compliance w/TSs 3/4.3.1, "Reactor Trip Sys Instrumentation," & 3/4.3.2, "Engineered Safety Features Actuation Sys Instrumentation."
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/02/02. CALLAN,L.J. Region 4 (Post 820201). 11pp. 84360:302-84360:312.

9506130110 LER 95-001-00:on 950507,TS 3.6.1.3, "Containment Airlocks," not met because conditional surveillance test not performed on emergency access hatch door seals during time allowed. Caused by personnel error.Persons disciplined.W/950606 ltr.
BEHNKE,D.H., CALLAN,G.M. Pacific Gas & Electric Co. 95/06/06. 7pp. 84312:141-84312:147.

9506290226 LER 94-006-01:on 940624,determined that throttled component cooling water flow rate to CCP skids may not have been high enough to maintain post-accident CCP operability.Caused by human error.Calculations revised.W/950615 ltr.
BEHNKE,D.H., RUEGER,G.M. Pacific Gas & Electric Co. 95/06/15. 12pp. 84506:266-84506:277.

V. Operator Examinations

9506280629 Forwards insp repts 50-275/95-04 & 50-323/95-04 & notice of deviation.
GWYNN,T.P. Region 4 (Post 820201). 95/06/21. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 84452:270-84452:286.

--9506280638 Notice of deviation from insp on 950522-25.Deviation noted: plant senior control operator position being filled by individual holding NRC OL instead of described senior OL.
* Region 4 (Post 820201). 95/06/21. 1p. 84452:276-84452:276.

--9506280649 Insp repts 50-275/95-04 & 50-323/95-04 on 950522-25. Deviations noted.Major areas inspected:qualifications of applicants for OL & licensed operator requalification program.
PELLET,J.L. Region 4 (Post 820201). 95/06/20. 10pp. 84452:277-84452:286.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506080048 EPIP OPEP-02.6, "Severe Weather," & rev 51C to OPEP-App A, "Emergency Response Resources."
NEWTON,R.R., GILDERSLEEVE,T. Carolina Power & Light Co. 95/05/27. 36pp. 84247:216-84247:251.

9506190429 Forwards insp repts 50-324/95-12 & 50-325/95-12 on 950501-05.Apparent violation will not be subj to enforcement action.
BARR,K.P. Region 2 (Post 820201). 95/06/01. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84344:066-84344:084.

--9506190439 Insp repts 50-324/95-12 & 50-325/95-12 on 950501-05.Apparent violations will not be subj to enforcement action.Major areas inspected:licensee radiation control program which involved review of health physics activities.
FORBES,D.B., PARKER,B.A., RANKIN,W.H. Region 2 (Post 820201). 95/05/31. 17pp. 84344:069-84344:084.

9506220084 Submits info re forthcoming shipment of irradiated nuclear reactor fuel by util in accordance w/10CFR73.37.Safeguards info withheld.
COWAN,J.P. Carolina Power & Light Co. 95/06/07. STROUD,T.C. North Carolina, State of. 3pp. 84375:198-84375:200.

9506280196 Forwards 950425 FEMA final rept for 941101 joint exercise of offsite radiological emergency response plans for plant.W/o encl.
BARR,K.P. Region 2 (Post 820201). 95/06/14. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84442:171-84442:173.

H. General correspondence

9506190024 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
ROGAN,R.E. Carolina Power & Light Co. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:028-84320:028.

P. Operating license stage documents & correspondence

9506300098 Forwards rept of completed SF storage safety assessments at plant,per 950511 request.
THADANI,A.C. Office of Nuclear Reactor Regulation (Post 941001). 95/05/24. PINELLI,R.A. General Public Utilities Corp. - GPU Service Corp. 26pp. 84510:336-84510:361.

9506070156 Submits partial withdrawal of request for license amend re control rod drive & control rod drive scram accumulators.
ANDERSON,R.A. Carolina Power & Light Co. 95/05/25. Document Control Branch (Document Control Desk). 2pp. 84218:354-84218:355.

9506210359 Forwards copy of 950426 memo "Closure of Revised Storm Surge Issue" by T Harris,util staff member,including position paper & consultant rept.
PICHUMANI,R. . 95/06/02. BAGCHI,G. . 43pp. 84403:197-84403:249.

9506190445 Forwards slides from 950530 mtg meeting.Purpose of meeting was to discuss Brunswick Human Performance Issues.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/06. ANDERSON,R.A. Carolina Power & Light Co. 33pp. 84343:276-84343:308.

9506140235 Requests relief from ASME B&PV Code,Section XI for RHR & fuel pool cooling manual valves.Detailed relief request encl.
LOPRIORE,R.P. Carolina Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 4pp. 84338:348-84338:351.

9506190311 Requests exemption from requirements of 10CFR50.71 re submission of revs to UFSAR & design change repts for facility changes made under 10CFR50.59 for plant.
ANDERSON,R.A. Carolina Power & Light Co. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84380:358-84380:360.

9506280316 Confirms that listed amount electronically transferred to US Dept of Treasury in name of NRC on 950614 as payment of listed invoices.
ROGAN,R.E. Carolina Power & Light Co. 95/06/16. Document Control Branch (Document Control Desk). 1p. 84477:351-84477:351.

9506280166 Forwards review of preliminary accident sequence precursor analysis.
LOPRIORE,R.P. Carolina Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 12pp. 84478:296-84478:307.

9506300188 Summary of 950412 meeting w/CP&L in Rockville,MD re TS amend requests that permits operational mode change w/one offsite power circuit inoperable.Attendance list & slides encl.
TRIMBLE,D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/23. Project Directorate II-1 (PD2-1) (Post 941001). 4pp. 84499:356-84499:359.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506200293 Forwards insp repts 50-324/95-10 & 50-325/95-10 on 950401-28 & notice of violation.Violations concern control of outage activities & associated risk.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/25. ANDERSON,R.A. Carolina Power & Light Co. 5pp. 84347:119-84347:145.

--9506200296 Notice of violation from insp on 950401-28.Violation noted:noted requirements had not been met for listed four examples during contractor svcs provided for Unit 1 control blades pins & rollers replacement.
* Region 2 (Post 820201). 95/05/25. 2pp. 84347:124-84347:125.

--9506200297 Insp repts 50-324/95-10 & 50-325/95-10 on 950401-28. Violations noted.Major areas inspected:operations,maint & surveillance,engineering & plant support.
PATTERSON,C.A., BYRON,P.M., JANUS,M.T. Region 2 (Post 820201). 95/05/25. 20pp. 84347:126-84347:145.

9506200063 Forwards insp repts 50-324/95-08 & 50-325/95-08 on 950410-12 & 24-28.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/26. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84349:215-84349:226.

--9506200073 Insp repts 50-324/95-08 & 50-325/95-08 on 950410-12 & 24-28. No violations or deviations noted.Major areas inspected: applications of coatings in unit 1 torus,investigation of unit 2 fuel pool leakage problem & engineering backlog.
LENAHAN,J.J., BLAKE,J.J. Region 2 (Post 820201). 95/05/25. 9pp. 84349:218-84349:226.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506190384 Forwards insp repts 50-324/95-09 & 50-325/95-09 on 950501-05.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/31. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84343:164-84343:180.

--9506190390 Insp repts 50-324/95-09 & 50-325/95-09 on 950424-28 & 950501-05.No violations noted.Major areas inspected: inservice insp,review of exam procedures,observation of ISI work & work activities.
COLEY,J.L., BLAKE,J.J. Region 2 (Post 820201). 95/05/23. 12pp. 84343:167-84343:180.

9506190404 Forwards insp repts 50-324/95-07 & 50-325/95-07 on 950508-12.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/31. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84344:087-84344:093.

--9506190408 Insp repts 50-324/95-07 & 50-325/95-07 on 950508-12.No violations noted.Major areas inspected:engineering & technical support.
FILLION,P., SHYMLOCK,M. Region 2 (Post 820201). 95/05/17. 4pp. 84344:090-84344:093.

9506190429 Forwards insp repts 50-324/95-12 & 50-325/95-12 on 950501-05.Apparent violation will not be subj to enforcement action.
BARR,K.P. Region 2 (Post 820201). 95/06/01. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84344:066-84344:084.

--9506190439 Insp repts 50-324/95-12 & 50-325/95-12 on 950501-05.Apparent violations will not be subj to enforcement action.Major areas inspected:licensee radiation control program which involved review of health physics activities.
FORBES,D.B., PARKER,B.A., RANKIN,W.H. Region 2 (Post 820201). 95/05/31. 17pp. 84344:069-84344:084.

9506200295 Discusses NRC part of responsibility of regulation nuclear power plants,periodically evaluates performance of licensee through program called "SALP" review & evaluate licensee performance in four major categories.
EBNETER,S.D. Region 2 (Post 820201). 95/06/02. MCQUEEN,J., MCKIM,H. Affiliation Not Assigned. 5pp. 84349:259-84349:263.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280092 Ack receipt of 950524 ltr informing NRC of actions taken to correct violations noted in insp rept 50-324/95-05.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/16. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84441:225-84441:227.

9506280145 Confirms mgt meeting scheduled for 950710.Purpose of meeting to discuss results of SALP for plant for period 931107- 950513.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/16. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84442:078-84442:080.

9506280280 Forwards SALP repts 50-324/95-99 & 50-325/95-99 for period 931107-950513 been completed.Assessment assigned superior performance ratings to each of four functional areas assessed & noted exceptional performance.
EBNETER,S.D. Region 2 (Post 820201). 95/06/20. ANDERSON,R.A. Carolina Power & Light Co. 5pp. 84442:282-84442:291.

--9506280295 SALP repts 50-324/95-99 & 50-325/95-99 for 931107-950513.
* Region 2 (Post 820201). 95/06/20. 5pp. 84442:287-84442:291.

9506280544 Forwards response to violations noted in Insp Repts 50-324/95-10 & 50-325/95-10.Corrective actions:requires that licensee maintain control of quality by contractors.
ANDERSON,R.A. Carolina Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 9pp. 84479:229-84479:237.

R. Periodic operating reports & related correspondence

9506200018 Monthly operating repts for May 1995 for Brunswick Steam Electric Plant Units 1 & 2.W/950609 ltr.
HARRISON,F., LEVIS,W. Carolina Power & Light Co. 95/05/31. 7pp. 84405:008-84405:014.

9506280147 Forwards plant annual radiation exposure rept data for 940101-1231.
LOPRIORE,R.P. Carolina Power & Light Co. 95/06/16. Office of Nuclear Regulatory Research (Post 941217). 2pp. 84478:318-84478:319.

S. Reportable occurrences, LERs & related correspondence

9506050329 Forwards LER 95-002,fulfilling requirement for written rept within thirty days of reportable occurrence re HPCI failure to operate as required during performance of periodic tests.
COWAN,J. Carolina Power & Light Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84198:315-84198:319.

--9506050343 LER 95-002-00:on 950510,HPCI sys failed to operate as required during performance of HPCI periodic test.Caused by end of burnout.Verified adequacy of similar resistors in Unit 1 & 2HPCI & RCIC sys.
MCGOWAN,J.F. Carolina Power & Light Co. 95/06/02. 3pp. 84198:317-84198:319.

U. Congressional/Executive Correspondence

9506230186 Responds to ltr of 950419,informing about details & current status of overrule of state safety stds & which reactor sites have spent fuel pools,how much radioactive matl is stored & where reactor spent fuel rods currently stored.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/06. HEINEMAN,F. House of Rep. 12pp. 84422:277-84422:291.

--9506230225 Requests details & current status of proposal allowing NRC to overrule state safety stds that are stricter than federal rules & which reactor sites have spent fuel pools & how much radioactive matl is stored.
HEINEMAN,F. House of Rep. 95/04/19. RATHBUN,D. Office of Congressional Affairs (Post 911117). 3pp. 84422:289-84422:291.

V. Operator Examinations

9506200014 Informs that NRC cannot support request dtd 950303,that four SRO candidates be administered initial exam during early Jan 1996.
PEEBLES,T.A. Region 2 (Post 820201). 95/06/01. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84344:358-84344:360.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506020224 Forwards results of plant spent fuel storage assessment conducted by NRC during wk of 950306,for info.
TRIMBLE,D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/24. ANDERSON,R.A. Carolina Power & Light Co. 14pp. 84146:059-84146:072.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506080048 EPIP OPEP-02.6, "Severe Weather," & rev 51C to OPEP-App A, "Emergency Response Resources."
NEWTON,R.R., GILDERSLEEVE,T. Carolina Power & Light Co. 95/05/27. 36pp. 84247:216-84247:251.

9506190429 Forwards insp repts 50-324/95-12 & 50-325/95-12 on 950501-05.Apparent violation will not be subj to enforcement action.
BARR,K.P. Region 2 (Post 820201). 95/06/01. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84344:066-84344:084.

--9506190439 Insp repts 50-324/95-12 & 50-325/95-12 on 950501-05.Apparent violations will not be subj to enforcement action.Major areas inspected:licensee radiation control program which involved review of health physics activities.
FORBES,D.B. Region 2 (Post 820201). 95/05/31. 17pp. 84344:069-84344:084.

9506220084 Submits info re forthcoming shipment of irradiated nuclear reactor fuel by util in accordance w/10CFR73.37.Safeguards info withheld.
COWAN,J.P. Carolina Power & Light Co. 95/06/07. STROUD,T.C. North Carolina, State of. 3pp. 84375:198-84375:200.

9506280196 Forwards 950425 FEMA final rept for 941101 joint exercise of offsite radiological emergency response plans for plant.W/o encl.
BARR,K.P. Region 2 (Post 820201). 95/06/14. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84442:171-84442:173.

H. General correspondence

9506190024 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
ROGAN,R.E. Carolina Power & Light Co. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:028-84320:028.

P. Operating license stage documents & correspondence

9506300098 Forwards rept of completed SF storage safety assessments at plant,per 950511 request.
THADANI,A.C. Office of Nuclear Reactor Regulation (Post 941001). 95/05/24. PINELLI,R.A. General Public Utilities Corp. - GPU Service Corp. 26pp. 84510:336-84510:361.

9506070156 Submits partial withdrawal of request for license amend re control rod drive & control rod drive scram accumulators.
ANDERSON,R.A. Carolina Power & Light Co. 95/05/25. Document Control Branch (Document Control Desk). 2pp. 84218:354-84218:355.

9506070287 Submits results of visual exams of in-vessel core spray piping & spargers for plant,Unit 1.
LOPRIORE,R.P. Carolina Power & Light Co. 95/06/01. Document Control Branch (Document Control Desk). 18pp. 84238:173-84238:190.

9506210359 Forwards copy of 950426 memo "Closure of Revised Storm Surge Issue" by T Harris,util staff member,including position paper & consultant rept.
PICHUMANI,R. . 95/06/02. BAGCHI,G. . 43pp. 84403:197-84403:249.

9506190445 Forwards slides from 950530 mtg meeting.Purpose of meeting was to discuss Brunswick Human Performance Issues.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/06. ANDERSON,R.A. Carolina Power & Light Co. 33pp. 84343:276-84343:308.

9506140235 Requests relief from ASME B&PV Code,Section XI for RHR & fuel pool cooling manual valves.Detailed relief request encl.
LOPRIORE,R.P. Carolina Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 4pp. 84338:348-84338:351.

9506190311 Requests exemption from requirements of 10CFR50.71 re submission of revs to UFSAR & design change repts for facility changes made under 10CFR50.59 for plant.
ANDERSON,R.A. Carolina Power & Light Co. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84380:358-84380:360.

9506280316 Confirms that listed amount electronically transferred to US Dept of Treasury in name of NRC on 950614 as payment of listed invoices.
ROGAN,R.E. Carolina Power & Light Co. 95/06/16. Document Control Branch (Document Control Desk). 1p. 84477:351-84477:351.

9506280166 Forwards review of preliminary accident sequence precursor analysis.
LOPRIORE,R.P. Carolina Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 12pp. 84478:296-84478:307.

9506290095 Discusses info on GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance."
ANDERSON,R.A. Carolina Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 2pp. 84521:183-84521:184.

9506300188 Summary of 950412 meeting w/CP&L in Rockville,MD re TS amend requests that permits operational mode change w/one offsite power circuit inoperable.Attendance list & slides encl.
TRIMBLE,D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/23. Project Directorate II-1 (PD2-1) (Post 941001). 4pp. 84499:356-84499:359.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506200293 Forwards insp repts 50-324/95-10 & 50-325/95-10 on 950401-28 & notice of violation.Violations concern control of outage activities & associated risk.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/25. ANDERSON,R.A. Carolina Power & Light Co. 5pp. 84347:119-84347:145.

--9506200296 Notice of violation from insp on 950401-28.Violation noted:noted requirements had not been met for listed four examples during contractor svcs provided for Unit 1 control blades pins & rollers replacement.
* Region 2 (Post 820201). 95/05/25. 2pp. 84347:124-84347:125.

--9506200297 Insp repts 50-324/95-10 & 50-325/95-10 on 950401-28. Violations noted.Major areas inspected:operations,maint & surveillance,engineering & plant support.
PATTERSON,C.A., BYRON,P.M., JANUS,M.T. Region 2 (Post 820201). 95/05/25. 20pp. 84347:126-84347:145.

9506200063 Forwards insp repts 50-324/95-08 & 50-325/95-08 on 950410-12 & 24-28.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/26. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84349:215-84349:226.

--9506200073 Insp repts 50-324/95-08 & 50-325/95-08 on 950410-12 & 24-28. No violations or deviations noted.Major areas inspected: applications of coatings in unit 1 torus,investigation of unit 2 fuel pool leakage problem & engineering backlog.
LENAHAN,J.J., BLAKE,J.J. Region 2 (Post 820201). 95/05/25. 9pp. 84349:218-84349:226.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506190384 Forwards insp repts 50-324/95-09 & 50-325/95-09 on 950501-05.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/31. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84343:164-84343:180.

--9506190390 Insp repts 50-324/95-09 & 50-325/95-09 on 950424-28 & 950501-05.No violations noted.Major areas inspected: inservice insp,review of exam procedures,observation of ISI work & work activities.
COLEY,J.L., BLAKE,J.J. Region 2 (Post 820201). 95/05/23. 12pp. 84343:167-84343:180.

9506190404 Forwards insp repts 50-324/95-07 & 50-325/95-07 on 950508-12.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/31. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84344:087-84344:093.

--9506190408 Insp repts 50-324/95-07 & 50-325/95-07 on 950508-12.No violations noted.Major areas inspected:engineering & technical support.
FILLION,P., SHYMLOCK,M. Region 2 (Post 820201). 95/05/17. 4pp. 84344:090-84344:093.

9506190429 Forwards insp repts 50-324/95-12 & 50-325/95-12 on 950501-05.Apparent violation will not be subj to enforcement action.
BARR,K.P. Region 2 (Post 820201). 95/06/01. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84344:066-84344:084.

--9506190439 Insp repts 50-324/95-12 & 50-325/95-12 on 950501-05.Apparent violations will not be subj to enforcement action.Major areas inspected:licensee radiation control program which involved review of health physics activities.
FORBES,D.B., PARKER,B.A., RANKIN,W.H. Region 2 (Post 820201). 95/05/31. 17pp. 84344:069-84344:084.

9506200295 Discusses NRC part of responsibility of regulation nuclear power plants,periodically evaluates performance of licensee through program called "SALP" review & evaluate licensee performance in four major categories.
EBNETER,S.D. Region 2 (Post 820201). 95/06/02. MCQUEEN,J., MCKIM,H. Affiliation Not Assigned. 5pp. 84349:259-84349:263.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280145 Confirms mgt meeting scheduled for 950710.Purpose of meeting to discuss results of SALP for plant for period 931107- 950513.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/16. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84442:078-84442:080.

9506280280 Forwards SALP repts 50-324/95-99 & 50-325/95-99 for period 931107-950513 been completed.Assessment assigned superior performance ratings to each of four functional areas assessed & noted exceptional performance.
EBNETER,S.D. Region 2 (Post 820201). 95/06/20. ANDERSON,R.A. Carolina Power & Light Co. 5pp. 84442:282-84442:291.

--9506280295 SALP repts 50-324/95-99 & 50-325/95-99 for 931107-950513.
* Region 2 (Post 820201). 95/06/20. 5pp. 84442:287-84442:291.

9506280176 Forwards Engineering Svc Request ESR 95-00765,Rev 2, "Unit 1 Core Shroud Evaluation Based on B11OR1 Insp Results."
ANDERSON,R.A. Carolina Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84477:001-84477:071.

--9506280182 "Unit 1 Core Shroud Evaluation Based on B11OR1 Insp Results."
* Carolina Power & Light Co. ESR 95-00765 R02. 95/06/21. 68pp. 84477:004-84477:071.

9506280544 Forwards response to violations noted in Insp Repts 50-324/95-10 & 50-325/95-10.Corrective actions:requires that licensee maintain control of quality by contractors.
ANDERSON,R.A. Carolina Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 9pp. 84479:229-84479:237.

R. Periodic operating reports & related correspondence

9506200018 Monthly operating repts for May 1995 for Brunswick Steam Electric Plant Units 1 & 2.W/950609 ltr.
HARRISON,F., LEVIS,W. Carolina Power & Light Co. 95/05/31. 7pp. 84405:008-84405:014.

9506280147 Forwards plant annual radiation exposure rept data for 940101-1231.
LOPRIORE,R.P. Carolina Power & Light Co. 95/06/16. Office of Nuclear Regulatory Research (Post 941217). 2pp. 84478:318-84478:319.

S. Reportable occurrences, LERs & related correspondence

9506050310 Forwards LER 95-008 re spurious actuation of primary containment isolation sys group 6 valves.
COWAN,J. Carolina Power & Light Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84198:310-84198:314.

--**9506050319** LER 95-008-00:on 950513,spurious actuation of PCIS group 6 valves occurred.Cause unknown.No corrective actions required.
MCGOWAN,J.F. Carolina Power & Light Co. 95/06/02. 3pp. 84198:312-84198:314.

9506150338 Forwards LER 95-010 re loss of RPS bus A power & associated ESF actuations.
COWAN,J. Carolina Power & Light Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84352:351-84352:355.

--**9506150344** LER 95-010-00:on 950511,loss of RPS bus A power & ESF actuations occurred due to defective procedures.Operating procedures revised to provide addl info for transferring DG governor.
THEARLING,G. Carolina Power & Light Co. 95/06/12. 3pp. 84352:353-84352:355.

9506150348 Forwards LER 95-009 which fulfills requirement for written rept within 30 days of reportable occurrence.
COWAN,J. Carolina Power & Light Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84352:356-84352:361.

--**9506150353** LER 95-009-00:on 950512,surveillance tracking sys was not updated to reflect moving requirement to new procedure. Caused by inadequate training.PT-08.1.3d was successfully performed on both units.
THEARLING,G.M. Carolina Power & Light Co. 95/06/11. 4pp. 84352:358-84352:361.

9506120191 Forwards LER 95-007 re safety relief valves tested at Wyle Lab exceeding TS setpoint limits.
COWAN,J. Carolina Power & Light Co. 95/06/06. Document Control Branch (Document Control Desk). 1p. 84312:112-84312:117.

--**9506120196** LER 95-007-00:on 950511,SRV tested at Wyle Labs exceeded TS setpoint limits.Caused by O induced pilot disc-to-seat bonding.Replaced SRV pilot valve assemblies w/certified spares prior to startup of Unit 1.
TABOR,S.F. Carolina Power & Light Co. 95/06/05. 4pp. 84312:113-84312:117.

9506140436 LER 95-011-00:on 950519,manual reactor protection sys trip initiated due to decreasing condenser vacuum.Unit 1 & 2 CW intake pumps traveling screens cleaned & monitored.W/950609 ltr.
TABOR,S.F., COWAN,J. Carolina Power & Light Co. 95/06/09. 8pp. 84350:098-84350:106.

9506300084 Forwards LER 95-012 re reactor water cleanup sys isolation due to filter leakage.
WARREN,C.C. Carolina Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 1p. 84527:164-84527:169.

--**9506300086** LER 95-012-00:on 950524,reactor water cleanup sys isolation due to filter leakage.Replaced RWCU sys 1B F/D head gasket & returned sys to operation.
TABOR,S.F. Carolina Power & Light Co. 95/06/22. 4pp. 84527:165-84527:169.

U. Congressional/Executive Correspondence

9506230186 Responds to ltr of 950419,informing about details & current status of overrule of state safety stds & which reactor sites have spent fuel pools,how much radioactive matl is stored & where reactor spent fuel rods currently stored.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/06. HEINEMAN,F. House of Rep. 12pp. 84422:277-84422:291.

V. Operator Examinations

9506200014 Informs that NRC cannot support request dtd 950303,that four SRO candidates be administered initial exam during early Jan 1996.
PEEBLES,T.A. Region 2 (Post 820201). 95/06/01. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84344:358-84344:360.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506020224 Forwards results of plant spent fuel storage assessment conducted by NRC during wk of 950306,for info.
TRIMBLE,D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/24. ANDERSON,R.A. Carolina Power & Light Co. 14pp. 84146:059-84146:072.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506020134 Rev 5 to CECC-EPIP-19, "Post Acceptance Core Damage Assessment." W/950525 ltr.
POGUE,J.E. Tennessee Valley Authority. 95/05/25. 22pp. 84182:248-84182:269.

9506200008 Forwards exam repts 50-327/95-300 & 50-328/95-300.No violations noted.NRC identified declining trend in security performance,being identified as Unresolved Item.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. KINGSLEY,O. Tennessee Valley Authority. 3pp. 84344:229-84344:337.

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

9506090192 Forwards response to NRC 950315 RAI re emergency action plan conversion to NUMARC EALs.Revised EALs which occurred as result of 950322 meeting between NRC & TVA & Rev 16 to EPIP-1, "Emergency Plan Classification Matrix" also encl.
CARIER,P.P. Tennessee Valley Authority. 95/06/02. Document Control Branch (Document Control Desk). 37pp. 84245:014-84245:271.

--**9506090196** Revised App B of "Radiological Emergency Plan."
* Tennessee Valley Authority. 95/06/02. 168pp. 84245:051-84245:218.

--**9506090201** Rev 16 to EPIP-1, "Emergency Plan Classification Matrix."
CATRON,N.S. Tennessee Valley Authority. 95/05/18. 37pp. 84245:219-84245:271.

9506220321 Advises NRC of addl info developed as result of TVA performance of thermogravimetric analysis testing of Thermo- Lag 330-1 matl,as discussed in TVA ltrs for SNP & WBNP dtd 950322,responding to NRC RAIs re GL 92-08.
KNUETTEL,E.T. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:238-84436:246.

9506280132 Forwads FEMA final rept for 941116,joint exercise of offsite radiological emergency response plans for Sequoyah Nuclear Station.W/o encl.
BARR,K.P. Region 2 (Post 820201). 95/06/15. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:040-84442:042.

P. Operating license stage documents & correspondence

9506020408 Provides addl info to TS 94-19 re elimination of unnecessary DG starts,including add justification w/respect to acceptability of relaxing 24-h test requirement for operable DGs in absence of common cause failure.
SHELL,R.H. Tennessee Valley Authority. 95/05/26. Document Control Branch (Document Control Desk). 2pp. 84182:224-84182:225.

9506070606 Forwards amend 200 to license DPR-77 & SE.Amend modifies OL condition 2.C re ice condenser surveliance test interval.
LABARGE,D.E. . 95/05/30. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 84204:001-84204:007.

--**9506070615** Amend 200 to license DPR-77,modifying OL condition 2.C re ice condenser surveillance test interval.
HEBDON,F.J. . 95/05/30. 2pp. 84204:002-84204:003.

--**9506070619** Safety evaluation supporting amend 200 to license DPR-77.
* . 95/05/30. 4pp. 84204:004-84204:007.

9506090360 Forwards Amends 199 & 190 to Licenses DPR-77 & DPR-79 & SE. Amends revise TS to change SR for power range neutron flux channel calibration frequency.
LABARGE,D.E. . 95/05/30. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 84228:316-84228:332.

--**9506090368** Amends 199 & 190 to Licenses DPR-77 & DPR-79,respectively, re changes to TS to revise SR for power range neutron flux channel calibration frequency.
HEBDON,F.J. . 95/05/30. 12pp. 84228:317-84228:328.

--**9506090382** Safety evaluation supporting Amends 199 & 190 to Licenses DPR-77 & DPR-79,respectively.
* . 95/05/30. 4pp. 84228:329-84228:332.

9506090337 Forwards amends 201 & 191 to licenses DPR-77 & DPR-79, respectively & SE.Amends revise definition of core alteration & quadrant power tilt ratio of TS.
LABARGE,D.E. . 95/06/01. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84226:175-84226:190.

--**9506090343** Amends 201 & 191 to licenses DPR-77 & DPR-79,respectively. Amends revises definition of core alteration & quadrant power tilt ratio of TS.
HEBDON,F.J. . 95/06/01. 14pp. 84226:177-84226:187.

--**9506090351** Safety evaluation supporting amends 201 & 191 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 3pp. 84226:188-84226:190.

9506140308 Forwards correction to amends 198 & 189 to licenses DPR-77 & DPR-79.Amends in response to 950307 ltr & corrects audit requirement.
LABARGE,D.E. . 95/06/01. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 84313:102-84313:105.

--**9506140328** Errata to amends 198 & 189 to licenses DPR-77 & DPR-79 respectively,correcting audit requirements.
* . 95/06/01. 3pp. 84313:103-84313:105.

9506200363 Forwards corrected TS page 6-11 to amends 198 & 189 to licenses DPR-77 & DPR-79,respectively.
LABARGE,D.E. . 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 84381:334-84381:337.

--**9506220034** Corrected TS page 6-11 to amends 198 & 189 to licenses DPR-77 & DPR-79,respectively,correcting audit 6.5.2.8.i.
* . 95/06/06. 3pp. 84381:335-84381:337.

9506140256 Notifies that TS Change 92-01 re spent fuel pool storage capacity increase incorporated into licenses on 941027 & spent fuel pool rerack project completed wk of 950522.
SHELL,R.H. Tennessee Valley Authority. 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84339:050-84339:051.

9506200032 Discusses 950531 meeting re licensee activities in areas of corrective action,Arrowhart contactors,backlogs & other items of mutual interest.List of individuals who attended meeting & NRC handout matl encl.
GIBSON,A.F. Region 2 (Post 820201). 95/06/08. KINGSLEY,O.D. Tennessee Valley Authority. 18pp. 84345:341-84345:358.

9506200057 Confirms 950608 telcon re meeting scheduled for 950719 in Atlanta,GA on methods to be used to implement util Problem Identification & CAP for all util facilities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84350:005-84350:010.

9506200219 Forwards amends 202 & 192 to licenses DPR-77 & DPR-79.Amends add limiting condition for operation that allows equipment to be returned to svc under administrative control to perform operability testing & establishes time interval.
LABARGE,D.E. . 95/06/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84375:334-84375:353.

--**9506200232** Amends 202 & 192 to licenses DPR-77 & DPR-79,respectively, adds limiting condition for operation that allows equipment to be returned to svc under administrative control to perform operability testing & establishes time interval.
HEBDON,F.J. . 95/06/13. Tennessee Valley Authority. 14pp. 84375:337-84375:350.

--**9506200240** Safety evaluation supporting amends 202 & 192 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 3pp. 84375:351-84375:353.

9506200259 Forwards amends 203 & 193 to licenses DPR-77 & DPR-79.Amends revises TS by deleting tables 3.6-1,3.6-2 & 3.8-2 & incorporating related guidance & justification & modifying spec re protective devices.
LABARGE,D.E. . 95/06/13. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84379:150-84379:193.

--**9506200274** Amends 203 & 193 to licenses DPR-77 & DPR-79,respectively, revises TS by deleting tables 3.6-1,3.6-2 & 3.8-2 & incorporating related guidance & justification & modifying spec re protective devices.
HEBDON,F.J. . 95/06/13. Tennessee Valley Authority. 35pp. 84379:152-84379:186.

--**9506200280** Safety evaluation supporting amends 203 & 193 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 6pp. 84379:187-84379:193.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

9506290054 Forwards amends 204 & 194 to licenses DPR-77 & DPR-79 & safety evaluation.Amends remove TS requirements related to crane travel over spent fuel pool.
LABARGE,D.E. . 95/06/14. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84473:169-84473:192.

--**9506290059** Amends 204 & 194 to licenses DPR-77 & DPR-79,respectively, removing TS requirements related to crane travel over spent fuel pool.
HEBDON,F.J. . 95/06/14. 16pp. 84473:171-84473:186.

--**9506290065** Safety evaluation supporting amends 204 & 194 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 6pp. 84473:187-84473:192.

9506220321 Advises NRC of addl info developed as result of TVA performance of thermogravimetric analysis testing of Thermo- Lag 330-1 matl,as discussed in TVA ltrs for SNP & WBNP dtd 950322,responding to NRC RAIs re GL 92-08.
KNUETTEL,E.T. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:238-84436:246.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506020200 Forwards remaining relief requests identified in plant first ten-yr ISI interval for SNP Units 1 & 2.
SHELL,R.H. Tennessee Valley Authority. 95/05/26. Document Control Branch (Document Control Desk). 48pp. 84165:063-84165:110.

9506080631 Responds to NRC 950501 ltr re violations noted in insp repts 50-327/95-08 & 50-328/95-08.Corrective actions:review of selected surveillance instructions containing IF/THEN performance notes accomplished.
ADNEY,R.J. Tennessee Valley Authority. 95/05/30. Document Control Branch (Document Control Desk). 8pp. 84222:319-84222:326.

9506200008 Forwards exam repts 50-327/95-300 & 50-328/95-300.No violations noted.NRC identified declining trend in security performance,being identified as Unresolved Item.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. KINGSLEY,O. Tennessee Valley Authority. 3pp. 84344:229-84344:337.

--**9506200016** Exam repts 50-327/95-300 & 50-328/95-300 on 950508-12.Exam results:all candidates passed written & operating exams.
BARTLEY,J.H., PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. 102pp. 84344:232-84344:337.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506200002 Forwards insp repts 50-327/95-12 & 50-328/95-12 on 950409-0506 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 95/06/01. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:197-84344:226.

--**9506200003** Notice of violation from insp on 950409-0506.Violation noted:from 930903-950412,instructions or procedures for activities affecting quality were inadequate.
* Region 2 (Post 820201). 95/06/01. 2pp. 84344:201-84344:202.

--**9506200006** Insp repts 50-327/95-12 & 50-328/95-12 on 950409-0506. Violations noted.Major areas inspected:plant operations, maint & surveillance observations,onsite engineering,plant support & licensee event rept closeout.
HOLLAND,W.E., LESSER,M.S. Region 2 (Post 820201). 95/06/01. 24pp. 84344:203-84344:226.

9506200029 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp rept 50-327/95-03 & 50-328/95-03 on 950421.Evaluation found to meet requirements of 10CFR2.201.
GIBSON,A.F. Region 2 (Post 820201). 95/06/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84349:352-84349:354.

9506200074 Forwards insp repts 50-327/95-13 & 50-328/95-13 on 950501- 05 & notice of violation.
CASTO,C.A. Region 2 (Post 820201). 95/06/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84349:125-84349:135.

--**9506200083** Notice of violation from insp on 950501-05.Violation noted: measures established as corrective action to ensure safety- related motor-operated valve operability inadequate.
* Region 2 (Post 820201). 95/06/02. 1p. 84349:128-84349:128.

--**9506200090** Insp repts 50-327/95-13 & 50-328/95-328 on 950501-05. Violations noted.Major areas inspected:area of corrective actions for Arrow-Hart monitor starter contactors to determine adequacy of corrective action measures.
RUDISAIL,S., SHUMLOCK,M. Region 2 (Post 820201). 95/06/02. 8pp. 84349:129-84349:135.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200061 Monthly operating repts for May 1995 for Sequoyah Nuclear Plant Units 1 & 2.W/950614 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 95/05/31. 10pp. 84405:139-84405:148.

S. Reportable occurrences, LERs & related correspondence

9506300246 Forwards LER 95-05 concerning failure to perform required valve stroke time test on four containment isolation valves following maint on power circuitry.
ADNEY,R.J. Tennessee Valley Authority. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84509:284-84509:290.

--**9506300258** LER 95-005-00:on 950523,containment isolation valves returned to svc w/o performance of stroke time test due to ASOS & unit operator did not adequately utilize TS.Entered LCO 3.6.3 & SR 4.0.3.
GILLEY,S.D. Tennessee Valley Authority. 95/06/22. 5pp. 84509:286-84509:290.

V. Operator Examinations

9506200008 Forwards exam repts 50-327/95-300 & 50-328/95-300.No violations noted.NRC identified declining trend in security performance,being identified as Unresolved Item.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. KINGSLEY,O. Tennessee Valley Authority. 3pp. 84344:229-84344:337.

--**9506200016** Exam repts 50-327/95-300 & 50-328/95-300 on 950508-12.Exam results:all candidates passed written & operating exams.
BARTLEY,J.H., PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. 102pp. 84344:232-84344:337.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506020134 Rev 5 to CECC-EPIP-19, "Post Acceptance Core Damage Assessment." W/950525 ltr.
POGUE,J.E. Tennessee Valley Authority. 95/05/25. 22pp. 84182:248-84182:269.

9506200008 Forwards exam repts 50-327/95-300 & 50-328/95-300.No violations noted.NRC identified declining trend in security performance,being identified as Unresolved Item.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. KINGSLEY,O. Tennessee Valley Authority. 3pp. 84344:229-84344:337.

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

9506090192 Forwards response to NRC 950315 RAI re emergency action plan conversion to NUMARC EALs.Revised EALs which occurred as result of 950322 meeting between NRC & TVA & Rev 16 to EPIP-1, "Emergency Plan Classification Matrix" also encl.
CARIER,P.P. Tennessee Valley Authority. 95/06/02. Document Control Branch (Document Control Desk). 37pp. 84245:014-84245:271.

--**9506090196** Revised App B of "Radiological Emergency Plan."
* Tennessee Valley Authority. 95/06/02. 168pp. 84245:051-84245:218.

--**9506090201** Rev 16 to EPIP-1, "Emergency Plan Classification Matrix."
CATRON,N.S. Tennessee Valley Authority. 95/05/18. 37pp. 84245:219-84245:271.

9506220321 Advises NRC of addl info developed as result of TVA performance of thermogravimetric analysis testing of Thermo- Lag 330-1 matl,as discussed in TVA ltrs for SNP & WBNP dtd 950322,responding to NRC RAIs re GL 92-08.
KNUETTEL,E.T. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:238-84436:246.

9506280132 Forwads FEMA final rept for 941116,joint exercise of offsite radiological emergency response plans for Sequoyah Nuclear Station.W/o encl.
BARR,K.P. Region 2 (Post 820201). 95/06/15. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:040-84442:042.

P. Operating license stage documents & correspondence

9506020408 Provides addl info to TS 94-19 re elimination of unnecessary DG starts,including add justification w/respect to acceptability of relaxing 24-h test requirement for operable DGs in absence of common cause failure.
SHELL,R.H. Tennessee Valley Authority. 95/05/26. Document Control Branch (Document Control Desk). 2pp. 84182:224-84182:225.

9506090360 Forwards Amends 199 & 190 to Licenses DPR-77 & DPR-79 & SE. Amends revise TS to change SR for power range neutron flux channel calibration frequency.
LABARGE,D.E. . 95/05/30. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 84228:316-84228:332.

--9506090368 Amends 199 & 190 to Licenses DPR-77 & DPR-79,respectively, re changes to TS to revise SR for power range neutron flux channel calibration frequency.
HEBDON,F.J. . 95/05/30. 12pp. 84228:317-84228:328.

--9506090382 Safety evaluation supporting Amends 199 & 190 to Licenses DPR-77 & DPR-79,respectively.
* . 95/05/30. 4pp. 84228:329-84228:332.

9506090337 Forwards amends 201 & 191 to licenses DPR-77 & DPR-79, respectively & SE.Amends revise definition of core alteration & quadrant power tilt ratio of TS.
LABARGE,D.E. . 95/06/01. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84226:175-84226:190.

--9506090343 Amends 201 & 191 to licenses DPR-77 & DPR-79,respectively. Amends revises definition of core alteration & quadrant power tilt ratio of TS.
HEBDON,F.J. . 95/06/01. 14pp. 84226:177-84226:187.

--9506090351 Safety evaluation supporting amends 201 & 191 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 3pp. 84226:188-84226:190.

9506140308 Forwards correction to amends 198 & 189 to licenses DPR-77 & DPR-79.Amends in response to 950307 ltr & corrects audit requirement.
LABARGE,D.E. . 95/06/01. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 84313:102-84313:105.

--9506140328 Errata to amends 198 & 189 to licenses DPR-77 & DPR-79 respectively,correcting audit requirements.
* . 95/06/01. 3pp. 84313:103-84313:105.

9506200363 Forwards corrected TS page 6-11 to amends 198 & 189 to licenses DPR-77 & DPR-79,respectively.
LABARGE,D.E. . 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 84381:334-84381:337.

--9506220034 Corrected TS page 6-11 to amends 198 & 189 to licenses DPR-77 & DPR-79,respectively,correcting audit 6.5.2.8.i.
* . 95/06/06. 3pp. 84381:335-84381:337.

9506140256 Notifies that TS Change 92-01 re spent fuel pool storage capacity increase incorporated into licenses on 941027 & spent fuel pool rerack project completed wk of 950522.
SHELL,R.H. Tennessee Valley Authority. 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84339:050-84339:051.

9506200032 Discusses 950531 meeting re licensee activities in areas of corrective action,Arrowhart contactors,backlogs & other items of mutual interest.List of individuals who attended meeting & NRC handout matl encl.
GIBSON,A.F. Region 2 (Post 820201). 95/06/08. KINGSLEY,O.D. Tennessee Valley Authority. 18pp. 84345:341-84345:358.

9506200057 Confirms 950608 telcon re meeting scheduled for 950719 in Atlanta,GA on methods to be used to implement util Problem Identification & CAP for all util facilities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84350:005-84350:010.

9506200219 Forwards amends 202 & 192 to licenses DPR-77 & DPR-79.Amends add limiting condition for operation that allows equipment to be returned to svc under administrative control to perform operability testing & establishes time interval.
LABARGE,D.E. . 95/06/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84375:334-84375:353.

--9506200232 Amends 202 & 192 to licenses DPR-77 & DPR-79,respectively, adds limiting condition for operation that allows equipment to be returned to svc under administrative control to perform operability testing & establishes time interval.
HEBDON,F.J. . 95/06/13. Tennessee Valley Authority. 14pp. 84375:337-84375:350.

--9506200240 Safety evaluation supporting amends 202 & 192 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 3pp. 84375:351-84375:353.

9506200259 Forwards amends 203 & 193 to licenses DPR-77 & DPR-79.Amends revises TS by deleting tables 3.6-1,3.6-2 & 3.8-2 & incorporating related guidance & justification & modifying spec re protective devices.
LABARGE,D.E. . 95/06/13. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84379:150-84379:193.

--9506200274 Amends 203 & 193 to licenses DPR-77 & DPR-79,respectively, revises TS by deleting tables 3.6-1,3.6-2 & 3.8-2 & incorporating related guidance & justification & modifying spec re protective devices.
HEBDON,F.J. . 95/06/13. Tennessee Valley Authority. 35pp. 84379:152-84379:186.

--9506200280 Safety evaluation supporting amends 203 & 193 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 6pp. 84379:187-84379:193.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

9506290054 Forwards amends 204 & 194 to licenses DPR-77 & DPR-79 & safety evaluation.Amends remove TS requirements related to crane travel over spent fuel pool.
LABARGE,D.E. . 95/06/14. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84473:169-84473:192.

--9506290059 Amends 204 & 194 to licenses DPR-77 & DPR-79,respectively, removing TS requirements related to crane travel over spent fuel pool.
HEBDON,F.J. . 95/06/14. 16pp. 84473:171-84473:186.

--9506290065 Safety evaluation supporting amends 204 & 194 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 6pp. 84473:187-84473:192.

9506220321 Advises NRC of addl info developed as result of TVA performance of thermogravimetric analysis testing of Thermo- Lag 330-1 matl,as discussed in TVA ltrs for SNP & WBNP dtd 950322,responding to NRC RAIs re GL 92-08.
KNUETTEL,E.T. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:238-84436:246.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506020200 Forwards remaining relief requests identified in plant first ten-yr ISI interval for SNP Units 1 & 2.
SHELL,R.H. Tennessee Valley Authority. 95/05/26. Document Control Branch (Document Control Desk). 48pp. 84165:063-84165:110.

9506080631 Responds to NRC 950501 ltr re violations noted in insp repts 50-327/95-08 & 50-328/95-08.Corrective actions:review of selected surveillance instructions containing IF/THEN performance notes accomplished.
ADNEY,R.J. Tennessee Valley Authority. 95/05/30. Document Control Branch (Document Control Desk). 8pp. 84222:319-84222:326.

9506200008 Forwards exam repts 50-327/95-300 & 50-328/95-300.No violations noted.NRC identified declining trend in security performance,being identified as Unresolved Item.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. KINGSLEY,O. Tennessee Valley Authority. 3pp. 84344:229-84344:337.

--9506200016 Exam repts 50-327/95-300 & 50-328/95-300 on 950508-12.Exam results:all candidates passed written & operating exams.
BARTLEY,J.H. Region 2 (Post 820201). 95/05/30. 102pp. 84344:232-84344:337.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506200002 Forwards insp repts 50-327/95-12 & 50-328/95-12 on 950409-0506 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 95/06/01. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:197-84344:226.

--9506200003 Notice of violation from insp on 950409-0506.Violation noted:from 930903-950412,instructions or procedures for activities affecting quality were inadequate.
* Region 2 (Post 820201). 95/06/01. 2pp. 84344:201-84344:202.

--9506200006 Insp repts 50-327/95-12 & 50-328/95-12 on 950409-0506. Violations noted.Major areas inspected:plant operations, maint & surveillance observations,onsite engineering,plant support & licensee event rept closeout.
HOLLAND,W.E., LESSER,M.S. Region 2 (Post 820201). 95/06/01. 24pp. 84344:203-84344:226.

9506200029 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp rept 50-327/95-03 & 50-328/95-03 on 950421.Evaluation found to meet requirements of 10CFR2.201.
GIBSON,A.F. Region 2 (Post 820201). 95/06/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84349:352-84349:354.

9506200074 Forwards insp repts 50-327/95-13 & 50-328/95-13 on 950501- 05 & notice of violation.
CASTO,C.A. Region 2 (Post 820201). 95/06/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84349:125-84349:135.

--9506200083 Notice of violation from insp on 950501-05.Violation noted: measures established as corrective action to ensure safety- related motor-operated valve operability inadequate.
* Region 2 (Post 820201). 95/06/02. 1p. 84349:128-84349:128.

--9506200090 Insp repts 50-327/95-13 & 50-328/95-328 on 950501-05. Violations noted.Major areas inspected:area of corrective actions for Arrow-Hart monitor starter contactors to determine adequacy of corrective action measures.
RUDISAIL,S., SHUMLOCK,M. Region 2 (Post 820201). 95/06/02. 8pp. 84349:129-84349:135.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200061 Monthly operating repts for May 1995 for Sequoyah Nuclear Plant Units 1 & 2.W/950614 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 95/05/31. 10pp. 84405:139-84405:148.

S. Reportable occurrences, LERs & related correspondence

9506080185 LER 95-002-00:on 950428,turbine tripped,followed by reactor trip.Cause due to ineffective/inadequate corrective action of previous similar event.Preventive maintenance instruction revised re gasket insp.W/950530 ltr.
PROFFITT,J.W., ADNEY,R.J. Tennessee Valley Authority. 95/05/30. 7pp. 84222:031-84222:037.

V. Operator Examinations

9506200008 Forwards exam repts 50-327/95-300 & 50-328/95-300.No violations noted.NRC identified declining trend in security performance,being identified as Unresolved Item.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. KINGSLEY,O. Tennessee Valley Authority. 3pp. 84344:229-84344:337.

--9506200016 Exam repts 50-327/95-300 & 50-328/95-300 on 950508-12.Exam results:all candidates passed written & operating exams.
BARTLEY,J.H., PEEBLES,T.A. Region 2 (Post 820201). 95/05/30. 102pp. 84344:232-84344:337.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9506070695 Rev 95 to EPIP index,reflecting deletion of EPIP 6.1,Rev 12. W/950601 ltr.
HENDERSON,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/01. 3pp. 84210:344-84210:347.

9506120414 Forwards response to NRC 950214 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," pertaining to methodology used to calculate electrical cable ampacity derating in raceways encased in Thermo-Lag fire barrier matl.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/02.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 18pp. 84282:070-84282:087.

I. Financial information

9506010052 Forwards 1994 Annual Repts for owners of Duane Arnold Energy Ctr,including IES Utilities Inc,Corn Belt Power Cooperative & Central Iowa Power Cooperative.
YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/05/26.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84184:017-84184:125.

--9506010059 "Central Iowa Power Cooperative 1994 Annual Rept."
* Central Iowa Power Cooperative. 94/12/31. 32pp. 84184:018-84184:052.

--9506010091 "Corn Belt Power Cooperative 1994 Annual Rept."
* Corn Belt Power Cooperative. 94/12/31. 24pp. 84184:053-84184:081.

--9506010092 "EIS Industries 1994 Annual Rept."
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 94/12/31. 40pp. 84184:082-84184:125.

P. Operating license stage documents & correspondence

9506140381 Forwards amend 211 to license DPR-49 & safety evaluation. Amend deletes TS sections 3.7/4.7.H.3 to eliminate redundant LCO & SR for containment hydrogen & oxygen analyzers.
KELLY,G.B. . 95/05/31. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 84311:349-84311:357.

--9506140390 Amend 211 to license DPR-49,deleting TS sections 3.7/4.7.H.3 to eliminate redundant LCO for operation & SR for containment hydrogen & oxygen analyzers.
MARCUS,G.H. . 95/05/31. 4pp. 84311:352-84311:355.

--9506140393 Safety evaluation supporting amend 211 to license DPR-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:356-84311:357.

9506120414 Forwards response to NRC 950214 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," pertaining to methodology used to calculate electrical cable ampacity derating in raceways encased in Thermo-Lag fire barrier matl.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/02.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 18pp. 84282:070-84282:087.

9506290142 Forwards amend 212 to license DPR-49 & safety evaluation. Amend revises TS table 3.2-A by clarifying or correcting entries to table.
KELLY,G.B. . 95/06/14. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 84487:266-84487:278.

--9506290146 Amend 212 to license DPR-49,revising TS table 3.2-A by clarifying or correcting entries to table.
MARCUS,G.H. . 95/06/14. 8pp. 84487:269-84487:276.

--9506290151 Safety evaluation supporting amend 212 to license DPR-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 2pp. 84487:277-84487:278.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200137 Forwards semiannual plant insp plan for purposes of assessing licensee performance & developing facility plans.Requests feedback on subj plan.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 5pp. 84347:271-84347:275.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506280557 Monthly operating rept for May 1995 for DAEC.W/950615 ltr.
WOODWARD,R., WILSON,D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/05/31. 6pp. 84475:349-84475:354.

S. Reportable occurrences, LERs & related correspondence

9506200338 Forwards LER 95-005 re reactor scram due to FW pump trip caused by lube oil pump coupling failure.Maint procedure, vendor manual & plant drawings for FW pumps being revised to ensure proper lubrication of subj coupling.
WILSON,D.L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/12. MARTIN,J.B. Region 3 (Post 820201). 1p. 84404:032-84404:036.

--9506200342 LER 95-005-00:on 950514,reactor scram occurred due to FW pump trip.Caused by lube oil pump coupling failure.Failed coupling & plugged orifice replaced & coupling & orifice for FW pump A inspected.
KERR,J. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/06/12. 4pp. 84404:033-84404:036.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9506080026 Discusses sequence of events that lead to FFD Administrator finding that urine blind test specimen test result had been incorrectly reported as negative.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/05/30. Document Control Branch (Document Control Desk). 5pp. 84247:293-84247:297.

9506220192 Forwards safety evaluation accepting util 940712 proposed changes to emergency action levels.
CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/05. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 84404:092-84404:098.

--9506220209 Safety evaluation accepting util 940712 proposed changes to emergency action levels.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/05. 4pp. 84404:095-84404:098.

9506230302 Forwards Rev 17 to Section 8 of emergency plan & revised EPIPs,including Rev 32 to EAP-1.1 & Rev 7 to SAP-20.
* Power Authority of the State of New York (New York Power Authority). 95/06/19. NRC - No Detailed Affiliation Given. 1p. 84470:166-84470:201.

--9506230303 Rev 17 to Section 8 of emergency plan.
* Power Authority of the State of New York (New York Power Authority). 95/06/19. 5pp. 84470:167-84470:171.

--9506230306 Revised EPIPs,including Rev 32 to EAP-1.1, "Offsite Notifications" & Rev 7 to SAP-20, "Emergency Plan Assignments."
* Power Authority of the State of New York (New York Power Authority). 95/06/19. 29pp. 84470:172-84470:201.

J. Insurance & indemnity information

9506010013 Provides certified cash flow for 1994-95 which provides guarantee of payment of deferred premiums.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/05/25. Document Control Branch (Document Control Desk). 3pp. 84172:321-84172:323.

P. Operating license stage documents & correspondence

9506070182 Provides updated schedule & status for resolution of USI A-46 for JA FitzPatrick NPP.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/05/31. Document Control Branch (Document Control Desk). 3pp. 84239:310-84239:312.

9506200169 Forwards application for amend to license DPR-59,proposing changes to TS,to extend surveillance test intervals for control rod sys to support 24 month operating cycle.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84405:322-84405:337.

--9506200173 Application for amend to license DPR-59,proposing changes to TS,by extending surveillance test intervals for control rod sys to support 24 month operating cycles.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/15. 2pp. 84405:324-84405:325.

--9506200184 Proposed tech specs extending surveillance test intervals for control rod sys to support 24 month operating cycles.
* Power Authority of the State of New York (New York Power Authority). 95/06/15. 12pp. 84405:326-84405:337.

9506300232 "JA FitzPatrick Cycle 12 Startup Testing Rept." W/950623 ltr.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/06/23. 7pp. 84524:338-84524:344.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050014 Forwards insp rept 50-333/95-03 on 950410-21.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/05/26. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 84150:010-84150:023.

--9506050019 Insp rept 50-333/95-09 on 950410-21.No violations noted. Major areas inspected:maint program,including evaluation of effectiveness of planning,performance & management of maint activities.
FLOREK,D.J. Region 1 (Post 820201). 95/05/24. 12pp. 84150:012-84150:023.

9506070455 Forwards insp rept 50-333/95-10 on 950515-19.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/26. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 84218:132-84218:140.

--9506070465 Insp rept 50-333/95-10 on 950515-19.No violations noted. Major areas inspected:radiological control of work,radiation worker performance & maintaining worker exposures as low as reasonably achievable.
FURIA,J., BORES,R. Region 1 (Post 820201). 95/05/26. 6pp. 84218:135-84218:140.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200339 Ack receipt of 950518 ltr informing NRC of steps taken to correct violations noted in insp rept 50-333/95-06.
COWGILL,C.J. Region 1 (Post 820201). 95/06/08. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 4pp. 84349:288-84349:301.

9506200228 Forwards insp rept 50-333/95-08 on 950326-0506.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 95/06/09. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 84347:010-84347:025.

--9506200236 Insp rept 50-333/95-08 on 950326-0506.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & quality assurance/safety verification.
COWGILL,C.J. Region 1 (Post 820201). 95/06/09. 13pp. 84347:013-84347:025.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280534 Forwards "ISI Summary Rept...," providing summary of ISI exams conducted during 1995 refuel outage (Reload 11/Cycle 12).Info re operating status of FW nozzle leakage monitoring sys & measured leakage for FW nozzles also encl.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/06/20. Document Control Branch (Document Control Desk). 3pp. 84479:001-84479:213.

--9506280536 "ISI Summary Rept for 1995 Refuel Outage."
* Power Authority of the State of New York (New York Power Authority). 95/06/15. 210pp. 84479:004-84479:213.

R. Periodic operating reports & related correspondence

9506190304 Monthly operating rept for May 1995 for JA FitzPatrick Nuclear Power Plant.W/950613 ltr.
FLAGG,R., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/05/31. 5pp. 84380:346-84380:350.

S. Reportable occurrences, LERs & related correspondence

9506010366 Forwards LER 95-009 re partial valid isolation of reactor bldg ventilation.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/05/25. Document Control Branch (Document Control Desk). 1p. 84173:153-84173:157.

--**9506010413** LER 95-009-00:on 950425,partial invalid isolation of reactor bldg ventilation occurred due to jumper sliding off terminal & striking nearby cable connector.Continued w/existing mod intended to improve attachment of jumpers.
PLASSE,R. Power Authority of the State of New York (New York Power Authority). 95/05/25. 3pp. 84173:154-84173:157.

9506050196 PNO-1-95-016:on 950529,unidentified reactor coolant leakage into primary containment increased from approx 0.05 gallons per minute to 1.45 gallons per minute.Plant will be shutdown for three days.Licensee planning to issue press release.
FERNANDES,R., COWGILL,C. Region 1 (Post 820201). 95/05/30. 2pp. 84150:198-84150:199.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

9506210270 Forwards Rev 6A to "Emergency Preparedness Plan" & revised emergency preparedness plan implementing procedures.
THOMAS,G.S. Duquesne Light Co. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84411:001-84411:324.

--**9506210271** Rev 6A to "Emergency Preparedness Plan."
* Duquesne Light Co. 95/05/30. 8pp. 84411:002-84411:009.

--**9506210274** Revised Emergency Preparedness Plan Implementing Procedures (EPP/IP),including Rev 7 to EPP/I-2,Rev 7 to EPP/I-3,Rev 7 to EPP/I-4,Rev 7 to EPP/I-5,Rev 10 to EPP/IP 1.1,Rev 7 to EPP/IP 2.6,Rev 6 to EPP/IP 2.6.1 & Rev 7 to EPP/IP 2.6.2.
* Duquesne Light Co. 95/05/19. 200pp. 84411:010-84411:324.

H. General correspondence

9506290001 Comment supporting proposed rule 10CFR2, "Petition for RM; Procedure for Submission."
THOMAS,G.S. Duquesne Light Co. 95/06/13. Office of the Secretary of the Commission. 1p. 84454:001-84454:001.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

P. Operating license stage documents & correspondence

9506020114 Forwards amended TS pages reflecting non-intent editorial changes including latest 10CFR20 refs for TS Change Requests 175 & 37.
THOMAS,G.S. Duquesne Light Co. 95/05/23. Document Control Branch (Document Control Desk). 7pp. 84182:108-84182:217.

--**9506020125** Proposed tech specs reflecting non-intent editorial changes including latest 10CFR20 refs.
* Duquesne Light Co. 95/05/23. 100pp. 84182:115-84182:217.

9506150145 Forwards change to bases of plant TS 3/4.1.2 which would revise second sentence of first paragraph on page B 3/4 1-3.NRC has no objection to proposed change.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. CROSS,J.E. Duquesne Light Co. 5pp. 84329:279-84329:283.

9506210371 Forwards Environmental Assessment of request for exemption from paragraph III.D.2.(b)(ii) of 10CFR50,App J.Proposed exemption would allow util to substitute local leak rate testing for overall air lock leakage test.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/06/02. CROSS,J.E. Duquesne Light Co. 2pp. 84379:341-84379:348.

--**9506210378** Environ assessment & finding of no significant impact re exemption from certain requirements of paragraph III.D.2.(b)(ii) of 10CFR50,App J.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/02. 5pp. 84379:343-84379:348.

9506130275 Forwards "Cycle 11 Startup Test Rept" per TS 6.9.1.3 item.
THOMAS,G.S. Duquesne Light Co. 95/06/06. Document Control Branch (Document Control Desk). 1p. 84303:229-84303:241.

--**9506130278** "Cycle 11 Startup Physics Test Rept."
COLUSSY,K.A., DUICK,A.M., ZUPSIC,G.F. Duquesne Light Co. 95/06/06. 12pp. 84303:230-84303:241.

9506190463 Forwards summary of exam conducted on Beaver Valley Unit 1 SG tubing,providing tenth refueling outage SG tube results.
THOMAS,G.S. Duquesne Light Co. 95/06/06. Document Control Branch (Document Control Desk). 35pp. 84374:276-84374:310.

9506230365 Advises that util 930608 repts WCAP-13349 & WCAP-12141,rev 1 will be withheld from public disclosure ref 10CFR2.790.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/06/12. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84429:343-84429:346.

9506220111 Forwards typed pages for TS changes 209 & 76 to licenses DPR-66 & NPF-73,respectively.
THOMAS,G.S. Duquesne Light Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84420:353-84420:359.

--**9506220114** Proposed tech spec changes 209 & 76 to licenses DPR-66 & NPF-73.
* Duquesne Light Co. 95/06/15. 5pp. 84420:355-84420:359.

9506280234 Forwards rev 12a,issue 2 to "Duquesne Light Co Beaver Valley Power Station Unit 1 IST Program for Pumps & Valves."
THOMAS,G.S. Duquesne Light Co. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84492:001-84492:216.

--**9506280239** Rev 12A,Issue 2 to "Duquesne Light Co Beaver Valley Power Station Unit 1 IST Program for Pumps & Valves."
* Duquesne Light Co. 95/03/24. 215pp. 84492:011-84492:216.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506080001 Forwards "ISI Ninety-Day Rept Beaver Valley Power Station Unit 1."
THOMAS,G.S. Duquesne Light Co. 95/05/30. Document Control Branch (Document Control Desk). 1p. 84224:001-84224:311.

--**9506080002** "ISI Ninety-Day Rept Beaver Valley Power Station Unit 1."
* Duquesne Light Co. 95/05/17. 310pp. 84224:002-84224:311.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190465 Forwards "Beaver Valley Unit 1 Interim Plugging Criteria 90 Day Rept," providing SG tube insp supporting info.
THOMAS,G.S. Duquesne Light Co. 95/06/09. Document Control Branch (Document Control Desk). 1p. 84373:092-84373:177.

--**9506190466** "Beaver Valley Unit 1 Interim Plugging Criteria 90 Day Rept."
* Duquesne Light Co. 95/05/31. 85pp. 84373:093-84373:177.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506020148 NPDES monthly repts for Apr 1995 for Beaver Valley Power Station.W/ 950522 ltr.
ORNDORF,D., NOONAN,T.P. Duquesne Light Co. 95/04/30. 31pp. 84165:111-84165:141.

9506200009 Monthly operating repts for May 1995 for Beaver Valley Power Station Units 1 & 2.W/950608 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 95/05/31. 10pp. 84404:258-84404:267.

V. Operator Examinations

9506130171 Advises NRC that AD Konopka has completed On-shift Individual License Re-activation Program to restore SRO license for Unit 1 to active status.
THOMAS,G.S. Duquesne Light Co. 95/06/01. Document Control Branch (Document Control Desk). 1p. 84299:358-84299:358.

9506130175 Advises NRC that AW Hartner has completed On-shift Individual License Re-activation Program to restore SRO license for Unit 1 to active status.
THOMAS,G.S. Duquesne Light Co. 95/06/01. Document Control Branch (Document Control Desk). 1p. 84288:356-84288:356.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506070692 Revised EPIPs,including Rev 27 to 3100022E,Rev 16 to 3100025E & Rev 14 to 3100250E.W/950530 ltr.
SAGER,D.A. Florida Power & Light Co. 95/05/30. 44pp. 84238:252-84238:295.

9506090344 Informs that on 950503,upon completion of scheduled annual emergency drill,including full scale siren activation & sounding,notifications received from public that siren not heard.Siren sys checked & deemed operational on 950505.
SAGER,D.A. Florida Power & Light Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84249:327-84249:328.

9506220032 Rev 3 to EPIP 1302, "PTN/PSL Core Damage Assessment."
GOLDBERG,R.A., BOHLKE,W.H. Florida Power & Light Co. 95/06/16. 130pp. 84419:145-84419:274.

9506220159 Revised EPIPs,including rev 37 to EPIP 3100021E & re 27 to EPIP HP-90.W/950617 ltr.
SAGER,D.A. Florida Power & Light Co. 95/06/17. 79pp. 84420:001-84420:079.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506080019 Amend 14 to updated FSAR for St Lucie Unit 1.W/950525 ltr.
SAGER,D.A. Florida Power & Light Co. 95/06/30. 579pp. 84246:001-84247:215.

P. Operating license stage documents & correspondence

9506090223 Discusses RG 1.97 re proposed mod to wide range SG level instrument.
SAGER,D.A. Florida Power & Light Co. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84268:351-84268:351.

9506130002 Responds to BNL 950502 ltr requesting joint frequency distribution of wind direction,speed & stability at St Lucie plant for CY94.Info encl.
SAGER,D.A. Florida Power & Light Co. 95/06/01. TICHLER,J. Brookhaven National Laboratory. 16pp. 84298:330-84298:345.

9506230255 Forwards amends 135 & 75 to licenses DPR-67 & NPF-16, respectively & SE.Amends relocate operability requirements for Incore Detectors in TS 3/4.3.3.2 to Updated Final Safety Analysis Rept.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84422:306-84422:340.

--9506230263 Amends 136 & 75 to licenses DPR-67 & NPF-16,respectively, relocating operability requirements for Incore Detectors in TS 3/4.3.2 to Updated Final Safety Analysis Rept.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. 24pp. 84422:310-84422:335.

--9506230268 Safety evaluation supporting amends 136 & 75 to licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/06. 5pp. 84422:336-84422:340.

9506160171 Forwards annual update of topical QA rept (TQAR),including summary of changes to TQAR since 950630,marked up version of TQAR showing changes since last annual submittal & current TQAR including revs issued through rev 41 dtd 941123.
GEIGER,J.E. Florida Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 36pp. 84372:059-84372:231.

--9506160176 Rev 41 to "Topical QA Rept."
* Florida Power & Light Co. 94/11/23. 136pp. 84372:096-84372:231.

9506190218 Submits verification of seismic adequacy of mechanical & electrical equipment in operating reactors.
BOHLKE,W.H. Florida Power & Light Co. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84385:345-84385:346.

9506220175 Forwards FL Dept of Environ Protection 950601 order combining NPDES permit w/State wastewater permit.
SAGER,D.A. Florida Power & Light Co. 95/06/17. Document Control Branch (Document Control Desk). 7pp. 84436:267-84436:273.

9506230229 Application for amends to licenses DPR-67 & NPF-16.Amends would extend allowed outage time for inoperable EDGs.
SAGER,D.A. Florida Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 12pp. 84470:268-84470:340.

--9506230230 Proposed tech specs re extended allowed outage time for EDGs.
* Florida Power & Light Co. 95/06/21. 15pp. 84470:280-84470:294.

--9506230231 "Joint Applications Rept for EDGs AOT Extension."
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CE NPSD-996. 95/05/31. 46pp. 84470:295-84470:340.

9506230233 Application for amends to licenses DPR-67 & NPF-16.Amends would allow up to seven days to restore an inoperable LPSI train to operable status.
SAGER,D.A. Florida Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 12pp. 84470:202-84470:267.

--9506230234 Proposed tech specs re time allowed to restore inoperable LPSI train to operable status.
* Florida Power & Light Co. 95/06/21. 14pp. 84470:214-84470:227.

--9506230235 "Joint Applications Rept for LPSI Sys AOT Extension."
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CE NPSD-995. 95/05/31. 39pp. 84470:228-84470:267.

9506280114 Application for amends to licenses DPR-67 & NPF-16.Amends would revise action statements & certain surveillances of TS 3/4.5.1 re safety injection tanks.
SAGER,D.A. Florida Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 15pp. 84492:217-84492:285.

--9506280119 Proposed tech specs re safety injection tank surveillances.
* Florida Power & Light Co. 95/06/21. 20pp. 84492:232-84492:252.

--9506280128 "Joint Applications Rept for Safety Injection Tank AOT/STI Extension."
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CE NPSD-994. 95/05/31. 33pp. 84492:253-84492:285.

9506280387 Forwards amends 137 & 77 to licenses DPR-67 & NPF-16, respectively & SE.Amends eliminate ref to automatic containment air lock tester from TS 4.6.1.3.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84458:335-84458:350.

--9506280412 Amends 137 & 77 to licenses DPR-67 & NPF-16,respectively, eliminating ref to automatic containment air lock tester from TS 4.6.1.3.
MATHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. 10pp. 84458:338-84458:347.

--9506280429 Safety evaluation supporting amends 137 & 77 to licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 3pp. 84458:348-84458:350.

9506280390 Forwards response to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes." Supportive EPRI 950526 ltr to NEI also encl.
SAGER,D.A. Florida Power & Light Co. 95/06/23. Document Control Branch (Document Control Desk). 15pp. 84492:327-84492:341.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506190430 Forwards insp repts 50-335/95-05 & 50-389/95-05 on 950320-0428 & notice of violation.
CASTO,C. Region 2 (Post 820201). 95/06/06. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84343:246-84343:275.

--9506190441 Notice of violation from insp on 950320-0428.Violation noted:installed overload heaters less conservative than model number required by PC/M.
* Region 2 (Post 820201). 95/05/06. 1p. 84343:249-84343:249.

--9506190446 Insp repts 50-335/95-05 & 50-389/95-05 on 950320-0428. Violations noted.Major areas inspected:engineering & technical support & follow up on previous insp findings.
THOMAS,M., SHYMLOCK,M. Region 2 (Post 820201). 95/06/05. 26pp. 84343:250-84343:275.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506070227 "St Lucie Unit 1 Rept of Changes Made to Facility Under Provisions of 10CFR50.59 for Period 930618-941201." W/950531 ltr.
SAGER,D.A. Florida Power & Light Co. 94/12/01. 124pp. 84239:001-84239:124.

9506190301 Monthly operating repts for May 1995 for St Lucie.W/950609 ltr.
ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 95/05/31. 9pp. 84374:337-84374:345.

S. Reportable occurrences, LERs & related correspondence

9506230059 Special rept:on 950517,1B EDG engine start failure alarm sounded 30 min into surveillance run.Caused by failure of one cylinder.1B EDG declared out of svc.Failed governer assembly replaced.Failed assembly sent out for insp.
SAGER,D.A. Florida Power & Light Co. 95/06/17. Document Control Branch (Document Control Desk). 8pp. 84474:293-84474:300.

9506290125 LER 95-002-00:on 950517,1B EDG failed seventh surveillance test due to governor failure.Cause due to misinterpretation of TS requirements re surveillance.EDG surveillance procedure revised.W/950622 ltr.
SCISCENTE,R.C., SAGER,D.A. Florida Power & Light Co. 95/06/22. 5pp. 84508:211-84508:215.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506150008 Revised EPIPs,including rev 4 to Form 4400-1,rev 3 to Form 4400-2,rev 3 to Form 4400-3,rev 1 to EPOP 4413,rev 3 to EPOP 4424,rev 2 to EPOP 4426,rev 2 to Form 4426-1,rev 2 to Form 4426-2,rev 2 to Form 4430-1 & rev 2 to Form 4430-2.
* Northeast Nuclear Energy Co. 95/05/30. 259pp. 84353:020-84353:278.

9506140008 Revised EPIPs,including rev 3 to EPIP 4400,rev 1 to EPIP 4404 & revised Table of Contents.
* Northeast Nuclear Energy Co. 95/06/01. 105pp. 84337:149-84337:253.

9506200131 Notification of significant meeting 95-59 w/util on 950620 to review history,specific details & recent activities re mods & upgrade of plant engineered safeguards actuation sys.
BARKLEY,R. Region 1 (Post 820201). 95/06/09. Region 1 (Post 820201). 5pp. 84347:260-84347:264.

9506190475 Forwards ERDS data point ref file for change to ERDS data point for total reactor flow,reflecting bounding expected max instrument range & providing detailed description of calculated parameter.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/13. Document Control Branch (Document Control Desk). 3pp. 84386:310-84386:312.

9506220086 Forwards Rev 29 to Haddam Neck Plant Emergency Plan & Rev 17 to Millstone Nuclear Power Station Emergency Plan.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/13. Document Control Branch (Document Control Desk). 387pp. 84438:007-84439:029.

9506220003 Rev 17 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 95/06/30. 158pp. 84437:197-84437:354.

G. Adjudicatory correspondence

9506140336 Responds to 940303 petition under 10CFR2.206 re receipt insp activites by plants.Petition alleges that adequate training,skilled personnel & necessary tools not available to perform adequate receipt insps.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. GAVENSKY,R. Affiliation Not Assigned. 6pp. 84311:042-84311:166.

--9506140343 Notice of issuance of Director's Decision under 10CFR2.206 petition re receipt insp activites at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:048-84311:049.

--9506140359 Director's Decision DD-95-11 petition under 10CFR2.206 re receipt insp activities at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. Northeast Utilities. 16pp. 84311:050-84311:166.

H. General correspondence

9506150006 Responds to facsimile received on 950515 re ltr from Northeast Util.Advises that ltr dtd 950315 has not yet been placed in PDR.
ROSANO,R. Ofc of Enforcement (Post 870413). 95/05/15. ROSS,A.J. Affiliation Not Assigned. 1p. 84288:013-84288:013.

9506090043 Comment opposing draft NUREG/BR-0199, "Responsiveness to Public."
OPEKA,J.F. Northeast Utilities Service Co. 95/05/30. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84207:101-84207:103.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506290136 Rev 13 to updated FSAR for Millstone Nuclear Power Station Unit 2.W/ 950609 ltr.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/09. 918pp. 84489:001-84491:190.

P. Operating license stage documents & correspondence

9506130300 Expresses appreciation for prompt follow-up re conversation on Connecticut Yankee SW issue.
KACICH,R.M. Northeast Nuclear Energy Co. 95/05/15. Region 1 (Post 820201). 1p. 84299:356-84299:356.

9506080392 Summary of 950502 meeting w/RE Busch,JF Opeka & RM Kacich re status of activities at Millstone,Haddam Neck & Seabrook facilities.
MCWHORTER,R. Commissioners (Post 750119). 95/05/22. Commissioners (Post 750119). 1p. 84381:156-84381:156.

9506050104 Advises that all CONI Procedures will be canceled effective 950601.
RODGERS,R.C. Northeast Nuclear Energy Co. RODGERS,R.C. Northeast Utilities Service Co. 95/05/23. Northeast Nuclear Energy Co. 1p. 84237:316-84237:316.

9506080476 Requests NRC review of previous submittals as cost beneficial licensing actions.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 95/05/26. Document Control Branch (Document Control Desk). 4pp. 84227:194-84227:197.

9506130456 Application for amend to license DPR-65,modifying TS 3.8.1.1, "Electrical Power Sys,AC Sources,Operating" 3.8.1.2, "Electrical Power Sys,Shutdown" & 3.8.2.2, "Electrical Power Sys,AC Distribution - Shutdown."
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/26. Document Control Branch (Document Control Desk). 9pp. 84303:251-84303:268.

--9506130458 Proposed tech specs 3.8.1.1, "Electric Power Sys,AC Sources, Operating," 3.8.1.2, "Electrical Power Sys,Shutdown" 3.8.2.2, "Electrical Power Sys,AC Distribution - Shutdown."
* Northeast Nuclear Energy Co. 95/05/26. 9pp. 84303:260-84303:268.

9506120006 Notification of significant licensee meeting 95-56 w/util on 950614 in East Lyme,CT to discuss plant restart process. NRC requests that questions re start process be submitted in writing prior to start of meeting.
NICHOLSON,L. Region 1 (Post 820201). 95/05/30. Region 1 (Post 820201). 1p. 84221:021-84221:022.

9506090188 Submits follow up to telcon w/D Rosano on 950523 re 10CFR2.206 petition filed by A Ross.
GRAY,J.R. Ofc of Enforcement (Post 870413). 95/06/05. KACICH,R.M. Northeast Nuclear Energy Co. 2pp. 84249:309-84249:310.

9506130138 Application for amends to licenses DPR-61,DPR-21,DPR-65 & NPF-49.Amends would modify size of PORC & clarify composition of Site Operations Review Committee.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/06. Document Control Branch (Document Control Desk). 10pp. 84303:269-84303:304.

--9506130142 Proposed tech specs re mod of size of PORC & clarification of Site Operations Review Committee.
* Connecticut Yankee Atomic Power Co. * Northeast Nuclear Energy Co. * Northeast Utilities Service Co. 95/06/06. 26pp. 84303:279-84303:304.

9506130164 Commits util to meeting w/NRC to discuss activities related to design mod & upgrade of ESAS at Millstone Unit 2.Meeting will be held at plant prior to startup of Unit 2.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/06. Document Control Branch (Document Control Desk). 3pp. 84301:350-84301:352.

9506140131 Forwards plant restart action plan,per NRC Insp Manual Chapter 0350, "Staff Guidelines for Restart Approval."
COOPER,R.W. Region 1 (Post 820201). 95/06/06. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84268:063-84268:084.

--9506140136 Requests approval of encl plant restart action plan,per NRC Insp Manual Chapter 0350, "Staff Guidelines for Restart Approval." Action plan approved.
COOPER,R. Region 1 (Post 820201). VARGA,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/03/28. MARTIN,T.T. Region 1 (Post 820201). ZIMMERMAN,R. Associate Director for Projects (ADPR) (Post 941001). 19pp. 84268:066-84268:084.

9506230017 Discusses potential single failure deficiencies re dampers AC-1 & AC-11 & encl building secondary containment integrity.
DOYLE,T.A., CRANDALL,R.A., SCHMIDT,R. Northeast Nuclear Energy Co. 95/06/06. NECCI,R.P. Northeast Nuclear Energy Co. 15pp. 84474:165-84474:240.

--9506230018 "Encl Building Purge Sys & Encl Building Filtration Sys Design Evaluation."
* Stone & Webster Engineering Corp. 95/04/30. 27pp. 84474:186-84474:212.

--9506230021 "Integrated Safety Assessment Program PRA Public Safety Analysis Rept."
ROTHERT,J.K., WEERAKKODY,S.D. Northeast Nuclear Energy Co. 95/05/25. 7pp. 84474:213-84474:240.

9506140050 Forwards documentation describing details of activities at plant & requests written response to NRC concern in 30 days. W/o encl.
COOPER,R.W. Region 1 (Post 820201). 95/06/07. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84267:206-84267:208.

9506130089 Transmits annual rept of changes to QA program proposed Rev 18 to util QA program TR.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 95/06/08. Document Control Branch (Document Control Desk). 2pp..3. 84337:010-84337:137.

--9506130095 "Annual Reporting of Changes to QA Program Proposed Rev 18 to Northeast Utilities QA Program TR."
* Northeast Nuclear Energy Co. 95/06/08. 125pp. 84337:012-84337:137.

9506200065 Forwards details of concerns re activities at plant for review & followup.Advises that encl to ltr should be controlled & distribution limited per 10CFR2.790(a).W/o encl.
COOPER,R.W. Region 1 (Post 820201). 95/06/09. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84350:031-84350:034.

9506200131 Notification of significant meeting 95-59 w/util on 950620 to review history,specific details & recent activities re mods & upgrade of plant engineered safeguards actuation sys.
BARKLEY,R. Region 1 (Post 820201). 95/06/09. Region 1 (Post 820201). 5pp. 84347:260-84347:264.

9506230379 Requests addl info re emergency diesel generator fuel oil supply.
VISSING,G.S. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/12. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 5pp. 84429:350-84429:354.

9506280077 Summary of 950317 meeting w/util to discuss lingering performance problems at plant,including handling of employee concerns,procedural adherence,corrective action process effectiveness,competition & communication between units.
MARTIN,T.T. Region 1 (Post 820201). 95/06/19. ELLIS,W.B. Northeast Nuclear Energy Co. 2pp. 84441:190-84441:191.

Q. Inspection reports, IE Bulletins & correspondence

9506150001 EN-95-035:on 950524,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on violations associated w/failure to identify that containment sump recirculation valves susceptable.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/19. 1p. 84288:001-84288:001.

9506070481 Forwards insp repts 50-336/94-201 & 50-423/94-204.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/24. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84210:285-84210:304.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506120001 Notification of significant licensee meeting 95-55 w/util on 950614 in Waterford,CT to present RATI results of insp to NU mgt & provide preliminary conclusions relative to restart of plant based on insp findings.
NICHOLSON,L. Region 1 (Post 820201). 95/05/30. Region 1 (Post 820201). 1p. 84221:001-84221:002.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506140336 Responds to 940303 petition under 10CFR2.206 re receipt insp activites by plants.Petition alleges that adequate training,skilled personnel & necessary tools not available to perform adequate receipt insps.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31.
GAVENSKY,R. Affiliation Not Assigned. 6pp. 84311:042-84311:166.

--9506140343 Notice of issuance of Director's Decision under 10CFR2.206 petition re receipt insp activites at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:048-84311:049.

--9506140359 Director's Decision DD-95-11 petition under 10CFR2.206 re receipt insp activities at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. Northeast Utilities. 16pp. 84311:050-84311:166.

9506120466 Forwards insp repts 50-245/95-19,50-336/95-19 & 50-423/95-19 on 950508-12.Violation noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/02. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84279:337-84279:354.

--9506120471 Notice of violation from insp on 950508-12.Violation noted: radiation survey meter,contaminated w/loose surface contamination of approx 1,400 disintegrations per minute per 100 centimeters squared found in non-contaminated area.
* Region 1 (Post 820201). 95/06/06. 1p. 84279:340-84279:340.

--9506120472 Insp repts 50-245/95-19,50-336/95-19 & 50-423/95-19 on 950508-12.Violation noted.Major areas inspected:radiological controls for Millstone Unit 3 refueling outage,including action on previous insp findings,organization & staffing.
NIMITZ,R.L. Region 1 (Post 820201). 95/05/31. 14pp. 84279:341-84279:354.

9506140055 Requests permission to use an alternative to ASME Boiler & PV Code,Section XI Edition & Addenda of each plant ISI program.Util seeks approval to use provisions of Code Case N-508-1.
SCACE,S.E. Connecticut Yankee Atomic Power Co. SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities Service Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84339:005-84339:007.

9506140066 Requests NRC Staff approval to use an alternative to ASME Code Section XI.Util seeks permission to utilize Code Case N-524 re plants ISI program.
SCACE,S.E. Connecticut Yankee Atomic Power Co. SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities Service Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84339:032-84339:034.

9506140070 Provides info re Unit 2 insp program of critical welds on heavy lift rigs.Second 10-year insp interval re welds will be completed during present refueling outage.
SCACE,S.E. Northeast Nuclear Energy Co. SCACE,S.E. Northeast Utilities Service Co. 95/06/02. Document Control Branch (Document Control Desk). 8pp. 84339:038-84339:045.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506140131 Forwards plant restart action plan,per NRC Insp Manual Chapter 0350, "Staff Guidelines for Restart Approval."
COOPER,R.W. Region 1 (Post 820201). 95/06/06. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84268:063-84268:084.

--9506140136 Requests approval of encl plant restart action plan,per NRC Insp Manual Chapter 0350, "Staff Guidelines for Restart Approval." Action plan approved.
COOPER,R. Region 1 (Post 820201). VARGA,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/03/28. MARTIN,T.T. Region 1 (Post 820201). ZIMMERMAN,R. Associate Director for Projects (ADPR) (Post 941001). 19pp. 84268:066-84268:084.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140063 Refers to 950419 SOL Decision & Order in J Delcore vs WJ Barney & NNECO case (89-ERA-38).SOL found in Delcore favor in case.
MARATIN,T. Region 1 (Post 820201). 95/06/07. . 2pp. 84267:234-84267:236.

9506140121 Discusses Secretary of Labor Decision & Order dtd 950419 re util & DOL case 89-ERA-38 concerning alleged discrimination of J Delcore during offer for monetary settlement.
MARTIN,T.T. Region 1 (Post 820201). 95/06/07. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84268:056-84268:059.

9506190356 Notifies NRC of inability to completely satisfy requirements for second 10-yr ISI augmented exam of reactor pressure vessel at Millstone Unit 2 & requests authorization to not perform any addl or alternative exams.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/09. Document Control Branch (Document Control Desk). 31pp. 84374:122-84374:152.

9506200022 Forwards response to NRC 950510 ltr re violations noted in insp repts 50-336/95-11 & 50-423/95-11 on 950320-31. Corrective actions:PDCR MP3-94-079 was revised per NU design control manual.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 95/06/09. Document Control Branch (Document Control Desk). 5pp. 84405:015-84405:019.

9506190474 Responds to NRC 950428 ltr re violation noted in insp repts 50-245/95-14 & 50-336/95-14.C/A:examining physician made aware of reporting requirements of 10CFR55.25 & licensed operators reminded of individual responsibilities.
OPEKA,J.F., MILLER,D.B. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/12. Document Control Branch (Document Control Desk). 6pp. 84374:346-84374:351.

9506200271 Responds to NRC 950426 ltr re violations noted in insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321. Corrective actions:all operators have been qualified for SCBA use & required number & spare bottles verified.
OPEKA,J.F., MILLER,D.B. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/12. Document Control Branch (Document Control Desk). 24pp. 84406:141-84406:164.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280004 Informs that licensee did not provide corrective actions to preclude recurrence of violation for failure to verify closed position on unit 3 charging sys valve in response to insp repts 50-245/94-35,50-336/94-34 & 50-423/94-31.
DURR,J.P. Project Directorate I-4 (PD1-4) (Post 941001). 95/06/20. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84441:016-84441:026.

--9506280007 Responds to safety insp 50-245/94-35,50-336/94-34 & 50-423/94-31 on 941116-1231 re two violations identified.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/02/21. Project Directorate I-4 (PD1-4) (Post 941001). 8pp. 84441:019-84441:026.

9506300030 Forwards insp repts 50-245/95-09,50-336/95-09 & 50-423/95-09 on 950410-21.No violations noted.
KELLY,E.M. Region 1 (Post 820201). 95/06/23. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84470:142-84470:159.

--9506300033 Insp repts 50-245/95-09,50-336/95-09 & 50-423/95-09 on 950410-21.No violations noted.Major areas inspected: procurement program including parts,component & matls dedication & unit 2 sys components downgrading programs.
FINKEL,A., BEAULIEU,D., NAIDU,K.R. Region 1 (Post 820201). 95/06/20. 16pp. 84470:144-84470:159.

R. Periodic operating reports & related correspondence

9506120325 Forwards Rev 8 to updated FSAR & addendum to "Millstone Nuclear Power Station Units 1,2 & 3 Annual Rept Jan-Dec 1994.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84290:001-84296:108.

--9506120331 Addendum to "Millstone Nuclear Power Station Units 1,2 & 3 Annual Rept."
* Northeast Nuclear Energy Co. 94/12/31. 2pp. 84290:003-84290:004.

9506210067 Monthly operating repts for May 1995 for Millstone Nuclear Power Station Units 1,2 & 3.W/950614 ltr.
NEWBURGH,G., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/31. 17pp. 84419:126-84419:142.

S. Reportable occurrences, LERs & related correspondence

9506010275 Special rept:on 950414,plant shutdown for refueling outage & on 950416 seismic monitoring sys was declared inoperable for automated work order action.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/26. Document Control Branch (Document Control Desk). 1p. 84172:300-84172:300.

9506080081 LER 95-017-00:on 950503,contract individual assigned as continous fire watch found sleeping in West 480 Volt switch gear room.Caused by personnel error.Individual replaced & chairs removed from location.W/950530 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/30. 4pp. 84222:021-84222:024.

9506130153 LER 95-018-00:on 950510,determined that plant entered Mode 6 from defueled condition w/o satisfying TS 3.8.1.2.Caused by design error by contact reader mfg.Mods made to ESFAS components.W/950607 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/06/07. 4pp. 84312:157-84312:160.

9506200310 LER 95-019-00:on 950514,hydraulic snubber support in shutdown cooling sys determined to be inoperable due to bent extension piece rod.Root cause of event being investigated. Extension piece rod replaced.W/950612 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/06/12. 4pp. 84404:024-84404:027.

9506200306 LER 95-020-00:on 950516,automatic actuation of ESF occurred during maint due to inadequate design of ESFAS circuitry for maint.Fans F25A & F32A secured & possible changes to ESFAS sys will be investigated.W/950613 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/06/13. 4pp. 84404:020-84404:023.

9506280138 LER 95-021-00:on 950517,design error confirmed to be present in ESAS.Caused by ESAS design deficiency.Delay circuit installed on SIAS actuation module relay output.W/950616 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/06/16. 4pp. 84483:340-84483:343.

9506290266 LER 95-022-00:on 950519,design discrepancy identified in containment hydrogen monitoring sys.Caused by inadequate original plant design.Design mod started.W/950619 ltr.
LUTZI,P.J., MILLER,D.B., BOUCHARD,G.H. Northeast Nuclear Energy Co. 95/06/19. 4pp. 84506:285-84506:288.

V. Operator Examinations

9506190474 Responds to NRC 950428 ltr re violation noted in insp repts 50-245/95-14 & 50-336/95-14.C/A:examining physician made aware of reporting requirements of 10CFR55.25 & licensed operators reminded of individual responsibilities.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/06/12. Document Control Branch (Document Control Desk). 6pp. 84374:346-84374:351.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506020254 Forwards SSER accepting util emergency response capability conformance to Reg Guide 1.97,Rev 2 & proposed deviations re instrumentation for monitoring containment spray flow & SG pressure.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84146:073-84146:077.

--9506020262 SSER accepting util justification for deviations from Reg Guide 1.97,Rev 2 for instrumentation that monitors containment sump water temp since appropriate alternative capability provided.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 3pp. 84146:075-84146:077.

9506200233 Advises that rev 17 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/06/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84349:249-84349:251.

9506130280 Forwards info re independent spent fuel storage installation emergency plan.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 7pp. 84296:286-84296:292.

J. Insurance & indemnity information

9506060501 Forwards certified endorsements of ANI/MAELU Nuclear Liability Insurance Policies for Surry & North Anna Power Stations.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/06/01. Office of Nuclear Reactor Regulation (Post 941001). 9pp. 84209:310-84209:318.

P. Operating license stage documents & correspondence

9506020254 Forwards SSER accepting util emergency response capability conformance to Reg Guide 1.97,Rev 2 & proposed deviations re instrumentation for monitoring containment spray flow & SG pressure.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84146:073-84146:077.

--9506020262 SSER accepting util justification for deviations from Reg Guide 1.97,Rev 2 for instrumentation that monitors containment sump water temp since appropriate alternative capability provided.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 3pp. 84146:075-84146:077.

9506050168 Forwards util technical rept NE-1024,Rev 0, entitled "North Anna Unit 2,Cycle 10 Core Performance Rept."
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 95/05/31. Document Control Branch (Document Control Desk). 1p. 84183:001-84183:057.

--9506050171 Rev 0 to NE-1024, "North Anna Unit 2,Cycle 10 Core Performance Rept," dtd May 1995.
CLEMENS,C.D., VILLAFLOR,R.F., BROOKMIRE,T.A. Virginia Power (Virginia Electric & Power Co.). NE-1024 R00. 95/05/12. 56pp. 84183:002-84183:057.

9506090131 Forwards correction to pressure isolation valve list & testing criteria for North Anna Unit 1,in response to GL 87-06, "Periodic Verification of Leak Tight Integrity of Pressure Isolation Valves."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/06/01. Document Control Branch (Document Control Desk). 4pp. 84249:296-84249:299.

9506210030 Forwards info received by Region II personnel.Requests review of info & response within 45 days of receipt of this ltr.Info withheld (ref 10CFR2.790).
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/08. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84357:118-84357:119.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506130114 Forwards rev 6 to second ten-yr interval ISI program plan.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/05. Document Control Branch (Document Control Desk). 2pp. 84315:321-84317:314.

--9506130118 Rev 5 to second 10-yr interval ISI program plan.
* Virginia Power (Virginia Electric & Power Co.). 95/04/30. 720pp. 84315:323-84317:314.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506160268 Forwards response to NRC 950511 ltr re violations noted in insp repts 50-338/95-04 & 50-339/95-04 on 950319-0415. Corrective actions:provided plant data for event to Westinghouse to perform technical evaluation.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 5pp. 84364:356-84364:360.

9506280097 Forwards insp repts 50-338/95-08 & 50-339/95-08 on 950416- 0520.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/06/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 6pp. 84441:242-84441:267.

--9506280108 Insp repts 50-338/95-08 & 50-339/95-08 on 950416-0520.No violations noted.Major areas inspected:plant status,plant operations,maint/surveillance observations,on-site engineering & plant support activities.
TINGEN,S., BELISLE,G.A. Region 2 (Post 820201). 95/06/08. 18pp. 84441:248-84441:267.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280208 Ack receipt of 950608 ltr informing NRC of steps taken to correct violations noted in insp rept 50-338/95-04 & 50-339/95-04.
LANDIS,K.D. Region 2 (Post 820201). 95/06/20. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84442:205-84442:207.

R. Periodic operating reports & related correspondence

9506190272 Monthly operating repts for May 1995 for North Anna Power Station Units 1 & 2.W/950608 ltr.
STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/05/31. 12pp. 84374:325-84374:336.

V. Operator Examinations

9506060330 Discusses manning for simulator training/requalification exams.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84210:265-84210:266.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506020254 Forwards SSER accepting util emergency response capability conformance to Reg Guide 1.97,Rev 2 & proposed deviations re instrumentation for monitoring containment spray flow & SG pressure.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84146:073-84146:077.

--9506020262 SSER accepting util justification for deviations from Reg Guide 1.97,Rev 2 for instrumentation that monitors containment sump water temp since appropriate alternative capability provided.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 3pp. 84146:075-84146:077.

9506200233 Advises that rev 17 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/06/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84349:249-84349:251.

9506130280 Forwards info re independent spent fuel storage installation emergency plan.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 7pp. 84296:286-84296:292.

J. Insurance & indemnity information

9506060501 Forwards certified endorsements of ANI/MAELU Nuclear Liability Insurance Policies for Surry & North Anna Power Stations.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/06/01. Office of Nuclear Reactor Regulation (Post 941001). 9pp. 84209:310-84209:318.

P. Operating license stage documents & correspondence

9506020254 Forwards SSER accepting util emergency response capability conformance to Reg Guide 1.97,Rev 2 & proposed deviations re instrumentation for monitoring containment spray flow & SG pressure.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84146:073-84146:077.

--9506020262 SSER accepting util justification for deviations from Reg Guide 1.97,Rev 2 for instrumentation that monitors containment sump water temp since appropriate alternative capability provided.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 3pp. 84146:075-84146:077.

9506210030 Forwards info received by Region II personnel.Requests review of info & response within 45 days of receipt of this ltr.Info withheld (ref 10CFR2.790).
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/08. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84357:118-84357:119.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506160268 Forwards response to NRC 950511 ltr re violations noted in insp repts 50-338/95-04 & 50-339/95-04 on 950319-0415. Corrective actions:provided plant data for event to Westinghouse to perform technical evaluation.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 5pp. 84364:356-84364:360.

9506280097 Forwards insp repts 50-338/95-08 & 50-339/95-08 on 950416- 0520.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/06/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 6pp. 84441:242-84441:267.

–9506280108 Insp repts 50-338/95-08 & 50-339/95-08 on 950416-0520.No violations noted.Major areas inspected:plant status,plant operations,maint/surveillance observations,on-site engineering & plant support activities.
TINGEN,S., BELISLE,G.A. Region 2 (Post 820201). 95/06/08. 18pp. 84441:248-84441:267.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280208 Ack receipt of 950608 ltr informing NRC of steps taken to correct violations noted in insp rept 50-338/95-04 & 50-339/95-04.
LANDIS,K.D. Region 2 (Post 820201). 95/06/20. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84442:205-84442:207.

R. Periodic operating reports & related correspondence

9506190272 Monthly operating repts for May 1995 for North Anna Power Station Units 1 & 2.W/950608 ltr.
STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/05/31. 12pp. 84374:325-84374:336.

S. Reportable occurrences, LERs & related correspondence

9506290166 Special rept:on 950528,RCS was filled to solid water conditions during start-up activities following recent refueling outage.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84499:333-84499:334.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

9506090308 Responds to NRC 950504 ltr re violation noted in insp rept 50-341/95-04.Corrective actions:inconsistency in drywell cooling water restoration support procedure corrected & remaining seven emergency support procedures reviewed.
GIPSON,D.R. Detroit Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 5pp. 84272:074-84272:078.

9506200369 Responds to NRC 950418 ltr,confirmimg that w/listed differences,mods described in util 940211 ltr re removal, replacement & reclassification of Thermo-Lag 300-1 fire barriers at facility implemented,per GL 92-08.
GIPSON,D.R. Detroit Edison Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84404:347-84404:348.

H. General correspondence

9506190001 Comment supporting proposed rule 10CFR70 re change to NPP security requirements associated w/containment access control.
GOODMAN,L.S. Detroit Edison Co. 95/06/09. Docketing & Services Branch. 2pp. 84320:001-84320:002.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506230034 Forwards revised instructions & UFSAR replacement & addl pages for Rev 7.
GOODMAN,L.S. Detroit Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84474:309-84474:363.

–9506230037 Rev 7 to instructions & replacement/addl pages to Fermi 2 UFSAR.
* Detroit Edison Co. 95/06/07. 47pp. 84474:311-84474:363.

P. Operating license stage documents & correspondence

9506090352 Forwards amend 104 to license NPF-43 & safety evaluation. Amend relocates quality assurance program audit frequency requirements from TS to quality assurance program.Change to TS 6.5.2.8.f unacceptable & denied,per util 940802 ltr.
COLBURN,T.G. . 95/05/23. GIPSON,D.R. Detroit Edison Co. 4pp. 84264:345-84264:358.

–9506090367 Amend 104 to license NPF-43,relocating quality assurance program audit frequency requirements from TS to quality assurance program.
COLBURN,T.G. . 95/05/23. 5pp. 84264:349-84264:353.

–9506090378 Safety evaluation supporting amend 104 to license NPF-43.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/23. 3pp. 84264:354-84264:356.

–9506090386 Notice of partial denial of amend to license & opportunity for hearing on licensee proposed amend request to revise TS to relocate audit frequencies in TS 6.5.2.8 to QA program.
COLBURN,T.G. . 95/05/23. 2pp. 84264:357-84264:358.

9506200369 Responds to NRC 950418 ltr,confirmimg that w/listed differences,mods described in util 940211 ltr re removal, replacement & reclassification of Thermo-Lag 300-1 fire barriers at facility implemented,per GL 92-08.
GIPSON,D.R. Detroit Edison Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84404:347-84404:348.

9506300215 Submits requested info re number of allegations received by NRC re Fermi 2.
CARPENTER,C. . 95/06/18. GIPSON,D.R. Detroit Edison Co. 2pp. 84493:324-84493:325.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506090308 Responds to NRC 950504 ltr re violation noted in insp rept 50-341/95-04.Corrective actions:inconsistency in drywell cooling water restoration support procedure corrected & remaining seven emergency support procedures reviewed.
GIPSON,D.R. Detroit Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 5pp. 84272:074-84272:078.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200347 Ack receipt of 950523 ltr informing NRC of steps taken to correct violations noted in insp rept 50-341/95-06 on 950419.
CREED,J.R. Region 3 (Post 820201). 95/06/09. GIPSON,D.R. Detroit Edison Co. 1p. 84349:314-84349:318.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200081 Monthly operating rept for May 1995 for Fermi 2.W/950615 ltr.
STONE,B.J., GIPSON,D.R. Detroit Edison Co. 95/05/31. 4pp. 84405:180-84405:183.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9506140297 Responds to violation noted in insp rept 50-344/95-05. Corrective actions:review conducted & determined that security officer current w/annual requalification training requirements & memo issued to security watch supervisors.
QUENNOZ,S.M. Portland General Electric Co. 95/06/08. Document Control Branch (Document Control Desk). 4pp. 84339:054-84339:057.

9506200254 Revised EPIPs,including Rev 5 to EPIP 3,Rev 5 to EPIP 5 & Rev 2 to EPIP 6.W/950614 ltr.
QUENNOZ,S.M. Portland General Electric Co. 95/06/14. 67pp. 84405:060-84405:126.

I. Financial information

9506050315 Forwards annual financial repts for CY93 & 94,for Portland General Electric Corp,Eugene Water & Electric Board & Pacific Power & Light Co.
QUENNOZ,S.M. Portland General Electric Co. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84237:001-84237:307.

--**9506050321** "PacifiCorp Annual Rept 1994."
* PacifiCorp (formerly Pacific Power & Light). 94/12/31. 61pp. 84237:002-84237:062.

--**9506050325** "PacifiCorp Annual Rept 1993."
* PacifiCorp (formerly Pacific Power & Light). 93/12/31. 61pp. 84237:063-84237:123.

--**9506050330** "1993 Eugene Water & Electric Board Annual Rept."
* Eugene Water & Electric Board. 93/12/31. 69pp. 84237:124-84237:192.

--**9506050332** "Portland General Corp 1993 Annual Rept."
* Portland General Corp. 93/12/31. 56pp. 84237:193-84237:248.

--**9506050333** "Portland General Corp Annual Rept 1994."
* Portland General Corp. 94/12/31. 52pp. 84237:249-84237:307.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

P. Operating license stage documents & correspondence

9506150150 Informs that DOI has reviewed suppl to applicant environ rept for decommissioning of Trojan Nuclear Power Plant in Columbia County,OR.
POLITYKA,C.S. Interior, Dept. of. 95/06/05. Document Control Branch (Document Control Desk). 1p. 84352:330-84352:330.

9506220085 Requests addl info in order to complete review of Decommissioning plan & Suppl to Environ Rept submitted on 950126,per application for termination of plant 950126 license.
MASNIK,M.T. . 95/06/05. QUENNOZ,S.M. Portland General Electric Co. 6pp. 84393:338-84393:343.

9506140243 Forwards response to NRC 950511 RAI re plant decommissioning plan & associated environ rept supplement.
QUENNOZ,S.M., YUNDT,C.P. Portland General Electric Co. 95/06/08. Document Control Branch (Document Control Desk). 34pp. 84338:041-84338:074.

9506230080 Informs that review of Rev 18 to QA plan completed & plan approved.
SCARANO,R.A Region 4 (Post 820201). 95/06/19. QUENNOZ,S.M. Portland General Electric Co. 3pp. 84470:355-84470:357.

Q. Inspection reports, IE Bulletins & correspondence

9506010225 Discusses info re Rancho Seco Nuclear Generating Station ISFSI Insp & Trojan Nuclear Power Station Site Tour on 950412-20.
RADDATZ,M.G. NRC - No Detailed Affiliation Given. 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84172:283-84172:284.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140297 Responds to violation noted in insp rept 50-344/95-05. Corrective actions:review conducted & determined that security officer current w/annual requalification training requirements & memo issued to security watch supervisors.
QUENNOZ,S.M. Portland General Electric Co. 95/06/08. Document Control Branch (Document Control Desk). 4pp. 84339:054-84339:057.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

V. Operator Examinations

9506140297 Responds to violation noted in insp rept 50-344/95-05. Corrective actions:review conducted & determined that security officer current w/annual requalification training requirements & memo issued to security watch supervisors.
QUENNOZ,S.M. Portland General Electric Co. 95/06/08. Document Control Branch (Document Control Desk). 4pp. 84339:054-84339:057.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506010225 Discusses info re Rancho Seco Nuclear Generating Station ISFSI Insp & Trojan Nuclear Power Station Site Tour on 950412-20.
RADDATZ,M.G. NRC - No Detailed Affiliation Given. 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84172:283-84172:284.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506080635 Revised EPIPs,including Rev 1 to RA-EP-02010, "Emergency Mgt" & Rev 1 to RA-EP-02290, "Emergency Facilities Equipment Operation."
* Centerior Energy. 95/05/24. 67pp. 84227:283-84227:349.

9506190160 Forwards Rev 14,Change 1 to plant Unit 1 Industrial Security Plan.Encl withheld per 10CFR73.21.
STETZ,J.P. Centerior Energy. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84386:358-84386:358.

9506200292 Provides status of progress in resolving issues identified in GL 92-08, "Thermo-Lag 330-1 Fire Barriers" & related NRC RAIs.
STETZ,J.P. Centerior Energy. 95/06/13. Document Control Branch (Document Control Desk). 30pp. 84406:170-84406:199.

9506210037 Requests results of review & disposition concerning security at plant within 60 days of ltr date.
RING,M.A. Region 3 (Post 820201). 95/06/13. BURDICK,T.M. Centerior Energy. 2pp. 84357:153-84357:154.

I. Financial information

9506080248 Forwards Perry NPP & Davis-Besse Nuclear Power Station annual financial repts.Form 10-K rept to US Securities & Exchange Commission encl.
SHELTON,D.C. Centerior Energy. 95/06/01. Document Control Branch (Document Control Desk). 1p. 84228:001-84228:239.

--**9506080260** "Centerior Energy Annual Rept 1994."
* Centerior Energy. 94/12/31. 39pp. 84228:002-84228:041.

--**9506080264** "Cleveland Electric Illuminating Co Annual Rept 1994."
* Cleveland Electric Illuminating Co. 94/12/31. 26pp. 84228:042-84228:068.

--**9506080269** "Toledo Edison Co Annual Rept 1994."
* Toledo Edison Co. 94/12/31. 171pp. 84228:069-84228:239.

P. Operating license stage documents & correspondence

9506010240 Provides voluntary rept re pressurizer code safety valve setpoint drift.Util has initiated change to plant TSs to expand present allowable lift setpoint tolerances.
WOOD,J.K. Centerior Energy. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84154:355-84154:356.

9506070003 Advises of resolution to error in THETA1-B computer code which is part of approved 10CFR50,App K ECCS evaluation model.
STETZ,J.P. Centerior Energy. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84238:355-84238:356.

9506080660 Forwards application for amend to license NPF-3,revising TS 3.8.1.1 - ac sources,operating to increase allowed outage time period for one EDG being inoperable from 72 h to 7 days.
STETZ,J.P. Centerior Energy. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84228:251-84228:274.

--**9506080661** Application for amend to license NPF-3,revising TS 3.8.1.1 - ac sources,operating,to increase allowed outage time period for one EDG being inoperable from 72 h to 7 days.
STETZ,J.P. Centerior Energy. 95/06/01. 14pp. 84228:253-84228:266.

--**9506080662** Proposed TS 3.8.1.1 - ac power sources,operating,increasing allowed outage time period for one EDG being inoperable from 72 h to 7 days.
* Centerior Energy. 95/06/01. 8pp. 84228:267-84228:274.

9506230050 Forwards errata to amend 196 for license NPF-3,replacing pages 3/4 5-4 & 3/4 6-12.Pages include 950227 update associated w/amend 195 but do not change SE associated w/amends 195 or 196.
GUNDRUM,L.L. . 95/06/06. STETZ,J.P. Centerior Service Co. 3pp. 84421:244-84421:249.

--**9506230065** Errata to amend 196 for license NPF-3,replacing pages 3/4 5-4 & 3/4 6-12 that include 950227 update associated w/amend 195.
GUNDRUM,L.L. . 95/06/06. 3pp. 84421:247-84421:249.

9506130059 Forwards application for amend to license NPF-3 to reflect changes to TS 3/4.9.4 & bases re refueling operations- containment penetrations.
STETZ,J.P. Centerior Energy. 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84296:309-84296:330.

--**9506130062** Application for amend to license NPF-3,revising TS 3/4.9.4, refueling operations-containment penetrations.
STETZ,J.P. Centerior Energy. 95/06/07. 12pp. 84296:311-84296:322.

--**9506130074** Proposed tech spec 3/4.9.4,refueling operations-containment penetrations.
* Centerior Energy. 95/06/07. 8pp. 84296:323-84296:330.

9506190362 Notification of 950628 meeting w/licensee representatives in Rockville,MD re scope,proposed schedule for submittal & proposed schedule for review of TS amends to allow 24-month fuel cycles.
GUNDRUM,L.L. . 95/06/13. MARCUS,G.G. . 3pp. 84362:204-84362:206.

9506200129 Provides confirmation of TOED electronic transfer to NRC on 950516,for payment of listed invoices for plant re insps, operator exams & applications for reactor license amends, exemptions,reliefs & other approvals.
STETZ,J.P. Centerior Energy. 95/06/13. Division of Accounting & Finance (Post 890205). 1p. 84405:227-84405:227.

9506200292 Provides status of progress in resolving issues identified in GL 92-08, "Thermo-Lag 330-1 Fire Barriers" & related NRC RAIs.
STETZ,J.P. Centerior Energy. 95/06/13. Document Control Branch (Document Control Desk). 30pp. 84406:170-84406:199.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506300304 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
STETZ,J.P. Centerior Energy. 95/06/23. Document Control Branch (Document Control Desk). 4pp. 84522:262-84522:277.

--9506300309 Submits response to GL 95-03, "Circumferential Cracking of SG Tubes."
SELVA,J.A. Babcock & Wilcox Operating Plants Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84522:266-84522:277.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506090069 Forwards exam rept 50-346/OL-95-01 conducted wk of 950508. Written exam & operating test given to one RO applicant. Individual passed exams.
RING,M. Region 3 (Post 820201). 95/06/05. STETZ,J.P. Toledo Edison Co. 2pp. 84208:003-84208:090.

--9506090076 Exam rept 50-346/OL-95-01 during wk of 950508.Exam results: individual passed exams.
OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 95/06/02. 99pp. 84208:005-84208:090.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210060 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. STETZ,J.P. Centerior Energy. 6pp. 84359:356-84359:361.

9506190457 Forwards response to NRC 950523 ltr re deviations noted in insp rept 50-346/95-04.Corrective actions:TE plans to continue to monitor affected transmitters as response to NRC Bulletin 90-001.
STETZ,J.P. Centerior Energy. 95/06/13. Document Control Branch (Document Control Desk). 3pp. 84386:342-84386:344.

9506200129 Provides confirmation of TOED electronic transfer to NRC on 950516,for payment of listed invoices for plant re insps, operator exams & applications for reactor license amends, exemptions,reliefs & other approvals.
STETZ,J.P. Centerior Energy. 95/06/13. Division of Accounting & Finance (Post 890205). 1p. 84405:227-84405:227.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280041 Ack receipt of 950613 ltr informing NRC of steps taken to correct violations noted in insp rept 50-346/95-04.
LANKSBURY,R.D. Region 3 (Post 820201). 95/06/23. STETZ,J.P. Centerior Energy. 2pp. 84441:119-84441:123.

R. Periodic operating reports & related correspondence

9506160558 Monthly operating rept for May 1995 for Davis-Besse Nuclear Power Station.W/950613 ltr.
WOLF,G.M., WOOD,J.K. Toledo Edison Co. 95/05/31. 5pp. 84366:356-84366:360.

9506200178 Wastewater rept for May 1995 for Davis-Besse Nuclear Power Plant.W/ 950613 ltr.
WOOD,J.K. Toledo Edison Co. 95/05/31. 7pp. 84405:343-84405:349.

V. Operator Examinations

9506070390 Forwards individual exam results for initial license exam administered on May 1995.Encls withheld (ref 10CFR2.790).
RING,M.A. Region 3 (Post 820201). 95/06/01. SIMPKINS,R.A. Centerior Energy. 2pp. 84210:348-84210:349.

9506090069 Forwards exam rept 50-346/OL-95-01 conducted wk of 950508. Written exam & operating test given to one RO applicant. Individual passed exams.
RING,M. Region 3 (Post 820201). 95/06/05. STETZ,J.P. Toledo Edison Co. 2pp. 84208:003-84208:090.

--9506090076 Exam rept 50-346/OL-95-01 during wk of 950508.Exam results: individual passed exams.
OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 95/06/02. 99pp. 84208:005-84208:090.

9506200129 Provides confirmation of TOED electronic transfer to NRC on 950516,for payment of listed invoices for plant re insps, operator exams & applications for reactor license amends, exemptions,reliefs & other approvals.
STETZ,J.P. Centerior Energy. 95/06/13. Division of Accounting & Finance (Post 890205). 1p. 84405:227-84405:227.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506020081 Advises that Storage & Transport Systems Branch has assigned Docket 72-14 to Davis-Besse Nuclear Generating Station for tracking dry SF storage activities at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/11. STETZ,J.P. Centerior Energy. 2pp. 84182:298-84182:299.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506070335 Forwards amends 115 & 107 to licenses NPF-2 & NPF-8, respectively.Amends relocate seismic & meteorological monitoring instrumentation from TS to final SAR.
SIEGEL,B.L. . 95/05/22. MOREY,D.N. Alabama Power Co. 2pp. 84204:191-84204:216.

--9506070369 Amends 115 & 107 to licenses NPF-2 & NPF-8,respectively, relocating seismic & meteorological monitoring instrumentation from TS to final SAR.
BERKOW,H.N. . 95/05/22. 9pp. 84204:194-84204:211.

--9506070382 Safety evaluation supporting amends 115 & 107 to licenses NPF-2 & NPF-8, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84204:212-84204:216.

9506140282 Forwards copy of, "Environ Assessment & Finding of No Significant Impact," re licensee application for 950403 exemption from certain requirements of 10CFR73.55.
BERKOW,H.N. . 95/05/30. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84313:051-84313:058.

--9506140293 Environ assessment & finding of no significant impact re licensee application for 950403 exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power...."
BERKOW,H.N. . 95/05/30. 5pp. 84313:054-84313:058.

9506200444 Forwards exemption granted from certain requirements of 10CFR73.55,to allow individuals not employed by licensee to take photo identification badges offsite in conjunction w/ use of hand geometry biometrics sys control access.
BERKOW,H.N. . 95/06/05. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84379:237-84379:246.

--9506200452 Exemption granted from certain requirements of 10CFR73.55 to allow individuals not employed by util to take photo identification badges offsite in conjunction w/use of hand geometry biometrics sys to control access.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/06/05. Southern Nuclear Operating Co. 7pp. 84379:240-84379:246.

H. General correspondence

9506190012 Comment on proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control. Supports NEI comments.
MOREY,D. Southern Nuclear Operating Co. 95/01/05. Docketing & Services Branch. 1p. 84320:020-84320:020.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506190359 Forwards Rev 12A to updated FSAR for JM Farley Nuclear Plant,Units 1 & 2.Rev 12A submitted to resolve issue reported in voluntary LER 93-001-00,dtd 930723.
MOREY,D. Southern Nuclear Operating Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84378:178-84378:278.

--9506190361 Rev 12A to updated FSAR for JM Farley Nuclear Plant,Units 1 & 2.
* Southern Nuclear Operating Co. 95/06/30. 96pp. 84378:180-84378:278.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

P. Operating license stage documents & correspondence

9506060248 Forwards JM Farley summary rept re USI A-46 for Unit 1.
MOREY,D. Southern Nuclear Operating Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84201:001-84201:304.

--9506060255 "USI A-46 Summary Rept,JM Farley Nuclear Plant Unit 1."
* Southern Nuclear Operating Co. 95/05/18. 300pp. 84201:003-84201:304.

9506070335 Forwards amends 115 & 107 to licenses NPF-2 & NPF-8, respectively.Amends relocate seismic & meteorological monitoring instrumentation from TS to final SAR.
SIEGEL,B.L. . 95/05/22. MOREY,D.N. Alabama Power Co. 2pp. 84204:191-84204:216.

--9506070369 Amends 115 & 107 to licenses NPF-2 & NPF-8,respectively, relocating seismic & meteorological monitoring instrumentation from TS to final SAR.
BERKOW,H.N. . 95/05/22. 9pp. 84204:194-84204:211.

--9506070382 Safety evaluation supporting amends 115 & 107 to licenses NPF-2 & NPF-8, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84204:212-84204:216.

9506090243 Forwards revised TS bases pages B 2-6 & B 2-7 for units 1 & 2 that have been dated to correspond to issue date of ltr.
SIEGEL,B.L. . 95/05/25. MOREY,D.N. Southern Nuclear Operating Co. 9pp. 84222:144-84222:152.

9506080311 Application for amends to licenses NPF-2 & NPF-8,revising TS associated w/steam generator tube support plate voltage- based repair criteria.
MOREY,D. Southern Nuclear Operating Co. 95/05/31. Document Control Branch (Document Control Desk). 8pp. 84222:283-84222:318.

--9506080314 Proposed tech specs assoc w/steam generator tube support plate voltage-based repair criteria.
* Southern Nuclear Operating Co. 95/05/31. 28pp. 84222:291-84222:318.

9506200238 Forwards response to NRC 950417 RAI re util 940817 TS change request to eliminate periodic pressure sensor response time testing requirements.
MOREY,D. Southern Nuclear Operating Co. 95/06/15. Document Control Branch (Document Control Desk). 7pp. 84406:001-84406:007.

9506290217 Forwards copy of plant 950328 ltr per BL Siegel request.
TAYLOR,C. Southern Nuclear Operating Co. 95/06/20. Document Control Branch (Document Control Desk). 1p. 84499:272-84499:274.

--9506290219 Informs NRC of plant intention to implement industry position on severe accident mgt at Farley Nuclear Plant.
MOREY,D. Southern Nuclear Operating Co. 95/03/28. Document Control Branch (Document Control Desk). 1p. 84499:274-84499:274.

9506290236 Advises NRC that util Board of Directors has named JH Miller as Senior Vice President & Corporate Counsel,effective on 950612.
MOREY,D. Southern Nuclear Operating Co. 95/06/20. Document Control Branch (Document Control Desk). 1p. 84483:277-84483:277.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506200167 Summarizes 950519 meeting at Plant Training Ctr to discuss performance during previous SALP cycle.List of attendees & copy of NRC slides encl.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/25. MOREY,D.N. Southern Nuclear Operating Co. 14pp. 84346:225-84346:238.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506190395 Discusses 950530 telcon w/J Deavers & P Steiner re arrangements for NRC to inspect licensed operator requalification program at plant.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84343:192-84343:193.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506130386 Forwards response to NRC 950420 RAI re util responses to plant electrical distribution sys functional insp degraded grid voltage unresolved item.
MOREY,D. Southern Nuclear Operating Co. 95/06/06. Document Control Branch (Document Control Desk). 11pp. 84296:298-84296:308.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200311 Discusses insp repts 50-348/95-10 & 50-364/95-10 on 950410-0514 & forwards NOV.Violation of concern because of multiple opportunities operators had to identify problem sooner displays lack of attention to safety prarameters.
CHRISTENSEN,H. Region 2 (Post 820201). 95/06/08. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 84349:057-84349:086.

--9506200313 Notice of violation from insp on 950410-0514.Violation noted:licensee operated unit 2 in mode 1 w/loop 2A OTDT channel inoperable.
* Region 2 (Post 820201). 95/06/08. 1p. 84349:062-84349:062.

--9506200316 Insp repts 50-348/95-10 & 50-364/95-10 on 950410-0514. Violations noted.Major areas inspected:operations, maintenance,surveillance,engineering,technical support, general plant support & non-routine events.
ROSS,T.M., SCOTT,M.A., MORGAN,M.J. Region 2 (Post 820201). 95/06/08. 22pp. 84349:063-84349:086.

9506280037 Expresses appreciation for 950303 ltr providing info requested by insp repts 50-348/94-28 & 50-364/94-28 re MOV program implemented by licensee to determine whether it meets intent of NRC GL-89-10.
CASTO,C.A. Region 2 (Post 820201). 95/06/14. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84441:114-84441:116.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280120 Ack receipt of 950607 ltr informing NRC of steps taken to correct violations noted in insp rept 50-348/95-08 & 50-364/95-08.
CHRISTENSEN,H. Region 3 (Post 820201). 95/06/16. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84442:014-84442:015.

R. Periodic operating reports & related correspondence

9506210059 Monthly operating repts for May 1995 for JM Farley Nuclear Plant Units 1 & 2.W/950612 ltr.
ALLISON,S.M., MOREY,D. Southern Nuclear Operating Co. 95/05/31. 10pp. 84409:345-84409:354.

S. Reportable occurrences, LERs & related correspondence

9506010065 LER 95-004-00:on 950426,inadvertent actuation of ESF occurred.Caused by personnel error re improper technique in handling of energized test lead.Technician coached on proper handling techniques.W/950526 ltr.
HILL,R.D., WOODARD,J.D. Southern Nuclear Operating Co. 95/05/26. 4pp. 84173:085-84173:088.

9506200094 PNO-II-95-032:on 950604,tropical storm Allison upgraded to hurricane.No flooding experienced.State of Florida,Alabama & Georgia have activated Emergency Operations Ctr.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84347:317-84347:317.

V. Operator Examinations

9506190395 Discusses 950530 telcon w/J Deavers & P Steiner re arrangements for NRC to inspect licensed operator requalification program at plant.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84343:192-84343:193.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506120214 Forwards public version of Rev 14 to Emergency Response Procedure (ERP) ERP-110, "Emergency Notification." Computer generated rept index identifying latest revs of LGS also encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/18. NRC - No Detailed Affiliation Given. 1p. 84266:290-84266:301.

--9506120217 Public version of Rev 14 to Emergency Response Procedure (ERP) ERP-110, " Emergency Notification."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/11. 10pp. 84266:291-84266:301.

9506010032 Notification of significant licensee meeting 95-50 w/util on 950602 to present results of recent SALP assessment for period of 930926-0401 for station.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/23. Region 1 (Post 820201). 2pp. 84107:084-84107:085.

9506140331 Forwards request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84313:096-84313:101.

9506160437 Rev 9 to common "Nuclear Emergency Plan" for PBAPS Units 2 & 3 & LGS Units 1 & 2.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/09. 114pp. 84368:163-84368:277.

H. General correspondence

9506200294 Responds to 950505 ltr,forwarding ltr from H Rakowski re placement of public warning siren adjacent to property. Informs that existence of sirens based upon NRC requirements to establish detailed EP around commercial NPP.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/06. FOX,J.D. House of Rep. 3pp. 84375:354-84375:356.

P. Operating license stage documents & correspondence

9506140331 Forwards request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84313:096-84313:101.

9506090124 Application for amends to licenses NPF-39 & NPF-85, consisting of TS Change Request 94-49-0,revising TS Section 3/4.1.5, "SLCS" to remove min flow rate requirement for SLCS pumps.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/05. Document Control Branch (Document Control Desk). 6pp. 84268:313-84268:323.

--9506090127 Proposed TS Section 3/4.1.5, "SLCS," removing min flow rate requirement for SLCS pumps.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/05. 5pp. 84268:319-84268:323.

9506280786 Summary of 950531 meeting w/PECO in Rockville,MD re licensing actions for Limerick Generating Stations & Peach Bottom Atomic Power Station.List of attendees & presentation matl encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. Project Directorate I-2 (PD1-2) Post 941001). 11pp. 84460:279-84460:289.

9506290405 Application for amend to license NPF-39,consisting of change request 95-03,revising TS Section 2.1, "Safety Limits," to change MCPR safety limit,due to use of GE13 fuel product line.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/19. Document Control Branch (Document Control Desk). 6pp. 84521:109-84521:119.

--9506290407 Proposed tech specs,consisting of change request 95-03-1, revising TS Section 2.1, "Safety Limits," to change MCPR safety limit,due to use of GE13 fuel product line.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/19. 5pp. 84521:115-84521:119.

9506290391 Application for amend to licenses NPF-39 & NPF-85,consisting of change request 95-06,requesting one-time schedular exemption from 10CFR50,App J, "Primary Containment Leakage Testing for Water-Cooled Power Reactors."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/20. Document Control Branch (Document Control Desk). 17pp. 84483:308-84483:329.

--9506290394 Proposed tech specs,consisting of change request 95-06, requesting one-time schedular exemption from 10CFR50,App J, "Primary Containment Leakage Testing for Water-Cooled Power Reactors."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/20. 5pp. 84483:325-84483:329.

9506290177 Submits justification for eliminating UT & sys pressure testing re GL 88-01, "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/21. Document Control Branch (Document Control Desk). 4pp. 84499:335-84499:338.

9506300293 Forwards amends 94 & 58 to licenses NPF-39 & NPF-85, respectively & SE.Amends permit rev to action statements re ECCS to allow continued operation in event that HPCI & one core spray subsys &/or LPCI subsys inoperable.
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/22. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84511:210-84511:230.

--9506300297 Amends 94 & 58 to licenses NPF-39 & NPF-85,respectively, permitting rev to action statements re ECCS.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/22. 12pp. 84511:214-84511:225.

--9506300300 Safety evaluation supporting amends 94 & 58 to licenses NPF-39 & NPF-85,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 5pp. 84511:226-84511:230.

Q. Inspection reports, IE Bulletins & correspondence

9506010032 Notification of significant licensee meeting 95-50 w/util on 950602 to present results of recent SALP assessment for period of 930926-0401 for station.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/23. Region 1 (Post 820201). 2pp. 84107:084-84107:085.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, "Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.""
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140003 Forwards safety insp repts 50-352/95-09 & 50-353/95-09 on 950402-0522.No violations noted.
ANDERSON,C.J. Region 1 (Post 820201). 95/06/08. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84267:007-84267:024.

--9506140012 Safety insp repts 50-352/95-09 & 50-353/95-09 on 950402-0522.No violations noted.Major areas inspected:plant operations,maintenance,surveillance,engineering,plant support & safety assessment.
ANDERSON,C.J. Region 1 (Post 820201). 95/06/08. 15pp. 84267:010-84267:024.

9506280260 Ack receipt of 950406 & 0505 ltrs re ISI & IST programs & extension of first 10-yr ISI interval for Unit 1 until end of sixth refueling outage.Understands that Relief Request 51-VRR-1 no longer necessary.
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/14. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84448:143-84448:145.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160468 Monthly operating rept for May 1995 for Limerick Generating Co.W/950612 ltr.
HENDRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/31. 11pp. 84366:175-84366:185.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506120214 Forwards public version of Rev 14 to Emergency Response Procedure (ERP) ERP-110, "Emergency Notification." Computer generated rept index identifying latest revs of LGS also encl.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/18. NRC - No Detailed Affiliation Given. 1p. 84266:290-84266:301.

--9506120217 Public version of Rev 14 to Emergency Response Procedure (ERP) ERP-110, " Emergency Notification."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/11. 10pp. 84266:291-84266:301.

9506010032 Notification of significant licensee meeting 95-50 w/util on 950602 to present results of recent SALP assessment for period of 930926-0401 for station.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/23. Region 1 (Post 820201). 2pp. 84107:084-84107:085.

9506140331 Forwards request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84313:096-84313:101.

9506160437 Rev 9 to common "Nuclear Emergency Plan" for PBAPS Units 2 & 3 & LGS Units 1 & 2.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/09. 114pp. 84368:163-84368:277.

P. Operating license stage documents & correspondence

9506140331 Forwards request for addl info re GL 92-08, "Thermo-Lag Fire Barriers."
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84313:096-84313:101.

9506090124 Application for amends to licenses NPF-39 & NPF-85, consisting of TS Change Request 94-49-0,revising TS Section 3/4.1.5, "SLCS" to remove min flow rate requirement for SLCS pumps.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/05. Document Control Branch (Document Control Desk). 6pp. 84268:313-84268:323.

--9506090127 Proposed TS Section 3/4.1.5, "SLCS," removing min flow rate requirement for SLCS pumps.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/05. 5pp. 84268:319-84268:323.

9506280786 Summary of 950531 meeting w/PECO in Rockville,MD re licensing actions for Limerick Generating Stations & Peach Bottom Atomic Power Station.List of attendees & presentation matl encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. Project Directorate I-2 (PD1-2) Post 941001). 11pp. 84460:279-84460:289.

9506280243 Notifies NRC that actions re GL 89-10, "Safety Related MOV Testing & Surveillance," completed on 950520 for Unit 2 valves.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/16. Document Control Branch (Document Control Desk). 2pp. 84478:264-84478:265.

9506290391 Application for amend to licenses NPF-39 & NPF-85,consisting of change request 95-06,requesting one-time schedular exemption from 10CFR50,App J, "Primary Containment Leakage Testing for Water-Cooled Power Reactors."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/20. Document Control Branch (Document Control Desk). 17pp. 84483:308-84483:329.

--9506290394 Proposed tech specs,consisting of change request 95-06, requesting one-time schedular exemption from 10CFR50,App J, "Primary Containment Leakage Testing for Water-Cooled Power Reactors."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/20. 5pp. 84483:325-84483:329.

9506290177 Submits justification for eliminating UT & sys pressure testing re GL 88-01, "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/06/21. Document Control Branch (Document Control Desk). 4pp. 84499:335-84499:338.

9506300293 Forwards amends 94 & 58 to licenses NPF-39 & NPF-85, respectively & SE.Amends permit rev to action statements re ECCS to allow continued operation in event that HPCI & one core spray subsys &/or LPCI subsys inoperable.
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/22. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 84511:210-84511:230.

--9506300297 Amends 94 & 58 to licenses NPF-39 & NPF-85,respectively, permitting rev to action statements re ECCS.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/22. 12pp. 84511:214-84511:225.

--9506300300 Safety evaluation supporting amends 94 & 58 to licenses NPF-39 & NPF-85,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 5pp. 84511:226-84511:230.

Q. Inspection reports, IE Bulletins & correspondence

9506010032 Notification of significant licensee meeting 95-50 w/util on 950602 to present results of recent SALP assessment for period of 930926-0401 for station.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/23. Region 1 (Post 820201). 2pp. 84107:084-84107:085.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140003 Forwards safety insp repts 50-352/95-09 & 50-353/95-09 on 950402-0522.No violations noted.
ANDERSON,C.J. Region 1 (Post 820201). 95/06/08. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84267:007-84267:024.

--9506140012 Safety insp repts 50-352/95-09 & 50-353/95-09 on 950402-0522.No violations noted.Major areas inspected:plant operations,maintenance,surveillance,engineering,plant support & safety assessment.
ANDERSON,C.J. Region 1 (Post 820201). 95/06/08. 15pp. 84267:010-84267:024.

9506280260 Ack receipt of 950406 & 0505 ltrs re ISI & IST programs & extension of first 10-yr ISI interval for Unit 1 until end of sixth refueling outage.Understands that Relief Request 51-VRR-1 no longer necessary.
RINALDI,F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/14. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84448:143-84448:145.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160468 Monthly operating rept for May 1995 for Limerick Generating Co.W/950612 ltr.
HENDRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/31. 11pp. 84366:175-84366:185.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506130119 Forwards FEMA exercise rept for plant radiological emergency preparedness exercise on 941024.
JOYNER,J.H. Region 1 (Post 820201). 95/06/01. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84243:180-84243:263.

--9506130127 "Radiological Emergency Preparedness Exercise Evaluation Rept."
* Public Service Electric & Gas Co. of New Jersey. 95/03/28. 81pp. 84243:183-84243:263.

9506200177 Forwards insp rept 50-354/95-06 on 950423-0527.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/06/13. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84346:277-84346:290.

--9506200183 Insp rept 50-354/95-06 on 950423-0527.No violations noted. Major areas inspected:operations,radiological controls,maint & surveillance testing,EP,security,engineering/technical support & safety assessment/quality verification.
WHITE,J.R. Region 1 (Post 820201). 95/06/12. 11pp. 84346:280-84346:290.

H. General correspondence

9506060042 Comment opposing proposed change in State Cooperative Agreements Program concerning NRC intention to reduce scope of work.Believes that NRC should maintain environ monitoring program & find other ways to reduce duplicative svcs.
LIPOTI,J. New Jersey, State of. 95/06/02. Docketing & Services Branch. 4pp. 84165:047-84165:050.

I. Financial information

9506300026 Forwards Public Svc Enterprise Group Inc,Delmarva Power, PECO Energy & Atlantic Energy Annual Repts 1994.
FRYLING,R. Public Service Electric & Gas Co. of New Jersey. 95/06/23. Document Control Branch (Document Control Desk). 1p. 84594:107-84594:351.

P. Operating license stage documents & correspondence

9506090084 Ltr contract NRC-04-91-069,mod 2 to task order 38,extending period of performance of task order from 950915-1231,to "Reviews,Internal Events,Human Factors Only."
MACE,M. Division of Contracts (Post 940714). 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:190-84381:191.

9506020405 Forwards amend 73 to license NPF-57 & safety evaluation. Amend removes from TSs,specs associated w/LPDS,specifically, TS 3.3.7.9,SR 4.3.7.9 & associated bases.
MORAN,D. Project Directorate I-2 (PD1-2) Post 941001). 95/05/25. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84165:221-84165:232.

--9506020425 Amend 73 to license NPF-57,removing from TSs,TS 3.3.7.9, SR 4.3.7.9 & associated bases re LPDS.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/25. 7pp. 84165:224-84165:230.

--9506020433 Safety evaluation supporting amend 73 to license NPF-57.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/25. 2pp. 84165:231-84165:232.

9506050298 Responds to 950407 ltr re license change requests 94-08,94-11 & 94-12 to license NPF-57.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/26. Document Control Branch (Document Control Desk). 7pp. 84183:348-84183:357.

--9506050309 Proposed tech specs ensuring that sufficient decay heat removal capability will be available for post LOOP scenarios when station svc water sys pumps &/or safety auxiliaries cooling sys pumps are inoperable.
* Public Service Electric & Gas Co. of New Jersey. 95/05/26. 3pp. 84183:355-84183:357.

9506090501 Submits written notification that License Amend 72 has been implemented at Hope Creek.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/26. Document Control Branch (Document Control Desk). 2pp. 84268:354-84268:355.

9506200428 Informs that 2-month extension to submit "Reactor Vessel Matl Surveillance Program Specimen Capsule," rept granted, per 950412 request.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/02. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84379:233-84379:236.

9506190080 Discusses license change request 95-01,revising Table 4.3.7.1-1 radiation monitoring instrumentation SR by increasing channel functional test interval from monthly to quarterly for each instrument.
TOSCH,K.W. New Jersey, State of. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84374:360-84374:361.

9506190168 Forwards RV matl surveillance program specimen capsule analysis rept for Hope Creek Generating Station.
HAGAN,J.J Public Service Electric & Gas Co. of New Jersey. 95/06/09. Document Control Branch (Document Control Desk). 2pp. 84373:178-84373:262.

--9506190181 "Hope Creek 1 Generating Station RPV Surveillance Matls Testing & Fracture Toughness Analysis."
CAAREY,R.G., BRANLUND,B.J., CAINE,T.A. General Electric Co. GE-NE-523-A164-1294. 95/04/30. 83pp. 84373:180-84373:262.

9506190459 Notification of significant licensee meeting 95-057 w/util on 950616 to discuss NRC findings surrounding circumstances & causes relative to unplanned,unmonitored release of radioactive matl to atmosphere through vent on 950405.
WHITE,J.R. Region 1 (Post 820201). 95/06/09. Region 1 (Post 820201). 2pp. 84344:152-84344:153.

9506210143 Advises that util current drawer I will be changed to drawer 0509,effective 950612.Ltr from Hancocks Bridge post ofc encl.
VENUTO,K. Public Service Electric & Gas Co. of New Jersey. 95/06/13. Public Service Electric & Gas Co. of New Jersey. 2pp. 84407:357-84407:358.

9506220061 Requests NRC to change mailing lists by removing TS Curham & adding PM Goelz.
HOUCK,M.M. Atlantic Energy, Inc. 95/06/14. HUNGER,G.A. NRC - No Detailed Affiliation Given. 1p. 84420:338-84420:338.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070308 Forwards insp rept 50-354/95-05 on 950406-21.No violations noted.
COOPER,R.W. Region 1 (Post 820201). 95/05/30. Public Service Electric & Gas Co. of New Jersey. 4pp. 84219:122-84219:202.

--9506070313 Insp rept 50-354/95-05 on 950406-21.No violations noted. Major areas inspected:licensee actions & evaluations associated w/unplanned release of radioactive matl from Hope Creek south plant vent that occurred on 950405.
BORES,R.J. Public Service Electric & Gas Co. of New Jersey. 95/05/30. 77pp. 84219:126-84219:202.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506140105 Notification of significant licensee meeting 95-058 w/util on 950615 to discuss NRC SALP for plant for period between 930620 & 950422.
WHITE,J.R. Region 1 (Post 820201). 95/06/02. Region 1 (Post 820201). 2pp. 84267:335-84267:336.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140007 Forwards insp rept 50-354/95-08 on 950515-19.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/07. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84267:032-84267:043.

--9506140011 Insp rept 50-354/95-08 on 950515-19.No violations noted. Major areas inspected:confirmatory measurements - radiological,lab QA/QC & audits.
KOTTAN,J., ULLRICH,E. Region 1 (Post 820201). 95/06/01. 9pp. 84267:035-84267:043.

9506140015 Ack receipt of 950428 ltr informing NRC of steps taken to correct violations noted in insp rept 50-354/95-01 on 950329.
WHITE,J.R. Region 1 (Post 820201). 95/06/07. HAGAN,J. Public Service Electric & Gas Co. of New Jersey. 3pp. 84267:051-84267:067.

9506190453 Notification of significant licensee meeting 95-058 w/util on 950629 to discuss NRC SALP for plant for period between 930620-950422.
WHITE,J.R. Region 1 (Post 820201). 95/06/09. Region 1 (Post 820201). 2pp. 84344:146-84344:147.

9506300038 Notification of significant licensee meeting 95-58 w/util on 950629 to discuss NRC SALP for plant for period 930620- 950422.Meeting postponed indefinitely.
WHITE,J.R. Region 1 (Post 820201). 95/06/09. Region 1 (Post 820201). 1p. 84472:283-84472:284.

9506200177 Forwards insp rept 50-354/95-06 on 950423-0527.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/06/13. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84346:277-84346:290.

--9506200183 Insp rept 50-354/95-06 on 950423-0527.No violations noted. Major areas inspected:operations,radiological controls,maint & surveillance testing,EP,security,engineering/technical support & safety assessment/quality verification.
WHITE,J.R. Region 1 (Post 820201). 95/06/12. 11pp. 84346:280-84346:290.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506010043 "NPDES Discharge Monitoring Rept," for Apr 1995.W/950523 ltr.
LASALA,P.R., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 95/04/30. CORPORALE,G. New Jersey, State of. 20pp. 84150:338-84150:359.

9506160550 Monthly operating rept for May 1995 for Hope Creek Generation Station.W/950615 ltr.
LYONS,D.W., REDDEMANN,M. Public Service Electric & Gas Co. of New Jersey. 95/05/31. 12pp. 84366:321-84366:332.

S. Reportable occurrences, LERs & related correspondence

9506280216 LER 95-006-01:on 950323,480 volt normal infeed breaker did not close during attempted transfer.Caused by procedural non-compliances/personnel error.Personnel will be disciplined.W/950620 ltr.
AVERSA,L., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/06/20. 8pp. 84472:206-84472:213.

DOCKET 50-355 HOPE CREEK NUCLEAR STATION, UNIT 2

I. Financial information

9506300026 Forwards Public Svc Enterprise Group Inc,Delmarva Power, PECO Energy & Atlantic Energy Annual Repts 1994.
FRYLING,R. Public Service Electric & Gas Co. of New Jersey. 95/06/23. Document Control Branch (Document Control Desk). 1p. 84594:107-84594:351.

DOCKET 50-356 UNIV. OF ILLINOIS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9506230023 Forwards amend 5 to license R-117 & safety evaluation.Amend allows postponement of surveillances for control rod worth & power calibration when LOPRA inoperative.
ADAMS,A. . 95/06/05. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 3pp. 84409:295-84409:306.

--9506230026 Amend 5 to license R-117,allowing postponement of surveillances for control rod worth & power calibration when LOPRA inoperative.
WEISS,S.H. . 95/06/05. 5pp. 84409:298-84409:302.

--9506230027 Safety evaluation supporting amend 5 to license R-117.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/05. 4pp. 84409:303-84409:306.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506080358 Revised EPIPs,including rev 2 to temporary change notice 2-1 S023-VIII-30,rev 6 to EPIP-S0123-VIII-0.201,rev 6 to temporary change notice 6-1 S0123-VIII-0.301 & rev 3 to EPIP-S0123-VIII-30.6.W/950531 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/31. 109pp. 84227:001-84227:109.

9506130156 Forwards Rev 14 to NRC approved August 1983 "Safeguards Contigency Plan at San Onofre Nuclear Generating Station, Units 1,2 & 3." Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84337:148-84337:148.

9506210068 Submits results of SPPR for units 2 & 3 that covered period Oct 1994 - Mar 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/13. RAY,H.B. Southern California Edison Co. 5pp. 84360:095-84360:099.

9506220028 Forwards insp rept 50-361/95-08 & 50-362/95-08 on 950501-05. No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/14. RAY,H.B. Southern California Edison Co. 5pp. 84375:113-84375:126.

--9506220031 Insp repts 50-361/95-08 & 50-362/95-08 on 950501-05.No violations noted.Major areas inspected:fire protection program implementation,procurement & receiving & storage.
ANG,W.P. Region 4 (Post 820201). 95/06/13. 9pp. 84375:118-84375:126.

G. Adjudicatory correspondence

9506070170 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision (DD-95-06) has expired.Decision became final agency action on 950522. W/Certificate of Svc.Served on 950531.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16761. 95/05/30. DOUGHERTY,T. Affiliation Not Assigned. 2pp. 84176:353-84176:354.

I. Financial information

9506020321 Forwards annual repts for SCEcorp for CY94,San Diego Gas & Electric Co for CY94 & City of Anaheim for FY ending June 1994.City of Riverside annual rept for FY ending June 1994 not published as of 950530.
MARSH,W.C. Southern California Edison Co. 95/05/30. Document Control Branch (Document Control Desk). 1p. 84225:001-84225:149.

--9506020323 "SCEcorp 1994 Annual Rept."
BRYSON,J.E. Southern California Edison Co. 94/12/31. 48pp. 84225:002-84225:052.

--9506020326 "San Diego Gas & Electric 1994 Annual Rept."
PAGE,T.A., BAUM,S.L., FELSINGER,D.E. San Diego Gas & Electric Co. 94/12/31. 44pp. 84225:053-84225:096.

--9506020331 "City of Anaheim Public Utilities Dept Annual Rept for FY Ending 940630."
AGHJAYAN,E.K. Anaheim, CA. 94/06/30. 50pp. 84225:097-84225:149.

P. Operating license stage documents & correspondence

9506020268 Forwards amends 119 & 108 to licenses NPF-10 & NPF-15 & safety evaluation.Amends revise operability requirements for containment isolation valves listed in TS 3/4.6.3, "Containment Isolation Valves."
FIELDS,M.B. . 95/05/17. RAY,H.B. Southern California Edison Co. 4pp. 84165:167-84165:198.

--9506020277 Amends 119 & 108 to licenses NPF-10 & NPF-15,respectively, revising operability requirements for containment isolation valve listed in TS 3/4.6.3, "Containment Isolation Valve."
FIELDS,M.B. . 95/05/17. 23pp. 84165:171-84165:193.

--9506020282 Safety evaluation supporting amends 119 & 108 to licenses NPF-10 & NPF-15,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/17. 5pp. 84165:194-84165:198.

9506120078 Informs of 950613 meeting w/licensee in San Clemente,CA re plant refueling outage plans.
BEACH,A.B. Region 4 (Post 820201). 95/06/06. Region 4 (Post 820201). 5pp. 84221:215-84221:219.

9506150079 Discusses proposed changes in electric rates.
* Southern California Edison Co. 95/06/07. 5pp. 84352:316-84352:320.

9506290053 Informs that NRC has no position on merits of complaints against util & Combustion Engineering,Inc,noted in ltrs dtd 940715 & 950216.Reminds util & co-licensees of responsibilities under 10CFR21 & 50.
BATEMAN,W.H. . 95/06/16. RAY,H.B. Southern California Edison Co. 3pp. 84473:166-84473:168.

9506300001 Notification of licensee meeting on 950710 w/util to discuss recent operations performance.
BEACH,A.B. Region 4 (Post 820201). 95/06/26. Region 4 (Post 820201). 6pp. 84470:058-84470:062.

9506300141 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
MARSH,W. Southern California Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 15pp. 84522:313-84522:327.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120002 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/95-01 & 50-362/95-01.
GWYNN,T.P. Region 4 (Post 820201). 95/06/02. RAY,H.B. Southern California Edison Co. 4pp. 84221:003-84221:009.

9506120033 Forwards insp repts 50-361/95-06 & 50-362/95-06 on 950410-14 & notice of violation.Violation of NRC concern because of failure to verify that dissolved oxygen had been within TS limits.
BEACH,A.B. Region 4 (Post 820201). 95/06/02. RAY,H.B. Southern California Edison Co. 6pp. 84221:152-84221:178.

--9506120035 Notice of violation from insp on 950410-14.Violation noted:on 950406,licensee failed to close Valve 2HV9379, which caused open path between Unit 2 RCS & inadvertent draining of about 560 gallons from RCS.
* Region 1 (Post 820201). 95/06/02. 2pp. 84221:158-84221:159.

--9506120041 Insp repts 50-361/95-06 & 50-362/95-06 on 950410-14. Violations noted.Major areas inspected:circumstances surrounding 950406,inadvertent transfer of approx 560 gallons of reactor coolant,from Unit 2 RCS to RWST.
WONG,H.J. Region 4 (Post 820201). 95/05/26. 19pp. 84221:160-84221:178.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140039 Forwards insp repts 50-206/95-04,50-361/95-04 & 50-362/95-04 & notice of violation.Violation of NRC concern because it includes two examples of inadequate procedures which resulted in improper sys alignments.
BEACH,A.B. Region 4 (Post 820201). 95/06/07. RAY,H.B. Southern California Edison Co. 6pp. 84274:304-84275:020.

--9506140045 Notice of violation from insp on 950312-0422.Violation noted:as of 950422,licensee procedures in two cases had been inappropriate for listed cirumstances.
* Region 4 (Post 820201). 95/06/07. 2pp. 84274:310-84274:311.

--9506140048 Insp repts 50-206/95-04,50-361/95-04 & 50-362/95-04 on 950312-0422.Violations noted.Major areas inspected:onsite followup of events,operational safety verification,maint & surveillance observations & engineering & plant support.
WONG,H.J. Region 4 (Post 820201). 95/05/25. 31pp. 84274:312-84275:020.

9506140081 Ack receipt of 950518 ltr informing NRC of steps taken to correct violations noted in insp repts 50-206/95-05, 50-361/95-05 & 50-362/95-05 on 950421.
COLLINS,S.J. Region 4 (Post 820201). 95/06/09. RAY,H.B. Southern California Edison Co. 4pp. 84267:272-84267:277.

9506200175 Responds to NRC 950503 ltr re violations noted in insp repts 50-361/95-02 & 50-362/95-02 on 950129-0311.Corrective actions:individuals involved counseled & other operators reminded of MFIV operability requirements.
ROSENBLUM,R.M. Southern California Edison Co. 95/06/13. Document Control Branch (Document Control Desk). 5pp. 84405:338-84405:342.

9506210068 Submits results of SPPR for units 2 & 3 that covered period Oct 1994 - Mar 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/13. RAY,H.B. Southern California Edison Co. 5pp. 84360:095-84360:099.

9506220028 Forwards insp rept 50-361/95-08 & 50-362/95-08 on 950501-05. No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/14. RAY,H.B. Southern California Edison Co. 5pp. 84375:113-84375:126.

--9506220031 Insp repts 50-361/95-08 & 50-362/95-08 on 950501-05.No violations noted.Major areas inspected:fire protection program implementation,procurement & receiving & storage.
ANG,W.P. Region 4 (Post 820201). 95/06/13. 9pp. 84375:118-84375:126.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290240 Responds to NRC ltr re violations noted in insp repts 50-361/95-06 & 50-362/95-06 on 950410-14.Corrective actions: counseling,issuing of directives on procedure compliance & CR command structure & mgt oversight presence.
ROSENBLUM,R.M. Southern California Edison Co. 95/06/16. Document Control Branch (Document Control Desk). 4pp. 84498:078-84498:081.

9506280563 Forwards insp repts 50-361/95-11 & 50-362/95-11 on 950522-26 & notice of violation.Violation indicates lack of mgt oversight re control of high radiation areas & failure to implement effective corrective action.
COLLINS,S.J. Region 4 (Post 820201). 95/06/22. RAY,H.B. Southern California Edison Co. 4pp. 84451:318-84451:333.

--9506280574 Notice of violation from insp on 950522-26.Violation noted: radiation workers entered into areas controlled as high radiation areas on 14 occasions from 940101 through May 1995 w/o being controlled by radiation exposure permits.
* Region 4 (Post 820201). 95/06/22. 2pp. 84451:323-84451:324.

--9506280581 Insp repts 50-361/95-11 & 50-362/95-11 on 950522-26. Violations noted.Major areas inspected:licensee implementation of revised 10CFR20 & followup on previously identified violation.
MURRAY,B. Region 4 (Post 820201). 95/06/21. 10pp. 84451:325-84451:333.

R. Periodic operating reports & related correspondence

9506210076 Forwards monthly operating repts for May 1995 for San Onofre Nuclear Generating Station Units 2 & 3.Scope of repts listed.
MARSH,W.C. Southern California Edison Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84410:259-84410:272.

--9506210078 Monthly operating repts for May 1995 for San Onofre Nuclear Generating Station Units 2 & 3.
KAPLAN,R.L. Southern California Edison Co. 95/05/31. 13pp. 84410:260-84410:272.

S. Reportable occurrences, LERs & related correspondence

9506070173 Forwards LER 95-007 re incorrect rod shadowing factor in core protection calculators.
KRIEGER,R.W. Southern California Edison Co. 95/05/26. Document Control Branch (Document Control Desk). 1p. 84238:123-84238:126.

--9506070197 LER 95-007-00:on 950331,incorrect rod shadowing factors in core protection calculators occurred.Caused by incorrect values provided by ABB CE.Revised reload power ascension procedure to include addl data verification steps.
KRIEGER,R.W. Southern California Edison Co. 95/05/26. 3pp. 84238:124-84238:126.

9506190333 Forwards LER 95-009 re licensing basis of EDGs.
KRIEGER,R.W. Southern California Edison Co. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84388:354-84388:357.

--9506190338 LER 95-009-00:on 950511,EDG initial step load should have been 20% higher than 1,720 kW.Caused by Bechtel who did not recognize that LOVS may cause larger EDG initial step load than LOVS w/SIAS.Revised appropriate load circuitry.
KRIEGER,R.W. Southern California Edison Co. 95/06/12. 3pp. 84388:355-84388:357.

9506290198 LER 95-003-00:on 950225,discovered cracking in rotor discs. Caused by stress corrosion cracking.Cracks removed by excavation.W/950623 ltr.
KRIEGER,R.W. Southern California Edison Co. 95/06/23. 8pp. 84508:228-84508:235.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506080358 Revised EPIPs,including rev 2 to temporary change notice 2-1 S023-VIII-30,rev 6 to EPIP-S0123-VIII-0.201,rev 6 to temporary change notice 6-1 S0123-VIII-0.301 & rev 3 to EPIP-S0123-VIII-30.6.W/950531 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/31. 109pp. 84227:001-84227:109.

9506130156 Forwards Rev 14 to NRC approved August 1983 "Safeguards Contigency Plan at San Onofre Nuclear Generating Station, Units 1,2 & 3." Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84337:148-84337:148.

9506210068 Submits results of SPPR for units 2 & 3 that covered period Oct 1994 - Mar 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/13. RAY,H.B. Southern California Edison Co. 5pp. 84360:095-84360:099.

9506220028 Forwards insp rept 50-361/95-08 & 50-362/95-08 on 950501-05. No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/14. RAY,H.B. Southern California Edison Co. 5pp. 84375:113-84375:126.

--9506220031 Insp repts 50-361/95-08 & 50-362/95-08 on 950501-05.No violations noted.Major areas inspected:fire protection program implementation,procurement & receiving & storage.
ANG,W.P. Region 4 (Post 820201). 95/06/13. 9pp. 84375:118-84375:126.

G. Adjudicatory correspondence

9506070170 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision (DD-95-06) has expired.Decision became final agency action on 950522. W/Certificate of Svc.Served on 950531.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16761. 95/05/30.
DOUGHERTY,T. Affiliation Not Assigned. 2pp. 84176:353-84176:354.

I. Financial information

9506020321 Forwards annual repts for SCEcorp for CY94,San Diego Gas & Electric Co for CY94 & City of Anaheim for FY ending June 1994.City of Riverside annual rept for FY ending June 1994 not published as of 950530.
MARSH,W.C. Southern California Edison Co. 95/05/30. Document Control Branch (Document Control Desk). 1p. 84225:001-84225:149.

--9506020323 "SCEcorp 1994 Annual Rept."
BRYSON,J.E. Southern California Edison Co. 94/12/31. 48pp. 84225:002-84225:052.

--9506020326 "San Diego Gas & Electric 1994 Annual Rept."
PAGE,T.A., BAUM,S.L., FELSINGER,D.E. San Diego Gas & Electric Co. 94/12/31. 44pp. 84225:053-84225:096.

--**9506020331** "City of Anaheim Public Utilities Dept Annual Rept for FY Ending 940630."
AGHJAYAN,E.K. Anaheim, CA. 94/06/30. 50pp. 84225:097-84225:149.

P. Operating license stage documents & correspondence

9506020268 Forwards amends 119 & 108 to licenses NPF-10 & NPF-15 & safety evaluation.Amends revise operability requirements for containment isolation valves listed in TS 3/4.6.3, "Containment Isolation Valves."
FIELDS,M.B. . 95/05/17. RAY,H.B. Southern California Edison Co. 4pp. 84165:167-84165:198.

--**9506020277** Amends 119 & 108 to licenses NPF-10 & NPF-15,respectively, revising operability requirements for containment isolation valve listed in TS 3/4.6.3, "Containment Isolation Valve."
FIELDS,M.B. . 95/05/17. 23pp. 84165:171-84165:193.

--**9506020282** Safety evaluation supporting amends 119 & 108 to licenses NPF-10 & NPF-15,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/17. 5pp. 84165:194-84165:198.

9506120078 Informs of 950613 meeting w/licensee in San Clemente,CA re plant refueling outage plans.
BEACH,A.B. Region 4 (Post 820201). 95/06/06. Region 4 (Post 820201). 5pp. 84221:215-84221:219.

9506150079 Discusses proposed changes in electric rates.
* Southern California Edison Co. 95/06/07. 5pp. 84352:316-84352:320.

9506300001 Notification of licensee meeting on 950710 w/util to discuss recent operations performance.
BEACH,A.B. Region 4 (Post 820201). 95/06/26. Region 4 (Post 820201). 6pp. 84470:058-84470:062.

9506300141 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
MARSH,W. Southern California Edison Co. 95/06/27. Document Control Branch (Document Control Desk). 15pp. 84522:313-84522:327.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120002 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/95-01 & 50-362/95-01.
GWYNN,T.P. Region 4 (Post 820201). 95/06/02. RAY,H.B. Southern California Edison Co. 4pp. 84221:003-84221:009.

9506120033 Forwards insp repts 50-361/95-06 & 50-362/95-06 on 950410-14 & notice of violation.Violation of NRC concern because of failure to verify that dissolved oxygen had been within TS limits.
BEACH,A.B. Region 4 (Post 820201). 95/06/02. RAY,H.B. Southern California Edison Co. 6pp. 84221:152-84221:178.

--**9506120035** Notice of violation from insp on 950410-14.Violation noted:on 950406,licensee failed to close Valve 2HV9379, which caused open path between Unit 2 RCS & inadvertent draining of about 560 gallons from RCS.
* Region 1 (Post 820201). 95/06/02. 2pp. 84221:158-84221:159.

--**9506120041** Insp repts 50-361/95-06 & 50-362/95-06 on 950410-14. Violations noted.Major areas inspected:circumstances surrounding 950406,inadvertent transfer of approx 560 gallons of reactor coolant,from Unit 2 RCS to RWST.
WONG,H.J. Region 4 (Post 820201). 95/05/26. 19pp. 84221:160-84221:178.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140039 Forwards insp repts 50-206/95-04,50-361/95-04 & 50-362/95-04 & notice of violation.Violation of NRC concern because it includes two examples of inadequate procedures which resulted in improper sys alignments.
BEACH,A.B. Region 4 (Post 820201). 95/06/07. RAY,H.B. Southern California Edison Co. 6pp. 84274:304-84275:020.

--**9506140045** Notice of violation from insp on 950312-0422.Violation noted:as of 950422,licensee procedures in two cases had been inappropriate for listed cirumstances.
* Region 4 (Post 820201). 95/06/07. 2pp. 84274:310-84274:311.

--**9506140048** Insp repts 50-206/95-04,50-361/95-04 & 50-362/95-04 on 950312-0422.Violations noted.Major areas inspected:onsite followup of events,operational safety verification,maint & surveillance observations & engineering & plant support.
WONG,H.J. Region 4 (Post 820201). 95/05/25. 31pp. 84274:312-84275:020.

9506140081 Ack receipt of 950518 ltr informing NRC of steps taken to correct violations noted in insp repts 50-206/95-05, 50-361/95-05 & 50-362/95-05 on 950421.
COLLINS,S.J. Region 4 (Post 820201). 95/06/09. RAY,H.B. Southern California Edison Co. 4pp. 84267:272-84267:277.

9506200175 Responds to NRC 950503 ltr re violations noted in insp repts 50-361/95-02 & 50-362/95-02 on 950129-0311.Corrective actions:individuals involved counseled & other operators reminded of MFIV operability requirements.
ROSENBLUM,R.M. Southern California Edison Co. 95/06/13. Document Control Branch (Document Control Desk). 5pp. 84405:338-84405:342.

9506210068 Submits results of SPPR for units 2 & 3 that covered period Oct 1994 - Mar 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/13. RAY,H.B. Southern California Edison Co. 5pp. 84360:095-84360:099.

9506220028 Forwards insp rept 50-361/95-08 & 50-362/95-08 on 950501-05. No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/14. RAY,H.B. Southern California Edison Co. 5pp. 84375:113-84375:126.

--**9506220031** Insp repts 50-361/95-08 & 50-362/95-08 on 950501-05.No violations noted.Major areas inspected:fire protection program implementation,procurement & receiving & storage.
ANG,W.P. Region 4 (Post 820201). 95/06/13. 9pp. 84375:118-84375:126.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290240 Responds to NRC ltr re violations noted in insp repts 50-361/95-06 & 50-362/95-06 on 950410-14.Corrective actions: counseling,issuing of directives on procedure compliance & CR command structure & mgt oversight presence.
ROSENBLUM,R.M. Southern California Edison Co. 95/06/16. Document Control Branch (Document Control Desk). 4pp. 84498:078-84498:081.

9506280563 Forwards insp repts 50-361/95-11 & 50-362/95-11 on 950522-26 & notice of violation.Violation indicates lack of mgt oversight re control of high radiation areas & failure to implement effective corrective action.
COLLINS,S.J. Region 4 (Post 820201). 95/06/22. RAY,H.B. Southern California Edison Co. 4pp. 84451:318-84451:333.

--**9506280574** Notice of violation from insp on 950522-26.Violation noted: radiation workers entered into areas controlled as high radiation areas on 14 occasions from 940101 through May 1995 w/o being controlled by radiation exposure permits.
* Region 4 (Post 820201). 95/06/22. 2pp. 84451:323-84451:324.

--**9506280581** Insp repts 50-361/95-11 & 50-362/95-11 on 950522-26. Violations noted.Major areas inspected:licensee implementation of revised 10CFR20 & followup on previously identified violation.
MURRAY,B. Region 4 (Post 820201). 95/06/21. 10pp. 84451:325-84451:333.

R. Periodic operating reports & related correspondence

9506080612 "NPDES Discharge Elimination Sys Discharge Monitoring Repts for SONGS Units 1 & 2." W/950601 ltr.
MARSH,W.C. Southern California Edison Co. 95/02/28. 7pp. 84279:220-84279:226.

9506210076 Forwards monthly operating repts for May 1995 for San Onofre Nuclear Generating Station Units 2 & 3.Scope of repts listed.
MARSH,W.C. Southern California Edison Co. 95/06/14. Document Control Branch (Document Control Desk). 1p. 84410:259-84410:272.

--**9506210078** Monthly operating repts for May 1995 for San Onofre Nuclear Generating Station Units 2 & 3.
KAPLAN,R.L. Southern California Edison Co. 95/05/31. 13pp. 84410:260-84410:272.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506070335 Forwards amends 115 & 107 to licenses NPF-2 & NPF-8, respectively.Amends relocate seismic & meteorological monitoring instrumentation from TS to final SAR.
SIEGEL,B.L. . 95/05/22. MOREY,D.N. Alabama Power Co. 2pp. 84204:191-84204:216.

--**9506070369** Amends 115 & 107 to licenses NPF-2 & NPF-8,respectively, relocating seismic & meteorological monitoring instrumentation from TS to final SAR.
BERKOW,H.N. . 95/05/22. 9pp. 84204:194-84204:211.

--**9506070382** Safety evaluation supporting amends 115 & 107 to licenses NPF-2 & NPF-8, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84204:212-84204:216.

9506140282 Forwards copy of, "Environ Assessment & Finding of No Significant Impact," re licensee application for 950403 exemption from certain requirements of 10CFR73.55.
BERKOW,H.N. . 95/05/30. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84313:051-84313:058.

--**9506140293** Environ assessment & finding of no significant impact re licensee application for 950403 exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power...."
BERKOW,H.N. . 95/05/30. 5pp. 84313:054-84313:058.

9506200444 Forwards exemption granted from certain requirements of 10CFR73.55,to allow individuals not employed by licensee to take photo identification badges offsite in conjunction w/ use of hand geometry biometrics sys control access.
BERKOW,H.N. . 95/06/05. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84379:237-84379:246.

--**9506200452** Exemption granted from certain requirements of 10CFR73.55 to allow individuals not employed by util to take photo identification badges offsite in conjunction w/use of hand geometry biometrics sys to control access.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/06/05. Southern Nuclear Operating Co. 7pp. 84379:240-84379:246.

H. General correspondence

9506190012 Comment on proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control. Supports NEI comments.
MOREY,D. Southern Nuclear Operating Co. 95/01/05. Docketing & Services Branch. 1p. 84320:020-84320:020.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506190359 Forwards Rev 12A to updated FSAR for JM Farley Nuclear Plant,Units 1 & 2.Rev 12A submitted to resolve issue reported in voluntary LER 93-001-00,dtd 930723.
MOREY,D. Southern Nuclear Operating Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84378:178-84378:278.

--**9506190361** Rev 12A to updated FSAR for JM Farley Nuclear Plant,Units 1 & 2.
* Southern Nuclear Operating Co. 95/06/30. 96pp. 84378:180-84378:278.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

P. Operating license stage documents & correspondence

9506070335 Forwards amends 115 & 107 to licenses NPF-2 & NPF-8, respectively.Amends relocate seismic & meteorological monitoring instrumentation from TS to final SAR.
SIEGEL,B.L. . 95/05/22. MOREY,D.N. Alabama Power Co. 2pp. 84204:191-84204:216.

--**9506070369** Amends 115 & 107 to licenses NPF-2 & NPF-8,respectively, relocating seismic & meteorological monitoring instrumentation from TS to final SAR.
BERKOW,H.N. . 95/05/22. 9pp. 84204:194-84204:211.

--**9506070382** Safety evaluation supporting amends 115 & 107 to licenses NPF-2 & NPF-8, respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84204:212-84204:216.

9506090243 Forwards revised TS bases pages B 2-6 & B 2-7 for units 1 & 2 that have been dated to correspond to issue date of ltr.
SIEGEL,B.L. . 95/05/25. MOREY,D.N. Southern Nuclear Operating Co. 9pp. 84222:144-84222:152.

9506080311 Application for amends to licenses NPF-2 & NPF-8,revising TS associated w/steam generator tube support plate voltage- based repair criteria.
MOREY,D. Southern Nuclear Operating Co. 95/05/31. Document Control Branch (Document Control Desk). 8pp. 84222:283-84222:318.

--**9506080314** Proposed tech specs assoc w/steam generator tube support plate voltage-based repair criteria.
* Southern Nuclear Operating Co. 95/05/31. 28pp. 84222:291-84222:318.

9506200238 Forwards response to NRC 950417 RAI re util 940817 TS change request to eliminate periodic pressure sensor response time testing requirements.
MOREY,D. Southern Nuclear Operating Co. 95/06/15. Document Control Branch (Document Control Desk). 7pp. 84406:001-84406:007.

9506230373 Notifies that rod control sys (RCS) timing changes for JFNP Unit 2 implemented during tenth refueling in spring 1995,per GL 93-04 & W acceptance criteria for enhanced testing incorporated in JFNP RCS engineering test procedure.
MOREY,D. Southern Nuclear Operating Co. 95/06/19. Document Control Branch (Document Control Desk). 1p. 84465:283-84465:283.

9506290217 Forwards copy of plant 950328 ltr per BL Siegel request.
TAYLOR,C. Southern Nuclear Operating Co. 95/06/20. Document Control Branch (Document Control Desk). 1p. 84499:272-84499:274.

--**9506290219** Informs NRC of plant intention to implement industry position on severe accident mgt at Farley Nuclear Plant.
MOREY,D. Southern Nuclear Operating Co. 95/03/28. Document Control Branch (Document Control Desk). 1p. 84499:274-84499:274.

9506290236 Advises NRC that util Board of Directors has named JH Miller as Senior Vice President & Corporate Counsel,effective on 950612.
MOREY,D. Southern Nuclear Operating Co. 95/06/20. Document Control Branch (Document Control Desk). 1p. 84483:277-84483:277.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506200167 Summarizes 950519 meeting at Plant Training Ctr to discuss performance during previous SALP cycle.List of attendees & copy of NRC slides encl.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/25. MOREY,D.N. Southern Nuclear Operating Co. 14pp. 84346:225-84346:238.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506070004 Responds to violation noted in insp rept 50-364/95-08 re loss of personnel & matl control & inadequate tagging order preparation & execution.Corrective actions:continuous CRAB access control point monitor established.
MOREY,D. Southern Nuclear Operating Co. 95/05/31. Document Control Branch (Document Control Desk). 4pp. 84238:357-84238:360.

9506190395 Discusses 950530 telcon w/J Deavers & P Steiner re arrangements for NRC to inspect licensed operator requalification program at plant.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84343:192-84343:193.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506130386 Forwards response to NRC 950420 RAI re util responses to plant electrical distribution sys functional insp degraded grid voltage unresolved item.
MOREY,D. Southern Nuclear Operating Co. 95/06/06. Document Control Branch (Document Control Desk). 11pp. 84296:298-84296:308.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140240 Responds to NRC 950502 ltr re violation noted in insp rept 50-364/95-08.Corrective actions:broadness review will be completed on errors associated w/ safety tagging sys.
MOREY,D. Southern Nuclear Operating Co. 95/06/07. Document Control Branch (Document Control Desk). 7pp. 84338:341-84338:347.

9506200311 Discusses insp repts 50-348/95-10 & 50-364/95-10 on 950410-0514 & forwards NOV.Violation of concern because of multiple opportunities operators had to identify problem sooner displays lack of attention to safety prarameters.
CHRISTENSEN,H. Region 2 (Post 820201). 95/06/08. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 84349:057-84349:086.

--**9506200313** Notice of violation from insp on 950410-0514.Violation noted:licensee operated unit 2 in mode 1 w/loop 2A OTDT channel inoperable.
* Region 2 (Post 820201). 95/06/08. 1p. 84349:062-84349:062.

--**9506200316** Insp repts 50-348/95-10 & 50-364/95-10 on 950410-0514. Violations noted.Major areas inspected:operations, maintenance,surveillance,engineering,technical support, general plant support & non-routine events.
ROSS,T.M., SCOTT,M.A., MORGAN,M.J. Region 2 (Post 820201). 95/06/08. 22pp. 84349:063-84349:086.

9506280037 Expresses appreciation for 950303 ltr providing info requested by insp repts 50-348/94-28 & 50-364/94-28 re MOV program implemented by licensee to determine whether it meets intent of NRC GL-89-10.
CASTO,C.A. Region 2 (Post 820201). 95/06/14. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84441:114-84441:116.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280120 Ack receipt of 950607 ltr informing NRC of steps taken to correct violations noted in insp rept 50-348/95-08 & 50-364/95-08.
CHRISTENSEN,H. Region 3 (Post 820201). 95/06/16. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84442:014-84442:015.

R. Periodic operating reports & related correspondence

9506210059 Monthly operating repts for May 1995 for JM Farley Nuclear Plant Units 1 & 2.W/950612 ltr.
ALLISON,S.M., MOREY,D. Southern Nuclear Operating Co. 95/05/31. 10pp. 84409:345-84409:354.

S. Reportable occurrences, LERs & related correspondence

9506200094 PNO-II-95-032:on 950604,tropical storm Allison upgraded to hurricane.No flooding experienced.State of Florida,Alabama & Georgia have activated Emergency Operations Ctr.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84347:317-84347:317.

9506200290 PNO-II-95-032A:on 950605,site exprienced max wind gusts of 25 mph & four inches of rainfall.Caused by Hurricane Allison.Resident Inspectors have observed licensee acting at each site.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84349:254-84349:254.

9506230041 LER 95-002-00:on 950404,visual exams of fuel assemblies indicated black surface deposit over full height of assemblies.Cause being investigated.Chemistry guidelines for startup & power operation developed.W/950605 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 95/06/05. 6pp. 84457:244-84457:249.

9506120524 LER 95-003-00:on 950507,loop 2A overtemperature delta temp channel was inoperable due to personnel error.Adjusted channel & returned to svc on 950507.W/950606 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 95/06/06. 4pp. 84280:169-84280:172.

V. Operator Examinations

9506190395 Discusses 950530 telcon w/J Deavers & P Steiner re arrangements for NRC to inspect licensed operator requalification program at plant.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/31. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84343:192-84343:193.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506120383 Forwards rev 13C to FSAR & rev 10C to Fire Hazards Analysis & Fire Protection Program.
BECKHAM,J.T. Georgia Power Co. 95/05/15. Document Control Branch (Document Control Desk). 4pp. 84281:001-84282:052.

--9506120393 Rev 10C to Fire Hazards Analysis & Fire Protection Plan.
* Georgia Power Co. 95/05/31. 134pp. 84281:283-84282:052.

9506200309 Advises that rev 14 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/06/02. BESKHAM,J.T. Georgia Power Co. 3pp. 84349:264-84349:266.

9506280325 Informs of 950726 meeting w/util mgt to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/06/09. WIDENER,R.E. Affiliation Not Assigned. 4pp. 84442:306-84442:309.

9506280341 Informs of 950726 meeting w/util mgt to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/06/09. CHENEY,J.M. Affiliation Not Assigned. 4pp. 84442:319-84442:322.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506120383 Forwards rev 13C to FSAR & rev 10C to Fire Hazards Analysis & Fire Protection Program.
BECKHAM,J.T. Georgia Power Co. 95/05/15. Document Control Branch (Document Control Desk). 4pp. 84281:001-84282:052.

--9506120389 Rev 13C to FSAR for EI Hatch Nuclear Plant.
* Georgia Power Co. 95/05/31. 278pp. 84281:005-84281:282.

P. Operating license stage documents & correspondence

9506080006 Forwards "USI A-46 Summary Rept EI Hatch Nuclear Plant Unit 1" & "USI A-46...EI Hatch Nuclear Plant Unit 2," in response to suppl 1 to GL 87-02.
BECKHAM,J.T. Georgia Power Co. 95/05/30. Document Control Branch (Document Control Desk). 3pp. 84276:001-84279:219.

--9506080011 "USI A-46 Summary Rept EI Hatch Nuclear Plant Unit 2."
* Georgia Power Co. 95/05/30. 667pp. 84277:281-84279:219.

9506140075 Application for amends to licenses DPR-57 & NPF-5.Amends would revise secondary containment draw down & maintain vacuum surveillance requirement acceptance criteria.
BECKHAM,J.T. Georgia Power Co. 95/06/06. Document Control Branch (Document Control Desk). 6pp. 84338:209-84338:231.

--9506140079 Proposed tech specs re secondary containment draw down & vacuum surveillance requirement acceptance criteria.
* Georgia Power Co. 95/06/06. 17pp. 84338:215-84338:231.

9506190035 Comment supporting NEI comments on proposed rule 10CFR73 re changes to NPP security requirements associated w/ containment access control.
BECKHAM,J.T. Georgia Power Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84320:037-84320:038.

9506280614 Forwards SE approving util 950328 request to use ASME Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
BERKOW,H.N. . 95/06/15. BECKHAM,J.T. Georgia Power Co. 3pp. 84455:345-84455:352.

--9506280619 SE approving util 950328 request to use ASME Code Case N-416-1 in lieu of performing Code-required hydrostatic pressure test for welded repairs or installation of replacement items by welding.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/15. 5pp. 84455:348-84455:352.

9506230327 Forwards response to second RAI receieved on 950518 re power uprate amend request dtd 950113.Revised TS pages also encl.
BECKHAM,J.T. Georgia Power Co. 95/06/20. Document Control Branch (Document Control Desk). 43pp. 84465:143-84465:282.

--9506230336 Proposed tech specs for power uprate.
* Georgia Power Co. 95/06/20. 97pp. 84465:186-84465:282.

9506280421 Requests exemption from testing criteria of 10CFR50,App J.
BECKHAM,J.T. Georgia Power Co. 95/06/20. Document Control Branch (Document Control Desk). 11pp. 84493:026-84493:036.

9506300123 Forwards addl info to support response time testing TS rev request,dtd 950414,based on 950606 telcon w/NRC.
BECKHAM,J.T. Georgia Power Co. 95/06/22. Document Control Branch (Document Control Desk). 4pp. 84523:345-84523:348.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506200071 Forwards insp repts 50-321/95-10 & 50-366/95-10 on 950501-05.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/02. BECKHAM,J.T. Georgia Power Co. 3pp. 84349:196-84349:214.

--9506200082 Insp repts 50-321/95-10 & 50-366/95-10 on 950501-05.No violations noted.Major areas inspected:audits & appraisals, ALARA program changes,worker awareness & involvement,ALARA goals & objectives & ALARA results.
LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 95/06/02. 16pp. 84349:199-84349:214.

9506200099 Forwards insp repts 50-321/95-11 & 50-366/95-11 on 950501-05.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/06/02. BECKHAM,J.T. Georgia Power Co. 3pp. 84349:136-84349:150.

--9506200105 Insp repts 50-321/95-11 & 50-366/95-11 on 950501-05.No violations noted.Major areas inspected:radioactive effluent controls,radiological environmental monitoring & radioactive effluent monitoring instrumentation.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/06/02. 12pp. 84349:139-84349:150.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506280325 Informs of 950726 meeting w/util mgt to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/06/09. WIDENER,R.E. Affiliation Not Assigned. 4pp. 84442:306-84442:309.

9506280341 Informs of 950726 meeting w/util mgt to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/06/09. CHENEY,J.M. Affiliation Not Assigned. 4pp. 84442:319-84442:322.

9506200067 Forwards response to NRC 950519 ltr re violations noted in insp repts 50-321/95-09 & 50-366/95-09.Corrective actions: made appropriate personnel aware of requirement to notify NRC Region II of impending exercise dates.
BECKHAM,J.T. Georgia Power Co. 95/06/12. Document Control Branch (Document Control Desk). 4pp. 84405:149-84405:152.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210055 Monthly operating repts for May 1995 for EI Hatch Nuclear Plant Units 1 & 2.W/950612 ltr.
TIDWELL,T.W., BECKHAM,J.T. Georgia Power Co. 95/05/31. 14pp. 84409:326-84409:339.

S. Reportable occurrences, LERs & related correspondence

9506200290 PNO-II-95-032A:on 950605,site exprienced max wind gusts of 25 mph & four inches of rainfall.Caused by Hurricane Allison.Resident Inspectors have observed licensee acting at each site.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84349:254-84349:254.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9506220012 Rev 28 to EPIP 1903.023, "Personnel Emergency."
* Entergy Operations, Inc. 94/11/28. 3pp. 84419:322-84419:324.

9506220019 Rev 14 to EPIP 1903.033, "Protective Action Guidelines for Rescue/Repair & Damage Control Team."
* Entergy Operations, Inc. 94/11/28. 6pp. 84419:336-84419:341.

9506220021 Rev 11 to EPIP 1905.001, "Emergency Radiological Controls."
* Entergy Operations, Inc. 94/11/28. 7pp. 84419:342-84419:348.

9506220018 Rev 14 to EPIP 1903.062, "Communications Sys Operating Procedure."
* Entergy Operations, Inc. 94/12/16. 11pp. 84419:325-84419:335.

9506220011 Rev 27 to EPIP 1903.061, "Communication Equipment Tests."
* Entergy Operations, Inc. 95/03/16. 4pp. 84419:318-84419:321.

9506220009 Rev 31 to EPIP 1903.060, "Emergency Supplies & Equipment."
COTTON,S.R. Entergy Operations, Inc. 95/05/16. 25pp. 84419:293-84419:317.

9506070371 Rev 20 to procedure/work plan 1903.011, "Emergency Response/ Notifications."
* Entergy Operations, Inc. 95/05/25. 86pp. 84219:250-84219:335.

9506130365 Advises that 950331 rev 32 industrial security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS,S.J. Region 4 (Post 820201). 95/06/09. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84296:293-84296:297.

9506130282 Page 14 of Rev 20 to procedure/work plan 1903.011, "Emergency Response/Notifications."
* Entergy Operations, Inc. 95/06/13. 2pp. 84289:349-84289:350.

H. General correspondence

9506190034 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
* Entergy Operations, Inc. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:035-84320:036.

P. Operating license stage documents & correspondence

9506070163 Forwards rev to relief request PR-5 re second interval IST program for ANO-2.
MIMS,D.C. Entergy Operations, Inc. 95/05/31. Document Control Branch (Document Control Desk). 4pp. 84239:128-84239:131.

9506220207 Advises of encl affidavit supporting W request that ref rept WCAP-13698,Rev 2,be withheld per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 12pp. 84436:206-84436:216.

9506220210 Advises of encl affidavit supporting W request that ref rept WCAP-14410 be withheld per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 84436:349-84436:358.

9506120016 Notification of licensee meeting w/util in Arlington,TX on 950615 to discuss event re movement of core support assembly as described in NRC insp repts 50-313/95-12 & 50-368/95-12.
BEACH,A.B. Region 4 (Post 820201). 95/06/07. Region 4 (Post 820201). 5pp. 84221:094-84221:098.

9506210094 Forwards rept re errors/changes in plant ECCS for 1994.
MIMS,D.C. Entergy Operations, Inc. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84410:289-84410:307.

--9506210101 Suppl 6 to topical rept CENPD-279, "Annual Rept on ABB CE ECCS Performance Evaluation Models,Final Rept,CEOG Task 865," dtd Feb 1995.
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CENPD-279 S06. 95/02/28. 16pp. 84410:292-84410:307.

9506280805 Notifies that pending rulemaking,NRC has completed work on util 931021 request that proposed alternatives to ISI/IST requirements be prioritized as CBLA.
KALMAN,G. . 95/06/14. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84458:354-84458:357.

9506290205 Forwards SE accepting response to GI-70,per GL 90-06. Response to GI-94 based on methodology developed in CEN-381P,rept not approved by NRC.Requests that util resubmit response using methodology acceptable by NRC.
KALMAN,G. . 95/06/14. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84487:342-84487:347.

--9506290212 Safety evaluation accepting util response to GI-70,per GL 90-06.Response to GI-94 should be resubmitted.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 3pp. 84487:345-84487:347.

9506230378 Forwards revised proposed QA Manual Operations page change, including amended wording re audit finding follow-up commitment change requested by 941216 ltr,per telcons w/NRC.
MIMS,D.C. Entergy Operations, Inc. 95/06/16. Document Control Branch (Document Control Desk). 3pp. 84457:357-84457:359.

9506300225 Informs of util intent to convert plant TS to improved std TS,per NUREG-1430 & NUREG-1432.Util expect to begin ANO Unit 1 submittal in June 1995,followed by submittal in 3rd quarter of 1996,for implementation in 2nd quarter of 1997.
YELVERTON,J.W. Entergy Operations, Inc. 95/06/21. Document Control Branch (Document Control Desk). 2pp. 84524:336-84524:337.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506120016 Notification of licensee meeting w/util in Arlington,TX on 950615 to discuss event re movement of core support assembly as described in NRC insp repts 50-313/95-12 & 50-368/95-12.
BEACH,A.B. Region 4 (Post 820201). 95/06/07. Region 4 (Post 820201). 5pp. 84221:094-84221:098.

9506140074 Forwards corrected page to insp repts 50-313/95-11 & 50-368/95-11 on 950331.
GWYNN,T.P. Region 4 (Post 820201). 95/06/09. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84267:262-84267:266.

--9506140114 Corrected page 9 of Section 2.5.2 to insp repts 50-313/95-11 & 50-368/95-11 on 950331.
* Region 4 (Post 820201). 95/06/09. 1p. 84267:266-84267:266.

9506280805 Notifies that pending rulemaking,NRC has completed work on util 931021 request that proposed alternatives to ISI/IST requirements be prioritized as CBLA.
KALMAN,G. . 95/06/14. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84458:354-84458:357.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506210010 Forwards followup insp repts 50-313/95-20 & 50-368/95-20 on 950522-26.No violations observed.
GWYNN,T.P. Region 4 (Post 820201). 95/06/16. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84357:057-84357:070.

--9506210023 Followup insp repts 50-313/95-20 & 50-368/95-20 on 950609. No violations noted.Steps taken to correct previously identified violations.Major areas inspected:plant operations,engineering,maint,plant support & mgt overview.
POWERS,D.A. Region 4 (Post 820201). 95/06/09. 10pp. 84357:061-84357:070.

9506230044 Forwards insp repts 50-313/95-04 & 50-368/95-04 on 950402- 0513 & notice of deviation.
BEACH,A.B. Region 4 (Post 820201). 95/06/20. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84475:001-84475:021.

--9506230047 Notice of deviation from insp on 950402-0513.Deviation noted:smoke detectors 2XSH-8741A & 8741B failed to initiate signal to close control room dampers & deenergize supply & recirculation fans after smoke entered CR ventilation.
* Region 4 (Post 820201). 95/06/20. 1p. 84475:006-84475:006.

--9506230049 Insp repts 50-313/95-04 & 50-368/95-04 on 950402-0513. Deviations noted.Major areas inspected:review of events, operational safety verification,maint & surveillance observations,onsite engineering & plant support.
HARRELL,P. Region 4 (Post 820201). 95/06/08. 15pp. 84475:007-84475:021.

9506290048 Forwards enforcement conference repts 50-313/95-16 & 50-368/95-16 on 950615.
SCARANO,R.A. Region 4 (Post 820201). 95/06/20. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84499:281-84499:325.

--9506290050 Enforcement conference repts 50-313/95-16 & 50-368/95-16 on 950615 to discuss apparent violation identified in NRC insp repts 50-313/95-16 & 50-368/95-16.
* Region 4 (Post 820201). 95/06/20. 41pp. 84499:285-84499:325.

9506290021 Forwards summary of enforcement conference held on 950615 to discuss apparent violations identified in NRC insp repts 50-313/95-12 & 50-368/95-12.List of attendees & briefing matl encl.
BEACH,A.B. Region 4 (Post 820201). 95/06/23. YELVERTON,J.W. Entergy Operations, Inc. 78pp. 84454:184-84454:260.

9506300008 Forwards insp repts 50-313/95-22 & 50-368/95-22 on 950525-27 & 950616.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84470:097-84470:107.

--9506300009 Insp repts 50-313/95-22 & 50-368/95-22 on 950525-27 & 0616. No violations noted.Major areas inspected:Unit 1 MSSVs concerning 10CFR21 generated by Dresser Industries.
COLLINS,E.E. Region 4 (Post 820201). 95/06/22. 7pp. 84470:101-84470:107.

R. Periodic operating reports & related correspondence

9506210131 Monthly operating rept for May 1995 for ANO 2.W/950615 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 95/05/31. 7pp. 84410:343-84410:349.

Y. Dry Cask Independent Spent Fuel Storage Installations

9506020085 Advises that Storage & Transport Systems Branch has assigned Docket 72-13 to ANO for tracking dry SF storage activities at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/25. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 84182:300-84182:301.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506200086 Advises that rev 95-02 to emergency plan consistent w/ planning stds of 10CFR50.47(b) & requirements of 10CFR50, App E & acceptable.
BARR,K.P. Region 2 (Post 820201). 95/06/02. MCMEEKIN,T.C. Duke Power Co. 5pp. 84347:311-84347:315.

P. Operating license stage documents & correspondence

9506050166 Forwards SE providing results of staff review of revised relief requests & approving relief request 1.4.2 for interim period of 1 yr from date of SE.
NERSES,V. . 95/05/22. MCMEEKIN,T.C. Duke Power Co. 3pp. 84173:192-84173:210.

--9506050173 Safety evaluation approving relief request 1.4.2 for interim period of 1 yr from date of SE.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 16pp. 84173:195-84173:210.

9506060249 Provides McGuire Unit 1 ASME Section XI Code ISI Plan update.
MCMEEKIN,T.C. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 3pp. 84210:256-84210:258.

9506060506 Forwards addl info re DPC 940518 submittal,proposing integration of McGuire Nuclear Station Unit 1 reactor vessel matl surveillance program w/Diablo Canyon Unit 2,as agreed during 950118 telcon.
MCMEEKIN,T.C. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 13pp. 84196:344-84196:356.

9506080270 Forwards relief request seeking relief from impractical snubber insp frequencies & invoking snubber testing frequency as reflected in MNS TS 3.7.8,Table 4.7-2 for MNS Unit 1,consistent w/GL 90-09.
MCMEEKIN,T.C. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 6pp. 84240:263-84240:275.

--9506080289 Proposed tech specs re snubber insp frequency.
* Duke Power Co. 95/05/30. 7pp. 84240:269-84240:275.

9506280406 Requests relief from requirements of ASME Boiler Pressure Vessel Code Section III for Catawba & McGuire Nuclear Stations.
TUCKMAN,M.S. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 17pp. 84480:319-84480:335.

9506280513 Advises that Topical Rept DPC-3004-P, "Mass & Energy Release & Containment Response Methodology" & requested addl info will be withheld from public disclosure,ref 10CFR2.790.
BERKOW,H.N. . 95/06/15. TUCKERMAN,M.S. Duke Power Co. 5pp. 84453:269-84453:273.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506200250 Forwards insp repts 50-369/95-12 & 50-370/95-12 on 950402-0429.No violations or deviations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/25. MCMEEKIN,T.C. Duke Power Co. 3pp. 84347:054-84347:071.

--9506200265 Insp repts 50-369/95-12 & 50-370/95-12 on 950402-29.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
MAXWELL,G.F., CRLENJAK,R.V. Region 2 (Post 820201). 95/05/25. pp. 84347:057-84347:071.

9506080270 Forwards relief request seeking relief from impractical snubber insp frequencies & invoking snubber testing frequency as reflected in MNS TS 3.7.8,Table 4.7-2 for MNS Unit 1,consistent w/GL 90-09.
MCMEEKIN,T.C. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 6pp. 84240:263-84240:275.

--9506080289 Proposed tech specs re snubber insp frequency.
* Duke Power Co. 95/05/30. 7pp. 84240:269-84240:275.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200248 Discusses 950518 meeting re results of licensee self- assesment of station performance as well as progress of improvement projects initiated in response to last SALP ratings.List of attendees & licensee slides,encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/05. MCMEEKIN,T.C. Duke Power Co. 47pp. 84348:031-84348:079.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190468 Confirms arrangements made in 950531 telcon for administration of 950925 licensing exams to be ref in exam repts 50-369/95-300 & 50-370/95-300.Ref matls should be furnished by 950626.
PEEBLES,T.A. Region 2 (Post 820201). 95/06/07. MCMEEKIN,T.C. Duke Power Co. 5pp. 84344:168-84344:172.

9506130416 Forwards response to NOV dtd 950510 re GL 89-10 analysis & calculation errors & errors in entries of test data.C/A: thrust calculations for listed AFW valves corrected.
MCMEEKIN,T.C. Duke Power Co. 95/06/09. Document Control Branch (Document Control Desk). 6pp. 84296:331-84296:336.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210149 Forwards monthly operating repts for 1995 for McGuire Nuclear Station and revised monthly operating rept for April 1995.
WEBER,R.L. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84413:026-84413:038.

--9506210238 Monthly operating repts for May 1995 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/05/31. 10pp. 84413:028-84413:037.

--9506210268 Revised monthly operating rept for McGuire Nuclear Station for Apr 1995.
* Duke Power Co. 95/04/30. 1p. 84413:038-84413:038.

S. Reportable occurrences, LERs & related correspondence

9506130052 Forwards LER 95-001-01 concerning manual trip initiated as result of equipment failure.
MCMEEKIN,T.C. Duke Power Co. 95/06/07. Document Control Branch (Document Control Desk). 5pp. 84312:284-84312:290.

--9506130055 LER 95-001-01:on 950129,Unit 1 manual reactor trip was initiated due to equipment failure.Replaced type of fuse in applications deemed critical to plant operation.
DEESE,R.J. Duke Power Co. 95/06/07. 5pp. 84312:286-84312:290.

U. Congressional/Executive Correspondence

9506230186 Responds to ltr of 950419,informing about details & current status of overrule of state safety stds & which reactor sites have spent fuel pools,how much radioactive matl is stored & where reactor spent fuel rods currently stored.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/06. HEINEMAN,F. House of Rep. 12pp. 84422:277-84422:291.

V. Operator Examinations

9506190468 Confirms arrangements made in 950531 telcon for administration of 950925 licensing exams to be ref in exam repts 50-369/95-300 & 50-370/95-300.Ref matls should be furnished by 950626.
PEEBLES,T.A. Region 2 (Post 820201). 95/06/07. MCMEEKIN,T.C. Duke Power Co. 5pp. 84344:168-84344:172.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506200086 Advises that rev 95-02 to emergency plan consistent w/ planning stds of 10CFR50.47(b) & requirements of 10CFR50, App E & acceptable.
BARR,K.P. Region 2 (Post 820201). 95/06/02. MCMEEKIN,T.C. Duke Power Co. 5pp. 84347:311-84347:315.

P. Operating license stage documents & correspondence

9506050166 Forwards SE providing results of staff review of revised relief requests & approving relief request 1.4.2 for interim period of 1 yr from date of SE.
NERSES,V. . 95/05/22. MCMEEKIN,T.C. Duke Power Co. 3pp. 84173:192-84173:210.

--9506050173 Safety evaluation approving relief request 1.4.2 for interim period of 1 yr from date of SE.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 16pp. 84173:195-84173:210.

9506060249 Provides McGuire Unit 1 ASME Section XI Code ISI Plan update.
MCMEEKIN,T.C. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 3pp. 84210:256-84210:258.

9506080270 Forwards relief request seeking relief from impractical snubber insp frequencies & invoking snubber testing frequency as reflected in MNS TS 3.7.8,Table 4.7-2 for MNS Unit 1,consistent w/GL 90-09.
MCMEEKIN,T.C. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 6pp. 84240:263-84240:275.

--9506080289 Proposed tech specs re snubber insp frequency.
* Duke Power Co. 95/05/30. 7pp. 84240:269-84240:275.

9506280406 Requests relief from requirements of ASME Boiler Pressure Vessel Code Section III for Catawba & McGuire Nuclear Stations.
TUCKMAN,M.S. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 17pp. 84480:319-84480:335.

9506280513 Advises that Topical Rept DPC-3004-P, "Mass & Energy Release & Containment Response Methodology" & requested addl info will be withheld from public disclosure,ref 10CFR2.790.
BERKOW,H.N. . 95/06/15. TUCKERMAN,M.S. Duke Power Co. 5pp. 84453:269-84453:273.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506200250 Forwards insp repts 50-369/95-12 & 50-370/95-12 on 950402-0429.No violations or deviations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/25. MCMEEKIN,T.C. Duke Power Co. 3pp. 84347:054-84347:071.

--9506200265 Insp repts 50-369/95-12 & 50-370/95-12 on 950402-29.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
MAXWELL,G.F., CRLENJAK,R.V. Region 2 (Post 820201). 95/05/25. pp. 84347:057-84347:071.

9506080270 Forwards relief request seeking relief from impractical snubber insp frequencies & invoking snubber testing frequency as reflected in MNS TS 3.7.8,Table 4.7-2 for MNS Unit 1,consistent w/GL 90-09.
MCMEEKIN,T.C. Duke Power Co. 95/05/30. Document Control Branch (Document Control Desk). 6pp. 84240:263-84240:275.

--9506080289 Proposed tech specs re snubber insp frequency.
* Duke Power Co. 95/05/30. 7pp. 84240:269-84240:275.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, "Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200248 Discusses 950518 meeting re results of licensee self- assesment of station performance as well as progress of improvement projects initiated in response to last SALP ratings.List of attendees & licensee slides,encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/06/05. MCMEEKIN,T.C. Duke Power Co. 47pp. 84348:031-84348:079.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190468 Confirms arrangements made in 950531 telcon for administration of 950925 licensing exams to be ref in exam repts 50-369/95-300 & 50-370/95-300.Ref matls should be furnished by 950626.
PEEBLES,T.A. Region 2 (Post 820201). 95/06/07. MCMEEKIN,T.C. Duke Power Co. 5pp. 84344:168-84344:172.

9506130416 Forwards response to NOV dtd 950510 re GL 89-10 analysis & calculation errors & errors in entries of test data.C/A: thrust calculations for listed AFW valves corrected.
MCMEEKIN,T.C. Duke Power Co. 95/06/09. Document Control Branch (Document Control Desk). 6pp. 84296:331-84296:336.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210149 Forwards monthly operating repts for 1995 for McGuire Nuclear Station and revised monthly operating rept for April 1995.
WEBER,R.L. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84413:026-84413:038.

--9506210238 Monthly operating repts for May 1995 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/05/31. 10pp. 84413:028-84413:037.

--9506210268 Revised monthly operating rept for McGuire Nuclear Station for Apr 1995.
* Duke Power Co. 95/04/30. 1p. 84413:038-84413:038.

U. Congressional/Executive Correspondence

9506230186 Responds to ltr of 950419,informing about details & current status of overrule of state safety stds & which reactor sites have spent fuel pools,how much radioactive matl is stored & where reactor spent fuel rods currently stored.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/06. HEINEMAN,F. House of Rep. 12pp. 84422:277-84422:291.

V. Operator Examinations

9506190468 Confirms arrangements made in 950531 telcon for administration of 950925 licensing exams to be ref in exam repts 50-369/95-300 & 50-370/95-300.Ref matls should be furnished by 950626.
PEEBLES,T.A. Region 2 (Post 820201). 95/06/07. MCMEEKIN,T.C. Duke Power Co. 5pp. 84344:168-84344:172.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506020008 Rev 6e to LaSalle County Station Site Specific GSEP Annex, pages LA 6-4,6-5 & 6-9,dtd May 1995.
SCOTT,D.J. Commonwealth Edison Co. 95/05/23. 5pp. 84182:270-84182:274.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506070141 Revised EPIPs,including rev 20 to LZP-1110-1,rev 5 to LZP-1120-3,rev 5 to LZP-1170-2,rev 3 to LZP-1210-3,rev 2 to LZP-1210-4,rev 1 to LZP-1270-2,rev 54 to LZP-1320-1,rev 7 to LZP-1320-2,rev 5 to LZP-1380-3 & rev 9 to LZP-1550-12.
* Commonwealth Edison Co. 95/05/24. 130pp. 84239:140-84239:268.

9506060110 Revised EPIPs,including rev 6 to LZP-1110-2,rev 14 to LZP-1210-1 & rev 1 to LZP-1380-7.
* Commonwealth Edison Co. 95/05/31. 42pp. 84201:305-84201:346.

9506150413 Responds to NRC 950110 RAI re use of Darmatt KM-1 fire barrier sys in seismic event.Proprietary listing of Darmatt installation drawings encl.Proprietary listing withheld.
QUERIO,R.E. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 8pp. 84340:254-84340:261.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506080643 Responds to NRC 941117 RAI re fire testing of Darmatt KM-1 fire protection sys & planned use at plant.S&L Calculation 4266/19G52, "Ampacity Derating for Combination Thermo-Lag 330-1 Matl & Darmatt Firewrap" encl.
QUERIO,R.E. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 20pp. 84227:198-84227:266.

--9506080645 "Ampacity Derating for Combination Thermo Lag 330-1 Matl & Darmatt Firewrap."
* Sargent & Lundy, Inc. 4266/19G52 R00. 94/03/04. 49pp. 84227:218-84227:266.

9506130015 Requests that results of review & disposition re physical security concern at facility be submitted within 45 days of date of request.Review should be completed by independent person from security organization.
CREED,J.R. Region 3 (Post 820201). 95/06/02. QUERIO,R.E. Commonwealth Edison Co. 2pp. 84242:019-84242:020.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506160560 Submits supplemental response to NRC 870911 ltr re violation noted in insp repts 50-373/87-26 & 50-374/87-26.Util will be making change to fire brigade response policy.
QUERIO,R.E. Commonwealth Edison Co. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84367:261-84367:263.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506070166 Provides summary of plant licensing requests that have been submitted to NRC since 940801 reviewed & determined to be considered as CBLAs.
QUERIO,R.E. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84218:360-84218:361.

9506150413 Responds to NRC 950110 RAI re use of Darmatt KM-1 fire barrier sys in seismic event.Proprietary listing of Darmatt installation drawings encl.Proprietary listing withheld.
QUERIO,R.E. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 8pp. 84340:254-84340:261.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506080643 Responds to NRC 941117 RAI re fire testing of Darmatt KM-1 fire protection sys & planned use at plant.S&L Calculation 4266/19G52, "Ampacity Derating for Combination Thermo-Lag 330-1 Matl & Darmatt Firewrap" encl.
QUERIO,R.E. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 20pp. 84227:198-84227:266.

--9506080645 "Ampacity Derating for Combination Thermo Lag 330-1 Matl & Darmatt Firewrap."
* Sargent & Lundy, Inc. 4266/19G52 R00. 94/03/04. 49pp. 84227:218-84227:266.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506130145 Application for amends to licenses NPF-11,NPF-18,NPF-72, NPF-77,NPF-37 & NPF-66.Amends would revise SRs & administrative requirements associated w/ EDGs.
BENES,G.G. Commonwealth Edison Co. 95/06/08. Document Control Branch (Document Control Desk). 18pp. 84304:229-84304:321.

--9506130149 Proposed tech specs re revised SRs & administrative requirements associated w/EDGs.
* Commonwealth Edison Co. 95/06/08. 75pp. 84304:247-84304:321.

9506230222 Forwards Rev 1 of GE rept GE-NE-523-A166-1294, "LaSalle Unit 1 RPV Surveillance Matls Testing & Analysis."
BENES,G.G. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 2pp. 84474:093-84474:164.

--9506230224 Rev 1 to GE rept GE-NE-523-A166-1294, "LaSalle Unit 1 RPV Surveillance Matls Testing & Analysis."
CAINE,T.A., CAREY,R.G., BRANLUND,B.J. General Electric Co. GE-NE-523-A166-1294. 95/06/30. 70pp. 84474:095-84474:164.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506010157 Ack receipt of 950519 ltr informing NRC of rev to commitment date to complete safety-related contact testing assurance program from 950531 to 9501101,per insp repts 50-373/91-19 & 50-374/91-19.
GARDNER,R.N. Region 3 (Post 820201). 95/05/25. QUERIO,R.E. Commonwealth Edison Co. 2pp. 84108:015-84108:023.

9506060472 Responds to NRC 950427 ltr re violation noted in insp repts 50-373/95-03 & 50-374/95-03.Corrective actions:LaSalle operating procedure LOP-RH-13, "Suppression Pool Cooling Operation," Rev 18 revised.
QUERIO,R.E. Commonwealth Edison Co. 95/05/30. Document Control Branch (Document Control Desk). 5pp. 84197:223-84197:227.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210006 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.Insp plant encl.
MILLER,L.F. Region 3 (Post 820201). 95/06/08. QUERIO,R.E. Commonwealth Edison Co. 3pp. 84357:042-84357:044.

9506160560 Submits supplemental response to NRC 870911 ltr re violation noted in insp repts 50-373/87-26 & 50-374/87-26.Util will be making change to fire brigade response policy.
QUERIO,R.E. Commonwealth Edison Co. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84367:261-84367:263.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160552 Monthly operating repts for May 1995 for LaSalle County Nuclear Power Station.W/950613 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 95/05/31. 16pp. 84366:333-84366:348.

S. Reportable occurrences, LERs & related correspondence

9506010354 Special rept:on 950420,LPMS channel ten was declared inoperable due to low audio signal.Cause unknown.Defective channel will not be repaired until next forced or scheduled outage.
RAY,D.J. Commonwealth Edison Co. 95/05/26. Document Control Branch (Document Control Desk). 1p. 84172:232-84172:232.

9506160559 LER 94-011-01:on 940708,unit scram occurred due to feedwater signal spike.Changed sys ramp rates for TDRFP control logic to be more responsive to operator needs.W/950613 ltr.
HAUSSER,J., RAY,D.J. Commonwealth Edison Co. 95/06/13. 5pp. 84362:199-84362:203.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506020008 Rev 6e to LaSalle County Station Site Specific GSEP Annex, pages LA 6-4,6-5 & 6-9,dtd May 1995.
SCOTT,D.J. Commonwealth Edison Co. 95/05/23. 5pp. 84182:270-84182:274.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506070141 Revised EPIPs,including rev 20 to LZP-1110-1,rev 5 to LZP-1120-3,rev 5 to LZP-1170-2,rev 3 to LZP-1210-3,rev 2 to LZP-1210-4,rev 1 to LZP-1270-2,rev 54 to LZP-1320-1,rev 7 to LZP-1320-2,rev 5 to LZP-1380-3 & rev 9 to LZP-1550-12.
* Commonwealth Edison Co. 95/05/24. 130pp. 84239:140-84239:268.

9506060110 Revised EPIPs,including rev 6 to LZP-1110-2,rev 14 to LZP-1210-1 & rev 1 to LZP-1380-7.
* Commonwealth Edison Co. 95/05/31. 42pp. 84201:305-84201:346.

9506150413 Responds to NRC 950110 RAI re use of Darmatt KM-1 fire barrier sys in seismic event.Proprietary listing of Darmatt installation drawings encl.Proprietary listing withheld.
QUERIO,R.E. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 8pp. 84340:254-84340:261.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506080643 Responds to NRC 941117 RAI re fire testing of Darmatt KM-1 fire protection sys & planned use at plant.S&L Calculation 4266/19G52, "Ampacity Derating for Combination Thermo-Lag 330-1 Matl & Darmatt Firewrap" encl.
QUERIO,R.E. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 20pp. 84227:198-84227:266.

--9506080645 "Ampacity Derating for Combination Thermo Lag 330-1 Matl & Darmatt Firewrap."
* Sargent & Lundy, Inc. 4266/19G52 R00. 94/03/04. 49pp. 84227:218-84227:266.

9506130015 Requests that results of review & disposition re physical security concern at facility be submitted within 45 days of date of request.Review should be completed by independent person from security organization.
CREED,J.R. Region 3 (Post 820201). 95/06/02. QUERIO,R.E. Commonwealth Edison Co. 2pp. 84242:019-84242:020.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506160560 Submits supplemental response to NRC 870911 ltr re violation noted in insp repts 50-373/87-26 & 50-374/87-26.Util will be making change to fire brigade response policy.
QUERIO,R.E. Commonwealth Edison Co. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84367:261-84367:263.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506070166 Provides summary of plant licensing requests that have been submitted to NRC since 940801 reviewed & determined to be considered as CBLAs.
QUERIO,R.E. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84218:360-84218:361.

9506150413 Responds to NRC 950110 RAI re use of Darmatt KM-1 fire barrier sys in seismic event.Proprietary listing of Darmatt installation drawings encl.Proprietary listing withheld.
QUERIO,R.E. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 8pp. 84340:254-84340:261.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506080643 Responds to NRC 941117 RAI re fire testing of Darmatt KM-1 fire protection sys & planned use at plant.S&L Calculation 4266/19G52, "Ampacity Derating for Combination Thermo-Lag 330-1 Matl & Darmatt Firewrap" encl.
QUERIO,R.E. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 20pp. 84227:198-84227:266.

--9506080645 "Ampacity Derating for Combination Thermo Lag 330-1 Matl & Darmatt Firewrap."
* Sargent & Lundy, Inc. 4266/19G52 R00. 94/03/04. 49pp. 84227:218-84227:266.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506130145 Application for amends to licenses NPF-11,NPF-18,NPF-72, NPF-77,NPF-37 & NPF-66.Amends would revise SRs & administrative requirements associated w/ EDGs.
BENES,G.G. Commonwealth Edison Co. 95/06/08. Document Control Branch (Document Control Desk). 18pp. 84304:229-84304:321.

--**9506130149** Proposed tech specs re revised SRs & administrative requirements associated w/EDGs.
* Commonwealth Edison Co. 95/06/08. 75pp. 84304:247-84304:321.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506010157 Ack receipt of 950519 ltr informing NRC of rev to commitment date to complete safety-related contact testing assurance program from 950531 to 9501101,per insp repts 50-373/91-19 & 50-374/91-19.
GARDNER,R.N. Region 3 (Post 820201). 95/05/25. QUERIO,R.E. Commonwealth Edison Co. 2pp. 84108:015-84108:023.

9506060472 Responds to NRC 950427 ltr re violation noted in insp repts 50-373/95-03 & 50-374/95-03.Corrective actions:LaSalle operating procedure LOP-RH-13, "Suppression Pool Cooling Operation," Rev 18 revised.
QUERIO,R.E. Commonwealth Edison Co. 95/05/30. Document Control Branch (Document Control Desk). 5pp. 84197:223-84197:227.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210006 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.Insp plant encl.
MILLER,L.F. Region 3 (Post 820201). 95/06/08. QUERIO,R.E. Commonwealth Edison Co. 3pp. 84357:042-84357:044.

9506160560 Submits supplemental response to NRC 870911 ltr re violation noted in insp repts 50-373/87-26 & 50-374/87-26.Util will be making change to fire brigade response policy.
QUERIO,R.E. Commonwealth Edison Co. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84367:261-84367:263.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160552 Monthly operating repts for May 1995 for LaSalle County Nuclear Power Station.W/950613 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 95/05/31. 16pp. 84366:333-84366:348.

S. Reportable occurrences, LERs & related correspondence

9506070106 LER 95-009-00:on 950503,HPCS DG & HPCS pump initiation occurred due to procedural deficiency.HPCS pump was secured after verification that actual RV water level was not low. W/950602 ltr.
SMITH,P., RAY,D.J. Commonwealth Edison Co. 95/06/02. 8pp. 84238:064-84238:071.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506050176 Forwards SALP rept 50-382/95-99 for 931031-950623.No violations noted.
CALLAN,L.J. Region 4 (Post 820201). 95/05/30. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 84150:175-84150:185.

--**9506050186** SALP rept 50-382/95-99 for 931031-950429.
* Region 4 (Post 820201). 95/05/30. 5pp. 84150:181-84150:185.

9506060124 Revised EPIPs,including rev 8 to EP-002-033, "Admin Of Iodine Blocking Agents," rev 14 to EP-002-052, "Protective Action Guidelines," rev 6 to EP-002-081, "Search & Rescue," & rev 7 to EP-002-091, "Emergency Chemistry." W/950602 ltr.
BURSKI,R.F. Entergy Operations, Inc. 95/06/02. 64pp. 84200:276-84200:338.

9506090113 Forwards insp rept 50-382/95-04 on 950319-0429 & notice of violation.Violation involved failure of security personnel to confirm identity of individuals prior to issuing site badges/key cards.
BEACH,A.B. Region 4 (Post 820201). 95/06/05. BARKHURST,R.P. Entergy Operations, Inc. 6pp. 84208:145-84208:175.

--**9506090117** Notice of violation from insp on 930319-0429.Violation noted:as of 950331,Administrative Procedure UNT-005-013, "Fire Protection Program," did not specify operator actions to be taken if fan cooler intake temperatures increased.
* Region 4 (Post 820201). 95/06/05. 2pp. 84208:151-84208:152.

9506230100 Ack receipt of 950512 ltr which forwarded scenario package for Waterford 3 emergency preparedness exercise scheduled for 950712.NRC agrees on exercise objectives.
SCARANO,R.A. Region 4 (Post 820201). 95/06/20. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 84470:350-84470:354.

H. General correspondence

9506190034 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
* Entergy Operations, Inc. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:035-84320:036.

P. Operating license stage documents & correspondence

9506090475 Forwards Amend 107 to License NPF-38 & safety evaluation. Amend changes TS to remove incore detection sys requirements.
PATEL,C.P. . 95/05/30. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 84266:128-84266:143.

--**9506090478** Amend 107 to License NPF-38,re changes to TS to remove incore detection sys requirements.
PATEL,C.P. . 95/05/30. 9pp. 84266:131-84266:139.

--**9506090480** Safety evaluation supporting Amend 107 to License NPF-38.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 4pp. 84266:140-84266:143.

9506290225 Advises that exemption not necessary because NRC has discontinued effort re application since final rule effective on 950413.
PATEL,C.P. . 95/06/14. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 84487:348-84487:350.

9506200211 Notification of 950616 meeting w/util in Killona,LA re results of AIT evaluation of 950610 plant trip & switchgear fire.
BEACH,A.B. Region 4 (Post 820201). 95/06/15. Region 4 (Post 820201). 5pp. 84346:345-84346:349.

9506300134 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
BURSKI,R.F. Entergy Operations, Inc. 95/06/27. Document Control Branch (Document Control Desk). 14pp. 84522:297-84522:310.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050176 Forwards SALP rept 50-382/95-99 for 931031-950623.No violations noted.
CALLAN,L.J. Region 4 (Post 820201). 95/05/30. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 84150:175-84150:185.

--**9506050186** SALP rept 50-382/95-99 for 931031-950429.
* Region 4 (Post 820201). 95/05/30. 5pp. 84150:181-84150:185.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506090113 Forwards insp rept 50-382/95-04 on 950319-0429 & notice of violation.Violation involved failure of security personnel to confirm identity of individuals prior to issuing site badges/key cards.
BEACH,A.B. Region 4 (Post 820201). 95/06/05. BARKHURST,R.P. Entergy Operations, Inc. 6pp. 84208:145-84208:175.

--**9506090117** Notice of violation from insp on 930319-0429.Violation noted:as of 950331,Administrative Procedure UNT-005-013, "Fire Protection Program," did not specify operator actions to be taken if fan cooler intake temperatures increased.
* Region 4 (Post 820201). 95/06/05. 2pp. 84208:151-84208:152.

--**9506090121** Insp rept 50-382/95-04 on 950319-0429.Violations noted. Major areas inspected:plant status,plant operations,maint & surveillance observations,plant support activities & onsite engineering.
VANDENBURGH,C. Region 4 (Post 820201). 95/06/05. 23pp. 84208:153-84208:175.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190461 Notification of licensee meeting w/util on 950623 to discuss results of NRC SALP rept 50-382/95-99.
BEACH,A.B. Region 4 (Post 820201). 95/06/09. Region 4 (Post 820201). 5pp. 84344:154-84344:158.

9506200024 Lists insps that Region IV plan to perform during next 6 months leading up to next scheduled semiannual plant performance review.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 84347:325-84347:329.

9506200211 Notification of 950616 meeting w/util in Killona,LA re results of AIT evaluation of 950610 plant trip & switchgear fire.
BEACH,A.B. Region 4 (Post 820201). 95/06/15. Region 4 (Post 820201). 5pp. 84346:345-84346:349.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506220202 Modifies initial proposal,dtd 931116,re exemption to App J of 10CFR50 so that exemption request coincides w/current NRC approved extension of plant 120-month insp interval.
BURSKI,R.F. Entergy Operations, Inc. 95/06/19. Document Control Branch (Document Control Desk). 2pp. 84419:355-84419:356.

9506280081 Ack receipt of 950511 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/95-03 on 950205-0318.
BEACH,A.B. Region 4 (Post 820201). 95/06/22. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 84441:193-84441:200.

R. Periodic operating reports & related correspondence

9506210062 Monthly operating rept for May 1995 for Waterford 3 SES.W/ 950614 ltr.
FREEMAN,D.S., BURSKI,R.F. Entergy Operations, Inc. 95/05/31. 7pp. 84410:350-84410:356.

S. Reportable occurrences, LERs & related correspondence

9506200245 PNO-IV-95-026:on 950610,plant experienced significant disturbance in offsite electrical grid.Caused by electrical short in offsite feeder breaker for bus 2A 4.16 kV non vital switchgear.
VANDENBURGH,C. Region 4 (Post 820201). 95/06/10. 2pp. 84349:256-84349:257.

9506230070 PNO-IV-95-030:on 950618,licensee decided to extend forced outage to replace seal packages on affected pump as well as on RCP 1A pump.State of LA notified.
VANDENBURGH,C. Region 4 (Post 820201). 95/06/20. 2pp. 84474:274-84474:275.

9506280578 PNO-IV-95-030A:update to make correction to Licensee Emergency Classification to PNO-IV-95-030,issued on 950620. Classification should have been noted as "Not Applicable."
VANDENBURGH,C. Region 4 (Post 820201). 95/06/21. 2pp. 84451:353-84451:354.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506300291 Rev 7 to "SSES Units 1 & 2 Fire Protection Review Rept."
* Pennsylvania Power & Light Co. 94/12/31. 54pp. 84519:308-84519:360.

9506060462 Responds to NRC 950509 ltr re violation associated w/NRC Investigation Rept 1-92-052R.C/As:security training program revised to require future written security exams be administered/proctored by member of security training staff.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/31. Document Control Branch (Document Control Desk). 5pp. 84209:300-84209:304.

9506120353 Requests that encl ltr & reply to notice of violation be withheld from public disclosure per 10CFR2.790(a)(7)(iii). Encl withheld.
ZDANAVAGE,D.R. Pennsylvania Power & Light Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84307:314-84307:315.

9506280240 Discusses util response to RAI.Informs that 950327 response package acceptable & requests schedule for completion of all corrective actions identified & addl info concerning ampacity derating for response package of 941222.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 84448:125-84448:129.

H. General correspondence

9506190016 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
BYRRAM,R.G. Pennsylvania Power & Light Co. 95/06/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:024-84320:024.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506290113 Forwards listed portions of re-issued rev 46 to FSAR for Susquehanna SES Units 1 & 2.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/04/22. MILLER,C.L. Project Directorate I-2. 2pp. 84481:001-84482:044.

--9506290116 Re-issued Rev 46 to FSAR for Susquehanna SES Units 1 & 2.
* Pennsylvania Power & Light Co. 94/04/22. 406pp. 84481:003-84482:044.

9506290104 Rev 47 to updated FSAR for Susquehanna SES Units 1 & 2.
* Pennsylvania Power & Light Co. 94/07/18. 1,000pp. 84601:001-84606:136.

9506300019 Forwards new tabs for Chapters 6,15 & 18 to FSAR.
MARON,A.K. Pennsylvania Power & Light Co. 94/08/01. NRC - No Detailed Affiliation Given. 1p. 84523:278-84523:278.

9506290122 Rev 48 to updated FSAR for Susquehanna SES Units 1 & 2.
* Pennsylvania Power & Light Co. 95/02/16. 1,721pp. 84502:001-84506:265.

P. Operating license stage documents & correspondence

9506220122 Forwards amends 146 & 116 to licenses NPF-14 & NPF-22 & safety evaluation.Amends delete TS 3/4.3.8 turbine overspeed protection sys.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84404:153-84404:171.

--9506220123 Amends 146 & 116 to licenses NPF-14 & NPF-22,respectively, deleting TS 3/4.3.8,turbine overspeed protection sys.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. 10pp. 84404:156-84404:165.

--9506220125 Safety evaluation supporting amends 146 & 116 to licenses NPF-14 & NPF-22,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 6pp. 84404:166-84404:171.

9506150224 Forwards affidavits for repts MDE-79-0485 & RE-022 provided in 950210 submittal of amends 179 & 133 to licenses NPF-14 & license NPF-22,respectively.Repts withheld per 10CFR2.790.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/08. Document Control Branch (Document Control Desk). 9pp. 84380:141-84380:149.

9506190393 Notification of 950613 meeting w/util in Rockville,MD re status of review & approval of proposed license amends.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. STOLZ,J.F. Division of Reactor Projects I/II (DRPE) Post 941001). 3pp. 84360:291-84360:293.

9506280240 Discusses util response to RAI.Informs that 950327 response package acceptable & requests schedule for completion of all corrective actions identified & addl info concerning ampacity derating for response package of 941222.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 84448:125-84448:129.

9506220048 Forwards plant Unit 1 Core Operating Limits Rept for Cycle 9.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/15. Document Control Branch (Document Control Desk). 1p. 84419:275-84419:292.

--9506220051 "Susquehanna SES Unit 1 Cycle 9 Core Operating Limits Rept."
NUDGE,D.J., WEADON,W.J., GEOSITS,J.J. Pennsylvania Power & Light Co. PL-NF-95-002 R00. 95/03/16. 16pp. 84419:276-84419:292.

9506210300 Responds to Pennsylvania Dept of Environ Resouces RAI in support of review of NPDES permit renewal for plant.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/16. Document Control Branch (Document Control Desk). 34pp. 84412:191-84412:224.

9506290138 Modifies wording of 950201 proposed amends re operability statement associated w/secondary containment isolation radiation monitors.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/20. Document Control Branch (Document Control Desk). 2pp. 84499:275-84499:280.

--9506290141 Proposed tech specs reflecting mod to wording re operability statement associated w/secondary containment isolation radiation monitors.
* Pennsylvania Power & Light Co. 95/06/20. 4pp. 84499:277-84499:280.

9506290163 Provides addl test prerequistes requested by NRC staff in support of Proposed Amend 185 to Licenses NPF-14 & NPF-22 re 24 h EDG testing.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84498:358-84498:359.

9506290089 Provides clarification to NRC question re boundary valves required to support establishment of condenser pathway proposed as alternate method to treat MSIV leakage.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/23. Document Control Branch (Document Control Desk). 3pp. 84498:134-84498:136.

Q. Inspection reports, IE Bulletins & correspondence

9506020399 Ack acceptability of util response to Bulletin 92-01 & to close out TACs M83938 & M83939.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/05/23. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84165:296-84165:298.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050003 Forwards Rev 12 to ISI-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational Testing," & Rev 9 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84183:077-84183:108.

--9506050006 Rev 12 to ISI-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational Testing."
BALL,B., GOLDEN,M.M. Pennsylvania Power & Light Co. 95/05/12. 16pp. 84183:079-84183:094.

--9506050007 Rev 9 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."
BALL,B., GOLDEN,M.M. Pennsylvania Power & Light Co. 95/05/12. 14pp. 84183:095-84183:108.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506060462 Responds to NRC 950509 ltr re violation associated w/NRC Investigation Rept 1-92-052R.C/As:security training program revised to require future written security exams be administered/proctored by member of security training staff.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/31. Document Control Branch (Document Control Desk). 5pp. 84209:300-84209:304.

9506060367 Forwards "First Ten-Year Inservice Insp Program Plan For Susquehanna Steam Electric Station Units 1 & 2."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/01. Document Control Branch (Document Control Desk). 1p. 84199:001-84200:122.

--9506060379 "First Ten-Year Interval Inservice Insp Program Plan For Susquehanna Steam Electric Station."
MILLER,M.S. Pennsylvania Power & Light Co. 95/05/30. 484pp. 84199:002-84200:122.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506120353 Requests that encl ltr & reply to notice of violation be withheld from public disclosure per 10CFR2.790(a)(7)(iii). Encl withheld.
ZDANAVAGE,D.R. Pennsylvania Power & Light Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84307:314-84307:315.

9506140035 Ack receipt of 950531 ltr informing NRC of steps taken to correct violations noted re investigation rept 1-92-052R.
JOYNER,J.H. Region 1 (Post 820201). 95/06/06. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 84267:140-84267:146.

9506200191 Forwards insp repts 50-387/95-80 & 50-388/95-80 on 950508-12.No violations identified.
WHITE,J.R. Region 1 (Post 820201). 95/06/12. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84346:291-84346:319.

--9506200202 Insp repts 50-387/95-80 & 50-388/95-80 on 950508-12.No violations noted.Major areas inspected:conduction of performance-based assessment of effectiveness of licensee controls & processes in identifying problems.
WHITE,J. Region 1 (Post 820201). 95/06/12. 26pp. 84346:294-84346:319.

9506210075 Forwards insp repts 50-387/95-08 & 50-388/95-08 on 950328-0515 & notice of deviation.NRC recognizes that departure from FSAR does not concern safety-related equipment necessary to support basis for accident analysis.
WHITE,J.R. Region 1 (Post 820201). 95/06/15. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 84357:254-84357:284.

--9506210086 Notice of deviation from insp on 950328-0515.Deviation noted:after UPS 2D240 failed post-maint test on 950130, external maint bypass switch not positioned to bypass UPS & supply distribution panel directly from alternate supply.
* Region 1 (Post 820201). 95/06/15. 1p. 84357:258-84357:258.

--9506210089 Insp repts 50-387/95-08 & 50-388/95-08 on 950328-0615. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & plant support.Initiatives selected for insp plant mgt walkdowns.
WHITE,J. Region 1 (Post 820201). 95/06/15. 26pp. 84357:259-84357:284.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210152 Monthly operating repts for May 1995 for SSES Units 1 & 2. W/950615 ltr.
BALL,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/31. 10pp. 84407:291-84407:300.

S. Reportable occurrences, LERs & related correspondence

9506070216 LER 92-015-03:on 920903,identified that Kaowool fire rated barriers not inspected during performance of insp surveillance.Caused by personnel error & procedure inadequacy.Procedure revised.W/950525 ltr.
LLOYD,H., STANLEY,H.G. Pennsylvania Power & Light Co. 95/05/25. 6pp. 84222:008-84222:013.

9506020465 Forwards LER 95-008 re unplanned ESF actuation when EDG B started automatically in emergency run mode during installation of test equipment to support 18 month surveillance testing.
STANLEY,H.G. Pennsylvania Power & Light Co. 95/05/30. Document Control Branch (Document Control Desk). 1p. 84198:265-84198:268.

--9506020475 LER 95-008-00:on 950427,unplanned ESF actuation occurred when EDG B started automatically in emergency run mode.EDG shut down,test light & test lead assemblies examined & tested & 125 Vdc breaker will be replaced.
WEHRY,R.R. Pennsylvania Power & Light Co. 95/05/30. 3pp. 84198:266-84198:268.

V. Operator Examinations

9506280377 Responds to JW Shea 940224 request of JM Kenny re release of copyrighted training matl.Util grants permission to NRC to reproduce & introduce listed documents into NRC PDR.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/03/04. MILLER,C.L. Project Directorate I-2. 2pp. 84449:001-84449:233.

--9506280389 Forwards 940201 ltr from NRC w/fine copyrighted encls. Informs that document cannot be reproduced in whole or in part or released to NUDOCS until written permission received from util.
HOOVER,D.J. NRC - No Detailed Affiliation Given. 94/02/16. CLARK,R.J. NRC - No Detailed Affiliation Given. 1p. 84449:003-84449:003.

--9506280402 Informs that staff received addl info from licensee on certain specific technical issues during course of staff review of issues raised in 921127 Part 21 rept.Forwards copies of training matl provided by util.
SHEA,J.W. Project Directorate I-2. 94/02/01. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 4pp. 84449:004-84449:007.

--9506280413 Rev 1 to, "Residual Heat Removal Sys."
DIDOMENICO,W.G., WOLFE,J.R. Pennsylvania Power & Light Co. 89/07/19. 28pp. 84449:008-84449:035.

--9506280418 Rev 0 to, "ASO/NPO Refuel Training."
BAKEL,T.C. Pennsylvania Power & Light Co. 92/12/15. 40pp. 84449:036-84449:076.

--9506280426 Rev 0 to, "Licensed Operator Refuel Training."
BAKEL,T.C. Pennsylvania Power & Light Co. 92/12/15. 41pp. 84449:077-84449:117.

--9506280436 Rev 1 to, "Level III Residual Heat Removal."
* Pennsylvania Power & Light Co. 84/10/02. 77pp. 84449:118-84449:194.

--9506280444 Rev 0 to, "Fuel Pool Cooling & Cleanup Sys."
WANDSCHNEIDER Pennsylvania Power & Light Co. 87/01/06. 39pp. 84449:195-84449:233.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506300291 Rev 7 to "SSES Units 1 & 2 Fire Protection Review Rept."
* Pennsylvania Power & Light Co. 94/12/31. 54pp. 84519:308-84519:360.

9506060462 Responds to NRC 950509 ltr re violation associated w/NRC Investigation Rept 1-92-052R.C/As:security training program revised to require future written security exams be administered/proctored by member of security training staff.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/31. Document Control Branch (Document Control Desk). 5pp. 84209:300-84209:304.

9506120353 Requests that encl ltr & reply to notice of violation be withheld from public disclosure per 10CFR2.790(a)(7)(iii). Encl withheld.
ZDANAVAGE,D.R. Pennsylvania Power & Light Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84307:314-84307:315.

9506280240 Discusses util response to RAI.Informs that 950327 response package acceptable & requests schedule for completion of all corrective actions identified & addl info concerning ampacity derating for response package of 941222.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 84448:125-84448:129.

H. General correspondence

9506190016 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
BYRRAM,R.G. Pennsylvania Power & Light Co. 95/06/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:024-84320:024.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506290113 Forwards listed portions of re-issued rev 46 to FSAR for Susquehanna SES Units 1 & 2.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/04/22. MILLER,C.L. Project Directorate I-2. 2pp. 84481:001-84482:044.

--9506290116 Re-issued Rev 46 to FSAR for Susquehanna SES Units 1 & 2.
* Pennsylvania Power & Light Co. 94/04/22. 406pp. 84481:003-84482:044.

9506290104 Rev 47 to updated FSAR for Susquehanna SES Units 1 & 2.
* Pennsylvania Power & Light Co. 94/07/18. 1,000pp. 84601:001-84606:136.

9506300019 Forwards new tabs for Chapters 6,15 & 18 to FSAR.
MARON,A.K. Pennsylvania Power & Light Co. 94/08/01. NRC - No Detailed Affiliation Given. 1p. 84523:278-84523:278.

9506290122 Rev 48 to updated FSAR for Susquehanna SES Units 1 & 2.
* Pennsylvania Power & Light Co. 95/02/16. 1,721pp. 84502:001-84506:265.

P. Operating license stage documents & correspondence

9506220122 Forwards amends 146 & 116 to licenses NPF-14 & NPF-22 & safety evaluation.Amends delete TS 3/4.3.8 turbine overspeed protection sys.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84404:153-84404:171.

--9506220123 Amends 146 & 116 to licenses NPF-14 & NPF-22,respectively, deleting TS 3/4.3.8,turbine overspeed protection sys.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/01. 10pp. 84404:156-84404:165.

--9506220125 Safety evaluation supporting amends 146 & 116 to licenses NPF-14 & NPF-22,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 6pp. 84404:166-84404:171.

9506150224 Forwards affidavits for repts MDE-79-0485 & RE-022 provided in 950210 submittal of amends 179 & 133 to licenses NPF-14 & license NPF-22,respectively.Repts withheld per 10CFR2.790.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/08. Document Control Branch (Document Control Desk). 9pp. 84380:141-84380:149.

9506190393 Notification of 950613 meeting w/util in Rockville,MD re status of review & approval of proposed license amends.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. STOLZ,J.F. Division of Reactor Projects I/II (DRPE) Post 941001). 3pp. 84360:291-84360:293.

9506280240 Discusses util response to RAI.Informs that 950327 response package acceptable & requests schedule for completion of all corrective actions identified & addl info concerning ampacity derating for response package of 941222.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/06/13. BYRAM,R.G. Pennsylvania Power & Light Co. 5pp. 84448:125-84448:129.

9506210300 Responds to Pennsylvania Dept of Environ Resouces RAI in support of review of NPDES permit renewal for plant.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/16. Document Control Branch (Document Control Desk). 34pp. 84412:191-84412:224.

9506290138 Modifies wording of 950201 proposed amends re operability statement associated w/secondary containment isolation radiation monitors.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/20. Document Control Branch (Document Control Desk). 2pp. 84499:275-84499:280.

--9506290141 Proposed tech specs reflecting mod to wording re operability statement associated w/secondary containment isolation radiation monitors.
* Pennsylvania Power & Light Co. 95/06/20. 4pp. 84499:277-84499:280.

9506290163 Provides addl test prerequistes requested by NRC staff in support of Proposed Amend 185 to Licenses NPF-14 & NPF-22 re 24 h EDG testing.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/22. Document Control Branch (Document Control Desk). 2pp. 84498:358-84498:359.

9506290089 Provides clarification to NRC question re boundary valves required to support establishment of condenser pathway proposed as alternate method to treat MSIV leakage.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/23. Document Control Branch (Document Control Desk). 3pp. 84498:134-84498:136.

Q. Inspection reports, IE Bulletins & correspondence

9506020399 Ack acceptability of util response to Bulletin 92-01 & to close out TACs M83938 & M83939.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/05/23. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84165:296-84165:298.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050003 Forwards Rev 12 to ISI-T-100.0, "SSES Unit 1 ISI Program Plan for Pump & Valve Operational Testing," & Rev 9 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84183:077-84183:108.

--9506050007 Rev 9 to ISI-T-200.0, "SSES Unit 2 ISI Program Plan for Pump & Valve Operational Testing."
BALL,B., GOLDEN,M.M. Pennsylvania Power & Light Co. 95/05/12. 14pp. 84183:095-84183:108.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506060462 Responds to NRC 950509 ltr re violation associated w/NRC Investigation Rept 1-92-052R.C/As:security training program revised to require future written security exams be administered/proctored by member of security training staff.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/31. Document Control Branch (Document Control Desk). 5pp. 84209:300-84209:304.

9506060367 Forwards "First Ten-Year Inservice Insp Program Plan For Susquehanna Steam Electric Station Units 1 & 2."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/06/01. Document Control Branch (Document Control Desk). 1p. 84199:001-84200:122.

--9506060379 "First Ten-Year Interval Inservice Insp Program Plan For Susquehanna Steam Electric Station."
MILLER,M.S. Pennsylvania Power & Light Co. 95/05/30. 484pp. 84199:002-84200:122.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506120353 Requests that encl ltr & reply to notice of violation be withheld from public disclosure per 10CFR2.790(a)(7)(iii). Encl withheld.
ZDANAVAGE,D.R. Pennsylvania Power & Light Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84307:314-84307:315.

9506140035 Ack receipt of 950531 ltr informing NRC of steps taken to correct violations noted re investigation rept 1-92-052R.
JOYNER,J.H. Region 1 (Post 820201). 95/06/06. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 84267:140-84267:146.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200191 Forwards insp repts 50-387/95-80 & 50-388/95-80 on 950508-12.No violations identified.
WHITE,J.R. Region 1 (Post 820201). 95/06/12. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84346:291-84346:319.

--9506200202 Insp repts 50-387/95-80 & 50-388/95-80 on 950508-12.No violations noted.Major areas inspected:conduction of performance-based assessment of effectiveness of licensee controls & processes in identifying problems.
WHITE,J. Region 1 (Post 820201). 95/06/12. 26pp. 84346:294-84346:319.

9506210075 Forwards insp repts 50-387/95-08 & 50-388/95-08 on 950328-0515 & notice of deviation.NRC recognizes that departure from FSAR does not concern safety-related equipment necessary to support basis for accident analysis.
WHITE,J.R. Region 1 (Post 820201). 95/06/15. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 84357:254-84357:284.

--9506210086 Notice of deviation from insp on 950328-0515.Deviation noted:after UPS 2D240 failed post-maint test on 950130, external maint bypass switch not positioned to bypass UPS & supply distribution panel directly from alternate supply.
* Region 1 (Post 820201). 95/06/15. 1p. 84357:258-84357:258.

--9506210089 Insp repts 50-387/95-08 & 50-388/95-08 on 950328-0615. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & plant support.Initiatives selected for insp plant mgt walkdowns.
WHITE,J. Region 1 (Post 820201). 95/06/15. 26pp. 84357:259-84357:284.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210152 Monthly operating repts for May 1995 for SSES Units 1 & 2. W/950615 ltr.
BALL,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/31. 10pp. 84407:291-84407:300.

S. Reportable occurrences, LERs & related correspondence

9506010358 Forwards LER 95-006 re condition prohibited by TS LCO 3.0.3.
STANLEY,H.G. Pennsylvania Power & Light Co. 95/05/26. Document Control Branch (Document Control Desk). 1p. 84173:148-84173:152.

--9506010363 LER 95-006-00:on 950426,during surveillance tests SE-124-107 & SE-124-207 condition requiring entry into LCO action 3.0.3 determined to exist.Util pursuing amend to TSs to eliminate entry into LCO action 3.0.3 during testing.
WEHRY,R.R. Pennsylvania Power & Light Co. 95/05/26. 4pp. 84173:149-84173:152.

9506120203 LER 95-007-00:on 950227,identified that two electrical penetrations had not been tested per 10CFR50 App J.Caused by personnel error during initial installation.TS Action 4.0.3 entered & Type B testing completed.W/950602 ltr.
WEHRY,R.R., STANLEY,H.G. Pennsylvania Power & Light Co. 95/06/02. 4pp. 84280:052-84280:055.

V. Operator Examinations

9506280377 Responds to JW Shea 940224 request of JM Kenny re release of copyrighted training matl.Util grants permission to NRC to reproduce & introduce listed documents into NRC PDR.
BYRAM,R.G. Pennsylvania Power & Light Co. 94/03/04. MILLER,C.L. Project Directorate I-2. 2pp. 84449:001-84449:233.

--9506280389 Forwards 940201 ltr from NRC w/fine copyrighted encls. Informs that document cannot be reproduced in whole or in part or released to NUDOCS until written permission received from util.
HOOVER,D.J. NRC - No Detailed Affiliation Given. 94/02/16. CLARK,R.J. NRC - No Detailed Affiliation Given. 1p. 84449:003-84449:003.

--9506280402 Informs that staff received addl info from licensee on certain specific technical issues during course of staff review of issues raised in 921127 Part 21 rept.Forwards copies of training matl provided by util.
SHEA,J.W. Project Directorate I-2. 94/02/01. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 4pp. 84449:004-84449:007.

--9506280413 Rev 1 to, "Residual Heat Removal Sys."
DIDOMENICO,W.G., WOLFE,J.R. Pennsylvania Power & Light Co. 89/07/19. 28pp. 84449:008-84449:035.

--9506280418 Rev 0 to, "ASO/NPO Refuel Training."
BAKEL,T.C. Pennsylvania Power & Light Co. 92/12/15. 40pp. 84449:036-84449:076.

--9506280426 Rev 0 to, "Licensed Operator Refuel Training."
BAKEL,T.C. Pennsylvania Power & Light Co. 92/12/15. 41pp. 84449:077-84449:117.

--9506280436 Rev 1 to, "Level III Residual Heat Removal."
* Pennsylvania Power & Light Co. 84/10/02. 77pp. 84449:118-84449:194.

--9506280444 Rev 0 to, "Fuel Pool Cooling & Cleanup Sys."
WANDSCHNEIDER Pennsylvania Power & Light Co. 87/01/06. 39pp. 84449:195-84449:233.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506070692 Revised EPIPs,including Rev 27 to 3100022E,Rev 16 to 3100025E & Rev 14 to 3100250E.W/950530 ltr.
SAGER,D.A. Florida Power & Light Co. 95/05/30. 44pp. 84238:252-84238:295.

9506090344 Informs that on 950503,upon completion of scheduled annual emergency drill,including full scale siren activation & sounding,notifications received from public that siren not heard.Siren sys checked & deemed operational on 950505.
SAGER,D.A. Florida Power & Light Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84249:327-84249:328.

9506220032 Rev 3 to EPIP 1302, "PTN/PSL Core Damage Assessment."
GOLDBERG,R.A. Florida Power & Light Co. 95/06/16. 130pp. 84419:145-84419:274.

9506220159 Revised EPIPs,including rev 37 to EPIP 3100021E & re 27 to EPIP HP-90.W/950617 ltr.
SAGER,D.A. Florida Power & Light Co. 95/06/17. 79pp. 84420:001-84420:079.

G. Adjudicatory correspondence

9506200353 Forwards Director's Decision (DD-95-10) re FPL plant & transmittal ltr informing atty of decision.
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/24. PUDUANO,H.N. Florida Power & Light Co. 1p. 84360:335-84360:351.

--9506200359 Informs of Director's Decision (DD-95-10) denying request re enforcement actions against FPL.Forwards Director's Decision (DD-95-10).
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. JABLON,R.A. Spiegel & McDiarmid. 1p. 84360:336-84360:336.

--9506200366 Director's Decision (DD-95-10) denying Florida Municipal Power Agency request to take enforcement action against FPL for allegedly violating antitrust license conditions applicable to plant.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 13pp. 84360:337-84360:351.

M. Antitrust correspondence

9506200353 Forwards Director's Decision (DD-95-10) re FPL plant & transmittal ltr informing atty of decision.
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/24. PUDUANO,H.N. Florida Power & Light Co. 1p. 84360:335-84360:351.

--9506200359 Informs of Director's Decision (DD-95-10) denying request re enforcement actions against FPL.Forwards Director's Decision (DD-95-10).
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. JABLON,R.A. Spiegel & McDiarmid. 1p. 84360:336-84360:336.

--9506200366 Director's Decision (DD-95-10) denying Florida Municipal Power Agency request to take enforcement action against FPL for allegedly violating antitrust license conditions applicable to plant.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 13pp. 84360:337-84360:351.

9506210161 Forwards Director's Decision (DD-95-10) on petition against FPL plant.
NEWBERRY,S.F. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/31. MEYER,D. . 2pp. 84382:355-84382:358.

--9506210187 Notice of Director's Decision (DD-95-10) re request for enforcement action against FPL for allegedly violating antitrust license conditions applicable to plant.Due to NRC resolution,no proceeding re petition will be instituted.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 2pp. 84382:357-84382:358.

P. Operating license stage documents & correspondence

9506090223 Discusses RG 1.97 re proposed mod to wide range SG level instrument.
SAGER,D.A. Florida Power & Light Co. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84268:351-84268:351.

9506130002 Responds to BNL 950502 ltr requesting joint frequency distribution of wind direction,speed & stability at St Lucie plant for CY94.Info encl.
SAGER,D.A. Florida Power & Light Co. 95/06/01. TICHLER,J. Brookhaven National Laboratory. 16pp. 84298:330-84298:345.

9506230255 Forwards amends 135 & 75 to licenses DPR-67 & NPF-16, respectively & SE.Amends relocate operability requirements for Incore Detectors in TS 3/4.3.3.2 to Updated Final Safety Analysis Rept.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84422:306-84422:340.

--9506230263 Amends 136 & 75 to licenses DPR-67 & NPF-16,respectively, relocating operability requirements for Incore Detectors in TS 3/4.3.2 to Updated Final Safety Analysis Rept.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/06. 24pp. 84422:310-84422:335.

--9506230268 Safety evaluation supporting amends 136 & 75 to licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/06. 5pp. 84422:336-84422:340.

9506160171 Forwards annual update of topical QA rept (TQAR),including summary of changes to TQAR since 950630,marked up version of TQAR showing changes since last annual submittal & current TQAR including revs issued through rev 41 dtd 941123.
GEIGER,J.E. Florida Power & Light Co. 95/06/07. Document Control Branch (Document Control Desk). 36pp. 84372:059-84372:231.

--9506160176 Rev 41 to "Topical QA Rept."
* Florida Power & Light Co. 94/11/23. 136pp. 84372:096-84372:231.

9506190171 Forwards proprietary RAI re util 950302 ltr requesting NRC approval of fracture mechanics evaluation of St Lucie Unit 2 pressurizer instrument nozzles.RAI withheld from public disclosure per 10CFR2.790.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/09. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 84370:358-84370:359.

9506280340 Forwards amend 76 to NPF-16 & SE.Amend modifies SR 4.9.8.1 & 4.9.8.2 to allow reduction in required min shutdown cooling flow rate under certain conditions during operational mode 6.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/14. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84448:233-84448:250.

--9506280344 Amend 76 to NPF-16,modifying SR 4.9.8.1 & 4.9.8.2 to allow reduction in required min shutdown cooling flow rate under certain conditions during operational mode 6.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/14. 9pp. 84448:236-84448:244.

--9506280349 Safety evaluation supporting amend 76 to NPF-16.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 6pp. 84448:245-84448:250.

9506220175 Forwards FL Dept of Environ Protection 950601 order combining NPDES permit w/State wastewater permit.
SAGER,D.A. Florida Power & Light Co. 95/06/17. Document Control Branch (Document Control Desk). 7pp. 84436:267-84436:273.

9506230229 Application for amends to licenses DPR-67 & NPF-16.Amends would extend allowed outage time for inoperable EDGs.
SAGER,D.A. Florida Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 12pp. 84470:268-84470:340.

--9506230230 Proposed tech specs re extended allowed outage time for EDGs.
* Florida Power & Light Co. 95/06/21. 15pp. 84470:280-84470:294.

9506230233 Application for amends to licenses DPR-67 & NPF-16.Amends would allow up to seven days to restore an inoperable LPSI train to operable status.
SAGER,D.A. Florida Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 12pp. 84470:202-84470:267.

--9506230234 Proposed tech specs re time allowed to restore inoperable LPSI train to operable status.
* Florida Power & Light Co. 95/06/21. 14pp. 84470:214-84470:227.

9506280114 Application for amends to licenses DPR-67 & NPF-16.Amends would revise action statements & certain surveillances of TS 3/4.5.1 re safety injection tanks.
SAGER,D.A. Florida Power & Light Co. 95/06/21. Document Control Branch (Document Control Desk). 15pp. 84492:217-84492:285.

--9506280119 Proposed tech specs re safety injection tank surveillances.
* Florida Power & Light Co. 95/06/21. 20pp. 84492:232-84492:252.

--9506280128 "Joint Applications Rept for Safety Injection Tank AOT/STI Extension."
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CE NPSD-994. 95/05/31. 33pp. 84492:253-84492:285.

9506280387 Forwards amends 137 & 77 to licenses DPR-67 & NPF-16, respectively & SE.Amends eliminate ref to automatic containment air lock tester from TS 4.6.1.3.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84458:335-84458:350.

--9506280412 Amends 137 & 77 to licenses DPR-67 & NPF-16,respectively, eliminating ref to automatic containment air lock tester from TS 4.6.1.3.
MATHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/22. 10pp. 84458:338-84458:347.

--9506280429 Safety evaluation supporting amends 137 & 77 to licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 3pp. 84458:348-84458:350.

9506280390 Forwards response to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes." Supportive EPRI 950526 ltr to NEI also encl.
SAGER,D.A. Florida Power & Light Co. 95/06/23. Document Control Branch (Document Control Desk). 15pp. 84492:327-84492:341.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506190430 Forwards insp repts 50-335/95-05 & 50-389/95-05 on 950320-0428 & notice of violation.
CASTO,C. Region 2 (Post 820201). 95/06/06. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84343:246-84343:275.

--9506190446 Insp repts 50-335/95-05 & 50-389/95-05 on 950320-0428. Violations noted.Major areas inspected:engineering & technical support & follow up on previous insp findings.
THOMAS,M., SHYMLOCK,M. Region 2 (Post 820201). 95/06/05. 26pp. 84343:250-84343:275.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506190301 Monthly operating repts for May 1995 for St Lucie.W/950609 ltr.
ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 95/05/31. 9pp. 84374:337-84374:345.

V. Operator Examinations

9506060330 Discusses manning for simulator training/requalification exams.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84210:265-84210:266.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9506150326 Expresses appreciation re 950509 ltr re draft Environmental Protection Plan for operation of plant.Two parameters that could potentially have significant adverse effects on aquatic species not adequately addressed in draft EPP.
WINFORD,D.B. Interior, Dept. of. 95/05/22. CRUTCHFIELD,D. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84329:335-84329:336.

9506050020 Forwards plant response to NRC 950419 RAI re reactor coolant pump lube oil collection sys.
BARON,R.R. Tennessee Valley Authority. 95/05/26. Document Control Branch (Document Control Desk). 13pp. 84183:170-84183:182.

9506190409 Confirms 950526 telcon w/B Schofield re 950619 meeting to discuss issues concerning MOV program & work completion plan between hot functional test 2 & fuel loading.
JAUDON,J.P. Region 2 (Post 820201). 95/05/30. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84344:100-84344:102.

9506210347 Informs of 950620 meeting w/util in Spring City,TN re actions,schedules & priorities of various licensing issues at plant.
TAM,P.S. . 95/06/02. HEBDON,F.J. . 3pp. 84403:194-84403:196.

9506120142 Provides suppl info concerning electrical separation design at plant.
BARON,R.R. Tennessee Valley Authority. 95/06/05. Document Control Branch (Document Control Desk). 6pp. 84284:346-84284:351.

9506200190 Notification of 950615 meeting re implementation of changes to site corrective action program & plan for change-over from construction program to operation program.
JAUDON,J.P. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84347:228-84347:230.

9506130294 Revises commitment by TVA in 810914 ltr that responded to NUREG-0737,Item II.K.3.3 re reporting safety valve & relief valves failures & challenges.
BARON,R.R. Tennessee Valley Authority. 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:356-84289:357.

9506220251 Forwards diskettes,final draft TS,technical requirements manual & road map IAW requirements of job code J-2037. W/o encl.
GIARDINA,R.J. . FIN J-2037. 95/06/07. JONES,G.L. Idaho National Engineering Laboratory. 2pp. 84407:053-84407:054.

9506190373 Summarizes 950524 mgt meeting w/util in Atlanta,GA to discuss plant status & associated activities.List of attendees & presentation summary encl.
JAUDON,J.P. Region 2 (Post 820201). 95/06/08. KINGSLEY,O.D. Tennessee Valley Authority. 64pp. 84343:014-84343:077.

9506230252 Forwards draft SER for plant TS review.Submits schedule to be met in order to complete final TS by 950924.
GRIMES,C.I. . 95/06/08. HEBDON,F.J. . 5pp. 84413:355-84413:360.

9506200057 Confirms 950608 telcon re meeting scheduled for 950719 in Atlanta,GA on methods to be used to implement util Problem Identification & CAP for all util facilities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84350:005-84350:010.

9506200288 Confirms 950612 telcon between B Schofield re meeting that has been scheduled for 950707 to discuss facility status & associated on-going activities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84347:110-84347:112.

9506200197 Notifies of intent to implement radiological respiratory protection program per 10CFR20.1703(d).
BARON,R.R. Tennessee Valley Authority. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84410:357-84410:358.

9506280297 Notification of 950623 meeting w/util in Rockville,MD re schedule & actions needed to complete plant unit 1 TS.
TAM,P.S . 95/06/13. HEBDON,F.J. . 3pp. 84448:148-84448:150.

9506210279 Provides second part of three part response to NRC 950223 & 0504 ltrs re status of GSIs applicable to WBNP Unit 1,as agreed during 950428 meeting.
BARON,R.R. Tennessee Valley Authority. 95/06/14. Document Control Branch (Document Control Desk). 15pp. 84411:325-84411:339.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

9506220321 Advises NRC of addl info developed as result of TVA performance of thermogravimetric analysis testing of Thermo- Lag 330-1 matl,as discussed in TVA ltrs for SNP & WBNP dtd 950322,responding to NRC RAIs re GL 92-08.
KNUETTEL,E.T. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:238-84436:246.

9506280151 Notification of 950623 meeting w/util re technical issues concerning Chapter 11, "Radwaste Mgt Sys."
TAM,P.S. . 95/06/16. HEBDON,F.J. . 6pp. 84448:082-84448:087.

9506280423 Updates info provided in TVA 940519 ltr re manner in which TVA meeting NUREG-0737 Item II.F.1.1 re noble gas radiation monitors.
BARON,R.R. Tennessee Valley Authority. 95/06/16. Document Control Branch (Document Control Desk). 10pp. 84476:325-84476:334.

9506280728 Provides info re certification of financial assurance for decommissioning activities associated w/WBN Unit 1.
SCHRAGE,J.L. Commonwealth Edison Co. 95/06/16. Document Control Branch (Document Control Desk). 4pp. 84475:239-84475:242.

9506290037 Notification of 950620 meeting w/util in Rockville,MD to discuss Factual Content of Draft Watts Bar Quality & QA Rept.Agenda & draft NRC plant quality & QA assessment encl.
THADANI,M.C. . 95/06/16. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 48pp. 84473:073-84473:120.

9506300302 Summary of 950620 meeting w/TVA at Watts Bar site re status of various licensing issues.List of attendees & related documentation encl.
BUGG,M. . 95/06/26. . 27pp. 84510:282-84510:308.

D. NRC Draft/Final Environmental Statements, suppls & correspondence

9506290400 Requests extension of 2 wks on comment period for FES re operation of plant,Suppl 1 due to recent receipt of subj document.
MUELLER,H.J. Environmental Protection Agency. 95/05/18. NRC - No Detailed Affiliation Given. 1p. 84473:323-84473:323.

F. Security, medical, emergency & fire protection plans

9506020134 Rev 5 to CECC-EPIP-19, "Post Acceptance Core Damage Assessment." W/950525 ltr.
POGUE,J.E. Tennessee Valley Authority. 95/05/25. 22pp. 84182:248-84182:269.

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

9506200021 Forwards insp repts 50-390/95-14 & 50-391/95-14 on 950501- 05.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:343-84344:355.

--9506200030 Insp repts 50-390/95-14 & 50-391/95-14 on 950501-05.No violations noted.Major areas inspected:readiness prior to fuel load/criticality of emergency preperedness program.
SARTON,W.M., JULIAN,C.A. Region 2 (Post 820201). 95/06/06. 9pp. 84344:347-84344:355.

9506190425 Forwards insp repts 50-390/95-32 & 50-391/95-32 on 950501-05 & 0515-19.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:039-84344:065.

--9506190435 Insp repts 50-390/95-32 & 50-391/95-32 on 950501-05 & 0515- 19.No violations noted.Major areas inspected:fire protection corrective action program rept review,review of operational fire protection program & review of 10CFR50.55(e) repts.
MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/06/07. 23pp. 84344:043-84344:065.

9506200227 Forwards final rept dtd 950522,from FEMA discussing findings of joint exercise of offsite radiological emergency response plans.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84348:270-84349:011.

--9506200235 Forwards final rept for 931006-07,joint exercise of offsite radiological emergency response plans.One deficiency noted & three ARCAs noted.
ESSIG,T.H. . 95/05/31. BARR,K.P. Region 2 (Post 820201). 4pp. 84348:274-84348:278.

--9506200243 "FEMA Final Rept for 931006-07,Joint Exercise of Offsite Radiological Emergency Response Plans," revised.
* Federal Emergency Management Agency. 95/05/03. 78pp. 84348:279-84349:011.

9506210370 Forwards rev 3 to "Fire Protection Rept."
BARON,R.R. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 3pp. 84425:001-84427:360.

--9506210374 Rev 3 to "Fire Protection Rept."
PIERCE,J.J. Tennessee Valley Authority. 95/06/15. 1,085pp. 84425:004-84427:360.

9506220321 Advises NRC of addl info developed as result of TVA performance of thermogravimetric analysis testing of Thermo- Lag 330-1 matl,as discussed in TVA ltrs for SNP & WBNP dtd 950322,responding to NRC RAIs re GL 92-08.
KNUETTEL,E.T. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:238-84436:246.

H. General correspondence

9506190079 Requests NRC to place author on svc list for Watts Bar NPP.
RICCIO,J.P. Public Citizen Litigation Group. 95/05/25. TAM,P. NRC - No Detailed Affiliation Given. 1p. 84386:300-84386:300.

9506280801 Advises that Public Citizen added to svc list,effective 950615,per 950525 request.
TAM,P.S. . 95/06/15. RICCIO,J.P. Affiliation Not Assigned. 2pp. 84458:352-84458:353.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506200389 Forwards addendum to Amend 89 to Watts Bar Nuclear Plant Units 1 & 2 FSAR,including page 21/22 of instruction sheet for page replacement,page 71 of effective page listing & Table 11.5-1.
BARON,T.T. Tennessee Valley Authority. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84406:226-84406:268.

--9506200402 Addendum to Amend 89 to Watts Bar Nuclear Plant Units 1 & 2 FSAR.
* Tennessee Valley Authority. 95/06/13. 40pp. 84406:229-84406:268.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050013 Responds to NRC 950510 RAI re adequacy of plant carbon dioxide automatic fire suppression systems.Util response to concerns expressed in NRC insp repts 50-390/95-16 & 50-391/95-16 on 950406 provided within.
BARON,R.R. Tennessee Valley Authority. 95/05/26. Document Control Branch (Document Control Desk). 31pp. 84183:109-84183:169.

--9506050017 Rev 1 to SPT-039-01, "Special Performance Test Procedure CO2 Encl Door Fan Testing."
* Tennessee Valley Authority. 94/12/02. 30pp. 84183:140-84183:169.

9506200026 Ack receipt of 950425 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-10 & 50-391/95-10.NRC concerned over several specific aspects of util response.
JAUDON,J.P. Region 2 (Post 820201). 95/05/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84347:330-84347:332.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506190406 Discusses insp rept 50-390/95-27 & 50-391/95-27 on 950410-0513 & forwards NOV.
JAUDON,J.P. Region 2 (Post 820201). 95/05/31. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84343:210-84343:245.

--9506190420 Notice of violation from insp on 950413-0513.Violation noted:Q-DCNs 35720-A,21591-A,22575-A,35541-A,32973-A, 34120-A & 20757-A did not implement requirements of EAI-3.05.
* Region 2 (Post 820201). 95/05/31. 2pp. 84343:216-84343:217.

--9506190424 Insp repts 50-390/95-27 & 50-391/95-27 on 950410-0513. Violations noted.Major areas inspected:employee concerns special program corrective actions,construction insp program review & followup on previous insp findings.
BRADY,J.B., FREDRICKSON,P. Region 2 (Post 820201). 95/05/31. 26pp. 84343:218-84343:245.

9506200055 Forwards insp repts 50-390/95-29 & 50-391/95-29 on 950424- 0513.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84346:032-84346:051.

--9506200062 Insp repts 50-390/95-29 & 50-391/95-29 on 950424-0513.No violations noted.Major areas inspected:Electric Cable Procedure review.
SMITH,C.F. Region 2 (Post 820201). 95/06/02. 16pp. 84346:035-84346:051.

9506200103 Forwards insp repts 50-390/95-21 & 50-391/95-21 on 950424- 28.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84346:133-84346:158.

--9506200111 Insp repts 50-390/95-21 & 50-391/95-21 on 950424-28.No violations noted.Major areas inspected:licensee implementation of commitments in response to GL 89-10.
GIRARD,E., JULIAN,C. Region 2 (Post 820201). 95/06/02. 23pp. 84346:136-84346:158.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200021 Forwards insp repts 50-390/95-14 & 50-391/95-14 on 950501- 05.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:343-84344:355.

--9506200030 Insp repts 50-390/95-14 & 50-391/95-14 on 950501-05.No violations noted.Major areas inspected:readiness prior to fuel load/criticality of emergency preperedness program.
SARTON,W.M., JULIAN,C.A. Region 2 (Post 820201). 95/06/06. 9pp. 84344:347-84344:355.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150244 Responds to violation noted in insp rept 50-390/95-18. Corrective actions:involved individuals counseled & Engineering Administrative Instruction EAI-3.05,Section 5.5 revised.
ZERINGUE,O.J. Tennessee Valley Authority. 95/06/09. Document Control Branch (Document Control Desk). 5pp. 84352:334-84352:338.

9506190413 Forwards insp repts 50-390/95-25 & 50-391/95-25 on 950402- 0513.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84343:309-84343:357.

--9506190416 Insp repts 50-390/95-25 & 50-391/95-25 on 950412-0513.No violations noted.Major areas inspected:preoperational test program implementation verification,preoperational test witnessing,plant operations & self-assessment.
VAN DOORN,P.K., JULIAN,C. Region 2 (Post 820201). 95/06/07. 45pp. 84343:313-84343:357.

9506190425 Forwards insp repts 50-390/95-32 & 50-391/95-32 on 950501-05 & 0515-19.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:039-84344:065.

--9506190435 Insp repts 50-390/95-32 & 50-391/95-32 on 950501-05 & 0515- 19.No violations noted.Major areas inspected:fire protection corrective action program rept review,review of operational fire protection program & review of 10CFR50.55(e) repts.
MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/06/07. 23pp. 84344:043-84344:065.

9506200264 Confirms 950609 telcon w/B Schofield requesting NRC rept dtd 950519 & forwards rept for use & info.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84349:087-84349:124.

--9506200277 Summarizes status of key insp activities that need to be completed prior to licensing of plant.
EBNETER,S.D. Region 2 (Post 820201). 95/05/19. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 35pp. 84349:090-84349:124.

9506200291 Informs that objectives of SALP process for facility being accomplished.
EBNETER,S.D. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84347:113-84347:118.

9506280157 Forwards insp repts 50-390/95-31 & 50-391/95-31 on 950424- 0519.Non-cited violation noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:106-84442:122.

--9506280188 Insp repts 50-390/95-31 & 50-391/95-31 on 950424-0519. Non-cited violation noted.Major area inspected:licensee has implemented sys of post-accident monitoring instrumentation that meets commitments re RG.1.97,rev 2.
MERRIWEATHER,N., JULIAN,C. Region 2 (Post 820201). 95/06/13. 14pp. 84442:109-84442:122.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280384 Responds to NRC 950519 ltr re violation noted in insp rept 50-390/95-24.Corrective actions:personnel involved in installation/documentation of splices associated w/motor 1-MTR-030-0077 identified & counseled.
ZERINGUE,O.J. Tennessee Valley Authority. 95/06/16. Document Control Branch (Document Control Desk). 6pp. 84480:307-84480:312.

9506280116 Forwards insp repts 50-390/95-33 & 50-391/95-33 on 950423- 0520.No violations or deviations noted.
JAUDON,J. Region 2 (Post 820201). 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84441:317-84442:008.

--9506280125 Insp repts 50-390/95-33 & 50-391/95-33 on 950423-0520.No violations noted.Major areas inspected:construction work activities,cable damage,walkdown verification for damaged, loose,or missing hardware.
WALTON,G.A., FREDRICKSON,E. Region 2 (Post 820201). 95/06/19. 45pp. 84441:321-84442:008.

9506280129 Forwards pages omitted from insp repts 50-390/95-32 & 50-391/95-32 on 950609.
JAUDON,J.P. Region 2 (Post 820201). 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:021-84442:039.

--9506280135 Omitted pages 9-24 to insp repts 50-390/95-32 & 50-391/95-32 for insertion into original insp repts.
* Region 2 (Post 820201). 95/06/19. 16pp. 84442:024-84442:039.

9506280204 Forwards insp repts 50-390/95-28,50-391/95-28,70-2910/95-01 & 70-2928/95-01 on 950418-0520 & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84442:175-84442:204.

--9506280213 Notice of violation from insp on 950418-0520.Violation noted:listed examples of licensee failure to follow fuel handling procedural controls.
* Region 2 (Post 820201). 95/06/19. 2pp. 84442:181-84442:182.

--9506280220 Notice of violation from insp on 950418-0520.Violation noted:licensee failed to maintain proper plant configuaration control documentation.
* Region 2 (Post 820201). 95/06/19. 2pp. 84442:183-84442:184.

--**9506280228** Insp repts 50-390/95-28,50-391/95-28 & 70-2910/95-01 & 70-2928/95-01 on 950418-0520.Violations noted.Major areas inspected:plant programs associated w/unirradiated fuel receipt & shipment & storage.
KUZO,G.B., CAHILL,S.J., JULIAN,C.A. Region 2 (Post 820201). 95/06/15. 20pp. 84442:185-84442:204.

S. Reportable occurrences, LERs & related correspondence

9506010095 Forwards response to NRC question re cable damage identified by const deficiency rept 50-390/95-02,dtd 950414.No common mode events exist that would cause widespread failure of cables w/defects as described in rept.
BARON,R.R. Tennessee Valley Authority. 95/05/23. Document Control Branch (Document Control Desk). 4pp. 84154:351-84154:354.

9506220254 Revised final deficiency rept re environmentally qualified SVs which differed from mfg installation requirements. Initially reported on 851009.Hardware will be modified to achieve compliance w/vendor-approved mounting instructions.
ZERINGUE,O.J. Tennessee Valley Authority. CDR-50-390/85-52. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84419:357-84419:358.

9506210203 Revised final deficiency rept re Category I & I(L) instrument bolting requirements.Initially reported on 851112.Mounting bolts for Foxboro Seismic Category I pressure & differential transmitters re-installed.
BARON,R.R. Tennessee Valley Authority. CDR-50-390/85-61. 95/06/13. Document Control Branch (Document Control Desk). 11pp.

9506280404 Deficiency rept re incore thermocouples.Initially reported on 950517.Incore thermocouples failed to meet insulation resistance acceptance criteria.Incore thermocouples containing deficiencies will be replaced prior to HFT2.
ZERINGUE,O.J. Tennessee Valley Authority. CDR-50-390/95-04. 95/06/16. Document Control Branch (Document Control Desk). 5pp. 84480:313-84480:318.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9506150326 Expresses appreciation re 950509 ltr re draft Environmental Protection Plan for operation of plant.Two parameters that could potentially have significant adverse effects on aquatic species not adequately addressed in draft EPP.
WINFORD,D.B. Interior, Dept. of. 95/05/22. CRUTCHFIELD,D. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84329:335-84329:336.

9506050020 Forwards plant response to NRC 950419 RAI re reactor coolant pump lube oil collection sys.
BARON,R.R. Tennessee Valley Authority. 95/05/26. Document Control Branch (Document Control Desk). 13pp. 84183:170-84183:182.

9506190409 Confirms 950526 telcon w/B Schofield re 950619 meeting to discuss issues concerning MOV program & work completion plan between hot functional test 2 & fuel loading.
JAUDON,J.P. Region 2 (Post 820201). 95/05/30. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84344:100-84344:102.

9506120142 Provides suppl info concerning electrical separation design at plant.
BARON,R.R. Tennessee Valley Authority. 95/06/05. Document Control Branch (Document Control Desk). 6pp. 84284:346-84284:351.

9506200190 Notification of 950615 meeting re implementation of changes to site corrective action program & plan for change-over from construction program to operation program.
JAUDON,J.P. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84347:228-84347:230.

9506130294 Revises commitment by TVA in 810914 ltr that responded to NUREG-0737,Item II.K.3.3 re reporting safety valve & relief valves failures & challenges.
BARON,R.R. Tennessee Valley Authority. 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:356-84289:357.

9506220251 Forwards diskettes,final draft TS,technical requirements manual & road map IAW requirements of job code J-2037. W/o encl.
GIARDINA,R.J. . FIN J-2037. 95/06/07. JONES,G.L. Idaho National Engineering Laboratory. 2pp. 84407:053-84407:054.

9506190373 Summarizes 950524 mgt meeting w/util in Atlanta,GA to discuss plant status & associated activities.List of attendees & presentation summary encl.
JAUDON,J.P. Region 2 (Post 820201). 95/06/08. KINGSLEY,O.D. Tennessee Valley Authority. 64pp. 84343:014-84343:077.

9506200057 Confirms 950608 telcon re meeting scheduled for 950719 in Atlanta,GA on methods to be used to implement util Problem Identification & CAP for all util facilities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84350:005-84350:010.

9506200288 Confirms 950612 telcon between B Schofield re meeting that has been scheduled for 950707 to discuss facility status & associated on-going activities.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84347:110-84347:112.

9506200197 Notifies of intent to implement radiological respiratory protection program per 10CFR20.1703(d).
BARON,R.R. Tennessee Valley Authority. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84410:357-84410:358.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

9506220321 Advises NRC of addl info developed as result of TVA performance of thermogravimetric analysis testing of Thermo- Lag 330-1 matl,as discussed in TVA ltrs for SNP & WBNP dtd 950322,responding to NRC RAIs re GL 92-08.
KNUETTEL,E.T. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:238-84436:246.

9506280423 Updates info provided in TVA 940519 ltr re manner in which TVA meeting NUREG-0737 Item II.F.1.1 re noble gas radiation monitors.
BARON,R.R. Tennessee Valley Authority. 95/06/16. Document Control Branch (Document Control Desk). 10pp. 84476:325-84476:334.

9506300302 Summary of 950620 meeting w/TVA at Watts Bar site re status of various licensing issues.List of attendees & related documentation encl.
BUGG,M. . 95/06/26. . 27pp. 84510:282-84510:308.

D. NRC Draft/Final Environmental Statements, suppls & correspondence

9506290400 Requests extension of 2 wks on comment period for FES re operation of plant,Suppl 1 due to recent receipt of subj document.
MUELLER,H.J. Environmental Protection Agency. 95/05/18. NRC - No Detailed Affiliation Given. 1p. 84473:323-84473:323.

F. Security, medical, emergency & fire protection plans

9506020134 Rev 5 to CECC-EPIP-19, "Post Acceptance Core Damage Assessment." W/950525 ltr.
POGUE,J.E. Tennessee Valley Authority. 95/05/25. 22pp. 84182:248-84182:269.

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

9506200021 Forwards insp repts 50-390/95-14 & 50-391/95-14 on 950501- 05.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:343-84344:355.

--**9506200030** Insp repts 50-390/95-14 & 50-391/95-14 on 950501-05.No violations noted.Major areas inspected:readiness prior to fuel load/criticality of emergency preperedness program.
SARTON,W.M. Region 2 (Post 820201). 95/06/06. 9pp. 84344:347-84344:355.

9506190425 Forwards insp repts 50-390/95-32 & 50-391/95-32 on 950501-05 & 0515-19.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:039-84344:065.

--**9506190435** Insp repts 50-390/95-32 & 50-391/95-32 on 950501-05 & 0515- 19.No violations noted.Major areas inspected:fire protection corrective action program rept review,review of operational fire protection program & review of 10CFR50.55(e) repts.
MILLER,W.H. Region 2 (Post 820201). 95/06/07. 23pp. 84344:043-84344:065.

9506200227 Forwards final rept dtd 950522,from FEMA discussing findings of joint exercise of offsite radiological emergency response plans.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84348:270-84349:011.

--**9506200235** Forwards final rept for 931006-07,joint exercise of offsite radiological emergency response plans.One deficiency noted & three ARCAs noted.
ESSIG,T.H. . 95/05/31. BARR,K.P. Region 2 (Post 820201). 4pp. 84348:274-84348:278.

--**9506200243** "FEMA Final Rept for 931006-07,Joint Exercise of Offsite Radiological Emergency Response Plans," revised.
* Federal Emergency Management Agency. 95/05/03. 78pp. 84348:279-84349:011.

9506210370 Forwards rev 3 to "Fire Protection Rept."
BARON,R.R. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 3pp. 84425:001-84427:360.

--**9506210374** Rev 3 to "Fire Protection Rept."
PIERCE,J.J. Tennessee Valley Authority. 95/06/15. 1,085pp. 84425:004-84427:360.

9506220321 Advises NRC of addl info developed as result of TVA performance of thermogravimetric analysis testing of Thermo- Lag 330-1 matl,as discussed in TVA ltrs for SNP & WBNP dtd 950322,responding to NRC RAIs re GL 92-08.
KNUETTEL,E.T. Tennessee Valley Authority. 95/06/15. Document Control Branch (Document Control Desk). 9pp. 84436:238-84436:246.

H. General correspondence

9506190079 Requests NRC to place author on svc list for Watts Bar NPP.
RICCIO,J.P. Public Citizen Litigation Group. 95/05/25. TAM,P. NRC - No Detailed Affiliation Given. 1p. 84386:300-84386:300.

9506280801 Advises that Public Citizen added to svc list,effective 950615,per 950525 request.
TAM,P.S. . 95/06/15. RICCIO,J.P. Affiliation Not Assigned. 2pp. 84458:352-84458:353.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506200389 Forwards addendum to Amend 89 to Watts Bar Nuclear Plant Units 1 & 2 FSAR,including page 21/22 of instruction sheet for page replacement,page 71 of effective page listing & Table 11.5-1.
BARON,T.T. Tennessee Valley Authority. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84406:226-84406:268.

--**9506200402** Addendum to Amend 89 to Watts Bar Nuclear Plant Units 1 & 2 FSAR.
* Tennessee Valley Authority. 95/06/13. 40pp. 84406:229-84406:268.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050013 Responds to NRC 950510 RAI re adequacy of plant carbon dioxide automatic fire suppression systems.Util response to concerns expressed in NRC insp repts 50-390/95-16 & 50-391/95-16 on 950406 provided within.
BARON,R.R. Tennessee Valley Authority. 95/05/26. Document Control Branch (Document Control Desk). 31pp. 84183:109-84183:169.

--9506050017 Rev 1 to SPT-039-01, "Special Performance Test Procedure CO2 Encl Door Fan Testing."
* Tennessee Valley Authority. 94/12/02. 30pp. 84183:140-84183:169.

9506200026 Ack receipt of 950425 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-10 & 50-391/95-10.NRC concerned over several specific aspects of util response.
JAUDON,J.P. Region 2 (Post 820201). 95/05/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84347:330-84347:332.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506190406 Discusses insp rept 50-390/95-27 & 50-391/95-27 on 950410-0513 & forwards NOV.
JAUDON,J.P. Region 2 (Post 820201). 95/05/31. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84343:210-84343:245.

--9506190424 Insp repts 50-390/95-27 & 50-391/95-27 on 950410-0513. Violations noted.Major areas inspected:employee concerns special program corrective actions,construction insp program review & followup on previous insp findings.
BRADY,J.B., FREDRICKSON,P. Region 2 (Post 820201). 95/05/31. 26pp. 84343:218-84343:245.

9506200055 Forwards insp repts 50-390/95-29 & 50-391/95-29 on 950424- 0513.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84346:032-84346:051.

--9506200062 Insp repts 50-390/95-29 & 50-391/95-29 on 950424-0513.No violations noted.Major areas inspected:Electric Cable Procedure review.
SMITH,C.F. Region 2 (Post 820201). 95/06/02. 16pp. 84346:035-84346:051.

9506200103 Forwards insp repts 50-390/95-21 & 50-391/95-21 on 950424- 28.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84346:133-84346:158.

--9506200111 Insp repts 50-390/95-21 & 50-391/95-21 on 950424-28.No violations noted.Major areas inspected:licensee implementation of commitments in response to GL 89-10.
GIRARD,E., JULIAN,C. Region 2 (Post 820201). 95/06/02. 23pp. 84346:136-84346:158.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200021 Forwards insp repts 50-390/95-14 & 50-391/95-14 on 950501- 05.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:343-84344:355.

--9506200030 Insp repts 50-390/95-14 & 50-391/95-14 on 950501-05.No violations noted.Major areas inspected:readiness prior to fuel load/criticality of emergency preperedness program.
SARTON,W.M., JULIAN,C.A. Region 2 (Post 820201). 95/06/06. 9pp. 84344:347-84344:355.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506190413 Forwards insp repts 50-390/95-25 & 50-391/95-25 on 950402- 0513.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84343:309-84343:357.

--9506190416 Insp repts 50-390/95-25 & 50-391/95-25 on 950412-0513.No violations noted.Major areas inspected:preoperational test program implementation verification,preoperational test witnessing,plant operations & self-assessment.
VAN DOORN,P.K., JULIAN,C. Region 2 (Post 820201). 95/06/07. 45pp. 84343:313-84343:357.

9506190425 Forwards insp repts 50-390/95-32 & 50-391/95-32 on 950501-05 & 0515-19.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/09. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84344:039-84344:065.

--9506190435 Insp repts 50-390/95-32 & 50-391/95-32 on 950501-05 & 0515- 19.No violations noted.Major areas inspected:fire protection corrective action program rept review,review of operational fire protection program & review of 10CFR50.55(e) repts.
MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/06/07. 23pp. 84344:043-84344:065.

9506200264 Confirms 950609 telcon w/B Schofield requesting NRC rept dtd 950519 & forwards rept for use & info.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84349:087-84349:124.

--9506200277 Summarizes status of key insp activities that need to be completed prior to licensing of plant.
EBNETER,S.D. Region 2 (Post 820201). 95/05/19. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 35pp. 84349:090-84349:124.

9506200291 Informs that objectives of SALP process for facility being accomplished.
EBNETER,S.D. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84347:113-84347:118.

9506280157 Forwards insp repts 50-390/95-31 & 50-391/95-31 on 950424- 0519.Non-cited violation noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:106-84442:122.

--9506280188 Insp repts 50-390/95-31 & 50-391/95-31 on 950424-0519. Non-cited violation noted.Major area inspected:licensee has implemented sys of post-accident monitoring instrumentation that meets commitments re RG.1.97,rev 2.
MERRIWEATHER,N., JULIAN,C. Region 2 (Post 820201). 95/06/13. 14pp. 84442:109-84442:122.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280116 Forwards insp repts 50-390/95-33 & 50-391/95-33 on 950423- 0520.No violations or deviations noted.
JAUDON,J. Region 2 (Post 820201). 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84441:317-84442:008.

--9506280125 Insp repts 50-390/95-33 & 50-391/95-33 on 950423-0520.No violations noted.Major areas inspected:construction work activities,cable damage,walkdown verification for damaged, loose,or missing hardware.
WALTON,G.A., FREDRICKSON,E. Region 2 (Post 820201). 95/06/19. 45pp. 84441:321-84442:008.

9506280129 Forwards pages omitted from insp repts 50-390/95-32 & 50-391/95-32 on 950609.
JAUDON,J.P. Region 2 (Post 820201). 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:021-84442:039.

--9506280135 Omitted pages 9-24 to insp repts 50-390/95-32 & 50-391/95-32 for insertion into original insp repts.
* Region 2 (Post 820201). 95/06/19. 16pp. 84442:024-84442:039.

9506280204 Forwards insp repts 50-390/95-28,50-391/95-28,70-2910/95-01 & 70-2928/95-01 on 950418-0520 & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84442:175-84442:204.

--9506280220 Notice of violation from insp on 950418-0520.Violation noted:licensee failed to maintain proper plant configuaration control documentation.
* Region 2 (Post 820201). 95/06/19. 2pp. 84442:183-84442:184.

--9506280228 Insp repts 50-390/95-28,50-391/95-28 & 70-2910/95-01 & 70-2928/95-01 on 950418-0520.Violations noted.Major areas inspected:plant programs associated w/unirradiated fuel receipt & shipment & storage.
KUZO,G.B., CAHILL,S.J., JULIAN,C.A. Region 2 (Post 820201). 95/06/15. 20pp. 84442:185-84442:204.

S. Reportable occurrences, LERs & related correspondence

9506010095 Forwards response to NRC question re cable damage identified by const deficiency rept 50-390/95-02,dtd 950414.No common mode events exist that would cause widespread failure of cables w/defects as described in rept.
BARON,R.R. Tennessee Valley Authority. 95/05/23. Document Control Branch (Document Control Desk). 4pp. 84154:351-84154:354.

9506220254 Revised final deficiency rept re environmentally qualified SVs which differed from mfg installation requirements. Initially reported on 851009.Hardware will be modified to achieve compliance w/vendor-approved mounting instructions.
ZERINGUE,O.J. Tennessee Valley Authority. CDR-50-390/85-52. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84419:357-84419:358.

9506210203 Revised final deficiency rept re Category I & I(L) instrument bolting requirements.Initially reported on 851112.Mounting bolts for Foxboro Seismic Category I pressure & differential transmitters re-installed.
BARON,R.R. Tennessee Valley Authority. CDR-50-390/85-61. 95/06/13. Document Control Branch (Document Control Desk). 11pp.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

K. Utility Final Safety Analysis Report (FSAR) & amends

9506160373 Forwards Amend 95-02 to FSAR for VC Summer Nuclear Station. FSAR amend updated as of 950327 & constitutes second update to FSAR for 1995,including required info in accordance w/ 10CFR50.71(e).
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/05/17. Document Control Branch (Document Control Desk). 1p. 84378:032-84378:154.

--9506160376 Amend 95-02 to FSAR for VC Summer Nuclear Station.
* South Carolina Electric & Gas Co. 95/04/30. 100pp. 84378:033-84378:154.

P. Operating license stage documents & correspondence

9506090393 Informs that NRC staff grants partial relief to util 940328 request for relief from ASME Section XI requirements for certain Class 1-3 components.SE encl.
HEBDON,F.J. . 95/05/31. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 84249:353-84249:361.

--9506090407 Safety evaluation denying util request for relief from ASME Section XI requirements for certain Class 1-3 components.
* . 95/04/18. 7pp. 84249:355-84249:361.

9506220038 Forwards environmental assessment & FONSI re 950306 application for amend which would delete license condition 2.C(24) from license NPF-12.Condition re monitoring reservoir impoundment activity monitoring.
DEMBEK,S. . 95/06/05. TAYLOR,G.J. South Carolina Electric & Gas Co. 1p. 84404:199-84404:204.

--9506220046 Environ assessment & finding of no significant impact, which would allow licensee to discontinue seismic monitoring program that had been put in place to monitor seismic activity associated w/impoundment of reservoir.
HEBDON,F.J. . 95/06/05. 5pp. 84404:200-84404:204.

9506140122 Submits notarization suppl for ltrs dtd 950221,0306 & 0505.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/06. DEMBEK,S. Document Control Branch (Document Control Desk). 2pp. 84339:019-84339:020.

9506190422 Confirms 950525 telcon w/util re 950622 meeting w/util to discuss engineering issues concerning automatic ESFAS.
CASTO,C.A. Region 2 (Post 820201). 95/06/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 84344:187-84344:188.

9506230028 Forwards amend 124 to license NPF-12 & SE.Amend deletes license condition 2.c that required licensee to maintain seismic monitoring program.
DEMBEK,S. Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 84413:324-84413:333.

--9506230031 Amend 124 to license NPF-12,deletes license condition 2.c that required licensee to maintain seismic monitoring program.
HEBDON,F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 4pp. 84413:327-84413:330.

--9506230032 Safety evaluation supporting amend 124 to license NPF-12.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/13. 3pp. 84413:331-84413:333.

9506280286 Advises that SA Byrne now General Manager,Nuclear Plant Operations,effective 950605.NRC distribution re orignial documents should be updated accordingly.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/13. Document Control Branch (Document Control Desk). 1p. 84477:355-84477:355.

9506230381 TS Change TSP 950006 to license NPF-12,requesting amend to TS 3/4.6.2, "Depressurization & Cooling Sys" to change required test frequency for reactor bldg spray nozzle flow test from once per five yrs to once per ten yrs.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/19. DEMBEK,S. Document Control Branch (Document Control Desk). 2pp. 84457:350-84457:356.

--9506230382 Proposed TS 3/4.6.2, "Depressurization & Cooling Sys," changing required test frequency for reactor bldg spray nozzle flow test from once per five yrs to once per ten yrs.
* South Carolina Electric & Gas Co. 95/06/19. 5pp. 84457:352-84457:356.

9506280251 Application for amend to license NPF-12.Amend would revise SR 4.6.1.2 to delete schedular requirements for Type A testing.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/19. DEMBEK,S. Document Control Branch (Document Control Desk). 3pp. 84477:314-84477:327.

--9506280257 Proposed tech specs re deletion of schedular requirements for Type A testing.
* South Carolina Electric & Gas Co. 95/06/19. 10pp. 84477:317-84477:327.

Q. Inspection reports, IE Bulletins & correspondence

9506080537 Forwards response to violation noted in Exam Rept 50-395/94-300.SCE&G not in agreement w/violation.Basis for disagreement contained in encl response.
SKOLDS,J.L. South Carolina Electric & Gas Co. 94/07/14. Document Control Branch (Document Control Desk). 3pp. 84240:344-84240:346.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506090108 Forwards Rev 1 to "SCE&G VC Summer Nuclear Station ASME Section XI Inservice Exam Manual for 2nd Insp Interval."
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/02. DEMBEK,S. Document Control Branch (Document Control Desk). 2pp. 84268:193-84268:305.

--9506090112 Rev 1 to "SCE&G VC Summer Nuclear Station ASME Section XI Inservice Exam Manual for 2nd Insp Interval."
MCALISTER,T.A. South Carolina Electric & Gas Co. 94/10/24. 111pp. 84268:195-84268:305.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290211 Forwards response to NRC ltr re violations noted in insp rept 50-395/95-08.Corrective actions:removed damper from wall to ensure unobstructed air flow path in seismic event.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84498:074-84498:076.

R. Periodic operating reports & related correspondence

9506190296 Monthly operating rept for May 1995 for Virgil C Summer Nuclear Station Unit 1.W/950613 ltr.
HALTIWANGER,J., TAYLOR,G.J. South Carolina Electric & Gas Co. 95/05/31. 5pp. 84380:334-84380:338.

9506120408 Forwards annual ECCS evaluation model revs rept for plant, per 10CFR50.46.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/06/05. Document Control Branch (Document Control Desk). 17pp. 84282:053-84282:069.

V. Operator Examinations

9506080537 Forwards response to violation noted in Exam Rept 50-395/94-300.SCE&G not in agreement w/violation.Basis for disagreement contained in encl response.
SKOLDS,J.L. South Carolina Electric & Gas Co. 94/07/14. Document Control Branch (Document Control Desk). 3pp. 84240:344-84240:346.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506020304 Informs that NRC evaluated util 950125 request for approval for second operator action prior to control room evacuation in event of fire.Prior Commission review & approval of proposed operator action not required,per GL 86-10.
CLIFFORD,J.W. . 95/05/25. PARRISH,J.V. Washington Public Power Supply System. 4pp. 84146:094-84146:097.

9506010070 Forwards copy of FEMA final rept of 940625 Emergency Worker Assistance Ctr exercise specific to plant.Rept indicates that no deficiencies noted by FEMA although areas requiring C/As identified.
COLLINS,S.J. Region 4 (Post 820201). 95/05/26. PARRISH,J.V. Washington Public Power Supply System. 5pp. 84107:161-84107:212.

--9505050271 Forwards final rept for 940625, "Emergency Worker Assistance Ctr Drill Site-Specific to Plant."
HEPLER,O.M. Federal Emergency Management Agency. 95/04/11. SPESSARD,R.L. . 1p. 84107:166-84107:166.

--9505050280 "Connell High School/R Olds JR High School 1994 Emergency Worker Assistance Ctr Drill State of WA."
* Federal Emergency Management Agency. 94/12/31. 47pp. 84107:167-84107:212.

9506280570 Discusses investigation case 4-94-046 conducted by NRC OI re 941018 incident involving fire tour watch at plant,Unit 2.
BEACH,A.B. Region 4 (Post 820201). 95/06/21. PARRISH,J.V. Washington Public Power Supply System. 3pp. 84451:336-84451:338.

9506280567 Revised EPIPs,including Rev 5 to 13.2.2,Rev 17 to 13.4.1,Rev 12 to 13.10.1,Rev 8 to 13.10.2,Rev 12 to 13.10.7,Rev 10 to 13.10.12,Rev 11 to 13.11.1,Rev 9 to 13.11.3 & Rev 7 to 13.11.8.W/950622 ltr.
PARRISH,J.V. Washington Public Power Supply System. 95/06/22. 55pp. 84479:238-84479:292.

H. General correspondence

9506070686 Requests listed addition/deletion to mailing list.
PARRISH,J.V. Washington Public Power Supply System. 95/05/30. Document Control Branch (Document Control Desk). 1p. 84219:249-84219:249.

P. Operating license stage documents & correspondence

9506080479 Forwards Rev 0 to "Cycle 11,Core Operating Limits Rept."
PARRISH,J.V. Washington Public Power Supply System. 95/05/30. Document Control Branch (Document Control Desk). 1p. 84227:110-84227:155.

--9506080481 Rev 0 to "Cycle 11,Core Operating Limiting Rept."
* Washington Public Power Supply System. COLR 95-11 R00. 95/05/31. 45pp. 84227:111-84227:155.

9506140332 Application for amend to license NPF-21,modifying TS 6.9.3.2 by adding re to three TRs describing analytical methods that may be used in determining reactor core operating limits for reload licensing applications,consistent w/GL 88-16.
PARRISH,J.V. Washington Public Power Supply System. 95/06/06. Document Control Branch (Document Control Desk). 3pp. 84339:058-84339:063.

--9506140338 Proposed tech specs Section 6.9.3.2,adding ref to three TRs describing analytical methods that may be used in determining reactor core operating limits for reload licensing applications.
* Washington Public Power Supply System. 95/06/06. 3pp. 84339:061-84339:063.

9506140358 Application for amend to license NPF-21,modifying index of TS by deleting ref to bases pages.Future changes to bases info will be evaluated per 10CFR50.59.
PARRISH,J.V. Washington Public Power Supply System. 95/06/06. Document Control Branch (Document Control Desk). 3pp. 84338:261-84338:274.

--9506140362 Proposed tech specs index,deleting ref to bases pages.
* Washington Public Power Supply System. 95/06/06. 11pp. 84338:264-84338:274.

9506140372 Application for amend to license NPF-21,changing TS 6.0, "Administrative Controls" by revising Assistant Managing Director,Operations & Plant Manager position titles.
PARRISH,J.V. Washington Public Power Supply System. 95/06/06. Document Control Branch (Document Control Desk). 7pp. 84338:308-84338:326.

--9506140373 Proposed tech specs Section 6.0, "Administrative Controls."
* Washington Public Power Supply System. 95/06/06. 12pp. 84338:315-84338:326.

9506190064 Forwards revised MET tower stability class data point info file indicating point as differential temp in degrees F.
PARRISH,J.V. Washington Public Power Supply System. 95/06/09. Document Control Branch (Document Control Desk). 2pp. 84380:324-84380:325.

9506190386 Lists insps & activities Region IV plans to perform during next Semiannual Plant Performance Review in Oct 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/14. PARRISH,J.V. Washington Public Power Supply System. 4pp. 84343:181-84343:185.

9506280313 Notification of 950620 meeting w/util,unit 2 in Rockville,MD to discuss core stability issues for cycle 12 & licensee implementation of core reload analysis codes.
CLIFFORD,J.W. . 95/06/15. BATEMAN,W.H. . 4pp. 84448:161-84448:164.

Q. Inspection reports, IE Bulletins & correspondence

9506150003 EN-95-033 on 950518,notice of violation & proposed imposition of civil penalty in amount $50,000 will be issued to licensee.Action based on violations which collectively represented significant breakdown in control of license.
BEALL,J. LIEBERMAN,J. Region 1 (Post 820201). 94/05/15. 1p. 84288:002-84288:002.

9506060008 Ack receipt of 950412 ltr informing NRC of steps taken to correct violations noted in insp rept 50-397/94-33 on 950314.
PERKINS,K.E. Walnut Creek Field Ofc, R4 (Post 940404). 95/05/23. PARRISH,J.V. Washington Public Power Supply System. 3pp. 84165:023-84165:025.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506080644 Determines that reactor recirculation piping weld flaw reinspection will be maintained during facility next operating cycle.
CLIFFORD,J.W. . 95/05/26. PARRISH,J.V. Washington Public Power Supply System. 2pp. 84221:245-84221:246.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506140334 Forwards SE which accepts requests for relief for util which had been provided as part of inservice insp program plan for second ten-year interval submitted in 941227 ltr.
BATEMAN,W.H. . 95/06/01. PARRISH,J.V. Washington Public Power Supply System. 3pp. 84313:031-84313:044.

--9506140337 SER granting relief for requests on interim basis until NRC has completed comprehensive review of util inservice insp program for second ten-year interval.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/01. 11pp. 84313:034-84313:044.

9506120012 Forwards insp rept 50-397/95-07 on 950306-27.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 95/06/02. PARRISH,J.V. Washington Public Power Supply System. 6pp. 84221:059-84221:093.

--9506120018 Insp rept 50-397/95-07 on 950306-27.No violations noted. Major areas inspected:recent operational events,control room operations & various operational areas.
CHAMBERLAIN,D.D Region 4 (Post 820201). 95/06/01. 29pp. 84221:065-84221:093.

9506120023 Ack receipt of 950412 ltr informing NRC of steps taken to correct violations noted in insp rept 50-397/94-33 on 950314.
BEACH,A.B. Region 4 (Post 820201). 95/06/02. PARRISH,J.V. Washington Public Power Supply System. 4pp. 84221:120-84221:123.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200207 Forwards augmented insp 50-397/95-13 on 950424-26 & 950503 & 25.No violations noted.
CALLAN,L.J. Region 4 (Post 820201). 95/06/12. PARRISH,J.V. Washington Public Power Supply System. 4pp. 84348:224-84348:269.

--9506200216 Augmented insp 50-397/95-13 on 950424-26,0503 & 25.No violations noted.Major areas inspected:methodology,plant conditions,procedure actions for plant conditions,operator actions.
JOHNSON,W.D. Region 4 (Post 820201). 95/06/12. 39pp. 84348:228-84348:269.

9506200237 Forwards insp rept 50-397/95-16 on 950522-25.Apparent violations being considered for escalated enforcement action.
COLLINS,S.J. Region 4 (Post 820201). 95/06/13. PARRISH,J.V. Washington Public Power Supply System. 5pp. 84347:030-84347:051.

--9506200247 Insp rept 50-397/95-16 on 950522-25.Apparent violations being considered for escalated enforcement action.Major areas inspected:licensee radiation protection program during 1995 refueling outage.
SCARANO,R.A. Region 4 (Post 820201). 95/06/12. 17pp. 84347:035-84347:051.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506210048 Forwards insp rept 50-397/95-03 on 950213-0314 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 95/06/16. PARRISH,J.V. Washington Public Power Supply System. 7pp. 84357:183-84357:224.

--9506210052 Notice of violation from insp on 950213-0314.Violation noted:drawing change notice was not prepared or included on document control sys input sheet for final safety analysis rept.
* Region 4 (Post 820201). 95/06/16. 3pp. 84357:190-84357:192.

--9506210058 Insp rept 50-397/95-03 on 950213-0314.Violations noted.Major areas inspected:performance of engineers on basis of quality of engineering work products basic design changes.
PAULK,C., COLLINS,E.E. Region 4 (Post 820201). 95/06/08. 32pp. 84357:193-84357:224.

9506230077 Forwards insp repts 50-397/95-14 on 950424-0523.Violations noted but not cited.
GWYNN,T.P. Region 4 (Post 820201). 95/06/19. PARRISH,J.V. Washington Public Power Supply System. 26pp. 84474:243-84474:273.

--9506230088 Insp rept 50-397/95-14 on 950424-0523.Violations noted but not cited.Major areas inspected:refueling & inservice insp activities & licensee response to NRC Bulletin 90-001,suppl 1.
POWERS,D.A. Region 4 (Post 820201). 95/06/15. 26pp. 84474:248-84474:273.

9506280570 Discusses investigation case 4-94-046 conducted by NRC OI re 941018 incident involving fire tour watch at plant,Unit 2.
BEACH,A.B. Region 4 (Post 820201). 95/06/21. PARRISH,J.V. Washington Public Power Supply System. 3pp. 84451:336-84451:338.

9506300081 Responds to NRC 950522 ltr re violation noted in insp rept 50-397/95-09.Corrective actions:equipment replacement interval reviewed for safety related items for which basis for qualified life other than thermal aging.
PARRISH,J.V. Washington Public Power Supply System. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84522:351-84522:353.

R. Periodic operating reports & related correspondence

9506130264 Monthly operating rept for May 1995 for WNP-2.W/950609 ltr.
EMBREE,D.G., PARRISH,J.V. Washington Public Power Supply System. 95/05/31. 4pp. 84298:356-84298:359.

S. Reportable occurrences, LERs & related correspondence

9506190315 Forwards LER 95-006-01 re reactor scram during surveillance testing due to protective sys relay failure.
PARRISH,J.V. Washington Public Power Supply System. 95/06/08. Document Control Branch (Document Control Desk). 1p. 84388:331-84388:335.

--9506190316 LER 95-006-01:on 950405,reactor scram occurred during surveillance testing due to protective sys relay failure. Replaced failed relay before plant startup.
HUGO,B.R. Washington Public Power Supply System. 95/06/08. 4pp. 84388:332-84388:335.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506280226 Forwards insp rept 50-400/95-09 on 950515-19.Non-cited violation noted.
BARR,K.P. Region 2 (Post 820201). 95/06/16. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 84442:229-84442:255.

--9506280238 Insp rept 50-400/95-09 on 950515-19.Non-cited violations noted.Major areas inspected:organization of Chemistry Dept & Radioactive Waste Shipping Unit,plant water chemistry, meteorological monitoring program & radwaste vol reduction.
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/06/15. 23pp. 84442:233-84442:255.

9506300079 Rev 1 to EPIP PEP-407, "Maint of HNP Emergency Response Organization." W/950622 ltr.
ROBINSON,W.R. Carolina Power & Light Co. 95/06/22. 17pp. 84525:248-84525:264.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200037 Forwards insp rept 50-400/95-08 on 950409-0506 & notice of violation.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/05. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 84346:001-84346:031.

--9506200040 Notice of violation from insp on 950409-0506.Violation noted:individual failed to notify control room shift supervisor prior to blocking open ventilation boundary door on 236 foot elevation of reactor auxiliary building.
* Region 2 (Post 820201). 95/06/05. 1p. 84346:004-84346:004.

--9506200047 Insp rept 50-400/95-08 on 950409-0506.Violatons noted. Major areas inspected:operational safety,maint,surveillance, engineering activities,plant support,review of licensee event repts & licensee actions on previous insp items.
ELROD,S., VERRELLI,D. Region 2 (Post 820201). 95/06/05. 27pp. 84346:005-84346:031.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506280791 Ack receipt of draft rept of insp at SHNPP auxiliary reservoir dam,encl w/ 950518 ltr.Mark-up containing comments encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/06/11. CRISP,R.W. Federal Energy Regulatory Commission. 10pp. 84537:245-84537:254.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280226 Forwards insp rept 50-400/95-09 on 950515-19.Non-cited violation noted.
BARR,K.P. Region 2 (Post 820201). 95/06/16. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 84442:229-84442:255.

--9506280238 Insp rept 50-400/95-09 on 950515-19.Non-cited violations noted.Major areas inspected:organization of Chemistry Dept & Radioactive Waste Shipping Unit,plant water chemistry, meteorological monitoring program & radwaste vol reduction.
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/06/15. 23pp. 84442:233-84442:255.

R. Periodic operating reports & related correspondence

9506200091 Monthly operating rept for May 1995 for Shearon Harris NPP. W/950614 ltr.
ROGERS,S., ROBINSON,W.R. Carolina Power & Light Co. 95/05/31. 3pp. 84405:199-84405:201.

S. Reportable occurrences, LERs & related correspondence

9506280525 LER 95-003-00:on 950518,deficiency identified in testing method for cooling water supply valves for ESW intake structure.Caused by deficient TS SPs.Surveillance Test Procedures OST-1214 & OST-1215 revised.W/950619 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 95/06/19. 5pp. 84483:356-84483:360.

9506280407 LER 95-004-00:on 950524,identified possibility that blown fuse in control power circuit could affect hydraulic pump. Caused by discrepancy between circuit wiring & diagrams for control board alarm.Drawing review completed.W/950623 ltr.
VERRILLI,M., ROBINSON,W.R. Carolina Power & Light Co. 95/06/23. 5pp. 84472:214-84472:218.

U. Congressional/Executive Correspondence

9506230186 Responds to ltr of 950419,informing about details & current status of overrule of state safety stds & which reactor sites have spent fuel pools,how much radioactive matl is stored & where reactor spent fuel rods currently stored.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/06. HEINEMAN,F. House of Rep. 12pp. 84422:277-84422:291.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506140059 Forwards safeguards insp repts 50-220/95-14 & 50-410/95-14 on 950522-26.No safety concerns or violations of regulatory requirements were observed.
JOYNER,J.H. Region 1 (Post 820201). 95/06/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84267:226-84267:233.

--9506140078 Insp repts 50-220/95-14 & 50-410/95-14 on 950522-26.No safety concerns or violations of regulatory requirements were observed.Major areas inspected:audits,effectiveness of mgt controls & security program plan.
ALBERT,R.J. Region 1 (Post 820201). 95/06/07. 5pp. 84267:229-84267:233.

9506200100 Forwards 950531 memo from VM Cochran which transmits FEMA Region II Post Exercise Assessment for 930713 exercise.
JOYNER,J.H. Region 1 (Post 820201). 95/06/09. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84345:182-84345:292.

--9506200112 Forwards final version of Post Exercise Assessment for plant held during wk of 930712-16.
COCHRAN,V.M. Federal Emergency Management Agency. 95/05/31. LUSHER,J. NRC - No Detailed Affiliation Given. 1p. 84345:185-84345:185.

--9506200122 "Post Exercise Assessment."
* Federal Emergency Management Agency. 95/04/28. 108pp. 84345:186-84345:292.

H. General correspondence

9506190019 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/06/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:025-84320:025.

9506190328 Informs of recent organization change in plant strategic business unit.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84404:244-84404:244.

P. Operating license stage documents & correspondence

9506020345 Advises that util assessment of two flaw indications on recirculation sys nozzles acceptable.Agrees w/util assessment that plant can be safely operated for next operating cycle of 17 months w/indications present.
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/25. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84165:306-84165:308.

9506130036 Ack receipt of 950508 submittal of 10CFR50.54 requesting change to QA program for plant Units 1 & 2.
MODES,M.C. Region 1 (Post 820201). 95/06/05. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 84242:128-84242:130.

9506280622 Forwards SE approving 940711 proposed changes to EALs to incorporate guidance in NUMARC/NESP-007,rev 2, "Methodology for Development of EALs."
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/15. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 84460:290-84460:301.

--9506280633 SER approving 940711 proposed changes to EALs to incorporate guidance in NUMARC/NESP-007,rev 2, "Methodology for Development of EALs."
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/15. 4pp. 84460:298-84460:301.

9506290242 Forwards Rev 0 of Core Operating Limits Rept for Unit 2 Cycle 5.
TERRY,C.D. Niagara Mohawk Power Corp. 95/06/20. Document Control Branch (Document Control Desk). 1p. 84483:255-84483:272.

--9506290247 "Core Operating Limits Rept," Rev 0,Cycle 5 for Nine Mile Point Unit 2.
KRANZ,B.T., LIN,S.C., D'ANGELO,W.R. Niagara Mohawk Power Corp. 95/05/04. 17pp. 84483:256-84483:272.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070488 Forwards insp repts 50-220/95-03 & 50-410/95-03 on 950312- 0422 & NOV.
COWGILL,C.J. Region 1 (Post 820201). 95/05/25. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84210:305-84210:321.

--9506070496 Notice of violation from insp on 950312-0422.Violation noted:on 950407,following transfer of power board 11 from reserve power source to normal source,post transfer check of voltages associated w/control circuits was not performed.
* Region 1 (Post 820201). 95/05/25. 2pp. 84210:308-84210:309.

--**9506070509** Insp repts 50-220/95-03 & 50-410/95-03 on 950312-0422. Violations noted.Major areas inspected:plant operations, maint,engineering,plant support & safety assessment/quality verification.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/05/24. 12pp. 84210:310-84210:321.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506150012 EN-95-040:on 950612,notice of proposed exercise of enforcement discretion will be issued to licensee.Action based on identification of design deficiency associated w/ adequate cooling water supplied to governors on EDG.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/05. 1p. 84297:280-84297:280.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140030 Forwards insp repts 50-220/95-13 & 50-410/95-13 during wks of 950424 & 0508.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/06/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 84267:107-84267:115.

--**9506140044** Insp repts 50-220/95-13 & 50-410/95-13 on 950424-28 & 950508-12.No violations noted.Major areas inspected:maint programs.
WILLIAMS,J.H., MEYER,G.W. Region 1 (Post 820201). 95/06/07. 7pp. 84267:109-84267:115.

9506140059 Forwards safeguards insp repts 50-220/95-14 & 50-410/95-14 on 950522-26.No safety concerns or violations of regulatory requirements were observed.
JOYNER,J.H. Region 1 (Post 820201). 95/06/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84267:226-84267:233.

--**9506140078** Insp repts 50-220/95-14 & 50-410/95-14 on 950522-26.No safety concerns or violations of regulatory requirements were observed.Major areas inspected:audits,effectiveness of mgt controls & security program plan.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/06/07. 5pp. 84267:229-84267:233.

9506200200 Discusses insp rept 50-410/95-01 on 950129-0311 re identification of existing condition at plant involving degradation of EDGs & resulting violations noted.Util to exercise enforcement discretion & will not issue EA.
MARTIN,T.T. Region 1 (Post 820201). 95/06/12. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 84347:213-84347:217.

9506220146 Responds to violations noted in insp repts 50-220/95-10 & 50-410/95-10.Corrective actions:work was stopped & associated radiation work permit put on hold to place work in radiologically safe condition.
DAHLBERG,K.M. Niagara Mohawk Power Corp. 95/06/15. Document Control Branch (Document Control Desk). 4pp. 84436:262-84436:265.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200098 *Monthly operating rept for May 1995 for Nine Mile Point Nuclear Station* Unit 2.W/950614 ltr.
CAROCCIO,C.J., DAHLBERG,K.A. Niagara Mohawk Power Corp. 95/05/31. 5pp. 84405:208-84405:212.

S. Reportable occurrences, LERs & related correspondence

9506190324 Forwards LER 95-04 re TS violation caused by inadequate work planning.
DAHLBERG,K.A. Niagara Mohawk Power Corp. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84388:336-84388:341.

--**9506190326** LER 95-004-00:on 950609,TS violation caused by inadequate work planning.Plant manager held training session w/branch managers.
CONWAY,J.T. Niagara Mohawk Power Corp. 95/06/12. 5pp. 84388:337-84388:341.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506210270 Forwards Rev 6A to "Emergency Preparedness Plan" & revised emergency preparedness plan implementing procedures.
THOMAS,G.S. Duquesne Light Co. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84411:001-84411:324.

--**9506210271** Rev 6A to "Emergency Preparedness Plan."
* Duquesne Light Co. 95/05/30. 8pp. 84411:002-84411:009.

--**9506210274** Revised Emergency Preparedness Plan Implementing Procedures (EPP/IP),including Rev 7 to EPP/I-2,Rev 7 to EPP/I-3,Rev 7 to EPP/I-4,Rev 7 to EPP/I-5,Rev 10 to EPP/IP 1.1,Rev 7 to EPP/IP 2.6,Rev 6 to EPP/IP 2.6.1 & Rev 7 to EPP/IP 2.6.2.
* Duquesne Light Co. 95/05/19. 200pp. 84411:010-84411:324.

H. General correspondence

9506290001 Comment supporting proposed rule 10CFR2, "Petition for RM; Procedure for Submission."
THOMAS,G.S. Duquesne Light Co. 95/06/13. Office of the Secretary of the Commission. 1p. 84454:001-84454:001.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506080250 Forwards corrections to Rev 7 of BVPS Unit 2 updated FSAR, correcting printing error found in 950511 submittal.
THOMAS,G.S. Duquesne Light Co. 95/05/25. Document Control Branch (Document Control Desk). 2pp. 84240:281-84240:308.

--**9506080261** Corrections to Rev 7 of BVPS Unit 2 updated FSAR.
* Duquesne Light Co. 95/05/25. 26pp. 84240:283-84240:308.

P. *Operating license stage documents & correspondence*

9506020114 Forwards amended TS pages reflecting non-intent editorial changes including latest 10CFR20 refs for TS Change Requests 175 & 37.
THOMAS,G.S. Duquesne Light Co. 95/05/23. Document Control Branch (Document Control Desk). 7pp. 84182:108-84182:217.

--**9506020125** Proposed tech specs reflecting non-intent editorial changes including latest 10CFR20 refs.
* Duquesne Light Co. 95/05/23. 100pp. 84182:115-84182:217.

9506210371 Forwards Environmental Assessment of request for exemption from paragraph III.D.2.(b)(ii) of 10CFR50,App J.Proposed exemption would allow util to substitute local leak rate testing for overall air lock leakage test.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/06/02. CROSS,J.E. Duquesne Light Co. 2pp. 84379:341-84379:348.

--**9506210378** Environ assessment & finding of no significant impact re exemption from certain requirements of paragraph III.D.2.(b)(ii) of 10CFR50,App J.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/06/02. 5pp. 84379:343-84379:348.

9506220273 Forwards Issue 1,Rev 14a to "BVPS Unit 2 IST Program for Pumps & Valves," as result of util request to leak test valves in parallel in accordance w/ ASME/ANSI OMa-1988 Part 10.NRC 950313 ltr documented approval.
THOMAS,G.S. Duquesne Light Co. 95/06/05. Document Control Branch (Document Control Desk). 7pp. 84439:030-84439:273.

--**9506220279** Issue 1,Rev 14a to "BVPS Unit 2 IST Program for Pumps & Valves."
* Duquesne Light Co. 95/04/28. 237pp. 84439:037-84439:273.

9506210258 Provides written notification of completion of items in GL 89-10.
THOMAS,G.S. Duquesne Light Co. 95/06/07. Document Control Branch (Document Control Desk). 3pp. 84407:134-84407:136.

9506230365 Advises that util 930608 repts WCAP-13349 & WCAP-12141,rev 1 will be withheld from public disclosure ref 10CFR2.790.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/06/12. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84429:343-84429:346.

9506220111 Forwards typed pages for TS changes 209 & 76 to licenses DPR-66 & NPF-73,respectively.
THOMAS,G.S. Duquesne Light Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84420:353-84420:359.

--**9506220114** Proposed tech spec changes 209 & 76 to licenses DPR-66 & NPF-73.
* Duquesne Light Co. 95/06/15. 5pp. 84420:355-84420:359.

9506280603 Forwards details of info for review & disposition re activities at plant.Requests results of review within 60 days of ltr date.W/o encl.
COOPER,R. Region 1 (Post 820201). 95/06/19. CROSS,J.E. Duquesne Light Co. 4pp. 84452:147-84452:150.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506020148 NPDES monthly repts for Apr 1995 for Beaver Valley Power Station.W/ 950522 ltr.
ORNDORF,D., NOONAN,T.P. Duquesne Light Co. 95/04/30. 31pp. 84165:111-84165:141.

9506200009 Monthly operating repts for May 1995 for Beaver Valley Power Station Units 1 & 2.W/950608 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 95/05/31. 10pp. 84404:258-84404:267.

S. Reportable occurrences, LERs & related correspondence

9506130287 Special rept:on 931210,suppl info re unacceptable recirculation spray sys operation for supporting long term core cooling capability & maintaining containment pressure subatmospheric in event of LOCA.
FREELAND,L.R. Duquesne Light Co. 95/06/08. Document Control Branch (Document Control Desk). 9pp. 84303:242-84303:250.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

P. Operating license stage documents & correspondence

9506200128 Discusses 950517 meeting at util site to discuss current plant related issues & events.Util will be notified in near future re request for performance update meeting prior to arrival of integrated performance assessment process team.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/30. REHN,D.L. Duke Power Co. 10pp. 84347:297-84347:306.

9506080234 Forwards table inadvertantly omitted from 950518 application for amend to TSs & exemption to 10CFR50,App J.
TUCKMAN,M.S. Duke Power Co. 95/05/31. Document Control Branch (Document Control Desk). 3pp. 84240:309-84240:311.

9506230001 Forwards request for addl info re proposed fuel enrichment increase & establishment of new loading patterns for new & irradiated fuel in SFP to accommodate enrichment increase.
MARTIN,R.E. . 95/06/07. TUCKMAN,M.S. Duke Power Co. 5pp. 84413:344-84413:348.

9506140395 Forwards revised approval ltr which replaces 950315 approval ltr from SC Dept of Health & Environ Control,approving use of stated chemicals provided discharge level for each parameter less than no observed effect concentration level.
ESTRIDGE,J. Duke Power Co. 95/06/08. JACKSON,A.P., HARRIS,J.T., DAVIS,W.J. Duke Power Co. 2pp. 84338:330-84338:331.

9506280406 Requests relief from requirements of ASME Boiler Pressure Vessel Code Section III for Catawba & McGuire Nuclear Stations.
TUCKMAN,M.S. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 17pp. 84480:319-84480:335.

9506280513 Advises that Topical Rept DPC-3004-P, "Mass & Energy Release & Containment Response Methodology" & requested addl info will be withheld from public disclosure,ref 10CFR2.790.
BERKOW,H.N. . 95/06/15. TUCKERMAN,M.S. Duke Power Co. 5pp. 84453:269-84453:273.

9506300313 Forwards response to NRC request for addl info re fuel enrichment upgrade submittal.Responses provided to NRC questions.
TUCKMAN,M.S. Duke Power Co. 95/06/19. Document Control Branch (Document Control Desk). 19pp. 84522:278-84522:296.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506130101 Advises NRC of addl corrective actions & status of completion of corrective actions re NOV from insp repts 50-413/94-24 & 50-414/94-24.
REHN,D.L. Duke Power Co. 95/06/06. Document Control Branch (Document Control Desk). 1p. 84297:347-84297:347.

9506130105 Responds to NRC 950505 ltr re violations noted in insp repts 50-413/95-10 & 50-414/95-10 on 950305-0408.Corrective actions:meeting held between personnel involved w/test & shift work manager.Actions to be taken listed.
REHN,D.L. Duke Power Co. 95/06/06. Document Control Branch (Document Control Desk). 5pp. 84288:351-84288:355.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200066 Forwards insp repts 50-413/95-12 & 50-414/95-12 on 950409-0513 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/09. REHN,D.L. Duke Power Co. 5pp. 84346:052-84346:081.

--9506200075 Notice of violation from insp on 950409-0513.Violation noted:operations personnel failed to adequately implement Nuclear Sys Directive 500 while performing removal & Restoration White Tagout 15-1322.
* Region 2 (Post 820201). 95/06/09. 3pp. 84346:057-84346:059.

--9506200087 Insp repts 50-413/95-12 & 50-414/95-12 on 950409-0513. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FREUDENBERGER, CRLENJAK,R.V. Region 2 (Post 820201). 95/06/09. 20pp. 84346:060-84346:081.

9506190207 Forwards "ISI Duke Power Co Catawba Nuclear Station Unit 1 Eighth Refueling Outage."
REHN,D.L. Duke Power Co. 95/06/12. Document Control Branch (Document Control Desk). 1p. 84387:001-84387:216.

--9506190213 Rev 0 to "ISI Rept for Unit 1 Catawba 1995 Refueling Outage 8."
* Duke Power Co. 95/06/07. 212pp. 84387:003-84387:216.

9506190456 Forwards corrected page 3 to NOV issued re insp repts 50-413/95-12 & 50-414/95-12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/12. REHN,D.L. Duke Power Co. 3pp. 84344:148-84344:151.

--9506190458 Corrected page 3 to NOV issued on 950609 re insp repts 50-413/95-12 & 50-414/95-12.
* Region 2 (Post 820201). 95/06/09. 1p. 84344:151-84344:151.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210146 Forwards monthly operating repts for Catawba Nuclear Station for May 1995 & revised repts for Apr 1995.
WEBER,R.L. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84411:340-84411:353.

--9506210320 Monthly operating repts for May 1995 for Catawba Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/05/31. 11pp. 84411:342-84411:352.

--9506210324 Revised monthly operating repts for Catawba Nuclear Station for Apr 1995.
* Duke Power Co. 95/04/30. 1p. 84411:353-84411:353.

S. Reportable occurrences, LERs & related correspondence

9506080099 Special rept:on 950425,valid failure of DG 1A occurred. Caused by jacket water thermostatic control valve sticking in position which reduced engine CW flow through heat exchanger.Thermostatic CV internals removed & replaced.
REHN,D.L. Duke Power Co. 95/05/25. Document Control Branch (Document Control Desk). 4pp. 84240:315-84240:318.

9506220059 LER 95-002-00:on 950517,discovered that TS surveillance interval had been exceeded.Caused by unclear mgt directions/ policy guidance.Work order issued & channel calibration performed.W/950613 ltr.
KIMBALL,D.P., REHN,D.L. Duke Power Co. 95/06/13. 5pp. 84437:355-84437:359.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

P. Operating license stage documents & correspondence

9506090252 Forwards response to NRC 940511 RAI re Relief Request 93-01. W/eight oversize drawings.
REHN,D.L. Duke Power Co. 94/08/25. Document Control Branch (Document Control Desk). 100pp. 84268:094-84268:192.

9506200128 Discusses 950517 meeting at util site to discuss current plant related issues & events.Util will be notified in near future re request for performance update meeting prior to arrival of integrated performance assessment process team.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/30. REHN,D.L. Duke Power Co. 10pp. 84347:297-84347:306.

9506080234 Forwards table inadvertantly omitted from 950518 application for amend to TSs & exemption to 10CFR50,App J.
TUCKMAN,M.S. Duke Power Co. 95/05/31. Document Control Branch (Document Control Desk). 3pp. 84240:309-84240:311.

9506230001 Forwards request for addl info re proposed fuel enrichment increase & establishment of new loading patterns for new & irradiated fuel in SFP to accommodate enrichment increase.
MARTIN,R.E. . 95/06/07. TUCKMAN,M.S. Duke Power Co. 5pp. 84413:344-84413:348.

9506140395 Forwards revised approval ltr which replaces 950315 approval ltr from SC Dept of Health & Environ Control,approving use of stated chemicals provided discharge level for each parameter less than no observed effect concentration level.
ESTRIDGE,J. Duke Power Co. 95/06/08. JACKSON,A.P., HARRIS,J.T., DAVIS,W.J. Duke Power Co. 2pp. 84338:330-84338:331.

9506280406 Requests relief from requirements of ASME Boiler Pressure Vessel Code Section III for Catawba & McGuire Nuclear Stations.
TUCKMAN,M.S. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 17pp. 84480:319-84480:335.

9506280513 Advises that Topical Rept DPC-3004-P, "Mass & Energy Release & Containment Response Methodology" & requested addl info will be withheld from public disclosure,ref 10CFR2.790.
BERKOW,H.N. . 95/06/15. TUCKERMAN,M.S. Duke Power Co. 5pp. 84453:269-84453:273.

9506280720 Forwards environ assessment & finding of no significant impact re 950531 request for one-time exemption from schedular requirements of 10CFR50,App J for containment integrated leak rate test.
BERKOW,H.N. . 95/06/15. TUCKMAN,M.S. Duke Power Co. 3pp. 84455:333-84455:339.

--9506280724 Environ assessment & finding of no significant impact re exemption from certain requirements of 10CFR50,App J ILRT.
BERKOW,H.N. . 95/06/15. 4pp. 84455:336-84455:339.

9506300313 Forwards response to NRC request for addl info re fuel enrichment upgrade submittal.Responses provided to NRC questions.
TUCKMAN,M.S. Duke Power Co. 95/06/19. Document Control Branch (Document Control Desk). 19pp. 84522:278-84522:296.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506130101 Advises NRC of addl corrective actions & status of completion of corrective actions re NOV from insp repts 50-413/94-24 & 50-414/94-24.
REHN,D.L. Duke Power Co. 95/06/06. Document Control Branch (Document Control Desk). 1p. 84297:347-84297:347.

9506130105 Responds to NRC 950505 ltr re violations noted in insp repts 50-413/95-10 & 50-414/95-10 on 950305-0408.Corrective actions:meeting held between personnel involved w/test & shift work manager.Actions to be taken listed.
REHN,D.L. Duke Power Co. 95/06/06. Document Control Branch (Document Control Desk). 5pp. 84288:351-84288:355.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200066 Forwards insp repts 50-413/95-12 & 50-414/95-12 on 950409-0513 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/09. REHN,D.L. Duke Power Co. 5pp. 84346:052-84346:081.

--9506200075 Notice of violation from insp on 950409-0513.Violation noted:operations personnel failed to adequately implement Nuclear Sys Directive 500 while performing removal & Restoration White Tagout 15-1322.
* Region 2 (Post 820201). 95/06/09. 3pp. 84346:057-84346:059.

--9506200087 Insp repts 50-413/95-12 & 50-414/95-12 on 950409-0513. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FREUDENBERGER, CRLENJAK,R.V. Region 2 (Post 820201). 95/06/09. 20pp. 84346:060-84346:081.

9506190456 Forwards corrected page 3 to NOV issued re insp repts 50-413/95-12 & 50-414/95-12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/12. REHN,D.L. Duke Power Co. 3pp. 84344:148-84344:151.

--9506190458 Corrected page 3 to NOV issued on 950609 re insp repts 50-413/95-12 & 50-414/95-12.
* Region 2 (Post 820201). 95/06/09. 1p. 84344:151-84344:151.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506210146 Forwards monthly operating repts for Catawba Nuclear Station for May 1995 & revised repts for Apr 1995.
WEBER,R.L. Duke Power Co. 95/06/15. Document Control Branch (Document Control Desk). 2pp. 84411:340-84411:353.

--9506210320 Monthly operating repts for May 1995 for Catawba Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/05/31. 11pp. 84411:342-84411:352.

--9506210324 Revised monthly operating repts for Catawba Nuclear Station for Apr 1995.
* Duke Power Co. 95/04/30. 1p. 84411:353-84411:353.

S. Reportable occurrences, LERs & related correspondence

9506010001 LER 95-005-00:on 950501,main turbine tripped & then reactor manually tripped.Caused by loss of both MFW sys pumps due to improper work practices.CR operators manually tripped reactor.W/950524 ltr.
KIMBALL,D.P., REHN,D.L. Duke Power Co. 95/05/24. 5pp. 84173:075-84173:080.

9506010173 LER 95-003-00:on 950424,two containment isolation valves declared inoperable for work on respective actuators.Caused by inefficient work practices.Power removed from valves & SRO counseled on requirements to review.W/950524 ltr.
KIMBALL,D.P., REHN,D.L. Duke Power Co. 95/05/24. 6pp. 84173:115-84173:121.

9506290176 Special rept:on 950501,lower RV tube 4 was declared inoperable.
REHN,D.L. Duke Power Co. 95/06/20. Document Control Branch (Document Control Desk). 1p. 84483:273-84483:273.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506150343 Forwards samples of Thermo-Lag 330-1,representing seven of eighteen lot numbers previously tested by NEI for chemical consistency utilizing Pyrolysis Gas Chromatography testing.
BANNING,C.A. Vectra Technologies, Inc. 94/03/13. WEST,S. . 2pp. 84329:333-84329:334.

9506200203 Forwards insp rept 50-416/95-05 on 950409-0513 & notice of violation.
CHRISTENSON,H. Region 2 (Post 820201). 95/05/26. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 84346:320-84346:344.

--9506200213 Insp rept 50-416/95-05 on 950409-0513.Violations noted. Major areas inspected:plant operations,refueling activities, review of nonconformance repts,followup of onsite events, maint observation,surveillance observation & security.
TEDROW,J. Region 2 (Post 820201). 95/05/26. 19pp. 84346:326-84346:344.

9506200224 Advises that rev 28 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/06/06. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 84347:006-84347:009.

9506200164 Forwards objectives for Aug 1995 emergency preparedness exercise for GGNS.W/o encl.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/06/14. Document Control Branch (Document Control Desk). 2pp. 84405:312-84405:313.

H. General correspondence

9506190034 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
* Entergy Operations, Inc. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:035-84320:036.

P. Operating license stage documents & correspondence

9506150343 Forwards samples of Thermo-Lag 330-1,representing seven of eighteen lot numbers previously tested by NEI for chemical consistency utilizing Pyrolysis Gas Chromatography testing.
BANNING,C.A. Vectra Technologies, Inc. 94/03/13. WEST,S. . 2pp. 84329:333-84329:334.

9506050296 Forwards amend 122 to license NPF-29 & safety evaluation. Amend deletes portions of TSs surveillance requirements for inboard MSIV-LCS heaters & blowers.
O'CONNOR,P.W. . 95/05/22. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 84173:218-84173:232.

--9506050300 Amend 122 to license NPF-29,deleting portions of TSs surveillance requirements for inboard MSIV-LCS heaters & blowers.
O'CONNOR,P.W. . 95/05/22. 6pp. 84173:221-84173:226.

--9506050303 Safety evaluation supporting amend 122 to license NPF-29.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 6pp. 84173:227-84173:232.

9506200199 Notification of 950621 meeting in Atlanta,GA to discuss Graded QA & licensee engineering change process.
VERRELLI,D.M. Region 2 (Post 820201). 95/06/01. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 84347:209-84347:212.

9506200160 Provides final response to GL 94-03, "IGSCC of Core Shrouds in BWRs," including results of core shroud insp as stipulated in GL 94-03 Reporting Requirement 3.No core shroud cracking revealed in areas examined.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/06/14. Document Control Branch (Document Control Desk). 4pp. 84405:308-84405:311.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506200203 Forwards insp rept 50-416/95-05 on 950409-0513 & notice of violation.
CHRISTENSON,H. Region 2 (Post 820201). 95/05/26. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 84346:320-84346:344.

--9506200206 Notice of violation from insp on 950409-0513.Violation noted:ADHR sys not properly aligned in that ADHR pump suction closed when sys placed into svc.
* Region 2 (Post 820201). 95/05/26. 2pp. 84346:324-84346:325.

--9506200213 Insp rept 50-416/95-05 on 950409-0513.Violations noted. Major areas inspected:plant operations,refueling activities, review of nonconformance repts,followup of onsite events, maint observation,surveillance observation & security.
TEDROW,J. Region 2 (Post 820201). 95/05/26. 19pp. 84346:326-84346:344.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200318 Ack receipt of 950504 ltr informing NRC of steps taken to correct violations noted in insp rept 50-416/95-04.
CHRISTENSEN,H. Region 2 (Post 820201). 95/06/07. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 84349:275-84349:278.

9506200160 Provides final response to GL 94-03, "IGSCC of Core Shrouds in BWRs," including results of core shroud insp as stipulated in GL 94-03 Reporting Requirement 3.No core shroud cracking revealed in areas examined.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/06/14. Document Control Branch (Document Control Desk). 4pp. 84405:308-84405:311.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200039 Monthly operating rept for May 1995 for Grand Gulf Nuclear Station.W/ 950613 ltr.
LIN,S.D., HUTCHINSON,C.R. Entergy Operations, Inc. 95/05/31. 5pp. 84405:055-84405:059.

S. Reportable occurrences, LERs & related correspondence

9506220313 Potential Part 21 rept re failure of air cylinder mfg by Bellofram Corp at GGNS.Failure discussed w/mfg & judged to be isolated incident w/no further C/A required at affected utils or Cooper-Bessemer.
MOWERY,J.D. Cooper Energy Services. 95/06/15. Document Control Branch (Document Control Desk). 7pp. 84436:222-84436:228.

9506280271 LER 95-004-01:on 950316,reactor scram occurred during performance of semiannual surveillance on neutron monitoring sys.Caused by ground fault on min flow valve for RCICs. Ground eliminated & valve returned to svc.W/950616 ltr.
RUFFIN,R., HUTCHINSON,C.R. Entergy Operations, Inc. 95/06/16. 6pp. 84483:350-84483:355.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506200224 Advises that rev 28 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/06/06. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 84347:006-84347:009.

H. General correspondence

9506190034 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
* Entergy Operations, Inc. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:035-84320:036.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506150008 Revised EPIPs,including rev 4 to Form 4400-1,rev 3 to Form 4400-2,rev 3 to Form 4400-3,rev 1 to EPOP 4413,rev 3 to EPOP 4424,rev 2 to EPOP 4426,rev 2 to Form 4426-1,rev 2 to Form 4426-2,rev 2 to Form 4430-1 & rev 2 to Form 4430-2.
* Northeast Nuclear Energy Co. 95/05/30. 259pp. 84353:020-84353:278.

9506140008 Revised EPIPs,including rev 3 to EPIP 4400,rev 1 to EPIP 4404 & revised Table of Contents.
* Northeast Nuclear Energy Co. 95/06/01. 105pp. 84337:149-84337:253.

9506220086 Forwards Rev 29 to Haddam Neck Plant Emergency Plan & Rev 17 to Millstone Nuclear Power Station Emergency Plan.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/06/13. Document Control Branch (Document Control Desk). 387pp. 84438:007-84439:029.

9506220003 Rev 17 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 95/06/30. 158pp. 84437:197-84437:354.

G. Adjudicatory correspondence

9506140336 Responds to 940303 petition under 10CFR2.206 re receipt insp activites by plants.Petition alleges that adequate training,skilled personnel & necessary tools not available to perform adequate receipt insps.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. GAVENSKY,R. Affiliation Not Assigned. 6pp. 84311:042-84311:166.

--9506140343 Notice of issuance of Director's Decision under 10CFR2.206 petition re receipt insp activites at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:048-84311:049.

--9506140359 Director's Decision DD-95-11 petition under 10CFR2.206 re receipt insp activities at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. Northeast Utilities. 16pp. 84311:050-84311:166.

H. General correspondence

9506150006 Responds to facsimile received on 950515 re ltr from Northeast Util.Advises that ltr dtd 950315 has not yet been placed in PDR.
ROSANO,R. Ofc of Enforcement (Post 870413). 95/05/15. ROSS,A.J. Affiliation Not Assigned. 1p. 84288:013-84288:013.

9506090043 Comment opposing draft NUREG/BR-0199, "Responsiveness to Public."
OPEKA,J.F. Northeast Utilities Service Co. 95/05/30. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84207:101-84207:103.

K. Utility Final Safety Analysis Report (FSAR) & amends

9506120325 Forwards Rev 8 to updated FSAR & addendum to "Millstone Nuclear Power Station Units 1,2 & 3 Annual Rept Jan-Dec 1994.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84290:001-84296:108.

--9506120331 Addendum to "Millstone Nuclear Power Station Units 1,2 & 3 Annual Rept."
* Northeast Nuclear Energy Co. 94/12/31. 2pp. 84290:003-84290:004.

--9506120333 Rev 8 to updated FSAR for Millstone Nuclear Power Station Unit 3.
* Northeast Nuclear Energy Co. 95/05/30. 2,288pp. 84290:005-84296:108.

P. Operating license stage documents & correspondence

9506130300 Expresses appreciation for prompt follow-up re conversation on Connecticut Yankee SW issue.
KACICH,R.M. Northeast Nuclear Energy Co. 95/05/15. Region 1 (Post 820201). 1p. 84299:356-84299:356.

9506080392 Summary of 950502 meeting w/RE Busch,JF Opeka & RM Kacich re status of activities at Millstone,Haddam Neck & Seabrook facilities.
MCWHORTER,R. Commissioners (Post 750119). 95/05/22. Commissioners (Post 750119). 1p. 84381:156-84381:156.

9506050104 Advises that all CONI Procedures will be canceled effective 950601.
RODGERS,R.C. Northeast Nuclear Energy Co. RODGERS,R.C. Northeast Utilities Service Co. 95/05/23. Northeast Nuclear Energy Co. 1p. 84237:316-84237:316.

9506080476 Requests NRC review of previous submittals as cost beneficial licensing actions.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 95/05/26. Document Control Branch (Document Control Desk). 4pp. 84227:194-84227:197.

9506150034 Forwards amend 115 to license NPF-49 & safety evaluation. Amend revises TS to modify CSS by replacing present sodium hydroxide spray additive w/trisodium phosphate dodecahydrate pH control agent.
ROONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/26. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84329:311-84329:329.

--9506150039 Amend 115 to license NPF-49,revising TS to modify CSS by replacing present sodium hydroxide spray additive w/ trisodium phosphate dodecahydrate pH control agent.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/26. 12pp. 84329:314-84329:325.

--9506150051 Safety evaluation supporting amend 115 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. 4pp. 84329:326-84329:329.

9506070001 Forwards COLR for Cycle 6 operations.
MILLER,D.B. Northeast Nuclear Energy Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84238:335-84238:354.

--9506070002 COLR for Cycle 6 operation.
* Northeast Nuclear Energy Co. 95/03/13. 18pp. 84238:337-84238:354.

9506140339 Discusses licensee 950420 submittal of proprietary & nonproprietary diagram titled, "SG Schematic Flow Diagram" & affidavit.Requests that info be withheld from public disclosure.
ROONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/06/01. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84306:273-84306:276.

9506130138 Application for amends to licenses DPR-61,DPR-21,DPR-65 & NPF-49.Amends would modify size of PORC & clarify composition of Site Operations Review Committee.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/06/06. Document Control Branch (Document Control Desk). 10pp. 84303:269-84303:304.

--9506130142 Proposed tech specs re mod of size of PORC & clarification of Site Operations Review Committee.
* Connecticut Yankee Atomic Power Co. 95/06/06. 26pp. 84303:279-84303:304.

9506140050 Forwards documentation describing details of activities at plant & requests written response to NRC concern in 30 days. W/o encl.
COOPER,R.W. Region 1 (Post 820201). 95/06/07. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84267:206-84267:208.

9506130080 Application for amend to license NPF-49,revising SR 4.5.1.c to clarify requirements for securing SI accumulator isolation valve breakers in off position for applicable modes.
DEBARBA,E.A. Northeast Nuclear Energy Co. 95/06/08. Document Control Branch (Document Control Desk). 7pp. 84296:337-84296:351.

--9506130083 Proposed tech specs,revising SR 4.5.1.c to clarify requirements for securing SI accumulator isolation valve breakers in off position for applicable modes.
* Northeast Nuclear Energy Co. 95/06/08. 8pp. 84296:344-84296:351.

9506130089 Transmits annual rept of changes to QA program proposed Rev 18 to util QA program TR.
DEBARBA,E.A. Northeast Nuclear Energy Co. 95/06/08. Document Control Branch (Document Control Desk). 2pp. 84337:010-84337:137.

--9506130095 "Annual Reporting of Changes to QA Program Proposed Rev 18 to Northeast Utilities QA Program TR."
* Northeast Nuclear Energy Co. 95/06/08. 125pp. 84337:012-84337:137.

9506190007 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
OPEKA,J.F. Northeast Utilities. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:010-84320:011.

9506190042 Application for amend to license NPF-49 re secondary containment.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 95/06/09. Document Control Branch (Document Control Desk). 8pp. 84374:079-84374:121.

--9506190044 Proposed tech specs re secondary containment.
* Northeast Nuclear Energy Co. 95/06/09. 33pp. 84374:087-84374:121.

9506190067 Requests withdrawal of proposed rev to TS re demineralized water storage tank.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 95/06/09. Document Control Branch (Document Control Desk). 5pp. 84367:355-84367:359.

9506200013 Notifies of administrative error contained in plant Unit 3 TS 3.6.1.3, "Containment Air Locks," & requests that correction be made.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84405:001-84405:007.

--9506200017 Proposed tech specs,requesting that error in TS 3.6.1.3, "Containment Air Locks," be corrected.
* Northeast Nuclear Energy Co. 95/06/13. 5pp. 84405:003-84405:007.

9506200255 Application for amend to license NPF-49.Amend would modify frequency of surveillance requirements of Unit 3 TSs.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/14. Document Control Branch (Document Control Desk). 5pp. 84406:027-84406:091.

--9506200260 Proposed tech specs reflecting modified surveillance requirement frequencies for Unit 3.
* Northeast Nuclear Energy Co. * Northeast Utilities Service Co. 95/06/14. 59pp. 84406:032-84406:091.

9506280348 Application for amend to license NPF-49,relocating requirements of Spec 3.6.6 for main steam line isolation valves (MSIVs) to Spec 3.7.1.5, "MSIVs."
OPEKA,J.F., SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/20. Document Control Branch (Document Control Desk). 7pp. 84480:226-84480:254.

--9506280353 Proposed tech specs re main steam line isolation valves.
* Northeast Nuclear Energy Co. 95/06/20. 22pp. 84480:233-84480:254.

Q. Inspection reports, IE Bulletins & correspondence

9506070481 Forwards insp repts 50-336/94-201 & 50-423/94-204.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/24. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84210:285-84210:304.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506140336 Responds to 940303 petition under 10CFR2.206 re receipt insp activites by plants.Petition alleges that adequate training,skilled personnel & necessary tools not available to perform adequate receipt insps.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. GAVENSKY,R. Affiliation Not Assigned. 6pp. 84311:042-84311:166.

--9506140343 Notice of issuance of Director's Decision under 10CFR2.206 petition re receipt insp activites at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:048-84311:049.

--9506140359 Director's Decision DD-95-11 petition under 10CFR2.206 re receipt insp activities at plants.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. Northeast Utilities. 16pp. 84311:050-84311:166.

9506120466 Forwards insp repts 50-245/95-19,50-336/95-19 & 50-423/95-19 on 950508-12.Violation noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/02. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84279:337-84279:354.

9506140055 Requests permission to use an alternative to ASME Boiler & PV Code,Section XI Edition & Addenda of each plant ISI program.Util seeks approval to use provisions of Code Case N-508-1.
SCACE,S.E. Connecticut Yankee Atomic Power Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84339:005-84339:007.

9506140066 Requests NRC Staff approval to use an alternative to ASME Code Section XI.Util seeks permission to utilize Code Case N-524 re plants ISI program.
SCACE,S.E. Connecticut Yankee Atomic Power Co. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84339:032-84339:034.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140063 Refers to 950419 SOL Decision & Order in J Delcore vs WJ Barney & NNECO case (89-ERA-38).SOL found in Delcore favor in case.
MARATIN,T. Region 1 (Post 820201). 95/06/07. . 2pp. 84267:234-84267:236.

9506140121 Discusses Secretary of Labor Decision & Order dtd 950419 re util & DOL case 89-ERA-38 concerning alleged discrimination of J Delcore during offer for monetary settlement.
MARTIN,T.T. Region 1 (Post 820201). 95/06/07. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84268:056-84268:059.

9506190345 Supplements util 950221 response to violation noted in insp rept 50-423/94-31 & corrects administrative error,correcting date that lesson plan developed re primary makeup sys from 940325 to 0525,date lesson plan approved.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84404:221-84404:223.

9506200022 Forwards response to NRC 950510 ltr re violations noted in insp repts 50-336/95-11 & 50-423/95-11 on 950320-31. Corrective actions:PDCR MP3-94-079 was revised per NU design control manual.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 95/06/09. Document Control Branch (Document Control Desk). 5pp. 84405:015-84405:019.

9506200271 Responds to NRC 950426 ltr re violations noted in insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321. Corrective actions:all operators have been qualified for SCBA use & required number & spare bottles verified.
OPEKA,J.F., MILLER,D.B. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/06/12. Document Control Branch (Document Control Desk). 24pp. 84406:141-84406:164.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280004 Informs that licensee did not provide corrective actions to preclude recurrence of violation for failure to verify closed position on unit 3 charging sys valve in response to insp repts 50-245/94-35,50-336/94-34 & 50-423/94-31.
DURR,J.P. Project Directorate I-4 (PD1-4) (Post 941001). 95/06/20. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84441:016-84441:026.

--9506280007 Responds to safety insp 50-245/94-35,50-336/94-34 & 50-423/94-31 on 941116-1231 re two violations identified.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/02/21. Project Directorate I-4 (PD1-4) (Post 941001). 8pp. 84441:019-84441:026.

9506300030 Forwards insp repts 50-245/95-09,50-336/95-09 & 50-423/95-09 on 950410-21.No violations noted.
KELLY,E.M. Region 1 (Post 820201). 95/06/23. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84470:142-84470:159.

--9506300033 Insp repts 50-245/95-09,50-336/95-09 & 50-423/95-09 on 950410-21.No violations noted.Major areas inspected: procurement program including parts,component & matls dedication & unit 2 sys components downgrading programs.
FINKEL,A., BEAULIEU,D., NAIDU,K.R. Region 1 (Post 820201). 95/06/20. 16pp. 84470:144-84470:159.

R. Periodic operating reports & related correspondence

9506120325 Forwards Rev 8 to updated FSAR & addendum to "Millstone Nuclear Power Station Units 1,2 & 3 Annual Rept Jan-Dec 1994.
DEBARBA,E.A. Northeast Nuclear Energy Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84290:001-84296:108.

--9506120331 Addendum to "Millstone Nuclear Power Station Units 1,2 & 3 Annual Rept."
* Northeast Nuclear Energy Co. 94/12/31. 2pp. 84290:003-84290:004.

9506210067 Monthly operating repts for May 1995 for Millstone Nuclear Power Station Units 1,2 & 3.W/950614 ltr.
NEWBURGH,G., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/31. 17pp. 84419:126-84419:142.

S. Reportable occurrences, LERs & related correspondence

9506010253 LER 95-009-00:on 950426,containment leakage exceeded TS limits due to valve leakage.Inspected valve seats for containment purge supply & exhaust line valves.W/950526 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/26. 6pp. 84173:122-84173:127.

9506010275 Special rept:on 950414,plant shutdown for refueling outage & on 950416 seismic monitoring sys was declared inoperable for automated work order action.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/26. Document Control Branch (Document Control Desk). 1p. 84172:300-84172:300.

9506010339 LER 95-010-00:on 950430,power signal was lost during refueling outage due to procedural weakness.Revised procedure for denergizing emergency 4160 volt bus to require tagging sequencer bypass switch.W/950526 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/26. 3pp. 84173:136-84173:138.

9506130179 LER 95-009-01:on 950426, "as found" leak rate for containment isolation valves exceeded TS Bypass leakage limit.Caused by deterioration of resilient valve seats.Seats continue to be replaced.W/950601 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/06/01. 8pp. 84312:291-84312:298.

9506130159 LER 95-009-02:on 950426, "as found" leak rate for containment isolation valves exceeded TS Type C limit & bypass leakage limit.Caused by deterioration of resilient valve seats.New valve seats installed.W/950607 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/06/07. 9pp. 84312:148-84312:156.

9506280160 LER 95-011-00:on 950515,mussel shells found in recirculation spray sys heat exchanger.Caused by high density of mussel plantigrades in Spring 1994.Hypochlorite metering pumps installed.W/950613 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/06/13. 6pp. 84483:344-84483:349.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506230372 Advises that amend 27 to plant physical security & contingency plan consistent w/10CFR50.54(p).
WHEELER,L.L. . 95/06/12. MCCOY,C.K. Georgia Power Co. 3pp. 84429:347-84429:349.

G. Adjudicatory correspondence

9506070159 Motion by Georgia Power Company CL Coursey,ML Hobbs & RP McDonald to quash subpoenas of C Coursey,ML Hobbs & RR McDonald.* W/Certificate of Svc & svc list.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #295 16742. 95/05/24. Atomic Safety & Licensing Board Panel. 20pp. 84176:308-84176:327.

9506160075 Intervenor response to motion to quash subpoenas of C Coursey,M Hobbs & RP McDonald.* Motion to quash should be denied.W/Certificate of Svc & svc list.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16770. 95/05/29. Atomic Safety & Licensing Board Panel. 9pp. 84312:047-84312:055.

9506210199 Forwards copies of documents re plant license amend transfer to Southern Nuclear.W/svc list.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16811. 95/06/13. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 40pp. 84359:216-84359:255.

9506210130 Federal Register Notice (evidentiary hearing).* Informs that hearing will continue on 950706-08 in Rockville,MD.Purpose of hearing to receive evidence re alleged misrepresentations about DGs at plant.W/Certificate of Svc.Served on 950615.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16818. 95/06/15. 3pp. 84359:164-84359:166.

9506280015 Forwards vendor manual for Alnor instrument per 950609 request.EG&G vendor manual admitted into evidence.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16831. 95/06/16. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 90pp. 84444:177-84444:266.

9506290031 Order CLI-95-09.* Informs that Licensee motion for order preserving licensing board jurisdiction,denied.Licensee failed to show that OI investigation would create prejudice in proceeding.W/Certificate of Svc.Served on 950622.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16845. 95/06/22. Georgia Power Co. 6pp. 84455:186-84455:191.

9506290046 Forwards J Aufdenkampe affidavit re change in INPO guidance concerning reporting of SSPI data.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16852. 95/06/23. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 84455:201-84455:253.

--9506290066 Affadavit.* Affidavit of J Aufdenkampe re info re reporting of Safety Sys Performance Indicator data.
AUFDENKAMPE,J. Georgia Power Co. AUFDENKAMPE,J. Southern Company Services, Inc. 95/06/23. 51pp. 84455:202-84455:253.

P. Operating license stage documents & correspondence

9506020169 Responds to licensee request dtd 941003,forwarding EA & finding of no significant impact.
WHEELER,L.L. . 95/05/22. MCCOY,C.K. Georgia Power Co. 4pp. 84165:246-84165:256.

--9506020191 EA & finding of no significant impact re licensee 941003 request to permit use of ASME code case N-514 as acceptable alternative to certain requirements of apps G & H to 10CFR50.60 for determining acceptable LTOP setpoints.
BERKOW,H.N. . 95/05/22. 7pp. 84165:250-84165:256.

9506090383 Forwards amends 86 & 64 to licensees NPF-68 & NPF-81 respectively & SE.Amends revise TS 3/4.3 & TS 3/4.8 re instrumentation & associated bases.
WHEELER,L.L. . 95/05/31. MCCOY,C.K. Georgia Power Co. 3pp. 84266:170-84266:201.

--9506090403 Amends 86 & 64 to licenses NPF-68 & NPF-81 respectively. Amends revise TS 3/4.3 & 3/4.8.
BERKOW,H.N. . 95/05/31. 22pp. 84266:173-84266:194.

--9506090409 Safety evaluation supporting amends 86 & 64 to licenses NPF-68 & NPF-81,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 7pp. 84266:195-84266:201.

9506220052 Forwards exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Light-Water Nuclear Power Reactors for Normal Operation," which permits using safety margins recommended in ASME Code Case N-514.
BERKOW,H.N. . 95/06/05. MCCOY,C.K. Georgia Power Co. 3pp. 84404:189-84404:198.

--9506220058 Exemption granted from requirements of 10CFR50.60,such that in determining setpoint for LTOP events,App G curves for P/T limits not exceeded by more than 10% in order to be in compliance w/regulations.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/06/05. Georgia Power Co. 7pp. 84404:192-84404:198.

9506190035 Comment supporting NEI comments on proposed rule 10CFR73 re changes to NPP security requirements associated w/ containment access control.
BECKHAM,J.T. Georgia Power Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84320:037-84320:038.

9506190443 Forwards amends 87 & 65 to licenses NPF-68 & NPF-81 & SE. Amends revise TS 3/4.4.9,pressure temp limits & associated bases to provide new reactor coolant sys heatup & cooldown limitations & new power-operated relief valve setpoints.
WHEELER,L.L. . 95/06/08. MCCOY,C.K. Georgia Power Co. 3pp. 84360:226-84360:253.

--9506190448 Amends 87 & 65 to licenses NPF-68 & NPF-81,respectively. Amends revise TS 3/4.4.9 pressure temp limits & associated bases to provide new reactor coolant sys heatup & cooldown limitation & new power-operated relief valve setpoint.
BERKOW,H.N. . 95/06/08. 21pp. 84360:229-84360:249.

--9506190452 Safety evaluation supporting amends 87 & 65 to licenses NPF-68 & NPF-81,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 4pp. 84360:250-84360:253.

9506230210 Forwards revised Bases pages B 3/4 3-1 & B 3/4 3-4 to amends 86 & 64 to licenses NPF-68 & NPF-81,respectively.
WHEELER,L.L. . 95/06/08. MCCOY,C.K. Georgia Power Co. 3pp. 84455:303-84455:307.

--9506280766 Revised Bases pages B 3/4 3-1 & B 3/4 3-4 to amends 86 & 64 to licenses NPF-68 & NPF-81,respectively.
* . 95/06/08. 2pp. 84455:306-84455:307.

9506200330 Forwards update & clarification to request to revise TS submitted by util 950103 ltr to clarify action statements & SRs for ac offsite circuits & onsite electrical distribution sys breaker alignments,per discussions w/NRC.
WOODARD,J.D. Georgia Power Co. 95/06/14. Document Control Branch (Document Control Desk). 2pp. 84406:205-84406:214.

–9506200334 Proposed tech specs,clarifying in revised bases of 3/4 Chapter 8,that alignment of standby auxiliary transformer intended to be temporary alignment & will be utilized when normal preferred offsite power source,RAT unavailable.
* Georgia Power Co. 95/06/14. 8pp. 84406:207-84406:214.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506060104 Discusses radiographic film project conducted from Spring of 1993 through middle of Dec 1994.Project intended to locate & organize radiographic film for welds in ISI programs for plant.List of 23 critical welds located encl.
MCCOY,C.K. Georgia Power Co. 95/06/01. Document Control Branch (Document Control Desk). 10pp. 84197:333-84197:342.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200317 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-11 & 50-425/95-11.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/06. MCCOY,C.K. Georgia Power Co. 3pp. 84349:272-84349:274.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506280140 Forwards insp repts 50-424/95-13 & 50-425/95-13 on 950416- 0520.Non-cited violation noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/14. MCCOY,C.K. Georgia Power Co. 19pp. 84442:051-84442:072.

–9506280209 Insp repts 50-424/95-13 & 50-425/95-13 on 950416-0520.Non- cited violation noted.Major areas inspected:plant operations,surveillance,maint,plant support,onsite engineering,installation & testing of modifications.
BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/06/14. 19pp. 84442:054-84442:072.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160561 Monthly operating rept for May 1995 for Vogtle Electric Generating Plant.W/950612 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 95/05/31. 12pp. 84367:264-84367:275.

S. Reportable occurrences, LERs & related correspondence

9506070545 Special rept:on 950517,operators experienced difficulties w/excitation of generator in form of voltage swings when utilizing each of two voltage regulators.Caused by oxidation of potentiometer contact surface.Surface wiped clear.
MCCOY,C.K. Georgia Power Co. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84210:326-84210:327.

9506090483 LER 95-001-00:on 950511,lack of penetration seals represented condition outside of design basis.Installed penetration seals.W/950605 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 95/06/05. 5pp. 84280:023-84280:027.

T. Hearing transcripts on non-antitrust matters

9506020167 Transcript of 950524 evidentiary hearing in Martinez,GA re GA Power Co license amend (transfer to Southern Nuclear).Pp 5,494-5,792.
* Atomic Safety & Licensing Board Panel. 95/05/24. 333pp. 84179:043-84180:011.

9506020173 Transcript of 950525 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 5,793-6,009.
* Atomic Safety & Licensing Board Panel. 95/05/25. 246pp. 84181:001-84181:246.

9506020181 Transcript of 950526 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,010-6,164.
* Atomic Safety & Licensing Board Panel. 95/05/26. 161pp. 84180:012-84180:172.

9506060038 Transcript of 950531 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,165-6,386.
* Atomic Safety & Licensing Board Panel. 95/05/31. 245pp. 84210:001-84210:245.

9506090042 Transcript of 950601 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,387-6,710.W/related testimony encl.
* Atomic Safety & Licensing Board Panel. 95/06/01. 354pp. 84248:001-84248:354.

9506090045 Transcript of 950602 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,711-6,949.Related testimony encl.
* Atomic Safety & Licensing Board Panel. 95/06/02. 250pp. 84249:001-84249:250.

9506090050 Transcript of 950603 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,950-7,116.W/related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/06/03. 207pp. 84275:124-84275:330.

9506090053 Transcript of 950605 evidentiary hearing in Augusta,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 7,117-7,328.Related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/06/05. 229pp. 84274:001-84274:229.

9506120049 Transcript of 950606 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 7,329-7,563.
* Atomic Safety & Licensing Board Panel. 95/06/06. 244pp. 84307:001-84307:244.

9506160349 Transcript of 950607 evidentiary hearing in Martinez,GA re facility.Pp 7,564-7,814.
* Atomic Safety & Licensing Board Panel. 95/06/07. 271pp. 84371:001-84371:271.

9506190084 Transcript of 950608 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 7,815-8,078.
* Atomic Safety & Licensing Board Panel. 95/06/08. 270pp. 84386:001-84386:270.

9506190092 Transcript of 950609 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 8,079-8,241.
* Atomic Safety & Licensing Board Panel. 95/06/09. 170pp. 84380:150-84380:319.

9506280014 Forwards Staff list of all tape transcripts excerpts identified as hearing exhibits.Provides present status of subj exhibits.
HULL,J.T. Office of the General Counsel (Post 860701). #295 16828. 95/06/16. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 4pp. 84444:173-84444:176.

V. Operator Examinations

9506280727 Forwards RAI re individual plant exam,requesting written response prior to 950915.
WHEELER,L.L. . 95/06/16. MCCOY,C.K. Georgia Power Co. 11pp. 84471:348-84471:358.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506230372 Advises that amend 27 to plant physical security & contingency plan consistent w/10CFR50.54(p).
WHEELER,L.L. . 95/06/12. MCCOY,C.K. Georgia Power Co. 3pp. 84429:347-84429:349.

G. Adjudicatory correspondence

9506070159 Motion by Georgia Power Company CL Coursey,ML Hobbs & RP McDonald to quash subpoenas of C Coursey,ML Hobbs & RR McDonald.* W/Certificate of Svc & svc list.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #295 16742. 95/05/24. Atomic Safety & Licensing Board Panel. 20pp. 84176:308-84176:327.

9506160075 Intervenor response to motion to quash subpoenas of C Coursey,M Hobbs & RP McDonald.* Motion to quash should be denied.W/Certificate of Svc & svc list.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16770. 95/05/29. Atomic Safety & Licensing Board Panel. 9pp. 84312:047-84312:055.

9506210199 Forwards copies of documents re plant license amend transfer to Southern Nuclear.W/svc list.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16811. 95/06/13. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 40pp. 84359:216-84359:255.

9506210130 Federal Register Notice (evidentiary hearing).* Informs that hearing will continue on 950706-08 in Rockville,MD.Purpose of hearing to receive evidence re alleged misrepresentations about DGs at plant.W/Certificate of Svc.Served on 950615.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16818. 95/06/15. 3pp. 84359:164-84359:166.

9506280015 Forwards vendor manual for Alnor instrument per 950609 request.EG&G vendor manual admitted into evidence.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16831. 95/06/16. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 90pp. 84444:177-84444:266.

9506290031 Order CLI-95-09.* Informs that Licensee motion for order preserving licensing board jurisdiction,denied.Licensee failed to show that OI investigation would create prejudice in proceeding.W/Certificate of Svc.Served on 950622.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16845. 95/06/22. Georgia Power Co. 6pp. 84455:186-84455:191.

9506290046 Forwards J Aufdenkampe affidavit re change in INPO guidance concerning reporting of SSPI data.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16852. 95/06/23. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 84455:201-84455:253.

P. Operating license stage documents & correspondence

9506020169 Responds to licensee request dtd 941003,forwarding EA & finding of no significant impact.
WHEELER,L.L. . 95/05/22. MCCOY,C.K. Georgia Power Co. 4pp. 84165:246-84165:256.

--9506020191 EA & finding of no significant impact re licensee 941003 request to permit use of ASME code case N-514 as acceptable alternative to certain requirements of apps G & H to 10CFR50.60 for determining acceptable LTOP setpoints.
BERKOW,H.N. . 95/05/22. 7pp. 84165:250-84165:256.

9506090383 Forwards amends 86 & 64 to licensees NPF-68 & NPF-81 respectively & SE.Amends revise TS 3/4.3 & TS 3/4.8 re instrumentation & associated bases.
WHEELER,L.L. . 95/05/31. MCCOY,C.K. Georgia Power Co. 3pp. 84266:170-84266:201.

--9506090403 Amends 86 & 64 to licenses NPF-68 & NPF-81 respectively. Amends revise TS 3/4.3 & 3/4.8.
BERKOW,H.N. . 95/05/31. 22pp. 84266:173-84266:194.

--9506090409 Safety evaluation supporting amends 86 & 64 to licenses NPF-68 & NPF-81,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 7pp. 84266:195-84266:201.

9506120067 Forwards test rept for Unit 2 second periodic RCB Integrated Leakage Test,completed on 950305.
MCCOY,C.K. Georgia Power Co. 95/06/05. Document Control Branch (Document Control Desk). 1p. 84279:227-84279:276.

--9506120076 "RCB Integrated Leak Rate Test Unit 2 - Second Periodic."
* Georgia Power Co. 95/05/31. 50pp. 84279:228-84279:276.

9506220052 Forwards exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention for Light-Water Nuclear Power Reactors for Normal Operation," which permits using safety margins recommended in ASME Code Case N-514.
BERKOW,H.N. . 95/06/05. MCCOY,C.K. Georgia Power Co. 3pp. 84404:189-84404:198.

--9506220058 Exemption granted from requirements of 10CFR50.60,such that in determining setpoint for LTOP events,App G curves for P/T limits not exceeded by more than 10% in order to be in compliance w/regulations.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/06/05. Georgia Power Co. 7pp. 84404:192-84404:198.

9506190035 Comment supporting NEI comments on proposed rule 10CFR73 re changes to NPP security requirements associated w/ containment access control.
BECKHAM,J.T. Georgia Power Co. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84320:037-84320:038.

9506190443 Forwards amends 87 & 65 to licenses NPF-68 & NPF-81 & SE. Amends revise TS 3/4.4.9,pressure temp limits & associated bases to provide new reactor coolant sys heatup & cooldown limitations & new power-operated relief valve setpoints.
WHEELER,L.L. . 95/06/08. MCCOY,C.K. Georgia Power Co. 3pp. 84360:226-84360:253.

--9506190448 Amends 87 & 65 to licenses NPF-68 & NPF-81,respectively. Amends revise TS 3/4.4.9 pressure temp limits & associated bases to provide new reactor coolant sys heatup & cooldown limitation & new power-operated relief valve setpoint.
BERKOW,H.N. . 95/06/08. 21pp. 84360:229-84360:249.

--9506190452 Safety evaluation supporting amends 87 & 65 to licenses NPF-68 & NPF-81,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 4pp. 84360:250-84360:253.

9506230210 Forwards revised Bases pages B 3/4 3-1 & B 3/4 3-4 to amends 86 & 64 to licenses NPF-68 & NPF-81,respectively.
WHEELER,L.L. . 95/06/08. MCCOY,C.K. Georgia Power Co. 3pp. 84455:303-84455:307.

--9506280766 Revised Bases pages B 3/4 3-1 & B 3/4 3-4 to amends 86 & 64 to licenses NPF-68 & NPF-81,respectively.
* . 95/06/08. 2pp. 84455:306-84455:307.

9506200330 Forwards update & clarification to request to revise TS submitted by util 950103 ltr to clarify action statements & SRs for ac offsite circuits & onsite electrical distribution sys breaker alignments,per discussions w/NRC.
WOODARD,J.D. Georgia Power Co. 95/06/14. Document Control Branch (Document Control Desk). 2pp. 84406:205-84406:214.

--9506200334 Proposed tech specs,clarifying in revised bases of 3/4 Chapter 8,that alignment of standby auxiliary transformer intended to be temporary alignment & will be utilized when normal preferred offsite power source,RAT unavailable.
* Georgia Power Co. 95/06/14. 8pp. 84406:207-84406:214.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506060104 Discusses radiographic film project conducted from Spring of 1993 through middle of Dec 1994.Project intended to locate & organize radiographic film for welds in ISI programs for plant.List of 23 critical welds located encl.
MCCOY,C.K. Georgia Power Co. 95/06/01. Document Control Branch (Document Control Desk). 10pp. 84197:333-84197:342.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506200317 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-11 & 50-425/95-11.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/06. MCCOY,C.K. Georgia Power Co. 3pp. 84349:272-84349:274.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506280140 Forwards insp repts 50-424/95-13 & 50-425/95-13 on 950416- 0520.Non-cited violation noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/06/14. MCCOY,C.K. Georgia Power Co. 19pp. 84442:051-84442:072.

--9506280209 Insp repts 50-424/95-13 & 50-425/95-13 on 950416-0520.Non- cited violation noted.Major areas inspected:plant operations,surveillance,maint,plant support,onsite engineering,installation & testing of modifications.
BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/06/14. 19pp. 84442:054-84442:072.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160561 Monthly operating rept for May 1995 for Vogtle Electric Generating Plant.W/950612 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 95/05/31. 12pp. 84367:264-84367:275.

T. Hearing transcripts on non-antitrust matters

9506020167 Transcript of 950524 evidentiary hearing in Martinez,GA re GA Power Co license amend (transfer to Southern Nuclear).Pp 5,494-5,792.
* Atomic Safety & Licensing Board Panel. 95/05/24. 333pp. 84179:043-84180:011.

9506020173 Transcript of 950525 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 5,793-6,009.
* Atomic Safety & Licensing Board Panel. 95/05/25. 246pp. 84181:001-84181:246.

9506020181 Transcript of 950526 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,010-6,164.
* Atomic Safety & Licensing Board Panel. 95/05/26. 161pp. 84180:012-84180:172.

9506060038 Transcript of 950531 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,165-6,386.
* Atomic Safety & Licensing Board Panel. 95/05/31. 245pp. 84210:001-84210:245.

9506090042 Transcript of 950601 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,387-6,710.W/related testimony encl.
* Atomic Safety & Licensing Board Panel. 95/06/01. 354pp. 84248:001-84248:354.

9506090045 Transcript of 950602 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,711-6,949.Related testimony encl.
* Atomic Safety & Licensing Board Panel. 95/06/02. 250pp. 84249:001-84249:250.

9506090050 Transcript of 950603 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 6,950-7,116.W/related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/06/03. 207pp. 84275:124-84275:330.

9506090053 Transcript of 950605 evidentiary hearing in Augusta,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 7,117-7,328.Related documentation encl.
* Atomic Safety & Licensing Board Panel. 95/06/05. 229pp. 84274:001-84274:229.

9506120049 Transcript of 950606 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 7,329-7,563.
* Atomic Safety & Licensing Board Panel. 95/06/06. 244pp. 84307:001-84307:244.

9506160349 Transcript of 950607 evidentiary hearing in Martinez,GA re faciliity.Pp 7,564-7,814.
* Atomic Safety & Licensing Board Panel. 95/06/07. 271pp. 84371:001-84371:271.

9506190084 Transcript of 950608 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 7,815-8,078.
* Atomic Safety & Licensing Board Panel. 95/06/08. 270pp. 84386:001-84386:270.

9506190092 Transcript of 950609 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 8,079-8,241.
* Atomic Safety & Licensing Board Panel. 95/06/09. 170pp. 84380:150-84380:319.

9506280014 Forwards Staff list of all tape transcripts excerpts identified as hearing exhibits.Provides present status of subj exhibits.
HULL,J.T. Office of the General Counsel (Post 860701). #295 16828. 95/06/16. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 4pp. 84444:173-84444:176.

V. Operator Examinations

9506280727 Forwards RAI re individual plant exam,requesting written response prior to 950915.
WHEELER,L.L. . 95/06/16. MCCOY,C.K. Georgia Power Co. 11pp. 84471:348-84471:358.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9506200023 Confirms 950607 telcon re mgt meeting scheduled for 950613. Purpose of meeting to discuss const status & on-going activities at plant.Informs that meeting has been cancelled & will be rescheduled.Related info encl.
JAUDON,J.P. Region 2 (Post 820201). 95/06/08. KINGSLEY,O.D. Tennessee Valley Authority. 48pp. 84345:293-84345:340.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

F. Security, medical, emergency & fire protection plans

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9506200023 Confirms 950607 telcon re mgt meeting scheduled for 950613. Purpose of meeting to discuss const status & on-going activities at plant.Informs that meeting has been cancelled & will be rescheduled.Related info encl.
JAUDON,J.P. Region 2 (Post 820201). 95/06/08. KINGSLEY,O.D. Tennessee Valley Authority. 48pp. 84345:293-84345:340.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506280246 Provides number of allegations received & opened re TVA facilities from 950601-0531.
IGNATONIS,A. Region 2 (Post 820201). 95/06/14. HARDING,M.R. Tennessee Valley Authority. 5pp. 84442:266-84442:270.

F. Security, medical, emergency & fire protection plans

9506150220 Rev 15 to Central Emergency Control Center EPIP-9, "Emergency Environ Radiological Monitoring Procedures."
MARKS,B.K. Tennessee Valley Authority. 95/05/31. 57pp. 84339:274-84339:330.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506080152 Rev 7 to EPIP EPI-C2, "Maintenance & Inventory of Emergency Equipment." W/950601 ltr.
ANDERSON,J.D., SHELTON,D.C. Centerior Energy. 95/06/01. 15pp. 84240:215-84240:229.

I. Financial information

9506080248 Forwards Perry NPP & Davis-Besse Nuclear Power Station annual financial repts.Form 10-K rept to US Securities & Exchange Commission encl.
SHELTON,D.C. Centerior Energy. 95/06/01. Document Control Branch (Document Control Desk). 1p. 84228:001-84228:239.

--9506080260 "Centerior Energy Annual Rept 1994."
* Centerior Energy. 94/12/31. 39pp. 84228:002-84228:041.

--9506080264 "Cleveland Electric Illuminating Co Annual Rept 1994."
* Cleveland Electric Illuminating Co. 94/12/31. 26pp. 84228:042-84228:068.

P. Operating license stage documents & correspondence

9506070152 Advises that essential maintenance planned to be performed on plant SW & CW systems during refuel outage scheduled to begin in Jan 1996.
SHELTON,D.C. Centerior Energy. 95/05/31. UNDERWOOD,M. Ohio, State of. 11pp. 84222:351-84222:361.

9506080015 Forwards typed copy of improved TSs & bases per 950510 request.
SHELTON,D.C. Centerior Energy. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84269:001-84272:069.

--9506080018 Proposed improved TSs.
* Centerior Energy. 95/05/31. 1,159pp. 84269:003-84272:069.

9506080638 Application for amend to license NPF-58,proposing early implementation of control rod drive scram time testing consistent w/requirements in PNPP improved TS LAR dtd 931216.
SHELTON,D.C. Centerior Energy. 95/06/01. Document Control Branch (Document Control Desk). 3pp. 84247:283-84247:292.

--9506080639 Proposed tech specs for implementation of control rod drive scram time testing consistent w/requirements in PNNP improved TS LAR.
* Centerior Energy. 95/06/01. 7pp. 84247:286-84247:292.

9506130077 Application for amend to license NPF-58.Amend would allow one-time extension of performance intervals for certain SRs. Application supplements original request dtd 950324.
SHELTON,D.C. Centerior Energy. 95/06/09. Document Control Branch (Document Control Desk). 5pp. 84301:302-84301:319.

--9506130081 Proposed tech specs reflecting one-time extension of performance intervals of certain SRs.
* Centerior Energy. 95/06/09. 13pp. 84301:307-84301:319.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506130273 Informs that inservice exam program for plant has been revised per 10CFR50.55.Forwards Rev 2,Temporary Change 2 to Vol 1 of PNPP ISEP.
SHELTON,D.C. Centerior Energy. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84380:136-84380:140.

--9506140041 Rev 2 to "ISI Exam Program."
PORTMANN,R.L. Centerior Energy. 95/02/07. 3pp. 84380:138-84380:140.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210043 Forwards semi-annual plant performance review insp plan scheduled through 950731 for plant.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. SHELTON,D.C. Centerior Energy. 3pp. 84357:176-84357:178.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200162 "NPDES Monthly Discharge Monitoring Rept for May 1995." W/ 950613 ltr.
SHELTON,D.C. Centerior Energy. 95/05/31. 5pp. 84413:300-84413:304.

9506200323 Monthly operating rept for May 1995 for Perry Nuclear Power Plant Unit 1.W/950615 ltr.
NEUMAN,G.M., SHELTON,D.C. Centerior Energy. 95/05/31. 6pp. 84406:346-84406:351.

S. Reportable occurrences, LERs & related correspondence

9506070261 Forwards LER 94-011-01 re containment isolation valve actuations during restoration from divisional bus outage.
SHELTON,D.C. Centerior Energy. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84238:127-84238:132.

--9506070267 LER 94-011-01:on 940421,containment isolation valve actuations during restoration from divisional bus outage occurred.Caused by inadequate instructions & failure to follow procedure.Changed design & improved mgt program.
JURY,K.R. Centerior Energy. 95/05/31. 5pp. 84238:128-84238:132.

9506130097 LER 95-004-00:on 950510,determined that potential existed for secondary containment bypass leakage through upper containment airlock to exceed leakage limit.Caused by design inadequacies.Mod made on hard-piped unions.W/950609 ltr.
JURY,K.R., SHELTON,D.C. Centerior Energy. 95/06/09. 6pp. 84312:135-84312:140.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506080152 Rev 7 to EPIP EPI-C2, "Maintenance & Inventory of Emergency Equipment." W/950601 ltr.
ANDERSON,J.D., SHELTON,D.C. Centerior Energy. 95/06/01. 15pp. 84240:215-84240:229.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506140341 Forwards EA & finding of no significant impact re exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Plant Reactors Against Radiological Sabotage."
DE AGAZIO,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/31. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84311:280-84311:288.

--9506140347 Environ assessment & finding of no significant impact re exemption from certain requirements of 10CFR73.55, "Requirements for Physical Protection of Licensed Activities in NPP Reactors Against Radiological Sabotage."
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/31. 6pp. 84311:283-84311:288.

P. Operating license stage documents & correspondence

9506080392 Summary of 950502 meeting w/RE Busch,JF Opeka & RM Kacich re status of activities at Millstone,Haddam Neck & Seabrook facilities.
MCWHORTER,R. Commissioners (Post 750119). 95/05/22. Commissioners (Post 750119). 1p. 84381:156-84381:156.

9506020284 Forwards exemption from periodic retest schedule requirements of 10CFR50,App J for Type A containment leakage testing.Exemption delays performance of Type A testing until 1997 (fifth) refueling outage is granted.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/25. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 84146:078-84146:089.

--9506020292 Exemption from periodic retest schedule requirements of 10CFR50,App J for Type A containment leakage testing.
ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/25. North Atlantic Energy Service Corp. (NAESCO). 8pp. 84146:082-84146:089.

9506080166 Forwards application for amend to license NPF-86.Amend would allow operation of core w/positive moderator temp coefficient.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). FEIGENBAUM,T.C. Northeast Utilities Service Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84222:259-84222:282.

--9506080171 Application for amend to license NPF-86.Amend will allow operation of core w/positive moderator temp coefficient.
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 95/05/30. 9pp. 84222:261-84222:269.

--9506080173 Proposed tech specs re operation of core w/positive moderator temp coefficient.
* North Atlantic Energy Service Corp. (NAESCO). 95/05/31. 13pp. 84222:270-84222:282.

9506140363 Forwards safety evaluation accepting util proposed changes to Part A of ODCM.
DE AGAZIO,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/31. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84311:295-84311:299.

--9506140368 Safety evaluation accepting util proposed changes to Part A of ODCM to change analysis requirements for turbine bldg sump & steam generator blowdown discharge samples.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 2pp. 84311:298-84311:299.

9506130217 Forwards license amend request 95-02 to proposed change to plant TS to revise footnote to SR 4.4.7 & Table 3.4-2 to increase temp limit at which RC O levels determined by sampling from 180 degrees F to 250 degrees F.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). FEIGENBAUM,T.C. Northeast Utilities Service Co. 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84301:320-84301:335.

--**9506130219** Application for amend to license NPF-86,consisting of amend request 95-02,revising footnote to SR 4.4.7 & Table 3.4-2 to increase temp limit at which RC O levels determined by sampling from 180 degrees F to 250 degrees F.
DRAWBRIDGE,B.L. North Atlantic Energy Service Corp. (NAESCO). 95/06/07. 4pp. 84301:322-84301:326.

--**9506130223** Proposed tech specs,consisting of amend request 95-02, revising footnote to SR 4.4.7 & Table 3.4-2 to increase temp limit at which RC O levels determined by sampling from 180 degrees F to 250 degrees F.
* North Atlantic Energy Service Corp. (NAESCO). 95/06/07. 9pp. 84301:327-84301:335.

9506140050 Forwards documentation describing details of activities at plant & requests written response to NRC concern in 30 days. W/o encl.
COOPER,R.W. Region 1 (Post 820201). 95/06/07. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84267:206-84267:208.

9506190007 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
OPEKA,J.F. Northeast Utilities. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:010-84320:011.

9506290103 Forwards exemption from certain requirements of 10CFR73.55 re physical protection of licensed activities in NPP reactors against radiological sabotage.
DE AGAZIO,A.W. Project Directorate I-4 (PD1-4) (Post 941001). 95/06/14. FEIGENBAUM,T.C North Atlantic Energy Service Corp. (NAESCO). 3pp. 84487:214-84487:223.

--**9506290115** Exemption from certain requirements of 10CFR73.55 re physical protection of licensed activities in NPP reactor against radiological sabotage,at plant,Unit 1.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/06/14. North Atlantic Energy Service Corp. (NAESCO). 7pp. 84487:217-84487:223.

9506280304 Application for amend to license NPF-86.Amend would increase requirements for core reactivity control available from borated water sources.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). FEIGENBAUM,T.C. Northeast Utilities Service Co. 95/06/16. Document Control Branch (Document Control Desk). 9pp. 84480:271-84480:296.

--**9506280307** Proposed tech specs re increased requirements for core reactivity control available from borated water sources.
* North Atlantic Energy Service Corp. (NAESCO). 95/06/16. 17pp. 84480:280-84480:296.

9506280373 Notifies Commission that Amend 36 to license NPF-86 implemented on 950605.Enhanced procedures issued prior to implementation date of amend.
FEIGENBAUM,T. North Atlantic Energy Service Corp. (NAESCO). 95/06/20. Document Control Branch (Document Control Desk). 2pp. 84480:305-84480:306.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280654 Forwards insp rept 50-443/95-07 on 950522-26.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/06/18. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84452:317-84452:329.

--**9506280663** Insp rept 50-443/95-07 on 950522-26.No violations noted. Major areas inspected:changes in radwaste & radiological controls organizations;training & qualifications of personnel & implementation of radwaste program.
ECKERT,L., BORES,R. Region 1 (Post 820201). 95/06/14. 10pp. 84452:320-84452:329.

R. Periodic operating reports & related correspondence

9506160372 Monthly operating rept for May 1995 for Seabrook Station Unit 1.W/ 950612 ltr.
NARDONE,P.E., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/05/31. 5pp. 84366:116-84366:120.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

P. Operating license stage documents & correspondence

9506080392 Summary of 950502 meeting w/RE Busch,JF Opeka & RM Kacich re status of activities at Millstone,Haddam Neck & Seabrook facilities.
MCWHORTER,R. Commissioners (Post 750119). 95/05/22. Commissioners (Post 750119). 1p. 84381:156-84381:156.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506300165 Submits plans to revise emergency preparedness practices, procedures & internal commitments to base protective actions recommendations made by personnel in control room strictly on plant conditions.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84523:353-84523:358.

P. Operating license stage documents & correspondence

9506020419 Summary of 950509 meeting w/util re increase spent fuel storage capacity license amend.List of attendees & licensee presentation matls,encl.
POLICH,T.J. . 95/05/22. . 9pp. 84165:262-84165:270.

9506140304 Forwards amends 41 & 21 to licenses NPF-87 & NPF-89, respectively & safety evaluation.Amends change allowable value for Unit 2 pressurizer pressure-low & Unit 2 overtemperature N-16 reactor trip setpoints.
POLICH,T.J. . 95/05/31. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84311:238-84311:268.

--**9506140311** Amends 41 & 27 to licenses NPF-87 & NPF-89,respectively, changing allowable value for Unit 2 pressurizer pressure-low & Unit 2 overtemperature N-16 reactor trip setpoints.
POLICH,T.J. . 95/05/31. 24pp. 84311:241-84311:264.

--**9506140316** Safety evaluation supporting amends 41 & 27 to licenses NPF-87 & NPF-89,respectively.
* . 95/05/31. 4pp. 84311:265-84311:268.

9506230244 Summary of 950511 meeting w/util re proposed risk ranking methodology for application to inservice testing program. List of attendees encl.
POLICH,T. . 95/06/08. . 42pp. 84421:121-84421:163.

9506190323 Notifies that util intends to complete & submit LAR for conversion of CPSES Unit 1 & 2 TS to format & expanded bases of improved STS in April of 1996.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/06/09. Document Control Branch (Document Control Desk). 2pp. 84404:242-84404:243.

9506190432 Requests that NRC exercise enforcement discretion to allow CPSES Unit 1 to remain in Mode 3,hot standby while testing on Unit 1 TDAFWP performed.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/06/14. Document Control Branch (Document Control Desk). 6pp. 84385:324-84385:329.

9506210112 Discusses 950614 ltr in which util requested that NRC exercise enforcement discretion not to enforce compliance w/TS 3.7.1.2 re turbine driven auxiliary feedwater pump. Enforcement discretion,warranted.
CALLAN,L.J. Region 4 (Post 820201). 95/06/15. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 84360:147-84360:151.

9506300135 Forwards exemption from certain requirements of 10CFR50.55a(f)(4)(ii) re IST program at CPSES unit 1.
POLICH,T.J. . 95/06/21. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84510:228-84510:236.

--**9506300153** Exemption from requirements of 10CFR50.55a(f)(4)(ii) re IST during successive 120-month intervals.
ADENSAM,E.G. . 95/06/21. Texas Utilities Electric Co. (TU Electric). 6pp. 84510:231-84510:236.

9506290303 Responds to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/06/27. Document Control Branch (Document Control Desk). 12pp. 84500:349-84500:360.

9506300132 Forwards "Individual Plant Exam of External Events for Severe Accident Vulnerabilities," per GL 88-20,Suppl 4.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/06/27. Document Control Branch (Document Control Desk). 3pp. 84523:001-84523:277.

--**9506300136** "Individual Plant Exam of External Events for Severe Accident Vulnerabilities."
HAMZEHEE,H.G., KARPYAK,S.D., LETTIE,S.D. Texas Utilities Electric Co. (TU Electric). ER-EA-008. 95/06/21. 274pp. 84523:004-84523:277.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200015 Lists insps & activities that Region IV plan to perform during months leading up to next scheduled semiannual plant performance review.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 84347:320-84347:324.

9506200130 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-02, 50-446/95-02,50-445/95-04,50-446/95-04,50-445/95-06 & 50-446/95-06.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84346:159-84346:176.

--**9506200141** Responds to NRC 950313 & 0421 ltrs re violations noted in insp repts 50-445/95-02,50-446/95-02,50-445/95-04, 50-446/95-04,50-445/95-06 & 50-446/95-06.Corrective action: procedures enhanced to provide guidance.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/22. Document Control Branch (Document Control Desk). 14pp. 84346:163-84346:176.

9506200158 Forwards insp repts 50-445/95-07 & 50-446/95-07 on 950326-0506.No vioaltions noted.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84346:195-84346:224.

--**9506200172** Insp repts 50-445/95-07 & 50-446/95-07 on 950326-0506.No violations noted.Major areas inspected:plant operations, maint & surveillance observations,on-site engineering,plant support & followup of engineering.
KIRSCH,D. Region 4 (Post 820201). 95/06/09. 26pp. 84346:199-84346:224.

9506200326 Discusses complaint received on 890110 by former employee re allegations that individual has been terminated because safety concerns raised by performing duties at plant.
CALLAN,L.J. Region 4 (Post 820201). 95/06/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 23pp. 84349:034-84349:056.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200078 Monthly operating repts for May 1995 for Comanche Peak Steam Electric Station Units 1 & 2.W/950615 ltr.
SIROIS,E., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/05/31. 9pp. 84405:170-84405:178.

9506190470 Forwards supplemental update to annual operating rept for 1994,correcting Table 3.0, "Personnel Exposure & Monitoring Rept" data.
TERRY,C.L., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/06/14. Document Control Branch (Document Control Desk). 1p. 84386:340-84386:341.

--**9506190471** Corrected Table 3.0, "Personnel Exposure & Monitoring Rept" to annual operating rept for 1994.
* Texas Utilities Electric Co. (TU Electric). 94/12/31. 1p. 84386:341-84386:341.

S. Reportable occurrences, LERs & related correspondence

9506070270 LER 95-002-00:on 950505,automatic reator trip occurred. Caused by lightning strike.Task team formed to evaluate & investigate methods of minimizing effects of lightning strike.W/950602 ltr.
FLORES,R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/06/02. 7pp. 84238:133-84238:139.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506280510 Forwards SE for license NPF-89,concluding that no significant safety hazards at plant resulting from ampacity derating concerns associated w/use of thermo-lag fire barriers to enclose cables.
POLICH,T.J. . 95/06/14. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84469:180-84469:257.

--**9506280518** Safety evaluation for license NPF-89,concluding that no significant safety hazards at plant resulting from ampacity derating concerns associated w/use of thermo-lag fire barriers to enclose cable barrier.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 16pp. 84469:184-84469:200.

--**9505030171** Forwards addl comments re util response to request for addl info on ampacity derating tests & observations,for consideration.
NOWLEN,S.P. Sandia National Laboratories. FIN J-2017. 94/05/23. JENKINS,R. Electrical Engineering Branch. 58pp. 84469:201-84469:257.

9506300165 Submits plans to revise emergency preparedness practices, procedures & internal commitments to base protective actions recommendations made by personnel in control room strictly on plant conditions.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/06/27. Document Control Branch (Document Control Desk). 6pp. 84523:353-84523:358.

P. Operating license stage documents & correspondence

9506020419 Summary of 950509 meeting w/util re increase spent fuel storage capacity license amend.List of attendees & licensee presentation matls,encl.
POLICH,T.J. . 95/05/22. . 9pp. 84165:262-84165:270.

9506140304 Forwards amends 41 & 21 to licenses NPF-87 & NPF-89, respectively & safety evaluation.Amends change allowable value for Unit 2 pressurizer pressure-low & Unit 2 overtemperature N-16 reactor trip setpoints.
POLICH,T.J. . 95/05/31. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84311:238-84311:268.

--**9506140311** Amends 41 & 27 to licenses NPF-87 & NPF-89,respectively, changing allowable value for Unit 2 pressurizer pressure-low & Unit 2 overtemperature N-16 reactor trip setpoints.
POLICH,T.J. . 95/05/31. 24pp. 84311:241-84311:264.

--**9506140316** Safety evaluation supporting amends 41 & 27 to licenses NPF-87 & NPF-89,respectively.
* . 95/05/31. 4pp. 84311:265-84311:268.

9506230244 Summary of 950511 meeting w/util re proposed risk ranking methodology for application to inservice testing program. List of attendees encl.
POLICH,T. . 95/06/08. . 42pp. 84421:121-84421:163.

9506190323 Notifies that util intends to complete & submit LAR for conversion of CPSES Unit 1 & 2 TS to format & expanded bases of improved STS in April of 1996.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/06/09. Document Control Branch (Document Control Desk). 2pp. 84404:242-84404:243.

9506280510 Forwards SE for license NPF-89,concluding that no significant safety hazards at plant resulting from ampacity derating concerns associated w/use of thermo-lag fire barriers to enclose cables.
POLICH,T.J. . 95/06/14. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84469:180-84469:257.

--**9506280518** Safety evaluation for license NPF-89,concluding that no significant safety hazards at plant resulting from ampacity derating concerns associated w/use of thermo-lag fire barriers to enclose cable barrier.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 16pp. 84469:184-84469:200.

9506290303 Responds to GL 95-03, "Circumferential Cracking Of Steam Generator Tubes."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/06/27. Document Control Branch (Document Control Desk). 12pp. 84500:349-84500:360.

9506300132 Forwards "Individual Plant Exam of External Events for Severe Accident Vulnerabilities," per GL 88-20,Suppl 4.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/06/27. Document Control Branch (Document Control Desk). 3pp. 84523:001-84523:277.

--**9506300136** "Individual Plant Exam of External Events for Severe Accident Vulnerabilities."
HAMZEHEE,H.G., KARPYAK,S.D., LETTIE,S.D. Texas Utilities Electric Co. (TU Electric). ER-EA-008. 95/06/21. 274pp. 84523:004-84523:277.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200015 Lists insps & activities that Region IV plan to perform during months leading up to next scheduled semiannual plant performance review.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 84347:320-84347:324.

9506200130 Ack receipt of 950522 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-02, 50-446/95-02,50-445/95-04,50-446/95-04,50-445/95-06 & 50-446/95-06.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84346:159-84346:176.

–9506200141 Responds to NRC 950313 & 0421 ltrs re violations noted in insp repts 50-445/95-02,50-446/95-02,50-445/95-04, 50-446/95-04,50-445/95-06 & 50-446/95-06.Corrective action: procedures enhanced to provide guidance.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/22. Document Control Branch (Document Control Desk). 14pp. 84346:163-84346:176.

9506200158 Forwards insp repts 50-445/95-07 & 50-446/95-07 on 950326-0506.No vioaltions noted.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84346:195-84346:224.

–9506200172 Insp repts 50-445/95-07 & 50-446/95-07 on 950326-0506.No violations noted.Major areas inspected:plant operations, maint & surveillance observations,onsite engineering,plant support & followup of engineering.
KIRSCH,D. Region 4 (Post 820201). 95/06/09. 26pp. 84346:199-84346:224.

9506200326 Discusses complaint received on 890110 by former employee re allegations that individual has been terminated because safety concerns raised by performing duties at plant.
CALLAN,L.J. Region 4 (Post 820201). 95/06/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 23pp. 84349:034-84349:056.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506290420 Forwards SE re first 10-yr interval insp requests for relief.Alternatives proposed in relief A-1 & A-2,rev 1 authorized.
BECKNER,W.D. . 95/06/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84493:037-84493:060.

–9506290422 Safety evaluation re 10-yr interval ISI program plan & associated requests for relief.Authorizes alternatives proposed in relief A-1 & A-2,rev 1.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/16. 2pp. 84493:040-84493:041.

–9505030448 "TER on First 10-Yr Interval ISI Program Plan:TUEC,CPSES, Unit 2."
BROWN,B.W. Idaho National Engineering Laboratory. FIN L-2556. INEL-95/0142. 95/04/30. . 19pp. 84493:042-84493:060.

R. Periodic operating reports & related correspondence

9506200078 Monthly operating repts for May 1995 for Comanche Peak Steam Electric Station Units 1 & 2.W/950615 ltr.
SIROIS,E., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/05/31. 9pp. 84405:170-84405:178.

9506190470 Forwards supplemental update to annual operating rept for 1994,correcting Table 3.0, "Personnel Exposure & Monitoring Rept" data.
TERRY,C.L., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/06/14. Document Control Branch (Document Control Desk). 1p. 84386:340-84386:341.

–9506190471 Corrected Table 3.0, "Personnel Exposure & Monitoring Rept" to annual operating rept for 1994.
* Texas Utilities Electric Co. (TU Electric). 94/12/31. 1p. 84386:341-84386:341.

S. Reportable occurrences, LERs & related correspondence

9506070024 LER 94-006-01:on 940526, "as found" calibration data appeared to be outside TS allowables.Caused by methodology/ instrumentation used to calibrate relays.Relays adjusted.W/ 950530 ltr.
FLORES,R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/30. 7pp. 84238:091-84238:097.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010360 Forwards rev 42 of Byron Nuclear Power Station security plan.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84149:354-84149:355.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506220006 Revised EPIPs,including rev 5 to BZP 100-T12,rev 10 to BZP 300-A2,rev 13 to BZP 310-4,rev BZP 500-5 & revised EPIP Indexes.
* Commonwealth Edison Co. 95/05/31. 33pp. 84444:328-84444:360.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506290337 Advises that 950522 rev 42 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/06/22. JOHNSON,I. Commonwealth Edison Co. 3pp. 84494:347-84494:349.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506090283 Forwards SE re Section 6.2 of GL 82-33 which requested that licensee provide rept on implementation of RG 1.97,Rev 2.
DICK,G.F. . 95/05/30. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84222:118-84222:124.

–9506090286 Safety evaluation accepting Section 6.2 of GL 82-33 requesting licensees to provide rept on implementation of RG 1.97,Rev 2.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 4pp. 84222:121-84222:124.

9506090490 Notifies of intent to pursue conversion of plants TS to improved std TS.
KAUP,K.L., GRAESSER,K.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84249:329-84249:329.

9506140414 Forwards RAI re pending license amends to revise facility TS related to interim plugging criteria.
LYNCH,M.D. . 95/05/31. FARRAR,D.L. Commonwealth Edison Co. 9pp. 84313:016-84313:024.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506130145 Application for amends to licenses NPF-11,NPF-18,NPF-72, NPF-77,NPF-37 & NPF-66.Amends would revise SRs & administrative requirements associated w/ EDGs.
BENES,G.G. Commonwealth Edison Co. 95/06/08. Document Control Branch (Document Control Desk). 18pp. 84304:229-84304:321.

–9506130149 Proposed tech specs re revised SRs & administrative requirements associated w/EDGs.
* Commonwealth Edison Co. 95/06/08. 75pp. 84304:247-84304:321.

9506290329 Responds to util ltr documenting changes to & clarification of leak rate test program in support of license amends dtd 950213.Upon receipt of detailed summary of changes to test program,NRC will be able to provide addl comments on amends.
LYNCH,M.D. . 95/06/19. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84474:089-84474:092.

9506280549 Forwards addl info requested re util application for amends to licenses NFP-37,NPF-66,NPF-72 & NPF-77.Amends would increase IPC value to 3.0 volts.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/20. Office of Nuclear Reactor Regulation (Post 941001). 84pp. 84477:171-84477:254.

9506280075 Notification of 950627 meeting w/util in Waltz Mill,PA re ITS test program on SG tube leakage.
LYNCH,M.D. . 95/06/22. CAPRA,R.A. . 4pp. 84448:074-84448:077.

9506280699 Notification of 950629 meeting w/util in Rockville,MD re test program on SG leakage.
LYNCH,M.D. . 95/06/22. CAPRA,R.A. . 3pp. 84471:170-84471:172.

9506300072 Forwards amends 72,72,63 & 63 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amends revise TS re repair of criteria for defects found in SG tubes.
DICK,G.F. . 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84510:119-84510:152.

--9506300089 Amends 72,72,63 & 63 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TS re repair criteria for defects found in SG tubes.
DICK,G.F., ASSA,R.R. . 95/06/22. 24pp. 84510:122-84510:145.

--9506300093 Safety evaluation supporting amends 72,72,63 & 63 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 7pp. 84510:146-84510:152.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506060333 Informs that util intends to invoke ASME Code Case N-498, "Alternate Rules for 10 Yr Hydrostatic Pressure Testing for Class 1 & 2 Sys,Section XI,Div 1" for remainder of first 10- yr interval of ISI program plan for subj testing at plant.
PONTIOUS,H.D. Commonwealth Edison Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84210:267-84210:268.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506130027 Advises that insp scope,techniques & analysis methodologies to be implemented during Fall 1995 Byron Unit 1 mid-cycle insp outage will be same as implemented during Fall 1994 cycle 6 refuel outage.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/02. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 84298:346-84298:350.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210007 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. GRAESSER,K. Commonwealth Edison Co. 4pp. 84357:045-84357:048.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506230238 Forwards safety insp repts 50-454/95-04 & 50-455/95-04 on 950330-0502.No violations noted.
MILLER,L.F. Region 3 (Post 820201). 95/06/16. GRAESSER,K. Commonwealth Edison Co. 2pp. 84494:068-84494:082.

--9506230240 Safety insp repts 50-454/95-04 & 50-455/95-04 on 950330- 0502.No violations noted.Major areas inspected:plant operations,plant support,maint & surveillance activities, engineering & technical support.
MILLER,L.F. Region 3 (Post 820201). 95/06/16. 13pp. 84494:070-84494:082.

R. Periodic operating reports & related correspondence

9506160520 Monthly operating repts for May 1995 for Byron Generating Station.W/ 950607 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 95/05/31. 14pp. 84366:005-84366:018.

S. Reportable occurrences, LERs & related correspondence

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010360 Forwards rev 42 of Byron Nuclear Power Station security plan.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84149:354-84149:355.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506220006 Revised EPIPs,including rev 5 to BZP 100-T12,rev 10 to BZP 300-A2,rev 13 to BZP 310-4,rev BZP 500-5 & revised EPIP Indexes.
* Commonwealth Edison Co. 95/05/31. 33pp. 84444:328-84444:360.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506290337 Advises that 950522 rev 42 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/06/22. JOHNSON,I. Commonwealth Edison Co. 3pp. 84494:347-84494:349.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506090283 Forwards SE re Section 6.2 of GL 82-33 which requested that licensee provide rept on implementation of RG 1.97,Rev 2.
DICK,G.F. . 95/05/30. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84222:118-84222:124.

--9506090286 Safety evaluation accepting Section 6.2 of GL 82-33 requesting licensees to provide rept on implementation of RG 1.97,Rev 2.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 4pp. 84222:121-84222:124.

9506090490 Notifies of intent to pursue conversion of plants TS to improved std TS.
KAUP,K.L., GRAESSER,K.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84249:329-84249:329.

9506140414 Forwards RAI re pending license amends to revise facility TS related to interim plugging criteria.
LYNCH,M.D. . 95/05/31. FARRAR,D.L. Commonwealth Edison Co. 9pp. 84313:016-84313:024.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506130145 Application for amends to licenses NPF-11,NPF-18,NPF-72, NPF-77,NPF-37 & NPF-66.Amends would revise SRs & administrative requirements associated w/ EDGs.
BENES,G.G. Commonwealth Edison Co. 95/06/08. Document Control Branch (Document Control Desk). 18pp. 84304:229-84304:321.

--9506130149 Proposed tech specs re revised SRs & administrative requirements associated w/EDGs.
* Commonwealth Edison Co. 95/06/08. 75pp. 84304:247-84304:321.

9506290329 Responds to util ltr documenting changes to & clarification of leak rate test program in support of license amends dtd 950213.Upon receipt of detailed summary of changes to test program,NRC will be able to provide addl comments on amends.
LYNCH,M.D. . 95/06/19. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84474:089-84474:092.

9506280549 Forwards addl info requested re util application for amends to licenses NFP-37,NPF-66,NPF-72 & NPF-77.Amends would increase IPC value to 3.0 volts.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/20. Office of Nuclear Reactor Regulation (Post 941001). 84pp. 84477:171-84477:254.

9506300072 Forwards amends 72,72,63 & 63 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amends revise TS re repair of criteria for defects found in SG tubes.
DICK,G.F. . 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84510:119-84510:152.

--9506300089 Amends 72,72,63 & 63 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TS re repair criteria for defects found in SG tubes.
DICK,G.F., ASSA,R.R. . 95/06/22. 24pp. 84510:122-84510:145.

--9506300093 Safety evaluation supporting amends 72,72,63 & 63 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 7pp. 84510:146-84510:152.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506060333 Informs that util intends to invoke ASME Code Case N-498, "Alternate Rules for 10 Yr Hydrostatic Pressure Testing for Class 1 & 2 Sys,Section XI,Div 1" for remainder of first 10- yr interval of ISI program plan for subj testing at plant.
PONTIOUS,H.D. Commonwealth Edison Co. 95/05/30. Document Control Branch (Document Control Desk). 2pp. 84210:267-84210:268.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506210007 Notifies of results of insp planning portion of Mar 1995 PPR for plant & forwards semi-annual "Insp Plan" for next several months.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. GRAESSER,K. Commonwealth Edison Co. 4pp. 84357:045-84357:048.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506230238 Forwards safety insp repts 50-454/95-04 & 50-455/95-04 on 950330-0502.No violations noted.
MILLER,L.F. Region 3 (Post 820201). 95/06/16. GRAESSER,K. Commonwealth Edison Co. 2pp. 84494:068-84494:082.

--9506230240 Safety insp repts 50-454/95-04 & 50-455/95-04 on 950330- 0502.No violations noted.Major areas inspected:plant operations,plant support,maint & surveillance activities, engineering & technical support.
MILLER,L.F. Region 3 (Post 820201). 95/06/16. 13pp. 84494:070-84494:082.

R. Periodic operating reports & related correspondence

9506160520 Monthly operating repts for May 1995 for Byron Generating Station.W/ 950607 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 95/05/31. 14pp. 84366:005-84366:018.

S. Reportable occurrences, LERs & related correspondence

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010356 Forwards rev 36 of Braidwood Nuclear Power Station security plan.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84149:353-84149:353.

9506010377 Requests exemption to allow use of hand geometry biometric sys to control unescorted access into protected area of BS in conjunction w/allowing photograph identification badges/keycards offsite.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84149:356-84149:356.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506290139 Corrected page 4 to Rev 8 to procedure BwZP 200-1A1, "Fission Product Barrier Matrix."
* Commonwealth Edison Co. 95/06/08. 1p. 84483:196-84483:196.

9506210195 Revised EPIPs,including rev 4 to BWZP 1000-2 & rev 8 to BWZP 200-1A1.
* Commonwealth Edison Co. 95/06/12. 90pp. 84407:162-84407:253.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

O. Advisory Committee on Reactor Safeguards reports & correspondence

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506090490 Notifies of intent to pursue conversion of plants TS to improved std TS.
KAUP,K.L., GRAESSER,K.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84249:329-84249:329.

9506140414 Forwards RAI re pending license amends to revise facility TS related to interim plugging criteria.
LYNCH,M.D. . 95/05/31. FARRAR,D.L. Commonwealth Edison Co. 9pp. 84313:016-84313:024.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506130448 Forwards "Braidwood Unit 1 1995 Interim Plugging Criteria 90 Day Rept," per draft GL, "Voltage-Based Repair Criteria for Repair of Westinghouse Tubes Affected by Outside Diameter Stress Corrosion Cracking."
TULON,T.J. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 3pp. 84306:001-84306:050.

--9506130450 "Braidwood Unit 1 1995 Interim Plugging Criteria 90 Day Rept."
* Westinghouse Electric Corp. SG-95-06-005. 95/06/09. 47pp. 84306:004-84306:050.

9506130122 Provides suppl to TS amend request,dtd 941216,for Section 3.4.9.3.Suppl adds instrument uncertainty & new capsule surveillance data.Proposed TSs encl.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/08. Office of Nuclear Reactor Regulation (Post 941001). 11pp. 84303:305-84303:333.

--9506130131 Proposed tech specs reflecting addition of instrument uncertainty & new capsule surveillance data.
* Commonwealth Edison Co. 95/06/08. 18pp. 84303:316-84303:333.

9506130145 Application for amends to licenses NPF-11,NPF-18,NPF-72, NPF-77,NPF-37 & NPF-66.Amends would revise SRs & administrative requirements associated w/ EDGs.
BENES,G.G. Commonwealth Edison Co. 95/06/08. Document Control Branch (Document Control Desk). 18pp. 84304:229-84304:321.

--9506130149 Proposed tech specs re revised SRs & administrative requirements associated w/EDGs.
* Commonwealth Edison Co. 95/06/08. 75pp. 84304:247-84304:321.

9506280066 Forwards Rev 3 to W rept WCAP-14047 & Rev 3 to proprietary rept WCAP-14046.WCAP-14046 withheld (ref 10CFR2.790).
PONTIOUS,H.D. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 3pp. 84517:001-84518:036.

--9506280080 Requests that proprietary verison of rept WCAP-14046,Rev 3, "Braidwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria," be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/11. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 84517:004-84517:011.

--9506280087 Non-proprietary Rev 3 to rept WCAP-14047, "Braidwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria."
* Westinghouse Electric Corp. WCAP-14047 R03. 95/03/31. 389pp. 84517:012-84518:036.

9506290329 Responds to util ltr documenting changes to & clarification of leak rate test program in support of license amends dtd 950213.Upon receipt of detailed summary of changes to test program,NRC will be able to provide addl comments on amends.
LYNCH,M.D. . 95/06/19. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84474:089-84474:092.

9506280549 Forwards addl info requested re util application for amends to licenses NFP-37,NPF-66,NPF-72 & NPF-77.Amends would increase IPC value to 3.0 volts.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/20. Office of Nuclear Reactor Regulation (Post 941001). 84pp. 84477:171-84477:254.

9506280075 Notification of 950627 meeting w/util in Waltz Mill,PA re ITS test program on SG tube leakage.
LYNCH,M.D. . 95/06/22. CAPRA,R.A. . 4pp. 84448:074-84448:077.

9506280699 Notification of 950629 meeting w/util in Rockville,MD re test program on SG leakage.
LYNCH,M.D. . 95/06/22. CAPRA,R.A. . 3pp. 84471:170-84471:172.

9506300072 Forwards amends 72,72,63 & 63 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amends revise TS re repair of criteria for defects found in SG tubes.
DICK,G.F. . 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84510:119-84510:152.

--9506300089 Amends 72,72,63 & 63 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TS re repair criteria for defects found in SG tubes.
DICK,G.F., ASSA,R.R. . 95/06/22. 24pp. 84510:122-84510:145.

--9506300093 Safety evaluation supporting amends 72,72,63 & 63 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 7pp. 84510:146-84510:152.

9506300131 Forwards pages 22-25 to 950608 transmittal of supplement to TS amend request for Section 3.4.9.3.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/23. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 84523:288-84523:292.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070292 Responds to NRC 950502 ltr re NOV & proposed imposition of civil penalty resulting from NRC insp repts 50-456/95-05 & 50-457/95-05.Corrective actions:sensing lines reconnected & operability of associated hydrogen monitor ensured.
KAUP,K.L. Commonwealth Edison Co. 95/05/30. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 7pp. 84219:354-84219:360.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120528 Forwards response to NRC 950508 ltr re violations noted in insp repts 50-456/95-06 & 50-457/95-06.Corrective actions: after maint was complete & cooler was returned to svc,sys engineering performed thermal performance.
KAUP,K.L. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 5pp. 84284:356-84284:360.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140080 Informs of insp planned for week of 950821 which coincides w/regularly scheduled requalification exam cycle,per 950607 telcon.Requests written exams & operating tests scheduled for week of insp be provided to NRC for preparation of insp.
RING,M.A. Region 3 (Post 820201). 95/06/08. KAUP,K. Commonwealth Edison Co. 2pp. 84267:270-84267:271.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200036 Monthly operating repts for May 1995 for Braidwood Nuclear Generating Station Units 1 & 2.W/950607 ltr.
STANCZAK,P., TULON,T.J. Commonwealth Edison Co. 95/05/31. 10pp. 84405:045-84405:054.

S. Reportable occurrences, LERs & related correspondence

9506140085 LER 95-005-00:on 950418,spray additive sys isolated to both trains of CS.Caused by operator valving error.Temporary procedure change initiated.W/950605 ltr.
TOLAR,J., TULON,T.J. Commonwealth Edison Co. 95/06/05. 7pp. 84350:043-84350:049.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

V. Operator Examinations

9506140080 Informs of insp planned for week of 950821 which coincides w/regularly scheduled requalification exam cycle,per 950607 telcon.Requests written exams & operating tests scheduled for week of insp be provided to NRC for preparation of insp.
RING,M.A. Region 3 (Post 820201). 95/06/08. KAUP,K. Commonwealth Edison Co. 2pp. 84267:270-84267:271.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506290077 Revised Corporate EPIPs (CEPIP),including Rev 2 to CEPIP 2011-01 & Rev 1 to CEPIP-2121-01.
TULLEY,S.E. Commonwealth Edison Co. 95/05/19. 27pp. 84498:141-84498:167.

9506010356 Forwards rev 36 of Braidwood Nuclear Power Station security plan.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84149:353-84149:353.

9506010377 Requests exemption to allow use of hand geometry biometric sys to control unescorted access into protected area of BS in conjunction w/allowing photograph identification badges/keycards offsite.Encl withheld.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84149:356-84149:356.

9506010087 EPIP CEPIP 3220-01, "Dose Assessment B Model,Rev 1 Effective 950601," & 3000 Series Table of Contents.
DAVIDSON,G.R. Commonwealth Edison Co. 95/05/24. 30pp. 84161:333-84161:362.

9506140027 Rev 0 to CEPIP-3220-01B,rev 0 to CEPIP-3220-01P & revised Table of Contents.
* Commonwealth Edison Co. 95/06/01. 2pp. 84339:030-84339:031.

9506130106 Provides response to RAI re proposed use of Corporate EOF as Interim EOF dtd 950602.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/07. Document Control Branch (Document Control Desk). 6pp. 84303:350-84303:355.

9506290139 Corrected page 4 to Rev 8 to procedure BwZP 200-1A1, "Fission Product Barrier Matrix."
* Commonwealth Edison Co. 95/06/08. 1p. 84483:196-84483:196.

9506210195 Revised EPIPs,including rev 4 to BWZP 1000-2 & rev 8 to BWZP 200-1A1.
* Commonwealth Edison Co. 95/06/12. 90pp. 84407:162-84407:253.

H. General correspondence

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

P. Operating license stage documents & correspondence

9506050065 Notifies of 950530 meeting w/util in Lisle,IL to discuss status of design basis reconstitution program.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WALLACE,M.J. Commonwealth Edison Co. 2pp. 84150:105-84150:106.

9506090490 Notifies of intent to pursue conversion of plants TS to improved std TS.
KAUP,K.L. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84249:329-84249:329.

9506140414 Forwards RAI re pending license amends to revise facility TS related to interim plugging criteria.
LYNCH,M.D. . 95/05/31. FARRAR,D.L. Commonwealth Edison Co. 9pp. 84313:016-84313:024.

9506130227 Highlights Comm Ed progress re corporate oversight enhancements.
KOVACH,T. Commonwealth Edison Co. 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84297:327-84297:331.

9506120351 Provides NRC w/update on util progress re upgrading engineering support for six nuclear stations.
HOSMER,J.B. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 9pp. 84272:327-84272:335.

9506130122 Provides suppl to TS amend request,dtd 941216,for Section 3.4.9.3.Suppl adds instrument uncertainty & new capsule surveillance data.Proposed TSs encl.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/08. Office of Nuclear Reactor Regulation (Post 941001). 11pp. 84303:305-84303:333.

--9506130131 Proposed tech specs reflecting addition of instrument uncertainty & new capsule surveillance data.
* Commonwealth Edison Co. 95/06/08. 18pp. 84303:316-84303:333.

9506130145 Application for amends to licenses NPF-11,NPF-18,NPF-72, NPF-77,NPF-37 & NPF-66.Amends would revise SRs & administrative requirements associated w/ EDGs.
BENES,G.G. Commonwealth Edison Co. 95/06/08. Document Control Branch (Document Control Desk). 18pp. 84304:229-84304:321.

--9506130149 Proposed tech specs re revised SRs & administrative requirements associated w/EDGs.
* Commonwealth Edison Co. 95/06/08. 75pp. 84304:247-84304:321.

9506290329 Responds to util ltr documenting changes to & clarification of leak rate test program in support of license amends dtd 950213.Upon receipt of detailed summary of changes to test program,NRC will be able to provide addl comments on amends.
LYNCH,M.D. . 95/06/19. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84474:089-84474:092.

9506280549 Forwards addl info requested re util application for amends to licenses NFP-37,NPF-66,NPF-72 & NPF-77.Amends would increase IPC value to 3.0 volts.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/20. Office of Nuclear Reactor Regulation (Post 941001). 84pp. 84477:171-84477:254.

9506300072 Forwards amends 72,72,63 & 63 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively & SE.Amends revise TS re r repair criteria for defects found in SG tubes.
DICK,G.F. . 95/06/22. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84510:119-84510:152.

--**9506300089** Amends 72,72,63 & 63 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TS re repair criteria for defects found in SG tubes.
DICK,G.F. . 95/06/22. 24pp. 84510:122-84510:145.

--**9506300093** Safety evaluation supporting amends 72,72,63 & 63 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/22. 7pp. 84510:146-84510:152.

9506300131 Forwards pages 22-25 to 950608 transmittal of supplement to TS amend request for Section 3.4.9.3.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/06/23. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 84523:288-84523:292.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070292 Responds to NRC 950502 ltr re NOV & proposed imposition of civil penalty resulting from NRC insp repts 50-456/95-05 & 50-457/95-05.Corrective actions:sensing lines reconnected & operability of associated hydrogen monitor ensured.
KAUP,K.L. Commonwealth Edison Co. 95/05/30. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 7pp. 84219:354-84219:360.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506120528 Forwards response to NRC 950508 ltr re violations noted in insp repts 50-456/95-06 & 50-457/95-06.Corrective actions: after maint was complete & cooler was returned to svc,sys engineering performed thermal performance.
KAUP,K.L. Commonwealth Edison Co. 95/06/02. Document Control Branch (Document Control Desk). 5pp. 84284:356-84284:360.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140080 Informs of insp planned for week of 950821 which coincides w/regularly scheduled requalification exam cycle,per 950607 telcon.Requests written exams & operating tests scheduled for week of insp be provided to NRC for preparation of insp.
RING,M.A. Region 3 (Post 820201). 95/06/08. KAUP,K. Commonwealth Edison Co. 2pp. 84267:270-84267:271.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506200036 Monthly operating repts for May 1995 for Braidwood Nuclear Generating Station Units 1 & 2.W/950607 ltr.
STANCZAK,P., TULON,T.J. Commonwealth Edison Co. 95/05/31. 10pp. 84405:045-84405:054.

S. Reportable occurrences, LERs & related correspondence

9506070161 LER 95-004-00:on 950501,active & standby accumulator pressures below min pressure required on MSIVs.Cause due to inadequate surveillance procedure.MSIV full stroke surveillance procedure revised.W/950530 ltr.
OLSON,M., TULON,T.J. Commonwealth Edison Co. 95/05/30. 7pp. 84222:001-84222:007.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

V. Operator Examinations

9506140080 Informs of insp planned for week of 950821 which coincides w/regularly scheduled requalification exam cycle,per 950607 telcon.Requests written exams & operating tests scheduled for week of insp be provided to NRC for preparation of insp.
RING,M.A. Region 3 (Post 820201). 95/06/08. KAUP,K. Commonwealth Edison Co. 2pp. 84267:270-84267:271.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506070101 Forwards application for amend to license NPF-47.Amend would provide an exemption to plant physical security plan re vital island requirements.Encl withheld per 10CFR73.21.
MCGAHA,J.R. Entergy Operations, Inc. 95/05/25. Document Control Branch (Document Control Desk). 2pp. 84221:359-84221:360.

9506200150 Forwards insp rept 50-458/95-17 on 950410-14.No violations noted.Non cited violations re deficiency in design of fire barrier penetration seals.
GWYNN,T.P. Region 4 (Post 820201). 95/06/09. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84349:164-84349:175.

G. Adjudicatory correspondence

9506210181 Forwards copies of licensee amends that NRC has issued on 950608.
HODGDON,A.P. Office of the General Counsel (Post 860701). #295 16808. 95/06/08. COTTER,B.P., COLE,R.F., LAM,P.S. Atomic Safety & Licensing Board Panel. 67pp. 84359:092-84359:158.

9506210230 Memorandum & order (ruling on licensee motion requesting summary disposition of contention 2).Motion for summary disposition for contention 2 denied.W/Certificate of Svc. Served on 950616.
COTTER,B.P., COLE,R.F., LAM,P.S. Atomic Safety & Licensing Board Panel. #295 16821. 95/06/15. Gulf States Utilities Co. 22pp. 84359:293-84359:314.

H. General correspondence

9506190034 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
* Entergy Operations, Inc. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:035-84320:036.

I. Financial information

9506290203 Forwards "1994 Audited Financial Statements," for Cajun Electric Power Cooperative,Inc.
DOLAN,K.E. Cajun Electric Power Cooperative, Inc. 95/06/22. ADENSAM,E.G. . 34pp. 84498:038-84498:073.

M. Antitrust correspondence

9506200427 Forwards FRN:"Reevaluation of Antitrust Finding" for GSU & Cajun Electric Power Cooperative,Inc.
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/26. MEYER,D.L. . 2pp. 84362:207-84362:209.

--**9506200434** "Reevaluation of Antitrust Finding" for GSU & Cajun Electric Power Cooperative,Inc.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 1p. 84362:209-84362:209.

9506130415 Recommends expedited Commission review of completed staff action re finding of no significant antitrust changes,per merger between Gulf States Util Co & Entergy Corp.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-95-137. 95/05/30. 63pp. 84471:076-84471:161.

9506200449 "Reevaluation & Affirmation of Finding of No Significant Antitrust Changes" for Cajun Electric Power Cooperative,Inc.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 22pp. 84360:313-84360:334.

9506210391 Informs that Director of NRR has reevaluated finding & has decided not to change "Finding of No Significant Antitrust Changes."
LAMBE,W.M. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/06. MCGAHA,J.R. Entergy Operations, Inc. 2pp. 84380:005-84380:029.

9506210395 Informs that Director of NRR has decided not to change "Finding of No Significant Antitrust Changes."
LAMBE,W.M. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/06. DONAHUE,B.C., WILSON,Z.D. Affiliation Not Assigned. 2pp. 84380:030-84380:054.

9506220013 Staff requirements memo re SECY-95-137, "Finding of no Significant Antitrust Changes Per Merger between GSU & Entergy Corp:Remand of Commission Orders & Amends by US Circuit Court of Appeals for District of Columbia."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/06. Ofc of the Executive Director for Operations. 1p. 84460:194-84460:194.

9506220070 Informs that Director of NRR has reevaluated finding & has decided not to change "Finding of No Significant Antitrust Change."
LAMBE,W.M. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/06. PEMBROKE,J.D. Duncan, Weinberg, Miller & Pembroke, P.C. (formerly Duncan, Weinberg & Miller). 2pp. 84403:253-84403:277.

P. Operating license stage documents & correspondence

9506070213 Application for amend to license NPF-47,applying for exemption from 10CFR50,App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors."
MCGAHA,J.R. Entergy Operations, Inc. 95/05/30. Document Control Branch (Document Control Desk). 19pp. 84238:150-84238:172.

--**9506070214** Proposed tech specs re request for exemption from App J, "Primary Reactor Containment Leakage Testing for Water- Cooled Power Reactors."
* Entergy Operations, Inc. 95/05/30. 4pp. 84238:169-84238:172.

9506070221 Application for amend to license NPF-47,allowing TS 3/4.6.2.2, "Drywell Bypass Leakage," to be performed at intervals as long as five yrs based upon demonstrated performance of drywell structure.
MCGAHA,J.R. Entergy Operations, Inc. 95/05/30. Document Control Branch (Document Control Desk). 14pp. 84238:191-84238:216.

--**9506070228** Proposed tech specs,allowing TS 3/4.6.2.2, "Drywell Bypass Leakage," tests to be performed at intervals as long as five yrs based on demonstrated performance of drywell structure.
* Entergy Operations, Inc. 95/05/30. 12pp. 84238:205-84238:216.

9506070146 Discusses rev to GL 89-10 commitments re program to improve reliability of safety-related MOVs.
FISICARO,J.J. Entergy Operations, Inc. 95/06/01. Document Control Branch (Document Control Desk). 3pp. 84218:335-84218:337.

9506130086 Requests review priority to support approval by Sept 1995 of plant Improved TSs.Table of SRs which require extensions encl.
FISICARO,J.J. Entergy Operations, Inc. 95/06/06. Document Control Branch (Document Control Desk). 3pp. 84300:353-84300:355.

9506280167 Forwards amend 78 to license NPF-47 & SE.Amend revises FOL to reflect change in ownership of GSU.
WIGGINTON,D.L. . 95/06/08. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 84448:088-84448:114.

--**9506280171** Amend 78 to license NPF-47,revising FOL to reflect change in ownership of GSU.
WIGGINTON,D.L. . 95/06/08. 6pp. 84448:092-84448:097.

--**9506280177** Safety evaluation supporting amend 78 to license NPF-47.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 11pp. 84448:098-84448:108.

--**9506280185** Suppl safety evaluation supporting amend 78 to license NPF-47.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 2pp. 84448:109-84448:110.

--**9506280195** Order approving transfers & notice of issuance of license amends.Authorizes GSU to operate & hold 70% ownership share in plant.
RUSSELL,W.T. Office of the General Counsel (Post 860701). 95/06/08. Entergy Operations, Inc. 4pp. 84448:111-84448:114.

9506290191 Forwards amend 79 to license NPF-47 & safety evaluation. Amend consists of changes to license in response to application dtd 930113,by revising OL to include Entergy Operations,Inc as licensee.
WIGGINTON,D.L. . 95/06/08. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84473:121-84473:162.

--**9506290195** Amend 79 to license NPF-47,consisting of changes to license in response to application dtd 930113 to revise OL to include Entergy Operations,Inc as licensee.
WIGGINTON,D.L. . 95/06/08. 20pp. 84473:126-84473:145.

--**9506290201** Safety evaluation supporting amend 79 to license NPF-47.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. 11pp. 84473:146-84473:156.

--**9506290207** Suppl safety evaluation supporting amend 79 to license NPF-47.
* . 95/06/08. 2pp. 84473:157-84473:158.

--**9506290216** Order approving transfer of license to Entergy Corp & Entergy Operation,Inc & notice of issuance of license amend.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/08. Entergy Operations, Inc. 4pp. 84473:159-84473:162.

9506300224 Forwards amend 80 to license NPF-47 & SE.Amend revises TS 3.6.1.5, "Main Steam - Positive Leakage Control Sys," & TS 3.6.1.10, "Penetration Valve Leakage Control Sys."
MCGAHA,J.R. . 95/06/19. WIGGINTON,D.L. Entergy Operations, Inc. 3pp. 84518:244-84518:258.

--**9506300231** Amend 80 to license NPF-47,revising TS 3.6.1.5, "Main Steam - Positive Leakage Control Sys," & TS 3.6.1.10, "Penetration Valve Leakage Control Sys."
WIGGINTON,D.L. . 95/06/19. 5pp. 84518:247-84518:252.

--**9506300234** Safety evaluation supporting amend 80 to license NPF-47.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/19. 6pp. 84518:253-84518:258.

9506290182 Forwards corrected signed affirmations for LARs 95-05 & 95-06,correcting descriptive info of 950530 submittals, changing TS 3/4.6.1.3, "Primary CL" & application for exemption from 10CFR50,App J & TS 3/4.6.2.2, "DW Bypass...."
FISICARO,J.J. Entergy Operations, Inc. 95/06/20. Document Control Branch (Document Control Desk). 4pp. 84499:339-84499:342.

9506290224 Provides addl info re valve relief request VRR-71.
FISICARO,J.J. Entergy Operations, Inc. 95/06/23. Document Control Branch (Document Control Desk). 58pp. 84483:197-84483:254.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506070138 Forwards response to NRC ltr re violations noted in insp rept 50-458/95-02 on 950212-0325.Corrective actions:maint was performed to return lighting units to functional status.
FISICARO,J.J Entergy Operations, Inc. 95/06/02. Document Control Branch (Document Control Desk). 5pp. 84218:349-84218:353.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506090080 Forwards insp rept 50-458/95-03 on 950326-0506 & notice of violation.Violation of NRC concern because it resulted from staff failure to promptly identify & correct inoperable access door.
BEACH,A.B. Region 4 (Post 820201). 95/06/05. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 84208:098-84208:131.

--**9506090085** Notice of violation from insp on 950326-0506.Violation noted:on 950419,secondary containment door AB 70-04 had not been latched for approx 34.5 h while plant had been in Operational Condition 1.
* Region 4 (Post 820201). 95/06/05. 1p. 84208:104-84208:104.

--**9506090089** Insp rept 50-458/95-03 on 950326-0506.Violations noted. Major areas inspected:plant operations,maint & surveillance activities,onsite engineering,plant support activities, followup on CA for violations & other violations.
VANDENBURGH,C. Region 4 (Post 820201). 95/05/31. 26pp. 84208:105-84208:131.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200125 Forwards insp rept 50-458/95-18 on 950515-19 & 0609.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/09. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84349:151-84349:163.

--**9506200127** Insp rept 50-458/95-18 on 950515-19 & 0609.No violations noted.Major areas inspected:followup insp of previous insp findings & license event rept.
POWERS,D.A. Region 4 (Post 820201). 95/06/09. 8pp. 84349:156-84349:163.

9506200150 Forwards insp rept 50-458/95-17 on 950410-14.No violations noted.Non cited violations re deficiency in design of fire barrier penetration seals.
GWYNN,T.P. Region 4 (Post 820201). 95/06/09. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84349:164-84349:175.

--**9506200156** Insp rept 50-458/95-17 on 950410-14.No violations noted. Major areas inspected:quality assurance audit program implementation & follow of NRC open items.
ANG,W.P. Region 4 (Post 820201). 95/06/09. 7pp. 84349:169-84349:175.

9506210005 Lists insps that Region IV plan to perform during next 6 months leading up to next scheduled semiannual plant performance review in Oct 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/13. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84357:037-84357:041.

9506210013 Forwards insp rept 50-458/95-16 on 950508-12 & notice of violation.
COLLINS,S.J. Region 4 (Post 820201). 95/06/13. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 84357:073-84357:091.

--**9506210018** Notice of violation from insp on 950508-12.Violation noted: licensee background investigations failed to verify activities during interruptions of employment in excess of 30 days.
* Region 4 (Post 820201). 95/06/13. 2pp. 84357:079-84357:080.

--**9506210021** Insp rept 50-458/95-16 on 950508-12.No violations noted. Major areas inspected:licensee Access Authorization Program.
MURRAY,B. Region 4 (Post 820201). 95/06/13. 11pp. 84357:081-84357:091.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280597 Ack receipt of 950622 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/95-02 on 950212-0325.
BEACH,A.B. Region 4 (Post 820201). 95/06/22. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 84452:125-84452:133.

R. Periodic operating reports & related correspondence

9506200102 Monthly operating rept for May 1995 for River Bend Station Unit 1.W/ 950613 ltr.
BOLKE,T.J., FISICARO,J.J. Entergy Operations, Inc. 95/05/31. 6pp. 84411:354-84411:359.

S. Reportable occurrences, LERs & related correspondence

9506140415 Special rept:on 950510,Div II EDG incurred valid failure during performance of normal monthly surveillance due to fault in voltage regulator.Voltage regulator replaced.
FISICARO,J.J. Entergy Operations, Inc. 95/06/08. Document Control Branch (Document Control Desk). 4pp. 84339:024-84339:027.

9506160563 Forwards comments on preliminary accident sequence precursor analysis of event at plant,per NRC request in 950508 ltr. Safety analysis of Scram 94-01 which occurred on 940908 also encl.
FISICARO,J.J. Entergy Operations, Inc. 95/06/09. Document Control Branch (Document Control Desk). 4pp. 84367:282-84367:285.

V. Operator Examinations

9506160564 Submits notification of termination of listed RO license.
FISICARO,J.J. Entergy Operations, Inc. 95/06/08. Document Control Branch (Document Control Desk). 2pp. 84367:287-84367:288.

DOCKET 50-459 RIVER BEND STATION, UNIT 2

M. Antitrust correspondence

9506220013 Staff requirements memo re SECY-95-137, "Finding of no Significant Antitrust Changes Per Merger between GSU & Entergy Corp:Remand of Commission Orders & Amends by US Circuit Court of Appeals for District of Columbia."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/06. Ofc of the Executive Director for Operations. 1p. 84460:194-84460:194.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506160065 Submit details describing activities at plant re reorganization & requests util review & written response in 30 days.Encl contains 10CFR2.790 info & withheld.
GRANT,G.E. Region 3 (Post 820201). 95/06/05. COOK,J. Illinois Power Co. 2pp. 84312:028-84312:029.

P. Operating license stage documents & correspondence

9506230094 Requests enforcement discretion re TS LCO re Div 2 DC electrical power sources.
COOK,J.G. Illinois Power Co. 95/02/16. MARTIN,J.B. Region 3 (Post 820201). 8pp. 84472:330-84472:341.

--9506230097 Proposed tech specs reflecting enforcement discretion re TS LCO for Div 2 DC electrical power sources.
* Illinois Power Co. 95/02/16. 3pp. 84472:339-84472:341.

9506190317 Application for amend to license NPF-62,incorporating description of exclusion area boundary.
COOK,J.G. Illinois Power Co. 95/06/09. Document Control Branch (Document Control Desk). 6pp. 84386:324-84386:330.

--9506190318 Proposed tech specs,incorporating description of exclusion area boundary.
* Illinois Power Co. 95/06/09. 1p. 84386:330-84386:330.

9506230247 Confirms discussion between M Jordan & D Phares to have mgt meeting on 950621 in Lisle,IL to discuss QA reduction issues.
CLAYTON,B. Region 3 (Post 820201). 95/06/19. COOK,J. Illinois Power Co. 3pp. 84465:347-84465:349.

9506300023 Application for amend to license NPF-62,submitting rev 1 to TS bases,per TS 5.5.11, "TS Bases Control Program."
PHARES,R.F. Illinois Power Co. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84522:001-84522:241.

--9506300024 Proposed tech specs bases,per TS 5.5.11, "TS Bases Control Program."
* Illinois Power Co. 95/06/23. 239pp. 84522:003-84522:241.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160458 Monthly operating rept for May 1995 for Clinton Power Station.W/950607 ltr.
HOLLON,M.C., PHARES,R.F. Illinois Power Co. 95/05/31. 5pp. 84366:163-84366:167.

S. Reportable occurrences, LERs & related correspondence

9506050141 LER 95-004-00:on 950427,personnel error during plant startup resulted in increased RP above 150 psig prior to RCICS being operable.Shift supervisor discussed event w/LASS & emphasized attention to detail.W/950522 ltr.
BOUSKA,H.E., COOK,J.G. Illinois Power Co. 95/05/22. 5pp. 84198:295-84198:299.

9506140439 Forwards LER 95-002-01 re LLRT failures of FW containment isolation valves which resulted in total leakage rates greater than TS & 10CFR50,App J limits.Rept revised to identify C/A,safety significance & previous similar events.
COOK,J.G. Illinois Power Co. 95/06/06. Document Control Branch (Document Control Desk). 1p. 84350:107-84350:114.

--9506140440 LER 95-002-01:on 950314,LLRT failures of FW containment isolation valves resulted in total leakage rates greater that TS & 10CF50,App J limits.Valves opened & inspected & elastomeric soft valve seats on listed valves replaced.
KACZMAREK,J.F. Illinois Power Co. 95/06/06. 7pp. 84350:108-84350:114.

9506200350 LER 95-005-00:on 950515,RRPs tripped from fast to slow speed due to fault in reactor recirculation control panel +/- 15 volt dc field bus bars.Nest assembly which contained faulty field bus bars replaced w/spare nest assembly.W/950613 ltr.
SANDERS,B., COOK,J.G. Illinois Power Co. 95/06/13. 5pp. 84404:043-84404:047.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9505100248 Requests Commission approval for proposed relocation of backup emergency operations facility to serve facility.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-95-105. 95/04/28. 5pp. 84308:234-84308:238.

9505250343 Staff requirements memo re SECY 95-105 concerning relocation of backup EOF for plant.Commission concurs w/NRC staff plan to approve proposed relocation.
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/16. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84308:239-84308:239.

9506020259 Informs that NRC approved 940616 request re proposed relocation of backup EOF for plant from Beto Inn to Emporia, KS.
BATEMAN,W.H. . 95/05/25. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 3pp. 84165:233-84165:235.

9506070072 Forwards draft rev of applicable portions of plant physical security plan per ref request.Encl withheld.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/05/31. Document Control Branch (Document Control Desk). 1p. 84238:305-84238:305.

9506280432 Transmits changes to Wolf Creek Generating Station Radiological Emergency Response Data Sys Data Point Library.
JOHANNES,R.N. Wolf Creek Nuclear Operating Corp. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84475:357-84475:359.

9506280573 Forwards insp rept 50-482/95-09 on 950511-0602.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/06/22. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84451:341-84451:352.

--9506280583 Insp rept 50-482/95-09 on 950511-0602.No violations noted. Major areas inspected:emergency preparedness area,including followup on corrective actions for previously identified violations & exercise weaknesses.
MURRAY,B. Region 4 (Post 820201). 95/06/21. 7pp. 84451:346-84451:352.

H. General correspondence

9506300282 Requests rev to carbon copy list used by NRC for distribution of correspondence to plant.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/06/27. Document Control Branch (Document Control Desk). 1p. 84522:328-84522:328.

P. Operating license stage documents & correspondence

9506090415 Forwards Amend 87 to License NPF-42 & SE.Amend revises TS to change requirement to sample accumulator after refilling from RWST.
STONE,J.C. . 95/05/30. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 84266:158-84266:168.

--9506090422 Amend 87 to License NPF-42,re changes to TS to revise requirement to sample accumulator after refilling from RWST.
STONE,J.C. . 95/05/30. 5pp. 84266:162-84266:166.

--9506090425 Safety evaluation supporting Amend 87 to License NPF-42.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. 2pp. 84266:167-84266:168.

9506060438 Requests relief per 10CFR50.55a(a)(3) from requirements of ASME Section III,Article NC-7153.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/06/01. Document Control Branch (Document Control Desk). 15pp. 84209:281-84209:295.

9506210408 Application for amend to license NPF-42,revising TS to implement Cycle 9 nuclear & core thermal-hydraulic design methodologies.Proprietary safety evaluation/analysis encl. Proprietary safety evaluation/analysis withheld.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/06/14. Document Control Branch (Document Control Desk). 10pp. 84419:072-84419:118.

--9506210409 Proposed tech specs to implement Cycle 9 nuclear & core thermal-hydraulic design methodologies.
* Wolf Creek Nuclear Operating Corp. 95/06/14. 30pp. 84419:082-84419:111.

--**9506210410** Requests that WCNOC proprietary safety evaluation supporting Cycle 9 reload TS changes be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/24. RUSSELL,W.T. Document Control Branch (Document Control Desk). 7pp. 84419:112-84419:118.

9506290451 Forwards response to GL 95-03, "Circumferential Cracking of SG Tubes."
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/06/23. Document Control Branch (Document Control Desk). 10pp. 84521:160-84521:169.

Q. Inspection reports, IE Bulletins & correspondence

9505300052 Forwards insp rept 50-482/95-01 on 950424-28.Insp consisted of review of qualifications of applicants for operating licenses at plant.
GWYNN,T.P. Region 4 (Post 820201). 95/05/22. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84198:012-84198:202.

--**9506070016** Insp rept 50-482/95-01 on 950424-28.No violations noted. Major areas inspected:qualifications of applicants for senior reactor & reactor operator licenses at plant.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. 150pp. 84198:017-84198:202.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506050042 Forwards corrected page 10 to insp rept 50-482/95-05.
BEACH,A.B. Region 4 (Post 820201). 95/05/30. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84150:073-84150:077.

--**9506050046** Corrected page 10 to insp rept 50-482/95-05.
* Region 4 (Post 820201). 95/05/30. 1p. 84150:077-84150:077.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200010 Lists insps & activities that Region IV plan to perform during next 6 months leading up to next scheduled semiannual plant performance review.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84344:338-84344:342.

9506190330 Forwards response to NRC 950519 ltr re violations noted in insp rept 50-482/95-06.Corrective actions:implementation of several mgt changes within engineering dept.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/06/14. Document Control Branch (Document Control Desk). 7pp. 84387:345-84387:351.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280573 Forwards insp rept 50-482/95-09 on 950511-0602.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/06/22. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84451:341-84451:352.

--**9506280583** Insp rept 50-482/95-09 on 950511-0602.No violations noted. Major areas inspected:emergency preparedness area,including followup on corrective actions for previously identified violations & exercise weaknesses.
MURRAY,B. Region 4 (Post 820201). 95/06/21. 7pp. 84451:346-84451:352.

R. Periodic operating reports & related correspondence

9506190292 Monthly operating rept for May 1995 for Wolf Creek Generating Station.W/ 950614 ltr.
*, MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/05/31. 7pp. 84385:353-84385:359.

S. Reportable occurrences, LERs & related correspondence

9506140325 LER 95-002-00:on 950509,determined that containment penetration breaker NG02BAR131 not tested per TS requirements due to omission of breaker from surveillance TP.Surveillance TP STS MT-024 revised.W/950608 ltr.
FLANNIGAN,R.D., MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/06/08. 5pp. 84337:356-84337:360.

V. Operator Examinations

9505300052 Forwards insp rept 50-482/95-01 on 950424-28.Insp consisted of review of qualifications of applicants for operating licenses at plant.
GWYNN,T.P. Region 4 (Post 820201). 95/05/22. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84198:012-84198:202.

--**9506070016** Insp rept 50-482/95-01 on 950424-28.No violations noted. Major areas inspected:qualifications of applicants for senior reactor & reactor operator licenses at plant.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. 150pp. 84198:017-84198:202.

9506140107 Advises NRC that SRO license holder OA Korbelik has voluntarily terminated employment at plant.Renewal of license will not be requested.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/06/02. Document Control Branch (Document Control Desk). 2pp. 84338:332-84338:333.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506210092 Forwards SALP 12 Rept 50-483/95-01 covering period 930919-950429.Overall performance at plant excellent.
MARTIN,J.B. Region 3 (Post 820201). 95/06/12. SCHNELL,D.F. Union Electric Co. 4pp. 84360:118-84360:126.

--**9506210097** SALP rept 50-483/95-01 for period of 930919-950429.
* Region 3 (Post 820201). 95/06/12. 5pp. 84360:122-84360:126.

P. Operating license stage documents & correspondence

9506130026 Requests for addl info re access authorization & fitness-for-duty issue at facility.Info should be submitted within 30 days.
PEDERSON,C.D. Region 3 (Post 820201). 95/05/26. SCHNELL,D.F. Union Electric Co. 2pp. 84242:046-84242:047.

9506150078 Notification of 950614 meeting w/util in Rockville,MD to discuss licensing status meeting w/NRR Projects & technical staff.
WHARTON,L.R. . 95/05/31. MARCUS,G.H. . 4pp. 84329:288-84329:291.

9506150180 Notification of cancelled 950614 meeting w/util re licensing status meeting w/NRR Projects & technical staff.
WHARTON,L.R. . 95/05/31. MARCUS,G.H. . 3pp. 84306:307-84306:309.

9506230098 Responds to request of 950714,granting plant IST program relief requests for pumps & valves.Forwards supporting BNL TER & SE.
MARCUS,G.H. . 95/06/02. SCHNELL,D.F. Union Electric Co. 4pp. 84421:263-84421:347.

--**9506230129** Safety evaluation supporting granting of plant IST program relief requests for pumps & valves.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/02. 7pp. 84421:267-84421:273.

--**9506230147** "Pump & Valve IST Program,Rev 14,Second Ten-Yr Interval."
DAVIS,J.F., GROVE,E.J., DIBIASIO,A.M. Brookhaven National Laboratory. FIN L-2301. 95/01/31. 73pp. 84421:274-84421:347.

Q. Inspection reports, IE Bulletins & correspondence

9506020291 Forwards RAI on second 10-yr interval inservice insp program plan & associated request for relief.
WHARTON,L.R. . 95/05/23. SCHNELL,D.F. Union Electric Co. 6pp. 84165:281-84165:286.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506090034 Forwards insp rept 50-483/95-06 on 950312-0429 & notice of violation.
FARBER,M.J. Region 3 (Post 820201). 95/05/30. SCHNELL,D.F. Union Electric Co. 2pp. 84207:058-84207:087.

--**9506090038** Notice of violation from insp on 950312-0429.Violation noted:licensee failed to prevent entry of foreign matl into safety-related sys as listed.
* Region 3 (Post 820201). 95/05/30. 2pp. 84207:060-84207:061.

--**9506090040** Insp rept 50-483/95-06 on 950312-0429.Violations noted.Major areas inspected:plant operations,maint/surveillance,onsite engineering,plant support,radiological environ monitoring program & water chemistry control program.
FARBER,M.J. Region 3 (Post 820201). 95/05/30. 2pp. 84207:062-84207:087.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506200113 Informs util of results of insp planning portion of Mar 1995 PPR for plant.Schedule for NRC insp of plant planned for next several months,encl.
AXELSON,W.L. Region 3 (Post 820201). 95/06/07. SCHNELL,D.F. Union Electric Co. 4pp. 84347:286-84347:289.

9506210092 Forwards SALP 12 Rept 50-483/95-01 covering period 930919-950429.Overall performance at plant excellent.
MARTIN,J.B. Region 3 (Post 820201). 95/06/12. SCHNELL,D.F. Union Electric Co. 4pp. 84360:118-84360:126.

--**9506210097** SALP rept 50-483/95-01 for period of 930919-950429.
* Region 3 (Post 820201). 95/06/12. 5pp. 84360:122-84360:126.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506290392 Monthly operating rept for May 1995 for Callaway Plant Unit 1.W/950613 ltr.
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 95/05/31. 7pp. 84500:335-84500:341.

S. Reportable occurrences, LERs & related correspondence

9506010090 PNO-III-95-023:on 950517,Governor of Missouri declared State of Emergency because of flooding affecting evacuation routes.Region III monitoring flooding conditions through periodic consultations w/licensee & FEMA.
MCCORMICK-BARGE, CALDWELL,J. Region 3 (Post 820201). 95/05/18. 1p. 84107:349-84107:349.

9506020130 LER 95-001-00:on 950501,manual reactor trip initiated as result of shutdown bank A,group one dropping into core during replacement of rod control sys firing cord.Procedure ITM-ZZ-00015 revised to provide addl guidance.W/950525 ltr.
BONO,H.D., AFFOLTER,R.D. Union Electric Co. 95/05/25. 5pp. 84198:225-84198:229.

9506070125 Forwards LER 95-002 re missed surveillance of containment purge exhaust sampling valve circuit feed breaker & inoperable fuse due to personnel oversight.
AFFOLTER,R.D. Union Electric Co. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84238:117-84238:122.

--**9506070130** LER 95-002-00:on 950505,TS surveillance 4.8.4.1 of containment purge exhaust sampling valve circuit feed breaker was missed & was inoperable due to personnel oversight.Reviewed penetration containment circuits.
BONO,H.D. Union Electric Co. 95/06/01. 4pp. 84238:119-84238:122.

9506130313 Forwards LER 95-003 concerning missed surveillance of refuel water storage tank protection loop BNLP0933.
AFFOLTER,R.D. Union Electric Co. 95/06/09. Document Control Branch (Document Control Desk). 2pp. 84312:305-84312:309.

--**9506130318** LER 95-003-00:on 910520,TS 4.3.2.1-7.b surveillance of refueling water storage tank protection loop was missed due to cognitive personnel error.Comprehensive review of other surveillance packages for other channels was made.
BONO,H.D. Union Electric Co. 95/06/09. 3pp. 84312:307-84312:309.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9506150343 Forwards samples of Thermo-Lag 330-1,representing seven of eighteen lot numbers previously tested by NEI for chemical consistency utilizing Pyrolysis Gas Chromatography testing.
BANNING,C.A. Vectra Technologies, Inc. 94/03/13. WEST,S. . 2pp. 84329:333-84329:334.

9506290383 Forwards ERDS implementation documents,including data point library updates & plant attribute library changes for plants.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/05/25. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 84491:343-84491:343.

9506160278 Provides update of status of security-related commitments.
GROTH,J.F. Houston Lighting & Power Co. 95/06/08. Document Control Branch (Document Control Desk). 30pp. 84366:044-84366:074.

9506190239 Revised EPIPs,including rev 1 to OERP01-ZV-OS01,rev 2 to OERP01-ZV-EF24,rev 4 to OERP01-ZV-TP02,rev 3 to OERP01-ZV-OS06,rev 5 to OERP01-ZV-IN02,rev 2 to OERP01-ZV-OS04 & rev 2 to OERP01-ZV-EF22.W/950613 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 95/06/13. 172pp. 84377:224-84378:031.

9506280686 Forwards exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for personnel granted unescorted access to protected areas,per util 950327 application to implement hand geometry biometric sys.
ALEXION,T.W. . 95/06/14. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 84469:338-84469:347.

--**9506280693** Exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for personnel granted unescorted access to protected areas,per util 950327 application to implement geometry biometric sys.
HANNON,J.N. . 95/06/14. Houston Lighting & Power Co. 6pp. 84469:342-84469:347.

H. General correspondence

9506090046 Responds to two ltrs dtd 950503,sent to J Lieberman & I Selin re manner in which NRC dealt w/Lamb & Dean in claims against util.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/06. GARTH,S.T. Affiliation Not Assigned. 7pp. 84207:105-84207:124.

--**9506090064** Forwards memo to L Norton in response to request for info re allegation RIV-93-A-0094.
WISE,R. NRC - No Detailed Affiliation Given. 93/10/25. LAMB,D. Affiliation Not Assigned. 1p. 84207:111-84207:111.

--**9506090067** Discusses 930809 memo to J Taylor re alleged safeguards info violation by util attorneys.
MILHOAN,J.L. Region 4 (Post 820201). 93/09/27. NORTON,L. Office of the Inspector General (Post 890417). 12pp. 84207:112-84207:124.

P. Operating license stage documents & correspondence

9506150343 Forwards samples of Thermo-Lag 330-1,representing seven of eighteen lot numbers previously tested by NEI for chemical consistency utilizing Pyrolysis Gas Chromatography testing.
BANNING,C.A. Vectra Technologies, Inc. 94/03/13. WEST,S. . 2pp. 84329:333-84329:334.

9506090285 Submits questions re NRC handling of Messrs,D Lamb & J Dean clains against HL&P numbered 93-ERA-7 & 93-ERA-8.
GARTH,S.T. Affiliation Not Assigned. 95/05/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. 84272:092-84272:099.

9506120330 Inquires about lack of NRC response to author correspondence of 950503.Author requests names,positions & mailing addresses of individuals responsible for responding.
GARTH,S.T. Affiliation Not Assigned. 95/05/10. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 84275:355-84275:355.

9506120338 Requests recipient to advise author re delay in response to author 950503 correspondence.Addl questions re NRC handling of HL&P on-going problems listed.
TANNER,S.T. Affiliation Not Assigned. 95/05/24. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 84272:357-84272:360.

9506020236 Application for amends to licenses NPF-76 & NPF-80, incorporating changes to UFSAR to increase spent fuel pool heat loads.
GROTH,J.F. Houston Lighting & Power Co. 95/05/30. Document Control Branch (Document Control Desk). 80pp. 84180:173-84180:252.

9506120345 Requests response to listed questions raised after telcon w/ J Lieberman.
GARTH,S.T. Affiliation Not Assigned. 95/05/30. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84272:354-84272:356.

9506060340 Application for amends to licenses NPF-76 & NPF-80, relocating TS 3/4.1.2.1 to 3/4.1.2.6 & 3/4.4.2.1 to Technical Requirements Manual,per guidance in Final Policy Statement on TS Improvements for Nuclear Power Reactors.
GROTH,J.F. Houston Lighting & Power Co. 95/05/31. Document Control Branch (Document Control Desk). 15pp. 84196:279-84196:311.

--**9506060347** Proposed tech specs,reflecting relocation of TS 3/4.1.2.1 to 3/4.1.2.6 & 3/4.4.2.1 to Technical Requirements Manual.
* Houston Lighting & Power Co. 95/05/31. 18pp. 84196:294-84196:311.

9506130174 Forwards errata to proposed license amend re increase in spent fuel pool heat loads,including resubmittal of proposed license amend,annotated w/date on which original submittal signed.
MARTIN,L.E. Houston Lighting & Power Co. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84306:102-84306:183.

--**9506130190** Errata to application for amends to licenses NPF-76 & NPF-80 incorporating changes to updated FSAR to reflect increase in spent fuel pool heat loads.
GROTH,J.F. Houston Lighting & Power Co. 95/05/30. Document Control Branch (Document Control Desk). 80pp. 84306:104-84306:183.

9506200261 Submits summary of company's position on issues to be considered at conference,including those addressed in Recommended Decision & Order Of Dept Of Labor Admin Law Judge.
COTTLE,W.T. Houston Lighting & Power Co. 95/06/08. CALLAN,L.J. Region 4 (Post 820201). 3pp. 84404:339-84404:341.

9506200034 Revised notification of licensee meeting w/util in Arlington,TX to discuss apparent violations of employee discrimination requirements.Rev to note 1 to show that meeting open to public.
BEACH,A.B. Region 4 (Post 820201). 95/06/09. Region 4 (Post 820201). 5pp. 84347:337-84347:341.

9506280109 Summary of 950508 meeting w/util re comprehensive risk mgt applications at STP.List of attendees & licensee handout encl.
ALEXION,T.W. . 95/06/09. . 31pp. 84472:223-84472:253.

9506200182 Discusses 950222 meeting w/util re revocation of unescorted access of former instrumentation & controls technician from plant site.
LIEBERMAN,J. Office of State Programs (Post 911117). 95/06/14. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 84349:237-84349:240.

9506210255 Submits response to questions from NRC re implementation of 10CFR50.63, "Loss of all AC Power."
CLONINGER,T.H. Houston Lighting & Power Co. 95/06/14. Document Control Branch (Document Control Desk). 14pp. 84412:297-84412:310.

9506280159 Requests that listed license amend requests be classified as cost beneficial licensing actions.
MARTIN,L.E. Houston Lighting & Power Co. 95/06/22. Document Control Branch (Document Control Desk). 5pp. 84478:308-84478:312.

Q. Inspection reports, IE Bulletins & correspondence

9506120312 Confirms 950515 telcon declining to provide author w/names of persons compiling response to author 950510 inquiries re HL&P.
GARTH,S.T. Affiliation Not Assigned. 95/05/15. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 84279:356-84279:357.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070561 Notification of 950616 enforcement conference in Arlington, TX to discuss apparent violations of employee discrimination requirements.
BEACH,A.B. Region 4 (Post 820201). 95/05/30. Region 4 (Post 820201). 5pp. 84221:352-84221:356.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140117 Provides addl info to J Lieberman 950606 ltr which indicated that NRC staff was consulting w/Commission re merit of conducting 950616 enforcement conference w/HLP.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/12. GARTH,S.T. . 2pp. 84268:042-84268:043.

9506200195 Discusses results of Semiannual Plant Performance Review for all operating power reactors in Region IV.Lists insps & activities Region IV plan to perform during months leading up to next scheduled reivew in Oct 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84347:204-84347:208.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280331 Responds to violations noted in insp repts 50-498/95-08 & 50-499/95-08.Corrective actions:reviewed trending program re instruments not covered by TSs.
CLONINGER,T.H. Houston Lighting & Power Co. 95/06/20. Document Control Branch (Document Control Desk). 8pp. 84480:218-84480:225.

9506280590 Forwards insp repts 50-498/95-10 & 50-499/95-10 on 950426- 0504.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/20. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84452:026-84452:051.

--9506280598 Insp repts 50-498/95-10 & 50-499/95-10 on 950426-0504.No violations noted.Major areas inspected:onsite engineering, maint & operating practices related to recent turbine-driven auxiliary feedwater pump overspeed trips.
COLLINS,E.E. Region 4 (Post 820201). 95/06/07. 21pp. 84452:031-84452:051.

9506280150 Responds to violations noted in insp rept 50-498/95-06. Corrective actions:problem solving discussion seminar conducted w/appropriate supervision.
GROTH,J.F. Houston Lighting & Power Co. 95/06/21. Document Control Branch (Document Control Desk). 5pp. 84478:313-84478:317.

9506300314 Forwards "1RE05 Inservice Insp Summary Rept for Repairs & Replacements for South Texas Project Electric Generating Station,Unit 1."
CLONINGER,T.H. Houston Lighting & Power Co. 95/06/22. Document Control Branch (Document Control Desk). 3pp. 84522:242-84522:261.

--9506300315 "1RE05 Inservice Insp Summary Rept for Repairs & Replacements for South Texas Project Electric Generating Station,Unit 1."
PATHAK,A.P., TIMMARAJU,S., THOMAS,S.E. Houston Lighting & Power Co. 95/06/19. 17pp. 84522:245-84522:261.

9506300004 Forwards insp repts 50-498/95-09 & 50-499/95-09 on 950423-0603.Noncited violations noted.
BEACH,B. Region 4 (Post 820201). 95/06/26. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84470:071-84470:096.

--9506300005 Insp repts 50-498/95-09 & 50-499/95-09 on 950423-0603. Noncited violations noted.Major areas inspected:plant status,onsite followup of events,operational safety verification,maint & surveillance observations.
JOHNSON,W.D. Region 4 (Post 820201). 95/06/22. 21pp. 84470:076-84470:096.

R. Periodic operating reports & related correspondence

9506200045 Monthly operating repts for May 1995 for South Texas Project Units 1 & 2.W/950614 ltr.
HILL,R.L., GROTH,J.F. Houston Lighting & Power Co. 95/05/31. 14pp. 84404:287-84404:300.

U. Congressional/Executive Correspondence

9506070155 Forwards repts of task forces looking into allegations at South Texas Project facility,as stated in 950313 ltr.W/o encls.
RATHBUN,D. Office of Congressional Affairs (Post 911117). 95/04/21. SHUSTER,B. House of Rep. 1p. 84219:238-84219:241.

9506080461 Informs that NRC conducted enforcement conference involving HL&P & has withdrawn NOV & proposed imposition of civil penalty issued on 941026 & advised HL&P.NRC 950505 ltrs to HL&P & R Balcom & W Jump encl.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/19. DELAY,T. House of Rep. 1p. 84381:158-84381:166.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9506150343 Forwards samples of Thermo-Lag 330-1,representing seven of eighteen lot numbers previously tested by NEI for chemical consistency utilizing Pyrolysis Gas Chromatography testing.
BANNING,C.A. Vectra Technologies, Inc. 94/03/13. WEST,S. . 2pp. 84329:333-84329:334.

9506160278 Provides update of status of security-related commitments.
GROTH,J.F. Houston Lighting & Power Co. 95/06/08. Document Control Branch (Document Control Desk). 30pp. 84366:044-84366:074.

9506190239 Revised EPIPs,including rev 1 to OERP01-ZV-OS01,rev 2 to OERP01-ZV-EF24,rev 4 to OERP01-ZV-TP02,rev 3 to OERP01-ZV-OS06,rev 5 to OERP01-ZV-IN02,rev 2 to OERP01-ZV-OS04 & rev 2 to OERP01-ZV-EF22.W/950613 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 95/06/13. 172pp. 84377:224-84378:031.

9506280686 Forwards exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for personnel granted unescorted access to protected areas,per util 950327 application to implement hand geometry biometric sys.
ALEXION,T.W. . 95/06/14. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 84469:338-84469:347.

--9506280693 Exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of badges for personnel granted unescorted access to protected areas,per util 950327 application to implement geometry biometric sys.
HANNON,J.N. . 95/06/14. Houston Lighting & Power Co. 6pp. 84469:342-84469:347.

H. General correspondence

9506090046 Responds to two ltrs dtd 950503,sent to J Lieberman & I Selin re manner in which NRC dealt w/Lamb & Dean in claims against util.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/06. GARTH,S.T. Affiliation Not Assigned. 7pp. 84207:105-84207:124.

--9506090064 Forwards memo to L Norton in response to request for info re allegation RIV-93-A-0094.
WISE,R. NRC - No Detailed Affiliation Given. 93/10/25. LAMB,D. Affiliation Not Assigned. 1p. 84207:111-84207:111.

--9506090067 Discusses 930809 memo to J Taylor re alleged safeguards info violation by util attorneys.
MILHOAN,J.L. Region 4 (Post 820201). 93/09/27. NORTON,L. Office of the Inspector General (Post 890417). 12pp. 84207:112-84207:124.

P. Operating license stage documents & correspondence

9506150343 Forwards samples of Thermo-Lag 330-1,representing seven of eighteen lot numbers previously tested by NEI for chemical consistency utilizing Pyrolysis Gas Chromatography testing.
BANNING,C.A. Vectra Technologies, Inc. 94/03/13. WEST,S. . 2pp. 84329:333-84329:334.

9506090285 Submits questions re NRC handling of Messrs,D Lamb & J Dean clains against HL&P numbered 93-ERA-7 & 93-ERA-8.
GARTH,S.T. Affiliation Not Assigned. 95/05/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. 84272:092-84272:099.

9506120330 Inquires about lack of NRC response to author correspondence of 950503.Author requests names,positions & mailing addresses of individuals responsible for responding.
GARTH,S.T. Affiliation Not Assigned. 95/05/10. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 84275:355-84275:355.

9506050079 Forwards environmental assessement & FONSI re 950316 application for exemption.Exemption would delay next scheduled containment integrated leak rate test for one outage,from fourth refueling outage to fifth outage.
ALEXION,T.W. . 95/05/23. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84173:211-84173:217.

--9506050081 Environ assessment & finding of no significant impact re exemption from requirement of Section III.D.1.(a) of App J to 10CFR50 which requires set of three Type A tests be performed at equal intervals during each 10-year svc period.
KALMAN,G. . 95/05/23. 4pp. 84173:214-84173:217.

9506120338 Requests recipient to advise author re delay in response to author 950503 correspondence.Addl questions re NRC handling of HL&P on-going problems listed.
TANNER,S.T. Affiliation Not Assigned. 95/05/24. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 84272:357-84272:360.

9506020236 Application for amends to licenses NPF-76 & NPF-80, incorporating changes to UFSAR to increase spent fuel pool heat loads.
GROTH,J.F. Houston Lighting & Power Co. 95/05/30. Document Control Branch (Document Control Desk). 80pp. 84180:173-84180:252.

9506120345 Requests response to listed questions raised after telcon w/ J Lieberman.
GARTH,S.T. Affiliation Not Assigned. 95/05/30. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84272:354-84272:356.

9506060340 Application for amends to licenses NPF-76 & NPF-80, relocating TS 3/4.1.2.1 to 3/4.1.2.6 & 3/4.4.2.1 to Technical Requirements Manual,per guidance in Final Policy Statement on TS Improvements for Nuclear Power Reactors.
GROTH,J.F. Houston Lighting & Power Co. 95/05/31. Document Control Branch (Document Control Desk). 15pp. 84196:279-84196:311.

--9506060347 Proposed tech specs,reflecting relocation of TS 3/4.1.2.1 to 3/4.1.2.6 & 3/4.4.2.1 to Technical Requirements Manual.
* Houston Lighting & Power Co. 95/05/31. 18pp. 84196:294-84196:311.

9506130174 Forwards errata to proposed license amend re increase in spent fuel pool heat loads,including resubmittal of proposed license amend,annotated w/date on which original submittal signed.
MARTIN,L.E. Houston Lighting & Power Co. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84306:102-84306:183.

--9506130190 Errata to application for amends to licenses NPF-76 & NPF-80 incorporating changes to updated FSAR to reflect increase in spent fuel pool heat loads.
GROTH,J.F. Houston Lighting & Power Co. 95/05/30. Document Control Branch (Document Control Desk). 80pp. 84306:104-84306:183.

9506200261 Submits summary of company's position on issues to be considered at conference,including those addressed in Recommended Decision & Order Of Dept Of Labor Admin Law Judge.
COTTLE,W.T. Houston Lighting & Power Co. 95/06/08. CALLAN,L.J. Region 4 (Post 820201). 3pp. 84404:339-84404:341.

9506200034 Revised notification of licensee meeting w/util in Arlington,TX to discuss apparent violations of employee discrimination requirements.Rev to note 1 to show that meeting open to public.
BEACH,A.B. Region 4 (Post 820201). 95/06/09. Region 4 (Post 820201). 5pp. 84347:337-84347:341.

9506280109 Summary of 950508 meeting w/util re comprehensive risk mgt applications at STP.List of attendees & licensee handout encl.
ALEXION,T.W. . 95/06/09. . 31pp. 84472:223-84472:253.

9506280521 Informs that Commission had issued exemption from certain requirement of 10CFR50 re performance of CILRT,exemption re application,dtd 950316 to delay next scheduled CILRT for one outage.
ALEXION,T.W. . 95/06/09. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84453:274-84453:281.

--9506280528 Exemption granting one time exemption to permit schedular extension of one cycle for preformance of App J.
HANNON,J.N. . 95/06/09. Houston Lighting & Power Co. 5pp. 84453:277-84453:281.

9506200182 Discusses 950222 meeting w/util re revocation of unescorted access of former instrumentation & controls technician from plant site.
LIEBERMAN,J. Office of State Programs (Post 911117). 95/06/14. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 84349:237-84349:240.

9506210255 Submits response to questions from NRC re implementation of 10CFR50.63, "Loss of all AC Power."
CLONINGER,T.H. Houston Lighting & Power Co. 95/06/14. Document Control Branch (Document Control Desk). 14pp. 84412:297-84412:310.

9506280159 Requests that listed license amend requests be classified as cost beneficial licensing actions.
MARTIN,L.E. Houston Lighting & Power Co. 95/06/22. Document Control Branch (Document Control Desk). 5pp. 84478:308-84478:312.

Q. Inspection reports, IE Bulletins & correspondence

9506120312 Confirms 950515 telcon declining to provide author w/names of persons compiling response to author 950510 inquiries re HL&P.
GARTH,S.T. Affiliation Not Assigned. 95/05/15. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 84279:356-84279:357.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9506070561 Notification of 950616 enforcement conference in Arlington, TX to discuss apparent violations of employee discrimination requirements.
BEACH,A.B. Region 4 (Post 820201). 95/05/30. Region 4 (Post 820201). 5pp. 84221:352-84221:356.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506140117 Provides addl info to J Lieberman 950606 ltr which indicated that NRC staff was consulting w/Commission re merit of conducting 950616 enforcement conference w/HLP.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/06/12. GARTH,S.T. . 2pp. 84268:042-84268:043.

9506200195 Discusses results of Semiannual Plant Performance Review for all operating power reactors in Region IV.Lists insps & activities Region IV plan to perform during months leading up to next scheduled reivew in Oct 1995.
BEACH,A.B. Region 4 (Post 820201). 95/06/12. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84347:204-84347:208.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506280331 Responds to violations noted in insp repts 50-498/95-08 & 50-499/95-08.Corrective actions:reviewed trending program re instruments not covered by TSs.
CLONINGER,T.H. Houston Lighting & Power Co. 95/06/20. Document Control Branch (Document Control Desk). 8pp. 84480:218-84480:225.

9506280590 Forwards insp repts 50-498/95-10 & 50-499/95-10 on 950426- 0504.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/06/20. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84452:026-84452:051.

--9506280598 Insp repts 50-498/95-10 & 50-499/95-10 on 950426-0504.No violations noted.Major areas inspected:onsite engineering, maint & operating practices related to recent turbine-driven auxiliary feedwater pump overspeed trips.
COLLINS,E.E. Region 4 (Post 820201). 95/06/07. 21pp. 84452:031-84452:051.

9506300004 Forwards insp repts 50-498/95-09 & 50-499/95-09 on 950423-0603.Noncited violations noted.
BEACH,B. Region 4 (Post 820201). 95/06/26. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84470:071-84470:096.

--9506300005 Insp repts 50-498/95-09 & 50-499/95-09 on 950423-0603. Noncited violations noted.Major areas inspected:plant status,onsite followup of events,operational safety verification,maint & surveillance observations.
JOHNSON,W.D. Region 4 (Post 820201). 95/06/22. 21pp. 84470:076-84470:096.

R. Periodic operating reports & related correspondence

9506200045 Monthly operating repts for May 1995 for South Texas Project Units 1 & 2.W/950614 ltr.
HILL,R.L., GROTH,J.F. Houston Lighting & Power Co. 95/05/31. 14pp. 84404:287-84404:300.

S. Reportable occurrences, LERs & related correspondence

9506120170 Forwards Rev 1 to LER 95-002 re incorrect application of static shift to pressurizer level channel LT-0467.
GROTH,J.F. Houston Lighting & Power Co. 95/06/05. Document Control Branch (Document Control Desk). 2pp. 84312:104-84312:111.

--9506120173 LER 95-002-01:on 950131,pressurizer level channel LT-0467 was considered inoperable due to use of incorrect calibr correction factor.Provided up-to-date controlled scaling document for affected pressurizer level transmitter.
PINZON,J.M. Houston Lighting & Power Co. 95/03/09. 6pp. 84312:106-84312:111.

9506120177 Forwards Rev 3 to LER 94-005 re inadvertent test-mode starts of standby DGs attributed to electronic noise.
GROTH,J.F. Houston Lighting & Power Co. 95/06/05. Document Control Branch (Document Control Desk). 3pp. 84280:028-84280:037.

--9506120182 LER 94-005-03:on 940607,inadvertent test-mode starts of standby DGs occurred.Due to electronic noise generated by emergency fuel oil solenoid deenergized.Reapaired equipment which replaced parts found to be weak or nonfunctioning.
PINZON,J. Houston Lighting & Power Co. 95/06/05. 7pp. 84280:031-84280:037.

U. Congressional/Executive Correspondence

9506070155 Forwards repts of task forces looking into allegations at South Texas Project facility,as stated in 950313 ltr.W/o encls.
RATHBUN,D. Office of Congressional Affairs (Post 911117). 95/04/21. SHUSTER,B. House of Rep. 1p. 84219:238-84219:241.

9506080461 Informs that NRC conducted enforcement conference involving HL&P & has withdrawn NOV & proposed imposition of civil penalty issued on 941026 & advised HL&P.NRC 950505 ltrs to HL&P & R Balcom & W Jump encl.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/19. DELAY,T. House of Rep. 1p. 84381:158-84381:166.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9506080652 Responds to 950427 ltr re weaknesses noted in insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04.Corrective actions: EPIP-04, "Alert,Site Area & General Emergency Implementing Actions" will be revised.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84227:350-84227:354.

9506130277 Supplements 950406 request to amend TS Section 6.0, "Administrative Controls," including approval to implement improvements recommended in GL 93-07 re emergency & security plans,per telcon w/NRC.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:347-84289:348.

I. Financial information

9506060049 Forwards projected 1995 cash flow statements for PVNGS.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 8pp. 84219:001-84219:120.

--9506060056 "Southern CA Public Power Authority 1993-1994 Annual Rept." W/util rept & financial statements encl.
* Southern California Public Power Authority. 94/12/31. 107pp. 84219:010-84219:120.

J. Insurance & indemnity information

9506060391 Informs that listed endorsements have been forwarded to PVNGS Nuclear Energy Liability Insurance Policies.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84209:269-84209:272.

M. Antitrust correspondence

9506010369 Forwards FERC initial decision re proposed acquisition of EPEC by Central & Southwest Corp,on behalf of Central & Southwest Svcs,Inc.FERC decided that proposed merger consistent w/public interest subj to conditions.W/o encl.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/10. BORCHARDT,W. . 3pp. 84184:152-84184:154.

9506010383 Forwards Form 8-K rept Central & Southwest Corp (CWS) submitted to Securities & Exchange Commission on 950523.Form 8-K rept contains CWS 950523 ltr,identifying EPEC matl breaches of certain representations,warranties & covenants.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/26. BORCHARDT,W. . 11pp. 84184:155-84184:165.

9506190321 Discusses AZPS,EPEC consideration of indirect transfer of control of ownership of license & opportunity for public comment on antitrust issues.Form 8-K rept Central & South West Corp submitted electronically on 950609 encl.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/06/14. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 11pp. 84386:313-84386:323.

P. Operating license stage documents & correspondence

9506020170 Withdraws degraded voltage relay setting values provided in 931230 proposed amends to TS Section 3/4.3.2,changes to line VIII(B) of Table 3.3-4 & change to line 11 of Table 3.3-5.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84181:342-84181:343.

9506020217 Forwards description of lead test assembly burnup for NRC info.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/24. Document Control Branch (Document Control Desk). 4pp. 84181:348-84181:351.

9506020270 Forwards amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends delete condenser vacuum release point ref on figure 5.1-3 & combines w/plant vent exhaust release point on revised figure 5.1-3.
THOMAS,C.R. . 95/05/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84165:142-84165:166.

--9506020358 Amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74, respectively.Amends delete condenser vacuum exhaust release point reference on figure 5.1-3.
THOMAS,C.R. . 95/05/25. 12pp. 84165:146-84165:163.

--9506020365 Safety evaluation supporting amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/25. 3pp. 84165:164-84165:166.

9506230112 Forwards amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74 & safety evaluation.Amends revise limiting condition for operation 3.4.8.3 & surveillance requirements 4.4.8.3.1, "Overpressure Protection Sys."
HOLIAN,B.E. . 95/06/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84414:289-84414:321.

--9506230121 Amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising LCO 3.4.8.3 & surveillance requirement 4.4.8.3.1, "Overpressure Protection Sys."
HOLIAN,B.E. . 95/06/02. 20pp. 84414:292-84414:316.

--9506230125 Safety evaluation supporting amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/02. 4pp. 84414:317-84414:321.

9506130277 Supplements 950406 request to amend TS Section 6.0, "Administrative Controls," including approval to implement improvements recommended in GL 93-07 re emergency & security plans,per telcon w/NRC.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:347-84289:348.

9506230342 Summary of 950330 meeting w/representatives of APS re fuel mgt issues.List of attendees & handouts encl.
HOLIAN,B.E. . 95/06/09. . 34pp. 84448:001-84448:034.

9506210386 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS Sections 3.5.1,3.5.2,3.7.11,3/4.8.1.1 & bases to extend AOTs for SIT,LPSI subtrain & EDG & adding bases for extended AOTs,consistent w/NUREG-1366 & GL 93-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/13. Document Control Branch (Document Control Desk). 9pp. 84417:196-84418:044.

--9506210389 Proposed TS Sections 3.5.1,3.5.2,3.7.11,3/4.8.1.1 & bases, extending AOTs for SIT,LPSI subtrain & EDG & adding bases for extended AOTs.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/13. 63pp. 84417:205-84417:267.

--9506210402 "Joint Applications Rept for SIT AOT/SIT Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. CE NPSD-994. 95/05/31. 81pp. 84417:268-84417:348.

--9506210405 "Joint Applications Rept for EDGs AOT Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. CE NPSD-996. 95/05/31. 60pp. 84417:349-84418:044.

9506220221 Notification of 950628 meeting w/util in Rockville,MD re Palo Verde nuclear generating station units 1,2 & 3 reactor power uprate plans.
HOLIAN,B.E. . 95/06/13. BATEMAN,W.H. . 3pp. 84415:001-84415:004.

9506290367 Summary of 950523 meeting w/util at plant re graded QA initiatives.
PERALTA,J. . 95/06/13. BLACK,S.C. . 62pp. 84491:281-84491:342.

9506280640 Forwards amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74,respectively.Amends revise TS bases 3/4.7.5, "UHS," to describe UHS as containing 26-day supply of cooling water instead of 27-day supply.
HOLIAN,B.E. . 95/06/14. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84453:337-84453:358.

--9506280650 Amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising TS bases 3/4.7.5, "UHS," to describe UHS as containing 26-day supply of cooling water instead of 27-day supply.
HOLIAN,B.E. . 95/06/14. 15pp. 84453:341-84453:355.

--9506280656 Safety evaluation supporting amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 3pp. 84453:356-84453:358.

9506290123 Informs of delay in installation of CR radio communication backup batteries until 950915.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/20. Document Control Branch (Document Control Desk). 1p. 84483:194-84483:194.

9506290417 Application for amends to licenses NPF-41,NPF-51 & NPF-74, modifying Tables 3.3-4 & 3.3-5 of Section 3/4.3.2 of ESFA sys instrumentation.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/21. Document Control Branch (Document Control Desk). 7pp. 84500:323-84500:334.

--9506290421 Proposed tech specs,modifying Tables 3.3-4 & 3.3-5 of Section 3/4.3.2 of ESFA sys instrumentation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/21. 5pp. 84500:330-84500:334.

9506290334 Notification of 950712 meeting w/APS in Rockville,MD to discuss Palo Verde steam generator tube eddy current results & cycle length.
HOLIAN,B.E. . 95/06/23. BATEMAN,W.H. . 4pp. 84474:018-84474:021.

Q. Inspection reports, IE Bulletins & correspondence

9506020415 Special rept 1-SR-95-001:on 950511,ISI of SGs completed resulting in plugging of 39 tubes in SG 1 & 109 tubes in SG 2.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84182:226-84182:227.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506080652 Responds to 950427 ltr re weaknesses noted in insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04.Corrective actions: EPIP-04, "Alert,Site Area & General Emergency Implementing Actions" will be revised.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84227:350-84227:354.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506130442 Responds to NRC 950512 ltr re deviation noted in insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06.Corrective actions: GTG operating procedures (55OP-0GT01 & 55OP-0GT02) revised & simplified.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/09. Document Control Branch (Document Control Desk). 8pp. 84303:334-84303:341.

9506210002 Submits semiannual plant performance review schedule through Oct 1995 for plants in Region IV & informs that no addl procedures added to planned insp.
BEACH,A.B. Region 4 (Post 820201). 95/06/13. STEWART,W.L. Arizona, State of. 5pp. 84357:032-84357:036.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160350 Forwards monthly operating for May 1995 & revised rept for Apr 1995.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/08. Document Control Branch (Document Control Desk). 1p. 84366:096-84366:114.

--9506160352 Monthly operating repts for May 1995 for Palo Verde Nuclear Generating Station.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/31. 16pp. 84366:097-84366:112.

--9506160353 Revised monthly operating rept for Apr 1995 for PVNGS.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/30. 2pp. 84366:113-84366:114.

S. Reportable occurrences, LERs & related correspondence

9506130452 LER 95-007-00:on 950512,determined that bench settings of air-operated letdown & containment isolation valves adversely affected ability of valves to perform 10CFR50,App R function.Affected isolation valves modified.W/950609 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/09. 9pp. 84312:275-84312:283.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9506080652 Responds to 950427 ltr re weaknesses noted in insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04.Corrective actions: EPIP-04, "Alert,Site Area & General Emergency Implementing Actions" will be revised.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84227:350-84227:354.

9506130277 Supplements 950406 request to amend TS Section 6.0, "Administrative Controls," including approval to implement improvements recommended in GL 93-07 re emergency & security plans,per telcon w/NRC.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:347-84289:348.

I. Financial information

9506060049 Forwards projected 1995 cash flow statements for PVNGS.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 8pp. 84219:001-84219:120.

J. Insurance & indemnity information

9506060391 Informs that listed endorsements have been forwarded to PVNGS Nuclear Energy Liability Insurance Policies.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84209:269-84209:272.

M. Antitrust correspondence

9506010369 Forwards FERC initial decision re proposed acquisition of EPEC by Central & Southwest Corp,on behalf of Central & Southwest Svcs,Inc.FERC decided that proposed merger consistent w/public interest subj to conditions.W/o encl.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/10. BORCHARDT,W. . 3pp. 84184:152-84184:154.

9506010383 Forwards Form 8-K rept Central & Southwest Corp (CWS) submitted to Securities & Exchange Commission on 950523.Form 8-K rept contains CWS 950523 ltr,identifying EPEC matl breaches of certain representations,warranties & covenants.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/26. BORCHARDT,W. . 11pp. 84184:155-84184:165.

9506190321 Discusses AZPS,EPEC consideration of indirect transfer of control of ownership of license & opportunity for public comment on antitrust issues.Form 8-K rept Central & South West Corp submitted electronically on 950609 encl.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/06/14. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 11pp. 84386:313-84386:323.

P. Operating license stage documents & correspondence

9506020170 Withdraws degraded voltage relay setting values provided in 931230 proposed amends to TS Section 3/4.3.2,changes to line VIII(B) of Table 3.3-4 & change to line 11 of Table 3.3-5.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84181:342-84181:343.

9506020270 Forwards amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends delete condenser vacuum release point ref on figure 5.1-3 & combines w/plant vent exhaust release point on revised figure 5.1-3.
THOMAS,C.R. . 95/05/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84165:142-84165:166.

--9506020358 Amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74, respectively.Amends delete condenser vacuum exhaust release point reference on figure 5.1-3.
THOMAS,C.R. . 95/05/25. 12pp. 84165:146-84165:163.

--9506020365 Safety evaluation supporting amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/25. 3pp. 84165:164-84165:166.

9506230112 Forwards amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74 & safety evaluation.Amends revise limiting condition for operation 3.4.8.3 & surveillance requirements 4.4.8.3.1, "Overpressure Protection Sys."
HOLIAN,B.E. . 95/06/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84414:289-84414:321.

--9506230121 Amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising LCO 3.4.8.3 & surveillance requirement 4.4.8.3.1, "Overpressure Protection Sys."
HOLIAN,B.E. . 95/06/02. 20pp. 84414:292-84414:316.

--9506230125 Safety evaluation supporting amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/02. 4pp. 84414:317-84414:321.

9506130277 Supplements 950406 request to amend TS Section 6.0, "Administrative Controls," including approval to implement improvements recommended in GL 93-07 re emergency & security plans,per telcon w/NRC.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:347-84289:348.

9506230342 Summary of 950330 meeting w/representatives of APS re fuel mgt issues.List of attendees & handouts encl.
HOLIAN,B.E. . 95/06/09. . 34pp. 84448:001-84448:034.

9506210386 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS Sections 3.5.1,3.5.2,3.7.11,3/4.8.1.1 & bases to extend AOTs for SIT,LPSI subtrain & EDG & adding bases for extended AOTs,consistent w/NUREG-1366 & GL 93-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/13. Document Control Branch (Document Control Desk). 9pp. 84417:196-84418:044.

--9506210389 Proposed TS Sections 3.5.1,3.5.2,3.7.11,3/4.8.1.1 & bases, extending AOTs for SIT,LPSI subtrain & EDG & adding bases for extended AOTs.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/13. 63pp. 84417:205-84417:267.

9506220221 Notification of 950628 meeting w/util in Rockville,MD re Palo Verde nuclear generating station units 1,2 & 3 reactor power uprate plans.
HOLIAN,B.E. . 95/06/13. BATEMAN,W.H. . 3pp. 84415:001-84415:004.

9506290367 Summary of 950523 meeting w/util at plant re graded QA initiatives.
PERALTA,J. . 95/06/13. BLACK,S.C. . 62pp. 84491:281-84491:342.

9506280640 Forwards amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74,respectively.Amends revise TS bases 3/4.7.5, "UHS," to describe UHS as containing 26-day supply of cooling water instead of 27-day supply.
HOLIAN,B.E. . 95/06/14. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84453:337-84453:358.

--9506280650 Amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising TS bases 3/4.7.5, "UHS," to describe UHS as containing 26-day supply of cooling water instead of 27-day supply.
HOLIAN,B.E. . 95/06/14. 15pp. 84453:341-84453:355.

--**9506280656** Safety evaluation supporting amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 3pp. 84453:356-84453:358.

9506290123 Informs of delay in installation of CR radio communication backup batteries until 950915.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/20. Document Control Branch (Document Control Desk). 1p. 84483:194-84483:194.

9506290417 Application for amends to licenses NPF-41,NPF-51 & NPF-74, modifying Tables 3.3-4 & 3.3-5 of Section 3/4.3.2 of ESFA sys instrumentation.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/21. Document Control Branch (Document Control Desk). 7pp. 84500:323-84500:334.

--**9506290421** Proposed tech specs,modifying Tables 3.3-4 & 3.3-5 of Section 3/4.3.2 of ESFA sys instrumentation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/21. 5pp. 84500:330-84500:334.

9506290334 Notification of 950712 meeting w/APS in Rockville,MD to discuss Palo Verde steam generator tube eddy current results & cycle length.
HOLIAN,B.E. . 95/06/23. BATEMAN,W.H. . 4pp. 84474:018-84474:021.

Q. Inspection reports, IE Bulletins & correspondence

9506020226 Responds to NRC 950425 ltr re violation noted in insp rept 50-529/95-08 on 950306-10.Corrective actions:significant condition investigation conducted & start-up strainers removed from containment spray sys in Unit 2.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/24. Document Control Branch (Document Control Desk). 10pp. 84182:236-84182:245.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506080652 Responds to 950427 ltr re weaknesses noted in insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04.Corrective actions: EPIP-04, "Alert,Site Area & General Emergency Implementing Actions" will be revised.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84227:350-84227:354.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506130442 Responds to NRC 950512 ltr re deviation noted in insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06.Corrective actions: GTG operating procedures (55OP-0GT01 & 55OP-0GT02) revised & simplified.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/09. Document Control Branch (Document Control Desk). 8pp. 84303:334-84303:341.

9506210002 Submits semiannual plant performance review schedule through Oct 1995 for plants in Region IV & informs that no addl procedures added to planned insp.
BEACH,A.B. Region 4 (Post 820201). 95/06/13. STEWART,W.L. Arizona, State of. 5pp. 84357:032-84357:036.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160350 Forwards monthly operating for May 1995 & revised rept for Apr 1995.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/08. Document Control Branch (Document Control Desk). 1p. 84366:096-84366:114.

--**9506160352** Monthly operating repts for May 1995 for Palo Verde Nuclear Generating Station.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/31. 16pp. 84366:097-84366:112.

S. Reportable occurrences, LERs & related correspondence

9506290258 LER 95-002-00:on 950519,TS LCO 3.1.2.2 & LCO 3.1.2.4 action statements not met.Caused by an unsatisfactory swagelok compression at union of flexible tubing & rigid tubing. Pressure transmitter sensing line repaired.W/950617 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/17. 7pp. 84506:278-84506:284.

9506290286 Forwards LER 95-001 re train A containment spray sys inoperable for more than 72 h due to inoperable isolation valve in sys.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/22. Document Control Branch (Document Control Desk). 1p. 84506:289-84506:295.

--**9506290308** LER 95-001-00:on 940817,containment spray TS violation occurred due to unrecognized valve failed.Issued night order on 940831 to alert CR personnel to problems experienced w/failed 2JSIAUV664 to close 940817.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/22. 6pp. 84506:290-84506:295.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9506080652 Responds to 950427 ltr re weaknesses noted in insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04.Corrective actions: EPIP-04, "Alert,Site Area & General Emergency Implementing Actions" will be revised.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84227:350-84227:354.

9506130277 Supplements 950406 request to amend TS Section 6.0, "Administrative Controls," including approval to implement improvements recommended in GL 93-07 re emergency & security plans,per telcon w/NRC.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:347-84289:348.

I. Financial information

9506060049 Forwards projected 1995 cash flow statements for PVNGS.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 8pp. 84219:001-84219:120.

J. Insurance & indemnity information

9506060391 Informs that listed endorsements have been forwarded to PVNGS Nuclear Energy Liability Insurance Policies.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84209:269-84209:272.

M. Antitrust correspondence

9506010369 Forwards FERC initial decision re proposed acquisition of EPEC by Central & Southwest Corp,on behalf of Central & Southwest Svcs,Inc.FERC decided that proposed merger consistent w/public interest subj to conditions.W/o encl.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/10. BORCHARDT,W. . 3pp. 84184:152-84184:154.

9506010383 Forwards Form 8-K rept Central & Southwest Corp (CWS) submitted to Securities & Exchange Commission on 950523.Form 8-K rept contains CWS 950523 ltr,identifying EPEC matl breaches of certain representations,warranties & covenants.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/26. BORCHARDT,W. . 11pp. 84184:155-84184:165.

9506190321 Discusses AZPS,EPEC consideration of indirect transfer of control of ownership of license & opportunity for public comment on antitrust issues.Form 8-K rept Central & South West Corp submitted electronically on 950609 encl.
FLANIGAN,T.E. Central & South West Services,Inc. FLANIGAN,T.E. Jones, Day, Reavis & Pogue. 95/06/14. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 11pp. 84386:313-84386:323.

P. Operating license stage documents & correspondence

9506020170 Withdraws degraded voltage relay setting values provided in 931230 proposed amends to TS Section 3/4.3.2,changes to line VIII(B) of Table 3.3-4 & change to line 11 of Table 3.3-5.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84181:342-84181:343.

9506020270 Forwards amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74,respectively & SE.Amends delete condenser vacuum release point ref on figure 5.1-3 & combines w/plant vent exhaust release point on revised figure 5.1-3.
THOMAS,C.R. . 95/05/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84165:142-84165:166.

--**9506020358** Amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74, respectively.Amends delete condenser vacuum exhaust release point reference on figure 5.1-3.
THOMAS,C.R. . 95/05/25. 12pp. 84165:146-84165:163.

--**9506020365** Safety evaluation supporting amends 91,79 & 62 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/25. 3pp. 84165:164-84165:166.

9506230112 Forwards amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74 & safety evaluation.Amends revise limiting condition for operation 3.4.8.3 & surveillance requirements 4.4.8.3.1, "Overpressure Protection Sys."
HOLIAN,B.E. . 95/06/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 84414:289-84414:321.

--**9506230121** Amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising LCO 3.4.8.3 & surveillance requirement 4.4.8.3.1, "Overpressure Protection Sys."
HOLIAN,B.E. . 95/06/02. 20pp. 84414:292-84414:316.

--**9506230125** Safety evaluation supporting amends 92,80 & 63 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/02. 4pp. 84414:317-84414:321.

9506130277 Supplements 950406 request to amend TS Section 6.0, "Administrative Controls," including approval to implement improvements recommended in GL 93-07 re emergency & security plans,per telcon w/NRC.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:347-84289:348.

9506230342 Summary of 950330 meeting w/representatives of APS re fuel mgt issues.List of attendees & handouts encl.
HOLIAN,B.E. . 95/06/09. . 34pp. 84448:001-84448:034.

9506210386 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS Sections 3.5.1,3.5.2,3.7.11,3/4.8.1.1 & bases to extend AOTs for SIT,LPSI subtrain & EDG & adding bases for extended AOTs,consistent w/NUREG-1366 & GL 93-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/13. Document Control Branch (Document Control Desk). 9pp. 84417:196-84418:044.

--**9506210389** Proposed TS Sections 3.5.1,3.5.2,3.7.11,3/4.8.1.1 & bases, extending AOTs for SIT,LPSI subtrain & EDG & adding bases for extended AOTs.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/13. 63pp. 84417:205-84417:267.

9506220221 Notification of 950628 meeting w/util in Rockville,MD re Palo Verde nuclear generating station units 1,2 & 3 reactor power uprate plans.
HOLIAN,B.E. . 95/06/13. BATEMAN,W.H. . 3pp. 84415:001-84415:004.

9506290367 Summary of 950523 meeting w/util at plant re graded QA initiatives.
PERALTA,J. . 95/06/13. BLACK,S.C. . 62pp. 84491:281-84491:342.

9506280640 Forwards amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74,respectively.Amends revise TS bases 3/4.7.5, "UHS," to describe UHS as containing 26-day supply of cooling water instead of 27-day supply.
HOLIAN,B.E. . 95/06/14. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 84453:337-84453:358.

--**9506280650** Amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74, respectively,revising TS bases 3/4.7.5, "UHS," to describe UHS as containing 26-day supply of cooling water instead of 27-day supply.
HOLIAN,B.E. . 95/06/14. 15pp. 84453:341-84453:355.

--**9506280656** Safety evaluation supporting amends 93,81 & 64 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. 3pp. 84453:356-84453:358.

9506290123 Informs of delay in installation of CR radio communication backup batteries until 950915.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/20. Document Control Branch (Document Control Desk). 1p. 84483:194-84483:194.

9506290417 Application for amends to licenses NPF-41,NPF-51 & NPF-74, modifying Tables 3.3-4 & 3.3-5 of Section 3/4.3.2 of ESFA sys instrumentation.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/21. Document Control Branch (Document Control Desk). 7pp. 84500:323-84500:334.

--**9506290421** Proposed tech specs,modifying Tables 3.3-4 & 3.3-5 of Section 3/4.3.2 of ESFA sys instrumentation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/21. 5pp. 84500:330-84500:334.

9506290423 Requests schedular exemption from 10CFR50 App J.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/21. Document Control Branch (Document Control Desk). 8pp. 84506:354-84506:361.

9506290334 Notification of 950712 meeting w/APS in Rockville,MD to discuss Palo Verde steam generator tube eddy current results & cycle length.
HOLIAN,B.E. . 95/06/23. BATEMAN,W.H. . 4pp. 84474:018-84474:021.

Q. Inspection reports, IE Bulletins & correspondence

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506080652 Responds to 950427 ltr re weaknesses noted in insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04.Corrective actions: EPIP-04, "Alert,Site Area & General Emergency Implementing Actions" will be revised.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/01. Document Control Branch (Document Control Desk). 5pp. 84227:350-84227:354.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506160130 Forwards "PVNGS Unit 3 M5 SG EC Exam Mid-Cycle Outage Dec 1994." Unit 3 SGs inspected during months of Nov & Dec 1994, EC testing technology comprised of both bobbin coil probe & motorized rotating pancake coil probe.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/07. Document Control Branch (Document Control Desk). 1p. 84370:195-84370:327.

--**9506160136** "PVNGS Unit 3 M5 SG Eddy Current Exam Mid-Cycle Outage Dec 1994."
BROWN,C.T. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/05. 132pp. 84370:196-84370:327.

9506130442 Responds to NRC 950512 ltr re deviation noted in insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06.Corrective actions: GTG operating procedures (55OP-0GT01 & 55OP-0GT02) revised & simplified.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/09. Document Control Branch (Document Control Desk). 8pp. 84303:334-84303:341.

9506210002 Submits semiannual plant performance review schedule through Oct 1995 for plants in Region IV & informs that no addl procedures added to planned insp.
BEACH,A.B. Region 4 (Post 820201). 95/06/13. STEWART,W.L. Arizona, State of. 5pp. 84357:032-84357:036.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

R. Periodic operating reports & related correspondence

9506160350 Forwards monthly operating for May 1995 & revised rept for Apr 1995.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/06/08. Document Control Branch (Document Control Desk). 1p. 84366:096-84366:114.

--**9506160352** Monthly operating repts for May 1995 for Palo Verde Nuclear Generating Station.
FULTON,J.D. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/31. 16pp. 84366:097-84366:112.

--**9506160353** Revised monthly operating rept for Apr 1995 for PVNGS.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/30. 2pp. 84366:113-84366:114.

DOCKET 50-602 UNIV. OF TEXAS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9506290186 Submits info re control of access to radiation in beams.
WEHRING,B.W. Texas, Univ. of, Austin, TX. 95/06/21. WEISS,S.H. . 9pp. 84499:343-84499:351.

Q. Inspection reports, IE Bulletins & correspondence

9506230036 Ack receipt of 950524 ltr informing NRC of steps taken to correct violations noted in insp rept 50-602/95-01 on 950317-21.
SCARANO,R.A. Region 4 (Post 820201). 95/06/19. WEHRING,B.W. Texas, Univ. of, Austin, TX. 4pp. 84475:022-84475:031.

DOCKET 50-606 ARKANSAS TECH UNIV., UNIT 1

A. Application/construction stage documents & correspondence

9506020317 Forwards notice of withdrawal of application for const permit & FOL,per request dtd 950410.
ADAMS,A. . 95/05/24. BROWN,R.C. Arkansas Tech Univ., Russellville, AR. 3pp. 84165:271-84165:274.

--**9506020320** Notice of withdrawal of application for const permit & FOL.
WEISS,S.H. . 95/05/24. 1p. 84165:274-84165:274.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9506080489 Forwards revised effective page listing for ABWR Design Control Document.
FOX,J.N. General Electric Co. 95/05/31. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 7pp. 84226:353-84226:359.

9506290246 Notification of 950621 meeting w/NEI in Rockville,MD to respond to questions from industry representatives on proposed design certification rules for ABWR & Sys 80+ designs.
WILSON,J.N. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/06/21. QUAY,T.R. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 4pp. 84474:011-84474:014.

9506050262 Forwards transcript of 950511 public meeting on design certification.
SCALETTI,D. Standardization Project Directorate (PDST) (Post 941001). 95/05/24. Standardization Project Directorate (PDST) (Post 941001). 1p. 84173:307-84173:340.

--**9506050273** Transcript of 950511 public meeting in Rockville,MD re design certification rulemaking.
* NRC - No Detailed Affiliation Given. 95/05/11. 32pp. 84173:308-84173:340.

DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

9506070441 Notification of 950613 meeting w/ABB & C-E in Rockville,MD to discuss credit for boron in spent fuel pool water.
KOPP,L. . 95/05/23. JONES,R. . 2pp. 84204:217-84204:218.

9506200146 Proposes to respond to RAIs on GE TR NEDE-32177P, "TRACG Computer Code Qualification," dtd Jan 1993 in three groups as indicated in attachment.
QUINN,J.E. General Electric Co. 95/06/14. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 11pp. 84404:303-84404:313.

9506290246 Notification of 950621 meeting w/NEI in Rockville,MD to respond to questions from industry representatives on proposed design certification rules for ABWR & Sys 80+ designs.
WILSON,J.N. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/06/21. QUAY,T.R. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 4pp. 84474:011-84474:014.

9506050262 Forwards transcript of 950511 public meeting on design certification.
SCALETTI,D. Standardization Project Directorate (PDST) (Post 941001). 95/05/24. Standardization Project Directorate (PDST) (Post 941001). 1p. 84173:307-84173:340.

--**9506050273** Transcript of 950511 public meeting in Rockville,MD re design certification rulemaking.
* NRC - No Detailed Affiliation Given. 95/05/11. 32pp. 84173:308-84173:340.

9506010182 Forwards FR notice re proposed amends to Commission regulations for commercial nuclear power plants,adding new App B to 10CFR52 which will when promulgated certify Sys 80+ std design submitted by Asea Brown Boveri-C-E.W/o encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 95/04/04. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. 84172:331-84172:333.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9506010291 Forwards diskette containing file w/ORIGEN code output for AP600 requested by RAI 470.22.Advises that because input included,file considered proprietary.Diskette withheld from public disclosure,per 10CF9.17(a)(4).
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/23. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84184:006-84184:016.

--**9506010300** Requests that diskette containing file w/ORIGEN code output for AP600 be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/23. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84184:010-84184:016.

9506200355 Accepts license 950324 & 31 ltrs,requesting that proprietary info in WCAP-14309, "AP600 Design Certification Program, SPES-2 Tests Final Data Rept," be withheld from public disclosure.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/23. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84375:357-84375:359.

9506020228 Responds to 950324 request for NRC to withhold info in WCAP-14303, "Facility Description Rept,AP600..." from public disclosure (ref 10CFR2.790).Rept will be withheld based on review of listed reasons.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/25. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84165:333-84165:335.

9506020395 Notice of 950620 meeting w/Westinghouse in Rockville,MD to discuss design changes to chemical addition sys for pH control & pH calculations.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/25. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 3pp. 84146:114-84146:116.

9506020401 Advises that WCAP-14326, "Experimental Basis for AP600 Containment Vessel Heat & Mass Transfer Correlations" will be withheld from public disclosure (ref 10CFR2.790),per 950413 request.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/25. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84146:117-84146:119.

9506020370 Summary of 950523 telconference w/Westinghouse re issues pertaining to AP600 TS.List of participants & related matls encl.
SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/05/26. Standardization Project Directorate (PDST) (Post 941001). 11pp. 84146:103-84146:113.

9506220245 Requests removal of E Stegbauer from distribution lists for AP600 & SBWR projects.
WILSON,J.H., KENYON,T.J. Standardization Project Directorate (PDST) (Post 941001). 95/05/30. LANHAM,D. Office of Information Resources Management (Post 890205). 1p. 84393:359-84393:359.

9506020504 Forwards rept providing current Westinghouse status of open items in Nov 1994 DSER on AP600,in response to commitment to respond to all DSER open items by 950531.Requests that NRC review rept & provide feedback by 950612.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/31. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 84209:001-84209:253.

--**9506020506** "AP600 Design Certification Review DSER Open Item Status."
* Westinghouse Electric Corp. 95/05/31. 251pp. 84209:003-84209:253.

9506090172 Forwards draft deliverables, "Assessing Impact of Thermal/ Hydraulic Uncertainty on AP600 PRA Success Criteria" & App A, "MAAP4 Analysis to Success Criteria" of Rev 2 of AP600 PRA.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/31. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 84275:021-84275:123.

--**9506090180** Draft AP600 Thermal/Hydraulic uncertainty assessment, "Assessing Impact of Thermal/Hydraulic Uncertainty on AP600 PRA Success Criteria."
* Westinghouse Electric Corp. 95/05/31. 18pp. 84275:023-84275:040.

--**9506090183** Draft App A, "MAAP4 Analysis to Support Success Criteria" of Rev 2 of AP600 PRA.
* Westinghouse Electric Corp. 95/05/31. 83pp. 84275:041-84275:123.

9506120356 Forwards proprietary WCAP-14371 & nonproprietary WCAP-14372, "AP600 Low Flow Critical Heat Flux (CHF) Test Data Analysis." Proprietary WCAP-14371 withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/31. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84311:001-84311:041.

--**9506120358** Requests that proprietary version of rept, "AP600 Low Flow Critical Heat Flux (CHF) Test Data" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/31. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84311:005-84311:011.

--**9506120360** Nonproprietary "AP600 Low Flow Critical Heat Flux (CHF) Test Data Analysis."
OLSON,C.A., SMITH,L.D., SUNG,Y. Westinghouse Electric Corp. WCAP-14372 R00. 95/05/31. 31pp. 84311:012-84311:041.

9506200397 Informs that NRC has ruled WCAP-14270, "AP600 Low Pressure Integral Systems test at Oregon State Univ,Facility Scaling Rept," proprietary & will be withheld from public disclosure.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/31. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84360:352-84360:355.

9506220077 Informs that Westinghouse 941213 ltr which requested that rept WCAP-14215, "AP600 Core Makeup Tank Test Analysis," be withheld from public disclosure,granted.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/31. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84404:173-84404:176.

9506140118 Provides info re RV internals vibrations in response to NRC RAI during 950510 meeting w/NRC Staff.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/01. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 84339:021-84339:023.

9506210095 Forwards proprietary Rev 3 of SSAR.Rev represents reduction in amount of proprietary info in SSAR.Rev 3 of SSAR withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/01. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84404:245-84404:257.

--**9506210103** Requests that proprietary Rev 3 of SSAR be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/01. Document Control Branch (Document Control Desk). 9pp. 84404:249-84404:257.

9506130102 Forwards preliminary marked up sections of AP600 SSAR Chapter 15.Proprietary portion withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/02. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84317:315-84319:283.

--**9506130107** Requests that proprietary portions of preliminary markups of AP600 SSAR Chapter 15 be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/02. QUAY,T.R. Document Control Branch (Document Control Desk). 693pp. 84317:319-84319:283.

9506150068 Forwards AP600 PRA electronic computer files requested by NRC during 941020 meeting.Files represent rev 3 PRA model.W/ disk encl.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/02. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 84352:348-84352:350.

9506150100 Forwards proprietary & nonproprietary versions of PCS-T2C-059, "Analysis of AP600 Wind Tunnel Testing for PCS Heat Removal." Proprietary version of analysis withheld from public dislosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/02. Document Control Branch (Document Control Desk). 3pp. 84364:023-84364:071.

--**9506150109** Requests that proprietary version of PCS-T2C-059, "Analysis of AP600 Wind Tunnel Testing for PCS Heat Removal" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/02. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84364:027-84364:033.

--**9506150113** Nonproprietary "Analysis of AP600 Wind Tunnel Testing for PCS Heat Removal."
NARULA,J.S. Westinghouse Electric Corp. PCS-T2C-059 R00. 95/05/31. 38pp. 84364:034-84364:071.

9506160125 Forwards draft Rev 4 of Section 3.7 of AP600 SSAR for discussion at meeting on seismic & structural issues during wk of 950612-16.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/02. QUAY,T.R. Document Control Branch (Document Control Desk). 102pp. 84370:091-84370:194.

9506210358 Forwards two Westinghouse draft documents which describe elements of AP600 human factors engineering program.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/02. Standardization Project Directorate (PDST) (Post 941001). 16pp. 84403:178-84403:193.

9506210372 Forwards NRC comments on descriptions of milestones for Westinghouse program to resolve issue of passive sys performance reliability.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/06/02. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84379:353-84379:356.

9506220065 Summary of 950515 telcon w/Westinghouse & INEL re AP600 probabilistic risk assessment issues.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/02. Standardization Project Directorate (PDST) (Post 941001). 6pp. 84404:183-84404:188.

9506120468 Summary of 950503-04 meeting w/W in Rockville,MD re AP600 I&C TS.List of attendees & summary of discussion encl.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/05. Standardization Project Directorate (PDST) (Post 941001). 12pp. 84266:278-84266:289.

9506150076 Forwards proprietary listing of input required for confirmatory SASSI analysis,including update of 3D lumped mass stick model of nuclear island structures & soil properties for soft-to-medium profile.Listing withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/06. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84364:012-84364:022.

--9506150081 Requests that proprietary listing of input for confirmatory SASSI analysis be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/06. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84364:016-84364:022.

9506200399 Summary of 950329 meeting w/Westinghouse in Rockville,MD re RTNSS for AP600 design.
ARCHITZEL,R.E. Standardization Project Directorate (PDST) (Post 941001). 95/06/06. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84378:341-84378:344.

9506210229 Requests that JE Quinn provide written authorization to allow ECN to provide NRC w/existing RELAP5/MOD3 PANDA deck.
WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001). 95/06/06. QUINN,J.E. General Electric Co. 3pp. 84379:357-84379:359.

9506230014 Informs that NRC unable to support requested meetings to discuss advanced PWR fire protection & electrical design regulatory issues.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/06/07. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84409:307-84409:309.

9506160042 Notification of 950621 meeting w/W in Rockville,MD re Technical Support Ctr & control room habitability.Agenda encl.
JACKSON,D.T. Standardization Project Directorate (PDST) (Post 941001). 95/06/08. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84329:357-84329:360.

9506210179 Forwards W comments on draft policy paper re technical issues re W AP600 standard pressurized reactor design.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/06/09. Document Control Branch (Document Control Desk). 6pp. 84413:106-84413:117.

--9506210183 Forwards comments on PR 10CFR50,52 & 100, "Reactor Site Criteria Including Seismic & Earthquake Engineering Criteria for Nuclear Plants."
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/02. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 84413:112-84413:117.

9506230188 Provides some guidance on process for closure of AP600 issues.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/06/09. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84421:356-84421:359.

9506230197 Provides guidance on preparation of DCD for Westinghouse AP600 design.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/06/09. LIPARULO,N.J. Westinghouse Electric Corp. 10pp. 84422:267-84422:276.

9506220097 Forwards W proprietary rept MT01-GSR-011, "AP600 Notrump Core Makeup Tank Preliminary Validation Rept for 500-Series Natural Circulation Tests."
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/12. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84439:347-84439:357.

--9506220104 Requests that W rept, "AP600 Notrump Core Makeup Tank Preliminary Validation Rept for 500 Series Natural Circulation Tests," be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/13. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84439:351-84439:357.

9506280439 Notifies of meeting w/W in Monroeville,PA to discuss passive containment cooling for AP600 design.W/agenda.
COYNE,K.A. Standardization Project Directorate (PDST) (Post 941001). 95/06/12. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 5pp. 84449:346-84449:350.

9506220087 Forwards AP600 thermal/hydraulic uncertainty deliverables for Tasks 1 & 4.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/14. QUAY,T.R. Document Control Branch (Document Control Desk). 17pp. 84436:304-84436:320.

9506280456 Summary of 950615 meeting w/Westinghouse in Monroeville,PA re accident dose calculations for AP600 design.List of attendees,meeting agenda,Westinghouse & NRC handouts encl.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/06/15. Standardization Project Directorate (PDST) (Post 941001). 24pp. 84448:312-84448:335.

9506290121 Forwards staff comments on results of completion of tasks 2 & 3 for Westinghouse evaluation to resolve passive sys performance reliability issue on AP600.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/06/15. LIPARULO,N.J. Westinghouse Electric Corp. 11pp. 84487:224-84487:234.

9506290249 Advises that W has placed copy of procurement specification used in an actual Delta 75 SG procurement in W Rockville Nuclear Licensing Ctr.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/06/19. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 84498:082-84498:082.

9506290399 Summarizes 950512 telcon w/Westinghouse to address DSER open items involving AP600 electrical power sys.List of individual participating in telcon & summary of discussion & action item commitments made during telcon encl.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/19. Standardization Project Directorate (PDST) (Post 941001). 12pp. 84474:024-84474:035.

9506300245 Responds to 950403 & 0523 requests to withhold listed diskettes re direct vessel injection & ORGIEN computer code from public disclosure.Request granted.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/06/19. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 84488:356-84488:360.

9506300275 Responds to 950413 request to withhold listed repts, including RCS-T2R-110,from public disclosure.Request granted.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/06/19. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84493:272-84493:275.

9506280083 Summary of 950515-16 meeting w/representatives of W in Monroeville,PA re AP600 I&C DSER open items.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/20. Standardization Project Directorate (PDST) (Post 941001). 35pp. 84471:173-84471:207.

9506290055 Provides response to revised certification of financial assurance for decommissioning.Informs that total dollar amount was increased to $70,342,000.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/20. HOLMES,B.G. Westinghouse Electric Corp. 2pp. 84537:255-84537:256.

9506280566 Notification of 950629 meeting w/util in Monroeville,PA re issues concerning AP600 design.
KENYON,T.J. . 95/06/22. QUAY,T.R. . 4pp. 84471:287-84471:290.

9506300049 Forwards proprietary WCAP-14305, "AP600 Test Program ADS Phase B1 Test Analysis Rept." Rept withheld ref 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/23. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84537:318-84537:328.

--9506300052 Requests that WCAP-14305, "AP600 Test Program ADS Phase B1 Test Analysis Rept," be withheld re 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/23. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84537:322-84537:328.

9506300262 Summary of 950516-17 meeting w/Westinghouse Electric Corp in Monroeville,PA re questions on AP600 Thermal hydraulic codes LOFTRAN & NOTRUMP.List of attendees,summary of comments & meeting handouts encl.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/23. Standardization Project Directorate (PDST) (Post 941001). 19pp. 84511:231-84511:251.

9506230014 Informs that NRC unable to support requested meetings to discuss advanced PWR fire protection & electrical design regulatory issues.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/06/07. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84409:307-84409:309.

9506160526 Forwards Rev 0 to "AP600 Emergency Response Guidelines."
LIPARULO,N.J. Westinghouse Electric Corp. 95/06/13. Document Control Branch (Document Control Desk). 1p. 84367:001-84367:250.

--9506160533 "AP600 Emergency Response Guidelines."
* Westinghouse Electric Corp. 95/05/31. 249pp. 84367:002-84367:250.

9506010465 Forwards draft Commission paper on policy & technical issues associated w/RTNSS in passive plant design.Document redistributed due to missing pages.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/02. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 35pp. 84146:001-84146:036.

9506220266 Summary of 422nd meeting of ACRS on 950608-10 re proposed Commission paper on staff positions on technical issues re Westinghouse AP600 standardized passive reactor design.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/06/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 84436:217-84436:221.

9506300021 Staff requirements memo re meeting w/ACRS to discuss T/H issues,status of Westinghouse AP600 design review,regulatory analysis guidelines,application of risk analysis RM,proposed final rule on TSs,cracking & fatigue in nuclear components.
BATES,A.L. Office of the Secretary of the Commission. 95/06/16. NRC - No Detailed Affiliation Given. 2pp. 84510:333-84510:334.

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9506020305 Forwards request for addl info re GE response to NRC request for addl sys integral testing at GIRAFFE test facility. Advises that request for info to be withheld in NEDC-32391P does not contain info to be treated as proprietary.
WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001). 95/05/24. QUINN,J.E. General Electric Co. 5pp. 84146:098-84146:102.

9506020242 Requests for addl info re SBWR design Q901.75-Q901.160. Written response to encl questions should be provided within 30 days of ltr date.
WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001). 95/05/25. QUINN,J.E. General Electric Co. 16pp. 84165:312-84165:327.

9506220245 Requests removal of E Stegbauer from distribution lists for AP600 & SBWR projects.
WILSON,J.H., KENYON,T.J. Standardization Project Directorate (PDST) (Post 941001). 95/05/30. LANHAM,D. Office of Information Resources Management (Post 890205). 1p. 84393:359-84393:359.

9506140319 Trip rept of 950514 visit to Paul Scherrer Institute re testing status of PANDA testing program.
KUDRICK,J.A. . 95/06/01. HOLAHAN,G.M. . 5pp. 84313:045-84313:050.

9506070006 Requests written NRC concurrence w/scope of GIRAFFE sys interaction test.
QUINN,J.E. General Electric Co. 95/06/02. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 2pp. 84238:308-84238:309.

9506130116 Provides SBWR updated affidavit for encl to GE ltr MFN 039-95.
QUINN,J.E. General Electric Co. 95/06/09. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 84297:281-84297:285.

9506230264 Notification of 950619 meeting w/DOE,GE Nuclear Energy & EPRI in Germantown,MD to discuss documentation & schedule of review of SBWR TAPD.
WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001). 95/06/09. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84422:352-84422:355.

9506230130 Submits encl to replace affidavits for encls to GE ltrs MFN 034-95 & 63-95.
QUINN,J.E. General Electric Co. 95/06/20. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 8pp. 84472:352-84472:359.

9506230116 Forwards listed SIET documents re PANTHERS IC facility including test plan.W/two oversize drawings.
QUINN,J.E. General Electric Co. 95/06/21. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 3pp. 84535:254-84535:359.

--9506230122 "PANTHERS-IC Test Plan." W/two oversize drawings.
BOTTI,S. Italy, Govt. of. 00396RI95 R00. 95/06/16. 101pp. 84535:257-84535:359.

9506280285 Forwards responses to GIRAFFE sys integral testing RAIs 900.96-900.101.
QUINN,J.E. General Electric Co. 95/06/23. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 8pp. 84480:297-84480:304.

9506010465 Forwards draft Commission paper on policy & technical issues associated w/RTNSS in passive plant design.Document redistributed due to missing pages.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/02. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 35pp. 84146:001-84146:036.

DOCKET DOCKET UNKNOWN

9506140033 Forwards insp rept 70-0839/95-01 on 950424.No radiation levels above background detected & no indications of radioactive contamination found.
KINNEMAN,J.D. Region 1 (Post 820201). 95/05/17. BIGGLEY,W. Johns Hopkins Univ., Baltimore, MD. 3pp. 84267:133-84267:139.

--9506140040 Insp rept 70-0839/95-01 on 950424.No radiation levels above background detected & no indications of radioactive contamination found.Major areas inspected:Carlyle Barton lab,Johns Hopkins Homewood Campus.
HOLMES,S.W., KINNEMAN,J.D. Region 1 (Post 820201). 95/05/17. 4pp. 84267:136-84267:139.

9506050094 Ack receipt of 950407 ltr transmitting AAR Corp response to NRC 950112 comments re site characterization plan & Figures 2.1.1-3 & 5.2.2.4-1 & Tables 5.2.2.1-1 & 10-1.NRC list of addl recommended changes encl.
LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/23. SKELLY,T. Affiliation Not Assigned. 3pp. 84209:329-84209:331.

9506280485 Requests to obtain determination whether environmental rept is required to be submittal along w/application to possess special nuclear material described below.
COLE,L.W. Affiliation Not Assigned. 95/06/08. TOKAR,M. Licensing Branch. 2pp. 84475:237-84475:238.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),

9506120549 Forwards safety insp rept 70-0008/95-01 on 950306-10.No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/06/02. CASTLEBERRY,V. Battelle Memorial Institute, Columbus Laboratories. 2pp. 84282:292-84282:343.

--9506120550 Insp rept 70-0008/95-01 on 950306-10.No violations noted. Major areas inspected:ongoing decontamination & decommissioning (D&D) activities & related D&D radiation safety program.
MCCANN,G.M., NULL,K.G., LEE,P.J. Region 3 (Post 820201). 95/06/02. 50pp. 84282:294-84282:343.

DOCKET 70-0025 ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA

9506190151 Informs NRC of intent to dispose of several structural items from Rockwell Intl Hot Lab at conventional disposal facility.
BARNES,J.G. Rockwell International Corp. 95/05/11. HOOKER,C. Walnut Creek Field Ofc, R4 (Post 940404). 5pp. 84367:350-84367:354.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9506020402 Requests that license condition S-4 be deleted.
OLSEN,A.F. Babcock & Wilcox Co. 95/05/22. PIERSON,R.C. Licensing Branch. 3pp. 84181:358-84181:360.

9506150125 Discusses review of 941215 ltr & encl rept,RPTWR 94-032, "Radiological Characterization of Industrial Landfills,Phase II."
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/22. PIERSON,R.C. Licensing Branch. 4pp. 84313:136-84313:138.

9506020039 Trip rept of 950410-12 visit to B&W Naval Nuclear Fuel Div (NNFD) re exam of nuclear criticality safety program.
KLASKY,M. Licensing Branch. 95/05/24. PIERSON,R.C. Licensing Branch. 1p. 84196:262-84196:262.

9506010046 Forwards insp rept 70-0027/95-07 on 950401-28.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/25. CONNER,J.A. Babcock & Wilcox Co. 2pp. 84107:113-84107:120.

--9506010049 Insp rept 70-0027/95-07 on 950401-28.No violations noted. Major areas inspected:mgt organization,facility operations & maint,radiation protection,nuclear criticality safety, security & safeguards & matl control & accountability.
ELLIOTT,M.P., TROUP,G.L., MCALPINE,E.J. Region 2 (Post 820201). 95/05/24. 6pp. 84107:115-84107:120.

9506010223 Informs of repeal of violation 94-202-03.
TING,P. Operations Branch. 95/05/26. CONNER,J.A. Babcock & Wilcox Co. 1p. 84184:003-84184:003.

9506010276 Advises of error in NRC-approved code used for LOCA EM applications on B&W-designed plants.
TAYLOR,J.H. Babcock & Wilcox Co. 95/05/26. Document Control Branch (Document Control Desk). 3pp. 84172:301-84172:303.

9506190423 Informs that listed items of encl to B&W 941120 ltr being handled together & that based on preliminary calculations, addl engineered barriers being considered to assure limit compliance w/less reliance on administrative controls.
OLSEN,A.F. Babcock & Wilcox Co. 95/05/30. Region 2 (Post 820201). 1p. 84404:224-84404:224.

9506090022 Ack receipt of 950526 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/95-06.
COLLINS,D.M. Region 2 (Post 820201). 95/06/01. CONNER,J.A. Babcock & Wilcox Co. 1p. 84207:034-84207:034.

9506090123 Forwards amend 68 to license SNM-42 & safety evaluation. Amend revises Safeguards Condition SG-5.1.
PIERSON,R. Licensing Branch. 95/06/01. OLSEN,A.F. Babcock & Wilcox Co. 2pp. 84249:281-84249:295.

--9506090126 Amend 68 to license SNM-42 for Babcock & Wilcox Co Naval Nuclear Fuel Div.Amend incorporates changes to licensee Fundamental Nuclear Matl Control Plan.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/31. 11pp. 84249:283-84249:293.

--9506090130 Safety evaluation approving amend 68 to license SNM-42 for Babcock & Wilcox Co Naval Nuclear Fuel Div.
* Office of Nuclear Material Safety & Safeguards. 95/06/01. 2pp. 84249:294-84249:295.

9506200041 Forwards insp rept 70-0027/95-12 on 950501-05 & notice of violation.Violation of NRC concern because release of info re presumptive positive urinalysis violates confidentiality of employees medical records.
COLLINS,D.M. Region 2 (Post 820201). 95/06/01. CONNER,J.A. Babcock & Wilcox Co. 3pp. 84349:227-84349:236.

--9506200046 Notice of violation from insp on 950501-05.Violations noted:on 940429 & 950109,licensee mgt had been notified of results of presumptive positive tests prior to Medical Review Officer reviewing results w/employees.
* Region 2 (Post 820201). 95/06/01. 2pp. 84349:230-84349:231.

--9506200050 Insp rept 70-0027/95-12 on 950501-05.Violations noted.Major areas inspected:licensee fitness for duty program re policy & procedures,training,collection site process, sanctions & appeals & audits.
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 95/05/30. 5pp. 84349:232-84349:236.

9506090145 Advises that NRC staff has determined that const of 580 square foot addition to Chop Shop (15A) will not significantly affect quality of environ.NRC has no objection to const of addition.
EMEIGH,C.W. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/02. OLSEN,A.F. Babcock & Wilcox Co. 1p. 84249:308-84249:308.

9506200214 Forwards insp rept 70-0027/95-08 on 950501-05.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/06/02. CONNER,J.A. Babcock & Wilcox Co. 2pp. 84346:352-84346:354.

--9506200226 Partially withheld insp rept 70-0027/95-08 on 950501-05 (ref 10CFR95).No violations or deviations noted.Major areas inspected:interior alarms,intrusion detection sys,matl access area barriers & preventive maint.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/05/31. 1p. 84346:354-84346:354.

9506160485 Application for amend to License SNM-42,replacing Safety & Safeguards Dept w/Security & Nuclear Matls Control Dept & Environ,Safety & Health Dept.
OLSEN,A.F. Babcock & Wilcox Co. 95/06/06. PIERSON,R.C. Licensing Branch. 36pp. 84366:190-84366:225.

9506140194 Forwards amend 69 to license SNM-42,deleting safety condition S-4.
PIERSON,R.C. Licensing Branch. 95/06/08. OLSEN,A.F. Babcock & Wilcox Co. 1p. 84356:349-84356:361.

--9506140197 Amend 69 to license SNM-42 for B&W,deleting safety condition S-4.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/08. 11pp. 84356:350-84356:360.

--9506140209 SER accepting proposed changes re deletion of safety condition S-4.
* Office of Nuclear Material Safety & Safeguards. 95/06/08. 1p. 84356:361-84356:361.

9506150043 Forwards amend 70 to license SNM-42,authorizing revs to emergency plan.
PIERSON,R.C. Licensing Branch. 95/06/09. OLSEN,A.F. Babcock & Wilcox Co. 1p. 84339:070-84339:083.

--9506150046 Amend 70 to license SNM-42 for B&W CO,authorizing revs to emergency plan.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/09. 11pp. 84339:071-84339:081.

--9506150048 SER accepting amend 70 to license SNM-42.
* Office of Nuclear Reactor Regulation (Post 941001). 95/06/09. 2pp. 84339:082-84339:083.

9506150173 Forwards RAI as result of NRC review of listed documents re characterization of U landfills.
FLACK,E.D. Licensing Branch. 95/06/09. OLSEN,A.F. Babcock & Wilcox Co. 3pp. 84352:331-84352:333.

9506150177 Requests technical assistance in reviewing B&W financial assurance for licenses listed.
PIERSON,R. Licensing Branch. 95/06/09. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84339:084-84339:091.

9506190073 Forwards B&W Naval Nuclear Fuel Div Nov/Apr 1995 physical inventory,which began on 950425.NRC Form 327 attached.Encls withheld.
SUWALA,M.C. Babcock & Wilcox Co. 95/06/09. PIERSON,R.C. Licensing Branch. 2pp. 84386:301-84386:302.

9506150270 Forwards RAI re 950224 license renewal request.Addl info specified in encl should be provided within 30 days from date of ltr.
FLACK,E.D. Licensing Branch. 95/06/12. OLSEN,A.F. Babcock & Wilcox Co. 6pp. 84340:303-84340:308.

9506280071 Forwards insp rept 70-0027/95-10 on 950429-0602 & notice of violation.
COLLINS,D.M. Region 2 (Post 820201). 95/06/20. CONNER,J.A. Babcock & Wilcox Co. 3pp. 84441:156-84441:172.

--9506280091 Notice of violation from insp on 950429-0602.Violation noted:LER released for operation containing design changes to sys design that were neither submitted as revs to LER nor documented as having been included in NCS analysis.
* Region 2 (Post 820201). 95/06/20. 2pp. 84441:159-84441:160.

--9506280098 Insp rept 70-0027/95-10 on 950429-0602.Violations noted. Major areas inspected:selected records,interviews w/ personnel & direct observation of work activities in areas of mgt organization,security & safeguards.
ELLIOTT,M.P., TROUP,G.L., BASSETT,C.H. Region 2 (Post 820201). 95/06/20. 12pp. 84441:161-84441:172.

9506280453 Forwards list of applicable pages for Emergency Plan which were not forwarded w/950518 plan.
OLSEN,A.F. Babcock & Wilcox Co. 95/06/20. PIERSON,R.C. Licensing Branch. 1p. 84476:349-84476:355.

--9506280618 Lists table of applicable pages to Emergency Plan.
* Babcock & Wilcox Co. 95/05/18. 6pp. 84476:350-84476:355.

9506300036 Forwards six revised Form 327 for June/Oct 1994 physical inventory.Encl withheld.
SUWALA,M.C. Babcock & Wilcox Co. 95/06/21. PIERSON,R.C. Licensing Branch. 2pp. 84518:357-84518:358.

9506300119 Forwards upgraded & expanded criteria which B&W plans to use for classification & notification guidance when evaluating situations which may be subject to NRC Bulletin 91-001,as stated in 950526 response to notice of violation.
OLSEN,A.F. Babcock & Wilcox Co. 95/06/21. PIERSON,R.C. Licensing Branch. 5pp. 84523:340-84523:344.

DOCKET 70-0033 TEXAS INSTRUMENTS, INC., ATTLEBORO, MA

9506190209 Notice of receipt of amend request for decommissioning Texas Instruments,Inc,site in Attleboro,MA and opportunity for hearing.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/11. 4pp. 84349:339-84349:342.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9506010551 Submits correction to SER for Amend 2 to License SNM-33, reflecting safety-related responsibilities held by two Focused Factory Managers assumed by Manager of Ceramic Mfg.
SOONG,S. Licensing Branch. 95/05/25. Licensing Branch. 2pp. 84184:241-84184:242.

9506140088 Forwards insp rept 70-0036/95-02 on 950508-25.No violations or deviations noted.
SHEAR,G.L. Region 3 (Post 820201). 95/06/05. JUNKRANS,S.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 84267:290-84267:299.

--9506140091 Insp rept 70-0036/95-02 on 950508-25.Violations noted.Major areas inspected:license & license conditions,mgt organization & controls,operator training/retraining criticality safety & radiation protection.
JACOBSON,J.M., SHEAR,G.L. Region 3 (Post 820201). 95/06/05. 8pp. 84267:292-84267:299.

9506300028 Lists addl info State of MO would like to review prior to issuing const permit,in regard to application & plans received 950413,for const of sludge de-watering facility at Hematite Plant in Jefferson County,MO.
HAAG,T.A. Missouri, State of. 95/06/12. GRISCOM,R. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 84527:182-84527:183.

DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH

9506020097 Forwards revised "Site Characterization Survey/Termination Survey,Remediation & Health & Safety Plan."
LICKFIELD,K.W. Sevenson Environmental Services, Inc. 94/09/15. LENTZ,J.J. NRC - No Detailed Affiliation Given. 1p. 84182:001-84182:107.

--9506020105 Revised "Site Characterization Survey/Termination Survey, Remediation & Health & Safety Plan."
* Sevenson Environmental Services, Inc. 94/09/15. 100pp. 84182:002-84182:107.

9506120102 Advises that NRC has completed review of characterization/ termination survey & authorizes start of site characterization.Concerns re flow chart listed & discussed.
LENTZ,J.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/01. LICKFIELD,K.W. Affiliation Not Assigned. 5pp. 84307:316-84307:320.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9506290237 Forwards rept, "Characterization Survey of Ash Lagoon & Adjacent Property Kiski Valley Water Pollution Control Authority (KVWPCA)...," documenting results of addl site characterization NRC conducted at KVWPCA treatment plant.
ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/05. KOSSAK,R.N. . 4pp. 84496:254-84496:300.

--9506290241 "Characterization Survey of Ash Lagoon & Adjacent Property Kiski Valley Water Pollution Control Authority Leechburg, PA," final rept.
PAYNE,J.L. Oak Ridge Associated Universities. FIN A-9093. 95/05/05. Region 1 (Post 820201). 43pp. 84496:258-84496:300.

9506150177 Requests technical assistance in reviewing B&W financial assurance for licenses listed.
PIERSON,R. Licensing Branch. 95/06/09. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84339:084-84339:091.

9506290171 Forwards ORNL final "Description of Proposed Action & Alternatives (DOPAA)" dtd May 1995,as stated in 950531 Parks Township info meeting.W/o encl.
ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/19. . 2pp. 84521:185-84521:186.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9506230384 Cancels 920812 application for amend to license SNM-124 for purifying matl on potential new business,since NFS did not contract for processing activity.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/04/11. PIERSON,R.C. Licensing Branch. 1p. 84457:349-84457:349.

9506020010 Forwards summary of T Cox recent visit to facility & discusses options re license condition S-2 re safety analysis requirements.
PIERSON,R.C. Licensing Branch. 95/05/23. MAXIN,A.M. Nuclear Fuel Services, Inc. 1p. 84196:274-84196:278.

--9506020014 Trip rept of 950425 visit to Nuclear Fuel Svcs,Inc in Erwin, TN re current activities & possible new business activities that might require NRC licensing actions.List of attendees encl.
COX,T. Licensing Branch. 95/05/23. PIERSON,R.C. Licensing Branch. 4pp. 84196:275-84196:278.

9506010123 Requests confirmation that annual auditing of DHHS labs required.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/05/24. PIERSON,R.C. Licensing Branch. 2pp. 84175:358-84175:360.

9506070317 Requests 30-day extension to one-year interval date for submittal until 950709 re license condition S-57.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/05/31. PIERSON,R.C. Licensing Branch. 1p. 84219:203-84219:203.

9506140144 Forwards high enriched U matl balances for operating period 941025-950425.Encl withheld per 10CFR2.790(d).
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/06/05. PIERSON,R.C. Licensing Branch. 1p. 84364:143-84364:143.

9506150108 Grants 950531 request for 30 day extension to 950709 to submit 1995 update.
PIERSON,R.C. Licensing Branch. 95/06/07. MAXIN,A.M. Nuclear Fuel Services, Inc. 1p. 84352:322-84352:322.

9506280016 Forwards insp rept 70-0143/95-03 on 950522-26.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/06/19. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 84441:048-84441:067.

--9506280019 Insp rept 70-0143/95-03 on 950522-26.No violations noted. Major areas inspected:environ monitoring program,effluent controls & mgt.
GLOERSEN,W.B., MCALPINE,E.J. Region 2 (Post 820201). 95/06/16. 18pp. 84441:050-84441:067.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9506120126 Forwards rept re comments received during scoping meeting held on 950126 in Parks Township for BW Shallow Land Disposal Area EIS.
ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/25. Affiliation Not Assigned. 1p. 84273:268-84273:319.

--9506120136 "EIS Scoping Process Summary Rept," re decommissioning of BW Shallow Land Disposal Area in Parks Township,PA.
* NRC - No Detailed Affiliation Given. 95/05/31. 51pp. 84273:269-84273:319.

9506130435 Forwards three copies of final description of proposed action & alternatives for decommissioning Parks Township Shallow Land Disposal Area.W/o encls.
ENSMINGER,J.T. Oak Ridge Associated Universities. 95/05/26. ASTWOOD,H. Office of Nuclear Material Safety & Safeguards. 2pp. 84300:358-84300:359.

9506090288 Forwards comments on B&W remediation proposal rept for Parks Township Shallow Land Disposal Area,transmitted by B&W 940930 ltr.
ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/30. ROSENTHAL,P.R. Babcock & Wilcox Co. 14pp. 84268:337-84268:350.

9506050283 Submits info re decontamination of former Hot Cell in bldg A of Parks Township facility.
SGARLATA,D.K. Babcock & Wilcox Co. 95/05/31. LAMASTRA,M.A. Licensing Branch. 83pp. 84193:001-84193:084.

9506210170 Forwards "Parks Shallow Land Disposal Area Studies for Geochemical Parameters," as advised during 950213 meeting.
ROSENTHAL,P.R. Babcock & Wilcox Co. 95/06/06. ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84412:311-84412:358.

--9506210172 "Parks Shallow Land Disposal Area Studies for Geochemical Parameters."
* Babcock & Wilcox Co. * Atlantic Richfield Co. (ARCO). 95/05/31. 46pp. 84412:313-84412:358.

9506210175 Forwards "Draft Annotated Outline EIS Parks Township Shallow Land Disposal Area."
ENSMINGER,J.T. Oak Ridge National Laboratory. 95/06/08. ASTWOOD,H. Office of Nuclear Material Safety & Safeguards. 1p. 84413:050-84413:105.

--**9506210178** "Draft Annotated Outline EIS Parks Township Shallow Land Disposal Area."
* Oak Ridge National Laboratory. 95/06/30, 55pp. 84413:051-84413:105.

9506150177 Requests technical assistance in reviewing B&W financial assurance for licenses listed.
PIERSON,R. Licensing Branch. 95/06/09. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84339:084-84339:091.

9506200459 Requests technical assistance in reviewing B&W 950531 ltr re Parks Township,Bldg A hot cell decontamination.
PIERSON,R. Licensing Branch. 95/06/14. JOYNER,J.H. Region 1 (Post 820201). 1p. 84406:358-84406:358.

9506210132 Advises that confirmatory survey should be performed prior to deconstruction of hot cell to ensure contamination levels meet release limits.
PIERSON,R.C. Licensing Branch. 95/06/15. SGARLATA,D.K. Babcock & Wilcox Co. 1p. 84419:125-84419:125.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9506280473 Forwards revised rept, "Review of Status of Criticality Safety & Possibility of Criticality Accidents at General Atomics," as result of discussions w/NRC.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/05/13. GASKIN,C.E. Licensing Branch. 2pp. 84493:001-84493:025.

--**9506280479** Revised "Review of Status of Criticality Safety & Possibility of Criticality Accidents at General Atomics."
MALAKHOF,V. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/04/30. 20pp. 84493:003-84493:025.

9506060176 Forwards "Radiological Survey for Group 6 Labs,Bldg 2 General Atomics San Diego,CA," final rept.Survey performed during period of 950213-14 to determine radiological status of labs relative to NRC guidelines.
ADAMS,W.C. Oak Ridge Associated Universities. 95/05/19. CHANEY,D. Walnut Creek Field Ofc, R4 (Post 940404). 1p. 84202:293-84202:338.

--**9506060184** "Radiological Survey for Group 6 Labs,Bldg 2 General Atomics San Diego,CA," final rept.
ADAMS,W.C. Oak Ridge Associated Universities. FIN A-9076. ORISE 95/E-19. 95/05/04. Walnut Creek Field Ofc, R4 (Post 940404). 43pp. 84202:294-84202:338.

9506300237 Forwards proprietary SNM physical inventory summary repts reflecting plant activity for period ending 950515.Encl withheld.
WISHAM,C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/06/13. PIERSON,R.C. Licensing Branch. 1p. 84522:311-84522:311.

DOCKET 70-0820 UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER

9506150019 Attempts to clarify recent change in EPA policy re certain sites listed on Superfund program inventory of known & suspected hazardous waste disposal sites.
HAYES,S.M. Environmental Protection Agency. 95/05/31. United Nuclear Corp. (subs. of UNC, Inc.). 3pp. 84340:281-84340:284.

9506290398 Informs that NRC is preparing to terminate license issued to United Nuclear Corp,Naval Products for activities at Wood River Junction Site in Charlestown,RI.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/06/25. LUSTIG,S. Environmental Protection Agency. 7pp. 84521:187-84521:193.

DOCKET 70-0903 UNITED NUCLEAR CORP., ELMSFORD, NY

9506060013 Informs that results of review of proposed Decommissioning Plan for former Harshaw Chemical Building Plant "C" acceptable w/exception that Comment 2 had not been addressed by response.
SNELL,W.G. Region 3 (Post 820201). 95/05/26. POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 1p. 84165:044-84165:044.

9506060033 Forwards documentation re decommissioning of Chevron Chemical Co plant "C",per telecon 950523.Informs of telecon on 950608 w/Chevron in Lisle,IL.
SNELL,W.G. Region 3 (Post 820201). 95/05/26. BAER,D. Ohio, State of. 1p. 84165:046-84165:046.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9506050069 Forwards interim rept on confirmatory survey of south U yard remediation at Kerr-McGee Cimarron facility in Cresent,OK.
ABELQUIST,E.W. Oak Ridge Associated Universities. 95/05/18. FAUVER,D. Division of Waste Management (NMSS 940403). 20pp. 84183:183-84183:202.

9506090065 Discusses 950424-25 confirmatory survey of south yard area on Cimaron site.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/31. LARSON,J. Kerr-McGee Corp. 4pp. 84249:330-84249:333.

9506090068 Advises that NRC aproves Cimarron Corp request to place soil in stockpile 3 into on-site disposal cell.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/31. LARSON,J. Kerr-McGee Corp. 1p. 84249:311-84249:311.

9506150142 Forwards resume of K Morgan per D Fauver request.
LARSEN,J. Cimarron Corp. 95/06/05. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 84340:278-84340:280.

DOCKET 70-1068 FLORIDA, UNIV. OF, GAINESVILLE, FL

9506140396 Forwards renewed license SNM-1050,renewing license for 5-yr term expiring 000630.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/08. VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 1p. 84338:153-84338:166.

--**9506140398** Renewed license SNM-1050 for Univ of FL.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/08. 6pp. 84338:154-84338:159.

--**9506140399** SER supporting renewed license SNM-1050.
* Office of Nuclear Material Safety & Safeguards. 95/06/08. 7pp. 84338:160-84338:166.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9506020053 Forwards amend 42 to license SNM-1067 & SER.Amend authorizes revs to decommissioning plan for Bldg 17/21 Complex.
PIERSON,R.C. Licensing Branch. 95/05/30. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 84196:249-84196:258.

--**9506020056** Amend 42 to license SNM-1067 for C-E,authorizing revs to decommissioning plan for Building 17/21 Complex.
PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/30. 6pp. 84196:251-84196:256.

--**9506020060** SER supporting amend 42 to license SNM-1067.
* Office of Nuclear Material Safety & Safeguards. 95/05/30. 2pp. 84196:257-84196:258.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9506020392 Requests withdrawal of 950505 request to reschedule internal quarterly audits.
KLAPPROTH,J.F. General Electric Co. 95/05/23. PIERSON,R.C. Licensing Branch. 1p. 84181:357-84181:357.

9506010349 Informs that request for withdrawal to reschedule internal second quarter nuclear safety audit was granted.
PIERSON,R.C. Licensing Branch. 95/05/25. KLAPPROTH,J.F. General Electric Co. 1p. 84172:304-84172:304.

9506120087 Forwards insp rept 70-1113/95-04 on 950501-05.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/06/02. KIPP,C.P. General Electric Co. 2pp. 84221:220-84221:241.

--**9506120093** Insp rept 70-1113/95-04 on 950501-5.No violations noted. Major areas inspected:radwaste mgt,environ protection & previous insp findings.
GLOERSEN,W.B., MCALPINE,E.J. Region 2 (Post 820201). 95/06/02. 19pp. 84221:222-84221:241.

9506150117 Requests technical assistance in reviewing GE final status survey & release plan for Northwest CaF2 storage area.
PIERSON,R.C. Licensing Branch. 95/06/05. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84352:324-84352:324.

9506150084 Submits notification of 950615-16 meeting w/GE in Wilmington,NC to take general site tour & to discuss issues re matl control & accounting.
* Licensing Branch. 95/06/07. Licensing Branch. 1p. 84352:321-84352:321.

9506150102 Submits notification of 950614 meeting w/GE in Rockville,MD to discuss GE final survey plan for northwest CaF2 storage area.
* Licensing Branch. 95/06/07. Licensing Branch. 1p. 84340:289-84340:289.

9506200461 Forwards amend 41 to license SNM-1097 & SER.Amend clarifies areas requiring routine air sampling & frequency of medical fitness determinations.
PIERSON,R.C. Licensing Branch. 95/06/13. KLAPPROTH,J.F. General Electric Co. 1p. 84406:352-84406:357.

--**9506200463** Amend 41 to license SNM-1097 for GE,clarifying areas requiring routine air sampling & frequency of medical fitness determinations.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/13. 3pp. 84406:353-84406:355.

--**9506200464** SER supporting amend 41 to license SNM-1097.
* NRC - No Detailed Affiliation Given. 95/06/13. 2pp. 84406:356-84406:357.

9506300235 Forwards FNMCP changes per 10CFR70.34.Changes withheld per 10CFR2.790(d).
KLAPPROTH,J.F. General Electric Co. 95/06/21. PIERSON,R.C. Licensing Branch. 1p. 84522:312-84522:312.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9506020065 Summary of 950508-09 meeting w/ORNL contractor & W re nuclear criticality safety review for license renewal application for SNM-1107.
HARDIN,K.J. Licensing Branch. 95/05/23. PIERSON,R.C. Licensing Branch. 1p. 84196:244-84196:244.

9506190129 Forwards revised pages to Fundamental Nuclear Matl Control (FNMC) plan for W Commercial Nuclear Fuel Div fuel mfg plant located near Columbia,SC.W requests encl be withheld per 10CFR2.790(d).
SANDERS,C.F. Westinghouse Electric Corp. 95/06/06. PIERSON,R. Licensing Branch. 1p. 84415:195-84415:195.

9506190399 Ack receipt of 950419 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1151/95-02.
COLLINS,D.M. Region 2 (Post 820201). 95/06/07. FICI,J.A. Westinghouse Electric Corp. 2pp. 84343:207-84343:208.

9506280136 Summary of 950531-0601 meeting w/Westinghouse re criticality review for renewal of SNM-1107.
HARDIN,K.J., KLASKY,M. Licensing Branch. 95/06/22. PIERSON,R.C. Licensing Branch. 14pp. 84478:240-84478:253.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9506150267 Forwards amend 21 to license SNM-1168 & safeguards evaluation rept.Amend incorporates revs to FNMCP.
PIERSON,R.C. Licensing Branch. 95/06/13. KNAPP,K.S. Babcock & Wilcox Co. 1p. 84339:351-84339:356.

--9506150268 Amend 21 to license SNM-1168,incorporating revs to FNMCP.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/13. 4pp. 84339:352-84339:355.

--9506150269 Safeguards evaluation rept supporting amend 21 to license SNM-1168.
* Office of Nuclear Material Safety & Safeguards. 95/06/13. 1p. 84339:356-84339:356.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9506090039 Submits list of delivery dates applicable to shipments made during first quarter of 1995,per requirements of Convention on Physical Protection of Nuclear Matls.
CONDREY,D. Edlow International Co. 95/03/31. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 84207:093-84207:093.

9506090049 Informs of rev 1 to licensee 950314 ltr notifying of shipment of UF6 from St Petersburg,Russia to arrive in Piketon,OH on 950524.
CONDREY,D. Edlow International Co. 95/04/18. BENNINGTON,G. Division of Safeguards & Transportation (870413-930206). 1p. 84207:169-84207:169.

9506090029 Submits notification of upcoming shipment of UF6,fissle, weighing 10,500 kg,from United Kingdom,to Richland,WA,per Convention on Physical Protection of Nuclear Matl & NRC 870326 final rule.
AUMULLER,J.N. Edlow International Co. 95/04/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 84207:044-84207:044.

9506090035 Submits notification of upcoming shipment of UF6,fissle, weighing 10,850 kg,from Netherlands to Richland,WA,per Convention on Physical Protection of Nuclear Matl & NRC 870326 final rule.
AUMULLER,J.N. Edlow International Co. 95/04/26. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 84207:088-84207:088.

9506220020 Submits notification of upcoming shipment of U hexaflouride fissile,IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
CANDREY,D. Edlow International Co. 95/05/01. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 84375:032-84375:032.

9506220023 Informs that shipment of U hexaflouride,fissile to Sweden has been cancelled.
CANDREY,D. Edlow International Co. 95/05/04. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 84375:035-84375:035.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9506120247 Provides eighth quarterly status rept of Siemens Power Corp criticality safety analysis update program.
VAUGHAN,R.E. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/05/18. CALLAN,L.J. Region 4 (Post 820201). 4pp. 84282:267-84282:270.

9506020048 Advises that review of 941021 application for renewal of license SNM-1227 completed.Addl info re fire safety needed before final action can be taken.Required info listed.
ADAMS,M.T. Licensing Branch. 95/05/26. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84196:259-84196:260.

9506090135 Forwards amend 32 to license SNM-1227 & safety evaluation. Amend allows employees to pass from contaminated area into clean area w/o removing protective clothing if authorized.
PIERSON,R.C. Licensing Branch. 95/06/02. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 84249:300-84249:307.

--9506090137 Amend 32 to license SNM-1227 for Siemens Power Corp,allowing employees to pass from contaminated area into clean area w/o removing protective clothing if authorized.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/02. 5pp. 84249:301-84249:305.

--9506090139 Safety evaluation approving amend 32 to license SNM-1227 for Siemens Power Corp.
* Office of Nuclear Material Safety & Safeguards. 95/06/02. 2pp. 84249:306-84249:307.

9506140032 Forwards insp rept 70-1257/95-03 on 950515-19 & notice of violation.
COLLINS,S.J. Region 4 (Post 820201). 95/06/08. FEMREITE,B.N. Siemens Corp. 3pp. 84267:120-84267:132.

--9506140036 Notice of violation from insp on 950515-19.Violation noted: licensee shipped four model BW-2901 shipping packages containing fissile matl w/o installing inner container gaskets.
* Region 4 (Post 820201). 95/06/08. 1p. 84267:123-84267:123.

--9506140049 Insp rept 70-1257/95-03 on 950515-19.Violations noted.Major areas inspected:radwaste mgt & storage,transportation of radioactive matls & operations review.
WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 95/06/08. 9pp. 84267:124-84267:132.

9506280117 Forwards copies of EA & FONSI prepared to support renewal of license SNM-1227.
ADAMS,M. Operations Branch. 95/06/20. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 84480:030-84480:143.

--9506280124 Notice of opportunity for hearing re renewal of special matl license SNM-1227.
PIERSON,R.C. Licensing Branch. 95/06/20. 10pp. 84480:031-84480:040.

--9506280130 Environ assessment & finding of no significant impact re renewal of special nuclear matl license SNM-1227.
* Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/06/20. 101pp. 84480:041-84480:143.

9506280403 Ack 950428 withdrawal of amend application dtd 941128 to remove fog deluge components from HEPA filter sys.
ADAMS,M.T. Licensing Branch. 95/06/21. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 84475:356-84475:356.

DOCKET 70-1308 GENERAL ELECTRIC CO., SAN JOSE, CA

9506220346 Forwards amend 9 to license SNM-2500,safeguards evaluation rept & FR notice of issuance of amend.Amend revises physical security plan.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/16. ELLIS,J.E. General Electric Co. 4pp. 84420:247-84420:268.

--9506220348 Amend 9 to license SNM-2500 for GE,revising physical security plan.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/06/16. 7pp. 84420:251-84420:257.

--9506220349 Safeguards evaluation rept supporting amend 9 to license SNM-2500.
GASKIN,C.E. Licensing Branch. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/16. 8pp. 84420:258-84420:265.

--9506220351 Notice of issuance of amend 9 to license SNM-2500.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/16. 3pp. 84420:266-84420:268.

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9506220030 Constitutes Transnuclear,Inc advance notification to US NRC IAW requirements of 10CFR73.74(a)(1)(2) for import shipment of low strategic significance matl from countries not party to Convention on Physical Protection of Nuclear Matl.
GEORGE,M. Transnuclear, Inc. 95/05/05. BENNINGTON,G. NRC - No Detailed Affiliation Given. 2pp. 84375:162-84375:163.

9506220055 Notifies of import shipment of cylinders containing 33,800 kg UF6,fissile from Pierrelatte,France to arrive in Portsmouth,VA on 950602.
MCLAUGHLIN,J. Transnuclear, Inc. 95/05/10. BENNINGTON,G. NRC - No Detailed Affiliation Given. 3pp. 84375:184-84375:187.

9506220075 Constitutes licensee advance notification to NRC in compliance w/requirements as outlined in 10CFR73.73 for export shipment of special nuclear matl of low strategic significance.Lists details of shipment.
GEORGE,M. Transnuclear, Inc. 95/06/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:196-84375:197.

DOCKET 70-2910 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9506130298 Application for amends to licenses SNM-1861 & SNM-1873 to reflect current names & addresses of directors & principal officers within TVA & lastest amend to TVA Act & to indicate use of contractor support during fuel handling activities.
BARON,R.R. Tennessee Valley Authority. 95/06/07. Document Control Branch (Document Control Desk). 14pp. 84301:336-84301:349.

9506280204 Forwards insp repts 50-390/95-28,50-391/95-28,70-2910/95-01 & 70-2928/95-01 on 950418-0520 & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84442:175-84442:204.

--9506280213 Notice of violation from insp on 950418-0520.Violation noted:listed examples of licensee failure to follow fuel handling procedural controls.
* Region 2 (Post 820201). 95/06/19. 2pp. 84442:181-84442:182.

--9506280228 Insp repts 50-390/95-28,50-391/95-28 & 70-2910/95-01 & 70-2928/95-01 on 950418-0520.Violations noted.Major areas inspected:plant programs associated w/unirradiated fuel receipt & shipment & storage.
KUZO,G.B., CAHILL,S.J., JULIAN,C.A. Region 2 (Post 820201). 95/06/15. 20pp. 84442:185-84442:204.

DOCKET 70-2928 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9506130298 Application for amends to licenses SNM-1861 & SNM-1873 to reflect current names & addresses of directors & principal officers within TVA & lastest amend to TVA Act & to indicate use of contractor support during fuel handling activities.
BARON,R.R. Tennessee Valley Authority. 95/06/07. Document Control Branch (Document Control Desk). 14pp. 84301:336-84301:349.

9506280204 Forwards insp repts 50-390/95-28,50-391/95-28,70-2910/95-01 & 70-2928/95-01 on 950418-0520 & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 95/06/19. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 84442:175-84442:204.

--9506280213 Notice of violation from insp on 950418-0520.Violation noted:listed examples of licensee failure to follow fuel handling procedural controls.
* Region 2 (Post 820201). 95/06/19. 2pp. 84442:181-84442:182.

--9506280228 Insp repts 50-390/95-28,50-391/95-28 & 70-2910/95-01 & 70-2928/95-01 on 950418-0520.Violations noted.Major areas inspected:plant programs associated w/unirradiated fuel receipt & shipment & storage.
KUZO,G.B. Region 2 (Post 820201). 95/06/15. 20pp. 84442:185-84442:204.

DOCKET 70-3061 IMAGING & SENSING TECHNOLOGY CORP., HORSEHEADS, NY

9506010528 Requests name change from L Binetti,Executive Vice President to R Kyles,President for address labels.
KIPFERL,C. Imaging & Sensing Technology Corp. 95/05/23. NRC - No Detailed Affiliation Given. 2pp. 84184:212-84184:213.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9506070153 Applicant proposed findings of fact & conclusions of law in form of concluding partial initial decision.* W/Certificate of Svc.
DRAPER,R.L. Louisiana Energy Services. DRAPER,R.L. Winston & Strawn. #295 16757. 95/05/26. 449pp. 84177:001-84178:085.

9506070172 NRC Staff proposed findings of fact & conclusions of law in form of partial initial decision re contentions B,J,K & Q. W/Certificate of Svc.
BACHMAN,R.G., HOLLER,E.J. Office of the General Counsel (Post 860701). #295 16753. 95/05/26. 106pp. 84178:146-84178:252.

9505080056 Responds to J Sawyer concerns about potential health & environ impacts that may be associated w/facility.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/28. MCCRERY,J. House of Rep. 25pp. 84297:291-84297:317.

--9506070147 Expresses concerns on behalf of constituent J Sawyer re proposed const & operation of U enrichment plant in C Claiborne Parish,LA.Sawyer correspondence encl.W/o encl.
MCCRERY,J. House of Rep. 95/04/10. PORTNER,L. Office of Congressional Affairs (Post 911117). 1p. 84297:316-84297:317.

9506070136 Citizens Against Nuclear Trash proposed corrections to hearing transcripts of 950316 & 17.* Submits corrections to subj hearing transcripts.W/Certificate of Svc.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16766. 95/05/26. 3pp. 84176:194-84176:196.

9506070142 Citizens Against Nuclear Trash proposed findings of fact & conclusions of law re Contentions B & J.3.* W/Certificate of Svc.
CURRAN,D., WALKER,N.M. Citizens Against Nuclear Trash. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16765. 95/05/26. 54pp. 84176:197-84176:250.

9506070154 Forwards, "Findings of Fact & Conclusions of Law," by State of LA,dtd 950526.Informs that question of disposal of tailings from Claiborne Enrichment Ctr remains of grave concern to state.
KUCHARSKI,W.A. Louisiana, State of. #295 16763. 95/05/26. MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. 1p. 84176:285-84176:292.

--9506070168 Findings of fact & conclusions of law re DUF6 waste generated at proposed LES facility.* Board issued order directing parties to file legal memoranda addressing legal status under current law.W/Certificate of Svc.
KUCHARSKI,W.A. Louisiana, State of. 95/05/26. 7pp. 84176:286-84176:292.

9506070162 Citizens Against Nuclear Trash proposed findings of fact & conclusions of law re contention Q,financial qualifications of Louisiana Energy Svcs,LP.* W/Certificate of Svc.
WALKER,N. Citizens Against Nuclear Trash. WALKER,N. Sierra Club Legal Defense Fund, Inc. #295 16754. 95/05/26. 59pp. 84178:086-84178:145.

9506070167 Proposes that listed errors in "Official Transcript of Proceedings," dtd 950313-17,in above-ref proceeding be corrected.
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #295 16756. 95/05/26. MOORE,T.S., SHON,F.J., COLE,R.F. Atomic Safety & Licensing Board Panel. 5pp. 84176:348-84176:352.

9506070178 Citizens Against Nuclear Trash proposed findings of fact & conclusions of law re contentions J.4 & K,need & no action.* W/Certificate of Svc.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #295 16755. 95/05/26. 42pp. 84179:001-84179:042.

9506070303 Citizens Against Nuclear Trash proposed findings of fact & conclusions of law re Contention J.9.* Citizens Against Nuclear Trash charge that EIS for Claiborne Enrichment Ctr failed to consider disparate impacts.W/Certificate of Svc.
CURRAN,D. Citizens Against Nuclear Trash. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #295 16764. 95/05/26. 90pp. 84178:253-84178:342.

9506160106 Order.* Advises that time within which Commission may act on Citizens Against Nuclear Trash petition for review of ASLB memorandum & order,dtd 950302,extended until 950615. W/Certificate of Svc.Served on 950605.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16779. 95/06/05. Office of the General Counsel (Post 860701). 3pp. 84312:093-84312:095.

9506210290 Informs of three areas of concern re "Final EIS for Const & Operation of Claiborne Enrichment Ctr in Homer,LA."
LEMING,E.C. Tennessee, State of. 95/06/05. GILLILAND,J.T. Region 4 (Post 820201). 2pp. 84407:132-84407:133.

9506210196 Order.* Informs that Citizens Against Nuclear Trash petition for waiver of regulations contained in 10CFR61 pertaining to land disposal of waste,denied.W/Certificate of Svc.Served on 950608.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16793. 95/06/08. Citizens Against Nuclear Trash. 5pp. 84359:211-84359:215.

9506280770 Opposes proposal to construct U enrichment plant in Claiborne Parish,LA because facilities like that create large quantities of radwaste.W/Certificate of Svc. Served on 950619.
RUPERT,C. Affiliation Not Assigned. #295 16827. 95/06/11. ANDERSON,S.A. NRC - No Detailed Affiliation Given. 3pp. 84453:029-84453:031.

9506300082 Responds to 950526 ltr & informs that State of LA will not request State of LA to accept for disposal depleted U hexafluoride produced at Claiborne Enrichment Ctr.
ARNOLD,W.H. Louisiana Energy Services. 95/06/19. KUCHARSKI,W.A. Louisiana, State of. 3pp. 84522:354-84522:356.

9506290030 Order.* Orders that proposed form of decision will require each party to focus on critical facts for each contention & distill lengthy proposed findings of fact & conclusions of law to essence.W/Certificate of Svc.Served on 950626.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #295 16847. 95/06/23. Louisiana Energy Services. 5pp. 84455:181-84455:185.

9506290035 Louisiana proposed findings of fact & conclusion of law in form of initial decision relative to DUF6 waste generated at proposed LES facility.* W/Certificate of Svc.
KUCHARSKI,W.A. Louisiana, State of. #295 16849. 95/06/23. 9pp. 84455:192-84455:200.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9506010183 Requests that site decommissioning plan be treated as license amend request.
LUX,J. Kerr-McGee Corp. 95/05/09. FAUVER,D. Office of Nuclear Material Safety & Safeguards. 1p. 84172:334-84172:334.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9506020018 Notification of 950601,06 & 08 meetings w/US Enrichment Corp in Rockville,MD to discuss training,mgt controls & oversight,configuration controls & transportation.
* NRC - No Detailed Affiliation Given. 95/05/31. NRC - No Detailed Affiliation Given. 2pp. 84196:272-84196:273.

9506090151 Summary of 950530 meeting w/US Enrichment Corp re rev of certification application previously rejected by NRC.
* NRC - No Detailed Affiliation Given. 95/06/02. NRC - No Detailed Affiliation Given. 5pp. 84268:328-84268:332.

9506140371 Summary of 950424 meeting w/US Enrichment re radiation protection & environ issues related to certification application.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 18pp. 84288:113-84288:130.

9506150118 Summary of 950523 meeting w/US Enrichment Corp re site security plans for protection of classified matter.List of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 11pp. 84306:284-84306:295.

9506190200 Summary of 950531 meeting w/US Enrichment Corp in Rockville, MD re MC&A.Proprietary MC&A handouts for Portsmouth Gaseous Diffusion Plant & Paducah Diffusion Plant encl.Proprietary MC&A handouts withheld per 10CFR2.790.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 5pp. 84415:196-84415:200.

9506220307 Summary of 950525 meeting w/US Enrichment Corp & DOE to discuss chemical safety issues re application for certification of diffusion plant.Forwards NRC handout, summary of meeting discussions & list of attendees.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 9pp. 84429:262-84429:270.

9506230091 Summary of 950518 meeting w/US Enrichment Corp to discuss NRC comments on certification application & process of communicating staff expectations for next submittal.Meeting agenda,US Enrichment Corp handouts & meeting summary encl.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 13pp. 84421:250-84421:262.

9506230115 Notification of 950614 & 20 meeting in Rockville,MD re certification of gaseous diffusion plants at Padicah,KY & Portsmouth,OH.
* NRC - No Detailed Affiliation Given. 95/06/09. NRC - No Detailed Affiliation Given. 2pp. 84421:348-84421:349.

9506150342 Notification of 950614,15 & 20 meetings w/licensee in Rockville,MD to discuss licensee resubmittal of application for certification of gaseous diffusion plants at Paducah,KY.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. 84340:327-84340:329.

9506200442 Summary of 950606 meeting w/US Enrichment Corp re accident analysis & technical safety requirements (TSR) related to GDP certification application.TSR candidate process handout, summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 4pp. 84406:302-84406:305.

9506200443 Summary of 950522 meeting w/US Enrichment Corp re safety analysis issues related to certification application.Safety analysis handout,summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 13pp. 84406:306-84406:318.

9506200446 Summary of 950525 meeting w/US Enrichment Corp re criticality safety issues related to application for certification of diffusion plants.Handouts dtd 950522 & 25, summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 12pp. 84406:319-84406:330.

9506200448 Summary of 950523 meeting w/US Enrichment Corp re technical safety requirement (TSR) issues related to certification application.TSR handout,summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 15pp. 84406:331-84406:345.

9506200450 Summary of 950601 meeting w/US Enrichment Corp re training issues related to certification application.Training handout,summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 18pp. 84407:055-84407:071.

9506280455 Summary of 950601 meeting w/US Enrichment Corp re mgt controls & oversight configuration control issues related to certification application.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 36pp. 84477:255-84477:290.

9506220340 Submits DOE estimate of cost impact for transition of regulatory authority of gaseous diffusion plants from DOE to NRC,per request.
JACKSON,J.D. Energy, Dept. of. 95/06/19. SCHWINK,W.S. NRC - No Detailed Affiliation Given. 2pp. 84420:243-84420:244.

9506280584 Forwards cover ltr addressed to R Woolley & rept of routine safety & safeguard observations & discipline-specific observations conducted by KG O'Brien & TA Beltz during 950201-0406,for info & use.
SHEAR,G.L. Region 3 (Post 820201). 95/06/19. JACKSON,D. Energy, Dept. of. 2pp. 84452:001-84452:021.

-9506280589 Forwards observation rept 70-7001/95-01 on 950201-0406. No violations noted.Weaknesses noted in mgt controls for maint,surveillance & nuclear criticality safety activities.
SHEAR,G.L. Region 3 (Post 820201). 95/06/23. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 2pp. 84452:003-84452:004.

-9506280594 Observation rept 70-7001/95-01 on 950201-0406.No violations noted.Areas observed:plant operations,maint,engineering & plant support.
SHEAR,G.L. Region 3 (Post 820201). 95/06/19. 17pp. 84452:005-84452:021.

9506230218 Summary of 950620 meeting between NRC & US Enrichment Corp re certification application review process.
* United States Enrichment Corp. (USEC). 95/06/20. United States Enrichment Corp. (USEC). 5pp. 84465:354-84465:358.

9506220343 Notification of 950622,23,27 & 28 meetings w/US Enrichment Corp in Rockville,MD to discuss configuration control,QA, transportation,environ protection,environ compliance statement & waste mgt & record mgt & document control.
* NRC - No Detailed Affiliation Given. 95/06/21. NRC - No Detailed Affiliation Given. 2pp. 84420:245-84420:246.

9506280441 Notification of 950623,27,28,29,0705 & 06 meetings w/US Enrichment Corp to discuss Paducah tiger transport package, environ protection,environ compliance statement,waste mgt, record mgt & document control & radiation protection.
* NRC - No Detailed Affiliation Given. 95/06/22. NRC - No Detailed Affiliation Given. 2pp. 84476:335-84476:336.

9506300163 Summary of 950518 meeting w/US Enrichment Corp re physical security & transportation security plans.
* NRC - No Detailed Affiliation Given. 95/06/26. NRC - No Detailed Affiliation Given. 4pp. 84523:349-84523:352.

9506300171 Summary of 950530 meeting w/US Enrichment Corp re emergency planning & fire protections issues related to certification application.Meeting handouts & comments/questions on Portsmouth & Paducah emergency plan encl.
* NRC - No Detailed Affiliation Given. 95/06/26. NRC - No Detailed Affiliation Given. 42pp. 84525:001-84525:042.

9506300176 Summary of 950614 meeting w/US Enrichment Corp re security plans for protection of classified matter.Agenda items & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/26. NRC - No Detailed Affiliation Given. 6pp. 84524:319-84524:324.

9506300183 Summary of 950615 meeting w/US Enrichment Corp re physical security & transportation plans.Nonproprietary & proprietary info encl.Proprietary info withheld per 10CFR2.790.
* NRC - No Detailed Affiliation Given. 95/06/26. NRC - No Detailed Affiliation Given. 3pp. 84524:328-84524:330.

9506300053 Summary of 950608 meeting w/US Enrichment Corp re transportation & outstanding items related to certification application.
* NRC - No Detailed Affiliation Given. 95/06/27. NRC - No Detailed Affiliation Given. 7pp. 84527:184-84527:190.

9506300055 Summary of 950524 meeting w/US Enrichment Corp re QA,maint, event reporting,incident investigation & record keeping.
* NRC - No Detailed Affiliation Given. 95/06/27. NRC - No Detailed Affiliation Given. 18pp. 84527:191-84527:208.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9506070674 Discusses initial application for certificate of compliance for Portsmouth,OH gaseous diffusion U enrichment plant,dtd 950424,w/regard to as-found X-333 process-piping expansion joints,per incorrect info reported to NRC on 950428.
ALLEN,D. United States Enrichment Corp. (USEC). 95/05/02. Region 3 (Post 820201). 2pp. 84210:338-84210:339.

9506020018 Notification of 950601,06 & 08 meetings w/US Enrichment Corp in Rockville,MD to discuss training,mgt controls & oversight,configuration controls & transportation.
* NRC - No Detailed Affiliation Given. 95/05/31. NRC - No Detailed Affiliation Given. 2pp. 84196:272-84196:273.

9506070531 Ack receipt of 950502 ltr reporting identification of incorrect info in initial application for certification for Portsmouth gaseous diffusion plant.
PEDERSON,C.D. Region 3 (Post 820201). 95/05/31. ALLEN,D. United States Enrichment Corp. (USEC). 1p. 84219:246-84219:246.

9506090151 Summary of 950530 meeting w/US Enrichment Corp re rev of certification application previously rejected by NRC.
* NRC - No Detailed Affiliation Given. 95/06/02. NRC - No Detailed Affiliation Given. 5pp. 84268:328-84268:332.

9506140371 Summary of 950424 meeting w/US Enrichment re radiation protection & environ issues related to certification application.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 18pp. 84288:113-84288:130.

9506150118 Summary of 950523 meeting w/US Enrichment Corp re site security plans for protection of classified matter.List of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 11pp. 84306:284-84306:295.

9506190200 Summary of 950531 meeting w/US Enrichment Corp in Rockville, MD re MC&A.Proprietary MC&A handouts for Portsmouth Gaseous Diffusion Plant & Paducah Diffusion Plant encl.Proprietary MC&A handouts withheld per 10CFR2.790.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 5pp. 84415:196-84415:200.

9506220307 Summary of 950525 meeting w/US Enrichment Corp & DOE to discuss chemical safety issues re application for certification of diffusion plant.Forwards NRC handout, summary of meeting discussions & list of attendees.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 9pp. 84429:262-84429:270.

9506230091 Summary of 950518 meeting w/US Enrichment Corp to discuss NRC comments on certification application & process of communicating staff expectations for next submittal.Meeting agenda,US Enrichment Corp handouts & meeting summary encl.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 13pp. 84421:250-84421:262.

9506230115 Notification of 950614 & 20 meeting in Rockville,MD re certification of gaseous diffusion plants at Padicah,KY & Portsmouth,OH.
* NRC - No Detailed Affiliation Given. 95/06/09. NRC - No Detailed Affiliation Given. 2pp. 84421:348-84421:349.

9506150342 Notification of 950614,15 & 20 meetings w/licensee in Rockville,MD to discuss licensee resubmittal of application for certification of gaseous diffusion plants at Paducah,KY.
* NRC - No Detailed Affiliation Given. 95/06/13. NRC - No Detailed Affiliation Given. 3pp. 84340:327-84340:329.

9506280554 Forwards observation rept 70-7002/95-02 on 950207-0404.No violations noted.
SHEAR,G.L. Region 3 (Post 820201). 95/06/15. JACKSON,D. Energy, Dept. of. 4pp. 84451:273-84451:295.

-9506280562 Observation rept 70-7002/95-02 on 950207-0404.No violations noted.Major areas observed:plant operations,maint,plant support & engineering mgt controls.
SHEAR,G.L. Region 3 (Post 820201). 95/06/15. 19pp. 84451:277-84451:295.

9506200442 Summary of 950606 meeting w/US Enrichment Corp re accident analysis & technical safety requirements (TSR) related to GDP certification application.TSR candidate process handout, summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 4pp. 84406:302-84406:305.

9506200443 Summary of 950522 meeting w/US Enrichment Corp re safety analysis issues related to certification application.Safety analysis handout,summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 13pp. 84406:306-84406:318.

9506200446 Summary of 950525 meeting w/US Enrichment Corp re criticality safety issues related to application for certification of diffusion plants.Handouts dtd 950522 & 25, summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 12pp. 84406:319-84406:330.

9506200448 Summary of 950523 meeting w/US Enrichment Corp re technical safety requirement (TSR) issues related to certification application.TSR handout,summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 15pp. 84406:331-84406:345.

9506200450 Summary of 950601 meeting w/US Enrichment Corp re training issues related to certification application.Training handout,summary of meeting discussion & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 18pp. 84407:055-84407:071.

9506280455 Summary of 950601 meeting w/US Enrichment Corp re mgt controls & oversight configuration control issues related to certification application.
* NRC - No Detailed Affiliation Given. 95/06/16. NRC - No Detailed Affiliation Given. 36pp. 84477:255-84477:290.

9506220340 Submits DOE estimate of cost impact for transition of regulatory authority of gaseous diffusion plants from DOE to NRC,per request.
JACKSON,J.D. Energy, Dept. of. 95/06/19. SCHWINK,W.S. NRC - No Detailed Affiliation Given. 2pp. 84420:243-84420:244.

9506230218 Summary of 950620 meeting between NRC & US Enrichment Corp re certification application review process.
* United States Enrichment Corp. (USEC). 95/06/20. United States Enrichment Corp. (USEC). 5pp. 84465:354-84465:358.

9506220343 Notification of 950622,23,27 & 28 meetings w/US Enrichment Corp in Rockville,MD to discuss configuration control,QA, transportation,environ protection,environ compliance statement & waste mgt & record mgt & document control.
* NRC - No Detailed Affiliation Given. 95/06/21. NRC - No Detailed Affiliation Given. 2pp. 84420:245-84420:246.

9506280441 Notification of 950623,27,28,29,0705 & 06 meetings w/US Enrichment Corp to discuss Paducah tiger transport package, environ protection,environ compliance statement,waste mgt, record mgt & document control & radiation protection.
* NRC - No Detailed Affiliation Given. 95/06/22. NRC - No Detailed Affiliation Given. 2pp. 84476:335-84476:336.

9506300163 Summary of 950518 meeting w/US Enrichment Corp re physical security & transportation security plans.
* NRC - No Detailed Affiliation Given. 95/06/26. NRC - No Detailed Affiliation Given. 4pp. 84523:349-84523:352.

9506300171 Summary of 950530 meeting w/US Enrichment Corp re emergency planning & fire protections issues related to certification application.Meeting handouts & comments/questions on Portsmouth & Paducah emergency plan encl.
* NRC - No Detailed Affiliation Given. 95/06/26. NRC - No Detailed Affiliation Given. 42pp. 84525:001-84525:042.

9506300176 Summary of 950614 meeting w/US Enrichment Corp re security plans for protection of classified matter.Agenda items & list of attendees encl.
* NRC - No Detailed Affiliation Given. 95/06/26. NRC - No Detailed Affiliation Given. 6pp. 84524:319-84524:324.

9506300183 Summary of 950615 meeting w/US Enrichment Corp re physical security & transportation plans.Nonproprietary & proprietary info encl.Proprietary info withheld per 10CFR2.790.
* NRC - No Detailed Affiliation Given. 95/06/26. NRC - No Detailed Affiliation Given. 3pp. 84524:328-84524:330.

9506300053 Summary of 950608 meeting w/US Enrichment Corp re transportation & outstanding items related to certification application.
* NRC - No Detailed Affiliation Given. 95/06/27. NRC - No Detailed Affiliation Given. 7pp. 84527:184-84527:190.

9506300055 Summary of 950524 meeting w/US Enrichment Corp re QA,maint, event reporting,incident investigation & record keeping.
* NRC - No Detailed Affiliation Given. 95/06/27. NRC - No Detailed Affiliation Given. 18pp. 84527:191-84527:208.

DOCKET DOCKET UNKNOWN

9506120004 Provides list of changes involving Directory of DOE COCs for Radioactive Matls Packaging through 950430.
ACHARYA,S. Energy, Dept. of. 95/05/15. Energy, Dept. of. 108pp. 84272:215-84272:322.

9506080592 Forwards QA Program for shipment of 239 Plutonium-Beryllium Neutron sources.
TROXELL,J.E. Lafayette College, Easton, PA. 95/05/31. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84272:070-84272:073.

--9506090081 "10CFR71 QA Program For Shipment Of 239 Plutonium-Beryllium Neutron Sources."
TROXELL,J.E. Lafayette College, Easton, PA. 95/05/31. 3pp. 84272:071-84272:073.

9506070599 Forwards "10CFR71 QA Program for Shipment of 239 Pu- Beryllium Neutron Sources."
PETERS,L.K. Virginia Polytechnic Institute & State Univ., Blacksburg, VA. 95/06/01. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84218:356-84218:359.

--9506070607 "10CFR71 QA Program for Shipment of 239 Pu-Beryllium Neutron Sources."
PETERS,L.K. Virginia Polytechnic Institute & State Univ., Blacksburg, VA. 96/05/01. 3pp. 84218:357-84218:359.

9506160401 Application for QA program approval for radioactive matl package:0817 & independent storage of spent fuel.Rev 0 of Document QA 9501,describing QA program encl.Fee paid.
PESO,F. Affiliation Not Assigned. PESO,F. Mescalero Apache Tribe. 95/06/05. BAER,R.L. Source Containment & Devices Branch (Post 911213). 2pp. 84366:131-84366:151.

--9506160410 QA program to control design,fabrication,operation & maint of radioactive matl transportation & storage packages as well as independent spent nuclear fuel storage installation.
* Affiliation Not Assigned. 95/06/06. 18pp. 84366:133-84366:151.

9506160389 Forwards "10CFR71 QA Program for Shipment of 239 Pu- Beryllium Neutron Sources."
BOWIE,R.C. Florida Institute of Technology, Melbourne, FL. 95/06/06. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84366:127-84366:130.

--9506160392 "10CFR71 QA Program for Shipment of 239 Pu-Beryllium Neutron Sources."
BOWIE,R.C. Florida Institute of Technology, Melbourne, FL. 95/06/06. 3pp. 84366:128-84366:130.

9506130066 Forwards QA program approval for radioactive matl package 0814,rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/07. TROXELL,J.E. Lafayette College, Easton, PA. 1p. 84297:345-84297:346.

--9506130068 QA program approval for radioactive matl package:0814,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/07. 1p. 84297:346-84297:346.

9506130073 Forwards QA program approval for radioactive matl package 0815,rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/08. PETERS,L.K. Virginia Polytechnic Institute & State Univ., Blacksburg, VA. 1p. 84299:353-84299:354.

--9506130075 QA program approval for radioactive matl package:0815,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/08. 1p. 84299:354-84299:354.

9506210004 Forwards Suppl RS-01 to QA plan for transportation of radioactive matl & requests registration as user of type (b) transport devices listed.
WAGNER,R.W. Affiliation Not Assigned. 95/06/12. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84410:144-84410:253.

--9506210009 Suppl 1 to RS-01,Rev 1, "Radiation Safety Manual."
* Affiliation Not Assigned. 95/03/10. 19pp. 84410:145-84410:163.

--9506210015 Rev 1 to RS-01, "Radiation Safety Manual."
WAGNER,R. Affiliation Not Assigned. 94/05/26. 90pp. 84410:164-84410:253.

9506210186 Forwards QA program for shipment of 239 Pu-Be neutron sources.
NEWTON,V.J. Fairfield Univ., Fairfield, CT. 95/06/12. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84407:254-84407:257.

--9506210192 "10CFR71 QA Program for Shipment of 239 Pu-Be Neutron Sources."
NEWTON,V.J. Fairfield Univ., Fairfield, CT. 95/06/12. 3pp. 84407:255-84407:257.

9506210031 Forwards QA Program approval for radioactive matl packages 0816.Approval expires on 951130.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/15. BOWIE,R.C. Florida Institute of Technology, Melbourne, FL. 1p. 84409:311-84409:312.

--9506210032 QA program approval for radioactive matl package:0816,Rev 0.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/15. 1p. 84409:312-84409:312.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0096 EG&G FLORIDA, INC.

9506020428 Application for renewal of QA program approval for radioactive matl package:0096.Fee paid.
HIMBERT,P.V. EG&G Florida, Inc. 95/05/25. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84196:243-84196:243.

9506210036 Forwards QA Program approval for radioactive matl packages 0096.Approval expires on 000630.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/15. HUMBERT,P.V. EG&G Florida, Inc. 1p. 84409:343-84409:344.

--9506210039 QA program approval for radioactive matl package:0096,Rev 5.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/15. 1p. 84409:344-84409:344.

DOCKET 71-0185 FBF, INC.

9506140232 Forwards insp rept 71-0185/95-201 on 950321-22 & notice of violation.
BAER,R.L. Source Containment & Devices Branch (Post 911213). 95/06/09. STRINGFIELD,H. FBF, Inc. 2pp. 84338:248-84338:260.

--9506140233 Insp rept 71-0185/95-201 on 950321-22.Violations noted. Major areas inspected:QA activities.
O'CONNOR,S.C., REID,D.G. Office of Nuclear Material Safety & Safeguards. BAER,R.L. Source Containment & Devices Branch (Post 911213). 95/06/09. 9pp. 84338:250-84338:258.

--9506140234 Notice of violation from insp on 950321-22.Violation noted: purchase orders issued to vendors not on approved vendors list for procurement of matls used in fabrication of models TRIGA-I & TRIGA-II packagings.
BAER,R.L. Source Containment & Devices Branch (Post 911213). 95/06/09. 2pp. 84338:259-84338:260.

DOCKET 71-0226 NEW YORK, STATE UNIV. OF

9506280303 Forwards QA program approval for radioactive matl package: 0226,Rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/21. ADAMS,M.S. New York, State Univ. of, Buffalo, NY. 1p. 84476:356-84476:357.

--9506280305 QA program approval for radioactive matl package:0226,Rev 5.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/21. 1p. 84476:357-84476:357.

DOCKET 71-0250 TRANSNUCLEAR, INC.

9506070111 Application for renewal of QA program approval for radioactive matl package:0250.Check for application fee in listed amount encl.
MASON,M. Transnuclear, Inc. 95/05/25. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84218:287-84218:334.

--9506070122 Rev 5 to E-1473, "QA Program for Design,Fabrication, Assembly,Testing,Maintenance,Repair,Modification & Use of Packagings for Transport of Radioactive Matls."
* Transnuclear, Inc. 95/05/25. 47pp. 84218:288-84218:334.

9506080597 Forwards QA program approval for radioactive material package 0250,rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/07. MASON,M. Transnuclear, Inc. 1p. 84247:281-84247:282.

--9506080598 QA program approval for radioactive matl package:0250,Rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/07. 1p. 84247:282-84247:282.

DOCKET 71-0297 E. LEWIS COOK & ASSOCIATES

9506080322 Requests registration as user of models C-1,6717-B,IR-100, Al 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

--9506080331 "QA Program."
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. 3pp. 84240:338-84240:340.

DOCKET 71-0368 BRANCH RADIOGRAPHIC LABORATORIES, INC.

9506090115 Forwards QA program approval for radioactive matl package: 0368,Rev 4.Expires on 000630.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/02. BRANCH,P.J. Branch Radiographic Laboratories, Inc. 1p. 84249:348-84249:349.

--9506090118 QA program approval for radioactive matl package:0368,Rev 4.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/02. 1p. 84249:349-84249:349.

DOCKET 71-0377 INDIANA MICHIGAN POWER CO.

9506090110 Forwards QA program approval for radioactive matl package: 0377,Rev 5.Program expires on 000630.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/02. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 84249:346-84249:347.

--9506090111 QA program approval for radioactive matl package:0377,Rev 5.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/02. 1p. 84249:347-84249:347.

DOCKET 71-0516 LONG ISLAND LIGHTING CO.

9506200325 Forwards QA program approval for radioactive material package 0516,rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/13. BORTZ,A.J. Long Island Power Authority. 1p. 84406:203-84406:204.

--9506200327 QA program approval for radioactive matl package:0516,Rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/13. 1p. 84406:204-84406:204.

9506120200 Requests reinstatement of QA program approval for radioactive matl packages.
MONTGOMERY,E.F. Long Island Lighting Co. 95/05/30. BAER,R.L. Office of Nuclear Material Safety & Safeguards. 1p. 84279:355-84279:355.

9506220091 Forwards QA program approval for radioactive matl packages 0516,rev 5.Approval effective until 990531.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/19. ALLEN,R. Long Island Lighting Co. 1p. 84436:321-84436:323.

DOCKET 71-0542 MATTINGLY TESTING SERVICES, INC.

9506080322 Requests registration as user of models C-1,6717-B,IR-100, Al 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

--9506080331 "QA Program."
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. 3pp. 84240:338-84240:340.

9506290154 Forwards QA program approval for radioactive matl package 0542,rev 2.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/21. MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 1p. 84537:269-84537:270.

--9506290156 QA program approval for radioactive matl package:0542,Rev 2.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/21. 1p. 84537:270-84537:270.

DOCKET 71-0593 TRI STATE INSPECTION & CONSULTANTS

9506300180 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
STIGER,M.H. Tri State Inspection & Consultants. 95/06/26. Document Control Branch (Document Control Desk). 3pp. 84524:325-84524:327.

DOCKET 71-0627 CONSOLIDATED NDE, INC.

9506220073 Requests registration as user of model SPEC-150,COC USA/9263/B(U).
BALLARD,B.R. Consolidated NDE, Inc. (formerly Consolidated X-Ray Service Corp. East). 95/06/07. MCDONALD,C.M. Office of Nuclear Material Safety & Safeguards. 1p. 84420:241-84420:241.

DOCKET 71-0637 WESTERN STRESS, INC.

9506280449 Requests NRC to remove licensee from mailing list for COC. Licensee also advises NRC of new location as listed.
HUFFMAN,M.R. Western Stress, Inc. 95/06/14. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84477:298-84477:298.

DOCKET 71-0642 RTS TECHNOLOGY, INC.

9506190103 Application for amend to QA Program for radioactive matls package 0642 to authorize design & fabrication of radioactive matls packages.
MUNRO,J.J. RTS Technology, Inc. 95/06/09. Office of Nuclear Material Safety & Safeguards. 1p. 84374:352-84374:359.

--9506190117 Rev 5 to QA Program for RTS Technology,Inc.
MUNRO,J.J. RTS Technology, Inc. 95/06/09. 7pp. 84374:353-84374:359.

DOCKET 71-0678 PACTEC, INC.

9506220064 Advises that licensee should submit application for amend to QA program 0678,rev 1 to refect change of address.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/20. HAELSIG,R.T. PacTec, Inc. 1p. 84420:339-84420:339.

DOCKET 71-0696 GEORGIA POWER CO.

9506090486 Requests to withdraw GEN 0340 Rev 3 from approval as QA program for transportation of radioactive matls.
NICHOLS,M.C. Georgia Power Co. 95/06/02. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84274:230-84274:230.

9506200089 Informs that QA program approval 0696 has been terminated, in response to 950602 request.Authorization under COCs 9032, 9033 & 9036 also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. NICHOLS,M.C. Georgia Power Co. 1p. 84405:198-84405:198.

DOCKET 71-0701 NDT SPECIALISTS, INC.

9506200331 Forwards check for $280.00 for renewal fee for QA program approval 0701.
SCHNEIDER,L.J. NDT Specialists, Inc. 95/05/03. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84406:215-84406:216.

DOCKET 71-0703 NORDION INTERNATIONAL, INC.

9506160541 Application for renewal of QA program approval for radioactive matl package:0703.Issues B of "Radioactive Matl Transport Package Quality Plan," QA IN/QA 0224 Z000 encl to support request.Fee paid.
STIRLING,J. Nordion International, Inc. 95/06/12. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 2pp. 84366:303-84366:316.

--9506160543 QA IN/QA 0224 Z000, "Radioactive Matl Transport Package Quality Plan," issue B.
* Nordion International, Inc. 95/06/06. 12pp. 84366:305-84366:316.

DOCKET 71-0770 RUST REMEDIAL SERVICES

9506070574 Application for amend to certificate of compliance 0770, changing name from RUST Federal Svcs,Inc to OHM Remediation Svcs Corp & address as stated.
TREADWAY,S.. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84210:328-84210:329.

9506220056 Forwards QA program approval for radioactive matl packages 0770,rev 2.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/20. TREADWAY,S. Affiliation Not Assigned. 1p. 84436:330-84436:331.

--9506220060 QA program approval for radioactive matl package:0770,Rev 2.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/20. 1p. 84436:331-84436:331.

DOCKET 71-0793 CHESTNUT HILL COLLEGE

9506200084 Advises that QA program approval for radioactive matl package:0793 expires on 950531.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. Chestnut Hill College, Philadelphia, PA. 1p. 84405:184-84405:184.

DOCKET 71-0794 EMORY & HENRY COLLEGE

9506200080 Advises that QA program approval for radioactive matl package:0794 expires on 950531.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. Emory & Henry College, Emory, VA. 1p. 84405:179-84405:179.

DOCKET 71-0795 BUCKNELL UNIVERSITY

9506210028 Advises that QA program approval for radioactive matl package:0795 expired on 950531.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. SCHOEPF,D.C. Bucknell Univ., Lewisburg, PA. 1p. 84419:144-84419:144.

DOCKET 71-0798 CASE WESTERN RESERVE UNIVERSITY

9506210042 Advises that QA program approval for radioactive matl package:0798 expired on 950531.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. MALCHMAN,W. Case Western Reserve Univ., Cleveland, OH. 1p. 84419:143-84419:143.

DOCKET 71-0799 HOWARD UNIVERSITY

9506200096 Advises that QA program approval for radioactive matl package:0799 expires on 950531.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. GLAKPE,E.K. Howard Univ., Washington, DC. 1p. 84598:082-84598:082.

DOCKET 71-0800 DEPT OF THE AIR FORCE

9506200093 Advises that QA program approval for radioactive matl package:0800 expires on 950531.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16.
SCHICK,D.P. Air Force, Dept. of. 1p. 84405:202-84405:202.

DOCKET 71-0804 SIERRA NUCLEAR CORP.

9506050086 Forwards revised pages I,II,III & 17-1 to Sierra Nuclear Corp QA Program Manual.
DIXON,G.N. Sierra Nuclear, Inc. 95/05/23. JANKOVICH,J. Source Containment & Devices Branch (Post 911213). 1p. 84209:324-84209:328.

--9506050088 Revised pages I,II,III & 17-1 to Sierra Nuclear Corp QA Program Manual.
* Sierra Nuclear, Inc. 95/05/23. 4pp. 84209:325-84209:328.

9506080601 Forwards QA program approval for radioactive material package 0804,rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/06.
DIXON,G.N. Sierra Nuclear, Inc. 1p. 84240:350-84240:351.

--9506080604 QA program approval for radioactive matl package:0804,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/06. 1p. 84240:351-84240:351.

DOCKET 71-0818 ENTEC CONSULTANTS, INC.

9506280626 Informs that QA program approval did not meet requirements of 10CFR71 Subpart H.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/22.
WEIGNER,R. . 1p.

DOCKET 71-3023 AECL-CRL U.S. DEPT. OF TRANSPORTATION

9506130236 Forwards Edlow Intl Co 941122 ltr authorizing on behalf of AECL,release of IMT Flask Safety Analysis Document (A-13318-TN-5) to public as requested.
BOYLE,R. Transportation, Dept. of. 94/11/29. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 6pp. 84303:001-84303:228.

--9506130256 Requests that NRC review Canadian Certificate of Competent Authority CDN/2061/B(U)-85,Rev 1 for AECL-CRL irradiated matl transportation package & make recommendation re revalidation for import shipments.SAR for package encl.
BOYLE,R. Transportation, Dept. of. 94/11/02. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84303:007-84303:007.

--9506130263 "Irradiated Matl Transportation Packaging - SAR."
TAYLOR,W.R., LESCO,R., BUTTERWORTH,E. AECL Research. A-13318-TN-5 R00. 94/04/15. 221pp. 84303:008-84303:228.

9506010125 Informs that Model AECL-CRL package design meets requirements of 10CFR71.
LEE,H.W. Office of Nuclear Material Safety & Safeguards. 95/05/11. OSGOOD,N.L. Office of Nuclear Material Safety & Safeguards. 1p. 84163:358-84163:358.

9506290440 Recommends revalidation of Canadian Certificate CDN/2061/B(U)-85,Rev 1 for Model AECL-CRL,in response to 941102 ltr,as supplemented 941129.Evaluation record encl.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23. BOYLE,R. Transportation, Dept. of. 5pp. 84537:313-84537:317.

DOCKET 71-4909 MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.

9506290380 Summary of 940912 meeting w/Nuclear Containers,Inc in Rockville,MD re corrossion of overcracks used for transport of UF6.List of attendees provided.
OSGOOD,N.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/09/20. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84474:022-84474:023.

DOCKET 71-5149 MODEL: 814A, BABCOCK & WILCOX CO.

9506290173 Forwards COC 5149,Rev 8 for Model 814A package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
FOSTER,P.L. Babcock & Wilcox Co. 1p. 84537:271-84537:274.

--9506290179 Certificate of compliance 5149,rev 8,for model 814A.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23. 3pp. 84537:272-84537:274.

DOCKET 71-5320 MODEL: ARTG, NAVY, DEPT. OF

9506120004 Provides list of changes involving Directory of DOE COCs for Radioactive Matls Packaging through 950430.
ACHARYA,S. Energy, Dept. of. 95/05/15. Energy, Dept. of. 108pp. 84272:215-84272:322.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9506120004 Provides list of changes involving Directory of DOE COCs for Radioactive Matls Packaging through 950430.
ACHARYA,S. Energy, Dept. of. 95/05/15. Energy, Dept. of. 108pp. 84272:215-84272:322.

DOCKET 71-6058 MODEL: B-3, CINTICHEM, INC.

9506120004 Provides list of changes involving Directory of DOE COCs for Radioactive Matls Packaging through 950430.
ACHARYA,S. Energy, Dept. of. 95/05/15. Energy, Dept. of. 108pp. 84272:215-84272:322.

DOCKET 71-6553 MODEL: PADUCAH TIGER, ENERGY, DEPT. OF

9506120004 Provides list of changes involving Directory of DOE COCs for Radioactive Matls Packaging through 950430.
ACHARYA,S. Energy, Dept. of. 95/05/15. Energy, Dept. of. 108pp. 84272:215-84272:322.

DOCKET 71-6717 MODEL: 6717-B, AMERSHAM CORP.

9506220187 Requests registration as user of models 650,AI 520,C-10, U110A,IR-100,IR-50,SPEC-150,C-1 & 660. "10CFR71 QA Program for Industrial Radiography Licensees" encl.
HENDLEY,T. Affiliation Not Assigned. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84436:337-84436:339.

--9506220189 "10CFR71 QA Program for Industrial Radiography Licensees."
* Affiliation Not Assigned. 95/04/28. 2pp. 84436:338-84436:339.

9506020416 Requests registration as user of models 6717-B,650,660,660A, 660AE,660B,660BE,660E,C-1 & SPEC-150.
GRASS,C. Quality Inspection & Testing. 95/05/18. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84196:242-84196:242.

9506080322 Requests registration as user of models C-1,6717-B,IR-100, AI 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

9506290082 Notification of registration as user of certificate of compliance 6717,9007,9032,9033,9036,9156,9157 & 9263,in response to 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
HENDLEY,T. . 1p. 84483:276-84483:276.

DOCKET 71-9006 MODEL: AI 500 SU, AMERSHAM CORP.

9506080322 Requests registration as user of models C-1,6717-B,IR-100, AI 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

DOCKET 71-9007 MODEL: AI 520, AMERSHAM CORP.

9506220187 Requests registration as user of models 650,AI 520,C-10, U110A,IR-100,IR-50,SPEC-150,C-1 & 660. "10CFR71 QA Program for Industrial Radiography Licensees" encl.
HENDLEY,T. Affiliation Not Assigned. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84436:337-84436:339.

9506220334 Requests registration as user of model AI 520.
GREER,K.E. Code Services, Inc. 95/06/06. MCDONALD,C. Office of Nuclear Material Safety & Safeguards. 1p. 84420:242-84420:242.

9506290082 Notification of registration as user of certificate of compliance 6717,9007,9032,9033,9036,9156,9157 & 9263,in response to 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
HENDLEY,T. . 1p. 84483:276-84483:276.

9506290090 Notification of registration as user of certificate of compliance 9007,in response to 950606 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
GREER,K.E. Code Services, Inc. 1p. 84483:193-84483:193.

DOCKET 71-9029 MODEL: 676 & 676E, AMERSHAM CORP.

9506160548 Responds to NRC RAI re model 676 Type B package.Rev 1 to "SAR Amersham Corp Model 676 Type B(U) Package USA/9029/B(U)" encl.
ROUGHAN,C. Amersham Corp. 95/06/12. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84366:242-84366:297.

--9506160553 Rev 1 to "SAR Amersham Corp Model 676 Type B(U) Package USA/9029/B(U)."
* Amersham Corp. 95/05/31. 52pp. 84366:245-84366:297.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9506220187 Requests registration as user of models 650,AI 520,C-10, U110A,IR-100,IR-50,SPEC-150,C-1 & 660. "10CFR71 QA Program for Industrial Radiography Licensees" encl.
HENDLEY,T. Affiliation Not Assigned. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84436:337-84436:339.

9506020416 Requests registration as user of models 6717-B,650,660,660A, 660AE,660B,660BE,660E,C-1 & SPEC-150.
GRASS,C. Quality Inspection & Testing. 95/05/18. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84196:242-84196:242.

9506050200 Notification of registration as user of certificate of compliance 9032,in response to 950510 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/01. DUNN,C. Affiliation Not Assigned. 1p. 84237:314-84237:314.

9506150080 Notification of registration as user of certificates of compliance 9032,9033 & 9263,in response to 950518 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09. GRASS,C. Quality Inspection & Testing. 1p. 84340:288-84340:288.

9506200089 Informs that QA program approval 0696 has been terminated, in response to 950602 request.Authorization under COCs 9032, 9033 & 9036 also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. NICHOLS,M.C. Georgia Power Co. 1p. 84405:198-84405:198.

9506290082 Notification of registration as user of certificate of compliance 6717,9007,9032,9033,9036,9156,9157 & 9263,in response to 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23. HENDLEY,T. . 1p. 84483:276-84483:276.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9506220187 Requests registration as user of models 650,AI 520,C-10, U110A,IR-100,IR-50,SPEC-150,C-1 & 660. "10CFR71 QA Program for Industrial Radiography Licensees" encl.
HENDLEY,T. Affiliation Not Assigned. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84436:337-84436:339.

9506010167 Requests registration as user of COC USA/9263/B(U) for Source Production & Equipment Co Model SPEC 150 gamma radiography device & COC USA/9033/B(U) for Amersham Corp Model 660B gamma radiography device.
WITTER,H.M. Affiliation Not Assigned. 95/05/17. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:330-84172:330.

9506020416 Requests registration as user of models 6717-B,650,660,660A, 660AE,660B,660BE,660E,C-1 & SPEC-150.
GRASS,C. Quality Inspection & Testing. 95/05/18. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84196:242-84196:242.

9506010194 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device.
HARRIS,C.W. Affiliation Not Assigned. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:346-84172:349.

--9506010208 Requests registration as user of COC USA/9033/B(U) for Amersham/Tech/Ops 660-B gamma radiography exposure device.
HARRIS,C.W. Affiliation Not Assigned. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:348-84172:349.

9506130358 Notification of registration as user of certificates of compliance 9033 & 9263,in response to 950519 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/02. CARR,W.B. Testmaster Inspection Co. 1p. 84337:145-84337:145.

9506150032 Notification of registration as user of certificate of compliance 9033,in response to 950518 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09. KELLY,J.F. Curtis Inspection Services, Inc. 1p. 84352:323-84352:323.

9506150069 Notification of registration as user of certificates of compliance 9033 & 9263,in response to 950517 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09. WITTER,H.M. Inspection Specialists, Inc. 1p. 84340:286-84340:286.

9506150075 Notification of registration as user of certificates of compliance 9033,9056 & 9263,in response to 950519 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09. HARRIS,C.W. Affiliation Not Assigned. 1p. 84340:287-84340:287.

9506150080 Notification of registration as user of certificates of compliance 9032,9033 & 9263,in response to 950518 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09. GRASS,C. Quality Inspection & Testing. 1p. 84340:288-84340:288.

9506200089 Informs that QA program approval 0696 has been terminated, in response to 950602 request.Authorization under COCs 9032, 9033 & 9036 also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. NICHOLS,M.C. Georgia Power Co. 1p. 84405:198-84405:198.

9506290082 Notification of registration as user of certificate of compliance 6717,9007,9032,9033,9036,9156,9157 & 9263,in response to 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23. HENDLEY,T. . 1p. 84483:276-84483:276.

DOCKET 71-9034 MODEL: TRIGA-1, GENERAL ATOMICS

9506220098 Advises that consolidated application needed for request for renewal & amend of certificate of compliance 9034 for model TRIGA-I package.
CHAPPELL,C.R. Source Containment & Devices Branch (Post 911213). 95/06/20. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 84420:361-84420:361.

DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9506020388 Requests registration as user of models IR-50,IR-100 & 680. "10CFR71 QA Program for Industrial Radiography Licenses" encl for review.
MCGASKEY,C. General Welding Works, Inc. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84209:263-84209:265.

--9506050108 "10CFR71 QA Program for Industrial Radiography Licensees."
* General Welding Works, Inc. 95/04/28. 2pp. 84209:264-84209:265.

9506130363 Notification of registration as user of certificates of compliance 9035,9156 & 9157,in response to 950428 request. Vendor not required to have NRC-approved QA program & QA program enclosed in 950428 ltr not reviewed.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/02. MCGASKEY,C. General Welding Works, Inc. 1p. 84337:144-84337:144.

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9506220187 Requests registration as user of models 650,AI 520,C-10, U110A,IR-100,IR-50,SPEC-150,C-1 & 660. "10CFR71 QA Program for Industrial Radiography Licensees" encl.
HENDLEY,T. Affiliation Not Assigned. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84436:337-84436:339.

9506020416 Requests registration as user of models 6717-B,650,660,660A, 660AE,660B,660BE,660E,C-1 & SPEC-150.
GRASS,C. Quality Inspection & Testing. 95/05/18. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84196:242-84196:242.

9506080322 Requests registration as user of models C-1,6717-B,IR-100, AI 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

9506150062 Notification of registration as user of certificates of compliance 9036,9156,9157 & 9263,in response to 950601 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09. MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 1p. 84340:285-84340:285.

9506200089 Informs that QA program approval 0696 has been terminated, in response to 950602 request.Authorization under COCs 9032, 9033 & 9036 also terminated.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/06/16. NICHOLS,M.C. Georgia Power Co. 1p. 84405:198-84405:198.

9506290082 Notification of registration as user of certificate of compliance 6717,9007,9032,9033,9036,9156,9157 & 9263,in response to 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23. HENDLEY,T. . 1p. 84483:276-84483:276.

DOCKET 71-9037 MODEL: TRIGA-2, GENERAL ATOMICS

9506220094 Advises that consolidated application needed within 45 days re 950421 requests for renewal & amend to certificate of compliance 9037 for TRIGA-II package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/20. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 84420:360-84420:360.

DOCKET 71-9039 MODEL: 715, AMERSHAM CORP.

9506290106 Informs that request for renewal of certificate of compliance 9039 for model 715 package timely filed.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23. ROUGHAN,C. Amersham Corp. 1p. 84483:195-84483:195.

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,

9506010194 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device.
HARRIS,C.W. Affiliation Not Assigned. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:346-84172:349.

--9506010202 Requests registration as user of COC USA/9056/B(U) for SPEC-2T gamma radiography exposure device.
HARRIS,C.W. Affiliation Not Assigned. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:347-84172:347.

9506150075 Notification of registration as user of certificates of compliance 9033,9056 & 9263,in response to 950519 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09. HARRIS,C.W. Affiliation Not Assigned. 1p. 84340:287-84340:287.

DOCKET 71-9099 MODEL: ATR, ENERGY, DEPT. OF

9506120004 Provides list of changes involving Directory of DOE COCs for Radioactive Matls Packaging through 950430.
ACHARYA,S. Energy, Dept. of. 95/05/15. Energy, Dept. of. 108pp. 84272:215-84272:322.

DOCKET 71-9127 MODEL: 100, 100A, 200 & 200A, AMERSHAM CORP.

9506070566 Requests registration as user of model USA/9127/B(U) on COC 9127.
HUTCHINS,S. American Testing Laboratories, Inc. 95/05/31. CHAPPELL,C.R. NRC - No Detailed Affiliation Given. 1p. 84219:248-84219:248.

9506050175 Notification of registration as user of certificate of compliance 9127,in response to 950531 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/01. HUTCHINS,S. American Testing Laboratories, Inc. 1p. 84237:315-84237:315.

DOCKET 71-9132 MODEL: T-3, ENERGY, DEPT. OF

9506120004 Provides list of changes involving Directory of DOE COCs for Radioactive Matls Packaging through 950430.
ACHARYA,S. Energy, Dept. of. 95/05/15. Energy, Dept. of. 108pp. 84272:215-84272:322.

DOCKET 71-9135 MODEL: CENTURY S & SA, CENTURY UNIVERSAL S & SA,

9506080322 Requests registration as user of models C-1,6717-B,IR-100, Al 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9506020388 Requests registration as user of models IR-50,IR-100 & 680. "10CFR71 QA Program for Industrial Radiography Licenses" encl for review.
MCGASKEY,C. General Welding Works, Inc. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84209:263-84209:265.

9506220187 Requests registration as user of models 650,Al 520,C-10, U110A,IR-100,IR-50,SPEC-150,C-1 & 660. "10CFR71 QA Program for Industrial Radiography Licensees" encl.
HENDLEY,T. Affiliation Not Assigned. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84436:337-84436:339.

9506010137 Requests registration as user of COC USA/9157/B(U) for IN Ir-100 gamma radiography exposure device & USA/9156/B(U) for IN Ir-50 source changer.
STRINGHAM,S.D. Affiliation Not Assigned. 95/05/18. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84163:359-84163:359.

9506010021 Notification of registration as user of certificate of compliance 9156,in response to 950505 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/25.
HAGER,R.C. Affiliation Not Assigned. 1p. 84172:327-84172:327.

9506080322 Requests registration as user of models C-1,6717-B,IR-100, Al 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

9506130363 Notification of registration as user of certificates of compliance 9035,9156 & 9157,in response to 950428 request. Vendor not required to have NRC-approved QA program & QA program enclosed in 950428 ltr not reviewed.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/02.
MCGASKEY,C. General Welding Works, Inc. 1p. 84337:144-84337:144.

9506150062 Notification of registration as user of certificates of compliance 9036,9156,9157 & 9263,in response to 950601 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 1p. 84340:285-84340:285.

9506290082 Notification of registration as user of certificate of compliance 6717,9007,9032,9033,9036,9156,9157 & 9263,in response to 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
HENDLEY,T. . 1p. 84483:276-84483:276.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9506020388 Requests registration as user of models IR-50,IR-100 & 680. "10CFR71 QA Program for Industrial Radiography Licenses" encl for review.
MCGASKEY,C. General Welding Works, Inc. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84209:263-84209:265.

9506220187 Requests registration as user of models 650,Al 520,C-10, U110A,IR-100,IR-50,SPEC-150,C-1 & 660. "10CFR71 QA Program for Industrial Radiography Licensees" encl.
HENDLEY,T. Affiliation Not Assigned. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84436:337-84436:339.

9506010137 Requests registration as user of COC USA/9157/B(U) for IN Ir-100 gamma radiography exposure device & USA/9156/B(U) for IN Ir-50 source changer.
STRINGHAM,S.D. Affiliation Not Assigned. 95/05/18. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84163:359-84163:359.

9506080322 Requests registration as user of models C-1,6717-B,IR-100, Al 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

9506130363 Notification of registration as user of certificates of compliance 9035,9156 & 9157,in response to 950428 request. Vendor not required to have NRC-approved QA program & QA program enclosed in 950428 ltr not reviewed.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/02.
MCGASKEY,C. General Welding Works, Inc. 1p. 84337:144-84337:144.

9506150062 Notification of registration as user of certificates of compliance 9036,9156,9157 & 9263,in response to 950601 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 1p. 84340:285-84340:285.

9506290082 Notification of registration as user of certificate of compliance 6717,9007,9032,9033,9036,9156,9157 & 9263,in response to 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
HENDLEY,T. . 1p. 84483:276-84483:276.

DOCKET 71-9168 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.

9506290188 Forwards COC 9168,Rev 8 for model CNS 8-120b package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
PAQUIN,P.L. Chem-Nuclear Systems, Inc. 1p. 84537:275-84537:279.

--9506290189 Certificate of compliance 9168,rev 8,for model CNS 8-120B.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23. 4pp. 84537:276-84537:279.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9506060144 Forwards nonproprietary & proprietary versions of Rev 8 to UX-30 SAR, "Application for NRC COC Authorizing Shipment of Radioactive Matl in NuPaC UX-30 Packaging" to incorporate Foam Spec NPI-F12.Proprietary version of UX-30 SAR withheld.
TEMUS,C.J. Vectra Technologies, Inc. 95/05/24. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84238:040-84238:057.

--9506060150 Nonproprietary version of Rev 8 to UX-30 SAR, "Application for NRC COC Authorizing Shipment of Radioactive Matl in NuPac UX-30 Packaging."
* Vectra Technologies, Inc. 95/05/31. 16pp. 84238:042-84238:057.

DOCKET 71-9203 MODEL: DHTF, B&W FUEL CO.

9506020179 Forwards revised page 7-2 of chapter seven of SAR for COC 9203.Page 7-2 revised to reflect what is required under 49CFR172.203 by deleting words "Fissile Class II or III."
KNAPP,K.S. B&W Fuel Co. 95/05/25. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84182:246-84182:247.

DOCKET 71-9218 MODEL: TRUPACT-II, ENERGY, DEPT. OF

9506130374 Responds to 950413 ltr,transmitting portions of DOE rept entitled, "Waste Isolation Pilot Plant (WIPP) Biennial Environ Compliance Rept (BECR)."
TAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/06. DIALS,G.E. Energy, Dept. of. 2pp. 84337:142-84337:143.

DOCKET 71-9225 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.

9506210231 Application for rev to COC 9225 for mode NAC-LWT,authorizing as content condition,up to 25 individual,intact fuel rods having max average burnup of 60,000 MWD/MTU & up to two PWR rods having max average burnup of 65,000 MWD/MTU.SAR encl.
TJERSLAND,G.T. Nuclear Assurance Corp. 95/06/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84418:045-84419:071.

--9506210232 Rev 15 to "SAR for NAC Legal Weight Truck Cask."
* Nuclear Assurance Corp. T-88004 R15. 95/06/30. 388pp. 84418:048-84419:071.

9506220324 Confirms & clarifies that during NAC legal weight truck cask loading operations,closure lid metallic o-ring seal will be replaced w/approved spare & seal integrity will be verified by acceptable performance of containment sys leak test.
TJERSLAND,G.T. Nuclear Assurance Corp. 95/06/14. CHAPPELL,C.R. NRC - No Detailed Affiliation Given. 2pp. 84419:359-84419:360.

9506290057 Forwards COC 9225,Rev 7 for Model NAC-LWT shipping package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/22.
TJERSLAND,G.T. . 1p. 84521:170-84521:180.

--9506290068 Certificate of compliance 9225,rev 7,for model NAC-LWT shipping package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/22. 9pp. 84521:171-84521:180.

DOCKET 71-9226 MODEL: GA-4, GENERAL ATOMICS

9506280168 Advises that licensee has identified tentative date of 951201 for submittal of addl info requested by NRC re GA-4 package.
GRENIER,R.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/06/20. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p.

DOCKET 71-9227 MODEL: GA-9, GENERAL ATOMICS

9506280172 Advises that licensee has identified tentative date of 960115 for submittal of addl info requested by NRC re GA-9 package.
GRENIER,R.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/06/20. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 84477:299-84477:299.

DOCKET 71-9228 MODEL: 2000, GENERAL ELECTRIC CO.

9506120233 Forwards response to NRC 950406 RAI re GE 940728 request to increase max thermal load for Model 2000 shipping container,including revised pages to NEDO-32318, "Model 2000 Radioactive Matl Transport Package 2000 Watts...SAR."
CUNNINGHAM,G.E. General Electric Co. 95/05/30. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 41pp. 84289:109-84289:283.

--9506120240 Revised pages to "Model 2000 Radioactive Matl Transport Package 2000 Watts Decay Heat Upgrade SAR."
* General Electric Co. NEDO-32318 ERR. 95/06/01. 134pp. 84289:150-84289:283.

DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.

9506290380 Summary of 940912 meeting w/Nuclear Containers,Inc in Rockville,MD re corrossion of overcracks used for transport of UF6.List of attendees provided.
OSGOOD,N.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/09/20. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84474:022-84474:023.

9506150052 Provides telephone noted from call w/Nuclear Containers Inc re Model NCI-21PF-1 transport package for LEU hexaflouride.
OSGOOD,N.L. Office of Nuclear Material Safety & Safeguards. 95/06/08.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 84350:360-84350:360.

DOCKET 71-9245 MODEL: RTS-420, RTS TECHNOLOGY, INC.

9506050211 Notification of registration as user of certificate of compliance 9245,in response to 950512 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/01.
MCCARTHY,K.F. Public Service Co. of Colorado. 1p. 84237:310-84237:310.

DOCKET 71-9251 MODEL: BW-2901, B&W FUEL CO.

9506090174 Advises that licensee has identified that Model:BW-2901,COC 9251,has dimension on inner lid that deviates from spec of approved drawing 1215599.W/one oversize drawing encl.
KNAPP,K.S. B&W Fuel Co. 95/05/24. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 6pp. 84266:353-84266:358.

9506090506 Provides three copies of reduced sized drawing re 950524 amend submittal.
KNAPP,K.S. Babcock & Wilcox Co. 95/05/26. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84272:182-84272:184.

DOCKET 71-9259 MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL

9506220335 Forwards changes to "Trojan SG Package - SAR."
QUENNOZ,S.M. Portland General Electric Co. 95/06/15. Office of Nuclear Material Safety & Safeguards. 4pp. 84436:247-84436:256.

–9506220338 Rev 2 to "Trojan SG Package - SAR."
* Portland General Electric Co. 95/06/15. 6pp. 84436:251-84436:256.

DOCKET 71-9263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9506220187 Requests registration as user of models 650,Al 520,C-10, U110A,IR-100,IR-50,SPEC-150,C-1 & 660. "10CFR71 QA Program for Industrial Radiography Licensees" encl.
HENDLEY,T. Affiliation Not Assigned. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84436:337-84436:339.

9506010167 Requests registration as user of COC USA/9263/B(U) for Source Production & Equipment Co Model SPEC 150 gamma radiography device & COC USA/9033/B(U) for Amersham Corp Model 660B gamma radiography device.
WITTER,H.M. Affiliation Not Assigned. 95/05/17. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:330-84172:330.

9506020416 Requests registration as user of models 6717-B,650,660,660A, 660AE,660B,660BE,660E,C-1 & SPEC-150.
GRASS,C. Quality Inspection & Testing. 95/05/18. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84196:242-84196:242.

9506010194 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device.
HARRIS,C.W. Affiliation Not Assigned. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:346-84172:349.

–9506010202 Requests registration as user of COC USA/9056/B(U) for SPEC-2T gamma radiography exposure device.
HARRIS,C.W. Affiliation Not Assigned. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:347-84172:347.

–9506010208 Requests registration as user of COC USA/9033/B(U) for Amersham/Tech/Ops 660-B gamma radiography exposure device.
HARRIS,C.W. Affiliation Not Assigned. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84172:348-84172:349.

9506070304 Requests registration as user of model Spec-150 gamma radiography exposure device,COC USA/9263/B(U).
JOHNSTON,W.M. Global X-Ray & Testing Corp. 95/05/19. MCDONALD,C.E. Transportation Branch (Post 930207). 1p. 84218:129-84218:131.

9506120231 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device.
OLIVIER,A. . 95/05/30. MCDONALD,C.E. Transportation Branch (Post 930207). 1p. 84272:325-84272:326.

9506050203 Notification of registration as user of certificate of compliance 9263,in response to 950512 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/01.
NEWLAND,J.A. Jan X-Ray Services, Inc. 1p. 84237:313-84237:313.

9506050206 Notification of registration as user of certificate of compliance 9263,in response to 950516 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/01.
CAGLE,M.S. Affiliation Not Assigned. 1p. 84237:312-84237:312.

9506050209 Notification of registration as user of certificate of compliance 9263,in response to 950515 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/01.
STRINGHAM,S.D. Montana X-Ray, Inc. 1p. 84237:311-84237:311.

9506080322 Requests registration as user of models C-1,6717-B,IR-100, Al 500 SU,Century S & SA,IR-50 & SPEC-150. "QA Program" encl.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 95/06/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84240:337-84240:340.

9506130319 Notification of registration as user of certificate of compliance 9263,in response to 950517 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/02. PRATT,F. Affiliation Not Assigned. 1p. 84509:071-84509:071.

9506130341 Notification of registration as user of certificate of compliance 9263,in response to 950516 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/02.
DUCOTE,D. Industrial Radiography Maintenance & Supply Co. 1p. 84337:147-84337:147.

9506130350 Notification of registration as user of certificate of compliance 9263,in response to 950522 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/02.
WATSON,S.N. Affiliation Not Assigned. 1p. 84337:146-84337:146.

9506130358 Notification of registration as user of certificates of compliance 9033 & 9263,in response to 950519 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/02.
CARR,W.B. Testmaster Inspection Co. 1p. 84337:145-84337:145.

9506150062 Notification of registration as user of certificates of compliance 9036,9156,9157 & 9263,in response to 950601 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09.
MATTINGLY,M.M. Mattingly Testing Services, Inc. (formerly Mattingly & O'Reilly Services & Testi. 1p. 84340:285-84340:285.

9506150069 Notification of registration as user of certificates of compliance 9033 & 9263,in response to 950517 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09.
WITTER,H.M. Inspection Specialists, Inc. 1p. 84340:286-84340:286.

9506150075 Notification of registration as user of certificates of compliance 9033,9056 & 9263,in response to 950519 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09.
HARRIS,C.W. Affiliation Not Assigned. 1p. 84340:287-84340:287.

9506150080 Notification of registration as user of certificates of compliance 9032,9033 & 9263,in response to 950518 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/09. GRASS,C. Quality Inspection & Testing. 1p. 84340:288-84340:288.

9506200239 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device.
PLUMSTEAD,R.F. Lucius Pitkin, Inc. 95/06/12. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84405:358-84405:358.

9506200104 Notification of registration as user of certificate of compliance 9263,in response to 950530 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/15.
OLIVIER,A. . 1p. 84405:213-84405:213.

9506200110 Notification of registration as user of certificate of compliance 9263,in response to 950519 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/15.
JOHNSTON,W.M. Global X-Ray & Testing Corp. 1p. 84405:214-84405:214.

9506290082 Notification of registration as user of certificate of compliance 6717,9007,9032,9033,9036,9156,9157 & 9263,in response to 950428 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
HENDLEY,T. . 1p. 84483:276-84483:276.

9506290094 Notification of registration as user of certificate of compliance 9263,in response to 950607 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
BALLARD,B.R. Consolidated NDE, Inc. (formerly Consolidated X-Ray Service Corp. East). 1p. 84537:263-84537:263.

DOCKET 71-9788 MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF

9506290072 Forwards COC 9788,Rev 7 for Models S2C,S3W,S4W & S5W reactor compartment disposal packages.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23.
ENGEL,W.P. Energy, Dept. of. 1p. 84537:257-84537:262.

–9506290075 Certificate of compliance 9788,rev 7 for models S2C,S3W,S4W & S5W reactor compartments.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/06/23. 5pp. 84537:258-84537:262.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0005 ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301

9506020072 Advises that Storage & Transport Systems Branch has assigned Docket 72-5 for Point Beach Nuclear Plant to track dry SF storage at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/26. LINK,R.E. Wisconsin Electric Power Co. 2pp. 84182:292-84182:293.

DOCKET 72-0006 BRUNSWICK ISFSI, 50-324 & 50-325

9506020224 Forwards results of plant spent fuel storage assessment conducted by NRC during wk of 950306,for info.
TRIMBLE,D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/24.
ANDERSON,R.A. Carolina Power & Light Co. 14pp. 84146:059-84146:072.

DOCKET 72-0007 ISFSI PALISADES GEN LIC/VSC-24, 50-255

9506120268 Forwards Rev 1 to Permanent Maint Procedure FHS-M-34, "Unloading Multi-Assembly Sealed Basket (MSB)." Plans to use Rev 1 of FHS-M-34 in Oct 1995 to unload MSB CMSB-4.
HAAS,K.M. Consumers Power Co. 95/06/02. Document Control Branch (Document Control Desk). 4pp. 84273:001-84273:267.

–9506120287 Rev 1 to Permanent Maint Procedure FHS-M-34, "Unloading Multi-Assembly Sealed Basket."
BROSCHAK,J.P., ZERNICK,E.A., SMITH,K. Consumers Power Co. 95/06/02. 94pp. 84273:005-84273:098.

--**9506120292** Rev 0 to "Evaluation of Multi-Assembly Sealed Basket (MSB) Unloading Process."
LIM,C.S. Consumers Power Co. EA-SC-93-083-04 R00. 95/06/01. 64pp. 84273:099-84273:162.

--**9506120296** Rev 1 to "Fuel Temp Calculations for MSB-4 Using ANSYS Program."
MAHENDRANALHAR Consumers Power Co. EA-SC-93-083-05 R01. 95/02/27. 76pp. 84273:163-84273:238.

--**9506120304** Rev 0 to "Reflooding/Cooling of MSB."
LIM,C.S. Consumers Power Co. EA-SC-93-083-17 R00. 95/05/31. 23pp. 84273:239-84273:261.

--**9506120309** Rev 0 to "Calculation for Max Pressure Allowable Under ASME Code for Unloading Multi-Assembly Sealed Basket."
MACLEAN,S.R., WONG,J.C. Consumers Power Co. EA-SC-93-083-018 R00. 95/05/22. 6pp. 84273:262-84273:267.

9506050194 Discusses telcon w/B Vincent re cost of dry fuel storage at plant.
KENNEDY,J. . 95/05/24. CARPENTER,C. . 1p. 84173:191-84173:191.

9506290149 Submits questions re VSC-24 cask.
SHILLINGLAW,F. Affiliation Not Assigned. 95/05/24. HANNON NRC - No Detailed Affiliation Given. 7pp. 84499:326-84499:332.

9506190154 Requests that NRC concur w/util interpretation of Section 1.2.13 of COC 1007 for plant VSC-24 spent fuel storage cask.
HAAS,K.M. Consumers Power Co. 95/06/12. Document Control Branch (Document Control Desk). 11pp. 84367:339-84367:349.

DOCKET 72-0008 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9506050189 Forwards util response to NRC 950329 RAI re liquefied natural gas hazards analysis submitted to NRC on 930607.
DENTON,R.E. Baltimore Gas & Electric Co. 95/05/31. Document Control Branch (Document Control Desk). 28pp. 84183:303-84183:330.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9506200231 Responds to ltr re nuclear waste storage at Prairie Island.
SANDA,K. Minnesota, State of. 95/05/16. CARVER,D. Minnesota, State of. 2pp. 84410:359-84410:360.

9506050282 Forwards "First Quarter 1995 & April 1995 Environmental Radiation Data Rept," for State Of MN.
BALL,J.A. Minnesota, State of. 95/05/17. Affiliation Not Assigned. 1p. 84183:058-84183:076.

--**9506050289** "First Quarter & April 1995 Environmental Radiation Data Rept."
* Minnesota, State of. 95/04/30. 16pp. 84183:059-84183:076.

9506020139 Clarifies that statement in SE addressing testing & acceptability of TN-40 storage cask which had been forwarded in 950511 memo.
ADENSAM,E.G. . 95/05/19. GREENMAN,E.G. Region 3 (Post 820201). 1p. 84165:336-84165:336.

9506020232 Summary of 950428 meeting in Red Wing,MN re NRC insp findings re dry cask storage activities at plant.
WETZEL,B.A. . 95/05/19. . 5pp. 84165:328-84165:332.

9506020222 Informs that 950210,0306 & 0421 util revisions to station ISFSI security,safeguards contingency & guard force training qualification plans,acceptable IAW regulations per 10CFR72.
WETZEL,B.A. . 95/05/22. ANDERSON,R.O. Northern States Power Co. 2pp. 84165:337-84165:338.

9506010515 Responds to 950509 ltr,discussing meetings on 950427 & 28 & concerns re issue raised at meetings on retrievability of spent fuel storage casks.Ltr to NRC from NSP dtd 950503 & ltr to NSP from NRC dtd 950505 encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/26. WHITE,B., CHILDS,A., CHILDS,M. Affiliation Not Assigned. 1p. 84184:204-84184:211.

--**9506010526** Discusses meetings w/NRC on 950427 & 28 re whether rods that will be placed in casks can be retrieved & placed in storage pool should emergency situation arise.
WHITE,B., CHILDS,A., CHILDS,M. Affiliation Not Assigned. 95/05/09. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84184:210-84184:211.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506280474 Responds to technical assistance requests re plant dry cask storage activities.Forwards SE concluding that addl load testing,beyond 150%,not required & SA concluding that composite storage cask acceptable w/o addl hydrostatic test.
WETZEL,B.A. . 95/06/12. ANDERSON,R.O. Northern States Power Co. 2pp. 84448:336-84448:343.

--**9506280482** Safety evaluation supporting finding that addl load testing, beyond currently performed 150% load testing of trunnions on each cask,not required.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 6pp. 84448:338-84448:343.

DOCKET 72-0011 RANCHO SECO ISFSI, 50-312

9506010225 Discusses info re Rancho Seco Nuclear Generating Station ISFSI Insp & Trojan Nuclear Power Station Site Tour on 950412-20.
RADDATZ,M.G. NRC - No Detailed Affiliation Given. 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84172:283-84172:284.

9506020009 Forwards response to remaining question from NRC 950314 RAI re plant ISFSI SAR.
REDEKER,S. Sacramento Municipal Utility District. 95/05/24. Office of Nuclear Material Safety & Safeguards. 5pp. 84182:275-84182:279.

9506160219 Informs that responses to RAI re SMUD license application evaluated.List of questions followed by comments indicating whether received response acceptable,being evaluated or requires further clarification encl.W/o encl.
STOKLEY,J.R. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-02-90-009. 95/06/13. RADDATZ,M. NRC - No Detailed Affiliation Given. 1p. 84385:291-84385:291.

9506300186 Proposed license amend 191 to license DPR-54,changing permanently defueled TS D3/4.3, "Fuel Storage Bldg Load Handling Limits" to facilitate off-load of spent fuel assemblies to Rancho Seco ISFSI.
REDEKER,S.J. Sacramento Municipal Utility District. 95/06/20. WEISS,S. Document Control Branch (Document Control Desk). 3pp. 84525:238-84525:247.

--**9506300199** Proposed permanently defueled TS D3/4.3, "Fuel Storage Bldg Load Handling Limits."
* Sacramento Municipal Utility District. 95/06/20. 7pp. 84525:241-84525:247.

9506300095 Provides list of drawings & documents that VECTRA requested be withheld from public disclosure per 10CFR2.790.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/21. SHETLER,J.R. Sacramento Municipal Utility District. 4pp. 84523:328-84523:331.

DOCKET 72-0013 ISFSI ARKANSAS NUCLEAR GEN LIC/VSC-24, 50-313 & 50-368

9506020085 Advises that Storage & Transport Systems Branch has assigned Docket 72-13 to ANO for tracking dry SF storage activities at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/25. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 84182:300-84182:301.

DOCKET 72-0014 ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346

9506020081 Advises that Storage & Transport Systems Branch has assigned Docket 72-14 to Davis-Besse Nuclear Generating Station for tracking dry SF storage activities at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/11. STETZ,J.P. Centerior Energy. 2pp. 84182:298-84182:299.

DOCKET 72-0015 ISFSI OYSTER CREEK GEN LIC/NUHOMS, 50-219

9506020091 Advises that Storage & Transport Systems Branch has assigned Docket 72-15 to Oyster Creek Nuclear Generating Station for tracking dry SF storage activities at plant.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/05/25. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 84182:302-84182:303.

DOCKET 72-0016 VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339

9506130280 Forwards info re independent spent fuel storage installation emergency plan.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/06/08. Document Control Branch (Document Control Desk). 7pp. 84296:286-84296:292.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9506010225 Discusses info re Rancho Seco Nuclear Generating Station ISFSI Insp & Trojan Nuclear Power Station Site Tour on 950412-20.
RADDATZ,M.G. NRC - No Detailed Affiliation Given. 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84172:283-84172:284.

DOCKET 72-0018 PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306

9506060120 Requests approved transcript of 950605 meeting in Rockville,MD re ISFSI that Northern States Power Co plans to build in Florence Township,MN.
WURST,J.S. Affiliation Not Assigned. 95/06/01. SCHNEIDER,J.F. Office of Nuclear Material Safety & Safeguards. 2pp. 84210:246-84210:247.

9506300100 Informs that discussed postcards will be filed in NRC Central File under Docket 72-18 & cross-ref under WM for Yucca Mountain & Praire Island.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/06/21. GREEN,T. Office of Information Resources Management (Post 890205). 1p. 84523:332-84523:332.

DOCKET 72-1004 MODEL: STANDARDIZED NUHOMS SYSTEM

9506220197 Forwards Rev 3A to Vols I & II of "SAR for Standardized NUHOMS Horizontal Modular Storage Sys for Irradiated Nuclear Fuel," as requested by NRC 950118 ltr.Vol II of SAR proprietary.Vol II of SAR withheld per 10CFR2.790.
AXLINE,J. Vectra Technologies, Inc. 95/06/13. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 84423:001-84424:360.

--**9506220198** Nonproprietary Rev 3A to Vol I of "SAR for Standardized NUHOMS Horizontal Modular Storage Sys for Irradiated Nuclear Fuel."
* Vectra Technologies, Inc. NUH-003 V01 R03A. 95/06/30. 719pp. 84423:006-84424:360.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9506160243 Forwards Rev 0AA of PSN-91-001, "SAR for Ventilated Storage Cask Sys," incorporating changes to Rev 0A (Dec 1993) as suggested by NRC in 941128 ltr.
THOMPSON,T.C. Sierra Nuclear, Inc. 95/06/05. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84372:232-84372:361.

--9506160249 Rev 0AA of "SAR for Ventilated Storage Cask Sys."
MASSEY,J.V., KUMAR,P., THOMPSON,T.C. Sierra Nuclear, Inc. PSN-91-001 R0AA. 95/05/08. 128pp. 84372:234-84372:361.

9506150168 Advises NRC that new Licensing Manager has been selected & all licensing activities associated w/Ventilated Storage Cask should be directed to TC Thompson at address listed.
MCSHERRY,A.J. Sierra Nuclear, Inc. 95/05/22. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84340:290-84340:290.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

DOCKET 72-1008 MODEL: HI-STAR SYSTEM, HOLTEC INTERNATIONAL

9506210111 Ack receipt of 950326 ltr & informs that determination on requests for withholding proprietary info per 10CFR2.790 will be made after coordination w/Transportation Certification Section to avoid duplication of effort.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/06/13. PENNINGTON,C.W. Holtec International. 1p. 84417:069-84417:069.

DOCKET 72-1009 DOE-MPC-21P FOR PWR FUEL, APPL FOR CERT OF COMPLIANCE

9506290187 Advises that meetings between NRC technical staff & DOE open to public,petitioners,intervenors or any parties to attend as observers.However,950629 meeting w/W closed to protect W proprietary info.
EASTON,E.P. Office of Nuclear Material Safety & Safeguards. 95/06/15. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 84483:275-84483:275.

9506290282 Provides proprietary info agreement to NV & Affected Units Of Local Government & also informed that representatives can attend 950629,pre-submittal consultation on multi-purpose canister system by signing agreement.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/23. WILLIAMS,J.R. Energy, Dept. of. 1p. 84483:278-84483:278.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

9505250343 Staff requirements memo re SECY 95-105 concerning relocation of backup EOF for plant.Commission concurs w/NRC staff plan to approve proposed relocation.
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/16. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84308:239-84308:239.

9506070062 Briefing on site decommissioning mgt plan program & policy issues-public meeting on 950519 in Rockville,MD.Pp 1-81. Related documentation encl.
THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 95/05/19. 106pp. 84204:008-84204:113.

9506070099 Briefing on Part I recommendations for natl performance review Phase II-public meeting on 950524 in Rockville,MD. Pp 1-48.Related documentation encl.
THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 95/05/24. 76pp. 84204:114-84204:189.

9506070115 Staff requirements memo re briefing on site decommissioning mgt plan program & policy issues.
HOYLE,J.C. Office of the Secretary of the Commission. M950519. 95/05/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84204:190-84204:190.

9506090364 Staff requirements memo re briefing on recommendations for Natl Performance Review Phase II.
HOYLE,J.C. Office of the Secretary of the Commission. M950524. 95/05/31. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84222:153-84222:153.

9506130199 Staff requirements memo re affirmation/discussion & vote on 950601 re SECY-95-124 & SECY-95-116.
HOYLE,J.C. Office of the Secretary of the Commission. M950601B. 95/06/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 84494:001-84494:007.

9506140342 Staff requirements memo re SECY-95-098, "NRC Participation in World Use of International Nuclear Event Scale."
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84311:289-84311:289.

9506140360 Staff requirements memo re SECY-95-117, "Proposed Agreement for Cooperation Between US & Romania."
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/24. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 84305:358-84305:358.

9506140430 Staff requirements memo re rev to 10CFR2,50 & 51 concerning decommissioning of Nuclear Power Reactors.
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 26pp. 84312:316-84312:342.

9506150164 Staff requirements memo re SECY-95-108, "MOU Between US NRC & PA Dept of Environmental Resources for Remedial Actions at Sites in Commonwealth of PA," w/comments.
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/25. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84329:269-84329:270.

9506150289 Staff requirements memo re Commission approval of continued use of trending ltrs to provide early notification to senior util managers of adverse performance trends,per SECY-95-085.
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84329:249-84329:249.

9506150357 Staff requirements memo re SECY-95-081, "Staff Evaluation of Collecting Low-Level Radioactive Waste Generation Data for Assessing Fees on Individual Licensee Basis." Commission has approved continuing to assess budgeted LLW.
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84329:244-84329:244.

9506160518 Staff requirements memo re SECY-95-085, "Recommendations on Senior Mgt Meeting Process for Continued Use of Trending Letters & for Plants That Remain on Problem Plant List for Extended Period."
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84349:323-84349:324.

9506190226 Transcript of 950525 public meeting in Rockville,MD re briefing on operator licensing programs.Pp 1-53.Supporting documentation encl.
* Commissioners (Post 750119). 95/05/25. 69pp. 84356:025-84356:096.

9506190433 Staff requirements memo re SECY-95-123, "Report on Part One of National Performance Review Phase 11 Regulation Review." Commission has approved transmittal of repts to President subj to consideration of comments from NPR staff.
HOYLE,J.C. Office of the Secretary of the Commission. M95123. 95/06/06. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 84360:287-84360:290.

9506220008 Transcript of 950609 meeting in Rockville,MD re briefing by DOE on high level waste program.Pp 1-45.Supporting documentation encl.
* NRC - No Detailed Affiliation Given. 95/06/13. 70pp. 84393:265-84393:337.

9506220013 Staff requirements memo re SECY-95-137, "Finding of no Significant Antitrust Changes Per Merger between GSU & Entergy Corp:Remand of Commission Orders & Amends by US Circuit Court of Appeals for District of Columbia."
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/06. Ofc of the Executive Director for Operations. 1p. 84460:194-84460:194.

9506220026 Transcript of 950609 meeting in Rockville,MD re brief by DOE on status of multipurpose canisters.Pp 1-24.Supporting documentation encl.
* NRC - No Detailed Affiliation Given. 95/06/13. 36pp. 84403:278-84403:313.

9506220247 Staff requirements memo re briefing on electricity forecast from Energy Info Administration Annual Energy Outlook on 950601 in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M950601A. 95/06/07. Office of the Secretary of the Commission. 1p. 84393:358-84393:358.

9506220288 Staff requirements memo re briefing on operator licensing programs.
HOYLE,J.C. Office of the Secretary of the Commission. M950525. 95/06/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84404:073-84404:073.

9506220357 Staff requirements memo re approved order responding to petition.
HOYLE,J.C. Office of the Secretary of the Commission. M950608B. 95/06/08. CORDES,J.F. Office of Commission Appellate Adjudication (Post 910701). 1p. 84407:050-84407:050.

9506230013 Transcript of 950608 meeting in Rockville,MD re public meeting w/ ACRS.Pp 1-63.W/related documentation.
* Commissioners (Post 750119). 95/06/13. 171pp. 84414:076-84414:247.

9506230067 Transcript of Commission 950601 affirmation/discussion & vote - public meeting in Rockville,MD.Pp 1-4.
* Commissioners (Post 750119). 95/06/01. 8pp. 84414:281-84414:288.

9506230090 Transcript of Commission 950601 briefing on steam generator issues - public meeting in Rockville,MD.Pp 1-55.Related info encl.
* Commissioners (Post 750119). 95/06/01. 75pp. 84415:038-84415:113.

9506230093 Staff requirements memo re 950601 briefing on steam generator issues (SECY-95-131) in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M950601D. 95/06/08. Office of the Secretary of the Commission. 1p. 84415:114-84415:114.

9506230106 Transcript of 950601 briefing in Rockville,MD re electricity forecast from Energy Info Admin (EIA) annual energy outlook.Pages 1-59.Supporting documentation encl.
* Commissioners (Post 750119). 95/06/01. 94pp. 84409:198-84409:294.

9506230124 Staff requirements memo on SECY-95-120 re DOE proposed subsequent arrangement for export of 4 g Pu to Russia for isotopic separation & transfer to Belgium for assembly into certified ref matls for distribution to IAEA,US & others.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/05. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 84414:327-84414:327.

9506230202 Staff requirements memo on SECY-95-110 re proposed amend to 10CFR9, "Public Records." Commission has not objected to publication of proposed rule.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84414:002-84414:002.

9506230376 Informs that proposed rulemaking for reporting equipmemt reliability data has been superseded by SECY-95-129.
HOYLE,J.C. Office of the Secretary of the Commission. 95/06/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84415:018-84415:018.

9506290365 Staff requirements memo re briefing by DOE on high level waste program & briefing on status of multi-purpose canisters on 950609.
HOYLE,J.C. Office of the Secretary of the Commission. M950609A/B. 95/06/15. Office of the Secretary of the Commission. 1p. 84487:360-84487:360.

9506300021 Staff requirements memo re meeting w/ACRS to discuss T/H issues,status of Westinghouse AP600 design review,regulatory analysis guidelines,application of risk analysis RM,proposed final rule on TSs,cracking & fatigue in nuclear components.
BATES,A.L. Office of the Secretary of the Commission. M950608A. 95/06/16. NRC - No Detailed Affiliation Given. 2pp. 84510:333-84510:334.

9506300192 Transcript of 950608 public meeting in Rockville,MD re affirmation & vote concerning petition to review licensing board order denying petition waiver of certain regulations pertaining to land disposal & radwaste.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/08. 6pp. 84510:263-84510:269.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9506020163 "NRC ACNW to meet 950521-22."
* Office of Public Affairs (Post 911117). 95/05/30. 2pp. 84213:071-84213:072.

9506120197 Discusses issues re guidance on 10CFR60 groundwater travel time regulations.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/05/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 7pp. 84280:045-84280:051.

9506120372 Forwards rept from ACNW re regulatory guidance on groundwater travel time for high-level waste repository.
* Office of Public Affairs (Post 911117). 95/06/01. 1p. 84280:160-84280:167.

9506280366 Transcript of 950622 75th meeting of Advisory Committee on Nuclear Waste.Pp 269-372.Related documentation encl.
* Advisory Committee on Nuclear Waste. 95/06/22. 151pp. 84496:012-84496:160.

9506280370 Transcript of 950621 75th meeting of Advisory Committee on Nuclear Waste.Pp 1-268.Related documentation encl.
* Advisory Committee on Nuclear Waste. 95/06/21. 375pp. 84495:001-84496:011.

9506290269 Forwards response to ACNW 950428 ltr,discussing concerns re DOE program approach.
TAYLOR,J.M. Ofc of the Executive Director for Operations. HLWR. 95/06/19. STEINDLER,M.J. Advisory Committee on Nuclear Waste. 11pp. 84506:305-84506:315.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9506010465 Forwards draft Commission paper on policy & technical issues associated w/RTNSS in passive plant design.Document redistributed due to missing pages.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/02. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 35pp. 84146:001-84146:036.

9506080021 Transcript of ACRS Westinghouse Std Plant Design Subcommittee meeting on 950531 in Rockville,MD.Pp 1-279. Related info encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/05/31. 334pp. 84241:001-84241:334.

9506130060 Transcript of 950607 ACRS Auxiliary & Secondary Systems Subcommittee meeting in Rockville,MD.Pp 1-289.Closed Pp 290- 342.
* ACRS - Advisory Committee on Reactor Safeguards. 95/06/07. 342pp. 84302:001-84302:342.

9506130065 Transcript of 950608 ACRS 422nd meeting in Rockville,MD.Pp 1-153.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/06/08. 228pp. 84304:001-84304:228.

9506130069 Transcript of 950609 ACRS 422nd meeting in Rockville,MD.Pp 154-372.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/06/09. 294pp. 84305:001-84305:294.

9506220260 Summary of 422nd meeting of ACRS on 950608-10 re proposed final rule & Reg Guide for fracture toughness requirements for LWR pressure vessels.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/06/16. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84429:149-84429:150.

9506220262 Summary of 422nd meeting of ACRS on 950608-10 re proposed final revs to App J of 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors."
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/06/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84429:151-84429:151.

9506220264 Summary of 422nd meeting of ACRS on 950608-10 re proposed final policy statement on use of PRA methods in nuclear regulatory activities.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/06/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84429:152-84429:154.

9506220266 Summary of 422nd meeting of ACRS on 950608-10 re proposed Commission paper on staff positions on technical issues re Westinghouse AP600 standardized passive reactor design.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/06/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 84436:217-84436:221.

9506220275 Advises that TS Kress comments on activities associated w/ Natl Performance Review Phase II have been addressed in proposed response to President,as listed.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/05. KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 84415:013-84415:014.

9506230013 Transcript of 950608 meeting in Rockville,MD re public meeting w/ ACRS.Pp 1-63.W/related documentation.
* Commissioners (Post 750119). 95/06/13. 171pp. 84414:076-84414:247.

9506230039 "NRC ACRS to Meet in Rockville,MD 950713-15."
* Office of Public Affairs (Post 911117). 95/06/21. 3pp. 84457:239-84457:241.

9506290306 Discusses Feb 1995 ACRS meeting on BWROG proposed EPG modifications re ATWS/stability & forwards draft SE.
JONES,R.C. . 95/06/15. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 10pp. 84494:021-84494:067.

9506290348 Forwards listed repts from ACRS,including comments on proposed final policy statement on use of PRA methods in nuclear regulatory activities & rev of App J of 10CFR50.
* Office of Public Affairs (Post 911117). 95/06/22. 1p. 84559:003-84559:014.

9506290442 Summary of 422nd meeting of ACRS on 950608-10 re draft Reg Guide 1040, "Time Response Design Criteria for Safety- Related Operator Actions."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 95/06/20. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84506:304-84506:304.

9506300151 Requests ACRS review of generic ltr titled "Voltage-Based Repair Criteria for Westinghouse Steam Generator Tubes." W/ supporting matl.
SHERON,B. . 95/04/06. LARKINS,J. ACRS - Advisory Committee on Reactor Safeguards. 162pp. 84511:048-84511:209.

9506300269 Forwards minutes of 950602 telcon/meeting re BWR Owners Group planned presentation at Jul ACRS meeting in support of boron remixing.
JONES,B. . 95/06/16. BOEHNERT,P. ACRS - Advisory Committee on Reactor Safeguards. 1p. 84510:199-84510:227.

ADVCM NRC ADVISORY COMMITTEE

9506020163 "NRC ACNW to meet 950521-22."
* Office of Public Affairs (Post 911117). 95/05/30. 2pp. 84213:071-84213:072.

9506120197 Discusses issues re guidance on 10CFR60 groundwater travel time regulations.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/05/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 7pp. 84280:045-84280:051.

9506120372 Forwards rept from ACNW re regulatory guidance on groundwater travel time for high-level waste repository.
* Office of Public Affairs (Post 911117). 95/06/01. 1p. 84280:160-84280:167.

9506280366 Transcript of 950622 75th meeting of Advisory Committee on Nuclear Waste.Pp 269-372.Related documentation encl.
* Advisory Committee on Nuclear Waste. 95/06/22. 151pp. 84496:012-84496:160.

9506280370 Transcript of 950621 75th meeting of Advisory Committee on Nuclear Waste.Pp 1-268.Related documentation encl.
* Advisory Committee on Nuclear Waste. 95/06/21. 375pp. 84495:001-84496:011.

9506280689 Certification of 950511-12 meeting of Advisory Committee on medical uses of isotopes.
SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 95/06/09. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 36pp. 84471:237-84471:272.

9506290269 Forwards response to ACNW 950428 ltr,discussing concerns re DOE program approach.
TAYLOR,J.M. Ofc of the Executive Director for Operations. HLWR. 95/06/19. STEINDLER,M.J. Advisory Committee on Nuclear Waste. 11pp. 84506:305-84506:315.

COMMISSION NRC COMMISSIONERS

9506020158 SECY-95-125 Weekly info rept for wk ending 950512.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/05/17. 23pp. 84165:199-84165:220.

9506060306 Remarks by SA Jackson,Commissioner NRC on Occasion of Swearing-In Ceremony by Vice President of US on 950526.
JACKSON,S.A. Commissioners (Post 750119). 95/05/26. 3pp. 84213:075-84213:077.

9506080267 Expresses appreciation for invitation to participate in annual Global Game exercise in summer at Naval War College.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/25. LAKE,A. National Security Agency. 3pp. 84381:152-84381:154.

9506080392 Summary of 950502 meeting w/RE Busch,JF Opeka & RM Kacich re status of activities at Millstone,Haddam Neck & Seabrook facilities.
MCWHORTER,R. Commissioners (Post 750119). 95/05/22. Commissioners (Post 750119). 1p. 84381:156-84381:156.

9506080405 Summary of 950503 meeting w/G Rueger,L Womak & M Angus re status of activities at Diablo Canyon facility.
MCWHORTER,R. Commissioners (Post 750119). 95/05/23. Commissioners (Post 750119). 1p. 84381:157-84381:157.

9506080486 Forwards ltr from EO Adamov of Russian Research & Development Inst of Power Engineering,requesting that NRC recommend someone from ANS to participate in Program Preparation Committee for meeting on 960402-03.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/25. WALTAR,A.E. American Nuclear Society. 1p. 84381:169-84381:170.

-9506080505 Requests that NRC recommend someone from ANS to be included into Program Preparation Committee for meeting sponsored by Russian Nuclear Society on "Lessons of Chernobyl" to be held at site of Smolensk NPP on 960402-03.
ADAMOV,E.O. Russia. 95/03/31. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84381:170-84381:170.

9506130401 SECY-95-142 Weekly info rept for wk ending 950526.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/01. 18pp. 84284:222-84284:240.

9506140346 Notation vote approving SECY-95-098, "NRC Participation in World Use of International Nuclear Event Scale," w/comments.
ROGERS,K.C. Commissioners (Post 750119). 95/05/01. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84311:290-84311:290.

9506140350 Notation vote approving SECY-95-098, "NRC Participation in World Use of International Nuclear Event Scale."
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84311:291-84311:291.

9506140353 Notation vote approving SECY-95-098, "NRC Participation in World Use of International Nuclear Event Scale," w/comments.
JACKSON Commissioners (Post 750119). 95/05/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84311:292-84311:292.

9506140356 Notation vote approving SECY-95-098, "NRC Participation in World Use of International Nuclear Event Scale," w/comments.
DE PLANQUE,G. Commissioners (Post 750119). 95/05/15. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84311:293-84311:294.

9506140366 Notation vote approving,SECY-95-117, "Proposed Agreement for Cooperation Between US & Romania."
ROGERS,K.C. Commissioners (Post 750119). 95/05/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84305:357-84305:357.

9506140369 Notation vote approving,SECY-95-117, "Proposed Agreement for Cooperation Between US & Romania."
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/24. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84305:356-84305:356.

9506140375 Notation vote approving,SECY-95-117, "Proposed Agreement for Cooperation Between US & Romania."
JACKSON,S. Commissioners (Post 750119). 95/05/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84305:355-84305:355.

9506140378 Notation vote approving,SECY-95-117, "Proposed Agreement for Cooperation Between US & Romania."
DE PLANQUE,G. Commissioners (Post 750119). 95/05/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84305:354-84305:354.

9506140426 Notation vote approving SECY-95-051, "Proposed Rulemaking Rev to 10CFR2,50 & 51 Related to Decommissioning of Nuclear Power Reactors."
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/12. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84311:358-84311:359.

9506140428 Notation vote approving SECY-95-051, "Proposed Rulemaking - Rev to 10CFR2,50 & 51 Related to Decommissioning of Nuclear Power Reactors," w/comments.
DE PLANQUE,E.G. Commissioners (Post 750119). 95/05/02. HOYLE,J.C. Office of the Secretary of the Commission. 15pp. 84312:343-84312:357.

9506140429 Notation vote approving SECY-95-051, "Proposed Rulemaking - Rev to 10CFR2,50 & 51 Related to Decommissioning of Nuclear Power Reactors," w/comments.
ROGERS,K.C. Commissioners (Post 750119). 95/04/26. HOYLE,J.C. Office of the Secretary of the Commission. 17pp. 84313:111-84313:125.

9506140432 Notation Vote approving SECY-95-081, "Staff Evaluation of Collecting Low-Level Radioactive Waste Generation Data for Assessing Fees on Individual Licensee Basis."
DE PLANQUE,E.G. Commissioners (Post 750119). 95/05/10. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84312:360-84312:360.

9506140434 Not participating notation vote re SECY-95-081, "Staff Evaluation of Collecting Low-level Radioactive Waste Generation Data for Assessing Fees on Individual Licensee Basis."
JACKSON,S.A. Commissioners (Post 750119). 95/05/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84312:358-84312:358.

9506140435 Notation Vote approving SECY-95-081, "Staff Evaluation of Collecting Low-level Radioactive Waste Generation Data for Assessing on Individual Licensee Basis."
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/04/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84312:359-84312:359.

9506140437 Notation Vote approving SECY-95-081, "Staff Evaluation of Collecting Low-Level Radioactive Waste Generation Data for Assessing Fees on Individual Licensee Basis."
ROGERS,K.C. Commissioners (Post 750119). 95/04/27. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84313:001-84313:001.

9506140438 Not participating notation vote re SECY-95-051, "Proposed Rulemaking - Rev to 10CFR2,50 & 51 Related to Decommissioning of Nuclear Power Reactors."
JACKSON,S.A. Commissioners (Post 750119). 95/05/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84313:002-84313:002.

9506150074 Notation vote approving SECY-95-085, "Recommendations on Senior Mgt Meeting Process for Continued Use of Trending Letters & for Plants that Remain on Problem Plant List for Extended Period," w/comments.
JACKSON,S.A. Commissioners (Post 750119). 95/05/17. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84329:292-84329:293.

9506150092 Notation vote partly approving SECY-95-085, "Recommendations on Senior Mgt Meeting Process for Continued Use of Trending Letters & for Plants that Remain on Problem Plant List for Extended Period," w/comments.
DE PLANQUE,E.G. Commissioners (Post 750119). 95/05/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84329:286-84329:287.

9506150105 Notation vote approving SECY-95-085, "Recommendations on Senior Mgt Meeting Process for Continued use of Trending Letters & for Plants that Remain on Problem Plants List for Extended Period," w/comments.
ROGERS,K.C. Commissioners (Post 750119). 95/05/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84329:285-84329:285.

9506150115 Notation vote approving SECY-95-085, "Recommendations on Senior Mgt Meeting Process for Continued Use of Trending Letters & for Plants that Remain on Problem Plant List for Extended Period," w/comments.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84329:284-84329:284.

9506150151 Notation vote approving, "SECY-95-108 - MOU Between NRC & PA Dept of Environmental Resources for Remedial Actions at Sites in Commonwealth of PA," w/comments.
THR CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/19. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84329:278-84329:278.

9506150159 Notation vote approving, "SECY-95-108 - MOU Between US NRC & PA Dept of Environmental Resources for Remedial Actions at Sites in Commonwealth of PA," w/comments.
DE PLANQUE,E.G. Commissioners (Post 750119). 95/05/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84329:274-84329:274.

9506150161 Notation vote approving, "SECY-95-108 - MOU Between US NRC & PA Dept of Environmental Resources for Remedial Actions at Sites in Commonwealth of PA," w/comments.
ROGERS,K.C. Commissioners (Post 750119). 95/05/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84329:273-84329:273.

9506150169 SECY-95-134 Weekly info rept for wk ending 950519.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/05/25. 23pp. 84308:336-84308:358.

9506150247 Notation vote approving w/comments,SECY-95-123, "Natl Performance Review."
JACKSON,S.A. Commissioners (Post 750119). 95/05/26. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84313:189-84313:189.

9506150379 Notation vote approving w/comments,SECY-95-123, "Natl Performance Review."
DE PLANQUE,E.C. Commissioners (Post 750119). 95/05/31. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84313:190-84313:192.

9506150384 Notation vote approving w/comments,SECY-95-123, "Natl Performance Review."
ROGERS,K.C. Commissioners (Post 750119). 95/05/30. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84313:193-84313:193.

9506160020 Notation vote approving w/comments,SECY-95-123, "Natl Performance Review."
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/25. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84342:357-84342:359.

9506160156 Notation vote approving w/comments,SECY-95-120, "DOE Proposed Subsequent Arrangement for Export of Four g pu to Russia for Isotopic Separation & Later to Belgium for Assembly into Certified Ref Matl for IAEA distribution...."
ROGERS,K.C. Commissioners (Post 750119). 95/05/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84342:353-84342:353.

9506160177 Notation vote approving SECY-95-120, "DOE Proposed Subsequent Arrangement for Export of Four g pu to Russia for Isotopic Separation & later Transfer to Belgium for Assembly into Certified Ref Matl for IAEA distribution...."
DE PLANQUE,E.C. Commissioners (Post 750119). 95/06/01. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84342:354-84342:354.

9506160191 Notation vote approving SECY-95-120, "DOE Proposed Subsequent Arrangement for Export of Four g pu to Russia for Isotopic Separation & Later Transfer to Belgium for Assembly Into Certified Ref Matl & Other Users for Distribution...."
JACKSON,S.A. Commissioners (Post 750119). 95/06/02. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84342:355-84342:355.

9506160196 Notation vote approving SECY-95-120, "DOE Proposed Subsequent Arrangement for Export of Four g pu to Russia for Isotopic Separation & Later to Belgium for Assembly Into Certified Ref Matls for Distribution to IAEA and other...."
THE CHAIRMAN, SELIN,I.A. Commissioners (Post 750119). 95/05/24. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84342:356-84342:356.

9506210361 Discusses NRC & EPA Interagency Steering Committee on Radiation Standards to expedite resolution & coordination of regulatory issues associated w/radiation standards.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/22. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 84403:250-84403:252.

9506230178 Affirmation vote approving SECY-95-116 re final amends to 10CFR72 to establish emergency preparedness licensing regulations for ISFSI & monitored retrievable storage facilities.
JACKSON,S.A. Commissioners (Post 750119). 95/05/31. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84429:275-84429:275.

9506230182 Affirmation vote approving,w/comments,SECY-95-116 re final amends to 10CFR72 to establish emergency preparedness licensing regulations for ISFSI & monitored retrievable storage facilities.
DE PLANQUE,E.G. Commissioners (Post 750119). 95/05/31. HOYLE,J.C. Office of the Secretary of the Commission. 6pp. 84455:308-84455:313.

9506230194 Affirmation vote approving,w/comments,SECY-95-116 re final amends to 10CFR72 to establish emergency preparedness licensing regulations for ISFSI & monitored retrievable storage facilities.
ROGERS,K.C. Commissioners (Post 750119). 95/05/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84455:314-84455:314.

9506230198 Affirmation vote approving SECY-95-116 re final amends to 10CFR72 to establish emergency preparedness licensing regulations for ISFSI & monitored retrievable storage facilities.
THE CHAIRMAN, SELIN,I.A. Commissioners (Post 750119). 95/05/24. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84455:315-84455:315.

9506230311 SECY-95-147 Weekly info rept for wk ending 950602.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/07. 16pp. 84429:312-84429:327.

9506280332 Forwards NRC rept, "Eliminating & Improving NRC Regulations," in response to 950304 memo re Phase II of Natl Performance Review.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/01. CLINTON,W. President of U.S. & Executive Offices. 1p. 84448:204-84448:232.

--9506280339 "US NRC Rept on Eliminating & Improving NRC Regulations."
* Commissioners (Post 750119). 95/06/01. 28pp. 84448:205-84448:232.

9506280768 Requests authorization for execution of proposed agreement for cooperation w/Romania submitted by DOS on 950308.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/08. CLINTON,B. President of U.S. & Executive Offices. 1p. 84458:358-84458:358.

9506290326 SECY-95-156 Weekly info rept for wk ending 950609.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/15. 22pp. 84491:229-84491:252.

9506290376 Ack receipt of 950501 ltr re progress made by Armenian regulatory authority during past yr & participation of personnel in fire protection training.Current US govt policy & NRC resource constraints limit nuclear safety assistance.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/07. MARTIROSSIAN,A. Russia. 2pp. 84473:319-84473:322.

--9506290378 Requests technical assistance from NRC or related organization re personnel training as outlined.
* Russia. 95/05/01. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84473:321-84473:322.

9506290384 Forwards semiannual rept of OIG & NRC semiannual rept to US Congress summarizing activities & accomplishments for period of 941001-950331.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/01. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. MYERS,J.T. House of Rep., Appropriations. 6pp. 84488:256-84488:327.

--9506290389 "Chairman Semiannual Rept to Congress,Mgt Decisions & Final Actions on OIG Audit Recommendations,940401-0930."
* NRC - No Detailed Affiliation Given. 94/09/30. 20pp. 84488:262-84488:281.

--9506290395 "OIG,Semiannual Rept,941001-950331."
* Office of the Inspector General (Post 890417). 95/03/31. 49pp. 84488:282-84488:327.

9506290412 Discusses proposed DOS intent to greatly reduce or eliminate US govt funding in support of intl energy organizations including OECD & NEA.Believes that elimination of subj funding may increase costs.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/01. BENNET,D.J. State, Dept. of. 2pp. 84473:324-84473:325.

9506290414 Responds to Executive Order 12866 "Regulatory Planning & Review" & forwards NRC input describing significant regulatory actions that NRC expects to issue in upcoming FY.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/06/01. KATZEN,S. Office of Management & Budget. 10pp. 84473:351-84473:360.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9506080162 Provides two copies of each task order under Contract NRC-02-95-003 which have been accepted on behalf of licensee.
LONG,D.M. Science Applications International Corp. (formerly Science Applications, Inc.). NRC-02-95-003. 95/04/10. MACE,M.H. Division of Contracts (Post 940714). 2pp. 84381:141-84381:145.

--**9506080177** Ltr contract NRC-02-95-003,providing incremental funding to "Technical Assistance in Providing Responses to Public Comments & Questions Re Spent Fuel Dry Storage."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5073. NRC-02-95-003. 94/04/10. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 4pp. 84381:143-84381:145.

9506080180 Ltr contract NRC-03-93-031,mod 4,task order 23,increasing level of effort in task order to "Shut-Down Risk Support."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN E-2095-5. NRC-03-93-031. 95/04/24. AFABLE,S. SCIENTECH, Inc. 2pp. 84381:146-84381:147.

9506080186 Ltr contract NRC-02-91-001,mod 4,task order 6,providing for downward adjustment of task order ceiling amount to reflect completion of task order to "Envirocare Casework."
MACE,M.H. Division of Contracts (Post 940714). NRC-02-91-001. 95/03/31. HALL,A. ICF, Inc. 2pp. 84381:148-84381:149.

9506080209 Mod 10,deleting remittance address under Section G,to "Data Entry Support Svcs."
* Small Business Administration. MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-182. 95/04/21. 2pp. 84381:150-84381:151.

9506080296 Mod 13,reflecting administrative changes,to "Performance of Engineered Barriers in Geologic Repository."
MOLER,D. Golder Associates. MACE,M.H. Division of Contracts (Post 940714). FIN B-6986. 95/05/08. 2pp. 84266:339-84266:340.

9506080351 Forwards one executed copy of contract NRC-02-94-002 of mod 4,incorporating Federal Acquisition Regulations Clause 52.222-2 entitled "Payment for Overtime Premiums."
MEARSE,S.D. Division of Contracts (Post 940714). NRC-02-94-002. 95/05/10. LOHR,K.N. National Academy of Sciences. 1p. 84266:341-84266:343.

--**9506080369** Mod 4,incorporating FAR Clause 52.222-2,to "External Review of NRC Medical Use Program."
LOHR,K.N. National Academy of Sciences. MEARSE,S.D. Division of Contracts (Post 940714). 95/05/10. 2pp. 84266:342-84266:343.

9506080382 Ltr contract NRC-02-90-009,mod 1,task order 32,extending expiration date from 950430 to 950531,to "TA in Review of Fort St Vrain Repowering Natural Gas Analysis."
MACE,M. Division of Contracts (Post 940714). NRC-02-90-009. 95/05/03. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 84381:155-84381:155.

9506080474 Ltr contract to task order 2,confirming verbal authorization provided on 950317 to commence work under task order & increasing funds,to "Support for FY95 NRC Annual Regulatory Info Conference."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2057-5. NRC-03-94-028. 95/04/04. PERRY,V. . 2pp. 84381:167-84381:168.

9506080488 Mod 19,revising statement of work within scope of contract per FAR 52.243-2,to "Second IPIRG-2 Program."
MERCIER,I.M. Battelle Memorial Institute. MACE,M.H. Division of Contracts (Post 940714). NRC-04-91-063. 95/04/06. 9pp. 84381:171-84381:179.

9506080500 Ltr contract NRC-04-91-069,mod 1,task order 33,extending period of performance of task order from 950517-1231 to "IPE Reviews Internal Events Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:180-84381:181.

9506080607 Ltr contract NRC-04-91-069,mod 1,task order 39,extending period of performance of task order from 950915 to 951231,to "IPE Reviews Internal Events re Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:182-84381:183.

9506080608 Ltr contract NRC-04-91-069,mod 1,task order 36,extending period of performance of task order from 950915 to 951231,to "IPE Reviews Internal Events re Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:184-84381:185.

9506090073 Ltr contract NRC-04-91-069,mod 2,task order 34,extending period of performance of task order from 950517-1231,to "IPE Reviews Internal Events re Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:186-84381:187.

9506090078 Ltr contract NRC-04-91-069,mod 2 to task order 35,extending period of performance of task order from 950915-1231,to "IPE Reviews,Internal Events re Human Reliability Analysis Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:188-84381:189.

9506090084 Ltr contract NRC-04-91-069,mod 2 to task order 38,extending period of performance of task order from 950915-1231,to "Reviews,Internal Events,Human Factors Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-069. 95/04/05. HAAS,P. Concord Associates, Inc. 2pp. 84381:190-84381:191.

9506090106 Mod 2,replacing contract sections F.5,F.6,H.5 & J.1 to "Correlation of Seismicity W/Tectronics Using GIS."
MCKENZIE,P.C. Boston College, Chestnut Hill, MA. MACE,M.H. Division of Contracts (Post 940714). 95/03/02. 5pp. 84381:192-84381:196.

9506090143 Mod 12,definitizing change order mod 11 & increasing estimated cost ceiling to "NRC OC Info Mgt Sys Implementation."
BAKER,L.J. . MATTIA,M.J. Division of Contracts (Post 940714). 95/04/06. 2pp. 84381:197-84381:198.

9506090167 Mod 1,incorporating within scope change to contract work as described to "Mail & Messenger Support Svcs."
MCWANE,G.J. . WIGGINS,E.J. Division of Contracts (Post 940714). 95/04/25. 2pp. 84381:199-84381:201.

9506090173 Contract: "Installation of Two Simplex Automated Voice Message Units " awarded to Simplex Time Recorder Co.
PACKETT,B.J. Simplex Time Recorder Co. FIELDS,J.A. Division of Contracts (Post 940714). 95/04/07. 19pp. 84381:202-84381:220.

9506090178 Forwards Mod 7 to Contract NRC-32-93-277, "Telephone Switching Sys - Sys IV - Arlington,TX."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-32-93-277. 95/04/07. BALLENGER,C. GTE Telecommunications, Inc. 1p. 84381:221-84381:223.

--**9506090182** Mod 7,specifying installation date of equipment in contract, to "Telephone Switching Sys for Region IV in Arlington,TX."
COLLINS,E.J. GTE Telecommunications, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-32-93-277. 95/04/11. 2pp. 84381:222-84381:223.

9506140409 Mod 9,extending period of performance by one addl yr effective 950315-960314,providing incremental funding in listed amount & revising SOW to incorporate option yr.
NORTON,P. Wharton County Community College, Wharton, TX. MACE,M. Division of Contracts (Post 940714). 95/05/02. 3pp. 84305:341-84305:343.

9506140413 Contract: "IBM 9370 Consolidation," awarded to Pulsar Data Sys,Inc.
ADAMS,O. Small Business Administration. DAVIS,W.W. Pulsar Data Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN B-8155. 95/05/19. 46pp. 84305:295-84305:340.

9506140433 Contract: "Operation & Maint of NRC Computer Facilities," awarded to Ruland Assoc,Inc.
RULAND,J. Ruland Associates, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1387. 95/05/12. 88pp. 84306:184-84306:272.

9506150055 Mod 2,deobligating funds in listed amount,designating Alternate Project Officer,N Plitt & revising key personnel to remove T Jennings & J Guayama & add D Jones.
GALL,R. Readmore, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/04/14. 2pp. 84313:126-84313:127.

9506150085 Ltr contract,Mod 4 to task order 2,extending period of performance,providing addl funding in listed amount & increasing task order ceiling by listed amount to "SECY Commission Voter Tracking Sys Development."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-196. FIN B-8166. 95/05/05. JONES,N.R. Small Business Administration. JONES,N. Affiliation Not Assigned. 3pp. 84313:129-84313:131.

9506150098 Ltr contract,Mod 2 to task order 4,providing addl funding to task order 4 in listed amount,to "NRR Events Tracking Sys."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-196. FIN B-8166. 95/05/04. Small Business Administration. JONES,N. Affiliation Not Assigned. 2pp. 84313:132-84313:133.

9506150106 Ltr contract,Mod 1 to task order 5,providing addl funding to task order 5 in listed amount,to "Enterprise Client/Server Maint Database Administration & Operational Support."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-196. FIN B-8166. 95/05/04. Small Business Administration. JONES,N. Affiliation Not Assigned. 2pp. 84313:134-84313:135.

9506150134 Ltr contract,Mod 2 to task order 2,extending period of performance for task order from 950821-1231,to "Develop & Implement CSC Enhancements for Call Tracking,Requisition Tracking,Inventory Mgt & Remote Access."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-194. 95/04/18. AUGUSTINE,H.H. Small Business Administration. CASSON,D. Global Management Systems, Inc. 2pp. 84313:140-84313:141.

9506150144 Contract: "Testing & Evaluation of Groundwater Flow & Transport Models," awarded to Univ of Arizona.
WHEELER,J.T. Arizona, Univ. of, Tucson, AZ. MACE,M. Division of Contracts (Post 940714). FIN W-6388. 95/05/09. 56pp. 84321:001-84321:058.

9506150152 Contract: "GAMMA Spectormetry Sys," awarded to Canberra Industries,Inc.
OSTROWSKI,L.C. Canberra Industries, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/05/16. 26pp. 84313:163-84313:188.

9506150154 Mod 3,transfering government equipment from Contract NRC-04-93-094,to "SBIR Program - Phase II,FY94 Characterization of Concrete Condition Using Acoustic Tomographic Imaging."
ATKINSON,R.H. Atkinson-Noland & Associates. MACE,M.H. Division of Contracts (Post 940714). NRC-04-93-094. 95/04/27. 3pp. 84329:275-84329:277.

9506150167 Mod 3,revising section F to update financial status rept requirements,section H to incorporate subsection H.6 & revising billing instructions,to "Boron Mixing Experiments."
MAGRUM,E.M. Maryland, Univ. of, College Park, MD. MACE,M.H. Division of Contracts (Post 940714). 95/05/10. 4pp. 84329:265-84329:268.

9506150175 Forwards Mod 5 to contract NRC-10-94-148.
WIGGINS,E.J. Division of Contracts (Post 940714). 95/05/03. RYAN,S. Affiliation Not Assigned. 1p. 84308:359-84308:361.

--**9506150181** Mod 5,exercising option yr 1,obligating listed amount for option & obligating addl amount for performance incentive provision re elevator outages,to "Elevator Maint for Two White Flint North Bldg."
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN R-0225. FIN R-2315. 95/05/02. 2pp. 84308:360-84308:361.

9506150178 Ltr contract NRC-04-94-050,definitizing task order 5,to "Individual Plant Exam of External Events (IPEEE) Review Board Meetings."
MACE,M.H. Division of Contracts (Post 940714). FIN L-2194. NRC-04-94-050. 95/05/04. KHATIB-RAHBAR Energy Research, Inc. 2pp. 84329:263-84329:264.

9506150183 Ltr contract NRC-04-94-050,definitizing task order 4,to "Individual Plant Exam of External Events (IPEEE) Submittals Reviews of Group 1 Nuclear Power Plants."
MACE,M.H. Division of Contracts (Post 940714). FIN L-2194. NRC-04-94-050. 95/05/02. KHATIB-RAHBAR Energy Research, Inc. 2pp. 84329:261-84329:262.

9506150187 Ltr contract NRC-04-94-045,definitizing task order 1,to "Rev 10CFR2.802,Petition for Rulemaking."
MACE,M.H. Division of Contracts (Post 940714). FIN J-6040. NRC-04-94-045. 95/05/01. AFABLE,S. SCIENTECH, Inc. 2pp. 84329:259-84329:260.

9506150196 Ltr contract NRC-02-90-009,mod 2 to task order 33,extending expiration date at no addl cost,to "EA for License Renewal of B&W - Naval Fuel Div in Lynchburg,VA."
MACE,M.H. Division of Contracts (Post 940714). NRC-02-90-009. 95/05/03. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 84342:352-84342:352.

9506150221 Mod 8,revising contract procedures for svc call requirements to "Commercial Facilities Mgt Svcs."
GILCHRIST,J.R. Affiliation Not Assigned. FIELDS,J.A. Division of Contracts (Post 940714). 95/03/31. 8pp. 84329:217-84329:224.

9506150227 Ltr contract,Mod 2 to task order 1,extending period of performance of subj task order from 950511-0624 at no extra cost to Govt,to "Allocation of NRC Budgeted Costs to Classes of Licensees/Certificate Holders for Fee Calculation...."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-09-94-202. 95/05/15. COX,D. Cox & Associates, P.C. 1p. 84329:216-84329:216.

9506150237 Ltr contract NRC-02-90-009,mod 2 to task order 34,extending expiration date at no addl cost,to "Technical Assistance in Review of BG&E License Amend Request."
MACE,M. Division of Contracts (Post 940714). NRC-02-90-009. 95/05/03. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 84329:258-84329:258.

9506150238 Contract: "SBIR Program-Phase I,FY95 Development of Self-Repairing Concrete Containers of Radwaste Using Superelastic Reinforcement," awarded to DPD,Inc.
CHOW,C.P., HSU,J. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). FIN W-6478. 95/05/25. 18pp. 84329:197-84329:215.

9506150242 Ltr contract NRC-02-95-002,definitizing task order 2,to "Perform Financial Assurance Reviews of Nonstandard Submittals."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5054. NRC-02-95-002. 95/05/08. HALL,A.D. ICF, Inc. 2pp. 84329:256-84329:257.

9506150250 Ltr contract NRC-02-95-003,mod 2 to task order 3,extending expiration date at no addl cost,to "Technical Assistance for Fuel Cycle Facilities & Spent Fuel Storage."
MACE,M. Division of Contracts (Post 940714). NRC-02-95-003. 95/05/03. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 84329:255-84329:255.

9506150262 Ltr contract NRC-03-90-027,definitizing task order 29,to "YAEC-1856P, 'Sys Transient Analysis Methodology Using Retran for PWR Applications.'"
WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-13185. NRC-03-90-027. 95/05/16. KOMORIYA,H. International Technical Services, Inc. 5pp. 84329:250-84329:254.

9506150304 Ltr contract NRC-04-91-047,mod 1 to task order 12,extending period of performance & providing incremental funding,to "Technical Assistance for Spite-Specific Advisory Board Workshop."
MACE,M.H. Division of Contracts (Post 940714). FIN J-6039. NRC-04-91-047. 95/04/26. KNOX,I.H. Advanced Systems Technology, Inc. 2pp. 84329:242-84329:243.

9506150321 Mod 2,extending period of performance at no addl cost,to "SBIR Program - Phase II,FY93 Improved Steady-State Initialization Algorithms for Computer Codes."
MCFADDEN,J. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 95/04/28. 2pp. 84329:240-84329:241.

9506150329 Mod 3,extending period of performance at no addl cost,to "SBIR Program - Phase II,FY92 Assessment of Smart Sensor Technologies for Conventional & Advanced LWRS."
MITCHELL,D.W. Analysis & Measurement Services Corp. MACE,M.H. Division of Contracts (Post 940714). 95/05/01. 2pp. 84329:238-84329:239.

9506150337 Mod 6,extending period of performance at no addl cost,to "Control of Waste Infiltration at Humid Region Low-Level Radwaste Disposal Facilities."
BUNTING,W.A. California, Univ. of, Los Angeles, CA. MACE,M.H. Division of Contracts (Post 940714). 95/04/14. 2pp. 84329:236-84329:237.

9506150346 Mod 7,increasing contract ceiling & extending period of performance,to "Support for Nuclear Power Plant License Renewal Environ Protection Rulemaking."
BEVARD,M.D. MITRE Corp. MACE,M.H. Division of Contracts (Post 940714). FIN B-5729. 95/04/26. 6pp. 84329:230-84329:235.

9506150350 Mod 10,exercising option to extend period of performance,to "Technical Assistance in Support of NRR Programs & Activities re Sys Technology."
KNIGHT,D.A. SCIENTECH, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/04/28. 2pp. 84329:228-84329:229.

9506150356 Mod 13,increasing contract ceiling & revising point of contact,to "Technical Assistance for Evaluation of Fire Barrier Performance."
MCGUFFIN,J.C. National Institute of Standards & Technology (formerly National Bureau of Standa. WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-2063-5. 95/04/28. 3pp. 84329:225-84329:227.

9506150365 Contract: "SBIR Program - Phase I,FY 95 Development of Performance Assessment Process Controller" awarded to Innovative Technology Solutions Corp.
MAST,P.K. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). FIN W-6477. 95/05/09. 16pp. 84321:344-84321:363.

9506150371 Contract: "SBIR Program - Phase I,FY95 Detection Sys for Determining Concentration,Size & Depth of Buried Radioactive Matl" awarded to Shonka Research Assocs,Inc.
SHONKA,J.J. Shonka Research Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6476. 95/04/11. 20pp. 84329:177-84329:196.

9506150380 Contract: "SBIR Program - Phase I,FY95 Self Monitoring Surveillance Sys for Prestressing Tendons" awarded to Const Technology Labs.
TABATABAI,H. Construction Technology Laboratories, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6475. 95/05/04. 21pp. 84321:323-84321:343.

9506150389 Contract: "SBIR Program - Phase I,FY95 Inservice Diagnostics of MOVs" awarded to RH Lyon Corp.
BOWEN,D.L. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). FIN W-6474. 95/05/04. 23pp. 84329:154-84329:176.

9506150394 Contract: "SBIR Program - Phase I,FY95 Extending Dynamic Flowgraph Methodology (DFM) to Model Human Performance & Team Effects" awarded to ASCA,Inc.
CHIEN,J.W. ASCA, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6473. 95/05/15. 21pp. 84321:302-84321:322.

9506150399 Contract: "SBIR Program - Phase I,FY95 Integrated Risk Mgt & QA" awarded to Accident Prevention Group.
JOKSIMOVICH,V. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). FIN W-6472. 95/05/04. 73pp. 84321:230-84321:301.

9506150415 Contract: "Completion of Strainer Blockage Study & Technical Assistance for Resolving Strainer Blockage Issue" awarded to Science & Engineering Assoc,Inc.
COLINA,I. Science & Engineering Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6459. 95/05/12. 85pp. 84321:146-84321:229.

9506150425 Contract: "Field Studies at Apache Leap Tuff Site" awarded to Univ of Arizona.
BASSETT,R.L. Arizona, Univ. of, Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). FIN W-6387. 95/05/09. 83pp. 84321:059-84321:145.

9506150432 Ltr contract,Mod 1,providing incremental funding in amount listed & changing name of project officer,to "Scaled Integral Test Facility."
MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6273. NRC-04-95-039. 95/05/11. LACAVA,C. Oregon State Univ., Corvallis, OR. 3pp. 84329:330-84329:332.

9506190271 Ltr contract NRC-03-93-026,definitizing task order 70,to "Follow-up to Svc Water Sys Operational Performance Insp (SWSOPI) - HB Robinson."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2062-5. NRC-03-93-026. 95/05/25. LOFY,R.A. PARAMETER, Inc. 6pp. 84349:343-84349:348.

9506300083 Mod 4,task order 23, "Relocation of NRC to Two White Flint North Facility," to "Agency Upgrade of Technology for AUTOS Ofc Plans,Integration & Implementation Relocation of NRC Ofcs to Two White Flint North Facility."
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts & Property Management (890206-940714). NRC-33-90-178. 95/04/06. 3pp. 84598:079-84598:081.

GEN TEC IS GENERIC TECHNICAL ISSUES

9505150182 SECY-95-109 Informs Commission of progress in resolving GSIs since SECY-94-105 issued on 940420.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/01. 5pp. 84308:250-84308:254.

9506010492 Forwards "Safe Shutdown Equipment List Rept," "Relay Evaluation Rept Volumes 1 & 2," & "Seismic Evaluation Rept," for Salem Generating Station Units 1 & 2, in response to GL 87-02/USI A-46.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. LR-N95073. 95/05/22. Document Control Branch (Document Control Desk). 5pp. 84151:001-84154:255.

9506060093 Forwards proprietary rept 42105-R-002, "TMI-1 USI A-46 Seismic Evaluation Rept," documenting results of safe shut- down equipment identification,screening verification & walkdown & relay evaluation,per GL 87-02,Rept withheld.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. C311-95-2190. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84196:357-84196:359.

9506060248 Forwards JM Farley summary rept re USI A-46 for Unit 1.
MOREY,D. Southern Nuclear Operating Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84201:001-84201:304.

-9506060255 "USI A-46 Summary Rept,JM Farley Nuclear Plant Unit 1."
* Southern Nuclear Operating Co. 95/05/18. 300pp. 84201:003-84201:304.

9506070047 Trip rept of 950201-02 & 950303-04 visit to plant re audit of USI A-46/IPEEE in-progress seismic walkdown activities.
MCBREARTY,M. . 95/05/25. WESSMAN,R.H. . 8pp. 84206:265-84206:272.

9506070182 Provides updated schedule & status for resolution of USI A-46 for JA FitzPatrick NPP.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). JPN-95-028. 95/05/31. Document Control Branch (Document Control Desk). 3pp. 84239:310-84239:312.

9506080006 Forwards "USI A-46 Summary Rept El Hatch Nuclear Plant Unit 1" & "USI A-46...El Hatch Nuclear Plant Unit 2," in response to suppl 1 to GL 87-02.
BECKHAM,J.T. Georgia Power Co. TAC M69451. 95/05/30. Document Control Branch (Document Control Desk). 3pp. 84276:001-84279:219.

-9506080008 "USI A-46 Summary Rept El Hatch Nuclear Plant Unit 1."
* Georgia Power Co. 95/05/30. 640pp. 84276:005-84277:280.

-9506080011 "USI A-46 Summary Rept El Hatch Nuclear Plant Unit 2."
* Georgia Power Co. 95/05/30. 667pp. 84277:281-84279:219.

9506090194 Forwards RAI in order to complete review of info re four safety-related tanks at plant in response to USI A-46 program.
WANG,A.B. Project Directorate I-3 (PD1-3) (Post 941001). TAC M69450. 95/05/30. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 84222:154-84222:158.

9506140237 Submits rev to current commitments re GLs 87-02 & 88-20, Suppl 4 concerning resolution of USI A-46 & IPE for external events,respectively.Intent of GLs 87-02 & 88-20 met through past actions.
DONNELLY,P.M. Consumers Power Co. GL-87-02. 95/05/19. Document Control Branch (Document Control Desk). 5pp. 84338:352-84338:356.

9506190218 Submits verification of seismic adequacy of mechanical & electrical equipment in operating reactors.
BOHLKE,W.H. Florida Power & Light Co. GL-87-02. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84385:345-84385:346.

9506280522 Discusses audit rept of Oconee USI A-46/IPEEE in progress seismic walkdown wk of 950417 to observe & assess effectiveness of progress for identifying seismic concerns w/shutdown electrical & mechanical equipment.
WIENS,L.A. . 95/06/15. HAMPTON,J.W. Duke Power Co. 12pp. 84453:282-84453:293.

9506290205 Forwards SE accepting response to GI-70,per GL 90-06. Response to GI-94 based on methodology developed in CEN-381P,rept not approved by NRC.Requests that util resubmit response using methodology acceptable by NRC.
KALMAN,G. . TAC M77327. 95/06/14. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84487:342-84487:347.

–9506290212 Safety evaluation accepting util response to GI-70,per GL 90-06.Response to GI-94 should be resubmitted.
* Office of Nuclear Reactor Regulation (Post 941001). GL-90-06. 95/06/14. 3pp. 84487:345-84487:347.

9506290227 Discusses trip rept audit of USI A-46/IPEEE in-progress seismic walkdown activities at plant/to observe & assess util effectiveness in identifying seismic concerns w/safe shutdown electrical & mechanical equipment.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). TAC M69469. 95/06/15. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 10pp. 84474:001-84474:010.

I&E INSPECTION AND ENFORCEMENT

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . IEIN-94-061. 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505220083 Notice of opportunity for public comment proposed generic communication, "Testing of Safety-Related Logic Circuits."
GRIMES,B.K. . 95/05/15. 10pp. 84362:143-84362:152.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . IEIN-92-082. 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010003 PNO-III-95-022:on 950516,licensed RO tested positive for alcohol during random FFD test.RO relieved of duties & denied site access.Region III will review test results for possible enforcement action.
BELANGER,J., CALDWELL,J. Region 3 (Post 820201). 95/05/17. 1p. 84107:001-84107:001.

9506010090 PNO-III-95-023:on 950517,Governor of Missouri declared State of Emergency because of flooding affecting evacuation routes.Region III monitoring flooding conditions through periodic consultations w/licensee & FEMA.
MCCORMICK-BARGE, CALDWELL,J. Region 3 (Post 820201). 95/05/18. 1p. 84107:349-84107:349.

9506010104 PNO-III-95-024:on 950516,patient received less than intended dose of centiGray during brachytherapy treatment.Caused by source being out of applicator & back into shielded cylinder prior to applicator being placed into patient.
LYNCH,J.L., CALDWELL,J.L. Region 3 (Post 820201). 95/05/18. 1p. 84107:356-84107:356.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506010117 PNO-IV-95-024:on 950524,radiation level up to 50 mR/hour from portal radiation detectors monitoring garbage trucks entering disposal facility was detected.Newspapers,paper towels & absorbent litter matl isolated.Source unknown.
MONTGOMERY,J. Walnut Creek Field Ofc, R4 (Post 940404). 95/05/25. 1p. 84108:001-84108:001.

9506010120 PNO-III-95-021:on 950511,about 300 mCi of C-14 labeled nitrobenzene spilled onto chemist.Caused by mishandled test tube by chemist.Licensee has taken urine samples & will continue w/bioassay sampling over next five to seven days.
LYNCH,J.L., CALDWELL,J.L. Region 3 (Post 820201). 95/05/16. 1p. 84108:008-84108:008.

9506020007 PNO-IV-95-024A:on 950525,I-131 contaminated trash transferred to Univ of Hawaii for storage in radioactive waste handling facility.Contamination caused by patient treated w/200 mCi.Local TV & radio news informed.
MONTGOMERY,J. Walnut Creek Field Ofc, R4 (Post 940404). 95/05/30. 1p. 84132:003-84132:003.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). IEIN-95-028. 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506050196 PNO-1-95-016:on 950529,unidentified reactor coolant leakage into primary containment increased from approx 0.05 gallons per minute to 1.45 gallons per minute.Plant will be shutdown for three days.Licensee planning to issue press release.
FERNANDES,R., COWGILL,C. Region 1 (Post 820201). 95/05/30. 2pp. 84150:198-84150:199.

9506050238 Forwards notice of opportunity for public comment for proposed GL, "Relocation of Pressure Temp Limit Curves & Low Temp OPS Limits."
GRIMES,B.K. . 95/05/25. MEYER,D.L. Region 1 (Post 820201). 2pp. 84173:179-84173:190.

–9506050240 Notice of opportunity for public comment re "Relocation of Pressure Temp Limit Curves & Low Temp OPS Limits."
GRIMES,B.K. . 95/05/25. 10pp. 84173:181-84173:190.

9506060019 PNO-III-95-026:on 950524,leak of 2,000 pounds of iodine pentafluoride occurred.Licensee activated plant emergency plan for responding to chemical releases.
FRANCE,G.M., SHEAR,G.L. Region 3 (Post 820201). 95/05/24. 1p. 84165:045-84165:045.

9506080579 PNO-III-95-025:on 950519,licensee reported that package containing 45.6 uCi of I-125 missing.Package lost while being shipped by US Air airlines.Courier svc,World Courier & US Air continuing to search for missing shipment.
HOLT,B.J., CALDWELL,J.L. Region 3 (Post 820201). 95/05/22. 1p. 84247:280-84247:280.

9506080600 PNO-IV-95-025:on 950602,licensee reported that Ir-192 brachytherapy misadministration occurred on 950509.Physician adjusted for error on 950518 during second fractional treatment.Licensee continuing investigation.
HOWELL,L. Region 4 (Post 820201). 95/06/05. 1p. 84240:349-84240:349.

9506130005 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
WAGNER,R.W. Affiliation Not Assigned. IEB-95-001. 95/05/30. Document Control Branch (Document Control Desk). 4pp. 84297:341-84297:344.

9506140115 PNO-I-95-017:on 950606,technician personal vehicle was stolen from his residence in Jamaica,NY.Portable moisture density gauge in trunk.Licensee notified NY City Police Dept & NYDOL.
WHITE,D. Region 1 (Post 820201). 95/06/06. 2pp. 84268:036-84268:037.

9506150001 EN-95-035:on 950524,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on violations associated w/failure to identify that containment sump recirculation valves susceptable.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-031. 95/05/19. 1p. 84288:001-84288:001.

9506150003 EN-95-033 on 950518,notice of violation & proposed imposition of civil penalty in amount $50,000 will be issued to licensee.Action based on violations which collectively represented significant breakdown in control of license.
BEALL,J, LIEBERMAN,J. Region 1 (Post 820201). EA-95-036. 94/05/15. 1p. 84288:002-84288:002.

9506150012 EN-95-040:on 950612,notice of proposed exercise of enforcement discretion will be issued to licensee.Action based on identification of design deficiency associated w/ adequate cooling water supplied to governors on EDG.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-051. 95/06/05. 1p. 84297:280-84297:280.

9506150013 EN-95-038:on 950606,notice of proposed imposition of civil penalty in amount of $5,000 will be issued to licensee, based on results of insp & investigation which concluded individual allowed unlicensed physician to treat patients.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-017. 95/06/01. 1p. 84288:016-84288:016.

9506150017 EN-95-039:informs Commission of NOV involving Severity Level III violations,to be issued on 960606 to unlicensed physician involved in licensed activities,based on results of insp & investigation.Penalty in amount of $5,000.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-018. 95/06/01. 1p. 84288:017-84288:017.

9506150023 EN-95-036:notifies staff intends to exercise enforcement discretion per section VII.B.6 of enforcement policy & not issue NOV for potential severity level III violation.Ltr will be issued on 950602.State of IL will be notified.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-074. 95/05/26. 1p. 84288:019-84288:019.

9506150047 EN-95-034:on 950524,notice of violations & proposed imposition of civil penalty in amount of $50,000 will be issued to licensee.Action based on violations that resulted in extended period of degradation of water path to ECCS.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-057. 95/05/19. 1p. 84288:108-84288:108.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . IEIN-94-066. 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506160308 Forwards draft GL, "Relocation of Selected Tech Specs Requirements Related to Instrumentation" & CRGR review package.
KUGLER,A.J. . 95/06/16. Document Control Branch (Document Control Desk). 17pp. 84366:075-84366:091.

9506190403 PNO-II-95-031:on 950531,received package exceeding external surface radiation levels.Wipe tests of package found no detectable removable radioactive contamination.State of Tennessee has initiated investigation of incident.
TROJANOWSKI,R. Region 2 (Post 820201). 95/05/31. 1p. 84344:086-84344:086.

9506200019 PNO-II-95-033:on 950605-06,portable moisture density gauge device stolen from trailer located at temporary job site. Local law officials have been notified & State conducting investigation at site.
WOODRUFF,R.L. Region 2 (Post 820201). 95/06/07. 1p. 84349:351-84349:351.

9506200094 PNO-II-95-032:on 950604,tropical storm Allison upgraded to hurricane.No flooding experienced.State of Florida,Alabama & Georgia have activated Emergency Operations Ctr.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84347:317-84347:317.

9506200134 PNO-1-95-018:on 950607,unit 2 operators commenced TS 3.0.3 required shutdown from 100% power due to declaration of two inoperable RHR trains.Protective relay actuation caused loss of one source of power to vital 4KV buses.
WHITE,J.R. Region 1 (Post 820201). 28904. 95/06/09. 3pp. 84347:267-84347:269.

9506200245 PNO-IV-95-026:on 950610,plant experienced significant disturbance in offsite electrical grid.Caused by electrical short in offsite feeder breaker for bus 2A 4.16 kV non vital switchgear.
VANDENBURGH,C. Region 4 (Post 820201). 95/06/10. 2pp. 84349:256-84349:257.

9506200269 PNO-I-95-019:on 950613,troxler model 3430 moisture density guage was run over by const vehicle.Area roped off & access to area restricted.
SHAFFER,S., WHITE,D. Region 1 (Post 820201). 95/06/13. 2pp. 84347:073-84347:074.

9506200281 PNO-II-95-034:on 950612,transportation offsite of potentially contaminated individual.Individual became ill while performing outage-related work activities in unit e. State of South Carolina has been notified.
CARROLL,R. Region 2 (Post 820201). 95/06/12. 1p. 84349:258-84349:258.

9506200290 PNO-II-95-032A:on 950605,site exprienced max wind gusts of 25 mph & four inches of rainfall.Caused by Hurricane Allison.Resident Inspectors have observed licensee acting at each site.
VERRELLI,D. Region 2 (Post 820201). 95/06/05. 1p. 84349:254-84349:254.

9506200298 PNO-III-95-021A:update re 950515 ether spill onto chemist working in licensee facility.Informs that internal dose to chemist less than 5 rem & no contamination had been found outside facility.
LYNCH,J.L., CALDWELL,J.L. Region 3 (Post 820201). 95/06/06. 1p. 84349:255-84349:255.

9506200305 PNO-IV-95-025A:on 950608,licensee reported three misadministation involving manual brachytherapy treatments using Ir-192.Caused by inappropriate data w/treatment planning computer system used to calculate dose rates.
HOWELL,L. Region 4 (Post 820201). 95/06/09. 2pp. 84349:267-84349:268.

9506210050 PNO-III-95-030:on 950606,patient at licensee facility received 2,440 rads,approx 50% over prescribed radiation dosage,during brachytherapy treatment due to incorrect date entered for planned source removal.State of WI notified.
GATTONE,R. Region 3 (Post 820201). 95/06/14. 1p. 84357:358-84357:358.

9506210065 PNO-I-95-020:on 950615,licensee notified Region I that shipment of medical waste containing small amount of radioactive matl inadvertently shipped from facility on 950531 to incinerator in Warren,OH.
JACKSON,T., SHANBAKY,M. Region 1 (Post 820201). 95/06/15. 2pp. 84357:359-84357:360.

9506210100 PNO-I-95-019A:on 950613,Troxler model 3430 moisture density gauge containing approx 10 mCi Ce-137 & 50 mCi Am-241 sealed sources reported to have been run over by const vehicle.Gauge damage minor & NRC to continue investigation.
SHAFFER,S., WHITE,D. Region 1 (Post 820201). 95/06/14. 2pp. 84360:133-84360:134.

9506210116 PNO-I-95-021:on 950615,package surface reading exceeded DOT yellow III label limit of 200MR/HR.Caused by TC99m during assembly of generator at licensee St Louis,MO facility. State of PA notified.
JOHANSEN,J. Region 1 (Post 820201). 95/06/16. 2pp. 84360:163-84360:164.

9506210202 PNO-III-95-028:on 950605,licensee reported therapeutic misadministration resulting from brachytherapy implant becoming dislodged during treatment.Treatment was completed w/o further incident.Event was reported to State of WI.
HOLT,B.J., CALDWELL,J.L. Region 3 (Post 820201). 95/06/06. 1p. 84360:223-84360:223.

9506220005 PNO-IV-95-029:on 950613 medical misadministration occurred. Caused by total body scan being performed utilizing capsule dose of 3 mCi of I-131 instead of Tc-99m.Patient was treated w/blocking medication to counteract uptake of radioiodine.
DODA,R.J. Region 4 (Post 820201). 95/06/19. 1p. 84375:023-84375:023.

9506220015 PNO-IV-95-028:on 950615,industrial radiographer was exposed to radiation from 40 curie Ir-192 source.Radiographer removed collimator,replaced film & repositioned collimator while source was in collimator.Badge sent for processing.
MONTGOMERY,J., WENSLAWSKI,F. Walnut Creek Field Ofc, R4 (Post 940404). 95/06/16. 1p. 84375:028-84375:028.

9506230042 PNO-IV-95-028A:update to PNO-IV-95-028 re possible overexposure to industrial radiographer.Caused by radiographer being distracted & believing source retracted.
MONTGOMERY,J., WENSLAWSKI,F. Walnut Creek Field Ofc, R4 (Post 940404). 95/06/20. 1p. 84465:330-84465:330.

9506230070 PNO-IV-95-030:on 950618,licensee decided to extend forced outage to replace seal packages on affected pump as well as on RCP 1A pump.State of LA notified.
VANDENBURGH,C. Region 4 (Post 820201). 95/06/20. 2pp. 84474:274-84474:275.

9506280026 PNO-II-95-035:on 950614,emergency sirens failed to activate. Licensee evaluating cause of failure.As compensatory measure,util prepared to initiate route altering in event of real emergency.
BARR,K.P. Region 2 (Post 820201). 95/06/15. 1p. 84441:075-84441:075.

9506280107 PNO-II-95-036:on 950615,plant lost offsite power to two of four 416OV shutdown boards.Caused by cropduster plant hitting 161 KV line power.Power restored to start bus 37 minutes after incident.
LESSER,M. Region 2 (Post 820201). 95/06/16. 1p. 84441:313-84441:313.

9506280245 PNO-RI-95-017A:update re 950606 theft of technician personal vehicle from residence in Jamaica,NY.Informs that vehicle had been found on 950608 & source left in shielded position. No contamination had been detected.
WHITE,D. Region 1 (Post 820201). 95/06/16. 2pp. 84442:264-84442:265.

9506280310 PNO-III-95-032:on 950615,automobile driven by licensee employee had been involved in one-vehicle accident.Caused by driving under influence of alcohol & failure to control vehicle.Driver employment has been terminated.
WIEDEMAN,D., HOLT,B.J. Region 3 (Post 820201). 95/06/16. 1p. 84451:250-84451:250.

9506280564 PNO-I-95-024:on 950621,Ca-14 contamination in research lab occurred.Contamination found in fume hood through wipe tests conducted on 950620.Decontamination of lab fume hood performed.
ARREDONDO,S., SHANBAKY,M. Region 1 (Post 820201). 95/06/21. 2pp. 84451:334-84451:335.

9506280578 PNO-IV-95-030A:update to make correction to Licensee Emergency Classification to PNO-IV-95-030,issued on 950620. Classification should have been noted as "Not Applicable."
VANDENBURGH,C. Region 4 (Post 820201). 95/06/21. 2pp. 84451:353-84451:354.

9506280620 PNO-III-95-034:on 950621,moisture density gauge containing 8 mCi Ce-137 & 40 mCi Am-241 sources reported to police & local authorities as stolen out of locked trailer near Lewis,IN.NMSS & State of IN health dept notified.
LAFRANZO,M., HOLT,B.J. Region 3 (Post 820201). 95/06/21. 1p. 84452:262-84452:262.

9506280631 PNO-I-95-022:on 950616,three workers sent to perform welding potentially exposed to radiation from 50 Curie Cs-137 source & may have received exposure of 120 millirem.Door left unlocked & unattended.Sign on door changed.
COURTEMANCHE,S., SHANBAKY,M. Region 1 (Post 820201). 95/06/20. 2pp. 84452:287-84452:288.

9506280704 PNO-1-95-023:on 950121,IBEW Union 455 established informational picket on Haddam Neck plant access road. Picket was removed & workers returned to site.NRC Region I has implemented necessary strike coverage procedures.
NICHOLSON,L. Region 1 (Post 820201). 95/06/21. 2pp. 84452:359-84452:360.

9506280718 PNO-III-95-033:on 950619,licensee reported to NRC Region III that two muzzle reference sensors,were found leaking & pulled from svc.Fort Riley personnel on 950512 were conducting contamination wipe tests.US Army was notified.
MULAY,S.J., HOLT,B.J. Region 3 (Post 820201). 95/06/19. 1p. 84453:027-84453:027.

9506280731 PNO-III-95-031:on 950614,Troxler 3401 moisture density guage was damaged by truck at construction site.NRC region will conduct special insp to review circumstances surrounding event.
SRENIAWSKI,D.J., HOLT,B.J. Region 3 (Post 820201). 95/06/15. 1p. 84453:028-84453:028.

9506280810 Advises that NRC planning to issue info notice discussing problem w/overspeeding of turbine-driven pumps at several nuclear power plants.Requests that encl draft Suppl 1 to Info Notice 94-066 be reviewed.
CHAFFEE,A.E. . IEIN-94-066. 95/06/15. SLATER,C. Dresser-Rand Co. 5pp. 84455:340-84455:344.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9506010099 Forwards rev to security plan & requests approval of security plan & upgrade of facility approval to secret-restricted data level.
WRIGHT,G.C. Region 3 (Post 820201). 95/05/23. BRADY,R.J. Division of Security (Post 940714). 1p. 84107:257-84107:311.

9506050070 Requests NRC to correct author address as listed.
BRANT,H.M. H.J. Schneider Construction, Inc. 95/05/24. NRC - No Detailed Affiliation Given. 2pp. 84237:308-84237:309.

9506060412 Discusses info re radioactive device used on 950315,while checking tin thickness on copper strip.
BALYEAT,K.A. Affiliation Not Assigned. 95/04/27. GATTONE,B. Region 3 (Post 820201). 2pp. 84209:273-84209:274.

9506060453 Discusses info re loss of polonium 210 element in P-2001-6" nuclestat static elimination device.
HOERRES,D. Affiliation Not Assigned. 95/05/03. HOLT,B.J. Region 3 (Post 820201). 4pp. 84209:296-84209:299.

9506190229 Advises NRC to update author address & telephone number as indicated.
WOOD,J.E. United Kingdom. 95/06/07. NRC - No Detailed Affiliation Given. 1p. 84386:355-84386:355.

9506290069 Memorandum & order (Dismissing proceeding).* Orders proceeding dismissed due to petitioner failure to prosecute action.W/Certificate of Svc.Served on 950623.
BOLLWERK,G.P., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. EA. 95/06/23. MCCOOL,D.J. Affiliation Not Assigned. 5pp. 84455:256-84455:262.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9506010453 NUREG/CR-6275 MECHANICAL PROPERTIES OF THERMALLY AGED CAST STAINLESS STEELS FROM SHIPPINGPORT REACTOR COMPONENTS.
CHOPRA,O.K., SHACK,W.J. Argonne National Laboratory. FIN A-2256. ANL-94/37. 95/04/30. Division of Engineering Technology (Post 941217). 170pp. 84121:001-84121:169.

9506010456 NUREG/CR-6312 ASSESSMENT OF FIBER OPTIC PRESSURE SENSORS.
HASHEMIAN,H.M., BLACK,C.L., FARMER,J.P. Analysis & Measurement Services Corp. FIN W-6315. 95/04/30. Division of Systems Technology (Post 941217). 132pp. 84121:170-84121:301.

9506010485 NUREG/CR-6109 THE PROBABILITY OF CONTAINMENT FAILURE BY DIRECT CONTAINMENT HEATING IN SURRY.
PILCH,M.M., ALLEN,M.D. Sandia National Laboratories. SPENCER,B.W. Argonne National Laboratory. FIN J-6027. SAND93-2078. 95/05/31. Division of Systems Technology (Post 941217). 275pp. 84121:302-84122:212.

9506010500 NUREG/CR-0200 V01 R4 SCALE: A MODULAR CODE SYSTEM FOR PERFORMING STANDARDIZED COMPUTER ANALYSES FOR LICENSING EVALUATION.Control Modules.
PARKS,C.V. Oak Ridge National Laboratory. FIN B-0009. ORNL/NUREG/CSD2. 95/04/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 781pp. 84122:213-84124:265.

9506010509 NUREG/CR-0200 V2P1R4 SCALE: A MODULAR CODE SYSTEM FOR PERFORMING STANDARDIZED COMPUTER ANALYSES FOR LICENSING EVALUATION.Functional Modules F1-F8.
PARKS,C.V. Oak Ridge National Laboratory. FIN B-0009. ORNL/NUREG/CSD2. 95/04/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 670pp. 84124:266-84126:207.

9506010519 NUREG/CR-0200 V03 R4 SCALE: A MODULAR CODE SYSTEM FOR PERFORMING STANDARDIZED COMPUTER ANALYSES FOR LICENSING EVALUATION.Miscellaneous.
PARKS,C.V. Oak Ridge National Laboratory. FIN B-0009. ORNL/NUREG/CSD2. 95/04/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 793pp. 84126:208-84128:272.

9506010521 NUREG/CR-0200 V2P2R4 SCALE: A MODULAR CODE SYSTEM FOR PERFORMING STANDARDIZED COMPUTER ANALYSES FOR LICENSING EVALUATION.Functional Modules F9-F16.
PARKS,C.V. Oak Ridge National Laboratory. FIN B-0009. ORNL/NUREG/CSD2. 95/04/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 869pp. 84128:273-84131:049.

9506020036 Comment on NUREG-1493 & ANSI/ANS 56.8-94 & DG-1037.Advises that Std-94 should be denied NRC endorsement & other versions altogether should not be used for Type A testing, effective immediately.
REYTBLATT,Z. Affiliation Not Assigned. 60FR9634 00001. 95/05/04. Division of Freedom of Information & Publications Services (Post 940714). 13pp. 84132:006-84132:018.

9506020119 Informs that util plan to implement reduced-scope seismic evaluation in accordance w/methodology in NUREG-1407 for Ginna Station to complete commitments to GL 88-20,Suppl 4 & GL 87-02,Suppl 1.
MECREDY,R.C. Rochester Gas & Electric Corp. TAC M83624. 95/05/22. JOHNSON,A.R. Project Directorate I-3 (PD1-3) (Post 941001). 2pp. 84182:218-84182:219.

9506020121 Comment opposing NUREG-0700,rev 1.
WATERS,R.M. Energy, Dept. of. 60FR15312 00005. 95/05/15. Division of Freedom of Information & Publications Services (Post 940714). 10pp. 84132:024-84132:033.

9506020457 NUREG/CR-6256 V01 FIELD LYSIMETER INVESTIGATIONS - TEST RESULTS.Low-Level Waste Data Base Program.Test Results For Fiscal Years 1986, 1987,1988, And 1989.
MCCONNELL,J.W., ROGERS,R.D., FINDLAY,M.W. Idaho National Engineering Laboratory. FIN A-6876. INEL-95/0073. 95/05/31. Division of Regulatory Applications (Post 941217). 134pp. 84147:001-84147:136.

9506020467 NUREG/CR-6287 MANAGEMENT CONCEPTS AND SAFETY APPLICATIONS FOR NUCLEAR FUEL FACILITIES.
EISNER,H., SCOTTI,R.S. George Washington Univ., Washington, DC. DELICATE,W.S. Affiliation Not Assigned. FIN J-5030. 95/05/31. Division of Fuel Cycle Safety & Safeguards (Post 930207). 131pp. 84147:137-84147:267.

9506020484 NUREG/CR-6299 EFFECTS OF TOUGHNESS ANISOTROPY AND COMBINED TENSION, TORSION, AND BENDING LOADS ON FRACTURE BEHAVIOR OF FERRITIC NUCLEAR PIPE.
MOHAN,R., MARSCHALL,C., KRISHNASWAMY,P. Battelle Memorial Institute, Columbus Laboratories. FIN B-5702. 95/04/30. Division of Engineering Technology (Post 941217). 122pp. 84147:268-84148:023.

9506020497 NUREG-0540 V17 N03 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE.March 1-31, 1995.
* Division of Freedom of Information & Publications Services (Post 940714). 95/05/31. 360pp. 84148:024-84149:040.

9506020502 NUREG-0040 V19 N01 LICENSEE CONTRACTOR AND VENDOR INSPECTION STATUS REPORT. Quarterly Report,January-March 1995.(White Book)
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. 119pp. 84149:041-84149:160.

9506050184 Responds to SRM dtd 950407,submitting staff recommendations re process to review & prioritize RM efforts on continuing basis & how RM efforts receive staff approval for initiation.RM plan & memo dtd 950126 re revised RM encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/10. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 61pp. 84173:233-84173:306.

-9506050208 Forwards revised Mgt Directive 6.3 re RM process & advises that it should be followed by offices reporting to EDO for RMs not of administrative nature.Mgt Directive 6.3 encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/01/26. NRC - No Detailed Affiliation Given. 13pp. 84173:294-84173:306.

9506080003 TS change request 223 to license DPR-50,deleting remaining portions of RETS & relocating TSs per guidance in GL 89-01 & NUREG-1430.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. C311-95-2071. 95/06/01. Document Control Branch (Document Control Desk). 12pp. 84240:001-84240:214.

-9506080004 Proposed tech specs,deleting RETS & relocating TSs per guidance in GL 89-01 & NUREG-1430.
* General Public Utilities Corp. - GPU Service Corp. GL-89-01. 95/06/01. 10pp. 84240:013-84240:022.

9506080136 Forwards annual rept on NRC safety research programs, "NRC Safety Research in Support of Regulation-FY94," prepared in response to Commission direction (Vol 9 to NUREG-1266).
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/25. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 115pp. 84213:085-84213:199.

9506090014 Comment supporting draft NUREG/BR-0199, "Responsiveness to Public."
LAWSON,R.L. . 60FR16685 00020. 95/05/30. Docketing & Services Branch. 4pp. 84207:004-84207:007.

9506090021 Comment supporting draft NUREG/BR-0199,"Responsiveness to Public."
FRAZEE,T.C. Washington, State of. 60FR16685 00022. 95/05/31. Docketing & Services Branch. 3pp. 84207:031-84207:033.

9506090024 Comment on NUREG/BR-0199, "Responsiveness to Public." NRC should represent public,not nuclear industry.
GRIFFIN,S.B. Don't Waste New York. 60FR16685 00028. 95/05/29. Docketing & Services Branch. 2pp. 84207:035-84207:036.

9506090031 Comment supporting draft NUREG/BR-0199,"Responsiveness to Public." Urges continued top-level emphasis of NPR objectives to cut obsolete regulations.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR16685 00021. 95/05/30. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 84207:046-84207:054.

9506090032 Comments opposing draft NUREG/BR-0199, "Responsiveness to Public."
JOKSIMOVICH,V. Accident Prevention Group. 60FR16685 00027. 95/05/30. HOYLE Office of the Secretary of the Commission. 2pp. 84207:055-84207:056.

9506090037 Comment on NUREG/BR-0199, "Draft Rept on Responsiveness to Public." NRC should continue pursuing methods to improve responsiveness to public.
GAI,M.L. Veterans Admin. Medical Center, Danville, IL. 60FR16685 00026. 95/05/25. Docketing & Services Branch. 2pp. 84207:091-84207:092.

9506090043 Comment opposing draft NUREG/BR-0199, "Responsiveness to Public."
OPEKA,J.F. Northeast Utilities Service Co. 60FR16685 00025. 95/05/30. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84207:101-84207:103.

9506090052 Comment supporting draft NUREG/BR-0199, "Responsiveness to Public."
ALLEN,A.S. Affiliation Not Assigned. 60FR16685 00014. 95/05/27. Docketing & Services Branch. 2pp. 84207:171-84207:172.

9506090062 Comment on draft NUREG/BR-0199, "Responsiveness to Public." Informs of need for NRC to convey balanced view of level of safety achieved by NRC licensees & enormous benefits that use of radionuclides provides to society.
SMITH,L.R. Affiliation Not Assigned. 60FR16685 00029. 95/05/30. Docketing & Services Branch. 5pp. 84207:243-84207:247.

9506090072 Comment on draft NUREG/BR-0199, "Responsiveness to Public." Informs that NRC has been totally unresponsive to degree that has caused much confusion & has been source of good deal of misinformation in country.
SINCLAIR,M.P. Affiliation Not Assigned. 60FR16685 00030. 95/05/29. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 84208:091-84208:094.

9506090077 Comment supporting draft NUREG/BR-0199, "Responsiveness to Public."
HARRIS,A.P. We The People of The United States (We The People, Inc.). 60FR16685 00019. 95/05/28. HOYLE,J. Office of the Secretary of the Commission. 5pp. 84207:348-84207:360.

9506090083 Comment on draft NUREG/BR-0199, "Responsiveness to Public." Advises that document should be scrapped,rewritten & separated into areas that help nuclear industry & areas that benefit general public.
BLANCH,P.M. Affiliation Not Assigned. 60FR16685 00023. 95/06/01. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 1p. 84208:132-84208:132.

9506090092 Comment supporting draft NUREG/BR-0199, "Responsiveness to Public." Suggests that "OIG Activities" be added to publication.
WILLIAMS,D.C. Office of the Inspector General (Post 890417). 60FR16685 00024. 95/06/01. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84208:135-84208:136.

9506090141 Comment supporting draft NUREG/BR-0199, "Responsiveness to Public."
ESTREICHER,H. Covington & Burling. ESTREICHER,H. Kerr-McGee Corp. 60FR16685 00018. 95/05/25. Docketing & Services Branch. 3pp. 84208:176-84208:178.

9506090153 Comment supporting draft NUREG/BR-0199, "Responsiveness to Public."
VAUGHAN,R.C. Coalition on West Valley Nuclear Wastes. 60FR16685 00017. 95/05/27. NRC - No Detailed Affiliation Given. 3pp. 84208:180-84208:182.

9506090161 Comment on draft NUREG/BR-0199, "Responsiveness to Public." Draft NUREG should be expanded in NMIP in all four regions & NMLP in regions II,III & IV.
PEDERSON,C.D. Region 3 (Post 820201). 60FR16685 00016. 95/05/25. Docketing & Services Branch. 2pp. 84208:183-84208:184.

9506090164 Comment supporting draft NUREG/BR-0199, "Responsiveness to Public."
FENECH,R.A. Consumers Power Co. 60FR16685 00015. 95/05/15. Docketing & Services Branch. 2pp. 84208:185-84208:186.

9506130294 Revises commitment by TVA in 810914 ltr that responded to NUREG-0737,Item II.K.3.3 re reporting safety valve & relief valves failures & challenges.
BARON,R.R. Tennessee Valley Authority. 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84289:356-84289:357.

9506140023 Comment on draft NUREG-1516, "Mgt of Radioactive Matls Safety Programs at Medical Facilities." Reiterates need to clearly & explicitly state that physicians,as users,required to maintain familiarity w/programs.
SMITH,J.C. Mercy Hosp. Port Huron,MI. 60FR8259 00001. 95/06/05. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84267:093-84267:093.

9506140034 NUREG/BR-0203 THE ACRS FELLOWSHIP PROGRAM.
* NRC - No Detailed Affiliation Given. 95/06/14. 8pp. 84297:001-84297:008.

9506140038 NUREG/BR-0146 R01 THE IG AT THE NRC - 1995.
* Office of the Inspector General (Post 890417). 95/06/14. 25pp. 84297:009-84297:034.

9506140047 NUREG/BR-0010 R02 CITIZEN'S GUIDE TO US NUCLEAR REGULATORY COMMISSION INFORMATION.
* NRC - No Detailed Affiliation Given. 95/06/14. 39pp. 84297:035-84297:073.

9506140053 NUREG/BR-0188 DISTRIBUTION LIST DESCRIPTIONS FOR NRC REPORTS AND DOCUMENTS.
* Division of Freedom of Information & Publications Services (Post 940714). 95/03/31. 54pp. 84297:074-84297:129.

9506140062 NUREG-0750 V41 N03 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR MARCH 1995.Pages 179-243.
* Division of Freedom of Information & Publications Services (Post 940714). 95/05/31. 72pp. 84297:130-84297:201.

9506140068 NUREG-0837 V15 N01 NRC TLD DIRECT RADIATION MONITORING NETWORK.Progress Report. January-March 1995.
STRUCKMEYER,R. Region 1 (Post 820201). 95/05/31. 230pp. 84298:001-84298:231.

9506140072 NUREG/CR-3469 V08 OCCUPATIONAL DOSE REDUCTION AT NUCLEAR POWER PLANTS: ANNOTATED BIBLIOGRAPHY OF SELECTED READINGS IN RADIATION PROTECTION AND ALARA.
SULLIVAN,S.G., KHAN,T.A., XIE,J.W. Brookhaven National Laboratory. FIN A-3259. BNL-NUREG-51708. 95/05/31. Division of Regulatory Applications (Post 941217). 78pp. 84297:202-84297:279.

9506140082 NUREG/CR-4219 V10 N2 HEAVY-SECTION STEEL TECHNOLOGY PROGRAM.Semiannual Progress Report For April-September 1993.
PENNELL,W.E. Oak Ridge National Laboratory. FIN B-0119. ORNL/TM-9593. 95/05/31. Division of Engineering Technology (Post 941217). 159pp. 84299:001-84299:151.

9506140086 NUREG/CR-5229 V07 FIELD LYSIMETER INVESTIGATIONS: LOW-LEVEL WASTE DATA BASE DEVELOPMENT PROGRAM FOR FISCAL YEAR 1994.Annual Report.
MCCONNELL,J.W., ROGERS,R.D., JASTROW,J.D. Idaho National Engineering Laboratory. FIN A-6876. INEL-94/0278. 95/05/31. Division of Regulatory Applications (Post 941217). 74pp. 84298:232-84298:305.

9506140092 NUREG/CR-6016 AGING AND SERVICE WEAR OF AIR-OPERATED VALVES USED IN SAFETY-RELATED SYSTEMS AT NUCLEAR POWER PLANTS.
COX,D.F., MCELHANEY,K.L., STAUNTON,R.H. Oak Ridge National Laboratory. FIN B-0828. ORNL/TM-6789. 95/05/31. Division of Engineering Technology (Post 941217). 62pp. 84299:152-84299:213.

9506140119 NUREG/CR-6125 V01 HUMAN FACTORS EVALUATION OF REMOTE AFTERLOADING BRACHYTHERAPY.Human Error And Critical Tasks In Remote Afterloading Brachytherapy And Approaches For Improved System Performance.
CALLAN,J.R., KELLY,R.T., QUINN,M.L. Pacific Science & Engineering Group, Inc. FIN L-1116. 95/05/31. Division of Systems Technology (Post 941217). 205pp. 84300:001-84300:206.

9506140126 NUREG/CR-6125 V02 HUMAN FACTORS EVALUATION OF REMOTE AFTERLOADING BRACHYTHERAPY.Function And Task Analysis.
CALLAN,J.R., GWYNNE,J.W., KELLY,R.T. Pacific Science & Engineering Group, Inc. FIN L-1116. 95/05/31. Division of Systems Technology (Post 941217). 143pp. 84300:207-84300:349.

9506140130 NUREG/CR-6114 V02 AUXILIARY ANALYSES IN SUPPORT OF PERFORMANCE ASSESSMENT OF A HYPOTHETICAL LOW-LEVEL WASTE FACILITY.Two-Phase Flow And Contaminant Transport In Unsaturated Soils With Application To Low-Level Radioactive Waste Disposal.
BINNING,P., CELIA,M.A., JOHNSON,J.C. Princeton Univ., Princeton, NJ. FIN D-2044. 95/05/31. Division of Regulatory Applications (Post 941217). 139pp. 84299:214-84299:352.

9506140141 NUREG-0940 V14 N1 P2 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED, MEDICAL LICENSEES.Quarterly Progress Report,January-March 1995.
* Ofc of Enforcement (Post 870413). 95/05/31. 300pp. 84301:001-84301:301.

9506140224 Responds to 940727 request for review & approval of TR NEDC-32343P,"Criteria for Deleting Non-Safety Basis NRC Commitments & USAR Info." Informs that matl in TR does not satisfy licensing criteria to warrant NRC review & approval.
IMBRO,E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 95/05/30. SCHAEFER,K.T. General Electric Co. 3pp. 84305:351-84305:353.

9506150315 Transmits summarized public comments on NUREG-1508 "Draft Environ Impact Statement to Construct & Operate Crowpoint U Solution Mining Project in Crownpoint,NM."
PARK,J.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/12. SAULSBURY,J.W. Oak Ridge Associated Universities. 60pp. 84339:092-84339:151.

9506150406 Forwards Emergency Preparedness Position (EPPOS) 1 re acceptability of deviations to guidance in App 1 to NUREG-0654/FEMA-REP-1.
MILLER,C.L. . 95/06/05. JOYNER,J.H. Region 1 (Post 820201). CLINE,W.E. Region 2 (Post 820201). CANIANO,R.J. Region 3 (Post 820201). 2pp. 84340:247-84340:253.

--9506150410 "Emergency Preparedness Position (EPPOS) on Acceptable Deviations From App 1 of NUREG-0654 Based Upon Staff Regulatory Analysis of NUMARC/NESP-007, 'Method for Development of EALs.'"
* . 95/06/01. 5pp. 84340:249-84340:253.

9506160009 NUREG-0940 V14 N1 P1 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED REACTOR LICENSEES.Quarterly Progress Report,January-March 1995.
* Ofc of Enforcement (Post 870413). 95/05/31. 360pp. 84333:017-84334:012.

9506160045 NUREG-0940 V14 N1 P3 ENFORCEMENT ACTIONS: SIGNIFICANT ACTIONS RESOLVED MATERIAL LICENSEES (NON-MEDICAL).Quarterly Progress Report,January- March 1995.
* Ofc of Enforcement (Post 870413). 95/05/31. 439pp. 84331:306-84333:016.

9506160290 NUREG/BR-0195 NRC ENFORCEMENT MANUAL.
* Ofc of Enforcement (Post 870413). 94/09/30. 669pp. 84330:001-84331:305.

9506190048 Comment on draft NUREG/BR-0199, "Responsiveness to Public."
COLLINS,S.C. Illinois, State of. 60FR16685 00031. 95/06/02. Docketing & Services Branch. 2pp. 84320:043-84320:044.

9506190051 Comment re draft NUREG/BR-0199, "Responsiveness to Public." Expresses concern on dry cask storage w/exemption given to VSC-24 cask & procedures for unloading & transport at plant.
SHILLINGLAW,F. Affiliation Not Assigned. 60FR16685 00032. 95/06/13. HOYLE Office of the Secretary of the Commission. 8pp. 84320:045-84320:052.

9506190057 Correction to comment on draft NUREG BR-0199, "Responsiveness to Public."
SINCLAIR,M.P. Affiliation Not Assigned. 60FR16685. 95/06/04. HOYLE,J.C. Docketing & Services Branch. 5pp. 84320:053-84320:057.

9506190267 Editorial changes to App I,Rev 0, "NUREG-0654 Crossreference."
WYMER,S.L. Consumers Power Co. 95/06/09. 7pp. 84386:348-84386:354.

9506190371 Informs of written & operating exams scheduled for wk of 951002.Requests license applications & waiver requests at least 30 days before first exam date.
RING,M.A. Region 3 (Post 820201). 95/06/12. PALMISANO,T. Consumers Power Co. 3pp. 84343:011-84343:013.

9506200468 Application for amend to license DPR-21,revising definition of core alteration in TS,consistent w/NUREG-1433.
OPEKA,J.F. Northeast Nuclear Energy Co. B15161. 95/06/15. Document Control Branch (Document Control Desk). 6pp. 84407:106-84407:129.

9506210386 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS Sections 3.5.1,3.5.2,3.7.11,3/4.8.1.1 & bases to extend AOTs for SIT,LPSI subtrain & EDG & adding bases for extended AOTs,consistent w/NUREG-1366 & GL 93-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). GL-93-05. 95/06/13. Document Control Branch (Document Control Desk). 9pp. 84417:196-84418:044.

9506220042 "Internet & Electronic Access to NRC Info." NUREG/BR-0010, rev 2 encl.
* Office of Public Affairs (Post 911117). 95/06/16. 42pp. 84439:274-84439:346.

9506220072 NUREG/CR-6318 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-7.
OSBORNE,M.F., LORENZ,R.A., TRAVIS,J.R. Oak Ridge National Laboratory. FIN L-2250. ORNL/TM-12937. 95/05/31. Division of Systems Technology (Post 941217). 65pp. 84394:001-84394:065.

9506220081 NUREG/CR-6331 ATMOSPHERIC RELATIVE CONCENTRATIONS IN BUILDING WAKES.
RAMSDELL,J.V., SIMONEN,C.A., SMYTH,S.B. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-2648. PNL-10521. 95/05/31. Office of Nuclear Regulatory Research (Post 941217). 129pp. 84394:066-84394:191.

9506220089 NUREG/CR-6144 V06 P1 EVALUATION OF POTENTIAL SEVERE ACCIDENTS DURING LOW POWER AND SHUTDOWN OPERATIONS AT SURRY, UNIT 1,Evaluation Of Severe Accident Risk During Mid-Loop Operations.Main Report.
JO,J., LIN,C.C., NEYMOTIN,L. Brookhaven National Laboratory. FIN L-1680. BNL-NUREG-52399. 95/05/31. Division of Systems Technology (Post 941217). 145pp. 84394:192-84394:336.

9506220103 NUREG-1415 V07 N02 OFFICE OF THE INSPECTOR GENERAL.Semiannual Report To Congress, October 1, 1994 - March 31, 1995.
BARCHI,T., NORTON,L., GRODIN,M. Office of the Inspector General (Post 890417). 95/06/30. 50pp. 84394:337-84395:026.

9506220126 NUREG-1430 V01 R01 STANDARD TECHNICAL SPECIFICATIONS BABCOCK AND WILCOX PLANTS. Specifications.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 326pp. 84395:027-84395:352.

9506220131 NUREG-1430 V02 R01 STANDARD TECHNICAL SPECIFICATIONS BABCOCK AND WILCOX PLANTS. Bases (Sections 2.0 - 3.3).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 300pp. 84396:001-84396:301.

9506220136 NUREG-1430 V03 R01 STANDARD TECHNICAL SPECIFICATIONS BABCOCK AND WILCOX PLANTS. Bases (Sections 3.4 - 3.9).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 350pp. 84396:302-84397:325.

9506220142 NUREG-1432 V01 R01 STANDARD TECHNICAL SPECIFICATIONS COMBUSTION ENGINEERING PLANTS.Specifications.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 442pp. 84397:326-84399:039.

9506220171 NUREG-1432 V02 R01 STANDARD TECHNICAL SPECIFICATIONS COMBUSTION ENGINEERING PLANTS.Bases (Sections 2.0 - 3.3).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 450pp. 84399:040-84400:125.

9506220172 NUREG-1432 V03 R01 STANDARD TECHNICAL SPECIFICATIONS COMBUSTION ENGINEERING PLANTS.Bases (Sections 3.4 - 3.9).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 602pp. 84400:126-84401:363.

9506280252 Forwards preliminary ASP analysis of operation event occuring at plant on 941103,LER 94-005.Requests review & comment on technical adequacy of preliminary ASP analysis within 30 days of receipt of ltr.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/06/12. GOLDBERG,J.H. Florida Power & Light Co. 13pp. 84448:130-84448:142.

9506280423 Updates info provided in TVA 940519 ltr re manner in which TVA meeting NUREG-0737 Item II.F.1.1 re noble gas radiation monitors.
BARON,R.R. Tennessee Valley Authority. 95/06/16. Document Control Branch (Document Control Desk). 10pp. 84476:325-84476:334.

9506280427 NUREG-1527 NRC'S OBJECT-ORIENTED SIMULATOR INSTRUCTOR STATION.
GRIFFIN,J.I., GRIFFIN,J.P. Technical Training Center. 95/06/30. 107pp. 84469:073-84469:179.

9506280447 NUREG-0540 V17 N04 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE. April 1-30, 1995.
* Division of Freedom of Information & Publications Services (Post 940714). 95/06/30. 207pp. 84468:129-84469:072.

9506280476 NUREG-1431 V01 R01 STANDARD TECHNICAL SPECIFICATIONS WESTINGHOUSE PLANTS. Specifications.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 350pp. 84456:001-84457:050.

9506280489 NUREG-1431 V02 R01 STANDARD TECHNICAL SPECIFICATIONS WESTINGHOUSE PLANTS.Bases (Sections 2.0 - 3.3).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 350pp. 84458:001-84458:334.

9506280506 NUREG-1431 V03 R01 STANDARD TECHNICAL SPECIFICATIONS WESTINGHOUSE PLANTS.Bases (Sections 3.4 - 3.9).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 500pp. 84459:001-84460:193.

9506290155 NUREG-1433 V01 R01 STANDARD TECHNICAL SPECIFICATIONS GENERAL ELECTRIC PLANTS BWR/4.Specifications.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 388pp. 84461:001-84462:024.

9506290159 NUREG-1433 V02 R01 STANDARD TECHNICAL SPECIFICATIONS GENERAL ELECTRIC PLANTS BWR/4.Bases (Sections 2.0 - 3.3).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 338pp. 84462:025-84462:362.

9506290164 NUREG-1433 V03 R01 STANDARD TECHNICAL SPECIFICATIONS GENERAL ELECTRIC PLANTS BWR/4.Bases (Sections 3.4 - 3.10).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 422pp. 84463:001-84464:058.

9506290222 NUREG-1434 V01 R01 STANDARD TECHNICAL SPECIFICATIONS GENERAL ELECTRIC PLANTS, BWR/6.Specifications.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 412pp. 84466:001-84467:048.

9506290228 NUREG-1434 V02 R01 STANDARD TECHNICAL SPECIFICATIONS GENERAL ELECTRIC PLANTS, BWR/6.Bases (Sections 2.0 - 3.3).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 356pp. 84464:059-84465:050.

9506290230 NUREG-1434 V03 R01 STANDARD TECHNICAL SPECIFICATIONS GENERAL ELECTRIC PLANTS, BWR/6.Bases 3.4 - 3.10).
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/30. 444pp. 84467:049-84468:128.

9506300225 Informs of util intent to convert plant TS to improved std TS,per NUREG-1430 & NUREG-1432.Util expect to begin ANO Unit 1 submittal in June 1995,followed by submittal in 3rd quarter of 1996,for implementation in 2nd quarter of 1997.
YELVERTON,J.W. Entergy Operations, Inc. 0CAN069502. 95/06/21. Document Control Branch (Document Control Desk). 2pp. 84524:336-84524:337.

9506300287 Application for amend to licenses DPR-24 & DPR-27,consisting of change request 164,modifying TS 15.3.0, "General Considerations," to incorporate requirements similar to NUREG-1431.
LINK,B. Wisconsin Electric Power Co. VPNPD-95-053. 95/06/23. Document Control Branch (Document Control Desk). 2pp. 84522:329-84522:340.

--9506300292 Proposed tech specs,consisting of change request 164, modifying TS 15.3.0, "General Considerations," to incorporate requirements similar to NUREG-1431.
* Wisconsin Electric Power Co. 95/06/23. 10pp. 84522:331-84522:340.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9502240159 Responds to 941014 & 950201 ltrs to Chairman Selin, concerning copy of paper, "Erratic Measure," which claims to invalidate prevailing approach to evaluating reliability of insps conducted on reactor components.
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 941217). 95/02/17. OLDBERG,T. Affiliation Not Assigned. 15pp. 84509:204-84509:218.

9504140202 Responds to 950210 ltr re request for review of concerns about minimum design requirements for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 95/04/03. WALKER,R.S. House of Rep. 1p. 84190:275-84190:290.

--9506010172 Expresses interest on behalf of constituent JD Miller re min design requirements for nuclear power plants & requests matter be reviewed as expeditiously as possible.
WALKER,R.S. House of Rep. CCS. 95/02/10. BEECHER,W.M. Office of Public Affairs (Post 911117). 1p. 84190:290-84190:290.

9504140210 Responds to 950206 ltr requesting comments on article appearing in Nucleus re Nuclear Regulatory Commission GDC for nuclear power plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/04. BOEHLERT,S. House of Rep. 2pp. 84407:024-84407:040.

--9506150189 Forwards Nucleus article on NRC.Requests comments.
BOEHLERT,S. House of Rep. 95/02/06. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84407:039-84407:040.

9505100073 Responds to 950330 ltr which requested review of concern NRC GDC for nuclear power plants & comments on general safety record of nuclear power industry.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 95/04/25. PASTOR,E. House of Rep. 2pp. 84226:001-84226:018.

--9506050425 Forwards ltr from constituent J Farney,raising concerns re NRC General Design Criteria & suspension of NRC Systematic Evaluation Program for response.W/ o encl.
PASTOR,E. House of Rep. CCS. 95/03/30. RATHBUN,D. Office of Congressional Affairs (Post 911117). 1p. 84226:018-84226:018.

9505190250 Suppl 1 to NRC Info Notice 94-061, "Corrosion of William Powell Gate Valve Disc Holders."
GRIMES,B.K. . IEIN-94-061. 95/05/25. Consolidated Edison Co. of New York, Inc. 11pp. 84132:034-84132:044.

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9505240424 NRC Info Notice 95-027, "NRC Review of Nuclear Energy Institute, 'Thermo-Lag 330-1 Combustility Evaluation Methodology Plant Screening Guide.'"
GRIMES,B.K. . GL-86-10. 95/05/31. Consolidated Edison Co. of New York, Inc. 6pp. 84173:001-84173:014.

9506010070 Forwards copy of FEMA final rept of 940625 Emergency Worker Assistance Ctr exercise specific to plant.Rept indicates that no deficiencies noted by FEMA although areas requiring C/As identified.
COLLINS,S.J. Region 4 (Post 820201). 95/05/26. PARRISH,J.V. Washington Public Power Supply System. 5pp. 84107:161-84107:212.

--9505050271 Forwards final rept for 940625, "Emergency Worker Assistance Ctr Drill Site-Specific to Plant."
HEPLER,O.M. Federal Emergency Management Agency. 95/04/11. SPESSARD,R.L. . 1p. 84107:166-84107:166.

--9505050280 "Connell High School/R Olds JR High School 1994 Emergency Worker Assistance Ctr Drill State of WA."
* Federal Emergency Management Agency. 94/12/31. 47pp. 84107:167-84107:212.

9506010112 NRC Info Notice 95-028, "Emplacement of Support Pads for Spent Fuel Dry Storage Installations at Reactor Sites."
GRIMES,B.K. . 95/06/05. Consolidated Edison Co. of New York, Inc. 12pp. 84198:203-84198:214.

9506010190 Responds to 950320 ltr,enclosing correspondence from HJ Broussard seeking permission from NRC to take depositions of two NRC employees for use in private lawsuit.Advises that NRC stands by OGC 950309 ltr refusing depositions.
CORDES,J.F. Solicitor (Post 860701). CCS. 95/04/07. BREAUX,J. Senate. 2pp. 84172:335-84172:345.

--9506010193 Denies request for depositions of two current NRC employees in matter re T Cook vs GSU for listed reasons.
CYR,K.D. Office of the General Counsel (Post 860701). CCS. 95/03/09. BROUSSARD,H.J. Affiliation Not Assigned. 3pp. 84172:337-84172:339.

--9506010198 Forwards correspondence received from T Cook requesting assistance in obtaining permission from NRC for deposition of two NRC employees in matter re T Cook vs GSU.
BREAUX,J. Senate. CCS. 95/03/20. NRC - No Detailed Affiliation Given. 3pp. 84172:340-84172:345.

9506010245 Forwards cover sheet to final rept of aerial radiation survey around Neutron Products,Inc,Dickerson,MD,as committed to in 940307 & 950112 ltrs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 95/04/19. SARBANES,P.S. Senate. 2pp. 84184:004-84184:005.

9506010266 Provides DD that responds to 950308 10CFR2.206 petition. Informs that request,discussed in DD,denied.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2.206. 95/05/25. SAPORITO,T.J. Saporito, T.J. 1p. 84161:274-84161:313.

--9506010297 Director Decision DD-95-08 re T Saporito request that NRC issue GL of instruction to all licensees requiring them to review station operating procedures.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2.206. 95/05/25. 4pp. 84161:275-84161:278.

--9506010309 Notice of issuance of decision re petition filed by TJ Saporito on 950308.
LIEBRMAN,J. Ofc of Enforcement (Post 870413). 2.206. 95/05/25. 2pp. 84161:279-84161:280.

--9505010114 Submits 10CFR2.206 petition for specific action by NRC against all commercial nuclear power stations within jurisdiction of agency.
SAPORITO,T.J. Saporito, T.J. 2.206. 95/03/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 26pp. 84161:281-84161:306.

--9506010324 Informs that 940825 ltr to secretary re decision in Saporito vs FPL,referred to Ofc of Administrative Appeals.
SMITH,G.C. Labor, Dept. of. 94/09/27. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84161:307-84161:313.

9506010433 Discusses 941207 NRC staff briefing re status of RPVs in commercial NPPs.Informs that C-E will release,on nonproprietary basis,info necessary to justify licensee compliance w/NRC rules concerning RV integrity.
TAYLOR,J.M. Ofc of the Executive Director for Operations. TAC M941207B. 95/05/23. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 84161:271-84161:273.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . IEIN-95-028. 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506050345 Responds to 950314 ltr to I Selin re recruitment & selection of NRC agency allegation advisor position.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 95/04/18. WOLF,F.R. House of Rep. 4pp. 84209:336-84209:342.

--9506050349 Forwards questions raised re recruitment & selection of NRC agency allegation advisor position.
WOLF,F.R. House of Rep. CCS. 95/03/14. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84209:340-84209:342.

9506050401 Forwards Commission biweekly notice of applications & amends to OLs involving NSHCs,published in FR on 950329.W/o encl.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). CCS. 95/04/10. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 84209:347-84209:348.

9506070484 Notification of 950506-07 meeting w/EPRI & INEL in Rockville,MD re EPRI motor-operated valve performance prediction program.
CHERNY,F.C. . 95/05/24. WESSMAN,R.H. . 2pp. 84213:078-84213:079.

9506080268 Notification of 950616 NRC panel discussion in Oakbrook,IL re ventilation sys & to meet w/subgroups on chillers,control room habitability & HVAC maint issues.
HAYES,J.J. . 95/05/25. MILLER,C.L. . 3pp. 84213:200-84213:202.

9506080486 Forwards ltr from EO Adamov of Russian Research & Development Inst of Power Engineering,requesting that NRC recommend someone from ANS to participate in Program Preparation Committee for meeting on 960402-03.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/25. WALTAR,A.E. American Nuclear Society. 1p. 84381:169-84381:170.

--9506080505 Requests that NRC recommend someone from ANS to be included into Program Preparation Committee for meeting sponsored by Russian Nuclear Society on "Lessons of Chernobyl" to be held at site of Smolensk NPP on 960402-03.
ADAMOV,E.O. Russia. 95/03/31. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84381:170-84381:170.

9506080508 Forwards FR notice containing revs to final rule for nuclear power plant license renewal.
MATE,J.J. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 60FR22461. 95/05/24. CHOI,W. Affiliation Not Assigned. 37pp. 84221:315-84221:351.

9506080585 Summary of 950525 meeting w/representatives of ASME re ASME code revisions to design rules for piping.List of attendees encl.
WESSMAN,R.H. NRC - No Detailed Affiliation Given. 95/05/31. NRC - No Detailed Affiliation Given. 3pp. 84213:211-84213:213.

9506080627 Notice announcing availability of "Staff Technical Position on Effluent Disposal at Licensed U Recovery Facilities."
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/19. 2pp. 84352:253-84352:254.

9506090122 Discusses questions from 950428 memo re transfer of headquarters operations ctr to region 1 in event of evacuation of White Flint complex.Relocation not necessary if suitable response facilities found readily available.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/05/30. MARTIN,T.T. Region 1 (Post 820201). 1p. 84226:078-84226:078.

9506090142 Advises that ASME code rev to design rules for piping sys unacceptable.Forwards NRC technical concerns re new ASME code piping criteria & Energy Technology Engineering Ctr evaluations of ASME code revised piping seismic design.
SHERON,B.W. . 95/05/24. EISENBERG,G.M. American Society of Mechanical Engineers. 18pp. 84222:196-84222:258.

-9505300225 Discusses 941107 meeting re seismic analysis of piping program:peer review group/ASME code section III task exchange meeting.
CHEN,W.P. Energy Technology Engineering Center. 94/12/19. CHOKSHI,N.C. Office of Nuclear Regulatory Research (Post 941217). 44pp. 84222:214-84222:258.

9506090370 Discusses 940429 ltr to E Beckjord,explaining that,owing to increasing competition for dwindling resources,EPA would be forced to discontinue providing certain svcs to non-EPA clients,including NRC.
MARCHANT,W.N. Environmental Protection Agency. 95/05/18. MILLER,C.L. . 6pp. 84222:098-84222:104.

9506130014 Forwards documents re proposed GL on 10CFR50.54(p) process for changes to security plans w/o prior NRC approval.
KUGLER,A.J. . 95/06/09. Document Control Branch (Document Control Desk). 24pp. 84298:306-84298:329.

9506130070 Expresses appreciation for attending Enforcement & Compliance Task Force Environ Justice Conference.NEPA panels excellent.
LOPEZ-OTIN,M. Office of State Programs (Post 911117). 95/05/24. SHEAFOR,C. Justice, Dept. of. 2pp. 84242:178-84242:179.

9506130119 Forwards FEMA exercise rept for plant radiological emergency preparedness exercise on 941024.
JOYNER,J.H. Region 1 (Post 820201). 95/06/01. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 84243:180-84243:263.

-9506130127 "Radiological Emergency Preparedness Exercise Evaluation Rept."
* Public Service Electric & Gas Co. of New Jersey. 95/03/28. 81pp. 84243:183-84243:263.

9506130124 Responds to 950505 ltr to Chairman in which EL Homer requested briefing re to Commission delegation of authority to States & how NRC handles tribal trust responsibilities.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/01. HOMER,E.L. Interior, Dept. of. 3pp. 84245:001-84245:007.

-9506130130 Requests info about Commission policies & procedures for ensuring that state governments do not inadvertently take actions which may impinge upon or affect American Indian trust resources.
HOMER,E.L. Interior, Dept. of. 95/05/05. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 84245:004-84245:007.

9506140155 Requests that encl document re activities in area of graded QA,be placed in PDR.W/o encl.
GRAMM,R. . 95/05/31. WARD,M. Public Document Branch. 2pp. 84313:106-84313:106.

9506140183 Forwards Commission Biweekly Notice of Applications & Amends to Operating Licenses involving no significant hazards consideration,which was published in FR on 950510.W/o encl.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 84305:349-84305:350.

9506140310 "NRC Regulatory Info Conference," presented at 950509-10 conference in Rockville,MD.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/09. 336pp. 84310:001-84310:336.

9506150217 Suppl 1 to NRC Info Notice 94-066, "Overspeed of Turbine- Driven Pumps Caused by Binding in Stems of Governor Valves."
GRIMES,B.K. . IEIN-86-014. 95/06/16. Consolidated Edison Co. of New York, Inc. 8pp. 84381:001-84381:008.

9506150354 Provides comments re review of 950221 ltr from Raisen. Pyrolysis gas chromatography only gives qualitative indication of organic matl present in specimen.
STECKLER,K.D. Commerce, Dept. of. 95/03/21. MADDEN,P.M. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 84329:245-84329:248.

9506150406 Forwards Emergency Preparedness Position (EPPOS) 1 re acceptability of deviations to guidance in App 1 to NUREG-0654/FEMA-REP-1.
MILLER,C.L . 95/06/05. JOYNER,J.H. Region 1 (Post 820201). CLINE,W.E. Region 2 (Post 820201). CANIANO,R.J. Region 3 (Post 820201). 2pp. 84340:247-84340:253.

-9506150410 "Emergency Preparedness Position (EPPOS) on Acceptable Deviations From App 1 of NUREG-0654 Based Upon Staff Regulatory Analysis of NUMARC/NESP-007, 'Method for Development of EALs.'"
* . 95/06/01. 5pp. 84340:249-84340:253.

9506200100 Forwards 950531 memo from VM Cochran which transmits FEMA Region II Post Exercise Assessment for 930713 exercise.
JOYNER,J.H. Region 1 (Post 820201). 95/06/09. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84345:182-84345:292.

-9506200112 Forwards final version of Post Exercise Assessment for plant held during wk of 930712-16.
COCHRAN,V.M. Federal Emergency Management Agency. 95/05/31. LUSHER,J. NRC - No Detailed Affiliation Given. 1p. 84345:185-84345:185.

-9506200122 "Post Exercise Assessment."
* Federal Emergency Management Agency. 95/04/28. 108pp. 84345:186-84345:292.

9506200170 Forwards final rept dtd 950526 from FEMA discussing findings of joint exercise of offsite radiological emergency response plans.
BARR,K.P. Region 2 (Post 820201). 95/06/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84345:001-84345:181.

-9506200176 Forwards FEMA final rept for 931208 joint exercise of offsite radiological emergency response plans for plant.One deficiency & 31 ARCAs identified.
ESSIG,T.H. . 95/06/02. BARR,K.P. Region 2 (Post 820201). 2pp. 84345:004-84345:005.

-9506200188 Forwards final rept for 931208,full-participation plume exposure pathway joint exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/05/26. SPESSARD,L. . 2pp. 84345:006-84345:007.

-9506200196 "FEMA Final Rept for 931208,Joint Exercise of Offsite Radiological Emergency Response Plans."
* Federal Emergency Management Agency. 95/05/26. 174pp. 84345:008-84345:181.

9506200227 Forwards final rept dtd 950522,from FEMA discussing findings of joint exercise of offsite radiological emergency response plans.
JAUDON,J.P. Region 2 (Post 820201). 95/06/12. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84348:270-84349:011.

-9506200235 Forwards final rept for 931006-07,joint exercise of offsite radiological emergency response plans.One deficiency noted & three ARCAs noted.
ESSIG,T.H. . 95/05/31. BARR,K.P. Region 2 (Post 820201). 4pp. 84348:274-84348:278.

9506200368 Ack receipt of internet E-mails from P Blanch dtd 950601 & 02.
ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 95/06/02. RUSSELL,W., MIRAGLIA,F., THADANI,A. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84360:356-84360:359.

-9506200374 Informs of disappointment of delay in OI rept.
BLANCH,P. Affiliation Not Assigned. 95/06/01. ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84360:357-84360:357.

-9506200381 Ack receipt of comment re status of long standing FOIA request.
ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 95/06/02. BLANCH,P.M. Affiliation Not Assigned. 1p. 84360:358-84360:358.

-9506200395 Refers to front page article in 950530 New York Times,to assist in responding to questions in 950228 ltr w/respect to property damage.
BLANCH,P.M. Affiliation Not Assigned. 95/06/02. ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84360:359-84360:359.

9506210099 Forwards 950605 ltr transmitting FEMA Region II post exercise assessment for 931117 exercise.One deficiency identified but it was remediated prior to termination of exercise.
JOYNER,J.H. Region 1 (Post 820201). 95/06/15. MERCREDY,R.C. Rochester Gas & Electric Corp. 2pp. 84360:001-84360:087.

-9506210104 Forwards final Post Exercise Assessment for Ginna Nuclear Power Station Exercise that was held 931114-20.
ONEILL,S.D. Federal Emergency Management Agency. 95/06/05. SILK,D. Region 1 (Post 820201). 1p. 84360:003-84360:003.

-9506210110 "Post Exercise Assessment for 931117,Exercise of New York State Radiological Emergency Preparedness Plan."
* Federal Emergency Management Agency. 95/03/10. 77pp. 84360:004-84360:087.

9506210365 Forwards 940913 ltr which responded to NRC request for addl info & forwarded Rev 1 to BWR core shroud repair design criteria.
CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/31. BOYCE,R. Factory Mutual System. 2pp. 84383:124-84383:176.

9506220147 Advises that May 1995 rev of std exercise rept format & prototype final exercise rept,consistent w/consensus & basic agreements reached at 950201-03 std exercise rept format workshop.
MILLER,C.L. . 95/06/07. SUPRISE,A.M. Federal Emergency Management Agency. 3pp. 84404:120-84404:122.

9506220161 Forwards paper entitled, "Regulatory Guidance on Relocation of P/T Limits from TS," to be presented at 950917-20 meeting in Seattle,WA.
WESTON,M.W., TSAO,J.C. NRC - No Detailed Affiliation Given. 95/06/06. FILPOVICH,K. American Nuclear Society. 2pp. 84402:350-84402:358.

-9506220170 "Regulatory Guidance on Relocation of P/T Limits from TS," to be presented at 950917-20 topical meeting in Seattle,WA.
WESTON,M.W., TSAO,J.C. NRC - No Detailed Affiliation Given. 95/06/06. 7pp. 84402:352-84402:358.

9506220174 Provides suppl staff guidelines to incorporate criteria re seismic instrumentation TS relocation requests.
GIESE-KOCH,G. . 95/06/06. BAGCHI,G. . 15pp. 84403:314-84403:333.

9506220297 Submits results of fire test conducted on latest NRC criteria w/3M Interam E-50 series matl.
LICHT,R. Minnesota Mining & Manufacturing Co. (3M Co.). 95/05/25. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 84403:359-84403:360.

9506230072 Forwards ltr from NIST dtd 940519 per P Blanch request.
ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/06/07. BLANCH,P. Affiliation Not Assigned. 1p. 84414:351-84414:353.

9506230144 Ack receipt of inquiry about job at NRC in geoscience.Div of Waste Mgt not hiring now.Suggests that resume & ltr be sent to Headquarter Personnel Ofc at listed address.
JUSTUS,P.S. Engineering & Geosciences Branch (NMSS 940403). 95/06/05. WILSON,A.C. Affiliation Not Assigned. 1p. 84409:310-84409:310.

9506230239 Forwards ltrs from P Mink,D Akaka & G Pai requesting info about State of Hawaii radiological emergency response plan for shipments of Pu.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/09. GOSS,K. Federal Emergency Management Agency. 1p. 84448:054-84448:064.

--9506230245 Forwards for review,info re shipments of Pu & other nuclear waste materials between Europe & Japan.
AKAKA,D.K. Senate. 95/05/04. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84448:057-84448:059.

--9506230253 Inquires about status of Pu & nuclear waste shipments between Europe & Japan.
MINK,P.T. House of Rep. 95/05/05. RATHBUN,D. Office of Congressional Affairs (Post 911117). 5pp. 84448:060-84448:064.

9506230332 Responds to 950517 ltr from FR Lautenberg re concerns expressed by constituent L Amato on US govt administration plan to accept & store SF from foreign reactors before providing for SF storage from NPPs in US.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/08. LAUTENBERG,F.R. Senate. 1p. 84471:169-84471:169.

9506230346 Forwards Rev 2 to Policy & Guidance Directive 90-6, "Guidelines for Handling Part 21 Repts." Directive revised to provide addl guidance for evaluating repts,delete refs to 5-day written rept that is no longer required.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/12. HEHL,C.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). PEDERSON,C.D. Region 3 (Post 820201). 2pp. 84447:331-84447:332.

--9506280013 Rev 2 to Policy & Guidance Directive 90-6, "Guidelines for Handling 10CFR21 Repts."
RAMSEY,K.M. Office of Nuclear Material Safety & Safeguards. 95/05/22. 7pp. 84447:333-84447:339.

9506280132 Forwads FEMA final rept for 941116,joint exercise of offsite radiological emergency response plans for Sequoyah Nuclear Station.W/o encl.
BARR,K.P. Region 2 (Post 820201). 95/06/15. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:040-84442:042.

9506280196 Forwards 950425 FEMA final rept for 941101 joint exercise of offsite radiological emergency response plans for plant.W/o encl.
BARR,K.P. Region 2 (Post 820201). 95/06/14. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84442:171-84442:173.

9506280361 Responds to request of WR Kindley of INPO re status of accredited training programs when placed on probation by National Nuclear Accrediting Board,for info.
SUBALUSKY,W.T. National Academy for Nuclear Training. 95/04/13. BOGER,B.A. . 2pp. 84448:266-84448:267.

9506280445 Notice of opportunity for public comment on GL to clarify process for changes to security plans under provisions of 10CFR50.54(p).
GRIMES,B.K. . 95/06/07. 23pp. 84449:323-84449:345.

9506290231 Forwards signed original of Order prohibiting involvement in NRC licensed activities for FR publication.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-022. 95/06/27. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 84455:154-84455:154.

9506290233 Advises of availability of thermal-hydraulic codes developed by NRC.Discusses restrictions for use of codes.
HODGES,M.W. Division of Systems Technology (Post 941217). 95/06/12. MODRO,S.M. Idaho National Engineering Laboratory. BARATTA,A.J. Pennsylvania State Univ., University Park, PA. NIEDERAUER,G. Los Alamos National Laboratory. 19pp. 84493:094-84493:129.

--9506290238 Requests comment on requests to allow foreign vendors to use reactor sys codes such as RELAP5 & TRAC for commercial purposes.
BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217). 93/12/13. WOODSON,N.D. Westinghouse Electric Corp. SPECKER,S. General Electric Co. 4pp. 84493:113-84493:116.

--9506290294 Responds to 931213 ltr requesting comments on requests to allow foreign vendors to use reactor sys codes such as RELAP5 & TRAC for commercial purposes.
SPECKER,S.R. General Electric Co. 94/01/18. BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217). 2pp. 84493:117-84493:118.

--9506290300 Discusses ltr re Intl Code Assessment & Maint Program. Expresses concerns about release of codes to foreign vendors.
* Westinghouse Electric Corp. 94/02/03. BECKJORD,E.S. Office of Nuclear Regulatory Research (860720-941217). 3pp. 84493:119-84493:123.

--9506290307 Discusses release of NRC Thermal Hydraulic Computer Codes.
HOYLE,J.C. Docketing & Services Branch. 95/05/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 3pp. 84493:124-84493:129.

9506290316 Disusses policy on release of Thermal Hydraulic Codes developed under NRC sponsorship.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/06/09. SPECKER,S. General Electric Co. WOODSON,N.D. Westinghouse Electric Corp. 6pp. 84510:043-84510:069.

9506290346 Responds to 950403 & 24 ltrs to DOE & NRC,respectively re info received from constituent AM High of High-Way Engineering & Survey Co.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 95/05/24. KEMPTHORNE,D. Senate. 3pp. 84555:253-84555:283.

--9506290357 Requests that by 920320,recipient transfer all licensable matl to another,properly authorized licensee & provide NRC either by ltr or by encl NRC Form 314,written assurance that transfer completed.W/o NRC Form 314.
FISHER,W.L. Region 4 (Post 820201). CCS. 92/02/28. HIGH,A. High-Way Engineering & Surveying. 2pp. 84555:256-84555:257.

--9506290362 Responds to 920323 telcon between A High,S Rajendran & WL Fisher re status of recipient NRC license.
FISHER,W.L. Region 4 (Post 820201). CCS. 92/03/25. HIGH,A. High-Way Engineering & Surveying. 2pp. 84555:258-84555:261.

--9506290372 Requests rept be sent to listed address to assist in responding to constituent concerns.
KEMPTHORNE,D. Senate. CCS. 95/04/24. COLLINS,S. Region 4 (Post 820201). 4pp. 84555:262-84555:266.

--9506290382 Forwards announcement re High-Way Engineering & Survey Co (Firm) NRC mailing 950330 to media in ID & to professional organizations on special mailing list,announcing that NRC ordered firm to cease & desist use of radioactive matls.
GILLILAND,J.T. Office of Public Affairs (Post 911117). CCS. 95/03/29. HIGH,A. High-Way Engineering & Surveying. 7pp. 84555:267-84555:283.

9506290431 Request for OMB review & supporting statement re policy statement, "Integrated Schedules." Estimated respondent burden is 3,300 h.
* Office of Information Resources Management (Post 890205). OMB 3150-0168. 95/06/12. 12pp. 84493:061-84493:073.

9506290432 Request for OMB review & supporting statement re "Occupational Exposure Record for Monitoring Period." Estimated respondent burden is 139,568 h.
CRAWFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0006. 95/06/16. 9pp. 84493:074-84493:082.

9506290435 Request for OMB review & supporting statement re "Cumulative Occupational Exposure History." Estimated respondent burden is 8,052 h.
CRAWFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0005. 95/06/16. 11pp. 84493:083-84493:093.

9506300017 Forwards revised draft of FRERP,per FRPCC request,for review & comment addressing significant issues w/major policy implication.Comments due by 950623.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/06/12. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. CYR,K.D. Office of the General Counsel (Post 860701). MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. 84510:335-84510:335.

9506300087 Responds to 950426 ltr,forwarding ltrs from WL Vinson & R Adams,describing regulatory challenges facing development of nuclear-powered engines.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 95/05/18. MACK,C. Senate. 2pp. 84523:311-84523:327.

--9506300091 Forwards correspondence from WL Vinson & R Adams.
MACK,C. Senate. CCS. 95/04/26. RATHBUN,D. Office of Congressional Affairs (Pre 870413). 12pp. 84523:313-84523:327.

9506300113 Forwards requested ltr from INPO to NRC re managing maint during power operations.
MCCREE,V.M. Ofc of the Executive Director for Operations. 95/05/03. BUCKLES,R. NUS Corp. 2pp. 84493:285-84493:295.

--9506300117 Forwards copy of ltr sent to all member utils re managing maintenance during power operations.
PATE,Z.T. Institute of Nuclear Power Operations. 95/03/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 9pp. 84493:287-84493:295.

9506300140 Forwards draft application format & content guidance & review plan & acceptance criteria for nonpower reactors,for comments by 950915.
GRIMES,B.K. . 95/06/13. Affiliation Not Assigned. 14pp. 84511:259-84511:272.

9506300142 Discusses 25th Workshop of Emergency Response Coordinators & representatives of management.
CONGEL,F.J. Office for Analysis & Evaluation of Operational Data, Director. 95/03/08. HEHL,C.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). AXELSON,W.L. Region 3 (Post 820201). 9pp. 84493:276-84493:284.

9506300144 Informs due to nature of NRC,agency does not wish to participate on ad hoc committee re Cultural Resources Protection & Section 106 of National Historic Preservation Act.
BROCKMAN,K.E. Office for Analysis & Evaluation of Operational Data, Director. 95/03/17. BAER,S.R. Justice, Dept. of. 1p. 84488:355-84488:355.

9506300182 General distribution Vol 4,Number 3, "Review," May/June 1995.
* Institute of Nuclear Power Operations. 95/06/30. 12pp. 84494:008-84494:020.

PR PROPOSED RULE

9504140078 Comment supporting draft RG DG-1033,DG-1034 & DG-1035 re nuclear power plant instrumentation for earthquakes,pre- earthquake planning & immediate nuclear power plant operator post-earthquake actions.
REINECKE,R.M. . 59FR52255 00008. 95/04/04. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 83488:341-83488:344.

9506010201 Forwards proposed amend to Commission rules in 10CFR50, "Domestic Licensing of Production & Utilization Facilities" & 10CFR70, "Domestic Licensing of SNM."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/04/13. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 84172:350-84172:360.

9506020001 Comments on NRC announced intent to reduce scope of work to be performed by States under NRC Cooperative Environ Monitoring Program.
SPIKER,H.L. Kansas, State of. 60FR18428 00012. 95/05/22. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84132:001-84132:002.

9506020020 Comment opposing NRC proposal to reduce scope of work in independent measurements contracts for off-site environ monitoring activities as NRC licensed nuclear power facilities.
HARDEMAN,J.C. Georgia, State of. 60FR18428 00010. 95/05/24. KLEMENTOWICZ,S. Commissioners (Post 750119). 2pp. 84132:004-84132:005.

9506020055 Comment oppposing reduction in scope of work involved to States re environ monitoring at plant.Sampling & related lab analyses generate body of data ensuring public of long term safety to environ.
HENDRIX,R.E. San Luis Obispo County, CA. 60FR18428 00008. 95/05/12. Docketing & Services Branch. 1p. 84132:019-84132:019.

9506020064 Comment opposing reduction in scope of work to States re environ monitoring around selected NRC licensed facilities. Monitoring program contributes to safety by ensuring that monitoring sys & lab able to provide support in an event.
DORNSIFE,W.P. Pennsylvania, Commonwealth of. 60FR18428 00011. 95/05/24. Docketing & Services Branch. 2pp. 84132:020-84132:021.

9506020066 Comment opposing NRC announcement of intent to reduce scope of work to states,under contract to NRC to perform environmental monitoring in evirons of selected licensed facilities.
RIMAWI,K. New York, State of. 60FR18428 00009. 95/05/24. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84132:022-84132:023.

9506050262 Forwards transcript of 950511 public meeting on design certification.
SCALETTI,D. Standardization Project Directorate (PDST) (Post 941001). 60FR17902. 95/05/24. Standardization Project Directorate (PDST) (Post 941001). 1p. 84173:307-84173:340.

--9506050273 Transcript of 950511 public meeting in Rockville,MD re design certification rulemaking.
* NRC - No Detailed Affiliation Given. 60FR17924. 95/05/11. 32pp. 84173:308-84173:340.

9506050406 Forwards final rule 10CFR20, "Stds for Protection Against Radiation;Clarification." Rule amended to replace requirements inadvertently deleted when old 10CFR20 requirements deleted on 931222 & corrects ref & typos.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/04/25. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. 84183:331-84183:347.

--9506050411 Final rule 10CFR20, "Stds for Protection Against Radiation; Clarification."
MILHOAN,J.L. Ofc of the Executive Director for Operations. CCS. 95/04/11. 15pp. 84183:333-84183:347.

9506050414 Forwards notice of denial of American Mining Congress (AMC) petition on 930204,for NRC to amend 10CFR170 & 171 to alleviate what AMC claimed are inequitable NRC fees.
SCROGGINS,R.M. Office of the Controller (Post 890205). CCS. 95/04/26. MYERS,J.T. House of Rep., Appropriations. KASICH,J.R., SCHAEFER,D. House of Rep. 6pp. 84209:349-84209:354.

9506060042 Comment opposing proposed change in State Cooperative Agreements Program concerning NRC intention to reduce scope of work.Believes that NRC should maintain environ monitoring program & find other ways to reduce duplicative svcs.
LIPOTI,J. New Jersey, State of. 60FR18428 00014. 95/06/02. Docketing & Services Branch. 4pp. 84165:047-84165:050.

9506060050 Comment supporting proposed change in State Agreements Program environ monitoring activities.Believes that elimination of Environ Monitoring Program would result in gradual,chronic degradation in discharge control programs.
BLACKMAN,C. Georgia, State of. 60FR18428 00013. 95/05/25. NRC - No Detailed Affiliation Given. 5pp. 84165:051-84165:055.

9506060070 Forwards documents re proposed rule "NRC Size Standards; Proposed Revision."
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF24-1 001. 95/05/18. LANHAM,D.H. Office of Information Resources Management (Post 890205). 14pp. 84202:001-84202:126.

--9506060080 Requests NRC review & comment on proposed regulation amending 13CFR121,small business size regulations.
BOWLES,E.B. Small Business Administration. AF24-1 002. 93/09/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84202:015-84202:016.

--9506060084 Discusses NRC use of size standards for procurement & regulatory purposes.
NORRY,P.G. Office of Administration (890206-940714). AF24-1 003. 93/11/08. BOWLES,E.B. Small Business Administration. 3pp. 84202:017-84202:019.

--9506060092 Discusses findings from telephone conversations w/staff of SBA.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF24-1 004. 94/01/14. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 1p. 84202:020-84202:020.

--9506060119 Discusses schedule for publication of SBA's final rule re size standards.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF24-1 005. 94/03/07. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 1p. 84202:021-84202:021.

--9506060135 Discusses status of SBA size standards revision & possible impact of revision on NRC fee rule.
MEYER,D. Office of Administration (890206-940714). AF24-1 006. 94/03/17. FUNCHES,J. Office of the Controller (Post 890205). 1p. 84202:022-84202:022.

--9506060143 Discusses review of NRC size standards revision.
MIZUNO,G.S. Office of the General Counsel (Post 860701). AF24-1 007. 94/05/19. LESAR,M.T. Office of Administration (890206-940714). 3pp. 84202:023-84202:025.

--9506060148 Forwards Federal Register notice of proposed rulemaking re size standards for review & concurrence.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). AF24-1 008. 94/05/16. ROTHSCHILD,T. Assistant General Counsel for Rulemaking & Fuel Cycle. 7pp. 84202:026-84202:032.

--9506060155 Forwards draft Federal Register notice revising NRC size standards for comment.
MEYER,D. Rules & Directives Review Branch (Post 920323). AF24-1 009. 94/06/14. FUNCHES,J., HOLLOWAY,J. Office of the Controller (Post 890205). 7pp. 84202:033-84202:039.

--9506060162 Discusses 940617 meeting w/SBA re NRC intent to modify size standards.
MEYER,D. Rules & Directives Review Branch (Post 920323). AF24-1 010. 94/06/20. OLIU,W. Publications Branch (Post 920323). 1p. 84202:040-84202:051.

--9506060177 Ack receipt of 940729 ltr requesting review & comment on NRC proposed rule re size standards.
JACKSON,G.M. Small Business Administration. AF24-1 012. 94/08/15. ROGERS,K.C. Commissioners (Post 750119). 2pp. 84202:052-84202:064.

--9506060202 Requests comment & concurrence on document entitled "NRC Size Standards;Proposed Revision."
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF24-1 013. 94/10/04. SHELTON,B.J. Information & Records Management Branch (Post 890827). 1p. 84202:065-84202:065.

--9506060208 Provides comments on draft proposed rule amending size standards.
PULLEY,C.M. Small Business Administration. AF24-1 014. 94/10/07. ROGERS,K.C. Commissioners (Post 750119). 3pp. 84202:066-84202:068.

--9506060222 Responds to request for comment & concurrence on proposed rule entitled "NRC Size Standards;Proposed Revision."
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF24-1 015. 94/10/11. LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 20pp. 84202:069-84202:099.

--9506060231 Forwards proposed rule amending size standards used by NRC for signature.W/o encl.
NORRY,P.G. Office of Administration, Director (Post 940714). AF24-1 016. 94/11/04. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84202:100-84202:101.

--9506060237 Discusses amount of time needed for comment period on proposed rule re NRC size standards.
WIGGINTON,S. NRC - No Detailed Affiliation Given. AF24-1 017. 94/11/21. LESAR,M. NRC - No Detailed Affiliation Given. 2pp. 84202:102-84202:103.

--9506060240 Forwards proposed rule "NRC Size Standards;Proposed Revision."W/o encl.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF24-1 018. 94/11/25. PINELES,B. Small Business Administration. pp. 84202:104-84202:104.

--9506060247 Forwards copies of congressional letters prepared for Federal Register notice re proposed revision to NRC size standards.W/related matl.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF24-1 019. 94/11/25. CALLAHAN,M.S. Office of Congressional Affairs (Post 911117). 8pp. 84202:105-84202:126.

9506060441 Forwards regulatory history package for proposed rule re physical security plan format changes.
BROWN,C. Regulatory & International Safeguards Branch. AF27-1 001. 95/05/31. Document Control Branch (Document Control Desk). 3pp. 84202:127-84202:292.

--9409220224 Grants approval to initiate rulemaking for physical security plan format changes to 10CFR50 & 70.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF27-1 003. 94/09/16. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 1p. 84202:137-84202:137.

--9409220228 Requests approval for NMSS to initiate rulemaking for physical security plan format changes to 10CFR50 & 70 & forwards regulatory agenda entry & justification.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. AF27-1 002. 94/09/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 84202:130-84202:136.

--9506060477 Discusses review of final rule package on physical security plan format changes.W/marked-up copy of rule.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF27-1 004. 94/11/17. BROWN,C. Office of Nuclear Material Safety & Safeguards. 19pp. 84202:138-84202:156.

--9506060481 Provides response to request for comment & concurrence on final rule re security plan format changes.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF27-1 005. 94/11/22. LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84202:157-84202:157.

--9506060485 Concurs w/final rule entitled "Physical Security Plan Format Changes," subject to consideration of comments provided.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF27-1 006. 95/01/06. BROWN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 15pp. 84202:158-84202:172.

--9506060491 Forwards final rule re physical security plan format changes for signature.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. AF27-1 007. 95/01/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 28pp. 84202:173-84202:201.

--9506060496 Forwards electronic files for ADM concurrence on final rule re physical security plan.
TIPTON,L.M. NRC - No Detailed Affiliation Given. AF27-1 008. 95/01/05. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 84202:202-84202:202.

--9506060503 Memo to files re verbal instructions received to resubmit package re physical security plan format changes as proposed rule instead of final rule.
BROWN,C. NRC - No Detailed Affiliation Given. AF27-1 009. 95/01/23. NRC - No Detailed Affiliation Given. 1p. 84202:203-84202:203.

--9506060510 Discusses review of proposed rule re physical security plan format changes.W/marked-up copy of rule.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF27-1 010. 95/02/08. BROWN,C. Office of Nuclear Material Safety & Safeguards. 15pp. 84202:204-84202:218.

-9506060513 Responds to request for comment & concurrence on proposed rule re physical security plan format changes.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF27-1 011. 95/02/14. LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84202:219-84202:219.

-9506060519 Concurs,subj to comments,w/proposed rule re physical security plan format changes.
OLIU,W.E. Division of Freedom of Information & Publications Services (Post 940714). AF27-1 012. 95/03/27. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 28pp. 84202:220-84202:247.

-9506060527 Forwards proposed rule re physical security plan format changes for signature.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. AF27-1 013. 95/03/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 33pp. 84202:248-84202:292.

-9409220224 Grants approval to initiate rulemaking for physical security plan format changes to 10CFR50 & 70.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF27-1 003. 94/09/16. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 1p. 84202:137-84202:137.

-9409220228 Requests approval for NMSS to initiate rulemaking for physical security plan format changes to 10CFR50 & 70 & forwards regulatory agenda entry & justification.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. AF27-1 002. 94/09/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 7pp. 84202:130-84202:136.

-9506060477 Discusses review of final rule package on physical security plan format changes.W/marked-up copy of rule.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF27-1 004. 94/11/17. BROWN,C. Office of Nuclear Material Safety & Safeguards. 19pp. 84202:138-84202:156.

-9506060481 Provides response to request for comment & concurrence on final rule re security plan format changes.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF27-1 005. 94/11/22. LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84202:157-84202:157.

-9506060485 Concurs w/final rule entitled "Physical Security Plan Format Changes," subject to consideration of comments provided.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF27-1 006. 95/01/06. BROWN,C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 15pp. 84202:158-84202:172.

-9506060491 Forwards final rule re physical security plan format changes for signature.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. AF27-1 007. 95/01/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 28pp. 84202:173-84202:201.

-9506060496 Forwards electronic files for ADM concurrence on final rule re physical security plan.
TIPTON,L.M. NRC - No Detailed Affiliation Given. AF27-1 008. 95/01/05. LESAR,M.T. NRC - No Detailed Affiliation Given. 1p. 84202:202-84202:202.

-9506060503 Memo to files re verbal instructions received to resubmit package re physical security plan format changes as proposed rule instead of final rule.
BROWN,C. NRC - No Detailed Affiliation Given. AF27-1 009. 95/01/23. NRC - No Detailed Affiliation Given. 1p. 84202:203-84202:203.

-9506060510 Discusses review of proposed rule re physical security plan format changes.W/marked-up copy of rule.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF27-1 010. 95/02/08. BROWN,C. Office of Nuclear Material Safety & Safeguards. 15pp. 84202:204-84202:218.

-9506060513 Responds to request for comment & concurrence on proposed rule re physical security plan format changes.
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF27-1 011. 95/02/14. LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84202:219-84202:219.

-9506060519 Concurs,subj to comments,w/proposed rule re physical security plan format changes.
OLIU,W.E. Division of Freedom of Information & Publications Services (Post 940714). AF27-1 012. 95/03/27. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 28pp. 84202:220-84202:247.

-9506060527 Forwards proposed rule re physical security plan format changes for signature.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. AF27-1 013. 95/03/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 33pp. 84202:248-84202:292.

9506070039 Forwards regulatory history index for final rule 10CFR54, "Nuclear Power Plant License Renewal." Rule amends 10CFR2, 51, & 54.
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). AF05-2 001. 95/05/24. LANHAM,D.H. Document Control Branch (Document Control Desk). 8pp. 84285:001-84287:241.

-9502220391 Forwards 10CFR54 statements of consideration & rule language associated w/amend to license renewal rule.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/02/09. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 79pp. 84285:244-84285:323.

-9502230053 Forwards 950208 memo from License Renewal Steering Group re rule language statements of consideration for license renewal rule,10CFR54.NRC Staff concluded that substantive changes to rule language or statements not needed.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF05-2 048. 95/02/10. THE CHAIRMAN Commissioners (Post 750119). 2pp. 84285:324-84286:064.

-9502230059 Forwards copy of rule language statements of considerations for license renewal rule,10CFR54.Concludes that substantive changes to rule language not needed.
RUSSELL,W.T. Affiliation Not Assigned. AF05-2 049. 95/02/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 96pp. 84285:326-84286:064.

-9503270246 Forwards 950314 memo from License Renewal Rule Steering Group forwarding rule language & SOC for license renewal rule 10CFR54.
TAYLOR,J.M. Ofc of the Executive Director for Operations. AF05-2 051. 95/03/20. THE CHAIRMAN, SELIN,I., ROGERS Commissioners (Post 750119). 76pp. 84286:065-84286:285.

-9506070076 Forwards 950405 memo discussing regulatory history procedures regarding "Nuclear Power Plant License Renewal; Revs.(Parts 2,51 & 54)."
GOLDEN,B. Division of Freedom of Information & Publications Services (Post 940714). AF05-2 002. 95/05/12. HILTZ,T.G. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84285:009-84285:243.

-9506070420 Requests that arrangements be made for the publication of encl final amend in FR.
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). AF05-2 056. 95/04/20. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 250pp. 84286:286-84287:241.

9506080253 Comment supporting continuation of NRC State Cooperative Agreement re performance environ radiation monitoring at selected NRC licensed facilities.Believes that subj program became reliable means of providing public oversight.
HALLISEY,R.M. Massachusetts, Commonwealth of. 60FR18428 00016. 95/05/24. Docketing & Services Branch. 2pp. 84198:001-84198:002.

9506080274 Comment opposing proposed change in State Cooperative Agreement Program re NRC intention to reduce scope of work.
OWEN,R.E. Ohio, State of. 60FR18428 00015. 95/05/22. NRC - No Detailed Affiliation Given. 2pp. 84198:003-84198:004.

9506080287 Comment on proposed rule 10CFR35 re potential mods for NRC therapy regulations.Forwards completed questionnaire re 10CFR35.
AGARWAL,S.K. Virginia, Univ. of, Charlottesville, VA. 59FR55068 00034. 95/05/30. NRC - No Detailed Affiliation Given. 5pp. 84198:005-84198:009.

9506080300 Comment opposing NRC announcement of intent to reduce scope of work to states under contract for surveillance.
RATLIFF,R.A. Texas, State of. 60FR18428 00017. 95/05/30. MILLER,C.L. . 2pp. 84198:010-84198:011.

9506080426 Forwards index & documents for final rule "NRC Size Standards;Proposed Revision."
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF24-2 001. 95/06/07. LANHAM,D.H. Office of Information Resources Management (Post 890205). 19pp. 84289:001-84289:108.

-9506080447 Discusses review of draft final rule re NRC size standards.
LADER,P. Small Business Administration. AF24-2 006. 95/03/24. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 84289:054-84289:057.

-9506080451 Requests comment & concurrence on document entitled "NRC Size Standards;Revision."
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF24-2 007. 95/01/10. SHELTON,B.J. Information & Records Management Branch (Post 890827). 1p. 84289:058-84289:058.

-9506080455 Responds to request for comment & concurrence on final rule "NRC Size Standards;Proposed Revision."
SHELTON,B.J. Information & Records Management Branch (Post 890827). AF24-2 008. 95/01/11. LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84289:059-84289:059.

-9506080458 Discusses review of final rule re NRC size standards;concur w/rule subject to provided comments.
FUNCHES,J. Office of the Controller (Post 890205). AF24-2 009. 95/01/17. LESAR,M. Division of Freedom of Information & Publications Services (Post 940714). 12pp. 84289:060-84289:095.

-9506080469 Forwards final rule re NRC size standards for signature.
NORRY,P.G. Office of Administration, Director (Post 940714). AF24-2 010. 95/03/31. TAYLOR,J.M. Ofc of the Executive Director for Operations. 8pp. 84289:096-84289:103.

-9506080471 Forwards copy of final rule re NRC size standards revision.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF24-2 011. 95/04/06. PINELES,B. Small Business Administration. 1p. 84289:104-84289:104.

-9506080475 Forwards congressional ltrs re "NRC Size Standards; Revision." W/o ltrs.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). AF24-2 012. 95/04/06. CALLAHAN,M.S. Office of Congressional Affairs (Post 911117). 4pp. 84289:105-84289:108.

9506090011 Comment on proposed rules 34 & 150 re industrial radiography program.Urges staff to reconsider proposed decision to reject proposal in light of strong state support.
GODWIN,A.V. Arizona, State of. 59FR9429 00080. 95/05/23. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 84207:001-84207:001.

9506090012 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
HILL,T.E. Georgia, State of. 59FR9429 00081. 95/05/19. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 84207:002-84207:002.

9506090013 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
VONK,M.J. Commonwealth Edison Co. 60FR24803 00002. 95/05/26. Docketing & Services Branch. 1p. 84207:003-84207:003.

9506090020 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
PATTERSON,T.L. Omaha Public Power District. 60FR19002 00002. 95/05/22. Docketing & Services Branch. 1p. 84207:030-84207:030.

9506090025 Comment on proposed rules 10CFR50,52 & 100 re "Reactor Site Including Seismic & Earthquake Criteria for Nuclear Plants." Stable licensing basis will create environ for successful rebirth of nuclear power plant const.
LIPARULI,N.J. Westinghouse Electric Corp. 59FR52255 00017. 95/06/02. HOYLE,J.C. Docketing & Services Branch. 6pp. 84207:037-84207:042.

9506090026 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
PATTERSON,T.L. Omaha Public Power District. 60FR24803 00003. 95/05/25. Docketing & Services Branch. 1p. 84207:043-84207:043.

9506090030 Comment supporting proposed rule 10CFR73 re changes to nuclear power plant security requirements associated w/containment access control.
KRAUS,T.J. International Brotherhood of Electrical Workers. 60FR24803 00004. 95/06/02. Docketing & Services Branch. 1p. 84207:045-84207:045.

9506090033 Comments on proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.Offers no comments.
HINDMARSH,J. California, State of. 60FR19002 00003. 95/05/30. Docketing & Services Branch. 1p. 84207:057-84207:057.

9506090036 Comment opposing proposed rules 10CFR34 & 150 re NRC staff decision to eliminate industrial radiographer certification requirements.
ORTCIGER,T.W. Illinois, State of. 59FR9429 00079. 95/05/17. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84207:089-84207:090.

9506090041 Comment supporting proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
JERRETT,L.E. Florida, State of. 59FR9429 00082. 95/05/22. MYERS,J. Office of State Programs (Post 911117). 7pp. 84207:094-84207:100.

9506090044 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
PARIS,R.D. Oregon, State of. 59FR9429 00083. 95/05/24. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 84207:104-84207:104.

9506090048 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
ALDRICH,R. New York, State of. 59FR9429 00084. 95/05/24. TAYLOR,J. Ofc of the Executive Director for Operations. 5pp. 84207:163-84207:168.

9506090055 Comment supporting proposed rules 10CFR50 & 70 re physical security plan format changes.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 60FR19170 00002. 95/05/17. Docketing & Services Branch. 1p. 84207:231-84207:231.

9506090059 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
KRIESER,G.M. Wisconsin Electric Power Co. 60FR24803 00001. 95/05/23. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84207:237-84207:237.

9506090074 Comment opposing proposed rule 10CFR60 re disposal of HLW in geologic repositories.Believes that definition of 10CFR60.2,as written,not "unclear w/respect to range of 'accidents' to be considered."
RUPERT,C. Affiliation Not Assigned. 60FR15180 00001. 95/05/26. Docketing & Services Branch. 3pp. 84208:095-84208:097.

9506090088 Comment re proposed rule 10CFR60 re disposal of HLW in geologic repositories.Price of DOE contamination of vast stretches of withdrawn public lands,should not be granting to DOE of permanent control over these lands.
BRECHIN,V.J. Affiliation Not Assigned. 60FR15180 00002. 95/06/05. Docketing & Services Branch. 2pp. 84208:133-84208:134.

9506090095 Comment on proposed rule 10CFR50 re RPV integrity rules. Westinghouse believes that public meetings & hearings beyond those specified in 10CFR50.61 & 50.91 unnecessary & will result in addl cost to licensees.
LIPARULO,N.J. Westinghouse Electric Corp. 59FR50513. 95/06/02. HOYLE,J.C. Office of the Secretary of the Commission. HOYLE,J.C. Docketing & Services Branch. 1p. 84208:138-84208:138.

9506090104 Comment supporting proposed rule 10CFR50,52 & 100 re NRC draft Reg guide 1.12 concerning NPP instrumentation for earthquakes.Believes that established means to verify that reactors all built to same quality stds should exist.
HERZOG,B.S. Kinemetrics, Inc. 60FR10880 00003. 95/05/11. NRC - No Detailed Affiliation Given. 5pp. 84208:140-84208:144.

9506090149 Forwards final regulatory analysis & FR notice re revs to final rule nuclear power plant license renewal, 10CFR54.
MATE,J.J. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/24. SCIACCA,F. Science & Engineering Associates, Inc. 1p. 84226:079-84226:140.

--9506090156 "Reactor Analysis:For Final Rule on Nuclear Power Plant License Renewal."
LEE,S.S., MATE,J.J. NRC - No Detailed Affiliation Given. 95/02/28. 60pp. 84226:080-84226:140.

9506090168 Forwards FRN containing rev to final rule for nuclear power plant license renewal (10CFR54),per request.
MATE,J.J. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/24. CALDWELL,R. Ohio Edison Co. 37pp. 84222:159-84222:195.

9506120221 Comment supporting NRC announcement of intent to reduce scope of work to states under contract to NRC to perform environmental monitoring in environs of selected licensed facilities.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 60FR18428 00018. 95/06/01. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84221:242-84221:243.

9506140002 Comments recommending listed environmental quality documents to be reviewed by NRC in connection w/questions re 10CFR50 - "Environmental Qualification of Electrical Equipment."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 60FR22010 00001. 95/06/05. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. 84267:005-84267:006.

9506190001 Comment supporting proposed rule 10CFR70 re change to NPP security requirements associated w/containment access control.
GOODMAN,L.S. Detroit Edison Co. 60FR24803 00017. 95/06/09. Docketing & Services Branch. 2pp. 84320:001-84320:002.

9506190002 Comment supporting proposed rule 10CFR2.802 re petition for RM;procedure for submission.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 60FR15878 00007. 95/06/12. HOYLE,J. Office of the Secretary of the Commission. 2pp. 84320:003-84320:004.

9506190003 Comment supporting proposed rule 10CFR60 re disposal of HLW in geologic repositories.
BRADSHAW,L.W. Nye County, NV. 60FR15180 00003. 95/06/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:005-84320:006.

9506190004 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
BOHLKE,W.H. Florida Power & Light Co. 60FR24803 00005. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:007-84320:008.

9506190005 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
ANDERSON,R.O. Northern States Power Co. 60FR24803 00006. 95/06/06. Docketing & Services Branch. 1p. 84320:009-84320:009.

9506190007 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
OPEKA,J.F. Northeast Utilities. 60FR24803 00009. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:010-84320:011.

9506190008 Comment opposing proposed rule 10CFR2.802 re petition for RM;procedures for submission.Response to FRN questions encl.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR15878 00006. 95/06/12. HOYLE,J. Office of the Secretary of the Commission. 8pp. 84320:012-84320:019.

9506190012 Comment on proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control. Supports NEI comments.
MOREY,D. Southern Nuclear Operating Co. 60FR24803 00013. 95/01/05. Docketing & Services Branch. 1p. 84320:020-84320:020.

9506190014 Comment opposing proposed rule 10CFR2.802 re petition for RM;procedure for submission.
GRANT,J.M. Yankee Atomic Electric Co. 60FR15878 00005. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84320:021-84320:023.

9506190016 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
BYRRAM,R.G. Pennsylvania Power & Light Co. 60FR24803 00008. 95/06/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:024-84320:024.

9506190019 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
SYLVIA,B.R. Niagara Mohawk Power Corp. 60FR24803 00014. 95/06/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:025-84320:025.

9506190023 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
GRANT,J.M. Yankee Atomic Electric Co. 60FR24803 00010. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:026-84320:027.

9506190024 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
ROGAN,R.E. Carolina Power & Light Co. 60FR24803 00015. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 84320:028-84320:028.

9506190027 Comment opposing proposed rule 10CFR72 re petition for rulemaking;procedure for submission.
CONWAY,J.J. Society of Nuclear Medicine. CARRETTA,R.F. American College of Nuclear Physicians. 60FR15878 00008. 95/06/12. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 84320:029-84320:032.

9506190028 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 60FR24803 00007. 95/06/08. Docketing & Services Branch. 2pp. 84320:033-84320:034.

9506190034 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
* Entergy Operations, Inc. 60FR24803 00011. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:035-84320:036.

9506190035 Comment supporting NEI comments on proposed rule 10CFR73 re changes to NPP security requirements associated w/ containment access control.
BECKHAM,J.T. Georgia Power Co. 60FR24803 00016. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84320:037-84320:038.

9506190037 Comment opposing proposed rule 10CFR50 re planning & preparedness exercise requirement.
ORTCIGER,T.W. Illinois, State of. 60FR19002 00004. 95/06/09. Docketing & Services Branch. 2pp. 84320:039-84320:040.

9506190039 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR24803 00012. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:041-84320:042.

9506190059 Comment re proposed rules 10CFR34 & 150 concerning licenses for radiography & radiation safety requirements for radiographic operations.NRC should re-evaluate comment portion in RM process & subj RM requirements be maintained.
MARSHALL,S.R. Nevada, State of. 59FR9429 00085. 95/05/31. TAYLOR,J.M. Office of the Secretary of the Commission. 3pp. 84320:058-84320:060.

9506190070 Comment on proposed rule 10CFR2 re proposed rev to 10CFR2.802, "PRM." Endorses NEI comments.
DEWEASE,J.G. Entergy Operations, Inc. 60FR15878 00002. 95/06/08. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:061-84320:062.

9506190093 Comment supporting proposed rule 10CFR2 re petition for rulemaking,procedures for submission.Supports NEI comments.
BOHLKE,W.H. Florida Power & Light Co. 60FR15878 00003. 95/06/08. HOYLE,J. Office of the Secretary of the Commission. 1p. 84320:066-84320:066.

9506190113 Comment supporting proposed rule 10CFR2 re proposed rev to PRM,procedure for submission.Recommends that NRC judge merit of PRM process on safety,significance & level of detail supporting info.
MILNER,R.A. Energy, Dept. of. 60FR15878 00004. 95/06/09. Docketing & Services Branch. 2pp. 84320:067-84320:068.

9506220069 Comment supporting NRC intention to reduce scope of funding to states to collect & analyze environmental samples around nuclear power plants & other major fuel cycle facilities.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18428 00013. 95/06/14. NRC - No Detailed Affiliation Given. 2pp. 84375:192-84375:193.

9506220354 Forwards notice of final rulemaking 10CFR34, "Performance Requirements for Radiography Equipment."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/05/30. SCHAEFER,D. House of Rep., Energy & Commerce. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 84420:340-84420:350.

9506290001 Comment supporting proposed rule 10CFR2, "Petition for RM; Procedure for Submission."
THOMAS,G.S. Duquesne Light Co. 60FR15878 00009. 95/06/13. Office of the Secretary of the Commission. 1p. 84454:001-84454:001.

9506290002 Comment supporting proposed rule 10CFR60, "Disposal of High Level Radwaste in Geologic Repositories;Design Basis Events," w/listed comments.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR15180 00007. 95/06/23. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84454:002-84454:004.

9506290017 Comment supporting proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.
CARIER,P.P. Tennessee Valley Authority. 60FR19002 00006. 95/06/15. HOYLE,J.C. Docketing & Services Branch. 1p. 84454:181-84454:181.

9506290019 Comment on petition for rulemaking;procedure for submission. Supports development of procedures for petitions to change regulatory guidance documents.
HIATT,S.L. Ohio Citizens for Responsible Energy. 60FR15878 00010. 95/06/13. NRC - No Detailed Affiliation Given. 2pp. 84454:182-84454:183.

9506290022 Comment opposing proposed rule 10CFR60 re disposal of HLW in geologic repositories.
MILNER,R.A. Energy, Dept. of. 60FR15180 00004. 95/06/16. Docketing & Services Branch. 8pp. 84454:261-84454:268.

9506290023 Comment on petition for rulemaking,procedures for submission.Dept believes that proposal sound one & encourages US NRC to implement procedure.
ORTCIGER,T.W. Illinois, State of. 60FR15878 00011. 95/06/13. Docketing & Services Branch. 2pp. 84454:269-84454:270.

9506290024 Comment supporting proposed rule 10CFR60 re disposal of HLW in geologic repositories.
BRADSHAW,L.W. Nye County, NV. 60FR15180 00005. 95/06/19. HOYLE,J.C. Office of the Secretary of the Commission. 8pp. 84454:271-84454:272.

9506290026 Comment supporting proposed rule 10CFR50 re production & utilization facilities;emergency planning & preparedness exercise requirements.
RATLIFF,R.A. Texas, State of. 60FR19002 00005. 95/06/20. Docketing & Services Branch. 1p. 84454:273-84454:273.

9506290027 Comment supporting proposed rule 10CFR60 re disposal of HLW in geologic repositories.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 60FR15180 00006. 95/06/20. Docketing & Services Branch. 3pp. 84454:274-84454:276.

PRESS PRESS RELEASES

9506020163 "NRC ACNW to meet 950521-22."
* Office of Public Affairs (Post 911117). 95/05/30. 2pp. 84213:071-84213:072.

9506120372 Forwards rept from ACNW re regulatory guidance on groundwater travel time for high-level waste repository.
* Office of Public Affairs (Post 911117). 95/06/01. 1p. 84280:160-84280:167.

9506220037 "Nuclear Industry Seeks Changes in NRC Fire Protection Requirements for Nuclear Power Plants."
* Office of Public Affairs (Post 911117). 95/06/15. 2pp. 84429:147-84429:148.

9506220042 "Internet & Electronic Access to NRC Info." NUREG/BR-0010, rev 2 encl.
* Office of Public Affairs (Post 911117). 95/06/16. 42pp. 84439:274-84439:346.

9506230039 "NRC ACRS to Meet in Rockville,MD 950713-15."
* Office of Public Affairs (Post 911117). 95/06/21. 3pp. 84457:239-84457:241.

9506230040 "NRC Makes Changes to Licensing,Insp & Annual Fees."
* Office of Public Affairs (Post 911117). 95/06/21. 2pp. 84457:242-84457:243.

9506290348 Forwards listed repts from ACRS,including comments on proposed final policy statement on use of PRA methods in nuclear regulatory activities & rev of App J of 10CFR50.
* Office of Public Affairs (Post 911117). 95/06/22. 1p. 84559:003-84559:014.

9506290353 "NRC Changes Emergency Planning Requirements for Spent Fuel Storage Facilities."
* Office of Public Affairs (Post 911117). 95/06/22. 2pp. 84559:001-84559:002.

9506290356 "NRC Staff Identifies Nuclear Power Plants Warranting Increased Regulatory Attention."
* Office of Public Affairs (Post 911117). 95/06/22. 1p. 84506:303-84506:303.

PRM PETITION FOR RULEMAKING

9506050394 Provides NRC conclusions re VEPCO 921209 PRM (PRM-50-58) requesting that NRC amend regulations re frequency of required periodic exercise conducted to evaluate emergency response capabilities from annual to biennial.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/04/12. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 4pp. 84209:343-84209:346.

9506090054 Comments on petition for rulemaking PRM-50-61 re amending regulations governing fire protection at nuclear power plants.
HOYLE,J.C. Office of the Secretary of the Commission. 60FR29784. 95/05/31. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 53pp. 84207:178-84207:230.

9506220358 Forwards petition for rulemaking (PRM-50-61) requesting that NRC amend 10CFR50 re fire protection at NPPs.Petition filed by Nuclear Energy Inst.FRN containing addl info re petition also encl.W/o encls.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/05/30. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 84420:351-84420:352.

PROJ PROJECTS - PREDOCKET LICENSING

9506010004 Notification of 950608 meeting w/DOE & W Multi-Purpose Canister (MPC) Team in Rockville,MD to discuss preliminary design of MPC.
EASTON,E.P. Office of Nuclear Material Safety & Safeguards. 95/05/24. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 84172:318-84172:318.

9506010465 Forwards draft Commission paper on policy & technical issues associated w/RTNSS in passive plant design.Document redistributed due to missing pages.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/02. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 35pp. 84146:001-84146:036.

9506010549 Requests technical assistance in reviewing West Valley Demonstration Project North Plateau Plume evaluation.
PIERSON,R. Licensing Branch. TAC L30782. 95/05/30. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84184:240-84184:240.

9506020337 Forwards info for vitrification facility NRC readiness notebook.
ROWLAND,T.J. Energy, Dept. of. 95/05/08. COMFORT,G.C. NRC - No Detailed Affiliation Given. 32pp. 84195:001-84196:116.

--9506020344 WVNS-SD-63F R01 Rev 1 to Sys Description WVNS-SD-63F, "Vitrification Facility Cell Walls & Ex-Cell Arrangement."
MCMAHON,C.L. West Valley Nuclear Services Co., Inc. 95/04/04. 45pp. 84195:030-84195:077.

--9506020348 WVNS-SD-63FO R01 Rev 1 to Sys Description WVNS-SD-63FO, "Diesel Engine Fuel Oil Exhaust Sys 63FO."
BAUERMEISTER,K. West Valley Nuclear Services Co., Inc. 95/04/05. 23pp. 84195:078-84195:100.

--9506020350 WVNS-SD-67 R00 Rev 0 to Sys Description WVNS-SD-67, "Vitrification Facility HVAC Sys."
EDELSON,H.I. West Valley Nuclear Services Co., Inc. 95/04/24. 333pp. 84195:101-84196:069.

--9506020351 WVNS-SD-68 R00 Rev 0 to Sys Description WVNS-SD-68, "High-Level Waste Interim Storage."
BERTON,P.A. West Valley Nuclear Services Co., Inc. 95/04/20. 46pp. 84196:070-84196:116.

9506020439 Forwards info for vitrification facility NRC readiness notebook.
ROWLAND,T.J. Energy, Dept. of. 95/04/11. COMFORT,G.C. NRC - No Detailed Affiliation Given. 28pp. 84170:001-84171:335.

--9506020454 WVNS-SD-63K R00 Rev 0 to Sys Description WVNS-SD-63K, "In-Cell Remote Handling,Maint & Viewing."
MEIGS,R.A. West Valley Nuclear Services Co., Inc. 95/03/21. 99pp. 84170:035-84170:133.

--9506020462 WVNS-SD-63L R02 Rev 2 to Sys Description WVNS-SD-63L, "Canister Welding Sys 63L."
BRILL,B.A. West Valley Nuclear Services Co., Inc. 95/03/24. 87pp. 84170:134-84170:220.

--9506020472 WVNS-SD-63CW R01 Rev 1 to Sys Description WVNS-SD-63CW, "Vitrification Facility Cooling Tower Water Sys 63CW."
BAUERMEISTER,K. West Valley Nuclear Services Co., Inc. 95/02/27. 20pp. 84170:221-84170:241.

--9506020476 WVNS-SD-63SC R01 Rev 1 to Sys Description WVNS-SD-63SC, "VF Steam & Condensater Sys 63SC."
BAUERMEISTER,K. West Valley Nuclear Services Co., Inc. 95/03/15. 39pp. 84170:242-84170:281.

--9506020480 WVNS-SD-66 R01 Rev 1 to Sys Description WVNS-SD-66, "VF Closed Loop Cooling Water Sys 66."
BAUERMEISTER,K. West Valley Nuclear Services Co., Inc. 95/03/08. 28pp. 84170:283-84170:310.

--**9506020487** WVNS-SD-69A R00 Rev 0 to Sys Description WVNS-SD-69A, "Vitrification Facility Sampling."
STUDD,M.G. West Valley Nuclear Services Co., Inc. 95/03/10. 19pp. 84170:311-84170:329.

--**9506020494** WVNS-SD-200A&B R01 Rev 1 to Sys Description WVNS-SD-200A&B, "Instrumentation & Control Hardware & Software (Sys 200A & 200B)."
MEHTA,S.C. West Valley Nuclear Services Co., Inc. 95/02/23. 370pp. 84170:330-84171:335.

9506050004 Summary of 950503-04 meeting w/representatives from B&WOG GLRP in Seneca South Carolina re selected site-specific implementation details credited for mgt in B&WOG GLRP RCS piping aging mgt topical rept.
HILTZ,T.G. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/22. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 4pp. 84173:348-84173:351.

9506050138 NRC Info Notice 95-029, "Oversight of Design & Fabrication Activities for Metal Components Used in Spent Fuel Dry Storage Sys."
GRIMES,B.K. . IEIN-95-028. 95/06/07. Consolidated Edison Co. of New York, Inc. 11pp. 84198:269-84198:279.

9506060013 Informs that results of review of proposed Decommissioning Plan for former Harshaw Chemical Building Plant "C" acceptable w/exception that Comment 2 had not been addressed by response.
SNELL,W.G. Region 3 (Post 820201). 95/05/26. POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 1p. 84165:044-84165:044.

9506060033 Forwards documentation re decommissioning of Chevron Chemical Co plant "C",per telecon 950523.Informs of telecon on 950608 w/Chevron in Lisle,IL.
SNELL,W.G. Region 3 (Post 820201). 95/05/26. BAER,D. Ohio, State of. 1p. 84165:046-84165:046.

9506080565 Notification of cancelled 950607 meeting w/B&W in Rockville, MD to discuss B&WOG responses to NRC RAI re B&WOG Generic License Renewal Program TR, "Demonstration to Mgt of Aging Effects for RCS Piping."
HILTZ,T.G. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/02. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 2pp. 84240:347-84240:348.

9506120031 Forwards rept BAW-2126, "B&W Boric Acid Corrosion Research & Wastage & Insp Procedures for RCS Leakage."
CRONEBERGER,D. Babcock & Wilcox Operating Plants Owners Group. OG-1505. 95/05/05. HILTZ,T.G. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 1p. 84308:001-84308:106.

--**9506120039** BAW-2126 "B&W Boric Acid Corrosion Research & Wastage & Insp Procedures for RCS Leakage."
* Babcock & Wilcox Operating Plants Owners Group. 90/12/31. 105pp. 84308:002-84308:106.

9506120178 Requests assistance in obtaining official NRC interpretation re applicability of Price-Anderson Act,as amended,to proposed Mescalero/Utility Spent Nuclear Fuel Storage Project.
WENTZ,C.J. New Mexico, State of. 95/05/30. REAMER,C.W. Office of the General Counsel (Post 860701). 2pp. 84275:353-84275:354.

9506120208 Forwards responses to comments from EM-323 SAR Technical Review Group on LLW processing & support activities SAR WVNS-SAR-002,Rev 3,Draft G.
LAZZARO,J.A. West Valley Nuclear Services Co., Inc. WD:95:0412. 95/05/19. ROWLAND,T.J. Energy, Dept. of. 15pp. 84279:305-84279:319.

9506120215 Forwards comments from EM-323 SAR Technical Review Group re Rev 3,Draft G of WVNS-SAR-002, "LLW Processing & Support Activities" for review & resolution.
MAZUROWSKI,B.A. Energy, Dept. of. 95/05/02. POULSON,W.G. West Valley Nuclear Services Co., Inc. 23pp. 84279:282-84279:304.

9506130371 Informs that NRC reviewing 950523 response to questions discussed during 950517 meeting re thermal design of cask. SER should be complete on or about 950630,pending satisfactory review of responses to NRC questions.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/05. DAVIS,E.M. Nuclear Assurance Corp. 2pp. 84337:140-84337:141.

9506150061 Responds to 950413 ltr which inquires about General Atomics future licensing plan for MHTGR.
SIMON,W.A. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/05/05. CRUTCHFIELD,D. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84313:128-84313:128.

9506150129 Ack receipt of 950413 ltr re status & prospects for PRISM design certification application.
QUINN,J.E. General Electric Co. JEQ95046. 95/05/10. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 1p. 84313:139-84313:139.

9506150206 Forwards NAC responses to NRC open items re TSAR,Rev 3 re NAC storable transport cask for use at ISFSI.
TJERSLAND,G.T. Nuclear Assurance Corp. 95/06/08. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84350:153-84350:272.

--**9506150211** "Responses to NRC Open Items Dtd 950605 re TSAR,Rev 3 for NAC Storable Transport Cask for Use at ISFSI."
* Nuclear Assurance Corp. 95/06/30. 115pp. 84350:154-84350:272.

9506160229 Forwards Rev to DOE/RW-0472, "Topical Rept on Actinide-Only Burnup Credit for PWR Spent Nuclear Fuel Packages" for review & acceptance.
MILNER,R.A. Energy, Dept. of. 95/05/31. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 84385:043-84385:203.

--**9506160233** DOE/RW-0472 R00 "Topical Rept on Actinide-Only Burnup Credit for PWR Spent Nuclear Fuel Packages."
* Energy, Dept. of. 95/05/31. 1,358pp. 84385:046-84385:203.

9506160243 Forwards Rev 0AA of PSN-91-001, "SAR for Ventilated Storage Cask Sys," incorporating changes to Rev 0A (Dec 1993) as suggested by NRC in 941128 ltr.
THOMPSON,T.C. Sierra Nuclear, Inc. ATL-TCT-95-022. 95/06/05. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84372:232-84372:361.

--**9506160249** PSN-91-001 R0AA Rev 0AA of "SAR for Ventilated Storage Cask Sys."
MASSEY,J.V., KUMAR,P., THOMPSON,T.C. Sierra Nuclear, Inc. 95/05/08. 128pp. 84372:234-84372:361.

9506160467 Forwards affidavit requesting that proprietary version of computer input listings in Chapter 6 of topical SAR for TN-32 dry storage cask,Rev 2 be withheld per 10CFR2.790. Rept withheld.
DAWSON,D.M. Transnuclear, Inc. E-13980. 95/06/06. HAUGHNEY,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 84366:001-84366:004.

9506160539 Expresses thanks for update on review of NAC Intl NAC-STC application as described in 950605 ltr.Scheduled 950630 completion date welcome news.
DAVIS,E.M. Nuclear Assurance Corp. 95/06/07. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 84366:302-84366:302.

9506210235 Forwards info for vitrification facility NRC readiness notebook.
ROWLAND,T.J. Energy, Dept. of. 95/06/13. COMFORT,G.C. NRC - No Detailed Affiliation Given. 58pp. 84433:033-84436:066.

--**9506210242** WVNS-SD-63J R02 Rev 2 to sys description, "Canister Decontamination Sys 63J."
VANVE,R.F., STUDD,M.G., PLOETZ,D.K. West Valley Nuclear Services Co., Inc. 95/05/19. 104pp. 84433:091-84433:194.

--**9506210247** WVNS-SD-63L R03 Rev 3 to Sys Description WVNS-SD-63L, "Canister Welding Sys 63L."
BRILL,B.A., BURNS,D.C. West Valley Nuclear Services Co., Inc. 95/05/08. 90pp. 84433:195-84433:286.

--**9506210251** WVNS-SD-63M R02 Rev 2 to sys description, "Vitrification Load-In Facility Sys 63M."
DONOVAN,L.E., COTTRELL,T.E., DEMPSTER,D.L. West Valley Nuclear Services Co., Inc. 95/05/08. 29pp. 84433:287-84433:316.

--**9506210259** WVNS-SD-63P R00 Rev 0 to sys description, "VF Process Chemistry."
DROBOT,A., BARNES,S.M., DEMPSTER,D. West Valley Nuclear Services Co., Inc. 95/05/12. 44pp. 84433:317-84433:360.

--**9506210262** WVNS-SD-63F R02 Rev 2 to sys description, "Vitrification Facility Cell Walls & Ex-Cell Arrangement."
MCMAHON,C.L., COTTRELL,T.E., DEMPSTER,D.L. West Valley Nuclear Services Co., Inc. 95/05/12. 46pp. 84434:001-84434:046.

--**9506210263** WVNS-SD-63ED R02 Rev 2 to sys description, "VF Electrical Power Distribution."
PALIT,S., DICKENS,J.C., GERVACIO,M.C. West Valley Nuclear Services Co., Inc. 95/05/18. 56pp. 84434:047-84434:102.

--**9506210264** WVNS-SD-63IA R02 Rev 2 to sys description, "Vitrification Facility Instrument Air Sys 63IA."
BAUERMEISTER,K., RICKETTSON,D.J., COTTRELL,T.E. West Valley Nuclear Services Co., Inc. 95/05/03. 52pp. 84434:103-84434:155.

--**9506210265** WVNS-SD-64 R01 Rev 1 to sys description, "Ex-Cell Off-Gas Sys (Sys 64)."
VANCE,R.F., COTTRELL,T.E. West Valley Nuclear Services Co., Inc. 95/04/27. 209pp. 84434:156-84435:032.

--**9506210267** WVNS-SD-69A R01 Rev 1 to sys description, "Vitrification Facility Sampling."
STUDD,M.G., PLOETZ,D.K. West Valley Nuclear Services Co., Inc. 95/05/12. 179pp. 84435:033-84435:211.

--**9506210269** WVNS-SD-200A&B R02 Rev 2 to sys description, "I&C Hardware & Software (Sys 200A & 200B)."
MEHTA,S.C., ETTEN,W., GERVACIO,M.C. West Valley Nuclear Services Co., Inc. 95/05/19. 219pp. 84435:212-84436:066.

9506220197 Forwards Rev 3A to Vols I & II of "SAR for Standardized NUHOMS Horizontal Modular Storage Sys for Irradiated Nuclear Fuel," as requested by NRC 950118 ltr.Vol II of SAR proprietary.Vol II of SAR withheld per 10CFR2.790.
AXLINE,J. Vectra Technologies, Inc. NUH03-95-445. 95/06/13. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 84423:001-84424:360.

--**9506220198** NUH-003 V01 R03A Nonproprietary Rev 3A to Vol I of "SAR for Standardized NUHOMS Horizontal Modular Storage Sys for Irradiated Nuclear Fuel."
* Vectra Technologies, Inc. 95/06/30. 719pp. 84423:006-84424:360.

9506220283 Summary of 950524 meeting w/B&WOG in Rockville,MD re B&WOG responses to staff requests for addl info & B&WOG generic license renewal program RCS piping aging mgt topical rept.
HILTZ,T.G. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/06/05. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 5pp. 84404:068-84404:072.

9506220352 Summarizes key points discussed on 950428 re naval spent fuel & allegations from former emoloyee of contractor that used defective material.
GUIDA,R.A. Navy, Dept. of. 95/05/04. ROSE,R. Affiliation Not Assigned. 4pp. 84407:046-84407:049.

9506280495 Documents approval of WVNS-SAR-003,rev 2,draft D, "SAR for Vitrification Operations & High-Level Waste Interim Storage." Concurs w/encl DOE SER.
HAMRIC,J.P. Energy, Dept. of. 95/06/15. ROWLAND,T.J. Energy, Dept. of. 1p. 84492:309-84492:326.

--**9506280514** WVAO-SER-003 DRFAR00 Rev 0,Draft A of "SER for Vitrification Operations & High- Level Waste Interim Storage."
HAMRIC,J.P., BROWN,N., ROWLAND,T.J. Energy, Dept. of. 95/06/15. 17pp. 84492:310-84492:326.

9506290070 Forwards responses to comments re Project M-55 NAC Storable Transport Cask.
TJERSLAND,G.T. Nuclear Assurance Corp. 95/06/22. STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 4pp. 84494:352-84494:355.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9505240309 NRC Info Notice 95-026, "Defect in Safety-Related Pump Parts Due to Inadequate Heat Treatment."
GRIMES,B.K. . 95/05/31. Consolidated Edison Co. of New York, Inc. 8pp. 84132:045-84132:063.

9506010461 Part 21 rept re deficient Wyle Lab Rept 17655-ARY-1.1,used to establish svc life of various Agastat GP series relays. Subj Agastat GP relays replaced & PM/ surveillance testing activities established,strengthened,enhanced or rewritten.
* Niagara Mohawk Power Corp. 95/05/26. NRC - No Detailed Affiliation Given. 10pp. 84198:215-84198:224.

9506080379 Provides update on SYLGARD 170 Silicone Elastomer,SYLGARD 170 Silicone Fast Cure Elastomer & DOW CORNING 96-081 RTV Adhesive/Sealant.
SCHROEDER,R.M. Dow Corning Corp. 95/05/31. NRC - No Detailed Affiliation Given. 1p. 84247:268-84247:268.

9506130013 Part 21 rept re software deficiencies which result in incorrect answers which may not be apparent or job abortions which cannot be recovered within session or job.
ORR,R.S. Boeing Co. 95/06/01. Document Control Branch (Document Control Desk). 16pp. 84312:118-84312:134.

9506140411 Part 21 rept,consisting of error notice from former software supplier,GTICES Program Rept Form 95.13.Listed former customers not notified because of unknown current addresses. Error notice sent to other former customers.
ORR,R.S. Boeing Computer Services Co. (div. of Boeing Co.). 95/06/06. Document Control Branch (Document Control Desk). 4pp. 84339:001-84339:004.

9506200302 Initial part 21 rept re air-operated butterfly valve mfg by Fisher Controls Co.Actuator lever altered.
WIDAY,J.A. Rochester Gas & Electric Corp. 95/06/16. NRC - No Detailed Affiliation Given. 3pp. 84406:200-84406:202.

9506220313 Potential Part 21 rept re failure of air cylinder mfg by Bellofram Corp at GGNS.Failure discussed w/mfg & judged to be isolated incident w/no further C/A required at affected utils or Cooper-Bessemer.
MOWERY,J.D. Cooper Energy Services. 95/06/15. Document Control Branch (Document Control Desk). 7pp. 84436:222-84436:228.

9506300257 Interim Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being used in unqualified configurations.E7000 series relay timers mfg by Amerace Electronic Components.All Comm Ed sites evaluating applications of subj timers.
JOHNSON,I.M. Commonwealth Edison Co. 95/06/21. Document Control Branch (Document Control Desk). 3pp. 84527:170-84527:172.

QA999 QUALITY ASSURANCE INSPECTIONS

9506060010 Forwards insp rept 99901284/95-01 on 950323-24,0403-05 & 18-21.
GALLO,R.M. . 95/05/31. WOODWARD,R.J. Dow Corning Corp. 5pp. 84165:026-84165:038.

--9506060014 Insp rept 99901284/95-01 on 950323-24,0403-05 & 18-21.No violations or deviations/noncompliance noted.Major areas inspected:QA program & implementation in manufacturing process control & product design control.
KOLTAY,P.S., CWALINA,G.C., GALLO,R.M. . 95/06/01. 8pp. 84165:031-84165:038.

9506060227 Responds to NRC 950515 ltr re nonconformance noted in insp rept 99900369/95-01 on 950313-14.Corrective actions:vendor initiated 10CFR21 evaluation & concluded w/NRC concurrence that nonconformance not 10CFR21 reportable.
SMITH,R.P. Automatic Switch Co. 95/05/19. GALLO,R.M. . 3pp. 84210:252-84210:255.

9506060445 Provides addl responses to issues discussed in 940826 NRC ltr.
GEORGE,E.A. Affiliation Not Assigned. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84219:121-84219:121.

9506080318 Confirms dates of 950612-15 for NRC insp of ITT Barton Fluid Technology Corp.
GALLO,R.M. . 95/05/24. PERRY,C.L. ITT Barton. 2pp. 84222:084-84222:085.

9506080443 Addresses Automatic Switch Co 950519 response ltr to NRC re notice of nonconformance issued on 950515 w/NRC Insp Rept 99900369/95-01.
GALLO,R.M. . 95/06/01. SMITH,R.P. Automatic Switch Co. 3pp. 84287:347-84287:349.

9506090144 Confirms 950612-15 dates for NRC insp of ITT Barton Fluid Technology Corp.Informs that insp will review selected portions of licensee 10CFR50,App B,QA program as implemented in delivery of nuclear safety-grade items.
GALLO,R.M. . 95/05/24. PERRY,C.L. ITT Barton. 1p. 84208:179-84208:179.

9506090240 Responds to NRC 950505 ltr re nonconformance noted in insp rept 99901164/95-01.Corrective actions:performed delinquent on-site survey of Liquid Carbonic Specialty Gas Corp.
DEISENROTH,C.W. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). QA 0595-051. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84268:352-84268:353.

9506120164 Submits insp rept 99900271/95-01 at Rosemount Nuclear Instruments on 950123-26.
HUNTRESS,A.R. Dow Corning Corp. 95/05/02. GALLO,R.M. . 2pp. 84272:323-84272:324.

9506140270 Informs that NRR staff will be conducting insp of GIRAFFE test program at Toshiba Nuclear Engineering Lab in Kawasaki City,Japan on 950608-14.Forwards insp agenda.
QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 95/06/01. QUINN,J.E. General Electric Co. 5pp. 84305:344-84305:348.

9506140405 Forwards summary of root cause analysis of Hematite fuel pellet enrichment variation problem.
ALLEN,D.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). ALLEN,D.E. ASEA Brown Boveri, Inc. TQ95/DEA/9560. 95/04/20. MATTHEWS,S. NRC - No Detailed Affiliation Given. 3pp. 84338:357-84338:359.

9506150007 Ack receipt of 950311 ltr which expressed concern w/term "failure" as applied to items supplied by Fluid Components, Inc for safety-related use in commercial US NPP.Submits clarification of two aspects of conclusion.
CWALINA,G.C. . 95/03/27. BUGGIA,P.H. Affiliation Not Assigned. 2pp. 84288:014-84288:015.

9506160048 Forwards insp rept 99900538/95-01 on 950407-10.No violations noted.Informs that discussions held w/licensee personnel & reviewed documentation re activities performed by reactor vessel group.
GALLO,R.M. . 95/06/09. SIUDEK,R.S. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 84312:012-84312:027.

--9506160056 Insp rept 99900538/95-01 on 950407-10.No violations noted. Major areas inspected:review of reactor vessel group data base,including supporting documents & quality assurance records,plant specific summary repts & correspondence.
PETTIS,R.L., CWALINA,G.C., GALLO,R.M. . 95/06/09. 14pp. 84312:014-84312:027.

9506190032 Responds to NRC ltr re nonconformance evaluation 99901076/94-01-03.Informs that MIL-STD-105E being deleted & ASTN stds to be used by military.
HATHCOCK,D.Z. Cardinal Industrial Products Corp. 95/05/30. SPESSARD,L. . 3pp. 84386:306-84386:308.

9506200153 Forwards insp rept 99900866/95-01 on 950508-11 & notice of nonconformance.Quality assurance program failed to provide adequate instructions or procedures for controlling commercial grade item dedication process.
GALLO,R.M. . 95/06/14. CAPALLO,M.T. Affiliation Not Assigned. 2pp. 84349:176-84349:195.

--9506200189 Notice of nonconformance from insp on 950508-11. Nonconformance noted:failure to develop instructions or procedures that provided requirements for controlling commercial grade item dedication activities.
* . 95/06/14. 2pp. 84349:178-84349:179.

--9506200194 Insp rept 99900866/95-01 on 950508-11.Nonconformance noted. Major areas inspected:licensee implementation of QA measures for activities which directly affected quality & performance capability of licensee product.
POTAPOVS,U., CWALINA,G.C., GALLO,R.M. . 95/06/14. 16pp. 84349:180-84349:195.

9506220010 Ack receipt of 930823 ltr informing NRC of steps taken to correct violations noted in response to 930816 ltr.
SPESSARD,R.L. . 95/06/16. SADDIC,J.P. . 2pp. 84375:025-84375:025.

9506220029 Forwards insp rept 99900362/90-01 & NOV from insp on 901210-14.Investigation rept of case 4-89-016 also encl detailing results of investigation into fasteners supplied by licensee.Licensee failed to perform required evaluations.
SPESSARD,R.L. . IA-91-020. 95/06/16. WEGER,K. Unistrut Corp. 5pp. 84375:127-84375:161.

--9506220035 Notice of violation from insp on 901210-14.Violation noted: licensee failed to perform evaluation of deviation or inform licensees to enable performance of evaluation.
* . EA-91-020. 95/06/16. 2pp. 84375:132-84375:133.

--9506220041 Insp rept 99900362/90-01 on 901210-14.Violation noted. Major areas inspected:licensee quality program including control of procurement & design control.
MATTHEWS,S.M., POTAPOVS,U. NRC - No Detailed Affiliation Given. 91/02/19. 28pp. 84375:134-84375:161.

9506290041 Forwards corrected insp rept 99900271/95-01 on 950123-26, reflecting change to section on page 8.
GALLO,R.M. . 95/06/20. SLOUN,M.V. Rosemount, Inc. 2pp. 84454:284-84454:295.

--9506290067 Corrected page 8 of insp rept 99900271/95-01 on 950123-27.
PETROSINO,J.J., CWALINA,G.C., GALLO,R.M. . 95/06/20. 10pp. 84454:286-84454:295.

REGGD REGULATORY GUIDES

9506020254 Forwards SSER accepting util emergency response capability conformance to Reg Guide 1.97,Rev 2 & proposed deviations re instrumentation for monitoring containment spray flow & SG pressure.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). TAC M90987. 95/05/19. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 84146:073-84146:077.

--9506020262 SSER accepting util justification for deviations from Reg Guide 1.97,Rev 2 for instrumentation that monitors containment sump water temp since appropriate alternative capability provided.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 3pp. 84146:075-84146:077.

9506090104 Comment supporting proposed rule 10CFR50,52 & 100 re NRC draft Reg guide 1.12 concerning NPP instrumentation for earthquakes.Believes that established means to verify that reactors all built to same quality stds should exist.
HERZOG,B.S. Kinemetrics, Inc. 59FR52255 00003. 95/05/11. NRC - No Detailed Affiliation Given. 5pp. 84208:140-84208:144.

9506090223 Discusses RG 1.97 re proposed mod to wide range SG level instrument.
SAGER,D.A. Florida Power & Light Co. L-95-149. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84268:351-84268:351.

9506090283 Forwards SE re Section 6.2 of GL 82-33 which requested that licensee provide rept on implementation of RG 1.97,Rev 2.
DICK,G.F. . GL-82-33. 95/05/30. FARRAR,D.L. Commonwealth Edison Co. 3pp. 84222:118-84222:124.

--9506090286 Safety evaluation accepting Section 6.2 of GL 82-33 requesting licensees to provide rept on implementation of RG 1.97,Rev 2.
* Office of Nuclear Reactor Regulation (Post 941001). GL-82-33. 95/05/30. 4pp. 84222:121-84222:124.

9506190322 Forwards SE addressing deviations from RG 1.97,rev 3 for plant.Deviations were for instrumentation that monitors meteorological variables,containment pressure,accumulator isolation valve,pressurizer level & RCS hot & cold leg temp.
PETERSON,S.R. . TAC M85873. 94/02/04. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 84360:297-84360:301.

--9506190327 Safety evaluation discussing resolution of deviations from RG 1.97,previously identified in ltr dtd 930217.
* Office of Nuclear Reactor Regulation (Post 941001). 94/02/04. 3pp. 84360:299-84360:301.

9506280157 Forwards insp repts 50-390/95-31 & 50-391/95-31 on 950424- 0519.Non-cited violation noted.
JAUDON,J.P. Region 2 (Post 820201). 95/06/14. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84442:106-84442:122.

--9506280188 Insp repts 50-390/95-31 & 50-391/95-31 on 950424-0519. Non-cited violtion noted.Major area inspected:licensee has implemented sys of post-accident monitoring instrumentation that meets commitments re RG.1.97,rev 2.
MERRIWEATHER,N., JULIAN,C. Region 2 (Post 820201). 50-391/95-31. 95/06/13. 14pp. 84442:109-84442:122.

9506290406 Requests that encl rept,draft Reg Guide DG-1040, "Time Response Criteria for Safety-Related Operator Actions," be placed in PDR for upcoming request for public comments.
KRAMER,J. Office of Nuclear Regulatory Research (Post 941217). 95/06/15. LANHAM,D. Document Control Branch (Document Control Desk). 1p. 84473:326-84473:350.

--9506290408 19 "Bridging Document Between Simulator Data on Operator Time Response & ANS-58.8 Std."
MOIENI,P., SPURGIN,A.J., SPURGIN,J.P. Affiliation Not Assigned. 92/01/31. 24pp. 84473:327-84473:350.

9506300222 "For comment" issue of draft rev 1 to reg guide 1.152, task DG-1039, "Criteria for Digital Computers in Safety Sys of Nuclear Power Plants."
* Office of Nuclear Regulatory Research (860720-941217). 95/05/31. 14pp. 84510:164-84510:178.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

9506080308 Apprises NRC of continuing industry activities re reactor vessel head penetration cracking.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/05/24. SHERON,B. . 3pp. 84240:319-84240:321.

9506080334 Summary of 950518 meeting w/Nuclear Energy Institute in Rockville,MD re proposed revs to NUMARC 93-01, "Industry Guidelines for Monitoring Effectiveness of Maint at Nuclear Power Plants," dtd May 1993.
PETRONE,C. . 95/05/26. BLACK,S.C. . 32pp. 84221:283-84221:314.

9506080425 Summary of 950511 meeting w/NEI in Rockville,MD re industry guideline for implementing license renewal rule.List of attendees & NEI presentation matls encl.
ANAND,R.K. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/24. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 12pp. 84221:247-84221:258.

9506080629 Notification of 950622 meeting w/Nuclear Energy Inst in Rockville,MD to discuss industry guideline for implementing license renewal rule 10CFR54.
HOFFMAN,S.T. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/24. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 1p. 84213:214-84213:214.

9506080637 Notification of 950607 meeting w/Nuclear Energy Inst in Rockville,MD to discuss Nuclear Energy Inst guidance document, "Managing NRC Commitments."
LEEDS,E.J. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 95/05/25. IMBRO,E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 1p. 84213:215-84213:215.

9506090031 Comment supporting draft NUREG/BR-0199,"Responsiveness to Public." Urges continued top-level emphasis of NPR objectives to cut obsolete regulations.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR16685 00021. 95/05/30. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 84207:046-84207:054.

9506090054 Comments on petition for rulemaking PRM-50-61 re amending regulations governing fire protection at nuclear power plants.
HOYLE,J.C. Office of the Secretary of the Commission. 60FR29784. 95/05/31. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 53pp. 84207:178-84207:230.

9506090203 Expresses appreciation for 950303 ltr.Informs of awareness of confusion as to which group within industry should be contacted to address specific regulatory issues.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/04/21. THADANI,A.C. . 2pp. 84268:333-84268:334.

9506090208 Informs of NEI Fatigue Task Force to evaluate issues & provide recommendations on appropriate resolutions.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/05/17. SHERON,B.W. . 2pp. 84268:335-84268:336.

9506120517 Summary of 941103 meeting w/representatives of Nuclear Energy Inst,EPRI & industry re Westinghouse SG tube repair. List of attendees & handouts encl.
REED,T.A. . 94/11/22. STROSNIDER,J. . 64pp. 84266:202-84266:265.

9506130352 Requests CRGR review & endorsement to issue GL 95-XX, "Voltage-Based Repair Criteria for Westinghouse SG Tubes Affected By Outside Diameter Stress Corrosion Cracking."
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 941001). 95/05/30. JORDAN,E.L. Committee to Review Generic Requirements. 13pp. 84284:052-84284:221.

--9505120228 Informs of concurrence on GL-95-XX, "Voltage-Based Repair Criteria for Westinghouse SG Tubes Affected by Outside Diameter Stress Corrosion Cracking." Submits comments for consideration.
SPEIS,T.P. Office of Nuclear Regulatory Research (Post 941217). 95/05/03. SHERON,B. . 157pp. 84284:065-84284:221.

9506140170 Responds to 941101 ltr requesting reconsideration of staff policy of not granting exemptions to App J of 10CFR50 to permit licensees to postpone performance of type A containment leakage rate tests until issuance of new rule.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/31. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 84306:277-84306:283.

--9502170035 Forwards guidance for requesting exemptions to requirements for type A testing in 10CFR50,App J.
SHIRAKI,C.Y. Office of Nuclear Reactor Regulation (Post 941001). 95/02/10. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 84306:279-84306:281.

--9506140177 Requests reconsideration of policy on NRC review of licensee exemption requests related to performance of containment integrated leakage rate testing.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/11/01. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84306:282-84306:283.

9506140371 Summary of 950424 meeting w/US Enrichment re radiation protection & environ issues related to certification application.
* NRC - No Detailed Affiliation Given. 95/06/07. NRC - No Detailed Affiliation Given. 18pp. 84288:113-84288:130.

9506190008 Comment opposing proposed rule 10CFR2.802 re petition for RM;procedures for submission.Response to FRN questions encl.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR15878 00006. 95/06/12. HOYLE,J. Office of the Secretary of the Commission. 8pp. 84320:012-84320:019.

9506190039 Comment supporting proposed rule 10CFR73 re changes to NPP security requirements associated w/containment access control.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR24803 00012. 95/06/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 84320:041-84320:042.

9506210085 Provides info on two aspects of barrier design in addition to NEI 950103,26 & 0216 submittals on subject.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/06/15. YOUNG,F.I. . 3pp. 84409:340-84409:342.

9506220069 Comment supporting NRC intention to reduce scope of funding to states to collect & analyze environmental samples around nuclear power plants & other major fuel cycle facilities.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR18428 00013. 95/06/14. NRC - No Detailed Affiliation Given. 2pp. 84375:192-84375:193.

9506220229 Expresses appreciation for 950112 ltr,containing comments on draft GL, "Use of NUMARC/EPRI Rept TR-102348,'Guideline on Licensing Digital Upgrades,'in Determining Acceptability of Performing Analog-to-Digital Replacements Under 10CFR50.59."
THADANI,A.C. . 95/02/27. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 84415:005-84415:006.

9506220249 Notifies of CRGR meeting 274 on 950613 re proposed GL titled "Voltage-based Repair Criteria for Westinghouse SG" & final rule & RG for fracture requirements for LWR pressure vessels.
JORDAN,E.L. Committee to Review Generic Requirements. 95/06/02. KNAPP,M.R. Office of Nuclear Material Safety & Safeguards. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 941001). MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 84415:007-84415:008.

9506230030 Responds to recipient 950606 memo requesting CRGR to waive review of final amend to App J of 10CFR50.CRGR has agreed not to review final amend.
JORDAN,E.L. Committee to Review Generic Requirements. 95/06/20. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 1p. 84465:307-84465:307.

9506230123 Forwards agenda & list of pertinent discussion topics for 950711-13 NRC/NEI workshop re RPV integrity issues.
MAYFIELD,M.E Electrical, Materials & Mechanical Engineering Branch (Post 941217). 95/06/08. COZENS,K. Affiliation Not Assigned. 6pp. 84421:350-84421:355.

9506230363 Notification of 950718 meeting w/EPRI/NEI/industry in Rockville,MD to discuss status of current efforts involving SG integrity.
REED,T.A. . 95/06/12. STROSNIDER,J. . 3pp. 84429:355-84429:357.

9506280278 Forwards EPRI final rept TR-104788, "Primary-to-Secondary Leak Guidelines." Offers to arrange meeting w/NRC to facilitate review of guidelines.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/06/23. Document Control Branch (Document Control Desk). 1p. 84496:161-84496:253.

9506280646 Summary of 950607 meeting w/Nuclear Energy Inst re risk-based applications to ISI & IST.List of attendees & presentation viewgraphs encl.
WESSMAN,R.H., MAYFIELD,M. . 95/06/14. SHERON,B.W., SHAO,L.C. . 29pp. 84471:208-84471:236.

9506280774 Responds to 950301 ltr requesting NRC to consider updating program to provide new survey criteria for matl that may contain small amounts of radioactive matl.Informs that public meeting held on 950421 to address updating issues.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/06/14. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 84472:254-84472:273.

--9506280781 Summary of 950523 meeting w/NUMARC re 950301 ltr requesting NRC to consider new survey criteria for matl possibly containing small amounts of licensed radioactive matl.
KLEMENTOWICZ,S. . 95/05/23. MILLER,C.L. . 4pp. 84472:257-84472:260.

--**9506280783** Requests that NRR consider updating programs re definition of radioactive matl contamination & treatment for contaminated matls.Believes that current NRR programs w/respect to licensees inconsistent w/other ofc programs.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/03/01. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 13pp. 84472:261-84472:273.

9506290002 Comment supporting proposed rule 10CFR60, "Disposal of High Level Radwaste in Geologic Repositories;Design Basis Events," w/listed comments.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR15180 00007. 95/06/23. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 84454:002-84454:004.

9506290246 Notification of 950621 meeting w/NEI in Rockville,MD to respond to questions from industry representatives on proposed design certification rules for ABWR & Sys 80+ designs.
WILSON,J.N. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/06/21. QUAY,T.R. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 4pp. 84474:011-84474:014.

SECY POSITION PAPERS BEFORE THE COMMISSION

9503160089 SECY-95-051 Provides Commission w/notice of proposed rulemaking amending decommissioning regulations in 10CFR2,50 & 51.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/03/06. 117pp. 84351:112-84351:297.

9504100180 SECY-95-079 Provides Commission w/status update for activities described in agency-wide PRA implementation plan for PRA & summary of changes made to PRA implementation plan since 950830, Commission briefing.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/03/30. 30pp. 84445:256-84445:280.

9504140251 SECY-95-081 Informs Commission of NRC evaluation of potential programmatic benefits & costs associated w/collecting low-level radioactive waste generation data from individual licensees.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/03. 16pp. 84352:265-84352:280.

9504170291 SECY-95-085 Responds to 940214 SRM re Commission request regarding recommendation on use of trending ltrs & whether practice should be continued,modified or terminated.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/06. 5pp. 84352:260-84352:264.

9505010118 SECY-95-098 Repts experience (per Commission direction) from NRC limited participation in Intl Nuclear Event Scale & provides pros & cons & recommendation for future participation.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/18. 38pp. 84308:255-84308:292.

9505100248 SECY-95-105 Requests Commission approval for proposed relocation of backup emergency operations facility to serve facility.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/28. 5pp. 84308:234-84308:238.

9505150109 SECY-95-108 Requests Commission approval in concept of proposed MOU being negotiated between NRC & State of PA DER.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/01. 11pp. 84308:240-84308:249.

9505150112 SECY-95-110 Informs Commission of intent to revise 10CFR9,subpart B,to add (j)(2) exemption of Privacy Act to regulations & to apply exemption to Privacy Act sys of records maintained by OIG.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/02. 37pp. 84445:221-84445:255.

9505150182 SECY-95-109 Informs Commission of progress in resolving GSIs since SECY-94-105 issued on 940420.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/01. 5pp. 84308:250-84308:254.

9505180075 SECY-95-116 Requests Commission approval to publish final amends to 10CFR72 to establish EP licensing regulations for ISFSI & MRS in FR.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/05. 75pp. 84471:001-84471:075.

9506020158 SECY-95-125 Weekly info rept for wk ending 950512.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/05/17. 23pp. 84165:199-84165:220.

9506130401 SECY-95-142 Weekly info rept for wk ending 950526.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/01. 18pp. 84284:222-84284:240.

9506130415 SECY-95-137 Recommends expedited Commission review of completed staff action re finding of no significant antitrust changes,per merger between Gulf States Util Co & Entergy Corp.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/30. 63pp. 84471:076-84471:161.

9506140377 SECY-95-117 Advises Commission of staff review of proposed agreement for cooperation between US & Romania & recommends Commission concurrence.
STOIBER,C.R. Office of International Programs (Post 911117). 95/05/08. 47pp. 84311:300-84311:348.

9506150027 Forwards program mgt info,including SECY-95-123, "Rept on Part One of Natl Performance Review:Phase II-Regulations Review."
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-092. 95/06/01. General. 2pp. 84288:020-84288:106.

--**9506140192** SECY-95-123 Informs Commission of staff review of NRC regulations conducted as part of phase II of National Performance Review & to provide two draft repts on review for transmittal to President addressing results of review.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/15. 88pp. 84288:022-84288:106.

9506150157 SECY-95-132 Provides Commission w/staff response to SRM of 940630, pertaining to SECY-94-084 & present corresponding rev of SECY-94-084 for Commission review & approval.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/22. 33pp. 84308:293-84308:324.

9506150166 SECY-95-131 Informs Commission of staff intent to continue w/development of rule addressing SG tube integrity based on staff review of public comments submitted in response to advance notice for proposed rulemaking.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/22. 10pp. 84308:325-84308:335.

9506150169 SECY-95-134 Weekly info rept for wk ending 950519.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/05/25. 23pp. 84308:336-84308:358.

9506160201 SECY-95-123 Describes staff review of NRC regulations as part of Phase 1 of National Performance Review & provides draft repts on review for transmittal to the President addressing results of review & summary of other measures taken.
TAYLOR,J.M. . 95/05/15. 81pp. 84350:273-84350:352.

9506200140 SECY-95-143 Provides Commissioner w/fourth annual (94-95) rept identifying number of requests that NRC has received for license amends & licenses to store LLW & number of license amends & licenses granted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/02. 7pp. 84471:162-84471:168.

9506230126 SECY-95-120 Requests Commission approval of proposed ltr to DOE re proposed export of 4 g Pu to Russia for isotopic separation & subsequent retransfer to Belgium for production & distribution of certified ref samples.
STOIBER,C.R. Office of International Programs (Post 911117). 95/05/10. 16pp. 84414:328-84414:343.

9506230311 SECY-95-147 Weekly info rept for wk ending 950602.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/07. 16pp. 84429:312-84429:327.

9506290326 SECY-95-156 Weekly info rept for wk ending 950609.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/15. 22pp. 84491:229-84491:252.

SPEECHES SPEECHES

9506060306 Remarks by SA Jackson,Commissioner NRC on Occasion of Swearing-In Ceremony by Vice President of US on 950526.
JACKSON,S.A. Commissioners (Post 750119). 95/05/26. 3pp. 84213:075-84213:077.

STATE PROG STATE PROGRAMS

9206300185 Forwards partial ltr to NRC requesting technical assistance to determine classification of filtercake residue from treatment at Midnite Mine water treatment plant.
STRONG,T.R. Washington, State of. 92/05/04. Washington, State of. 1p. 84403:171-84403:177.

--**9506220227** Requests technical assistance in determining if filtercake residue from Dawn Mining Company licensed water treatment operation at Midnite U Mine can be classified as refined or processed ore.
ROBERSTON,G. Washington, State of. 92/04/29. HORNER,J. Region 4 (Post 820201). 6pp. 84403:172-84403:177.

9505310029 Responds to 950501 ltr to I Selin re State of HI concerns w/sea shipment of high level nuclear waste & plutonium between Europe & Japan.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/19. PAI,G.G. Hawaii, State of. 3pp. 84352:255-84352:259.

9506010028 Responds to 950508 request for info for PA Public Utility Commission collaborative investigation on nuclear power plant decommissioning.
CHAWAGA,D.J. Region 1 (Post 820201). 95/05/23. SCHIAVO,K.J. Pennsylvania, Commonwealth of. 2pp. 84107:078-84107:079.

9506010036 "NPDES Discharge Monitoring Rept," for Apr 1995.W/950517 ltr.
ALLEN,R.M., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/04/30. CAPORALE,G. New Jersey, State of. 19pp. 84161:314-84161:332.

9506010043 "NPDES Discharge Monitoring Rept," for Apr 1995.W/950523 ltr.
LASALA,P.R., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 95/04/30. CORPORALE,G. New Jersey, State of. 20pp. 84150:338-84150:359.

9506010097 Forwards "Work Plan For Remedial Investigation & Feasibility Study At Shieldalloy Metallurgical Corp Site In Cambridge, OH."
SHIELDS,W.J. Affiliation Not Assigned. 95/05/19. BLAIR,B.J. Ohio, State of. 2pp. 84158:001-84160:148.

9506010117 PNO-IV-95-024:on 950524,radiation level up to 50 mR/hour from portal radiation detectors monitoring garbage trucks entering disposal facility was detected.Newspapers,paper towels & absorbent litter matl isolated.Source unknown.
MONTGOMERY,J. Walnut Creek Field Ofc, R4 (Post 940404). 95/05/25. 1p. 84108:001-84108:001.

9506020001 Comments on NRC announced intent to reduce scope of work to be performed by States under NRC Cooperative Environ Monitoring Program.
SPIKER,H.L. Kansas, State of. 60FR18428 00012. 95/05/22. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84132:001-84132:002.

9506020007 PNO-IV-95-024A:on 950525,I-131 contaminated trash transferred to Univ of Hawaii for storage in radioactive waste handling facility.Contamination caused by patient treated w/200 mCi.Local TV & radio news informed.
MONTGOMERY,J. Walnut Creek Field Ofc, R4 (Post 940404). 95/05/30. 1p. 84132:003-84132:003.

9506020020 Comment opposing NRC proposal to reduce scope of work in independent measurements contracts for off-site environ monitoring activities as NRC licensed nuclear power facilities.
HARDEMAN,J.C. Georgia, State of. 60FR18428 00010. 95/05/24. KLEMENTOWICZ,S. Commissioners (Post 750119). 2pp. 84132:004-84132:005.

9506020055 Comment oppposing reduction in scope of work involved to States re environ monitoring at plant.Sampling & related lab analyses generate body of data ensuring public of long term safety to environ.
HENDRIX,R.E. San Luis Obispo County, CA. 60FR18428. 95/05/12. Docketing & Services Branch. 1p. 84132:019-84132:019.

9506020064 Comment opposing reduction in scope of work to States re environ monitoring around selected NRC licensed facilities. Monitoring program contributes to safety by ensuring that monitoring sys & lab able to provide support in an event.
DORNSIFE,W.P. Pennsylvania, Commonwealth of. 60FR18428 00011. 95/05/24. Docketing & Services Branch. 2pp. 84132:020-84132:021.

9506020066 Comment opposing NRC announcement of intent to reduce scope of work to states,under contract to NRC to perform environmental monitoring in evirons of selected licensed facilities.
RIMAWI,K. New York, State of. 60FR18428 00009. 95/05/24. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84132:022-84132:023.

9506020197 Provides American Nuclear Corp reclamation performance bond status as of 950430.
HILL,D. Wyoming, State of. 95/05/11. Wyoming, State of. 1p. 84181:341-84181:341.

9506050024 Responds to 950412 ltr to Hemmer re State options relative to licensing issue & securing of DOE funds for reclamation of American Nuclear Gas Hills project.
CHANCELLOR,R.A. Wyoming, State of. 95/05/22. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84237:319-84237:319.

9506050077 Forwards underground injection control permit NE0122611 which has been modified & issued by State of NE to Crow Butte Resources,Inc.
RICE,P.W. Nebraska, State of. 95/05/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 27pp. 84183:203-84183:229.

9506050282 Forwards "First Quarter 1995 & April 1995 Environmental Radiation Data Rept," for State Of MN.
BALL,J.A. Minnesota, State of. 95/05/17. Affiliation Not Assigned. 1p. 84183:058-84183:076.

--9506050289 "First Quarter & April 1995 Environmental Radiation Data Rept."
* Minnesota, State of. 95/04/30. 16pp. 84183:059-84183:076.

9506060005 Provides info re regulation of Illinois Dept of Nuclear Safety re medical use of radioactive matl & use of term "supervision".
ALLEN,K. Illinois, State of. 95/04/28. SAMUELS,M. Illinois, State of. 5pp. 84165:013-84165:017.

9506060033 Forwards documentation re decommissioning of Chevron Chemical Co plant "C",per telecon 950523.Informs of telecon on 950608 w/Chevron in Lisle,IL.
SNELL,W.G. Region 3 (Post 820201). 95/05/26. BAER,D. Ohio, State of. 1p. 84165:046-84165:046.

9506060042 Comment opposing proposed change in State Cooperative Agreements Program concerning NRC intention to reduce scope of work.Believes that NRC should maintain environ monitoring program & find other ways to reduce duplicative svcs.
LIPOTI,J. New Jersey, State of. 60FR18428. 95/06/02. Docketing & Services Branch. 4pp. 84165:047-84165:050.

9506060050 Comment supporting proposed change in State Agreements Program environ monitoring activities.Believes that elimination of Environ Monitoring Program would result in gradual,chronic degradation in discharge control programs.
BLACKMAN,C. Georgia, State of. 60FR18428 00013. 95/05/25. NRC - No Detailed Affiliation Given. 5pp. 84165:051-84165:055.

9506070152 Advises that essential maintenance planned to be performed on plant SW & CW systems during refuel outage scheduled to begin in Jan 1996.
SHELTON,D.C. Centerior Energy. PY-CEI/OPEA-022. 95/05/31. UNDERWOOD,M. Ohio, State of. 11pp. 84222:351-84222:361.

9506070154 Forwards, "Findings of Fact & Conclusions of Law," by State of LA,dtd 950526.Informs that question of disposal of tailings from Claiborne Enrichment Ctr remains of grave concern to state.
KUCHARSKI,W.A. Louisiana, State of. #295 16763. ML. 95/05/26. MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. 1p. 84176:285-84176:292.

--9506070168 Findings of fact & conclusions of law re DUF6 waste generated at proposed LES facility.* Board issued order directing parties to file legal memoranda addressing legal status under current law.W/Certificate of Svc.
KUCHARSKI,W.A. Louisiana, State of. ML. 95/05/26. 7pp. 84176:286-84176:292.

9506070244 Advises that State of NJ Dept of Environ Protection,Bureau of Nuclear Engineering has reviewed 940218 application for amend & has no comments.
TOSCH,K.W. New Jersey, State of. 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84238:306-84238:307.

9506080215 Forwards revised NPDES discharge monitoring repts for Salem Generating Station for Sept 1994.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/30. CAPORALE,G. New Jersey, State of. 5pp. 84240:244-84240:262.

9506080253 Comment supporting continuation of NRC State Cooperative Agreement re performance environ radiation monitoring at selected NRC licensed facilities.Believes that subj program became reliable means of providing public oversight.
HALLISEY,R.M. Massachusetts, Commonwealth of. 60FR18428 00016. 95/05/24. Docketing & Services Branch. 2pp. 84198:001-84198:002.

9506080274 Comment opposing proposed change in State Cooperative Agreement Program re NRC intention to reduce scope of work.
OWEN,R.E. Ohio, State of. 60FR18428 00015. 95/05/22. NRC - No Detailed Affiliation Given. 2pp. 84198:003-84198:004.

9506080300 Comment opposing NRC announcement of intent to reduce scope of work to states under contract for surveillance.
RATLIFF,R.A. Texas, State of. 60FR18428 00017. 95/05/30. MILLER,C.L. . 2pp. 84198:010-84198:011.

9506090011 Comment on proposed rules 34 & 150 re industrial radiography program.Urges staff to reconsider proposed decision to reject proposal in light of strong state support.
GODWIN,A.V. Arizona, State of. 59FR9429 00080. 95/05/23. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 84207:001-84207:001.

9506090012 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
HILL,T.E. Georgia, State of. 59FR9429 00081. 95/05/19. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 84207:002-84207:002.

9506090021 Comment supporting draft NUREG/BR-0199,"Responsiveness to Public."
FRAZEE,T.C. Washington, State of. 60FR16685 00022. 95/05/31. Docketing & Services Branch. 3pp. 84207:031-84207:033.

9506090033 Comments on proposed rule 10CFR50 re changes in frequency requirements for emergency planning & preparedness exercises from annual to biennial.Offers no comments.
HINDMARSH,J. California, State of. 60FR19002 00003. 95/05/30. Docketing & Services Branch. 1p. 84207:057-84207:057.

9506090036 Comment opposing proposed rules 10CFR34 & 150 re NRC staff decision to eliminate industrial radiographer certification requirements.
ORTCIGER,T.W. Illinois, State of. 59FR9429 00079. 95/05/17. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84207:089-84207:090.

9506090041 Comment supporting proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
JERRETT,L.E. Florida, State of. 59FR9429 00082. 95/05/22. MYERS,J. Office of State Programs (Post 911117). 7pp. 84207:094-84207:100.

9506090044 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
PARIS,R.D. Oregon, State of. 59FR9429 00083. 95/05/24. TAYLOR,J. Ofc of the Executive Director for Operations. 1p. 84207:104-84207:104.

9506090048 Comment opposing proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
ALDRICH,R. New York, State of. 59FR9429 00084. 95/05/24. TAYLOR,J. Ofc of the Executive Director for Operations. 5pp. 84207:163-84207:168.

9506120081 Forwards comments on revised rept re slag characterization & distribution at Cambridge site for OH EPA consideration.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/31. BLAIR,B. Ohio, State of. 4pp. 84275:336-84275:340.

9506120178 Requests assistance in obtaining official NRC interpretation re applicability of Price-Anderson Act,as amended,to proposed Mescalero/Utility Spent Nuclear Fuel Storage Project.
WENTZ,C.J. New Mexico, State of. 95/05/30. REAMER,C.W. Office of the General Counsel (Post 860701). 2pp. 84275:353-84275:354.

9506130007 Summarizes informal meeting w/Ofc of State Programs mgt on 950508 in San Antonio,TX.Submits list of proposed items for discussion.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 95/05/26. Office of State Programs (Post 911117). 6pp. 84242:005-84242:010.

9506130009 Forwards "State Questionnaire Update,Parts I & II" to be used as app to final rept for upcoming review of radiation control program.W/o encl.
HORNOR,J.W. Walnut Creek Field Ofc, R4 (Post 940404). 95/06/01. PARIS,R. Oregon, State of. 1p. 84242:011-84242:011.

9506130011 Responds to request for comments on NRC draft rept, "Responsiveness to Public," dtd Mar 1995.Commends NRC for substantial planned improvements proposed to improve relationship w/public & groups & individuals.
FRAZEE,T.C. Washington, State of. 95/05/31. Docketing & Services Branch. 2pp. 84242:015-84242:017.

9506130012 Forwards program mgt info,technical info & other info for attention.Requests that all future correspondence & documents be submitted to listed address.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-089. 95/05/31. General. 1p. 84242:018-84242:018.

9506130016 Forwards proposed rev to Texas Regulations for Control of Radiation Part 33, "Use of Sealed Radioactive Source in Healing Arts."
CARDWELL,C.C. Texas, State of. 95/06/01. NRC - No Detailed Affiliation Given. 5pp. 84242:021-84242:025.

9506130018 Forwards revision to Chronology of NRC amends as of Apr 1995,as maintained by Office of State Programs. Revision used as reference in Question I.B.2 of App A of Procedure D.2,Attachment D & Attachment E.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/05/30. Office of State Programs (Post 911117). 10pp. 84242:026-84242:035.

9506130019 Discusses NRC proposal to revise fees for FY95 & intent to completely drop fee for insps.Informs that cost of doing occasional insps will be pro-rated into fee for reciprocity.
FRAZEE,T.C. Washington, State of. 95/05/24. Affiliation Not Assigned. 1p. 84242:036-84242:036.

9506130023 Discusses concerns re recent stated position of NRC to eliminate industrial radiographer certification & two-man rule requirements from 10CFR34 & way in which had been communicated to Agreement States.
PARIS,R.D. Oregon, State of. 95/05/24. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84242:039-84242:042.

9506130025 Forwards copy of 1994 All Agreement State ltrs.
BANGART,R.L. Office of State Programs (Post 911117). SP-94-016. 95/06/07. KERLEY,S. Tennessee, State of. 3pp. 84242:043-84242:045.

9506130028 Informs of support of two member crew rule & radiographer certification concept re 950515 telcon which requested comments to proposed revs to 10CFR34.Opposes NRC reconsideration to drop rule from 10CFR34.
JERRETT,L.E. Florida, State of. 95/05/22. MYERS,J. Office of State Programs (Post 911117). 7pp. 84242:048-84242:061.

9506130030 Forwards info re resolutions passed by Conference of Radiation Control Program Directors at annual meeting held on 950506-10 in San Antonio,TX.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/24. THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 9pp. 84242:063-84242:080.

--9506130172 "New Concept for Developing Regulations Relating to use of Sources of Radiation," presented at annual meeting of Conference of Radiation Control Program Directors,Inc in San Antonio,TX.
KERR,G.W. Illinois, State of. GRINER,W.H. Duke Univ., Durham, NC. PARIS,R.D. Oregon, State of. 95/05/10. 9pp. 84242:072-84242:080.

9506130032 Urges NRC to include two-man crew & radiographer certification requirements in final version of 10CFR34.
HILL,T.E. Georgia, State of. 95/05/19. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84242:082-84242:085.

9506130033 Expresses appreciation for comments on forthcoming changes in NRC policy on funding of Agreement State training,travel & technical assistance.NRC will work w/Agreement States to explore measures to reduce training costs.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/26. ROGERS,A.H. Texas, State of. 3pp. 84242:086-84242:103.

9506130035 Ack receipt of 950424 ltr to Commissioners & expresses appreciation for comments on forthcoming changes in NRC Policy on Funding of Agreement States Training,Travel & Technical Assistance.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/26. MIYAHARA,B.A. Washington, State of. 6pp. 84242:104-84242:127.

9506130038 Submits list of funding training expenses for personnel from NC Dept of Environment,Health & Natural Resources.
HILL,B.G. NRC - No Detailed Affiliation Given. 95/06/01. D'AQUINO,J.M. . 3pp. 84242:132-84242:135.

--9506130042 Requests addl info re programs administered by agency & funding info for FY91,FY92,FY93 & FY94 for "Radiation Control - Training Assistance & Advisory Counseling."
D'AQUINO,J.M. . 95/05/22. HILL,B. Office of State Programs (Post 911117). 1p. 84242:135-84242:135.

9506130040 Submits comments on nuclear matl events database.
SANZA,B.J. Illinois, State of. SP-95-036. 95/05/24. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 84242:137-84242:138.

9506130043 Submits State of PA responses to NRC staff comments dtd 950126 re State of PA Limited Agreement.State regulations 10CFR20 & 71 in final review process & to be effected in last half of 1995.
DORNSIFE,W.P. Pennsylvania, Commonwealth of. 95/05/26. BANGART,R.L. Office of State Programs (Post 911117). 5pp. 84242:348-84242:352.

9506130045 Ack receipt of 950419 ltr & expresses appreciation for comments on forthcoming changes in NRC Policy on Funding of Agreement State Training,Travel & Technical Assistance.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/26. ALLEN,G.W. Kansas, State of. 4pp. 84242:139-84242:156.

9506130046 Ack appointment as State Liaison Officer to NRC from State of TX & discusses responsibilities of officer.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/01. BARRETT,A. Texas, State of. 3pp. 84242:157-84242:160.

--9506130051 Responds to ltr requesting that State of TX designate Governor appointed State Liaison Officer.
BUSH,G.W. Texas, State of. 95/05/26. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84242:160-84242:160.

9506130056 Recommends rejection of proposed decision not to require two-man crew for field radiography & certification of radiographers.
GODWIN,A.V. Arizona, State of. 95/05/23. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84242:163-84242:166.

9506130058 Forwards final rule, "Low-Level Waste Shipment Manifest Info & Reporting."
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-086. 95/06/02. General. 3pp. 84244:291-84244:357.

--9506130147 Forwards NRC published FR final rule, "Low-Level Waste Shipment Manifest Info & Reporting."
MARTIN,T.O. Regulation Development Branch (Post 941217). 95/05/15. Affiliation Not Assigned. 46pp. 84244:294-84244:357.

9506130061 Forwards suppl info re published rulemaking package on "Performance Requirements for Radiography Equipment - 10CFR34."
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-091. 95/06/05. General. 11pp. 84242:167-84242:177.

9506130070 Expresses appreciation for attending Enforcement & Compliance Task Force Environ Justice Conference.NEPA panels excellent.
LOPEZ-OTIN,M. Office of State Programs (Post 911117). 95/05/24. SHEAFOR,C. Justice, Dept. of. 2pp. 84242:178-84242:179.

9506130071 Forwards preliminary TER for Vance & Assoc,Inc 3R-STAT,TR, WM-109 & 950420 transmittal ltr.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-085. 95/05/24. General. 3pp. 84242:180-84242:249.

--9506130099 "Preliminary TER for TR "3R-STAT:TC-99 & I-129 Release Analysis Computer Code."" Version 3.0.
* Division of Waste Management (NMSS 940403). 93/02/06. 31pp. 84242:184-84242:249.

9506130078 Forwards two Commission Papers re final "Statement of Principles Policy for Agreement State Program" & final "Policy Statement on Adequacy & Compatibility of Agreement State Programs."
BANGART,R.L. Office of State Programs (Post 911117). SP-95-088. 95/05/26. General. 2pp. 84242:250-84242:251.

9506130082 Forwards "1994 All Agreement State Ltrs," per request dtd 950407.
BANGART,R.L. Office of State Programs (Post 911117). SP-94-002. 95/06/07. JEFFS,V.D. Kentucky, Commonwealth of. 5pp. 84242:252-84242:258.

--9506130115 Forwards list of State Program ltrs requested by licensee.
JEFFS,V.D. Kentucky, Commonwealth of. SP-95-051. 95/04/07. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 84242:257-84242:258.

9506130085 Forwards 950112 comments on NRC various proposed revisions of 10CFR34.Comments being resubmitted in support of recent comments by other Agreement States strenously objecting to compatibility requirements for portions of Part 34 rev.
ALDRICH,R. New York, State of. 95/05/24. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84242:259-84242:265.

--9506130093 Requests NRC accept attached comments on various proposed revs of 10CFR34 for regulation of Industrial Radiography, draft circulated in 1993,draft published 940228 in FR & draft provided on disk immediately before 941213 workshop.
ALDRICH,R. New York, State of. 95/01/12. GLENN,J. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 84242:261-84242:265.

9506130100 Transmits State Agreements Program info including technical info on sealed source & device registry certificates.
LOHAUS,P.H. Office of State Programs (Post 911117). CA-305-D-105-S. 95/05/24. General. 3pp. 84242:266-84242:347.

--9506130123 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for model 2146-3436 & 2146-3440. Certificate:CA-102-D-101-S.
* California, State of. CA-102-D-101-S. 95/05/08. 9pp. 84242:269-84242:277.

--9506130140 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for model SL Series.Certificate: CA-305-D-105-S.
WESLEY,D. California, State of. CA-305-D-105-S. 95/05/16. 8pp. 84242:278-84242:285.

--9506130144 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for model 89 Series.Certificate: CA-598-D-108-S.
* California, State of. CA-598-D-108-S. 95/04/13. 11pp. 84242:286-84242:347.

9506130103 Informs of progress on Anne Arundel County,MD Ordinance Road Demolition Site Contract 2514-G.
OCARROLL,M.T. Maryland, State of. 95/05/22. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 2pp. 84300:356-84300:357.

9506130124 Responds to 950505 ltr to Chairman in which EL Homer requested briefing re to Commission delegation of authority to States & how NRC handles tribal trust responsibilities.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/01. HOMER,E.L. Interior, Dept. of. 3pp. 84245:001-84245:007.

9506130139 Responds to State of TX 950330 ltr to PH Lohaus requesting clarification re need for NRC approved QA program to ship Type B package from Agreement State into areas of NRC jurisdiction.Nonagreement State transport subj to 10CFR71.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/05. MEYER,C.R. Texas, State of. 4pp. 84243:001-84243:019.

--9506130143 Requests written clarification re requirements of 10CFR71 concerning Agreement State licensee shipping of Type B packages to source mfg in Agreement State.
MEYER,C.R. Texas, State of. 95/03/30. LOHAUS,P. Office of State Programs (Post 911117). 1p. 84243:005-84243:019.

9506130148 Advises that effective 950607 mail should be addressed to Billy Ray Patton County Executive.
STOTT,J. Tennessee, State of. 95/06/07. Document Control Branch (Document Control Desk). 1p. 84299:357-84299:357.

9506130150 Forwards proposed CRCPD/NRC parallel process for rule promulgation.Initiates parallel process w/CRCPD for developing new &/or amending existing regulations.
HARDIN,C.M. Conference of Radiation Control Program Directors, Inc. 95/05/30. BANGART,R. Office of State Programs (Post 911117). 2pp. 84244:360-84244:361.

9506130157 Transmits results of NRC review & evaluation of State of AZ Radiation Control Program.Subj program adequate to protect public health & safety,although certain portions listed not adopted within 3 yr period as required.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/07. KELLY,J. Arizona, State of. 33pp. 84243:020-84243:060.

9506130158 Forwards Commission papers dealing w/final "Statement of Principles & Policy for Agreement State Program" & final "Policy Statement on Adequacy & Compatibility of Agreement State Programs."
BANGART,R.L. Office of State Programs (Post 911117). 95/05/31. SPATH,J. New York, State of. 2pp. 84243:264-84244:060.

9506130180 Informs that NRC has no comments on amends to Parts B,F & G of Suggested State Regulations for Control of Radiation.NRC can not concur on revs to Part G, "Use of Radionuclides in Healing Arts."
LOHAUS,P.H. Office of State Programs (Post 911117). 95/06/01. HARDIN,C.M. Kentucky, Commonwealth of. 4pp. 84244:061-84244:290.

--9506130184 Forwards amends to Parts B,F & G of Suggested State Regulations for Control of Radiation for NRC review & concurrence.
HARDIN,C.M. Kentucky, Commonwealth of. 95/03/17. LOHAUS,P.H. Office of State Programs (Post 911117). 226pp. 84244:065-84244:290.

9506130188 Forwards Agreement State Program technical info including sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-090. 95/06/05. General. 4pp. 84243:061-84243:090.

--9506130192 Draft of "Branch Technical Position on Disposition of Cs-137 Contaminated Emission Control Dust & Other Incident Related Matls."
* NRC - No Detailed Affiliation Given. 95/04/25. 23pp. 84243:065-84243:087.

--9506130196 Informs of new mixed waste treatment facility rf Envirocare of Utah,Inc erected to enable safe,timely & cost effective treatment & disposal of radwaste & mixed waste.
SEMNANI,K. Envirocare, Inc. 95/04/13. DE PLANQUE,E.G. Commissioners (Post 750119). 2pp. 84243:088-84243:089.

--**9506130200** Forwards info re Envirocare of Utah,Inc newly permitted mixed waste treatment facility erected to enable cost effective waste treatment.
RAFATI,A. Envirocare, Inc. 95/04/14. LAHS,W. NRC - No Detailed Affiliation Given. 1p. 84243:090-84243:090.

9506130201 Notification of Technical Advisory Committee meeting scheduled for 930504 re closure of Dawn Mining Co millsite.
STRONG,T.R. Washington, State of. 93/04/08. Washington, State of. 20pp. 84284:032-84284:051.

9506130229 Forwards State Agreements Program suppl info for review & comment re NRC draft "Interim Guidelines for Disposal of Cs-137 in Furnace Dust Resulting From Inadvertent Melting of Sources."
LOHAUS,L.H. Office of State Programs (Post 911117). SP-95-093. 95/06/02. General. 4pp. 84577:055-84577:143.

9506130440 Discusses State of NV views on pneumatic pathway issue as addressed in NRC 950512 ltr.
LOUX,R.R. Nevada, State of. HLWR. 95/06/02. GREEVES,J.T. Division of Waste Management (NMSS 940403). 6pp. 84312:310-84312:315.

9506140013 Provides comments on trilinear diagrams & chemical distribution maps from Jacobs prepared for EPA re United Nuclear Church Rock site 5-year review rept.
TRUJILLO,D.M. New Mexico, State of. 95/06/01. GHOSE,S. Environmental Protection Agency. 2pp. 84339:028-84339:029.

9506140090 Forwards enforcement conference rept 15000031/95-01 on 950519 in King of Prussia,PA to discuss violations & corrective actions to correct problems.
HEHL,C.W. Region 1 (Post 820201). EA-95-046. 95/06/08. SISSON,J.E. Quality Inspection Services, Inc. 2pp. 84267:307-84267:311.

--**9506140101** Enforcement Conference rept 15000031/95-01 on 950519.No violations noted.Conference summary:licensee described both planned & completed corrective actions.
LADUN,R.H., PASCIAK,W.J. Region 2 (Post 820201). 95/06/05. 3pp. 84267:309-84267:311.

9506140129 Informs that licensee must discontinue use of radioactive markers in quantities exceeding limits specified in 10CFR30.71 unless it obtains exemption from provisions of 10CFR39.47.
COLLINS,S.J. Region 4 (Post 820201). 95/06/07. GLEASON,W.S. Affiliation Not Assigned. 3pp. 84268:060-84268:062.

9506140395 Forwards revised approval ltr which replaces 950315 approval ltr from SC Dept of Health & Environ Control,approving use of stated chemicals provided discharge level for each parameter less than no observed effect concentration level.
ESTRIDGE,J. Duke Power Co. 95/06/08. JACKSON,A.P., HARRIS,J.T., DAVIS,W.J. Duke Power Co. 2pp. 84338:330-84338:331.

9506150025 Confirms discussions & agreements made during 950522 meeting at Cintichem re proposed bedrock decontamination.
YOUNGBERG,B. New York, State of. 95/05/31. MCGOVERN,J.J. Cintichem, Inc. 4pp. 84350:353-84350:356.

9506150027 Forwards program mgt info,including SECY-95-123, "Rept on Part One of Natl Performance Review:Phase II-Regulations Review."
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-092. 95/06/01. General. 2pp. 84288:020-84288:106.

--**9506140192** SECY-95-123 Informs Commission of staff review of NRC regulations conducted as part of phase II of National Performance Review & to provide two draft repts on review for transmittal to President addressing results of review.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/15. 88pp. 84288:022-84288:106.

9506150033 Advises that OH EPA has completed review of listed documents & provides comments.
BLAIR,B.J. Ohio, State of. 95/05/05. EVES,C.S. Shieldalloy Metallurgical Corp. LEE,P. Affiliation Not Assigned. 3pp. 84340:263-84340:265.

9506150148 Notification of 940323 public meeting in Ford,Washington re Dawn Mining Co site closure plan.
STRONG,T.R. Washington, State of. 94/03/11. Washington, State of. 5pp. 84306:296-84306:300.

9506150155 Forwards 930504 meeting minutes for Technical Advisory Committee meeting re Dawn Mining Co closure.
STRONG,T.R. Washington, State of. 93/05/18. Washington, State of. 6pp. 84306:301-84306:306.

9506150163 Forwards ltr from Dawn Mining Co requesting approval for disposal of slightly contaminated radioactive matl at facility.
STRONG,T.R. Washington, State of. 91/06/14. Washington, State of. 2pp. 84329:271-84329:272.

9506150332 Forwards table of results of tracer dye studies conducted to determine pump flow rates for circulating water sys.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/30. CAPORALE,G. New Jersey, State of. 3pp. 84339:357-84339:359.

9506190006 Forwards Rio Algom Mining Corp Annual Mining & Reclamation Rept,covering period from 940401-950331.W/two oversize drawings.
FERDINAND,B. Rio Algom Mining Corp. 95/06/07. CHANCELLOR,R. Wyoming, State of. 2pp. 84451:208-84451:249.

9506190037 Comment opposing proposed rule 10CFR50 re planning & preparedness exercise requirement.
ORTCIGER,T.W. Illinois, State of. 60FR19002 00004. 95/06/09. Docketing & Services Branch. 2pp. 84320:039-84320:040.

9506190048 Comment on draft NUREG/BR-0199, "Responsiveness to Public."
COLLINS,S.C. Illinois, State of. 60FR16685 00031. 95/06/02. Docketing & Services Branch. 2pp. 84320:043-84320:044.

9506190059 Comment re proposed rules 10CFR34 & 150 concerning licenses for radiography & radiation safety requirements for radiographic operations.NRC should re-evaluate comment portion in RM process & subj RM requirements be maintained.
MARSHALL,S.R. Nevada, State of. 59FR9429 00085. 95/05/31. TAYLOR,J.M. Office of the Secretary of the Commission. 3pp. 84320:058-84320:060.

9506190080 Discusses license change request 95-01,revising Table 4.3.7.1-1 radiation monitoring instrumentation SR by increasing channel functional test interval from monthly to quarterly for each instrument.
TOSCH,K.W. New Jersey, State of. 95/06/06. Document Control Branch (Document Control Desk). 2pp. 84374:360-84374:361.

9506190274 Forwards minutes from bi-monthly NRC/State of UT telcon on U recovery licensees conducted on 950518.
CARLSON,R.D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/08. SINCLAIR,W.J. Utah, State of. 5pp. 84380:329-84380:333.

9506190336 Recommends that 10CFR34 be revised to include two-person rule & radiographer certification requirements,in response to R Parker rept during recent meeting re NRC plans to withdraw subj revs to 10CFR34.
SPELL,W.H. Louisiana, State of. 95/06/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84404:219-84404:220.

9506190403 PNO-II-95-031:on 950531,received package exceeding external surface radiation levels.Wipe tests of package found no detectable removable radioactive contamination.State of Tennessee has initiated investigation of incident.
TROJANOWSKI,R. Region 2 (Post 820201). 95/05/31. 1p. 84344:086-84344:086.

9506200019 PNO-II-95-033:on 950605-06,portable moisture density gauge device stolen from trailer located at temporary job site. Local law officials have been notified & State conducting investigation at site.
WOODRUFF,R.L. Region 2 (Post 820201). 95/06/07. 1p. 84349:351-84349:351.

9506200187 Responds to 950523 ltr to I Seling proposing that Arizona conduct insp of federal jurisdiction licensee in Arizona.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/12. GODWIN,A.V. Arizona, State of. 7pp. 84347:222-84347:227.

9506200210 Advises that license change request 94-45 has been determined to have positive impact on plant safety.
TOSCH,K.W. New Jersey, State of. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84404:326-84404:327.

9506200231 Responds to ltr re nuclear waste storage at Prairie Island.
SANDA,K. Minnesota, State of. 95/05/16. CARVER,D. Minnesota, State of. 2pp. 84410:359-84410:360.

9506200300 Offers no comment on license change request 94-35,submitted by PSE&G 950502 ltr,proposing to modify tables 3.3-3 & 4.3-2 of TS to allow change to manual surveillance frequency of AFW pumps from monthly to staggered-quarterly.
TOSCH,K.W. New Jersey, State of. 95/06/12. Document Control Branch (Document Control Desk). 2pp. 84404:342-84404:343.

9506210093 Discusses insp rept 15000009/95-01 on 950419-24 & forwards notice of violation.
JOHANSEN,J.M. Region 1 (Post 820201). 95/05/23. KOVACH,R.J. Florida, State of. 2pp. 84360:127-84360:132.

--**9506210098** Notice of violation from insp on 950419-24.Violation noted: licensee engaged in activities authorized by license & had not filed form-241 w/Regional Administrator of NRC Region Ofc.
* Region 1 (Post 820201). 95/05/23. 4pp. 84360:129-84360:132.

9506210163 Offers no objections to draft NRC EA on waste mgt license, except that State of MI believes some radiological data in last paragraph on page 4 needs clarification.
MINNAAR,D.W. Michigan, State of. 95/06/01. PARROTT,J. NRC - No Detailed Affiliation Given. 1p. 84598:083-84598:083.

9506210223 Informs of state progress on item that was noted during agency review of Texas radiation control program in March 1994.
ROGERS,A.H. Texas, State of. 95/06/14. BANGART,R.L. Document Control Branch (Document Control Desk). 2pp. 84407:137-84407:138.

9506210290 Informs of three areas of concern re "Final EIS for Const & Operation of Claiborne Enrichment Ctr in Homer,LA."
LEMING,E.C. Tennessee, State of. 95/06/05. GILLILAND,J.T. Region 4 (Post 820201). 2pp. 84407:132-84407:133.

9506220005 PNO-IV-95-029:on 950613 medical misadministration occurred. Caused by total body scan being performed utilizing capsule dose of 3 mCi of I-131 instead of Tc-99m.Patient was treated w/blocking medication to counteract uptake of radioiodine.
DODA,R.J. Region 4 (Post 820201). 95/06/19. 1p. 84375:023-84375:023.

9506220106 Notifies of Dawn Mining Co Closure Plan Technical Advisory Committee meeting on 940210 re final Ground Water Remedial Action Plan analysis & presentation of official TAC membership.
STRONG,T.R. Washington, State of. 94/02/03. Affiliation Not Assigned. 1p. 84402:359-84402:359.

9506230239 Forwards ltrs from P Mink,D Akaka & G Pai requesting info about State of Hawaii radiological emergency response plan for shipments of Pu.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/06/09. GOSS,K. Federal Emergency Management Agency. 1p. 84448:054-84448:064.

9506230388 Forwards corrected page for Discharge 485 in Apr 1995 discharge monitoring rept for Salem Generating Station, reflecting effluent gross value for acute toxicity testing (LC-50).
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/16. CAPORALE,G. New Jersey, State of. 2pp. 84457:340-84457:343.

9506280012 Informs that OSP agrees w/goal of internal concurrences & suggested approach to managing concurrence process.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/16. BLAHA,J. Assistant for Operations (Post 890205). 3pp. 84441:032-84441:047.

--**9506280018** Requests review & comments by 950619 re encl concurrences.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/06/06. NRC - No Detailed Affiliation Given. 1p. 84441:035-84441:035.

--**9506280021** Submits approaches to reduce concurrences & resultant delays.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/06. NRC - No Detailed Affiliation Given. 12pp. 84441:036-84441:047.

9506280025 Submits comments supporting FR, "Clarification of Decommissioning Funding Assurance Requirements."
RATLIFF,R.A. Texas, State of. 95/05/04. DE PLANQUE,G.E. Commissioners (Post 750119). 1p. 84441:074-84441:074.

9506280029 Submits comments opposing proposed rule rev to 10CFR34,re elimination of requirements for certification of industrial radiographers & "two-man crew."
MOBLEY,M.H. Tennessee, State of. 95/06/16. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84441:079-84441:080.

9506280052 Forwards specific responses to questions & concerns outlined in State of MD, "Summary of Assessments & NRC Comments for Maryland Radiation Control Program," from 910328-940407.
ZAW-MON,M. Maryland, State of. 95/06/06. BANGART,R. Office of State Programs (Post 911117). 7pp. 84440:001-84441:005.

--**9506280057** "Code of Maryland Regulation 26.12.01.01,Regulations for Control of Ionizing Radiation (1994)."
* Maryland, State of. 95/06/06. 360pp. 84440:009-84441:005.

9506280056 Insp rept on 950419 of license 140-2.Insp findings:licensee failed to specify label category of matl transported on shipping papers,per 10CFR71.5,49CFR172.203 & pager number indicated on shipping paper for emergency response number.
JONES,A. Region 2 (Post 820201). GEIGER,D. Space Science Services, Inc. 95/04/24. 2pp. 84441:139-84441:140.

9506280072 Forwards NRC Governors Designees Receiving Advance Notification of Transportation of Nuclear Waste for filing & publication.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/20. MEYER,D. Division of Freedom of Information & Publications Services (Post 940714). 15pp. 84441:173-84441:187.

9506280076 Discusses insp rept 15000038/95-05 on 950601.No violations noted.
PASCIAK,W.J. Region 1 (Post 820201). 95/06/14. ALDINGER,P.B. . 2pp. 84441:188-84441:189.

9506280085 Discusses insp rept 15000038/95-04 on 950531.No violations noted.
PASCIAK,W.J. Region 1 (Post 820201). 95/06/14. SKOROHOD,P. Briggs Associates, Inc. (formerly Briggs Engineering & Testing Co., Inc.). 2pp. 84441:219-84441:220.

9506280088 Forwards sealed sources & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-103. 95/06/16. General. 3pp. 84441:221-84441:223.

9506280096 Requests assistance on two issues re SSD certificate AZ244D1015 issued by Arizona on 950305,to model 40108A source manufactured by TLS Sys,Inc.
GODWIN,A.V. Arizona, State of. 95/03/29. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 84441:232-84441:241.

--**9506280105** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device Source for model 40108A. Certificate:AZ244D101S.
WRIGHT,W.A., GODWIN,A.V. Arizona, State of. AZ244D101S. 95/03/05. 7pp. 84441:234-84441:241.

9506280112 Discusses NRC changes re industrial radiography rules & medical use rules concerning Quality Mgt Program.
SINCLAIR,W.J. Utah, State of. 95/06/06. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 84441:314-84441:315.

9506280137 Forwards various matls including summary Agreement State program description,guidance on processing new Agreement, current NRC licensees in Connecticut & diskette containing questions & review repts used to evaluate programs.W/o encl.
GORDON,C.Z. Region 1 (Post 820201). 95/05/31. MCCARTHY,K. Connecticut, State of. 1p. 84442:046-84442:046.

9506280149 Responds to 950329 ltr requesting technical guidance on two issues re State of AZ sealed source & device certificate. Forwards comments & guidance provided by technical staff.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/16. GODWIN,A.V. Arizona, State of. 2pp. 84442:091-84442:101.

--**9506280158** Discusses technical assistance request from AV Godwin of State of AZ.Provides listed info for consideration when developing response to Godwin.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/06/13. BANGART,R.L. Office of State Programs (Post 911117). 6pp. 84442:093-84442:098.

--**9506280165** Provides guidance re evaluation for certain source &/or device designs by Matl Certification & Procedures Branch.
CUNNINGHAM,R.E. Office of Nuclear Material Safety & Safeguards. 94/12/06. Office of Nuclear Material Safety & Safeguards. 3pp. 84442:099-84442:101.

9506280152 Discusses insp rept 15000038/95-01 on 950530.No violations noted.
PASCIAK,W.J. Region 1 (Post 820201). 95/06/14. PERRY,J. Grinnell Corp. (formerly ITT Grinnell Corp.). 2pp. 84442:102-84442:103.

9506280154 Responds to 950516 ltr & two undated ltrs received on 950526 re physician training requirements set out in Texas Regulations for Control of Radiation.
RATLIFF,R.A. Texas, State of. 95/06/08. DICK,T.G. American Association for Nuclear Cardiology, Inc. 2pp. 84442:104-84442:105.

9506280161 Forwards requested info of 950606 telcon re type of radiation monitoring equipment available for inspectors.
HALLISEY,R.M. Massachusetts, Commonwealth of. 95/06/07. BLANTON,R. Office of State Programs (Post 911117). 3pp. 84442:123-84442:125.

9506280164 Discusses insp rept 1500038/95-03 on 950530-31.No violations noted.
PASCIAK,W.J. Region 1 (Post 820201). 95/06/14. THIELSCH,H. Thielsch Engineering Associates, Inc. 2pp. 84442:126-84442:127.

9506280186 Transmits results of NRC review & evaluation of South Carolina Radiation Control program conducted on 950324 by RL Woodruff.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/14. BRYANT,D.E. South Carolina, State of. 37pp. 84442:130-84442:167.

9506280191 Responds to NRC 941219 ltr discussing outstanding items from NRC 1992 review of State of IL program.Recommends that outstanding compatibility items be dropped.
ORTCIGER,T.W. Illinois, State of. 95/01/24. BANGART,R. Office of State Programs (Post 911117). 3pp. 84442:168-84442:170.

9506280205 Forwards NRC review of remedial investigation/feasibility study work plan for facility,including resubmittal of NRC comments to earlier rev to plan submitted on 950501.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/14. BLAIR,B. Ohio, State of. 6pp. 84478:234-84478:239.

9506280212 Discusses radiation exposure of citizens from concentration of naturally occurring radioactive matl which causes serious environmental health problems.
MCBURNEY,R.E. Conference of Radiation Control Program Directors, Inc. 95/05/23. BROWNER,C. Environmental Protection Agency. 2pp. 84442:215-84442:216.

9506280225 Forwards NPDES discharge monitoring repts for Salem Generating Station for month of May 1995.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/06/20. CAPORALE,G. New Jersey, State of. 5pp. 84478:200-84478:218.

9506280236 Responds to 950530 memo re review & concurrence on final rule, "Medical Administration of Radiation & Radioactive Materials." Concurs w/o comment.
BANGART,R.L. Office of State Programs (Post 911117). 95/06/13. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 72547:286-72547:322.

--**9506280248** Provides Commission Paper FRN & Congressional ltr for final rule, "Medical Administration of Radiation & Radioactive Matls."
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/05/30. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. BANGART,R.L. Office of State Programs (Post 911117). MALSCH,M.G. Office of the General Counsel (Post 860701). 33pp. 72547:290-72547:322.

9506280326 Discusses SECY-95-043,final rule on "Clarification of Decommissioning Funding Assurance Requirements."
ALDRICH,R. New York, State of. 95/04/19. Docketing & Services Branch. 3pp. 84442:310-84442:317.

9506280386 Transmits supporting material for responses to NRC comments.
EDWARDS,C.W. Pennsylvania, Commonwealth of. 95/06/06. Office of State Programs (Post 911117). 67pp. 84443:001-84443:061.

9506280393 Georgia Institute of Technology response to Commissioner's order issuing housekeeping stay.* W/Certificate of Svc.
GUILDAY,P. Georgia Institute of Technology, Atlanta, GA. GUILDAY,P. Georgia, State of. #295 16836. REN. 95/06/21. Commissioners (Post 750119). 11pp. 84444:296-84444:327.

9506280398 Expresses appreciation re proposed changes in NRC fee policy for Agreement State training,travel & technical support.
BELSHE,S.K. California, State of. 95/06/13. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 84442:334-84442:336.

9506280520 Discusses insp rept 15000038/95-02 on 950530 & forwards notice of violation.
PASCIAK,W.J. Region 1 (Post 820201). 95/06/14. MCCANN,F. Affiliation Not Assigned. 3pp. 84443:079-84443:083.

--**9506280526** Notice of violation from insp on 950530.Violation noted:licensee failed to generate written record evaluating performance of assistant radiographers.
* Region 1 (Post 820201). 95/06/14. 2pp. 84443:082-84443:083.

9506280599 Forwards most recent version of changes to Rocky Mountain Low-Level Radioactive Waste Compact.Changes will be introduced in state legislatures in 1997.
QUILLIN,R.M. Colorado, State of. 95/06/21. BANGART,R. Office of State Programs (Post 911117). 12pp. 84452:134-84452:145.

9506280698 Responds to 950612 request for 60-day extension of comment period on decommissioning plan.Comments will be considered if submitted by 950809.
DUDLEY,R.F. . 95/06/16. CAMPBELL,J.W. Michigan, State of. 3pp. 84469:286-84469:288.

9506280710 Forwards most recent version of draft MOU between Pennsylvania Dept of Environ Resources & NRC on cooperation re remediation of radioactively contaminated sites within Commonwealth.
CHAWAGA,D.J. Region 1 (Post 820201). 95/06/19. DORNSIFE,W.P. Pennsylvania, Commonwealth of. 7pp. 84453:020-84453:026.

9506280772 Notice of appearance.* Undersigned attorney enters appearance in proceeding re renewal of license R-97. W/Certificate of Svc.
DUNN,D.R., GUILDAY,P. Georgia, State of. #295 16835. REN. 95/06/21. 4pp. 84453:032-84453:035.

9506290003 Forwards rept from US GAO entitled, "Radwaste,Status of Commercial LLW Facilities," GAO/RCED-95-67,May 1995.Rept describes GAO assessment of State progress in developing new disposal facilities & environ effects of subj facilities.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-104. 95/06/20. General. 2pp. 84454:005-84454:165.

--**9506290006** GAO/RCED-95-67 "Radwaste,Status of Commercial LLW Facilities," May 1995.
REZENDES,V.S. General Accounting Office. B-258743. 95/05/05. 79pp. 84454:007-84454:085.

--**9506290033** Forwards GAO rept entitled, "Radwaste,Status of Commercial LLW Facilities," (GAO/RCED-95-67).Rept describes GAO assessment of States progress in developing new disposal facilities & environ effect of subj facilities.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/20. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84454:086-84454:165.

9506290004 Safety insp on 950609 of license CA-0169-43.Insp findings: no violations noted.
* Region 4 (Post 820201). * Affiliation Not Assigned. 95/06/09. 1p. 84454:166-84454:166.

9506290023 Comment on petition for rulemaking,procedures for submission.Dept believes that proposal sound one & encourages US NRC to implement procedure.
ORTCIGER,T.W. Illinois, State of. 60FR15878 00011. 95/06/13. Docketing & Services Branch. 2pp. 84454:269-84454:270.

9506290025 Forwards Agreement State Program info including sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-107. 95/06/21. General. 2pp. 84455:156-84455:180.

--9506290028 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of x-ray fluorescence source for models NER-463 & NER-473.Inactive certificate:MA-0476-S-843-S.
* Massachusetts, Commonwealth of. MA-0476-S-843-S. 95/04/26. 1p. 84455:159-84455:159.

--9506290034 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of x-ray fluorescence source for model NER-468A. Inactive certificate:MA-0476-S-844-S.
* Massachusetts, Commonwealth of. MA-0476-S-844-S. 95/04/26. 1p. 84455:160-84455:160.

--9506290036 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of x-ray fluroescence source for model NER-4661. Inactive certificate:MA-0476-S-845-S.
* Massachusetts, Commonwealth of. MA-0476-S-845-S. 95/04/26. 1p. 84455:161-84455:161.

--9506290040 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of simulated Ga-68 source for model NES-218S. Inactive certificate:MA-0476-S-846-S.
* Massachusetts, Commonwealth of. MA-0476-S-846-S. 95/04/26. 1p. 84455:162-84455:162.

--9506290044 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of reference source for model NES-219.Inactive certificate:MA-0476-S-847-S.
* Massachusetts, Commonwealth of. MA-0476-S-847-S. 95/04/26. pp. 84455:163-84455:163.

--9506290049 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of scintiphoto markers for models NES-714, NES-715,NES-716 & NES-792.Inactive certificate: MA-0476-S-848-S.
* Massachusetts, Commonwealth of. MA-0476-S-848-S. 95/04/26. 1p. 84455:164-84455:164.

--9506290052 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of phantom sources for models NES-790 & NES-791. Inactive certificate:MA-0476-S-849-S.
* Massachusetts, Commonwealth of. MA-0476-S-849-S. 95/04/26. 1p. 84455:165-84455:165.

--9506290061 Registry of Radioactive Sealed Sources & Devices Safety Evaluation of brain phantom for model NES-8008.Inactive certificate:MA-0476-S-850-S.
* Massachusetts, Commonwealth of. MA-0476-S-850-S. 95/04/26. 1p. 84455:166-84455:166.

--9506290078 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of line phantom for model NES-8010. Inactive certificate:MA-0476-S-851-S.
* Massachusetts, Commonwealth of. MA-0476-S-851-S. 95/04/26. 1p. 84455:167-84455:167.

--9506290086 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of calibration source for model NES-9034.Inactive certificate:MA-0476-S-852-S.
* Massachusetts, Commonwealth of. MA-0476-S-852-S. 95/04/26. 1p. 84455:168-84455:168.

--9506290100 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of pointer source for model NES-260.Inactive certificate:MA-0476-S-853-S.
* Massachusetts, Commonwealth of. MA-0476-S-853-S. 95/04/26. 1p. 84455:169-84455:169.

--9506290105 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of pointer source for model NES-393.Inactive certificate:MA-0476-S-854-S.
* Massachusetts, Commonwealth of. MA-0476-S-854-S. 95/04/26. 1p. 84455:170-84455:170.

--9506290108 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of flood source for model NES-8007.Inactive certificate:MA-0476-S-855-S.
* Massachusetts, Commonwealth of. MA-0476-S-855-S. 95/04/26. 1p. 84455:171-84455:171.

--9506290114 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of flood source for model NES-8032.Inactive certificate:MA-0476-S-856-S.
* Massachusetts, Commonwealth of. MA-0476-S-856-S. 95/04/26. 1p. 84455:172-84455:172.

--9506290129 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of flood source for model NES-8009.Inactive certificate:MA-0476-S-857-S.
* Massachusetts, Commonwealth of. MA-0476-S-857-S. 95/04/26. 1p. 84455:173-84455:173.

--9506290130 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of flood source for model NES-8012.Inactive certificate:MA-0476-S-858-S.
* Massachusetts, Commonwealth of. MA-0476-S-858-S. 95/04/26. 1p. 84455:174-84455:174.

--9506290137 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Mossbauer sources for models NER-073 & NER-073A.Inactive certificate:MA-0476-S-859-S.
* Massachusetts, Commonwealth of. MA-0476-S-859-S. 95/05/03. 1p. 84455:175-84455:175.

--9506290143 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of calibrated rod source for model NES-8001. Inactive certificate:MA-0476-S-860-S.
* Massachusetts, Commonwealth of. MA-0476-S-860-S. 95/05/03. 1p. 84455:176-84455:176.

--9506290152 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of gamma rod source for model NES-141R.Inactive certificate:MA-0476-S-861-S.
* Massachusetts, Commonwealth of. MA-0476-S-861-S. 95/05/03. 1p. 84455:177-84455:177.

--9506290172 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of gamma rod source for model MA-0476-S-862-S. Inactive certificate:MA-0476-S-862-S.
* Massachusetts, Commonwealth of. MA-0476-S-862-S. 95/05/03. 1p. 84455:178-84455:178.

--9506290175 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of line phantom for models NES-385 & NES-386. Inactive certificate:MA-0476-S-863-S.
* Massachusetts, Commonwealth of. MA-0476-S-863-S. 95/05/03. 1p. 84455:179-84455:179.

--9506290180 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of vial type E for model NES-351.Inactive certificate:MA-0476-S-864-S.
* Massachusetts, Commonwealth of. MA-0476-S-864-S. 95/05/03. 1p. 84455:180-84455:180.

9506290026 Comment supporting proposed rule 10CFR50 re production & utilization facilities;emergency planning & preparedness exercise requirements.
RATLIFF,R.A. Texas, State of. 60FR19002 00005. 95/06/20. Docketing & Services Branch. 1p. 84454:273-84454:273.

9506290029 Requests copy of each active G-distribution license regulated by program.Up-to-date copy needed to help ensure NRC aware of identity of all distributors of generally licensed devices.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-095. 95/06/22. General. 3pp. 84454:277-84454:283.

--9503220029 Recommends that NRC discontinue mass mailing of monthly package containing copies of licenses & amends issued by NRC.
FRAZEE,T.C. Washington, State of. 94/02/07. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 84454:281-84454:282.

--9506290043 Notifies of procedures for tracking distributors of general licensed devices.
PAPERIELLO,J. Division of Industrial & Medical Nuclear Safety (Post 870729). 94/09/08. BANGART,R.L. Office of State Programs (Post 911117). 1p. 84454:283-84454:283.

9506290035 Louisiana proposed findings of fact & conclusion of law in form of initial decision relative to DUF6 waste generated at proposed LES facility.* W/Certificate of Svc.
KUCHARSKI,W.A. Louisiana, State of. #295 16849. ML. 95/06/23. 9pp. 84455:192-84455:200.

9506290045 Notifies of State of AZ intent not to recognize general license of another jurisdiction,if general license attempts to bring device directly into state.
GODWIN,A.V. Arizona, State of. 95/06/21. BROWN,D.H. North Carolina, State of. 1p. 84454:296-84454:296.

9506290058 Forwards for review & comment,Brachytherapy Issues Paper, describing background & issues that would be associated w/ efforts to address brachytherapy in future regulations & guidance efforts.
HOLAHAN,P.K. Office of Nuclear Material Safety & Safeguards. SP-95-108. 95/06/23. General. 4pp. 84454:297-84454:333.

--9506290071 Forwards copy of brachytherapy issues paper prepared by NRC staff,describing background & issues that would be associated w/efforts to address brachytherapy for future regulation &/or guidance.
CAMPER,L.W. Medical, Academic & Commercial Use Safety Branch. 95/06/19. LOHAUS,P.H. Office of State Programs (Post 911117). 33pp. 84454:301-84454:333.

9506290097 Provides authorization to COGEMA for commencement of lixiviant injection in Unit 5 Wellfield at Christensen Ranch,in response to 950228 request.
MOONEY,G. Wyoming, State of. 95/04/18. WICHERS,D.L. COGEMA, Inc. 4pp. 84537:264-84537:268.

9506290102 Forwards list of State students that have been accepted to attend Licensing Practices & Procedures course to be conducted at NRC Technical Training Ctr on 950612-16.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-077. 95/05/09. General. 11p. 84454:336-84454:346.

9506290109 Forwards list of State students that have been accepted to attend Five-Week Applied Health Physics course conducted by ORISE on 950710-0811.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-072. 95/05/05. General. 11pp. 84454:347-84454:359.

9506290119 Forwards listed items requested,including revised regulations reflecting new part 20 changes,procedures for processing applications & issuing licenses & revised draft ltr of agreement.
HALLISEY,R.M. Massachusetts, Commonwealth of. 95/04/18. BLANTON,R. Office of State Programs (Post 911117). 190pp. 84455:001-84455:153.

--9506290200 Rev 0 to "Procedures for License Review."
* Massachusetts, Commonwealth of. 95/12/31. 10pp. 84455:144-84455:153.

9506290235 Forwards sealed source & device registry certificates, provided for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-096. 95/06/13. General. 3pp. 84470:001-84470:057.

--9506290243 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-8009,NES-8012 & NES-8150.Certificate:MA-0476-S-170-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-170-S. 95/04/10. 1p. 84470:004-84470:004.

--9506290248 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-8300,NES-8400 & NES-8450.Certificate,MA-0476-S-171-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-171-S. 95/04/10. 1p. 84470:005-84470:005.

--9506290251 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-390,NES-391, NES-392,NES-393 & NES-394.Certificate:MA-0476-S-172-S. Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-172-S. 95/04/10. 1p. 84470:006-84470:006.

--**9506290257** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-8470,NES-8480 & NES-8490.Certificate:MA-0476-S-174-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-174-S. 95/04/10. 1p. 84470:007-84470:007.

--**9506290259** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-260 & NES-8260. Certificate:MA-0476-S-175-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-175-S. 95/04/10. 1p. 84470:008-84470:008.

--**9506290265** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sesled Source for model NER-072,NER-072A. Certificate:MA-0476-S-176-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-176-S. 95/04/10. 1p. 84470:009-84470:009.

--**9506290268** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NER-471A. Certificate:MA-0476-S-177-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-177-S. 95/04/10. 1p. 84470:010-84470:010.

--**9506290270** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-105S.Certificate: MA-0476-S-178-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-178-S. 95/04/10. 1p. 84470:011-84470:011.

--**9506290272** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-133S.Certificate: MA-0476-S-180-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-180-S. 95/04/10. 1p. 84470:013-84470:013.

--**9506290273** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for models NES-137S,NES-137T Certificate:MA-0476-S-181-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-181-S. 95/04/10. 1p. 84470:014-84470:014.

--**9506290275** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for models NES-141S,NES-141T. Certificate:MA-0476-S-182-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-182-S. 95/04/10. 1p. 84470:015-84470:015.

--**9506290277** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Sourc for models NES-381,NES-382. Certificate:NR-0476-S-183-S.Amended page.
* NRC - No Detailed Affiliation Given. NR-0476-S-183-S. 95/04/10. 1p. 84470:016-84470:016.

--**9506290285** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for models NES-8004,NES-8005. Certificate:MA-0476-S-185-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-185-S. 95/04/10. 1p. 84470:018-84470:018.

--**9506290287** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-014S.Certificate: MA-0476-S-186-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-186-S. 95/04/10. 1p. 84470:019-84470:019.

--**9506290290** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for models NES-206,NES-352 & NES-8206.Certificate:MA-0476-S-187-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-187-S. 95/04/10. 1p. 84470:020-84470:020.

--**9506290293** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for models NES-283,NES-284. Certificate:MA-0476-S-188-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-188-S. 95/04/10. 1p. 84470:021-84470:021.

--**9506290296** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for models NES-8007,NES-8032. Certificate:MA-0476-S-189-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-189-S. 95/04/10. 1p. 84470:022-84470:022.

--**9506290297** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model NES-8030.Certificate: MA-0476-S-190-S.Amended page.
* Massachusetts, Commonwealth of. MA-0476-S-190-S. 95/04/10. 1p. 84470:023-84470:023.

--**9506290304** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Devise for models 5194,5195 & 5196,5194A, 5195A & 5196A,amended in entirety.Certificate: TX-0634-D-116-S.
* Texas, State of. TX-0634-D-116-S. 95/05/25. 6pp. 84470:024-84470:057.

9506290310 Responds to 950505 ltr to D Rathbun,seeking info re request from State of HI to NRC,dtd 921020,for evaluation of HI emergency response plan.DOE submitted encl implementation plan re shipments of Pu by sea to Congress on 950427.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 95/05/30. MINK,P.T. House of Rep. 2pp. 84520:306-84520:325.

--**9506290312** "Implementation Plan for Recommendations in 'Safety of Shipments of Pu by Sea' Study."
* Energy, Dept. of. CCS. 95/04/27. 12pp. 84520:308-84520:325.

9506290318 Responds to 950504 ltr to Chairman Selin seeking info re State of HI 921020 request for evaluation of ER plan.US president required to conduct study on safety of shipping Pu by sea via interagency task force.FEMA should be contacted.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/30. AKAKA,D.K. Senate. 14pp. 84473:305-84473:318.

9506300028 Lists addl info State of MO would like to review prior to issuing const permit,in regard to application & plans received 950413,for const of sludge de-watering facility at Hematite Plant in Jefferson County,MO.
HAAG,T.A. Missouri, State of. 95/06/12. GRISCOM,R. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 84527:182-84527:183.

9506300082 Responds to 950526 ltr & informs that State of LA will not request State of LA to accept for disposal depleted U hexafluoride produced at Claiborne Enrichment Ctr.
ARNOLD,W.H. Louisiana Energy Services. 95/06/19. KUCHARSKI,W.A. Louisiana, State of. 3pp. 84522:354-84522:356.

9506300301 Advises that NE Dept of Environ Quality reviewed notice of intent to operate in conjunction w/completion of const of proposed Class I injection well & approves Class I injection well for operation.Final Class I injection permit encl.
WOOD,R. Nebraska, State of. 95/06/20. COLLINGS,S. Affiliation Not Assigned. 18pp. 84525:265-84525:282.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9505120124 Application for amends to licenses DPR-13 & DPR-41 to revise plant TS 2.1.1 safety limit-reactor core,2.2 limiting safety sys settings-reactor trip sys instrumentation setpoints & 3/4.2.5 power distribution limits-DMB parameters.
PLUNKETT,T.F. Florida Power & Light Co. L-95-131. 95/05/05. 4pp. 84086:001-84086:087.

--**9505120136** Informs that proprietary info for which withholding being requested in WCAP-13719,Rev 1, "Westinghouse Revised Thermal Design Procedure Instruments Uncertainty Methodology for Plant," rept further identified in Affidavit CAW-95-779.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-779. 95/01/27. RUSSELL,W.T. Document Control Branch (Document Control Desk). 31pp. 84086:004-84086:035.

--**9505120144** WCAP-13718 R01 "Westinghouse Nonproprietary Class 3 W Revised Thermal Design Procedure Instrument Uncertainty Methodology," for plant.
CIOCCA,C.F. Westinghouse Electric Corp. 95/01/31. 36pp. 84086:054-84086:087.

9506010310 Forwards proprietary & nonproprietary versions of B&W Nuclear Technologies electrosleeve development for SG tube repair,950511 meeting handouts.Proprietary version of meeting handouts withheld.
TAYLOR,J.H. Babcock & Wilcox Co. JHT/95-56. 95/05/23. DEMBEK,S. Project Directorate I-2 (PD1-2) Post 941001). 33pp. 84172:235-84172:267.

9506010401 Forwards nonproprietary Addendum 4 to Rev 3 to WCAP-12245, "SG Tube Plug Integrity Summary Rept." Addendum 4 includes revised corrosion algorithm results used to categorize & rank remaining hot & cold leg Alloy 600TT plugs.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-091. 95/05/25. Document Control Branch (Document Control Desk). 1p. 84184:243-84184:280.

--**9506010409** WCAP-12245 ADD 04 R3 Nonproprietary Addendum 4 to Rev 3 to "SG Tube Plug Integrity Rept."
* Westinghouse Electric Corp. SG-95-05-012. 95/05/22. 36pp. 84184:244-84184:280.

9506010433 Discusses 941207 NRC staff briefing re status of RPVs in commercial NPPs.Informs that C-E will release,on nonproprietary basis,info necessary to justify licensee compliance w/NRC rules concerning RV integrity.
TAYLOR,J.M. Ofc of the Executive Director for Operations. TAC M941207B. 95/05/23. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 84161:271-84161:273.

9506020189 Informs that rev 3, "Westinghouse Series 44 & 51 SG Sleeving Rept,Laser Welded Sleeves," marked as proprietary will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(B) of Atomic Energy Act.
HICKMAN,J.B. . 95/05/17. FITZPATRICK,E. Illinois Power Co. FITZPATRICK,E. American Electric Power Service Corp. 3pp. 84165:243-84165:245.

9506020205 Informs that proprietary version of "Engineering Evaluation of Burst/Plugged Tube(s) at Connecticut Yankee,March 1995," will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of Atomic Energy Act of 1954.
WANG,A.B. Project Directorate I-3 (PD1-3) (Post 941001). TAC M91734. 95/05/23. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84165:239-84165:242.

9506020228 Responds to 950324 request for NRC to withhold info in WCAP-14303, "Facility Description Rept,AP600..." from public disclosure (ref 10CFR2.790).Rept will be withheld based on review of listed reasons.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/25. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84165:333-84165:335.

9506020305 Forwards request for addl info re GE response to NRC request for addl sys integral testing at GIRAFFE test facility. Advises that request for info to be withheld in NEDC-32391P does not contain info to be treated as proprietary.
WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001). 95/05/24. QUINN,J.E. General Electric Co. 5pp. 84146:098-84146:102.

9506020401 Advises that WCAP-14326, "Experimental Basis for AP600 Containment Vessel Heat & Mass Transfer Correlations" will be withheld from public disclosure (ref 10CFR2.790),per 950413 request.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/25. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84146:117-84146:119.

9506060151 Application for amends to licenses DPR-39 & DPR-48,revising TS 4.3.1.B,to incorporate new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/31. Document Control Branch (Document Control Desk). 13pp. 84200:123-84200:275.

--**9506060171** Requests that WCAP-14211, "F* & L* Tube Plugging Criteria For Tubes w/Degradation In Tubesheet Roll Expansion Region Of Zion Units 1 & 2 SG," be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-94-746. 94/10/27. RUSSELL,W.T. Document Control Branch (Document Control Desk). 16pp. 84200:155-84200:170.

--**9506060181** WCAP-14212 "F* & L* Tube Plugging Criteria For Tubes w/Degradation In Tubesheet Roll Expansion Region of Zion Nuclear Generating Station Units 1 & 2 SGs."
* Westinghouse Electric Corp. SG-94-10-007. 94/10/31. 108pp. 84200:171-84200:275.

9506070198 Forwards TS Change Request 251 to license DPR-50,revising TS 5.3.1.1 to describe use of advanced clad assemblies.B&W Fuel Co proprietary TR BAW-2133P describing advanced cladding demonstration program also encl.Proprietary TR withheld.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. C311-95-2210. 95/06/01. Document Control Branch (Document Control Desk). 2pp. 84274:231-84274:248.

9506070484 Notification of 950506-07 meeting w/EPRI & INEL in Rockville,MD re EPRI motor-operated valve performance prediction program.
CHERNY,F.C. . 95/05/24. WESSMAN,R.H. . 2pp. 84213:078-84213:079.

9506070490 Notification of 950602 meeting w/ORNL & GE in Rockville,MD re ATW stability w/respect to RIA issue.
RICHINGS,L.E. . 95/05/31. JONES,R.C. . 2pp. 84213:080-84213:081.

9506070649 Notification of 950531 meeting w/BWROG in Washington,DC re ECCS strainer clogging issue.
LYNCH,D.M. . 95/05/24. CAPRA,R.A. . 3pp. 84213:082-84213:084.

9506080418 Forwards slides presented at 1995 W Operating Plant Symposium.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/26. Office of Nuclear Reactor Regulation (Post 941001). 24pp. 84221:259-84221:282.

9506080439 Submits notification of 950608 meeting in Rockville,MD to discuss enhanced option I-A hardware issues.
ULSES,T.P. . 95/06/01. JONES,R.C. . 1p. 84240:342-84240:343.

9506080649 Summary of 950420 meeting w/C-E in Rockville,MD re various technical issues of common interest to both parties.List of attendees & presentation matl encl.
ADENSAM,E.G. . 95/05/23. . 26pp. 84213:216-84213:241.

9506090197 Requests that licensee verify inactivity of tasks 1-4 JCN J-2022 & of intention to close tasks 1-4,transferring remaining funds to task 5 of J-2022.Requests confirmation of acceptance of authorization within ten days of receipt.
THOMAS,B. . FIN J-2022. 95/05/24. BONNER,M. Brookhaven National Laboratory. 1p. 84266:169-84266:169.

9506090361 Provides summary of 950511 meeting w/B&W nuclear technologies re proprietary method being developed for SG tube repairs.List of attendees encl.
DEMBEK,S. . 95/06/01. STROSNIDER,J.R. . 30pp. 84228:286-84228:315.

9506120031 Forwards rept BAW-2126, "B&W Boric Acid Corrosion Research & Wastage & Insp Procedures for RCS Leakage."
CRONEBERGER,D. Babcock & Wilcox Operating Plants Owners Group. OG-1505. 95/05/05. HILTZ,T.G. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 1p. 84308:001-84308:106.

--**9506120039** BAW-2126 "B&W Boric Acid Corrosion Research & Wastage & Insp Procedures for RCS Leakage."
* Babcock & Wilcox Operating Plants Owners Group. 90/12/31. 105pp. 84308:002-84308:106.

9506120233 Forwards response to NRC 950406 RAI re GE 940728 request to increase max thermal load for Model 2000 shipping container,including revised pages to NEDO-32318, "Model 2000 Radioactive Matl Transport Package 2000 Watts...SAR."
CUNNINGHAM,G.E. General Electric Co. 95/05/30. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 41pp. 84289:109-84289:283.

--**9506120240** NEDO-32318 ERR Revised pages to "Model 2000 Radioactive Matl Transport Package 2000 Watts Decay Heat Upgrade SAR."
* General Electric Co. 95/06/01. 134pp. 84289:150-84289:283.

9506120267 Forwards calculation VBS-RS95-2 (listed pages) & encls re use of rod matl in lieu of cable for vehicle barrier sys.
NETZEL,R.J. Sargent & Lundy, Inc. 95/05/31. YOUNG,S. NRC - No Detailed Affiliation Given. 1p. 84273:320-84273:345.

--**9506120274** VBS-RS95-2 R00 "Vehicle Barrier Sys Design - Rod Sys."
BHATIA,N.C., SINGH,S., AMIN,M. Sargent & Lundy, Inc. 95/05/30. 25pp. 84273:321-84273:345.

9506120342 Forwards proprietary presentation materials used during 950525-26 meeting on Westinghouse Best-Estimate LOCA Issues.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4471. 95/05/26. JONES,R.C. Document Control Branch (Document Control Desk). 3pp. 84363:337-84363:345.

--**9506130268** Requests that presentation materials from 950525-26 meeting on Westinghouse Best-Estimate LOCA Issues be withheld, per 10CFR2.790.
LIPARULO,N.J., JONES,R.C. Westinghouse Electric Corp. AW-95-832. 95/05/26. Document Control Branch (Document Control Desk). 6pp. 84363:340-84363:345.

9506120356 Forwards proprietary WCAP-14371 & nonproprietary WCAP-14372, "AP600 Low Flow Critical Heat Flux (CHF) Test Data Analysis." Proprietary WCAP-14371 withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4470. 95/05/31. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84311:001-84311:041.

--**9506120360** WCAP-14372 R00 Nonproprietary "AP600 Low Flow Critical Heat Flux (CHF) Test Data Analysis."
OLSON,C.A., SMITH,L.D., SUNG,Y. Westinghouse Electric Corp. 95/05/31. 31pp. 84311:012-84311:041.

9506120468 Summary of 950503-04 meeting w/W in Rockville,MD re AP600 I&C TS.List of attendees & summary of discussion encl.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/06/05. Standardization Project Directorate (PDST) (Post 941001). 12pp. 84266:278-84266:289.

9506130092 Forwards preliminary responses to requests for addl info re WCAP-12945-P.Encl withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4473. 95/05/31. Document Control Branch (Document Control Desk). 2pp. 84297:332-84297:333.

9506130429 Forwards proprietary & nonproprietary version of Rev 1 & Rev 1,Suppl 1 to topical rept, "Generic Mechanical Design Criteria for BWR Fuel Designs." Proprietary version of rept withheld.
HERSHBERGER,D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DEH:95:028. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84340:001-84340:109.

--**9506130436** ANF-89-98(NP)(A)S1R1 Nonproprietary Rev 1,Suppl 1 to "Generic Mechanical Design Criteria for BWR Fuel Designs."
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/05/31. 108pp. 84340:002-84340:109.

9506140224 Responds to 940727 request for review & approval of TR NEDC-32343P,"Criteria for Deleting Non-Safety Basis NRC Commitments & USAR Info." Informs that matl in TR does not satisfy licensing criteria to warrant NRC review & approval.
IMBRO,E.V. Cost Beneficial Licensing Actions Staff (CBLA) (Post 941001). 95/05/30. SCHAEFER,K.T. General Electric Co. 3pp. 84305:351-84305:353.

9506150095 Forwards proprietary accepted (P)(A) version & non- proprietary accepted (NP)(A) version of rept ANF-90-082,Rev 1 & Rev 1,Suppl 1.
HERSHBERGER,D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. DEH:95:029. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84354:001-84354:123.

--**9506150111** ANF-90-082(NP)(A) R1 Suppl 1 to Rev 1 of ANF-90-082(NP)(A), "Application of ANF Design Methodology for Fuel Assembly Reconstitution," non- proprietary version.
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/05/31. 122pp. 84354:002-84354:123.

9506150233 Forwards proprietary WCAP-13187, "DC Cook Unit 1 SG Tube Plugging Criteria for Indications at Tube Support Plates." Proprietary rept WCAP-13187 withheld.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/06/07. Document Control Branch (Document Control Desk). 2pp. 84364:001-84364:011.

9506150262 Ltr contract NRC-03-90-027,definitizing task order 29,to "YAEC-1856P, 'Sys Transient Analysis Methodology Using Retran for PWR Applications.'"
WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-13185. NRC-03-90-027. 95/05/16. KOMORIYA,H. International Technical Services, Inc. 5pp. 84329:250-84329:254.

9506160042 Notification of 950621 meeting w/W in Rockville,MD re Technical Support Ctr & control room habitability.Agenda encl.
JACKSON,D.T. Standardization Project Directorate (PDST) (Post 941001). 95/06/08. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84329:357-84329:360.

9506160280 Application for amends to licenses DPR-33,DPR-52 & DPR-68, revising TS to be consistent w/planned replacement of current power range monitoring portion of existing NMS,per GL 94-02.Proprietary GE rept NEDC-32433P encl.Rept withheld.
SALAS,P. Tennessee Valley Authority. GL-94-02. 95/06/02. Document Control Branch (Document Control Desk). 55pp. 84365:003-84365:348.

9506190308 Forwards proprietary & nonproprietary versions of "Westinghouse Assessment of TR Validity for Reactivity Insertion Accidents W/High Burnup Fuel." Proprietary version of assessment withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4438. 95/05/31. JONES,R.C. . 2pp. 84367:293-84367:338.

--**9506190310** Requests that proprietary version of "Westinghouse Assessment of TR Validity for Reactivity Insertion Accidents W/High Burnup Fuel" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-811. 95/05/31. JONES,R.C. . 8pp. 84367:295-84367:302.

--**9506190312** Nonproprietary "Westinghouse Assessment of TR Validity for Reactivity Insertion Accidents W/High Burnup Fuel."
DAVIDSON,S.L., SLAGLE,W.H., RAY,S. Westinghouse Electric Corp. NTD-NRC-95-4438. 95/05/31. 38pp. 84367:303-84367:338.

9506200144 Advises that B&W Nuclear Technologies has discovered that calculations performed in 1985 to resolve criticality concern may have been used nonconservative boundry conditions.
SELVA,J.A. Babcock & Wilcox Operating Plants Owners Group. OG-1521. 95/06/13. Document Control Branch (Document Control Desk). 2pp. 84407:130-84407:131.

9506200146 Proposes to respond to RAIs on GE TR NEDE-32177P, "TRACG Computer Code Qualification," dtd Jan 1993 in three groups as indicated in attachment.
QUINN,J.E. General Electric Co. MFN 085-95. 95/06/14. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 11pp. 84404:303-84404:313.

9506200209 Summary of 950531 meeting w/BWROG re loss of ECCS capability due to clogging of suction strainers.
ELLIOT,R.T. . 95/06/13. BERLINGER,C.H. . 22pp. 84379:194-84379:215.

9506200218 Forwards third ten yr ISI interval Request for Relief 93-08 supplemental info,including B&W ltr dtd 950608 providing description of rev to B&W TR BAW-2228, "Fracture Mechanics Assessment of Postulated Outer Surfaces,Semi-Elliptical...."
HAMPTON,J.W. Duke Power Co. 95/06/12. Document Control Branch (Document Control Desk). 11pp. 84404:328-84404:338.

9506200278 Requests withholding of proprietary document per 10CFR2.790(a)(4) re EPRI software & rept.
KENNY,A. Electric Power Research Institute. 95/06/14. PARCZEWSKI,K. Document Control Branch (Document Control Desk). 5pp. 84406:165-84406:169.

9506200397 Informs that NRC has ruled WCAP-14270, "AP600 Low Pressure Integral Systems test at Oregon State Univ,Facility Scaling Rept," proprietary & will be withheld from public disclosure.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/31. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84360:352-84360:355.

9506210094 Forwards rept re errors/changes in plant ECCS for 1994.
MIMS,D.C. Entergy Operations, Inc. 0CAN069503. 95/06/09. Document Control Branch (Document Control Desk). 3pp. 84410:289-84410:307.

--9506210101 CENPD-279 S06 Suppl 6 to topical rept CENPD-279, "Annual Rept on ABB CE ECCS Performance Evaluation Models,Final Rept,CEOG Task 865," dtd Feb 1995.
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/02/28. 16pp. 84410:292-84410:307.

9506210117 Forwards addl changes to draft of proposed Rev 10 to Topical Rept SL-TR-1A,S&L QA program.Rev will not be issued until any comment NRC has are resolved.
KURTZ,R.L. Sargent & Lundy, Inc. 95/06/14. BLACK,S. Document Control Branch (Document Control Desk). 10pp. 84410:308-84410:317.

9506210185 Forwards proprietary licensing topical rept suppl CENPD-285-P-RAI, "Fuel Rod Design Methods for BWRs:Response to RAI." Proprietary suppl rept withheld from public disclosure per 10CFR2.790.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-075. 95/06/09. . 6pp. 84419:119-84419:124.

9506210236 Provides response to GL 95-03 re circumferential cracking of SG tubes.
SELVA,J.A. BWR Owners Group. OG-95-1519. 95/06/13. Document Control Branch (Document Control Desk). 12pp. 84412:285-84412:296.

9506210386 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS Sections 3.5.1,3.5.2,3.7.11,3/4.8.1.1 & bases to extend AOTs for SIT,LPSI subtrain & EDG & adding bases for extended AOTs,consistent w/NUREG-1366 & GL 93-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). GL-93-05. 95/06/13. Document Control Branch (Document Control Desk). 9pp. 84417:196-84418:044.

--9506210402 CE NPSD-994 "Joint Applications Rept for SIT AOT/SIT Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Boveri, Inc. 95/05/31. 81pp. 84417:268-84417:348.

--9506210405 CE NPSD-996 "Joint Applications Rept for EDGs AOT Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). * ASEA Brown Boveri, Inc. 95/05/31. 60pp. 84417:349-84418:044.

9506220077 Informs that Westinghouse 941213 ltr which requested that rept WCAP-14215, "AP600 Core Makeup Tank Test Analysis," be withheld from public disclosure,granted.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/31. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84404:173-84404:176.

9506220121 Forwards technical write-up summarizing design basis for cable/rod sys,as agreed during 950606 telcon re use of steel rod matl in lieu of cables for cable barrier sys.
NETZEL,R.J. Sargent & Lundy, Inc. 95/06/08. YOUNG,F.I. . 6pp. 84436:324-84436:329.

9506220135 Summarizes 950511 meeting w/BWROG in Rockville,MD to discuss BWROG activities & status of open items.
PERCH,R.L. . GL-89-10. 95/06/02. THADANI,A.C. . 69pp. 84402:243-84402:311.

9506220152 Notification of 950608 meeting w/Westinghouse in Rockville, MD to discuss WCAP 13360.
CHATTERTON,M. . 95/06/05. JONES,R.C. . 1p. 84429:273-84429:274.

9506220158 Forwards proprietary & nonproprietary versions of Vol 4 of C-E TR, "Technical Manual for CENTS Code." Proprietary version of rept withheld from public disclosure per 10CFR2.790.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. LD-95-029. 95/06/09. . 5pp. 84472:004-84472:191.

--9506220166 CENPD 282-NP-A V04 Nonproprietary Vol 4 of "Technical Manual for CENTS Code."
SCHULZ,E.J., LAWRENCE,F.D. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). YOON,H.Y. Korea Advanced Energy Research Institute. KAERI/TR-314/92. 92/12/31. 180pp. 84472:009-84472:191.

9506220162 Notification of 950622 meeting w/BWR Vessel & Internals Project in Charlotte,NC to discuss topic of interest including stress corrosion cracking,crack mitigation & NDE. Informs that portion meeting will be proprietary in nature.
CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/06/06. MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 3pp. 84404:117-84404:119.

9506220207 Advises of encl affidavit supporting W request that ref rept WCAP-13698,Rev 2,be withheld per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-836. 95/06/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 12pp. 84436:206-84436:216.

9506220210 Advises of encl affidavit supporting W request that ref rept WCAP-14410 be withheld per 10CFR2.790(b)(4).
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-837. 95/06/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 84436:349-84436:358.

9506230229 Application for amends to licenses DPR-67 & NPF-16.Amends would extend allowed outage time for inoperable EDGs.
SAGER,D.A. Florida Power & Light Co. L-95-148. 95/06/21. Document Control Branch (Document Control Desk). 12pp. 84470:268-84470:340.

--9506230231 CE NPSD-996 "Joint Applications Rept for EDGs AOT Extension."
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/05/31. 46pp. 84470:295-84470:340.

9506230233 Application for amends to licenses DPR-67 & NPF-16.Amends would allow up to seven days to restore an inoperable LPSI train to operable status.
SAGER,D.A. Florida Power & Light Co. L-95-133. 95/06/21. Document Control Branch (Document Control Desk). 12pp. 84470:202-84470:267.

--9506230235 CE NPSD-995 "Joint Applications Rept for LPSI Sys AOT Extension."
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/05/31. 39pp. 84470:228-84470:267.

9506230267 Notification of 950618 meeting w/Boiling Water Reactors Vessel & Internals Project re plans for meeting reactor pressure vessel exam requirements of 10CFR50.55a(g)(6).
BATTIHE,C.K. . 95/06/15. STROSNIDER,J.R. . 3pp. 84447:340-84447:342.

9506230309 Summary of 950511 meeting w/Framatome re details of fuel assembly storage racks designed by ATEA.List of attendees & slides encl.
KOPP,L. . 95/05/19. JONES,R. . 58pp. 84421:182-84421:238.

9506230363 Notification of 950718 meeting w/EPRI/NEI/industry in Rockville,MD to discuss status of current efforts involving SG integrity.
REED,T.A. . 95/06/12. STROSNIDER,J. . 3pp. 84429:355-84429:357.

9506230365 Advises that util 930608 repts WCAP-13349 & WCAP-12141,rev 1 will be withheld from public disclosure ref 10CFR2.790.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). TAC M82210. 95/06/12. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 84429:343-84429:346.

9506280055 Requests relief from min Charpy upper-shelf energy requirement of 50 ft-lb specified in 10CFR50,App G. CE NPSD-993, "Evaluation of Low Upper Shelf Energy for Reactor Vessel Beltline Weld & Base Metal...," encl.
HEBERT,J.R. Maine Yankee Atomic Power Co. MN-95-72. 95/06/22. Document Control Branch (Document Control Desk). 8pp. 84494:083-84494:265.

--9506280059 CE NPSD-993 "Evaluation of Low Upper Shelf Energy for Reactor Vessel Beltline Weld & Base Metal Matls for C-E NSSS Reactor Pressure Vessels," final rept.
STEWART,C.D. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). STEWART,C.D. ASEA Brown Boveri, Inc. 95/05/31. 175pp. 84494:091-84494:265.

9506280066 Forwards Rev 3 to W rept WCAP-14047 & Rev 3 to proprietary rept WCAP-14046,WCAP-14046 withheld (ref 10CFR2.790).
PONTIOUS,H.D. Commonwealth Edison Co. 95/06/19. Document Control Branch (Document Control Desk). 3pp. 84517:001-84518:036.

--9506280080 Requests that proprietary verison of rept WCAP-14046,Rev 3, "Braidwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria," be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-807. 95/04/11. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 84517:004-84517:011.

--9506280087 WCAP-14047 R03 Non-proprietary Rev 3 to rept WCAP-14047, "Braidwood Unit 1 Technical Support for Cycle 5 SG Interim Plugging Criteria."
* Westinghouse Electric Corp. SG-95-03-012. 95/03/31. 389pp. 84517:012-84518:036.

9506280114 Application for amends to licenses DPR-67 & NPF-16.Amends would revise action statements & certain surveillances of TS 3/4.5.1 re safety injection tanks.
SAGER,D.A. Florida Power & Light Co. L-95-134. 95/06/21. Document Control Branch (Document Control Desk). 15pp. 84492:217-84492:285.

--9506280128 CE NPSD-994 "Joint Applications Rept for Safety Injection Tank AOT/STI Extension."
* C-E Operating Plants Owners Group. * ASEA Brown Boveri, Inc. * ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/05/31. 33pp. 84492:253-84492:285.

9506280278 Forwards EPRI final rept TR-104788, "Primary-to-Secondary Leak Guidelines." Offers to arrange meeting w/NRC to facilitate review of guidelines.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/06/23. Document Control Branch (Document Control Desk). 1p. 84496:161-84496:253.

--9506280293 TR-104788 Final rept, "PWR Primary-to-Secondary Leak Guidelines."
THOMAS,R.C. Electric Power Research Institute. 95/05/31. 92pp. 84496:162-84496:253.

9506280428 Ack receipt of 941007 ltr re specific use by Framatone of TRAC/PFI code.Incomplete copy of MOU between NRC & France re thermal hydraulic research encl.
SOLBERG,D.E. Reactor & Plant Systems Branch (Post 941217). 95/06/08. REOCREUX,M. France. 10pp. 84509:219-84509:228.

9506280430 Forwards Westinghouse submittal,PCS-T2R-050, "Large-Scale Test Data Evaluation," dtd May 1995.W/o encl.
MONNINGER,J.D. . 95/06/14. GRIFFITH,R. Sandia National Laboratories. 1p. 84453:294-84453:294.

9506280503 Advises that Topical Rept BWA-2133P, "Mark-BN Advanced Claddings Fuel Rod Evaluation" & "Evaluation of M4 & M5 Claddings Alloys for TMI-1," contains proprietary info & will be withheld from public disclosure,ref 10CFR2.790.
HERNAN,R.W. Project Directorate I-3 (PD1-3) (Post 941001). TAC M92441. 95/06/15. BROUGHTON,T.G. Georgia Power Co. 4pp. 84453:259-84453:262.

9506280804 Submits impact of changes & errors in ECCS evaluation methodology used by GE.
KLAPPROTH,J.F. General Electric Co. JFK-95-042. 95/06/24. JONES,R.C. Document Control Branch (Document Control Desk). 2pp. 84518:242-84518:243.

9506290098 Submits info supporting change in mislocated fuel bundle event acceptance criteria similar to that reviewed by NRC for misoriented bundle event.
KLAPPROTH,J.F. General Electric Co. JFK-95-029. 95/06/23. JONES,R.C. . 7pp. 84506:316-84506:322.

9506290205 Forwards SE accepting response to GI-70,per GL 90-06. Response to GI-94 based on methodology developed in CEN-381P,rept not approved by NRC.Requests that util resubmit response using methodology acceptable by NRC.
KALMAN,G. . GL-90-06. 95/06/14. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84487:342-84487:347.

9506290221 Forwards proprietary topical rept EMF-95-084(P), "PWR Neutronics Design Code/Code Sys Evaluation & Validation" for NRC review.Rept withheld from public disclosure per 10CFR2.790(b).
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:95:096. 95/06/19. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 84482:047-84482:050.

9506290306 Discusses Feb 1995 ACRS meeting on BWROG proposed EPG modifications re ATWS/stability & forwards draft SE.
JONES,R.C. . 95/06/15. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 10pp. 84494:021-84494:067.

--9506300110 ORNL/NRC/LTR-94/28 Draft rev 1 to "Review of Proposed Mods to Emergency Procedure Guidelines for ATWS Events."
MARCH-LEUBA,J. Oak Ridge National Laboratory. FIN L-1697. 95/06/30. Office of Nuclear Reactor Regulation (Post 941001). 37pp. 84494:031-84494:067.

9506290415 Forwards "Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Curves:Introduction of Random Instrument Uncertainties Adds Unnecessary Conservatism to WCAP-14040 Methodology," addressing NRC concerns re WCAP-14040,Rev 1.
BUSH,L. Westinghouse Operating Plants Owners Group. OG-95-54. 95/06/16. . 6pp. 84506:323-84506:343.

--9506290427 Rev 0 to "Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Curves:Introduction of Random Instrument Uncertainties Adds Unnecessary Conservatism to WCAP-14040 Methodology."
* Westinghouse Electric Corp. 95/06/16. 15pp. 84506:329-84506:343.

9506290443 Forwards DSER re proposed changes to BWROG emergency procedure guidelines to address ATWS/stability.
JONES,R.C. . 95/06/16. HIATT,S.L. Ohio Citizens for Responsible Energy. 10pp. 84510:070-84510:116.

9506290448 Forwards summary of open requests for addl info re WCAP-12945-P, "Code Qualification Document for Best Estimate LOCA Analysis," Vols 1-5.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4486. 95/06/13. Document Control Branch (Document Control Desk). 11pp. 84521:098-84521:108.

9506300049 Forwards proprietary WCAP-14305, "AP600 Test Program ADS Phase B1 Test Analysis Rept." Rept withheld ref 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4491. 95/06/23. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84537:318-84537:328.

--9506300052 Requests that WCAP-14305, "AP600 Test Program ADS Phase B1 Test Analysis Rept," be withheld re 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-850. 95/06/23. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84537:322-84537:328.

9506300113 Forwards requested ltr from INPO to NRC re managing maint during power operations.
MCCREE,V.M. Ofc of the Executive Director for Operations. 95/05/03. BUCKLES,R. NUS Corp. 2pp. 84493:285-84493:295.

9506300137 Discusses telcon w/BWROG-valve tech review group on periodic verification of MOV design-basis capability.
SCARBROUGH,T.G. . 95/04/25. WESSMAN,R.H. . 5pp. 84488:331-84488:335.

9506300139 Forwards note from A Serkiz to R Lobel providing comments on BWROG test program & ltr from R Barrett to R Sgarro providing staff viewpoints on important considerations for test program to qualify alternative strainer design.
ELLIOTT,R. NRC - No Detailed Affiliation Given. 95/03/28. GREEN,T. BWR Owners Group. 1p. 84488:341-84488:348.

--9506300159 Submits comments on WROG Strainer/Debris Test Plan (950314 Version 1).
SERKIZ,A. Generic Safety Issues Branch (Post 941217). 95/03/27. LOBEL,R. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84488:342-84488:348.

9506300160 Forwards proprietary gap conductance info supporting review of topical rept NEDC-32339P,suppl 1.
NEWKIRK,D.W. General Electric Co. MFN-088-95. 95/06/19. Document Control Branch (Document Control Desk). 5pp. 84518:352-84518:356.

9506300265 Forwards proprietary WCAP-14333, "Probabilistic Risk Analysis Of RPS & ESFAS Test Times & Completion Times," & non-proprietary WCAP-14334, "Probabilistic Risk Analysis Of RPS & ESFAS Test Times & Completion Times."
MECREDY,R.C. Rochester Gas & Electric Corp. 95/06/20. JOHNSON,A. Project Directorate I-1 (PD1-1) (Post 941001). 3pp. 84525:043-84525:178.

--9506300268 Requests that WCAP-14333, "Probabilistic Risk Assessment Of RPS & ESFAS Test Times & Completion Times," be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-842. 95/06/09. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 9pp. 84525:046-84525:054.

--9506300278 WCAP-14334-NP Non-Proprietary "Probabilistic Risk Analysis Of RPS & ESFAS Test Times & Completion Times."
ANDRACHEK,J.D., ANDRE,G.R., HAESSLER,R.L. Westinghouse Electric Corp. 95/05/31. 124pp. 84525:055-84525:178.

9506300269 Forwards minutes of 950602 telcon/meeting re BWR Owners Group planned presentation at Jul ACRS meeting in support of boron remixing.
JONES,B. . 95/06/16. BOEHNERT,P. ACRS - Advisory Committee on Reactor Safeguards. 1p. 84510:199-84510:227.

--9506300279 Summary of 950602 telcon/meeting w/BWR Owners Group re results of NRC emergency procedures guideline analysis. Figures & Owners Group-provided info encl.
ULSES,T.P. . 95/06/16. JONES,B. . 28pp. 84510:200-84510:227.

9506300276 Forwards Rev 1 to "Operational Data & Safety Assessment...." Rept provides generic info to support each util efforts in responding to GL 95-03, "Circumferential Cracking of SG Tubes."
GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-95-55. 95/06/26. Document Control Branch (Document Control Desk). 2pp. 84525:179-84525:223.

--9506300284 Rev 1 to "Operational Data & Safety Assessment,Generic Response Addressing GL 95-03 Requested Actions."
* Westinghouse Operating Plants Owners Group. GL-95-03. 95/06/22. 43pp. 84525:181-84525:223.

9506300281 Forwards viewgraph showing difference in NRC & BWROG correlations for sludge plus fiber.
ELLIOTT,R. . 95/04/05. BILANIN,A. Continuum Dynamics, Inc. 2pp. 84510:117-84510:118.

9506300288 Forwards draft SER accepting BWR Owners Group proposed emergency procedure guideline mods.Comments requested ASAP w/objective of resolving any technical issues prior to ACRS 950711 subcommittee meeting.
JONES,R.C. . 95/06/16. PINELLI,R.A. BWR Owners Group. 10pp. 84511:001-84511:047.

WASTE MGT NUCLEAR WASTE MANAGEMENT

8701270204 Forwards "Canonsburg U Mill Tailings Site Remedial Action Completion Rept" & final audit rept,for review,comment & concurrence.Remaining as-built drawings on hold pending receipt of aerial survey.
THEMELIS,J.G. Energy, Dept. of. 86/06/11. KNAPP,M. NRC - No Detailed Affiliation Given. 2pp. 84446:001-84447:269.

--9506230096 "Final Audit Rept," Apr 1986.
* Pennsylvania, Commonwealth of. 86/06/11. 19pp. 84446:003-84446:355.

--9506230103 Volume 2, "Canonsburg U Mill Tailings Site Remedial Action Completion Rept."
* MK-Ferguson Co. 86/06/11. 186pp. 84447:001-84447:185.

--9506230110 App C, "Subcontract Documents Can Phase II Final Rev."
* MK-Ferguson Co. 86/06/11. 81pp. 84447:186-84447:269.

9005090064 Forwards hydrogeology repts for Dawn site,per R Hall request.
DAVIS,L.A. Water, Waste & Land, Inc. 90/03/28. KONWINSKI,G. Uranium Recovery Field Ofc, R4. 1p. 84445:001-84445:220.

--9506220150 "Hydrogeologic Characterization Study:Hydrogeologic Field Investigations." W/two oversize drawings.
* Water, Waste & Land, Inc. 90/02/28. 219pp. 84445:002-84445:220.

9206300185 Forwards partial ltr to NRC requesting technical assistance to determine classification of filtercake residue from treatment at Midnite Mine water treatment plant.
STRONG,T.R. Washington, State of. 92/05/04. Washington, State of. 1p. 84403:171-84403:177.

--9506220227 Requests technical assistance in determining if filtercake residue from Dawn Mining Company licensed water treatment operation at Midnite U Mine can be classified as refined or processed ore.
ROBERSTON,G. Washington, State of. 92/04/29. HORNER,J. Region 4 (Post 820201). 6pp. 84403:172-84403:177.

9505180429 Forwards paper entitled, "Effects on Faults on Vapor Transport in Convection Surrounding Heated Repository in Unsaturated Formation."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/19. MCCARTIN,T.J. NRC - No Detailed Affiliation Given. 1p. 84307:321-84307:360.

--9506160071 "Effects of Faults on Vapor Transport in Convection Surrounding Heated Repository in Unsaturated Formation."
PHILLIPS,O.M. Johns Hopkins Univ., Baltimore, MD. HLWR. 95/04/19. 39pp. 84307:322-84307:360.

9506010019 Discusses pneumatic characteristics of Yucca Mountain that may potentially affect repository performance in listed two ways.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). HLWR. 95/05/12. KNAPP,M.R. Office of Nuclear Material Safety & Safeguards. 3pp. 84172:324-84172:326.

9506010057 Advises that Yucca Mountain QA Div has verified corrective action to corrective action request YM-95-019 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/25. COSTIN,L.S. Sandia National Laboratories. 4pp. 84173:081-84173:084.

9506010307 Forwards record of surveillance YMP-SR-95-029 conducted by Yucca Mountain QA Div at Kiewit/PB facilities in Las Vegas, NV & at Yucca Mountain site on 950510-11.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/23. KOSS,D.L. Reynolds Electrical & Engineering Co., Inc. 5pp. 84173:131-84173:135.

9506010341 Forwards paper, "Contributions of Thermodynamic & Mass Transport Modeling to Evaluation of Groundwater Travel Time & Groundwater Flow at Yucca Mountain,NV." Paper originally transmitted to J Randall due to administrative error.
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/02/02. MEEHAN,B.D. Division of Contracts (Post 940714). 9pp. 84173:139-84173:147.

9506010421 Forward U Recovery Program Policy & Guidance Directive DWM 95-01, "Staff Technical Position on Effluent Disposal at Licensed U Recovery Facilities."
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/25. NRC - No Detailed Affiliation Given. 1p. 84184:166-84184:172.

--9506010427 U Recovery Program Policy & Guidance Directive DWM 95-01, "Staff Technical Position on Effluent Disposal at Licensed U Recovery Facilities."
HAMDAN,L. Performance Assessment & Hydrology Branch (NMSS 940403). 95/04/20. 6pp. 84184:167-84184:172.

9506010545 Trip rept of 950417-21 visit to Doubletree Hotel in Salt Lake City,UT to attend DOE/USGS Workshop To Select Earthquake Scenarios for Modeling Ground Motion At Yucca Mountain,NV.
HOFMANN,R.B., MCKAGUEH,L., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/05/09. Center for Nuclear Waste Regulatory Analyses. 15pp. 84173:158-84173:172.

9506020067 Responds to 940425 ltr to I Selin,requesting that issues raised in 941215 ltr be resolved before Selin leaves NRC on 950701.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/05/25. LOOMIS,M. Wyoming Mining Association. 2pp. 84182:280-84182:282.

9506020071 Forwards updated FY95 operating plan for U recovery work, listing all known U activities/work as of end of Apr 1995, including FTE expenditure vs budget comparison to show how FTE in program spent.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/25. BELL,M. Engineering & Geosciences Branch (NMSS 940403). AUSTIN,J. Performance Assessment & Hydrology Branch (NMSS 940403). 9pp. 84182:283-84182:291.

9506020241 Forwards UCRL-ID-120990 COM,LLNL rept entitled, "Comments on Draft Paper 'Underground Supercriticality From Pu & Other Fissile Matl' Written by CD Bowman & F Venneri."
BARRETT,L.H. Energy, Dept. of. HLWR. 95/05/11. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 84198:230-84198:250.

--9506020248 UCRL-ID-120990 COM "Comments on Draft Paper 'Underground Supercriticality From Pu & Other Fissile Matl.'"
BOWMAN,C.D., VENNERI,F. Lawrence Livermore National Laboratory. HLWR. 95/05/05. 19pp. 84198:232-84198:250.

9506050027 Responds to DOE OCRWM 950511 ltr which forwarded LLNL rept, "Comments on Draft Paper 'Underground Supercriticality from Pu & Other Fissle Matl.'"
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. HLWR. 95/05/30. BARRETT,L. Energy, Dept. of. 2pp. 84213:073-84213:074.

9506050118 Forwards QA Program Quarterly Trend Rept for second quarter of FY95.
HORTON,D.G. Energy, Dept. of. HLWR. 95/05/26. SPRAUL,J.G. NRC - No Detailed Affiliation Given. DREYFUS,D.A., BARRETT,L.H. Energy, Dept. of. 1p. 84198:288-84198:294.

--9506050122 "OCRWM QA Program Quarterly Trend Rept for Second Quarter of FY95."
SPENCE,R.E., CLARK,R., HORTON,D.G. Energy, Dept. of. HLWR. 95/05/26. 6pp. 84198:289-84198:294.

9506060480 Forwards CNWRA technical document entitled, "Chapter 18 - Experimental Study on Dynamic Behavior of Rock Joints" for inclusion as Chapter 18 of book entitled, "DECOVALEX - Mathematical & Experiemental Studies of Coupled...."
SAGAR,B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/03/20. RANDALL,J. Division of Regulatory Applications (Post 941217). 30pp. 84237:320-84237:349.

9506080297 Forwards Rev 0 of "Principles & Guidelines for Formal Use of Expert Judgment by Yucca Mountain Site Characterization Project," in response to NRC concerns expressed in SCA Comment 3.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/06/01. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84222:044-84222:062.

--9506080301 Rev 0 of "Principles & Guidelines for Formal Use of Expert Judgment by Yucca Mountain Site Characterization Project."
* Energy, Dept. of. HLWR. 95/05/22. 16pp. 84222:047-84222:062.

9506080323 Discusses info re research high-level waste users need.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). HLWR. 95/05/11. BAHADUR,S. Office of Nuclear Regulatory Research (860720-941217). 7pp. 84280:001-84280:008.

--9506080329 Discusses info re needs of research high-level waste users.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). HLWR. 95/05/10. BAHADUR,S. Office of Nuclear Regulatory Research (860720-941217). 1p. 84280:008-84280:008.

9506090100 Trip rept of 950402-03 visit to Lathrop Wells cone w/DOE, LANL vocanologist,CNWRA volcanologists & members of CNWRA Volcanism Expert Panel re geologic history of Lathrop Wells cone.
TRAPP,J.S. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/06/02. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 28pp. 84247:302-84247:329.

9506090264 Trip rept of 950508-10 visit to New Orleans,LA to attend 1995 Intl Conference on Microbial Corrosion.
ANGELL,P. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/05/24. Center for Nuclear Waste Regulatory Analyses. 13pp. 84280:009-84280:021.

9506090313 Concurs in use of Rev 6 as QA plan for UMTRA Project.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/23. CORMIER,C.A. Energy, Dept. of. 1p. 84280:022-84280:022.

9506090314 Advises that 950524 request that C/A due date for Corrective Action Request YM-95-018 be extended to 950601 will be approved w/OCRWM new policy requiring concurrence of applicable DOE Assistant Manager & QA Div Director.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/01. COSTIN,L.S. Sandia National Laboratories. 1p. 84247:352-84247:352.

9506090326 Informs that DOE verified C/A to Corrective Action Request YM-94-050 resulting from Yucca Mountain QA Div Audit YMP-94-06 of USGS & determined results to be unsatisfactory because of listed reasons.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/01. HAYES,L.R. Interior, Dept. of, Geological Survey. 14pp. 84247:338-84247:351.

9506120013 Forwards Rev 4 to Study Plan 8.3.1.4.2.1, "Characterization of Vertical & Lateral Distribution of Stratigraphic Units Within Site Area."
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/05/08. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84309:001-84309:119.

--9506120020 Rev 4 to "Characterization of Vertical & Lateral Distribution of Stratigraphic Units Within Site Area."
BANKS,J., JOHNSON,J. Energy, Dept. of. 95/04/20. 115pp. 84309:005-84309:119.

9506120143 Forwards SKB repts entitled, "Hydrodynamic Modelling of Original Steady State & LPT2 Experiments MARTHE & SESAME Codes," & "Hydrodynamic Modelling of Aspo HRL ROCKFLOW Code."
LEVICH,R.A., JONES,S.B. Energy, Dept. of. HLWR. 95/06/02. DREYFUS,D.A., BARRETT,L.H., MILNER,R.A. Energy, Dept. of. 4pp. 84508:240-84508:361.

--9506120154 94-16 "Hydrodynamic Modelling of Original Steady State & LPT2 Experiments MARTHE & SESAME Codes."
BARTHELEMY,Y., SCHWARTZ,J., SEBTI,K. Sweden, Govt. of. 94/12/31. 53pp. 84508:244-84508:296.

--9506120160 94-15 "Hydrodynamic Modelling of Aspo Hard Rock Lab ROCKFLOW Code."
NOYER,M.L., FILLION,E. Sweden, Govt. of. 94/12/31. 69pp. 84508:297-84508:361.

9506120234 Forwards Study Plan 8.3.1.15.1.3,Rev 1, "Lab Determination of Mechanical Properties of Intact Rock."
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/06/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84280:064-84280:114.

--9506120244 Rev 1 to Study Plan 8.3.1.15.1.3, "Lab Determination of Mechanical Properties of Intact Rock."
PRICE,R.H. Sandia National Laboratories. HLWR. 95/05/15. 48pp. 84280:067-84280:114.

9506120255 Provides results of ENGB review of DOE site characterization progress rept number 11.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/06/01. HOLONICH,J.H. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 13pp. 84280:115-84280:127.

9506120264 Submits comments on draft insp procedure 871XX.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/01. COMBS,F.C. Operations Branch. 4pp. 84282:263-84282:266.

9506120273 Responds to 950310 ltr & provides review of DOE final remedial action plan for Maybell,CO.
GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/02. CORMIER,C. Energy, Dept. of. 4pp. 84282:259-84282:262.

9506120365 Trip rept of 950517-18 visit to Yucca Mountain,NV re ongoing surface-based site characterization activities.
MCDUFFIE,S. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/06/07. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 6pp. 84280:128-84280:133.

9506120369 Trip rept of 950417-21 visit to Salt Lake City,UT re data needs workshops on seismic source characterization & ground motion characterization,part of DOE probabilistic seismic analysis for Yucca Mountain.
IBRAHIM,A., MCDUFFIE,S. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/06/01. NATARAJA,M. Engineering & Geosciences Branch (NMSS 940403). 16pp. 84280:134-84280:149.

9506120370 Forwards summary for 950329 technical exchange between NRC & DOE on groundwater travel time.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/06/06. MILNER,R.A. Energy, Dept. of. 10pp. 84280:150-84280:159.

9506120375 Informs that requirements of Intermediate Milestone 5702-723-530 considered acceptably met upon re-submission of paper on near-field coupled liquid,vapor & heat transport w/ inclusison of Figure 6.
MCCARTIN,T. Division of Waste Management (NMSS 940403). HLWR. 95/06/06. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 84280:168-84280:168.

9506130071 Forwards preliminary TER for Vance & Assoc,Inc 3R-STAT,TR, WM-109 & 950420 transmittal ltr.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-085. 95/05/24. General. 3pp. 84242:180-84242:249.

--9506130099 "Preliminary TER for TR "3R-STAT:TC-99 & I-129 Release Analysis Computer Code."" Version 3.0.
* Division of Waste Management (NMSS 940403). 93/02/06. 31pp. 84242:184-84242:249.

9506130197 Informs that staff has verified corrective action to CAR YM-95-018 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/06. COSTIN,L.S. Sandia National Laboratories. 11pp. 84312:161-84312:171.

9506130201 Notification of Technical Advisory Committee meeting scheduled for 930504 re closure of Dawn Mining Co millsite.
STRONG,T.R. Washington, State of. 93/04/08. Washington, State of. 20pp. 84284:032-84284:051.

9506130203 Informs that staff has verified corrective action to CAR YM-94-065 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/06. FOUST,L.D. TRW Environmental Safety Systems, Inc. 98pp. 84312:172-84312:269.

9506130440 Discusses State of NV views on pneumatic pathway issue as addressed in NRC 950512 ltr.
LOUX,R.R. Nevada, State of. HLWR. 95/06/02. GREEVES,J.T. Division of Waste Management (NMSS 940403). 6pp. 84312:310-84312:315.

9506140037 Forwards surveillance record YMP-SR-95-025 conducted by Yucca Mountain QA Div at recipient/Kiewit/Parsons Brinckerhoff facilities in Las Vegas,NV from 950331-0410.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/05. KOSS,D.L. Reynolds Electrical & Engineering Co., Inc. 6pp. 84339:064-84339:069.

9506140046 Forwards surveillance record YMP-SR-95-030 conducted by Yucca Mountain QA Div at CRWMS M&O facilities in Las Vegas, NV 950425-0517.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/05. FOUST,L.D. TRW Environmental Safety Systems, Inc. 6pp. 84337:350-84337:355.

9506140151 Forwards design analysis BAB000000-01717-0200-00002,Rev 00C, "Geology of Exploratory Studies Facility (ESF) TS Loop" which will be part of ESF Title II Main Drift design (Design Package 8A).
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/06/08. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84353:279-84353:358.

--9506140156 BAB000000-01717-0200 Design Analysis BAB000000-01717-0200-00002,rev 00C, "Geology of Exploratory Studies Facility TS Loop."
NIEDER-WESTERMA Energy, Dept. of. HLWR. 95/06/08. 72pp. 84353:282-84353:358.

9506140401 Forwards "DOE OCRWM Ofc of QA Audit Rept of LANL Los Alamos, NM Audit YM-ARC-95-11 950508-12."
HORTON,D.G. Energy, Dept. of. HLWR. 95/06/07. CANEPA,J.A. Los Alamos National Laboratory. 2pp. 84353:003-84353:019.

--9506140402 YM-ARC-95-11 "DOE OCRWM Ofc of QA Audit Rept of LANL Los Alamos,NM Audit YM-ARC-95-11 950508-12."
ARCEO,A.I., HORTON,D.G. Energy, Dept. of. HLWR. 95/06/06. 15pp. 84353:005-84353:019.

9506150148 Notification of 940323 public meeting in Ford,Washington re Dawn Mining Co site closure plan.
STRONG,T.R. Washington, State of. 94/03/11. Washington, State of. 5pp. 84306:296-84306:300.

9506150155 Forwards 930504 meeting minutes for Technical Advisory Committee meeting re Dawn Mining Co closure.
STRONG,T.R. Washington, State of. 93/05/18. Washington, State of. 6pp. 84306:301-84306:306.

9506150163 Forwards ltr from Dawn Mining Co requesting approval for disposal of slightly contaminated radioactive matl at facility.
STRONG,T.R. Washington, State of. 91/06/14. Washington, State of. 2pp. 84329:271-84329:272.

9506150198 Documents NRC acceptance of Revs 1 & 2 of DOE OCRWM Ofc of QA document, "QA Requirements & Description," DOE/RW-0333P.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/06/06. MILNER,R.A. Energy, Dept. of. 2pp. 84353:001-84353:002.

9506150358 Trip rept of 950616-17 visit to Las Vegas,NV re probabilistic volcanic hazards assessment.
HILL,B.E., MCKAGUE,H.L., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/06/02. Center for Nuclear Waste Regulatory Analyses. 5pp. 84404:207-84404:211.

9506150360 Trip rept of 950403 visit to Lathrop Wells volcano,NV re review of ongoing volcanism research.
HILL,B.E., CONNOR,C.B., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/05/30. Center for Nuclear Waste Regulatory Analyses. 7pp. 84404:212-84404:218.

9506150362 Forwards "Database Synchronization Design Rept" associated w/Technical Ref Document Database Sys.
GARCIA,H.F. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/05/01. FORTUNA,S. Division of Waste Management (NMSS 940403). 1p. 84350:115-84350:142.

--9506150367 "Database Synchronization Design Rept."
DEWISPELARE,A., COOPER,J.H., MARSHALL,R.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/05/31. Division of Waste Management (NMSS 940403). 27pp. 84350:116-84350:142.

9506150396 Forwards interim guidelines for disposal of Cs-135 furnace dust resulting from inadvertent melting of sources.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/31. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 33pp. 84340:211-84340:246.

--9506150402 Submits update on new mixed waste treatment facility.Urges NRC to carefully evaluate currently available treatment & disposal options such as Envirocare's before considering changes to regulations re mixed waste disposal.
SEMNANI,K. Envirocare of Utah, Inc. 95/04/13. DE PLANQUE,G. Commissioners (Post 750119). 2pp. 84340:244-84340:245.

--9506150404 Forwards info re Envirocare newly permitted mixed waste treatment facility,as discussed.W/o encl.
RAFATI,A. Envirocare of Utah, Inc. 95/04/14. LAHS,W. NRC - No Detailed Affiliation Given. 1p. 84340:246-84340:246.

9506160208 Trip rept of 950329-31 visit to Las Vegas,NV re probabilistic volcanic hazards assessment.
HILL,B.E., CONNOR,C.B., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. 95/05/24. Center for Nuclear Waste Regulatory Analyses. 48pp. 84385:244-84385:290.

9506160295 Informs that staff has evaluated suppl response to CAR YM-95-028 & response determined to be unsatisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/09. FOUST,L.D. TRW Environmental Safety Systems, Inc. 10pp. 84385:204-84385:215.

9506160312 Discusses OCRWM QA audit YM-ARP-95-09 of USGS support of Yucca Mountain Site Characterization Project.
HORTON,D.G. Energy, Dept. of. HLWR. 95/06/09. HAYES,L.R. Interior, Dept. of, Geological Survey. 2pp. 84385:216-84385:236.

--9506160318 YM-ARP-95-09 "USDOE OCRWM Ofc of QA Audit Rept of USGS in Denver,CO re Audit Number YM-ARP-95-09 950508-12."
HARRIS,D.J., HORTON,D.G. Energy, Dept. of. HLWR. 95/06/08. 19pp. 84385:218-84385:236.

9506160323 Advises that team of auditors from Yucca Mountain QA Division will conduct QA audit of CRWMS M&O program in Las Vegas,NV 950724-28.
HORTON,D.G. Energy, Dept. of. HLWR. 95/06/09. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 84362:186-84362:192.

--9506160329 "OCRWM QA Audit Plan for Audit YM-ARP-95-16 of CRWM Sys Mgt & Operating Contractor in Las Vegas,NV 950724-28."
MASLAR,S.R., HORTON,D.G. Energy, Dept. of. HLWR. 95/06/08. 5pp. 84362:188-84362:192.

9506160481 Informs of review of proposed groundwater protection strategy for Green River UMTRA site.
SINCLAIR,W.J. Utah, Univ. of, Salt Lake City, UT. 95/05/25. ABRAMS,M. Energy, Dept. of. 4pp. 84366:186-84366:189.

9506160517 Trip rept of 950522-25 visit to Chihuahua,Chihuahua Mexico re field research focused on Nopal I deposit.
PEARCY,E.C., PRIKRYL,J.D., PICKETT,D.A. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/05/31. Center for Nuclear Waste Regulatory Analyses. 7pp. 84385:237-84385:243.

9506160535 Ack receipt of 950406 ltr re advancement of new technologies for environ restoration projects.Discusses DOE plans to collect approx 5 gallons of unfiltered water from Gunnison, CO Well Number 006.
ARP,S.J. Energy, Dept. of. 95/06/08. CORNISH,J. MSE, Inc. 4pp. 84366:298-84366:301.

9506190017 Forwards revised page C-3 to App C of Remedial Action Plan re codisposal & stabilization of Monument Valley & Mexican Hat U mill tailings in UT.
EDGE,R. Energy, Dept. of. 95/05/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84385:335-84385:337.

9506190025 Forwards Project Interface Document (PID) 08-S-17,which modifies backfill requirements at processing site for Gunnison,Co Remedial Action Plan.
ARP,S.J. Energy, Dept. of. 95/05/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84380:326-84380:328.

9506190221 Expresses thanks for time spent w/A Holm,showing Holm around Central Valley Water Reclamation facility & former Vitro processing site.
ARP,S.J. Energy, Dept. of. 95/06/01. FISHER,R.N. Salt Lake City, UT. 3pp. 84385:342-84385:344.

9506190242 Forwards proposed briefing slides for Commission briefing scheduled for 950720 on NRC use of expert elicitation in HLW performance assessments.
GREEVES,J. Division of Waste Management (NMSS 940403). HLWR. 95/06/08. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 28pp. 84386:271-84386:298.

9506190257 Forwards evaluation of DOE project interface document 06-S-40 for Rifle,CO site,as requested by DOE 950414 ltr.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84385:360-84385:361.

9506190266 Responds to Oge 941021 ltr addressing EPA preferred option for dealing w/ground-water protection at commercial LLW disposal sites.NRC review comments on "Pre-Proposal Environ Stds for Mgt,Storage & Disposal of LLW (40CFR193)," encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/06/02. TROVATO,R. Environmental Protection Agency. 22pp. 84385:292-84385:313.

9506190269 Forwards key refs & documents dealing w/NRC review of DOE TR on absence of extreme erosion at Yucca Mountain,as discussed in 950601 meeting.W/o encls.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). HLWR. 95/06/08. CROWLEY,K. National Academy of Sciences. 1p. 84386:299-84386:299.

9506190274 Forwards minutes from bi-monthly NRC/State of UT telcon on U recovery licensees conducted on 950518.
CARLSON,R.D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/08. SINCLAIR,W.J. Utah, State of. 5pp. 84380:329-84380:333.

9506190281 Responds to request for comments on EPA plans to develop package of targeted legislative improvements to RCRA (FR Vol 60 Number 82 20992).
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 82FR20992. 95/06/07. Environmental Protection Agency. 5pp. 84404:228-84404:232.

9506190454 Informs that all copyright clearances needed to make 950424 transmittal of refs supporting DOE response to NRC comments on TR YMP/92-41-TPR, "Evaluation of Potentially Adverse Condition 'Evidence for Extreme Erosion...'" acquired.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/06/12. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 2pp. 84388:358-84388:359.

9506200267 Informs that 950607 amended response to unsatisfactory verification of Corrective Action Request YM-95-021 resulting from Yucca Mountain QA Div Audit YM-ARP-95-04 of USGS evaluated & determined to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/15. HAYES,L.R. Interior, Dept. of, Geological Survey. 12pp. 84404:056-84404:067.

9506200272 Ack receipt of 950420 ltr providing recommendation for climatological data in Exploratory Studies Facility re disturbed zone testing.
JONES,S.B. Energy, Dept. of. HLWR. 95/06/15. STELLAVATO,J.N. Nye County, NV. 2pp. 84404:048-84404:049.

9506200284 Forwards "OCRWM QA Audit Plan for Audit YM-ARC-95-15 of OCRWM Washington,DC 950710-14."
HORTON,D.G. Energy, Dept. of. HLWR. 95/06/15. DREYFUS,D.A. Energy, Dept. of. 2pp. 84404:050-84404:055.

--9506200287 "OCRWM QA Audit Plan for Audit YM-ARC-95-15 of OCRWM Washington,DC 950710-14."
MAUDLIN,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 95/06/14. 4pp. 84404:052-84404:055.

9506210322 Forwards responses to NRC review comments on paper, "Mixed Transform Finite Element Method for Solving Equation for Variably Saturated Flow" & revised paper.
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/05/31. RANDALL,J.D. Division of Regulatory Applications (Post 941217). 5pp. 84429:197-84429:229.

--9506210333 Revised paper, "Mixed Transform Finite Element Method for Solving Equation for Variably Saturated Flow."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. CHUNG,J.N., MULLA,D.J. Washington State Univ., Pullman, WA. HLWR. 95/05/31. Division of Regulatory Applications (Post 941217). 28pp. 84429:202-84429:229.

9506210350 Notification of 950628-29 technical exchange w/DOE in Las Vegas,NV to discuss engineered barrier sys release rates & waste form testing.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/06/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84429:230-84429:233.

9506210354 Forwards paper, "Mixed Transform Finite Element Method for Solving Equation for Variably Saturated Flow."
SAGAR,B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/02/24. RANDALL,J.D. NRC - No Detailed Affiliation Given. 1p. 84429:234-84429:261.

--9506210369 "Mixed Transform Finite Element Method for Solving Equation for Variably Saturated Flow."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. CHUNG,J.N., MULLA,D.J. Washington State Univ., Pullman, WA. NRC-02-93-005. HLWR. 95/02/24. Division of Regulatory Applications (Post 941217). 27pp. 84429:235-84429:261.

9506220106 Notifies of Dawn Mining Co Closure Plan Technical Advisory Committee meeting on 940210 re final Ground Water Remedial Action Plan analysis & presentation of official TAC membership.
STRONG,T.R. Washington, State of. 94/02/03. Affiliation Not Assigned. 1p. 84402:359-84402:359.

9506220132 Advises NRC that DOE has fully implemented reorganization of environ restoration programs at Albuquerque Operations Ofc.U Mill Tailings Project now part of Environ Restoration Div. Correspondence should be sent to listed address.
SENA,R.F. Energy, Dept. of. 95/06/14. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84436:259-84436:259.

9506220137 Advises NRC that DOE has scheduled hearing for Draft Programmatic Environ Impact Statement for U Mill Tailings Remedial Action Ground Water Project from 950607-28.Schedule listed.
METZLER,D. Energy, Dept. of. 95/06/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84436:260-84436:261.

9506220149 Advises that OGC & ICF,Inc (contractor) has reviewed & provided comments on Abbott Health Products,Inc nonstandard financial assurance submittal.Comments should be reviewed prior to deficiency rept preparation.
BYKOSKI,L.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/19. WRIGHT,E. Region 2 (Post 820201). 1p. 84436:266-84436:266.

9506220199 Responds to 950505 ltr to Chairman Selin re NRC efforts to develop workable & environmentally sound policy to facilitate disposal of incident-generated mixed waste from steel producing facilities.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/06/06. TANNER,J. House of Rep. 6pp. 84419:349-84419:354.

9506220282 Informs of addition of two deliverables to performance assessment research project for FY95-96, "Paper on Improved Sorption Model" & "Paper on Study of Liquid Flow in Faults."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/15. MEEHAN,B.D. NRC - No Detailed Affiliation Given. 2pp. 84429:155-84429:156.

9506220289 Forwards CNWRA ltr rept on review of Chapter 2 in LANL 1995 volcanism status rept,addressing LANL responses to NRC comments re Chapter 2 of 1993 preliminary draft of volcanism status rept.
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/19. JUSTUS,P. Engineering & Geosciences Branch (NMSS 940403). 2pp. 84429:157-84429:174.

--9506220291 "Review of Basic Data in Status of Volcanism Studies for Yucca Mountain Site Characterization Project by Crowe et al 1995."
HILL,B.E. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. NRC - No Detailed Affiliation Given. 16pp. 84429:159-84429:174.

9506220325 Responds to NRC statements on 950404 during DOE/NRC mgt meeting re DOE study plan development & review.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/06/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84429:175-84429:179.

9506280321 Provides answers to major concerns expressed in 950511 ltr re premature tunnel boring machine advance.
BARNES,W.E. Energy, Dept. of. HLWR. 95/06/16. BRADSHAW,L.W. Nye County, NV. 6pp. 84492:286-84492:291.

9506280338 Forwards status of corrective action requests issued by OCRWM Ofc of QA as of 950531.
HORTON,D.G. Energy, Dept. of. HLWR. 95/06/16. DREYFUS,D.A., BARRETT,L.H., CLARK,R.W. Energy, Dept. of. 10pp. 84492:292-84492:301.

9506280345 Forwards record of surveillance YMP-SR-95-031 conducted by Yucca Mountain QA Div at CRWMS M&O facilities at Yucca Mountain site in NV on 950515-19.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/16. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 84492:302-84492:308.

9506280437 Rev 0 to, "Staff Technical Position on Effluent Disposal at Licensed U Recovery Facilities."
* Division of Waste Management (NMSS 940403). 95/04/30. 12pp. 84449:312-84449:322.

9506280545 Forwards Project Interface Document (PID) 06-S-40.PID modifies compaction,gradation & permeability test requirements for radon barrier matl as outlined in Spec Section 02200 of Subcontract Documents for Rifle,CO RAP.
ARP,S.J. Energy, Dept. of. 95/06/07. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 24pp. 84480:336-84480:359.

9506280577 Responds to 950601 ltr to I Selin,commenting on key issues raised by ANCW on matters re radiation protection stds.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/16. CULBERSON,D.G. Nuclear Fuel Services, Inc. 4pp. 84475:327-84475:348.

9506280613 Recommends concurrence w/DOE suppl stds application addendum transmitted by DOE 950510 ltr for Cameo Power Plant vicinity property (GJ-15609-CS) in Palisade,CO.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/06/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p.

9506280696 Forwards updated FY95 operating plan for U recovery work,as mentioned in 950525 memo.
HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/06/08. BELL,M. Engineering & Geosciences Branch (NMSS 940403). AUSTIN,J. Performance Assessment & Hydrology Branch (NMSS 940403). 10pp. 84475:291-84475:300.

9506280717 Forwards info requested during recent visit to Washington,DC & requests info be forwarded to H Mignon.Documents describe scenarios for evaluating potential impacts from LLW disposal facilities & residual decommissioning wastes.W/o encls.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/14. RABOUHAMS,J. France. 1p.

9506280788 Forwards "US NRC Div of Waste Mgt Rept NRC-VR-95-01 of In-Field Verification of US DOE Ofc of Civilian Radwaste Mgt & Its Mgt & Operating Contractor."
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/06/16. MILNER,R.A. Energy, Dept. of. 4pp. 84472:297-84472:316.

--9506280792 "US NRC Div of Waste Mgt Rept NRC-VR-95-01 of In-Field Verification of US DOE Ofc of Civilian Radwaste Mgt & Its Mgt & Operating Contractor."
BRIENT,R.D., HSIUNG,S.M., TRBOVICH,T.T. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/05/15. NRC - No Detailed Affiliation Given. 16pp. 84472:301-84472:316.

9506280803 Submits results of review of ltr rept, "Evaluation of Important Radionuclides for Performance Assessment," transmitted on 950525,per Intermediate Milestone (IM) 5702-723-540.Subj IM considered acceptably met.
MCCARTIN,T. Division of Waste Management (NMSS 940403). HLWR. 95/06/14. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 2pp. 84508:194-84508:195.

9506290118 Transmits revised intermediate milestone 20-5702-425-501, "Testing of SEISM 1.1:Sensitivity Analysis." W/disc encl.
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/05/25. JUSTUS,P. Office of Nuclear Material Safety & Safeguards. 1p. 84521:120-84521:159.

--9506290145 Revised "Testing of SEISM 1.1:Sensitivity Analysis."
HOFMANN,R.B., MENCHACA,J.M. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/05/31. NRC - No Detailed Affiliation Given. 39pp. 84521:121-84521:159.

9506290209 Forwards record of surveillance YMP-SR-95-034 conducted by Yucca Mountain QA Div at CRWMS M&O facilities in Bank of America Building in Las Vegas,NV on 950523-31.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/19. FOUST,L.D. TRW Environmental Safety Systems, Inc. pp. 84506:296-84506:302.

9506290269 Forwards response to ACNW 950428 ltr,discussing concerns re DOE program approach.
TAYLOR,J.M. Ofc of the Executive Director for Operations. HLWR. 95/06/19. STEINDLER,M.J. Advisory Committee on Nuclear Waste. 11pp. 84506:305-84506:315.

9506290289 Extends invitation to representative to attend meeting of Interagency Steering Committee on Radiation Std Risk Harmonization on 950615.
WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/06/09. TROVATO,R. Environmental Protection Agency. SCHAEFFER,M. Defense, Dept. of. GALSON,S.K. Energy, Dept. of. 6pp. 84537:280-84537:285.

9506300100 Informs that discussed postcards will be filed in NRC Central File under Docket 72-18 & cross-ref under WM for Yucca Mountain & Praire Island.
STURZ,F.C. Office of Nuclear Material Safety & Safeguards. 95/06/21. GREEN,T. Office of Information Resources Management (Post 890205). 1p. 84523:332-84523:332.

9506300264 Informs of new process of submitting SCA suppl responses to NRC discussed during 950411 meeting.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/06/23. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84527:173-84527:175.

9506300277 Requests that corrective actions to be taken & implemented to correct deficiencies be identified.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/06/22. HAYES,L.R. Interior, Dept. of, Geological Survey. 6pp. 84509:291-84509:296.

9506300303 Submits summary of analysis of concerns raised in NRC 950505 ltr re placement of radon barrier matl on top of cobbly matl at Gunnison,CO disposal cell.
ARP,S.J. Energy, Dept. of. 95/06/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 15pp. 84525:296-84525:310.

XPORTLIC EXPORT AND IMPORT LICENSES

9506010229 Informs that Govt of Republic of Korea confirms listed intl transfer of low enriched U as identified on application for license XSNM-2863.
KIM,Y.H. Korea, Republic of (South Korea). 95/03/22. DEDIK,T. Energy, Dept. of. 1p. 84145:349-84145:349.

9506010235 Forwards applications for export licenses of low-enriched U to Japan for conversion & fabrication & ultimate use as nuclear power reactor fuel.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/25. DELABARRE,R. State, Dept. of. 1p. 84145:348-84145:348.

9506020440 Forwards application for license to export U as U hexafluoride,to Japan.
FISK,R.H. Edlow International Co. 95/05/12. WRIGHT,B. Office of International Programs (Post 911117). 1p. 84182:304-84182:305.

--9506020421 Application for license to export U as U hexafluoride, to Japan.
ASAMI,K. Marubeni America Corp. KLK-99. 95/05/12. 1pp. 84182:305-84182:305.

9506020499 Forwards application fee re 950512 application for license to export U as U hexafluoride (UF6) to japan.
SAITO,A. Affiliation Not Assigned. 95/05/15. WRIGHT,B.L. Office of International Programs (Post 911117). 1P. 84165:257-84165:261.

--9506020508 Forwards fee & application for licensse to export uclear matl & equipment, to Japan.
SAITO,A. Affiliation Not Assigned. 95/05/12. WRIGHT,B.L. Office of International Programs (Post 911117). 1P. 84165:258-84165:258.

--9506020455 Application for license to export U as hexafluoride (UF6) to Japan.
FISK,R.H. Edlow International Co. JJ5799. 95/05/12. . 1P. 84165:259-84165:261.

9506050010 Amend 4 to License for Siemens Power Corp to export 14,730 U-235 contained in 300,930 kg U to Taiwan.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/25. 1p. 84173:347-84173:347.

9506050032 Amend 1 to license for Molycorp,Inc to export 200,000 kg of natural thorium/U contained in rear earth components & mixtures to Argentina.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/25. 1p. 84173:346-84173:346.

9506050085 Confirms that country of origin-source matl of export license XSNM-2866,changed from Canada & France to Canada & US.
LANG,Y. Mitsubishi International Corp. 95/05/08. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 84182:306-84182:307.

--9506050078 Application to amend export license to change country of origin-source matl from Canada & France to Canada & U.S.
MAEKITA,M. Mitsubishi International Corp. HSA-5495-D6. 95/03/10. NRC - No Detailed Affiliation Given. 1p. 84182:307-84182:307.

9506090015 Submits advance notification of listed export shipment,per requirements from implementation of convention of physical protection of nuclear matl.
SHIROSTA,Y. Mitsui & Co. (USA), Inc. 95/04/13. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84207:008-84207:009.

9506090018 Submits advance notification of import shipment of 336 drums of U ore concentrate in 7 20 ft ocean containers from Malifax,CA to Metropolis,IL.
HEHR,W. Affiliation Not Assigned. 95/04/13. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84207:010-84207:011.

9506090051 Advises of slight change re transportation schedule.
SHIROTA,Y. Mitsui & Co. (USA), Inc. 95/04/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 84207:170-84207:170.

9506090057 Forwards upcoming shipment to Sweden in accordance w/Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
* Edlow International Co. 95/03/31. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 84207:236-84207:236.

9506090066 Submits list of departure/arrival dates for shipments made re 6 model 48 Y cylinders, per California Luna (NYK).
ROSE,B. Cameco (formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd. 95/04/17. BENNINGTON,G. Transportation Branch (Post 930207). 1p. 84208:002-84208:002.

9506090101 Forwards schedule of dates of departures & arrivals of natural UF6 shipment.
* Affiliation Not Assigned. 95/05/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 84208:139-84208:139.

9506160025 Submits advance notification of listed export shipment,per requirements from implementation of convention of physical protection of nuclear matl.
SHIROTA,Y. Mitsui & Co. (USA), Inc. 95/05/09. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 4pp. 84312:007-84312:010.

9506160043 Confirms that U02 for listed projects arrived at JNF on 950612 as scheduled in good condition.
SVEJKOVSKY,J. Mitsui & Co. (USA), Inc. 95/06/13. BENNINGTON,G. NRC - No Detailed Affiliation Given. HOLDEN,D.W., BRECHTLEIN,T. General Electric Co. 1p. 84312:011-84312:011.

9506220004 Submits Rev 1,advance notification of export shipment of special nuclear matl,not to exceed 105.16 kgs U-235 contained in 2,666 kgs of U-enriched packed in 78 USA/0220/AF,of low strategic significance to Spain.
HOLDEN,D.W. General Electric Co. 95/05/26. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:021-84375:022.

9506220007 Submits revised notice of powder shipments to Spain,changing vessel departure date from Jun 1 to May 28.Forwards rev to original shipment.W/o encl.
HOLDEN,D. General Electric Co. 95/05/24. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 84375:024-84375:024.

9506220014 Submits Rev 1A,advance notification of export shipment of specific nuclear matl,not to exceed 105.16 kgs U-235 contained in 2,666 kgs of U-enriched not exceeding 5% in form of U02 packed in 76 USA/0220/AF,to Spain.
HOLDEN,D.W. General Electric Co. 95/05/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:026-84375:027.

9506220017 Submits notification of upcoming shipment of U hexaflouride, fissile,IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
CANDREY,D. Edlow International Co. FBFC-E-1. 95/05/09. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 84375:031-84375:031.

9506220022 Submits advance notification of listed export shipment,per requirements from implementation of convention of physical protection of nuclear matl.
HOLDEN,D.W. General Electric Co. 95/05/26. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:033-84375:034.

9506220039 Submits Rev 2 to advance notice of export shipment of SNM, not to exceed 172.77 kg U-235 contained in 3,534 kg of U-enriched packed in 112 USA/0220/AF,of low strategic significance to Spain.
HOLDEN,D. General Electric Co. 95/05/26. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:176-84375:177.

9506220045 Submits rev 1,advance notification of export shipment of SNM not to exceed 289.43 kgs U-235,contained in 6,094 kgs U-enriched not exceeding 5% in form of UO2,to Spain.
HOLDEN,D.W. General Electric Co. 95/05/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:178-84375:179.

9506220050 Submits advance notification of export shipment of SNM,not to exceed 116.66 kgs U-235,contained in 2,560 kgs U-enriched not exceeding 5% in form of UO2,to Spain.
HOLDEN,D.W. General Electric Co. 95/05/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:180-84375:181.

9506220054 Submits advance notification of export shipment of SNM,not to exceed 172.77 kgs U-235,contained in 3,534 kgs U-enriched not exceeding 5% in form of UO2,to Spain.
HOLDEN,D.W. General Electric Co. 95/05/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:182-84375:183.

9506220063 Submits advance notification of export shipment of SNM,not to exceed 105.16 kgs U-235,contained in 2,666 kgs U-enriched not exceeding 5% in form of UO2 & not to exceed 2,499 kgs U-natural.
HOLDEN,D.W. General Electric Co. 95/05/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 84375:188-84375:189.

9506220071 Forwards advanced notice of GE shipment to Spain.W/o encl.
HOLDEN,D. General Electric Co. 95/05/23. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 84375:194-84375:194.

9506220074 Notifies of shipment to Sweden from Hematite,MO on 950613.
* Edlow International Co. ABB-CE-OB-E-3. 95/05/11. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 84375:195-84375:195.

9506220256 Forwards amend request for export license XB001289 for export of addl three multinuclide std sources & solution to Democratic People Republic of Korea.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/08. DELABARRE,R. State, Dept. of. 1p. 84407:041-84407:045.

--9506220259 Informs that three addl multinuclide std sources required for upcoming work in North Korea re safe storage of spent fuel from experimental five megawatt reactor at Yongbyon.
FEI,E. Energy, Dept. of. 95/05/18. WRIGHT,B. NRC - No Detailed Affiliation Given. 4pp. 84407:042-84407:045.

9506220261 Forwards amended application for XSNM2866 & ltr in which applicant informs that origin of matl for proposed export has been changed Canada & France to Canada & US,for info & use.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/02. DELABARRE,R. State, Dept. of. 1p. 84415:009-84415:011.

--9506230308 Amend to application changing origin of matl for proposed export from Canada & France to Canada & US.
MAEKITA,M. Mitsubishi International Corp. HSA-5495-06. 95/03/10. 1p. 84415:010-84415:011.

9506220270 Requests GOJ assurances for cooperation re diplomatic notes exchanged for case numbers 307,310,311 & 317.
MONDALE U.S. Embassies. 95/06/05. State, Dept. of. 1p. 84415:012-84415:012.

9506220292 Informs that terms & conditions of Addl Agreement for Cooperation,dtd 600725,as amended will apply to matl mentioned in application of export of 1,550 kgs U to 4.95%.
DE BLOCK,M. European Communities, Commission of. 95/05/26. DEDIK,T. Energy, Dept. of. 1p. 84407:051-84407:051.

9506220296 Recommends that license XSNM-2852 be issued,re 950517 request.
DELABARRE,R. State, Dept. of. 95/05/25. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 84407:052-84407:052.

9506220332 Advises that terms & conditions of 600725 Addl Agreement for Cooperation will apply to Transnuclear 950404 application to export 979.88 kg U-235,contained in 26,130 kg U enriched to 3.75 percent max.
DE BLOCK,M. European Communities, Commission of. 95/05/04. DEDIK,T. Energy, Dept. of. 2pp. 84429:271-84429:272.

9506230048 Forwards application for licensee to export low enriched U for use as reload fuel for Kashiwazaki Kariwa unit 1 in Japan.Assurances from Govt of Japan required.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DELABARRE,R. State, Dept. of. 1p. 84448:053-84448:053.

9506230084 Recommends that license XCOM01094 be issued re 940804 ltr which requested views of Executive Branch as to whether issuance of export license IAW application hereinafter described meets applicable criteria of Atomic Energy Act.
STRATFORD,R.J. State, Dept. of. 95/06/05. STOIBER,C.R. Office of International Programs (Post 911117). 5pp. 84414:354-84414:358.

9506230108 Recommends that license XBOO1290 be issued re 950419 ltr which requested views of Executive Branch as to whether issuance of export license IAW application hereinafter described meets applicable criteria of Atomic Energy Act.
MCGOLDRICK,F. State, Dept. of. 95/05/26. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 84414:359-84414:359.

9506230228 License for Mitsui & Co,USA,Inc to export 673.0 kg U-235 contained in 19,791.0 kg U,to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). MBK-01-R11. 95/06/15. 2pp. 84447:329-84447:330.

9506230318 Forwards application for license to export slightly enriched UF6 to Japan for fabrication of fuel assemblies.
LANG,Y. Mitsubishi International Corp. 95/06/05. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 84448:035-84448:037.

--9506230322 Application for license to export slightly enriched UF6 to Japan.
MAEDA,Y. Mitsubishi International Corp. 95/06/02. 1p. 84448:036-84448:037.

9506230348 Forwards application for license to export low enriched U to Japan for use as working stock at ENUSA for fabrication of fuel for ultimate use in nuclear power reactors in Spain, Germany & Sweden.EURATOM assurances required.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DEDIK,T. Energy, Dept. of. 1p. 84447:346-84447:346.

9506230353 Forwards application for license to export 30,000 kgs of natural to enriched U as U02 to ENUSA.Matl will be used as "working stock" to accommodate normal recoverable process losses in fuel mfg facility.
LARUE,M.J. General Electric Co. 95/05/30. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 84447:343-84447:345.

--9506230364 Application for license to export 300,000 kgs U,to ENUSA.
LARUE,M.J. General Electric Co. 95/05/31. NRC - No Detailed Affiliation Given. 2pp. 84447:344-84447:345.

9506280045 License for Siemens Power Corp to export 12 kg,containing 344 kg U-235,to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. 2pp. 84448:065-84448:066.

9506280296 Recommends that license XCOM-1096 be amended to permit reexports of incore detector components to Slovak Republic.
STRATFORD,R.J. State, Dept. of. 95/04/11. STOIBER,C.R. Office of International Programs (Post 911117). 2pp. 84448:146-84448:147.

9506280301 Amend 1 to license for Imaging & Sensing Technology Corp to export 3,500 incore detector components to Czech Republic, returned upon NRC request due to receipt of "nonassurances" from Ukraine.
HAUBER,R.D. Office of International Programs (Post 911117). 95/02/28. 1p. 84448:151-84448:151.

9506280372 Amend 1 to license XCOM-1096 for Imaging & Sensing Technology Corp to export 3,500 incore detector components to Czech Republic.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/12. 1p. 84458:351-84458:351.

9506280374 License for DOE to export 300 g Np-237 to Germany.
HAUBER,R.D. Office of International Programs (Post 911117). SM 278474. 95/06/15. 1p. 84448:283-84448:283.

9506280380 Forwards application for export license authorizing shipment of U metal used for feed matl,finished fuel matls & assorted scrap to CERCA facility in France.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-2401. 95/05/19. HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 1p. 84448:284-84448:285.

--9506280388 Application for license to export 7.96 kg U metal,31.84 kg of completed TRIGA fuel matls & recyclable alloy,4.87 kg of assembled TRIGA fuel elements & 3.98 kg of oxidized scrap to France.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-2401. 95/05/10. 2pp. 84448:285-84448:285.

9506280381 License for General Electric Company to export 75 kg of U-235,contained in 1,550 kg U,in form of UF6,to France.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/14. 2pp. 84448:286-84448:287.

9506280383 License for Transnuclear,Inc to export 979.88 kg of U-235, contained in 26,130 kg of U in form of U.
HAUBER,R.D. Office of International Programs (Post 911117). TNP-535. 95/06/08. 2pp. 84448:288-84448:289.

9506280399 Forwards application for license to export low enriched U contained in TRIGA fuel elements to JAERI.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-2404. 95/05/18. HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 1p. 84448:299-84448:300.

--9506280405 Application for license to export 19.86% of enriched U in form of U-Zr-hydride contained in TRIGA fuel elements to Japan.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). IEL-2404. 95/05/18. 2pp. 84448:300-84448:300.

9506280408 License for Marubeni America Corp to export 1,371 kg U-235, contained in 36,537 kg U,in form of U hexaflouride anduuranium dioxide,to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). JJ5797. 95/06/15. 2pp. 84448:354-84448:355.

9506280431 License for Edlow International Company to export 127 kg U-235,contained in 3,038 kg U,in form of U hexaflouride,to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). KLK-97. 95/06/15. 2pp. 84453:295-84453:296.

9506280446 Forwards 950607 ltr from ABB Combustion Engineering Nuclear Power which requested amend to export license XSOU-8727 to increase quantity of depleted U authorized for export to Sweden from 650 kg to 5,000 kg.Ltr of assurance required.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DEDIK,T. Energy, Dept. of. 1p. 84449:351-84449:351.

9506280451 Forwards 950605 ltr from Siemens Power Corp which requested amend to export license XSNM-2808 to add BFNL in United Kingdom as intermediate consignee.Ltr of assurance required.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DEDIK,T. Energy, Dept. of. 1p. 84449:356-84449:356.

9506280458 Application for amend to export license,increasing allowable quantity to be exported.Total allowable quantity will be revised to 5,000 kg of depleted U.
MICHEALSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). ML-95-018. 95/06/07. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 84449:357-84449:357.

9506280466 Rev to 950523 application for amend including Advanced Nuclear Fuels as ultimate consignee & BFNL as intermediate foreign consignee w/listed info.
NOSS,D.L. Siemens Corp. DLN:95:083. 95/06/05. HAUBER,R.D. Office of International Programs (Post 911117). 2pp. 84449:358-84449:359.

9506280469 Forwards application to export natural U as U hexafluoride to CAMECO for intermediate end use of storage.Fee paid.
THRELFALL,S.D. Urenco, Inc. 595-23. 95/05/22. WRIGHT,B. Office of International Programs (Post 911117). 1p. 84472:274-84472:276.

--9506290379 Application for license to export 500,000 kg of natural U as UF6 to Canada.
THRELFALL,S. Urenco, Inc. 95/05/22. 2pp. 84472:275-84472:276.

9506280475 Forwards application for export license,for export of 500,000 kgs of natural U initially to Canada for storage. Ltr of assurance requested.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DEDIK,T. Energy, Dept. of. 1p. 84449:360-84449:360.

9506280484 Forwards application for export license for export of low-enriched U as UF6 for conversion,fabrication & ultimately for use as fuel.Ltr of assurance requests.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DELABARRE,R. State, Dept. of. 1p. 84453:256-84453:256.

9506280487 Application for license to export enriched UF6 & natural & UO2 to Japan.
COLFORD,C. Mitsui & Co. (USA), Inc. MBK-K1-R9. 95/05/30. 2pp. 84453:257-84453:258.

9506280512 License for Westinghouse Electric Corp to export one instrumentation & control system contained in one component, to Russia.
HAUBER,R.D. Office of International Programs (Post 911117). EFM-94-0060. 95/06/15. 1p. 84453:359-84453:359.

9506280670 Application for license to export natural & enriched U dioxide (U02),to Japan.
COLFORD,C. Mitsui & Co. (USA), Inc. MBK-TS1-R23. 95/05/25. 1p. 84455:360-84455:360.

9506280678 Forwards application for export license XSNM-2879 for export of various forms of U,enriched to 19.9% for recovery in France.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DEDIK,T. Energy, Dept. of. 1p. 84460:303-84460:303.

9506280702 Forwards application for export license XSNM-2880 for export of low-enriched U for use as reload fuel for Japan Atomic Energy Research Inst Tokai Research Establishment TRIGA Reactor in Japan.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DELABARRE,R. State, Dept. of. 1p. 84460:278-84460:278.

9506280721 Forwards application for export license XSNM-2881,for export of natural & low-enriched U for use of reload fuel for Tsuruga unit 1 in Japan.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/15. DELABARRE,R. State, Dept. of. 1p. 84460:359-84460:359.

9506290292 Amend 1 to license for US DOE to export three addl multinuclide sources & solution containing uCi amounts of Cd-109,Ce-139,Cs-137,Cr-51,Co-57,Co-60,Hg-203,Sr-85,Te-123, Sn-113,& Y-88.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/21. 1p. 84474:015-84474:015.

9506290299 License for Monsato Co to export 344,622 kg of depleted U,to Brazil,PRC,South Korea,Mexico,& Thailand.
HAUBER,R.D. Office of International Programs (Post 911117). 95/06/22. 1p. 84474:016-84474:017.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT,D.	9505150025*	40-8838
ABBOTT,D.T.	9505150030*	40-8838
ABBOTT,R.B.	9506200095	50-220 R
ABBOTT,R.B.	9506220331	50-220 S
ABELQUIST,E.W.	9506010139	50-267 W
ABELQUIST,E.W.	9506020175	50-267 W
ABELQUIST,E.W.	9506020184*	50-267 W
ABELQUIST,E.W.	9506050069	70-925
ACHARYA,S.	9506120004	71-5320
ADAMOV,E.O.	9506080505*	COMMISSIO N
ADAMS,A.	9506010321	50-243 F
ADAMS,A.	9506020250	50-297 P
ADAMS,A.	9506020317	50-606 A
ADAMS,A.	9506140400	50-146 P
ADAMS,A.	9506220314	50-264 P
ADAMS,A.	9506230023	50-356 P
ADAMS,J.T.	9506130445	50-116 V
ADAMS,J.T.	9506160565	50-116 H
ADAMS,M.	9506280117	70-1257
ADAMS,M.T.	9506020048	70-1257
ADAMS,M.T.	9506280403	70-1257
ADAMS,O.	9506140413	CONTRACT
ADAMS,T.G.	9506130296	40-501
ADAMS,W.C.	9506060176	70-734
ADAMS,W.C.	9506060184*	70-734
ADAMS,W.C.	9506140052	40-8724
ADENSAM,E.G.	9506020139	50-282 Y
ADENSAM,E.G.	9506080649	TOPREP
ADENSAM,E.G.	9506300153*	50-445 P
ADNEY,R.J.	9506080185	50-328 S
ADNEY,R.J.	9506080631	50-327 Q
ADNEY,R.J.	9506300246	50-327 S
AFFOLTER,R.D.	9506020130	50-483 S
AFFOLTER,R.D.	9506070125	50-483 S
AFFOLTER,R.D.	9506130313	50-483 S
AFFOLTER,R.D.	9506290392	50-483 R
AGARWAL,S.K.	9506080287	PR
AGHJAYAN,E.K.	9506020331*	50-206 I
AKAKA,D.K.	9506230245*	ORG
ALBERT,R.J.	9506140078*	50-220 Q
ALDRICH,J.C.	9506220331	50-220 S
ALDRICH,R.	9506090048	PR
ALDRICH,R.	9506130085	STATE PRO G
ALDRICH,R.	9506130093*	STATE PRO G
ALDRICH,R.	9506280326	STATE PRO G
ALEXION,T.W.	9506050079	50-499 P
ALEXION,T.W.	9506280109	50-498 P
ALEXION,T.W.	9506280521	50-499 P
ALEXION,T.W.	9506280686	50-498 F
ALFORD,A.	9506230046	50-298 S
ALLEN,A.S.	9506090052	NUREG
ALLEN,D.	9506070674	70-7002
ALLEN,D.E.	9506140405	QA999
ALLEN,D.E.	9506140405	QA999
ALLEN,K.	9506060005	STATE PRO G
ALLEN,M.D.	9506010485	50-280 P
ALLEN,R.M.	9506010036	50-272 R
ALLEN,R.M.	9506280235*	50-272 R
ALLISON,S.M.	9506210059	50-348 R
AMIN,M.	9506120274*	TOPREP
AMUNDSON,T.E.	9506230009*	50-263 P
ANAND,R.K.	9506080425	REVIEW GR P
ANDERSEN,J.W.	9506150063	50-245 P
ANDERSEN,J.W.	9506280051	50-245 P
ANDERSON,C.J.	9506010032	50-352 Q
ANDERSON,C.J.	9506070054	50-277 Q
ANDERSON,C.J.	9506070070*	50-277 Q
ANDERSON,C.J.	9506140003	50-352 Q
ANDERSON,C.J.	9506140012*	50-352 Q
ANDERSON,J.D.	9506080152	50-440 F
ANDERSON,M.L.	9506280676	50-305 R
ANDERSON,R.A.	9506070156	50-324 P
ANDERSON,R.A.	9506190311	50-324 P
ANDERSON,R.A.	9506280176	50-325 Q
ANDERSON,R.A.	9506280544	50-324 Q
ANDERSON,R.A.	9506290095	50-325 P
ANDERSON,R.O.	9506010260	50-263 P
ANDERSON,R.O.	9506120218	50-282 S
ANDERSON,R.O.	9506140307	50-306 S
ANDERSON,R.O.	9506190005	50-263 H
ANDERSON,R.O.	9506200027	50-282 R
ANDERSON,R.O.	9506200051	50-282 S
ANDERSON,R.O.	9506200053	50-263 R
ANDERSON,R.O.	9506200246	50-306 P
ANDERSON,R.O.	9506220082	50-263 P
ANDERSON,R.O.	9506230006	50-263 P
ANDERSON,R.O.	9506280363	50-282 P
ANDERSON,R.O.	9506290429	50-282 Q
ANDERSON,R.O.	9506290436	50-282 F
ANDERSON,R.O.	9506300029	50-282 F
ANDERSON,R.O.	9506300041	50-282 F
ANDERSON,R.O.	9506300044	50-282 F
ANDRACHEK,J.D.	9506300278*	50-244 P
ANDRE,G.R.	9506300278*	50-244 P
ANG,W.P.	9506200156*	50-458 Q
ANG,W.P.	9506220031*	50-361 Q
ANGELL,P.	9506090264	WASTE MGT
ANGUS,M.J.	9506290088	50-275 F
ARCEO,A.I.	9506140402*	WASTE MGT
ARCHITZEL,R.E.	9506200399	52-3
ARENDT,J.W.	9506200333*	40-*****
ARNOLD,W.H.	9506300082	70-3070
ARP,S.J.	9506160535	WASTE MGT
ARP,S.J.	9506190025	WASTE MGT
ARP,S.J.	9506190221	WASTE MGT
ARP,S.J.	9506280545	WASTE MGT
ARP,S.J.	9506300303	WASTE MGT
ARREDONDO,S.	9506280094*	40-6940
ARREDONDO,S.	9506280564	30-19075
ASAMI,K.	9506020421*	XPORTLIC
ASMUSSEN,K.E.	9506280380	XPORTLIC
ASMUSSEN,K.E.	9506280388*	XPORTLIC
ASMUSSEN,K.E.	9506280399	XPORTLIC
ASMUSSEN,K.E.	9506280405*	XPORTLIC
ASMUSSEN,K.E.	9506280473	70-734
ASSA,R.R.	9506300089*	50-454 P
ASTWOOD,H.	9506090288	70-364
ASTWOOD,H.	9506120126	70-364
ASTWOOD,H.	9506290171	70-135
ASTWOOD,H.M.	9506290237	70-135
ATKINSON,R.H.	9506150154	CONTRACT
AUFDENKAMPE,J.	9506290066*	50-424 G
AUFDENKAMPE,J.	9506290066*	50-424 G
AUMULLER,J.N.	9506090029	70-1252
AUMULLER,J.N.	9506090035	70-1252
AUSTIN,J.H.	9506010538	40-672
AUSTIN,J.H.	9506080627	ORG
AUSTIN,J.H.	9506120370	WASTE MGT
AUSTIN,J.H.	9506150158	40-8989
AUSTIN,J.H.	9506150370	40-8857
AVERSA,L.	9506280216	50-354 S
AXELRAD,M.	9506010002	40-8027
AXELRAD,M.	9506070226	40-8027
AXELRAD,M.	9506070226	40-8027
AXELRAD,M.	9506210126	40-8027
AXELRAD,M.	9506210126	40-8027
AXELSON,W.L.	9506010034	50-295 P
AXELSON,W.L.	9506050011	50-315 Q
AXELSON,W.L.	9506050065	50-237 P
AXELSON,W.L.	9506160008	50-295 Q
AXELSON,W.L.	9506200113	50-483 Q
AXELSON,W.L.	9506200137	50-331 Q
AXELSON,W.L.	9506200145	50-305 Q
AXELSON,W.L.	9506200152	50-266 Q
AXELSON,W.L.	9506210007	50-454 Q
AXELSON,W.L.	9506210014	50-282 Q
AXELSON,W.L.	9506210022	50-255 Q
AXELSON,W.L.	9506210035	50-237 Q
AXELSON,W.L.	9506210043	50-440 Q
AXELSON,W.L.	9506210060	50-346 Q
AXELSON,W.L.	9506210066	50-315 Q
AXELSON,W.L.	9506230243	50-254 P
AXLINE,J.	9506220197	72-1004
BACA,R.G.	9505180429	WASTE MGT
BACA,R.G.	9506210322	WASTE MGT
BACA,R.G.	9506210333*	WASTE MGT
BACA,R.G.	9506210369*	WASTE MGT
BACHMAN,R.G.	9506070172	70-3070
BAER,R.L.	9506140232	71-185
BAER,R.L.	9506140233*	71-185
BAER,R.L.	9506140234*	71-185
BAILEY,S.J.	9506210157	50-309 R
BAKEL,T.C.	9506280418*	50-387 V
BAKEL,T.C.	9506280426*	50-387 V
BAKER,K.R.	9506210145*	40-8902
BAKER,L.J.	9506090143	CONTRACT
BALL,B.	9506050006*	50-387 Q
BALL,B.	9506050007*	50-387 Q
BALL,J.A.	9506050282	50-282 R
BALL,R.S.	9506210152	50-387 R
BALLARD,B.R.	9506220073	71-627
BALLINGER,P.L.	9506130259	50-298 R
BALYEAT,K.A.	9506060412	MISC
BANGART,R.L.	9506130012	STATE PRO G
BANGART,R.L.	9506130025	STATE PRO G
BANGART,R.L.	9506130030	STATE PRO G
BANGART,R.L.	9506130033	STATE PRO G
BANGART,R.L.	9506130035	STATE PRO G
BANGART,R.L.	9506130045	STATE PRO G
BANGART,R.L.	9506130046	STATE PRO G
BANGART,R.L.	9506130078	STATE PRO G
BANGART,R.L.	9506130082	STATE PRO G
BANGART,R.L.	9506130124	ORG

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BANGART,R.L.	9506130139	STATE PRO G
BANGART,R.L.	9506130157	STATE PRO G
BANGART,R.L.	9506130158	STATE PRO G
BANGART,R.L.	9506200187	STATE PRO G
BANGART,R.L.	9506280012	STATE PRO G
BANGART,R.L.	9506280072	STATE PRO G
BANGART,R.L.	9506280149	STATE PRO G
BANGART,R.L.	9506280186	STATE PRO G
BANGART,R.L.	9506280236	STATE PRO G
BANGART,R.L.	9506290029	STATE PRO G
BANKS,J.	9506120020*	WASTE MGT
BANNING,C.A.	9506150343	50-416 P
BARCHI,T.	9506220103	NUREG
BARKLEY,R.	9506200131	50-336 P
BARNES,J.G.	9506190151	70-25
BARNES,S.M.	9506210259*	PROJ
BARNES,W.E.	9506280321	WASTE MGT
BARON,R.R.	9506010095	50-390 S
BARON,R.R.	9506050013	50-390 Q
BARON,R.R.	9506050020	50-390 A
BARON,R.R.	9506120142	50-390 A
BARON,R.R.	9506130294	50-390 A
BARON,R.R.	9506130298	70-2910
BARON,R.R.	9506200197	50-390 A
BARON,R.R.	9506210203	50-390 S
BARON,R.R.	9506210279	50-390 A
BARON,R.R.	9506210370	50-390 F
BARON,R.R.	9506280423	50-390 A
BARON,T.T.	9506200389	50-390 K
BARR,K.P.	9506190368	50-280 F
BARR,K.P.	9506190429	50-324 Q
BARR,K.P.	9506200071	50-321 Q
BARR,K.P.	9506200086	50-369 F
BARR,K.P.	9506200099	50-321 Q
BARR,K.P.	9506200170	50-280 F
BARR,K.P.	9506200224	50-416 F
BARR,K.P.	9506200233	50-338 F
BARR,K.P.	9506200309	50-321 F
BARR,K.P.	9506200314	50-269 F
BARR,K.P.	9506280026	50-280 S
BARR,K.P.	9506280132	50-327 F
BARR,K.P.	9506280196	50-324 F
BARR,K.P.	9506280226	50-400 Q
BARRETT,L.H.	9506020241	WASTE MGT
BARTHELEMY,Y.	9506120154*	WASTE MGT
BARTLEY,J.H.	9506200016*	50-327 V
BARTON,J.J.	9506060406	50-219 Q
BARTON,J.J.	9506160516	50-219 R
BARTON,J.J.	9506190332	50-219 S
BARTON,J.J.	9506290091	50-219 S
BASSETT,C.H.	9506280098*	70-27
BASSETT,R.L.	9506150425	CONTRACT
BATEMAN,W.H.	9506020259	50-482 F
BATEMAN,W.H.	9506140334	50-397 Q
BATEMAN,W.H.	9506200472*	50-275 P
BATEMAN,W.H.	9506280385	50-275 P
BATEMAN,W.H.	9506280754	50-275 Q
BATEMAN,W.H.	9506290053	50-361 P
BATES,A.L.	9506300021	52-3
BATTIHE,C.K.	9506230267	TOPREP
BATTLE,W.C.	9506070132	40-8681
BATTLE,W.C.	9506070132	40-8681
BAUERMEISTER,K.	9506020348*	PROJ
BAUERMEISTER,K.	9506020472*	PROJ
BAUERMEISTER,K.	9506020476*	PROJ
BAUERMEISTER,K.	9506020480*	PROJ
BAUERMEISTER,K.	9506210264*	PROJ
BAUM,S.L.	9506020326*	50-206 I
BAUMAN,S.	9506190319	40-7397
BAUMAN,S.	9506300020*	40-7397
BEACH,A.B.	9506050042	50-482 Q
BEACH,A.B.	9506060001	50-298 Q
BEACH,A.B.	9506070561	50-498 Q
BEACH,A.B.	9506090080	50-458 Q
BEACH,A.B.	9506090113	50-382 Q
BEACH,A.B.	9506120012	50-397 Q
BEACH,A.B.	9506120016	50-368 P
BEACH,A.B.	9506120023	50-397 Q
BEACH,A.B.	9506120033	50-361 Q
BEACH,A.B.	9506120078	50-361 P
BEACH,A.B.	9506140039	50-206 Q
BEACH,A.B.	9506190386	50-397 P
BEACH,A.B.	9506190461	50-382 Q
BEACH,A.B.	9506200010	50-482 Q
BEACH,A.B.	9506200015	50-445 Q
BEACH,A.B.	9506200024	50-382 Q
BEACH,A.B.	9506200034	50-498 P
BEACH,A.B.	9506200049	50-298 Q
BEACH,A.B.	9506200058	50-285 Q
BEACH,A.B.	9506200060	50-313 Q
BEACH,A.B.	9506200130	50-445 Q
BEACH,A.B.	9506200158	50-445 Q
BEACH,A.B.	9506200195	50-498 Q
BEACH,A.B.	9506200211	50-382 P
BEACH,A.B.	9506210002	50-528 Q
BEACH,A.B.	9506210005	50-458 Q
BEACH,A.B.	9506210068	50-361 Q
BEACH,A.B.	9506230044	50-313 Q
BEACH,A.B.	9506280081	50-382 Q
BEACH,A.B.	9506280565	50-275 Q
BEACH,A.B.	9506280570	50-397 Q
BEACH,A.B.	9506280597	50-458 Q
BEACH,A.B.	9506280604	50-298 Q
BEACH,A.B.	9506290021	50-313 Q
BEACH,A.B.	9506300001	50-361 P
BEACH,B.	9506300004	50-498 Q
BEALL,J	9506150003	50-397 Q
BEALL,J.	9506150001	50-336 Q
BEALL,J.	9506150047	50-155 Q
BEARD,P.M.	9506060433	50-302 F
BEARD,P.M.	9506080039	50-302 F
BEARD,P.M.	9506280800	50-302 P
BEAULIEU,D.	9506300033*	50-245 Q
BECKHAM,J.T.	9506080006	50-321 P
BECKHAM,J.T.	9506120383	50-321 K
BECKHAM,J.T.	9506140075	50-321 P
BECKHAM,J.T.	9506190035	50-321 P
BECKHAM,J.T.	9506200067	50-321 Q
BECKHAM,J.T.	9506200070	50-321 S
BECKHAM,J.T.	9506210055	50-321 R
BECKHAM,J.T.	9506230327	50-321 P
BECKHAM,J.T.	9506280421	50-366 P
BECKHAM,J.T.	9506290096	50-321 S
BECKHAM,J.T.	9506300123	50-366 P
BECKJORD,E.S.	9502240159	ORG
BECKJORD,E.S.	9506290238*	ORG
BECKNER,W.D.	9506290420	50-446 Q
BEHNKE,D.H.	9506130110	50-323 S
BEHNKE,D.H.	9506290226	50-323 S
BEL,M.J.	9506280701	40-8084
BELANGER,J.	9506010003	50-263 S
BELISLE,G.A.	9506200154*	50-280 Q
BELISLE,G.A.	9506280108*	50-338 Q
BELL,M.J.	9506090098	40-8724
BELL,M.J.	9506090295	40-3453
BELL,M.J.	9506090297	40-8981
BELL,M.J.	9506090302	40-2259
BELL,M.J.	9506120255	WASTE MGT
BELL,M.J.	9506150375	40-1162
BELL,M.J.	9506150383	40-2259
BELL,M.J.	9506150390	40-8989
BELL,M.J.	9506190257	WASTE MGT
BELL,M.J.	9506280613	WASTE MGT
BELL,M.J.	9506280714	40-8084
BELL,M.J.	9506280748	40-8907
BELL,M.J.	9506280787	40-8902
BELL,M.J.	9506300062	40-8989
BELL,M.J.	9506300066	40-8943
BELL,M.J.	9506300069	40-8905
BELL,M.J.	9506300161	40-2259
BELSHE,S.K.	9506280398	STATE PRO G
BENES,G.G.	9506130145	50-373 P
BENES,G.G.	9506230222	50-373 P
BERGERON,K.D.	9506010485	50-280 P
BERKOW,H.N.	9506020191*	50-424 P
BERKOW,H.N.	9506070369*	50-348 P
BERKOW,H.N.	9506080548	50-287 Q
BERKOW,H.N.	9506090403*	50-424 P
BERKOW,H.N.	9506140282	50-348 F
BERKOW,H.N.	9506140293*	50-348 F
BERKOW,H.N.	9506190448*	50-424 P
BERKOW,H.N.	9506200444	50-348 F
BERKOW,H.N.	9506220052	50-424 P
BERKOW,H.N.	9506280513	50-369 P
BERKOW,H.N.	9506280614	50-321 P
BERKOW,H.N.	9506280720	50-414 P
BERKOW,H.N.	9506280724*	50-414 P
BERLES,B.W.	9506130207	50-255 R
BERNERO,R.M.	9409220228*	PR
BERNERO,R.M.	9506060491*	PR
BERNERO,R.M.	9506060527*	PR
BERTON,P.A.	9506020351*	PROJ
BEVARD,M.D.	9506150346	CONTRACT
BHATIA,N.C.	9506120274*	TOPREP
BHATIA,R.	9506010056*	50-309 Q
BINNING,P.	9506140130	NUREG
BISHOP,R.W.	9506190008	PR
BISSETT,P.	9506120513*	50-272 Q
BLACK,C.L.	9506010456	NUREG
BLACKMAN,C.	9506060050	PR
BLAHA,J.L.	9506020158	COMMISSION
BLAHA,J.L.	9506130401	COMMISSION
BLAHA,J.L.	9506150169	COMMISSION
BLAHA,J.L.	9506230311	COMMISSION
BLAHA,J.L.	9506280018*	STATE PRO G
BLAHA,J.L.	9506290326	COMMISSION
BLAIR,B.J.	9506150033	40-8948
BLAKE,J.J.	9506190390*	50-324 Q
BLAKE,J.J.	9506200073*	50-324 Q
BLAKE,J.J.	9506280042*	50-261 Q
BLANCH,P.	9506200374*	ORG
BLANCH,P.M.	9506090083	NUREG
BLANCH,P.M.	9506140231*	50-272 H
BLANCH,P.M.	9506200395*	ORG
BLIND,A.A.	9506070017	50-315 S
BLIND,A.A.	9506130215	50-315 R
BLIND,A.A.	9506130253	50-316 R
BLOCH,P.B.	9506210130	50-424 G
BLOUGH,A.R.	9506010382	50-315 V
BLOUGH,A.R.	9506010432*	50-315 V
BOEHLERT,S.	9506150189*	ORG
BOGER,B.A.	9506140259	50-2 V
BOGER,B.A.	9506140264	50-128 V
BOGER,B.A.	9506210364	50-170 V
BOGER,B.A.	9506220303	50-288 V
BOGER,B.A.	9506220306	50-225 V
BOHLKE,W.H.	9506190004	PR
BOHLKE,W.H.	9506190093	PR
BOHLKE,W.H.	9506190218	50-250 P
BOHLKE,W.H.	9506220032	50-250 F
BOHLKE,W.H.	9506300133	50-250 P
BOLDT,G.L.	9506010007	50-302 Q
BOLDT,G.L.	9506060269	50-302 P
BOLDT,G.L.	9506070041	50-302 S
BOLDT,G.L.	9506070046	50-302 S
BOLDT,G.L.	9506070175	50-302 P
BOLDT,G.L.	9506070239	50-302 Q
BOLDT,G.L.	9506130133	50-302 P
BOLDT,G.L.	9506210070	50-302 R
BOLDT,G.L.	9506210155	50-302 S
BOLDT,G.L.	9506280543	50-302 P
BOLKE,T.J.	9506200102	50-458 R
BOLLWERK,G.P.	9506290069	MISC
BONO,H.D.	9506020130	50-483 S
BONO,H.D.	9506070130*	50-483 S
BONO,H.D.	9506130318*	50-483 S
BONSER,B.R.	9506280209*	50-424 Q
BORES,R.	9506070465*	50-333 Q
BORES,R.	9506280073*	50-213 Q
BORES,R.	9506280571*	50-277 Q
BORES,R.	9506280663*	50-443 Q
BORES,R.J.	9506070313*	50-354 Q
BOTTI,S.	9506230122*	52-4
BOUCHARD,G.H.	9506290266	50-336 S
BOULETTE,E.T.	9506020161	50-293 P
BOULETTE,E.T.	9506060209	50-293 P
BOULETTE,E.T.	9506080551	50-293 P
BOULETTE,E.T.	9506280337	50-293 R
BOULETTE,E.T.	9506280343	50-293 F
BOUSKA,H.E.	9506050141	50-461 S
BOWEN,D.L.	9506150389	CONTRACT
BOWEN,J.R.	9506230003	50-139 W
BOWIE,R.C.	9506160389	71-*****
BOWIE,R.C.	9506160392*	71-*****
BOWLES,E.B.	9506060080*	PR
BOWLING,M.L.	9506090055	PR
BOWLING,M.L.	9506090116	50-261 P
BOWLING,M.L.	9506090131	50-338 P
BOWLING,M.L.	9506120221	PR
BOWLING,M.L.	9506120313	50-261 Q
BOWLING,M.L.	9506190002	PR
BOWLING,M.L.	9506190028	PR
BOWLING,M.L.	9506190272	50-338 R
BOWLING,M.L.	9506210207	50-280 R
BOWLING,M.L.	9506290027	PR
BOWMAN,C.D.	9506020248*	WASTE MGT
BOYLE,R.	9506130236	71-3023
BOYLE,R.	9506130256*	71-3023
BRADSHAW,L.W.	9506190003	PR
BRADSHAW,L.W.	9506290024	PR
BRADY,J.B.	9506190424*	50-390 Q
BRANCH,M.W.	9506200154*	50-280 Q
BRANLUND,B.J.	9506190181*	50-354 P
BRANLUND,B.J.	9506230224*	50-373 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BRANT,H.M.	9506050070	MISC
BREAUX,J.	9506010198*	ORG
BRECHIN,V.J.	9506090088	PR
BRIENT,R.D.	9506280792*	WASTE MGT
BRILL,B.A.	9506020462*	PROJ
BRILL,B.A.	9506210247*	PROJ
BRINKMAN,D.S.	9506150145	50-334 P
BRINKMAN,D.S.	9506210371	50-334 P
BRINKMAN,D.S.	9506230365	50-334 P
BROCKMAN,K.E.	9506300144	ORG
BROCOUM,S.J.	9506080297	WASTE MGT
BROCOUM,S.J.	9506120013	WASTE MGT
BROCOUM,S.J.	9506120234	WASTE MGT
BROCOUM,S.J.	9506140151	WASTE MGT
BROCOUM,S.J.	9506190454	WASTE MGT
BROCOUM,S.J.	9506220325	WASTE MGT
BROCOUM,S.J.	9506300264	WASTE MGT
BROOKMIRE,T.A.	9506050171*	50-338 P
BROSCHAK,J.P.	9506120287*	50-255 Y
BROTT,N.K.	9506190216	50-255 F
BROTT,N.K.	9506190220	50-255 F
BROUGHTON,T.G.	9506060093	50-289 P
BROUGHTON,T.G.	9506070198	50-289 P
BROUGHTON,T.G.	9506070204*	50-289 P
BROUGHTON,T.G.	9506070256	50-320 P
BROUGHTON,T.G.	9506080003	50-289 P
BROUGHTON,T.G.	9506160555	50-289 R
BROUGHTON,T.G.	9506280207	50-289 P
BROUGHTON,T.G.	9506300068	50-289 P
BROUGHTON,T.G.	9506300071*	50-289 P
BROWN,B.W.	9505030448*	50-446 Q
BROWN,B.W.	9506290167*	50-271 Q
BROWN,C.	9506060441	PR
BROWN,C.	9506060503*	PR
BROWN,C.T.	9506160136*	50-530 Q
BROWN,N.	9506280514*	PROJ
BRUST,F.	9506020484	NUREG
BRYSON,J.E.	9506020323*	50-206 I
BUCH,W.H.	9506070378	50-213 F
BUCH,W.H.	9506070702	50-213 F
BUCKLEY,B.C.	9506280319	50-280 P
BUCKLEY,B.C.	9506280643	50-261 Q
BUCKLEY,B.C.	9506300226	50-280 P
BUDAJ,M.	9506290091	50-219 S
BUGG,M.	9506300302	50-390 A
BUNTING,W.A.	9506150337	CONTRACT
BURDICK,T.	9506090076*	50-346 V
BURGESS,S.D.	9506210156*	50-305 Q
BURNS,D.C.	9506210247*	PROJ
BURSKI,R.F.	9506060124	50-382 F
BURSKI,R.F.	9506210062	50-382 R
BURSKI,R.F.	9506220202	50-382 Q
BURSKI,R.F.	9506300134	50-382 P
BUSH,G.W.	9506130051*	STATE PRO G
BUSH,J.A.	9506210225*	40-8964
BUSH,J.A.	9506210246*	40-8905
BUSH,J.A.	9506210261*	40-8084
BUSH,L.	9506290415	TOPREP
BUTCHER,R.	9506200179*	50-302 Q
BUTTERWORTH,E.	9506130263*	71-3023
BYKOSKI,L.M.	9506220149	WASTE MGT
BYRAM,R.G.	9506050003	50-387 Q
BYRAM,R.G.	9506060367	50-387 Q
BYRAM,R.G.	9506060462	50-387 Q
BYRAM,R.G.	9506150224	50-387 P
BYRAM,R.G.	9506210152	50-387 R
BYRAM,R.G.	9506210300	50-387 P
BYRAM,R.G.	9506220048	50-387 P
BYRAM,R.G.	9506280377	50-387 V
BYRAM,R.G.	9506290089	50-387 P
BYRAM,R.G.	9506290113	50-387 K
BYRAM,R.G.	9506290138	50-387 P
BYRAM,R.G.	9506290163	50-387 P
BYRON,P.M.	9506200297*	50-324 Q
BYRRAM,R.G.	9506190016	50-387 H
CAAREY,R.G.	9506190181*	50-354 P
CAHILL,S.J.	9506280228*	50-390 Q
CAHILL,W.J.	9506010013	50-286 J
CAHILL,W.J.	9506070182	50-333 P
CAHILL,W.J.	9506200159	50-286 P
CAHILL,W.J.	9506200169	50-333 P
CAHILL,W.J.	9506200173*	50-333 P
CAHILL,W.J.	9506220134	50-286 F
CAHILL,W.J.	9506280311	50-286 P
CAHILL,W.J.	9506280534	50-333 Q
CAHILL,W.J.	9506280679*	50-286 P
CAHILL,W.J.	9506290190	50-286 P
CAIN,C.L.	9506010031*	40-8084
CAIN,C.L.	9506010045*	40-9024
CAIN,C.L.	9506050028	40-9024
CAIN,C.L.	9506050036	40-8084
CAIN,C.L.	9506210047*	40-8584
CAIN,C.L.	9506230069*	40-1162
CAIN,C.L.	9506280602*	40-6659
CAIN,C.L.	9506290009	40-1162
CAINE,T.A.	9506190181*	50-354 P
CAINE,T.A.	9506230224*	50-373 P
CALDWELL,J.	9506010003	50-263 S
CALDWELL,J.	9506010090	50-483 S
CALDWELL,J.L.	9506010104	I&E
CALDWELL,J.L.	9506010120	I&E
CALDWELL,J.L.	9506080579	I&E
CALDWELL,J.L.	9506200298	I&E
CALDWELL,J.L.	9506210202	I&E
CALLAN,G.M.	9506130110	50-323 S
CALLAN,J.R.	9506140119	NUREG
CALLAN,J.R.	9506140126	NUREG
CALLAN,L.J.	9506050176	50-382 Q
CALLAN,L.J.	9506200207	50-397 Q
CALLAN,L.J.	9506200326	50-445 Q
CALLAN,L.J.	9506210112	50-445 P
CAMPER,L.W.	9506290071*	STATE PRO G
CAMPITELLI,A.T.	9506120257	40-6940
CAMPITELLI,A.T.	9506140138	40-9027
CANDRA,R.J.	9506090002*	50-295 P
CANDREY,D.	9506220017	XPORTLIC
CANDREY,D.	9506220020	70-1252
CANDREY,D.	9506220023	70-1252
CANIANO,R.J.	9506200345	50-295 Q
CANTWELL,D.	9506140236	50-313 S
CAPRA,R.A.	9506230131	50-295 Q
CAPRA,R.A.	9506280708*	50-295 P
CAPRA,R.A.	9506290038	50-295 P
CARDWELL,C.C.	9506130016	STATE PRO G
CAREY,R.G.	9506230224*	50-373 P
CARIER,P.P.	9506020134	50-259 F
CARIER,P.P.	9506090192	50-327 F
CARIER,P.P.	9506150220	50-259 F
CARIER,P.P.	9506290017	PR
CARLSON,R.D.	9506190274	WASTE MGT
CARNS,N.S.	9506060438	50-482 P
CARNS,N.S.	9506070072	50-482 F
CARNS,N.S.	9506190330	50-482 Q
CAROCCIO,C.J.	9506200098	50-410 R
CARPENTER,C.	9506300215	50-341 P
CARPENTER,C.E.	9506210365	ORG
CARPENTER,C.E.	9506220162	TOPREP
CARPENTER,C.E.	9506220192	50-333 F
CARRASCO,J.E.	9506140043*	50-245 Q
CARRETTA,R.F.	9506190027	PR
CARRION,R.P.	9506280238*	50-400 Q
CARROLL,B.	9506080061	50-237 S
CARROLL,C.	9506160516	50-219 R
CARROLL,G.	9506070188	50-160 G
CARROLL,G.	9506210208	50-160 G
CARROLL,G.	9506210212	50-160 G
CARROLL,G.	9506210221	50-160 G
CARROLL,G.	9506280008	50-160 G
CARROLL,R.	9506200281	50-287 S
CASTO,C.	9506190430	50-335 Q
CASTO,C.A.	9506190384	50-324 Q
CASTO,C.A.	9506190397	50-259 Q
CASTO,C.A.	9506190404	50-324 Q
CASTO,C.A.	9506190422	50-395 P
CASTO,C.A.	9506190444	50-259 Q
CASTO,C.A.	9506200063	50-324 Q
CASTO,C.A.	9506200074	50-327 Q
CASTO,C.A.	9506280028	50-302 Q
CASTO,C.A.	9506280033	50-261 Q
CASTO,C.A.	9506280037	50-348 Q
CASTO,C.A.	9506280046	50-259 Q
CASTO,C.A.	9506280219	50-259 Q
CATRON,N.S.	9506090201*	50-327 F
CELIA,M.A.	9506140130	NUREG
CHAFFEE,A.E.	9506280810	I&E
CHAMBERLAIN,D.	9506280588*	50-275 Q
CHAMBERLAIN,D.D	9506120018*	50-397 Q
CHANCELLOR,R.A.	9506050024	40-4492
CHAPPELL,C.R.	9506010021	71-9156
CHAPPELL,C.R.	9506050175	71-9127
CHAPPELL,C.R.	9506050200	71-9032
CHAPPELL,C.R.	9506050203	71-9263
CHAPPELL,C.R.	9506050206	71-9263
CHAPPELL,C.R.	9506050209	71-9263
CHAPPELL,C.R.	9506050211	71-9245
CHAPPELL,C.R.	9506130319	71-9263
CHAPPELL,C.R.	9506130341	71-9263
CHAPPELL,C.R.	9506130350	71-9263
CHAPPELL,C.R.	9506130358	71-9033
CHAPPELL,C.R.	9506130363	71-9035
CHAPPELL,C.R.	9506150032	71-9033
CHAPPELL,C.R.	9506150062	71-9036
CHAPPELL,C.R.	9506150069	71-9033
CHAPPELL,C.R.	9506150075	71-9033
CHAPPELL,C.R.	9506150080	71-9032
CHAPPELL,C.R.	9506200104	71-9263
CHAPPELL,C.R.	9506200110	71-9263
CHAPPELL,C.R.	9506220094	71-9037
CHAPPELL,C.R.	9506220098	71-9034
CHAPPELL,C.R.	9506290057	71-9225
CHAPPELL,C.R.	9506290068*	71-9225
CHAPPELL,C.R.	9506290072	71-9788
CHAPPELL,C.R.	9506290075*	71-9788
CHAPPELL,C.R.	9506290082	71-6717
CHAPPELL,C.R.	9506290090	71-9007
CHAPPELL,C.R.	9506290094	71-9263
CHAPPELL,C.R.	9506290106	71-9039
CHAPPELL,C.R.	9506290173	71-5149
CHAPPELL,C.R.	9506290179*	71-5149
CHAPPELL,C.R.	9506290188	71-9168
CHAPPELL,C.R.	9506290189*	71-9168
CHAPPELL,C.R.	9506290440	71-3023
CHARNLEY,J.E.	9506060212*	50-293 P
CHATTERTON,M.	9506220152	TOPREP
CHAUDHARY,S.	9506120075*	50-271 Q
CHAUDHARY,S.K.	9506280657*	50-272 Q
CHAWAGA,D.J.	9506010028	STATE PRO G
CHAWAGA,D.J.	9506280710	STATE PRO G
CHEN,W.P.	9505300225*	ORG
CHERNY,F.C.	9506070484	TOPREP
CHEUNG,L.	9506070609*	50-272 Q
CHIEN,J.W.	9506150394	CONTRACT
CHILDS,A.	9506010526*	50-282 Y
CHIN,E.	9506140119	NUREG
CHIN,E.	9506140126	NUREG
CHOPRA,O.K.	9506010453	NUREG
CHOW,C.P.	9506150238	CONTRACT
CHRISSOTIMOS,N.	9506080146	50-265 S
CHRISTENSEN,H.	9506200167	50-348 Q
CHRISTENSEN,H.	9506200311	50-348 Q
CHRISTENSEN,H.	9506200318	50-416 Q
CHRISTENSEN,H.	9506280120	50-348 Q
CHRISTENSON,H.	9506200203	50-416 Q
CHRISTIAN,D.A.	9506140103	50-281 S
CHRISTIAN,D.A.	9506280190	50-280 S
CHRISTIAN,D.A.	9506280202	50-281 S
CHUNG,J.N.	9506210333*	WASTE MGT
CHUNG,J.N.	9506210369*	WASTE MGT
CIALKOWSKI,M.J.	9506160552	50-373 R
CIOCCA,C.F.	9505120144*	50-250 P
CLARK,R.	9506050122*	WASTE MGT
CLAYTON,B.	9506230247	50-461 P
CLEMENS,C.D.	9506050171*	50-338 P
CLIFFORD,J.W.	9506020304	50-397 F
CLIFFORD,J.W.	9506080644	50-397 Q
CLIFFORD,J.W.	9506280313	50-397 P
CLONINGER,T.H.	9506210255	50-498 P
CLONINGER,T.H.	9506280331	50-498 Q
CLONINGER,T.H.	9506300314	50-498 Q
CLOUD,P.	9505150015	40-8838
COCHRAN,V.M.	9506200112*	50-220 F
COLBURN,T.G.	9506090352	50-341 P
COLBURN,T.G.	9506090367*	50-341 P
COLBURN,T.G.	9506090386*	50-341 P
COLE,L.W.	9506280485	70-*****
COLE,R.F.	9506210230	50-458 G
COLE,R.F.	9506290030	70-3070
COLEMAN,D.E.	9506200095	50-220 R
COLEY,J.L.	9506190390*	50-324 Q
COLFORD,C.	9506280487	XPORTLIC
COLFORD,C.	9506280670	XPORTLIC
COLINA,I.	9506150415	CONTRACT
COLLINGS,S.P.	9506300179	40-8943
COLLINS,D.M.	9506010042	50-259 Q
COLLINS,D.M.	9506010046	70-27
COLLINS,D.M.	9506090022	70-27
COLLINS,D.M.	9506120087	70-1113
COLLINS,D.M.	9506150210	50-160 Q
COLLINS,D.M.	9506190399	70-1151
COLLINS,D.M.	9506200041	70-27
COLLINS,D.M.	9506200168	50-250 F
COLLINS,D.M.	9506200214	70-27
COLLINS,D.M.	9506230135	50-269 Q
COLLINS,D.M.	9506280016	70-143

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COLLINS,D.M.	9506280071	70-27
COLLINS,E.E.	9506210058*	50-397 Q
COLLINS,E.E.	9506280598*	50-498 Q
COLLINS,E.E.	9506300009*	50-313 Q
COLLINS,E.J.	9506090182*	CONTRACT
COLLINS,J.L.	9506220072	NUREG
COLLINS,S.C.	9506190048	NUREG
COLLINS,S.J.	9506010024	40-8084
COLLINS,S.J.	9506010039	40-9024
COLLINS,S.J.	9506010070	50-397 F
COLLINS,S.J.	9506010118	40-3453
COLLINS,S.J.	9506120003	50-312 Q
COLLINS,S.J.	9506130365	50-313 F
COLLINS,S.J.	9506140032	70-1257
COLLINS,S.J.	9506140081	50-206 Q
COLLINS,S.J.	9506140129	STATE PRO G
COLLINS,S.J.	9506200237	50-397 Q
COLLINS,S.J.	9506210013	50-458 Q
COLLINS,S.J.	9506210040	40-8584
COLLINS,S.J.	9506220027	50-267 Q
COLLINS,S.J.	9506280563	50-361 Q
COLUSSY,K.A.	9506130278*	50-334 P
COMFORT,G.	9506210166	40-7102
COMFORT,G.C.	9506150128	40-7102
COMFORT,G.C.	9506210144	40-7102
CONDREY,D.	9506090039	70-1252
CONDREY,D.	9506090049	70-1252
CONGEL,F.J.	9506300142	ORG
CONNOR,C.B.	9506150360	WASTE MGT
CONNOR,C.B.	9506160208	WASTE MGT
CONTE,R.	9506280615*	50-293 Q
CONWAY,J.J.	9506190027	PR
CONWAY,J.T.	9506190326*	50-410 S
COOK,J.G.	9506050141	50-461 S
COOK,J.G.	9506140439	50-461 S
COOK,J.G.	9506190317	50-461 P
COOK,J.G.	9506200350	50-461 S
COOK,J.G.	9506230094	50-461 P
COOK,T.M.	9506190249*	50-295 S
COOL,D.A.	9506050138	50-3 Q
COOL,D.A.	9506230346	ORG
COOL,D.A.	9506280158*	STATE PRO G
COOPER,G.	9506140422*	50-237 S
COOPER,G.	9506140427*	50-249 S
COOPER,J.H.	9506150367*	WASTE MGT
COOPER,R.	9506140136*	50-336 P
COOPER,R.	9506280603	50-412 P
COOPER,R.W.	9506010111	50-272 Q
COOPER,R.W.	9506070020	50-286 Q
COOPER,R.W.	9506070308	50-354 Q
COOPER,R.W.	9506070381	50-293 Q
COOPER,R.W.	9506070386	50-277 Q
COOPER,R.W.	9506140014	50-219 Q
COOPER,R.W.	9506140050	50-245 P
COOPER,R.W.	9506140131	50-336 P
COOPER,R.W.	9506200065	50-245 P
COOPER,R.W.	9506210084	50-272 P
COOPER,R.W.	9506210114	50-286 Q
COOPER,R.W.	9506280591	50-272 F
COOPER,R.W.	9506280616	50-272 Q
COPELAND,R.A.	9506290221	TOPREP
CORDES,J.F.	9506010190	ORG
COTTER,B.P.	9506210230	50-458 G
COTTLE,W.T.	9506200261	50-498 P
COTTON,S.R.	9506220009	50-313 F
COTTRELL,T.E.	9506210251*	PROJ
COTTRELL,T.E.	9506210262*	PROJ
COTTRELL,T.E.	9506210264*	PROJ
COTTRELL,T.E.	9506210265*	PROJ
COURTEMANCHE,S.	9506280631	30-6032
COUVILLON,P.E.	9506130141*	50-302 P
COWAN,J.	9506050310	50-325 S
COWAN,J.	9506050329	50-324 S
COWAN,J.	9506120191	50-325 S
COWAN,J.	9506140436	50-325 S
COWAN,J.	9506150338	50-325 S
COWAN,J.	9506150348	50-325 S
COWAN,J.P.	9506220084	50-324 F
COWGILL,C.	9506050196	50-333 S
COWGILL,C.J.	9506010074	50-317 Q
COWGILL,C.J.	9506070488	50-220 Q
COWGILL,C.J.	9506120007	50-317 Q
COWGILL,C.J.	9506200228	50-333 Q
COWGILL,C.J.	9506200236*	50-333 Q
COWGILL,C.J.	9506200339	50-333 Q
COWGILL,C.J.	9506210090	50-247 Q
COWGILL,C.J.	9506210200*	50-286 Q
COWGILL,C.J.	9506280623	50-247 Q
COX,D.F.	9506140092	NUREG
COX,T.	9506020014*	70-143
COYNE,K.A.	9506280439	52-3
CRAFT,F.R.	9506290291	40-8903
CRAFT,F.R.	9506290295	40-8903
CRAIG,K.	9506140139*	40-9027
CRANDALL,R.A.	9506230017	50-336 P
CRAWFORD,G.F.	9506290432	ORG
CRAWFORD,G.F.	9506290435	ORG
CREED,J.R.	9506120021	50-315 Q
CREED,J.R.	9506130001	50-282 F
CREED,J.R.	9506130015	50-373 F
CREED,J.R.	9506200347	50-341 Q
CREED,J.R.	9506210063	50-255 F
CREED,J.R.	9506290337	50-454 F
CREED,J.R.	9506290342	50-305 F
CREED,J.R.	9506290377	50-255 F
CRLENJAK,R.V.	9506190434	50-269 Q
CRLENJAK,R.V.	9506190456	50-413 Q
CRLENJAK,R.V.	9506200066	50-413 Q
CRLENJAK,R.V.	9506200087*	50-413 Q
CRLENJAK,R.V.	9506200250	50-369 Q
CRLENJAK,R.V.	9506200265*	50-369 Q
CRLENJAK,R.V.	9506200317	50-424 Q
CRLENJAK,R.V.	9506280140	50-424 Q
CRONEBERGER,D.	9506120031	PROJ
CROTEAU,R.P.	9506020383	50-250 P
CROTEAU,R.P.	9506050290	50-250 P
CROTEAU,R.P.	9506230215	50-250 P
CROTEAU,R.P.	9506280252	50-250 S
CRUSE,C.H.	9506050100	50-318 S
CRUSE,C.H.	9506090294	50-317 S
CRUSE,C.H.	9506160381	50-318 Q
CRUSE,C.H.	9506200031	50-317 R
CRUSE,C.H.	9506230052	50-317 S
CRUSE,C.H.	9506300111	50-318 S
CRUTCHFIELD,D.	9506010465	52-3
CRUTCHFIELD,D.	9506230014	52-3
CRUTCHFIELD,D.	9506230188	52-3
CRUTCHFIELD,D.	9506230197	52-3
CUNNINGHAM,G.E.	9506120233	71-9228
CUNNINGHAM,R.E.	9506280165*	STATE PRO G
CURRAN,D.	9506070136	70-3070
CURRAN,D.	9506070142	70-3070
CURRAN,D.	9506070142	70-3070
CURRAN,D.	9506070303	70-3070
CURRAN,D.	9506070303	70-3070
CURRAN,D.	9506160073	40-8027
CURRAN,D.	9506160073	40-8027
CURRAN,D.	9506210160	40-8027
CURRAN,D.	9506210160	40-8027
CURRAN,D.	9506230249*	40-8027
CURRAN,D.	9506230249*	40-8027
CURRAN,D.	9506290060	40-8027
CURRAN,D.	9506290264	40-8027
CURRAN,D.	9506290264	40-8027
CURRAN,D.	9506290264	40-8027
CURRAN,D.	9506290264	40-8027
CWALINA,G.C.	9506060014*	QA999
CWALINA,G.C.	9506150007	QA999
CWALINA,G.C.	9506160056*	QA999
CWALINA,G.C.	9506200194*	QA999
CWALINA,G.C.	9506290067*	QA999
CYGAN,J.	9506210053	50-295 R
CYR,K.D.	9506010193*	ORG
D'ANGELO,W.R.	9506290247*	50-410 P
D'AQUINO,J.M.	9506130042*	STATE PRO G
DACIMO,F.R.	9506160447	50-213 Q
DACIMO,F.R.	9506190306	50-213 R
DAHLBERG,K.A.	9506190324	50-410 S
DAHLBERG,K.A.	9506200098	50-410 R
DAHLBERG,K.M.	9506220146	50-10 Q
DANKMYER,B.K.	9506020003	40-8794
DAO,T.V.	9506210070	50-302 R
DATTA,A.	9506020022	40-7580
DAVIDSON,G.R.	9506010087	50-10 F
DAVIDSON,S.L.	9506190312*	TOPREP
DAVIS,E.C.	9506020457	NUREG
DAVIS,E.M.	9506160539	PROJ
DAVIS,J.F.	9506230147*	50-483 P
DAVIS,L.A.	9005090064	WASTE MGT
DAVIS,M.J.	9506220016	50-150 P
DAVIS,M.J.	9506220036	50-150 P
DAVIS,M.J.	9506220066	50-150 P
DAVIS,R.	9506160545	50-309 H
DAVIS,W.W.	9506140413	CONTRACT
DAWSON,D.M.	9506160467	PROJ
DE AGAZIO,A.W.	9506140341	50-443 F
DE AGAZIO,A.W.	9506140363	50-443 P
DE AGAZIO,A.W.	9506290103	50-443 P
DE BLOCK,M.	9506220292	XPORTLIC
DE BLOCK,M.	9506220332	XPORTLIC
DE PLANQUE,E.C.	9506150379	COMMISSION
DE PLANQUE,E.C.	9506160177	COMMISSION
DE PLANQUE,E.G.	9506140428	COMMISSION
DE PLANQUE,E.G.	9506140432	COMMISSION
DE PLANQUE,E.G.	9506150092	COMMISSION
DE PLANQUE,E.G.	9506150159	COMMISSION
DE PLANQUE,E.G.	9506230182	COMMISSION
DE PLANQUE,G.	9506140356	COMMISSION
DE PLANQUE,G.	9506140378	COMMISSION
DEBARBA,E.A.	9506060358	50-245 P
DEBARBA,E.A.	9506080191	50-245 P
DEBARBA,E.A.	9506080191	50-245 P
DEBARBA,E.A.	9506080476	50-213 P
DEBARBA,E.A.	9506120325	50-423 K
DEBARBA,E.A.	9506120325	50-423 K
DEBARBA,E.A.	9506130080	50-423 P
DEBARBA,E.A.	9506130089	50-213 P
DEBARBA,E.A.	9506130089	50-213 P
DEBARBA,E.A.	9506130456	50-336 P
DEBARBA,E.A.	9506190067	50-423 P
DEBARBA,E.A.	9506190067	50-423 P
DEBARBA,E.A.	9506190345	50-423 Q
DEBARBA,E.A.	9506190356	50-336 Q
DEBARBA,E.A.	9506200022	50-336 Q
DEBARBA,E.A.	9506200022	50-336 Q
DEBARBA,E.A.	9506280375	50-213 Q
DEBARBA,E.A.	9506280375	50-213 Q
DEBARBA,E.A.	9506290136	50-336 K
DEBARBA,E.A.	9506190042	50-423 P
DEBARBA,E.A.	9506190042	50-423 P
DECKER,T.R.	9506200105*	50-321 Q
DECKER,T.R.	9506280238*	50-400 Q
DEESE,R.J.	9506130055*	50-369 S
DEISENROTH,C.W.	9506090240	QA999
DELABARRE,R.	9506220296	XPORTLIC
DELANEY,J.C.	9506200344*	40-*****
DELEZENSKI,J.	9506230390	50-312 J
DELICATE,W.S.	9506020467	NUREG
DELMEDICO,J.	9506150013	I&E
DELMEDICO,J.	9506150017	30-472
DEMBEK,S.	9506090361	TOPREP
DEMBEK,S.	9506220038	50-395 P
DEMBEK,S.	9506230028	50-395 P
DEMPSTER,D.	9506210259*	PROJ
DEMPSTER,D.L.	9506210251*	PROJ
DEMPSTER,D.L.	9506210262*	PROJ
DENTON,R.E.	9506010429	50-318 P
DENTON,R.E.	9506050189	50-317 Y
DENTON,R.E.	9506080464	50-317 P
DENTON,R.E.	9506090157	50-317 P
DENTON,R.E.	9506090166	50-317 S
DENTON,R.E.	9506120115	50-317 P
DENTON,R.E.	9506160251	50-317 P
DENTON,R.E.	9506280758	50-317 Q
DENTON,R.E.	9506280782	50-317 Q
DEWEASE,J.G.	9506190070	PR
DEWISPELARE,A.	9506150367*	WASTE MGT
DIB,T.	9506190144*	50-313 P
DIBIASIO,A.M.	9506230147*	50-483 P
DICK,G.F.	9506090283	50-454 P
DICK,G.F.	9506220076	50-237 F
DICK,G.F.	9506300072	50-454 P
DICK,G.F.	9506300089*	50-454 P
DICKENS,J.C.	9506210263*	PROJ
DIDOMENICO,W.G.	9506280413*	50-387 V
DIETERICH,R.A.	9506290107	50-298 S
DIXON,G.N.	9506050086	71-804
DODA,R.J.	9506220005	I&E
DOERFLEIN,L.T.	9506010083*	50-317 Q
DOERFLEIN,L.T.	9506070509*	50-220 Q
DOERFLEIN,L.T.	9506120010*	50-317 Q
DOERFLEIN,L.T.	9506210102*	50-247 Q
DOLAN,K.E.	9506290203	50-458 I
DOLCE,K.	9506010022*	40-8833
DOLCE,K.	9506280664*	40-8833
DONAHUE,J.W.	9506280525	50-400 S
DONNELLY,P.M.	9506130020	50-155 P
DONNELLY,P.M.	9506130087	50-155 R
DONNELLY,P.M.	9506140237	50-155 P
DONNELLY,P.M.	9506140285	50-155 F
DONNELLY,P.M.	9506210165	50-155 F
DONNELLY,P.M.	9506300025	50-155 Q
DONNELLY,P.M.	9506200356	50-155 Q
DONOHEW,J.N.	9506020228	52-3

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DONOHEW,J.N.	9506020395	52-3
DONOHEW,J.N.	9506020401	52-3
DONOHEW,J.N.	9506200355	52-3
DONOHEW,J.N.	9506200397	52-3
DONOHEW,J.N.	9506210372	52-3
DONOHEW,J.N.	9506220077	52-3
DONOHEW,J.N.	9506280456	52-3
DONOHEW,J.N.	9506290121	52-3
DONOHEW,J.N.	9506300245	52-3
DONOHEW,J.N.	9506300275	52-3
DONOVAN,L.E.	9506210251*	PROJ
DORMAN,D.H.	9506280123	50-271 P
DORMAN,D.H.	9506280379	50-271 P
DORNSIFE,W.P.	9506020064	PR
DORNSIFE,W.P.	9506130043	STATE PRO G
DOYLE,P.	9506230343*	50-288 V
DOYLE,T.A.	9506230017	50-336 P
DRAGOUN,T.	9506280694*	50-146 Q
DRAPER,R.L.	9506070153	70-3070
DRAPER,R.L.	9506070153	70-3070
DRAWBRIDGE,B.L.	9506080171*	50-443 P
DRAWBRIDGE,B.L.	9506130219*	50-443 P
DRESSEN,J.D.	9506200116	50-305 S
DROBOT,A.	9506210259*	PROJ
DROMERICK,A.W.	9506020206	50-219 P
DROMERICK,A.W.	9506020212	50-219 P
DUDLEY,R.F.	9506020302	50-155 P
DUDLEY,R.F.	9506210281	50-155 T
DUDLEY,R.F.	9506230192	50-155 H
DUDLEY,R.F.	9506230206	50-155 H
DUDLEY,R.F.	9506230371	50-155 P
DUDLEY,R.F.	9506280505	50-155 H
DUDLEY,R.F.	9506280524	50-155 H
DUDLEY,R.F.	9506280683	50-155 H
DUDLEY,R.F.	9506280698	50-155 H
DUDLEY,R.F.	9506280700	50-155 H
DUDLEY,R.F.	9506280753	50-155 H
DUDLEY,R.F.	9506290338	50-155 H
DUDLEY,R.F.	9506300239	50-155 H
DUGSTAD,D.	9506200027	50-282 R
DUICK,A.M.	9506130278*	50-334 P
DUNCAN,S.M.	9506160081	40-8027
DUNCAN,S.M.	9506160081	40-8027
DUNCAN,S.M.	9506290256	40-8027
DUNCAN,S.M.	9506290256	40-8027
DUNN,D.R.	9506280772	50-160 G
DURR,J.P.	9506120027	50-213 Q
DURR,J.P.	9506140104	50-213 Q
DURR,J.P.	9506280004	50-245 Q
DURR,J.P.	9506280104	50-289 Q
EASTON,E.P.	9506010004	PROJ
EASTON,E.P.	9506290187	72-1009
EATON,R.B.	9506120503	50-293 P
EATON,R.E.	9506280206	50-293 P
EBELING-KONING	9506210185	TOPREP
EBELING-KONING	9506210185	TOPREP
EBNETER,S.D.	9506200277*	50-390 Q
EBNETER,S.D.	9506200291	50-390 Q
EBNETER,S.D.	9506200295	50-324 Q
EBNETER,S.D.	9506280280	50-324 Q
EBNETER,S.D.	9506280325	50-321 Q
EBNETER,S.D.	9506280341	50-321 Q
ECKERT,L.	9506280571*	50-277 Q
ECKERT,L.	9506280663*	50-443 Q
EDELSON,H.I.	9506020350*	PROJ
EDGE,R.	9506190017	WASTE MGT
EDISON,G.E.	9506020345	50-410 P
EDISON,G.E.	9506280622	50-220 P
EDISON,G.E.	9506290047	50-220 P
EDWARDS,C.W.	9506280386	STATE PRO G
EDWARDS,G.D.	9506120184	50-277 P
EDWARDS,G.D.	9506190442	50-277 P
EGGER,D.R.	9506050299	50-304 S
EISNER,H.	9506020467	NUREG
ELLIOT,R.T.	9506200209	TOPREP
ELLIOTT,M.P.	9506010049*	70-27
ELLIOTT,M.P.	9506280098*	70-27
ELLIOTT,R.	9506300139	TOPREP
ELLIOTT,R.	9506300281	TOPREP
ELLIS,J.	9506130307	40-8027
ELROD,S.	9506200047*	50-400 Q
EMBREE,D.G.	9506130264	50-397 R
EMEIGH,C.W.	9506090145	70-27
EMMONS,K.W.	9506190307*	50-213 R
EMMONS,K.W.	9506190309*	50-213 R
ENGLE,L.B.	9506020254	50-338 P
ENSMINGER,J.T.	9506130435	70-364
ENSMINGER,J.T.	9506210175	70-364
ERESIAN,W.J.	9506230254	50-188 V
ESELGROTH,P.W.	9506190462*	50-272 Q
ESSIG,T.H.	9506200176*	50-280 F
ESSIG,T.H.	9506200235*	50-390 F
ESTREICHER,H.	9506090141	NUREG
ESTREICHER,H.	9506090141	NUREG
ESTRIDGE,J.	9506140395	50-413 P
ETTEN,W.	9506210269*	PROJ
EUBANK,T.	9506210125	50-275 R
EVES,C.S.	9506190187	40-7102
EVES,C.S.	9506190414	40-8948
FACTORA,R.J.	9506280425	50-245 S
FACTORA,R.J.	9506280425	50-245 S
FARBER,M.J.	9506090034	50-483 Q
FARBER,M.J.	9506090040*	50-483 Q
FARBER,M.J.	9506200275	50-266 Q
FARBER,M.J.	9506200279*	50-266 Q
FARBER,M.J.	9506230251	50-305 Q
FARBER,M.J.	9506230256*	50-305 Q
FARMER,J.P.	9506010456	NUREG
FEDERLINE,M.V.	9506010019	WASTE MGT
FEDERLINE,M.V.	9506080323	WASTE MGT
FEDERLINE,M.V.	9506080329*	WASTE MGT
FEDERLINE,M.V.	9506150372*	40-8857
FEDERLINE,M.V.	9506190269	WASTE MGT
FEI,E.	9506220259*	XPORTLIC
FEIGE,E.J.	9506290167*	50-271 Q
FEIGENBAUM,T.	9506280373	50-443 P
FEIGENBAUM,T.C.	9506080166	50-443 P
FEIGENBAUM,T.C.	9506080166	50-443 P
FEIGENBAUM,T.C.	9506130217	50-443 P
FEIGENBAUM,T.C.	9506130217	50-443 P
FEIGENBAUM,T.C.	9506160372	50-443 R
FEIGENBAUM,T.C.	9506280304	50-443 P
FEIGENBAUM,T.C.	9506280304	50-443 P
FELSINGER,D.E.	9506020326*	50-206 I
FENECH,R.A.	9506090164	NUREG
FENECH,R.A.	9506140385	50-155 P
FENECH,R.A.	9506140389*	50-155 P
FERDINAND,B.	9506050082	40-8084
FERDINAND,B.	9506080444	40-8084
FERDINAND,B.	9506190006	40-8964
FERDINAND,B.	9506210205	40-8964
FERDINAND,B.	9506210237	40-8905
FERDINAND,B.	9506210250	40-8084
FERDINAND,B.	9506220205	40-8905
FERNANDES,R.	9506050196	50-333 S
FIELDS,J.A.	9506090173	CONTRACT
FIELDS,J.A.	9506150221	CONTRACT
FIELDS,M.B.	9506020268	50-361 P
FIELDS,M.B.	9506020277*	50-361 P
FILLION,E.	9506120160*	WASTE MGT
FILLION,P.	9506190408*	50-324 Q
FINDLAY,M.W.	9506020457	NUREG
FINKEL,A.	9506300033*	50-245 Q
FISHER,M.J.	9506010250	50-267 W
FISHER,M.J.	9506070005	50-267 W
FISHER,M.J.	9506200166	50-267 R
FISHER,M.J.	9506210277	50-267 W
FISHER,W.L.	9506290357*	ORG
FISHER,W.L.	9506290362*	ORG
FISICARO,J.J	9506070138	50-458 Q
FISICARO,J.J.	9506070146	50-458 P
FISICARO,J.J.	9506130086	50-458 P
FISICARO,J.J.	9506140415	50-458 S
FISICARO,J.J.	9506160563	50-458 S
FISICARO,J.J.	9506160564	50-458 V
FISICARO,J.J.	9506200102	50-458 R
FISICARO,J.J.	9506290182	50-458 P
FISICARO,J.J.	9506290224	50-458 P
FISK,R.H.	9506020440	XPORTLIC
FISK,R.H.	9506020455*	XPORTLIC
FITZPATRICK,E.	9506060413	50-315 P
FITZPATRICK,E.	9506060434	50-315 P
FITZPATRICK,E.	9506060449	50-315 P
FITZPATRICK,E.	9506130049	50-315 P
FITZPATRICK,E.	9506130305	50-315 Q
FITZPATRICK,E.	9506150233	50-315 P
FITZPATRICK,E.	9506190473	50-315 Q
FITZPATRICK,E.	9506200465	50-315 P
FITZPATRICK,E.	9506280645	50-315 P
FITZPATRICK,J.	9506080122	50-315 P
FLACK,E.D.	9506150173	70-27
FLACK,E.D.	9506150270	70-27
FLAGG,R.	9506190304	50-333 R
FLANIGAN,T.E.	9506010369	50-528 M
FLANIGAN,T.E.	9506010369	50-528 M
FLANIGAN,T.E.	9506010383	50-528 M
FLANIGAN,T.E.	9506010383	50-528 M
FLANIGAN,T.E.	9506190321	50-528 M
FLANIGAN,T.E.	9506190321	50-528 M
FLANNIGAN,R.D.	9506140325	50-482 S
FLIEGEL,M.	9506090079	40-3453
FLOREK,D.J.	9506050019*	50-333 Q
FLORES,R.	9506070024	50-446 S
FLORES,R.	9506070270	50-445 S
FORBES,D.B.	9506190439*	50-324 Q
FOSSEY,F.G.	9506210151	40-8084
FOSTER,J.	9506120026*	50-315 Q
FOSTER,W.W.	9506150185	50-269 F
FOSTER,W.W.	9506190385*	50-269 F
FOX,J.N.	9506080489	52-1
FRANCE,G.M.	9506060019	40-3392
FRANCE,G.M.	9506280002*	40-3392
FRANCESCHI,P.	9506290215	50-247 S
FRANTZ,S.G.	9506190369	50-288 F
FRANZ,J.F.	9506120414	50-331 P
FRAZEE,T.C.	9503220029*	STATE PRO G
FRAZEE,T.C.	9506090021	NUREG
FRAZEE,T.C.	9506130011	STATE PRO G
FRAZEE,T.C.	9506130019	STATE PRO G
FREDRICKSON,E.	9506280125*	50-390 Q
FREDRICKSON,P.	9506190424*	50-390 Q
FREELAND,L.R.	9506130287	50-412 S
FREEMAN,D.S.	9506210062	50-382 R
FREUDENBERGER	9506200087*	50-413 Q
FRIJOUF,J.A.	9506070041	50-302 S
FRIJOUF,J.A.	9506070069*	50-302 S
FRIJOUF,J.A.	9506210155	50-302 S
FRYLING,R.	9506300026	50-272 I
FUJIMOTO,W.H.	9506190273	50-275 S
FUJIMOTO,W.H.	9506210125	50-275 R
FULTON,J.D.	9506160352*	50-528 R
FUNCHES,J.	9506080458*	PR
FURIA,J.	9506070465*	50-333 Q
FURIA,J.	9506280073*	50-213 Q
GAI,M.L.	9506090037	NUREG
GALL,R.	9506150055	CONTRACT
GALLAGHER,M.P.	9506160468	50-352 R
GALLO,R.M.	9506060010	QA999
GALLO,R.M.	9506060014*	QA999
GALLO,R.M.	9506080318	QA999
GALLO,R.M.	9506080443	QA999
GALLO,R.M.	9506090144	QA999
GALLO,R.M.	9506160048	QA999
GALLO,R.M.	9506160056*	QA999
GALLO,R.M.	9506200153	QA999
GALLO,R.M.	9506200194*	QA999
GALLO,R.M.	9506290041	QA999
GALLO,R.M.	9506290067*	QA999
GAMBERONI,M.	9506230250	50-255 P
GAMBERONI,M.	9506230258*	50-255 P
GAMBERONI,M.	9506280527	50-255 P
GAMBERONI,M.	9506280751	50-255 P
GANNON,W.C.	9506090496	40-6940
GARCIA,A.	9506210350	WASTE MGT
GARCIA,H.F.	9506150362	WASTE MGT
GARDNER,R.N.	9506010157	50-373 Q
GARTH,S.T.	9506090285	50-498 P
GARTH,S.T.	9506120312	50-498 Q
GARTH,S.T.	9506120330	50-498 P
GARTH,S.T.	9506120345	50-498 P
GASKIN,C.E.	9506220349*	70-1308
GATES,O.	9506160549	50-309 H
GATES,T.	9505150025*	40-8838
GATES,W.G.	9506050127	50-285 P
GATES,W.G.	9506050131*	50-285 P
GATES,W.G.	9506160335	50-285 S
GATTONE,R.	9506210050	30-8688
GEBERT,J.R.	9506130109	50-309 P
GEHMLICH,D.K.	9506050092	50-47 W
GEIGER,D.	9506280056	STATE PRO G
GEIGER,J.E.	9506160171	50-250 P
GEORGE,E.A.	9506060445	QA999
GEORGE,M.	9506220030	70-1426
GEORGE,M.	9506220075	70-1426
GEOSITS,J.J.	9506220051*	50-387 P
GERVACIO,M.C.	9506210263*	PROJ
GERVACIO,M.C.	9506210269*	PROJ
GESCHWENDER,J.	9506160342*	50-285 S
GHADIALI,N.	9506020484	NUREG
GIARDINA,R.J.	9506220251	50-390 A
GIBBONS,J.F.	9506020160*	40-299
GIBSON,A.F.	9506190381	50-269 P
GIBSON,A.F.	9506190427	50-302 V
GIBSON,A.F.	9506200029	50-327 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GIBSON,A.F.	9506200032	50-327 P
GIECK,T.E.	9506020154	40-299
GIESE-KOCH,G.	9506220174	ORG
GILCHRIST,J.R.	9506150221	CONTRACT
GILDERSLEEVE,T.	9506080048	50-324 F
GILLEN,D.M.	9506120273	WASTE MGT
GILLES,N.V.	9506140291	50-277 P
GILLEY,S.D.	9506300258*	50-327 S
GILLILAND,J.T.	9506290382*	ORG
GINSBERG,A.P.	9506290183	50-247 S
GIPSON,D.R.	9506090308	50-341 Q
GIPSON,D.R.	9506200081	50-341 R
GIPSON,D.R.	9506200369	50-341 P
GIRARD,E.	9506200111*	50-390 Q
GIRE,P.J.	9506010126*	50-255 S
GLEASON,G.P.	9506210169	40-8027
GLEASON,J.P.	9506210233	40-8027
GLOERSEN,W.B.	9506120093*	70-1113
GLOERSEN,W.B.	9506280019*	70-143
GODWIN,A.V.	9506090011	PR
GODWIN,A.V.	9506130056	STATE PRO G
GODWIN,A.V.	9506280096	STATE PRO G
GODWIN,A.V.	9506280105*	STATE PRO G
GODWIN,A.V.	9506290045	STATE PRO G
GOLDBERG,J.H.	9506290252	50-250 P
GOLDBERG,R.A.	9506220032	50-250 F
GOLDEN,B.	9506070076*	PR
GOLDEN,M.M.	9506050006*	50-387 Q
GOLDEN,M.M.	9506050007*	50-387 Q
GOODMAN,L.S.	9506190001	50-341 H
GOODMAN,L.S.	9506230034	50-341 K
GORDON,C.Z.	9506280137	STATE PRO G
GRABO,B.A.	9506130452	50-528 S
GRABO,B.A.	9506290258	50-529 S
GRABO,B.A.	9506290308*	50-529 S
GRADLE,R.C.	9506300111	50-318 S
GRAESSER,K.L.	9506090490	50-454 P
GRAMM,R.	9506140155	ORG
GRANT,G.E.	9506160065	50-461 F
GRANT,J.M.	9506190014	PR
GRANT,J.M.	9506190023	50-29 H
GRASS,C.	9506020416	71-6717
GRAY,J.R.	9506090188	50-245 P
GREENE,T.V.	9506300276	TOPREP
GREER,K.E.	9506220334	71-9007
GREEVES,J.	9506190242	WASTE MGT
GREEVES,J.T.	9506020067	WASTE MGT
GREEVES,J.T.	9506280791	50-400 Q
GREEVES,J.T.	9506290402	40-9024
GREEVES,J.T.	9506300120*	50-267 J
GRENIER,R.M.	9506280168	71-9226
GRENIER,R.M.	9506280172	71-9227
GREWE,R.	9505150015	40-8838
GRIFFIN,J.I.	9506280427	NUREG
GRIFFIN,S.B.	9506090024	NUREG
GRIMES,B.K.	9505190250	50-3 Q
GRIMES,B.K.	9505220083	I&E
GRIMES,B.K.	9505240309	50-3 Q
GRIMES,B.K.	9505240424	50-3 Q
GRIMES,B.K.	9506010112	50-3 Q
GRIMES,B.K.	9506050138	50-3 Q
GRIMES,B.K.	9506050238	I&E
GRIMES,B.K.	9506050240*	I&E
GRIMES,B.K.	9506150217	50-3 Q
GRIMES,B.K.	9506280445	ORG
GRIMES,B.K.	9506300140	ORG
GRIMES,B.K.	9506300198*	50-320 P
GRIMES,C.I.	9506230252	50-390 A
GRINER,W.H.	9506130172*	STATE PRO G
GRODIN,M.	9506220103	NUREG
GROGAN,M.L.	9506190220	50-255 F
GROTH,J.F.	9506020236	50-498 P
GROTH,J.F.	9506060340	50-498 P
GROTH,J.F.	9506120170	50-499 S
GROTH,J.F.	9506120177	50-499 S
GROTH,J.F.	9506130190*	50-498 P
GROTH,J.F.	9506160278	50-498 F
GROTH,J.F.	9506200045	50-498 R
GROTH,J.F.	9506280150	50-498 Q
GROVE,E.J.	9506230147*	50-483 P
GUIDA,R.A.	9506220352	PROJ
GUILDAY,P.	9506280393	50-160 G
GUILDAY,P.	9506280393	50-160 G
GUILDAY,P.	9506280772	50-160 G
GUNDRUM,L.L.	9506190362	50-346 P
GUNDRUM,L.L.	9506230050	50-346 P
GUNDRUM,L.L.	9506230065*	50-346 P
GUZMAN,J.G.	9506210156*	50-305 Q
GWYNN,T.P.	9505300052	50-482 Q
GWYNN,T.P.	9506070016*	50-482 Q
GWYNN,T.P.	9506090056	50-285 Q
GWYNN,T.P.	9506120002	50-361 Q
GWYNN,T.P.	9506140074	50-313 Q
GWYNN,T.P.	9506200125	50-458 Q
GWYNN,T.P.	9506200150	50-458 Q
GWYNN,T.P.	9506210010	50-313 Q
GWYNN,T.P.	9506210038	50-298 P
GWYNN,T.P.	9506210048	50-397 Q
GWYNN,T.P.	9506220028	50-361 Q
GWYNN,T.P.	9506230077	50-397 Q
GWYNN,T.P.	9506280590	50-498 Q
GWYNN,T.P.	9506280629	50-275 Q
GWYNN,T.P.	9506300002	50-285 Q
GWYNN,T.P.	9506300008	50-313 Q
GWYNN,T.P.	9506300015	50-285 Q
GWYNNE,J.W.	9506140119	NUREG
GWYNNE,J.W.	9506140126	NUREG
HAAG,T.A.	9506300028	70-36
HAAS,K.M.	9506010121	50-255 S
HAAS,K.M.	9506120266	50-255 Y
HAAS,K.M.	9506130378	50-255 Q
HAAS,K.M.	9506130408	50-255 P
HAAS,K.M.	9506190154	50-255 Y
HAAS,K.M.	9506280141	50-255 P
HAAS,K.M.	9506280355	50-255 P
HAAS,K.M.	9506280359	50-255 P
HAAS,K.M.	9506280531	50-255 P
HAAS,K.M.	9506290076	50-255 Q
HAAS,K.M.	9506290192	50-255 S
HAAS,K.M.	9506300145	50-255 Q
HAESSLER,R.L.	9506300278*	50-244 P
HAGAN,J.J	9506190168	50-354 P
HAGAN,J.J.	9506020215	50-272 P
HAGAN,J.J.	9506050298	50-354 P
HAGAN,J.J.	9506090501	50-354 P
HAGAN,J.J.	9506160182	50-311 Q
HAGAN,R.C.	9506210408	50-482 P
HAGAN,R.C.	9506290451	50-482 P
HAGAN,R.C.	9506300282	50-482 H
HALE,A.	9505150025*	40-8838
HALL,J.R	9506160099*	50-298 P
HALL,J.R.	9506140403	50-298 Q
HALL,J.R.	9506140408	50-298 P
HALL,J.R.	9506160096	50-298 P
HALL,J.R.	9506290232	50-298 P
HALL,J.R.	9506290396	50-298 P
HALL,K.W.	9506290167*	50-271 Q
HALLISEY,R.M.	9506080253	PR
HALLISEY,R.M.	9506280161	STATE PRO G
HALLISEY,R.M.	9506290119	STATE PRO G
HALTIWANGER,J.	9506190296	50-395 R
HAMDAN,L.	9506010427*	WASTE MGT
HAMPTON,J.W.	9506060422	50-269 Q
HAMPTON,J.W.	9506060428	50-269 Q
HAMPTON,J.W.	9506080206	50-269 S
HAMPTON,J.W.	9506090290	50-269 F
HAMPTON,J.W.	9506150185	50-269 F
HAMPTON,J.W.	9506150253	50-269 Q
HAMPTON,J.W.	9506190367	50-269 F
HAMPTON,J.W.	9506200198	50-269 Q
HAMPTON,J.W.	9506200218	50-269 Q
HAMPTON,J.W.	9506200365	50-269 P
HAMPTON,J.W.	9506290283	50-269 Q
HAMRIC,J.P.	9506280495	PROJ
HAMRIC,J.P.	9506280514*	PROJ
HAMZEHEE,H.G.	9506300136*	50-445 P
HANDELSMAN,L.M.	9506190162	40-7102
HANNON,J.N.	9506280528*	50-499 P
HANNON,J.N.	9506280693*	50-498 F
HANSEN,A.G.	9506290255	50-301 P
HARDEMAN,J.C.	9506020020	PR
HARDGROVE,T.W.	9506070192	40-2259
HARDIN,C.M.	9506130150	STATE PRO G
HARDIN,C.M.	9506130184*	STATE PRO G
HARDIN,K.J.	9506020065	70-1151
HARDIN,K.J.	9506280136	70-1151
HARRELL,P.	9506230049*	50-313 Q
HARRELL,P.H.	9506280606*	50-298 Q
HARRIS,A.P.	9506090077	NUREG
HARRIS,C.W.	9506010194	71-9263
HARRIS,C.W.	9506010202*	71-9263
HARRIS,C.W.	9506010208*	71-9263
HARRIS,D.J.	9506160318*	WASTE MGT
HARRIS,D.N.	9506200321	50-245 S
HARRIS,D.N.	9506280425	50-245 S
HARRISON,F.	9506200018	50-324 R
HARRISON,L.M.	9506280691*	50-213 Q
HASHEMIAN,H.M.	9506010456	NUREG
HATHCOCK,D.Z.	9506190032	QA999
HAUBER,R.D.	9506010235	XPORTLIC
HAUBER,R.D.	9506050010	XPORTLIC
HAUBER,R.D.	9506050032	XPORTLIC
HAUBER,R.D.	9506220256	XPORTLIC
HAUBER,R.D.	9506220261	XPORTLIC
HAUBER,R.D.	9506230048	XPORTLIC
HAUBER,R.D.	9506230228	XPORTLIC
HAUBER,R.D.	9506230348	XPORTLIC
HAUBER,R.D.	9506280045	XPORTLIC
HAUBER,R.D.	9506280301	XPORTLIC
HAUBER,R.D.	9506280372	XPORTLIC
HAUBER,R.D.	9506280374	XPORTLIC
HAUBER,R.D.	9506280381	XPORTLIC
HAUBER,R.D.	9506280383	XPORTLIC
HAUBER,R.D.	9506280408	XPORTLIC
HAUBER,R.D.	9506280431	XPORTLIC
HAUBER,R.D.	9506280446	XPORTLIC
HAUBER,R.D.	9506280451	XPORTLIC
HAUBER,R.D.	9506280475	XPORTLIC
HAUBER,R.D.	9506280484	XPORTLIC
HAUBER,R.D.	9506280512	XPORTLIC
HAUBER,R.D.	9506280678	XPORTLIC
HAUBER,R.D.	9506280702	XPORTLIC
HAUBER,R.D.	9506280721	XPORTLIC
HAUBER,R.D.	9506290292	XPORTLIC
HAUBER,R.D.	9506290299	XPORTLIC
HAUGHNEY,C.J.	9506010515	50-282 Y
HAUSSER,J.	9506160559	50-373 S
HAYES,J.J.	9506080268	ORG
HAYES,S.M.	9506150019	70-820
HEBDON,F.J.	9506070615*	50-327 P
HEBDON,F.J.	9506090343*	50-327 P
HEBDON,F.J.	9506090368*	50-327 P
HEBDON,F.J.	9506090393	50-395 P
HEBDON,F.J.	9506200232*	50-327 P
HEBDON,F.J.	9506200274*	50-327 P
HEBDON,F.J.	9506220046*	50-395 P
HEBDON,F.J.	9506230031*	50-395 P
HEBDON,F.J.	9506290059*	50-327 P
HEBDON,F.J.	9506290390*	50-259 P
HEBERT,J.R.	9506120212	50-309 S
HEBERT,J.R.	9506140380	50-309 P
HEBERT,J.R.	9506210157	50-309 R
HEBERT,J.R.	9506280055	50-309 P
HEHL,C.W.	9506010020	40-8833
HEHL,C.W.	9506140090	STATE PRO G
HEHL,C.W.	9506280082	40-6940
HEHR,W.	9506090018	XPORTLIC
HEINEMAN,F.	9506230225*	50-324 U
HELLSTROM,G.W.	9506160258	40-8989
HELLSTROM,G.W.	9506160260	40-8989
HELLSTROM,G.W.	9506160264	40-8989
HELLSTROM,G.W.	9506160330	40-8989
HELLSTROM,G.W.	9506160341	40-8989
HELLSTROM,G.W.	9506160346	40-8989
HELLSTROM,G.W.	9506300204	40-8989
HENDERSON,J.W.	9506220341*	40-2384
HENDERSON,L.	9506070695	50-331 F
HENDLEY,T.	9506220187	71-6717
HENDRICKS,D.R.	9506160468	50-352 R
HENDRIX,R.E.	9506020055	50-275 P
HENRIKSEN,R.A.	9506190332	50-219 S
HEPLER,O.M.	9505050271*	50-397 F
HEPLER,O.M.	9506200188*	50-280 F
HERNAN,R.W.	9506020196	50-289 P
HERNAN,R.W.	9506280503	50-289 P
HERRON,J.T.	9506130259	50-298 R
HERRON,J.T.	9506230046	50-298 S
HERRON,J.T.	9506290107	50-298 S
HERSHBERGER,D.	9506130429	TOPREP
HERSHBERGER,D.	9506150095	TOPREP
HERZOG,B.S.	9506090104	PR
HEYSEK,W.G.	9506160555	50-289 R
HIATT,S.L.	9506290019	PR
HICKMAN,J.B.	9506020189	50-315 P
HICKMAN,J.B.	9506280666	50-315 P
HICKMAN,J.B.	9506290439	50-315 P
HICKMAN,J.B.	9506290441*	50-315 P
HICKMAN,J.B.	9506300207	50-315 P
HICKMAN,J.B.	9506300213*	50-315 P
HILAND,P.	9506050033*	50-254 Q
HILAND,P.L.	9506050023	50-237 P
HILAND,P.L.	9506050029	50-254 Q
HILAND,P.L.	9506050049	50-10 Q
HILAND,P.L.	9506050055*	50-10 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HILAND,P.L.	9506210012	50-254 Q
HILAND,P.L.	9506210017	50-254 Q
HILDEBRAND,J.E.	9506140061	50-146 S
HILDENBRAND,J.	9506060141	50-146 P
HILDENBRAND,J.	9506060157*	50-146 P
HILL,B.E.	9506150358	WASTE MGT
HILL,B.E.	9506150360	WASTE MGT
HILL,B.E.	9506160208	WASTE MGT
HILL,B.E.	9506220291*	WASTE MGT
HILL,B.G.	9506130038	STATE PRO G
HILL,D.	9506020197	40-4492
HILL,L.M.	9506020431	50-286 S
HILL,L.M.	9506020444	50-286 S
HILL,L.M.	9506090146	50-286 S
HILL,L.M.	9506130210	50-286 P
HILL,L.M.	9506160274	50-286 Q
HILL,L.M.	9506200056	50-286 R
HILL,R.D.	9506010065	50-348 S
HILL,R.D.	9506120524	50-364 S
HILL,R.D.	9506230041	50-364 S
HILL,R.L.	9506200045	50-498 R
HILL,T.E.	9506090012	PR
HILL,T.E.	9506130032	STATE PRO G
HILL,W.J.	9506190329	50-263 S
HILL,W.J.	9506280558	50-263 S
HILL,W.J.	9506280568	50-263 S
HILL,W.J.	9506290062	50-263 S
HILL,W.J.	9506300043	50-263 P
HILL,W.J.	9506300045*	50-263 P
HILTON,L.D.	9506020457	NUREG
HILTZ,T.G.	9506050004	PROJ
HILTZ,T.G.	9506080565	PROJ
HILTZ,T.G.	9506220283	PROJ
HIMBERT,P.V.	9506020428	71-96
HINDMARSH,J.	9506090033	PR
HINNANT,C.S.	9506290194	50-261 Q
HINNANT,C.S.	9506290202	50-261 Q
HOBBS,L.L.	9506290074	40-8681
HOBE,M.	9506290196*	50-255 S
HODGDON,A.P.	9506210181	50-458 G
HODGES,M.W.	9506290233	ORG
HODSON,G.L.	9506060212*	50-293 P
HOERRES,D.	9506060453	MISC
HOFFMAN,G.L.	9506070206*	40-2259
HOFFMAN,S.T.	9506080629	REVIEW GR P
HOFMANN,R.B.	9506010545	WASTE MGT
HOFMANN,R.B.	9506290145*	WASTE MGT
HOGG,R.C.	9506280717	WASTE MGT
HOLAHAN,P.K.	9506290058	STATE PRO G
HOLDEN,D.	9506220007	XPORTLIC
HOLDEN,D.	9506220039	XPORTLIC
HOLDEN,D.	9506220071	XPORTLIC
HOLDEN,D.W.	9506220004	XPORTLIC
HOLDEN,D.W.	9506220014	XPORTLIC
HOLDEN,D.W.	9506220022	XPORTLIC
HOLDEN,D.W.	9506220045	XPORTLIC
HOLDEN,D.W.	9506220050	XPORTLIC
HOLDEN,D.W.	9506220054	XPORTLIC
HOLDEN,D.W.	9506220063	XPORTLIC
HOLIAN,B.E.	9506220221	50-528 P
HOLIAN,B.E.	9506230112	50-528 P
HOLIAN,B.E.	9506230121*	50-528 P
HOLIAN,B.E.	9506230342	50-528 P
HOLIAN,B.E.	9506280640	50-528 P
HOLIAN,B.E.	9506280650*	50-528 P
HOLIAN,B.E.	9506290334	50-528 P
HOLLAND,P.G.	9506200042	50-10 R
HOLLAND,W.E.	9506200006*	50-327 Q
HOLLER,E.J.	9506070172	70-3070
HOLLOMON,T.J.	9506200061	50-327 R
HOLLON,M.C.	9506160458	50-461 R
HOLMES,M.A.	9506290392	50-483 R
HOLMES,S.W.	9506140040*	70-*****
HOLMES,S.W.	9506140073*	40-*****
HOLMES,S.W.	9506140096*	40-*****
HOLMES,S.W.	9506280392*	40-*****
HOLMES,S.W.	9506280502*	40-*****
HOLONICH,J.	9506010548	40-8502
HOLONICH,J.	9506280696	WASTE MGT
HOLONICH,J.J.	9506010421	WASTE MGT
HOLONICH,J.J.	9506020071	WASTE MGT
HOLONICH,J.J.	9506090075	40-8681
HOLONICH,J.J.	9506090217	40-8084
HOLONICH,J.J.	9506090221*	40-8084
HOLONICH,J.J.	9506090230	40-8902
HOLONICH,J.J.	9506090234*	40-8902
HOLONICH,J.J.	9506090313	WASTE MGT
HOLONICH,J.J.	9506120349	40-8786
HOLONICH,J.J.	9506150198	WASTE MGT
HOLONICH,J.J.	9506260169	40-8902
HOLONICH,J.J.	9506280230	40-8681
HOLONICH,J.J.	9506280232*	40-8681
HOLONICH,J.J.	9506280237	40-3453
HOLONICH,J.J.	9506280255	40-8502
HOLONICH,J.J.	9506280264*	40-8502
HOLONICH,J.J.	9506280267	40-299
HOLONICH,J.J.	9506280382	40-8981
HOLONICH,J.J.	9506280395*	40-8981
HOLONICH,J.J.	9506280486	40-6659
HOLONICH,J.J.	9506280499*	40-6659
HOLONICH,J.J.	9506280788	WASTE MGT
HOLONICH,J.J.	9506300057	40-8989
HOLONICH,J.J.	9506300059*	40-8989
HOLONICH,J.J.	9506300094	40-8907
HOLT,B.J.	9506080579	I&E
HOLT,B.J.	9506210202	I&E
HOLT,B.J.	9506280310	I&E
HOLT,B.J.	9506280620	30-32466
HOLT,B.J.	9506280718	I&E
HOLT,B.J.	9506280731	I&E
HOM,S.R.	9506070131	40-8027
HOM,S.R.	9506070149	40-8027
HOM,S.R.	9506210139	40-8027
HOMER,E.L.	9506130130*	ORG
HOOPER,G.L.	9506160561	50-424 R
HOOVER,D.J.	9506280389*	50-387 V
HOPKINS,P.C.	9506280209*	50-424 Q
HOPPER,G.T.	9506190418*	50-269 Q
HORN,G.R.	9506140247	50-298 J
HORN,G.R.	9506150192	50-298 F
HORN,G.R.	9506220079	50-298 P
HORN,G.R.	9506280324	50-298 F
HORNOR,J.W.	9506130009	STATE PRO G
HORTON,D.G.	9506050118	WASTE MGT
HORTON,D.G.	9506050122*	WASTE MGT
HORTON,D.G.	9506140401	WASTE MGT
HORTON,D.G.	9506140402*	WASTE MGT
HORTON,D.G.	9506160312	WASTE MGT
HORTON,D.G.	9506160318*	WASTE MGT
HORTON,D.G.	9506160323	WASTE MGT
HORTON,D.G.	9506160329*	WASTE MGT
HORTON,D.G.	9506200284	WASTE MGT
HORTON,D.G.	9506200287*	WASTE MGT
HORTON,D.G.	9506280338	WASTE MGT
HOSMER,J.B.	9506120351	50-10 W
HOUCK,M.M.	9506220061	50-272 P
HOVEY,R.J.	9506010043	50-354 R
HOWELL,L.	9506080600	I&E
HOWELL,L.	9506200305	I&E
HOWER,S.	9506020165*	50-237 P
HOYLE,J.C.	9505250343	50-482 F
HOYLE,J.C.	9506070115	10CFR
HOYLE,J.C.	9506070170	50-361 G
HOYLE,J.C.	9506090054	PRM
HOYLE,J.C.	9506090364	10CFR
HOYLE,J.C.	9506130199	10CFR
HOYLE,J.C.	9506140342	10CFR
HOYLE,J.C.	9506140360	10CFR
HOYLE,J.C.	9506140430	10CFR
HOYLE,J.C.	9506150164	10CFR
HOYLE,J.C.	9506150289	10CFR
HOYLE,J.C.	9506150357	10CFR
HOYLE,J.C.	9506160083	50-237 G
HOYLE,J.C.	9506160106	70-3070
HOYLE,J.C.	9506160119	40-8027
HOYLE,J.C.	9506160518	10CFR
HOYLE,J.C.	9506190433	10CFR
HOYLE,J.C.	9506210196	70-3070
HOYLE,J.C.	9506210210	50-160 G
HOYLE,J.C.	9506220013	50-459 M
HOYLE,J.C.	9506220247	10CFR
HOYLE,J.C.	9506220288	10CFR
HOYLE,J.C.	9506220357	10CFR
HOYLE,J.C.	9506230093	10CFR
HOYLE,J.C.	9506230124	10CFR
HOYLE,J.C.	9506230202	10CFR
HOYLE,J.C.	9506230376	10CFR
HOYLE,J.C.	9506290031	50-424 G
HOYLE,J.C.	9506290307*	ORG
HOYLE,J.C.	9506290365	10CFR
HSIUNG,S.M.	9506280792*	WASTE MGT
HSU,J.	9506150238	CONTRACT
HUBER,D.	9506220103	NUREG
HUFFMAN,M.R.	9506280449	71-637
HUFFMAN,W.C.	9506120468	52-3
HUFFMAN,W.C.	9506210358	52-3
HUFFMAN,W.C.	9506220065	52-3
HUFFMAN,W.C.	9506280083	52-3
HUFFMAN,W.C.	9506290399	52-3
HUFFMAN,W.C.	9506300262	52-3
HUGO,B.R.	9506190316*	50-397 S
HULL,J.T.	9506280014	50-424 T
HULTSCH,R.A.	9506160022	50-186 F
HUNGER,G.A.	9506010106	50-277 P
HUNGER,G.A.	9506020229	50-277 P
HUNGER,G.A.	9506020479	50-277 P
HUNGER,G.A.	9506020503	50-277 P
HUNGER,G.A.	9506090124	50-352 P
HUNGER,G.A.	9506120190	50-277 P
HUNGER,G.A.	9506120214	50-352 F
HUNGER,G.A.	9506140002	PR
HUNGER,G.A.	9506160347	50-277 P
HUNGER,G.A.	9506160437	50-277 F
HUNGER,G.A.	9506200185	50-277 F
HUNGER,G.A.	9506200251	50-278 Q
HUNGER,G.A.	9506230386	50-278 P
HUNGER,G.A.	9506280243	50-353 P
HUNGER,G.A.	9506290177	50-352 P
HUNGER,G.A.	9506290391	50-352 P
HUNGER,G.A.	9506290405	50-352 P
HUNSTAD,A.A.	9506120218	50-282 S
HUNSTAD,A.A.	9506140307	50-306 S
HUNTER,J.J.	9506190183	40-7580
HUNTER,J.J.	9506190189	40-7580
HUNTRESS,A.R.	9506120164	QA999
HUTCHINS,S.	9506070566	71-9127
HUTCHINSON,C.R.	9506200039	50-416 R
HUTCHINSON,C.R.	9506200160	50-416 P
HUTCHINSON,C.R.	9506200164	50-416 F
HUTCHINSON,C.R.	9506280271	50-416 S
IBRAHIM,A.	9506120369	WASTE MGT
IGNATONIS,A.	9506280246	50-259 P
IMBRO,E.V.	9506140224	TOPREP
IPSEN,H.W.	9506290087*	40-8681
JABBOUR,K.N.	9506210367	50-321 P
JACKSON	9506140353	COMMISSION
JACKSON,D.T.	9506160042	52-3
JACKSON,G.M.	9506060177*	PR
JACKSON,J.D.	9506220340	70-7001
JACKSON,S.	9506140375	COMMISSION
JACKSON,S.A.	9506060306	SPEECHES
JACKSON,S.A.	9506140434	COMMISSION
JACKSON,S.A.	9506140438	COMMISSION
JACKSON,S.A.	9506150074	COMMISSION
JACKSON,S.A.	9506150247	COMMISSION
JACKSON,S.A.	9506160191	COMMISSION
JACKSON,S.A.	9506230178	COMMISSION
JACKSON,T.	9506210065	I&E
JACOBSON,J.M.	9506140091*	70-36
JACOBSON,J.M.	9506210153	50-305 Q
JACOBSON,J.M.	9506210156*	50-305 Q
JAMESON,C.	9506280318	50-315 F
JANG,J.C.	9506120059*	50-213 Q
JANISSE,D.	9506130215	50-315 R
JANISSE,J.D.	9506130253	50-316 R
JANKOVICH,J.P.	9506080597	71-250
JANKOVICH,J.P.	9506080598*	71-250
JANKOVICH,J.P.	9506080601	71-804
JANKOVICH,J.P.	9506080604*	71-804
JANKOVICH,J.P.	9506090110	71-377
JANKOVICH,J.P.	9506090111*	71-377
JANKOVICH,J.P.	9506090115	71-368
JANKOVICH,J.P.	9506090118*	71-368
JANKOVICH,J.P.	9506130066	71-*****
JANKOVICH,J.P.	9506130068*	71-*****
JANKOVICH,J.P.	9506130073	71-*****
JANKOVICH,J.P.	9506130075*	71-*****
JANKOVICH,J.P.	9506200080	71-794
JANKOVICH,J.P.	9506200084	71-793
JANKOVICH,J.P.	9506200089	71-696
JANKOVICH,J.P.	9506200093	71-800
JANKOVICH,J.P.	9506200096	71-799
JANKOVICH,J.P.	9506200325	71-516
JANKOVICH,J.P.	9506200327*	71-516
JANKOVICH,J.P.	9506210028	71-795
JANKOVICH,J.P.	9506210031	71-*****
JANKOVICH,J.P.	9506210032*	71-*****
JANKOVICH,J.P.	9506210036	71-96
JANKOVICH,J.P.	9506210039*	71-96
JANKOVICH,J.P.	9506210042	71-798
JANKOVICH,J.P.	9506220056	71-770
JANKOVICH,J.P.	9506220060*	71-770
JANKOVICH,J.P.	9506220064	71-678
JANKOVICH,J.P.	9506220091	71-516

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JANKOVICH,J.P.	9506280303	71-226	JOYNER,J.H.	9506140007	50-354 Q	KINNEMAN,J.D.	9506210034	40-672
JANKOVICH,J.P.	9506280305*	71-226	JOYNER,J.H.	9506140035	50-387 Q	KINNEMAN,J.D.	9506280101	40-672
JANKOVICH,J.P.	9506280626	71-818	JOYNER,J.H.	9506140059	50-220 Q	KINNEMAN,J.D.	9506280287	40-*****
JANKOVICH,J.P.	9506290154	71-542	JOYNER,J.H.	9506190464	50-293 Q	KINNEMAN,J.D.	9506280300*	40-*****
JANKOVICH,J.P.	9506290156*	71-542	JOYNER,J.H.	9506190469	50-277 Q	KINNEMAN,J.D.	9506280376	40-*****
JANUS,M.T.	9506200297*	50-324 Q	JOYNER,J.H.	9506200100	50-220 F	KINNEMAN,J.D.	9506280392*	40-*****
JASTROW,J.D.	9506020457	NUREG	JOYNER,J.H.	9506210071	50-247 Q	KINNEMAN,J.D.	9506280494	40-*****
JASTROW,J.D.	9506140086	NUREG	JOYNER,J.H.	9506210099	50-244 F	KINNEMAN,J.D.	9506280502*	40-*****
JAUDON,J.	9506280116	50-390 Q	JOYNER,J.H.	9506210136	50-271 Q	KIPFERL,C.	9506010528	70-3061
JAUDON,J.P.	9506190373	50-390 A	JOYNER,J.H.	9506280069	50-213 Q	KIRSCH,D.	9506200172*	50-445 Q
JAUDON,J.P.	9506190406	50-390 Q	JOYNER,J.H.	9506280559	50-277 Q	KITTS,R.J.	9506150220	50-259 F
JAUDON,J.P.	9506190409	50-390 A	JOYNER,J.H.	9506280654	50-443 Q	KLAPPROTH,J.F.	9506020392	70-1113
JAUDON,J.P.	9506190413	50-390 Q	JOYNER,J.H.	9506280688	50-146 Q	KLAPPROTH,J.F.	9506280804	TOPREP
JAUDON,J.P.	9506190425	50-390 Q	JUDAY,R.A.	9506190295	40-6659	KLAPPROTH,J.F.	9506290098	TOPREP
JAUDON,J.P.	9506200021	50-390 Q	JULIAN,C.	9506190416*	50-390 Q	KLAPPROTH,J.F.	9506300235	70-1113
JAUDON,J.P.	9506200023	50-438 A	JULIAN,C.	9506200111*	50-390 Q	KLAR	9506200319*	40-*****
JAUDON,J.P.	9506200026	50-390 Q	JULIAN,C.	9506280188*	50-390 Q	KLASKY,M.	9506020039	70-27
JAUDON,J.P.	9506200055	50-390 Q	JULIAN,C.A.	9506190435*	50-390 Q	KLASKY,M.	9506280136	70-1151
JAUDON,J.P.	9506200057	50-259 P	JULIAN,C.A.	9506200030*	50-390 Q	KLEINSORGE,W.P.	9506280042*	50-261 Q
JAUDON,J.P.	9506200103	50-390 Q	JULIAN,C.A.	9506280228*	50-390 Q	KLEMENTOWICZ,S.	9506280781*	REVIEW GR P
JAUDON,J.P.	9506200190	50-390 A	JULIAN,E.L.	9506210176	50-160 G	KLINE,J.R.	9506290069	MISC
JAUDON,J.P.	9506200227	50-390 F	JURY,K.R.	9506070267*	50-440 S	KNAPP,K.S.	9506020179	71-9203
JAUDON,J.P.	9506200264	50-390 Q	JURY,K.R.	9506130097	50-440 S	KNAPP,K.S.	9506090174	71-9251
JAUDON,J.P.	9506200288	50-390 A	JUSTUS,P.S.	9506230144	ORG	KNAPP,K.S.	9506090506	71-9251
JAUDON,J.P.	9506280129	50-390 Q	KACICH,R.M.	9506130300	50-245 P	KNIGHT,D.A.	9506150350	CONTRACT
JAUDON,J.P.	9506280157	50-390 Q	KACZMAREK,J.F.	9506140440*	50-461 S	KNODE,R.	9506210091	40-8943
JAUDON,J.P.	9506280204	50-390 Q	KAHN,R.	9506220133*	50-295 Q	KNORR,J.E.	9506160514	50-250 R
JEFFREY,W.J.	9506190298	50-277 R	KALMAN,G.	9506020275	50-313 P	KNUDSON,D.L.	9506010485	50-280 P
JEFFS,V.D.	9506130115*	STATE PRO G	KALMAN,G.	9506020283*	50-313 P	KNUETTEL,E.T.	9506220321	50-327 P
JERRETT,L.E.	9506090041	PR	KALMAN,G.	9506050081*	50-499 P	KOFRON,K.L.	9506160520	50-454 R
JERRETT,L.E.	9506130028	STATE PRO G	KALMAN,G.	9506280805	50-313 P	KOH,B.	9506010145	40-8724
JICKLING,J.	9506120026*	50-315 Q	KALMAN,G.	9506290160	50-313 P	KOH,B.	9506010476	40-8724
JO,J.	9506220089	50-280 P	KALMAN,G.	9506290165*	50-313 P	KOH,B.	9506020131	40-8724
JOHANNES,R.N.	9506280432	50-482 F	KALMAN,G.	9506290205	50-368 P	KOHN,M.D.	9506160075	50-424 G
JOHANSEN,J.	9506210116	I&E	KANSLER,M.R.	9506050168	50-338 P	KOHN,M.D.	9506160075	50-424 G
JOHANSEN,J.M.	9506210093	STATE PRO G	KAPLAN,R.L.	9506210078*	50-361 R	KOLTAY,P.S.	9506060014*	QA999
JOHNSON,A.R.	9506220184	50-244 P	KARAM,R.A.	9506280298	50-160 Q	KOPP,L.	9506070441	52-2
JOHNSON,I.M.	9506010356	50-456 F	KARPYAK,S.D.	9506300136*	50-445 P	KOPP,L.	9506230309	TOPREP
JOHNSON,I.M.	9506010360	50-454 F	KASUMOVIC,J.	9506140119	NUREG	KOSMIDER,M.D.	9506120110	40-3392
JOHNSON,I.M.	9506010377	50-456 F	KAUP,K.L.	9506070292	50-456 Q	KOSMIDER,M.D.	9506160542	40-3392
JOHNSON,I.M.	9506130106	50-10 F	KAUP,K.L.	9506090490	50-454 P	KOTTAN,J.	9506140011*	50-354 Q
JOHNSON,I.M.	9506290199	50-254 F	KAUP,K.L.	9506120528	50-456 Q	KOUDELKA,M.B.	9506200012	50-266 R
JOHNSON,I.M.	9506290204	50-254 F	KEARNEY,W.F.	9506140093	40-8857	KOVACH,T.	9506130227	50-10 W
JOHNSON,I.M.	9506300257	50-237 S	KEARNEY,W.F.	9506140099*	40-8857	KRAINIK,A.K.	9506060391	50-528 J
JOHNSON,J.	9506120020*	WASTE MGT	KEARNEY,W.F.	9506160521	40-8857	KRAMER,J.	9506290406	REGGD
JOHNSON,J.C.	9506140130	NUREG	KEATEN,R.W.	9506140251	50-219 Q	KRANZ,B.T.	9506290247*	50-410 P
JOHNSON,J.R.	9506200101	50-260 Q	KEIMIG,R.	9506210147*	50-271 Q	KRAUS,T.J.	9506090030	PR
JOHNSON,L.	9506200337*	40-*****	KEIMIG,R.R.	9506120439*	50-289 Q	KRESS,T.S.	9506220260	ACRS
JOHNSON,T.C.	9506010216	40-8724	KEIMIG,R.R.	9506210083*	50-247 Q	KRESS,T.S.	9506220262	ACRS
JOHNSON,T.C.	9506120172	40-8724	KELLY,B.A.	9506210177	40-8948	KRESS,T.S.	9506220264	ACRS
JOHNSON,W.D.	9506200216*	50-397 Q	KELLY,E.M.	9506280550	50-244 Q	KRESS,T.S.	9506220266	52-3
JOHNSON,W.D.	9506300005*	50-498 Q	KELLY,E.M.	9506280555*	50-244 Q	KRICH,R.M.	9506010347	50-261 F
JOHNSTON,J.R.	9506130087	50-155 R	KELLY,E.M.	9506300030	50-245 Q	KRICH,R.M.	9506060061	50-261 F
JOHNSTON,W.M.	9506070304	71-9263	KELLY,E.M.	9506300033*	50-245 Q	KRICH,R.M.	9506060073*	50-261 F
JOKSIMOVICH,V.	9506090032	NUREG	KELLY,G.B.	9506140381	50-331 P	KRICH,R.M.	9506070110	50-261 P
JOKSIMOVICH,V.	9506150399	CONTRACT	KELLY,G.B.	9506290142	50-331 P	KRICH,R.M.	9506070116	50-261 P
JOLICOEUR,J.R.	9506290383	50-213 F	KELLY,R.T.	9506140119	NUREG	KRICH,R.M.	9506080653	50-261 Q
JONES,A.	9506280056	STATE PRO G	KELLY,R.T.	9506140126	NUREG	KRICH,R.M.	9506140123	50-261 P
JONES,B.	9506300269	TOPREP	KEMPTHORNE,D.	9506290372*	ORG	KRICH,R.M.	9506160557	50-261 R
JONES,D.T.	9506200009	50-334 R	KENNEDY,J.	9506050194	50-255 Y	KRIEGER,R.W.	9506070173	50-361 S
JONES,D.W.	9506200105*	50-321 Q	KENNEDY,J.L.	9506080556	50-255 P	KRIEGER,R.W.	9506070197*	50-361 S
JONES,R.C.	9506130268*	TOPREP	KENNEDY,J.L.	9506080562*	50-255 P	KRIEGER,R.W.	9506130156	50-206 F
JONES,R.C.	9506290306	TOPREP	KENNEDY,J.L.	9506140281	50-255 P	KRIEGER,R.W.	9506190333	50-361 S
JONES,R.C.	9506290443	TOPREP	KENNEDY,J.L.	9506140286*	50-255 P	KRIEGER,R.W.	9506190338*	50-361 S
JONES,R.C.	9506300288	TOPREP	KENNEDY,J.L.	9506140303	50-306 Q	KRIEGER,R.W.	9506290198	50-361 S
JONES,S.B.	9506120143	WASTE MGT	KENNEDY,J.L.	9506230280	50-255 P	KRIESER,G.M.	9506090059	PR
JONES,S.B.	9506200272	WASTE MGT	KENNEDY,J.L.	9506230283*	50-255 P	KRIESER,G.M.	9506280317	50-266 P
JOOS,D.W.	9506140389*	50-155 P	KENNEDY,J.L.	9506280490	50-255 P	KRISHNASWAMY,P.	9506020484	NUREG
JORDAN,E.L.	9506090122	ORG	KENNY,A.	9506200278	TOPREP	KROPP,W.	9506050084	50-255 Q
JORDAN,E.L.	9506220249	REVIEW GR P	KENYON,T.J.	9506220245	52-3	KROPP,W.J.	9506050097*	50-255 Q
JORDAN,E.L.	9506230030	REVIEW GR P	KENYON,T.J.	9506280566	52-3	KROPP,W.J.	9506210056	50-315 Q
JORDAN,E.L.	9506300017	ORG	KERR,G.W.	9506130172*	STATE PRO G	KROPP,W.J.	9506210061*	50-315 Q
JORDAN,M.J.	9506230054	50-295 Q	KERR,J.	9506200342*	50-331 S	KUCHARSKI,W.A.	9506070154	70-3070
JORDAN,M.J.	9506230057*	50-295 Q	KHAN,T.A.	9506140072	NUREG	KUCHARSKI,W.A.	9506070168*	70-3070
JOYCE,T.P.	9506010134	50-249 S	KIM,T.J.	9506290434	50-263 P	KUCHARSKI,W.A.	9506290035	70-3070
JOYCE,T.P.	9506070008	50-237 Q	KIM,Y.H.	9506010229	XPORTLIC	KUDRICK,J.A.	9506140319	52-4
JOYCE,T.P.	9506080061	50-237 S	KIMBALL,D.P.	9506010001	50-414 S	KUGLER,A.J.	9506130014	ORG
JOYCE,T.P.	9506120194	50-237 S	KIMBALL,D.P.	9506010173	50-414 S	KUGLER,A.J.	9506160308	I&E
JOYCE,T.P.	9506130265	50-237 S	KIMBALL,D.P.	9506220059	50-413 S	KUMAR,P.	9506160249*	72-1007
JOYCE,T.P.	9506140417	50-237 S	KING,E.B.	9506190467*	50-293 Q	KURTZ,R.L.	9506210117	TOPREP
JOYCE,T.P.	9506140425	50-249 S	KINNEMAN,J.D.	9506120061	40-*****	KUZO,G.B.	9506280228*	50-390 Q
JOYCE,T.P.	9506290262	50-237 Q	KINNEMAN,J.D.	9506140033	70-*****	LABARGE,D.E.	9506070606	50-327 P
JOYNER,J.H.	9506070455	50-333 Q	KINNEMAN,J.D.	9506140040*	70-*****	LABARGE,D.E.	9506090337	50-327 P
JOYNER,J.H.	9506120047	50-213 Q	KINNEMAN,J.D.	9506140064	40-*****	LABARGE,D.E.	9506090360	50-327 P
JOYNER,J.H.	9506120431	50-289 Q	KINNEMAN,J.D.	9506140073*	40-*****	LABARGE,D.E.	9506140308	50-327 P
JOYNER,J.H.	9506120466	50-245 Q	KINNEMAN,J.D.	9506140089	40-*****	LABARGE,D.E.	9506200219	50-327 P
JOYNER,J.H.	9506130079	50-309 F	KINNEMAN,J.D.	9506140096*	40-*****	LABARGE,D.E.	9506200259	50-327 P
JOYNER,J.H.	9506130119	50-354 F	KINNEMAN,J.D.	9506140110	40-*****	LABARGE,D.E.	9506200363	50-327 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LABARGE,D.E.	9506290054	50-327 P
LABRUNA,S.	9506010492	50-272 P
LABRUZZO,L.	9506020444	50-286 S
LADER,P.	9506080447*	PR
LADUN,R.H.	9506140101*	STATE PRO G
LAFRANZO,M.	9506280620	30-32466
LAHTI,G.P.	9506070340*	50-295 P
LAHTI,G.P.	9506070345*	50-295 P
LAHTI,G.P.	9506220133*	50-295 Q
LAKE,L.F.	9506160189*	50-311 Q
LAM,P.S.	9506210230	50-458 G
LAM,P.S.	9506290069	MISC
LAMASTRA,M.A.	9506150296	40-3392
LAMBE,W.M.	9506210391	50-458 M
LAMBE,W.M.	9506210395	50-458 M
LAMBE,W.M.	9506220070	50-458 M
LAMBERSKI,J.	9506210199	50-424 G
LAMBERSKI,J.	9506280015	50-424 G
LAMBERSKI,J.	9506290046	50-424 G
LAMBERSKI,J.	9506290046	50-424 G
LAMBERT,K.J.	9506230107*	40-8724
LANDIS,K.	9506200179*	50-302 Q
LANDIS,K.D.	9506190382	50-302 P
LANDIS,K.D.	9506190389	50-280 P
LANDIS,K.D.	9506190450	50-302 Q
LANDIS,K.D.	9506200142	50-280 Q
LANDIS,K.D.	9506200174	50-302 Q
LANDIS,K.D.	9506280097	50-338 Q
LANDIS,K.D.	9506280144	50-280 P
LANDIS,K.D.	9506280208	50-338 Q
LANDIS,L.D.	9506200230	50-302 Q
LANG,Y.	9506050085	XPORTLIC
LANG,Y.	9506230318	XPORTLIC
LANKSBURY,R.D.	9506280041	50-346 Q
LANZISERA,P.	9506280094*	40-6940
LARKINS,J.T.	9506290442	ACRS
LARSEN,J.	9506150142	70-925
LARUE,M.J.	9506230353	XPORTLIC
LARUE,M.J.	9506230364*	XPORTLIC
LASALA,P.R.	9506010043	50-354 R
LAUGHLIN,J.	9506210147*	50-271 Q
LAWRENCE,F.D.	9506220166*	TOPREP
LAWSON,R.L.	9506090014	NUREG
LAZARUS,W.J.	9506010026*	50-309 Q
LAZARUS,W.J.	9506010038	50-309 P
LAZARUS,W.J.	9506120461*	50-244 Q
LAZARUS,W.J.	9506120516*	50-309 Q
LAZZARO,J.A.	9506120208	PROJ
LEACH,G.S.	9506070389*	40-8767
LEE,H.W.	9506010125	71-3023
LEE,P.E.	9506290347	40-7397
LEE,P.J.	9506120550*	70-8
LEE,S.S.	9506090156*	PR
LEEDS,E.J.	9506080637	REVIEW GR P
LEFFLER,T.	9506010134	50-249 S
LEICHT,J.	9506090003*	50-295 P
LEMING,E.C.	9506210290	70-3070
LENAHAN,J.J.	9506200073*	50-324 Q
LENTZ,J.J.	9506050094	70-*****
LENTZ,J.J.	9506120102	70-133
LEPAGE,R.P.	9506140119	NUREG
LEPAGE,R.P.	9506140126	NUREG
LESAR,M.T.	9506060070	PR
LESAR,M.T.	9506060202*	PR
LESAR,M.T.	9506060240*	PR
LESAR,M.T.	9506060247*	PR
LESAR,M.T.	9506060477*	PR
LESAR,M.T.	9506060485*	PR
LESAR,M.T.	9506060510*	PR
LESAR,M.T.	9506080426	PR
LESAR,M.T.	9506080451*	PR
LESAR,M.T.	9506080471*	PR
LESAR,M.T.	9506080475*	PR
LESCO,R.	9506130263*	71-3023
LESSER,M.	9506280107	50-296 S
LESSER,M.S.	9506190374	50-296 P
LESSER,M.S.	9506200002	50-327 Q
LESSER,M.S.	9506200006*	50-327 Q
LESSER,M.S.	9506200076	50-259 Q
LESSER,M.S.	9506200123*	50-259 Q
LETTIE,S.D.	9506300136*	50-445 P
LEVICH,R.A.	9506120143	WASTE MGT
LEVINE,J.M.	9506020415	50-528 Q
LEVINE,J.M.	9506130452	50-528 S
LEVINE,J.M.	9506160350	50-528 R
LEVINE,J.M.	9506290123	50-528 P
LEVINE,J.M.	9506290258	50-529 S
LEVINE,J.M.	9506290286	50-529 S
LEVIS,W.	9506200018	50-324 R
LEWIS,D.R.	9506070159	50-424 G
LEWIS,D.R.	9506070159	50-424 G
LICHT,R.	9506220297	ORG
LICKFIELD,K.W.	9506020097	70-133
LIEBERMAN,J.	9506010266	ORG
LIEBERMAN,J.	9506010297*	ORG
LIEBERMAN,J.	9506070658	40-7982
LIEBERMAN,J.	9506090046	50-498 H
LIEBERMAN,J.	9506140117	50-498 Q
LIEBERMAN,J.	9506150001	50-336 Q
LIEBERMAN,J.	9506150003	50-397 Q
LIEBERMAN,J.	9506150012	50-410 Q
LIEBERMAN,J.	9506150013	I&E
LIEBERMAN,J.	9506150017	30-472
LIEBERMAN,J.	9506150023	50-237 Q
LIEBERMAN,J.	9506150047	50-155 Q
LIEBERMAN,J.	9506200182	50-498 P
LIEBERMAN,J.	9506290231	ORG
LIEBRMAN,J.	9506010309*	ORG
LIM,C.S.	9506120292*	50-255 Y
LIM,C.S.	9506120304*	50-255 Y
LIN,B.T.	9506300083	CONTRACT
LIN,C.C.	9506220089	50-280 P
LIN,S.C.	9506290247*	50-410 P
LIN,S.D.	9506200039	50-416 R
LINK,B.	9506010076	50-266 P
LINK,B.	9506020245	50-266 F
LINK,B.	9506080615	50-266 P
LINK,B.	9506300126	50-266 P
LINK,B.	9506300287	50-266 P
LINVILLE,J.	9506120515	50-309 Q
LINVILLE,J.	9506280610	50-293 Q
LINVILLE,J.C.	9506010025	50-309 Q
LINVILLE,J.C.	9506120455	50-244 Q
LINVILLE,J.C.	9506280685	50-309 Q
LIPARULI,N.J.	9506090025	PR
LIPARULO,N.J.	9505120136*	50-250 P
LIPARULO,N.J.	9506010291	52-3
LIPARULO,N.J.	9506010300*	52-3
LIPARULO,N.J.	9506010401	TOPREP
LIPARULO,N.J.	9506020504	52-3
LIPARULO,N.J.	9506060171*	50-295 P
LIPARULO,N.J.	9506090095	PR
LIPARULO,N.J.	9506090172	52-3
LIPARULO,N.J.	9506120342	TOPREP
LIPARULO,N.J.	9506120356	52-3
LIPARULO,N.J.	9506120358*	52-3
LIPARULO,N.J.	9506130092	TOPREP
LIPARULO,N.J.	9506130102	52-3
LIPARULO,N.J.	9506130107*	52-3
LIPARULO,N.J.	9506130268*	TOPREP
LIPARULO,N.J.	9506140118	52-3
LIPARULO,N.J.	9506150068	52-3
LIPARULO,N.J.	9506150076	52-3
LIPARULO,N.J.	9506150081*	52-3
LIPARULO,N.J.	9506150100	52-3
LIPARULO,N.J.	9506150109*	52-3
LIPARULO,N.J.	9506160125	52-3
LIPARULO,N.J.	9506160526	52-3
LIPARULO,N.J.	9506190308	TOPREP
LIPARULO,N.J.	9506190310*	TOPREP
LIPARULO,N.J.	9506210095	52-3
LIPARULO,N.J.	9506210103*	52-3
LIPARULO,N.J.	9506210183*	52-3
LIPARULO,N.J.	9506210410*	50-482 P
LIPARULO,N.J.	9506220087	52-3
LIPARULO,N.J.	9506220097	52-3
LIPARULO,N.J.	9506220104*	52-3
LIPARULO,N.J.	9506220207	50-313 P
LIPARULO,N.J.	9506220210	50-368 P
LIPARULO,N.J.	9506280080*	50-456 P
LIPARULO,N.J.	9506290448	TOPREP
LIPARULO,N.J.	9506300049	52-3
LIPARULO,N.J.	9506300052*	52-3
LIPARULO,N.J.	9506300268*	50-244 P
LIPOTI,J.	9506060042	50-219 H
LIPPY,D.L.	9506210329*	50-285 R
LIPPY,D.L.	9506210335*	50-285 R
LIPPY,D.L.	9506210339*	50-285 R
LIPPY,D.L.	9506210342*	50-285 R
LLOYD,H.	9506070216	50-387 S
LOBIONDO,F.A.	9506190354*	50-219 H
LOHAUS,L.H.	9506130229	STATE PRO G
LOHAUS,P.H.	9506130018	STATE PRO G
LOHAUS,P.H.	9506130058	STATE PRO G
LOHAUS,P.H.	9506130061	STATE PRO G
LOHAUS,P.H.	9506130071	STATE PRO G
LOHAUS,P.H.	9506130100	STATE PRO G
LOHAUS,P.H.	9506130180	STATE PRO G
LOHAUS,P.H.	9506130188	STATE PRO G
LOHAUS,P.H.	9506150027	STATE PRO G
LOHAUS,P.H.	9506280088	STATE PRO G
LOHAUS,P.H.	9506290003	STATE PRO G
LOHAUS,P.H.	9506290025	STATE PRO G
LOHAUS,P.H.	9506290102	STATE PRO G
LOHAUS,P.H.	9506290109	STATE PRO G
LOHAUS,P.H.	9506290235	STATE PRO G
LOHR,K.N.	9506080369*	CONTRACT
LONG,D.M.	9506080162	CONTRACT
LOO,W.T.	9506200082*	50-321 Q
LOPEZ-OTIN,M.	9506130070	ORG
LOPRIORE,R.P.	9506070287	50-325 P
LOPRIORE,R.P.	9506140235	50-324 P
LOPRIORE,R.P.	9506280147	50-324 R
LOPRIORE,R.P.	9506280166	50-324 P
LORENZ,R.A.	9506220072	NUREG
LOUX,R.R.	9506130440	WASTE MGT
LUKAS,J.W.	9506060212*	50-293 P
LUSHER,J.H.	9506120061	40-*****
LUSHER,J.H.	9506140112*	40-*****
LUSHER,J.H.	9506280300*	40-*****
LUTZI,P.J.	9506080081	50-336 S
LUTZI,P.J.	9506130153	50-336 S
LUTZI,P.J.	9506200306	50-336 S
LUTZI,P.J.	9506200310	50-336 S
LUTZI,P.J.	9506280138	50-336 S
LUTZI,P.J.	9506290266	50-336 S
LUX,J.	9506010183	70-3073
LYNCH,D.M.	9506070649	TOPREP
LYNCH,J.L.	9506010104	I&E
LYNCH,J.L.	9506010120	I&E
LYNCH,J.L.	9506200298	I&E
LYNCH,M.D.	9506140414	50-454 P
LYNCH,M.D.	9506280075	50-454 P
LYNCH,M.D.	9506280699	50-454 P
LYNCH,M.D.	9506290329	50-454 P
LYONS,D.W.	9506160550	50-354 R
LYONS,P.J.	9506210216	40-299
MACAULAY,C.A.	9506210225*	40-8964
MACAULAY,C.A.	9506210246*	40-8905
MACAULAY,C.A.	9506210261*	40-8084
MACE,M.	9506080382	50-267 W
MACE,M.	9506080500	CONTRACT
MACE,M.	9506080607	CONTRACT
MACE,M.	9506080608	CONTRACT
MACE,M.	9506090073	50-317 P
MACE,M.	9506090078	50-286 P
MACE,M.	9506090084	50-354 P
MACE,M.	9506140409	CONTRACT
MACE,M.	9506150144	CONTRACT
MACE,M.	9506150237	CONTRACT
MACE,M.	9506150250	CONTRACT
MACE,M.H.	9506080177*	CONTRACT
MACE,M.H.	9506080186	CONTRACT
MACE,M.H.	9506080296	CONTRACT
MACE,M.H.	9506080488	CONTRACT
MACE,M.H.	9506090106	CONTRACT
MACE,M.H.	9506150154	CONTRACT
MACE,M.H.	9506150167	CONTRACT
MACE,M.H.	9506150178	CONTRACT
MACE,M.H.	9506150183	CONTRACT
MACE,M.H.	9506150187	CONTRACT
MACE,M.H.	9506150196	CONTRACT
MACE,M.H.	9506150238	CONTRACT
MACE,M.H.	9506150242	CONTRACT
MACE,M.H.	9506150304	CONTRACT
MACE,M.H.	9506150321	CONTRACT
MACE,M.H.	9506150329	CONTRACT
MACE,M.H.	9506150337	CONTRACT
MACE,M.H.	9506150346	CONTRACT
MACE,M.H.	9506150365	CONTRACT
MACE,M.H.	9506150371	CONTRACT
MACE,M.H.	9506150380	CONTRACT
MACE,M.H.	9506150389	CONTRACT
MACE,M.H.	9506150394	CONTRACT
MACE,M.H.	9506150399	CONTRACT
MACE,M.H.	9506150415	CONTRACT
MACE,M.H.	9506150425	CONTRACT
MACHON,R.D.	9506130120	50-259 V
MACHON,R.D.	9506290127	50-259 Q
MACK,C.	9506300091*	ORG
MACLEAN,S.R.	9506120309*	50-255 Y
MADERA,J.R.	9506070388	40-8767
MAEDA,Y.	9506230322*	XPORTLIC
MAEKITA,M.	9506050078*	XPORTLIC

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MAEKITA,M.	9506230308*	XPORTLIC
MAGRUM,E.M.	9506150167	CONTRACT
MAHENDRANALHAR	9506120296*	50-255 Y
MAIER,W.A.	9506120439*	50-289 Q
MALAKHOF,V.	9506280479*	70-734
MANZIONE,S.	9506020431	50-286 S
MARATIN,T.	9506140063	50-245 Q
MARCH-LEUBA,J.	9506300110*	TOPREP
MARCHANT,W.N.	9506090370	ORG
MARCHI,M.L.	9506070105	50-305 F
MARCHI,M.L.	9506070164	50-305 P
MARCHI,M.L.	9506070203	50-305 S
MARCHI,M.L.	9506080626	50-305 J
MARCHI,M.L.	9506120239	50-305 P
MARCHI,M.L.	9506120402	50-305 F
MARCHI,M.L.	9506200116	50-305 S
MARCHI,M.L.	9506200132	50-305 P
MARCHI,M.L.	9506280676	50-305 R
MARCO,C.	9506210139	40-8027
MARCUS,G.H.	9506090249	50-305 P
MARCUS,G.H.	9506140390*	50-331 P
MARCUS,G.H.	9506230098	50-483 P
MARCUS,G.H.	9506280737	50-301 Q
MARCUS,G.H.	9506290146*	50-331 P
MARION,A.	9506080308	REVIEW GR P
MARION,A.	9506090208	REVIEW GR P
MARION,A.	9506280278	TOPREP
MARKS,B.K.	9506150220	50-259 F
MARON,A.K.	9506300019	50-387 K
MARSCHALL,C.	9506020484	NUREG
MARSH,L.B.	9506120507*	50-293 P
MARSH,L.B.	9506280215*	50-293 P
MARSH,W.	9506300141	50-361 P
MARSH,W.C.	9506020321	50-206 I
MARSH,W.C.	9506080358	50-206 F
MARSH,W.C.	9506080612	50-206 R
MARSH,W.C.	9506210076	50-361 R
MARSHALL,J.S.	9506190470	50-445 R
MARSHALL,J.S.	9506200078	50-445 R
MARSHALL,R.L.	9506150367*	WASTE MGT
MARSHALL,S.R.	9506190059	PR
MARTIN,J.B.	9506210044	50-237 Q
MARTIN,J.B.	9506210092	50-483 Q
MARTIN,L.E.	9506130174	50-498 P
MARTIN,L.E.	9506190239	50-498 F
MARTIN,L.E.	9506280159	50-498 P
MARTIN,R.E.	9506230001	50-413 P
MARTIN,T.O.	9506130147*	STATE PRO G
MARTIN,T.T.	9506120448	50-309 Q
MARTIN,T.T.	9506140121	50-245 Q
MARTIN,T.T.	9506190440	50-272 P
MARTIN,T.T.	9506200200	50-410 Q
MARTIN,T.T.	9506210088	50-272 P
MARTIN,T.T.	9506280077	50-336 P
MARTIN,T.T.	9506280569	50-286 P
MASLAR,S.R.	9506160329*	WASTE MGT
MASNIK,M.T.	9506220085	50-344 P
MASON,D.	9506210207	50-280 R
MASON,M.	9506070111	71-250
MASSEY,J.V.	9506160249*	72-1007
MAST,P.K.	9506150365	CONTRACT
MATE,J.J.	9506080508	ORG
MATE,J.J.	9506090149	PR
MATE,J.J.	9506090156*	PR
MATE,J.J.	9506090168	PR
MATHEWS,D.B.	9506280412*	50-335 P
MATTHEWS,D.B.	9506090469*	50-261 P
MATTHEWS,D.B.	9506230217	50-280 Q
MATTHEWS,D.B.	9506230219*	50-250 P
MATTHEWS,D.B.	9506230259	50-250 P
MATTHEWS,D.B.	9506230263*	50-335 P
MATTHEWS,D.B.	9506280344*	50-389 P
MATTHEWS,D.B.	9506280362	50-250 P
MATTHEWS,D.B.	9506300230*	50-280 P
MATTHEWS,S.M.	9506220041*	QA999
MATTIA,M.J.	9506080209	CONTRACT
MATTIA,M.J.	9506090143	CONTRACT
MATTIA,M.J.	9506140413	CONTRACT
MATTIA,M.J.	9506140433	CONTRACT
MATTIA,M.J.	9506150055	CONTRACT
MATTIA,M.J.	9506150085	CONTRACT
MATTIA,M.J.	9506150098	CONTRACT
MATTIA,M.J.	9506150106	CONTRACT
MATTIA,M.J.	9506150134	CONTRACT
MATTIA,M.J.	9506300083	CONTRACT
MATTINGLY,M.M.	9506080322	71-297
MATTINGLY,M.M.	9506080331*	71-297
MAUDLIN,R.L.	9506200287*	WASTE MGT
MAXFIELD,G.J.	9506120124	50-266 F
MAXFIELD,G.J.	9506200012	50-266 R
MAXIN,A.M.	9506010123	70-143
MAXIN,A.M.	9506070317	70-143
MAXIN,A.M.	9506140144	70-143
MAXIN,A.M.	9506230384	70-143
MAXWELL,G.F.	9506200265*	50-369 Q
MAYFIELD,M.	9506280646	REVIEW GR P
MAYFIELD,M.E	9506230123	REVIEW GR P
MAYLATH,J.J.	9506200028	50-247 S
MAYNARD,O.L.	9506140107	50-482 V
MAYNARD,O.L.	9506140325	50-482 S
MAYNARD,O.L.	9506190292	50-482 R
MAZUROWSKI,B.A.	9506120215	PROJ
MCALISTER,T.A.	9506090112*	50-395 Q
MCALPINE,E.J.	9506010049*	70-27
MCALPINE,E.J.	9506120093*	70-1113
MCALPINE,E.J.	9506280019*	70-143
MCALPINE,E.J.	9506280098*	70-27
MCBREARTY,M.	9506070047	50-171 P
MCBURNEY,R.E.	9506280212	STATE PRO G
MCCANN,G.M.	9506120550*	70-8
MCCARTIN,T.	9506120375	WASTE MGT
MCCARTIN,T.	9506280803	WASTE MGT
MCCONNELL,J.W.	9506020457	NUREG
MCCONNELL,J.W.	9506140086	NUREG
MCCORMICK	9506190380	50-123 Q
MCCORMICK	9506190394*	50-123 Q
MCCORMICK-BARGE	9506010090	50-483 S
MCCORMICK-BARGE	9506010218	40-534
MCCORMICK-BARGE	9506070548	40-7397
MCCORMICK-BARGE	9506120549	70-8
MCCORMICK-BARGE	9506120550*	70-8
MCCORMICK-BARGE	9506140097	50-186 P
MCCORMICK-BARGE	9506200315	40-*****
MCCORMICK-BARGE	9506230104	40-8724
MCCORMICK-BARGE	9506230107*	40-8724
MCCOY,C.K.	9506060104	50-424 Q
MCCOY,C.K.	9506070545	50-424 S
MCCOY,C.K.	9506090483	50-424 S
MCCOY,C.K.	9506120067	50-425 P
MCCOY,C.K.	9506160561	50-424 R
MCCREE,V.M.	9506300113	ORG
MCCRERY,J.	9506070147*	70-3070
MCDONALD,D.G.	9506230295	50-317 P
MCDUFFIE,S.	9506120365	WASTE MGT
MCDUFFIE,S.	9506120369	WASTE MGT
MCELHANEY,K.L.	9506140092	NUREG
MCFADDEN,J.	9506150321	CONTRACT
MCGAHA,J.R.	9506070101	50-458 F
MCGAHA,J.R.	9506070213	50-458 P
MCGAHA,J.R.	9506070221	50-458 P
MCGAHA,J.R.	9506300224	50-458 P
MCGARRY,J.M.	9506070167	70-3070
MCGARRY,J.M.	9506070167	70-3070
MCGASKEY,C.	9506020388	71-9035
MCGOLDRICK,F.	9506230108	XPORTLIC
MCGOWAN,J.F.	9506050319*	50-325 S
MCGOWAN,J.F.	9506050343*	50-324 S
MCGUFFIN,J.C.	9506150356	CONTRACT
MCGUINNESS,R.L.	9506010253	50-423 S
MCGUINNESS,R.L.	9506010339	50-423 S
MCGUINNESS,R.L.	9506130159	50-423 S
MCGUINNESS,R.L.	9506130179	50-423 S
MCGUINNESS,R.L.	9506280160	50-423 S
MCGUIRE,D.	9506010054*	50-259 Q
MCGUIRE,D.	9506200226*	70-27
MCGUIRE,D.R.	9506200050*	70-27
MCINTYRE,B.A.	9506210179	52-3
MCINTYRE,B.A.	9506290249	52-3
MCKAGUE,H.L.	9506150358	WASTE MGT
MCKAGUE,H.L.	9506160208	WASTE MGT
MCKAGUE,H.L.	9506220289	WASTE MGT
MCKAGUE,H.L.	9506290118	WASTE MGT
MCKAGUEH,L.	9506010545	WASTE MGT
MCKEE,P.F.	9506020284	50-443 P
MCKEE,P.F.	9506140324	50-309 Q
MCKEE,P.F.	9506140347*	50-443 F
MCKEE,P.F.	9506150039*	50-423 P
MCKEE,P.F.	9506150066*	50-245 P
MCKEE,P.F.	9506230375	50-271 P
MCKEE,P.F.	9506280391*	50-271 P
MCKEE,P.F.	9506280711	50-245 P
MCKEE,P.F.	9506280722	50-289 P
MCKEE,P.F.	9506290147	50-271 Q
MCKENZIE,P.C.	9506090106	CONTRACT
MCLAUGHLIN,J.	9506220055	70-1426
MCMAHON,C.L.	9506020344*	PROJ
MCMAHON,C.L.	9506210262*	PROJ
MCMEEKIN,T.C.	9506060249	50-369 P
MCMEEKIN,T.C.	9506060506	50-369 P
MCMEEKIN,T.C.	9506080270	50-369 P
MCMEEKIN,T.C.	9506130052	50-369 S
MCMEEKIN,T.C.	9506130416	50-369 Q
MCSHERRY,A.J.	9506150168	72-1007
MCWANE,G.J.	9506090167	CONTRACT
MCWHORTER,R.	9506080392	50-245 P
MCWHORTER,R.	9506080405	50-323 P
MEARSE,S.D.	9506080351	CONTRACT
MEARSE,S.D.	9506080369*	CONTRACT
MEARSE,S.D.	9506150432	CONTRACT
MECREDY,R.C.	9506020119	50-244 P
MECREDY,R.C.	9506080198	50-244 P
MECREDY,R.C.	9506080200*	50-244 P
MECREDY,R.C.	9506200364	50-244 P
MECREDY,R.C.	9506280671	50-244 P
MECREDY,R.C.	9506280692	50-244 P
MECREDY,R.C.	9506300265	50-244 P
MEHTA,S.C.	9506020494*	PROJ
MEHTA,S.C.	9506210269*	PROJ
MEIER,W.E.	9506090002*	50-295 P
MEIGS,R.A.	9506020454*	PROJ
MENCHACA,J.M.	9506290145*	WASTE MGT
MENDIOLA,A.J.	9506230132	50-20 V
MENDIOLA,A.J.	9506230343*	50-288 V
MENDONCA,M.M.	9506020359	50-284 V
MENDONCA,M.M.	9506230173	50-170 P
MENDONCA,M.M.	9506280005*	50-160 G
MERCIER,I.M.	9506080488	CONTRACT
MERRIWEATHER,N.	9506280188*	50-390 Q
MERSCHOFF,E.W.	9506190438	50-280 Q
MERSCHOFF,E.W.	9506200038	50-250 Q
MERSCHOFF,E.W.	9506200128	50-413 P
MERSCHOFF,E.W.	9506200248	50-369 Q
MERSCHOFF,E.W.	9506200307	50-259 Q
MERSCHOFF,E.W.	9506210030	50-338 P
METZLER,D.	9506220137	WASTE MGT
MEYER,C.R.	9506130143*	STATE PRO G
MEYER,D.	9506060135*	PR
MEYER,D.	9506060155*	PR
MEYER,D.	9506060162*	PR
MEYER,D.L.	9506060092*	PR
MEYER,D.L.	9506060119*	PR
MEYER,D.L.	9506060148*	PR
MEYER,G.W.	9506050014	50-333 Q
MEYER,G.W.	9506120511	50-272 Q
MEYER,G.W.	9506120513*	50-272 Q
MEYER,G.W.	9506140030	50-220 Q
MEYER,G.W.	9506140044*	50-220 Q
MEYER,G.W.	9506140098	50-293 Q
MEYER,G.W.	9506280677	50-245 V
MICHAELS,T.S.	9506200469	50-2 F
MICHEALSEN,M.A.	9506280458	XPORTLIC
MICHEL,T.G.	9506070206*	40-2259
MIHALIK,D.R.	9506280552	50-315 F
MIKULSKI,B.A.	9506290330*	50-317 H
MILBRADT,M.D.	9506050100	50-318 S
MILHOAN,J.L.	9506050411*	PR
MILHOAN,J.L.	9506090067*	50-498 H
MILLER,A.	9506200470	50-275 P
MILLER,C.L.	9506150406	ORG
MILLER,C.L.	9506220147	ORG
MILLER,D.B.	9506010253	50-423 S
MILLER,D.B.	9506010275	50-336 S
MILLER,D.B.	9506010275	50-336 S
MILLER,D.B.	9506010339	50-423 S
MILLER,D.B.	9506070001	50-423 P
MILLER,D.B.	9506080081	50-336 S
MILLER,D.B.	9506080081	50-336 S
MILLER,D.B.	9506130153	50-336 S
MILLER,D.B.	9506130153	50-336 S
MILLER,D.B.	9506130159	50-423 S
MILLER,D.B.	9506130159	50-423 S
MILLER,D.B.	9506130179	50-423 S
MILLER,D.B.	9506130179	50-423 S
MILLER,D.B.	9506190474	50-245 Q
MILLER,D.B.	9506200271	50-245 Q
MILLER,D.B.	9506200306	50-336 S
MILLER,D.B.	9506200310	50-336 S
MILLER,D.B.	9506200321	50-245 S
MILLER,D.B.	9506210067	50-245 R
MILLER,D.B.	9506210067	50-245 R
MILLER,D.B.	9506280138	50-336 S
MILLER,D.B.	9506280138	50-336 S
MILLER,D.B.	9506280160	50-423 S
MILLER,D.B.	9506280160	50-423 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MILLER,D.B.	9506280425	50-245 S
MILLER,D.B.	9506280425	50-245 S
MILLER,D.B.	9506290266	50-336 S
MILLER,K.J.	9506010142	50-313 S
MILLER,L.F.	9506130021	50-295 Q
MILLER,L.F.	9506210006	50-373 Q
MILLER,L.F.	9506230238	50-454 Q
MILLER,L.F.	9506230240*	50-454 Q
MILLER,M.	9506210051*	40-672
MILLER,M.A.	9506090439	50-275 P
MILLER,M.A.	9506090446*	50-275 P
MILLER,M.A.	9506190285	50-275 P
MILLER,M.A.	9506190291*	50-275 P
MILLER,M.A.	9506230055	50-275 P
MILLER,M.A.	9506230061*	50-275 P
MILLER,M.A.	9506290193	50-275 P
MILLER,M.A.	9506290208*	50-275 P
MILLER,M.S.	9506060379*	50-387 Q
MILLER,W.H.	9506190435*	50-390 Q
MILNER,R.A.	9506160229	PROJ
MILNER,R.A.	9506190113	PR
MILNER,R.A.	9506290022	PR
MIMS,D.C.	9506010142	50-313 S
MIMS,D.C.	9506010147	50-313 P
MIMS,D.C.	9506060489	50-313 Q
MIMS,D.C.	9506070163	50-368 P
MIMS,D.C.	9506070171	50-313 Q
MIMS,D.C.	9506140236	50-313 S
MIMS,D.C.	9506200346	50-313 S
MIMS,D.C.	9506210094	50-313 P
MIMS,D.C.	9506210129	50-313 R
MIMS,D.C.	9506210131	50-368 R
MIMS,D.C.	9506230374	50-313 P
MIMS,D.C.	9506230378	50-313 P
MINK,P.T.	9506230253*	ORG
MINNAAR,D.W.	9506210163	40-9022
MIRAGLIA,F.J.	9506130352	REVIEW GR P
MIRAGLIA,F.M.	9507030015*	50-160 G
MITCHELL,D.W.	9506150329	CONTRACT
MIZUNO,G.S.	9506060143*	PR
MOBLEY,M.H.	9506280029	STATE PRO G
MODEEN,D.J.	9506210085	REVIEW GR P
MODES,M.	9506140043*	50-245 Q
MODES,M.	9506140124*	50-244 Q
MODES,M.C.	9506120075*	50-271 Q
MODES,M.C.	9506130036	50-220 P
MODES,M.C.	9506140029	50-245 Q
MODES,M.C.	9506140054	50-247 Q
MODES,M.C.	9506140120	50-244 Q
MODES,M.C.	9506280644	50-272 Q
MODES,M.C.	9506280657*	50-272 Q
MOHAN,R.	9506020484	NUREG
MOIENI,P.	9506290408*	REGGD
MOLER,D.	9506080296	CONTRACT
MONDALE	9506220270	XPORTLIC
MONNINGER,J.D.	9506280430	TOPREP
MONTGOMERY,E.F.	9506120200	71-516
MONTGOMERY,J.	9506010117	I&E
MONTGOMERY,J.	9506020007	I&E
MONTGOMERY,J.	9506220015	30-32202
MONTGOMERY,J.	9506230042	I&E
MOONEY,G.	9506290097	40-8502
MOORE,K.	9506150259	50-254 R
MOORE,R.A.	9506140119	NUREG
MOORE,T.S.	9506290030	70-3070
MORALES,E.M.	9506120336	40-8907
MORALES,E.M.	9506120344*	40-8907
MORALES,E.M.	9506120382	40-8907
MORAN,D.	9506020405	50-354 P
MOREY,D.	9506060248	50-348 P
MOREY,D.	9506070004	50-364 Q
MOREY,D.	9506080311	50-348 P
MOREY,D.	9506120524	50-364 S
MOREY,D.	9506130386	50-348 Q
MOREY,D.	9506140240	50-364 Q
MOREY,D.	9506190012	50-348 H
MOREY,D.	9506190359	50-348 K
MOREY,D.	9506200238	50-348 P
MOREY,D.	9506210059	50-348 R
MOREY,D.	9506230041	50-364 S
MOREY,D.	9506230373	50-364 P
MOREY,D.	9506290219*	50-348 P
MOREY,D.	9506290236	50-348 P
MORGAN,M.J.	9506200316*	50-348 Q
MORRISON,D.L.	9506280248*	STATE PRO G
MORRISON,D.L.	9506290316	ORG
MOTT,L.	9506120245*	50-305 P
MOWERY,J.D.	9506220313	50-416 S
MOZAFARI,B.L.	9506090464	50-261 P
MUBAYI,V.	9506220089	50-280 P
MUCKLER,F.A.	9506140119	NUREG
MUCKLER,F.A.	9506140126	NUREG
MUELLER,H.J.	9506290400	50-390 D
MUELLER,J.H.	9506200362	50-298 Q
MUELLER,J.H.	9506220316	50-298 I
MULAY,S.J.	9506280718	I&E
MULLA,D.J.	9506210333*	WASTE MGT
MULLA,D.J.	9506210369*	WASTE MGT
MUNRO,J.J.	9506190103	71-642
MUNRO,J.J.	9506190117*	71-642
MUNRO,W.	9506160461	50-293 R
MURRAY,B.	9506120009*	50-312 Q
MURRAY,B.	9506210021*	50-458 Q
MURRAY,B.	9506220002*	50-285 Q
MURRAY,B.	9506280581*	50-361 Q
MURRAY,B.	9506280583*	50-482 Q
NAIDU,K.R.	9506300033*	50-245 Q
NALLUSWAMI,M.	9506090102	40-7604
NARDONE,P.E.	9506160372	50-443 R
NARULA,J.S.	9506150113*	52-3
NATARAJA,M.	9506230073*	40-1162
NATARAJA,M.	9506280744*	40-8084
NEILSON,R.M.	9506020457	NUREG
NELSON,R.A.	9506090241	40-8948
NELSON,R.A.	9506120081	40-8948
NELSON,R.A.	9506280106	40-8948
NELSON,R.A.	9506280173	40-8948
NELSON,R.A.	9506280205	40-8948
NERSES,V.	9506050166	50-369 P
NETZEL,R.J.	9506120267	TOPREP
NETZEL,R.J.	9506220121	TOPREP
NEUMAN,G.M.	9506200323	50-440 R
NEWBERRY,S.F.	9506070039	PR
NEWBERRY,S.F.	9506070420*	PR
NEWBERRY,S.F.	9506200353	50-389 G
NEWBERRY,S.F.	9506200427	50-458 M
NEWBERRY,S.F.	9506210161	50-389 M
NEWBURGH,G.	9506210067	50-245 R
NEWKIRK,D.W.	9506300160	TOPREP
NEWTON,R.R.	9506080048	50-324 F
NEWTON,V.J.	9506210186	71-*****
NEWTON,V.J.	9506210192*	71-*****
NEYMOTIN,L.	9506220089	50-280 P
NICHOLS,J.A.	9506160189*	50-311 Q
NICHOLS,M.C.	9506090486	71-696
NICHOLSON,L.	9506120001	50-336 Q
NICHOLSON,L.	9506120006	50-336 P
NICHOLSON,L.	9506280704	50-213 S
NICHOLSON,L.E.	9506120030*	50-213 Q
NICHOLSON,R.J.	9506140389*	50-155 P
NIEDER-WESTERMA	9506140156*	WASTE MGT
NIMITZ,R.L.	9506120472*	50-245 Q
NOONAN,T.P.	9506020148	50-334 R
NOONAN,T.P.	9506200009	50-334 R
NORRIS,J.A.	9506190171	50-389 P
NORRIS,J.A.	9506230255	50-335 P
NORRIS,J.A.	9506280340	50-389 P
NORRIS,J.A.	9506280387	50-335 P
NORRY,P.G.	9506060084*	PR
NORRY,P.G.	9506060231*	PR
NORRY,P.G.	9506080469*	PR
NORTON,L.	9506220103	NUREG
NORTON,P.	9506140409	CONTRACT
NOSS,D.L.	9506280466	XPORTLIC
NOWLEN,S.P.	9505030171*	50-446 F
NOYER,M.L.	9506120160*	WASTE MGT
NUDGE,D.J.	9506220051*	50-387 P
NUGENT,E.L.	9506070251	40-2259
NULL,K.G.	9506120550*	70-8
O'BRIEN,P.B.	9506020235	50-276 H
O'BRIEN,P.B.	9506050340*	50-276 H
O'CONNOR,P.W.	9506050296	50-416 P
O'CONNOR,P.W.	9506050300*	50-416 P
O'CONNOR,S.C.	9506140233*	71-185
O'HANLON,J.P.	9506060330	50-280 V
O'HANLON,J.P.	9506120335	50-280 P
O'HANLON,J.P.	9506130114	50-338 Q
O'HANLON,J.P.	9506130151	50-280 P
O'HANLON,J.P.	9506130280	50-338 F
O'HANLON,J.P.	9506160268	50-338 Q
O'HANLON,J.P.	9506160430	50-280 F
O'HANLON,J.P.	9506220193	50-280 Q
O'HANLON,J.P.	9506290166	50-339 S
O'KELLY,S.	9506220145	50-59 F
OCARROLL,M.T.	9506130103	40-341
OFFERDAHL,M.R.	9506130006*	50-282 F
OGLE,C.R.	9506200304*	50-261 Q
OLIG,S.	9506300077	40-3453
OLIU,W.E.	9506060519*	PR
OLIVIER,A.	9506120231	71-9263
OLIVIER,L.J.	9506160461	50-293 R
OLSEN,A.F.	9506020402	70-27
OLSEN,A.F.	9506160485	70-27
OLSEN,A.F.	9506190423	70-27
OLSEN,A.F.	9506280453	70-27
OLSEN,A.F.	9506300119	70-27
OLSEN,H.O.	9506200031	50-317 R
OLSHAN,L.N.	9506010488	50-272 P
OLSHAN,L.N.	9506290350	50-272 P
OLSHAN,L.N.	9506300238	50-272 P
OLSON,C.A.	9506120360*	52-3
OLSON,M.	9506070161	50-457 S
ONEILL,S.D.	9506210104*	50-244 F
OPEKA,J.F.	9506060358	50-245 P
OPEKA,J.F.	9506060358	50-245 P
OPEKA,J.F.	9506080476	50-213 P
OPEKA,J.F.	9506080476	50-213 P
OPEKA,J.F.	9506090043	50-213 H
OPEKA,J.F.	9506130138	50-213 P
OPEKA,J.F.	9506130138	50-213 P
OPEKA,J.F.	9506130138	50-213 P
OPEKA,J.F.	9506130164	50-336 P
OPEKA,J.F.	9506130164	50-336 P
OPEKA,J.F.	9506130456	50-336 P
OPEKA,J.F.	9506130456	50-336 P
OPEKA,J.F.	9506190007	50-213 H
OPEKA,J.F.	9506190345	50-423 Q
OPEKA,J.F.	9506190345	50-423 Q
OPEKA,J.F.	9506190356	50-336 Q
OPEKA,J.F.	9506190356	50-336 Q
OPEKA,J.F.	9506190474	50-245 Q
OPEKA,J.F.	9506190474	50-245 Q
OPEKA,J.F.	9506190475	50-336 F
OPEKA,J.F.	9506190475	50-336 F
OPEKA,J.F.	9506200013	50-423 P
OPEKA,J.F.	9506200013	50-423 P
OPEKA,J.F.	9506200255	50-423 P
OPEKA,J.F.	9506200255	50-423 P
OPEKA,J.F.	9506200262	50-213 P
OPEKA,J.F.	9506200262	50-213 P
OPEKA,J.F.	9506200271	50-245 Q
OPEKA,J.F.	9506200271	50-245 Q
OPEKA,J.F.	9506200468	50-245 P
OPEKA,J.F.	9506220086	50-213 F
OPEKA,J.F.	9506220086	50-213 F
OPEKA,J.F.	9506220086	50-213 F
OPEKA,J.F.	9506280007*	50-245 Q
OPEKA,J.F.	9506280348	50-423 P
OPEKA,J.F.	9506280348	50-423 P
OPEKA,J.F.	9506290131	50-213 K
OPEKA,J.F.	9506290131	50-213 K
OPEKA,J.F.	9506290136	50-336 K
OPEKA,J.F.	9506290136	50-336 K
ORDERS,W.T.	9506200304*	50-261 Q
ORLANDO,D.A.	9506150147	40-341
ORLANDO,D.A.	9506280242	40-341
ORLANDO,T.	9506200056	50-286 R
ORNDORF,D.	9506020148	50-334 R
ORR,F.R.	9506300101	50-29 W
ORR,R.S.	9506130013	PT21
ORR,R.S.	9506140411	PT21
ORTCIGER,T.W.	9506090036	PR
ORTCIGER,T.W.	9506190037	PR
ORTCIGER,T.W.	9506280191	STATE PRO G
ORTCIGER,T.W.	9506290023	PR
OSBORNE,M.F.	9506220072	NUREG
OSGOOD,N.L.	9506150052	71-9234
OSGOOD,N.L.	9506290380	71-4909
OSTERHOLTZ,C.	9506090076*	50-346 V
OSTROWSKI,L.C.	9506150152	CONTRACT
OWEN,R.E.	9506080274	PR
OZINGA,B.	9506290339*	50-317 H
PACKETT,B.J.	9506090173	CONTRACT
PAGE,R.G.	9506200328*	40-*****
PAGE,T.A.	9506020326*	50-206 I
PALIT,S.	9506210263*	PROJ
PALMISANO,T.J.	9506210073*	50-255 F
PAPERIELLO,C.J.	9505310029	STATE PRO G
PAPERIELLO,C.J.	9506050027	WASTE MGT
PAPERIELLO,C.J.	9506090058	40-7102
PAPERIELLO,C.J.	9506090087	40-8989
PAPERIELLO,C.J.	9506190266	WASTE MGT
PAPERIELLO,C.J.	9506220348*	70-1308
PAPERIELLO,C.J.	9506280309	40-8724

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PAPERIELLO,C.J.	9506290398	70-820
PAPERIELLO,J.	9506290043*	STATE PRO G
PARIS,R.D.	9506090044	PR
PARIS,R.D.	9506130023	STATE PRO G
PARIS,R.D.	9506130172*	STATE PRO G
PARK,J.R.	9506150315	40-8968
PARKER,B.A.	9506190439*	50-324 Q
PARKER,J.	9506130312	50-304 S
PARKER,M.E.	9506290314	50-305 P
PARKER,T.	9506190329	50-263 S
PARKER,T.	9506280558	50-263 S
PARKER,T.	9506280568	50-263 S
PARKER,T.	9506290062	50-263 S
PARKS,C.V.	9506010500	NUREG
PARKS,C.V.	9506010509	NUREG
PARKS,C.V.	9506010519	NUREG
PARKS,C.V.	9506010521	NUREG
PARRETT,M.S.	9506210211*	40-8964
PARRETT,M.S.	9506210239*	40-8905
PARRETT,M.S.	9506210254*	40-8084
PARRISH,J.V.	9506070686	50-397 H
PARRISH,J.V.	9506080479	50-397 P
PARRISH,J.V.	9506130264	50-397 R
PARRISH,J.V.	9506140332	50-397 P
PARRISH,J.V.	9506140358	50-397 P
PARRISH,J.V.	9506140372	50-397 P
PARRISH,J.V.	9506190064	50-397 P
PARRISH,J.V.	9506190315	50-397 S
PARRISH,J.V.	9506280567	50-397 F
PARRISH,J.V.	9506300081	50-397 Q
PASCIAK,W.J.	9506140101*	STATE PRO G
PASCIAK,W.J.	9506280076	STATE PRO G
PASCIAK,W.J.	9506280085	STATE PRO G
PASCIAK,W.J.	9506280152	STATE PRO G
PASCIAK,W.J.	9506280164	STATE PRO G
PASCIAK,W.J.	9506280520	STATE PRO G
PASHA,M.A.	9506070554	40-1162
PASTOR,E.	9506050425*	ORG
PASTVA,M.J.	9506090150	50-272 S
PATE,Z.T.	9506300117*	ORG
PATEL,C.P.	9506090475	50-382 P
PATEL,C.P.	9506090478*	50-382 P
PATEL,C.P.	9506290225	50-382 P
PATHAK,A.P.	9506300315*	50-498 Q
PATNAIK,P.	9506140124*	50-244 Q
PATRICK,W.C.	9506010341	WASTE MGT
PATRICK,W.C.	9506220282	WASTE MGT
PATTERSON,C.A.	9506200297*	50-324 Q
PATTERSON,T.L.	9506010531	50-285 P
PATTERSON,T.L.	9506060385	50-285 Q
PATTERSON,T.L.	9506080033	50-285 F
PATTERSON,T.L.	9506090020	50-285 H
PATTERSON,T.L.	9506090026	50-285 H
PATTERSON,T.L.	9506190231	50-285 P
PATTERSON,T.L.	9506200263	50-285 Q
PATTERSON,T.L.	9506210142	50-285 R
PATTERSON,T.L.	9506220025	50-285 F
PATTERSON,T.L.	9506220107	50-285 S
PATTERSON,T.L.	9506280061	50-285 R
PATTERSON,T.L.	9506280796	50-285 P
PAULK,C.	9506210058*	50-397 Q
PAUSTIAN,H.H.	9506200053	50-263 R
PAYNE,J.L.	9506290241*	70-135
PEARCE,L.W.	9506080146	50-265 S
PEARCE,L.W.	9506150259	50-254 R
PEARCE,L.W.	9506220148	50-254 R
PEARCY,E.C.	9506160517	WASTE MGT
PEDERSON,C.D.	9506070531	70-7002
PEDERSON,C.D.	9506090161	NUREG
PEDERSON,C.D.	9506130026	50-483 P
PEDERSON,C.D.	9506210141	50-254 Q
PEDERSON,C.D.	9506300014	40-7397
PEEBLES,T.A.	9506190395	50-348 Q
PEEBLES,T.A.	9506190411	50-269 Q
PEEBLES,T.A.	9506190418*	50-269 Q
PEEBLES,T.A.	9506190468	50-369 Q
PEEBLES,T.A.	9506200008	50-327 V
PEEBLES,T.A.	9506200014	50-324 V
PEEBLES,T.A.	9506200016*	50-327 V
PEGG,W.D.	9506210156*	50-305 Q
PELLET,J.L.	9506280649*	50-275 Q
PELLETIER,J.P.	9506290254	50-271 P
PELUSO,L.A.	9506190472*	50-277 Q
PENNELL,W.E.	9506140082	NUREG
PENROD,K.	9506190320	50-155 F
PERALTA,J.	9506290367	50-528 P
PERCH,R.L.	9506220135	TOPREP
PERKINS,K.E.	9506060008	50-397 Q
PERRY,K.J.	9506210225*	40-8964
PERRY,K.J.	9506210246*	40-8905
PERRY,K.J.	9506210261*	40-8084
PESO,F.	9506160401	71-*****
PESO,F.	9506160401	71-*****
PETERS,L.K.	9506070599	71-*****
PETERS,L.K.	9506070607*	71-*****
PETERSON,J.S.	9506090002*	50-295 P
PETERSON,S.R.	9506190322	50-275 P
PETRONE,C.	9506080334	REVIEW GR P
PETROSINO,J.J.	9506290067*	QA999
PETTIS,R.L.	9506160056*	QA999
PHARES,R.F.	9506160458	50-461 R
PHARES,R.F.	9506300023	50-461 P
PHILLIPS,M.P.	9506090019	50-263 Q
PHILLIPS,M.P.	9506090027*	50-263 Q
PHILLIPS,O.M.	9506160071*	WASTE MGT
PHILLIPS,R.	9506200068	50-272 R
PHILLIPS,R.	9506200072	50-311 R
PICHUMANI,R.	9506210359	50-324 P
PICKETT,D.A.	9506160517	WASTE MGT
PIERCE,J.J.	9506210374*	50-390 F
PIERSON,R.	9506010549	PROJ
PIERSON,R.	9506020056*	70-1100
PIERSON,R.	9506090123	70-27
PIERSON,R.	9506150177	70-27
PIERSON,R.	9506200459	70-364
PIERSON,R.C.	9506010349	70-1113
PIERSON,R.C.	9506020010	70-143
PIERSON,R.C.	9506020053	70-1100
PIERSON,R.C.	9506090126*	70-27
PIERSON,R.C.	9506090135	70-1257
PIERSON,R.C.	9506090137*	70-1257
PIERSON,R.C.	9506140194	70-27
PIERSON,R.C.	9506140197*	70-27
PIERSON,R.C.	9506140398*	70-1068
PIERSON,R.C.	9506150043	70-27
PIERSON,R.C.	9506150046*	70-27
PIERSON,R.C.	9506150108	70-143
PIERSON,R.C.	9506150117	70-1113
PIERSON,R.C.	9506150264	40-3392
PIERSON,R.C.	9506150265*	40-3392
PIERSON,R.C.	9506150267	70-1201
PIERSON,R.C.	9506150268*	70-1201
PIERSON,R.C.	9506200461	70-1113
PIERSON,R.C.	9506200463*	70-1113
PIERSON,R.C.	9506210132	70-364
PIERSON,R.C.	9506280124*	70-1257
PIET,P.L.	9506130034	50-10 W
PIET,P.L.	9506290276	50-237 P
PILCH,M.M.	9506010485	50-280 P
PINZON,J.	9506120182*	50-499 S
PINZON,J.M.	9506120173*	50-499 S
PITTIGLIO,C.L.	9506300114	50-267 J
PLASSE,R.	9506010413*	50-333 S
PLAYTON,S.J.	9506070206*	40-2259
PLOETZ,D.K.	9506210242*	PROJ
PLOETZ,D.K.	9506210267*	PROJ
PLUMSTEAD,R.F.	9506200239	71-9263
PLUNKETT,T.F.	9505120124	50-250 P
PLUNKETT,T.F.	9506130284	50-250 P
PLUNKETT,T.F.	9506130290	50-250 P
PLUNKETT,T.F.	9506160514	50-250 R
POGUE,J.E.	9506020134	50-259 F
POLICH,T.	9506230244	50-445 P
POLICH,T.J.	9506020419	50-445 P
POLICH,T.J.	9506140304	50-445 P
POLICH,T.J.	9506140311*	50-445 P
POLICH,T.J.	9506280510	50-446 P
POLICH,T.J.	9506300135	50-445 P
POLITYKA,C.S.	9506150150	50-344 P
PONTIOUS,H.D.	9506060333	50-454 Q
PONTIOUS,H.D.	9506280066	50-456 P
PORTMANN,R.L.	9506140041*	50-440 Q
POSLUSNY,C.	9506020399	50-387 Q
POSLUSNY,C.	9506190393	50-387 P
POSLUSNY,C.	9506220122	50-387 P
POSLUSNY,C.	9506280240	50-387 P
POSTON,J.W.	9506230078	50-59 P
POTAPOVS,U.	9506200194*	QA999
POTAPOVS,U.	9506220041*	QA999
POWELL,E.W.	9506200333*	40-*****
POWERS,D.A.	9506200127*	50-458 Q
POWERS,D.A.	9506210023*	50-313 Q
POWERS,D.A.	9506230088*	50-397 Q
PRICE,R.H.	9506120244*	WASTE MGT
PRIKRYL,J.D.	9506160517	WASTE MGT
PRITCHARD,R.W.	9506160449*	50-213 Q
PRIVIDY,L.	9506280555*	50-244 Q
PROFFITT,J.W.	9506080185	50-328 S
PULLEY,C.M.	9506060208*	PR
PULSIFER,R.M.	9506090341	50-254 P
PULSIFER,R.M.	9506090347*	50-254 P
PULSIFER,R.M.	9506200445*	50-237 P
PULSIFER,R.M.	9506220326	50-254 Q
PULSIFER,R.M.	9506300209	50-254 P
QUAY,T.R.	9506140270	QA999
QUEALY,P.D.	9506130265	50-237 S
QUENNOZ,S.M.	9506050315	50-344 I
QUENNOZ,S.M.	9506140243	50-344 P
QUENNOZ,S.M.	9506140297	50-344 Q
QUENNOZ,S.M.	9506200254	50-344 F
QUENNOZ,S.M.	9506220335	71-9259
QUERIO,R.E.	9506060472	50-373 Q
QUERIO,R.E.	9506070166	50-373 P
QUERIO,R.E.	9506080643	50-373 P
QUERIO,R.E.	9506150413	50-373 P
QUERIO,R.E.	9506160560	50-373 Q
QUICK,K.S.	9506010485	50-280 P
QUILLIN,R.M.	9506280599	STATE PRO G
QUINN,J.E.	9506070006	52-4
QUINN,J.E.	9506130116	52-4
QUINN,J.E.	9506150129	PROJ
QUINN,J.E.	9506200146	52-2
QUINN,J.E.	9506230116	52-4
QUINN,J.E.	9506230130	52-4
QUINN,J.E.	9506280285	52-4
QUINN,M.L.	9506140119	NUREG
QUINN,R.F.	9506080224*	50-272 R
QUINN,S.E.	9506010267	50-3 F
QUINN,S.E.	9506090227	50-247 Q
QUINN,S.E.	9506090233	50-247 Q
QUINN,S.E.	9506140017	50-3 F
QUINN,S.E.	9506140071*	50-247 Q
QUINN,S.E.	9506200028	50-247 S
QUINN,S.E.	9506220040	50-247 V
QUINN,S.E.	9506290080	50-247 P
QUINN,S.E.	9506290183	50-247 S
QUINN,S.E.	9506290215	50-247 S
QUINN,S.E.	9506290388	50-247 R
QUINN,S.E.	9506300022	50-3 F
QUINN,S.E.	9506300118	50-247 Q
RADDATZ,M.G.	9506010225	50-312 Q
RAFATI,A.	9506130200*	STATE PRO G
RAFATI,A.	9506150404*	WASTE MGT
RAINEY,G.R.	9506190298	50-277 R
RAINEY,G.R.	9506300174	50-277 Q
RAMSDELL,J.V.	9506220081	NUREG
RAMSEY,K.M.	9506280013*	ORG
RANKIN,W.H.	9506190439*	50-324 Q
RANKIN,W.H.	9506200082*	50-321 Q
RASIN,W.H.	9506090031	NUREG
RASIN,W.H.	9506140177*	REVIEW GR P
RASIN,W.H.	9506280783*	REVIEW GR P
RATHBUN,D.	9506070155	50-498 U
RATHBUN,D.K.	9506010182	52-2
RATHBUN,D.K.	9506010201	PR
RATHBUN,D.K.	9506050394	PRM
RATHBUN,D.K.	9506050406	PR
RATHBUN,D.K.	9506220354	PR
RATHBUN,D.K.	9506220358	PRM
RATLIFF,R.A.	9506080300	PR
RATLIFF,R.A.	9506280025	STATE PRO G
RATLIFF,R.A.	9506280154	STATE PRO G
RATLIFF,R.A.	9506290026	PR
RAY,D.J.	9506010354	50-373 S
RAY,D.J.	9506070106	50-374 S
RAY,D.J.	9506160552	50-373 R
RAY,D.J.	9506160559	50-373 S
RAY,S.	9506190312*	TOPREP
REDDEMANN,M.	9506160550	50-354 R
REDDEMANN,M.E.	9506280216	50-354 S
REDEKER,S.	9506020009	50-312 Y
REDEKER,S.	9506200435	50-312 I
REDEKER,S.J.	9506070176	50-312 R
REDEKER,S.J.	9506290445	50-312 W
REDEKER,S.J.	9506300186	50-312 W
REED,A.	9506290388	50-247 R
REED,T.A.	9506120517	REVIEW GR P
REED,T.A.	9506230363	REVIEW GR P
REHN,D.L.	9506010001	50-414 S
REHN,D.L.	9506010173	50-414 S
REHN,D.L.	9506080099	50-413 S
REHN,D.L.	9506090252	50-414 P
REHN,D.L.	9506130101	50-413 Q
REHN,D.L.	9506130105	50-413 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
REHN,D.L.	9506190207	50-413 Q
REHN,D.L.	9506220059	50-413 S
REHN,D.L.	9506290176	50-414 S
REID,D.A.	9506160556	50-271 R
REID,D.A.	9506200244	50-271 F
REID,D.G.	9506140233*	71-185
REIDRINGER,T.	9506190394*	50-123 Q
REILLY,F.K.	9506150042	40-341
REILLY,K.	9506150010	40-341
REINECKE,R.M.	9504140078	PR
REISENWEAVER,D.	9506140139*	40-9027
REYTBLATT,Z.	9506020036	NUREG
REZENDES,V.S.	9506290006*	STATE PRO G
RICCIO,J.P.	9506190079	50-390 H
RICE,P.W.	9506050077	40-8943
RICHARDS,S.A.	9506130356	50-5 V
RICHARDS,S.A.	9506230273	50-156 V
RICHARDS,S.A.	9506230324	50-5 V
RICHARDS,S.A.	9506230335	50-288 V
RICHINGS,L.E.	9506070490	TOPREP
RICKARD,I.C.	9506220158	TOPREP
RICKARD,I.C.	9506220158	TOPREP
RICKETTSON,D.J.	9506210264*	PROJ
RIMAWI,K.	9506020066	PR
RINALDI,F.	9506140331	50-277 P
RINALDI,F.	9506280260	50-352 Q
RINALDI,F.	9506300293	50-352 P
RING,M.	9506090069	50-346 V
RING,M.A.	9506070390	50-346 V
RING,M.A.	9506070681	50-282 V
RING,M.A.	9506090063	50-282 V
RING,M.A.	9506140080	50-456 V
RING,M.A.	9506190371	50-255 V
RING,M.A.	9506210037	50-346 F
ROBERSTON,G.	9506220227*	WASTE MGT
ROBERTS,H.R.	9506150355	40-9024
ROBERTS,H.R.	9506160369	40-9024
ROBERTS,H.R.	9506160453	40-9024
ROBERTS,H.R.	9506190021	40-9024
ROBERTS,H.R.	9506300267	40-8681
ROBERTS,H.R.	9506300271	40-9024
ROBINSON,W.R.	9506200091	50-400 R
ROBINSON,W.R.	9506280407	50-400 S
ROBINSON,W.R.	9506300079	50-400 F
RODGERS,R.C.	9506050104	50-245 P
RODGERS,R.C.	9506050104	50-245 P
ROE,J.W.	9506010395*	50-315 V
ROGAN,R.E.	9506190024	50-261 H
ROGAN,R.E.	9506280316	50-324 P
ROGERS,A.H.	9506210223	STATE PRO G
ROGERS,J.A.	9506190301	50-335 R
ROGERS,K.C.	9506070062	10CFR
ROGERS,K.C.	9506070099	10CFR
ROGERS,K.C.	9506140346	COMMISSIO N
ROGERS,K.C.	9506140366	COMMISSIO N
ROGERS,K.C.	9506140429	COMMISSIO N
ROGERS,K.C.	9506140437	COMMISSIO N
ROGERS,K.C.	9506150105	COMMISSIO N
ROGERS,K.C.	9506150161	COMMISSIO N
ROGERS,K.C.	9506150384	COMMISSIO N
ROGERS,K.C.	9506160156	COMMISSIO N
ROGERS,K.C.	9506230194	COMMISSIO N
ROGERS,R.D.	9506020457	NUREG
ROGERS,R.D.	9506140086	NUREG
ROGERS,S.	9506200091	50-400 R
ROGGE,J.F.	9506280111*	50-289 Q
ROONEY,V.L.	9506140339	50-423 P
ROONEY,V.L.	9506150034	50-423 P
ROSANO,R.	9506150006	50-213 H
ROSE,B.	9506090066	XPORTLIC
ROSENBLUM,R.M.	9506200175	50-361 Q
ROSENBLUM,R.M.	9506290240	50-361 Q
ROSENTHAL,P.R.	9506210170	70-364
ROSS,A.J.	9506150436	50-245 P
ROSS,T.M.	9506200316*	50-348 Q
ROTHERT,J.K.	9506230021*	50-336 P
ROTHERT,W.C.	9506290079	50-293 R
ROUGHAN,C.	9506160548	71-9029
ROWE,G.	9506050306	50-295 S
ROWE,G.	9506190289*	50-295 S
ROWLAND,T.J.	9506020337	PROJ
ROWLAND,T.J.	9506020439	PROJ
ROWLAND,T.J.	9506210235	PROJ
ROWLAND,T.J.	9506280514*	PROJ
ROZELL,D.L.	9506070203	50-305 S
RUDISAIL,S.	9506200090*	50-327 Q
RUDISAIL,S.	9506280233*	50-259 Q
RUEGER,G.M.	9506010101	50-275 P
RUEGER,G.M.	9506070010	50-275 Q
RUEGER,G.M.	9506280378	50-133 P
RUEGER,G.M.	9506280624	50-275 R
RUEGER,G.M.	9506290226	50-323 S
RUFFIN,R.	9506280271	50-416 S
RULAND,J.	9506140433	CONTRACT
RULAND,W.H.	9506010053	50-309 Q
RULAND,W.H.	9506010056*	50-309 Q
RULAND,W.H.	9506070600	50-272 Q
RULAND,W.H.	9506070609*	50-272 Q
RULAND,W.H.	9506200268	50-247 P
RULAND,W.H.	9506280680	50-213 Q
RULAND,W.H.	9506280691*	50-213 Q
RUPERT,C.	9506060004	40-8838
RUPERT,C.	9506090074	PR
RUPERT,C.	9506280770	70-3070
RUPERT,W.M.	9506150058	40-7604
RUSSELL,W.T.	9502220391*	PR
RUSSELL,W.T.	9502230059*	PR
RUSSELL,W.T.	9506050401	ORG
RUSSELL,W.T.	9506080418	TOPREP
RUSSELL,W.T.	9506090349*	50-295 G
RUSSELL,W.T.	9506090354	50-286 H
RUSSELL,W.T.	9506140170	REVIEW GR P
RUSSELL,W.T.	9506140183	ORG
RUSSELL,W.T.	9506140310	ORG
RUSSELL,W.T.	9506140336	50-213 G
RUSSELL,W.T.	9506140343*	50-213 G
RUSSELL,W.T.	9506140359*	50-213 G
RUSSELL,W.T.	9506200359*	50-389 G
RUSSELL,W.T.	9506200366*	50-389 G
RUSSELL,W.T.	9506200432	50-160 H
RUSSELL,W.T.	9506200434*	50-458 M
RUSSELL,W.T.	9506200449	50-458 M
RUSSELL,W.T.	9506210187*	50-389 M
RUSSELL,W.T.	9506280195*	50-458 P
RUSSELL,W.T.	9506280774	REVIEW GR P
RUSSELL,W.T.	9506290085*	50-295 G
RUSSELL,W.T.	9506290216*	50-458 P
RYLEY,E.	9506190307*	50-213 R
RYLEY,M.	9506190309*	50-213 R
SACCOMANDO,D.M.	9506130027	50-454 Q
SACCOMANDO,D.M.	9506130122	50-456 P
SACCOMANDO,D.M.	9506280549	50-454 P
SACCOMANDO,D.M.	9506300131	50-456 P
SAGAR,B.	9506010545	WASTE MGT
SAGAR,B.	9506060480	WASTE MGT
SAGAR,B.	9506150358	WASTE MGT
SAGAR,B.	9506150360	WASTE MGT
SAGAR,B.	9506210354	WASTE MGT
SAGER,D.A.	9506070227	50-335 R
SAGER,D.A.	9506070692	50-335 F
SAGER,D.A.	9506080019	50-335 K
SAGER,D.A.	9506090223	50-335 P
SAGER,D.A.	9506090344	50-335 F
SAGER,D.A.	9506130002	50-335 P
SAGER,D.A.	9506190301	50-335 R
SAGER,D.A.	9506220159	50-335 F
SAGER,D.A.	9506220175	50-335 P
SAGER,D.A.	9506230059	50-335 S
SAGER,D.A.	9506230229	50-335 P
SAGER,D.A.	9506230233	50-335 P
SAGER,D.A.	9506280114	50-335 P
SAGER,D.A.	9506280390	50-335 P
SAGER,D.A.	9506290125	50-335 S
SAITO,A.	9506020499	XPORTLIC
SAITO,A.	9506020508*	XPORTLIC
SALAS,P.	9506070333	50-259 F
SALAS,P.	9506130044	50-259 P
SALAS,P.	9506160280	50-259 P
SALAS,P.	9506190068	50-259 F
SALAS,P.	9506200088	50-259 R
SALAS,P.	9506210197	50-259 F
SALAS,P.	9506230391	50-259 P
SALAS,P.	9506290206	50-259 F
SALGADO,N.L.	9506190401*	50-259 Q
SALISBURY,W.C.	9506020493	40-4492
SALMON,H.P.	9506010366	50-333 S
SALMON,H.P.	9506080026	50-333 F
SALMON,H.P.	9506190304	50-333 R
SALMON,H.P.	9506300232	50-333 P
SANCHEZ,C.E.	9506210145*	40-8902
SANDA,K.	9506200231	50-282 Y
SANDERS,B.	9506200350	50-461 S
SANDERS,C.F.	9506190129	70-1151
SANFORD,W.E.	9506140086	NUREG
SANZA,B.J.	9506130040	STATE PRO G
SAPORITO,T.J.	9505010114*	ORG
SARTON,W.M.	9506200030*	50-390 Q
SATORIUS,M.	9506150012	50-410 Q
SATORIUS,M.	9506150023	50-237 Q
SAUNDERS,R.F.	9506060501	50-280 J
SAUNDERS,W.M.	9506140119	NUREG
SAUNDERS,W.M.	9506140126	NUREG
SAVIGNAC,N.	9506300298	40-8698
SAVIGNAC,N.	9506300299*	40-8698
SAYLOR,H.F.	9506200333*	40-*****
SCACE,S.E.	9506140055	50-213 Q
SCACE,S.E.	9506140055	50-213 Q
SCACE,S.E.	9506140055	50-213 Q
SCACE,S.E.	9506140066	50-213 Q
SCACE,S.E.	9506140066	50-213 Q
SCACE,S.E.	9506140066	50-213 Q
SCACE,S.E.	9506140070	50-336 Q
SCACE,S.E.	9506140070	50-336 Q
SCACE,S.E.	9506280348	50-423 P
SCALETTI,D.	9506050262	52-1
SCARANO,R.A	9506230080	50-344 P
SCARANO,R.A.	9506200247*	50-397 Q
SCARANO,R.A.	9506210119	50-312 F
SCARANO,R.A.	9506220001	50-285 Q
SCARANO,R.A.	9506230036	50-602 Q
SCARANO,R.A.	9506230066	40-1162
SCARANO,R.A.	9506230100	50-382 F
SCARANO,R.A.	9506280573	50-482 Q
SCARANO,R.A.	9506280596	40-6659
SCARANO,R.A.	9506290048	50-313 Q
SCARBOROUGH,J.	9506160557	50-261 R
SCARBROUGH,T.G.	9506300137	TOPREP
SCHEIDE,R.H.	9506200346	50-313 S
SCHIERMAN,S.L.	9506020074	40-8681
SCHIERMAN,S.L.	9506140276	40-8681
SCHMIDT,R.	9506120194	50-237 S
SCHMIDT,R.	9506230017	50-336 P
SCHMITT,J.F.	9506220069	PR
SCHMITT,J.F.	9506290002	PR
SCHNEIDER,K.N.	9506130007	STATE PRO G
SCHNEIDER,L.J.	9506200331	71-701
SCHOENFELD,I.	9506140119	NUREG
SCHOENFELD,I.	9506140126	NUREG
SCHOLL,L.	9506010056*	50-309 Q
SCHORI,J.	9506200435	50-312 I
SCHRAGE,J.L.	9506010332	50-254 P
SCHRAGE,J.L.	9506020133	50-237 P
SCHRAGE,J.L.	9506070697	50-265 P
SCHRAGE,J.L.	9506070700	50-265 P
SCHRAGE,J.L.	9506130218	50-237 P
SCHRAGE,J.L.	9506280728	50-390 A
SCHROEDER,R.M.	9506080379	PT21
SCHULZ,E.J.	9506220166*	TOPREP
SCHWARTZ,G.K.	9506050299	50-304 S
SCHWARTZ,G.K.	9506050306	50-295 S
SCHWARTZ,G.K.	9506130312	50-304 S
SCHWARTZ,G.K.	9506190094	50-304 S
SCHWARTZ,G.K.	9506190238	50-295 S
SCHWARTZ,G.K.	9506190252	50-295 S
SCHWARTZ,G.K.	9506210053	50-295 R
SCHWARTZ,J.	9506120154*	WASTE MGT
SCISCENTE,R.C.	9506290125	50-335 S
SCOTT,D.	9506010087	50-10 F
SCOTT,D.J.	9506020008	50-373 F
SCOTT,M.A.	9506200316*	50-348 Q
SCOTTI,R.S.	9506020467	NUREG
SCROGGINS,R.M.	9506050414	PR
SEBTI,K.	9506120154*	WASTE MGT
SELIN,I.	9506070062	10CFR
SELIN,I.	9506070099	10CFR
SELIN,I.	9506080267	COMMISSIO N
SELIN,I.	9506080461	50-498 U
SELIN,I.	9506080486	COMMISSIO N
SELIN,I.	9506140350	COMMISSIO N
SELIN,I.	9506140369	COMMISSIO N
SELIN,I.	9506140426	COMMISSIO N
SELIN,I.	9506140435	COMMISSIO N
SELIN,I.	9506150115	COMMISSIO N
SELIN,I.	9506150151	COMMISSIO N
SELIN,I.	9506160020	COMMISSIO N
SELIN,I.	9506280332	COMMISSIO N
SELIN,I.	9506280768	COMMISSIO N
SELIN,I.	9506290376	COMMISSIO N
SELIN,I.	9506290384	COMMISSIO N
SELIN,I.	9506290412	COMMISSIO N
SELIN,I.	9506290414	COMMISSIO N
SELIN,I.	9506300192	10CFR
SELIN,I.A.	9506160196	COMMISSIO N
SELIN,I.A.	9506230198	COMMISSIO N

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SELVA,J.A.	9506200144	TOPREP
SELVA,J.A.	9506210236	50-269 P
SELVA,J.A.	9506300309*	50-346 P
SEMNANI,K.	9506130196*	STATE PRO G
SEMNANI,K.	9506150402*	WASTE MGT
SENA,R.F.	9506220132	WASTE MGT
SERIG,D.I.	9506140126	NUREG
SERIG,I.	9506140119	NUREG
SERKIZ,A.	9506300159*	TOPREP
SGARLATA,D.K.	9506050283	70-364
SHACK,W.J.	9506010453	NUREG
SHAFFER,S.	9506200269	I&E
SHAFFER,S.	9506210100	30-32721
SHAHRIVAR,F.	9506020155*	50-237 P
SHANBAKY,M.	9506210065	I&E
SHANBAKY,M.	9506280564	30-19075
SHANBAKY,M.	9506280631	30-6032
SHANBAKY,M.M.	9506010022*	40-8833
SHANBAKY,M.M.	9506280409	40-8610
SHANBAKY,M.M.	9506280653	40-8833
SHANBAKY,M.M.	9506280664*	40-8833
SHANBAKY,M.N.	9506280094*	40-6940
SHANKMAN,S.F.	9506190455	50-272 Q
SHANKMAN,S.F.	9506190462*	50-272 Q
SHEA,J.W.	9506090261	50-277 P
SHEA,J.W.	9506140269	50-277 P
SHEA,J.W.	9506280402*	50-387 V
SHEA,J.W.	9506280786	50-277 P
SHEA,J.W.	9506290227	50-277 P
SHEA,J.W.	9506290409	50-277 P
SHEA,J.W.	9506300096	50-277 P
SHEA,J.W.	9506300170	50-277 P
SHEAR,G.L.	9506060019	40-3392
SHEAR,G.L.	9506140088	70-36
SHEAR,G.L.	9506140091*	70-36
SHEAR,G.L.	9506190400	40-3392
SHEAR,G.L.	9506280001	40-3392
SHEAR,G.L.	9506280002*	40-3392
SHEAR,G.L.	9506280554	70-7002
SHEAR,G.L.	9506280562*	70-7002
SHEAR,G.L.	9506280584	70-7001
SHEAR,G.L.	9506280589*	70-7001
SHEAR,G.L.	9506280594*	70-7001
SHEIBANI,M.	9506090483	50-424 S
SHELL,R.H.	9506020200	50-327 Q
SHELL,R.H.	9506020408	50-327 P
SHELL,R.H.	9506140256	50-327 P
SHELL,R.H.	9506200061	50-327 R
SHELTON,B.J.	9506060222*	PR
SHELTON,B.J.	9506060481*	PR
SHELTON,B.J.	9506060513*	PR
SHELTON,B.J.	9506080455*	PR
SHELTON,D.C.	9506070152	50-440 P
SHELTON,D.C.	9506070261	50-440 S
SHELTON,D.C.	9506080015	50-440 P
SHELTON,D.C.	9506080152	50-440 F
SHELTON,D.C.	9506080248	50-346 I
SHELTON,D.C.	9506080638	50-440 P
SHELTON,D.C.	9506130077	50-440 P
SHELTON,D.C.	9506130097	50-440 S
SHELTON,D.C.	9506130273	50-440 Q
SHELTON,D.C.	9506200162	50-440 R
SHELTON,D.C.	9506200323	50-440 R
SHEMBARGER,K.M.	9506020370	52-3
SHEPARD,D.	9506090070*	50-282 V
SHERON,B.	9506300151	50-315 O
SHERON,B.W.	9506090142	ORG
SHIELDS,W.J.	9506010097	40-8948
SHILLINGLAW,F.	9506190051	50-255 H
SHILLINGLAW,F.	9506290149	50-255 Y
SHIRAKI,C.Y.	9502170035*	REVIEW GR P
SHIRAKI,C.Y.	9506010387	50-295 P
SHIRAKI,C.Y.	9506020336	50-295 P
SHIRAKI,C.Y.	9506140320	50-295 P
SHIRAKI,C.Y.	9506140327*	50-295 P
SHIRAKI,C.Y.	9506230119	50-295 G
SHIRAKI,C.Y.	9506230288	50-295 P
SHIRAKI,C.Y.	9506280576	50-295 P
SHIRAKI,C.Y.	9506280587*	50-295 P
SHIRAKI,C.Y.	9506280703	50-295 P
SHIRAKI,C.Y.	9506290381	50-295 P
SHIRAKI,C.Y.	9506300270	50-295 P
SHIRAKI,C.Y.	9506300289*	50-295 P
SHIRAKI,C.Y.	9506300305	50-295 P
SHIROSTA,Y.	9506090015	XPORTLIC
SHIROTA,Y.	9506090051	XPORTLIC
SHIROTA,Y.	9506160025	XPORTLIC
SHON,F.J.	9506290030	70-3070
SHONKA,J.J.	9506150371	CONTRACT
SHUMLOCK,M.	9506200090*	50-327 Q
SHYMLOCK,M.	9506190408*	50-324 Q
SHYMLOCK,M.	9506190446*	50-335 Q
SHYMLOCK,M.	9506190447*	50-259 Q
SHYMLOCK,M.	9506280233*	50-259 Q
SHYMLOCK,M.B.	9506190401*	50-259 Q
SIEGEL,B.A.	9506280689	ADVCM
SIEGEL,B.L.	9506070335	50-348 P
SIEGEL,B.L.	9506090243	50-348 P
SIGEL,G.	9506020223	40-3453
SILK,D.	9506210083*	50-247 Q
SIMON,W.A.	9506150061	PROJ
SIMONEN,C.A.	9506220081	NUREG
SIMPKIN,T.W.	9506060151	50-295 P
SIMPKIN,T.W.	9506070302	50-295 P
SIMPKIN,T.W.	9506090001	50-295 P
SIMPKIN,T.W.	9506200135	50-295 P
SIMPKIN,T.W.	9506220127	50-295 Q
SIMPKIN,T.W.	9506280299	50-295 P
SIMPKIN,T.W.	9506280308	50-295 P
SIMPKIN,T.W.	9506290144	50-295 K
SINCLAIR,M.P.	9506090072	NUREG
SINCLAIR,M.P.	9506190057	NUREG
SINCLAIR,W.J.	9506160481	WASTE MGT
SINCLAIR,W.J.	9506280112	STATE PRO G
SINGH,S.	9506120274*	TOPREP
SIROIS,E.	9506200078	50-445 R
SKINNER,P.	9506280209*	50-424 Q
SKOLDS,J.L.	9506080537	50-395 V
SLAGLE,W.H.	9506190312*	TOPREP
SLY,C.D.	9506230052	50-317 S
SMITH,C.F.	9506200062*	50-390 Q
SMITH,G.C.	9506010324*	ORG
SMITH,G.C.	9506140078*	50-220 Q
SMITH,G.C.	9506190467*	50-293 Q
SMITH,J.C.	9506140023	NUREG
SMITH,K.	9506120287*	50-255 Y
SMITH,L.D.	9506120360*	52-3
SMITH,L.R.	9506090062	NUREG
SMITH,P.	9506070106	50-374 S
SMITH,R.P.	9506060227	QA999
SMITH,T.R.	9506200088	50-259 R
SMYTH,S.B.	9506220081	NUREG
SNELL,W.G.	9506060013	70-903
SNELL,W.G.	9506060033	70-903
SOLBERG,D.E.	9506280428	TOPREP
SOONG,S.	9506010551	70-36
SPALL,G.R.	9506090061*	40-7102
SPARLING,D.K.	9506020074	40-8681
SPARLING,D.K.	9506140276	40-8681
SPECKER,S.R.	9506290294*	ORG
SPEIS,T.P.	9505120228*	REVIEW GR P
SPELL,W.H.	9506190336	STATE PRO G
SPENCE,R.E.	9506010057	WASTE MGT
SPENCE,R.E.	9506010307	WASTE MGT
SPENCE,R.E.	9506050122*	WASTE MGT
SPENCE,R.E.	9506090314	WASTE MGT
SPENCE,R.E.	9506090326	WASTE MGT
SPENCE,R.E.	9506130197	WASTE MGT
SPENCE,R.E.	9506130203	WASTE MGT
SPENCE,R.E.	9506140037	WASTE MGT
SPENCE,R.E.	9506140046	WASTE MGT
SPENCE,R.E.	9506160295	WASTE MGT
SPENCE,R.E.	9506200267	WASTE MGT
SPENCE,R.E.	9506280345	WASTE MGT
SPENCE,R.E.	9506290209	WASTE MGT
SPENCE,R.E.	9506300277	WASTE MGT
SPENCER,B.W.	9506010485	50-280 P
SPESSARD,R.L.	9506220010	QA999
SPESSARD,R.L.	9506220029	QA999
SPESSARD,R.L.	9506300032	50-315 Q
SPIKER,H.L.	9506020001	PR
SPURGIN,A.J.	9506290408*	REGGD
SRENIAWSKI,D.J.	9506280731	I&E
STALEY,P.L.	9506140287*	50-155 F
STALL,J.A.	9506190272	50-338 R
STALZ,J.F.	9506300102*	50-277 P
STAMPS,D.W.	9506010485	50-280 P
STANCZAK,P.	9506200036	50-456 R
STANG,J.F.	9506200429	50-237 P
STANG,J.F.	9506200445*	50-237 P
STANG,J.F.	9506230286	50-237 P
STANG,J.F.	9506230293*	50-237 P
STANG,J.F.	9506280605	50-237 P
STANG,J.F.	9506280607*	50-237 P
STANLEY,H.G.	9506010358	50-388 S
STANLEY,H.G.	9506020465	50-387 S
STANLEY,H.G.	9506070216	50-387 S
STANLEY,H.G.	9506120203	50-388 S
STAUNTON,R.H.	9506140092	NUREG
STECKLER,K.D.	9506150354	ORG
STEINDLER,M.J.	9506120197	ADVCM
STEINHARDT,C.R.	9506190313	50-305 P
STEINHARDT,C.R.	9506190460	50-305 P
STEPHENSON,J.D.	9506280551	50-302 F
STETZ,J.P.	9506070003	50-346 P
STETZ,J.P.	9506080660	50-346 P
STETZ,J.P.	9506080661*	50-346 P
STETZ,J.P.	9506130059	50-346 P
STETZ,J.P.	9506130062*	50-346 P
STETZ,J.P.	9506190160	50-346 F
STETZ,J.P.	9506190457	50-346 Q
STETZ,J.P.	9506200129	50-346 P
STETZ,J.P.	9506200292	50-346 P
STETZ,J.P.	9506300304	50-346 P
STEWART,C.D.	9506280059*	50-309 P
STEWART,C.D.	9506280059*	50-309 P
STEWART,W.L.	9506020170	50-528 P
STEWART,W.L.	9506020217	50-528 P
STEWART,W.L.	9506020226	50-529 Q
STEWART,W.L.	9506060049	50-528 I
STEWART,W.L.	9506080652	50-528 Q
STEWART,W.L.	9506130277	50-528 P
STEWART,W.L.	9506130442	50-528 Q
STEWART,W.L.	9506160130	50-530 Q
STEWART,W.L.	9506210386	50-528 P
STEWART,W.L.	9506290417	50-528 P
STEWART,W.L.	9506290423	50-530 P
STIGER,M.H.	9506300180	71-593
STIPICEVICH,J.	9506210125	50-275 R
STIRLING,J.	9506160541	71-703
STOIBER,C.R.	9506140377	SECY
STOIBER,C.R.	9506230126	SECY
STOKLEY,J.R.	9506160219	50-312 Y
STOLZ,J.F	9506290416*	50-277 P
STOLZ,J.F.	9506010494*	50-272 P
STOLZ,J.F.	9506020425*	50-354 P
STOLZ,J.F.	9506090267*	50-277 P
STOLZ,J.F.	9506200428	50-354 P
STOLZ,J.F.	9506210378*	50-334 P
STOLZ,J.F.	9506220123*	50-387 P
STOLZ,J.F.	9506290361*	50-272 P
STOLZ,J.F.	9506300244*	50-272 P
STOLZ,J.F.	9506300297*	50-352 P
STONE,B.J.	9506200081	50-341 R
STONE,J.C.	9506090415	50-482 P
STONE,J.C.	9506090422*	50-482 P
STOTT,J.	9506130148	STATE PRO G
STOWERS,G.N.	9506120212	50-309 S
STRATFORD,R.J.	9506230084	XPORTLIC
STRATFORD,R.J.	9506280296	XPORTLIC
STRINGHAM,S.D.	9506010137	71-9156
STRONG,T.R.	9206300185	WASTE MGT
STRONG,T.R.	9506130201	WASTE MGT
STRONG,T.R.	9506150148	WASTE MGT
STRONG,T.R.	9506150155	WASTE MGT
STRONG,T.R.	9506150163	WASTE MGT
STRONG,T.R.	9506220106	WASTE MGT
STRUCKMEYER,R.	9506140068	NUREG
STUDD,M.G.	9506020487*	PROJ
STUDD,M.G.	9506210242*	PROJ
STUDD,M.G.	9506210267*	PROJ
STURZ,F.C.	9506020072	50-266 Y
STURZ,F.C.	9506020081	50-346 Y
STURZ,F.C.	9506020085	50-313 Y
STURZ,F.C.	9506020091	50-219 Y
STURZ,F.C.	9506210111	72-1008
STURZ,F.C.	9506220349*	70-1308
STURZ,F.C.	9506300100	50-282 Y
SUBALUSKY,W.T.	9506280361	ORG
SULLIVAN,S.G.	9506140072	NUREG
SULLIVAN,T.A.	9506290079	50-293 R
SULLIVAN,T.M.	9506140086	NUREG
SUMMERS,J.C.	9506010036	50-272 R
SUMMERS,J.C.	9506080215	50-272 R
SUMMERS,J.C.	9506080224*	50-272 R
SUMMERS,J.C.	9506090150	50-272 S
SUMMERS,J.C.	9506150332	50-272 P
SUMMERS,J.C.	9506200068	50-272 R
SUMMERS,J.C.	9506200072	50-311 R
SUMMERS,J.C.	9506230388	50-272 R
SUMMERS,J.C.	9506280225	50-272 R
SUMMERS,J.C.	9506280235*	50-272 R
SUNG,Y.	9506120360*	52-3
SUWALA,M.C.	9506190073	70-27

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SUWALA,M.C.	9506300036	70-27
SVEJKOVSKY,J.	9506160043	XPORTLIC
SYKES,K.W.	9506200042	50-10 R
SYLVIA,B.R.	9506060213	50-220 P
SYLVIA,B.R.	9506190019	50-410 H
SYLVIA,B.R.	9506190019	PR
SYLVIA,B.R.	9506190328	50-220 H
TABATABAI,H.	9506150380	CONTRACT
TABOR,S.F.	9506120196*	50-325 S
TABOR,S.F.	9506140436	50-325 S
TABOR,S.F.	9506300086*	50-325 S
TADIOS,E.L.	9506010485	50-280 P
TAM,P.S	9506280297	50-390 A
TAM,P.S.	9506210347	50-390 A
TAM,P.S.	9506280151	50-390 A
TAM,P.S.	9506280801	50-390 H
TANNER,S.T.	9506120338	50-498 P
TAVERS,W.D.	9506130374	71-9218
TAYLOR,C.	9506290217	50-348 P
TAYLOR,G.J.	9506090108	50-395 Q
TAYLOR,G.J.	9506120408	50-395 R
TAYLOR,G.J.	9506140122	50-395 P
TAYLOR,G.J.	9506160373	50-395 K
TAYLOR,G.J.	9506190296	50-395 R
TAYLOR,G.J.	9506230381	50-395 P
TAYLOR,G.J.	9506280251	50-395 P
TAYLOR,G.J.	9506280286	50-395 P
TAYLOR,G.J.	9506290211	50-395 Q
TAYLOR,J.H.	9506010276	70-27
TAYLOR,J.H.	9506010310	TOPREP
TAYLOR,J.M.	9409220224*	PR
TAYLOR,J.M.	9502230053*	PR
TAYLOR,J.M.	9503160089	SECY
TAYLOR,J.M.	9503270246*	PR
TAYLOR,J.M.	9504100180	SECY
TAYLOR,J.M.	9504140202	ORG
TAYLOR,J.M.	9504140210	ORG
TAYLOR,J.M.	9504140251	SECY
TAYLOR,J.M.	9504170291	SECY
TAYLOR,J.M.	9505010118	SECY
TAYLOR,J.M.	9505080056	70-3070
TAYLOR,J.M.	9505100073	ORG
TAYLOR,J.M.	9505100248	50-482 F
TAYLOR,J.M.	9505150109	SECY
TAYLOR,J.M.	9505150112	SECY
TAYLOR,J.M.	9505150182	SECY
TAYLOR,J.M.	9505180075	SECY
TAYLOR,J.M.	9506010245	ORG
TAYLOR,J.M.	9506010433	ORG
TAYLOR,J.M.	9506050184	NUREG
TAYLOR,J.M.	9506050208*	NUREG
TAYLOR,J.M.	9506050345	ORG
TAYLOR,J.M.	9506080136	NUREG
TAYLOR,J.M.	9506130415	50-458 M
TAYLOR,J.M.	9506140192*	STATE PRO G
TAYLOR,J.M.	9506140306	50-219 H
TAYLOR,J.M.	9506150157	SECY
TAYLOR,J.M.	9506150166	SECY
TAYLOR,J.M.	9506150322	50-322 W
TAYLOR,J.M.	9506150396	WASTE MGT
TAYLOR,J.M.	9506160201	SECY
TAYLOR,J.M.	9506200140	SECY
TAYLOR,J.M.	9506200294	50-352 H
TAYLOR,J.M.	9506200312	50-219 H
TAYLOR,J.M.	9506210361	COMMISSIO N
TAYLOR,J.M.	9506220199	WASTE MGT
TAYLOR,J.M.	9506220275	ACRS
TAYLOR,J.M.	9506230186	50-324 U
TAYLOR,J.M.	9506230332	ORG
TAYLOR,J.M.	9506280021*	STATE PRO G
TAYLOR,J.M.	9506280784*	50-228 P
TAYLOR,J.M.	9506290033*	STATE PRO G
TAYLOR,J.M.	9506290063	50-295 G
TAYLOR,J.M.	9506290135	50-295 G
TAYLOR,J.M.	9506290269	WASTE MGT
TAYLOR,J.M.	9506290310	STATE PRO G
TAYLOR,J.M.	9506290318	STATE PRO G
TAYLOR,J.M.	9506290320	50-317 H
TAYLOR,J.M.	9506290346	ORG
TAYLOR,J.M.	9506300087	ORG
TAYLOR,W.R.	9506130263*	71-3023
TEDROW,J.	9506200213*	50-416 Q
TEMUS,C.J.	9506060144	71-9196
TEN EYCK,E.Q.	9506140396	70-1068
TERRY,C.D.	9506130390	50-220 P
TERRY,C.D.	9506290242	50-410 P
TERRY,C.L.	9506070024	50-446 S
TERRY,C.L.	9506070270	50-445 S
TERRY,C.L.	9506190323	50-445 P
TERRY,C.L.	9506190432	50-445 P
TERRY,C.L.	9506190470	50-445 R
TERRY,C.L.	9506290303	50-445 P
TERRY,C.L.	9506300132	50-445 P
TERRY,C.L.	9506300165	50-445 F
THADANI,A.C.	9506220229	REVIEW GR P
THADANI,A.C.	9506300098	50-324 P
THADANI,M.C.	9506290037	50-390 A
THAYER,J.K.	9506210280	50-29 K
THE CHAIRMAN	9506070062	10CFR
THE CHAIRMAN	9506070099	10CFR
THE CHAIRMAN	9506080267	COMMISSIO N
THE CHAIRMAN	9506080461	50-498 U
THE CHAIRMAN	9506080486	COMMISSIO N
THE CHAIRMAN	9506140350	COMMISSIO N
THE CHAIRMAN	9506140369	COMMISSIO N
THE CHAIRMAN	9506140426	COMMISSIO N
THE CHAIRMAN	9506140435	COMMISSIO N
THE CHAIRMAN	9506150115	COMMISSIO N
THE CHAIRMAN	9506160020	COMMISSIO N
THE CHAIRMAN	9506160196	COMMISSIO N
THE CHAIRMAN	9506230198	COMMISSIO N
THE CHAIRMAN	9506280332	COMMISSIO N
THE CHAIRMAN	9506280768	COMMISSIO N
THE CHAIRMAN	9506290376	COMMISSIO N
THE CHAIRMAN	9506290384	COMMISSIO N
THE CHAIRMAN	9506290412	COMMISSIO N
THE CHAIRMAN	9506290414	COMMISSIO N
THE CHAIRMAN	9506300192	10CFR
THEARLING,G.	9506150344*	50-325 S
THEARLING,G.M.	9506150353*	50-325 S
THEMELIS,J.G.	8701270204	40-6500
THOMA,J.O.	9506280289*	40-299
THOMAS,B.	9506090197	TOPREP
THOMAS,C.R.	9506020270	50-528 P
THOMAS,C.R.	9506020358*	50-528 P
THOMAS,G.S.	9506020114	50-334 P
THOMAS,G.S.	9506080001	50-334 Q
THOMAS,G.S.	9506080250	50-412 K
THOMAS,G.S.	9506130171	50-334 V
THOMAS,G.S.	9506130175	50-334 V
THOMAS,G.S.	9506130275	50-334 P
THOMAS,G.S.	9506190463	50-334 P
THOMAS,G.S.	9506190465	50-334 Q
THOMAS,G.S.	9506210258	50-412 P
THOMAS,G.S.	9506210270	50-334 F
THOMAS,G.S.	9506220111	50-334 P
THOMAS,G.S.	9506220273	50-412 P
THOMAS,G.S.	9506280234	50-334 P
THOMAS,G.S.	9506290001	50-334 H
THOMAS,M.	9506190446*	50-335 Q
THOMAS,R.C.	9506280293*	TOPREP
THOMAS,S.E.	9506300315*	50-498 Q
THOMPSON,D.	9506010054*	50-259 Q
THOMPSON,D.	9506200226*	70-27
THOMPSON,T.C.	9506160243	72-1007
THOMPSON,T.C.	9506160249*	72-1007
THONUS,L.H.	9506300190	50-320 P
THR CHAIRMAN	9506150151	COMMISSIO N
THRELFALL,S.	9506290379*	XPORTLIC
THRELFALL,S.D.	9506280469	XPORTLIC
TIDMORE,G.L.	9506190225	40-8027
TIDMORE,G.L.	9506210087	40-8027
TIDWELL,T.W.	9506210055	50-321 R
TIMMARAJU,S.	9506300315*	50-498 Q
TING,P.	9506010223	70-27
TINGEN,S.	9506280108*	50-338 Q
TIPPS,S.B.	9506200077*	50-321 S
TIPTON,L.M.	9506060496*	PR
TIPTON,T.E.	9506090203	REVIEW GR P
TIPTON,T.E.	9506190039	PR
TJERSLAND,G.T.	9506150206	PROJ
TJERSLAND,G.T.	9506210231	71-9225
TJERSLAND,G.T.	9506220324	71-9225
TJERSLAND,G.T.	9506290070	PROJ
TOBIN,W.J.	9506200050*	70-27
TOLAR,J.	9506140085	50-456 S
TORRINI,R.E.	9506010030	40-8948
TOSCH,K.W.	9506070244	50-272 P
TOSCH,K.W.	9506190080	50-354 P
TOSCH,K.W.	9506200210	50-272 P
TOSCH,K.W.	9506200300	50-272 P
TRAPP,J.M.	9506070026*	50-286 Q
TRAPP,J.S.	9506090100	WASTE MGT
TRAVERS,W.D.	9506010112	50-3 Q
TRAVERS,W.D.	9506130371	PROJ
TRAVERS,W.D.	9506220346	70-1308
TRAVERS,W.D.	9506220351*	70-1308
TRAVERS,W.D.	9506230239	ORG
TRAVERS,W.D.	9506290282	72-1009
TRAVERS,W.D.	9506300095	50-312 Y
TRAVIS,J.R.	9506220072	NUREG
TRBOVICH,T.T.	9506280792*	WASTE MGT
TREADWAY,S..	9506070574	71-770
TREMBLAY,L.A.	9506160562	50-271 F
TRIMBLE,D.C.	9506020224	50-324 Y
TRIMBLE,D.C.	9506300188	50-324 P
TROJANOWSKI,R.	9506190403	I&E
TROTTIER,E.H.	9506290404	50-309 P
TROUP,G.L.	9506010049*	70-27
TROUP,G.L.	9506280098*	70-27
TROVATO,J.L.	9506020142*	50-237 P
TROVATO,J.L.	9506020145*	50-237 P
TROVATO,J.L.	9506020147*	50-237 P
TROVATO,J.L.	9506020150*	50-237 P
TROVATO,J.L.	9506020159*	50-237 P
TROXELL,J.E.	9506080592	71-*****
TROXELL,J.E.	9506090081*	71-*****
TRUJILLO,D.M.	9506140013	40-8907
TSAO,J.C.	9506220161	ORG
TSAO,J.C.	9506220170*	ORG
TUCKMAN,M.S.	9506080234	50-413 P
TUCKMAN,M.S.	9506280406	50-369 P
TUCKMAN,M.S.	9506300313	50-413 P
TUETKEN,R.P.	9506080657	50-295 Q
TULLEY,S.E.	9506290077	50-10 F
TULON,T.J.	9506070161	50-457 S
TULON,T.J.	9506130448	50-456 P
TULON,T.J.	9506140085	50-456 S
TULON,T.J.	9506200036	50-456 R
TURK,S.E.	9506070247	50-160 G
TURK,S.E.	9506160104	50-160 G
TURK,S.E.	9506210174	40-8681
TURK,S.E.	9506280003	50-160 G
TURK,S.E.	9506280024	50-160 G
TURNER,S.E.	9506010109*	50-275 P
TURNER,S.E.	9506010114*	50-275 P
TURNER,S.E.	9506010115*	50-275 P
TURTIL,R.H.	9506010205	40-2377
ULECK,R.B.	9502100295	40-2384
ULICAY,W.D.	9505150184	40-341
ULLRICH,E.	9506120059*	50-213 Q
ULLRICH,E.	9506140011*	50-354 Q
ULLRICH,E.	9506190472*	50-277 Q
ULLRICH,E.	9506280694*	50-146 Q
ULSES,T.P.	9506080439	TOPREP
ULSES,T.P.	9506300279*	TOPREP
VAN DOORN,P.K.	9506190416*	50-390 Q
VAN HORN,R.A.	9506290450	40-8681
VANCE,R.F.	9506210265*	PROJ
VANDENBURGH,C.	9506090089*	50-458 Q
VANDENBURGH,C.	9506090121*	50-382 Q
VANDENBURGH,C.	9506200245	50-382 S
VANDENBURGH,C.	9506230070	50-382 S
VANDENBURGH,C.	9506280578	50-382 S
VANVE,R.F.	9506210242*	PROJ
VARGA,S.A.	9506140136*	50-336 P
VARGA,S.A.	9506200452*	50-348 F
VARGA,S.A.	9506220058*	50-424 P
VARGA,S.A.	9506290115*	50-443 P
VASELIN,J.	9506280734	40-8501
VASELIN,J.	9506300090	40-8502
VAUGHAN,R.C.	9506090153	NUREG
VAUGHAN,R.E.	9506120247	70-1257
VENNERI,F.	9506020248*	WASTE MGT
VENUTO,K.	9506210143	50-272 P
VERNETSON,W.G.	9506070343	50-83 V
VERRELLI,D.	9506200047*	50-400 Q
VERRELLI,D.	9506200094	50-302 S
VERRELLI,D.	9506200290	50-302 S
VERRELLI,D.M.	9506190391	50-261 P
VERRELLI,D.M.	9506190445	50-324 P
VERRELLI,D.M.	9506200037	50-400 Q
VERRELLI,D.M.	9506200199	50-416 P
VERRELLI,D.M.	9506200293	50-324 Q
VERRELLI,D.M.	9506200299	50-261 Q
VERRELLI,D.M.	9506200304*	50-261 Q
VERRELLI,D.M.	9506280092	50-324 Q
VERRELLI,D.M.	9506280145	50-324 Q
VERRILLI,M.	9506280407	50-400 S
VERRILLI,M.	9506280525	50-400 S
VILLAFLOR,R.F.	9506050171*	50-338 P
VISSING,G.S.	9506230379	50-336 P
VITKUS,T.J.	9506150049	40-7604
VOGL,J.	9506160520	50-454 R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
VONK,M.J.	9506090013	50-10 H
WAGNER,R.	9506210015*	71-*****
WAGNER,R.W.	9506130005	I&E
WAGNER,R.W.	9506210004	71-*****
WALDEN,J.V.	9506200025	50-244 R
WALKER,N.	9506070162	70-3070
WALKER,N.	9506070162	70-3070
WALKER,N.M.	9506070142	70-3070
WALKER,N.M.	9506070142	70-3070
WALKER,N.M.	9506070178	70-3070
WALKER,N.M.	9506070178	70-3070
WALKER,N.M.	9506070303	70-3070
WALKER,R.D.	9506190323	50-445 P
WALKER,R.D.	9506290303	50-445 P
WALKER,R.D.	9506300165	50-445 F
WALKER,R.S.	9506010172*	ORG
WALLIN,G.A.	9506160556	50-271 R
WALTON,G.A.	9506280125*	50-390 Q
WANCZYK,R.J.	9506070276	50-271 S
WANCZYK,R.J.	9506070282	50-271 S
WANCZYK,R.J.	9506140134	50-271 S
WANCZYK,R.J.	9506140431	50-271 S
WANCZYK,R.J.	9506210159	50-271 S
WANCZYK,R.J.	9506210164	50-271 S
WANDSCHNEIDER	9506280444*	50-387 V
WANG,A.	9506280126	50-213 P
WANG,A.B.	9506020205	50-213 P
WANG,A.B.	9506090194	50-213 P
WANG,A.B.	9506280600	50-213 S
WANNER,D.J.	9506120245*	50-305 P
WARNER,C.J.	9506010101	50-275 P
WARREN,C.C.	9506300084	50-325 S
WATERS,R.M.	9506020121	NUREG
WATTS,R.J.	9506230393	50-244 F
WATZL,E.L.	9506230009*	50-263 P
WEADON,W.J.	9506220051*	50-387 P
WEBBER,K.	9506050153	40-8971
WEBBER,K.	9506190302	40-8971
WEBER,G.A.	9506070017	50-315 S
WEBER,M.	9506290289	WASTE MGT
WEBER,M.F.	9506090065	70-925
WEBER,M.F.	9506090068	70-925
WEBER,M.F.	9506090071	40-2384
WEBER,M.F.	9506120134	27-47
WEBER,M.F.	9506120264	WASTE MGT
WEBER,M.F.	9506150125	70-27
WEBER,M.F.	9506190209	70-33
WEBER,M.F.	9506190281	WASTE MGT
WEBER,M.F.	9506280179	40-2384
WEBER,M.F.	9506280183*	40-2384
WEBER,M.F.	9506280198*	40-2384
WEBER,M.F.	9506280577	WASTE MGT
WEBER,M.F.	9506280776	40-8814
WEBER,M.F.	9506290055	52-3
WEBER,M.F.	9506290169	40-8767
WEBER,M.F.	9506300310	40-9022
WEBER,M.F.	9506300311*	40-9022
WEBER,M.F.	9506300312*	40-9022
WEBER,R.L.	9506210146	50-413 R
WEBER,R.L.	9506210149	50-369 R
WEBER,R.L.	9506210182	50-269 R
WEBSTER,C.S.	9506220072	NUREG
WEEKLY,T.M.	9505050341	40-8838
WEEKLY,T.M.	9506140142	40-8838
WEERAKKODY,S.D.	9506230021*	50-336 P
WEHRING,B.W.	9506290186	50-602 P
WEHRY,R.R.	9506010363*	50-388 S
WEHRY,R.R.	9506020475*	50-387 S
WEHRY,R.R.	9506120203	50-388 S
WEISS,S.H.	9506020320*	50-606 A
WEISS,S.H.	9506140420*	50-133 P
WEISS,S.H.	9506230026*	50-356 P
WEISS,S.H.	9506230209	50-155 P
WEISS,S.H.	9506230223	50-228 P
WEISS,S.H.	9506280448	50-155 P
WEISS,S.H.	9506300203*	50-320 P
WENSLAWSKI,F.	9506220015	30-32202
WENSLAWSKI,F.	9506230042	I&E
WENSLAWSKI,F.A.	9506140049*	70-1257
WENTZ,C.J.	9506120178	PROJ
WERT,L.D.	9506200123*	50-259 Q
WESLEY,D.	9506130140*	STATE PRO G
WESSMAN,R.H.	9506080585	ORG
WESSMAN,R.H.	9506280646	REVIEW GR P
WESTON,M.W.	9506220161	ORG
WESTON,M.W.	9506220170*	ORG
WETZEL,B.A.	9506020222	50-282 F
WETZEL,B.A.	9506020232	50-282 Y
WETZEL,B.A.	9506280474	50-282 Y
WETZEL,B.A.	9506300206	50-282 F
WHARTON,L.R.	9506020291	50-483 Q
WHARTON,L.R.	9506150078	50-483 P
WHARTON,L.R.	9506150180	50-483 P
WHEELER,J.T.	9506150144	CONTRACT
WHEELER,L.L.	9506020169	50-424 P
WHEELER,L.L.	9506090383	50-424 P
WHEELER,L.L.	9506190443	50-424 P
WHEELER,L.L.	9506230210	50-424 P
WHEELER,L.L.	9506230372	50-424 F
WHEELER,L.L.	9506280727	50-424 V
WHITE,B.	9506010526*	50-282 Y
WHITE,D.	9506140115	I&E
WHITE,D.	9506200269	I&E
WHITE,D.	9506210100	30-32721
WHITE,D.	9506280245	I&E
WHITE,J.	9506200202*	50-387 Q
WHITE,J.	9506210089*	50-387 Q
WHITE,J.R.	9506010130*	50-272 Q
WHITE,J.R.	9506120025	50-272 Q
WHITE,J.R.	9506140015	50-354 Q
WHITE,J.R.	9506140105	50-354 Q
WHITE,J.R.	9506190453	50-354 Q
WHITE,J.R.	9506190459	50-354 P
WHITE,J.R.	9506200134	50-272 S
WHITE,J.R.	9506200177	50-354 Q
WHITE,J.R.	9506200183*	50-354 Q
WHITE,J.R.	9506200191	50-387 Q
WHITE,J.R.	9506210075	50-387 Q
WHITE,J.R.	9506300038	50-354 Q
WHITENER,H.L.	9506190447*	50-259 Q
WHITT,M.S.	9506210129	50-313 R
WHITT,M.S.	9506210131	50-368 R
WICHERS,D.L.	9506280726	40-8502
WICHERS,D.L.	9506280745*	40-8501
WICHERS,D.L.	9506280750	40-8502
WICHERS,D.L.	9506290110	40-8502
WICHERS,D.L.	9506290158	40-8502
WIDAY,J.A.	9506200025	50-244 R
WIDAY,J.A.	9506200302	50-244 S
WIDMANN,M.T.	9506280209*	50-424 Q
WIEDEMAN,D.	9506280310	I&E
WIENS,L.A.	9506280522	50-269 P
WIGGINS,E.J.	9506080180	CONTRACT
WIGGINS,E.J.	9506080474	CONTRACT
WIGGINS,E.J.	9506090167	CONTRACT
WIGGINS,E.J.	9506090178	CONTRACT
WIGGINS,E.J.	9506090182*	CONTRACT
WIGGINS,E.J.	9506150152	CONTRACT
WIGGINS,E.J.	9506150175	CONTRACT
WIGGINS,E.J.	9506150181*	CONTRACT
WIGGINS,E.J.	9506150227	CONTRACT
WIGGINS,E.J.	9506150262	CONTRACT
WIGGINS,E.J.	9506150350	CONTRACT
WIGGINS,E.J.	9506150356	CONTRACT
WIGGINS,E.J.	9506190271	50-261 Q
WIGGINS,J.T.	9506070481	50-336 Q
WIGGINS,J.T.	9506120064	50-271 Q
WIGGINTON,D.L.	9506280167	50-458 P
WIGGINTON,D.L.	9506280171*	50-458 P
WIGGINTON,D.L.	9506290191	50-458 P
WIGGINTON,D.L.	9506290195*	50-458 P
WIGGINTON,D.L.	9506300231*	50-458 P
WIGGINTON,S.	9506060237*	PR
WILCOXEN,J.G.	9506160073	40-8027
WILCOXEN,J.G.	9506160073	40-8027
WILCOXEN,J.G.	9506210160	40-8027
WILCOXEN,J.G.	9506210160	40-8027
WILCOXEN,J.G.	9506230249*	40-8027
WILCOXEN,J.G.	9506230249*	40-8027
WILKIE,L.V.	9506080206	50-269 S
WILKOWSKI,G.	9506020484	NUREG
WILLIAMS,A.L.	9506130207	50-255 R
WILLIAMS,D.C.	9506090092	NUREG
WILLIAMS,F.J.	9506080060	50-247 P
WILLIAMS,F.J.	9506080070*	50-247 P
WILLIAMS,J.F.	9506290386	50-259 P
WILLIAMS,J.H.	9506140044*	50-220 Q
WILLIAMS,R.A.	9506210189*	50-269 R
WILLIAMS,R.A.	9506210228*	50-269 R
WILLIAMS,R.A.	9506210238*	50-369 R
WILLIAMS,R.A.	9506210320*	50-413 R
WILSON,D.	9506280557	50-331 R
WILSON,D.L.	9506200338	50-331 S
WILSON,J.H.	9506020242	52-4
WILSON,J.H.	9506020305	52-4
WILSON,J.H.	9506210229	52-3
WILSON,J.H.	9506220245	52-3
WILSON,J.H.	9506230264	52-4
WILSON,J.N.	9506290246	52-1
WINFORD,D.B.	9506150326	50-390 A
WINNELL,M.	9506230207*	50-155 H
WISE,R.	9506090064*	50-498 H
WISEMAN,G.	9506190447*	50-259 Q
WISHAM,C.L.	9506300237	70-734
WITHROW,G.C.	9506300193	50-155 P
WITTER,H.M.	9506010167	71-9263
WOLF,F.R.	9506050349*	ORG
WOLF,G.M.	9506160558	50-346 R
WOLFE,J.R.	9506280413*	50-387 V
WONG,H.J.	9506120041*	50-361 Q
WONG,H.J.	9506140048*	50-206 Q
WONG,I.G.	9506220194	40-3453
WONG,J.C.	9506120309*	50-255 Y
WOOD,J.E.	9506190229	MISC
WOOD,J.K.	9506010240	50-346 P
WOOD,J.K.	9506160558	50-346 R
WOOD,J.K.	9506200178	50-346 R
WOOD,R.	9506300301	40-8943
WOODARD,J.D.	9506010065	50-348 S
WOODARD,J.D.	9506200330	50-424 P
WOODLAN,D.R.	9506190432	50-445 P
WOODLAN,D.R.	9506200141*	50-445 Q
WOODRUFF,R.L.	9506200019	I&E
WOODWARD,R.	9506280557	50-331 R
WRIGHT,G.C.	9506010099	MISC
WRIGHT,W.A.	9506280105*	STATE PRO G
WURST,J.S.	9506060120	50-282 Y
WYMER,S.L.	9506190216	50-255 F
WYMER,S.L.	9506190220	50-255 F
WYMER,S.L.	9506190267	50-255 F
XIE,J.W.	9506140072	NUREG
YATES,C.Y.	9506020296	50-133 P
YATES,C.Y.	9506140418	50-133 P
YELVERTON,J.W.	9506130270	50-313 P
YELVERTON,J.W.	9506190133	50-313 P
YELVERTON,J.W.	9506300225	50-313 P
YOON,H.Y.	9506220166*	TOPREP
YOUNG,K.D.	9506010052	50-331 I
YOUNGBERG,B.	9506150025	40-341
YUNDT,C.P.	9506140243	50-344 P
ZAW-MON,M.	9506280052	STATE PRO G
ZDANAVAGE,D.R.	9506120353	50-387 Q
ZERINGUE,O.J.	9506150244	50-390 Q
ZERINGUE,O.J.	9506220254	50-390 S
ZERINGUE,O.J.	9506280384	50-390 Q
ZERINGUE,O.J.	9506280404	50-390 S
ZERNICK,E.A.	9506120287*	50-255 Y
ZIEGLER,R.S.	9506120225	40-8902
ZIEGLER,R.S.	9506210140	40-8902
ZIEGLER,R.S.	9506280636	40-8902
ZIMMERMAN,R.P.	9506300197	50-282 H
ZUPSIC,G.F.	9506130278*	50-334 P
ZWOLINSKI,J.A.	9506020292*	50-443 P
ZWOLINSKI,J.A.	9506140230	50-272 H
ZWOLINSKI,J.A.	9506200368	ORG
ZWOLINSKI,J.A.	9506200381*	ORG
ZWOLINSKI,J.A.	9506230072	ORG

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9506140405	QA999	
	9506210101*	50-313	P
	9506210185	TOPREP	
	9506210402*	50-528	P
	9506210405*	50-528	P
	9506220158	TOPREP	
	9506220166*	TOPREP	
	9506230231*	50-335	P
	9506230235*	50-335	P
	9506280059*	50-309	P
	9506280128*	50-335	P
	9506280458	XPORTLIC	
AECL Research	9506130263*	71-3023	
ASCA, Inc	9506150394	CONTRACT	
ASEA Brown Boveri, Inc.	9506140405	QA999	
	9506210101*	50-313	P
	9506210185	TOPREP	
	9506210402*	50-528	P
	9506210405*	50-528	P
	9506220158	TOPREP	
	9506230231*	50-335	P
	9506230235*	50-335	P
	9506280059*	50-309	P
	9506280128*	50-335	P
Accident Prevention Group	9506090032	NUREG	
Agriculture, Dept. of	9506010035	40-8527	
Allied-Signal Corp.	9506120110	40-3392	
	9506160542	40-3392	
American College of Nuclear Physicians	9506190027	PR	
American Electric Power Co., Inc.	9506200467*	50-315	P
American Nuclear Corp.	9506020493	40-4492	
American Testing Laboratories, Inc.	9506070566	71-9127	
Amersham Corp.	9506160548	71-9029	
	9506160553*	71-9029	
Anaheim, CA	9506020331*	50-206	I
Analysis & Measurement Services Corp.	9506010456	NUREG	
	9506150329	CONTRACT	
Argonne National Laboratory	9506010453	NUREG	
	9506010485	50-280	P
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9506020170	50-528	P
	9506020170	50-528	P
	9506020170	50-528	P
	9506020217	50-528	P
	9506020226	50-529	Q
	9506020415	50-528	Q
	9506060049	50-528	I
	9506060049	50-528	I
	9506060049	50-528	I
	9506060391	50-528	J
	9506080652	50-528	Q
	9506080652	50-528	Q
	9506080652	50-528	Q
	9506130277	50-528	P
	9506130442	50-528	Q
	9506130442	50-528	Q
	9506130452	50-528	S
	9506160130	50-530	Q
	9506160136*	50-530	Q
	9506160350	50-528	R
	9506160352*	50-528	R
	9506160353*	50-528	R
	9506210386	50-528	P
	9506210386	50-528	P
	9506210386	50-528	P
	9506210389*	50-528	P
	9506210389*	50-528	P
	9506210389*	50-528	P
	9506290123	50-528	P
	9506290258	50-529	S
	9506290286	50-529	S
	9506290308*	50-529	S
	9506290417	50-528	P
	9506290417	50-528	P
	9506290417	50-528	P
	9506290421*	50-528	P
	9506290421*	50-528	P
	9506290421*	50-528	P
	9506290423	50-530	P
Arizona, State of	9506090011	PR	
	9506130056	STATE PRO	G
	9506280096	STATE PRO	G
	9506280105*	STATE PRO	G
	9506290045	STATE PRO	G
Arizona, Univ. of, Tucson, AZ	9506150144	CONTRACT	
	9506150425	CONTRACT	
Army, Dept. of	9505050341	40-8838	
	9505150015	40-8838	
	9506070389*	40-8767	
	9506140142	40-8838	
Atkinson-Noland & Associates	9506150154	CONTRACT	
Atlantic Energy, Inc.	9506220061	50-272	P
Atlantic Richfield Co. (ARCO)	9506120225	40-8902	
	9506210140	40-8902	
	9506210145*	40-8902	
	9506210172*	70-364	
	9506280636	40-8902	
Automatic Switch Co.	9506060227	QA999	
B&W Fuel Co.	9506020179	71-9203	
	9506090174	71-9251	
BP Chemicals International	9506150058	40-7604	
BWR Owners Group	9506210236	50-269	P
Babcock & Wilcox Co.	9506010276	70-27	
	9506010310	TOPREP	
	9506020402	70-27	
	9506050283	70-364	
	9506070290*	50-302	Q
	9506090506	71-9251	
	9506160485	70-27	
	9506190073	70-27	
	9506190423	70-27	
	9506210170	70-364	
	9506210172*	70-364	
	9506280453	70-27	
	9506280618*	70-27	
	9506300036	70-27	
	9506300119	70-27	
Babcock & Wilcox Operating Plants Owners Group	9506120031	PROJ	
	9506120039*	PROJ	
	9506200144	TOPREP	
	9506300309*	50-346	P
Baltimore Gas & Electric Co.	9506010429	50-318	P
	9506010457*	50-318	P
	9506050100	50-318	S
	9506050189	50-317	Y
	9506050189	50-317	Y
	9506050189	50-317	Y
	9506080464	50-317	P
	9506080464	50-317	P
	9506080466*	50-317	P
	9506080466*	50-317	P
	9506090157	50-317	P
	9506090157	50-317	P
	9506090159*	50-317	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506090159*	50-317	P
	9506090166	50-317	S
	9506090294	50-317	S
	9506090294	50-317	S
	9506120115	50-317	P
	9506160251	50-317	P
	9506160251	50-317	P
	9506160255*	50-317	P
	9506160255*	50-317	P
	9506160381	50-318	Q
	9506200031	50-317	R
	9506200031	50-317	R
	9506230052	50-317	S
	9506280758	50-317	Q
	9506280758	50-317	Q
	9506280782	50-317	Q
	9506280782	50-317	Q
	9506300111	50-318	S
Battelle Memorial Institute	9506080488	CONTRACT	
Battelle Memorial Institute, Columbus Laboratories	9506020484	NUREG	
Battelle Memorial Institute, Pacific Northwest Laboratory	9505150024*	40-8838	
	9506220081	NUREG	
Boeing Co.	9506130013	PT21	
Boeing Computer Services Co. (div. of Boeing Co.)	9506140411	PT21	
Boston College, Chestnut Hill, MA	9506090106	CONTRACT	
Boston Edison Co.	9506020161	50-293	P
	9506060209	50-293	P
	9506080551	50-293	P
	9506160461	50-293	R
	9506280337	50-293	R
	9506280343	50-293	F
	9506290079	50-293	R
Brookhaven National Laboratory	9506140072	NUREG	
	9506220089	50-280	P
	9506230147*	50-483	P
Building & Construction Trades Council	9506290339*	50-317	H
C-E Operating Plants Owners Group	9506210101*	50-313	P
	9506230231*	50-335	P
	9506230235*	50-335	P
	9506280128*	50-335	P
CEXEC, Inc.	9506300083	CONTRACT	
COGEMA, Inc.	9506280726	40-8502	
	9506280734	40-8501	
	9506280745*	40-8501	
	9506280750	40-8502	
	9506290110	40-8502	
	9506290158	40-8502	
Cabot Corp.	9506300090	40-8502	
	9506090496	40-6940	
	9506120257	40-6940	
	9506140138	40-9027	
Cajun Electric Power Cooperative, Inc.	9506290203	50-458	I
California, State of	9506090033	PR	
	9506130123*	STATE PRO	G
	9506130140*	STATE PRO	G
	9506130144*	STATE PRO	G
	9506280398	STATE PRO	G
California, Univ. of, Los Angeles, CA	9506150337	CONTRACT	
California, Univ. of, San Diego, CA	9506140119	NUREG	
	9506140126	NUREG	
Cameco (formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd.	9506090066	XPORTLIC	
Canberra Industries, Inc.	9506150152	CONTRACT	
Cardinal Industrial Products Corp.	9506190032	QA999	
Carolina Power & Light Co.	9506010347	50-261	F
	9506050310	50-325	S
	9506050319*	50-325	S
	9506050329	50-324	S
	9506050343*	50-324	S
	9506060061	50-261	F
	9506060073*	50-261	F
	9506060079*	50-261	F
	9506070110	50-261	P
	9506070113*	50-261	P
	9506070116	50-261	P
	9506070120*	50-261	P
	9506070156	50-324	P
	9506070287	50-325	P
	9506080048	50-324	F
	9506080653	50-261	Q
	9506120191	50-325	S
	9506120196*	50-325	S
	9506140123	50-261	P
	9506140125*	50-261	P
	9506140235	50-324	P
	9506140235	50-324	P
	9506140436	50-325	S
	9506150338	50-325	S
	9506150344*	50-325	S
	9506150348	50-325	S
	9506150353*	50-325	S
	9506160557	50-261	R
	9506190024	50-261	H
	9506190024	50-261	H
	9506190311	50-324	P
	9506190311	50-324	P
	9506200018	50-324	R
	9506200091	50-400	R
	9506220084	50-324	F
	9506220084	50-324	F
	9506280147	50-324	R
	9506280147	50-324	R
	9506280166	50-324	P
	9506280176	50-325	Q
	9506280182*	50-325	Q
	9506280316	50-324	P
	9506280316	50-324	P
	9506280407	50-400	S
	9506280525	50-400	S
	9506280544	50-324	Q
	9506290095	50-325	P
	9506290194	50-261	Q
	9506290202	50-261	Q
	9506300079	50-400	F
	9506300084	50-325	S
	9506300086*	50-325	S
Center for Nuclear Waste Regulatory Analyses	9505180429	WASTE MGT	
	9506010341	WASTE MGT	
	9506010545	WASTE MGT	
	9506060480	WASTE MGT	
	9506090264	WASTE MGT	
	9506150358	WASTE MGT	
	9506150360	WASTE MGT	
	9506150362	WASTE MGT	
	9506150367*	WASTE MGT	
	9506160208	WASTE MGT	
	9506160517	WASTE MGT	
	9506210322	WASTE MGT	
	9506210333*	WASTE MGT	
	9506210354	WASTE MGT	
	9506210369*	WASTE MGT	
	9506220282	WASTE MGT	
	9506220289	WASTE MGT	
	9506220291*	WASTE MGT	
	9506280792*	WASTE MGT	
	9506290118	WASTE MGT	
	9506290145*	WASTE MGT	
Centerior Energy	9506010240	50-346	P
	9506070003	50-346	P
	9506070152	50-440	P
	9506070261	50-440	S
	9506070267*	50-440	S
	9506080015	50-440	P
	9506080018*	50-440	P
	9506080152	50-440	F
	9506080152	50-440	F
	9506080248	50-346	I
	9506080248	50-346	I
	9506080260*	50-346	I
	9506080635	50-346	F
	9506080638	50-440	P
	9506080639*	50-440	P
	9506080660	50-346	P
	9506080661*	50-346	P
	9506080662*	50-346	P
	9506130059	50-346	P
	9506130062*	50-346	P
	9506130074*	50-346	P
	9506130077	50-440	P
	9506130081*	50-440	P
	9506130097	50-440	S
	9506130273	50-440	Q
	9506140041*	50-440	Q
	9506190160	50-346	F
	9506190457	50-346	Q
	9506200129	50-346	P
	9506200162	50-440	R
	9506200292	50-346	P
	9506200323	50-440	R
	9506300304	50-346	P
Central & South West Services,Inc.	9506010369	50-528	M
	9506010383	50-528	M
	9506190321	50-528	M
Central Iowa Power Cooperative	9506010059*	50-331	I

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Chemetron Corp.	9506010145	40-8724	
	9506010476	40-8724	
	9506020131	40-8724	
Cherokee Nation	9506160073	40-8027	
	9506210160	40-8027	
	9506230249*	40-8027	
	9506290264	40-8027	
Cimarron Corp.	9506150142	70-925	
Citizens Against Nuclear Trash	9506070142	70-3070	
	9506070162	70-3070	
	9506070178	70-3070	
	9506070303	70-3070	
Cleveland Electric Illuminating Co.	9506080264*	50-346	I
Coalition on West Valley Nuclear Wastes	9506090153	NUREG	
Code Services, Inc.	9506220334	71-9007	
Colorado, State of	9506280599	STATE PRO	G
Commerce, Dept. of	9506150354	ORG	
Commonwealth Edison Co.	9506010050	50-254	F
	9506010087	50-10	F
	9506010087	50-10	F
	9506010087	50-10	F
	9506010087	50-10	F
	9506010087	50-10	F
	9506010087	50-10	F
	9506010134	50-249	S
	9506010332	50-254	P
	9506010332	50-254	P
	9506010354	50-373	S
	9506010356	50-456	F
	9506010356	50-456	F
	9506010360	50-454	F
	9506010377	50-456	F
	9506010377	50-456	F
	9506020008	50-373	F
	9506020133	50-237	P
	9506020133	50-237	P
	9506050299	50-304	S
	9506050306	50-295	S
	9506060110	50-373	F
	9506060110	50-373	F
	9506060151	50-295	P
	9506060151	50-295	P
	9506060156*	50-295	P
	9506060156*	50-295	P
	9506060333	50-454	Q
	9506060472	50-373	Q
	9506070008	50-237	Q
	9506070008	50-237	Q
	9506070106	50-374	S
	9506070141	50-373	F
	9506070141	50-373	F
	9506070161	50-457	S
	9506070166	50-373	P
	9506070166	50-373	P
	9506070292	50-456	Q
	9506070292	50-456	Q
	9506070302	50-295	P
	9506070302	50-295	P
	9506070354	50-295	F
	9506070697	50-265	P
	9506070700	50-265	P
	9506080061	50-237	S
	9506080146	50-265	S
	9506080643	50-373	P
	9506080643	50-373	P
	9506080657	50-295	Q
	9506090001	50-295	P
	9506090001	50-295	P
	9506090002*	50-295	P
	9506090003*	50-295	P
	9506090004*	50-295	P
	9506090005*	50-295	P
	9506090013	50-10	H
	9506090013	50-249	H
	9506090013	50-374	H
	9506090013	50-456	H
	9506090013	50-456	H
	9506090490	50-454	P
	9506090490	50-454	P
	9506090490	50-454	P
	9506090490	50-454	P
	9506120194	50-237	S
	9506120351	50-10	W
	9506120351	50-10	W
	9506120351	50-10	W
	9506120351	50-10	W
	9506120351	50-10	W

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506120351	50-10	W
	9506120351	50-10	W
	9506120351	50-10	W
	9506120351	50-10	W
	9506120528	50-456	Q
	9506120528	50-456	Q
	9506130027	50-454	Q
	9506130034	50-10	W
	9506130034	50-10	W
	9506130034	50-10	W
	9506130034	50-10	W
	9506130034	50-10	W
	9506130106	50-10	F
	9506130106	50-10	F
	9506130106	50-10	F
	9506130106	50-10	F
	9506130106	50-10	F
	9506130106	50-10	F
	9506130122	50-456	P
	9506130122	50-456	P
	9506130131*	50-456	P
	9506130131*	50-456	P
	9506130145	50-373	P
	9506130145	50-373	P
	9506130145	50-373	P
	9506130145	50-373	P
	9506130145	50-373	P
	9506130149*	50-373	P
	9506130149*	50-373	P
	9506130149*	50-373	P
	9506130149*	50-373	P
	9506130149*	50-373	P
	9506130218	50-237	P
	9506130218	50-237	P
	9506130227	50-10	W
	9506130227	50-10	W
	9506130227	50-10	W
	9506130227	50-10	W
	9506130227	50-10	W
	9506130227	50-10	W
	9506130227	50-10	W
	9506130227	50-10	W
	9506130227	50-10	W
	9506130227	50-10	W
	9506130265	50-237	S
	9506130312	50-304	S
	9506130448	50-456	P
	9506140024	50-10	F
	9506140024	50-10	F
	9506140024	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140027	50-10	F
	9506140085	50-456	S
	9506140417	50-237	S
	9506140422*	50-237	S
	9506140425	50-249	S
	9506140427*	50-249	S
	9506150259	50-254	R
	9506150259	50-254	R
	9506150413	50-373	P
	9506150413	50-373	P
	9506160520	50-454	R
	9506160520	50-454	R
	9506160552	50-373	R
	9506160552	50-373	R
	9506160559	50-373	S
	9506160560	50-373	Q
	9506190094	50-304	S
	9506190238	50-295	S
	9506190249*	50-295	S
	9506190252	50-295	S
	9506190261	50-295	F
	9506190261	50-295	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506190289*	50-295	S
	9506200036	50-456	R
	9506200036	50-456	R
	9506200042	50-10	R
	9506200042	50-10	R
	9506200042	50-10	R
	9506200135	50-295	P
	9506200135	50-295	P
	9506200147*	50-295	P
	9506200147*	50-295	P
	9506200257	50-254	F
	9506210053	50-295	R
	9506210053	50-295	R
	9506210195	50-456	F
	9506220006	50-454	F
	9506220006	50-454	F
	9506220127	50-295	Q
	9506220148	50-254	R
	9506220148	50-254	R
	9506230222	50-373	P
	9506280066	50-456	P
	9506280299	50-295	P
	9506280299	50-295	P
	9506280308	50-295	P
	9506280308	50-295	P
	9506280314*	50-295	P
	9506280549	50-454	P
	9506280728	50-390	A
	9506290077	50-10	F
	9506290080	50-247	P
	9506290083*	50-247	P
	9506290139	50-456	F
	9506290139	50-456	F
	9506290144	50-295	K
	9506290199	50-254	F
	9506290199	50-254	F
	9506290204	50-254	F
	9506290204	50-254	F
	9506290262	50-237	Q
	9506290262	50-237	Q
	9506290276	50-237	P
	9506290276	50-237	P
	9506290276	50-237	P
	9506290276	50-237	P
	9506290281*	50-237	P
	9506290281*	50-237	P
	9506290281*	50-237	P
	9506290281*	50-237	P
	9506290284*	50-237	P
	9506290388	50-247	R
	9506300025	50-155	Q
	9506300131	50-456	P
	9506300257	50-237	S
	9506300257	50-237	S
	9506300257	50-237	S
	9506300257	50-237	S
	9506300257	50-237	S
Conference of Radiation Control Program Directors, Inc.	9506130150	STATE PRO	G
	9506280212	STATE PRO	G
Connecticut Yankee Atomic Power Co.	9506070378	50-213	F
	9506070702	50-213	F
	9506080476	50-213	P
	9506130138	50-213	P
	9506130138	50-213	P
	9506130138	50-213	P
	9506130138	50-213	P
	9506130142*	50-213	P
	9506130142*	50-213	P
	9506130142*	50-213	P
	9506130142*	50-213	P
	9506140019	50-213	F
	9506140055	50-213	Q
	9506140055	50-213	Q
	9506140055	50-213	Q
	9506140055	50-213	Q
	9506140066	50-213	Q
	9506140066	50-213	Q
	9506140066	50-213	Q
	9506140066	50-213	Q
	9506160447	50-213	Q
	9506160449*	50-213	Q
	9506190306	50-213	R
	9506190307*	50-213	R
	9506190309*	50-213	R
	9506200262	50-213	P
	9506220078	50-213	F
	9506220086	50-213	F
	9506280375	50-213	Q
	9506290131	50-213	K
	9506290133*	50-213	K
Consolidated Edison Co. of New York, Inc	9506010267	50-3	F
	9506010271*	50-3	F
	9506010279*	50-3	F
	9506090227	50-247	Q
	9506090233	50-247	Q
	9506140017	50-3	F
	9506140071*	50-247	Q
	9506200028	50-247	S
	9506220040	50-247	V
	9506290183	50-247	S
	9506290215	50-247	S
	9506300022	50-3	F
	9506300118	50-247	Q
Consolidated NDE, Inc. (formerly Consolidated X-Ray Service Corp. East)	9506220073	71-627	
Construction Technology Laboratories, Inc.	9506150380	CONTRACT	
Consumers Power Co.	9506010121	50-255	S
	9506010126*	50-255	S
	9506060023	50-155	F
	9506090164	NUREG	
	9506120268	50-255	Y
	9506120268	50-255	Y
	9506120287*	50-255	Y
	9506120287*	50-255	Y
	9506120292*	50-255	Y
	9506120296*	50-255	Y
	9506120304*	50-255	Y
	9506120304*	50-255	Y
	9506120309*	50-255	Y
	9506130020	50-155	P
	9506130022*	50-155	P
	9506130087	50-155	R
	9506130207	50-255	R
	9506130378	50-255	Q
	9506130408	50-255	P
	9506140237	50-155	P
	9506140285	50-155	F
	9506140287*	50-155	F
	9506140385	50-155	P
	9506140389*	50-155	P
	9506190154	50-255	Y
	9506190178	50-255	F
	9506190216	50-255	F
	9506190220	50-255	F
	9506190267	50-255	F
	9506190320	50-155	F
	9506200356	50-155	Q
	9506210073*	50-255	F
	9506210080*	50-255	F
	9506210165	50-155	F
	9506210189*	50-269	R
	9506280141	50-255	P
	9506280355	50-255	P
	9506280359	50-255	P
	9506280531	50-255	P
	9506290064	50-255	F
	9506290076	50-255	Q
	9506290192	50-255	S
	9506290196*	50-255	S
	9506300145	50-255	Q
	9506300193	50-155	P
Cooper Energy Services	9506220313	50-416	S
Coopers & Lybrand	9506210219*	40-8964	
	9506210243*	40-8905	
	9506210257*	40-8084	
Corn Belt Power Cooperative	9506010091*	50-331	I
Covington & Burling	9506090141	NUREG	
Cyprus Coal Co. (subs. of Cyprus Mineral Co.)	9506290347	40-7397	
Defense, Dept. of, Defense Logistics Agency	9506150010	40-341	
	9506150042	40-341	
Detroit Edison Co.	9506090308	50-341	Q
	9506190001	50-341	H
	9506200081	50-341	R
	9506200369	50-341	P
	9506230034	50-341	K
	9506230037*	50-341	K
Don't Waste Michigan	9506230207*	50-155	H
Don't Waste New York	9506090024	NUREG	
Dow Corning Corp.	9506080379	PT21	
	9506120164	QA999	
Duke Power Co.	9506010001	50-414	S
	9506010173	50-414	S
	9506060249	50-369	P
	9506060249	50-369	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506060422	50-269	Q
	9506060428	50-269	Q
	9506060428	50-269	Q
	9506060428	50-269	Q
	9506060506	50-369	P
	9506080099	50-413	S
	9506080206	50-269	S
	9506080234	50-413	P
	9506080234	50-413	P
	9506080270	50-369	P
	9506080270	50-369	P
	9506080289*	50-369	P
	9506080289*	50-369	P
	9506090252	50-414	P
	9506090290	50-269	F
	9506090290	50-269	F
	9506090290	50-269	F
	9506130052	50-369	S
	9506130055*	50-369	S
	9506130101	50-413	Q
	9506130101	50-413	Q
	9506130105	50-413	Q
	9506130105	50-413	Q
	9506130416	50-369	Q
	9506140395	50-413	P
	9506150185	50-269	F
	9506150185	50-269	F
	9506150185	50-269	F
	9506150253	50-269	Q
	9506150253	50-269	Q
	9506150253	50-269	Q
	9506190207	50-413	Q
	9506190213*	50-413	Q
	9506190367	50-269	F
	9506190367	50-269	F
	9506190367	50-269	F
	9506190385*	50-269	F
	9506190385*	50-269	F
	9506190385*	50-269	F
	9506200198	50-269	Q
	9506200218	50-269	Q
	9506200365	50-269	P
	9506200365	50-269	P
	9506200365	50-269	P
	9506210146	50-413	R
	9506210146	50-413	R
	9506210149	50-369	R
	9506210149	50-369	R
	9506210182	50-269	R
	9506210182	50-269	R
	9506210182	50-269	R
	9506210228*	50-269	R
	9506210238*	50-369	R
	9506210268*	50-369	R
	9506210320*	50-413	R
	9506210320*	50-413	R
	9506210324*	50-413	R
	9506220059	50-413	S
	9506280406	50-369	P
	9506280406	50-369	P
	9506280406	50-369	P
	9506280406	50-369	P
	9506290176	50-414	S
	9506290283	50-269	Q
	9506300313	50-413	P
Duke Univ., Durham, NC	9506130172*	STATE PRO	G
Duquesne Light Co.	9506020114	50-334	P
	9506020114	50-334	P
	9506020125*	50-334	P
	9506020125*	50-334	P
	9506020148	50-334	R
	9506080001	50-334	Q
	9506080002*	50-334	Q
	9506080250	50-412	K
	9506080261*	50-412	K
	9506130171	50-334	V
	9506130175	50-334	V
	9506130275	50-334	P
	9506130278*	50-334	P
	9506130287	50-412	S
	9506190463	50-334	P
	9506190465	50-334	Q
	9506190466*	50-334	Q
	9506200009	50-334	R
	9506210258	50-412	P
	9506210270	50-334	F
	9506210271*	50-334	F
	9506210274*	50-334	F
	9506220111	50-334	P
	9506220111	50-334	P
	9506220114*	50-334	P
	9506220114*	50-334	P
	9506220273	50-412	P
	9506220279*	50-412	P
	9506280234	50-334	P
	9506280239*	50-334	P
	9506290001	50-334	H
EG&G Florida, Inc.	9506020428	71-96	
EG&G, Inc.	9505150030*	40-8838	
Edlow International Co.	9506020440	XPORTLIC	
	9506020455*	XPORTLIC	
	9506090029	70-1252	
	9506090035	70-1252	
	9506090039	70-1252	
	9506090049	70-1252	
	9506090057	XPORTLIC	
	9506220017	XPORTLIC	
	9506220020	70-1252	
	9506220023	70-1252	
	9506220074	XPORTLIC	
Electric Power Research Institute	9506070290*	50-302	Q
	9506200278	TOPREP	
	9506280293*	TOPREP	
Energy Fuels Nuclear, Inc.	9506020074	40-8681	
	9506140276	40-8681	
	9506160369	40-9024	
	9506160453	40-9024	
	9506190021	40-9024	
	9506210168	40-8681	
	9506290450	40-8681	
	9506300267	40-8681	
	9506300271	40-9024	
Energy Technology Engineering Center	9505300225*	ORG	
Energy, Dept. of	8701270204	40-6500	
	9506010057	WASTE MGT	
	9506010307	WASTE MGT	
	9506020121	NUREG	
	9506020241	WASTE MGT	
	9506020337	PROJ	
	9506020439	PROJ	
	9506050118	WASTE MGT	
	9506050122*	WASTE MGT	
	9506080297	WASTE MGT	
	9506080301*	WASTE MGT	
	9506090314	WASTE MGT	
	9506090326	WASTE MGT	
	9506120004	71-5320	
	9506120013	WASTE MGT	
	9506120020*	WASTE MGT	
	9506120143	WASTE MGT	
	9506120215	PROJ	
	9506120234	WASTE MGT	
	9506130197	WASTE MGT	
	9506130203	WASTE MGT	
	9506140037	WASTE MGT	
	9506140046	WASTE MGT	
	9506140151	WASTE MGT	
	9506140156*	WASTE MGT	
	9506140401	WASTE MGT	
	9506140402*	WASTE MGT	
	9506160229	PROJ	
	9506160233*	PROJ	
	9506160295	WASTE MGT	
	9506160312	WASTE MGT	
	9506160318*	WASTE MGT	
	9506160323	WASTE MGT	
	9506160329*	WASTE MGT	
	9506160535	WASTE MGT	
	9506190017	WASTE MGT	
	9506190025	WASTE MGT	
	9506190113	PR	
	9506190221	WASTE MGT	
	9506190454	WASTE MGT	
	9506200267	WASTE MGT	
	9506200272	WASTE MGT	
	9506200284	WASTE MGT	
	9506200287*	WASTE MGT	
	9506210235	PROJ	
	9506220132	WASTE MGT	
	9506220137	WASTE MGT	
	9506220259*	XPORTLIC	
	9506220325	WASTE MGT	
	9506220340	70-7001	
	9506280321	WASTE MGT	
	9506280338	WASTE MGT	
	9506280345	WASTE MGT	
	9506280495	PROJ	
	9506280514*	PROJ	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506280545	WASTE MGT	
	9506290022	PR	
	9506290209	WASTE MGT	
	9506290312*	STATE PRO	G
	9506300264	WASTE MGT	
	9506300277	WASTE MGT	
	9506300303	WASTE MGT	
Entergy Operations, Inc.	9506010142	50-313	S
	9506010147	50-313	P
	9506060124	50-382	F
	9506060489	50-313	Q
	9506070101	50-458	F
	9506070138	50-458	Q
	9506070146	50-458	P
	9506070163	50-368	P
	9506070171	50-313	Q
	9506070213	50-458	P
	9506070214*	50-458	P
	9506070221	50-458	P
	9506070228*	50-458	P
	9506070371	50-313	F
	9506130086	50-458	P
	9506130270	50-313	P
	9506130271*	50-313	P
	9506130282	50-313	F
	9506130282	50-313	F
	9506140236	50-313	S
	9506140415	50-458	S
	9506160563	50-458	S
	9506160564	50-458	V
	9506190034	50-313	H
	9506190034	50-313	H
	9506190034	50-416	H
	9506190034	50-458	H
	9506190070	PR	
	9506190133	50-313	P
	9506190138*	50-313	P
	9506190144*	50-313	P
	9506200039	50-416	R
	9506200102	50-458	R
	9506200160	50-416	P
	9506200164	50-416	F
	9506200346	50-313	S
	9506210062	50-382	R
	9506210094	50-313	P
	9506210094	50-313	P
	9506210129	50-313	R
	9506210131	50-368	R
	9506220009	50-313	F
	9506220011	50-313	F
	9506220012	50-313	F
	9506220012	50-313	F
	9506220018	50-313	F
	9506220019	50-313	F
	9506220019	50-313	F
	9506220021	50-313	F
	9506220021	50-313	F
	9506220202	50-382	Q
	9506230374	50-313	P
	9506230378	50-313	P
	9506280271	50-416	S
	9506290182	50-458	P
	9506290224	50-458	P
	9506300134	50-382	P
	9506300225	50-313	P
Envirocare of Utah, Inc.	9506150402*	WASTE MGT	
	9506150404*	WASTE MGT	
	9506160258	40-8989	
	9506160260	40-8989	
	9506160264	40-8989	
	9506160330	40-8989	
	9506160341	40-8989	
	9506160346	40-8989	
	9506300204	40-8989	
Envirocare, Inc.	9506130196*	STATE PRO	G
	9506130200*	STATE PRO	G
Environmental Protection Agency	9506090370	ORG	
	9506150019	70-820	
	9506190225	40-8027	
	9506210087	40-8027	
	9506290400	50-390	D
Eugene Water & Electric Board	9506050330*	50-344	I
European Communities, Commission of	9506220292	XPORTLIC	
	9506220332	XPORTLIC	
FRAMATOME	9506230309	TOPREP	
Fairfield Univ., Fairfield, CT	9506210186	71-*****	
	9506210192*	71-*****	
Fansteel, Inc.	9506190183	40-7580	
	9506190189	40-7580	
Federal Emergency Management Agency	9505050271*	50-397	F
	9505050280*	50-397	F
	9506200112*	50-220	F
	9506200122*	50-220	F
	9506200188*	50-280	F
	9506200188*	50-280	F
	9506200196*	50-280	F
	9506200196*	50-280	F
	9506200243*	50-390	F
	9506210104*	50-244	F
	9506210110*	50-244	F
Ferret Exploration Co. of Nebraska, Inc.	9506300179	40-8943	
Florida Institute of Technology, Melbourne, FL	9506160389	71-*****	
	9506160392*	71-*****	
Florida Power & Light Co.	9505120124	50-250	P
	9505120124	50-250	P
	9505260377*	50-250	P
	9505260377*	50-250	P
	9506070227	50-335	R
	9506070692	50-335	F
	9506080019	50-335	K
	9506090223	50-335	P
	9506090344	50-335	F
	9506130002	50-335	P
	9506130284	50-250	P
	9506130284	50-250	P
	9506130290	50-250	P
	9506130290	50-250	P
	9506160171	50-250	P
	9506160171	50-250	P
	9506160176*	50-250	P
	9506160514	50-250	R
	9506190004	PR	
	9506190093	PR	
	9506190218	50-250	P
	9506190301	50-335	R
	9506220032	50-250	F
	9506220159	50-335	F
	9506220159	50-335	F
	9506220175	50-335	P
	9506220175	50-335	P
	9506230059	50-335	S
	9506230229	50-335	P
	9506230229	50-335	P
	9506230230*	50-335	P
	9506230230*	50-335	P
	9506230233	50-335	P
	9506230233	50-335	P
	9506230234*	50-335	P
	9506230234*	50-335	P
	9506280114	50-335	P
	9506280114	50-335	P
	9506280119*	50-335	P
	9506280119*	50-335	P
	9506280390	50-335	P
	9506290125	50-335	S
	9506290252	50-250	P
	9506290252	50-250	P
	9506290253*	50-250	P
	9506290253*	50-250	P
	9506300133	50-250	P
Florida Power Corp.	9506010007	50-302	Q
	9506050030	50-302	F
	9506060269	50-302	P
	9506060274*	50-302	P
	9506060433	50-302	F
	9506070007	50-302	F
	9506070041	50-302	S
	9506070046	50-302	S
	9506070069*	50-302	S
	9506070175	50-302	P
	9506070183*	50-302	P
	9506070239	50-302	Q
	9506070245*	50-302	Q
	9506070290*	50-302	Q
	9506080039	50-302	F
	9506130133	50-302	P
	9506130135*	50-302	P
	9506130137*	50-302	P
	9506130141*	50-302	P
	9506160554	50-302	F
	9506190011	50-302	F
	9506190253	50-302	F
	9506210070	50-302	R
	9506210155	50-302	S
	9506210191	50-302	F
	9506280543	50-302	P
	9506280551	50-302	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506280800	50-302	P
Florida, State of	9506090041	PR	
	9506130028	STATE PRO	G
Florida, Univ. of, Gainesville, FL	9506070343	50-83	V
	9506070358*	50-83	V
Foster Wheeler Corp.	9506020005*	40-8794	
GTE Telecommunications, Inc.	9506090182*	CONTRACT	
General Accounting Office	9506290006*	STATE PRO	G
General Atomics (formerly GA Technologies, Inc./General Atomic Co.)	9506150061	PROJ	
	9506160081	40-8027	
	9506280168	71-9226	
	9506280172	71-9227	
	9506280380	XPORTLIC	
	9506280388*	XPORTLIC	
	9506280399	XPORTLIC	
	9506280405*	XPORTLIC	
	9506280473	70-734	
	9506280479*	70-734	
	9506290256	40-8027	
	9506300237	70-734	
General Electric Co.	9506020142*	50-237	P
	9506020142*	50-237	P
	9506020145*	50-237	P
	9506020145*	50-237	P
	9506020147*	50-237	P
	9506020150*	50-237	P
	9506020155*	50-237	P
	9506020155*	50-237	P
	9506020159*	50-237	P
	9506020159*	50-237	P
	9506020165*	50-237	P
	9506020165*	50-237	P
	9506020392	70-1113	
	9506060212*	50-293	P
	9506070006	52-4	
	9506080489	52-1	
	9506120233	71-9228	
	9506120240*	71-9228	
	9506130116	52-4	
	9506150129	PROJ	
	9506190181*	50-354	P
	9506200146	52-2	
	9506220004	XPORTLIC	
	9506220007	XPORTLIC	
	9506220014	XPORTLIC	
	9506220022	XPORTLIC	
	9506220039	XPORTLIC	
	9506220045	XPORTLIC	
	9506220050	XPORTLIC	
	9506220054	XPORTLIC	
	9506220063	XPORTLIC	
	9506220071	XPORTLIC	
	9506230116	52-4	
	9506230130	52-4	
	9506230224*	50-373	P
	9506230353	XPORTLIC	
	9506230364*	XPORTLIC	
	9506280285	52-4	
	9506280804	TOPREP	
	9506290098	TOPREP	
	9506290294*	ORG	
	9506300160	TOPREP	
	9506300235	70-1113	
General Public Utilities Corp. - GPU Service Corp.	9506060093	50-289	P
	9506060406	50-219	Q
	9506070198	50-289	P
	9506070204*	50-289	P
	9506070208*	50-289	P
	9506070256	50-320	P
	9506080003	50-289	P
	9506080004*	50-289	P
	9506080005*	50-289	P
	9506140061	50-146	S
	9506140251	50-219	Q
	9506160516	50-219	R
	9506160555	50-289	R
	9506190332	50-219	S
	9506280207	50-289	P
	9506290091	50-219	S
	9506300068	50-289	P
	9506300071*	50-289	P
	9506300074*	50-289	P
	9506300107	50-289	F
General Welding Works, Inc.	9506020388	71-9035	
	9506020388	71-9035	
	9506050108*	71-9035	
George Washington Univ., Washington, DC	9506020467	NUREG	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Georgia Institute of Technology, Atlanta GA	9506280005*	50-160	G
	9506280298	50-160	Q
	9506280393	50-160	G
Georgia Power Co.	9506060104	50-424	Q
	9506070159	50-424	G
	9506070545	50-424	S
	9506080006	50-321	P
	9506080006	50-321	P
	9506080008*	50-321	P
	9506080011*	50-321	P
	9506090483	50-424	S
	9506090486	71-696	
	9506120067	50-425	P
	9506120076*	50-425	P
	9506120383	50-321	K
	9506120389*	50-321	K
	9506120389*	50-321	K
	9506120393*	50-321	K
	9506120393*	50-321	K
	9506140075	50-321	P
	9506140075	50-321	P
	9506140079*	50-321	P
	9506140079*	50-321	P
	9506160561	50-424	R
	9506160561	50-424	R
	9506190035	50-321	P
	9506190035	50-321	P
	9506200067	50-321	Q
	9506200067	50-321	Q
	9506200070	50-321	S
	9506200077*	50-321	S
	9506200330	50-424	P
	9506200330	50-424	P
	9506200334*	50-424	P
	9506200334*	50-424	P
	9506210055	50-321	R
	9506210055	50-321	R
	9506230327	50-321	P
	9506230327	50-321	P
	9506230336*	50-321	P
	9506230336*	50-321	P
	9506280421	50-366	P
	9506290046	50-424	G
	9506290046	50-424	G
	9506290066*	50-424	G
	9506290066*	50-424	G
	9506290096	50-321	S
	9506300123	50-366	P
Georgia, State of	9506020020	PR	
	9506060050	PR	
	9506090012	PR	
	9506130032	STATE PRO	G
	9506280393	50-160	G
	9506280772	50-160	G
Georgians Against Nuclear Energy	9506070188	50-160	G
	9506210208	50-160	G
	9506210212	50-160	G
	9506210221	50-160	G
	9506280008	50-160	G
Global X-Ray & Testing Corp.	9506070304	71-9263	
Golder Associates	9506080296	CONTRACT	
H.J. Schneider Construction, Inc.	9506050070	MISC	
Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9506070136	70-3070	
	9506070142	70-3070	
	9506070303	70-3070	
	9506160073	40-8027	
	9506210160	40-8027	
	9506230249*	40-8027	
	9506290060	40-8027	
	9506290264	40-8027	
Holme, Roberts & Owens	9506290074	40-8681	
	9506290087*	40-8681	
Homestake Mining Co.	9506290291	40-8903	
	9506290295	40-8903	
	9506290298*	40-8903	
House of Rep.	9506010172*	ORG	
	9506050349*	ORG	
	9506050425*	ORG	
	9506070147*	70-3070	
	9506150189*	ORG	
	9506190354*	50-219	H
	9506230225*	50-324	U
	9506230253*	ORG	
Houston Lighting & Power Co.	9506020236	50-498	P
	9506020236	50-498	P
	9506060340	50-498	P
	9506060340	50-498	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506060347*	50-498	P
	9506060347*	50-498	P
	9506120170	50-499	S
	9506120173*	50-499	S
	9506120177	50-499	S
	9506120182*	50-499	S
	9506130174	50-498	P
	9506130190*	50-498	P
	9506130190*	50-498	P
	9506160278	50-498	F
	9506160278	50-498	F
	9506190239	50-498	F
	9506200045	50-498	R
	9506200045	50-498	R
	9506200261	50-498	P
	9506200261	50-498	P
	9506210255	50-498	P
	9506280150	50-498	Q
	9506280159	50-498	P
	9506280159	50-498	P
	9506280331	50-498	Q
	9506300314	50-498	Q
	9506300315*	50-498	Q
Hydro-Engineering	9506070206*	40-2259	
IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9506010052	50-331	I
	9506010092*	50-331	I
	9506070695	50-331	F
	9506120414	50-331	P
	9506200338	50-331	S
	9506200342*	50-331	S
	9506280557	50-331	R
Idaho National Engineering Laboratory	9505030448*	50-446	Q
	9506010485	50-280	P
	9506020457	NUREG	
	9506140086	NUREG	
	9506290167*	50-271	Q
Illinois Power Co.	9506050141	50-461	S
	9506140439	50-461	S
	9506140440*	50-461	S
	9506160458	50-461	R
	9506190317	50-461	P
	9506190318*	50-461	P
	9506200350	50-461	S
	9506230094	50-461	P
	9506230097*	50-461	P
	9506300023	50-461	P
	9506300024*	50-461	P
Illinois, State of	9506060005	STATE PRO	G
	9506090036	PR	
	9506130040	STATE PRO	G
	9506130172*	STATE PRO	G
	9506190037	PR	
	9506190048	NUREG	
	9506280191	STATE PRO	G
	9506290023	PR	
Imaging & Sensing Technology Corp.	9506010528	70-3061	
Indiana Michigan Power Co.	9506280645	50-315	P
	9506280645	50-315	P
	9506280709*	50-315	P
	9506280709*	50-315	P
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9506060413	50-315	P
	9506060413	50-315	P
	9506060418*	50-315	P
	9506060418*	50-315	P
	9506060434	50-315	P
	9506060434	50-315	P
	9506060440*	50-315	P
	9506060440*	50-315	P
	9506060449	50-315	P
	9506060449	50-315	P
	9506060454*	50-315	P
	9506060454*	50-315	P
	9506070017	50-315	S
	9506080122	50-315	P
	9506080122	50-315	P
	9506080134*	50-315	P
	9506080134*	50-315	P
	9506130049	50-315	P
	9506130049	50-315	P
	9506130053*	50-315	P
	9506130053*	50-315	P
	9506130215	50-315	R
	9506130253	50-316	R
	9506130305	50-315	Q
	9506150233	50-315	P
	9506190473	50-315	Q
	9506200465	50-315	P
	9506200465	50-315	P
	9506200466*	50-315	P
	9506200466*	50-315	P
	9506280552	50-315	F
Institute of Nuclear Power Operations	9506300117*	ORG	
	9506300182	ORG	
Interior, Dept. of	9506130130*	ORG	
	9506150150	50-344	P
	9506150326	50-390	A
International Brotherhood of Electrical Workers	9506090030	PR	
Iowa State Univ., Ames, IA	9506130445	50-116	V
	9506130447*	50-116	V
	9506160565	50-116	H
Italy, Govt. of	9506230122*	52-4	
Jenner & Block	9506020223	40-3453	
Johns Hopkins Univ., Baltimore, MD	9506160071*	WASTE MGT	
Jones, Day, Reavis & Pogue	9506010369	50-528	M
	9506010383	50-528	M
	9506190321	50-528	M
Kansas, State of	9506020001	PR	
Kentucky, Commonwealth of	9506130115*	STATE PRO	G
	9506130184*	STATE PRO	G
Kerr-McGee Corp.	9506010183	70-3073	
	9506090141	NUREG	
Kinemetrics, Inc.	9506090104	PR	
Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates)	9506160075	50-424	G
Korea Advanced Energy Research Institute	9506220166*	TOPREP	
Korea, Republic of (South Korea)	9506010229	XPORTLIC	
Labor, Dept. of	9506010324*	ORG	
Lafayette College, Easton, PA	9506080592	71-*****	
	9506090081*	71-*****	
Lawrence Livermore National Laboratory	9506020248*	WASTE MGT	
Long Island Lighting Co.	9506120200	71-516	
Louisiana Energy Services	9506070153	70-3070	
	9506070167	70-3070	
	9506300082	70-3070	
Louisiana, State of	9506070154	70-3070	
	9506070168*	70-3070	
	9506190336	STATE PRO	G
	9506290035	70-3070	
Lucius Pitkin, Inc.	9506200239	71-9263	
MITRE Corp.	9506150346	CONTRACT	
MK-Ferguson Co.	9506230103*	40-6500	
	9506230110*	40-6500	
Maine Yankee Atomic Power Co.	9506070678	50-309	F
	9506080319	50-309	F
	9506120212	50-309	S
	9506130109	50-309	P
	9506140380	50-309	P
	9506210138	50-309	F
	9506210157	50-309	R
	9506280055	50-309	P
Malapai Resources Co.	9506290117*	40-8502	
Marubeni America Corp.	9506020421*	XPORTLIC	
Maryland, State of	9506130103	40-341	
	9506280052	STATE PRO	G
	9506280057*	STATE PRO	G
Maryland, Univ. of, College Park, MD	9506150167	CONTRACT	
Massachusetts, Commonwealth of	9506080253	PR	
	9506280161	STATE PRO	G
	9506290028*	STATE PRO	G
	9506290034*	STATE PRO	G
	9506290036*	STATE PRO	G
	9506290040*	STATE PRO	G
	9506290044*	STATE PRO	G
	9506290049*	STATE PRO	G
	9506290052*	STATE PRO	G
	9506290061*	STATE PRO	G
	9506290078*	STATE PRO	G
	9506290086*	STATE PRO	G
	9506290100*	STATE PRO	G
	9506290105*	STATE PRO	G
	9506290108*	STATE PRO	G
	9506290114*	STATE PRO	G
	9506290119	STATE PRO	G
	9506290129*	STATE PRO	G
	9506290130*	STATE PRO	G
	9506290137*	STATE PRO	G
	9506290143*	STATE PRO	G
	9506290152*	STATE PRO	G
	9506290172*	STATE PRO	G
	9506290175*	STATE PRO	G
	9506290180*	STATE PRO	G
	9506290200*	STATE PRO	G
	9506290243*	STATE PRO	G
	9506290248*	STATE PRO	G
	9506290251*	STATE PRO	G

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506290257*	STATE PRO	G
	9506290259*	STATE PRO	G
	9506290265*	STATE PRO	G
	9506290268*	STATE PRO	G
	9506290270*	STATE PRO	G
	9506290272*	STATE PRO	G
	9506290273*	STATE PRO	G
	9506290275*	STATE PRO	G
	9506290285*	STATE PRO	G
	9506290287*	STATE PRO	G
	9506290290*	STATE PRO	G
	9506290293*	STATE PRO	G
	9506290296*	STATE PRO	G
	9506290297*	STATE PRO	G
Mattingly Testing Services, Inc.	9506080322	71-297	
(formerly Mattingly & O'Reilly Services			
	9506080322	71-297	
	9506080331*	71-297	
Mays & Valentine	9506160081	40-8027	
Mercy Hosp. Port Huron,MI	9506140023	NUREG	
Mescalero Apache Tribe	9506160401	71-*****	
Michigan, State of	9506210163	40-9022	
Minnesota Mining & Manufacturing Co. (3M Co.)	9506220297	ORG	
Minnesota, State of	9506050282	50-282	R
	9506050289*	50-282	R
	9506200231	50-282	Y
Missouri, State of	9506300028	70-36	
Missouri, Univ. of, Columbia, MO	9506160022	50-186	F
Mitsubishi International Corp.	9506050078*	XPORTLIC	
	9506050085	XPORTLIC	
	9506230308*	XPORTLIC	
	9506230318	XPORTLIC	
	9506230322*	XPORTLIC	
Mitsui & Co. (USA), Inc.	9506090015	XPORTLIC	
	9506090051	XPORTLIC	
	9506160025	XPORTLIC	
	9506160043	XPORTLIC	
	9506280487	XPORTLIC	
	9506280670	XPORTLIC	
Molycorp, Inc.	9506020003	40-8794	
Monsanto Research Corp.	9505150025*	40-8838	
Morgan, Lewis & Bockius	9506010002	40-8027	
	9506070226	40-8027	
NDT Specialists, Inc.	9506200331	71-701	
National Academy for Nuclear Training	9506280361	ORG	
National Academy of Sciences	9506080369*	CONTRACT	
National Institute of Standards & Technology (formerly National Bureau of	9506150356	CONTRACT	
Native Americans for a Clean Environment	9506160073	40-8027	
	9506210160	40-8027	
	9506230249*	40-8027	
	9506290264	40-8027	
Navy, Dept. of	9506220352	PROJ	
Nebraska Public Power District	9506130259	50-298	R
	9506140247	50-298	J
	9506150192	50-298	F
	9506200362	50-298	Q
	9506220079	50-298	P
	9506220080*	50-298	P
	9506220316	50-298	I
	9506230046	50-298	S
	9506280324	50-298	F
	9506290107	50-298	S
Nebraska, State of	9506050077	40-8943	
	9506300301	40-8943	
Nevada, State of	9506130440	WASTE MGT	
	9506190059	PR	
New Jersey, State of	9506060042	50-219	H
	9506070244	50-272	P
	9506190080	50-354	P
	9506200210	50-272	P
	9506200210	50-272	P
	9506200300	50-272	P
	9506200300	50-272	P
New Mexico, State of	9506120178	PROJ	
	9506140013	40-8907	
New York, State of	9506020066	PR	
	9506090048	PR	
	9506130085	STATE PRO	G
	9506130093*	STATE PRO	G
	9506150025	40-341	
	9506280326	STATE PRO	G
Niagara Mohawk Power Corp.	9506010461	50-220	S
	9506060213	50-220	P
	9506130390	50-220	P
	9506190019	50-410	H
	9506190019	PR	
	9506190324	50-410	S
	9506190326*	50-410	S
	9506190328	50-220	H
	9506190328	50-220	H
	9506200095	50-220	R
	9506200098	50-410	R
	9506220146	50-10	Q
	9506220146	50-10	Q
	9506220331	50-220	S
	9506290242	50-410	P
	9506290247*	50-410	P
Nordion International, Inc.	9506160541	71-703	
	9506160543*	71-703	
North Atlantic Energy Service Corp. (NAESCO)	9506080166	50-443	P
	9506080171*	50-443	P
	9506080173*	50-443	P
	9506130217	50-443	P
	9506130219*	50-443	P
	9506130223*	50-443	P
	9506160372	50-443	R
	9506280304	50-443	P
	9506280307*	50-443	P
	9506280373	50-443	P
Northeast Nuclear Energy Co.	9506010253	50-423	S
	9506010275	50-336	S
	9506010275	50-336	S
	9506010339	50-423	S
	9506050104	50-245	P
	9506060358	50-245	P
	9506060363*	50-245	P
	9506070001	50-423	P
	9506070002*	50-423	P
	9506080081	50-336	S
	9506080191	50-245	P
	9506080195*	50-245	P
	9506080476	50-213	P
	9506080476	50-213	P
	9506080476	50-213	P
	9506120325	50-423	K
	9506120325	50-423	K
	9506120325	50-423	K
	9506120331*	50-423	K
	9506120333*	50-423	K
	9506130080	50-423	P
	9506130083*	50-423	P
	9506130089	50-213	P
	9506130089	50-213	P
	9506130089	50-213	P
	9506130089	50-213	P
	9506130095*	50-213	P
	9506130095*	50-213	P
	9506130095*	50-213	P
	9506130095*	50-213	P
	9506130138	50-213	P
	9506130138	50-213	P
	9506130138	50-213	P
	9506130142*	50-213	P
	9506130142*	50-213	P
	9506130142*	50-213	P
	9506130153	50-336	S
	9506130159	50-423	S
	9506130164	50-336	P
	9506130179	50-423	S
	9506130300	50-245	P
	9506130456	50-336	P
	9506130458*	50-336	P
	9506140008	50-245	F
	9506140008	50-245	F
	9506140055	50-213	Q
	9506140055	50-213	Q
	9506140055	50-213	Q
	9506140066	50-213	Q
	9506140066	50-213	Q
	9506140066	50-213	Q
	9506140070	50-336	Q
	9506150008	50-245	F
	9506150008	50-245	F
	9506150008	50-245	F
	9506190042	50-423	P
	9506190044*	50-423	P
	9506190067	50-423	P
	9506190345	50-423	Q
	9506190356	50-336	Q
	9506190474	50-245	Q
	9506190474	50-245	Q
	9506190475	50-336	F
	9506200013	50-423	P
	9506200017*	50-423	P
	9506200022	50-336	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506200022	50-336	Q
	9506200255	50-423	P
	9506200260*	50-423	P
	9506200271	50-245	Q
	9506200271	50-245	Q
	9506200271	50-245	Q
	9506200306	50-336	S
	9506200310	50-336	S
	9506200321	50-245	S
	9506200468	50-245	P
	9506200471*	50-245	P
	9506210067	50-245	R
	9506220003	50-245	F
	9506220086	50-213	F
	9506220086	50-213	F
	9506220086	50-213	F
	9506230017	50-336	P
	9506230021*	50-336	P
	9506280007*	50-245	Q
	9506280138	50-336	S
	9506280160	50-423	S
	9506280348	50-423	P
	9506280353*	50-423	P
	9506280425	50-245	S
	9506290136	50-336	K
	9506290266	50-336	S
Northeast Utilities	9506130089	50-213	P
	9506190007	50-213	H
	9506190007	50-423	P
	9506190007	50-423	P
	9506190042	50-423	P
	9506190067	50-423	P
	9506200013	50-423	P
	9506200022	50-336	Q
	9506200022	50-336	Q
Northeast Utilities Service Co.	9506010275	50-336	S
	9506010275	50-336	S
	9506050104	50-245	P
	9506060358	50-245	P
	9506080081	50-336	S
	9506080166	50-443	P
	9506080191	50-245	P
	9506090043	50-213	H
	9506090043	50-213	H
	9506090043	50-423	H
	9506120325	50-423	K
	9506120325	50-423	K
	9506120325	50-423	K
	9506130138	50-213	P
	9506130138	50-213	P
	9506130138	50-213	P
	9506130142*	50-213	P
	9506130142*	50-213	P
	9506130142*	50-213	P
	9506130153	50-336	S
	9506130159	50-423	S
	9506130164	50-336	P
	9506130179	50-423	S
	9506130217	50-443	P
	9506130456	50-336	P
	9506140055	50-213	Q
	9506140055	50-213	Q
	9506140055	50-213	Q
	9506140066	50-213	Q
	9506140066	50-213	Q
	9506140066	50-213	Q
	9506140070	50-336	Q
	9506190345	50-423	Q
	9506190356	50-336	Q
	9506190474	50-245	Q
	9506190474	50-245	Q
	9506190475	50-336	F
	9506200255	50-423	P
	9506200260*	50-423	P
	9506200262	50-213	P
	9506200271	50-245	Q
	9506200271	50-245	Q
	9506210067	50-245	R
	9506220086	50-213	F
	9506220086	50-213	F
	9506280138	50-336	S
	9506280160	50-423	S
	9506280304	50-443	P
	9506280348	50-423	P
	9506280375	50-213	Q
	9506280425	50-245	S
	9506290131	50-213	K
	9506290136	50-336	K
Northern States Power Co.	9506010260	50-263	P
	9506120218	50-282	S
	9506130006*	50-282	F
	9506140307	50-306	S
	9506190005	50-263	H
	9506190005	50-263	H
	9506190329	50-263	S
	9506200027	50-282	R
	9506200051	50-282	S
	9506200053	50-263	R
	9506200246	50-306	P
	9506200253*	50-306	P
	9506220082	50-263	P
	9506220082	50-263	P
	9506230006	50-263	P
	9506230006	50-263	P
	9506230009*	50-263	P
	9506280363	50-282	P
	9506280558	50-263	S
	9506280568	50-263	S
	9506290062	50-263	S
	9506290429	50-282	Q
	9506290436	50-282	F
	9506300029	50-282	F
	9506300029	50-282	F
	9506300041	50-282	F
	9506300041	50-282	F
	9506300043	50-263	P
	9506300044	50-282	F
	9506300044	50-282	F
	9506300045*	50-263	P
	9506300047*	50-263	P
Nuclear Assurance Corp.	9506150206	PROJ	
	9506150211*	PROJ	
	9506160539	PROJ	
	9506210231	71-9225	
	9506210232*	71-9225	
	9506220324	71-9225	
	9506290070	PROJ	
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9506080308	REVIEW GR	P
	9506090031	NUREG	
	9506090203	REVIEW GR	P
	9506090208	REVIEW GR	P
	9506140177*	REVIEW GR	P
	9506190008	PR	
	9506190039	PR	
	9506210085	REVIEW GR	P
	9506220069	PR	
	9506280278	TOPREP	
	9506280783*	REVIEW GR	P
	9506290002	PR	
Nuclear Energy Services, Inc.	9506140139*	40-9027	
Nuclear Fuel Services, Inc.	9506010123	70-143	
	9506070317	70-143	
	9506140144	70-143	
	9506150355	40-9024	
	9506230384	70-143	
Nye County, NV	9506190003	PR	
	9506290024	PR	
Oak Ridge Associated Universities	9506010139	50-267	W
	9506020175	50-267	W
	9506020184*	50-267	W
	9506050069	70-925	
	9506060176	70-734	
	9506060184*	70-734	
	9506130435	70-364	
	9506140052	40-8724	
	9506150049	40-7604	
	9506290241*	70-135	
Oak Ridge National Laboratory	9506010500	NUREG	
	9506010509	NUREG	
	9506010519	NUREG	
	9506010521	NUREG	
	9506140082	NUREG	
	9506140092	NUREG	
	9506210175	70-364	
	9506210178*	70-364	
	9506220072	NUREG	
	9506300110*	TOPREP	
Ohio Citizens for Responsible Energy	9506290019	PR	
Ohio State Univ., Columbus, OH	9506220016	50-150	P
	9506220036	50-150	P
	9506220066	50-150	P
Ohio, State of	9506080274	PR	
	9506150033	40-8948	
Omaha Public Power District	9506010531	50-285	P
	9506050127	50-285	P
	9506050131*	50-285	P
	9506050132*	50-285	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506060385	50-285	Q
	9506080033	50-285	F
	9506090020	50-285	H
	9506090026	50-285	H
	9506160335	50-285	S
	9506160342*	50-285	S
	9506190231	50-285	P
	9506200263	50-285	Q
	9506210142	50-285	R
	9506210329*	50-285	R
	9506210335*	50-285	R
	9506210339*	50-285	R
	9506210342*	50-285	R
	9506220025	50-285	F
	9506220107	50-285	S
	9506280061	50-285	R
	9506280065*	50-285	R
	9506280796	50-285	P
	9506280797*	50-285	P
Oregon, State of	9506090044	PR	
	9506130023	STATE PRO	G
	9506130172*	STATE PRO	G
PECO Energy Co., (formerly Philadelphia Electric Co.)	9506010106	50-277	P
	9506020229	50-277	P
	9506020479	50-277	P
	9506020479	50-277	P
	9506020483*	50-277	P
	9506020483*	50-277	P
	9506020503	50-277	P
	9506090124	50-352	P
	9506090124	50-352	P
	9506090127*	50-352	P
	9506090127*	50-352	P
	9506120184	50-277	P
	9506120190	50-277	P
	9506120214	50-352	F
	9506120217*	50-352	F
	9506140002	PR	
	9506160347	50-277	P
	9506160347	50-277	P
	9506160348*	50-277	P
	9506160348*	50-277	P
	9506160437	50-277	F
	9506160468	50-352	R
	9506190298	50-277	R
	9506190442	50-277	P
	9506190442	50-277	P
	9506200185	50-277	F
	9506200185	50-277	F
	9506200251	50-278	Q
	9506230386	50-278	P
	9506280243	50-353	P
	9506290177	50-352	P
	9506290391	50-352	P
	9506290391	50-352	P
	9506290394*	50-352	P
	9506290394*	50-352	P
	9506290405	50-352	P
	9506290407*	50-352	P
	9506300174	50-277	Q
PacifiCorp (formerly Pacific Power & Light)	9506050321*	50-344	I
	9506050325*	50-344	I
Pacific Gas & Electric Co.	9506010101	50-275	P
	9506070010	50-275	Q
	9506130110	50-323	S
	9506190273	50-275	S
	9506210125	50-275	R
	9506280378	50-133	P
	9506280624	50-275	R
	9506280632*	50-275	R
	9506290088	50-275	F
	9506290226	50-323	S
Pacific Science & Engineering Group, Inc	9506140119	NUREG	
	9506140126	NUREG	
Pathfinder Mines Corp.	9506070192	40-2259	
	9506070251	40-2259	
Pennsylvania Power & Light Co.	9506010358	50-388	S
	9506010363*	50-388	S
	9506020465	50-387	S
	9506020475*	50-387	S
	9506050003	50-387	Q
	9506050003	50-387	Q
	9506050006*	50-387	Q
	9506050007*	50-387	Q
	9506060367	50-387	Q
	9506060379*	50-387	Q
	9506060379*	50-387	Q
	9506060462	50-387	Q
	9506060462	50-387	Q
	9506070216	50-387	S
	9506120203	50-388	S
	9506120353	50-387	Q
	9506150224	50-387	P
	9506150224	50-387	P
	9506190016	50-387	H
	9506190016	50-387	H
	9506210152	50-387	R
	9506210152	50-387	R
	9506210300	50-387	P
	9506220048	50-387	P
	9506220051*	50-387	P
	9506280377	50-387	V
	9506280413*	50-387	V
	9506280418*	50-387	V
	9506280418*	50-387	V
	9506280426*	50-387	V
	9506280426*	50-387	V
	9506280436*	50-387	V
	9506280444*	50-387	V
	9506290089	50-387	P
	9506290104	50-387	K
	9506290113	50-387	K
	9506290113	50-387	K
	9506290116*	50-387	K
	9506290116*	50-387	K
	9506290122	50-387	K
	9506290138	50-387	P
	9506290138	50-387	P
	9506290141*	50-387	P
	9506290141*	50-387	P
	9506290163	50-387	P
	9506300019	50-387	K
	9506300291	50-387	F
Pennsylvania, Commonwealth of	9506020064	PR	
	9506130043	STATE PRO	G
	9506230096*	40-6500	
	9506280386	STATE PRO	G
Petrotomics Co. (formerly Getty/Petrotomics Co.)	9506190295	40-6659	
	9506190299*	40-6659	
Portland General Corp.	9506050332*	50-344	I
	9506050333*	50-344	I
Portland General Electric Co.	9506050315	50-344	I
	9506140243	50-344	P
	9506140297	50-344	Q
	9506200254	50-344	F
	9506220335	71-9259	
	9506220338*	71-9259	
Power Authority of the State of New York (New York Power Authority)	9506010013	50-286	J
	9506010366	50-333	S
	9506010413*	50-333	S
	9506020431	50-286	S
	9506020444	50-286	S
	9506070182	50-333	P
	9506080026	50-333	F
	9506090146	50-286	S
	9506130210	50-286	P
	9506160274	50-286	Q
	9506190304	50-333	R
	9506200056	50-286	R
	9506200159	50-286	P
	9506200165*	50-286	P
	9506200169	50-333	P
	9506200173*	50-333	P
	9506200184*	50-333	P
	9506220134	50-286	F
	9506220139*	50-286	F
	9506220141*	50-286	F
	9506230302	50-333	F
	9506230303*	50-333	F
	9506230306*	50-333	F
	9506280311	50-286	P
	9506280534	50-333	Q
	9506280536*	50-333	Q
	9506280679*	50-286	P
	9506290190	50-286	P
	9506300232	50-333	P
Power Resources Corp.	9506140093	40-8857	
	9506140099*	40-8857	
	9506160521	40-8857	
Princeton Univ., Princeton, NJ	9506140130	NUREG	
Public Citizen Litigation Group	9506190079	50-390	H
Public Service Co. of Colorado	9506010250	50-267	W
	9506070005	50-267	W
	9506200166	50-267	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506210277	50-267	W
Public Service Electric & Gas Co. of New Jersey	9506010036	50-272	R
	9506010036	50-272	R
	9506010043	50-354	R
	9506010492	50-272	P
	9506010498*	50-272	P
	9506010507*	50-272	P
	9506010514*	50-272	P
	9506020215	50-272	P
	9506050119*	50-272	P
	9506050298	50-354	P
	9506050309*	50-354	P
	9506070313*	50-354	Q
	9506080215	50-272	R
	9506080215	50-272	R
	9506080224*	50-272	R
	9506080224*	50-272	R
	9506090150	50-272	S
	9506090501	50-354	P
	9506130127*	50-354	F
	9506150332	50-272	P
	9506150332	50-272	P
	9506160182	50-311	Q
	9506160189*	50-311	Q
	9506160550	50-354	R
	9506190168	50-354	P
	9506200068	50-272	R
	9506200072	50-311	R
	9506210143	50-272	P
	9506230388	50-272	R
	9506230389*	50-272	R
	9506230389*	50-272	R
	9506280216	50-354	S
	9506280225	50-272	R
	9506280235*	50-272	R
	9506280235*	50-272	R
	9506300026	50-272	I
Pulsar Data Systems, Inc.	9506140413	CONTRACT	
Quality Inspection & Testing	9506020416	71-6717	
Quivira Mining Co.	9506210237	40-8905	
	9506220205	40-8905	
RMI Co.	9506220341*	40-2384	
RTS Technology, Inc.	9506190103	71-642	
	9506190117*	71-642	
RUST Environment & Infrastructure, Inc. (formerly SEC Donohue)	9506070574	71-770	
Readmore, Inc.	9506150055	CONTRACT	
Reed College, Portland, OR	9506190369	50-288	F
	9506190372*	50-288	F
	9506190378*	50-288	F
Rio Algom Mining Corp.	9506050082	40-8084	
	9506080444	40-8084	
	9506190006	40-8964	
	9506190009*	40-8964	
	9506210151	40-8084	
	9506210205	40-8964	
	9506210211*	40-8964	
	9506210225*	40-8964	
	9506210226*	40-8964	
	9506210239*	40-8905	
	9506210246*	40-8905	
	9506210250	40-8084	
	9506210254*	40-8084	
	9506210261*	40-8084	
Rochester Gas & Electric Corp.	9506020119	50-244	P
	9506080198	50-244	P
	9506080200*	50-244	P
	9506080208*	50-244	P
	9506200025	50-244	R
	9506200302	50-244	S
	9506200364	50-244	P
	9506230393	50-244	F
	9506280671	50-244	P
	9506280692	50-244	P
	9506300265	50-244	P
Rockwell International Corp.	9506190151	70-25	
Ruland Associates, Inc.	9506140433	CONTRACT	
Russia	9506080505*	COMMISSIO	N
	9506290378*	COMMISSIO	N
SCIENTECH, Inc.	9506150350	CONTRACT	
Sacramento Municipal Utility District	9506020009	50-312	Y
	9506070176	50-312	R
	9506200435	50-312	I
	9506230390	50-312	J
	9506290445	50-312	W
	9506290447*	50-312	W
	9506300186	50-312	W
	9506300186	50-312	W
	9506300199*	50-312	W
	9506300199*	50-312	W
San Diego Gas & Electric Co.	9506020326*	50-206	I
San Luis Obispo County, CA	9506020055	50-275	P
Sandia National Laboratories	9505030171*	50-446	F
	9506010485	50-280	P
	9506120244*	WASTE MGT	
Saporito, T.J.	9505010114*	ORG	
Sargent & Lundy, Inc.	9506070340*	50-295	P
	9506070345*	50-295	P
	9506080645*	50-373	P
	9506090006*	50-295	P
	9506090007*	50-295	P
	9506090009*	50-295	P
	9506120267	TOPREP	
	9506120274*	TOPREP	
	9506210117	TOPREP	
	9506220121	TOPREP	
	9506220133*	50-295	Q
Savignac, N.	9506300298	40-8698	
	9506300299*	40-8698	
Saxton Nuclear Experimental Corp.	9506060141	50-146	P
	9506060157*	50-146	P
	9506060165*	50-146	P
Science & Engineering Associates, Inc.	9506150415	CONTRACT	
Science Applications International Corp. (formerly Science Applications, Inc.)	9506080162	CONTRACT	
	9506160219	50-312	Y
Senate	9506010198*	ORG	
	9506230245*	ORG	
	9506290330*	50-317	H
	9506290372*	ORG	
	9506300091*	ORG	
Sequoyah Fuels Corp.	9506070226	40-8027	
	9506130307	40-8027	
	9506210126	40-8027	
	9506290264	40-8027	
Sevenson Environmental Services, Inc.	9506020097	70-133	
	9506020105*	70-133	
Shaw, Pittman, Potts & Trowbridge	9506070159	50-424	G
Shieldalloy Metallurgical Corp.	9506190187	40-7102	
	9506190414	40-8948	
	9506210266	40-8948	
Shonka Research Associates, Inc.	9506150371	CONTRACT	
Siemens Corp.	9506280466	XPORTLIC	
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9506120247	70-1257	
	9506130429	TOPREP	
	9506130436*	TOPREP	
	9506150095	TOPREP	
	9506150111*	TOPREP	
	9506290221	TOPREP	
Sierra Club Legal Defense Fund, Inc.	9506070142	70-3070	
	9506070162	70-3070	
	9506070178	70-3070	
	9506070303	70-3070	
Sierra Nuclear, Inc.	9506050086	71-804	
	9506050088*	71-804	
	9506150168	72-1007	
	9506160243	72-1007	
	9506160249*	72-1007	
Simplex Time Recorder Co.	9506090173	CONTRACT	
Small Business Administration	9506060080*	PR	
	9506060177*	PR	
	9506060208*	PR	
	9506080209	CONTRACT	
	9506080447*	PR	
	9506140413	CONTRACT	
Society of Nuclear Medicine	9506190027	PR	
South Carolina Electric & Gas Co.	9506080537	50-395	V
	9506090108	50-395	Q
	9506090112*	50-395	Q
	9506120408	50-395	R
	9506140122	50-395	P
	9506160373	50-395	K
	9506160376*	50-395	K
	9506190296	50-395	R
	9506230381	50-395	P
	9506230382*	50-395	P
	9506280251	50-395	P
	9506280257*	50-395	P
	9506280286	50-395	P
	9506290211	50-395	Q
Southern California Edison Co.	9506020321	50-206	I
	9506020323*	50-206	I
	9506070173	50-361	S
	9506070197*	50-361	S
	9506080358	50-206	F
	9506080358	50-206	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506080358	50-206	F
	9506080612	50-206	R
	9506130156	50-206	F
	9506130156	50-206	F
	9506130156	50-206	F
	9506150079	50-361	P
	9506190333	50-361	S
	9506190338*	50-361	S
	9506200175	50-361	Q
	9506210076	50-361	R
	9506210078*	50-361	R
	9506210078*	50-361	R
	9506290198	50-361	S
	9506290240	50-361	Q
	9506300141	50-361	P
Southern California Public Power Authority	9506060056*	50-528	I
Southern Company Services, Inc.	9506290066*	50-424	G
Southern Nuclear Operating Co.	9506010065	50-348	S
	9506060248	50-348	P
	9506060255*	50-348	P
	9506070004	50-364	Q
	9506080311	50-348	P
	9506080311	50-348	P
	9506080314*	50-348	P
	9506080314*	50-348	P
	9506120524	50-364	S
	9506130386	50-348	Q
	9506130386	50-348	Q
	9506140240	50-364	Q
	9506190012	50-348	H
	9506190359	50-348	K
	9506190359	50-348	K
	9506190361*	50-348	K
	9506200238	50-348	P
	9506210059	50-348	R
	9506210059	50-348	R
	9506230041	50-364	S
	9506230373	50-364	P
	9506290217	50-348	P
	9506290217	50-348	P
	9506290219*	50-348	P
	9506290236	50-348	P
	9506290236	50-348	P
Space Science Services, Inc.	9506280056	STATE PRO	G
State, Dept. of	9506220296	XPORTLIC	
	9506230084	XPORTLIC	
	9506230108	XPORTLIC	
	9506280296	XPORTLIC	
Stone & Webster Engineering Corp.	9506230018*	50-336	P
Sweden, Govt. of	9506120154*	WASTE MGT	
	9506120160*	WASTE MGT	
Tennessee Valley Authority	9506010095	50-390	S
	9506020134	50-259	F
	9506020200	50-327	Q
	9506020200	50-327	Q
	9506020408	50-327	P
	9506020408	50-327	P
	9506050013	50-390	Q
	9506050013	50-390	Q
	9506050017*	50-390	Q
	9506050020	50-390	A
	9506050020	50-390	A
	9506070333	50-259	F
	9506080185	50-328	S
	9506080631	50-327	Q
	9506080631	50-327	Q
	9506090192	50-327	F
	9506090192	50-327	F
	9506090196*	50-327	F
	9506090196*	50-327	F
	9506090201*	50-327	F
	9506120142	50-390	A
	9506130044	50-259	P
	9506130044	50-259	P
	9506130044	50-259	P
	9506130048*	50-259	P
	9506130048*	50-259	P
	9506130048*	50-259	P
	9506130120	50-259	V
	9506130294	50-390	A
	9506130298	70-2910	
	9506140256	50-327	P
	9506150220	50-259	F
	9506150220	50-259	F
	9506150220	50-259	F
	9506150220	50-259	F
	9506150220	50-259	F
	9506150244	50-390	Q
	9506160280	50-259	P
	9506160280	50-259	P
	9506160280	50-259	P
	9506160293*	50-259	P
	9506160293*	50-259	P
	9506160293*	50-259	P
	9506190068	50-259	F
	9506200061	50-327	R
	9506200061	50-327	R
	9506200088	50-259	R
	9506200088	50-259	R
	9506200088	50-259	R
	9506200197	50-390	A
	9506200197	50-390	A
	9506200389	50-390	K
	9506200389	50-390	K
	9506200402*	50-390	K
	9506200402*	50-390	K
	9506210197	50-259	F
	9506210203	50-390	S
	9506210203	50-390	S
	9506210279	50-390	A
	9506210370	50-390	F
	9506210370	50-390	F
	9506210374*	50-390	F
	9506210374*	50-390	F
	9506220254	50-390	S
	9506220321	50-327	P
	9506220321	50-327	P
	9506220321	50-327	P
	9506230391	50-259	P
	9506230391	50-259	P
	9506230391	50-259	P
	9506230392*	50-259	P
	9506230392*	50-259	P
	9506230392*	50-259	P
	9506280384	50-390	Q
	9506280404	50-390	S
	9506280423	50-390	A
	9506290017	PR	
	9506290127	50-259	Q
	9506290127	50-259	Q
	9506290127	50-259	Q
	9506290206	50-259	F
	9506290206	50-259	F
	9506290206	50-259	F
	9506290210*	50-259	F
	9506290210*	50-259	F
	9506290210*	50-259	F
	9506290214*	50-259	F
	9506290214*	50-259	F
	9506290214*	50-259	F
	9506300246	50-327	S
	9506300258*	50-327	S
Tennessee, State of	9506130148	STATE PRO	G
	9506210290	70-3070	
	9506280029	STATE PRO	G
Texas A&M Univ., College Station, TX	9506220145	50-59	F
	9506230078	50-59	P
Texas Utilities Electric Co. (TU Electric)	9506070024	50-446	S
	9506070270	50-445	S
	9506190323	50-445	P
	9506190432	50-445	P
	9506190470	50-445	R
	9506190471*	50-445	R
	9506200078	50-445	R
	9506200141*	50-445	Q
	9506290303	50-445	P
	9506290303	50-445	P
	9506300132	50-445	P
	9506300132	50-445	P
	9506300136*	50-445	P
	9506300165	50-445	F
	9506300165	50-445	F
Texas, State of	9506080300	PR	
	9506130016	STATE PRO	G
	9506130051*	STATE PRO	G
	9506130143*	STATE PRO	G
	9506210223	STATE PRO	G
	9506280025	STATE PRO	G
	9506280154	STATE PRO	G
	9506290026	PR	
	9506290304*	STATE PRO	G
Texas, Univ. of, Austin, TX	9506290186	50-602	P
Toledo Edison Co.	9506080269*	50-346	I
	9506160558	50-346	R
	9506200178	50-346	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Transnuclear, Inc.	9506070111	71-250	
	9506070122*	71-250	
	9506160467	PROJ	
	9506220030	70-1426	
	9506220055	70-1426	
	9506220075	70-1426	
Transportation, Dept. of	9506130236	71-3023	
	9506130256*	71-3023	
Tri State Inspection & Consultants	9506300180	71-593	
TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore)	9506210199	50-424	G
	9506280015	50-424	G
	9506290046	50-424	G
U.S. Embassies	9506220270	XPORTLIC	
U.S. Energy Corp.	9506050153	40-8971	
	9506190302	40-8971	
UMETCO Minerals Corp.	9506020154	40-299	
	9506210216	40-299	
Union Electric Co.	9506020130	50-483	S
	9506070125	50-483	S
	9506070130*	50-483	S
	9506130313	50-483	S
	9506130318*	50-483	S
	9506290392	50-483	R
United Kingdom	9506190229	MISC	
United Nuclear Corp. (subs. of UNC, Inc.	9506120336	40-8907	
	9506120344*	40-8907	
	9506120348*	40-8907	
	9506120382	40-8907	
United States Enrichment Corp. (USEC)	9506070674	70-7002	
	9506230218	70-7001	
Urenco, Inc.	9506280469	XPORTLIC	
	9506290379*	XPORTLIC	
Utah, State of	9506280112	STATE PRO	G
Utah, Univ. of, Salt Lake City, UT	9506050092	50-47	W
	9506160481	WASTE MGT	
Vectra Technologies, Inc.	9506060144	71-9196	
	9506060150*	71-9196	
	9506150343	50-416	P
	9506220197	72-1004	
	9506220198*	72-1004	
Vermont Yankee Nuclear Power Corp.	9506070276	50-271	S
	9506070282	50-271	S
	9506140134	50-271	S
	9506140431	50-271	S
	9506160556	50-271	R
	9506160562	50-271	F
	9506200244	50-271	F
	9506210159	50-271	S
	9506210164	50-271	S
	9506290254	50-271	P
Veterans Admin. Medical Center, Danville IL	9506090037	NUREG	
Virginia Polytechnic Institute & State Univ., Blacksburg, VA	9506070599	71-*****	
	9506070607*	71-*****	
Virginia Power (Virginia Electric & Powe Co.)	9506050168	50-338	P
	9506050171*	50-338	P
	9506060330	50-280	V
	9506060501	50-280	J
	9506060501	50-280	J
	9506060501	50-280	J
	9506090055	PR	
	9506090116	50-281	P
	9506090119*	50-281	P
	9506090131	50-338	P
	9506120221	PR	
	9506120313	50-281	Q
	9506120335	50-280	P
	9506120335	50-280	P
	9506120339*	50-280	P
	9506120339*	50-280	P
	9506120438*	50-281	Q
	9506130114	50-338	Q
	9506130118*	50-338	Q
	9506130151	50-280	P
	9506130151	50-280	P
	9506130280	50-338	F
	9506130280	50-338	F
	9506130280	50-338	F
	9506140103	50-281	S
	9506160268	50-338	Q
	9506160268	50-338	Q
	9506160430	50-280	F
	9506190002	PR	
	9506190028	PR	
	9506190272	50-338	R
	9506210207	50-280	R
	9506220193	50-280	Q
	9506280190	50-280	S
	9506280202	50-281	S
	9506290027	PR	
	9506290166	50-339	S
Virginia, Univ. of, Charlottesville, VA	9506080287	PR	
Washington Public Power Supply System	9506070686	50-397	H
	9506080479	50-397	P
	9506080481*	50-397	P
	9506130264	50-397	R
	9506140332	50-397	P
	9506140338*	50-397	P
	9506140358	50-397	P
	9506140362*	50-397	P
	9506140372	50-397	P
	9506140373*	50-397	P
	9506190064	50-397	P
	9506190315	50-397	S
	9506190316*	50-397	S
	9506280567	50-397	F
	9506300081	50-397	Q
Washington State Univ., Pullman, WA	9506210333*	WASTE MGT	
	9506210369*	WASTE MGT	
Washington, State of	9206300185	WASTE MGT	
	9503220029*	STATE PRO	G
	9506090021	NUREG	
	9506130011	STATE PRO	G
	9506130019	STATE PRO	G
	9506130201	WASTE MGT	
	9506150148	WASTE MGT	
	9506150155	WASTE MGT	
	9506150163	WASTE MGT	
	9506220106	WASTE MGT	
	9506220227*	WASTE MGT	
Washington, Univ. of, Seattle, WA	9506230003	50-139	W
Water, Waste & Land, Inc.	9005090064	WASTE MGT	
	9506220150*	WASTE MGT	
We The People of The United States (We The People, Inc.)	9506090077	NUREG	
West Valley Nuclear Services Co., Inc.	9506020344*	PROJ	
	9506020348*	PROJ	
	9506020350*	PROJ	
	9506020351*	PROJ	
	9506020454*	PROJ	
	9506020462*	PROJ	
	9506020472*	PROJ	
	9506020476*	PROJ	
	9506020480*	PROJ	
	9506020487*	PROJ	
	9506020494*	PROJ	
	9506120208	PROJ	
	9506210242*	PROJ	
	9506210247*	PROJ	
	9506210251*	PROJ	
	9506210259*	PROJ	
	9506210262*	PROJ	
	9506210263*	PROJ	
	9506210264*	PROJ	
	9506210265*	PROJ	
	9506210267*	PROJ	
	9506210269*	PROJ	
Western Nuclear, Inc.	9506070554	40-1162	
Western Stress, Inc.	9506280449	71-637	
Westinghouse Electric Corp.	9505120136*	50-250	P
	9505120144*	50-250	P
	9506010291	52-3	
	9506010300*	52-3	
	9506010401	TOPREP	
	9506010409*	TOPREP	
	9506020504	52-3	
	9506020506*	52-3	
	9506060171*	50-295	P
	9506060181*	50-295	P
	9506090025	PR	
	9506090095	PR	
	9506090172	52-3	
	9506090180*	52-3	
	9506090183*	52-3	
	9506120342	TOPREP	
	9506120356	52-3	
	9506120358*	52-3	
	9506120360*	52-3	
	9506130092	TOPREP	
	9506130102	52-3	
	9506130107*	52-3	
	9506130268*	TOPREP	
	9506130450*	50-456	P
	9506140118	52-3	
	9506150068	52-3	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9506150076	52-3	
	9506150081*	52-3	
	9506150100	52-3	
	9506150109*	52-3	
	9506150113*	52-3	
	9506160125	52-3	
	9506160526	52-3	
	9506160533*	52-3	
	9506190129	70-1151	
	9506190308	TOPREP	
	9506190310*	TOPREP	
	9506190312*	TOPREP	
	9506210095	52-3	
	9506210103*	52-3	
	9506210179	52-3	
	9506210183*	52-3	
	9506210410*	50-482	P
	9506220087	52-3	
	9506220097	52-3	
	9506220104*	52-3	
	9506220207	50-313	P
	9506220210	50-368	P
	9506280080*	50-456	P
	9506280087*	50-456	P
	9506290249	52-3	
	9506290300*	ORG	
	9506290427*	TOPREP	
	9506290448	TOPREP	
	9506300049	52-3	
	9506300052*	52-3	
	9506300268*	50-244	P
	9506300278*	50-244	P
Westinghouse Operating Plants Owners Group	9506290415	TOPREP	
	9506300276	TOPREP	
	9506300284*	TOPREP	
Wharton County Community College, Wharton, TX	9506140409	CONTRACT	
Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.)	9506090240	QA999	
Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen)	9506160073	40-8027	
	9506210160	40-8027	
	9506230249*	40-8027	
Winston & Strawn	9506070153	70-3070	
	9506070167	70-3070	
Wisconsin Electric Power Co.	9506010076	50-266	P
	9506010076	50-266	P
	9506010081*	50-266	P
	9506010081*	50-266	P
	9506020245	50-266	F
	9506080615	50-266	P
	9506080615	50-266	P
	9506080619*	50-266	P
	9506080619*	50-266	P
	9506090059	PR	
	9506120124	50-266	F
	9506200012	50-266	R
	9506280317	50-266	P
	9506300126	50-266	P
	9506300287	50-266	P
	9506300287	50-266	P
	9506300292*	50-266	P
	9506300292*	50-266	P
Wisconsin Public Service Corp.	9506070105	50-305	F
	9506070164	50-305	P
	9506070203	50-305	S
	9506080626	50-305	J
	9506120239	50-305	P
	9506120245*	50-305	P
	9506120402	50-305	F
	9506190313	50-305	P
	9506190460	50-305	P
	9506200116	50-305	S
	9506200132	50-305	P
	9506200138*	50-305	P
	9506280676	50-305	R
Wolf Creek Nuclear Operating Corp.	9506060438	50-482	P
	9506070072	50-482	F
	9506140107	50-482	V
	9506140325	50-482	S
	9506190292	50-482	R
	9506190330	50-482	Q
	9506210408	50-482	P
	9506210409*	50-482	P
	9506280432	50-482	F
	9506290451	50-482	P
	9506300282	50-482	H
Woodward-Clyde Consultants, Inc.	9506010030	40-8948	
	9506220194	40-3453	
	9506220195*	40-3453	
	9506300077	40-3453	
Wyoming, State of	9506020197	40-4492	
	9506050024	40-4492	
	9506290097	40-8502	
Yankee Atomic Electric Co.	9506190014	PR	
	9506190023	50-29	H
	9506210280	50-29	K
	9506210285*	50-29	K

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY		OTHER REPORT NUMBER
0014-00078-R001 R02	9506010498*	50-272	P	GL-87-02
0014-00078-R002 R00	9506010507*	50-272	P	GL-87-02
00396RI95 R00	9506230122*	52-4		
1-88-0020 R07	9506130141*	50-302	P	
1-92-0008 R01	9506130137*	50-302	P	
19	9506290408*	REGGD		
22S-0-110M-044 R00	9506280314*	50-295	P	
22S-1-024E-012 R00	9506090004*	50-295	P	
22S-2-024E-013 R00	9506090005*	50-295	P	
22S-B-024E-010 R00	9506090003*	50-295	P	
25A5691 R02	9506020159*	50-237	P	
267749 R05	9506050119*	50-272	P	
4266/19G52 R00	9506080645*	50-373	P	
82A8617 R00	9506140139*	40-9027		
8986-15-01 R01	9506090006*	50-295	P	
8986-15-05 R02	9506090007*	50-295	P	
8986-15-08 R02	9506090009*	50-295	P	
91-E-0094-03 R00	9506190144*	50-313	P	
94-15	9506120160*	WASTE MGT		
94-16	9506120154*	WASTE MGT		
94014/G-101	9506210180*	40-8948		
A-13318-TN-5 R00	9506130263*	71-3023		
ANF-89-98(NP)(A)S1R1	9506130436*	TOPREP		
ANF-90-082(NP)(A) R1	9506150111*	TOPREP		
BAB000000-01717-0200	9506140156*	WASTE MGT		HLWR
BAW-2126	9506120039*	PROJ		
CE NPSD-993	9506280059*	50-309	P	
CE NPSD-994	9506210402*	50-528	P	
CE NPSD-994	9506280128*	50-335	P	
CE NPSD-995	9506230235*	50-335	P	
CE NPSD-996	9506210405*	50-528	P	
CE NPSD-996	9506230231*	50-335	P	
CENPD 282-NP-A V04	9506220166*	TOPREP		KAERI/TR-314/92
CENPD-279 S06	9506210101*	50-313	P	
COLR 95-11 R00	9506080481*	50-397	P	
DOE/RW-0472 R00	9506160233*	PROJ		
DRF B11-00617-19 R02	9506060212*	50-293	P	
EA-SC-93-083-018 R00	9506120309*	50-255	Y	
EA-SC-93-083-04 R00	9506120292*	50-255	Y	
EA-SC-93-083-05 R01	9506120296*	50-255	Y	
EA-SC-93-083-17 R00	9506120304*	50-255	Y	
ER-EA-008	9506300136*	50-445	P	
ESR 95-00765 R02	9506280182*	50-325	Q	
GAO/RCED-95-67	9506290006*	STATE PRO	G	B-258743
GE-NE-523-A164-1294	9506190181*	50-354	P	
GE-NE-523-A166-1294	9506230224*	50-373	P	
GENE-771-81-1194V2R1	9506020155*	50-237	P	
GENE-771-95-0195 R01	9506020165*	50-237	P	
INEL-95/0053	9506290167*	50-271	Q	
INEL-95/0142	9505030448*	50-446	Q	
NE-1024 R00	9506050171*	50-338	P	
NEDO-32318 ERR	9506120240*	71-9228		
NUH-003 V01 R03A	9506220198*	72-1004		
NUREG-0040 V19 N01	9506020502	NUREG		
NUREG-0540 V17 N03	9506020497	NUREG		
NUREG-0540 V17 N04	9506280447	NUREG		
NUREG-0750 V41 N03	9506140062	NUREG		
NUREG-0837 V15 N01	9506140068	NUREG		
NUREG-0940 V14 N1 P1	9506160009	NUREG		
NUREG-0940 V14 N1 P2	9506140141	NUREG		
NUREG-0940 V14 N1 P3	9506160045	NUREG		
NUREG-1415 V07 N02	9506220103	NUREG		
NUREG-1430 V01 R01	9506220126	NUREG		
NUREG-1430 V02 R01	9506220131	NUREG		
NUREG-1430 V03 R01	9506220136	NUREG		
NUREG-1431 V01 R01	9506280476	NUREG		
NUREG-1431 V02 R01	9506280489	NUREG		
NUREG-1431 V03 R01	9506280506	NUREG		
NUREG-1432 V01 R01	9506220142	NUREG		
NUREG-1432 V02 R01	9506220171	NUREG		
NUREG-1432 V03 R01	9506220172	NUREG		
NUREG-1433 V01 R01	9506290155	NUREG		
NUREG-1433 V02 R01	9506290159	NUREG		
NUREG-1433 V03 R01	9506290164	NUREG		
NUREG-1434 V01 R01	9506290222	NUREG		
NUREG-1434 V02 R01	9506290228	NUREG		
NUREG-1434 V03 R01	9506290230	NUREG		
NUREG-1527	9506280427	NUREG		
NUREG/BR-0010 R02	9506140047	NUREG		
NUREG/BR-0146 R01	9506140038	NUREG		
NUREG/BR-0188	9506140053	NUREG		
NUREG/BR-0195	9506160290	NUREG		
NUREG/BR-0203	9506140034	NUREG		
NUREG/CR-0200 V01 R4	9506010500	NUREG		ORNL/NUREG/CSD2
NUREG/CR-0200 V03 R4	9506010519	NUREG		ORNL/NUREG/CSD2
NUREG/CR-0200 V2P1R4	9506010509	NUREG		ORNL/NUREG/CSD2
NUREG/CR-0200 V2P2R4	9506010521	NUREG		ORNL/NUREG/CSD2
NUREG/CR-3469 V08	9506140072	NUREG		BNL-NUREG-51708
NUREG/CR-4219 V10 N2	9506140082	NUREG		ORNL/TM-9593
NUREG/CR-5229 V07	9506140086	NUREG		INEL-94/0278
NUREG/CR-6016	9506140092	NUREG		ORNL/TM-6789
NUREG/CR-6109	9506010485	50-280	P	SAND93-2078
NUREG/CR-6114 V02	9506140130	NUREG		
NUREG/CR-6125 V01	9506140119	NUREG		
NUREG/CR-6125 V02	9506140126	NUREG		
NUREG/CR-6144 V06 P1	9506220089	50-280	P	BNL-NUREG-52399
NUREG/CR-6256 V01	9506020457	NUREG		INEL-95/0073
NUREG/CR-6275	9506010453	NUREG		ANL-94/37
NUREG/CR-6287	9506020467	NUREG		
NUREG/CR-6299	9506020484	NUREG		
NUREG/CR-6312	9506010456	NUREG		
NUREG/CR-6318	9506220072	NUREG		ORNL/TM-12937
NUREG/CR-6331	9506220081	NUREG		PNL-10521
ORISE 95/E-19	9506060184*	70-734		
ORNL/NRC/LTR-94/28	9506300110*	TOPREP		
PCS-T2C-059 R00	9506150113*	52-3		
PL-NF-95-002 R00	9506220051*	50-387	P	
PNL-2976	9505150024*	40-8838		
PSN-91-001 R0AA	9506160249*	72-1007		
SECY-95-051	9503160089	SECY		
SECY-95-079	9504100180	SECY		
SECY-95-081	9504140251	SECY		
SECY-95-085	9504170291	SECY		
SECY-95-098	9505010118	SECY		
SECY-95-105	9505100248	50-482	F	
SECY-95-108	9505150109	SECY		
SECY-95-109	9505150182	SECY		
SECY-95-110	9505150112	SECY		
SECY-95-116	9505180075	SECY		
SECY-95-117	9506140377	SECY		
SECY-95-120	9506230126	SECY		
SECY-95-123	9506160201	SECY		
SECY-95-123	9506140192*	STATE PRO	G	
SECY-95-125	9506020158	COMMISSIO	N	
SECY-95-131	9506150166	SECY		
SECY-95-132	9506150157	SECY		
SECY-95-134	9506150169	COMMISSIO	N	
SECY-95-137	9506130415	50-458	M	

REPORT NUMBER	ACCESSION NUMBER	SUB-JECT CATE-GORY		OTHER REPORT NUMBER
SECY-95-142	9506130401	COMMISSIO	N	
SECY-95-143	9506200140	SECY		
SECY-95-147	9506230311	COMMISSIO	N	
SECY-95-156	9506290326	COMMISSIO	N	
SG-95-06-005	9506130450*	50-456	P	
SGS-SEIS.RPT R00	9506010514*	50-272	P	GL-87-02
T-88004 R15	9506210232*	71-9225		
TR-104788	9506280293*	TOPREP		
UCRL-ID-120990 COM	9506020248*	WASTE MGT		HLWR
VBS-RS95-2 R00	9506120274*	TOPREP		
WCAP-12245 ADD 04 R3	9506010409*	TOPREP		SG-95-05-012
WCAP-13718 R01	9505120144*	50-250	P	
WCAP-14047 R03	9506280087*	50-456	P	SG-95-03-012
WCAP-14212	9506060181*	50-295	P	SG-94-10-007
WCAP-14334-NP	9506300278*	50-244	P	
WCAP-14372 R00	9506120360*	52-3		
WVAO-SER-003 DRFAR00	9506280514*	PROJ		
WVNS-SD-200A&B R01	9506020494*	PROJ		
WVNS-SD-200A&B R02	9506210269*	PROJ		
WVNS-SD-63CW R01	9506020472*	PROJ		
WVNS-SD-63ED R02	9506210263*	PROJ		
WVNS-SD-63F R01	9506020344*	PROJ		
WVNS-SD-63F R02	9506210262*	PROJ		
WVNS-SD-63FO R01	9506020348*	PROJ		
WVNS-SD-63IA R02	9506210264*	PROJ		
WVNS-SD-63J R02	9506210242*	PROJ		
WVNS-SD-63K R00	9506020454*	PROJ		
WVNS-SD-63L R02	9506020462*	PROJ		
WVNS-SD-63L R03	9506210247*	PROJ		
WVNS-SD-63M R02	9506210251*	PROJ		
WVNS-SD-63P R00	9506210259*	PROJ		
WVNS-SD-63SC R01	9506020476*	PROJ		
WVNS-SD-64 R01	9506210265*	PROJ		
WVNS-SD-66 R01	9506020480*	PROJ		
WVNS-SD-67 R00	9506020350*	PROJ		
WVNS-SD-68 R00	9506020351*	PROJ		
WVNS-SD-69A R00	9506020487*	PROJ		
WVNS-SD-69A R01	9506210267*	PROJ		
YM-ARC-95-11	9506140402*	WASTE MGT		HLWR
YM-ARP-95-09	9506160318*	WASTE MGT		HLWR
ZI-EXT-1186	9506070340*	50-295	P	
ZI-EXT-1188-1	9506070345*	50-295	P	
ZI-EXT-1196	9506220133*	50-295	Q	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9409220224	9506060441	95/05/31	PR	9506010494	9506010488	95/05/22	50-272 P
9409220228	9506060441	95/05/31	PR	9506010497	9506010488	95/05/22	50-272 P
9502170035	9506140170	95/05/31	REVIEW GR P	9506010498	9506010492	95/05/22	50-272 P
9502220391	9506070039	95/05/24	PR	9506010507	9506010492	95/05/22	50-272 P
9502230053	9506070039	95/05/24	PR	9506010514	9506010492	95/05/22	50-272 P
9502230059	9506070039	95/05/24	PR	9506010526	9506010515	95/05/26	50-282 Y
9503220029	9506290029	95/06/22	STATE PRO G	9506020005	9506020003	95/05/24	40-8794
9503270246	9506070039	95/05/24	PR	9506020014	9506020010	95/05/23	70-143
9505010114	9506010266	95/05/25	ORG	9506020056	9506020053	95/05/30	70-1100
9505030171	9506280510	95/06/14	50-446 F	9506020060	9506020053	95/05/30	70-1100
9505030448	9506290420	95/06/16	50-446 Q	9506020105	9506020097	94/09/15	70-133
9505050271	9506010070	95/05/26	50-397 F	9506020125	9506020114	95/05/23	50-334 P
9505050280	9506010070	95/05/26	50-397 F	9506020142	9506020133	95/05/24	50-237 P
9505120136	9505120124	95/05/05	50-250 P	9506020145	9506020133	95/05/24	50-237 P
9505120144	9505120124	95/05/05	50-250 P	9506020147	9506020133	95/05/24	50-237 P
9505120228	9506130352	95/05/30	REVIEW GR P	9506020150	9506020133	95/05/24	50-237 P
9505150024	9505050341	95/04/27	40-8838	9506020155	9506020133	95/05/24	50-237 P
9505150025	9505050341	95/04/27	40-8838	9506020159	9506020133	95/05/24	50-237 P
9505150030	9505050341	95/04/27	40-8838	9506020160	9506020154	95/05/24	40-299
9505260377	9505120124	95/05/05	50-250 P	9506020165	9506020133	95/05/24	50-237 P
9505300225	9506090142	95/05/24	ORG	9506020184	9506020175	95/05/16	50-267 W
9506010022	9506010020	95/05/23	40-8833	9506020191	9506020169	95/05/22	50-424 P
9506010026	9506010025	95/05/24	50-309 Q	9506020218	9506020212	95/05/25	50-219 P
9506010031	9506010024	95/04/26	40-8084	9506020248	9506020241	95/05/11	WASTE MGT
9506010045	9506010039	95/04/25	40-9024	9506020262	9506020254	95/05/19	50-338 P
9506010049	9506010046	95/05/25	70-27	9506020277	9506020268	95/05/17	50-361 P
9506010054	9506010042	95/05/23	50-259 Q	9506020282	9506020268	95/05/17	50-361 P
9506010056	9506010053	95/05/24	50-309 Q	9506020283	9506020275	95/05/22	50-313 P
9506010059	9506010052	95/05/26	50-331 I	9506020289	9506020275	95/05/22	50-313 P
9506010080	9506010074	95/05/24	50-317 Q	9506020292	9506020284	95/05/25	50-443 P
9506010081	9506010076	95/05/24	50-266 P	9506020320	9506020317	95/05/24	50-606 A
9506010083	9506010074	95/05/24	50-317 Q	9506020323	9506020321	95/05/30	50-206 I
9506010091	9506010052	95/05/26	50-331 I	9506020326	9506020321	95/05/30	50-206 I
9506010092	9506010052	95/05/26	50-331 I	9506020331	9506020321	95/05/30	50-206 I
9506010109	9506010101	95/05/22	50-275 P	9506020344	9506020337	95/05/08	PROJ
9506010110	9506010097	95/05/19	40-8948	9506020348	9506020337	95/05/08	PROJ
9506010114	9506010101	95/05/22	50-275 P	9506020350	9506020337	95/05/08	PROJ
9506010115	9506010101	95/05/22	50-275 P	9506020351	9506020337	95/05/08	PROJ
9506010119	9506010111	95/05/24	50-272 Q	9506020358	9506020270	95/05/25	50-528 P
9506010124	9506010111	95/05/24	50-272 Q	9506020365	9506020270	95/05/25	50-528 P
9506010126	9506010121	95/05/23	50-255 S	9506020421	9506020440	95/05/12	XPORTLIC
9506010130	9506010111	95/05/24	50-272 Q	9506020425	9506020405	95/05/25	50-354 P
9506010172	9504140202	95/04/03	ORG	9506020433	9506020405	95/05/25	50-354 P
9506010193	9506010190	95/04/07	ORG	9506020454	9506020439	95/04/11	PROJ
9506010198	9506010190	95/04/07	ORG	9506020455	9506020499	95/05/15	XPORTLIC
9506010202	9506010194	95/05/19	71-9263	9506020462	9506020439	95/04/11	PROJ
9506010208	9506010194	95/05/19	71-9263	9506020472	9506020439	95/04/11	PROJ
9506010271	9506010267	95/05/18	50-3 F	9506020475	9506020465	95/05/30	50-387 S
9506010279	9506010267	95/05/18	50-3 F	9506020476	9506020439	95/04/11	PROJ
9506010297	9506010266	95/05/25	ORG	9506020480	9506020439	95/04/11	PROJ
9506010300	9506010291	95/05/23	52-3	9506020483	9506020479	95/05/26	50-277 P
9506010309	9506010266	95/05/25	ORG	9506020487	9506020439	95/04/11	PROJ
9506010324	9506010266	95/05/25	ORG	9506020494	9506020439	95/04/11	PROJ
9506010363	9506010358	95/05/26	50-388 S	9506020506	9506020504	95/05/31	52-3
9506010395	9506010382	94/02/15	50-315 V	9506020508	9506020499	95/05/15	XPORTLIC
9506010409	9506010401	95/05/25	TOPREP	9506050006	9506050003	95/05/30	50-387 Q
9506010413	9506010366	95/05/25	50-333 S	9506050007	9506050003	95/05/30	50-387 Q
9506010427	9506010421	95/05/25	WASTE MGT	9506050017	9506050013	95/05/26	50-390 Q
9506010432	9506010382	94/02/15	50-315 V	9506050019	9506050014	95/05/26	50-333 Q
9506010457	9506010429	95/05/24	50-318 P	9506050033	9506050029	95/05/23	50-254 Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9506050046	9506050042	95/05/30	50-482	Q	9506070113	9506070110	95/06/01	50-261	P
9506050055	9506050049	95/05/22	50-10	Q	9506070120	9506070116	95/06/01	50-261	P
9506050078	9506050085	95/05/08	XPORTLIC		9506070122	9506070111	95/05/25	71-250	
9506050081	9506050079	95/05/23	50-499	P	9506070130	9506070125	95/06/01	50-483	S
9506050088	9506050086	95/05/23	71-804		9506070147	9505080056	95/04/28	70-3070	
9506050090	9506050084	95/05/19	50-255	Q	9506070168	9506070154	95/05/26	70-3070	
9506050097	9506050084	95/05/19	50-255	Q	9506070183	9506070175	95/05/31	50-302	P
9506050108	9506020388	95/04/28	71-9035		9506070197	9506070173	95/05/26	50-361	S
9506050119	9506020215	95/05/24	50-272	P	9506070204	9506070198	95/06/01	50-289	P
9506050122	9506050118	95/05/26	WASTE MGT		9506070206	9506070192	95/05/22	40-2259	
9506050131	9506050127	95/05/31	50-285	P	9506070208	9506070198	95/06/01	50-289	P
9506050132	9506050127	95/05/31	50-285	P	9506070214	9506070213	95/05/30	50-458	P
9506050171	9506050168	95/05/31	50-338	P	9506070228	9506070221	95/05/30	50-458	P
9506050173	9506050166	95/05/22	50-369	P	9506070245	9506070239	95/05/31	50-302	Q
9506050186	9506050176	95/05/30	50-382	Q	9506070267	9506070261	95/05/31	50-440	S
9506050208	9506050184	95/05/10	NUREG		9506070290	9506070239	95/05/31	50-302	Q
9506050240	9506050238	95/05/25	I&E		9506070313	9506070308	95/05/30	50-354	Q
9506050273	9506050262	95/05/24	52-1		9506070340	9506070302	95/06/02	50-295	P
9506050289	9506050282	95/05/17	50-282	R	9506070345	9506070302	95/06/02	50-295	P
9506050300	9506050296	95/05/22	50-416	P	9506070358	9506070343	95/05/31	50-83	V
9506050303	9506050296	95/05/22	50-416	P	9506070369	9506070335	95/05/22	50-348	P
9506050309	9506050298	95/05/26	50-354	P	9506070382	9506070335	95/05/22	50-348	P
9506050319	9506050310	95/06/02	50-325	S	9506070389	9506070388	95/04/05	40-8767	
9506050321	9506050315	95/05/31	50-344	I	9506070420	9506070039	95/05/24	PR	
9506050325	9506050315	95/05/31	50-344	I	9506070465	9506070455	95/05/26	50-333	Q
9506050330	9506050315	95/05/31	50-344	I	9506070496	9506070488	95/05/25	50-220	Q
9506050332	9506050315	95/05/31	50-344	I	9506070509	9506070488	95/05/25	50-220	Q
9506050333	9506050315	95/05/31	50-344	I	9506070607	9506070599	95/06/01	71-*****	
9506050340	9506020235	95/05/18	50-276	H	9506070609	9506070600	95/05/30	50-272	Q
9506050343	9506050329	95/06/02	50-324	S	9506070615	9506070606	95/05/30	50-327	P
9506050349	9506050345	95/04/18	ORG		9506070619	9506070606	95/05/30	50-327	P
9506050411	9506050406	95/04/25	PR		9506080002	9506080001	95/05/30	50-334	Q
9506050425	9505100073	95/04/25	ORG		9506080004	9506080003	95/06/01	50-289	P
9506060014	9506060010	95/05/31	QA999		9506080005	9506080003	95/06/01	50-289	P
9506060056	9506060049	95/06/01	50-528	I	9506080008	9506080006	95/05/30	50-321	P
9506060073	9506060061	95/06/01	50-261	F	9506080011	9506080006	95/05/30	50-321	P
9506060079	9506060061	95/06/01	50-261	F	9506080018	9506080015	95/05/31	50-440	P
9506060080	9506060070	95/05/18	PR		9506080070	9506080060	95/05/19	50-247	P
9506060084	9506060070	95/05/18	PR		9506080087	9506080060	95/05/19	50-247	P
9506060092	9506060070	95/05/18	PR		9506080134	9506080122	95/05/30	50-315	P
9506060119	9506060070	95/05/18	PR		9506080171	9506080166	95/05/30	50-443	P
9506060135	9506060070	95/05/18	PR		9506080173	9506080166	95/05/30	50-443	P
9506060143	9506060070	95/05/18	PR		9506080177	9506080162	95/04/10	CONTRACT	
9506060148	9506060070	95/05/18	PR		9506080195	9506080191	95/05/24	50-245	P
9506060150	9506060144	95/05/24	71-9196		9506080200	9506080198	95/05/26	50-244	P
9506060155	9506060070	95/05/18	PR		9506080208	9506080198	95/05/26	50-244	P
9506060156	9506060151	95/05/31	50-295	P	9506080224	9506080215	95/05/30	50-272	R
9506060157	9506060141	95/06/02	50-146	P	9506080260	9506080248	95/06/01	50-346	I
9506060162	9506060070	95/05/18	PR		9506080261	9506080250	95/05/25	50-412	K
9506060165	9506060141	95/06/02	50-146	P	9506080264	9506080248	95/06/01	50-346	I
9506060171	9506060151	95/05/31	50-295	P	9506080269	9506080248	95/06/01	50-346	I
9506060177	9506060070	95/05/18	PR		9506080289	9506080270	95/05/30	50-369	P
9506060181	9506060151	95/05/31	50-295	P	9506080301	9506080297	95/06/01	WASTE MGT	
9506060184	9506060176	95/05/19	70-734		9506080314	9506080311	95/05/31	50-348	P
9506060202	9506060070	95/05/18	PR		9506080329	9506080323	95/05/11	WASTE MGT	
9506060208	9506060070	95/05/18	PR		9506080331	9506080322	95/06/01	71-297	
9506060212	9506060209	95/03/21	50-293	P	9506080369	9506080351	95/05/10	CONTRACT	
9506060222	9506060070	95/05/18	PR		9506080447	9506080426	95/06/07	PR	
9506060231	9506060070	95/05/18	PR		9506080451	9506080426	95/06/07	PR	
9506060237	9506060070	95/05/18	PR		9506080455	9506080426	95/06/07	PR	
9506060240	9506060070	95/05/18	PR		9506080458	9506080426	95/06/07	PR	
9506060247	9506060070	95/05/18	PR		9506080466	9506080464	95/06/02	50-317	P
9506060255	9506060248	95/05/18	50-348	P	9506080469	9506080426	95/06/07	PR	
9506060274	9506060269	95/05/26	50-302	P	9506080471	9506080426	95/06/07	PR	
9506060347	9506060340	95/05/31	50-498	P	9506080475	9506080426	95/06/07	PR	
9506060363	9506060358	95/05/26	50-245	P	9506080481	9506080479	95/05/30	50-397	P
9506060379	9506060367	95/06/01	50-387	Q	9506080505	9506080486	95/05/25	COMMISSIO	N
9506060418	9506060413	95/05/25	50-315	P	9506080555	9506080548	95/05/30	50-287	Q
9506060440	9506060434	95/05/25	50-315	P	9506080562	9506080556	95/05/22	50-255	P
9506060454	9506060449	95/05/26	50-315	P	9506080566	9506080556	95/05/22	50-255	P
9506060477	9506060441	95/05/31	PR		9506080598	9506080597	95/06/07	71-250	
9506060481	9506060441	95/05/31	PR		9506080604	9506080601	95/06/06	71-804	
9506060485	9506060441	95/05/31	PR		9506080619	9506080615	95/06/01	50-266	P
9506060491	9506060441	95/05/31	PR		9506080639	9506080638	95/06/01	50-440	P
9506060496	9506060441	95/05/31	PR		9506080645	9506080643	95/06/02	50-373	P
9506060503	9506060441	95/05/31	PR		9506080661	9506080660	95/06/01	50-346	P
9506060510	9506060441	95/05/31	PR		9506080662	9506080660	95/06/01	50-346	P
9506060513	9506060441	95/05/31	PR		9506090002	9506090001	95/06/01	50-295	P
9506060519	9506060441	95/05/31	PR		9506090003	9506090001	95/06/01	50-295	P
9506060527	9506060441	95/05/31	PR		9506090004	9506090001	95/06/01	50-295	P
9506070002	9506070001	95/05/30	50-423	P	9506090005	9506090001	95/06/01	50-295	P
9506070016	9505300052	95/05/22	50-482	Q	9506090006	9506090001	95/06/01	50-295	P
9506070026	9506070020	95/05/25	50-286	Q	9506090007	9506090001	95/06/01	50-295	P
9506070065	9506070054	95/05/25	50-277	Q	9506090009	9506090001	95/06/01	50-295	P
9506070069	9506070046	95/05/26	50-302	S	9506090027	9506090019	95/05/25	50-263	Q
9506070070	9506070054	95/05/25	50-277	Q	9506090038	9506090034	95/05/30	50-483	Q
9506070076	9506070039	95/05/24	PR		9506090040	9506090034	95/05/30	50-483	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9506090061	9506090058	95/05/31	40-7102		9506120348	9506120336	95/06/02	40-8907	
9506090064	9506090046	95/06/06	50-498	H	9506120358	9506120356	95/05/31	52-3	
9506090067	9506090046	95/06/06	50-498	H	9506120360	9506120356	95/05/31	52-3	
9506090070	9506090063	95/06/02	50-282	V	9506120389	9506120383	95/05/15	50-321	K
9506090076	9506090069	95/06/05	50-346	V	9506120393	9506120383	95/05/15	50-321	K
9506090081	9506080592	95/05/31	71-*****		9506120438	9506120313	95/06/07	50-281	Q
9506090085	9506090080	95/06/05	50-458	Q	9506120439	9506120431	95/06/02	50-289	Q
9506090089	9506090080	95/06/05	50-458	Q	9506120452	9506120448	95/06/01	50-309	Q
9506090111	9506090110	95/06/02	71-377		9506120461	9506120455	95/06/05	50-244	Q
9506090112	9506090108	95/06/02	50-395	Q	9506120471	9506120466	95/06/02	50-245	Q
9506090117	9506090113	95/06/05	50-382	Q	9506120472	9506120466	95/06/02	50-245	Q
9506090118	9506090115	95/06/02	71-368		9506120507	9506120503	95/06/01	50-293	P
9506090119	9506090116	95/06/01	50-281	P	9506120510	9506120503	95/06/01	50-293	P
9506090121	9506090113	95/06/05	50-382	Q	9506120513	9506120511	95/06/02	50-272	Q
9506090126	9506090123	95/06/01	70-27		9506120516	9506120515	95/06/02	50-309	Q
9506090127	9506090124	95/06/05	50-352	P	9506120550	9506120549	95/06/02	70-8	
9506090130	9506090123	95/06/01	70-27		9506130006	9506130001	95/06/05	50-282	F
9506090137	9506090135	95/06/02	70-1257		9506130022	9506130020	95/05/31	50-155	P
9506090139	9506090135	95/06/02	70-1257		9506130042	9506130038	95/06/01	STATE PRO	G
9506090156	9506090149	95/05/24	PR		9506130048	9506130044	95/06/02	50-259	P
9506090159	9506090157	95/06/06	50-317	P	9506130051	9506130046	95/06/01	STATE PRO	G
9506090180	9506090172	95/05/31	52-3		9506130053	9506130049	95/05/26	50-315	P
9506090182	9506090178	95/04/07	CONTRACT		9506130055	9506130052	95/06/07	50-369	S
9506090183	9506090172	95/05/31	52-3		9506130062	9506130059	95/06/07	50-346	P
9506090196	9506090192	95/06/02	50-327	F	9506130068	9506130066	95/06/07	71-*****	
9506090201	9506090192	95/06/02	50-327	F	9506130074	9506130059	95/06/07	50-346	P
9506090221	9506090217	95/06/02	40-8084		9506130075	9506130073	95/06/08	71-*****	
9506090234	9506090230	95/06/05	40-8902		9506130081	9506130077	95/06/09	50-440	P
9506090254	9506090249	95/05/12	50-305	P	9506130083	9506130080	95/06/08	50-423	P
9506090267	9506090261	95/05/30	50-277	P	9506130093	9506130085	95/05/24	STATE PRO	G
9506090272	9506090261	95/05/30	50-277	P	9506130095	9506130089	95/06/08	50-213	P
9506090286	9506090283	95/05/30	50-454	P	9506130099	9506130071	95/05/24	STATE PRO	G
9506090343	9506090337	95/06/01	50-327	P	9506130107	9506130102	95/06/02	52-3	
9506090347	9506090341	95/05/30	50-254	P	9506130115	9506130082	95/06/07	STATE PRO	G
9506090349	9506290063	95/06/14	50-295	G	9506130118	9506130114	95/06/05	50-338	Q
9506090351	9506090337	95/06/01	50-327	P	9506130123	9506130100	95/05/24	STATE PRO	G
9506090359	9506090341	95/05/30	50-254	P	9506130127	9506130119	95/06/01	50-354	F
9506090367	9506090352	95/05/23	50-341	P	9506130130	9506130124	95/06/01	ORG	
9506090368	9506090360	95/05/30	50-327	P	9506130131	9506130122	95/06/08	50-456	P
9506090378	9506090352	95/05/23	50-341	P	9506130135	9506130133	95/05/31	50-302	P
9506090382	9506090360	95/05/30	50-327	P	9506130137	9506130133	95/05/31	50-302	P
9506090386	9506090352	95/05/23	50-341	P	9506130140	9506130100	95/05/24	STATE PRO	G
9506090403	9506090383	95/05/31	50-424	P	9506130141	9506130133	95/05/31	50-302	P
9506090407	9506090393	95/05/31	50-395	P	9506130142	9506130138	95/06/06	50-213	P
9506090409	9506090383	95/05/31	50-424	P	9506130143	9506130139	95/06/05	STATE PRO	G
9506090422	9506090415	95/05/30	50-482	P	9506130144	9506130100	95/05/24	STATE PRO	G
9506090425	9506090415	95/05/30	50-482	P	9506130147	9506130058	95/06/02	STATE PRO	G
9506090446	9506090439	95/05/26	50-275	P	9506130149	9506130145	95/06/08	50-373	P
9506090450	9506090439	95/05/26	50-275	P	9506130172	9506130030	95/05/24	STATE PRO	G
9506090469	9506090464	95/05/30	50-261	P	9506130184	9506130180	95/06/01	STATE PRO	G
9506090472	9506090464	95/05/30	50-261	P	9506130190	9506130174	95/06/01	50-498	P
9506090478	9506090475	95/05/30	50-382	P	9506130192	9506130188	95/06/05	STATE PRO	G
9506090480	9506090475	95/05/30	50-382	P	9506130196	9506130188	95/06/05	STATE PRO	G
9506120005	9506120003	95/06/06	50-312	Q	9506130200	9506130188	95/06/05	STATE PRO	G
9506120009	9506120003	95/06/06	50-312	Q	9506130219	9506130217	95/06/07	50-443	P
9506120010	9506120007	95/05/31	50-317	Q	9506130223	9506130217	95/06/07	50-443	P
9506120018	9506120012	95/06/02	50-397	Q	9506130256	9506130236	94/11/29	71-3023	
9506120020	9506120013	95/05/08	WASTE MGT		9506130263	9506130236	94/11/29	71-3023	
9506120026	9506120021	95/05/30	50-315	Q	9506130268	9506120342	95/05/26	TOPREP	
9506120030	9506120027	95/06/01	50-213	Q	9506130271	9506130270	95/06/07	50-313	P
9506120035	9506120033	95/06/02	50-361	Q	9506130278	9506130275	95/06/06	50-334	P
9506120039	9506120031	95/05/05	PROJ		9506130318	9506130313	95/06/09	50-483	S
9506120041	9506120033	95/06/02	50-361	Q	9506130436	9506130429	95/05/23	TOPREP	
9506120059	9506120047	95/05/31	50-213	Q	9506130447	9506130445	95/05/31	50-116	V
9506120075	9506120064	95/05/31	50-271	Q	9506130450	9506130448	95/06/07	50-456	P
9506120076	9506120067	95/06/05	50-425	P	9506130458	9506130456	95/05/26	50-336	P
9506120093	9506120087	95/06/02	70-1113		9506140011	9506140007	95/06/07	50-354	Q
9506120136	9506120126	95/05/25	70-364		9506140012	9506140003	95/06/08	50-352	Q
9506120154	9506120143	95/06/02	WASTE MGT		9506140036	9506140032	95/06/08	70-1257	
9506120160	9506120143	95/06/02	WASTE MGT		9506140040	9506140033	95/05/17	70-*****	
9506120173	9506120170	95/06/05	50-499	S	9506140041	9506130273	95/06/06	50-440	Q
9506120182	9506120177	95/06/05	50-499	S	9506140043	9506140029	95/06/05	50-245	Q
9506120196	9506120191	95/06/06	50-325	S	9506140044	9506140030	95/06/07	50-220	Q
9506120217	9506120214	95/05/18	50-352	F	9506140045	9506140039	95/06/07	50-206	Q
9506120240	9506120233	95/05/30	71-9228		9506140048	9506140039	95/06/07	50-206	Q
9506120244	9506120234	95/06/05	WASTE MGT		9506140049	9506140032	95/06/08	70-1257	
9506120245	9506120239	95/06/06	50-305	P	9506140071	9506140054	95/06/07	50-247	Q
9506120274	9506120267	95/05/31	TOPREP		9506140073	9506140064	95/05/26	40-*****	
9506120287	9506120268	95/06/02	50-255	Y	9506140078	9506140059	95/06/07	50-220	Q
9506120292	9506120268	95/06/02	50-255	Y	9506140079	9506140075	95/06/06	50-321	P
9506120296	9506120268	95/06/02	50-255	Y	9506140091	9506140088	95/06/05	70-36	
9506120304	9506120268	95/06/02	50-255	Y	9506140096	9506140089	95/05/17	40-*****	
9506120309	9506120268	95/06/02	50-255	Y	9506140099	9506140093	95/06/05	40-8857	
9506120331	9506120325	95/05/30	50-423	K	9506140101	9506140090	95/06/08	STATE PRO	G
9506120333	9506120325	95/05/30	50-423	K	9506140112	9506140110	95/05/25	40-*****	
9506120339	9506120335	95/06/08	50-280	P	9506140114	9506140074	95/06/09	50-313	Q
9506120344	9506120336	95/06/02	40-8907		9506140124	9506140120	95/06/05	50-244	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9506140125	9506140123	95/06/03	50-261	P	9506190009	9506190006	95/06/07	40-8964	
9506140136	9506140131	95/06/06	50-336	P	9506190044	9506190042	95/06/09	50-423	P
9506140139	9506140138	95/06/02	40-9027		9506190117	9506190103	95/06/09	71-642	
9506140156	9506140151	95/06/08	WASTE MGT		9506190138	9506190133	94/03/03	50-313	P
9506140177	9506140170	95/05/31	REVIEW GR	P	9506190144	9506190133	94/03/03	50-313	P
9506140192	9506150027	95/06/01	STATE PRO	G	9506190181	9506190168	95/06/09	50-354	P
9506140197	9506140194	95/06/08	70-27		9506190213	9506190207	95/06/12	50-413	Q
9506140209	9506140194	95/06/08	70-27		9506190249	9506190238	95/06/14	50-295	S
9506140231	9506140230	95/05/26	50-272	H	9506190289	9506190252	95/06/14	50-295	S
9506140233	9506140232	95/06/09	71-185		9506190291	9506190285	95/03/09	50-275	P
9506140234	9506140232	95/06/09	71-185		9506190293	9506190285	95/03/09	50-275	P
9506140286	9506140281	95/05/31	50-255	P	9506190299	9506190295	95/06/15	40-6659	
9506140287	9506140285	95/06/06	50-155	F	9506190307	9506190306	95/06/13	50-213	R
9506140293	9506140282	95/05/30	50-348	F	9506190309	9506190306	95/06/13	50-213	R
9506140311	9506140304	95/05/31	50-445	P	9506190310	9506190308	95/05/31	TOPREP	
9506140316	9506140304	95/05/31	50-445	P	9506190312	9506190308	95/05/31	TOPREP	
9506140327	9506140320	95/05/31	50-295	P	9506190316	9506190315	95/06/08	50-397	S
9506140328	9506140308	95/06/01	50-327	P	9506190318	9506190317	95/06/09	50-461	P
9506140330	9506140320	95/05/31	50-295	P	9506190326	9506190324	95/06/12	50-410	S
9506140337	9506140334	95/06/01	50-397	Q	9506190327	9506190322	94/02/04	50-275	P
9506140338	9506140332	95/06/06	50-397	P	9506190338	9506190333	95/06/12	50-361	S
9506140343	9506140336	95/05/31	50-213	G	9506190354	9506140306	95/06/01	50-219	H
9506140347	9506140341	95/05/31	50-443	F	9506190361	9506190359	95/06/06	50-348	K
9506140359	9506140336	95/05/31	50-213	G	9506190372	9506190369	95/06/06	50-288	F
9506140362	9506140358	95/06/06	50-397	P	9506190378	9506190369	95/06/06	50-288	F
9506140368	9506140363	95/05/31	50-443	P	9506190385	9506190367	95/05/22	50-269	F
9506140373	9506140372	95/06/06	50-397	P	9506190390	9506190384	95/05/31	50-324	Q
9506140389	9506140385	95/06/09	50-155	P	9506190394	9506190380	95/06/12	50-123	Q
9506140390	9506140381	95/05/31	50-331	P	9506190401	9506190397	95/05/31	50-259	Q
9506140393	9506140381	95/05/31	50-331	P	9506190408	9506190404	95/05/31	50-324	Q
9506140398	9506140396	95/06/08	70-1068		9506190416	9506190413	95/06/09	50-390	Q
9506140399	9506140396	95/06/08	70-1068		9506190418	9506190411	95/05/31	50-269	Q
9506140402	9506140401	95/06/07	WASTE MGT		9506190420	9506190406	95/05/31	50-390	Q
9506140420	9506140418	95/05/31	50-133	P	9506190424	9506190406	95/05/31	50-390	Q
9506140421	9506140418	95/05/31	50-133	P	9506190435	9506190425	95/06/09	50-390	Q
9506140422	9506140417	95/06/06	50-237	S	9506190439	9506190429	95/06/01	50-324	Q
9506140427	9506140425	95/06/06	50-249	S	9506190441	9506190430	95/06/06	50-335	Q
9506140440	9506140439	95/06/06	50-461	S	9506190446	9506190430	95/06/06	50-335	Q
9506150039	9506150034	95/05/26	50-423	P	9506190447	9506190444	95/06/09	50-259	Q
9506150046	9506150043	95/06/09	70-27		9506190448	9506190443	95/06/08	50-424	P
9506150048	9506150043	95/06/09	70-27		9506190452	9506190443	95/06/08	50-424	P
9506150051	9506150034	95/05/26	50-423	P	9506190458	9506190456	95/06/12	50-413	Q
9506150066	9506150063	95/05/31	50-245	P	9506190462	9506190455	95/06/09	50-272	Q
9506150072	9506150063	95/05/31	50-245	P	9506190466	9506190465	95/06/09	50-334	Q
9506150081	9506150076	95/06/06	52-3		9506190467	9506190464	95/06/08	50-293	Q
9506150109	9506150100	95/06/02	52-3		9506190471	9506190470	95/06/14	50-445	R
9506150111	9506150095	95/05/23	TOPREP		9506190472	9506190469	95/06/08	50-277	Q
9506150113	9506150100	95/06/02	52-3		9506200003	9506200002	95/06/01	50-327	Q
9506150181	9506150175	95/05/03	CONTRACT		9506200006	9506200002	95/06/01	50-327	Q
9506150189	9504140210	95/04/04	ORG		9506200016	9506200008	95/05/30	50-327	V
9506150211	9506150206	95/06/08	PROJ		9506200017	9506200013	95/06/13	50-423	P
9506150214	9506150210	95/06/01	50-160	Q	9506200030	9506200021	95/06/06	50-390	Q
9506150265	9506150264	95/06/13	40-3392		9506200040	9506200037	95/06/05	50-400	Q
9506150266	9506150264	95/06/13	40-3392		9506200046	9506200041	95/06/01	70-27	
9506150268	9506150267	95/06/13	70-1201		9506200047	9506200037	95/06/05	50-400	Q
9506150269	9506150267	95/06/13	70-1201		9506200050	9506200041	95/06/01	70-27	
9506150344	9506150338	95/06/02	50-325	S	9506200062	9506200055	95/06/02	50-390	Q
9506150353	9506150348	95/06/02	50-325	S	9506200073	9506200063	95/05/26	50-324	Q
9506150367	9506150362	95/05/01	WASTE MGT		9506200075	9506200066	95/06/09	50-413	Q
9506150372	9506150370	95/06/06	40-8857		9506200077	9506200070	95/06/12	50-321	S
9506150402	9506150396	95/05/31	WASTE MGT		9506200082	9506200071	95/06/02	50-321	Q
9506150404	9506150396	95/05/31	WASTE MGT		9506200083	9506200074	95/06/02	50-327	Q
9506150410	9506150406	95/06/05	ORG		9506200087	9506200066	95/06/09	50-413	Q
9506160056	9506160048	95/06/09	QA999		9506200090	9506200074	95/06/02	50-327	Q
9506160071	9505180429	95/04/19	WASTE MGT		9506200105	9506200099	95/06/02	50-321	Q
9506160099	9506160096	95/06/08	50-298	P	9506200111	9506200103	95/06/02	50-390	Q
9506160103	9506160096	95/06/08	50-298	P	9506200112	9506200100	95/06/09	50-220	F
9506160136	9506160130	95/06/07	50-530	Q	9506200120	9506200076	95/06/06	50-259	Q
9506160176	9506160171	95/06/07	50-250	P	9506200122	9506200100	95/06/09	50-220	F
9506160189	9506160182	95/06/07	50-311	Q	9506200123	9506200076	95/06/06	50-259	Q
9506160233	9506160229	95/05/31	PROJ		9506200127	9506200125	95/06/09	50-458	Q
9506160249	9506160243	95/06/05	72-1007		9506200138	9506200132	95/06/12	50-305	P
9506160255	9506160251	95/06/09	50-317	P	9506200141	9506200130	95/06/12	50-445	Q
9506160293	9506160280	95/06/02	50-259	P	9506200147	9506200135	95/06/14	50-295	P
9506160318	9506160312	95/06/09	WASTE MGT		9506200154	9506200142	95/05/24	50-280	Q
9506160329	9506160323	95/06/09	WASTE MGT		9506200156	9506200150	95/06/09	50-458	Q
9506160342	9506160335	95/06/12	50-285	S	9506200165	9506200159	95/06/15	50-286	P
9506160348	9506160347	95/06/07	50-277	P	9506200172	9506200158	95/06/12	50-445	Q
9506160352	9506160350	95/06/08	50-528	R	9506200173	9506200169	95/06/15	50-333	P
9506160353	9506160350	95/06/08	50-528	R	9506200176	9506200170	95/06/12	50-280	F
9506160376	9506160373	95/05/17	50-395	K	9506200179	9506200174	95/06/07	50-302	Q
9506160392	9506160389	95/06/06	71-*****		9506200183	9506200177	95/06/13	50-354	Q
9506160410	9506160401	95/06/05	71-*****		9506200184	9506200169	95/06/15	50-333	P
9506160449	9506160447	95/05/24	50-213	Q	9506200188	9506200170	95/06/12	50-280	F
9506160533	9506160526	95/06/13	52-3		9506200189	9506200153	95/06/14	QA999	
9506160543	9506160541	95/06/12	71-703		9506200194	9506200153	95/06/14	QA999	
9506160553	9506160548	95/06/12	71-9029		9506200196	9506200170	95/06/12	50-280	F

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9506200202	9506200191	95/06/12	50-387 Q	9506210219	9506210205	95/06/15	40-8964
9506200206	9506200203	95/05/26	50-416 Q	9506210225	9506210205	95/06/15	40-8964
9506200213	9506200203	95/05/26	50-416 Q	9506210226	9506210205	95/06/15	40-8964
9506200216	9506200207	95/06/12	50-397 Q	9506210228	9506210182	95/06/15	50-269 R
9506200226	9506200214	95/06/02	70-27	9506210232	9506210231	95/06/15	71-9225
9506200232	9506200219	95/06/13	50-327 P	9506210238	9506210149	95/06/15	50-369 R
9506200235	9506200227	95/06/12	50-390 F	9506210239	9506210237	95/06/15	40-8905
9506200236	9506200228	95/06/09	50-333 Q	9506210242	9506210235	95/06/13	PROJ
9506200240	9506200219	95/06/13	50-327 P	9506210243	9506210237	95/06/15	40-8905
9506200243	9506200227	95/06/12	50-390 F	9506210246	9506210237	95/06/15	40-8905
9506200247	9506200237	95/06/13	50-397 Q	9506210247	9506210235	95/06/13	PROJ
9506200253	9506200246	95/06/13	50-306 P	9506210251	9506210235	95/06/13	PROJ
9506200260	9506200255	95/06/14	50-423 P	9506210254	9506210250	95/06/15	40-8084
9506200265	9506200250	95/05/25	50-369 Q	9506210257	9506210250	95/06/15	40-8084
9506200274	9506200259	95/06/13	50-327 P	9506210259	9506210235	95/06/13	PROJ
9506200277	9506200264	95/06/12	50-390 Q	9506210261	9506210250	95/06/15	40-8084
9506200279	9506200275	95/06/13	50-266 Q	9506210262	9506210235	95/06/13	PROJ
9506200280	9506200259	95/06/13	50-327 P	9506210263	9506210235	95/06/13	PROJ
9506200287	9506200284	95/06/15	WASTE MGT	9506210264	9506210235	95/06/13	PROJ
9506200296	9506200293	95/05/25	50-324 Q	9506210265	9506210235	95/06/13	PROJ
9506200297	9506200293	95/05/25	50-324 Q	9506210267	9506210235	95/06/13	PROJ
9506200303	9506200299	95/06/12	50-261 Q	9506210268	9506210149	95/06/15	50-369 R
9506200304	9506200299	95/06/12	50-261 Q	9506210269	9506210235	95/06/13	PROJ
9506200313	9506200311	95/06/08	50-348 Q	9506210271	9506210270	95/06/12	50-334 F
9506200316	9506200311	95/06/08	50-348 Q	9506210274	9506210270	95/06/12	50-334 F
9506200319	9506200315	95/05/10	40-*****	9506210285	9506210280	95/06/30	50-29 K
9506200327	9506200325	95/05/13	71-516	9506210287	9506210281	95/05/30	50-155 T
9506200328	9506200315	95/05/10	40-*****	9506210320	9506210146	95/06/15	50-413 R
9506200333	9506200315	95/05/10	40-*****	9506210324	9506210146	95/06/15	50-413 R
9506200334	9506200330	95/06/14	50-424 P	9506210329	9506210142	95/06/15	50-285 R
9506200337	9506200315	95/05/10	40-*****	9506210333	9506210322	95/05/31	WASTE MGT
9506200342	9506200338	95/06/12	50-331 S	9506210335	9506210142	95/06/15	50-285 R
9506200344	9506200315	95/05/10	40-*****	9506210339	9506210142	95/06/15	50-285 R
9506200359	9506200353	95/05/24	50-389 G	9506210342	9506210142	95/06/15	50-285 R
9506200366	9506200353	95/05/24	50-389 G	9506210369	9506210354	95/02/24	WASTE MGT
9506200374	9506200368	95/06/02	ORG	9506210374	9506210370	95/06/15	50-390 F
9506200381	9506200368	95/06/02	ORG	9506210378	9506210371	95/06/02	50-334 P
9506200395	9506200368	95/06/02	ORG	9506210389	9506210386	95/06/13	50-528 P
9506200402	9506200389	95/06/13	50-390 K	9506210402	9506210386	95/06/13	50-528 P
9506200434	9506200427	95/05/26	50-458 M	9506210405	9506210386	95/06/13	50-528 P
9506200445	9506200429	95/06/13	50-237 P	9506210409	9506210408	95/06/14	50-482 P
9506200451	9506200429	95/06/13	50-237 P	9506210410	9506210408	95/06/14	50-482 P
9506200452	9506200444	95/06/05	50-348 F	9506220002	9506220001	95/06/16	50-285 Q
9506200463	9506200461	95/06/13	70-1113	9506220031	9506220028	95/06/14	50-361 Q
9506200464	9506200461	95/06/13	70-1113	9506220034	9506200363	95/06/06	50-327 P
9506200466	9506200465	95/06/15	50-315 P	9506220035	9506220029	95/06/16	QA999
9506200467	9506200465	95/06/15	50-315 P	9506220041	9506220029	95/06/16	QA999
9506200471	9506200468	95/06/15	50-245 P	9506220046	9506220038	95/06/05	50-395 P
9506200472	9506200470	95/06/01	50-275 P	9506220051	9506220048	95/06/15	50-387 P
9506210009	9506210004	95/06/12	71-*****	9506220058	9506220052	95/06/05	50-424 P
9506210015	9506210004	95/06/12	71-*****	9506220060	9506220056	95/06/20	71-770
9506210018	9506210013	95/06/13	50-458 Q	9506220080	9506220079	95/06/15	50-298 P
9506210021	9506210013	95/06/13	50-458 Q	9506220104	9506220097	95/06/12	52-3
9506210023	9506210010	95/06/16	50-313 Q	9506220114	9506220111	95/06/15	50-334 P
9506210032	9506210031	95/06/15	71-*****	9506220123	9506220122	95/06/01	50-387 P
9506210039	9506210036	95/06/15	71-96	9506220125	9506220122	95/06/01	50-387 P
9506210045	9506210034	95/06/15	40-672	9506220133	9506220127	95/06/16	50-295 Q
9506210047	9506210040	95/06/16	40-8584	9506220139	9506220134	95/06/15	50-286 F
9506210051	9506210034	95/06/15	40-672	9506220141	9506220134	95/06/15	50-286 F
9506210052	9506210048	95/06/16	50-397 Q	9506220150	9005090064	90/03/28	WASTE MGT
9506210058	9506210048	95/06/16	50-397 Q	9506220166	9506220158	95/06/09	TOPREP
9506210061	9506210056	95/06/08	50-315 Q	9506220170	9506220161	95/06/06	ORG
9506210073	9506210063	95/06/14	50-255 F	9506220189	9506220187	95/04/28	71-6717
9506210078	9506210076	95/06/14	50-361 R	9506220195	9506220194	95/06/15	40-3453
9506210080	9506210063	95/06/14	50-255 F	9506220198	9506220197	95/06/13	72-1004
9506210083	9506210071	95/06/13	50-247 Q	9506220209	9506220192	95/06/05	50-333 F
9506210086	9506210075	95/06/15	50-387 Q	9506220227	9206300185	92/05/04	WASTE MGT
9506210089	9506210075	95/06/15	50-387 Q	9506220259	9506220256	95/06/08	XPORTLIC
9506210097	9506210092	95/06/12	50-483 Q	9506220279	9506220273	95/06/05	50-412 P
9506210098	9506210093	95/05/23	STATE PRO G	9506220291	9506220289	95/06/19	WASTE MGT
9506210101	9506210094	95/06/09	50-313 P	9506220327	9506220326	95/06/08	50-254 Q
9506210102	9506210090	95/06/12	50-247 Q	9506220338	9506220335	95/06/15	71-9259
9506210103	9506210095	95/06/01	52-3	9506220341	9502100295	95/02/06	40-2384
9506210104	9506210099	95/06/15	50-244 F	9506220348	9506220346	95/06/16	70-1308
9506210110	9506210099	95/06/15	50-244 F	9506220349	9506220346	95/06/16	70-1308
9506210145	9506210140	95/06/02	40-8902	9506220351	9506220346	95/06/16	70-1308
9506210147	9506210136	95/06/12	50-271 Q	9506230009	9506230006	95/06/15	50-263 P
9506210156	9506210153	95/06/15	50-305 Q	9506230018	9506230017	95/06/06	50-336 P
9506210172	9506210170	95/06/06	70-364	9506230021	9506230017	95/06/06	50-336 P
9506210178	9506210175	95/06/08	70-364	9506230026	9506230023	95/06/05	50-356 P
9506210180	9506210177	95/06/10	40-8948	9506230027	9506230023	95/06/05	50-356 P
9506210183	9506210179	95/06/09	52-3	9506230031	9506230028	95/06/13	50-395 P
9506210187	9506210161	95/05/31	50-389 M	9506230032	9506230028	95/06/13	50-395 P
9506210189	9506210182	95/06/15	50-269 R	9506230037	9506230034	95/06/07	50-341 K
9506210192	9506210186	95/06/12	71-*****	9506230047	9506230044	95/06/20	50-313 Q
9506210200	9506210114	95/06/14	50-286 Q	9506230049	9506230044	95/06/20	50-313 Q
9506210211	9506210205	95/06/15	40-8964	9506230057	9506230054	95/06/19	50-295 Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9506230061	9506230055	95/06/02	50-275	P	9506280185	9506280167	95/06/08	50-458	P
9506230063	9506230055	95/06/02	50-275	P	9506280188	9506280157	95/06/14	50-390	Q
9506230065	9506230050	95/06/06	50-346	P	9506280195	9506280167	95/06/08	50-458	P
9506230069	9506230066	95/06/20	40-1162		9506280198	9506280179	95/06/06	40-2384	
9506230073	9506230066	95/06/20	40-1162		9506280209	9506280140	95/06/14	50-424	Q
9506230088	9506230077	95/06/19	50-397	Q	9506280213	9506280204	95/06/19	50-390	Q
9506230096	8701270204	86/06/11	40-6500		9506280215	9506280206	95/06/15	50-293	P
9506230097	9506230094	95/02/16	50-461	P	9506280220	9506280204	95/06/19	50-390	Q
9506230103	8701270204	86/06/11	40-6500		9506280221	9506280206	95/06/15	50-293	P
9506230107	9506230104	95/06/16	40-8724		9506280228	9506280204	95/06/19	50-390	Q
9506230110	8701270204	86/06/11	40-6500		9506280232	9506280230	95/06/20	40-8681	
9506230121	9506230112	95/06/02	50-528	P	9506280233	9506280219	95/06/15	50-259	Q
9506230122	9506230116	95/06/21	52-4		9506280235	9506280225	95/06/20	50-272	R
9506230125	9506230112	95/06/02	50-528	P	9506280238	9506280226	95/06/16	50-400	Q
9506230128	9506230119	95/06/08	50-295	G	9506280239	9506280234	95/06/15	50-334	P
9506230129	9506230098	95/06/02	50-483	P	9506280248	9506280236	95/06/13	STATE PRO	G
9506230138	9506230131	95/06/08	50-295	Q	9506280257	9506280251	95/06/19	50-395	P
9506230147	9506230098	95/06/02	50-483	P	9506280264	9506280255	95/06/15	40-8502	
9506230207	9506230206	95/06/08	50-155	H	9506280289	9506280267	95/06/14	40-299	
9506230219	9506230215	95/06/09	50-250	P	9506280293	9506280278	95/06/23	TOPREP	
9506230221	9506230215	95/06/09	50-250	P	9506280295	9506280280	95/06/20	50-324	Q
9506230224	9506230222	95/06/21	50-373	P	9506280300	9506280287	95/06/15	40-*****	
9506230225	9506230186	95/06/06	50-324	U	9506280305	9506280303	95/06/21	71-226	
9506230226	9506230217	95/06/08	50-280	Q	9506280307	9506280304	95/06/16	50-443	P
9506230230	9506230229	95/06/21	50-335	P	9506280314	9506280308	95/06/22	50-295	P
9506230231	9506230229	95/06/21	50-335	P	9506280328	9506280319	95/06/14	50-280	P
9506230234	9506230233	95/06/21	50-335	P	9506280339	9506280332	95/06/01	COMMISSIO	N
9506230235	9506230233	95/06/21	50-335	P	9506280344	9506280340	95/06/14	50-389	P
9506230240	9506230238	95/06/16	50-454	Q	9506280349	9506280340	95/06/14	50-389	P
9506230245	9506230239	95/06/09	ORG		9506280353	9506280348	95/06/20	50-423	P
9506230249	9506160073	95/06/02	40-8027		9506280371	9506280362	95/06/13	50-250	P
9506230253	9506230239	95/06/09	ORG		9506280388	9506280380	95/05/19	XPORTLIC	
9506230256	9506230251	95/06/15	50-305	Q	9506280389	9506280377	94/03/04	50-387	V
9506230258	9506230250	95/06/13	50-255	P	9506280391	9506280379	95/06/20	50-271	P
9506230261	9506230250	95/06/13	50-255	P	9506280392	9506280376	95/06/15	40-*****	
9506230263	9506230255	95/06/06	50-335	P	9506280395	9506280382	95/06/13	40-8981	
9506230268	9506230255	95/06/06	50-335	P	9506280397	9506280385	95/06/12	50-275	P
9506230271	9506230259	95/06/09	50-250	P	9506280402	9506280377	94/03/04	50-387	V
9506230283	9506230280	95/06/08	50-255	P	9506280405	9506280399	95/05/18	XPORTLIC	
9506230287	9506230280	95/06/08	50-255	P	9506280412	9506280387	95/06/22	50-335	P
9506230293	9506230286	95/06/08	50-237	P	9506280413	9506280377	94/03/04	50-387	V
9506230298	9506230286	95/06/08	50-237	P	9506280418	9506280377	94/03/04	50-387	V
9506230303	9506230302	95/06/19	50-333	F	9506280420	9506280379	95/06/20	50-271	P
9506230306	9506230302	95/06/19	50-333	F	9506280426	9506280377	94/03/04	50-387	V
9506230308	9506220261	95/06/02	XPORTLIC		9506280429	9506280387	95/06/22	50-335	P
9506230322	9506230318	95/06/05	XPORTLIC		9506280436	9506280377	94/03/04	50-387	V
9506230336	9506230327	95/06/20	50-321	P	9506280444	9506280377	94/03/04	50-387	V
9506230343	9506230335	95/05/18	50-288	V	9506280479	9506280473	95/05/13	70-734	
9506230364	9506230353	95/05/30	XPORTLIC		9506280482	9506280474	95/06/12	50-282	Y
9506230377	9506230375	95/06/12	50-271	P	9506280498	9506280490	95/06/14	50-255	P
9506230382	9506230381	95/06/19	50-395	P	9506280499	9506280486	95/06/12	40-6659	
9506230389	9506230388	95/06/16	50-272	R	9506280502	9506280494	95/06/16	40-*****	
9506230392	9506230391	95/06/16	50-259	P	9506280514	9506280495	95/06/15	PROJ	
9506280002	9506280001	95/06/15	40-3392		9506280518	9506280510	95/06/14	50-446	P
9506280005	9506280003	95/06/21	50-160	G	9506280526	9506280520	95/06/14	STATE PRO	G
9506280007	9506280004	95/06/20	50-245	Q	9506280528	9506280521	95/06/09	50-499	P
9506280013	9506230346	95/06/12	ORG		9506280536	9506280534	95/06/20	50-333	Q
9506280018	9506280012	95/06/16	STATE PRO	G	9506280555	9506280550	95/06/16	50-244	Q
9506280019	9506280016	95/06/19	70-143		9506280562	9506280554	95/06/15	70-7002	
9506280021	9506280012	95/06/16	STATE PRO	G	9506280571	9506280559	95/06/16	50-277	Q
9506280036	9506280033	95/06/16	50-261	Q	9506280574	9506280563	95/06/22	50-361	Q
9506280042	9506280033	95/06/16	50-261	Q	9506280575	9506280565	95/06/21	50-275	Q
9506280057	9506280052	95/06/06	STATE PRO	G	9506280581	9506280563	95/06/22	50-361	Q
9506280059	9506280055	95/06/22	50-309	P	9506280583	9506280573	95/06/22	50-482	Q
9506280065	9506280061	95/06/20	50-285	R	9506280587	9506280576	95/06/22	50-295	P
9506280073	9506280069	95/06/19	50-213	Q	9506280588	9506280565	95/06/21	50-275	Q
9506280080	9506280066	95/06/19	50-456	P	9506280589	9506280584	95/06/19	70-7001	
9506280087	9506280066	95/06/19	50-456	P	9506280592	9506280576	95/06/22	50-295	P
9506280091	9506280071	95/06/20	70-27		9506280594	9506280584	95/06/19	70-7001	
9506280094	9506280082	95/06/14	40-6940		9506280598	9506280590	95/06/20	50-498	Q
9506280098	9506280071	95/06/20	70-27		9506280602	9506280596	95/06/23	40-6659	
9506280105	9506280096	95/03/29	STATE PRO	G	9506280606	9506280604	95/06/21	50-298	Q
9506280108	9506280097	95/06/15	50-338	Q	9506280607	9506280605	95/06/14	50-237	P
9506280111	9506280104	95/06/16	50-289	Q	9506280611	9506280605	95/06/14	50-237	P
9506280119	9506280114	95/06/21	50-335	P	9506280612	9506280610	95/06/21	50-293	Q
9506280124	9506280117	95/06/20	70-1257		9506280615	9506280610	95/06/21	50-293	Q
9506280125	9506280116	95/06/19	50-390	Q	9506280618	9506280453	95/06/20	70-27	
9506280128	9506280114	95/06/21	50-335	P	9506280619	9506280614	95/06/15	50-321	P
9506280130	9506280117	95/06/20	70-1257		9506280628	9506280622	95/06/15	50-220	P
9506280131	9506280126	95/06/23	50-213	P	9506280632	9506280624	95/06/16	50-275	R
9506280135	9506280129	95/06/19	50-390	Q	9506280633	9506280622	95/06/15	50-220	P
9506280158	9506280149	95/06/16	STATE PRO	G	9506280638	9506280629	95/06/21	50-275	Q
9506280165	9506280149	95/06/16	STATE PRO	G	9506280647	9506280643	95/06/09	50-261	Q
9506280171	9506280167	95/06/08	50-458	P	9506280649	9506280629	95/06/21	50-275	Q
9506280177	9506280167	95/06/08	50-458	P	9506280650	9506280640	95/06/14	50-528	P
9506280182	9506280176	95/06/21	50-325	Q	9506280656	9506280640	95/06/14	50-528	P
9506280183	9506280179	95/06/06	40-2384		9506280657	9506280644	95/06/21	50-272	Q

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9506280663	9506280654	95/06/18	50-443 Q	9506290243	9506290235	95/06/13	STATE PRO G
9506280664	9506280653	95/06/20	40-8833	9506290247	9506290242	95/06/20	50-410 P
9506280673	9506280666	95/06/08	50-315 P	9506290248	9506290235	95/06/13	STATE PRO G
9506280679	9506280569	95/06/19	50-286 P	9506290251	9506290235	95/06/13	STATE PRO G
9506280691	9506280680	95/06/19	50-213 Q	9506290253	9506290252	95/06/19	50-250 P
9506280693	9506280686	95/06/14	50-498 F	9506290257	9506290235	95/06/13	STATE PRO G
9506280694	9506280688	95/06/16	50-146 Q	9506290259	9506290235	95/06/13	STATE PRO G
9506280708	9506280703	95/06/08	50-295 P	9506290265	9506290235	95/06/13	STATE PRO G
9506280709	9506280645	95/06/20	50-315 P	9506290268	9506290235	95/06/13	STATE PRO G
9506280716	9506280711	95/06/12	50-245 P	9506290270	9506290235	95/06/13	STATE PRO G
9506280724	9506280720	95/06/15	50-414 P	9506290272	9506290235	95/06/13	STATE PRO G
9506280725	9506280722	95/06/12	50-289 P	9506290273	9506290235	95/06/13	STATE PRO G
9506280740	9506280737	95/06/12	50-301 Q	9506290275	9506290235	95/06/13	STATE PRO G
9506280744	9506280714	95/06/12	40-8084	9506290277	9506290235	95/06/13	STATE PRO G
9506280745	9506280734	95/04/28	40-8501	9506290281	9506290276	95/06/16	50-237 P
9506280762	9506280754	95/06/13	50-275 Q	9506290284	9506290276	95/06/16	50-237 P
9506280766	9506230210	95/06/08	50-424 P	9506290285	9506290235	95/06/13	STATE PRO G
9506280781	9506280774	95/06/14	REVIEW GR P	9506290287	9506290235	95/06/13	STATE PRO G
9506280783	9506280774	95/06/14	REVIEW GR P	9506290290	9506290235	95/06/13	STATE PRO G
9506280784	9506230223	95/06/05	50-228 P	9506290293	9506290235	95/06/13	STATE PRO G
9506280792	9506280788	95/06/16	WASTE MGT	9506290294	9506290233	95/06/12	ORG
9506280797	9506280796	95/06/21	50-285 P	9506290296	9506290235	95/06/13	STATE PRO G
9506290006	9506290003	95/06/20	STATE PRO G	9506290297	9506290235	95/06/13	STATE PRO G
9506290028	9506290025	95/06/21	STATE PRO G	9506290298	9506290295	95/06/16	40-8903
9506290033	9506290003	95/06/20	STATE PRO G	9506290300	9506290233	95/06/12	ORG
9506290034	9506290025	95/06/21	STATE PRO G	9506290304	9506290235	95/06/13	STATE PRO G
9506290036	9506290025	95/06/21	STATE PRO G	9506290307	9506290233	95/06/12	ORG
9506290040	9506290025	95/06/21	STATE PRO G	9506290308	9506290286	95/06/22	50-529 S
9506290043	9506290029	95/06/22	STATE PRO G	9506290312	9506290310	95/05/30	STATE PRO G
9506290044	9506290025	95/06/21	STATE PRO G	9506290330	9506290320	95/05/11	50-317 H
9506290049	9506290025	95/06/21	STATE PRO G	9506290339	9506290320	95/05/11	50-317 H
9506290050	9506290048	95/06/20	50-313 Q	9506290357	9506290346	95/05/24	ORG
9506290052	9506290025	95/06/21	STATE PRO G	9506290361	9506290350	95/06/12	50-272 P
9506290059	9506290054	95/06/14	50-327 P	9506290362	9506290346	95/05/24	ORG
9506290061	9506290025	95/06/21	STATE PRO G	9506290372	9506290346	95/05/24	ORG
9506290065	9506290054	95/06/14	50-327 P	9506290373	9506290350	95/06/12	50-272 P
9506290066	9506290046	95/06/23	50-424 G	9506290378	9506290376	95/06/07	COMMISSIO N
9506290067	9506290041	95/06/20	QA999	9506290379	9506280469	95/05/22	XPORTLIC
9506290068	9506290057	95/06/22	71-9225	9506290382	9506290346	95/05/24	ORG
9506290071	9506290058	95/06/23	STATE PRO G	9506290389	9506290384	95/06/01	COMMISSIO N
9506290075	9506290072	95/06/23	71-9788	9506290390	9506290386	95/06/19	50-259 P
9506290078	9506290025	95/06/21	STATE PRO G	9506290393	9506290386	95/06/19	50-259 P
9506290083	9506290080	95/06/14	50-247 P	9506290394	9506290391	95/06/20	50-352 P
9506290085	9506290063	95/06/14	50-295 G	9506290395	9506290384	95/06/01	COMMISSIO N
9506290086	9506290025	95/06/21	STATE PRO G	9506290407	9506290405	95/06/19	50-352 P
9506290087	9506290074	95/06/12	40-8681	9506290408	9506290406	95/06/15	REGGD
9506290100	9506290025	95/06/21	STATE PRO G	9506290416	9506290409	95/06/19	50-277 P
9506290105	9506290025	95/06/21	STATE PRO G	9506290418	9506290409	95/06/19	50-277 P
9506290108	9506290025	95/06/21	STATE PRO G	9506290421	9506290417	95/06/21	50-528 P
9506290114	9506290025	95/06/21	STATE PRO G	9506290422	9506290420	95/06/16	50-446 Q
9506290115	9506290103	95/06/14	50-443 P	9506290427	9506290415	95/06/16	TOPREP
9506290116	9506290113	94/04/22	50-387 K	9506290441	9506290439	95/06/14	50-315 P
9506290117	9506290110	95/06/21	40-8502	9506290447	9506290445	95/06/20	50-312 W
9506290129	9506290025	95/06/21	STATE PRO G	9506300005	9506300004	95/06/26	50-498 Q
9506290130	9506290025	95/06/21	STATE PRO G	9506300009	9506300008	95/06/27	50-313 Q
9506290133	9506290131	95/06/07	50-213 K	9506300016	9506300015	95/06/26	50-285 Q
9506290137	9506290025	95/06/21	STATE PRO G	9506300020	9506300014	95/06/23	40-7397
9506290141	9506290138	95/06/20	50-387 P	9506300024	9506300023	95/06/23	50-461 P
9506290143	9506290025	95/06/21	STATE PRO G	9506300033	9506300030	95/06/23	50-245 Q
9506290145	9506290118	95/05/25	WASTE MGT	9506300040	9506300032	95/06/28	50-315 Q
9506290146	9506290142	95/06/14	50-331 P	9506300045	9506300043	95/06/22	50-263 P
9506290151	9506290142	95/06/14	50-331 P	9506300047	9506300043	95/06/22	50-263 P
9506290152	9506290025	95/06/21	STATE PRO G	9506300052	9506300049	95/06/23	52-3
9506290156	9506290154	95/06/21	71-542	9506300059	9506300057	95/06/28	40-8989
9506290162	9506290147	95/06/14	50-271 Q	9506300071	9506300068	95/06/22	50-289 P
9506290165	9506290160	95/06/09	50-313 P	9506300074	9506300068	95/06/22	50-289 P
9506290167	9506290147	95/06/14	50-271 Q	9506300086	9506300084	95/06/22	50-325 S
9506290170	9506290160	95/06/09	50-313 P	9506300089	9506300072	95/06/22	50-454 P
9506290172	9506290025	95/06/21	STATE PRO G	9506300091	9506300087	95/05/18	ORG
9506290175	9506290025	95/06/21	STATE PRO G	9506300093	9506300072	95/06/22	50-454 P
9506290179	9506290173	95/06/23	71-5149	9506300102	9506300096	95/05/31	50-277 P
9506290180	9506290025	95/06/21	STATE PRO G	9506300110	9506290306	95/06/15	TOPREP
9506290189	9506290188	95/06/23	71-9168	9506300117	9506300113	95/05/03	ORG
9506290195	9506290191	95/06/08	50-458 P	9506300120	9506300114	95/06/07	50-267 J
9506290196	9506290192	95/06/21	50-255 S	9506300122	9506300114	95/06/07	50-267 J
9506290200	9506290119	95/04/18	STATE PRO G	9506300136	9506300132	95/06/27	50-445 P
9506290201	9506290191	95/06/08	50-458 P	9506300153	9506300135	95/06/21	50-445 P
9506290207	9506290191	95/06/08	50-458 P	9506300159	9506300139	95/03/28	TOPREP
9506290208	9506290193	95/06/07	50-275 P	9506300198	9506300190	95/06/21	50-320 P
9506290210	9506290206	95/06/20	50-259 F	9506300199	9506300186	95/06/20	50-312 W
9506290212	9506290205	95/06/14	50-368 P	9506300201	9506300190	95/06/21	50-320 P
9506290213	9506290193	95/06/07	50-275 P	9506300203	9506300190	95/06/21	50-320 P
9506290214	9506290206	95/06/20	50-259 F	9506300213	9506300207	95/06/23	50-315 P
9506290216	9506290191	95/06/08	50-458 P	9506300214	9506300209	95/06/20	50-254 P
9506290219	9506290217	95/06/20	50-348 P	9506300218	9506300207	95/06/23	50-315 P
9506290238	9506290233	95/06/12	ORG	9506300230	9506300226	95/06/19	50-280 P
9506290241	9506290237	95/06/05	70-135	9506300231	9506300224	95/06/19	50-458 P

230 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9506300234	9506300224	95/06/19	50-458	P	9506300299	9506300298	95/06/13	40-8698	
9506300244	9506300238	95/06/06	50-272	P	9506300300	9506300293	95/06/22	50-352	P
9506300247	9506300238	95/06/06	50-272	P	9506300308	9506300305	95/06/26	50-295	P
9506300258	9506300246	95/06/22	50-327	S	9506300309	9506300304	95/06/23	50-346	P
9506300268	9506300265	95/06/20	50-244	P	9506300311	9506300310	95/06/14	40-9022	
9506300278	9506300265	95/06/20	50-244	P	9506300312	9506300310	95/06/14	40-9022	
9506300279	9506300269	95/06/16	TOPREP		9506300315	9506300314	95/06/22	50-498	Q
9506300284	9506300276	95/06/26	TOPREP		9507030015	9506280024	95/06/20	50-160	G
9506300289	9506300270	95/06/23	50-295	P	9507030018	9506300305	95/06/26	50-295	P
9506300292	9506300287	95/06/23	50-266	P	9507100268	9506210090	95/06/12	50-247	Q
9506300297	9506300293	95/06/22	50-352	P	9507100370	9506200275	95/06/13	50-266	Q

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC.
2. Supplements to the DES and FES.
3. Correspondence relating to the DES and FES.
4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals.
5. Transmittal and acknowledgment letters.
6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.
7. Backup technical documents submitted in connection with above.
8. Federal Register notices citing availability of items 1 and 2.
9. Reports of site visits to obtain information for the DES or FES.
10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.

NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR.
2. Supplements to the SER.
3. Correspondence relating to the SER and supplements.
4. Federal Register notices citing availability of items 1 and 2.
5. Information on scheduling of SER submittals and review.
6. Requests for additional information for use in preparing SER; responses to such requests.
7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
8. Transmittal and acknowledgment letters.

NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
2. Separately submitted financial information and related correspondence.
3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements of insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility.
2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility.
3. Amendments and changes to the FSAR and USAR.
4. Federal Register notices citing availability of the FSAR and amendments.
5. Transmittal and acknowledgment letters.
6. Certificates of service to the FSAR and USAR.

NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
2. Correspondence pertaining to work performed under LWAs.

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.

2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.

3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings, relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.

2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.

3. Technical specifications and changes.

4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.

5. Federal Register notices citing availability of item 1 and the FSAR.

6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (STP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

12. Owner's group meeting announcements and reports.

13. Quality assurance information.

14. Environmental matters (technical).

15. Seismic qualification review team (SQRT) reports and related correspondence.

16. Emergency core cooling system documents.

17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.

18. Correspondence regarding expansion of spent fuel storage pool.

19. Start-up test reports.

20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

21. SERs on specific generic issues.

22. Proposed equipment failure/instructions.

23. Inservice testing (not inspections).

24. Reports of site visits.

25. Application to voluntarily surrender license, dismantle, and dispose of component parts.

26. Changes in NRC's internal organizational structure.

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

1. Inspection reports.

2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.

3. Responses by applicant to IE correspondence.

4. Applicant's determination of proprietary nature of Inspection Reports.

5. Letters concerning areas of noncompliance.

6. Pre-service and in-service inspections and procedures.

7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).

8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.

9. Health physics inspections/appraisals.

10. Emergency preparedness inspections/appraisals.

11. Inspections and related correspondence from the International Atomic Energy Agency.

12. Systematic Assessment of Licensee Performance (SALP).

DEFINITIONS OF DOCKET 50 CATEGORIES

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

    A. Integrated Design Inspection (IDI) reports.

    B. Independent Design Verification Program (IDVP) reports.

14. Notice of significant licensee meetings.

15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16.

NOTE: For IE Bulletins and Information Notices, see I&E file series.

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports.

4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed.

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).

2. Potential or possible reportable Deficiency Reports and related correspondence.

3. Individual Personnel Exposure Reports.

4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).

5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNs).

6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.

7. Part 21 Reports or Defects and Noncompliance.

8. Correspondence or other documents relating to items 1–7.

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.
4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

1. Order granting authority to dismantle/decommission.

2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental Report on Dismantling, Safety Analysis Report on Decommissioning.

3. Documents relating to disposal of radioactive material and decontamination of the site.

4. Other correspondence relating to decommissioning.

5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.

2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket–30 number associated with the Docket–50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket–72 number. For these installations on a reactor site, the associated Docket–50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR—Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.

ACRS—Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM—NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
2. Meeting announcements; description of meeting agenda.
3. Minutes and verbatim transcripts of committee meetings.
4. Committee-generated reports, memoranda, and correspondence that are publicly available.
5. Committee-related correspondence.

COMMISSION—NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT—NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.
2. Contractual documents and modifications to contracts.

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89–100 refers to the 100th FOIA request made in 1989).
2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.
3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

1. Draft reports of action plans to accomplish generic tasks in the NRR program.
2. Correspondence with industry and within NRC discussing methodologies, analyses, the program and technical aspects of issues.
3. Meeting notifications and minutes.
4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.

5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest.

6. Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance.

7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties.

NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.

2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry.

3. Action and review plans, as well as guidance, for meeting NRC requirements.

4. Task force reports on specific topics.

5. Proceeding of conferences and workshops.

6. Management and program analysis reports.

7. Statistical analyses that are of interest to the staff, the industry, and the public.

8. Administrative reports that are of interest to the staff, the industry, and the public.

9. Correspondence from industry, government, and the public commenting on reports.

10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports.

NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG—Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.

2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR—Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.

2. Text of the Proposed Rule (PR).

3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.

5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM—Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.

2. Federal Register notice of the filing of the petition.

3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ—Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.
2. Notices of deviations.
3. Follow-up correspondence resolving deviations cited.
2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

PT 21—10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.
2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.
3. NRC inspection reports of defects cited.
4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999—Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.
2. Notices of deviation.
3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD—Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.
4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES—Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.

    a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

    b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.

2. *Formal technical reports*, which may be periodic progress reports on long-term projects of final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.

3. *Research Information Letters* (RILs) summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP–Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments and presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
5. Internal memoranda relating to topics under discussion.
6. Correspondence related to items 1 through 5.

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.
3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
4. Hearing Board orders and rulings.
5. Technical reports submitted as evidence in the proceedings.
6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.

3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.

4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:

   a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.

   b. NRC review of Agreement State radiation control program.

   c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.

3. State Legislative Reports (discontinued as of December 1984).

4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP—Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.

2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.

4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.

5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH—AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post–1975 NRC-issued formal reports carry the NUREG series designation.

WM—Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE prelicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.

    a. Technical high-level waste site prelicensing documentation.

    b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.

    c. Briefings by DOE on research being conducted on nuclear waste management.

2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.

4. NRC topical report reviews and associated correspondence.

5. Correspondence from citizens and other non-government organizations for the above items.

NOTE: For contractor research on waste management activities, see the WMRES category.

WMRES—Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.

2. Trip reports.

3. Draft and final reports submitted for NRC review or information.

4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.

XPORTLIC—Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.

2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.

3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.

4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.

5. Correspondence to and from foreign governments, international organizations, and members of the public.

6. Hearing records and decisions.

7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.

8. Licenses, license amendments, and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

NRC FORM 335 (2-89) NRCM 1102, 3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)

NUREG-0540
Vol. 17, No. 6

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

June 1-30, 1995

3. DATE REPORT PUBLISHED

MONTH	YEAR
August	1995

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)
Unclassified

(This Report)
Unclassified

15. NUMBER OF PAGES

16. PRICE